

Cryptography and Network Security Overview & Chapter 1

Fifth Edition
by William Stallings
Lecture slides by Lawrie Brown
(with edits by RHB)

Roadmap

- Cryptographic algorithms
 - symmetric ciphers
 - asymmetric encryption
 - hash functions
- Mutual Trust
- Network Security
- Computer Security

Chapter 0 – Reader's Guide

The art of war teaches us to rely not on the likelihood of the enemy's not coming, but on our own readiness to receive him; not on the chance of his not attacking, but rather on the fact that we have made our position unassailable.

—The Art of War, Sun Tzu

Standards Organizations

- National Institute of Standards & Technology (NIST)
- Internet Society (ISOC)
- International Telecommunication Union Telecommunication Standardization Sector (ITU-T)
- International Organization for Standardization (ISO)

Chapter 1 – Introduction

Outline

- *The combination of space, time, and strength that must be considered as the basic elements of this theory of defense makes this a fairly complicated matter. Consequently, it is not easy to find a fixed point of departure..*
— ***On War, Carl Von Clausewitz***

We will look at:

- topic roadmap & standards organizations
- security concepts:
 - confidentiality, integrity, availability
- X.800 security architecture
- security attacks, services, mechanisms
- models for network (access) security


Computer Security

- the protection afforded to an automated information system in order to attain the applicable objectives of preserving the integrity, availability and confidentiality of information system resources (includes hardware, software, firmware, information/data, and telecommunications)

Typical malware characteristics

- rootkits, botnets, etc.
- viruses, worms, etc.
- ransomware
- malware design/configuration tools
- 20,000 novel signatures per day
- 2 million signatures seen per day
- etc.

Key Security Concepts



Examples of Security Requirements

- confidentiality – student grades
- integrity – patient information
- availability – authentication service

Levels of Impact


- can define 3 levels of impact from a security breach
 - Low
 - Moderate
 - High

Computer Security Challenges

1. not simple
2. must consider potential attacks
3. procedures used counter-intuitive
4. involve algorithms and secret info
5. must decide where to deploy mechanisms
6. battle of wits between attacker / admin
7. not perceived of benefit until fails
8. requires regular monitoring
9. too often an after-thought
10. regarded as impediment to using system

OSI Security Architecture

- ITU-T X.800 “Security Architecture for OSI”
- defines a systematic way of defining and providing security requirements
- for us it provides a useful, if abstract, overview of concepts we will study



Aspects of Security

- consider 3 aspects of information security:
 - **security attack**
 - **security mechanism**
 - **security service**
- note terms
 - *threat* – a potential for violation of security
 - *attack* – an assault on system security, a deliberate attempt to evade security services

Passive Attacks





Figure 1.3 Passive Attacks

Active Attacks






Figure 1.4 Active Attacks (page 1 of 2)





Figure 1.4 Active Attacks (page 2 of 2)

Security Service

- enhance security of data processing systems and information transfers of an organization
- intended to counter security attacks
- using one or more security mechanisms
- often replicates functions normally associated with physical documents
 - which, for example, have signatures, dates; need protection from disclosure, tampering, or destruction; be notarized or witnessed; be recorded or licensed

Security Services

- X.800:
“a service provided by a protocol layer of communicating open systems, which ensures adequate security of the systems or of data transfers”
- RFC 2828:
“a processing or communication service provided by a system to give a specific kind of protection to system resources”

Security Mechanism

- feature designed to detect, prevent, or recover from a security attack
- no single mechanism that will support all services required
- however one particular element underlies many of the security mechanisms in use:
 - **cryptographic techniques**
- hence our focus on this topic


Security Services (X.800)

- **Authentication** - assurance that communicating entity is the one claimed
 - have both peer-entity & data origin authentication
- **Access Control** - prevention of the unauthorized use of a resource
- **Data Confidentiality** - protection of data from unauthorized disclosure
- **Data Integrity** - assurance that data received is as sent by an authorized entity
- **Non-Repudiation** - protection against denial by one of the parties in a communication
- **Availability** - resource accessible/usable

Security Mechanisms (X.800)

- specific security mechanisms:
 - encipherment, digital signatures, access controls, data integrity, authentication exchange, traffic padding, routing control, notarization
- pervasive security mechanisms:
 - trusted functionality, security labels, event detection, security audit trails, security recovery


Model for Network Security



Model for Network Security

- using this model requires us to:
 1. design a suitable algorithm for the security transformation
 2. generate the secret information (keys) used by the algorithm
 3. develop methods to distribute and share the secret information
 4. specify a protocol enabling the principals to use the transformation and secret information for a security service

Model for Network Access Security



Model for Network Access Security

- using this model requires us to:
 1. select appropriate gatekeeper functions to identify users
 2. implement security controls to ensure only authorised users access designated information or resources