



UTOPIA ? $\Delta\delta$ OBLIVION ?


TradeFi TRC Trade Reference Currency

E \$ € ¥ currency index #20022


I.R.S. #1421 ISO CLOSER = CHEAPER < FUEL < CO2

BLOCKCHAIN CONSENSUS ALGORITHMS

HARVESTING GOLD: THOMAS EDISON'S EXPERIMENT TO RE-INVENT AMERICAN MONEY... Monetary Option 1922 BY DAVID L. HAMMES





STAT MEAN VALUE INDEX













Price Indexes in Time and Space Methods and Practice SchellingPoint



DeFi TIME- SPACE METRICS METERS Eco Econ Incentives HEARTBEAT % REAL GDP ("108") ALGORITHMIC REGULATION








TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart
Beacon Cycle Time – Space
Meter / Adaptive Template



SCOTUS Alice in Wonderland Ruling 2014 ABSTRACTIONS MAY NOT BE CLAIMED:

Chain Abstraction: Simplifying the Complex World of Blockchain

The Net, Net of Money (Cryptocurrency)

Does not have / has no:

- LAYERS i.e., seven layer internet model
- BLOCKS on the BLOCKCHAIN
- Blockchain data stored in a CUBE
- QUBIT (S) quantum two state system
- Packets i.e., Vinton Cerf's "ode to a packet"
Nikola Tesla "All is wave form motion"

Lightchain AI introduces Proof of Intelligence (PoI), consensus mechanism designed to reward nodes for performing AI computations i.e., model training, inference, optimization...

INTERNET, NET OF \$\$\$ TRUTH = WAVE FORMS

All computing is essentially workflow logic If, then, else then do {'task'} multicasted, Unicasted, anycasted / filtered over TCP / IP



Qubit vs bit: Qubits are represented by a superposition of multiple possible states. A qubit uses the quantum mechanical phenomena of superposition to achieve a linear combination of two states. A classical binary bit can only represent a single binary value, such as 0 or 1, meaning that it can only be in one of two possible states. A qubit, however, can represent a 0, a 1, or any proportion of 0 and 1 in superposition of both states, with a certain probability of being a 0 and a certain probability of being a 1.

Q: ARE WE ABSOLUTELY CERTAIN QUBITS EXIST ?


Q: IF CUBITS DO NOT EXIST, THEN ARE THEY SIMPLY A WAY TO ACHIEVE GROUP THINK FASTER ???

Q: 1/3 of an event (transaction) ... really ???


**ABSTRACT VS NATURE:
573 U.S. 134 S.Ct 2347**
"BITCOIN'S VALUE = TIME ITSELF"
TIME IS SPECIFIED IN UNITS OF BLOCK TRANSACTION CONFIRMATION TIMES"

FISHER INFORMATION FLUX FLOWS

ACOUSTIC PHONON



SOUND / LIGHT e.g., Q.R.N.B. QUANTUM COMPUTING @ ROOM TEMPERATURE SOUND WAVES = INTEROP



Net of **\$\$\$** formed with:
1 EPOCH TIME CYCLES

2 {"Syntax"} "The Word"
"In the Beginning" Genesis Block

"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

A blockchain is a consensus-based system. It only works if all nodes reach an identical state

Circle USDC


Investopedia

Stablecoins are cryptocurrencies whose value is pegged, or tied, to that of another currency, commodity, or financial instrument.


Stablecoins aims to provide an alternative to the high volatility of the most popular cryptocurrencies, Source JDSUPRA



Circle Financial Ltd lawsuit brought by Veritasium Capital for alleged infringement of its digital-asset trading patent. U.S. District Court for the Eastern District of Texas, No. 2:22-cv-00498



TESLA "ALL IS WAVE FORM MOVEMENT"




NOSTRADAMUS of FRANCE CENTURY 8: QUATRAIN 28:

"The copies of gold and silver inflated,
 after the theft were thrown into the lake,
 At the discovery that all is exhausted and
 dissipated by the debt,
 All scripts and bonds will be wiped out."



"FutureMan"
13/573,002



**"THE FINANCIAL
NOSTRADAMUS"**
REGGIE MIDDLETON

Reggie Middleton
"Father of DeFi"






US11196566
US11895246
JP6813477

World Game (s) **Fulcrum**

**Schelling point: a.k.a. world.
focal point, is a solution
people tend to choose by default in
the absence of communication to
avoid coordination failure**

introduced by the economist Thomas Schelling in his book "The Strategy of Conflict" published in 1960.

Schelling points are particularly useful in multiplayer games where players respond based on what they think the other person's response will be.




Humanitarian Assistance Networked Donor System

H.A.N.D.S: "Based on the need to speed up the processes of influencing an adversary, new concepts result in the adaptation of military doctrine, organization, training, material, infrastructure, interagency interaction, leadership, personnel and facilities" ... German Bundeswehr concept of "OOTW Operations Other Than WAR or "Vernetzte Operationsführung" circa 2003



"Shared situational awareness enables collaboration synchronization, and enhances sustainability, speed of command"



300 +TEMPLATES
STRUCTURED DATA
EXCHANGE
FFUIRNS FFUDNS OPSCODES
MAPPED TO SYMBOL SETS

Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals



DOD SITUATION AWARENESS PROGRAM
SWORDS TO PLOWSHARES OOTW IDEA
BY GERMAN MILITARY CIRCA 2003



Beacon Communities

Vernetzte Operationsführung




Proximity Beacons



JAEGERS

Closer < \$\$\$ < FUEL



KAIJU


FREELY
HEARTBEAT
ALGORITHM



KAIJU



SYSTEM
Of
SYSTEMS




WORLD BEYOND WAR.org
a global movement to end all wars







Neural Net

DAN MILLMAN



NOW A MAJOR MOTION PICTURE FROM LIONSGATE
WAY OF THE PEACEFUL WARRIOR
A BOOK THAT CHANGES LIVES

OFF SHORE
OUTER BANKS



- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- STRUCTURED DATA EXCHANGE
 Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine Block-Time DLT arbitrage among Trade Federations </Org_ID> {“URN”} </URN> = COMMODITY

Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals

DOD SITUATION AWARENESS PROGRAM
SWORDS TO PLOWSHARES OOTW IDEA
 BY GERMAN MILITARY CIRCA 2003



Spatial / temporal UTZ synchronization, stochastic harmonization, Time - Space Distance Estimation Service Common Consensus Algo-meme Eco sustainable incentives




“We can synchronize ourselves, DAO Trade Federations in time - space for common purposes”
 Eco sustainable, Equitable Economic econometrics.

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Numismatics: study of currency

Marcus Aurelius



Legend: IMP. M.
ANTONINVS
AVG. TR. P. XXV.

THE TERRA (TRC) Trade Reference Currency



Roman Denominations



Images Courtesy Of: Roma Numismatics Ltd, Numismatica Ars Classica, Bertolami Fine Arts, Nomos, & The State Museum in Berlin


BRONZE / LEAD / AES SIGNATUM AES GRAVE / SILVER / LEAD / IRON..

Unlike most modern coins, Roman coins had (at least in the early centuries) significant intrinsic value. However, while the gold and silver issues contained precious metals, the value of a coin could be slightly higher than its precious metal content, so they were not, strictly speaking, equivalent to bullion. Also, over the course of time the purity and weight of the silver coins were reduced.[15] Estimates of the value of the denarius range from 1.6 to 2.85 times its metal content,[citation needed] thought to equal the purchasing power of 10 modern British pound sterling at the beginning of the Roman Empire to around 18 pound sterling by its end (comparing bread, wine, and meat prices) and, over the same period, around one to three days' pay for a legionary.[16]


Terra Trade Reference Currency TRC
"world currency" Bernard A. Lietaer
Belgian economist proposed 1991
Basket of 9-12 most important
commodities. Public issued
demurrage fees for storage,
shipping, handling..



Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION




LEADING ECONOMIC INDICATORS





The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

SCOTUS ALICE CORP VS CLS BANK 2014 RULING: ABSTRACT VS TANGIBLE


USPTO 13/573,002 PRIOR ART

Physical = Opposite of Abstract


Q: WHO IS "SATOSHI NAKAMOTO" ?

HONUS WAGNER

THE LIFE OF BASEBALL'S "FLYING DUTCHMAN"



Arthur D. Hittner



Baseball fields have standard measurements for various components, including the infield and outfield. The infield consists of a diamond with 90 feet between the bases and a pitching distance of 60 feet 6 inches for adult and senior leagues. Home plate is located 90ft away from first base to The right and third base on the left. Bases are positioned at 90-degree angles from home plate.



A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time..

XRP = 10,000 Each ?

RIPPLE LABS / XRP

Honus Wagner NFT Non-Fungible Cryptocurrency Token

Honus Wagner is a legendary baseball player

T206 Honus Wagner card sold \$6.6 million August 2021


This highlights the cultural and financial significance of Honus Wagner memorabilia, which could potentially be replicated in the digital space with NFTs (AI web search)

Defunct crypto exchange Mt. Gox has said that a repayment date will be set in "due course" February 7th 2014 trading halted

MT.GOX
MIT Technology Review listed Ripple Labs as one of 2014's "50 Smartest Companies"

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS



1. **FEDERATION:** Latin: **foedus, foederis, covenant, union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs


Net joins, drops, splits, merges, moves
Agile, adhoc NETOPS Vs acquisition preserves the **CHANNEL**

Federation
Gateway



Bitcoin Group Signatures Dynamic Membership Multi-party Signature DMMS:
independent interest within group signatures – **FEDERATED ID** {"Org_ID"}

Bitcoin Mining Pools
MEME / METAPHOR MEDIATION



DISTRIBUTED AUTONOMOUS ORGANIZATION = DAO RAND Corp

term coined circa 1991 now in use by Blockchain tech corporations

Uniform_Resource_Name



IeT DEVICE / PLATFORM
IoT SENSOR DEVICE



{"Asset_Type"} </RESOURCE> {"URN"}
{"Asset_Class"} </URN>

STOCK EXCHANGE
MIC MARKET IDENTIFIER
CODES / BREVITY CODES



UUID
123e4567-e89b-12d3-a456-426655440000
123e4567-e89b-12d3-a456-426655440001
123e4567-e89b-12d3-a456-426655440002



FEDERATION CONSENSUS
ALGORITHM / PROTOCOL
LIQUIDITY ON DEMAND



SYSTEMATIC

EVENT BUS
Signalling, Telemetry



FEDERATE: COMMON GOALS SYNCHRONIZED IN SPACE - TIME





World Game Annex K



Signals & Telemetry



{“URN”} {“URN”} {“URN”} 300 + Use Case message sets
OPSCODE BREVITY CODES - Symbols, symbol sets



Eco Economic Epoch Heartbeat: reuse of DoD / NATO signal, telemetry syntax - symbol set structured data exchange system of systems engineering framework for DAO Trade Federations, programmable money / Economy. It is time to stand on the shoulders of giants. SLA Service Level Agreement Eco incentives: closer = < time, cheaper, < fuel, < CO2 "Build a new model that makes the old model obsolete" Buckminster Fuller



"Build a new model"
Standing on the shoulders of giants





Eco Economic Epochs
For Programmable \$\$\$
Programmable Economy
Re Monetize (Crypto) Currency
Symbol / Message Sets A.I.

FIREFLY Inspired
Heartbeat Algorithm
Message Event Bus



The World Game's (s) Great Redesign TELEMETRY CONTROL GRID SYNC MATRIX ADAPTIVE PROCEDURAL TEMPLATE


1919 BLACKSOX WORLD SERIES GAME FIXING RULING



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic “heartbeat” events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC’s method stipulates clock cycle values e.g., 5, 10, 15.

USPTO 13/573,002 / SCOTUS 573 U.S. 134 SCt 2347 “Alice in Wonderland Ruling”






Banks, Tech firms' form teams to assert foundation tech as a legal basis for IP intellectual property claims for programmable \$\$\$ DeFI / TRADEFI

Use Case: Tokenize Europe 2025 initiative: reuse DoD / NATO's structured data brevity

OPSCODES mapped to 2525A, B, C, D symbols needed for A.I. man-machine interface

Reuse, modify 300 + Use Case message set templates data element FFIRNs FFUDNS

Of system of systems engineering architecture structure data exchange (DoD) (NATO)




SOUND WAVES enable
Different types of quantum tech to "talk"



TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart
Beacon Cycle Time – Space
Meter / Adaptive Template



Economics of Microtransactions in Video Games: The Intelligent Economist



Microtransactions: in-game purchases that unlock specific features or give user special abilities, characters or content.

Q: is the main purpose of the (technically non-existent) **#blockchain** derived from the video game industry adapted to **#cryptocurrency** industry is about adding/ overlaying **#micropayments / #microtransactions** converting the world into a massive, virtual open world video game ?


<https://intelligenteconomist.com/microtransactions/>

REPLACEMENT SHEET

BUILDING BLOCKS




201


B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION



Net, net of money \$\$\$ formed w:

1. Epoch time cycles created by silicon chips
2. Syntax code instructions in epoch time cycles
3. Time Stamp Server w/event message bus








FIREFLY - Heartbeat Algo

Bologna Italy / Hungary / China Universities

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE



Luxor Temple Egypt:
"The shortest path towards knowledge of truth is nature"





FIREFLY inspired Heartbeat Sync Algo

PRECEDENCE UTZ SYNC SYNC
PROCESSING PULSE DELTAS



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

UTZ TIME ZONE SYNC



"Heartbeat Synchronization nodes in a distributed system generate periodic local heartbeat events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. No rule governs the length of a cycle with respect to real time as long as the length is bounded & all nodes agree on it eventually"


THE TERRA (TRC)

Trade Reference Currency




SLA: Closer = Cheaper


Closer = Less Fuel {"UP
/<U
= Less Time, CO₂



$\Delta\delta$



{"TOKENs.TAGS"}
{"URN"}
</URN>
{"URN"}
TRADE
ZONES



Price Indexes in Time and Space



Friedman's K % Rule




ALGORITHMIC REGULATION



WAVES

WAVES TOKENIZES CURRENCIES

Terra Trade Reference Currency TRC "world currency"
Bernard A. Lietaer Belgian economist proposed 1991
Basket of 9-12 most important commodities. Public
issued demurrage fees for storage, shipping, handling




Example: 100 Terra = 1 barrel oil
+ 10 bushels of wheat 
+ 20 kg of copper + 1/10 Oz gold



Spatial Econometrics




Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic “heartbeat” events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length In real time as long as the length is bounded and all nodes agree on it eventually”



French newspaper "Le Fédériste"
"L'Europa monnaie de la paix"
Money of peace" Born Jan 1st 1933 \$\$\$

The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.








The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.




The proposed Universal Timezone System would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



"Heartbeat Synchronization strives to have nodes in a distributed system generate periodic local "heartbeat" events approximately at the same time. It differs from classical clock sync in that Nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. There is no requirement regarding the length of a cycle with respect to real time as long as the length is bounded and all nodes agree on it eventually"





TERRA TRC






ECONOMIC HEARTBEAT









HB MSG </108>
FIX PROTOCOL
INDUSTRY-DRIVEN MESSAGING STANDARD

LAST LOSS



Bitcoin = Property







IDMaps: Global Internet Host Distance Estimation Service



NDN: CONTENT ROUTING / <StratML> NDN INTEREST = Time / Distance




IDMaps scalable Internet-wide architecture measures, disseminates distance information



HOP COUNTS



REACHABILITY



Higher-level services collect distance information to build a virtual distance map of Internet & estimates distance between any IP address pair



IDMaps provides distance information used by SONAR/HOPS query/reply service

Name Prefix
<Org_ID> Trie (NPT)



NDN NAMES

NDN NAMED DATA NETWORK RIB /
FIB Datasets event notification

Distance information adjusts to “permanent” topology changes e.g., splits, joins, adds, moves, drops, merges in lieu of formal merger / acquisition



NDN RIB

NDN INTEREST LENGTH
= DISTANCE BY HOPS

NDN
INTEREST

IS DATA
FRESH ?



NDN STRATEGY CHOICE MANAGER – RIB Routing Information Base add-nexthop

Datasets and Event Notification

INTEREST in <URNs>

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



Distance Metrics: latency (e.g., round-trip delay) and, where possible, bandwidth.



MICRO-CYCLES



NDN INTEREST LIFETIME = TTL Time To Live





HEARTBEAT STATE META DATASNAPSHOTS

GEO-SPATIAL TEMPORAL INTENSITY METRICS, METERS, VECTORS, TARIFF

INFOCON / DEFCON ALERT EVENTS INFORM STAKEHOLDERS OF STATUS CHANGE i.e., NORMAL TO ELEVATED, HIGH OR SEVERE. ALERT LEVELS ARE ARBITRARY BUT MUST BE CONSISTENT e.g., 3 OR 5 FOR MACHINE TO MACHINE PROCESSING



TELEMETRY TRANSPORT



13/573,002 HEART BEACON CYCLE

Time -Space meter, metrics / Universal data event, alert bus
Internet of Everything “ability to hear the world’s heartbeat”

The four dimensions of Big Data

vector → VECTOR: quantity having direction and magnitude
position of a point in space relative to another point


TIME STAMP BY Org ID, URN Before FUSION CENTER

Position of a point in space relative to another point





ENABLE MAPPING OF GOVERNANCE / MANAGEMENT RESOURCES BY PRECEDENCE SHOWN IN GEO-SPATIO INTENSITY DASHBOARD VIEWS



Foundation Technology Trinity:

1. EPOCH (s) = Time intervals, cycles
2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface


THESIS: All net artifacts, net of \$ are formed with:
 1) Epoch time cycle intervals ex: chip oscillations
 2) Syntax parsed, processed in epoch time intervals

Time Epochs / Syntax:

How the net, net of \$ actually work...




- one-to-one
- one-to-all
- one-to-many
- Not supported by IPv4:
- one-to-any



- (unicast)
- (broadcast)
- (multicast)
- (anycast)



- unicast
- broadcast
- multicast
- anycast



- Class A, B, C addresses
- Broadcast addresses (e.g. 255.255.255.255, 128.100.255.255)
- Class D addresses
- There are no anycast addresses.




All things internet, programmable net of money are formed using:
 1) Epoch Time Cycles to 2) process (not) syntax as instructions

Epoch Time Cycles / Syntax


Internet / Internet of Money building blocks

Satoshi Bitcoin Blockchain
Time Stamp Server



TIME Block chain TIME

What does a block look like?



GENESIS TIME STAMP / Genesis Block

Header (Contains service information (version info, height, previous block id and timestamp)).
Merkle (A summary hash from the block's transaction tree).

Transaction's id list (Set of transaction's identification hashes, that was included into the block's merkle tree)

Semantic blockchain

CLOCK FACE 360°
BASEBALL "DIAMOND"
A diamond is a square is a block in 3D

2nd Base
The solution we propose begins with a STAMP SERVER

90 feet
MACRO CYCLES

RULES / ROLES
INSTRUCTIONS
WORKFLOW
UMPIRE
COACH

3rd Base
STATISTICIAN
Metrics, Meters
Stat Mean Value Index

Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

first base
RUNNER Message Bus

90 feet
SETTLEMENTS / EXCHANGES
+ TAXABLE EVENTS
AKO = PROPERTY

IRS
FLASH MESSAGE EVENT BUS

State Meta
Data Snapshots Survey Point

TIME Δδ
STAMP SERVER

90 feet
MICRO CYCLES

FIRELY Heartbeat Algo





90 feet
TIME Δδ

Sync

Filters Deltas

Workflow Δδ

OPSCODE	Brevity	Codes	Mapped
AI	Symbol Sets		



Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.

Understanding syntax is essential for developers to write readable, maintainable, and scalable code

Structured Data Exchange



SYNTAX LEXICON
ROSETTA STONE




Coder's Guide

STRUCTURED
<CONTENT>
EXCHANGE
TEMPLATES



"SYMBOLS RULE THE WORLD"



DDL DATA
DEFINITION
LANGUAGE

Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = **BIZ COA (s) <Org_ID1><Org_ID2><Org_ID3>**



NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID
GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language



vector

{"URN" "TRANSACTION ID"}

MESSAGE TEXT FORMAT :

SEG RPT OCC CLASSNAME SETID SEQ FIELD OCCURRENCE SET FORMAT NAME

O 11NUPRES EXER 1 /M /O // (NU) EXERCISE IDENTIFICATION

C 11NUPRES OPER 2 /M /O /O /O // (NU) OPERATION CODEWORD

M MIOPV1 1 MSGID 3 /M /M /O /O /O // (NU) MESSAGE IDENTIFIER



M MIP OUT ORDPLAN 4 /M /O /O /O // (NU) PLAN ORDER REFERENCE



SIOP POUT MSGREF 5 /M /M /M // (NU) REFERENCED MESSAGE

NUPRES DTG 6 /M // (NU) DATE-TIME GROUP

O 0 ORGID 7 /M /M /M /M /M /M /C // (NU) ORGANIZATION DESIGNATOR

M 11NUPRES GENTEXT 8 /M /M // (NU) 1.A ENEMY FORCES / COMPETITORS

M 11NUPRES GENTEXT 9 /M /M // (NU) 1.B FRIENDLY FORCES / TRADE FEDERATION

M 11NUPRES GENTEXT 10 /M /M // (NU) 1.C ATTACHMENT / DETACHMENT



O 11NUPRES GENTEXT 11 /M /M // (NU) 1.D COMMANDERS EVALUATION

O 11NUPRES GENTEXT 12 /M /M // (NU) 1.E ENVIRONMENTAL INFORMATION

M 11NUPRES GENTEXT 13 /M /M // (NU) 2. MISSION </108>K00.99 / FIX / SWIFT / E-911 Heartbeat Message

M 11NUPRES GENTEXT 14 /M /M // (NU) 3.A CONCEPT OF OPERATION

O 11NUPRES GENTEXT 17 /M /M // (NU) (3) RECONNAISSANCE SURVEILLANCE

O 11NUPRES GENTEXT 21 /M /M // (NU) (5) INFORMATION OPERATIONS

O 11NUPRES GENTEXT 28 /M /M // (NU) (5) COMMS INFORMATION SYSTEMS

O 11NUPRES GENTEXT 35 /M /M // (NU) 3.D COORDINATING INSTRUCTIONS

M 11NUPRES GENTEXT 36 /M /M // (NU) 4.A SUPPORT CONCEPT (Logistics)

M 11NUPRES GENTEXT 37 /M /M // (NU) 4.B MATERIEL AND SERVICES

SYMBOLS	Friend	Neutral	Hostile	DICAL EVAC & HOSPITALISATION
	Partner		Competitor	M - MILITARY OPERATIONS
1 - Horizontal				
2 - Vertical				
Confidence				
Bearing Angle				
Bearing Angle Rate				
Covariance Matrix				

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPET TO SYMBOLS



INDEX REFERENCE #:
M015 STATUS :

EFFECTIVE: 14-DEC-99

PURCHASE CODES

FEDERATED PEGS

{"URN" "ASSET_CLASS"}

{"URN" "ASSET_TYPES"}

ISO 10383 – MIC
Market Identifier Codes

DAO {"URN"}

{"Org_ID"}

BLOCKTIME
ARBITRAGE
ERLANG
TIME
EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS PROCESSING

BLOCKTIME

ARBITRAGE

ERLANG

TIME

EQUATIONS

Information Elements Roles

- COI Determination Org Interaction
 - Search and Discovery
 - Ontologies STANDARDS
 - Taxonomies REFERENCE
 - Metadata Attributes / Filters



FFUDN: Field Format Unit Designator

FIRN Field Format Index Reference

Structured military messaging ID's messages, message sets, data element, symbol fields </108>

BY Form Field Position & NUMBER



PROCESS MESSAGE BY PRECEDENCE UNIVERSAL EVENT / ALERT MESSAGE BUS

OPERATIONAL NODES / ACTIVITIES


DATA SYSTEM FUNCTIONS PERFORMANCE

1.4 - Classification	11.6 - Kinematics
11.4.1 - Category	11.8.1 - Pos / Vel / Acc (PVA)
11.4.1.1 - Confidence Level	11.8.1.1 - Acceleration
11.4.1.2 - Estimate Type	11.8.1.1.1 - Angular
11.4.1.2.1 - Alternative	1.1.2 - Linear
11.4.1.2.2 - Evaluated D	2 - Estimate Type
11.4.1.3 - Value	PURCHASE CODES 1.2.1 - Estimated
	1.2.2 - Observed
	1.2.3 - Predicted

SYMBOL	Friend	Neutral	Hostile
2525C	Partner		Competitor
11.4.1.0.4 - SubSurface			4 - Velocity
11.4.1.3.5 - Surface			14.1 - Horizontal
11.4.2 - Platform / Point / Feature			14.2 - Vertical
11.4.3 - Specific Type			VA Confidence
11.4.4 - Type Modifier			1 - Bearing Angle
11.4.5 - Unit			2 - Bearing Angle Rate
			3 - Covariance Matrix



MIL STD 2525A, B, C, D



20022

SYNTAX LEXICON
ROSETTA STONE

Coder's Guide lexicon

STRUCTURED <CONTENT> EXCHANGE TEMPLATES	
MIL	STD 2525ABC
MIL	ASSET TOKENS
MIL	"SYMBOLS RULE THE WORLD"
MIL	STRATML
MIL	XAML
MIL	BRL
MIL	UBL
MIL	DDL DATA DEFINITION LANGUAGE
MIL	TOSCA
MIL	YAML
MIL	CONFIDENCE
MIL	INTEREST
MIL	NDN
MIL	DATA
MIL	EVAC
MIL	HOSPITALISATION
MIL	OPERATIONS
MIL	TIME
MIL	EQUATIONS

Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = BIZ COA (s) <Org_ID1><Org_ID2><Org_ID3>



NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID

GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language



{"URN"} {"URN"} {"TRANSACTIONID"} {"INDEXREFERENCE#"} M015 STATUS

EFFECTIVE: 14-DEC-95

PURCHASE CODES

FEDERATED PEGS

{"ASSET_CLASS"} {"ASSET_TYPES"}

ISO 10383 – MIC

Market Identifier Code

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS

BLOCKTIME ARBITRAGE

ERLANG TIME


EQUATIONS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS



Foundation Technology Trinity:

1. EPOCH (s) = Time intervals, cycles
2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface

THESIS: All net artifacts, net of \$ are formed with:

- 1) Epoch time cycle intervals ex: chip oscillations
- 2) Syntax parsed, processed in epoch time intervals

ADAPTIVE PROCEDURAL TEMPLATE: LIST OF TOOLS, PROCESSES, PROCEDURES I.E., STORED PROCEDURE CALLS COMPRISED OF STRUCTURED DATA EXCHANGES USING 300 + MESSAGES / MESSAGE SETS COMPRISED OF OPSCODE BREVITY COMPUTER CODES MAPPED TO SYMBOLS FACILITATING STAMDARD MAN – MACHINE INTERFACE

USE CASE: standards adherence support for IEEE, ITU, ISO international data, internet, internet of money, IoT, Artificial Intelligence A.I ... standards

Systemic, signaling, synchronization of state meta data encoded as brevity OPSCODE tokens stochastically harmonized over the UTZ

FROM	GCCS-A	TAIS	ASAS	AMDPSCS	AFATDS	CODE GUIDE
ASAS	C002 C203 F014 F541 S201 S309	C002 C203		C002 C203 F014 F541 S201 S309	C002 C203 F014 F541 S201 S309	MIL STD 2525A, B, C, D ["URN"] {"Org_ID"}
AMDPSCS						ISO Patent Application 9/11 2003: Method to commercialize structured military messaging
AFATDS	F002 F014 F541 S201			F002 F014 F541 S201	F002 F014 F541 S201	20022 DoD Systems of Systems Engineering Structured Data Exchange MIL Standards / ISO Standards
MCS						BREVITY OPSCODES MAPPED TO SYMBOLS, SYMBOL SETS FOR A.I. ARTIFICIAL INTELLIGENCE MAN – MACHINE INTERFACE
TOKENS						STANDARD, CONSISTENT SYMBOLS
SIOP						



Object Categories	Examples	Information Categories and Examples				
OOB	SYNTAX LEXICON	STRUCTURED DATA / EXCHANGE / Machine Trust Language MTL	Identify / Status / Message Sets / CDL Contract Description Language	Activity / Intent		
Infrastructure	Comm, power, transportation, water/sewer	lat/long, network, grid	readiness, part-of, readiness, BDA, op. metrics	targeting, reacquiring, repair, preventive maintenance	COA ("Java JS")	
Sociological	culture, religion, economic, ethnic, government, history, languages	ER Model / Class Diagram / Relational Database / Object DBMS	XML DTD / Schema / Child Element or Element Attribute	TADILs / MTIF	YAML / expansion instance	
Geophysical	Terrain, weather, climatology, oceanography, astrometry	Domain Value / PURCHASE CODES	Attribute / Field / Column / Attribute	DFT / FFN / FFUN / FUD	TOKENS	

Data Elements: entity, attribute, relationship equivalents

HEARTBEAT MESSAGE = K00.99 </108> {"108"}

Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.

Understanding syntax is essential for developers to write readable, maintainable, and scalable code



SYNTAX code language parsed, processed during silicon chip generated epoch time cycles forms all things internet, net of money. state meta data sync delta heartbeat snapshots during epoch temporal micro-cycles



Encyclopedia Britannica: "Language is a SYSTEM OF SIGNS having meaning by convention. In this sense, language need not be confined to the spoken word."

"SIGNS AND SYMBOLS RULE THE WORLD, NOT WORDS OR LAWS"

CONFUCIUS

Situational Awareness Reference Architecture (SARA)

Identity, Inventory, Activity, and Sharing

<http://ics-isac.org/sara/>



Industrial Control System
Information Sharing and
Analysis Center

IDENTITY: <UUID> = Devices, sensors

<ORG_ID> Organizations

Federation
Gateway

<ELEMENTS>

STRATML/ IODEF RID CLASSES:

<GLOBAL><JOINT><SHARED>

<DOMAIN><FEDERATION>

<CITY><STATE><PRIVATE>

STRATEGIC
MARKUP

StratML

LANGUAGE

INVENTORY: Uniform Resource Name <URN>

<URN><URN>
<URN><URN>
<URN><URN>



vector

<COMMODITY><WATER><ENERGY><AVAILABLE UNITS>

GEO-SPATIAL TEMPORAL INTENSITY METRICS

UNIFIED EVENT / ALERT TRIGGER / THRESHOLDS

ACTIVITY: <EVENT><ALERT> <TIME_STAMP><ORG_ID><URN>

CONTENT LEXICON
ROSETTA STONE

NDN



<INTEREST>

NDN

<INTEREST>



<GEO_LOC_GPS><STATUS>
<Halt><Moving><Stale><Ready>

A V A L A N C H E

SHARING:

COMMON <TAGS>

<Organizational_ID>

Resource Names <URN>

<Time_Stamps>

<State-Meta_Data>

<DATA_CLASS_TYPE>

<Heartbeat_snapshots>

<TAG> LIBRARY
TEMPLATES

NIEM

NAMED DATA
NETWORKING
<Content> Centric

WELCOME TO THE FS-ISAC SECURITY AUTOMATION GROUP. OUR VISION IS
A FEDERATED NETWORK OF STIX-BASED REPOSITORIES SHARING INTELLIGENCE IN
REAL-TIME. AVALANCHE: STRENGTH IN NUMBERS, SECURELY SHARE INTELLIGENCE

NIST CYBER SECURITY FRAMEWORK

MIL-STD-2525A

STRUCTURED
<CONTENT>
TEMPLATES

MCS

CBRS

DTB8

CBRS

DTB8

CBRS

DTB8

CBRS

DTB8

CBRS

DTB8

USMTF / XML MTF FORMATTED MESSAGE CATALOG

Catalog has over 300 messages to choose from have a wide number of information exchange requirements using common, CONSENSUS Message Text Formats MTF

MTFs specify <CONTENT> / information agreed by group consensus presenting information in a logical

well specified and unambiguous layout i.e., templates



NIST RANDOMNESS BEACON

05:08:51

NIST TIME BEACON

Cloudcenter

<

Interface Name	HEARTBEAT Administration Interface [SCOP]					
Documentation URL	http://scop.sourceforge.net/ http://linuxvirtualserver.org/software/index.html					
API Information	 <p>#leT</p> <p>#Big_Data</p> <p>Programmable Money World Computer / Blockchain</p>  <p>NIST TIME BEACON</p>					
Functionality Areas	Cloud Interface Management configuration, start, stop cloud services, edit configuration (heartbeat messages)	Cloudcenter	Cloudcenter	Cloudcenter	Cloudcenter	Cloudcenter
API Operation Count	LOCATE <CONTENT> IDMAPS / SonarHOPS	Cloudcenter	Cloudcenter	Cloudcenter	Cloudcenter	Cloudcenter
Web service access type Network Effects / A.I.	Web application, front end to [network, device, system, blockchain] heartbeat	Cloudcenter	Cloudcenter	Cloudcenter	Cloudcenter	Cloudcenter
LANGUAGE / PLATFORM BINDINGS	PHP Java Erlang...	Cloudcenter	Cloudcenter	Cloudcenter	Cloudcenter	Cloudcenter
Interface Characteristics	SCOP is a web application, PHP based front-end to heartbeat, IP Virtual Server ipvs and Idirectord [e.g., check interval @ 5 seconds] SCOP can start/stop services, view/ edit configuration files e.g., heartbeat message state management snapshots, backups, take a service online/offline, add/ remove virtual/real servers, services etc.	Satoshi Bitcoin Blockchain Time Stamp Server	E0 E1 E2 E3...	E1	E2	En
"The external environment could update <u>resources</u> at random... One solution is a heartbeat : defining a default lease duration delaying updates until the next cycle "	 <p>THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER</p> <p>Block chain</p> <p>What does a block look like?</p> <p>Simplified block structure:</p> <ul style="list-style-type: none"> version info previous hash timestamp merkle transaction's id list <p>Headers: Contains version information (version info), previous block's hash (previous hash) and timestamp (timestamp). Transactions: A list of transactions (transaction's id list).</p>	MICRO CYCLES	MACRO CYCLES			
QubitCoin Interval: Every 30 Seconds						

What happens if we think about Bitcoin through the lens of *land*?

HEART BEACON CYCLE
USPTO 13/573,002
SURVEY METHODS


SC ALICE CORP VS CLS BANK: “claims may not direct towards abstract ideas”

UTXO: unspent transaction output’. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.



Memo #1421: Purchased Bitcoins are treated akin to property

Plots A, B, C represent 3 unspent transaction outputs controlling N Bitcoins



Mined Bitcoins



$$\Delta \delta$$

Unmined Bitcoins



Un-mined coins -- think of them as parcels of land on “Bitcoin Island” not yet released:

IDMaps-SONARHOPS distance estimation query-reply service

- End-state Bitcoin quantity will be fixed like land

“Bitcoin as protocol of ownership, not transfer”




Coin never travel, but simply switch owners”

Step 1: prove coin ownership <Org_ID> Coin Issuer

Step 2: coins sent where, when Lat-Long, time stamp

Step 3: specify ownership <Org_ID> issuing agent


Step 4: Issuing Org of Record adjudicates w buyer



TRIANGULATION



DISTANCE ESTIMATION EUCLIDIAN GEOMETRY



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



IDMaps / SonarHops collects distance data & builds virtual Internet distance maps & estimates distance between IP address pairs



IDMaps Distance Metrics:
latency (round-trip delay)
available bandwidth estimation





Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION




Edison's Monetary Option
Cambridge University Press 2009

“Crops hold their value best over time”

“Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America’s monetary woes. “I want to cast the variable out of money. This gold money is not good enough. It’s a

fiction" "New York Times 1922



Tokenization of Physical Assets Enables Economy Of Everything




ALGORITHMIC STABLE COIN COMMODITY INDEX CURRENCY PROGRAMMABLE \$\$\$


BELT and ROAD
Trade Initiative



FIREFLY – HEARTBEAT ALGORITHM CHINA: nature-inspired metaheuristic optimization algorithm developed by Xin-She Yang flashing behavior of fireflies (Yang, 2008), adapted to solve continuous optimization problems (Lukasik and Žak) 2010, 2013



NETWORK
CENTRIC
OPERATIONS
INFOCON
4 3 2 1
INFORMATION
CONDITION




USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter

Thomas Edison's Monetary Option Cambridge University Press 2009


"Crops hold their value best over time"




"Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America's monetary woes. "I want to cast the variable out of money. This gold money is not good enough. It's a fiction" "New York Times 1922



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.






Machine-based system for transforming data from a source form to a target form, a tool is provided for sharing information established in developing a transformation model. The shared information may relate to rules for mapping source collection terms to standardized terms, rules for ordering or **SYNTAX**, rules for classifying terms or other transformation rules.


US 7865358 CLAIM 1. method converting textual data from source form to target forms, where target form differs from source form's linguistics, syntax

**Multi-user functionality for converting
data from a first form to a second form**

Symbolic artificial intelligence: collection of all methods in artificial intelligence research that are based on high-level symbolic (human-readable) representations of problems, loc




Alpha-numeric OPS CODE
Brevity codes mapped to symbols,
Symbol sets = structured data



Neuro-Symbolic AI

Symbolic (human-readable) representations

Symbolic AI




Breaking the world into symbols (rather than

Brevity



Symbols



Incorporate common sense reasoning and

Symbolic artificial intelligence: collection of all methods in artificial intelligence

research that are based on high-level symbolic (human-readable) representations of problems, logic and search.[1] Symbolic AI used tools such as logic programming, production rules, semantic nets and frames, and it developed applications such as knowledge-based systems (in particular, expert systems), symbolic mathematics, automated theorem provers, ontologies, the semantic web, and automated planning and scheduling systems. The Symbolic AI paradigm led to seminal ideas in search, symbolic programming languages, agents, multi-agent systems, the semantic web, the strengths, imitations of formal knowledge and reasoning systems.

Physical symbol system (also called a formal system) takes physical patterns (symbols), combining them into structures (expressions) and manipulating them (using processes) to produce new expressions. The physical symbol system hypothesis (PSSH) is a position in the philosophy of artificial intelligence formulated by Allen Newell and Herbert A. Simon. They wrote: A physical symbol system has the necessary and sufficient means for general intelligent action." [2] —Allen Newell and Herbert A. Simon


This claim implies both that human thinking is a kind of symbol manipulation (because a symbol system is necessary for intelligence) and that machines can be intelligent (because a symbol system is sufficient for intelligence).[3] The idea has philosophical roots in Hobbes (who claimed reasoning was "nothing more than reckoning"), Leibniz (who attempted to create a logical calculus of all human ideas), Hume (who thought perception could be reduced to "atomic impressions") and even Kant (who analyzed all experience as controlled by formal rules).[1] The latest version is called the computational theory of mind, associated with philosophers Hilary Putnam and Jerry Fodor.[4]

Source: Wikipedia: https://en.wikipedia.org/wiki/Physical_symbol_system

data from a first form to a second form

CONDITION

Rosetta
Stone
Syntax
LEXICON



2525 Series
Symbol Set
Libraries



"SIGNS AND SYMSBOLS
NATO RULE THE WORLD, NOT
OTAN RULES OR LAWS



Confucius

Alpha-numeric OPS CODE

Brevity codes mapped to symbols,
Symbol sets = structured data


FRZ T CP CLOUD FRS T LN PARNT

ABCA OPSCODE BREVITY CODES

Neuro-Symbolic AI

Symbolic (human-readable)
representations

Neural Networks
(Deep Learning)



Brevity
Codes



Symbols



Symbol

Symbolic AI


Incorporate common sense reasoning and

Breaking the world into symbols (rather than
Sets 2525)




- SDN is a *framework* to allow network administrators to *automatically* and dynamically manage and control a *large number* of network devices, *services*, topology, traffic paths, and packet handling (quality of

DevOps model and tools to enable scale, programmable agility, and policy-driven automation, and provides network virtualization to mask network configuration complexity with set of networking APIs



Netcentric / "network-centric" participating in a continuously evolving, complex community of people, devices, information and services interconnected by a network to optimize resource management and provide information on events and conditions.

Net-centric Enterprise Architecture : "massively distributed architecture with components, services available across and throughout an enterprise's entire lines-of-business."



USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system

SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES

INTERNET TCP/IP "PING", "HOPS",
"PACKETS", FRAMES = METAPHOR



TIME / DISTANCE SERVICE LEVEL
AGREEMENT SLA / O Operations

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP
DETECTION

IEEE 802.11



HOP BY HOP CONTROL

Unused Resources / Unmet Needs

/localhost/nfd/fib/add-nexthop

Geo-Spatial Temporal
Metrics, Meters

Time Series

DISTANCE
INFO SERVICE

IDMaps
SonarHops

WATER DROP IN POND MEME IS

SONAR NAVY METAPHOR / MEME

NDN </INTEREST>

NDN {"DISTANCE"}

NAMED DATA

NETWORKING

IEEE C37.118

Harmonization

& Sync heartbeat

update Interval



TIME / DISTANCE SERVICE LEVEL
AGREEMENT SLA / O Operations

HOP BY HOP CONTROL

Unused Resources / Unmet Needs



vector



Spatial
Econometrics

TIME-SPACE BEACON

INFOCON

METRICS / METERS

TRADE WITH EARTH

INFORMATION
CONDITION

Spaceship

Earth

???

Signals &

Telemetry

SIRIUS DISCLOSURE

Annex

buckminster fuller
operating manual
for spaceship earth

MOON =

ASTEROID BELTS =

RARE MINERALS

"Numbers are the
Universal Language

MAIN ASTEROID BELT

HELIUM 3 offered by deity to humans as
confirmation of the truth"

MARS

ASTEROID BELT

MOON =

MERCURY

HELIUM 3

Alpha Numeric
Brevity Codes

VENUS

HELIUM 3

SYNTAX LEXICON

EARTH

HELIUM 3

KOO.99

MAIN ASTEROID BELT

HELIUM 3

ANDERSON INSTITUTE

Farther = More Cost

➢ Fuel, Resources

STOCHASTIC
HARMONIZATION

Service Level Agreements

Event Message Bus

FIREFLY-HEARTBEAT
ALGORITHM

TROJAN ASTEROIDS

UNIVERSAL
EVENT MESSAGE BUS

ERLANG

TIME- SPACE METRICS

JUPITER

FIREFLY - HEARTBEAT ALGORITHM MESSAGE EVENT BUS

43

22

13

0

1.5

2.7

Light minutes

Astronomical units

5.2

602

Δ

43

+3

Δ

22

+2

Δ

13

0

Δ

0

+1

Δ

1.5

+2

Δ

2.7

603

Δ

5.2

NULL

RADIUS
WATER DROP IN POND MEME

+1

Attribute Series

+2

Geo Spatial

PAUL REVERE

Temporal Series

LINEAR, SEQUENTIAL

t₁, t₂, t₃

603

t₁, t₂, t₃

602

t₁, t₂, t₃

601

t₁, t₂, t₃

600

t₁, t₂, t₃

599

t₁, t₂, t₃

598

t₁, t₂, t₃

597

t₁, t₂, t₃

596

t₁, t₂, t₃

595

t₁, t₂, t₃

594

t₁, t₂, t₃

593

t₁, t₂, t₃

592

t₁, t₂, t₃

591

t₁, t₂, t₃

590

t₁, t₂, t₃

589

t₁, t₂, t₃

588

t₁, t₂, t₃

587

t₁, t₂, t₃

586

t₁, t₂, t₃

585

t₁, t₂, t₃

584

t₁, t₂, t₃

583

t₁, t₂, t₃

582

t₁, t₂, t₃

581

t₁, t₂, t₃

580

t₁, t₂, t₃

579

t₁, t₂, t₃

578

t₁, t₂, t₃

577

t₁, t₂, t₃

576

t₁, t₂, t₃

575

t₁, t₂, t₃

574

t₁, t₂, t₃

573

t₁, t₂, t₃

572

t₁, t₂, t₃

571

t₁, t₂, t₃

570

t₁, t₂, t₃

569

t₁, t₂, t₃

568

t₁, t₂, t₃

567

t₁, t₂, t₃

566

t₁, t₂, t₃

565

t₁, t₂, t₃

564

t₁, t₂, t₃

563

t₁, t₂, t₃

562

t₁, t₂, t₃

561

t₁, t₂, t₃

560

t₁, t₂, t₃

559

t₁, t₂, t₃

558

t₁, t₂, t₃

557

t₁, t₂, t₃

556

t₁, t₂, t₃

555

t₁, t₂, t₃

554

t₁, t₂, t₃

553

t₁, t₂, t₃

552

t₁, t₂, t₃

551

t₁, t₂, t₃

550

t₁, t₂, t₃

549

t₁, t₂, t₃

548

t₁, t₂, t₃

547

t₁, t₂, t₃

546

t₁, t₂, t₃

545

t₁, t₂, t₃

544

t₁, t₂, t₃

543

t₁, t₂, t₃

542

t₁, t₂, t₃

541

t₁, t₂, t₃

540

t₁, t₂, t₃

539

t₁, t₂, t₃

538

t₁, t₂, t₃

537

t₁, t₂, t₃

536

t₁, t₂, t₃

535

t₁, t₂, t₃

534

t₁, t₂, t₃

533

t₁, t₂, t₃

532

t₁, t₂, t₃

531

t₁, t₂, t₃

530

t₁, t₂, t₃

529

t₁, t₂, t₃


528


t₁, t₂, t₃

527

t₁, t₂, t₃

</div





BUILDING BLOCKS



TASK ON / OFF

201

B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION



MACRO CYCLES



.0001


MICRO CYCLES

216





202 FEDERATED GROUP JOINS, MERGE, ADDS, DROPS

B2: BUILDING BLOCK 2: ADAPTIVE, CYCLIC, ITERATIVE PROCEDURAL TEMPLATES: XML ARTIFACTS i.e. UNIT TASK ORDER & K00.99 HEARTBEAT SYNC DELTA MESSAGES / STATE META DATA SNAPSHOTS IN NETWORK EXECUTION MANAGEMENT MARKUP OF SERVICE INTERFACE ARTIFACTS



ADHOC / AGILE
FEDERATED <ID>
GROUPS SYNC'D
IN TIME / SPACE




203

B3: BEACON TECH TYPE I: PAUL REVERE LINEAR, SEQUENTIAL HOP COUNTS



SYNC DELTA METRICS IN SLA CLAUSES AS
MOE, MOP METER IN TAX CODES, TRANCHE
CLASSES / RATINGS ARBITRAGE TRIGGERS



LENGTH, THRESHOLD, INTENSITY, DURATION



SEARCH FOLLOWED BY ARBITRAGE INVITES VIA BEACON NEWSCASTS. INVITE ACROSS SPACE / TIME

208



APPLIQUE' OVERLAYS



B4 BEACON TECH TYPE II: WATER DROP IN POND RADIUS, CIRCUMFERENCE GEO SPATIO-TEMPORAL

MAP VIEWS GEO-LOCATION SPECIFIC
SHOW SYNC DELTAS BY GROUP /
RESOURCE TYPE, EVENT CLASS /
NEWSCAST BY TRANCHE <CLASSES>

209



204


Blockchain Quad-lemma

"five layers of blockchain tech:

- Infrastructure hardware layer
- Data layer
- Network layer
- Consensus layer
- Application / presentation layers

Blockchain layers:

- Layer 0
- Layer 1
- Layer 2
- Layer 3



Blockchain = series of hashed blocks carrying transactional records. The first block of the blockchain is the **Genesis block**. After that, every new block added to the blockchain is linked to the Genesis block through a (temporal) iterative process.

Database Flat File


"BLOCKCHAIN" = LEDGER / Database

Database flat file sama dengan file data pada spreadsheet (misal MS Excel™), berupa satu file berisi baris-baris dengan jumlah kolom tetap yang disimpan berurutan dalam file.

NIP	Nama	Nama Depan	Telp
123-45-6789	Santoso	Heru	021-316-1234
987-65-4321	Purnama	Widya	022-543-9876
987-65-4321	Jackson	Michael	021-234-5678
567-89-0123	Iskandar	Dodi	021-987-6431

NET, Net of programmable \$\$\$ Programming Reality Ground Truth

No Layers L0, L1, L2... only GENESIS EPOCH, Follow on Epoch time cycles, intervals, cycles



THESIS: All things internet, net of programmable money are formed using:

1. Time epochs created by oscillating quartz crystal silicon chips
2. Syntax used / not used as programming instructions during epoch time cycles

All things internet, internet of money, blockchains are formed by unicast, multicast, anycast protocols. Programmable money's improvements are in cryptography. The internet consists of unicast, multicast broadcast, anycast and workflow filters, publish – subscribe paradigms..


Q: Which meme describes the myriad blockchain consensus algorithms the most comprehensively that uses an algorithm (based on nature = “shortest path to the knowledge of truth Luxor Temple) enabling distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync, OPSCODE brevity code, data element & symbol (for A.I. man – machine interface) consensus?

Blockchain Consensus Algorithms & Mechanisms



In the world of blockchain consensus algorithms, consensus is the **HEART OF THE BLOCKCHAIN NETWORK**. Its main purpose is to achieve agreement on transactions among a distributed system (s)

Proof of Formulation: PoF: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization.



SOURCE: <https://developcoins.com/blockchain-consensus-algorithms>

STABLE PROTOCOL THREE MAIN TYPES:

DeFi-Native: Cap Labs, Elixir, Level

Collateralized Debt Positions: Ducat, Felix


RWA-Backed:, EAnzen, Superstatethena (UStb update)

1) DeFi-Native collateral backing: stablecoin engine produces redeemable tokens of various denominations (USD, BTC, ETH, etc) system of external agents, such as market makers, MEV actors and RWA protocols, to access collateral and generate independent yield on behalf of holders. These actors keep profits over a predetermined threshold, incentivized to earn as much as possible. behavior is kept in check by security delegations from restaking protocols, support good actors, penalize bad ones


2) Collateralized Debt Positions (CDPs)

CDP protocols allow users to borrow assets by locking up collateral. When a user creates a CDP, they deposit a certain amount of ETH, BTC, USDC, or other assets into the protocol to borrow a proportionate amount of another asset, in this case a stablecoin. If the value of the deposited collateral falls below a specified threshold (loan-to-value level or collateral ratio), the CDP becomes under-collateralized and is recalled, or liquidated, with the protocol automatically selling off the underlying assets to repay the debt and maintain the stability of the system. After the underlying collateral is liquidated, the user usually gets to keep the asset they've borrowed, minus some kind of liquidation penalty.

3) RWA-Backed by off-chain real-world assets



THE BITCOIN BLOCKCHAIN FOR DUMMIES



Satoshi Nakamoto

Craig WRIGHT

a.k.a.

Satoshi Nakamoto

**“THE VALUE OF
BITCOIN IS
TIME ITSELF”**

**Wright Brother’s 1st Flight
Cape Hatteras Outer Banks**




Satoshi Nakamoto Bitcoin Paper

“THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER”



3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.

**Bitcoin Protocol
for Dummies**
Part 4 Timestamp
Server



JapanNet Crypto Time
Authentication Service
(Timestamp Service)



MACRO CYCLES

RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE

COACH

3rd Base

STATISTICIAN

Metrics, Meters

Stat Mean Value Index

3 X 5

HASH TABLES

STATE META

DATA SHARDS

State Meta

Data Snapshots

Survey Point

MICRO CYCLES

TIME STAMP SERVER

Epoch Cycles

MERKLE: Summary built from block's transaction ID's

Header - Contains service information (version info, nonce, previous block id and timestamp). {"Org_ID"}

Merkle - A summary built from the block's transaction identifiers.

Transaction's id list - list of transaction's identification hashes that was included into the block's merkle tree.

**“All things net, net of money are formed with 1) epoch time cycles
2) Syntax parsed as instructions**



“THE VALUE OF BITCOIN IS TIME ITSELF”



MACRO CYCLES

RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE

COACH

3rd Base

STATISTICIAN

Metrics, Meters

Stat Mean Value Index

3 X 5

HASH TABLES

STATE META

DATA SHARDS

State Meta

Data Snapshots

Survey Point

MICRO CYCLES

TIME STAMP SERVER

Epoch Cycles

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base



Satoshi Nakamoto:
“The solution we propose
begins with a **TIME
STAMP SERVER**”

90 feet Blockchain / crypto currency increments
Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

All things internet of money are formed w CPU time cycles used to process instructions / code sym




Bitcoin is a
language”



WIRED

'BITCOIN MAKES USPTO 13/573,002
MONEY HEART BEACON CYCLE
PROGRAMMABLE. TIME – SPACE METER
MONEY IS STRUCTURED DATA
SIMPLY DATA" EXCHANGE


Alice Corp. v. CLS Bank International, 573 U.S. 134 SCt 2347 (2014) is a 2014 decision of the United States Supreme Court about patentable subject matter (patent eligibility).^[2] The issue in the case was whether certain claims about a computer-implemented, electronic escrow service for facilitating financial transactions covered abstract ideas ineligible for patent protection. The patents were held to be invalid because the claims were drawn to an abstract idea, and implementing those claims on a computer was not enough to transform that idea into patentable subject matter.



"BITCOIN IS A LANGUAGE / BITCOIN'S VALUE IS TIME ITSELF" - BILLY



BLOCKCHAIN = TIME / SYNTAX






The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

Blocktime Arbitrage MTL (machine trust language) time primitives might be assigned to a micropayment channel DAPP as a time arbiter. In blocktime, the time interval at which things are done is by block. This is the time that it takes blocks to confirm, so blockchain system processes like those involving smart contracts are ordered around the conception of blocktime quanta or units. Since blocktime is an inherent blockchain feature, one of the easiest ways to programmatically specify future time intervals for event conditions and state changes in blockchain-based events is via **BLOCKTIME**. Universal blocktime source example: a procedure call to NIST or other time oracle.

BLOCKTIME: A General Temporality of Blockchains Blocktime as blockchains' temporality allows the possibility of rejiggering time and making it a malleable property of blockchains. The in-built time clock in blockchains is blocktime, the chain of time by which a certain number of blocks will have been confirmed. Time is specified in units of transaction block confirmation times, not minutes or hours like in a human time system. Block confirmation times are convertible to minutes. Conversion metrics might change over time. Network Economies: Economic System as Configurable Parameters




The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

PROOF-OF-WORK



THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER



TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner




THROTTLE equivalent to difficulty. State
•target = maximum value of 8 bytes Snap
(2^{64}) divided by the difficulty.


NONCE increments from 0..N until the target is met.



GUESS stores the guess
Effectively, it begins at infinity.




Proof-of-Work: users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address.Nonce allows checking the work



300+Message Templates

FROM	TO/CC	DATE	TIME	ATTACH	STATUS	INFO
ORACLE	DATA	2023-01-01	00:00:00	FILE1	PENDING	FILE1
DATA	ORACLE	2023-01-01	00:00:00	FILE2	PENDING	FILE2
DATA	DATA	2023-01-01	00:00:00	FILE3	PENDING	FILE3
DATA	DATA	2023-01-01	00:00:00	FILE4	PENDING	FILE4
DATA	DATA	2023-01-01	00:00:00	FILE5	PENDING	FILE5
DATA	DATA	2023-01-01	00:00:00	FILE6	PENDING	FILE6
DATA	DATA	2023-01-01	00:00:00	FILE7	PENDING	FILE7
DATA	DATA	2023-01-01	00:00:00	FILE8	PENDING	FILE8
DATA	DATA	2023-01-01	00:00:00	FILE9	PENDING	FILE9
DATA	DATA	2023-01-01	00:00:00	FILE10	PENDING	FILE10
DATA	DATA	2023-01-01	00:00:00	FILE11	PENDING	FILE11
DATA	DATA	2023-01-01	00:00:00	FILE12	PENDING	FILE12
DATA	DATA	2023-01-01	00:00:00	FILE13	PENDING	FILE13
DATA	DATA	2023-01-01	00:00:00	FILE14	PENDING	FILE14
DATA	DATA	2023-01-01	00:00:00	FILE15	PENDING	FILE15
DATA	DATA	2023-01-01	00:00:00	FILE16	PENDING	FILE16
DATA	DATA	2023-01-01	00:00:00	FILE17	PENDING	FILE17
DATA	DATA	2023-01-01	00:00:00	FILE18	PENDING	FILE18
DATA	DATA	2023-01-01	00:00:00	FILE19	PENDING	FILE19
DATA	DATA	2023-01-01	00:00:00	FILE20	PENDING	FILE20
DATA	DATA	2023-01-01	00:00:00	FILE21	PENDING	FILE21
DATA	DATA	2023-01-01	00:00:00	FILE22	PENDING	FILE22
DATA	DATA	2023-01-01	00:00:00	FILE23	PENDING	FILE23
DATA	DATA	2023-01-01	00:00:00	FILE24	PENDING	FILE24
DATA	DATA	2023-01-01	00:00:00	FILE25	PENDING	FILE25
DATA	DATA	2023-01-01	00:00:00	FILE26	PENDING	FILE26
DATA	DATA	2023-01-01	00:00:00	FILE27	PENDING	FILE27
DATA	DATA	2023-01-01	00:00:00	FILE28	PENDING	FILE28
DATA	DATA	2023-01-01	00:00:00	FILE29	PENDING	FILE29
DATA	DATA	2023-01-01	00:00:00	FILE30	PENDING	FILE30
DATA	DATA	2023-01-01	00:00:00	FILE31	PENDING	FILE31
DATA	DATA	2023-01-01	00:00:00	FILE32	PENDING	FILE32
DATA	DATA	2023-01-01	00:00:00	FILE33	PENDING	FILE33
DATA	DATA	2023-01-01	00:00:00	FILE34	PENDING	FILE34
DATA	DATA	2023-01-01	00:00:00	FILE35	PENDING	FILE35
DATA	DATA	2023-01-01	00:00:00	FILE36	PENDING	FILE36
DATA	DATA	2023-01-01	00:00:00	FILE37	PENDING	FILE37
DATA	DATA	2023-01-01	00:00:00	FILE38	PENDING	FILE38
DATA	DATA	2023-01-01	00:00:00	FILE39	PENDING	FILE39
DATA	DATA	2023-01-01	00:00:00	FILE40	PENDING	FILE40
DATA	DATA	2023-01-01	00:00:00	FILE41	PENDING	FILE41
DATA	DATA	2023-01-01	00:00:00	FILE42	PENDING	FILE42
DATA	DATA	2023-01-01	00:00:00	FILE43	PENDING	FILE43
DATA	DATA	2023-01-01	00:00:00	FILE44	PENDING	FILE44
DATA	DATA	2023-01-01	00:00:00	FILE45	PENDING	FILE45
DATA	DATA	2023-01-01	00:00:00	FILE46	PENDING	FILE46
DATA	DATA	2023-01-01	00:00:00	FILE47	PENDING	FILE47
DATA	DATA	2023-01-01	00:00:00	FILE48	PENDING	FILE48
DATA	DATA	2023-01-01	00:00:00	FILE49	PENDING	FILE49
DATA	DATA	2023-01-01	00:00:00	FILE50	PENDING	FILE50
DATA	DATA	2023-01-01	00:00:00	FILE51	PENDING	FILE51
DATA	DATA	2023-01-01	00:00:00	FILE52	PENDING	FILE52
DATA	DATA	2023-01-01	00:00:00	FILE53	PENDING	FILE53
DATA	DATA	2023-01-01	00:00:00	FILE54	PENDING	FILE54
DATA	DATA	2023-01-01	00:00:00	FILE55	PENDING	FILE55
DATA	DATA	2023-01-01	00:00:00	FILE56	PENDING	FILE56
DATA	DATA	2023-01-01	00:00:00	FILE57	PENDING	FILE57
DATA	DATA	2023-01-01	00:00:00	FILE58	PENDING	FILE58
DATA	DATA	2023-01-01	00:00:00	FILE59	PENDING	FILE59
DATA	DATA	2023-01-01	00:00:00	FILE60	PENDING	FILE60
DATA	DATA	2023-01-01	00:00:00	FILE61	PENDING	FILE61
DATA	DATA	2023-01-01	00:00:00	FILE62	PENDING	FILE62
DATA	DATA	2023-01-01	00:00:00	FILE63	PENDING	FILE63
DATA	DATA	2023-01-01	00:00:00	FILE64	PENDING	FILE64
DATA	DATA	2023-01-01	00:00:00	FILE65	PENDING	FILE65
DATA	DATA	2023-01-01	00:00:00	FILE66	PENDING	FILE66
DATA	DATA	2023-01-01	00:00:00	FILE67	PENDING	FILE67
DATA	DATA	2023-01-01	00:00:00	FILE68	PENDING	FILE68
DATA	DATA	2023-01-01	00:00:00	FILE69	PENDING	FILE69
DATA	DATA	2023-01-01	00:00:00	FILE70	PENDING	FILE70
DATA	DATA	2023-01-01	00:00:00	FILE71	PENDING	FILE71
DATA	DATA	2023-01-01	00:00:00	FILE72	PENDING	FILE72
DATA	DATA	2023-01-01	00:00:00	FILE73	PENDING	FILE73
DATA	DATA	2023-01-01	00:00:00	FILE74	PENDING	FILE74
DATA	DATA	2023-01-01	00:00:00	FILE75	PENDING	FILE75
DATA	DATA	2023-01-01	00:00:00	FILE76	PENDING	FILE76
DATA	DATA	2023-01-01	00:00:00	FILE77	PENDING	FILE77
DATA	DATA	2023-01-01	00:00:00	FILE78	PENDING	FILE78
DATA	DATA	2023-01-01	00:00:00	FILE79	PENDING	FILE79
DATA	DATA	2023-01-01	00:00:00	FILE80	PENDING	FILE80
DATA	DATA	2023-01-01	00:00:00	FILE81	PENDING	FILE81
DATA	DATA	2023-01-01	00:00:00	FILE82	PENDING	FILE82
DATA	DATA	2023-01-01	00:00:00	FILE83	PENDING	FILE83
DATA	DATA	2023-01-01	00:00:00	FILE84	PENDING	FILE84
DATA	DATA	2023-01-01	00:00:00	FILE85	PENDING	FILE85
DATA	DATA	2023-01-01	00:00:00	FILE86	PENDING	FILE86
DATA	DATA	2023-01-01	00:00:00	FILE87	PENDING	FILE87
DATA	DATA	2023-01-01	00:00:00	FILE88	PENDING	FILE88
DATA	DATA	2023-01-01	00:00:00	FILE89	PENDING	FILE89
DATA	DATA	2023-01-01	00:00:00	FILE90	PENDING	FILE90
DATA	DATA	2023-01-01	00:00:00	FILE91	PENDING	FILE91
DATA	DATA	2023-01-01	00:00:00	FILE92	PENDING	FILE92
DATA	DATA	2023-01-01	00:00:00	FILE93	PENDING	FILE93
DATA	DATA	2023-01-01	00:00:00	FILE94	PENDING	FILE94
DATA	DATA	2023-01-01	00:00:00	FILE95	PENDING	FILE95
DATA	DATA	2023-01-01	00:00:00	FILE96	PENDING	FILE96
DATA	DATA	2023-01-01	00:00:00	FILE97	PENDING	FILE97
DATA	DATA	2023-01-01	00:00:00	FILE98	PENDING	FILE98
DATA	DATA	2023-01-01	00:00:00	FILE99	PENDING	FILE99
DATA	DATA	2023-01-01	00:00:00	FILE100	PENDING	FILE100







real-time gross settlement system, currency exchange remittance distributed net

FEDERATION CONSENSUS ALGORITHM / PROTOCOL LIQUIDITY ON DEMAND

A.K.A Ripple Transaction Protocol or Ripple protocol, built on a distributed open source Internet protocol, consensus ledger and native currency called XRP. Ripple enables "secure, instant and nearly free global financial transactions of any size with no chargebacks." Ripple supports tokens representing fiat currency, cryptocurrency, commodity or any other unit of value such as frequent flier miles or mobile minutes. Ripple is based around a shared, public database or ledger, which uses a **FEDERATION** based consensus process that on demand liquidity backed by cooperative backing



Connects to receiving bank's Ripple Connect to exchange KYC, risk info, fees, payment details, **expected time** of funds delivery Provides information about total costs of the transaction.



Workflows are serially executed Except first two work flow are workflows are based on **event** **pull model**



- FEDERATION:** Latin: foedus, foederis, covenant, **union** of partially self-governing states or regions under a central (federal) government
- A league or confederacy. Individuals / groups retain **AUTONOMY**
- A federated body formed by nations, states, and... **unions**


each retaining control of internal affairs

Net joins, drops, splits, merges, moves
Agile, adhoc NETOPS Vs acquisition preserves the

LIQUIDITY, ORGANIZATIONAL INTEGRITY OF TRADE FEDERATIONS

Neutral transaction protocol

secured REST messaging API's



Interledger Protocol ILP

ripple

Ripple Consensus Ledger (RCL)

LOCKED QUOTED ACCEPT / DENY In Progress SUCCEEDED
{"108"} HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS

MATCH EVENT REPORTS TO CLOSEST HEARTBEAT CYCLE FLASH HEARTBEAT MESSAGES {"108"}
Sync to Closest Heartbeat $\Delta\delta$ FIREFLY-HEARTBEAT ALGORITHM MICRO-CYCLE STATE META DATA SNAPSHOTS STOCHASTIC HARMONIZATION ACROSS UTZ TIME ZONES



HASH NONCE

FIREFLY-HEARTBEAT ALGORITHM

MICRO-CYCLE STATE META DATA SNAPSHOTS

STOCHASTIC HARMONIZATION ACROSS UTZ TIME ZONES

$\Delta\delta$




UTZ

TIME ZONES

Byzantine Fault-Tolerant State Machine Replication

BFT-SMaRT dynamic distributed system processes are divided in two nonintersecting subsets: replicas and clients. Each system process has a unique identifier. During dynamic system execution, a sequence of views is installed to denote the reconfigurations due to replicas joins and leaves. A view is composed by a set of replicas identifiers.



Modularity is achieved using a set of building blocks(or modules)containing the core functionality of BFTSMaRt. Blocks are divided in three groups: communication system, state machine replication and state management.

BFT-SMaRT needs an eventually synchronous system

Total order multicast is achieved using the Mod-SMaRt protocol and with the Byzantine consensus algorithm Clients send requests to all replicas in cv, and wait for replies. replicas store each batch of ordered requests to a (stable) log and, periodically, take snapshots of the application state and store it in stable memory.

USPTO 13/573,002 HEART BEACON CYCLE TIME-SPACE METER

USCt ALICE CORP V CLS BANK

PHYSICAL = OPPOSITE OF ABSTRACT




DERIVED FROM BATTLEFIELD DIGITIZATION DISTRIBUTED AUTONOMOUS ORGANIZATION DAO SYSTEM OF SYSTEMS

FEDERATED ID / ORGANIZATIONAL IDENTIFIER {"ORG_ID"}

ADDS, JOINS, DROPS, MOVES TO / FROM DAO

CHANGES IN STATE VIEWED IN "APPLIQUE' OVERLAY VIEWS

K0.99 HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS



Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time.

It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length In real time as long as the length is bounded and all nodes AGREE ON IT EVENTUALLY"

In a proof-of-stake network, it is the number of coins held in a wallet that determines the "weight" of the user the likelihood for the user to receive the block reward. In a Proof-of-Weight consensus mechanism, any value, not just the amount of coins held, is used to determine the "weight" of a user.



TIME – SPACE MEASUREMENTS OF TOKENIZED COMMODITIES, SECURITIES... STOCHASTICALLY HARMONIZED ACROSS UTZ Universal Time Zone



The Volumetric Weight is often referred to as dimensional weight

$$\text{Volumetric Weight} = [\text{Width} \times \text{Length} \times \text{Height}]$$



On the Filecoin blockchain, for example, the amount of IPFS data that a user is storing is used as the weighted value.



OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin —no fees and no restrictions




- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade

OPENBAZAAR.ORG
BLOCKCHAIN ARBITRAGE



SLA CLOSER = < \$ CLOSER = < CO2


COMMODITIES
ECONOMIC HEARTBEAT



STAT MEAN VALUE PULSE
REAL WORLD ASSETS RWA

STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS



Price Indexes in
Time and Space
Methods and Practice

SchellingPoint

OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

PROJECT PHILOSOPHY: *MAKE TRADE FREE*

Mission: *shift trade to a decentralized platform*




Demurrage TERRATRC TRADE
Fees REFERENCE CURRENCY
“Money of Peace”



STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS



Price Indexes in
Time and Space
Methods and Practice

SchellingPoint

Free, open markets: Commodity / Currency Index

Creating open, competitive markets for services
that cannot be perfectly solved with technology

Federation

ORG ID Gateway

UTZ SYNC

FIREFLY – HEARTBEAT ALGO

SYNC EVENTS

$\Delta\delta$ TO CLOSEST HB CYCLE

UTZ SYNC


•VALUES: Privacy </Org_ID>



HASH Values
Nonce Values </Org_ID>

STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS



Price Indexes in
Time and Space
Methods and Practice

SchellingPoint

Bitcoin: OpenBazaar transactional currency



Cryptographic Security

- tamper-proof agreements
- 1) minimize potential disputes
- 2) fast-track dispute resolution

SchellingPoint

DON: DECENTRALIZED ORACLE NETWORKS



Explicit Staking

Chainlink nodes lock up LINK tokens as collateral that can be slashed for malicious and undesirable behavior.

Chainlink's explicit staking model's goal is to achieve a super-linear staking impact—a mechanism where malicious actors are required to have a budget significantly larger than the combined deposits of all nodes within a DON, creating increasingly greater security guarantees for high-value smart contract applications in a cost-efficient manner.

Explicit staking in Chainlink 2.0 oracle reports reflect the state of specific real-world events outside a blockchain (off-chain).

Chainlink's explicit staking mechanism protects against a broad range of attacks, including advanced strategies like prospective bribery, in which nodes are targeted according to their role in the network, such as those selected for report adjudication.



INFOCON
4 3 2 1
INFORMATION CONDITION

Behind each DON is a service agreement that will define the number of LINK tokens each oracle node is required to stake and key performance requirements, such as how far an individual node's response can deviate from the aggregated value and how far the aggregated value in an oracle report can deviate from the correct value it should represent. The service agreement can also define other parameters such as the data sources used, how often updates should occur, how much each node is paid, and more.

ALERT LEVEL >
 > NEWSCAST ZONE

Outputs produced by a DON are structured into reporting rounds, where each round involves the creation of a new oracle report containing each node's individual response for a particular piece of data (e.g. the price of ETH/USD), with all the individual responses aggregated into a single value (e.g. taking the median). A DON network's service agreement defines how each report should be generated & conditions in which a node's stake can be slashed.




DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS

Linear Sequential Meme

$$\dots -1 / 0 / +1 \dots \Delta \delta > \Sigma$$








Proof-of-activity PoA is a combination of Proof of Work / Stake blockchain consensus algorithms:

Example of Proof-of-Activity (PoA)

Decred (DCR) is the most well-known cryptocurrency that uses the PoA consensus mechanism. With Decred, blocks are created about every five minutes.² The mining process for Decred begins with nodes (computers that participate in the network) looking for a solution to a cryptographic puzzle with a known difficulty level in order to create a new block. Once the solution has been found, it is broadcast to the network. The network then verifies the solution. At this point, the system becomes a PoS. The more DCR that a node has mined, the more likely they are to be chosen to vote on the block. (In DCR's blockchain, stakeholders earn tickets that grant them voting power in exchange for mining DCR.) Five tickets are chosen pseudo-randomly from the ticket pool; if at least 3 of the 5 vote "yes" to validate the block, it is permanently added to the blockchain. Both miners, voters are rewarded with DCR.





VERITAS TOKENS

P2P Capital Market smart contracts Eco Economic HEARTBEAT

Decentralized Trading Platform DAO ORACLE
access conventional, legacy financial data to
price, value, trade & settle OTC, P2P financials




INFOCON
5 4 3 2 1
INFORMATION CONDITION



Zero Trust Transaction: money performs I.A.W. to terms agreed to by parties. Ex: purchase of widget from retail store where widget must be delivered to person B on TIME X, in Y condition at PLACE Z or person A does not get paid. Stock, currency, commodities, letters of credit, insurance underwriting, trading, intellectual property...

STATISTICAL MEAN VALUE INDEX PULSE

GDP INDEX ECONOMY K% RULE



Cost = stated rates that fluctuate with VeUSD exchange rate.
Veritas holders get priority. The ability to redeem Ve against USD gives clients instant value.

DAO Distributed Autonomous Organization Investor Pools

Place Order X ritaseum™

Principal:	\$100.00
Collateral:	0%
Leverage:	10x
Notional Amount:	\$1000.00
Receive:	QCOM
Pay:	INTC

DeFi Ve TOKENS VeriDAO **UTZ SYNC STOCHASTIC HARMONIZATION**

Denominating Asset: ~BTC:SATOSHIS

Contract Expiry: 16w

Contract Starts at: -

Contract Ends at: -

Cancel Contract at: -

Est. Trans. Fees: \$0.0437

Transaction Fees: \$1.0262

Leverage Fees: \$3.2528

Max. Profit/Loss: + \$95.6773 / - \$104.3227

Total Required: \$104.3227

NIST TIME BEACON

UTZ Time Zone Sync

#DeFi All Market Orders (“108”) Search (“108”)


Pay: (“TAGGED”) CRYPTO

Switch » INTC

Expiry: 16w Advanced

Collateral (“Org_ID”) Notional (“URN”) Expiry: (“Tagged_Bitcoins”)

Pay: (“Org_ID”) Expiry: (“URN”)



Heartbeat Flash Messages Precedence Processing

Collateral Notional Expiry

FIREFLY HEARTBEAT ALGO EVENT MSG BUS

As long as INTC decline outpaces QCOM, you get paid. QCOM can be replaced with GOOG, or even AAPL although I feel AAPL will have its issues in the upcoming quarters as well.

(“Org_ID”) (“Tagged”) (“URN”)

Cryptos (“STOP”) TTL

(“t₁”) (“t₂”) (“t₃”)

“LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE”

STOP TTL

t₁ t₂ t₃

Non Repudiation

IDMaps SonarHops

DISTANCE ESTIMATION SERVICE

Qubit

Time – Space Meter Metrics

Rosetta Stone

Proof of Authority



{"GROUP ID"}
{"Org_ID"}

Not pay to play, Node identity is kept as stake

A PoA network are secured by validators, that are selected democratically by existing validators. The nodes on the PoA network are rewarded for validating the transactions on the network. The identity of the validator is kept anonymous by encryption and secured cryptographically. It is revealed only as a negative reinforcement when the validator processes a fraudulent or a malicious transaction.



A notary license verifies the identity of the person formally, a notary license is released by the Federation / Government after extensive verification. The identity of the validator is kept for cross-referencing with the notary data and blockchain data

Parity supports a Proof-of-Authority consensus engine. Proof-of-Authority is a replacement for Proof-of-Work, and can be used for private or centralized chains. PoA as tested by a Kovan test network improves outdated economic models.

1. **FEDERATION:** Latin: foedus, foederis, covenant, **union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions** each retaining control of internal affairs

Federation
Gateway



{"GLOBAL"}
{"SHARED"}
{"DOMAIN"}
{"COMMUNITY"}
{"PRIVATE"}



Net joins, drops, splits, merges, moves

Agile, adhoc NETOPS Vs acquisition preserves the CHANNEL


DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS



123e4567-e89b-12d3-a456-426655440000
123e4567-e89b-12d3-a456-426655440001
123e4567-e89b-12d3-a456-426655440002




SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET

"PoET for 'Proof of Elapsed Time', is a **lottery protocol** that builds on trusted execution environments (TEEs) provided by Intel's [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting**, is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality."



PROOF OF ELAPSED TIME




Voting Based Selection: stake size & block generators selected by votes

Voting based selection Instead of only using the stake size, the block generators can be selected by votes
ex: League MVP



Robert's Rules quorum = minimum # of voting members who must be present at meetings to conduct business of the group

TOURNAMENT LEAGUE BOARD



FIREFLY-HEARTBEAT FLASH MESSAGES UNIVERSAL EVENT BUS




HASH TABLES / NONCE VALUES

Capture ledger's state $\Delta \delta$
Transaction language
changes ledger state
Consensus, transaction acceptance protocol






NEO Delegated Byzantine Fault Tolerance (dBFT)



No collusion between individuals or entities is possible. Participants in the network validate transactions adding to the ledger have no affiliation or relationship (political, adversarial, etc.) with the transaction or its participants. Only a permissionless platform can meet this set of criteria.

Specifically, a random selection algorithm called RS is developed to cooperate with the voting mechanism, which can effectively reduce the number of nodes participating in the consensus process. Our proposed scheme is characterized by the unpredictability, randomness, and Impartiality, which accelerate the system to reach consensus on the premise of ensuring system activity. ✓






Hashgraph consensus algorithm for replicated state machines

- Consensus Event Time Stamps
- State Meta data consensus order
- **Virtual voting:** each member has a Hashgraph copy
- **Famous witnesses**

data structure that records who gossiped to whom in what order $\Delta\delta$

Gossip In Bitcoin: transactions and mined blocks are gossiped.
Consensus is enhanced via "gossip about gossip"



DAG "Directed Acyclic Graph" large number of blocks arrive at the same time. DAG system reaches consensus leveraging "Gossip"... information spread by a computer calling up other computers at random, sharing everything it knows

Community members reach consensus agreement on events / transactions order inside events, and agree on a timestamp for each event /transaction

DAG finite directed graph
= no directed cycles

$$\text{Consensus Order} \quad \sum \Delta\delta \times$$



Round created
Witness

0 / 1

Famous witness
Election



Vote
See



Strongly see
Supermajority
Decide




Round created
Round received




Consensus timestamp
Consensus order $\Delta\delta$

Hashgraph Member Event Transaction Consensus Order Timestamp Gossip protocol Self-parent Other-parent Graph Hash Hashgraph




Synchronous Asynchronous




Micro-Cycle State Meta Data Snapshots

Hash Nonce

The Heart Beacon Cycle Time – Space Meter
Adaptive Procedural Template Checklist
Heartbeat Sync Delta state meta data
structured data exchange snapshots
300 + Use Case message template sets
Rosetta Stone Syntax lexicon Coder's guide





Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics



vector
WORLDWIDE LOW-EARTH ORBIT SATELLITE TRIANGULATION NETWORK, 364 CAMERAS



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE" $\Delta\delta$

Proof of Burn



Proof of burn (POB) operates on the principle of allowing miners to “burn” virtual currency tokens. They are then granted the right to write blocks in proportion to the coins burnt.


Iain Stewart, the inventor of the POB algorithm, uses an analogy to describe the algorithm: burnt coins are like mining rigs. In this analogy, a miner burns their coins to buy a virtual mining rig that gives them the power to mine blocks. The more coins burned by the miner, the bigger their virtual mining “rig” will be.²

To burn the coins, miners send them to a verifiably un-spendable address. This process does not consume many resources (other than the burned coins) and ensures that the network remains active and agile. Depending upon the implementation, miners are allowed to burn the native currency or the currency of an alternate chain, such as Bitcoin. In exchange, they receive a reward in the native currency token of the blockchain.



You can send out transactions to the network that will burn your own cryptocurrency coins. Other participants can mine/burn on top of your block, and you can also take the transactions of other participants to add them to your block. Essentially, all of this burning activity keeps the network agile, and participants are rewarded for their activities (both burning their own coins and burning other people’s coins).

To prevent the possibility of unfair advantages for early adopters, the POB system has implemented a mechanism that promotes the periodic burning of cryptocurrency coins to maintain mining power. The power of burnt coins “decays” or reduces partially each time a new block is mined. This promotes regular activity by the miners, instead of a one-time, early investment. To maintain a competitive edge, miners may also need to periodically invest in better equipment as technology advances.



Heartbeat Event {"burn"} SLA = increase mining rig volume IEEE C37.118 Time Synchronization Harmonization Heartbeat update Interval PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

- (1) Active ID
- (2) Heartbeat 1.
- (3) Heartbeat 2.
- (4) Device Status 1.
- (5) Device Status 2.


TAG	SLA/O	Token Award
{"Org_ID"} ActiveID	[UFO2_ACTIVEID]	</EVENT>
IF1_Heartbeat (IF-Node1)	[UFO2_HEARTBEAT:#]	</EVENT>
IF2_Heartbeat (IF-Node2)	[UFO2_HEARTBEAT:#]	</EVENT>
{"UUID"} IF1_DeviceStatus (IF-Node1)	[UFO2_DEVICESTAT:#]	</EVENT>
{"UUID"} IF2_DeviceStatus (IF-Node2)	[UFO2_DEVICESTAT:#]	</EVENT>
IF1_State (IF-Node1)	$\Delta\delta$	[UFO2_STATE:#] $\Delta\delta$ IF_State
IF2_State (IF-Node2)	$\Delta\delta$	[UFO2_STATE:#] $\Delta\delta$ IF_State

Proof of Capacity PoC



consensus mechanism algorithm for mining devices to use hard drive space to decide mining rights, validate transactions

Proof of capacity for mining devices, also known as blockchain nodes, to use empty space on their hard drive to mine the available [cryptocurrencies](#).




Instead of repeatedly altering the numbers in the block header & repeated hashing for the solution value as in a PoW system, PoC works by storing a list of possible solutions on the mining device's hard drive before mining activity starts




The larger the hard drive, the > possible solution values one can store on the hard drive, the more chances a miner has to match required hash value from his list, resulting in more chances to win the mining reward.



Analogy: if lottery rewards are based on matching the most numbers on the winning ticket, then a player with a longer list of possible solutions will have better chances of winning. Additionally, the player is allowed to keep using the lottery ticket block numbers again and again repeatedly.




Bitcoin purchase akin to property




PoST Proof-of-Spacetime (PoST)


PoST shows that physically storing data (spent "spacetime" resource/allocated storage capacity to the network) over a certain period of time.



PoST users / nodes must prove that they are spending a certain amount of space for storage.




The proposed Universal Timezone System would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



BTC NG NEX GEN / Heart Beacon Cycle 13/573,002

KEY BLOCKS:

- NO CONTENT = NULL
- LEADER ELECTION



MVP

EVENT BUS


MICRO BLOCKS:

- ONLY CONTENT
- NO CONTENTION



NDN

FROM	GC00A	TAB	ASAS	AMPC02	F000	TO	GC00A	TAB	ASAS	AMPC02	F000
ARAB	C000	C002	C003	P000	P001	ARAB	C000	C002	C003	P000	P001
APAF02	P002	P004	P005	P006	P007	APAF02	P002	P004	P005	P006	P007
APAF03	P003	P005	P006	P007	P008	APAF03	P003	P005	P006	P007	P008
APAF04	P004	P006	P007	P008	P009	APAF04	P004	P006	P007	P008	P009
APAF05	P005	P007	P008	P009	P010	APAF05	P005	P007	P008	P009	P010
APAF06	P006	P008	P009	P010	P011	APAF06	P006	P008	P009	P010	P011
APAF07	P007	P009	P010	P011	P012	APAF07	P007	P009	P010	P011	P012
APAF08	P008	P010	P011	P012	P013	APAF08	P008	P010	P011	P012	P013
APAF09	P009	P011	P012	P013	P014	APAF09	P009	P011	P012	P013	P014
APAF10	P010	P012	P013	P014	P015	APAF10	P010	P012	P013	P014	P015
APAF11	P011	P013	P014	P015	P016	APAF11	P011	P013	P014	P015	P016
APAF12	P012	P014	P015	P016	P017	APAF12	P012	P014	P015	P016	P017
APAF13	P013	P015	P016	P017	P018	APAF13	P013	P015	P016	P017	P018
APAF14	P014	P016	P017	P018	P019	APAF14	P014	P016	P017	P018	P019
APAF15	P015	P017	P018	P019	P020	APAF15	P015	P017	P018	P019	P020
APAF16	P016	P018	P019	P020	P021	APAF16	P016	P018	P019	P020	P021
APAF17	P017	P019	P020	P021	P022	APAF17	P017	P019	P020	P021	P022
APAF18	P018	P020	P021	P022	P023	APAF18	P018	P020	P021	P022	P023
APAF19	P019	P021	P022	P023	P024	APAF19	P019	P021	P022	P023	P024
APAF20	P020	P022	P023	P024	P025	APAF20	P020	P022	P023	P024	P025
APAF21	P021	P023	P024	P025	P026	APAF21	P021	P023	P024	P025	P026
APAF22	P022	P024	P025	P026	P027	APAF22	P022	P024	P025	P026	P027
APAF23	P023	P025	P026	P027	P028	APAF23	P023	P025	P026	P027	P028
APAF24	P024	P026	P027	P028	P029	APAF24	P024	P026	P027	P028	P029
APAF25	P025	P027	P028	P029	P030	APAF25	P025	P027	P028	P029	P030
APAF26	P026	P028	P029	P030	P031	APAF26	P026	P028	P029	P030	P031
APAF27	P027	P029	P030	P031	P032	APAF27	P027	P029	P030	P031	P032
APAF28	P028	P030	P031	P032	P033	APAF28	P028	P030	P031	P032	P033
APAF29	P029	P031	P032	P033	P034	APAF29	P029	P031	P032	P033	P034
APAF30	P030	P032	P033	P034	P035	APAF30	P030	P032	P033	P034	P035
APAF31	P031	P033	P034	P035	P036	APAF31	P031	P033	P034	P035	P036
APAF32	P032	P034	P035	P036	P037	APAF32	P032	P034	P035	P036	P037
APAF33	P033	P035	P036	P037	P038	APAF33	P033	P035	P036	P037	P038
APAF34	P034	P036	P037	P038	P039	APAF34	P034	P036	P037	P038	P039
APAF35	P035	P037	P038	P039	P040	APAF35	P035	P037	P038	P039	P040
APAF36	P036	P038	P039	P040	P041	APAF36	P036	P038	P039	P040	P041
APAF37	P037	P039	P040	P041	P042	APAF37	P037	P039	P040	P041	P042
APAF38	P038	P040	P041	P042	P043	APAF38	P038	P040	P041	P042	P043
APAF39	P039	P041	P042	P043	P044	APAF39	P039	P041	P042	P043	P044
APAF40	P040	P042	P043	P044	P045	APAF40	P040	P042	P043	P044	P045
APAF41	P041	P043	P044	P045	P046	APAF41	P041	P043	P044	P045	P046
APAF42	P042	P044	P045	P046	P047	APAF42	P042	P044	P045	P046	P047
APAF43	P043	P045	P046	P047	P048	APAF43	P043	P045	P046	P047	P048
APAF44	P044	P046	P047	P048	P049	APAF44	P044	P046	P047	P048	P049
APAF45	P045	P047	P048	P049	P050	APAF45	P045	P047	P048	P049	P050
APAF46	P046	P048	P049	P050	P051	APAF46	P046	P048	P049	P050	P051
APAF47	P047	P049	P050	P051	P052	APAF47	P047	P049	P050	P051	P052
APAF48	P048	P050	P051	P052	P053	APAF48	P048	P050	P051	P052	P053
APAF49	P049	P051	P052	P053	P054	APAF49	P049	P051	P052	P053	P054
APAF50	P050	P052	P053	P054	P055	APAF50	P050	P052	P053	P054	P055
APAF51	P051	P053	P054	P055	P056	APAF51	P051	P053	P054	P055	P056
APAF52	P052	P054	P055	P056	P057	APAF52	P052	P054	P055	P056	P057
APAF53	P053	P055	P056	P057	P058	APAF53	P053	P055	P056	P057	P058
APAF54	P054	P056	P057	P058	P059	APAF54	P054	P056	P057	P058	P059
APAF55	P055	P057	P058	P059	P060	APAF55	P055	P057	P058	P059	P060
APAF56	P056	P058	P059	P060	P061	APAF56	P056	P058	P059	P060	P061
APAF57	P057	P059	P060	P061	P062	APAF57	P057	P059	P060	P061	P062
APAF58	P058	P060	P061	P062	P063	APAF58	P058	P060	P061	P062	P063
APAF59	P059	P061	P062	P063	P064	APAF59	P059	P061	P062	P063	P064
APAF60	P060	P062	P063	P064	P065	APAF60	P060	P062	P063	P064	P065
APAF61	P061	P063	P064	P065	P066	APAF61	P061	P063	P064	P065	P066
APAF62	P062	P064	P065	P066	P067	APAF62	P062	P064	P065	P066	P067
APAF63	P063	P065	P066	P067	P068	APAF63	P063	P065	P066	P067	P068
APAF64	P064	P066	P067	P068	P069	APAF64	P064	P066	P067	P068	P069
APAF65	P065	P067	P068	P069	P070	APAF65	P065	P067	P068	P069	P070
APAF66	P066	P068	P069	P070	P071	APAF66	P066	P068	P069	P070	P071
APAF67	P067	P069	P070	P071	P072	APAF67	P067	P069	P070	P071	P072
APAF68	P068	P070	P071	P072	P073	APAF68	P068	P070	P071	P072	P073
APAF69	P069	P071	P072	P073	P074	APAF69	P069	P071	P072	P073	P074
APAF70	P070	P072	P073	P074	P075	APAF70	P070	P072	P073	P074	P075
APAF71	P071	P073	P074	P075	P076	APAF71	P071	P073	P074	P075	P076
APAF72	P072	P074	P075	P076	P077	APAF72	P072	P074	P075	P076	P077
APAF73	P073	P075	P076	P077	P078	APAF73	P073	P075	P076	P077	P078
APAF74	P074	P076	P077	P078	P079	APAF74	P074	P076	P077	P078	P079
APAF75	P075	P077	P078	P079	P080	APAF75	P075	P077	P078	P079	P080
APAF76	P076	P078	P079	P080	P081	APAF76	P076	P078	P079	P080	P081
APAF77	P077	P079	P080	P081	P082	APAF77	P077	P079	P080	P081	P082
APAF78	P078	P080	P081	P082	P083	APAF78	P078	P080	P081	P082	P083
APAF79	P079	P081	P082	P083	P084	APAF79	P079	P081	P082	P083	P084
APAF80	P080	P082	P083	P084	P085	APAF80	P080	P082	P083	P084	P085
APAF81	P081	P083	P084	P085	P086	APAF81	P081	P083	P084	P085	P086
APAF82	P082	P084	P085	P086	P087	APAF82	P082	P084	P085	P086	P087
APAF83	P083	P085	P086	P087	P088	APAF83	P083	P085	P086	P087	P088
APAF84	P084	P086	P087	P088	P089	APAF84	P084	P086	P087	P088	P089
APAF85	P085	P087	P088	P089	P090	APAF85	P085	P087	P088	P089	P090
APAF86	P086	P088	P089	P090	P091	APAF86	P086	P088	P089	P090	P091
APAF87	P087	P089	P090	P091	P092	APAF87	P087	P089	P090	P091	P092
APAF88	P088	P090	P091	P092	P093	APAF88	P088	P090	P091	P092	P093
APAF89	P089	P091	P092	P093	P094	APAF89	P089	P091	P092	P093	P094
APAF90	P090	P092	P093	P094	P095	APAF90	P090	P092	P093	P094	P095
APAF91	P091	P093	P094	P095	P096	APAF91	P091	P093	P094	P095	P096
APAF92	P092	P094	P095	P096	P097	APAF92	P092	P094	P095	P096	P097
APAF93	P093	P095	P096	P097	P098	APAF93	P093	P095	P096	P097	P098
APAF94	P094	P096	P097	P098	P099	APAF94	P094	P096	P097	P098	P099
APAF95	P095	P097	P098	P099	P100	APAF95	P095	P097	P098	P099	P100






PROTON A CHAIN Virtual Machine

CONTRACT C CHAIN Smart contract

PLATFORM P CHAIN Meta Data

EXCHANGE X CHAIN Cross blockchain



Universal @names Identity / Governance / Resources / Staking

Snowball Consensus

Algorithm

preference := pizza

consecutiveSuccesses := 0

while not decided:

ask k random people preference

if >= α give the same response:

 preference := response with >=

α

 if preference == old preference:

 consecutiveSuccesses++

 else:

 consecutiveSuccesses = 1

 else:

 consecutiveSuccesses = 0

if consecutiveSuccesses > β:
 decide(preference)

EOSIO computer function emulation
NET, CPU bandwidth, RAM data
Publishing, Voting based not mining

Delegated Proof
of Stake {"Org_ID"}



coordinates validators, keeps track
of active subnets, SNOWMAN
consensus Token representation of
real-world resources (e.g., equity,
bonds) smart contract rules </URN>



DAG Acyclic Graph Parameters:

n: number of participants

k (sample size): between 1 and n


α (quorum size): between 1 and k

β (decision threshold): >= 1

ALL THINGS NET, NET OF \$\$\$


1) EPOCH TIME INTERVALS

2) SYNTAX (not) used in epochs



GENESIS BLOCK: "Layers" = follow on epoch time intervals

Block 0 Block 1 Block 2



SECURITY TOKEN: A DIGITAL
ASSET THAT'S BACKED UP
BY TANGIBLE ASSETS IN THE
REAL WORLD </URN>
</URN>
</URN>



"all digital currency networks, the base layer of people
generating the blockchain — "miners," "stakers,"
"witnesses," "validators," or "forgers" get paid"







OTA: Internet Of Things IOT distributed ledger
with microtransactions without fees

Tangle, a directed, ASYNCHRONOUS acyclic graph (DAG) for storing transactions

Contrary to Blockchains, consensus is no longer decoupled. It is an intrinsic part of the system for decentralized, self-regulating peer-to-peer network. Transfer value without fees

The iota network is ASYNCHRONOUS. In general, nodes do not necessarily see the same set of transactions. The tangle may contain conflicting transactions. The nodes do not have to achieve consensus on which valid transactions have the right to be in the ledger, meaning all of them can be in the tangle. However, in the case where there are conflicting transactions, the nodes need to decide which transactions will become orphaned. Nodes use the tip (unapproved transaction) selection algorithm to decide between two conflicting transactions. GHOST protocol main ledger = tree






EGaaS

ELECTRONIC GOVERNMENT AS A SERVICE

Distributed digital asset registries were the first projects that used blockchain systems such as databases designed for secure storage of records on real estate property, stocks, copyright and so on. It is assumed hosting any document on the blockchain is equivalent to notarization of its content at a fixed time point.



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. INCENTIVIZE ECO - FRIENDLY TRANSACTIONS



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

E-GaaS: international blockchain platform for organizing economic, state, social activities of citizens , communities on the basis of smart law, smart contract system. eGaaS offers a comprehensive solution needed for state and business management on the blockchain platform.



FORM	CODES	DATA	ASAS	AMPCB	API FOR	MECH
ASAB	P0001 P0002 P0003 P0004 P0005 P0006 P0007					
ANOMHIC	P0001 P0002 P0003 P0004 P0005 P0006 P0007					
AFATOR	P0001 P0002 P0003 P0004 P0005 P0006 P0007					

SYNTAX / SYMBOL LEXICON LIBRARY STRUCTURED

DATA EXCHANGE 300 + TEMPLATE FORMS LOGIC / FILTERS

ALPHA-NUMERIC BREVITY CODES



Microsoft Blockchain modular framework:
choose combination of tech best fits Biz domain

AZURE: Core/Kernel/Universal Protocol 

Fabric Tier consortium node CryptoDelegate in VM or UTXO Adapter, (Azure, AzureStack, AWS..)

Unspent Transaction Output protocols UTXO

Crypto Tokenized Assets Digital Bearer Bonds
unique identity for owned artifacts

Utility Cryptlets encryption, time & date events, external data access, authentication “CryptoDelegate” / adapter


Blockchain middleware: identity and operations management, data, intelligence services like analytics and machine learning. New middleware works with existing Azure services, like Active Directory and Key Vault

Blockchain Fabric: Blockchain Gateway Services [Interledger](#)-like services to allow for SmartContracts and tokenized objects to be passed between different ledger systems.

Data Services - key data services like distributed file systems (IPFS, Storj, etc) of off-chain data referenced by public keys.

Auditing, Advanced Analytics, Machine Learning, Dashboarding services for SmartContracts, Blockchains, Consortia, Regulators

Utility and Contract. Developers can discover and enlist Cryptlets into their SmartContracts to create more robust and trusted transactions. Contract Cryptlets are full delegation engines that act as SmartContract surrogates off the chain. Cryptlets provide execution logic and securely store data in the Smart Contract









ALPHA NUMERIC
BREVITY CODES
SYMBOL CODES
STRUCTURED MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



MULTI-MEME MULTI-METER








ETHER: Compensate Resource Contribution

Gas: price to
Run contract
transactions

Casper is a security-deposit based economic consensus protocol. Nodes = "bonded validators" place security deposit (an action called "bonding") If a validator generates an invalid action, account deposits are forfeited along with consensus privilege. Use of security deposits address "nothing at stake" problem; that behaving badly is not expensive. Casper is an **EVENTUALLY CONSISTANT** blockchain-based consensus protocol. CASPER favors availability over consistency



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time... **EVENTUALLY**





core blockchain code written in Erlang, for distributed, fault-tolerant, soft real-time and highly available non-stop applications.

ERLANG API FOR BLOCKCHAIN



ORACLES: crucial feature for most contracts, whether encoded as text or as code, is the ability to refer to values from the environment. æternity Oracle Machine provides real-world data to the blockchain. Each user can ask questions about the environment. Anyone can answer. Consensus mechanism invoked in case of disagreement.

MIT-licensed modules for easy implementation in blockchain consortiums. Free and open access for developers build on the æternity platform.

CROSS – CHAIN ATOMIC SWAPS

AE Tokens AE are access tokens to the æternity network and act as a unit of account for the resources spent on æternity.



Aeons: energy for applications implemented on the platform.


ACCOUNTS & IDENTITY: æternity's accounts are permission-less, but allow customization via schema.org's semantic web scheme. Create & own (**federated group**) / individual identities on the æternity network



("ORG_ID")

("ORG_ID")

NAMES (DNS) In the vein of Aaron Swartz' work and Namecoin, æternity features an easy to use name system, that is both decentralized and secure, while still supporting human-friendly, memorable names. The blockchain's state includes a mapping from unique human-friendly strings to fixed-size byte arrays, that are individually customizable.



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. No need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree


AETERNITY CROSS-CHAIN ATOMIC SWAPS CORRESPOND TO HEART BEACON CYCLE'S USE OF BATTLEFIELD DIGITIZATION DERIVED HEARTBEAT SYNC DELTAS



Terra Trade Reference Currency TRC "world currency" Bernard A. Lietaer Belgian economist proposed 1991 Basket of 9-12 most important commodities. Public issued demurrage fees for storage, shipping, handling

TOKENS REPRESENT REAL WORLD VALUE URN RESOURCES

ETHEREUM USES GAS GUAGE MEME INDICATING THRESHOLD MET / NOT MET




HBC's PRIMARY USE CASE IS TO ORGANIZE INDIVIDUALS IN TRADE FEDERATION GROUPS RE-USING BATTLEFIELD DIGITIZATION / ARIN Organizational Identifier Org_ID for Ecosphere friendly trade



HYPER LEDGER OPEN SOURCE BLOCKCHAIN

Core APIs, & SDKs

$\Delta\delta$ Shared Ledger



HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002


FEDERATION
Federation Gateway

METRICS ("Organization ID")
METERS


RESTFUL SYNC DELTA
CHANGE MANAGEMENT
MICRO-MACRO CYCLE




BLOCKTIME ARBITRAGE




Code execution environment, ledger data structures, modular consensus fwk & algos, and modular membership services, modular storage and event fwks, network peers




Alpha-Numerics



ROSETTA STONE



300 + MESSAGE TEMPLATES
USE CASES / GROUPED DATA TRANSACTIONS
Alpha-Numeric Data
Element ID -- #'s are the UNIVERSAL LANGUAGE



MICRO-MACRO CYCLE SCHEDULE



FFIRNS
FFUDNS

HYPER LEDGER USES JSON ("tag") / YAML
Text indentation – UNIVERSAL LANGUAGE
= ALPHA-NUMERICS



"All decentralized, blockchain-based networks are DAOs, or decentralized autonomous organizations" Bitcoinist

“A DAO can be summed up as an organization of people who communicate with each other via a “network protocol,” which is to say that they communicate with one another via a ruleset”


[LINK](http://bitcoinist.net/how-dash-dao-work/) <http://bitcoinist.net/how-dash-dao-work/>

"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" — all get paid to do so" "consensus," or an agreement upon what the rules should be; and second, the execution of said rules.

“Its makeup is thus: the block reward is divvied up in three parts. The first 45 percent goes to [Dash’s miners](#). Another 45 percent goes to its Masternodes. And 10 percent is set aside to fund whatever other jobs or expenditures the Dash network deems necessary”


InstantX: To solve the problem of lag time in transactions, Masternodes are able to instantly lock Transactions receive payments for their service to the network.

DAO: RAND THINK TANK TERM COINED + / - 2001



STOCHASTIC HARMONIZATION **FIREFLY-HEARTBEAT** EVENT BUS

HEART BEACON CYCLE = IMPROVEMENT TO NETWORK CENTRIC WARFARE



Briefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local “heartbeat” events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE

STATE: stored data at a given instant in time

STATE CHANNELS: blockchain interactions


which *could* occur on the blockchain, but instead get conducted *off* of the blockchain, without significantly increasing the risk of any participant.




1. Part of the blockchain state is locked via multisignature or smart contract convention, so that a specific set of participants must completely agree with each other to update it.

2. Participants update the state amongst themselves by constructing and signing transactions that *could* be submitted to the blockchain, but instead are ~~submitted to the blockchain~~  new update "trumps" previous update.


3.Finally, participants submit the state back to the blockchain, which closes the state channel



NEW UPDATES OVERWRITE THE PREVIOUS: simplest way is to have any unlocking attempt start a timer, during which any *newer* update can replace the old update (restarting the timer). When the timer completes, the channel is closed and the state adjusted to reflect the last update received. The length of the timer would be chosen for each state channel, balancing the inconvenience of a long channel closing time with the increased safety it would provide against internet connection or blockchain problems. Alternatively, one could structure channel with a financial penalty so anyone publishing an inaccurate update to the blockchain will lose more than gain by creating later





FLASH HEARTBEAT MESSAGES
HEARTBEAT STATE META-DAT
SNAPSHOTS EVERY
10, N MIN MICRO TO
MACRO ECON CYCLE



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local “heartbeat” events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE

TWAP Algorithm Manages Bitcoin Price Volatility Algorithm

TWAP GOAL: provide a Time Weighted Average Price Benchmark



FIREFLY HEARTBEAT ALGO
STAT MEAN VALUE INDEX


TWAP Works To gauge trading performance, many traders in different asset classes (equity, fixed income, currency) often use average price as a benchmark. The two common ways to calculate an average are a time-weighted average price (TWAP) and a volume-weighted average price (VWAP). TWAP is the average price of a bitcoin over the course of a specified period of time i.e., Heart Beacon Cycle




The algorithm trades over a desired time, either 1, 6, 12 or 24 hours and will give you a TWAP over that time period. For example, set the TWAP algorithm to sell 12 bitcoins over 12 hours, the algorithm will sell throughout the period, aiming to get a 12-hour TWAP



VWAP is price multiplied by number of bitcoins traded, then divided by the total number of bitcoins traded during a time period. The time-weighted average price algorithm is matched to closest HB



STATE META
DATA SNAPSHOTS



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC's improvement is stipulating a clock cycle value e.g., 5, 10, 15..



Autonomous Device Coordination Framework



- Registration
- Authentication
- Proximity based rules
- Consensus based rules
- Contracts
- Checklists

FEDERATION
AGREEMENTS
PROCEDURAL
TEMPLATE

FEDERATION

<UUID><ORG_ID><URN>

LDAP DIRECTORY

Physical proximity

Social proximity


Temporal proximity

Agreements



Payments

Barter

ADEPT Standard Peer Architecture – Logical View



* Could be optimized to hold the complete blockchain. Function of ADEPT Installer





PAYMENTS BASED ON GEO-SPATIAL TEMPORAL METRICS / METERS
<URN> DESCRIBES COMMODITIES ETC BY UNIFORM RESOURCE NAME BY </INTEREST>>



ASSET SHARING WITHIN FEDERATION

BUSINESS LOGIC = WORKFLOW <XML_Wf>



OPEN SOURCE = HBC = PROTOCOL AGNOSTIC

DATA LAYER: STATE META DATA TIME STAMPED BY <UUID><ORG_ID><URN> & DATA PREPPED & "DATA WRANGLLED PRIOR TO FUSION CENTER ENHANCED ANALYTICS / PROTECTS BANDWIDTH



Block-Weighted-Average-Price (B-WAP) API creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

Key Features:

Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.



Built using historic bitcoin price index - the [BNC BLX](#).

API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).

All rates time-stamped in UTC.

Ability to look up by time-stamp.

Ability to look up by block-height.

Asset Classes: Digital Currencies

Get by: Block-height, Time-stamp or Transaction


Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transaction.



"Blocks are a measure of time":

The Bitcoin Blockchain 'B-WAP'

• Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC [Bitcoin Liquid Index](#) (BLX) bitcoin price calculation.

• Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.





UNIVERSAL EVENT BUS



- Choreographing workflow between firms without a central controller
- Supports inclusion of regulatory & supervisory observer nodes
- Validating transactions solely between parties to the transaction
- Supporting a variety of consensus mechanisms
- Recording explicit links between human-language legal prose documents and smart contract code

11.8 - Kinematics	
11.8.1 - Acceleration	
11.8.2 - Angular	
11.8.3 - Linear	
11.8.4 - Estimated	
11.8.5 - Predicted	
11.8.6 - Smoothed Data	
11.8.7 - Position	
11.8.8 - Bearing Angle	
11.8.9 - Horizontal	
11.8.10 - Vertical	
11.8.11 - Vertical	
11.8.12 - Covariance Matrix	
11.8.13 - Covariance Type	

- PROOF OF WORK
- PROOF OF STAKE
- STATE CHANNELS
- BITCOIN NEXGEN
- LIGHTNING / DASH..



XBRIL / CDE / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS

300+
Use Case Templates




PROJECT LIGHTING


transactions sent over / off chain micropayment channels

Micropayment Channels

Setup: Alice creates transaction with 10 bitcoin to a 2-of-2 multisig with Bob




LIGHTNING



Millions of Transactions. Milliseconds of Delay.

Hashed TIME LOCK contracts component for global consensus

OP_CHECKLOCKTIMEVERIFY During Macro Cycle w/ Random # BEACON



Payment channels multi-hop hub spoke model like internet routing

FIREFLY – HEARTBEAT ALGORITHM



FIREFLY – HEARTBEAT

CLOCK FACE 360°
90 / 90 / 90 / 90



MACRO CYCLES

RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE COACH

3rd Base

STATISTICIAN Metrics, Meters
Stat Mean Value Index

90 feet

3 X 5 HASH TABLES STATE META DATA SHARDS

State Meta

Data Snapshots

Survey Point

MICRO CYCLES



BASEBALL "DIAMOND"

A diamond Is a square Is a block in 3D
2nd Base

Satoshi Nakamoto:
“The solution we propose begins with a TIME STAMP SERVER


Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume



Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume



ALICE Corp VS CLS BANK

SC 573 US 134 2347

CLAIMS MAY NOT DIRECT

TOWARDS ABSTRACT IDEAS

Physical = Opposite

of abstract = ALICE

HEART BEACON CYCLE

TIME – SPACE METER

USPTO 13/573,002

first base

RUNNER

Message Bus

90 feet

EVENTS

X

Fix ("108")

FLASH

MESSAGE

EVENT BUS

TIME

STAMP

SERVER

Δδ

Epoch

Time

Cycles

Sync Delta

State Meta

Data Snaps

ADJACENT FIELDS

SEPARATE CHANNELS




Electronic Product Code Information Services (EPCIS)

GS1 Standard for creating, sharing visibility event data




EPCIS DATA MODEL




Core Business Vocabulary (CBV)

What identifiers of object(s) or entities / subject of the event
 When date time when event took place, local time zone in effect
 Where location identifier where event occurred, identifier of location where object(s) are expected to be following the event
 Why Information about the business context, including:
 a Identifier that indicates the business step taking place



Core Business Vocabulary (CBV)



Proximity Wireless Sensor Networks in Combination With RFID .. on reading tag in RF-field the router sends heartbeat message

RFID Configuration TCP/IP heartbeat message

STRUCTURED DATA EXCHANGE / STRUCTURED MILITARY MESSAGES

FROM	TO	STRUCTURED DATA EXCHANGE / STRUCTURED MILITARY MESSAGES	BIZ USE CASES	ALPHA NUMERIC BREVITY CODES
ASAS	NETWORK CENTRIC WARFARE	BATTLEFIELD DIGITIZATION	SYNTAX LEXICON CODE GUIDE	
AMOPCS	SYSTEM OF SYSTEMS BEST PRACTICE			
AFATOS	SYSTEM OF SYSTEMS BEST PRACTICE			
CS/CS	STRUCTURED DATA EXCHANGE / STRUCTURED MILITARY MESSAGES			
DTSS	STRUCTURED DATA EXCHANGE / STRUCTURED MILITARY MESSAGES			
IMETS	STRUCTURED DATA EXCHANGE / STRUCTURED MILITARY MESSAGES			
ISYCON	STRUCTURED DATA EXCHANGE / STRUCTURED MILITARY MESSAGES			


1st Compiler DESIGN Still the BEST

ROSETTA STONE

How 'Bitbanks' Could Solve Bitcoin's Volatility Problem

$$MV=PQ \text{ Money} \times \text{Velocity} = \text{Price} \times \text{Quantity}$$

The most important equation in monetary economics, the equation of exchange: $MV=PQ$. The quantity of money (M) times the rate spent (V for velocity) equals the price of everything bought (P) times the amount bought (Q for quantity). In Bitcoin, M Money is on a predetermined path, converging to 21m bitcoins. In relation to the other variables, Bitcoin is fixed. V, P, & Q fluctuate







Gamification is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.



QUANTUM COMPUTING / HBC TIME – SPACE METER / METRICS



A particle 'P' in a 3-dimensional box, representing a simple quantum mechanical system.



#QuantumComputing USct Alice Corp Vs CLS Bank compliant memes:
In quantum computing, a qubit (or quantum bit (sometimes qbit) is a unit
of quantum information—the quantum analogue of the classical binary
bit. A qubit is a two-state quantum-mechanical system, such as the
polarization of a single photon: the two states are vertical polarization and
horizontal polarization. In a classical system, a bit has to be in one state or
the other. Quantum mechanics allows a qubit to be in a superposition of
both states at the same time, a fundamental quantum computing property



US Sct Alice Corp Vs CLS Bank Physical memes

Linear sequential “Paul Revere” meme = horizontal polarization

Vertical polarization vectors from a known point 0 null Sonar Hop meme



particle representation / samples



Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state? LOV

universal gate set STATE CHANGE EVENT

quantum gates

$|0101\rangle \Leftrightarrow |5\rangle$

qubits initialized to arbitrary values

$|4\rangle + |5\rangle$

qubits can be in a superposition of all the classically allowed states

Silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.



Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)


CLOSER = < Infrastructure
= CHEAPER SLA

ElectroMagnetic waveforms




"EVERYWHERE IS ENERGY SPINNING"

Hertzian waves
transmit Energy
in a PLANAR transverse
EM waveform
producing 'Radio waves'



In 1887, Heinrich Hertz demonstrated the reality of Maxwell's electromagnetic waves by experimentally generating radio waves in his laboratory.

All Photons and EM waves can have various directions of polarisation with respect to their direction of propagation



Although they utilise the same EM energies, different EM waveforms can be produced where the Electric fields are in 90° opposition to each other thus leading to conflicting theories of EM wave propagation

"As in nature, all is ebb and tide, all is wave motion, so that in all branches of industry, alternating currents, electric wave motion will have sway." N. Tesla


Through longitudinal waves, Tesla transferred energy to receiving devices. He sent electrostatic forces through the air, transferred electrical energies and noted the lethal forces produced by these waves.

Heinrich Hertz




(22 February 1857 - January 1 1894)

INTERNET = 1. TIME EPOCH CYCLES 2. Syntax (not) Processed in cycle




Nikola Tesla



(10 July 1856 – 7 January 1943)

Cycles per Second

Soon after Hertz's claim of discovering Maxwell's transverse EM waves Tesla visited him and personally demonstrated the experimental error to him. Hertz agreed with Tesla and had planned to withdraw his claim, but varying agendas intervened and set the stage for a major rift in the 'accepted' theories that soon became transformed into the fundamental "laws" of the electric sciences that have held sway in industry and the halls of academia to the present day




Volts per Second

V

ENERGY PRODUCTION

ABSTRACT: A propulsion system for aerial, terrestrial, underwater or space propulsion, through manipulation (or engineering) of the vacuum with proper electromagnetic interactions. Vacuum manipulation.. new form of propulsion, and has applications in energy production and on change of time decay of radioactive elements. Opposing magnetic or electric fields create a mass repelling force, while attracting magnetic or electric fields create a mass attracting force. This vacuum manipulation process.. used to propel a mass that contains field sources that perturb the vacuum.. the creation of a repulsion point in space through the interference of two or more longitudinal electro dynamic (micro) waves



IEEE C37.118 Time Synchronization
Harmonization Heartbeat update Interval
PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

- (1) Active ID
- (2) Heartbeat 1.
- (3) Heartbeat 2.
- (4) Device Status 1.
- (5) Device Status 2.






Paul Revere = Linear, Sequential meme





ENERGY PRODUCTION

ABSTRACT: A propulsion system for aerial, terrestrial, underwater or space propulsion, through manipulation (or engineering) of the vacuum with proper electromagnetic interactions. Vacuum manipulation.. new form of propulsion, and has applications in ENERGY production and on CHANGE of TIME decay of radioactive elements. Opposing magnetic or electric fields create a mass repelling force, while attracting magnetic or electric fields create a mass attracting force. This vacuum manipulation process.. used to propel a mass that contains field sources that perturb the vacuum. .. the creation of a repulsion point in space through the interference of two or more longitudinal ELECTRO dynamic (micro) waves





WATER

Hopf
FibrationDROP
MEME

THESIS: All things net, net of programmable \$\$\$ are formed using:



- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles

ENERGY / DATA WAVE METRICS / METERS



STANDING ELECTRO- MAGNETIC WAVE

A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"

Link: https://phys.org/news/2018-06-quantum_1.html





TESLA Harmonic Sphere Flux Resonator



ENERGY / DATA

"When space-time spins, it creates mass. It produces energy in space that radiates. This radiation is what we call mass". Nassim Haramein

Nassim Haramein's work is geometrically based, at the fundamental level spacetime = honeycomb of overlapping spheres of energy each having a singularity at its center.

Yttrium iron garnet spheres serve as magnetically tunable filters and resonators for microwave frequencies. YIG filters are used for their high Q factors, typically between 100 and 200.

Sphere made from a single crystal of synthetic yttrium iron garnet acts as a resonator. Wikipedia



YIG/graphene structures and the electrodes used to measure the dc voltage due to the IREE charge current in the graphene layer resulting from the spin currents generated by microwave FMR spin pumping.


IEEE 802.1AG HOP BY HOP DETECTION
IEEE 802.11 HbH HOP BY HOP CONTROL

The creation of spinlogic devices, which allow the control and transport of the spin current over long distances, is one of the major research challenges in spintronics. In this regard, graphene-a single atomic layer of carbon atoms in a honeycomb lattice [see Fig. 1(c)]-has attracted great attention as a promising material for spin-based devices due to its exceptional electronic transport properties, excellent charge carrier mobility, quantum transport, long spin diffusion lengths, and spin relaxation times [42]




THESSIS: All things net, net of programmable \$\$\$ are formed using:


- 1) Time epochs created by quartz crystal silicon chips
 - 2) Syntax used / not used as programming instructions during epoch time cycles



Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration" Link: https://phys.org/news/2018-06-quantum_1.html




"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla





Fisher information flux flows are generated and stored in wave packets as they propagate. This temporal aspect is crucial for understanding how information builds up in a system over time

USPTO 13/573,002 Time – Space Meter



$$\Delta\delta = \nabla \cdot \left[\rho \nabla \left(\frac{1}{2} \Delta\delta \rho + F(\rho) \right) \right]$$

Note, $\Delta\delta_0 = 10^{-2}$ and initial conditions consisting of three components. As time passes, the density would be irregular because each element has a different evolution. As seen in Fig. 3.6, the density at time $t=10$ is approximately $\rho = 10^{-2}$, more rapidly, the total field has constant, periodic, and chaotic components due to the periodic nature component wise can switch with the current environment and conserve as general motion.



Continuity equation for flow of Fisher information in wave scattering: Nature / ISF International Space Federation

An electromagnetic wave scattered at an object carries locally defined and conserved information about all of the object's constitutive parameters. Specifically, we introduce the density and flux of Fisher information for general types of wave fields and identify the corresponding sources and sinks of information through a fundamental continuity equation. Our theoretical predictions involve a movable object embedded in a disordered environment by measuring the corresponding Fisher information flux at microwave frequencies. Our results improve the understanding of the generation, propagation of information supports tracking and designing the flow of information in complex system of systems environments.




THESES: All things net, net of programmable \$\$\$ are formed using:

ENERGY / DATA WAVE METRICS / METERS



BELL STATE QUANTUM COMPUTING

1) Time epochs created by quartz crystal silicon chips

2) Syntax used / not used as programming instructions during epoch time cycles




Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration" Link: https://phys.org/news/2018-06-quantum_1.html




STANDING ELECTRO- MAGNETIC WAVE

A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Water drop in pond meme <https://www.spaceandmotion.com/>



Paul Revere Linear, sequential meme

And as I shall explain in Einstein's relativity, when we apply this one law, where the wave velocity changes the wavelength also has a corresponding change such that we can never observe this change. This relates to the Lorentz transformations, the negative solution of the Michelson Morley experiment, and why we always measure a constant velocity of light even when it changes, thus why we cannot measure our motion through absolute space.

With respect to time, physics was always telling us that time is caused by frequency (and fundamentally by motion as the wave motion of space), since time equals the inverse of frequency $t=1/f$.

From our wave equation we see that while the velocity and wavelength change, the frequency remains constant, giving rise to an absolute time in the universe. This was one central problem of Einstein's relativity, he changed time and maintained a constant velocity of light, when the opposite is true. (Yes, this one property of waves from this simple wave equation has caused us so much confusion!).

"What we observe as material bodies and forces are nothing But Shapes and variations in the structure of space" Schrodinger

Physical Reality: 1. One Substance. Space exists with properties of an elastic solid wave medium, propagating longitudinal waves in all directions, thus forming standing waves in all directions. When these standing waves are in-phase (coherent) around a central point then a spherical standing wave naturally forms - space vibrates in and out around the central point, which we call the particle. There are two opposite phase spherical standing waves, which create the electron and positron (matter and antimatter),

2. One Law. The velocity of the waves is proportional to the wave amplitude (bigger waves travel faster). Where these waves are coherent, forming spherical standing wave 'particles', the wave amplitude is higher, and the waves travel faster. This, as i shall explain, is the foundation of all matter interactions, the source of causal connection and absolute truth.

Why matter and energy are equivalent, since a wave is a flow of energy between two states of the wave medium Space - kinetic energy (vibratory motion of space) and potential energy (elastic deformation of a nearly rigid space). Why matter and antimatter annihilate, due to destructive wave interference. How matter and antimatter can be created from apparently 'empty' space. How science can exist, since the spherical in and out waves provide continuous two way communication between matter in space (empirical knowledge), and the waves behave in a necessary manner due to this one law (logical knowledge).

Wave velocity is the velocity of light, $\sim 3 * 10^8$ m/s, the wavelength is the Compton wavelength $\sim 10^{-12}$ m, and the frequency $\sim 10^{20}$ Hz. So in a pin head there are roughly a billion billion billion standing waves, each vibrating a billion trillion times a second. i.e. These standing waves are very small, and vibrate very fast, thus explaining how such complex standing wave structures (like us) can evolve in space. The fundamental equation of the universe is the simple wave equation; Velocity (C) = Frequency (f) * Wavelength (y)

Combined with the equation of the sphere (which is also Pythagoras' Theorem and the metric equation of Special Relativity), and explains the geometric foundations of reality, why space is three dimensional. $x^2 + y^2 + z^2 = r^2$




"Simplicity is the ultimate sophistication".
(Leonardo da Vinci)


ACOUSTIC PHONON

USPTO 13/573,002

in-phase motion of neighboring ions in a lattice vibration





Phonons: A phonon is a quantum of the lattice vibration, the collective motion of atoms constituting a crystal. There are two types of phonons: optical and acoustic. The optical phonon has high-frequency oscillation in the THz range and the unit cell center of mass does not move. It undergoes a dipole interaction with light. The acoustic phonon propagates at sound velocity, which is the first derivative of the phonon dispersion curve at the Γ -point (wave vector $k \approx 0$) in the first Brillouin zone. A simple example is a one-dimensional diatomic chain, in which the unit cell contains two atoms. In a crystal of N unit cells, there are $2N$ atoms and $2N$ degrees of freedom of motion. The displacement of an atom from its equilibrium position is expressed using plane waves with reduced wave vectors, defined within the first Brillouin zone. The oscillations are approximated by $2N$ harmonic oscillators of different wave vectors. The vibrational frequency is related to the wave vector through the phonon dispersion relation. Phonons are created and annihilated in the harmonic oscillators. SOURCE: SCIENCE DIRECT: <https://sciedirect.com/topics/engineering/acoustic-phonon>



"nodes eventually agree" stochastic harmonization temporal sync

"Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value"



FIREFLY - INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"

THESIS: All things net, net of programmable \$\$\$ are formed using: 1. Time epochs created by quartz crystal silicon chips 2) Syntax used / not used as programming instructions during epoch - temporal time cycles





Eric Trump: "Bitcoin to 1 MILLION"
VS QUANTUM SUPREMACY



TRUMP Quantum SPEED BUMP ???

SOUND WAVES enable Different types of quantum tech to "talk"

BITCOIN TRANSACTION AKIN TO LAND ORG_ID in CLEAR / Person ID encrypted
'wave-particle duality' is simply the quantum 'uncertainty principle'

TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter / Adaptive Template




ABSTRACT VS NATURE:
573 U.S. 134 S.Ct 2347

"BITCOIN's VALUE = TIME ITSELF"
"TIME IS SPECIFIED IN UNITS OF BLOCK TRANSACTION CONFIRMATION TIMES"

FISHER INFORMATION FLUX FLOWS

ACOUSTIC PHONON





Net of \$\$\$ formed with:
1 EPOCH TIME CYCLES
2 {"Syntax"} "The Word"
"In the Beginning" Genesis Block

"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It only works if all nodes reach an identical state"




www.RLighthouse.com



Quadrature amplitude modulation

QAM by setting a suitable constellation size, limited only by the noise level and linearity of the communications channel

“Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value”



Sine wave of our blinking universe. The 4 fundamental forces will all be found to vary continuously when sampled at 2x the blinking frequency, per Nyquist-Shannon theory



USPTO 13/573,002
sawconcepts.com/index

NDN

IDMaps
SonarHops

{“Distance”}

{“Interest”}

vector

triangulation

vector



Three ideas combined

HOW TRUTHCOIN WORKS:

1) Tradable Reputation

- Abstract Corp exists to prove consistency within / across TIME
- Collects \$ to power the mechanism.

2) SVD Cross-Validation

- Statistical technique: seeks importance.
- Gleans truth, measures conformity.



3) Strategic Use of TIME

- Funds can be ‘locked’ across time.
- Yet info-search-costs constantly fall.
- Net effect: time penalizes attackers only.

2. A kind of ‘Future Wikipedia’

	Wikipedia	Truthcoin
Focus	Outcomes of <i>past</i> events. Consensus on known facts.	Outcomes of <i>future</i> events. <i>Future</i> consensus on <i>knowable</i> facts.

3. A software protocol

A protocol is a set of rules that determine how something is performed or accomplished

Finance Thing	Interpretation	EVENT DERIVATIVE CORP = <Org_ID_1,2,3>
Bond (Debt)	“I, Paul Sztorc, owe \$20 to whoever is holding this bond certificate on 03/02/2015.”	
Stock (Equity)	“I, the CEO of SztorcCorp, owe 1/100 th of SztorcCorp’s profits to whoever is holding this stock certificate on 03/02/2015.”	
Binary Call Option	“I, Paul Sztorc, owe \$20 to whoever is holding this Option on 03/02/2015, <u>only if</u> the stock price of SztorcCorp is above 40 \$/share on that date.”	
...(others)...	...(others)...	...(others)...
Event Derivative	“I, Paul Sztorc, owe \$20 to whoever is holding this derivative on 12/01/2016, <u>only if</u> Hillary Clinton is elected US President in 2016. Otherwise I owe \$0.”	...(others)...

Protocol (Decentralized)	Centralized Non-Protocol
Spoken English	Shakespeare’s Globe Theatre, The Library of Alexandria, MLA Citation Format, Walt Whitman, J.K. Rowling.
Rules to American Football	The NFL, ESPN, The Buffalo Bills.
Bluetooth	A Set of Stereo Speakers, The iPhone 6, A Car Radio Equipped with Bluetooth
Bitcoin	VISA, PayPal, SWIFT, Western Union, Airline Miles, Amazon Coins, e-Gold, Liberty Reserve.



NIST RANDOMNESS BEACON: broadcast full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped, signed, & includes hash of previous value to chain sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. 1st, Beacon-generated numbers cannot be predicted before they are published. 2nd, public, Beacon's time-bound, authenticated nature of the Beacon proves true random numbers not known before a certain point in time. 3rd, this proof can be presented offline at any point in the future




NIST QUANTUM ENCRYPTION RANDOMIZATION BEACON

UNPREDICTABLE SAMPLING

SECURE AUTHENTICATION

SECURE MULTI


PARTY /
AUTHENTICATION



USPTO 13,573,002 Heart Beacon Cycle Geo-spatial, temporal Intensity

Metrics and Time - Space Meter uses PHYSICAL Memes / Metaphors

NAMED DATA NETWORKING



NDN
</Interest>
</Distance>

SURVEY METHODS
+ TRIANGULATION
Euclidian Geometry

Geodesic System Routing Info Base RIB

ACCOUNT BELONGS TO </Org_ID>

RESOURCE TYPE: <URN><URN><URN>

DEVICE / SENSORS <UUID><UUID>

Higher-level services collect distance data to build virtual distance map State of Internet & estimates distance between any IP address pair State Snap Shots

Time / Distance Metrics



PROXIMITY

OFFSHORE BEACONS ONSHORE



NDN

</interest></distance>

IDMaps Distance Estimation Service

SonarHops

{"Org_ID"}

In the clear



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. Stochastic Harmonization

Firefly-Heartbeat Algorithm
UNIVERSAL TIME ZONE SYNC UTZ

Sync Events to
Closest HBC

("USER_ID") + QRB

("INTEREST")

("ORG_ID")

("URN")

AGGREGATE, SUM

STAT MEAN VALUE INDEX

EVENT BUS

{"DISTANCE"}

On Off Shore



I.R.S.

#1421


("Org_ID")

In clear

The proposed Universal Timezone System would do away with all these different



<https://hackaday.com/2014/12/19/nist-randomness-beacon/>



NIST Interoperable Randomness Beacon

The NIST Randomness Beacon Broadcasts a randomness pulse every 60 seconds. Each pulse commits to a fresh 512-bit random string. Each pulse is time-stamped and signed. Beacon periodically outputs a pulse containing 512 fresh random bits, time-stamped, signed and hash-chained. For example, each pulse also pre-commits to the randomness to be released in the next pulse. The latter enables users to securely combine randomness from different beacons. The Beacon protocol also specifies the interface for users to interact with the Beacon, in order to obtain information about past pulses.

A randomness beacon produces timed outputs of fresh public randomness. Each output, called a pulse, includes metadata / cryptographic elements





Figure 2. Illustration of the generation of the i^{th} pulse by a Beacon App (2.0)

The main goal of the NIST Random # Beacon is to serve as a baseline for deployment of many interoperable beacons


ALL THINGS NET FORMED WITH: Building Blocks:
 1) EPOCH TIME CYCLES
 2) SYNTAX / Opcode Brevity codes Programmable Economy / \$\$\$

NIST Quantum Random Number Beacon



"The external environment could update resources at random..."

One solution is a **heartbeat**: defining a default lease duration delaying updates until the next cycle"



Satoshi Bitcoin Blockchain
Time Stamp Server

3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a batch of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [3]. The timestamp proves that the data must have existed at some time, obviously, in order to get into the hash. This timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp confirming the previous one.




WORLD ECONOMIC Heartbeat
ALGORITHMIC REGULATION
HEARTBEAT SYNC DELTAS



PROOF of SPACE-TIME
Firefly - Heartbeat Sync Algorithm
Heartbeat Event Message Bus
UTZ stochastic harmonization


Epoch Time Cycles

E0 E1 E2 E3...



ROSETTA ("Org_ID"){"URN"}
STONE

BREVITY
CODES



QubitCoin Interval: Every 30 Seconds

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. INCENTIVIZE ECO-FRIENDLY TRANSACTIONS



INCENTIVIZE ECO-FRIENDLY TRANSACTIONS

CO2 Credits

Unused Resources

Unmet Needs

IDMaps

SonarHops

SHORE

ON

OFF

vector

G7 Carbon

BLOCKTIME ARBITRAJE

CLOSER = LESS FUEL

CLOSER = FASTER

STAT MEAN

VALUE INDEX

Multi Meme Meter

Sync To Closest HEARTBEAT EPOCH

STATE META DATA SNAPSHOTS

CO2 Credits

Unused Resources

Unmet Needs

IDMaps

SonarHops

SHORE

ON

OFF

vector

G7 Carbon

BLOCKTIME ARBITRAJE

CLOSER = LESS FUEL

CLOSER = FASTER

STAT MEAN

VALUE INDEX

Multi Meme Meter

Sync To Closest HEARTBEAT EPOCH

STATE META DATA SNAPSHOTS

CO2 Credits

Unused Resources

Unmet Needs

IDMaps

SonarHops

SHORE

ON

OFF

vector

G7 Carbon

BLOCKTIME ARBITRAJE

CLOSER = LESS FUEL

CLOSER = FASTER

STAT MEAN

VALUE INDEX

Multi Meme Meter

Sync To Closest HEARTBEAT EPOCH

STATE META DATA SNAPSHOTS

CO2 Credits

Unused Resources

Unmet Needs

IDMaps

SonarHops

SHORE

ON

OFF

vector

G7 Carbon

BLOCKTIME ARBITRAJE

CLOSER = LESS FUEL

CLOSER = FASTER

STAT MEAN

VALUE INDEX

Multi Meme Meter

Sync To Closest HEARTBEAT EPOCH

STATE META DATA SNAPSHOTS

CO2 Credits

Unused Resources

Unmet Needs

IDMaps

SonarHops

SHORE

ON

OFF

vector

G7 Carbon

BLOCKTIME ARBITRAJE

CLOSER = LESS FUEL

CLOSER = FASTER

STAT MEAN

VALUE INDEX

Multi Meme Meter

Sync To Closest HEARTBEAT EPOCH

STATE META DATA SNAPSHOTS

CO2 Credits

Unused Resources

Unmet Needs

IDMaps

SonarHops

SHORE

ON

OFF

vector

G7 Carbon

BLOCKTIME ARBITRAJE

CLOSER = LESS FUEL

CLOSER = FASTER

STAT MEAN

VALUE INDEX

Multi Meme Meter

Sync To Closest HEARTBEAT EPOCH

STATE META DATA SNAPSHOTS

CO2 Credits

Unused Resources

Unmet Needs

IDMaps

SonarHops

SHORE

ON

OFF

vector

G7 Carbon

BLOCKTIME ARBITRAJE

CLOSER = LESS FUEL

CLOSER = FASTER

STAT MEAN

VALUE INDEX

Multi Meme Meter

Sync To Closest HEARTBEAT EPOCH

STATE META DATA SNAPSHOTS

CO2 Credits

Unused Resources

Unmet Needs

IDMaps

SonarHops

SHORE

ON

OFF

vector

G7 Carbon

BLOCKTIME ARBITRAJE

CLOSER = LESS FUEL

CLOSER = FASTER

STAT MEAN

VALUE INDEX

Multi Meme Meter

Sync To Closest HEARTBEAT EPOCH

STATE META DATA SNAPSHOTS

CO2 Credits

Unused Resources

Unmet Needs

IDMaps

SonarHops

SHORE

ON

OFF

vector

G7 Carbon

BLOCKTIME ARBITRAJE

CLOSER = LESS FUEL

CLOSER = FASTER

STAT MEAN

VALUE INDEX

Multi Meme Meter

Sync To Closest HEARTBEAT EPOCH

STATE META DATA SNAPSHOTS

CO2 Credits

Unused Resources

Unmet Needs

IDMaps

SonarHops

SHORE

ON

OFF

vector

G7 Carbon

BLOCKTIME ARBITRAJE

CLOSER = LESS FUEL

CLOSER = FASTER

STAT MEAN

VALUE INDEX

Multi Meme Meter

Sync To Closest HEARTBEAT EPOCH

STATE META DATA SNAPSHOTS

CO2 Credits

Unused Resources

Unmet Needs

IDMaps

SonarHops

SHORE

ON

OFF

vector

G7 Carbon

BLOCKTIME ARBITRAJE

CLOSER = LESS FUEL

CLOSER = FASTER

STAT MEAN

VALUE INDEX

Multi Meme Meter

Sync To Closest HEARTBEAT EPOCH

STATE META DATA SNAPSHOTS

CO2 Credits

Unused Resources

Unmet Needs

IDMaps

SonarHops

SHORE

ON

OFF

vector

G7 Carbon

BLOCKTIME ARBITRAJE

CLOSER = LESS FUEL

CLOSER = FASTER

STAT MEAN

VALUE INDEX

Multi Meme Meter

Sync To Closest HEARTBEAT EPOCH

STATE META DATA SNAPSHOTS

CO2 Credits

Unused Resources

Unmet Needs

IDMaps

SonarHops

SHORE

ON

OFF

vector

G7 Carbon

BLOCKTIME ARBITRAJE

CLOSER = LESS FUEL

CLOSER = FASTER

STAT MEAN

VALUE INDEX

Multi Meme Meter

Sync To Closest HEARTBEAT EPOCH

STATE META DATA SNAPSHOTS

CO2 Credits

Unused Resources

Unmet Needs

IDMaps

SonarHops

SHORE

ON

OFF

vector

G7 Carbon

BLOCKTIME ARBITRAJE

CLOSER = LESS FUEL

CLOSER = FASTER

STAT MEAN

VALUE INDEX

Multi Meme Meter

Sync To Closest HEARTBEAT EPOCH

STATE META DATA SNAPSHOTS

CO2 Credits

Unused Resources

Unmet Needs

IDMaps

SonarHops

SHORE

ON

OFF

vector

G7 Carbon

BLOCKTIME ARBITRAJE

CLOSER = LESS FUEL

CLOSER = FASTER


STAT MEAN

Double-Slit Experiment

Screen with two slits


PARTICLE ?

Sodium lamp



Screen

WAVE ?




Light source Rays of light coming from the source reach the slits

Interference of light waves due to two tiny slits and arrows indicate direction of wave propagation

Alternating bright and dark fringes due to interference of light waves

Intensity of the


fringes shows the maxima and minima



QUANTUM COMPUTING - RESISTANT ? - BASED ? THROUGH LENS OF SCOTUS ALICE LOOKING GLASS RULING


USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter
Main Embodiment: Baseball Diamond = block in 3D = cube




SCOTUS ALICE RULING: "Claims may not direct towards abstract ideas" / Physical = opposite of abstract

a



b



The Hopf Fibration

Edmund Harriss





FIGURE 2.11.1. The Hopf fibration

BLOCH SPHERE




Hopf Fibration / #Bloch sphere

"the most important object in the universe"

"Hopf fiber bundles pop up in 8 quantum physics situations"... USPTO 13/573,002 water drop in pond meme / scalar wave in 2D - 3D

Paul Revere linear - sequential hop count meme

The Bloch sphere provides a useful means of visualizing the state of a single qubit & operations on it. Any point on this sphere represents a linear combination of the 0 and 1 states with complex coefficients. A $\pi/2$ -pulse 'rotates' a qubit from the 0-state to a superposition state.





THE 1919 WORLD SERIES

What Really Happened?

William A. Cook



**Stop patent trolls.
Join The Alliance.**




RULING: “claims may not direct towards abstract ideas”



USPTO SCREEN CAPTURES SUSPENDED PAIR RULES

- Moved Examination outside PAIR 
 - Admin forms, fees, amendments.. MUTED
 - NO Time Stamps = TEMPORAL AMBIGUITY
 - Screen captures before / after filing 






USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter



Main Embodiment: Baseball Diamond = block in 3D = cube

$$1 + 3 + 5 + 7 + 3 + 2 = 21 \quad 21 \text{ squared} = 441$$


"We can synchronize ourselves in time for a common purpose" Universal Blockchain Meme





First
Baseball
Players
Union
Formed
1870




Satoshi Bitcoin Blockchain
Time Stamp Server



Metatron's Cube and the Platonic Solids



"In the beginning (of time) there was the word"





"There is only one revolution tolerable to all men, all societies, all political systems: revolution by design and invention."

-Buckminster Fuller






THE GREAT CONJUNCTION IN AQUARIUS

HERALDING THE NEW AGE
On December 2020, Jupiter and Saturn unite in the sign of Aquarius, forming a configuration called a Great Conjunction which only happens once every twenty years. Great Conjunctions are often longterm beginnings or foundations formed out of unstable circumstances. In the sign of AQUARIUS, this is likely to mark a major technological boom that will culminate on 2030 and last until 2040, the next Great Conjunction.

Over the next ten years, we are going to see our world innovate unlike never before, particularly in the fields of AI, technology, science, space travel, UFOs, networks, and the Internet. Major Universal truths will also be revealed as we welcome the New Age of Aquarius. The old world will soon come to an end, paving way to the new order of things.

photo by werner du plessis



"ONLY A CRISIS—ACTUAL OR PERCEIVED—PRODUCES REAL CHANGE. WHEN THAT CRISIS OCCURS, THE ACTIONS THAT ARE TAKEN DEPEND ON THE IDEAS THAT ARE LYING AROUND."

That, I believe, is our basic function: to develop alternatives to existing policies, to keep them alive and available until the politically impossible becomes politically inevitable.

Milton Friedman — Preface to Capitalism & Freedom 1962

The K-Percent Rule was a proposal by economist Milton Friedman that the central bank should increase the money supply by a constant percentage every year.



The K-Percent Rule: sets the money supply growth at a rate equal to the growth of gross domestic product (GDP) yearly.



Milton Friedman

- 1912-2006
- Economist, monetarist
- 1946-1977: University of Chicago
- 1977-2006: Hoover Institution
- Essays on Positive Economics, A Theory of Consumption Function, Capitalism and Freedom, A Monetary History of the United States (1867-1960) - with Anna Schwartz, etc., etc., etc.
- Nobel Prize in Economics, 1976
- Considered as conservative, in reality liberal economist
- Advisor to President Nixon

CAPITALISM AND FREEDOM
MILTON FRIEDMAN
WITH THE ASSISTANCE OF ROBERT FRIEDMAN




The Age of Aquarius: Aquarius, Aquarius Rising @ 6:44 A.M. Feb 10th 1960




Buckminster Fuller "build a new model that makes the old model obsolete"

Socrates: focus all your energy on building the new, not fighting the old"




#algorithmic #stablecoin #buckminster #fuller #cryptocurrency #Milton #Friedman



DISNEY'S FANTASIA



UNIVERSAL LAW CAUSE / EFFECT ACTION / INACTION IF / Then / or.. ELSE
heart icon
colorful bar
lightning bolt icon
clock icon









World Game Great Reset

Signals Telemetry Annex K



Net, net of money \$\$\$ formed w:

- 1. Epoch time cycles created by silicon chips
 - 2. Syntax code instructions in epoch time cycles
 - 3. Time Stamp Server w/event message bus



Syntax lexicon comprised of 300 +

Structured data messages, message sets =




Comprehensive list of use cases, data

elements supporting Internet of Everyt

IoE net of value. Reference guide, data

dictionary standards support

Data elements mapped to SYMBOL SETS





R. Buckminster Fuller Utopia or Oblivion: the Prospects for Humanity

A challenging blueprint for the future by the world-renowned revolutionary thinker and inventor

World (Peace) Game
1961 simulation by Buckminster to help create solutions to overpopulation, the uneven distribution of global resources.

The World Game
Annex K
Signals & Telemetry
r. buckminster fuller operating manual for spaceship earth



Spatial Econometrics
TOKEN ECONOMICS
EVENT / ALERT BUS
MONEYBALL
ECONOMICS



What does your name mean?

Steven + McGee
Intellectual Revolutionary

You have a sharp spirit paired with a strong will. You have the power to change the world with your intelligence!

Feb 10, 1960 Aquarius / Aquarius Rising

The Time Keeper
Borderlands 4

Alice Corp. v. CLS Bank International

573 U.S. 134

S. Ct. 2347

2014



"Claims may not direct towards abstract ideas"

Bloomberg Law:

Crypto Lawsuit Deluge


Has Big Firms Scrambling to Keep Up

USPTO 13/573,002
Filed 2012





Satoshi Nakamoto Reveal #2


"As an avid lover of numerology and astrology, I use both in my day-to-day life. I believe God is the ultimate mathematician, as everything around us can be viewed as numbers" Satoshi Nakamoto White Paper 2008 "The solution we propose begins with a time - stamp server"



GENESIS OF ALL FORM



11/12/2015






The Timekeeper is the primary antagonist in Borderlands 4, a ruthless dictator who rules over the planet Kairos from on high.

A world-altering catastrophe threatens his perfect Order, unleashing mayhem across Kairos, the most dangerous planet discovered so far in the Borderlands universe

BORDERLANDS 4



USPTO 13/573,002




FUTURE MAN

Born: February 10th 1960 & 06:44 AM

Aquarius

Aquarius Rising

Mystic Yod



QUOTE: "As in nature, all is ebb and tide, all is wave motion, so that in all branches of industry, alternating currents, electric wave motion will have sway." Nikola Tesla

Because abstract ideas, laws of nature, and natural phenomenon "are the basic tools of scientific and technological work", the Supreme Court has expressed concern that monopolizing these tools by granting patent rights may impede innovation rather than promote it. See Alice Corp., 573 U.S. at 216, 110 USPQ2d at 1980; Mayo Collaborative Servs. v. Prometheus Labs., Inc., 566 U.S. 66, 71, 101 USPQ2d 1961,

