



The Heart Beacon Cycle

Time – Space Meter

- 300+ Structured Data Exchange Templates
- Syntax Lexicon Library Code Repository
- IeT / IoT, Big Data, net of \$ Blockchain Sync
- Ecologically supportive Econometrics Metrics, Meters
- Swords To Plowshare Network Enabled Operations NEO Reuse





MINIMUM LIST OF COMPONENTS / BUILDING BLOCKS, PROCESSES, PROCEDURES... AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DAO DISTRIBUTED AUTONOMOUS ORGANIZATIONS CONSENSUS

DAO's in FEDERATIONS AGREE TO USE COMMON COMPONENTS, SHARED PROCESSES, METHODS, SIGNALING - TELEMETRY SCHEDULE & METRICS IN SMART CONTRACTS, SERVICE LEVEL AGREEMENTS

CHECKLIST: TRADE FEDERATION ECONOMIC FRAMEWORK EX:

- 1) Organize by assigning Organization Identifiers {"Org_ID"}
- 2) Track Resources by Uniform Resource Name </URN>
- 3) Take State Meta Data heartbeat snapshots @ 15 / N min
- 4) Honor Satoshi's intent for Bitcoin to be paired w markets
- 5) Use NIST Quantum Random Non-Repudiation Beacon
- 6) Earth Day Everyday / Spaceship Earth's Signals & Telemetry Annex



Humanitarian Assistance Networked Donor System


H.A.N.D.S: "Based on the need to speed up the processes of influencing an adversary, new concepts result in the adaptation of military doctrine, organization, training, material, infrastructure, interagency interaction, leadership, personnel and facilities" ... German Bundeswehr : concepts of "Network Centric Warfare" in the United States of America, "Network Enabled Operations" in Great Britain or "Vernetzte Operationsführung" in Germany



<https://neo.org>



"Shared situational awareness enables collaboration synchronization, and enhances sustainability, speed of command"



Federation Gateway



WORLD BEYOND WAR.org
a global movement to end all wars



Reuse best practice procedural template guides from Battlefield Digitization describing when, where, how, how often systemically among a systems of systems improving synergy and synchronicity

DOD SITUATION AWARENESS PROGRAM
SWORDS TO PLOWSHARES OOTW IDEA
BY GERMAN MILITARY CIRCA 2003



Beacon Communities



DAO: Distributed Autonomous Organization


RAND term circa 2000 / The TAO OF THE DAO

SWARMING AND THE FUTURE OF CONFLICT



RAND
Monograph Report

THE
ADVENT
Of NETWAR




<http://cointelegraph.com/news/112077/the-new-frontier-after-cryptocurrency-cryptoequity>

Taoism Philosophy

Taoism represents:

- Contraction of the past to the future.
- The transcendence of time and place.
- The balance of the old and the new.
- The balance between opposing forces and desires.

Overall the Taoism Philosophy represents "The Way" in which to live.



(An ancient philosophy tradition. This article involves the yin-yang or principle of harmony and change.)

Eris, The Dawn of Distributed Autonomous Organizations and The Future of Governance

@TheBitcoinArmy



Net / Net of \$\$\$ formed: Time Epoch Cycles {"Syntax"} Instructions

"In the beginning"

"The Word"

"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It only works if all nodes reach an identical state"

"A smart contract is a piece of code stored on a blockchain, triggered by blockchain transaction reads / writes data in the blockchain's Dbase"

Gideon Greenspan "Beware the impossible smart contract"



"Blockchain consortiums are working less on distributed ledgers and more on Contract Description Languages CDL., DAML Digital Asset Modeling Language"

	Q1Q2	Q3Q4	ASAB	AMERICA	AFATOP	WEN
PRO	F502 F504	F502 F504	F502 F504	F502 F504	F502 F504	F502 F504
ASAB	XBRIL / CDL / DAML					
AMERICA						
AFATOP	F502 F504	F502 F504	F502 F504	F502 F504	F502 F504	F502 F504



SYNTAX LEXICON Library



SYMBOLS ARE THE UNIVERSAL LANGUAGE

Coder Guide Rosetta Stone



STRUCTURED DATA EXCHANGE
TEMPLATE FORMS
300+ USE CASES
LOGIC / FILTERS

SYNTAX / SYMBOL LEXICON LIBRARY



"Bitcoin is a LANGUAGE"
DIGINOMICS

"Bitcoin's Value is TIME itself"

"Time is specified in units of transaction block confirmation times"



"BITCOIN MAKES MONEY PROGRAMMABLE.
MONEY IS SIMPLY DATA"

ALICE CORP VS CLS BANK

"claims may not be directed towards an abstract idea"

US SC 573 US 134 2347



BTC BLOCKCHAIN BLOCKS, AGENTS, MOTES, BOTS, PACKETS, FRAMES, HEARTBEAT, PINGS, HOPS, BEACONS ARE METAPHORS / MEMES

USPTO 13/573,002 BASEBALL MEME PHYSICAL = OPPOSITE OF ABSTRACT



CLOCK FACE 360'
90 / 90 / 90 / 90
MACRO CYCLES



HASH TABLE
Nonce / Syntax
90 feet
3 X 5

RULES / ROLES
INSTRUCTIONS

UMPIRE
COACH

3rd Base
STATISTICIAN
Metrics, Meters

State Meta
Data Snapshots
90 feet

MICRO-CYCLES
Survey Point
home plate

BASEBALL "DIAMOND"
A diamond is a square is a block
2nd Base

Runner =
Messages
Signals / Telemetry
90 feet

BLOCK in 3D = CUBE
Cube has Length, Depth,
Height, Volume

EVENT BUS
#1421 Org ID
Blockchain Blocks / Coins Awarded

90 feet
Survey Point
home plate



SC 573 US 134 2347
Physical = Opposite
Of abstract
Euclidian Geometry

TRIANGULATION..

first base


Firefly Algo
Fix {"108"} Heartbeat

Sync Deltas



Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS



- FEDERATION:** Latin: **foedus, foederis, covenant, union** of partially self-governing states or regions under a central (federal) government
- A league or confederacy. Individuals / groups retain **AUTONOMY**
- A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs

Net joins, drops, splits, merges, moves
Agile, adhoc NETOPS Vs acquisition preserves the **CHANNEL**

Federation
Gateway




{"GLOBAL"}
{"SHARED"}
{"DOMAIN"}
{"COMMUNITY"}
{"PRIVATE"}
{"GROUP ID"}



Bitcoin Group Signatures Dynamic Membership Multi-party Signature DMMS:
independent interest within group signatures – **FEDERATED ID {"Org_ID"}**

Bitcoin Mining Pools
MEME / METAPHOR MEDIATION



DISTRIBUTED AUTONOMOUS ORGANIZATION = DAO RAND Corp

term coined circa 1991 now in use by Blockchain tech corporations

Uniform_Resource_Name



FIREFLY FLASH

HEARTBEAT MESSAGES

</RESOURCE> {"URN"}

{"Asset_Class"} </URN>

IeT DEVICE / PLATFORM
IoT SENSOR DEVICE

{"Asset_Type"}



STOCK EXCHANGE

MIC MARKET IDENTIFIER

CODES / BREVITY CODES



Office 365 Groups

Microsoft Teams

Shynet

Micro-Cycles

Heartbeat Snaps

QR Code

DUNS #

Org_ID

UUID

123e4567-e89b-12d3-a456-426655440000

123e4567-e89b-12d3-a456-426655440001


123e4567-e89b-12d3-a456-426655440002




EVENT BUS




Signalling, Telemetry





MINIMUM LIST OF COMPONENTS, BUILDING BLOCKS, PROCESSES, PROCEDURES AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DISTRIBUTED AUTONOMOUS ORGANIZATION DAO CONSENSUS








Firefly - Heartbeat Algo

University of Bologna Italy / Hungary



THE HEART BEACON CYCLE

{"108"}

108



K%



TERRACYCLE

ECONOMIC MACRO CYCLES

ECONOMIC HEARTBEAT

K% GDP ECONOMIC PULSE FEDCOIN WORLDCOIN

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE




K%

GDP

ECONOMIC PULSE

FEDCOIN WORLDCOIN

STAT MEAN VALUE INDEX
SCHELLING POINT TRUTH



Price Indexes in Time and Space
Methods and Practice



ALGORITHMIC REGULATION
ASSET TOKENIZATION






Luxor Temple Egypt:
"The shortest road towards knowledge of truth is nature"



TERRA
TRC



TIME



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.


UTZ TIME ZONE SYNC



STOCHASTIC HARMONIZATION



HEARTBEAT EVENT FLASH MESSAGE BUS




Sustainable Stock Exchange

"Heartbeat Synchronization nodes in a distributed system generate periodic local heartbeat events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. No rule governs the length of a cycle with respect to real time as long as the length is bounded & all nodes agree on it eventually"



The proposed Universal Timezone System would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.





ALGORITHMIC REGULATION


The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.




The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



CPU CLOCK EPOCHS / HEARTBEAT CYCLES $\Delta\delta$



K% VARIABLE YEARLY GDP SNAPSHOT



'K-Percent Rule Macro economic money-supply heartbeat automatically adjusts \$ supply by a set amount "K" variable regardless of cyclical state of the economy e.g., set growth rate variable to real yearly % GDP'



LEADING ECONOMIC INDICATORS



"Heartbeat Synchronization strives to have nodes in a distributed system generate periodic local "heartbeat" events approximately at the same time. It differs from classical clock sync in that Nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. There is no requirement regarding the length of a cycle with respect to real time as long as the length is bounded and all nodes agree on it eventually"





Blocknet internet of blockchains

Bitcoin, Ethereum, XCurrency, BitNation, StealthCoin, and BitSwift

The Blocknet is founded on the Xbridge inter-node communication open source peer-to-peer protocol enabling communication between nodes on different blockchains. It connects an open-ended centralized or decentralized array of services

Any coin that supports OP_CHECKLOCKTIMEVERIFY and has a stock JSON RPC interface cloned from Bitcoin Core

P2P atomic swap exchange using BIP65 capable chains

BlocknetDX Specs:

- 1 Minute Block Time
- 5k for servicenodes
- Diff. adjustment per block
- Supports Fast Transactions w/ SwiftTX
- Supports Decentralized voting/funding

• core components are:

- A blockchain router, xbridgep2p™
- A coin exchange protocol
- An inter-chain data transport

• The core services are:

- Decentralized exchange of coins
- Inter-blockchain service delivery
- Service monetisation



PHOENIX

Phoenix Project Financial Algorithm

Phoenix autonomous decentralized organization (DAO) ensuring transparency and safety of all processes happening within its framework using the Ethereum virtual machine global decentralized computer storing information on all system transactions.

Phoenix financial algorithm works on a system of rounds. accruals happen after the successful termination of each round.

Each round proceeds until it reaches the target sum which is calculated as the doubled target sum of the previous round plus the sum paid under the contract for the entire period. For the first round the target sum is 100 ETH. The round can last up to 365 days or before achievement of the target sum. The rounds which were not closed can become the only risk for investors. In that case, only those participants that have made the investments on the round previous to the open one will be able to receive a return of the funds.




The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION**






The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE STOCHASTIC HARMONIZATION**



QUANTUM COMPUTING / HBC TIME – SPACE METER / METRICS




#QuantumComputing USct Alice Corp Vs CLS Bank compliant memes:
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Sct Alice Corp Vs CLS Bank Physical memes

Linear sequential “Paul Revere” meme = horizontal polarization


Vertical polarization vectors from a known point 0 null Sonar Hop meme



particle representation / samples



Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?





qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.




Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)

$$|00\rangle = \begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix} \quad |01\rangle = \begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix} \quad |11\rangle = \begin{bmatrix} 0 \\ 0 \\ 1 \end{bmatrix}$$





THE BITCOIN BLOCKCHAIN FOR DUMMIES



Satoshi Nakamoto Craig WRIGHT a.k.a.
Satoshi Nakamoto

"Bitcoin is a Wright Brother's 1st Flight LANGUAGE" Cape Hatteras Outer Banks


Satoshi Nakamoto Bitcoin Paper

"THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER"

3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.

**Bitcoin Protocol
for Dummies**
Part 4 Timestamp
Server





Event Bus

$\Delta\delta$

SYNC DELTAS

Merkle tree hash

TIME EPOCH CYCLES





MERKLE: Summary built from block's transaction ID's

Header - Contains service information (version info, nonce, previous block id and timestamp). {"Org_ID"}
Merkle - A summary built from the block's transaction identifiers.

Transaction's id list - list of transaction's identification hashes, that was included into the block's merkle tree.





"All things internet, net of money formed with 1) time epoch cycles
2) Syntax parsed as instructions

"THE VALUE OF BITCOIN IS TIME ITSELF"





Alice Corp. v. CLS Bank International, 573 U.S. 134 SCt 2347 (2014) is a 2014 decision of the United States Supreme Court about patentable subject matter (patent eligibility).^[2] The issue in the case was whether certain claims about a computer-implemented, electronic escrow service for facilitating financial transactions covered abstract ideas ineligible for patent protection. The patents were held to be invalid because the claims were drawn to an abstract idea, and implementing those claims on a computer was not enough to transform that idea into patentable subject matter.



USPTO 13/573,002
PHYSICAL MEME
MAIN EMBODIMENT

RULES
Metrics

Multi-Meme Multi-Meter

ID'd by Alpha-Numerics


State Meta Data Snapshots


XBRL / CDL / DAML STOCK MIC CODES



ROLES Meters


STRUCTURED MILITARY MESSAGE TEMPLATE FORMS LOGIC / FILTERS

SYNTAX LEXICON LIBRARY





FROM	GCCS-A	ALPHA-Numeric Brevity Codes			Code Guide																																																							
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	C002 C203	C002	ATDS	MCS																																																						
		USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify </CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio			C203 F014 F541 S305 S309	C002 C203 E400 F002 F014 F015 S201 S507																																																						
		A423 C203 C505 F002 F014 F015 F541 S201			A423 C400 C505 F002 F014 F015 F541 S201																																																							
																																																												
MESSAGE CATALOG 300 + Use Cases		Data Elements: entity, attribute, relationship equivalents			HEARTBEAT MESSAGE = K00.99																																																							
Information Categories and Examples <table border="1"> <thead> <tr> <th>Object Categories</th> <th>Examples</th> <th>Location</th> <th>Movement</th> <th>Identify</th> <th>Status</th> <th>Activity</th> <th>Intent</th> </tr> </thead> <tbody> <tr> <td>OOB</td> <td>SYNTAX LEXICON</td> <td>STRUCTURED DATA lat/long</td> <td>EXCHANGE spd/hdg</td> <td>Message country / alliance, type/class</td> <td>Sets readiness</td> <td>COA targeting, reconitering</td> <td>{"Java JS"}</td> </tr> <tr> <td>Infrastructure</td> <td>Comm, power, transportation, water/sewer</td> <td>Machine Trust Language MTL network, grid</td> <td>Machine Trust Language MTL throughput, flow rates,</td> <td>Contract Description Language name, part-of relationship</td> <td>BDA, op people</td> <td>YAML repair, broadcasts</td> <td>expansion</td> </tr> <tr> <td>Sociological</td> <td>Culture, religion, economic, ethnic, government, history, languages</td> <td>temples, historic structures</td> <td>E-R Model Entity</td> <td>Class Diagram Class</td> <td>Relational Database Table</td> <td>Object DBMS Class</td> <td>XML DTD / Schema Element</td> <td>TADILs Message</td> <td>MTF</td> </tr> <tr> <td>Geophysical</td> <td>Terrain, weather, climatology, oceanography, astrometry</td> <td>feature lat/long, alt/dpth</td> <td>Attribute</td> <td>Attribute</td> <td>Field / Column</td> <td>Attribute</td> <td>Child Element or Element Attribute</td> <td>DFI</td> <td>FFIRN / FFN / FUDN</td> </tr> <tr> <td></td> <td></td> <td>Domain Value</td> <td>PURCHASE CODES</td> <td>Instance, Value</td> <td></td> <td></td> <td></td> <td>DUI</td> <td>FUD</td> </tr> </tbody> </table>							Object Categories	Examples	Location	Movement	Identify	Status	Activity	Intent	OOB	SYNTAX LEXICON	STRUCTURED DATA lat/long	EXCHANGE spd/hdg	Message country / alliance, type/class	Sets readiness	COA targeting, reconitering	{"Java JS"}	Infrastructure	Comm, power, transportation, water/sewer	Machine Trust Language MTL network, grid	Machine Trust Language MTL throughput, flow rates,	Contract Description Language name, part-of relationship	BDA, op people	YAML repair, broadcasts	expansion	Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	E-R Model Entity	Class Diagram Class	Relational Database Table	Object DBMS Class	XML DTD / Schema Element	TADILs Message	MTF	Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth	Attribute	Attribute	Field / Column	Attribute	Child Element or Element Attribute	DFI	FFIRN / FFN / FUDN			Domain Value	PURCHASE CODES	Instance, Value				DUI	FUD
Object Categories	Examples	Location	Movement	Identify	Status	Activity	Intent																																																					
OOB	SYNTAX LEXICON	STRUCTURED DATA lat/long	EXCHANGE spd/hdg	Message country / alliance, type/class	Sets readiness	COA targeting, reconitering	{"Java JS"}																																																					
Infrastructure	Comm, power, transportation, water/sewer	Machine Trust Language MTL network, grid	Machine Trust Language MTL throughput, flow rates,	Contract Description Language name, part-of relationship	BDA, op people	YAML repair, broadcasts	expansion																																																					
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	E-R Model Entity	Class Diagram Class	Relational Database Table	Object DBMS Class	XML DTD / Schema Element	TADILs Message	MTF																																																			
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth	Attribute	Attribute	Field / Column	Attribute	Child Element or Element Attribute	DFI	FFIRN / FFN / FUDN																																																			
		Domain Value	PURCHASE CODES	Instance, Value				DUI	FUD																																																			
OPERATIONAL NODES / ACTIVITIES <table border="1"> <thead> <tr> <th>DATA</th> <th>SYSTEM FUNCTIONS</th> <th>PERFORMANCE</th> </tr> </thead> <tbody> <tr> <td>11.4 - Classification</td> <td>11.8 - Kinematics</td> <td>11.8.1 - Pos / Vel / Acc (PVA)</td> </tr> <tr> <td>11.4.1 - Category</td> <td>11.8.1.1 - Acceleration</td> <td>11.8.1.1.1 - Angular</td> </tr> <tr> <td>11.4.1.1 - Confidence Level</td> <td>11.8.1.2 - Estimate Type</td> <td>11.2 - Linear</td> </tr> <tr> <td>11.4.1.2 - Estimate Type</td> <td>11.4.1.2.1 - Alternative</td> <td>2 - Estimate Type</td> </tr> <tr> <td>11.4.1.2.1 - Alternative</td> <td>11.4.1.2.2 - Evaluated D</td> <td>1.2.1 - Estimated</td> </tr> <tr> <td>11.4.1.2.2 - Evaluated D</td> <td>11.4.1.2.3 - Value</td> <td>1.2.2 - Observed</td> </tr> <tr> <td>11.4.1.3 - Value</td> <td>CODES</td> <td>1.2.3 - Predicted</td> </tr> <tr> <td></td> <td></td> <td>1.2.4 - Smoothed P</td> </tr> </tbody> </table>										DATA	SYSTEM FUNCTIONS	PERFORMANCE	11.4 - Classification	11.8 - Kinematics	11.8.1 - Pos / Vel / Acc (PVA)	11.4.1 - Category	11.8.1.1 - Acceleration	11.8.1.1.1 - Angular	11.4.1.1 - Confidence Level	11.8.1.2 - Estimate Type	11.2 - Linear	11.4.1.2 - Estimate Type	11.4.1.2.1 - Alternative	2 - Estimate Type	11.4.1.2.1 - Alternative	11.4.1.2.2 - Evaluated D	1.2.1 - Estimated	11.4.1.2.2 - Evaluated D	11.4.1.2.3 - Value	1.2.2 - Observed	11.4.1.3 - Value	CODES	1.2.3 - Predicted			1.2.4 - Smoothed P																								
DATA	SYSTEM FUNCTIONS	PERFORMANCE																																																										
11.4 - Classification	11.8 - Kinematics	11.8.1 - Pos / Vel / Acc (PVA)																																																										
11.4.1 - Category	11.8.1.1 - Acceleration	11.8.1.1.1 - Angular																																																										
11.4.1.1 - Confidence Level	11.8.1.2 - Estimate Type	11.2 - Linear																																																										
11.4.1.2 - Estimate Type	11.4.1.2.1 - Alternative	2 - Estimate Type																																																										
11.4.1.2.1 - Alternative	11.4.1.2.2 - Evaluated D	1.2.1 - Estimated																																																										
11.4.1.2.2 - Evaluated D	11.4.1.2.3 - Value	1.2.2 - Observed																																																										
11.4.1.3 - Value	CODES	1.2.3 - Predicted																																																										
		1.2.4 - Smoothed P																																																										
SYMBOL Friend Neutral Hostile Competitor <table border="1"> <thead> <tr> <th>SYMBOL</th> <th>Friend</th> <th>Neutral</th> <th>Hostile</th> <th>Competitor</th> </tr> </thead> <tbody> <tr> <td>2525C</td> <td>Partner</td> <td></td> <td></td> <td></td> </tr> <tr> <td>11.4.1.3.4 - Substance</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11.4.1.3.5 - Surface</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11.4.1.3.5 - Surface</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11.4.2 - Platform / Point / Feature Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11.4.3 - Specific Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11.4.4 - Type Modifier</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11.4.5 - Unit</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										SYMBOL	Friend	Neutral	Hostile	Competitor	2525C	Partner				11.4.1.3.4 - Substance					11.4.1.3.5 - Surface					11.4.1.3.5 - Surface					11.4.2 - Platform / Point / Feature Type					11.4.3 - Specific Type					11.4.4 - Type Modifier					11.4.5 - Unit										
SYMBOL	Friend	Neutral	Hostile	Competitor																																																								
2525C	Partner																																																											
11.4.1.3.4 - Substance																																																												
11.4.1.3.5 - Surface																																																												
11.4.1.3.5 - Surface																																																												
11.4.2 - Platform / Point / Feature Type																																																												
11.4.3 - Specific Type																																																												
11.4.4 - Type Modifier																																																												
11.4.5 - Unit																																																												
Information Elements Roles <ul style="list-style-type: none"> COI Determination Org Interaction Search and Discovery Ontologies STANDARDS Taxonomies REFERENCE Metadata Attributes / Filters ("Org_ID") {"URN"} 							FILTERS																																																					
FFUDN: Field Format Unit Designator #																																																												
FFIRN Field Format Index Reference #																																																												
Structured military messaging ID's messages, message sets, data element, symbol fields																																																												
BY Form Field Position & NUMBER																																																												
NDN Firefly-Heartbeat Flash Messages																																																												
PROCESS MESSAGE BY PRECEDENCE UNIVERSAL EVENT / ALERT MESSAGE BUS																																																												





real-time gross settlement system,
currency exchange, remittance network

A.K.A Ripple Transaction Protocol or Ripple protocol, built on a distributed open source Internet protocol, consensus ledger and native currency called XRP. Ripple enables "secure, instant and nearly free global financial transactions of any size with no chargebacks." Ripple supports tokens representing fiat currency, cryptocurrency, commodity or any other unit of value such as frequent flier miles or mobile minutes. Ripple is based around a shared, public database or ledger, which uses a consensus process that allows for payments, exchanges and remittance in a distributed process.

Connects to receiving bank's
Ripple Connect to exchange KYC,
risk info, fees, payment details,
expected time of funds delivery

Provides information about total
costs of the transaction



Workflows are serially executed
Except first two work flow are
workflows are based on **event**
pull model



Bitcoin Address Shortener

Bitcoin Address Shortener is an Android app that you can use to shorten those lengthy bitcoin addresses!

Simply enter a long Bitcoin address to have it transformed into a short one, and VICE-VERSA!

You can get it for free [here!](#)

GET IT ON Google play



To retrieve addresses us computer, use [bitco.info](#)


Clock Clock adjusted 5:45 PM

Blockchain.info

ALPHA NUMERIC BREVITY CODES A.I

Neutral transaction protocol





HASHGRAPH


Hashgraph consensus algorithm for replicated state machines

- Consensus Event Time Stamps
- State Meta data consensus order
- **Virtual voting:** each member has a Hashgraph copy
- Famous witnesses

data structure that records who gossiped to whom in what order


$\Delta\delta$

Gossip In Bitcoin: transactions and mined blocks are gossiped.
Consensus is enhanced via "gossip about gossip"



DAG "Directed Acyclic Graph" large number of blocks arrive at the same time. DAG system reaches consensus leveraging "Gossip"... information spread by a computer calling up other computers at random, sharing everything it knows


The Heart Beacon Cycle Time – Space Meter
Adaptive Procedural Template Checklist
Heartbeat Sync Delta state meta data
structured data exchange snapshots
300 + Use Case message template sets
Rosetta Stone Syntax lexicon Coder's guide



Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics


EVENT EVENT

TRIANGULATION



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships

FIREFLY HEARTBEAT Synchronization Algorithm



FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM

"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"

DAG finite directed graph
= no directed cycles

$$\Sigma \Delta\delta X$$



Round created Witness

Famous witness Election

Vote See

Strongly see

Supermajority

Decide

Round created

Round received

Consensus timestamp

Consensus order

$\Delta\delta$

Synchronous

Asynchronous

Micro-Cycle

State Meta

Data Snapshots

Hash Nonce

Hashgraph Member Event Transaction Consensus Order Timestamp Gossip protocol Self-parent Other-parent Graph Hash Hashgraph







IOTA: Internet Of Things IOT distributed ledger with microtransactions without fees

Tangle, a directed, ASYNCHRONOUS acyclic graph (DAG) for storing transactions

Contrary to Blockchains, consensus is no longer decoupled. It is an intrinsic part of the system for decentralized, self-regulating peer-to-peer network. Transfer value without fees

The iota network is ASYNCHRONOUS. In general, nodes do not necessarily see the same set of transactions. The tangle may contain conflicting transactions. The nodes do not have to achieve consensus on which valid transactions have the right to be in the ledger, meaning all of them can be in the tangle. However, in the case where there are conflicting transactions, the nodes need to decide which transactions will become orphaned. Nodes use the tip (unapproved transaction) selection algorithm to decide between two conflicting transactions. GHOST protocol main ledger = tree




STELLAR LUMEN



Connecting Banks, Payment Systems, People with Affordable Financial Services Via Blockchain

CUSTOMIZABLE PAYMENTS INFRASTRUCTURE

middleware between financial products and institutions







ZEPPELIN OPEN, GLOBAL ECONOMY

OpenZeppelin open framework of reusable, secure smart contracts in the Solidity language


zeppelinOS, operating system for smart contracts
"the rate of innovation in building decentralized applications is limited by the manual and duplicative efforts developers must make to ensure basic usability and security."



WORLD ECONOMIC HEARTBEAT

HEART BEACON CYCLE TIME – SPACE METER ECO-ECONOMETRICS ON THE BITCOIN BLOCKCHAIN

Syntax Lexicon Library 300 + Templates




STRUCTURED DATA EXCHANGE

Category	Sub-Category	Details
ASAS	ASAS	ASAS
ANOPIC	ANOPIC	ANOPIC
APAFOR	APAFOR	APAFOR
MIC	MIC	MIC
COCOM	COCOM	COCOM

LOGIC / FILTERS
ALPHA-NUMERIC
BREVITY CODES

STOCHASTIC HARMONIZATION for TELCO Mesh Fabrics




ZEPPELIN / zeppelinOS Common Functionality:

zeppelinOS Kernel common set of functions for smart contracts requesting services from the OS rather than re-implementing them from scratch. Functions will be available as an on-chain standard library of reusable contracts and functions, inspired by [OpenZeppelin](#) Libraries

Create and customize your own ERC20 Token.

- Create capped, refundable and/or whitelisted crowd sale contracts
- Create a trustless bug bounty.
- Create pausable, ownable, balance-limited contracts
- Set up a token vesting or token locking contract.








EGaaS

ELECTRONIC GOVERNMENT AS A SERVICE

Distributed digital asset registries were the first projects that used blockchain systems such as databases designed for secure storage of records on real estate property, stocks, copyright and so on. It is assumed hosting any document on the blockchain is equivalent to notarization of its content at a fixed time point.




The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **INCENTIVIZE ECO - FRIENDLY TRANSACTIONS**



eGaaS: international blockchain platform for organizing economic, state, social activities of citizens , communities on the basis of smart law, smart contract system. eGaaS offers a comprehensive solution needed for state and business management on the blockchain platform.







Machine-based system for transforming data from a source form to a target form, a tool is provided for sharing information established in developing a transformation model. The shared information may relate to rules for mapping source collection terms to standardized terms, rules for ordering or **SYNTAX**, rules for classifying terms or other transformation rules.

US 7865358 CLAIM 1. method converting textual data from source form to target forms, where target form differs from source form's linguistics, syntax

Multi-user functionality for converting data from a first form to a second form

ORACLE® Veritaseum™





"EARTHDAY EVERYDAY ON THE BITCOIN BLOCKCHAIN"
"GIVE A HOOT, DON'T POLLUTE" Woodsy The Owl

GNOSIS

Gnosis Wisdom (WIZ) pay platform fees in Services layer, Wiz subsidize other participants fees, provide initial subsidies for markets, or market trading.

WIZ pegged to \$1 USD worth of fees. WIZ acts as coupon for \$1 of Gnosis

Gnosis tokens (GNO) generate Wisdom token s(WIZ) via smart contract

GNO token holders agree to "lock" tokens in a smart contract (30-365 days). A multiplier is added for longer lock durations. Smart contract determines selected lock duration and applies that duration to a formula regulating supply of WIZ tokens currently in use. Once users execute the contract, 30% of their WIZ are distributed for use, the remaining 70% is distributed proportionally over the locked duration. When lock duration expires, the locked GNO ceases to generate WIZ & GNO is freely transferable

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.




"Our mission is to build an accessible prediction market platform enabling free flow of useful information / the "Google" of Customized Information Searching"

Futarchy PREDICTION MARKETS
GnosisAMA

Gnosis trading interface alpha
WIZ token fee payment
INFORMATION ARBITRAGE ECONOMICS

TERRACYCLE Price Oracle




THE TERRA (TRC)

Trade Reference Currency



Demurrage Fees



Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length in real time as long as length is bounded & all nodes agree eventually"




Ardor is a blockchain-as-a-service platform that will allow people to utilize the blockchain technology of Nxt through the use of child chains.



ARAGON

Unstoppable organizations

Create value without borders or intermediaries



bitsquare

- Infrastructure: Bitsquare uses a P2P network (there are no servers);
- Security: Bitsquare does not hold users funds (neither bitcoin nor fiat);
- Privacy: Bitsquare does not hold users data (no registration, uses Tor);
- Openness: It is open source (AGPL license);
- Independence: It is funded by donations and personal savings;
- Governance: Bitsquare is organized as a DAO (Decentralized Autonomous Organisation), comprising the people who build, support and maintain the project;
- Sustainability: Trading fees go to arbitrators and the DAO.

But a community which has a common goal – like making Bitcoin a success – should strive for solutions which are efficient and have been proven to deliver great results.



 BitTorrent

 bitcoin

 bitsquare

 OpenBazaar

 BitMarkets

NAMED DATA NETWORKING

<CONTENT> CENTRIC NETWORKING



<ORG_ID>
<ORG_ID>
<ORG_ID>
<URN>
<URN>

<GLOBAL> <JOINT> <COMMUNITY> <DOMAINS> <SHARED> <PRIVATE>
</INTEREST> <STRAT_ML> <IODEF RID> </DISTANCE>

Situational Awareness Reference Architecture (SARA) IDENTITY, Inventory, Activity, and Sharing



<Federated ID> <URN> <type_event> <Data Class Types>


STRUCTURED MILITARY MESSAGING FORMS: FIELD TYPES, FILTERS, TAGS
PARSED, PROCESSED, COMPILED TELEMETRY SIGNALING STANDARDIZATION

USMTF / XML MTF FORMATTED MESSAGE CATALOG


Catalog has over 300 messages to choose from have a wide number of information exchange requirements using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / information agreed by group consensus presenting information in a logical, well specified and unambiguous layout resulting in a highly efficient information payload to overhead ratio

</Organizational_Identifier_Org_ID>

Organizational Units OU, OU, OU



FEDERATE



Uniform Resource Names (URNs): A Uniform Resource Identifier (URI). Both URNs (names) and URLs (locators) are URIs, and a particular URI may be a name & locator. Each plays a specific role:

- URNs IDENTIFICATION (SENSORS, DEVICES)
- URCs INCLUDE META-INFO
- URLs LOCATE / FIND RESOURCES



SITUATION AWARENESS



BY <TAG_TYPES>

Ledgers
Contracts
Trade SLA
Agreements



SURVEY METHOD


ID <ITEMS><INTEREST>
GEO-SPATIAL AREA
TEMPORAL INTENSITY
MEASURES / METRICS



IDMaps
SonarHOPS



K0.99
Heartbeat
Message



<Org_ID>
<Org_ID>
<Org_ID>
<Party>
<Party>
<Party>

PARTIDO X:
Distributed
Democratic
Participation



TELCO MESH FABRIC

vector




ETHEREUM:
Decentralized
Autonomous
Organizations



MIL-STD 2525A

STRUCTURED
<CONTENT>
TEMPLATES

FILTERS
LOGIC



- ROLES:
- <OPS>
- <INTEL>

Identity
Provider
- Mapping
Protocol



VOTE ON BLOCKCHAIN

PARTIDO
DEL FUTURO


FEDERATED ID







Dogezer software development platform allows team members to become product investors by investing their time, labor. The Dogezer Platform combines the functionality of Kickstarter, UpWork, GitHub, Slack, Jira, Google Docs, Dropbox and ICO analogues with a set of defined processes how these solutions relate to each other in a clear, transparent and predictable way. Dogezer gives an opportunity to start a project in minutes; organize a set of teams working on the project; define how project contributions are rewarded, driving a project to completion by using independent contributor skills around the world.







IDMaps: Global Internet Host Distance Estimation Service



NDN: CONTENT ROUTING / <StratML> NDN INTEREST = Time / Distance



IDMaps scalable Internet-wide architecture measures, disseminates distance information



HOP COUNTS




REACHABILITY



/localhost/nfd/fib/add-nexthop

Higher-level services collect distance information to build a virtual distance map of Internet & estimates distance between any IP address pair



IDMaps provides distance information used by SONAR/HOPS query/reply service

Name Prefix
<Org_ID> Trie (NPT)



NDN NAMES

NDN NAMED DATA NETWORK RIB /
FIB Datasets event notification

Distance information adjusts to “permanent” topology changes e.g., splits, joins, adds, moves, drops, merges in lieu of formal merger / acquisition




NDN INTEREST LENGTH
= DISTANCE BY HOPS

NDN
INTEREST


IS DATA
FRESH ?

NDN INTEREST LENGTH
= DISTANCE BY HOPS

TRIANGULATION



Time Series



NDN STRATEGY CHOICE MANAGER – RIB Routing Information Base add-nexthop

Datasets and Event Notification

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



Distance Metrics: latency (e.g., round-trip delay) and, where possible, bandwidth.



MICRO-CYCLES



NDN INTEREST LIFETIME = TTL Time To Live



HEARTBEAT STATE META DATASNAPSHOTS

13/573,002 HEART BEACON CYCLE


Time -Space meter, metrics / Universal data event, alert bus
Internet of Everything "ability to hear the world's heartbeat"

The four dimensions of Big Data

VECTOR: quantity having direction and magnitude
position of a point in space relative to another point



TIME STAMP BY Org_ID, URN Before FUSION CENTER



* Truthfulness, accuracy or precision, correctness

Heartbeat synchronization strives to have nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting and ending cycles at the same time eventually = map to closest OPTEMPO HEARTBEAT

State Meta Data
Heartbeat Snaps

MICRO



CYCLES

ERLANG

ERLANG

SPACE - TIME Equations
BLOCKCHAIN PARSING
{"Org_ID"} {"URN"}

HEARTBEAT SYNCRONIZATION
FIREFLY SYNC CONSENSUS





Decentralized Trading Platform DAO ORACLE
access conventional, legacy financial data to
price, value, trade & settle OTC, P2P financials

FINANCIAL
NOSTRADAMUS
REGGIE MIDDLETON




Zero Trust Transaction: money performs according to terms agreed to by the parties. Ex: purchase of widget from retail store where widget must be delivered to person B on **TIME X**, in **Y condition** at **PLACE Z** or person A does not get paid. Global stock, currency, commodities exchanges, letters of credit, insurance underwriting, trading, intellectual property...




Cost will be our stated rates that will fluctuate with VeUSD exchange rate. Veritas holders get priority. The ability to redeem Ve against USD gives our clients instant value.



VERITAS TOKENS = KEYS TO P2P Capital Market! Proprietary P2P smart contracts combined with the transformational power of blockchain, allow the entire world to participate in the reimagining of global capital markets. Purchasing Veritas tokens is analogous to purchasing keys to the internet of money – the most monumental paradigm shift since the advent of the net







FOAM

FOAM, an open source spatial protocol built on the Ethereum blockchain. The protocol ties every latitude-longitude coordinate pair on Earth (down to one square meter) to a specific smart contract address, allowing developers and applications to tie business logic to specific spaces to crowdsourced data the blockchain.

Foamspace explored the speculative relationship between decentralized infrastructure and the production of the built environment. The installation was made entirely of factory-standard EPS geofoam blocks, which additionally served as a visual metaphor for the bitcoin blockchain.

Imagine a decentralized architecture office that distributes equity and shares in the built environment and comprises a mesh of users: investors, clients, designers and established offices

The Tropical Mining Station was a space produced by extracting the surplus energy from the process of mining Ethereum to produce a heated space. Custom miners were built that funneled excess heat and required airflow to inflate a pneumatic space, which became a spatialized node on the decentralized network.

<https://archinect.com/features/article/142920059/towards-a-decentralized-architecture-with-foam-the-blockchain>



district0x

decentralized markets communities network. Create, operate, govern. Powered by Ethereum, Aragon, IPFS.

Districts are marketplaces and communities that exist as decentralized autonomous organizations on the district0x Network. All internet citizens will be able to deploy districts to the network free of charge, forever. All districts possess the following core functionalities...

- | | | |
|--|---|---|
| Signaling via CarbonVote | Graphene executables: | <ul style="list-style-type: none">● Posting and listings● Search and filtering● Ranking and reputation● Payments and invoicing |
| Status = browser,
messenger, gateway | witness_node,
cli_wallet, genesis_util | |

d0xINFRA provides districts with core functionalities required to operate an online market or community. e.g., ability for users to post listings, filter and search listings, rank peers, amass reputation, send invoices, collect payments

district0x Network Token: means of facilitating open participation and coordination on the network. Voting rights are utilized to come to a consensus on everything ranging from a district's branding and design decisions, to what functionality is added to the district via auxiliary modules, to the appropriate settings for any adjustable parameters of these modules, to the means in which revenue collected by a district is distributed

NAME BAZAAR: peer-to-peer marketplace for the exchange of names registered via the Ethereum Name Service trading of subdomains, enabling the exchange of usernames in decentralized applications such as **STATUS** and **ORGANIZATION NAMES** in the Aragon Network **COMPANY REGISTRY**

Meme Factory users mint their own tokenized memes for sale i.e., rare digital assets on the Ethereum blockchain posted to a bulletin board-style marketplace exchange.

Dharma Credit is a suite of tools that make it easy to plug a line of credit into any decentralized application. In lieu of forcing your first-time users to purchase crypto at a brokerage or exchange, a Dharma Credit integration will give your users a button that they can click and get a small cryptocurrency loan within your app in under 5 minutes.



Erlang programming language / mini OS
massively scalable high availability, real-time Erlang's runtime system built-in concurrency distribution, fault tolerance



- coordinate 1000's of virtual machines
- ...distributed Dbases RIAK, CouchDB
- ...real time data dashboards
- ...service oriented software architectures
- .. server, API endpoints . RabbitMQ
- ..distributed, multi-node architecture.
- protocol-aware load-balancer, stateful binary comms



Functional Sequential Erlang

- Data types:
 - Integers (incl. BigNums), floats, atoms
 - tuples/records, lists/plists, binaries, funs
 - Maps (added in R17)
- single assignment
- pattern matching & guards
- closures (anonymous function data type)
- list comprehensions
- bit-syntax & binary comprehensions
- tail recursion & tail call optimization (TCO)

SORTING ALGO'S

[Ericsson Open Money For Society Patent App](#)



[20130166398 "System And Method For Implementing A Context Based Payment System."](#)

"It is our vision that one day everyone with access to a mobile phone will be able to spend, send and receive money as easily as sending a text via SMS"
"When money is open, the way we send, spend and receive money will change forever"



Rho ratio $\Delta\delta$ queueing systems wait times
Service Rate per unit time stochastic processes, function scheduling Start, Stop TTL



distributed "noSQL" database, embedded right into Erlang, supports indexing, replication, transactions, and fail-over

Fast ETS in-memory, and DETS persistent on-disk database

Mnesia database ("Organization_ID") Global name resolution

FROM	TO/CC-A	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRIDAY	SATURDAY	SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
XBRL	/ CDL / DAML																		
ALPHA	NUMERIC																		
BREVITY	CODES																		
AZURE	BLETCHLEY																		
STRUCTURED																			
MILITARY	MESSAGE																		
TEMPLATE	FORMS																		
LOGIC	/ FILTERS																		



PROOF-OF-WORK



THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER



TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner



THROTTLE equivalent to difficulty. State
•target = maximum value of 8 bytes Snap
(2^{64}) divided by the difficulty.


NONCE increments from 0..N until the target is met.



GUESS stores the guess
Effectively, it begins at infinity.



Proof-of-Work: users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address.Nonce allows checking the work without retracing all the procedural steps.






Bitcoin Classic seeks to mitigate the problem of more transactions, which are causing transaction backlogs and increased transaction costs, by increasing the block size - the number of kilobytes in a block of transactions - from 1MB to 2MB.



ALL THINGS INTERNET FORMED W 1) TIME EPOCHS 2) SYNTAX






HASH TABLES
NONCE VALUES

BitPay Core: limits: 1) block size 'hard limit' adjusted on a regular basis coinciding with difficulty adjustments, 2) miner set 'soft limit' like focal points in Unlimited. $\Delta\delta$ \times



Bitcoin Unlimited: absence of a hard-coded block-size limit. Users manually set limits on their own nodes; Consensus on a limit expected to emerge naturally at Schelling focal point. Unlimited introduces a level of democracy into development, management of the implementation, . the community votes on changes.



Microsoft Bletchley modular framework: choose combination of technologies best fits Biz domain

AZURE: Core/Kernel/Universal Protocol

Fabric Tier consortium node CryptoDelegate in VM or UTXO Adapter, (Azure, AzureStack, AWS..)

Unspent Transaction Output protocols UTXO

Crypto Tokenized Assets Digital Bearer Bonds
unique identity for owned artifacts

Utility Cryptlets encryption, time & date events, external data access, authentication “CryptoDelegate” / adapter


Blockchain middleware: identity and operations management, data, intelligence services like analytics and machine learning. New middleware works with existing Azure services, like Active Directory and Key Vault

Blockchain Fabric: Blockchain Gateway Services [Interledger](#)-like services to allow for SmartContracts and tokenized objects to be passed between different ledger systems.

Data Services - key data services like distributed file systems (IPFS, Storj, etc) of off-chain data referenced by public keys.

Auditing, Advanced Analytics, Machine Learning, Dashboarding services for SmartContracts, Blockchains, Consortia, Regulators

Utility and Contract. Developers can discover and enlist Cryptlets into their SmartContracts to create more robust and trusted transactions. Contract Cryptlets are full delegation engines that act as SmartContract surrogates off the chain. Cryptlets provide execution logic and securely store data in the Smart Contract



ALPHA NUMERIC	
BREVITY CODES	
SYMBOL CODES	
STRUCTURED MILITARY MESSAGE	
TEMPLATE FORMS	LOGIC / FILTERS

LEXICON

The current standard time common throughout the world is based on a 24-hour clock, with time zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

FIREFLY EVENTS
FLASH MESSAGES
SYNC TO CLOSEST HEARTBEAT EPOCH

ent time zones. Instead, it would be the same time all over the world, all the time.

MULTI-MEME MULTI-METER


Microsoft AZURE BLETCHLEY

Blockchain Startups

Top Blockchain startups disrupting non-financial markets

MYRIAD MEMES MEDIATION

BLOCKCHAIN



Blockchain Startups

Venture Radar




OFF-SITE
OFF-PAGE
CONNECTOR



{"URN"}
("Org_ID")

DAO



CLOCK FACE 360°
90 / 90 / 90 / 90
MACRO CYCLES

HASH TABLE
Nonce /
Syntax
90 feet

RULES / ROLES
INSTRUCTIONS
UMPIRE

COACH
3rd Base
STATISTICIAN

Metrics, Meters
State Meta
Data Snapshots

90 feet
MICRO-CYCLES

Survey Point

home plate

EVENT BUS

HEART BEACON

STATE
META
DATA
SNAPSHOTS

BASEBALL "DIAMOND"
A diamond Is a square Is a block
2nd Base

Runner =
Messages
Signals /
Telemetry
90 feet

BLOCK in 3D = CUBE
Cube has Length, Depth,
Height, Volume

#1421
Org ID
Blockchain Blocks
/ Coins Awarded

EVENT BUS

90 feet

UMPIRE

90 feet

IoT

Microsoft Orleans

TIME-SPACE
EQUATIONS
ALGORITHMS
BLOCKCHAIN
PARSING



SC 573 US 134 2347
Physical = Opposite
Of abstract

Euclidian Geometry
TRIANGULATION...

first base

Fix {"108"}
Firefly Heartbeat


Algo

S SYNC Deltas

ERLANG

Byzantine Fault-Tolerant State Machine Replication

BFT-SMaRT dynamic distributed system processes are divided in two nonintersecting subsets: replicas and clients. Each system process has a unique identifier. During dynamic system execution, a sequence of views is installed to denote the reconfigurations due to replicas joins and leaves. A view is composed by a set of replicas identifiers.



Modularity is achieved using a set of building blocks(or modules)containing the core functionality of BFTSMaRt. Blocks are divided in three groups: communication system, state machine replication and state management.

BFT-SMaRT needs an eventually synchronous system

Total order multicast is achieved using the Mod-SMaRt protocol and with the Byzantine consensus algorithm Clients send requests to all replicas in cv, and wait for replies. replicas store each batch of ordered requests to a (stable) log and, periodically, take snapshots of the application state and store it in stable memory.

USPTO 13/573,002 HEART BEACON CYCLE TIME-SPACE METER

USCt ALICE CORP V CLS BANK

PHYSICAL = OPPOSITE OF ABSTRACT




DERIVED FROM BATTLEFIELD DIGITIZATION DISTRIBUTED AUTONOMOUS ORGANIZATION DAO SYSTEM OF SYSTEMS

FEDERATED ID / ORGANIZATIONAL IDENTIFIER {"ORG_ID"}

ADDS, JOINS, DROPS, MOVES TO / FROM DAO

CHANGES IN STATE VIEWED IN "APPLIQUE' OVERLAY VIEWS

K0.99 HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS





Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length In real time as long as the length is bounded and all nodes AGREE ON IT EVENTUALLY"

BTC NG NEX GEN / Heart Beacon Cycle 13/573,002

KEY BLOCKS:

- NO CONTENT = NULL
- LEADER ELECTION



MICRO BLOCKS:

- ONLY CONTENT
- NO CONTENTION







XBRIL / CDL / DAML
STOCK MIC CODES


STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS



SYNTAX
LEXICON LIBRARY

FROM	GCDA	TAB	ASAS	AMPCDS	AFTAR	MCR
GCDA	P001	P002	P003	P004	P005	P006
TAB	P007	P008	P009	P010	P011	P012
ASAS	P013	P014	P015	P016	P017	P018
AMPCDS	P019	P020	P021	P022	P023	P024
AFTAR	P025	P026	P027	P028	P029	P030
MCR	P031	P032	P033	P034	P035	P036





ETHER: Compensate Resource Contribution

Gas: price to
Run contract
transactions

ethereum

Casper is a security-deposit based economic consensus protocol. Nodes = "bonded validators" place security deposit (an action called "bonding") If a validator generates an invalid action, account deposits are forfeited along with consensus privilege. Use of security deposits address "nothing at stake" problem; that behaving badly is not expensive. Casper is an **EVENTUALLY CONSISTANT** blockchain-based consensus protocol. CASPER favors availability over consistency (see the CAP theorem).



Ether hedged against other
crypto / FIAT currencies
price changes

Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time... **EVENTUALLY**

CLOCK FACE 360'
90 / 90 / 90 / 90
MACRO CYCLES

HASH TABLE
Nonce /
Syntax
90 feet

RULES / ROLES
INSTRUCTIONS
UMPIRE

COACH
3rd Base
STATISTICIAN
Metrics, Meters
State Meta
Data Snapshots

90 feet
Survey
Point
MICRO-CYCLES

BASEBALL "DIAMOND"
A diamond is a square is a block

2nd Base
Runner =
Messages
Signals /
Telemetry
90 feet
BLOCK in 3D = CUBE
Cube has Length, Depth,
Height, Volume

Org ID
Blockchain Blocks /
Coins Awarded

90 feet
home plate

UMPIRE

Bitcoin icon



SC 573 US 134 2347
Physical = Opposite
Of abstract
Euclidian Geometry
TRIANGULATION..

first base
Fix {"108"}
Firefly Heartbeat
Algo

Σ
 $\Delta\delta$

SYNC
Deltas

BigchainDB icon

Txs	State transition:	Tx	State transition:	Tx	State transition:
0cb4	123: 400	5581	905: 560	7ce6	123: 440
9f12	8723: 0	2fc3	1141: 8021	1141	7981
42:	15776	42:	15775		

SWARM
(storage)

WHISPER
(messaging)

EVM
(consensus)



UNIVERSAL EVENT BUS
STATISTICAL MEAN SAMPLING
STOCHASTIC HARMONIZATION



HEARTBEAT FLASH MESSAGES
BLOCKCHAIN HASH TABLES



STAT MEAN VALUE INDEX
SUM, ADD, AGGREGATE



SPACE-TIME METRICS
BITCOIN MULTI MEME
MULTI-METER


MACRO ECONOMIC CYCLES



MICRO CYCLE SAMPLING



STATE META-DATA
HEARTBEAT SNAPSHOTS



$\Delta\delta$



BigchainDB icon

ether icon

dash icon

D F I N I T Y






BLOCKCHAIN NERVOUS SYSTEM
HEARTBEAT {"108"} State Meta Data Snapshot Msgs

STATEFUL DECENTRALIZED NET PROTOCOL:
Decentralized process workflows instead of
Centralized Server farms




GROUP Signature is random number

- Number selects next group {"Org_ID"} {"Org_ID"}
- Next group use previous no. as message
- Verifiable Random Function
- Numbers verifiable using group public key
- New values produced in threshold agreement
- Random members** {"Org_ID"} {"Org_ID"}
- Each process is a member of multiple groups
- Groups intersect, have +/- 400 members
- BLS signature scheme**
- Math magic... If 51% of group members broadcast "signature shares" on a message, these are combined to create the group's threshold signature.

HYPER GEOMETRIC PROBABILITY CALCULATOR

CONSENSUS / RANDOM BEACON
Threshold relay chain generates randomness, records network metadata & validation tree "state root". State and updates to state stored on shards... State transitions passed to Validation Tree



Each process has mining identity

- Public key with meta data attached
- IDs mediate participation**
- Private network: trusted dealer defines list
- Public network: CC security deposit, USCIDs






Threshold Relay Chain techniques

Probabilistic Slot Protocol (PSP) When Gh is selected, members start stopwatches
Choosing Leaders Randomness selects priority list block forgers at height h
Short Term Convergence Correct processes build on highest scoring chain
Threshold Timestamping group signs blocks at h until next group appends another.

Scalable Global Validation Layer: Each additional level of the tower validates new state transitions applied to storage shard, is built by processes selected by the RANDOM BEACON



USCt 573 134 2347 Alice Corp V CLS Bank = ABSTRACT IDEAS = NO NO = PHYSICAL MEMES





core blockchain code written in Erlang, for distributed, fault-tolerant, soft real-time and highly available non-stop applications.

ERLANG API FOR BLOCKCHAIN



ORACLES: crucial feature for most contracts, whether encoded as text or as code, is the ability to refer to values from the environment. æternity Oracle Machine provides real-world data to the blockchain. Each user can ask questions about the environment. Anyone can answer. Consensus mechanism invoked in case of disagreement.

MIT-licensed modules for easy implementation in blockchain consortiums. Free and open access for developers build on the æternity platform.

CROSS – CHAIN ATOMIC SWAPS

AE Tokens AE are access tokens to the æternity network and act as a unit of account for the resources spent on æternity.




Aeons: energy for applications implemented on the platform.

ACCOUNTS & IDENTITY: æternity's accounts are permission-less, but allow customization via schema.org's semantic web scheme. Create & own (**federated group**) / individual identities on the æternity network

NAMES (DNS) In the vein of Aaron Swartz' work and Namecoin, æternity features an easy to use name system, that is both decentralized and secure, while still supporting human-friendly, memorable names. The blockchain's state includes a mapping from unique human-friendly strings to fixed-size byte arrays, that are individually customizable.



(“ORG_ID”)
(“ORG_ID”)



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. No need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree.

AETERNITY CROSS-CHAIN ATOMIC SWAPS CORRESPOND TO HEART BEACON CYCLE'S USE OF BATTLEFIELD DIGITIZATION DERIVED HEARTBEAT SYNC DELTAS



Terra Trade Reference Currency TRC "world currency" Bernard A. Lietaer Belgian economist proposed 1991 Basket of 9-12 most important commodities. Public issued demurrage fees for storage, shipping, handling


TOKENS REPRESENT REAL WORLD VALUE URN RESOURCES

ETHEREUM BASED USES GAS GAUGE MEME INDICATING THRESHOLD MET / NOT MET TO PROCESS



HBC's PRIMARY USE CASE IS TO ORGANIZE INDIVIDUALS IN TRADE FEDERATION GROUPS RE-USING BATTLEFIELD DIGITIZATION / ARIN Organizational Identifier Org_ID for Ecosphere friendly trade


Federation Gateway
("ORG_ID")



HYPER LEDGER OPEN SOURCE BLOCKCHAIN

Core APIs, & SDKs

$\Delta\delta$ Shared Ledger



HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002


FEDERATION
Federation Gateway

METRICS ("Organization ID")
METERS


RESTFUL SYNC DELTA
CHANGE MANAGEMENT
MICRO-MACRO CYCLE





BLOCKTIME ARBITRAGE



Code execution environment, ledger data structures, modular consensus fwk & algos, and modular membership services, modular storage and event fwks, network peers



Alpha-Numerics




MICRO-MACRO CYCLE SCHEDULE



FFIRNS
FFUDNS

ROSETTA STONE



300 + MESSAGE
TEMPLATES
USE CASES / GROUPED
DATA TRANSACTIONS
Alpha-Numeric Data
Element ID -- #'s are the
UNIVERSAL LANGUAGE

HYPER LEDGER USES
JSON ("tag") / YAML
Text indentation –
UNIVERSAL LANGUAGE
= ALPHA-NUMERICS


SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET

"PoET for 'Proof of Elapsed Time', is a **lottery protocol** that builds on trusted execution environments (TEEs) provided by Intel's [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting**, is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality."



"BITCOIN IS A LANGUAGE"

PROOF OF ELAPSED TIME




Voting Based Selection: stake size & block generators selected by votes

Voting based selection Instead of only using the stake size, the block generators can be selected by votes
ex: League MVP



Robert's Rules quorum = minimum # of voting members who must be present at meetings to conduct business of the group


TOURNAMENT LEAGUE BOARD



FIREFLY-HEARTBEAT FLASH MESSAGES UNIVERSAL EVENT BUS



Capture ledger's state $\Delta \delta$
Transaction language changes ledger state
Consensus, transaction acceptance protocol



DASH



"All decentralized, blockchain-based networks are DAOs, or decentralized autonomous organizations" Bitcoinist

"A DAO can be summed up as an organization of people who communicate with each other via a "network protocol," which is to say that they communicate with one another via a ruleset"

[LINK](http://bitcoinist.net/how-dash-dao-work/) <http://bitcoinist.net/how-dash-dao-work/>

"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" — all get paid to do so" "consensus," or an agreement upon what the rules should be; and second, the execution of said rules.



"Its makeup is thus: the block reward is divvied up in three parts. The first 45 percent goes to [Dash's miners](#). Another 45 percent goes to its Masternodes. And 10 percent is set aside to fund whatever other jobs or expenditures the Dash network deems necessary"

InstantX: To solve the problem of lag time in transactions, Masternodes are able to instantly lock transactions.

Masternodes receive payments for their service to the network.

DAO: RAND THINK TANK TERM COINED + / - 2001

NETWORK CENTRIC WARFARE
Developing and Leveraging Information Superiority



STOCHASTIC HARMONIZATION FIREFLY-HEARTBEAT EVENT BUS

HEART BEACON CYCLE = IMPROVEMENT TO NETWORK CENTRIC WARFARE



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE



STATE: stored data at a given instant in time

STATE CHANNELS: blockchain interactions

which *could* occur on the blockchain, but instead get conducted off of the blockchain, without significantly increasing the risk of any participant.





1. Part of the blockchain state is locked via multisignature or some sort of smart contract, so that a specific set of participants must completely agree with each other to update it.



2. Participants update the state amongst themselves by constructing and signing transactions that *could* be submitted to the blockchain, but instead are merely held onto for now. Each new update "trumps" previous updates.




3. Finally, participants submit the state back to the blockchain, which closes the state channel and unlocks the state again (usually in a different configuration than it started with)



EACH NEW UPDATE TRUMPS THE PREVIOUS: simplest way is to have any unlocking attempt start a timer, during which any newer update can replace the old update (restarting the timer). When the timer completes, the channel is closed and the state adjusted to reflect the last update received. The length of the timer would be chosen for each state channel, balancing the inconvenience of a long channel closing time with the increased safety it would provide against internet connection or blockchain problems. Alternatively, one could structure channel with a financial penalty so anyone publishing an inaccurate update to the blockchain will lose more than gain by pretending later transactions didn't happen.



LINK: <http://jeffcoleman.ca/state-channels/>



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE

TWAP Algorithm Manages Bitcoin Price Volatility Algorithm


TWAP GOAL: provide a Time Weighted Average Price Benchmark



FIREFLY HEARTBEAT ALGO
STAT MEAN VALUE INDEX



STATE META
DATA SNAPSHOTS



STATE SAMPLE

TWAP Works To gauge trading performance, many traders in different asset classes (equity, fixed income, currency) often use average price as a benchmark. The two common ways to calculate an average are a time-weighted average price (TWAP) and a volume-weighted average price (VWAP). TWAP is the average price of a bitcoin over the course of a specified period of time i.e., Heart Beacon Cycle



The algorithm trades over a desired time, either 1, 6, 12 or 24 hours and will give you a TWAP over that time period. For example, set the TWAP algorithm to sell 12 bitcoins over 12 hours, the algorithm will sell throughout the period, aiming to get a 12-hour TWAP



VWAP is price multiplied by number of bitcoins traded, then divided by the total number of bitcoins traded during a time period. The time-weighted average price algorithm is matched to closest HB

Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC's improvement is stipulating a clock cycle value e.g., 5, 10, 15..



Block-Weighted-Average-Price (B-WAP) API creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

Key Features:

Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.



Built using historic bitcoin price index - the [BNC BLX](#).

API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).

All rates time-stamped in UTC.

Ability to look up by time-stamp.

Ability to look up by block-height.

Asset Classes: Digital Currencies

Get by: Block-height, Time-stamp or Transaction

Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transaction

• Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC [Bitcoin Liquid Index](#) (BLX) bitcoin price calculation.

• Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.

BRAVE NEW COIN.
Digital Currency Insights

“Blocks are a measure of time”: The Bitcoin Blockchain ‘B-WAP’





OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin —no fees and no restrictions

- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade



OPENBAZAAR.ORG
BLOCKCHAIN ARBITRAGE



OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

PROJECT PHILOSOPHY: *MAKE TRADE FREE*

Mission: *shift trade to a decentralized platform*




Demurrage TERRATRC TRADE
Fees REFERENCE CURRENCY
"Money of Peace"
Commodity / Currency Index



Free and open markets:

Creating open, competitive markets for services that cannot be perfectly solved with technology




• Privacy

- Users should fully control their data. **Users** have freedom to reveal as much personal identifiable information as they want, when they want



HASH Values
Nonce Values

SCT Alice V Cls Bank



Bitcoin: OpenBazaar transactional currency





Cryptographic Security

- tamper-proof agreements
- 1) minimize potential disputes
- 2) fast-track dispute resolution



Non-
Repudiation

SchellingPoint




UNIVERSAL EVENT BUS



- Choreographing workflow between firms without a central controller
- Supports inclusion of regulatory & supervisory observer nodes
- Validating transactions solely between parties to the transaction
- Supporting a variety of consensus mechanisms
- Recording explicit links between human-language legal prose documents and smart contract code

	Q1Q2A	T4T5A	A2A3A	A4Q1C	A4Q2A	W2C
ABAB	F002	F003	F004	F005	F006	F007
AMDFP	F008	F009	F010	F011	F012	F013
AFATON	F014	F015	F016	F017	F018	F019
CIRCS	F020	F021	F022	F023	F024	F025
DITB	F026	F027	F028	F029	F030	F031
METTS	F032	F033	F034	F035	F036	F037
PERSON	F038	F039	F040	F041	F042	F043



	11.8 - Kinematics
11.8.1 - Acceleration	
11.8.2 - Angular	
11.8.3 - Linear	
11.8.4 - Velocity	
11.8.5 - Estimated	
11.8.6 - Estimated	
11.8.7 - Smoothed	
11.8.8 - Smoothed	
11.8.9 - Predicted	
11.8.10 - Smoothed	
11.8.11 - Bearing Angle	
11.8.12 - Location	
11.8.13 - 2D Horizontal	
11.8.14 - Vertical	
11.8.15 - Horizontal	
11.8.16 - Vertical	
11.8.17 - Bearing Angle	
11.8.18 - Covariance Matrix	

Federation Gateway

- PROOF OF WORK
- PROOF OF STAKE
- STATE CHANNELS
- BITCOIN NEXGEN
- LIGHTNING / DASH..



XBRL / CDE / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS
300+
Use Case Templates


R




**transactions sent over / off chain
micropayment channels**

Micropayment Channels

Setup: Alice creates transaction with 10 bitcoin to a 2-of-2 multisig with Bob




LIGHTNING



Hashed TIME LOCK contracts component for global consensus

OP_CHECKLOCKTIMEVERIFY During Macro Cycle w/ Random # BEACON




FIREFLY – HEARTBEAT ALGORITHM



FIREFLY – HEARTBEAT



EVENT REPORTING
ACROSS TIME-SPACE



MESSAGE EVENT BUS


$\Delta\delta$



SEG WIT


SEGREGATED WITNESS

SegWit



Segregated witness = Separated signatures

- signatures are cryptographic proofs also known as witnesses
 - moving signatures out of transactions
 - keeping a separate repository of the signatures
 - making them optional in propagation and storage
 - signature are the biggest part of transactions
 - can be implemented as a **soft-fork** vs a **hard-fork**





USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system

SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES

INTERNET TCP/IP "PING", "HOPS",
"PACKETS", FRAMES = METAPHOR



TIME / DISTANCE SERVICE LEVEL
AGREEMENT SLA / O Operations

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP
DETECTION

/localhost/nfd/fib/add-nexthop
Geo-Spatial Temporal
Metrics, Meters

Time Series

DISTANCE INFO SERVICE

IDMaps SonarHops

WATER DROP IN POND MEME IS
SONAR NAVY METAPHOR / MEME

NDN </INTEREST>
NDN {"DISTANCE"}

NAMED DATA
NETWORKING

IEEE C37.118
Harmonization
& Sync heartbeat
update Interval

CLOSER SOURCE
CHEAPER RATE

TCP/IP HOP BY HOP COUNT
Energy Attenuates over Distances



IEEE 802.11
HOP BY HOP CONTROL

Unused Resources / Unmet Needs



Spatial
Econometrics

TIME-SPACE BEACON
INFOCON

5 4 3 2 1
INFORMATION
CONDITION

Spaceship
Earth
Signals &
Telemetry
Annex

METRICS / METERS
TRADE WITH EARTH
???

SIRIUS DISCLOSURE

ASTEROID BELTS =
RARE MINERALS

MOON =
HELIUM 3
"Numbers are the
Universal Language
offered by deity to humans as
confirmation of the truth"



Farther = More Cost

➤ Fuel, Resources

STOCHASTIC
HARMONIZATION

Service Level Agreements

FIREFLY-HEARTBEAT
ALGORITHM
UNIVERSAL
EVENT MESSAGE BUS


ERLANG
TIME- SPACE METRICS

Alpha
Numeric
Brevity
Codes
SYNTAX
LEXICON
K00.99




43 22 13 0 1.5 2.7 5.2
Light minutes Astronomical units

FIREFLY - HEARTBEAT ALGORITHM MESSAGE EVENT BUS



RADIUS
WATER DROP IN POND MEME

Attribute Series



INTEREST
DISTANCE



Geo
Spatial
Temporal Series



**"We built the Cell 411 platform to make
the world a better and safer place"**



De-centralized, micro-social platform

Cell 411 v.3
Better than 911*



Real-time community based services
“The social network for helpful people”

Decentralized Ride Sharing: No Driver Fees, Accept Any Payment Method

INDIVIDUALS FORM GROUPS USING
GPS LOCATION SERVICES / META DATA



Decentralized Organization Join, organize, and manage Cells of users on your own, allowing you full control over what services and groups you want to have contact with.


FUTURE USE CASES: HELP FORM E TRADE FEDERATIONS SYNCHRONIZED IN TIME-SPACE FOR COMMON PURPOSES



Cell 411 Panic Button connects to your Cell 411 app wirelessly over Bluetooth, providing users with a quick, easy way to alert your friends, neighbors, caregivers and loved ones in the event of an emergency



THE HEART BEACON CYCLE



FEDERATE

Scan to view our Website!

SAW Concepts LLC
PO Box 28 Oceanport, NJ 07757
Cell: 732-768-5440
<http://sawconcepts.com/index>

MEDIATION GATEWAY

EARLY PATENT FILING: HEARTBEAT E9-11: SWORDS TO PLOWSHARE RE-USE OF BATTLEFIELD DIGITIZATION / NET CENTRIC WARFARE / OPERATIONS TO FORM GROUPS WORKING TOGETHER FOR THE GREATER GOOD



PRIMARY USE CASE: TRADE FEDERATIONS NETWORK ADD, JOINS, DROPS, ..NETOPS



INDIVIDUALS FORM GROUPS USING GPS LOCATION STATE META DATA TIME STAMPED DURING MICRO-CYCLES AGGREGATED & DISPLAYED IN APPLIQUE' OVERLAYS



Humanitarian Assistance Networked Donor System

Network Centric Warfare in the United States of America, "Network Enabled Capabilities" in UK, "Vernetzte Operationsführung" in Germany German Bundeswehr



What happens if we think about Bitcoin through the lens of *land*?

HEART BEACON CYCLE
USPTO 13/573,002
SURVEY METHODS

SC ALICE CORP VS CLS BANK: "claims may not direct towards abstract ideas"

UTXO: unspent transaction output'. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.




Memo #1421: Purchased Bitcoins are treated akin to property

Plots A, B, C represent 3 unspent transaction outputs controlling N Bitcoins



Mined Bitcoins



$$\Delta\delta$$

Unmined Bitcoins



Un-mined coins -- think of them as parcels of land on "Bitcoin Island" not yet released:

IDMaps-SONARHOPS distance estimation query-reply service

- End-state Bitcoin quantity will be fixed like land

"Bitcoin as protocol of ownership, not transfer"

Coin never travel, but simply switch owners"



Step 1: prove coin ownership <Org_ID> Coin Issuer

Step 2: coins sent where, when Lat-Long, Time Stamp

Step 3: specify ownership <Org_ID> issuing agent


Step 4: Issuing Org of Record adjudicates w buyer



TRIANGULATION



EUCLIDIAN GEOMETRY



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



IDMaps



"PING"



{"Interest"} {"Distance"}

ONSHORE
OFFSHORE

SonarHops

IDMaps / SonarHops collects distance data & builds virtual Internet distance maps & estimates distance between IP address pairs



IDMaps Distance Metrics:
latency (round-trip delay)
available bandwidth estimation





Electronic Product Code Information Services (EPCIS)


[GS1](#) Standard for creating, sharing visibility event data



HBC
SYSTEM OF SYSTEMS
TIME-SPACE SYNC



EPCIS DATA MODEL



SERVICE LAYER


XML

ObjectEvent

AggregationEvent

QuantityEvent

TransactionEvent



Core Business Vocabulary (CBV)

What identifiers of object(s) or entities / subject of the event

When date time when event took place, local time zone in effect

Where location identifier where event occurred, identifier of location where object(s) are expected to be following the event

Why Information about the business context, including:
a Identifier that indicates the business step taking place

MICRO CYCLES



CLOSER IS CHEAPER
CLOSER IS FASTER

$\Delta\delta$ NETOPS SOP

STRUCTURED DATA EXCHANGE /
STRUCTURED MILITARY MESSAGES

BIZ USE CASES
ALPHA NUMERIC BREVITY CODES

SYNTAX LEXICON CODE GUIDE



1st Compiler DESIGN Still the BEST





ROSETTA STONE

Richard Lighthouse Tonight on LNM Radio




www.RLighthouse.com



Quadrature amplitude modulation

QAM by setting a suitable constellation size, limited only by the noise level and linearity of the communications channel

“Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value”




Sine wave of our blinking universe. The 4 fundamental forces will all be found to vary continuously when sampled at 2x the blinking frequency, per Nyquist-Shannon theory




USPTO 13/573,002
sawconcepts.com/index

NDN {“Distance”} {“Interest”}
IDMaps SonarHops




Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics



vector

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM

“LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE”





SOFTWARE DEFINED NETWORKING

NETOPS

Command Syntax

REST State Transfer


COMMAND SYNTAX
STATE TRANSFER
Unicast / Multicast
Flow Tables / Workflow
Dynamic Network
Configuration Management

NET CENTRIC WARFARE
SYSTEM OF SYSTEMS TELEMETRY

COMMON COMPONENTS, BUILDING BLOCKS USED WITHIN FEDERATION PROMOTING COMMON GOALS, PROCESSES


- SDN is a *framework* to allow network administrators to *automatically* and dynamically manage and control a *large number* of network devices, *services*, topology, traffic paths, and packet handling (quality of

DevOps model and tools to enable scale, programmable agility, and policy-driven automation, and provides network virtualization to mask network configuration complexity with set of networking APIs



Netcentric / "network-centric" participating in a continuously evolving, complex community of people, devices, information and services interconnected by a network to optimize resource management and provide information on events and conditions.

Net-centric Enterprise Architecture : "massively distributed architecture with components, services available across and throughout an enterprise's entire lines-of-business."




HEART BEACON CYCLE: ALL THINGS INTERNET ARE PROGRAMMED USING TIME CYCLES USED / NOT USED TO PROCESS / NOT PROCESS SYNTAX



TradeNet




Programmable Money \$\$\$



RIED HOFFMAN 15 May 2015 [LINK](#)

"The CODE that secures Bitcoin could also power an alternate Internet [LINK](#)

CODE
LIBRARY
SYNTAX



MARKET IDENTIFIERS MIC CODES

300 + MESSAGE
TEMPLATES
SYNTAX LIBRARY
PROGRAMMING
STRUCTURED <CONTENT> EXCHANGE

BREVITY CODES
MARKET ID CODES
USE CASE TEMPLATES
SIGNALLING, TELEMETRY

NATO

ORGANIZATIONS




Organizational Units OU, OU

Bitcoin and the blockchain function as a medium of exchange, a store of value, a unit of account. Bitcoin adds digital, cryptographic, distributed server functions to currencies. Because it functions simultaneously as a currency, an asset and a platform, Bitcoin is better described as a global cryptoCAP (currency, asset, platform) -- a synergistic form of "cryptocapital" to unleash the full economic power of the networked age. **Bitcoin makes money PROGRAMMABLE. MONEY IS SIMPLY DATA** - a simple way to measure and keep track of exchanges in value wealth accumulation. Bitcoin aggregates data in a distributed global ledger accessible to anyone, and software. First open platform for financial services. Color coins represent stocks, bonds, currencies, properties as E-assets.

WIRE

[http://en.wikipedia.org/wiki/Organizational_unit_\(computing\)](http://en.wikipedia.org/wiki/Organizational_unit_(computing))



In computing, an organizational unit (OU) is a way of classifying directories objects, or names in a **DIGITAL CERTIFICATE HIERARCHY**






Trans-Pacific Partnership is great for elites. Is it good for anyone else? by [Timothy B. Lee](#) on April 17, 2015

How the TPP empowers elites. The nature of trade agreements has shifted. They're no longer just about removing barriers to trade. They've become a mechanism for setting global economic rules more generally. This system for setting global rules has some serious defects. We expect the laws that govern our economic lives will be made in a transparent, representative, and accountable fashion. The TPP negotiation process is none of these — it's secretive, it's dominated by powerful insiders, and it provides little opportunity for public input. Attributed to CATO Institute





Blockchain

BLUEPRINT FOR A NEW ECONOMY



Blocktime Arbitrage MTL (machine trust language) time primitives might be assigned to a micropayment channel DAPP as a time arbiter. In blocktime, the time interval at which things are done is by block. This is the time that it takes blocks to confirm, so blockchain system processes like those involving smart contracts are ordered around the conception of blocktime quanta or units. Since blocktime is an inherent blockchain feature, one of the easiest ways to programmatically specify future time intervals for event conditions and state changes in blockchain-based events is via BLOCKTIME. Universal blocktime source example: a procedure call to NIST or other time oracle.



BLOCKTIME: A General Temporality of Blockchains Blocktime as blockchains' temporality allows the possibility of rejigging time and making it a malleable property of blockchains. The in-built time clock in blockchains is blocktime, the chain of time by which a certain number of blocks will have been confirmed. Time is specified in units of transaction block confirmation times, not minutes or hours like in a human time system. Block confirmation times are convertible to minutes. Conversion metrics might change over time. Network Economies: Economic System as Configurable Parameters

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.





The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



COINTELEGRAPH
live cryptocurrency community opinion



Decentralized Exchange Meets Decentralized Crowdfunding



A decentralized exchange called BitSquare has launched a campaign on the decentralized crowd funding app Lighthouse. Its campaign is simultaneously an example of how powerful decentralized crowd funding is, and how difficult running a successful campaign is... segue to the MESH ECONOMY

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



Autonomous Device Coordination Framework



- Registration
- Authentication
- Proximity based rules
- Consensus based rules
- Contracts
- Checklists

FEDERATION AGREEMENTS

PROCEDURAL TEMPLATE

FEDERATION

<UUID> <ORG_ID> <URN>

LDAP DIRECTORY

Physical proximity

Social proximity

Temporal proximity

Agreements

Payments


Barter

Rules of engagement


FEDERATION AGREEMENTS

PROCEDURAL TEMPLATE

ADEPT Standard Peer Architecture – Logical View



* Could be optimized to hold the complete blockchain. Function of ADEPT Installer




PAYMENTS BASED ON GEO-SPATIAL TEMPORAL METRICS / METERS
<URN> DESCRIBES COMMODITIES ETC BY UNIFORM RESOURCE NAME BY </INTEREST>>



ASSET SHARING WITHIN FEDERATION

BUSINESS LOGIC = WORKFLOW <XML_Wf>



FILE SHARING = CYCLIC SYNC DELTA LEDGER / DOCUMENT REFRESH

OPEN SOURCE = HBC = PROTOCOL AGNOSTIC

DATA LAYER: STATE META DATA TIME STAMPED BY <UUID><ORG_ID><URN> & DATA PREPPED & "DATA WRANGLED PRIOR TO FUSION CENTER ENHANCED ANALYTICS / PROTECTS BANDWIDTH

NIST RANDOMNESS BEACON: broadcast full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped, signed, & includes hash of previous value to chain sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. 1st, Beacon-generated numbers cannot be predicted before they are published. 2nd, public, Beacon's time-bound, authenticated nature of the Beacon proves true random numbers not known before a certain point in time. 3rd, this proof can be presented offline at any point in the future



NIST QUANTUM ENCRYPTION RANDOMIZATION BEACON

UNPREDICTABLE SAMPLING


SECURE AUTHENTICATION

SECURE MULTI

PARTY /

AUTHENTICATION

Entropy



USPTO 13,573,002 Heart Beacon Cycle Geo-spatial, temporal Intensity

Metrics and Time - Space Meter uses PHYSICAL Memes / Metaphors


NAMED DATA NETWORKING



NDN
</Interest>
</Distance>

SURVEY METHODS + TRIANGULATION
Euclidian Geometry
Geodesic System Routing Info Base RIB

Time / Distance Metrics



PROXIMITY

OFFSHORE BEACONS ONSHORE

ACCOUNT BELONGS TO </Org_ID>

RESOURCE TYPE: <URN><URN><URN>

DEVICE / SENSORS <UUID><UUID>

Higher-level services collect distance data to build virtual distance map State Snap Shots

NDN



</interest></distance>

NIST



SEC REGULATION:
{“Org_ID”}
In the clear
Issuing Org tracks
User Accounts
NIST Cyber
BEACON =
Non-Repudiation



I.R.S.

NON REPUDIATION

{“ORG_ID”}




{“USER_ID”} Encrypted w QRB

IDMaps SonarHops
Distance Estimation Service




The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. Stochastic Harmonization



The proposed Universal Timezone System would do away with all these different



ENABLE MAPPING OF GOVERNANCE / MANAGEMENT RESOURCES BY PRECEDENCE SHOWN IN GEO-SPATIO INTENSITY DASHBOARD VIEWS



Situational Awareness Reference Architecture (SARA)

Identity, Inventory, Activity, and Sharing

<http://ics-isac.org/sara/>



Industrial Control System
Information Sharing and
Analysis Center

IDENTITY: <UUID> = Devices, sensors
Federation
Gateway <ORG_ID> Organizations

<ELEMENTS>

STRATML / IODEF RID CLASSES:
<GLOBAL><JOINT><SHARED>
<DOMAIN><FEDERATION>
<CITY><STATE><PRIVATE>

STRATEGIC
MARKUP

StratML

LANGUAGE

INVENTORY: Uniform Resource Name <URN>



<URN><URN> <COMMODITY><WATER><ENERGY><AVAILABLE UNITS>

vector

GEO-SPATIAL TEMPORAL INTENSITY METRICS

UNIFIED EVENT / ALERT TRIGGER / THRESHOLDS

ACTIVITY: <EVENT><ALERT> <TIME_STAMP><ORG_ID><URN>

CONTENT LEXICON
ROSETTA STONE

NDN



<INTEREST>



NDN

<INTEREST>



AVALANCHE

WELCOME TO THE FS-ISAC SECURITY AUTOMATION GROUP. OUR VISION IS
A FEDERATED NETWORK OF STIX-BASED REPOSITORIES SHARING INTELLIGENCE IN
REAL-TIME. AVALANCHE: STRENGTH IN NUMBERS, SECURELY SHARE INTELLIGENCE

NIST CYBER SECURITY FRAMEWORK

MIL-STD
2525A

CSCS

MCS

DBS

MTS

IBSON

FBSE

STRUCTURED
<CONTENT>
TEMPLATES


<TAG>
LIBRARY


USMTF / XML MTF FORMATTED MESSAGE CATALOG

Catalog has over 300 messages to choose from have a wide number of information exchange requirements using common, CONSENSUS Message Text Formats MTFs specify <CONTENT> / information agreed by group consensus presenting information in a logical well specified and unambiguous layout i.e., templates

**NAMED DATA
NETWORKING**
<Content> Centric

NIEM
SHARING INFORMATION SYSTEMS





Three ideas combined

HOW TRUTHCOIN WORKS:

1) Tradable Reputation

- Abstract Corp exists to prove consistency within / across TIME
- Collects \$ to power the mechanism.

2) SVD Cross-Validation

- Statistical technique: seeks importance.
- Gleans truth, measures conformity.



3) Strategic Use of TIME

- Funds can be ‘locked’ across time.
- Yet info-search-costs constantly fall.
- Net effect: time penalizes attackers only.

2. A kind of ‘Future Wikipedia’

	Wikipedia	Truthcoin
Focus	Outcomes of <i>past</i> events. Consensus on known facts.	Outcomes of <i>future</i> events. <i>Future</i> consensus on <i>knowable</i> facts.

Finance Thing	Interpretation	EVENT DERIVATIVE CORP = <Org_ID_1,2,3>
Bond (Debt)	“I, Paul Sztorc, owe \$20 to whoever is holding this bond certificate on 03/02/2015.”	
Stock (Equity)	“I, the CEO of SztorcCorp, owe 1/100 th of SztorcCorp’s profits to whoever is holding this stock certificate on 03/02/2015.”	
Binary Call Option	“I, Paul Sztorc, owe \$20 to whoever is holding this Option on 03/02/2015, <u>only if</u> the stock price of SztorcCorp is above 40 \$/share on that date.”	
...(others)...	...(others)...	...(others)...
Event Derivative	“I, Paul Sztorc, owe \$20 to whoever is holding this derivative on 12/01/2016, <u>only if</u> Hillary Clinton is elected US President in 2016. Otherwise I owe \$0.”	...(others)...
...(others)...	...(others)...	...(others)...

3. A software protocol

A protocol is a set of rules that determine how something is performed or accomplished




Protocol (Decentralized)	Centralized Non-Protocol
Spoken English	Shakespeare’s Globe Theatre, The Library of Alexandria, MLA Citation Format, Walt Whitman, J.K. Rowling.
Rules to American Football	The NFL, ESPN, The Buffalo Bills.
Bluetooth	A Set of Stereo Speakers, The iPhone 6, A Car Radio Equipped with Bluetooth
Bitcoin	VISA, PayPal, SWIFT, Western Union, Airline Miles, Amazon Coins, e-Gold, Liberty Reserve.


How 'Bitbanks' Could Solve Bitcoin's Volatility Problem

$$MV=PQ \text{ Money} \times \text{Velocity} = \text{Price} \times \text{Quantity}$$

The most important equation in monetary economics, the equation of exchange: $MV=PQ$. The quantity of money (M) times the rate spent (V for velocity) equals the price of everything bought (P) times the amount bought (Q for quantity). In Bitcoin, M Money is on a predetermined path, converging to 21m bitcoins. In relation to the other variables, Bitcoin is fixed. V, P, & Q fluctuate



Gamification is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.



HOW GAMIFICATION WORKS:

5 COMMON MECHANICS

POINTS

100 PT
Measure a user's achievements in relation to others
Can double as currency to exchange for rewards

BADGES

Reward achievements visually

LEVELS

Encourage users to progress and unlock new rewards

LEADERBOARDS

Organise players by rank

CHALLENGES

Encourage engagement by offering specific tasks to complete

4 MAIN WAYS TO DRIVE ENGAGEMENT


ACCELERATED FEEDBACK CYCLES


CLEAR GOALS AND RULES OF PLAY

A COMPELLING NARRATIVE

CHALLENGING BUT ACHIEVABLE TASKS



Interface Name	HEARTBEAT Administration Interface [SCOP]					
Documentation URL	http://scop.sourceforge.net/ http://linuxvirtualserver.org/software/index.html					
API Information  	Functionality Areas  	Cloud Interface Management , configuration, start, stop cloud services, edit configuration (heartbeat messages)				
	API Operation Count					
	Web service access type	Web application, front end to [network, device, system] heartbeat]				
	LANGUAGE / PLATFORM BINDINGS	PHP	  			
	Interface Characteristics					
	<p>SCOP is a web application, PHP based, that is a front-end to heartbeat, IP Virtual Server ipvs and Idirectord [check interval e.g., every 5 seconds] software. With SCOP you can start/stop services, view/ edit configuration files e.g., heartbeat message state management snapshots, make backups, take a server online/offline, add/ remove virtual/real servers, etc.</p>					
<p>"The external environment could update <u>resources</u> at random... One solution is a heartbeat: defining a default lease duration and delaying updates until the next cycle"</p>						
   						
QubitCoin Interval: Every 30 Seconds						



GEO-SPATIAL TEMPORAL INTENSITY METRICS, METERS, VECTORS



INFOCON / DEFCON ALERT EVENTS INFORM STAKEHOLDERS OF STATUS CHANGE i.e., NORMAL TO ELEVATED, HIGH OR SEVERE. ALERT LEVELS ARE ARBITRARY BUT MUST BE CONSISTENT e.g., 3 OR 5 FOR MACHINE TO MACHINE PROCESSING



Geo-Spatial Temporal Intensity NOVEL METRICS / METERS:




Paul Revere = linear, sequential



TCP/IP hop by hop counts, by hop controls



Water Drop = AREA / INTENSITY Cyclic Frequency



NAMED DATA NETWORKING


</IoT>
MQTT



NIST TIME BEACON

05:08:50


<INTEREST>



ARRESTED-D


IEEE 802.15.4
OASIS MQTT

TELEMETRY TRANSPORT



CLOSER = FASTER, CHEAPER > CYCLE => INTEREST NAMED-DATA NETWORKING

IDMAPS
SONARHOPS
INTERNET
TRIANGULATION



vector WirelessHART


time synchronized,
self-organizing,
mesh Net

ALERT LEVEL >
> NEWSCAST ZONE



SINE-WAVE

TRIGGERS
CAP XML



INFOCON
XML
MTF
300 +
MSG


INFORMATION CONDITION


5 4 3 2 1



DEFCON / INFOCON

5
4
3
2
1


PROCESS <CONTENT>
<TAGS> BY PRECEDENCE







SAW Concepts LLC Owner's Father is from Blackfoot First Nation Native American Indian



Alice Corp. v. CLS Bank International, 573 U.S. 134 S. Ct. 2347 (2014)
“claims may not direct towards abstract ideas”




13/573,002



USPTO SCREEN CAPTURES SUSPENDED PAIR RULES

- Moved Examination outside PAIR
- No need for forms, fees, amendments
- No Time Stamps = Temporal Ambiguity
- Screen captures before / after filing







Telemetry
ANNEX

the world famous
inventor of the
geodesic dome

r. buckminster fuller operating manual for spaceship earth

Buckminster Fuller 1968 *Operating Manual for Spaceship Earth*
"we can make all of humanity successful through science's
world-engulfing industrial evolution. We have the tools"



"The Dymaxion Map reveals a One-World Island in a One-World Ocean"
which helps us to view the world as one interdependent system [of systems]
of relationships. This is what is most fundamentally at HEART when we
speak of Spaceship Earth "The planet is a [system of] system (s)"



BLOCKTIME
ARBITRAGE



ECONOMIC HEARTBEAT



Algorithmic Regulation
Stat Mean Value Index



TERRACYCLE
Crypto Currency
Micro Payments
Demurrage Fees



Trade w/ Earth ???






ENERGY
TOKENS

The Book Spaceship Earth relates Earth to a spaceship flying through space.
Our spaceship has a finite amount of resources and cannot be resupplied.

HEART BEACON CYCLE: SIGNALING, TELEMETRY FRAMEWORK ANNEX
BUCKMINSTER FULLER'S OPERATING MANUAL for SPACESHIP EARTH

INFOCON
5 4 3 2 1
INFORMATION
CONDITION
The World Game







SIMPLE ALWAYS WINS... WHEN STANDING ON THE SHOULDERS OF GIANTS

