



Eco Economic Epochs



Programmable \$\$\$, Programmable Economy

Net of \$\$\$ formed with:
1 EPOCH TIME CYCLES
2 {"Syntax"} "The Word"
"In the Beginning" Genesis Block



Energy Attenuates over Distances
CLOSER = CHEAPER
U.A Service Level Agreements
TESLA
Harmonic Sphere ENERGY / DATA
Flux Resonator Yttrium iron

'When space-time spins, it creates mass. It produces energy in space that radiates. This radiation is what we call mass'. Nassim Haramein




"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It only works if all nodes reach an identical state."

"A smart contract is a piece of code stored on the blockchain, triggered by blockchain transactions that reads / writes data in the blockchain's Database."

A horizontal banner with the text "NAMED DATA NETWORKING" in large orange letters. To the right is a small cartoon illustration of a person wearing a white t-shirt with a logo. To the far right is a small map of the world with various colored regions.

"Blockchain consortiums are working less on distributed ledgers and more on Contract Description Languages (CDLs). Blockchain is moving from a 'core' technology to a 'utility' technology," said Michael J. Saylor, chairman and CEO of MicroStrategy.




BITCOIN BLOCKCHAIN BLOCKS, ALICE CORP VS CLS BANK
AGENTS, MOTES, BOTS, PACKETS,
FRAMES, HEARTBEAT, PINGS, HOPS,
BEACONS ARE METAPHORS/MEMES US SC 573 U.S. 134, 2347


USPTO 13/573,002 BASEBALL MEME PHYSICAL - OPPOSITE OF ABSTRACT

BLOCKCHAIN Programmable Money CLOCK CYCLES / EPOCHS
cycle n n + 1 n + 2 $\Delta\delta$

A horizontal collage of several images: a globe showing the Eastern Hemisphere; a bar chart with red and blue bars; a person running; a sign for "BANK SC 573 US 134 2347"; and a small figure standing next to a sign that says "90 feet".



measure the dc voltage due to the IREE charge current in the graphene layer resulting from the spin currents generated by microwave FMR spin pumping
IEEE 802.1AG HOP BY HOP DETECTION
IEEE 802.11 BHB HOP BY HOP CONTROL

current over long distances, is one of the major carbon atoms in a honeycomb lattice [see Fig. 1] due to its exceptional electronic transport properties, and thin relaxation times [42].

INTERNET, NET of \$\$\$ =

- 1. Epoch Time Cycles**
- 2. Syntax instructions**



$\Delta \delta$

</Org_ID>

“URN”


“URN” Structured Data

“URN” BREVITY CODES

- Symbols. Message sets



Eco Economic Epoch Heartbeat: reuse of DoD / NATO signal, telemetry syntax - symbol set structured data exchange system of systems engineering framework for DAO Trade Federations, programmable money / Economy. It is time to stand on the shoulders of giants SLA Service Level Agreement Eco incentives: closer = < time, cheaper, < fuel, < CO₂ “Build a new model that makes the old model obsolete” Buckminster Fuller



STANDING ON THE SHOULDERS OF GIANTS


Blockchain Quad-lemma

“five layers of blockchain tech:

- Infrastructure hardware layer
 - Data layer
 - Network layer
 - Consensus layer
 - Application / presentation layer

Blockchain layers:

- Layer 0**
Layer 1
Layer 2
Layer 3



Blockchain = series of hashed blocks carrying transactional records. The first block of the blockchain is the **Genesis block**. After that, every new block added to the blockchain is linked to the Genesis block through a (temporal) iterative process.


Database Flat File

“BLOCKCHAIN” = LEDGER / Database

Database *flat file* sama dengan file data pada *spreadsheet* (misal MS Excel™), berupa satu file berisi baris-baris dengan jumlah kolom tetap yang disimpan berurutan dalam file.

NIP	Nama	Nama Depan	Telp
123-45-6789	Santoso	Heru	021-316-1234
987-65-4321	Purnama	Widya	022-543-9876
987-65-4321	Jackson	Michael	021-234-5678
567-89-0123	Iskandar	Dodi	021-987-6431

**NET, Net of programmable \$\$\$
Programming Reality Ground Truth
No Layers L0, L1, L2... only GENESIS EPOCH,
Follow on Epoch time cycles, intervals, cycles**



THESIS: All things internet, net of programmable money are formed using:

1. Time epochs created by oscillating quartz crystal silicon chips
 2. Syntax used / not used as programming instructions during epoch time cycles




All things internet, internet of money, blockchains are formed by unicast, multicast, anycast protocols. Programmable money's improvements are in cryptography. The internet consists of unicast, multicast broadcast, anycast and workflow filters, publish – subscribe paradigms..

THESIS: All things net, net of programmable \$\$\$ are formed using:

ENERGY / DATA WAVE PROPAGATION / METRICS / METERS


1) Time epochs created by quartz crystal silicon chips

2) Syntax used / not used as programming instructions during epoch time cycles



STANDING ELECTRO- MAGNETIC WAVE


A **standing** electromagnetic wave does not propagate along the x -axis; instead, at every point on the x -axis the E and B fields simply oscillate.



Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system.

"Light is made from photons, the quantum of light."

mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration,"Link: https://phys.org/news/2018-06-quantum_1.html



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla



Eco Economic Epochs Heartbeat

DEFI FINTECH IP WARS / Litigation Foundation Tech




SWORDS to PLOWSHARES



The logo features a blue digital camera on the left, followed by a blue circular icon containing a white waveform. To the right of the icon, the text "USPTO 13/573,002" is displayed in large, bold, black letters. Below it, "573 U.S. 134 SCt 2347" is shown in a slightly smaller, bold, black font. At the bottom, the words "Alice in Wonderland Ruling" are written in a bold, black, sans-serif font.



**Symbols
Rule
The World
OPSCODE
BREVITY
CODES
Mapped
To symbols
2525A,C D**





YNC DELTA $\Delta\delta$ ATA SNAPSHOT

INFOCON
1 4 3 2 1
INFORMATION
CONDITION

- Battlefield Digitization, Net Centric Warfare for OOTW Operations Other Than War
 - Net, Net of \$\$\$ Foundation Tech
 - Structured Data Exchange with 300 + use cases
System of systems engineering
 - Use Cases: A.I., Big data, IOTE
 - Blockchain, Distributed Ledger Tech
 - DAO Distributed Autonomous Organization
 - Trade Consensus, Signals, Telemetry

**In the beginning (of time)..
There was the word (syntax)**



Net, Net of \$\$\$ money consists:



Humanitarian Assistance Networked Donor System


H.A.N.D.S: "Based on the need to speed up the processes of influencing an adversary, new concepts result in the adaptation of military doctrine, organization, training, material, infrastructure, interagency interaction, leadership, personnel and facilities" ... German Bundeswehr concept of "OOTW Operations Other Than WAR or "Vernetzte Operationsführung" circa 2003



"Shared situational awareness enables collaboration synchronization, and enhances sustainability, speed of command"



Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals



DOD SITUATION AWARENESS PROGRAM
SWORDS TO PLOWSHARES OOTW IDEA
BY GERMAN MILITARY CIRCA 2003



OPERATIONS
OTHER
THAN
WAR



Beacon Communities

Vernetzte Operationsführung




Proximity Beacons



JAEGERS


Closer < \$\$\$ < FUEL



KAIJU



SYSTEM
Of
SYSTEMS



WORLD BEYOND WAR.org
a global movement to end all wars




AFH - AFRICAN HANDS
ASH - ASIAN HANDS
AUH - AUSTRALIAN HANDS
EUH - EUROPEAN HANDS
NAH - NORTH AMERICAN HANDS
SAH - SOUTH AMERICAN HANDS
N... - NATIONAL HANDS
L... - LOCAL HANDS



Neural Net


DAN MILLMAN



NOW A MAJOR MOTION PICTURE FROM LIONSGATE
WAY OF THE PEACEFUL WARRIOR
A BOOK THAT CHANGES LIVES

OFF SHORE
OUTER BANKS





MINIMUM LIST OF COMPONENTS / BUILDING BLOCKS, PROCESSES, PROCEDURES... AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DAO DISTRIBUTED AUTONOMOUS ORGANIZATIONS CONSENSUS

DAO's in FEDERATIONS AGREE TO USE COMMON COMPONENTS, SHARED PROCESSES, METHODS, SIGNALING - TELEMETRY SCHEDULE & METRICS IN SMART CONTRACTS, SERVICE LEVEL AGREEMENTS


CHECKLIST: TRADE FEDERATION ECONOMIC FRAMEWORK EX:

- 1) Organize with Organization Identifiers {"Org_ID"}
- 2) Track RWA Real World Assets / Commodities by </URN>
- 3) Take State Meta Data heartbeat snapshots @ 15 / N min
- 4) Honor Satoshi's intent for Crypto to be paired w markets
- 5) Use NIST Quantum Random Number Beacon QRNB

USPTO 13/573,002 = Spaceship Earth's Signals & Telemetry Annex



Tokenization of Physical Assets Enables Economy Of Everything



ALGORITHMIC STABLE COIN COMMODITY INDEX CURRENCY PROGRAMMABLE \$\$\$




NETWORK
CENTRIC
OPERATIONS
INFOCON
5 4 3 2 1
INFORMATION
CONDITION




FIREFLY – HEARTBEAT ALGORITHM CHINA: nature-inspired metaheuristic optimization algorithm developed by Xin-She Yang flashing behavior of fireflies (Yang, 2008), adapted to solve continuous optimization problems (Lukasik and Žak) 2010, 2013

Thomas Edison's Monetary Option Cambridge University Press 2009

"Crops hold their value best over time"



"Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America's monetary woes. "I want to cast the variable out of money. This gold money is not good enough. It's a fiction" "New York Times 1922





THE BITCOIN BLOCKCHAIN FOR DUMMIES



What is needed is an electronic payment system based on cryptographic proof instead of trust, allowing any two willing parties to transact directly with each other without the need for a trusted third party e.g., a bank.

Satoshi Nakamoto Bitcoin Paper




Satoshi Nakamoto



Craig WRIGHT
a.k.a.
Satoshi Nakamoto



"Bitcoin is a LANGUAGE"



THE VALUE OF BITCOIN IS TIME ITSELF




Wright Brother's 1st Flight
Cape Hatteras Outer Banks

"THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER"

3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.

Bitcoin Protocol for Dummies
Part 4 Timestamp Server



MERKLE: Summary built from block's transaction ID's

Header - Contains service information (version info, nonce, previous block id and timestamp). {"Org_ID"}
Merkle - A summary built from the block's transaction identifiers.

Transaction's id list - list of transaction's identification hashes that was included into the block's merkle tree.

"All things net, net of money are formed with 1) epoch time cycles
2) Syntax parsed as instructions



"THE VALUE OF BITCOIN IS TIME ITSELF"



CLOCK FACE 360'
90 / 90 / 90 / 90

MACRO CYCLES
RULES / ROLES
INSTRUCTIONS
WORKFLOW
UMPIRE
COACH

3rd Base
STATISTICIAN
Metrics, Meters
Stat Mean Value Index

State Meta
Data Snapshots
Survey Point

3 X 5
HASH TABLES
STATE META
DATA SHARDS

MICRO CYCLES

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base

Satoshi Nakamoto:
"The solution we propose
begins with a TIME
STAMP SERVER"

90 feet
Blockchain / cryptocurrency increments
Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

SETTLEMENTS / EXCHANGES
= TAXABLE EVENTS
AKIN TO PROPERTY
IRS #1421

FLASH MESSAGE EVENT BUS
FIX {"108"}
TIME STAMP SERVER

TIME STAMP SERVER



ALICE Corp VS CLS
BANK SC 573 US 134 2347
CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS
Physical = Opposite of abstract = ALICE
HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002

first base
RUNNER Message Bus

Firefly – Heartbeat Algo
EVENTS

Epoch Time Cycles

All things internet of money are formed w CPU time cycles used to process instructions / code sy




“Bitcoin is a Language”



WIRED

**"BITCOIN MAKES USPTO 13/573,002
MONEY HEART BEACON CYCLE
PROGRAMMABLE. TIME – SPACE METER
MONEY IS STRUCTURED DATA
SIMPLY DATA" EXCHANGE**


Alice Corp. v. CLS Bank International, 573 U.S. 134 SCt 2347 (2014) is a 2014 decision of the United States Supreme Court about patentable subject matter (patent eligibility).[2] The issue in the case was whether certain claims about a computer-implemented, electronic escrow service for facilitating financial transactions covered abstract ideas ineligible for patent protection. The patents were held to be invalid because the claims were drawn to an abstract idea, and implementing those claims on a computer was not enough to transform that idea into patentable subject matter.



"BITCOIN IS A LANGUAGE / BITCOIN'S VALUE IS TIME ITSELF"



BLOCKCHAIN = TIME / SYNTAX



What happens if we think about Bitcoin through the lens of *land*?

HEART BEACON CYCLE
USPTO 13/573,002
SURVEY METHODS


SC ALICE CORP VS CLS BANK: "claims may not direct towards abstract ideas"

UTXO: unspent transaction output'. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.




Memo #1421: Purchased Bitcoins are treated akin to property

Plots A, B, C represent 3 unspent transaction outputs controlling N Bitcoins



Mined Bitcoins



$$\Delta\delta$$


Unmined Bitcoins



Un-mined coins -- think of them as parcels of land on "Bitcoin Island" not yet released:

IDMaps-SONARHOPS distance estimation query-reply service





Eco Economic Epoch Heartbeat: reuse of DoD / NATO signal, telemetry syntax - symbol set structured data exchange system of systems engineering framework for DAO Trade Federations, programmable money / Economy. It is time to stand on the shoulders of giants. SLA Service Level Agreement Eco incentives: closer = < time, cheaper, < fuel, < CO2 "Build a new model that makes the old model obsolete" Buckminster Fuller



Adaptive Procedural Template (checklist): Foundation tech for programmable \$\$\$, Economy / DeFI



- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- STRUCTURED DATA EXCHANGE
Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine Block-Time DLT arbitrage among Trade Federations </Org_ID> {“URN”} </URN> = COMMODITY

Eco Economic Epoch GDP Heartbeat signals and telemetry framework



USE CASE: Banks - Tech firms are forming teams to assert foundation tech as a legal basis for IP intellectual property claims for programmable \$\$\$ DeFI

Use Case: Tokenize Europe 2025 initiative: reuse DoD / NATO's structured data brevity OPSCODES mapped to 2525A, B, C, D symbols needed for A.I. man-machine interface Reuse, modify 300 + Use Case message set templates data element FFIRNs FFUDNS or, redo a time, people intensive process that took decades to create, test and refine.



Attribute Series

SCOTUS 2014 ruling SC 573 134 2347



claims may not direct towards abstract Ideas”

Trade
Reference
Currency
TERRA
TERC


Physical = opposite of abstract

“The solution we propose begins with a time-stamp server” Satoshi

**"The internet, internet of \$\$\$ is comprised:
1. Epoch time cycles 2. Syntax used / not
used during epoch time cycles instructions**

“Bitcoin is a language” “Bitcoin’s value = time itse
Blocktime = computing clock-time that creates
sync delta differentials in the chain of time 
described by MTT Machine Trust Language
smart contracts adjusted by time arbitrators

USPTO 20130166398 Ericsson System Method Implementing Context Based Payment System







ISO Technical Committee TC68

Financial Services

SC2 Security	SC4 Securities	SC7 Banking
-----------------	-------------------	----------------

RMG members nominated by P-member countries and A-liaison organisations

TSG & SEG members nominated by all member countries and liaison organisations

ISO 20022 LV 66

Q: Which memo describes the myriad blockchain consensus algorithms the most comprehensively that uses an algorithm (based on nature = "shortest path to the knowledge of truth Luxor Temple) enabling distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync, OPSCODE brevity code, data element & symbol (for A.I. man - machine interface) consensus?

Blockchain Consensus Algorithms & Mechanisms In the world of blockchain consensus algorithms, consensus is the HEART OF THE BLOCKCHAIN NETWORK. Its main purpose is to achieve agreement on transactions among a distributed system(s)

Proof of Formulation: PoF: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization.

spacemesh

Space-Time Consensus Algorithm

BASEBALL "DIAMOND" A diamond is a block in 3D space-time. The solution we propose is to have a diamond in the space-time. The solution we propose is to have a diamond in the space-time.

CRYPTO CRAZE AND THE CHALLENGE TO BUSINESS

STRUCTURED MESSAGE EXCHANGE SYNTAX LEXICON

SYNTHETIC SYMBOL SETS

AI / Man - Machine

SETTLEMENTS EXCHANGES

TRANSACTS SYMBOL SETS

DATA SHARING

STAMP SERVER

STATE METRICS

Survey Point


HOME PLATE

FLASH CARD


STAMP SERVER

DATA SHARING

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Structured Data Exchange



SYNTAX LEXICON
ROSETTA STONE

Coder's Guide lexicon.

STRUCTURED
<CONTENT>
EXCHANGE
TEMPLATES

MIL STD 2525ABC

ASSET TOKENS

"SYMBOLS RULE THE WORLD"

11.8 - Kinematic
11.8.1 - Pos
11.8.1.1 -
11.8.1 -

STRATML XAML

BINARY XML
XBRL
THE BUSINESS REPORTING STANDARD

1.1 - Observed
1.2.3 - Predicted
1.2.4 - Smoothed Data
3 - Position
1.3.1 - Bearing Angle
1.3.2 - Location; 2D Hor
1.3.3 - Vertical
4 - Velocity

DDL DATA
DEFINITION
LANGUAGE
1 - Horizontal
2 - Vertical
TOSCA
Confidence
Bearing Angle
Bearing Angle Rate
Covariance Matrix

Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = BIZ COA (s) <Org_ID1><Org_ID2><Org_ID3>



NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID
GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language



{"URN"} {"URN"} {"TRANSACTION ID"}

MESSAGE TEXT FORMAT :

SEG RPT OCC CLASSNAME SETID SEQ FIELD OCCURRENCE SET FORMAT NAME

O 11NUPRES EXER 1 /M /O // (NU) EXERCISE IDENTIFICATION

C 11NUPRES OPER 2 /M /O /O /O // (NU) OPERATION CODEWORD

M MIOPV1 1 MSGID 3 /M /M /O /O /O // (NU) MESSAGE IDENTIFIER DISTANCE

M MIP OUT ORDPLAN 4 /M /O /O /O // (NU) PLAN ORDER REFERENCE NDN

SIOP POUT MSGREF 5 /M /M /M // (NU) REFERENCED MESSAGE

NUPRES DTG 6 /M // (NU) DATE-TIME GROUP

0 ORGID 7 /M /M /M /M /M /M /M /C // (NU) ORGANIZATION DESIGNATOR

M 11NUPRES GENTEXT 8 /M /M // (NU) 1.A ENEMY FORCES / COMPETITORS

M 11NUPRES GENTEXT 9 /M /M // (NU) 1.B FRIENDLY FORCES / TRADE FEDERATION

M 11NUPRES GENTEXT 10 /M /M // (NU) 1.C ATTACHMENT / DETACHMENT INTEREST

O 11NUPRES GENTEXT 11 /M /M // (NU) 1.D COMMANDERS EVALUATION

O 11NUPRES GENTEXT 12 /M /M // (NU) 1.E ENVIRONMENTAL INFORMATION

M 11NUPRES GENTEXT 13 /M /M // (NU) 2. MISSION </108>K00.99 / FIX / SWIFT / E-911 Heartbeat Message

M 11NUPRES GENTEXT 14 /M /M // (NU) 3.A CONCEPT OF OPERATION

O 11NUPRES GENTEXT 17 /M /M // (NU) (3) RECONNAISSANCE SURVEILLANCE

O 11NUPRES GENTEXT 21 /M /M // (NU) (5) INFORMATION OPERATIONS

O 11NUPRES GENTEXT 28 /M /M // (NU) (5) COMMS INFORMATION SYSTEMS

O 11NUPRES GENTEXT 35 /M /M // (NU) 3.D COORDINATING INSTRUCTIONS

M 11NUPRES GENTEXT 36 /M /M // (NU) 4.A SUPPORT CONCEPT (Logistics)

M 11NUPRES GENTEXT 37 /M /M // (NU) 4.B MATERIEL AND SERVICES

SYMBOLS	Friend	Neutral	Hostile	DICAL EVAC & HOSPITALISATION
	Partner		Competitor	M - MILITARY OPERATIONS

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPET TO SYMBOLS



INDEX REFERENCE #:

M015 STATUS :

EFFECTIVE: 14-DEC-99



PURCHASE CODES



FEDERATED PEGS



{"URN"}



{"ASSET_CLASS"}



{"URN"}



{"ASSET_TYPES"}



ISO 10383 – MIC



Market Identifier Codes



{"URN"}



{"Org_ID"}



108 Heartbeat Message



STOCK NDN NAMED DATA



EXCHANGE NETWORKING



MIC CODES PRECEDENCE



FILTERS PROCESSING



BLOCKTIME



ARBITRAGE

ERLANG

TIME

EQUATIONS

FROM	TO				CODE GUIDE		
	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	MCS	
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio				
AMDPCS	TOKENS OPSCODE BREVITY CODES						
AFATDS	F002 F014 F015 F541 S201					A.I.  INFOCON 5 4 3 2 1 INFORMATION CONDITION	
MCS	 SIOP  FEDERATED MISSION NETWORK 	A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	A423 A659 A656 A690 C002 C203 C400 C505 F002 F014 F015 F541	 Rosetta Stone  Syntax Lexicon  Coder's Guide	A423 C505 F014 F541 S201	M2M  "SYMBOLS RULE THE WORLD" 

MESSAGE CATALOG

300 + Use Cases

Data Elements: entity, attribute, relationship equivalents **HEARTBEAT MESSAGE =**
K00.99 </108> {"108"}

Information Elements Roles

- COI Determination Org Interaction
 - Search and Discovery
 - Ontologies STANDARDS
 - Taxonomies REFERENCE
 - Metadata Attributes / Filters



FFUDN: Field Format Unit Designator

EFIRN Field Format Index Reference #


Structured military messaging ID's messages, message sets, data element, symbol fields </108>



PROCESS MESSAGE BY PRECEDENCE UNIVERSAL EVENT / ALERT MESSAGE BUS

OPERATIONAL NODES / ACTIVITIES

DATA		SYSTEM FUNCTIONS		PERFORMANCE	
11.4 - Classification		11.8 - Kinematics			
11.4.1 - Category		11.8.1 - Pos / Vel / Acc (PVA)			
11.4.1.1 - Confidence Level		11.8.1.1 - Acceleration			
11.4.1.2 - Estimate Type		11.8.1.1.1 - Angular			
11.4.1.2.1 - Alternative		11.2 - Linear			
11.4.1.2.2 - Evaluated D		2 - Estimate Type			
11.4.1.3 - Value		1.2.1 - Estimated			
PURCHASE		1.2.2 - Observed			
CODES		1.2.3 - Predicted			
SYMBOL		1.2.4 - Smooth / D			
2525C	Friend	Neutral	Hostile		
			Competitor		
11.4.1.3.4 - Substance					
11.4.1.3.5 - Surface					
11.4.2 - Platform / Point / Fea					
11.4.3 - Specific Type					
11.4.4 - Type Modifier					
11.4.5 - Unit					




Machine-based system for transforming data from a source form to a target form, a tool is provided for sharing information established in developing a transformation model. The shared information may relate to rules for mapping source collection terms to standardized terms, rules for ordering or **SYNTAX**, rules for classifying terms or other transformation rules.

**US 7865358 CLAIM 1. method converting
textual data from source form to target
forms, where target form differs from
source form's linguistics, syntax**


**Multi-user functionality for converting
data from a first form to a second form**

Symbolic artificial intelligence: collection of all methods in artificial intelligence research that are based on high-level symbolic (human-readable) representations of problems, logic, and knowledge.



US Patent No: 7,257,455 DISCOVERY MACHINE Inc. Fig. 8 Discovery Machine® Inc. AL ARTIFICIAL 820

The logo features the text "Williamsport PA Little League Baseball Capital of the World" in a serif font. A silhouette of a baseball player is on the left, and a blue globe is on the right. The number "818" is positioned between them.



System and method for collecting, representing knowledge using task-method-knowledge with structure-behavior function in a computer system.. BIZ COA 1, 2, 3



TASK		ARTIFICIAL INTELLIGENCE	
PK	<u>TK_OID</u> {"Org_ID"}	PROCEDURE	
PK	<u>PC_OID</u>		
	TK_NAME		
	TK_DESCRIPTION		
	TK_CONDITION		
FK1	TK_CMOID		
FK2	TK_CLOUD (FUNCTION)		
	PC_NAME		
	PC_DESC		
FK1	PC_CMOID		
FK2	PC_CLOUD (BEHAVIOR)		


BIZ COA 1,2,3 AUTO PLAY

810

AUTOMATION / SIMULATION
Artificial Intelligence engine

CLASS	
PK	CL_OID
CL_NAME	

R)




Neuro-Symbolic AI


Neural Networks
(Deep Learning)

Symbolic (human-readable) representations

Symbolic AI



Breaking the world into symbols (rather than



Incorporate common sense reasoning and
knowledge about the interaction between

Symbolic artificial intelligence: collection of all methods in artificial intelligence

research that are based on high-level symbolic (human-readable) representations of problems, logic and search.^[1] Symbolic AI used tools such as logic programming, production rules, semantic nets and frames, and it developed applications such as knowledge-based systems (in particular, expert systems), symbolic mathematics, automated theorem provers, ontologies, the semantic web, and automated planning and scheduling systems. The Symbolic AI paradigm led to seminal ideas in search, symbolic programming languages, agents, multi-agent systems, the semantic web, the strengths, imitations of formal knowledge and reasoning systems.


Physical symbol system (also called a **formal system**) takes physical patterns (symbols), combining them into structures (expressions) and manipulating them (using processes) to produce new expressions. The **physical symbol system hypothesis (PSSH)** is a position in the philosophy of artificial intelligence formulated by Allen Newell and Herbert A. Simon. They wrote: A physical symbol system has the necessary and sufficient means for general intelligent action."^[2] —Allen Newell and Herbert A. Simon

This claim implies both that human thinking is a kind of symbol manipulation (because a symbol system is necessary for intelligence) and that machines can be intelligent (because a symbol system is sufficient for intelligence).[3] The idea has philosophical roots in Hobbes (who claimed reasoning was "nothing more than reckoning"), Leibniz (who attempted to create a logical calculus of all human ideas), Hume (who thought perception could be reduced to "atomic impressions") and even Kant (who analyzed all experience as controlled by formal rules).[1] The latest version is called the computational theory of mind, associated with philosophers Hilary Putnam and Jerry Fodor.[4]

Source: Wikipedia: https://en.wikipedia.org/wiki/Physical_symbol_system

data from a first form to a second form

Symbolic artificial intelligence: collection of all methods in artificial intelligence research that are based on high-level symbolic (human-readable) representations of problems, log



A collage of historical and modern figures. On the left, a portrait of a bearded man in a crown. In the center, a yellow box contains the text "2525 Series Symbol Set Libraries". Above it, another yellow box contains "Rosetta Stone Syntax LEXICON". To the right, a group of people from different eras are shown: a man in a top hat, a woman in a bonnet, a man in a suit, and a person in a futuristic-looking suit at the bottom. A small robot head is at the bottom center.

Neuro-Symbolic AI

Symbolic (human-readable) representations

Neural Networks (Deep Learning)

Symbolic AI


Brevity Codes

Symbols

Symbol

Breaking the world into symbols (rather than numbers)

Incorporate common sense reasoning and action planning



Situational Awareness Reference Architecture (SARA)

Identity, Inventory, Activity, and Sharing

<http://ics-isac.org/sara/>



IDENTITY: <UUID> = Devices, sensors
Federation Gateway <ORG_ID> Organizations

<ELEMENTS>

STRATML / IODEF RID CLASSES:
<GLOBAL><JOINT><SHARED>
<DOMAIN><FEDERATION>
<CITY><STATE><PRIVATE>

STRATEGIC MARKUP

StratML

LANGUAGE

Industrial Control System Information Sharing and Analysis Center

INVENTORY: Uniform Resource Name <URN>

<URN><URN> <NEWS>
<URN><URN> <COMMODITY><WATER><ENERGY><AVAILABLE UNITS>
<URN><URN> vector <GEO-SPATIAL TEMPORAL INTENSITY METRICS / METERS>

UNIFIED EVENT / ALERT TRIGGER / THRESHOLDS

ACTIVITY: <EVENT><ALERT> <TIME_STAMP><ORG_ID><URN>

<GEO_LOC_GPS><STATUS>
<Halt><Moving><Stale><Ready>

CONTENT LEXICON
ROSETTA STONE



AVALANCHE


WELCOME TO THE FS-ISAC SECURITY AUTOMATION GROUP. OUR VISION IS A FEDERATED NETWORK OF STIX-BASED REPOSITORIES SHARING INTELLIGENCE IN REAL-TIME. AVALANCHE: STRENGTH IN NUMBERS, SECURELY SHARE INTELLIGENCE

NIST CYBER SECURITY FRAMEWORK

FROM	F002	F003	F004	TAB	AASB	AMOPCS	AFATOPS	MCS
ABAD	F013	F014	F015	F014	F001	C001	F001	F002
AMOPCS	F013	F014	F015	F014	F001	C001	F001	F002
AFATOPS	F013	F014	F015	F014	F001	C001	F001	F002
	G002	C002	C003	C003	C002	C002	C002	C002
	F002	F003	F004	F004	F005	F005	F005	F005
	F006	F007	F008	F008	F009	F009	F009	F009
	F010	F011	F012	F012	F013	F013	F013	F013
	F014	F015	F016	F016	F017	F017	F017	F017
	F018	F019	F020	F020	F021	F021	F021	F021
	F022	F023	F024	F024	F025	F025	F025	F025
	F026	F027	F028	F028	F029	F029	F029	F029
	F030	F031	F032	F032	F033	F033	F033	F033
	F034	F035	F036	F036	F037	F037	F037	F037
	F038	F039	F040	F040	F041	F041	F041	F041
	F042	F043	F044	F044	F045	F045	F045	F045
	F046	F047	F048	F048	F049	F049	F049	F049
	F050	F051	F052	F052	F053	F053	F053	F053
	F054	F055	F056	F056	F057	F057	F057	F057
	F058	F059	F060	F060	F061	F061	F061	F061
	F062	F063	F064	F064	F065	F065	F065	F065
	F066	F067	F068	F068	F069	F069	F069	F069
	F070	F071	F072	F072	F073	F073	F073	F073
	F074	F075	F076	F076	F077	F077	F077	F077
	F078	F079	F080	F080	F081	F081	F081	F081
	F082	F083	F084	F084	F085	F085	F085	F085
	F086	F087	F088	F088	F089	F089	F089	F089
	F090	F091	F092	F092	F093	F093	F093	F093
	F094	F095	F096	F096	F097	F097	F097	F097
	F098	F099	F100	F100	F101	F101	F101	F101
	F102	F103	F104	F104	F105	F105	F105	F105
	F106	F107	F108	F108	F109	F109	F109	F109
	F110	F111	F112	F112	F113	F113	F113	F113
	F114	F115	F116	F116	F117	F117	F117	F117
	F118	F119	F120	F120	F121	F121	F121	F121
	F122	F123	F124	F124	F125	F125	F125	F125
	F126	F127	F128	F128	F129	F129	F129	F129
	F130	F131	F132	F132	F133	F133	F133	F133
	F134	F135	F136	F136	F137	F137	F137	F137
	F138	F139	F140	F140	F141	F141	F141	F141
	F142	F143	F144	F144	F145	F145	F145	F145
	F146	F147	F148	F148	F149	F149	F149	F149
	F150	F151	F152	F152	F153	F153	F153	F153
	F154	F155	F156	F156	F157	F157	F157	F157
	F158	F159	F160	F160	F161	F161	F161	F161
	F162	F163	F164	F164	F165	F165	F165	F165
	F166	F167	F168	F168	F169	F169	F169	F169
	F170	F171	F172	F172	F173	F173	F173	F173
	F174	F175	F176	F176	F177	F177	F177	F177
	F178	F179	F180	F180	F181	F181	F181	F181
	F182	F183	F184	F184	F185	F185	F185	F185
	F186	F187	F188	F188	F189	F189	F189	F189
	F190	F191	F192	F192	F193	F193	F193	F193
	F194	F195	F196	F196	F197	F197	F197	F197
	F198	F199	F200	F200	F201	F201	F201	F201
	F202	F203	F204	F204	F205	F205	F205	F205
	F206	F207	F208	F208	F209	F209	F209	F209
	F210	F211	F212	F212	F213	F213	F213	F213
	F214	F215	F216	F216	F217	F217	F217	F217
	F218	F219	F220	F220	F221	F221	F221	F221
	F222	F223	F224	F224	F225	F225	F225	F225
	F226	F227	F228	F228	F229	F229	F229	F229
	F230	F231	F232	F232	F233	F233	F233	F233
	F234	F235	F236	F236	F237	F237	F237	F237
	F238	F239	F240	F240	F241	F241	F241	F241
	F242	F243	F244	F244	F245	F245	F245	F245
	F246	F247	F248	F248	F249	F249	F249	F249
	F250	F251	F252	F252	F253	F253	F253	F253
	F254	F255	F256	F256	F257	F257	F257	F257
	F258	F259	F260	F260	F261	F261	F261	F261
	F262	F263	F264	F264	F265	F265	F265	F265
	F266	F267	F268	F268	F269	F269	F269	F269
	F270	F271	F272	F272	F273	F273	F273	F273
	F274	F275	F276	F276	F277	F277	F277	F277
	F278	F279	F280	F280	F281	F281	F281	F281
	F282	F283	F284	F284	F285	F285	F285	F285
	F286	F287	F288	F288	F289	F289	F289	F289
	F290	F291	F292	F292	F293	F293	F293	F293
	F294	F295	F296	F296	F297	F297	F297	F297
	F298	F299	F300	F300	F301	F301	F301	F301
	F302	F303	F304	F304	F305	F305	F305	F305
	F306	F307	F308	F308	F309	F309	F309	F309
	F310	F311	F312	F312	F313	F313	F313	F313
	F314	F315	F316	F316	F317	F317	F317	F317
	F318	F319	F320	F320	F321	F321	F321	F321
	F322	F323	F324	F324	F325	F325	F325	F325
	F326	F327	F328	F328	F329	F329	F329	F329
	F330	F331	F332	F332	F333	F333	F333	F333
	F334	F335	F336	F336	F337	F337	F337	F337
	F338	F339	F340	F340	F341	F341	F341	F341
	F342	F343	F344	F344	F345	F345	F345	F345
	F346	F347	F348	F348	F349	F349	F349	F349
	F350	F351	F352	F352	F353	F353	F353	F353
	F354	F355	F356	F356	F357	F357	F357	F357
	F358	F359	F360	F360	F361	F361	F361	F361
	F362	F363	F364	F364	F365	F365	F365	F365
	F366	F367	F368	F368	F369	F369	F369	F369
	F370	F371	F372	F372	F373	F373	F373	F373
	F374	F375	F376	F376	F377	F377	F377	F377
	F378	F379	F380	F380	F381	F381	F381	F381
	F382	F383	F384	F384	F385	F385	F385	F385
	F386	F387	F388	F388	F389	F389	F389	F389
	F390	F391	F392	F392	F393	F393	F393	F393
	F394	F395	F396	F396	F397	F397	F397	F397
	F398	F399	F400	F400	F401	F401	F401	F401
	F402	F403	F404	F404	F405	F405	F405	F405
	F406	F407	F408	F408	F409	F409	F409	F409
	F410	F411	F412	F412	F413	F413	F413	F413
	F414	F415	F416	F416	F417	F417	F417	F417
	F418	F419	F420	F420	F421	F421	F421	F421
	F422	F423	F424	F424	F425	F425	F425	F425
	F426	F427	F428	F428	F429	F429	F429	F429
	F430	F431	F432	F432	F433	F433	F433	F433
	F434	F435	F436	F436	F437	F437	F437	F437
	F438	F439	F440	F440	F441	F441	F441	F441
	F442	F443	F444	F444	F445	F445	F445	F445
	F446	F447	F448	F448	F449	F449	F449	F449
	F450	F451	F452	F452	F453	F453	F453	F453
	F454	F455	F456	F456	F457	F457	F457	F457
	F458	F459	F460	F460	F461	F461	F461	F461
	F462	F463	F464	F464	F465	F465	F465	F465
	F466	F467	F468	F468	F469	F469	F469	F469
	F470	F471	F472	F472	F473	F473	F473	F473
	F474	F475	F476	F476	F477	F477	F477	F477
	F478	F479	F480	F480	F481	F481	F481	F481
	F482	F483	F484	F484	F485	F485	F485	F485
	F486	F487	F488	F488	F489	F489	F489	F489
	F490	F491	F492	F492	F493	F493	F493	F493
	F494	F495	F496	F496	F497	F497	F497	F497
	F498	F499	F500	F500	F501	F501	F501	F501
	F502	F503	F504	F504	F505	F505	F505	F505
	F506	F507	F508	F508	F509	F509	F509	F509
	F510	F511	F512	F512	F513	F513	F513	F513
	F514	F515	F516	F516	F517	F517	F517	F517
	F518	F519	F520	F520	F521	F521	F521	F521
	F522	F523	F524	F524	F525	F525	F525	F525
	F526	F527	F528	F528	F529	F529	F529	F529
	F530	F531	F532	F532	F533	F533	F533	F533
	F534	F535	F536	F536	F537	F537	F537	F537
	F538	F539	F540	F540	F541	F541	F541	F541
	F542	F543	F544	F544	F545	F545	F545	F545
	F546	F547	F548	F548	F549	F549	F549	F549
	F550	F551	F552	F552	F553	F553	F553	F553
	F554	F555	F556	F556	F557	F557	F557	F557
	F558	F559	F560	F560	F561	F561	F561	F561
	F562	F563	F564	F564	F565	F565	F565	F565
	F566	F567	F568	F568	F569	F569	F569	F569
	F570	F571	F572	F572	F573	F573	F573	F573
	F574	F575	F576	F576	F577	F577	F577	F577
	F578	F579	F580	F580	F581	F581		

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS



- FEDERATION:** Latin: **foedus, foederis, covenant, union** of partially self-governing states or regions under a central (federal) government
- A league or confederacy. Individuals / groups retain **AUTONOMY**
- A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs


Net joins, drops, splits, merges, moves
Agile, adhoc NETOPS Vs acquisition preserves the **CHANNEL**

Federation
Gateway



Bitcoin Group Signatures Dynamic Membership Multi-party Signature DMMS:
independent interest within group signatures – **FEDERATED ID** {"Org_ID"}

Bitcoin Mining Pools
MEME / METAPHOR MEDIATION



DISTRIBUTED AUTONOMOUS ORGANIZATION = DAO RAND Corp

term coined circa 1991 now in use by Blockchain tech corporations

Uniform_Resource_Name



HEARTBEAT MESSAGES

</RESOURCE> {"URN"}
{"Asset_Class"} </URN>


IeT DEVICE / PLATFORM
IoT SENSOR DEVICE



STOCK EXCHANGE
MIC MARKET IDENTIFIER
CODES / BREVITY CODES



{"DUNS #"} {"Org_ID"} Heartbeat Snaps
QR CODE MICRO-CYCLES




Signalling, Telemetry
EVENT BUS




FEDERATE: COMMON GOALS SYNCHRONIZED IN SPACE - TIME







ENABLE MAPPING OF GOVERNANCE / MANAGEMENT RESOURCES BY PRECEDENCE SHOWN IN GEO-SPATIO INTENSITY DASHBOARD VIEWS





Firefly - Heartbeat Algo



University of Bologna Italy / Hungary

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

ECO ECONOMIC HEARTBEAT

$\Delta\delta X$

("108")



K%

$\Delta\delta$

X

W

ECONOMIC MACRO CYCLES

TIME-SPACE SYNC

K% GDP ECONOMIC PULSE FEDCOIN WORLDCOIN

Luxor Temple Egypt:
"The shortest path towards knowledge of truth is nature"

Temple of Man



LUXOR
EGYPT

FIREFLY inspired Heartbeat Sync Algo

PRECEDENCE UTZ SYNC SYNC
PROCESSING PULSE DELTAS



NEURAL NET
EMULATION

BLOCKCHAIN
PARSING Erlang
TIME EQUATIONS

["Org_ID"]

["URN"]

NIST Beacon
A Public Randomness Service

Crypto Currency
TIME STAMP
SERVER / SERVICE

currencyindex



TERRA
TRC

LEADING ECONOMIC INDICATORS

COMMODITY
PRICE INDEX


LEAD
ECONOMIC
INDICATORS

ETF

DEMURRAGE
PARKING

MICRO
Payments

LOGISTIC FEES
INCENTIVES



Will There Be a Recession?
Economist
Milton Friedman

FRIEDMAN'S K% RULE



Price Indexes in Time and Space
Methods and Practice

ALGORITHMIC REGULATION
TOKEN ECONOMICS

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

UTZ TIME ZONE SYNC

-11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7 8 9 10 11 12 -12

SYNC TO CLOSEST HEARTBEAT

{"URN"} {"URN"} {"URN"}

HEARTBEAT EVENT FLASH MESSAGE BUS

UTZ STOCHASTIC HARMONIZATION

Universal Metrics / Meters

ΣX

$\Delta\delta$

Geo-spatial Temporal Syntax-Semantic Sync & Consensus

SAMPLING

CURRENCY PAIR

ON / OFF SHORE


ON / OFF SHORE

SAMPLING



ON / OFF SHORE



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.




"Heartbeat Synchronization strives to have nodes in a distributed system generate periodic local "heartbeat" events approximately at the same time. It differs from classical clock sync in that Nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. There is no requirement regarding the length of a cycle with respect to real time as long as the length is bounded and all nodes agree on it eventually"





The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.








IDMaps: Global Internet Host Distance Estimation Service



NDN: CONTENT ROUTING / <StratML> NDN INTEREST = Time / Distance



vector



IDMaps scalable Internet-wide architecture measures, disseminates distance information



HOP COUNTS




REACHABILITY



/localhost/nfd/fib/add-nexthop

Higher-level services collect distance information to build a virtual distance map of Internet & estimates distance between any IP address pair



IDMaps provides distance information used by SONAR/HOPS query/reply service

Name Prefix
<Org_ID> Trie (NPT)




NDN NAMES

NDN NAMED DATA NETWORK RIB / FIB Datasets event notification

Distance information adjusts to “permanent” topology changes e.g., splits, joins, adds, moves, drops, merges in lieu of formal merger / acquisition




TRIANGULATION



Datasets and Event Notification

Time Series



NDN STRATEGY CHOICE MANAGER – RIB Routing Information Base add-nexthop

Distance Metrics: latency (e.g., round-trip delay) and, where possible, bandwidth.



NDN INTEREST LIFETIME = TTL Time To Live

HEARTBEAT STATE METADATA SNAPSHOT

GEO-SPATIAL TEMPORAL INTENSITY METRICS, METERS, VECTORS



INFOCON / DEFCON ALERT EVENTS INFORM STAKEHOLDERS OF STATUS CHANGE i.e., NORMAL TO ELEVATED, HIGH OR SEVERE. ALERT LEVELS ARE ARBITRARY BUT MUST BE CONSISTENT e.g., 3 OR 5 FOR MACHINE TO MACHINE PROCESSING



Geo-Spatial Temporal Intensity NOVEL METRICS / METERS:




Paul Revere = linear, sequential



TCP/IP hop by hop counts, by hop controls



Water Drop = AREA / INTENSITY Cyclic Frequency




NAMED DATA NETWORKING

</IoT>
MQTT



NIST TIME BEACON


05:08:50



ARRESTED-D

TELEMETRY TRANSPORT

Hop Count



CLOSER = FASTER, CHEAPER > CYCLE => INTEREST NAMED-DATA NETWORKING

IDMAPS
SONARHOPS
INTERNET
TRIANGULATION



4 / 3 / 2 / 1 / NULL / 1 / 2 / 3 / 4

.0001 .05 .01 .1 0 5 15 30 99

vector WirelessHART

time synchronized,
self-organizing,
mesh Net

ALERT LEVEL >
> NEWSCAST ZONE



SINE-WAVE

TRIGGERS
CAP XML

NDN

<INTEREST> BY
INTENSITY / FREQUENCY

INFOCON
XML
MTF
300 +
MSG

5 4 3 2 1
INFORMATION CONDITION

OASIS

IEEE 802.15.4
OASIS MQTT

TELEMETRY TRANSPORT

DEFCON / INFOCON

PROCESS <CONTENT>
<TAGS> BY PRECEDENCE

1 2 3 4 5

DEFCON / INFOCON

13/573,002 HEART BEACON CYCLE

Time -Space meter, metrics / Universal data event, alert bus
Internet of Everything “ability to hear the world’s heartbeat”


The four dimensions of Big Data

vector VECTOR: quantity having direction and magnitude
position of a point in space relative to another point

TIME STAMP BY Org_ID, URN Before FUSION CENTER

Position of a point in space relative to another point



Interface Name	HEARTBEAT Administration Interface [SCOP]		
Documentation URL	http://scop.sourceforge.net/ http://linuxvirtualserver.org/software/index.html		
API Information	#Big_Data	 <p>Cloud Interface Management configuration, start, stop cloud services, edit configuration (heartbeat messages)</p>	 <p>Cloudcenter THE SKY WITHOUT LIMITATIONS</p>
 <p>#leT</p>	 <p>API Operation Count</p>	 <p>Cloudcenter LOCATE <CONTENT> IDMAPS / SonarHOPS</p>	 <p>Cloudcenter LOCATE <CONTENT> IDMAPS / SonarHOPS</p>
Programmable Money World Computer / Blockchain	 <p>Web service access type Network Effects / A.I.</p>	<p>Web application, front end to [network, device, system, blockchain] heartbeat]</p>	
 <p>NIST TIME BEACON</p>	 <p>LANGUAGE / PLATFORM BINDINGS</p>	 <p>Cloudcenter PHP Java Erlang...</p>	 <p>Cloudcenter THE SKY WITHOUT LIMITATIONS</p>
Interface Characteristics	<p>SCOP is a web application, PHP based front-end to heartbeat, IP Virtual Server ipvs and Idirectord [e.g., check interval @ 5 seconds]</p> <p>SCOP can start/stop services, view/ edit configuration files e.g., heartbeat message state management snapshots, backups, take a service online/offline, add/ remove virtual/real servers, services etc.</p>		
<p>"The external environment could update <u>resources</u> at random... One solution is a heartbeat: defining a default lease duration delaying updates until the next cycle"</p>	 <p>Clock adjusted</p>	 <p>Satoshi Bitcoin Blockchain Time Stamp Server</p> <p>THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER</p> <p>Block chain</p> <p>What does a block look like?</p> <p>Block structure:</p> <ul style="list-style-type: none"> Header Timestamp Previous Block Hash Transactions Hash 	<p>Epoch Time Cycles E0 E1 E2 E3...</p> <p>E1 E2 En</p> <p>MICRO CYCLES MACRO CYCLES</p>
<p>QubitCoin Interval: Every 30 Seconds</p>			

SOFTWARE DEFINED NETWORKING

NETOPS

Command Syntax

REST State Transfer


COMMAND SYNTAX
STATE TRANSFER
Unicast / Multicast
Flow Tables / Workflow
Dynamic Network
Configuration Management

NET CENTRIC WARFARE
SYSTEM OF SYSTEMS TELEMETRY

COMMON COMPONENTS, BUILDING BLOCKS USED WITHIN FEDERATION PROMOTING COMMON GOALS, PROCESSES


- SDN is a *framework* to allow network administrators to *automatically* and dynamically manage and control a *large number* of network devices, *services*, topology, traffic paths, and packet handling (quality of


DevOps model and tools to enable scale, programmable agility, and policy-driven automation, and provides network virtualization to mask network configuration complexity with set of networking APIs



Netcentric / "network-centric" participating in a continuously evolving, complex community of people, devices, information and services interconnected by a network to optimize resource management and provide information on events and conditions.

Net-centric Enterprise Architecture : "massively distributed architecture with components, services available across and throughout an enterprise's entire lines-of-business."





USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES

INTERNET TCP/IP "PING", "HOPS",
"PACKETS", FRAMES = METAPHOR



TIME / DISTANCE SERVICE LEVEL
AGREEMENT SLA / O Operations

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP
DETECTION

IEEE 802.11
HOP BY HOP CONTROL



Unused Resources / Unmet Needs

/localhost/nfd/fib/add-nexthop
Geo-Spatial Temporal
Metrics, Meters

DISTANCE
INFO SERVICE

Time Series

Value
Time

vector

602



UNUSED RESOURCES
UNMET NEEDS

WATER DROP IN POND MEME IS
SONAR NAVY METAPHOR / MEME

NDN </INTEREST>
NDN {"DISTANCE"}

NAMED DATA
NETWORKING

IEEE C37.118
Harmonization
& Sync heartbeat
update Interval

CLOSER SOURCE
CHEAPER RATE

TCP/IP HOP BY HOP COUNT
Energy Attenuates over Distances

603

602

PAUL REVERE
LINEAR, SEQUENTIAL

RADIUS
WATER DROP IN POND MEME

Attribute Series

INTENSITY

WATER DROP IN POND MEME

Geo Spatial

Temporal Series

INTEREST
DISTANCE

TESLA



Micro Grids Closer - Cheaper
BLOCKCHAIN
MICROGRIDS

Spatial Econometrics

TIME-SPACE BEACON INFOCON

METRICS / METERS TRADE WITH EARTH

INFORMATION CONDITION

??? SIRIUS DISCLOSURE

MOON = "Numbers are the Universal Language offered by deity to humans as confirmation of the truth"

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT

MERCURY VENUS EARTH

ASTEROID BELTS = RARE MINERALS

MAIN ASTEROID BELT



Blockchain

BLUEPRINT FOR A NEW ECONOMY



Blocktime Arbitrage MTL (machine trust language) time primitives might be assigned to a micropayment channel DAPP as a time arbiter. In blocktime, the time interval at which things are done is by block. This is the time that it takes blocks to confirm, so blockchain system processes like those involving smart contracts are ordered around the conception of blocktime quanta or units. Since blocktime is an inherent blockchain feature, one of the easiest ways to programmatically specify future time intervals for event conditions and state changes in blockchain-based events is via BLOCKTIME. Universal blocktime source example: a procedure call to NIST or other time oracle.



BLOCKTIME: A General Temporality of Blockchains Blocktime as blockchains' temporality allows the possibility of rejigging time and making it a malleable property of blockchains. The in-built time clock in blockchains is blocktime, the chain of time by which a certain number of blocks will have been confirmed. Time is specified in units of transaction block confirmation times, not minutes or hours like in a human time system. Block confirmation times are convertible to minutes. Conversion metrics might change over time. Network Economies: Economic System as Configurable Parameters

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Erlang programming language / mini OS
massively scalable high availability, real-time Erlang's runtime system built-in concurrency distribution, fault tolerance



- coordinate 1000's of virtual machines
- ...distributed Dbases RIAK, CouchDB
- ...real time data dashboards
- ...service oriented software architectures
- .. server, API endpoints .. RabbitMQ
- ..distributed, multi-node architecture.
- protocol-aware load-balancer, stateful binary comi



Functional Sequential Erlang

- Data types:
 - Integers (incl. BigNums), floats, atoms
 - tuples/records, lists/plists, binaries, funs
 - Maps (added in R17)
- single assignment
- pattern matching & guards
- closures (anonymous function data type)
- list comprehensions
- bit-syntax & binary comprehensions
- tail recursion & tail call optimization (TCO)

SORTING ALGO'S

[Ericsson Open Money For Society Patent App](#)



[20130166398 "System And Method For Implementing A Context Based Payment System."](#)

"It is our vision that one day everyone with access to a mobile phone will be able to spend, send and receive money as easily as sending a text via SMS"
"When money is open, the way we send, spend and receive money will change forever"



Rho ratio *Arrival Rate* $\Delta\delta$ queueing systems wait times
Service Rate per unit time stochastic processes, function scheduling Start, Stop TTL



distributed "noSQL" database, embedded right into Erlang, supports indexing, replication, transactions, and fail-over

Fast ETS in-memory, and DETS persistent on-disk database

Mnesia database ("Organization_ID") Global name resolution

FROM	SOCA	THAI	ABAD	AMPOKE	AFATOK	WIC
ALPHA	ALPH	ALPH	ALPH	ALPH	ALPH	ALPH
NUMERIC	NUMER	NUMER	NUMER	NUMER	NUMER	NUMER
BREVITY						
CODES						
AZURE						
BLETCHLEY						
STRUCTURED						
MILITARY						
MESSAGE						
TEMPLATE						
FORMS						
LOGIC						
FILTERS						





VERITAS TOKENS P2P Capital Market smart contracts Eco Economic HEARTBEAT

Decentralized Trading Platform DAO ORACLE
access conventional, legacy financial data to
price, value, trade & settle OTC, P2P financials



INFOCON
5 4 3 2 1
INFORMATION
CONDITION



{"108"}

STATISTICAL MEAN VALUE INDEX PULSE

GDP INDEX ECONOMY K% RULE



E \$ € ¥
currency index



{"108"}

Algorithmic Regulation



Price Indexes in
Time and Space
Methods and Practice



{"108"}

UTZ SYNC
STOCHASTIC HARMONIZATION



Closer = cheaper



{"108"}

Firefly – Heartbeat
Algorithm Emulation



{"108"}

QRNB NIST Beacon
A Public Randomness Service



IDMaps
SonarHops
DISTANCE
ESTIMATION
SERVICE



Time – Space
Meter Metrics

SYNTAX LEXICON OPSCODE

Brevity Codes mapped
to symbols sets for A.I. / Man –
machine interface / interop

Zero Trust Transaction: money performs I.A.W. to terms agreed to by parties. Ex: purchase of widget from retail store where widget must be delivered to person B on TIME X, in Y condition at PLACE Z or person A does not get paid. Stock, currency, commodities, letters of credit, insurance underwriting, trading, intellectual property...

Cost = stated rates that fluctuate with VeUSD exchange rate.
Veritas holders get priority. The ability to redeem Ve against USD gives clients instant value.

DAO Distributed Autonomous Organization Investor Pools

Place Order X veritaseum™

Principal:	\$100.00
Collateral:	0%
Leverage:	10x
Notional Amount:	\$1000.00
Receive:	QCOM
Pay:	INTC

NAMED DATA NETWORKING {"TAGGED"} CRYPTO

Denominating Asset: ~BTC:SATOSHIS

Contract Expiry: 16w

Contract Starts at: -

Contract Ends at: -

Cancel Contract at: -

Est. Trans. Fees: \$0.0437

Transaction Fees: \$1.0262

Leverage Fees: \$3.2528

Max. Profit/Loss: + \$95.6773 / - \$104.3227

Total Required: \$104.3227

05:08:50

Heartbeat Flash Messages Precedence Processing

Collateral Notional Expiry

FIREFLY HEARTBEAT ALGO EVENT MSG BUS

As long as INTC decline outpaces QCOM, you get paid. QCOM can be replaced with GOOG, or even AAPL although I feel AAPL will have its issues in the upcoming quarters as well.

{"Org_ID"}, {"URN"}, {"Tagged_Bitcoins"}

Non Repudiation

STOP

t₁ t₂ t₃

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

START

STOP

NON REPUDIATION

TIME – SPACE METER METRICS

SYNTAX LEXICON OPS CODE

BREVITY CODES MAPPED TO SYMBOLS SETS FOR A.I. / MAN – MACHINE INTERFACE / INTEROP

VERITASEUM™ "THE UNBREAKABLE PROMISE"



OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin —no fees and no restrictions




- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade

OPENBAZAAR.ORG
BLOCKCHAIN ARBITRAGE



CLOSER = < \$
CLOSER = < CO2


SLA
COMMODITIES
ECONOMIC HEARTBEAT



STAT MEAN VALUE PULSE
REAL WORLD ASSETS RWA

STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS



Price Indexes in
Time and Space
Methods and Practice

SchellingPoint


OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

PROJECT PHILOSOPHY: *MAKE TRADE FREE*

Mission: *shift trade to a decentralized platform*



Demurrage TERRATRC TRADE
Fees REFERENCE CURRENCY
“Money of Peace”



Free, open markets: Commodity / Currency Index

Creating open, competitive markets for services
that cannot be perfectly solved with technology

• Privacy </Org_ID>



HASH Values
Nonce Values </Org_ID>



COMMODITIES

PRODUCERS CONSUMERS

INFORMATION PRODUCTION CONSUMPTION

VALUATION EXCHANGE

REGULATION

STANDARDIZATION

INTEGRATION

COLLABORATION

INNOVATION

DISRUPTION

EVOLUTION

REVOLUTION

TRANSFORMATION

REINVENTION

REFORMATION

REVOLUTION

TRANSFORMATION

Q: Which meme describes the myriad blockchain consensus algorithms the most comprehensively that uses an algorithm (based on nature = “shortest path to the knowledge of truth Luxor Temple) enabling distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync, OPSCODE brevity code, data element & symbol (for A.I. man – machine interface) consensus?

Blockchain Consensus Algorithms & Mechanisms



In the world of blockchain consensus algorithms, consensus is the **HEART OF THE BLOCKCHAIN NETWORK**. Its main purpose is to achieve agreement on transactions among a distributed system (s)

Proof of Formulation: PoF: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization.



Space-Time Consensus Algorithm

BASEBALL "DIAMOND"
A diamond is a square is a block in 3D
Satoshi Nakamoto: "The solution we propose begins with a TIME STAMP SERVER"

90 feet
Blockchain/cryptocurrency increments
Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet
Blockchain/cryptocurrency increments
Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet
Blockchain/cryptocurrency increments
Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume


90 feet
Blockchain/cryptocurrency increments
Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet
Blockchain/cryptocurrency increments
Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet
Blockchain/cryptocurrency increments
Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet
Blockchain/cryptocurrency increments
Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet
Blockchain/cryptocurrency increments
Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume



MESSAGE ex:
• Flashing string
• Hash Table


300+ Templates

Blockchain BABEL

THE CRYPTO CRAZE AND THE CHALLENGE TO BUSINESS


IGOR PEJIC

RegainPage




SOURCE: <https://developcoins.com/blockchain-consensus-algorithms>

PROOF-OF-WORK



THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER



TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner




THROTTLE equivalent to difficulty. State
•target = maximum value of 8 bytes Snap
(2^{64}) divided by the difficulty.

NONCE increments from 0..N until the target is met.



GUESS stores the guess
Effectively, it begins at infinity.




Proof-of-Work: users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address.Nonce allows checking the work




MESSAGE example:
Hash string
•Hash Table

300+Message Templates



POW PAYLOAD : COMBINATIONS OF ENCRYPTED SYNTAX Attribute Series





In a proof-of-stake network, it is the number of coins held in a wallet that determines the "weight" of the user the likelihood for the user to receive the block reward. In a Proof-of-Weight consensus mechanism, any value, not just the amount of coins held, is used to determine the "weight" of a user.



TIME – SPACE MEASUREMENTS OF TOKENIZED COMMODITIES, SECURITIES... STOCHASTICALLY HARMONIZED ACROSS UTZ Universal Time Zone






The Volumetric Weight is often referred to as dimensional weight

$$\text{Volumetric Weight} = [\text{Width} \times \text{Length} \times \text{Height}]$$



On the Filecoin blockchain, for example, the amount of IPFS data that a user is storing is used as the weighted value.





cycle n n + 1 n + 2


FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"



X Δδ



DON: DECENTRALIZED ORACLE NETWORKS



Explicit Staking

Chainlink nodes lock up LINK tokens as collateral that can be slashed for malicious and undesirable behavior.

Chainlink's explicit staking model's goal is to achieve a super-linear staking impact—a mechanism where malicious actors are required to have a budget significantly larger than the combined deposits of all nodes within a DON, creating increasingly greater security guarantees for high-value smart contract applications in a cost-efficient manner.



Explicit staking in Chainlink 2.0 oracle reports reflect the state of specific real-world events outside a blockchain (off-chain).



Chainlink's explicit staking mechanism protects against a broad range of attacks, including advanced strategies like prospective bribery, in which nodes are targeted according to their role in the network, such as those selected for report adjudication.



Behind each DON is a service agreement that will define the number of LINK tokens each oracle node is required to stake and key performance requirements, such as how far an individual node's response can deviate from the aggregated value and how far the aggregated value in an oracle report can deviate from the correct value it should represent. The service agreement can also define other parameters such as the data sources used, how often updates should occur, how much each node is paid, and more.



ALERT LEVEL >

> NEWSCAST ZONE

Outputs produced by a DON are structured into reporting rounds, where each round involves the creation of a new oracle report containing each node's individual response for a particular piece of data (e.g. the price of ETH/USD), with all the individual responses aggregated into a single value (e.g. taking the median). A DON network's service agreement defines how each report should be generated & conditions in which a node's stake can be slashed.




DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS

Linear Sequential Meme

....-1 / 0 / +1... $\Delta \delta$ > Σ








Adaptive
Procedural
Checklist

Proof-of-activity PoA is a combination of Proof of Work / Stake blockchain consensus algorithms:


Example of Proof-of-Activity (PoA)

Decred (DCR) is the most well-known cryptocurrency that uses the PoA consensus mechanism. With Decred, blocks are created about every five minutes.² The mining process for Decred begins with nodes (computers that participate in the network) looking for a solution to a cryptographic puzzle with a known difficulty level in order to create a new block. Once the solution has been found, it is broadcast to the network. The network then verifies the solution. At this point, the system becomes a PoS. The more DCR that a node has mined, the more likely they are to be chosen to vote on the block. (In DCR's blockchain, stakeholders earn tickets that grant them voting power in exchange for mining DCR.) Five tickets are chosen pseudo-randomly from the ticket pool; if at least 3 of the 5 vote "yes" to validate the block, it is permanently added to the blockchain. Both miners, voters are rewarded with DCR.



PROOF-OF-WORK

HEART BEACON CYCLE 13/573,002




SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET

"PoET for 'Proof of Elapsed Time', is a **lottery protocol** that builds on trusted execution environments (TEEs) provided by Intel's [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting**, is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality."



PROOF OF ELAPSED TIME



Time Series Databases

QUORUM VOTING PROTOCOL

Voting Based Selection: stake size & block generators selected by votes


Voting based selection Instead of only using the stake size, the block generators can be selected by votes
ex: League MVP

MVP



Robert's Rules quorum = minimum # of voting members who must be present at meetings to conduct business of the group


TOURNAMENT LEAGUE BOARD



FIREFLY-HEARTBEAT FLASH MESSAGES UNIVERSAL EVENT BUS



"BITCOIN'S VALUE IS TIME ITSELF – DIGINOMICS"




HASH TABLES / NONCE VALUES

Capture ledger's state $\Delta\delta$
Transaction language changes ledger state
Consensus, transaction acceptance protocol




NEO Delegated Byzantine Fault Tolerance (dBFT)



No collusion between individuals or entities is possible. Participants in the network validate transactions adding to the ledger have no affiliation or relationship (political, adversarial, etc.) with the transaction or its participants. Only a permissionless platform can meet this set of criteria.

Specifically, a random selection algorithm called RS is developed to cooperate with the voting mechanism, which can effectively reduce the number of nodes participating in the consensus process. Our proposed scheme is characterized by the unpredictability, randomness, and Impartiality, which accelerate the system to reach consensus on the premise of ensuring system activity. ✓






HASHGRAPH
Directed Acyclic
Graph DAG

Hashgraph consensus algorithm
for replicated state machines

- Consensus Event Time Stamps
- State Meta data consensus order
- **Virtual voting:** each member has a Hashgraph copy
- Famous witnesses

data structure that records who gossiped to whom in what order $\Delta\delta$

Gossip In Bitcoin: transactions and mined blocks are gossiped.
Consensus is enhanced via "gossip about gossip"



DAG "Directed Acyclic Graph" large number of blocks arrive at the same time. DAG system reaches consensus leveraging "Gossip"... information spread by a computer calling up other computers at random, sharing everything it knows

Community members reach consensus agreement on events / transactions order inside events, and agree on a timestamp for each event /transaction

DAG finite directed graph
= no directed cycles

Consensus Order

$$\sum \Delta\delta \times$$


Round created
Witness



0 / 1

Famous witness
Election



Vote



See



Strongly see



Supermajority



Decide

0 / 1


Round created

Round received

Consensus timestamp

Consensus order $\Delta\delta$

Hashgraph Member Event Transaction Consensus Order Timestamp Gossip protocol Self-parent Other-parent Graph Hash Hashgraph



Hash
Nonce

Synchronous



Asynchronous




Micro-Cycle

State Meta


Data Snapshots

The Heart Beacon Cycle Time – Space Meter
Adaptive Procedural Template Checklist
Heartbeat Sync Delta state meta data
structured data exchange snapshots
300 + Use Case message template sets
Rosetta Stone Syntax lexicon Coder's guide



$\Delta\delta$
EVENT EVENT


Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics




vector
WORLDWIDE LOW-EARTH ORBIT SATELLITE TRIANGULATION NETWORK, 364 CAMERAS



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



FIREFLY HEARTBEAT Synchronization Algorithm



CLOCK TIME CYCLE INTERVAL EPOCHS

cycle n n + 1 n + 2

FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM

"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"



$\Delta\delta$

Proof of Burn



Proof of burn (POB) operates on the principle of allowing miners to “burn” virtual currency tokens. They are then granted the right to write blocks in proportion to the coins burnt.


Iain Stewart, the inventor of the POB algorithm, uses an analogy to describe the algorithm: burnt coins are like mining rigs. In this analogy, a miner burns their coins to buy a virtual mining rig that gives them the power to mine blocks. The more coins burned by the miner, the bigger their virtual mining "rig" will be.²

To burn the coins, miners send them to a verifiably un-spendable address. This process does not consume many resources (other than the burned coins) and ensures that the network remains active and agile. Depending upon the implementation, miners are allowed to burn the native currency or the currency of an alternate chain, such as Bitcoin. In exchange, they receive a reward in the native currency token of the blockchain.



You can send out transactions to the network that will burn your own cryptocurrency coins. Other participants can mine/burn on top of your block, and you can also take the transactions of other participants to add them to your block. Essentially, all of this burning activity keeps the network agile, and participants are rewarded for their activities (both burning their own coins and burning other people's coins).

To prevent the possibility of unfair advantages for early adopters, the POB system has implemented a mechanism that promotes the periodic burning of cryptocurrency coins to maintain mining power. The power of burnt coins “decays” or reduces partially each time a new block is mined. This promotes regular activity by the miners, instead of a one-time, early investment. To maintain a competitive edge, miners may also need to periodically invest in better equipment as technology advances.



IEEE C37.118 Time Synchronization
Harmonization Heartbeat update Interval
PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

- (1) Active ID
- (2) Heartbeat 1.
- (3) Heartbeat 2.
- (4) Device Status 1.
- (5) Device Status 2.


TAG	SLA/O	Token Award
{"Org_ID"} ActiveID	[UFO2_ACTIVEID]	</EVENT>
IF1_Heartbeat (IF-Node1)	[UFO2_HEARTBEAT:#]	</EVENT>
IF2_Heartbeat (IF-Node2)	[UFO2_HEARTBEAT:#]	</EVENT>
{"UUID"} IF1_DeviceStatus (IF-Node1)	[UFO2_DEVICESTAT:#]	</EVENT>
{"UUID"} IF2_DeviceStatus (IF-Node2)	[UFO2_DEVICESTAT:#]	</EVENT>
IF1_State (IF-Node1)	$\Delta\delta$	[UFO2_STATE:#]
IF2_State (IF-Node2)	$\Delta\delta$	[UFO2_STATE:#]

Proof of Capacity PoC



consensus mechanism algorithm for mining devices to use hard drive space to decide mining rights, validate transactions

Proof of capacity for mining devices, also known as blockchain nodes, to use empty space on their hard drive to mine the available [cryptocurrencies](#).



Instead of repeatedly altering the numbers in the block header & repeated hashing for the solution value as in a PoW system, PoC works by storing a list of possible solutions on the mining device's hard drive before mining activity starts




The larger the hard drive, the > possible solution values one can store on the hard drive, the more chances a miner has to match required hash value from his list, resulting in more chances to win the mining reward.



Analogy: if lottery rewards are based on matching the most numbers on the winning ticket, then a player with a longer list of possible solutions will have better chances of winning. Additionally, the player is allowed to keep using the lottery ticket block numbers again and again repeatedly.



Bitcoin purchase akin to property



Proof of Authority



{"GROUP ID"}
{"Org_ID"}

Not pay to play, Node identity is kept as stake

A PoA network are secured by validators, that are selected democratically by existing validators. The nodes on the PoA network are rewarded for validating the transactions on the network. The identity of the validator is kept anonymous by encryption and secured cryptographically. It is revealed only as a negative reinforcement when the validator processes a fraudulent or a malicious transaction.



A notary license verifies the identity of the person formally, a notary license is released by the Federation / Government after extensive verification. The identity of the validator is kept for cross-referencing with the notary data and blockchain data

Parity supports a Proof-of-Authority consensus engine. Proof-of-Authority is a replacement for Proof-of-Work, and can be used for private or centralized chains. PoA as tested by a Kovan test network improves outdated economic models.

1. **FEDERATION:** Latin: *foedus, foederis, covenant, union* of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs





Net joins, drops, splits, merges, moves

Agile, adhoc NETOPS Vs acquisition preserves the

DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle



FEDERATE / TRADE FEDERATIONS



BTC NG NEX GEN / Heart Beacon Cycle 13/573,002

KEY BLOCKS:

- NO CONTENT = NULL
- LEADER ELECTION



MVP

EVENT BUS

MICRO BLOCKS:

- ONLY CONTENT
- NO CONTENTION




FROM	GCDA	TAB	ASAS	AMPCDS	AFATDR	WCR	TO
GCDA	FC001	FC002	FC003	FC004	FC005	FC006	FC007
TAB	FC008	FC009	FC010	FC011	FC012	FC013	FC014
ASAS	FC015	FC016	FC017	FC018	FC019	FC020	FC021
AMPCDS	FC022	FC023	FC024	FC025	FC026	FC027	FC028
AFATDR	FC029	FC030	FC031	FC032	FC033	FC034	FC035
WCR	FC036	FC037	FC038	FC039	FC040	FC041	FC042

XBRIL / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS




CPU CHIP EPOCHS



long exponential intervals (10 min)




COMMAND SYNTAX
RESTFUL State Transfer



Subjective Time to Prune

Additional metrics used by researchers included "time to prune", or the time it takes for miners whether they are on the correct "branch" or version of the blockchain they are processing transactions. As block sizes increase, suggested time to prune increases.




short deterministic intervals (10 sec)

MACRO – CYCLES



ATOMIC CLOCK

MICRO-CYCLES



real-time gross settlement system,
currency exchange, remittance network

A.K.A Ripple Transaction Protocol or Ripple protocol, built on a distributed open source Internet protocol, consensus ledger and native currency called XRP. Ripple enables "secure, instant and nearly free global financial transactions of any size with no chargebacks." Ripple supports tokens representing fiat currency, cryptocurrency, commodity or any other unit of value such as frequent flier miles or mobile minutes. Ripple is based around a shared, public database or ledger, which uses a consensus process that allows for payments, exchanges and remittance in a distributed process.

Connects to receiving bank's
Ripple Connect to exchange KYC,
risk info, fees, payment details,
expected time of funds delivery

Provides information about total
costs of the transaction



Workflows are serially executed
Except first two work flow are
workflows are based on **event**
pull model



Bitcoin Address Shortener

Bitcoin Address Shortener is an Android app that you can use to shorten those lengthy bitcoin addresses!

Simply enter a long Bitcoin address to have it transformed into a short one, and VICE-VERSA!

You can get it for free [here!](#)



GET IT ON Google play

ALPHA NUMERIC BREVITY CODES A.I

To retrieve addresses us computer, use [bitco.info](#)

Clock Clock adjusted 5:45 PM

Neutral transaction protocol





UNICOIN

Digital Capital Exchange

Unicorn: IMF CBDC legal tender settlement coin

Universal Monetary Unit (UMU), a.k.a Unicorn: store of value cryptography, artificial intelligence (A.I.) Goals: continuous purchasing demand, minimal price volatility, and annual asset pricing targets.


The primary value of any commodity is its utility value.

Utility = pay for goods, services, and debts, preserve value over a long period of time. Employs machine learning trading bots. UMPC will establish yield payout rates for wallet holders to stake Unicorn in the Staked Proof of Trust (SPOT) consensus protocol. PoT consensus selects

validators I.A.W contribution to the DeFI network

KYC Entity	Ledgers	FX Rates	SPOT Protocol
Create	Create	Activity	Stake
Modify	Modify	Deposit	Cashout
Suspend	Suspend	Withdraw	Reject
KYC People	CBDC	Money Services	Authorizations
Create	Create	Transfer	Grant Authorization
Modify	Modify		Revoke Authorization
Suspend	Suspend		
Issuers	Pause	Escrow	Rates
Create	Unpause	Create Escrow	Create Rate
Modify	Mint	Accept Escrow	Modify Rate
Suspend	Burn	Cancel Escrow	Suspend Rate
Post Rates	Redeem	Release Escrow	
Branches	Swap	Milestones	Limits
Create	Supply	Create Milestone	Create Limit
Modify	Price	Modify Milestone	Modify Limit
Suspend		Cancel Milestone	Suspend Limit
Agents	Wallets	Release Milestone	Sanctions
Create	Create		Create Sanction
Modify	Modify		Modify Sanction
Suspend	Suspend		Suspend Sanction
	Pause		
	Unpause		
	Attach		

Figure 9: Unicorn Global Localization of a CBDC Public Monetary System





UNICOIN

Digital Capital Exchange

Unicoin: IMF CBDC legal tender settlement coin

Universal Monetary Unit (UMU), a.k.a Unicoin: store of value
cryptography, artificial intelligence (A.I.) Goals: continuous purchasing
demand, minimal price volatility, and annual asset pricing targets.

The primary value of any commodity is its utility value.

Utility = pay for goods, services, and debts, preserve value over a long period of time. Employs machine learning trading bots. UMPC will establish yield payout rates for wallet holders to stake Unicoin in the Staked Proof of Trust (SPOT) consensus protocol. PoT consensus selects validators I.A.W contribution to the DeFI network Ü

validators I.A.W contribution to the DeFI network

The DCMA – Digital Public Monetary System			
KYC Entity	Ledgers	FX Rates	SPOT Protocol
Create	Create	Balances	Stake
Modify	Modify	Activity	Cashout
Suspend	Suspend	Deposit	Reject
	Balance	Withdraw	
KYC People	CBDC	Money Services	Authorizations
Create	Create	Transfer	Grant Authorization
Modify	Modify		Revoke Authorization
Suspend	Suspend		
Issuers	Pause	Escrow	Rates
Create	Unpause	Create Escrow	Create Rate
Modify	Mint	Accept Escrow	Modify Rate
Suspend	Burn	Cancel Escrow	Suspend Rate
Post Rates	Redeem	Release Escrow	
	Swap		
Branches	Supply	Milestones	Limits
Create	Price	Create Milestone	Create Limit
Modify		Modify Milestone	Modify Limit
Suspend	Wallets	Cancel Milestone	Suspend Limit
		Release Milestone	
Agents	Create	Sanctions	
Create	Modify	Create Sanction	
Modify	Suspend	Modify Sanction	
Suspend	Pause	Suspend Sanction	
	Unpause		
	Attach		

Figure 9: Unicorn Global Localization of a CBDC Public Monetary System





UNICOIN

Digital Capital Exchange


Unicoin: IMF CBDC legal tender settlement coin

Universal Monetary Unit (UMU), a.k.a Unicoin: store of value
cryptography, artificial intelligence (A.I.) Goals: continuous purchasing
demand, minimal price volatility, and annual asset pricing targets.

The primary value of any commodity is its utility value.

Utility = pay for goods, services, and debts, preserve value
over a long period of time. Employs machine learning
trading bots. UMPC will establish yield payout rates for
wallet holders to stake Unicoin in the Staked Proof of Trust
(SPOT) consensus protocol. PoT consensus selects
validators I.A.W contribution to the DeFI network

Ü



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.





OTA: Internet Of Things IOT distributed ledger
with microtransactions without fees

Tangle, a directed, ASYNCHRONOUS acyclic graph (DAG) for storing transactions

Contrary to Blockchains, consensus is no longer decoupled, It is an intrinsic part of the system for decentralized, self-regulating peer-to-peer network. Transfer value without fees

The iota network is ASYNCHRONOUS. In general, nodes do not necessarily see the same set of transactions. The tangle may contain conflicting transactions. The nodes do not have to achieve consensus on which valid transactions have the right to be in the ledger, meaning all of them can be in the tangle. However, in the case where there are conflicting transactions, the nodes need to decide which transactions will become orphaned. Nodes use the tip (unapproved transaction) selection algorithm to decide between two conflicting transactions. GHOST protocol main ledger = tree



ZEPPELIN



ZEPPELIN OPEN, GLOBAL ECONOMY

OpenZeppelin open framework of reusable, secure smart contracts in the Solidity language


zeppelinOS, operating system for smart contracts
"the rate of innovation in building decentralized applications is limited by the manual and duplicative efforts developers must make to ensure basic usability and security."

WORLD ECONOMIC HEARTBEAT



HEART BEACON CYCLE TIME – SPACE METER ECO-ECONOMETRICS ON THE BITCOIN BLOCKCHAIN

Syntax Lexicon Library
300 + Templates



STRUCTURED DATA EXCHANGE

Protocol	Version	Standard	API	Implementation	Specification	Language	Notes
ABAP	P101	PSI	PSI	PSI	PSI	ABAP	
ANCHOR	P101	PSI	PSI	PSI	PSI	ANCHOR	
APACHE	P101	PSI	PSI	PSI	PSI	APACHE	
ARM	P101	PSI	PSI	PSI	PSI	ARM	
CLOUD	P101	PSI	PSI	PSI	PSI	CLOUD	
COAP	P101	PSI	PSI	PSI	PSI	COAP	
DDS	P101	PSI	PSI	PSI	PSI	DDS	
EDIFICE	P101	PSI	PSI	PSI	PSI	EDIFICE	
EMBEDDED	P101	PSI	PSI	PSI	PSI	EMBEDDED	
FMN	P101	PSI	PSI	PSI	PSI	FMN	
HTTP	P101	PSI	PSI	PSI	PSI	HTTP	
ICMP	P101	PSI	PSI	PSI	PSI	ICMP	
IMPERITY	P101	PSI	PSI	PSI	PSI	IMPERITY	
IP	P101	PSI	PSI	PSI	PSI	IP	
IPFIX	P101	PSI	PSI	PSI	PSI	IPFIX	
JAVA	P101	PSI	PSI	PSI	PSI	JAVA	
JSON	P101	PSI	PSI	PSI	PSI	JSON	
NETCONF	P101	PSI	PSI	PSI	PSI	NETCONF	
OPENAPI	P101	PSI	PSI	PSI	PSI	OPENAPI	
OSPF	P101	PSI	PSI	PSI	PSI	OSPF	
PCP	P101	PSI	PSI	PSI	PSI	PCP	
PROFINET	P101	PSI	PSI	PSI	PSI	PROFINET	
RFC	P101	PSI	PSI	PSI	PSI	RFC	
RTSP	P101	PSI	PSI	PSI	PSI	RTSP	
SDN	P101	PSI	PSI	PSI	PSI	SDN	
SNMP	P101	PSI	PSI	PSI	PSI	SNMP	
TCP	P101	PSI	PSI	PSI	PSI	TCP	
UDI	P101	PSI	PSI	PSI	PSI	UDI	
UML	P101	PSI	PSI	PSI	PSI	UML	
XML	P101	PSI	PSI	PSI	PSI	XML	
XSD	P101	PSI	PSI	PSI	PSI	XSD	

LOGIC / FILTERS
ALPHA-NUMERIC
BREVITY CODES




STOCHASTIC HARMONIZATION for TELCO Mesh Fabrics



HASH / NONCE
PAUSABLE START STOP
TIME TO LIVE INSTRUCTIONS
STOP
FLASH MESSAGE BUS
TIME CYCLES SYNTAX

STATE META DATA SNAPSHOTS
Erlang Time Equations Function calls
Blockchain Parsing

UNIVERSAL MEME
BLOCK
ROLES Meters
RULES Metrics
FLASH HEARTBEAT MESSAGE BUS



ZEPPELIN / zeppelinOS Common Functionality:

zeppelinOS Kernel common set of functions for smart contracts requesting services from the OS rather than re-implementing them from scratch. Functions will be available as an on-chain standard library of reusable contracts and functions, inspired by [OpenZeppelin](#) Libraries

Create and customize your own ERC20 Token.

- Create capped, refundable and/or whitelisted crowd sale contracts
- Create a trustless bug bounty.
- Create pausable, ownable, balance-limited contracts
- Set up a token vesting or token locking contract.



Contract development

Dapp

Dapp

Dapp

Dapp

Contract interaction

Kernel libraries

Scheduler

Marketplace

State channels

Off chain tools

zeppelinOS

EVM



Blockchain




EGaaS

ELECTRONIC GOVERNMENT AS A SERVICE

Distributed digital asset registries were the first projects that used blockchain systems such as databases designed for secure storage of records on real estate property, stocks, copyright and so on. It is assumed hosting any document on the blockchain is equivalent to notarization of its content at a fixed time point.




The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. INCENTIVIZE ECO - FRIENDLY TRANSACTIONS



E-GaaS: international blockchain platform for organizing economic, state, social activities of citizens , communities on the basis of smart law, smart contract system. eGaaS offers a comprehensive solution needed for state and business management on the blockchain platform.



FORM	CODEC-A	CODEC-B	CODEC-C	CODEC-D	CODEC-E	CODEC-F	CODEC-G	CODEC-H	CODEC-I	CODEC-J	CODEC-K	CODEC-L	CODEC-M	CODEC-N	CODEC-O	CODEC-P	CODEC-Q	CODEC-R	CODEC-S	CODEC-T	CODEC-U	CODEC-V	CODEC-W	CODEC-X	CODEC-Y	CODEC-Z
ASAB	PRE1	PRE2	PRE3	PRE4	PRE5	PRE6	PRE7	PRE8	PRE9	PRE10	PRE11	PRE12	PRE13	PRE14	PRE15	PRE16	PRE17	PRE18	PRE19	PRE20	PRE21	PRE22	PRE23	PRE24	PRE25	PRE26
ANOMIA	PRE1	PRE2	PRE3	PRE4	PRE5	PRE6	PRE7	PRE8	PRE9	PRE10	PRE11	PRE12	PRE13	PRE14	PRE15	PRE16	PRE17	PRE18	PRE19	PRE20	PRE21	PRE22	PRE23	PRE24	PRE25	PRE26
AFATOR	PRE1	PRE2	PRE3	PRE4	PRE5	PRE6	PRE7	PRE8	PRE9	PRE10	PRE11	PRE12	PRE13	PRE14	PRE15	PRE16	PRE17	PRE18	PRE19	PRE20	PRE21	PRE22	PRE23	PRE24	PRE25	PRE26
MCR	PRE1	PRE2	PRE3	PRE4	PRE5	PRE6	PRE7	PRE8	PRE9	PRE10	PRE11	PRE12	PRE13	PRE14	PRE15	PRE16	PRE17	PRE18	PRE19	PRE20	PRE21	PRE22	PRE23	PRE24	PRE25	PRE26
COACH	PRE1	PRE2	PRE3	PRE4	PRE5	PRE6	PRE7	PRE8	PRE9	PRE10	PRE11	PRE12	PRE13	PRE14	PRE15	PRE16	PRE17	PRE18	PRE19	PRE20	PRE21	PRE22	PRE23	PRE24	PRE25	PRE26





"EARTHDAY EVERYDAY ON THE BITCOIN BLOCKCHAIN"
"GIVE A HOOT, DON'T POLLUTE" Woodsy The Owl

GNOSIS

Gnosis Wisdom (WIZ) pay platform fees in Services layer, Wiz subsidize other participants fees, provide initial subsidies for markets, or market trading.

WIZ pegged to \$1 USD worth of fees. WIZ acts as coupon for \$1 of Gnosis

Gnosis tokens (GNO) generate Wisdom token s(WIZ) via smart contract

GNO token holders agree to "lock" tokens in a smart contract (30-365 days). A multiplier is added for longer lock durations. Smart contract determines selected lock duration and applies that duration to a formula regulating supply of WIZ tokens currently in use. Once users execute the contract, 30% of their WIZ are distributed for use, the remaining 70% is distributed proportionally over the locked duration. When lock duration expires, the locked GNO ceases to generate WIZ & GNO is freely transferable

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.





"Our mission is to build an accessible prediction market platform enabling free flow of useful information / the "Google" of Customized Information Searching"

Futarchy PREDICTION MARKETS
GnosisAMA

Gnosis trading interface alpha
WIZ token fee payment
INFORMATION ARBITRAGE ECONOMICS

TERRACYCLE Price Oracle




THE TERRA (TRC)

Trade Reference Currency



Demurrage Fees



Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length in real time as long as length is bounded & all nodes agree eventually"





Harmonic Sphere Flux Resonator



ENERGY / DATA

"When space-time spins, it creates mass. It produces energy in space that radiates. This radiation is what we call mass". Nassim Haramein

Nassim Haramein's work is geometrically based, at the fundamental level spacetime = honeycomb of overlapping spheres of energy each having a singularity at its center.

Yttrium iron garnet spheres serve as magnetically tunable filters and resonators for microwave frequencies. YIG filters are used for their high Q factors, typically between 100 and 200.

Sphere made from a single crystal of synthetic yttrium iron garnet acts as a resonator. Wikipedia



YIG/graphene structures and the electrodes used to measure the dc voltage due to the IREE charge current in the graphene layer resulting from the spin currents generated by microwave FMR spin pumping.

IEEE 802.1AG HOP BY HOP DETECTION
IEEE 802.11 HbH HOP BY HOP CONTROL

The creation of spinlogic devices, which allow the control and transport of the spin current over long distances, is one of the major research challenges in spintronics. In this regard, graphene-a single atomic layer of carbon atoms in a honeycomb lattice [see Fig. 1(c)]-has attracted great attention as a promising material for spin-based devices due to its exceptional electronic transport properties, excellent charge carrier mobility, quantum transport, long spin diffusion lengths, and spin relaxation times [42]






Bitcoin Classic seeks to mitigate the problem of more transactions, which are causing transaction backlogs and increased transaction costs, by increasing the block size - the number of kilobytes in a block of transactions - from 1MB to 2MB.





ALL THINGS INTERNET FORMED W 1) TIME EPOCHS 2) SYNTAX



BitPay Core: limits: 1) block size 'hard limit' adjusted on a regular basis coinciding with difficulty adjustments, 2) miner set 'soft limit' like focal points in Unlimited. $\Delta\delta$



Bitcoin Unlimited: absence of a hard-coded block-size limit. Users manually set limits on their own nodes; Consensus on a limit expected to emerge naturally at Schelling focal point. Unlimited introduces a level of democracy into development, management of the implementation, . the community votes on changes.



**Microsoft Blockchain modular framework:
choose combination of tech best fits Biz domain**

AZURE: Core/Kernel/Universal Protocol 

Fabric Tier consortium node CryptoDelegate in
VM or UTXO Adapter, (Azure, AzureStack, AWS..)

Unspent Transaction Output protocols UTXO

Crypto Tokenized Assets Digital Bearer Bonds
unique identity for owned artifacts

Utility Cryptlets encryption, time & date events, external
data access, authentication “CryptoDelegate” / adapter


Blockchain middleware: identity and operations management, data,
intelligence services like analytics and machine learning. New middleware
works with existing Azure services, like Active Directory and Key Vault

Blockchain Fabric: Blockchain Gateway Services [Interledger](#)-
like services to allow for SmartContracts and tokenized
objects to be passed between different ledger systems.

Data Services - key data services like distributed file systems
(IPFS, Storj, etc) of off-chain data referenced by public keys. 

Auditing, Advanced Analytics, Machine Learning, Dashboarding
services for SmartContracts, Blockchains, Consortia, Regulators

Utility and Contract. Developers can discover and enlist Cryptlets into
their SmartContracts to create more robust and trusted transactions.
Contract Cryptlets are full delegation engines that act as
SmartContract surrogates off the chain. Cryptlets provide
execution logic and securely store data in the Smart Contract 




ALPHA NUMERIC BREVITY CODES SYMBOL CODES	
STRUCTURED MILITARY MESSAGE TEMPLATE FORMS LOGIC / FILTERS	





The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



MULTI-MEME MULTI-METER



MYRIAD MEMES MEDiation



CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS
Physical = Opposite of abstract = ALICE
HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002

first base
RUNNER
Message Bus

Firefly – Heartbeat Algo
Stochastic Harmonization
EVENTS

FIX {"108"}
FLASH MESSAGE
EVENT BUS
TIME STAMP SERVER


IoT
Microsoft Orleans

TIME-SPACE
EQUATIONS
ALGORITHMS
BLOCKCHAIN
PARSING



Byzantine Fault-Tolerant State Machine Replication

BFT-SMaRT dynamic distributed system processes are divided in two nonintersecting subsets: replicas and clients. Each system process has a unique identifier. During dynamic system execution, a sequence of views is installed to denote the reconfigurations due to replicas joins and leaves. A view is composed by a set of replicas identifiers.



Modularity is achieved using a set of building blocks(or modules)containing the core functionality of BFTSMaRt. Blocks are divided in three groups: communication system, state machine replication and state management.

BFT-SMaRT needs an eventually synchronous system

Total order multicast is achieved using the Mod-SMaRt protocol and with the Byzantine consensus algorithm Clients send requests to all replicas in cv, and wait for replies. replicas store each batch of ordered requests to a (stable) log and, periodically, take snapshots of the application state and store it in stable memory.

USPTO 13/573,002 HEART BEACON CYCLE TIME-SPACE METER

USCt ALICE CORP V CLS BANK

PHYSICAL = OPPOSITE OF ABSTRACT




DERIVED FROM BATTLEFIELD DIGITIZATION DISTRIBUTED AUTONOMOUS ORGANIZATION DAO SYSTEM OF SYSTEMS


FEDERATED ID / ORGANIZATIONAL IDENTIFIER {"ORG_ID"}

ADDS, JOINS, DROPS, MOVES TO / FROM DAO

CHANGES IN STATE VIEWED IN "APPLIQUE' OVERLAY VIEWS

00.99 HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS





ETHER: Compensate Resource Contribution

Gas: price to
Run contract
transactions


ethereum

Casper is a security-deposit based economic consensus protocol. Nodes = "bonded validators" place security deposit (an action called "bonding") If a validator generates an invalid action, account deposits are forfeited along with consensus privilege. Use of security deposits address "nothing at stake" problem; that behaving badly is not expensive. Casper is an **EVENTUALLY CONSISTANT** blockchain-based consensus protocol. CASPER favors availability over consistency



Ether hedged against
other crypto / FIAT
currencies price chan $\Delta\delta$

Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time... **EVENTUALLY**



D F I N I T Y

RANDOM # BEACON

Blockchain Nervous System

HEARTBEAT {"108"} State Meta Data Snapshot Msgs

STATEFUL DECENTRALIZED NET PROTOCOL:
Decentralized process workflows instead of
Centralized Server farms

FIREFLY-HEARTBEAT FLASH Msg EVENT BUS

GROUP Signature is random number

- Number selects next group {"Org_ID"} {"Org_ID"}
- Next group use previous no. as message
- Verifiable Random Function
- Numbers verifiable using group public key
- New values produced in threshold agreement
- Random members {"Org_ID"} {"Org_ID"}**
- Each process is a member of multiple groups
- Groups intersect, have +/- 400 members
- BLS signature scheme**
- Math magic... If 51% of group members broadcast "signature shares" on a message, these are combined to create the group's threshold signature.

HYPER GEOMETRIC PROBABILITY CALCULATOR

CONSENSUS / RANDOM BEACON

Threshold relay chain generates randomness, records network metadata & validation tree "state root". State and updates to state stored on shards... State transitions passed to Validation Tree

NIST Beacon
A Public Randomness Service

QUANTUM RANDOM #

Each process has mining identity

- Public key with meta data attached
- IDs mediate participation**
- Private network: trusted dealer defines list
- Public network: CC security deposit, USCIDs

3 x 5 HASH TABLES STATE META DATA SHARDS

State Meta Data Snapshots Survey Point

MICRO CYCLES

home plate

TIME STAMP SERVER

EVENTS

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

INDEX CARD="SHARD"

HBC "ORG_ID" {"URN"} CLASS ASSET TYPE {"UUID"} DEVICE TYPE

UTZ TIME ZONE SYNC

USPTO 13/573,002 HEART BEACON CYCLE TIME – SPACE METER

CLOCK FACE 360'
90 / 90 / 90 / 90

SATOSHI NAKAMOTO:
"The solution we propose begins with a TIME STAMP SERVER"

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D

2nd Base

ALICE Corp VS CLS BANK SC 573 US 134 2347 CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS Physical = Opposite of abstract = ALICE HEART BEACON CYCLE TIME – SPACE METER USPTO 13/573,002

90 feet

Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

3rd Base

STATISTICIAN Metrics, Meters

Stat Mean Value Index

3 X 5 HASH TABLES STATE META DATA SHARDS

SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY IRS #1421

90 feet

Firefly – Heartbeat Algo Stochastic Harmonization FIX {"108"} FLASH MESSAGE EVENT BUS

90 feet

Time Stamp Server

Epoch Time Cycles

Micro Cycles

Survey Point

home plate

Time Stamp Server

Events

Flash Message Event Bus

Time Stamp Server

Epoch Time Cycles



core blockchain code written in Erlang, for distributed, fault-tolerant, soft real-time and highly available non-stop applications.

ERLANG API FOR BLOCKCHAIN



ORACLES: crucial feature for most contracts, whether encoded as text or as code, is the ability to refer to values from the environment. æternity Oracle Machine provides real-world data to the blockchain. Each user can ask questions about the environment. Anyone can answer. Consensus mechanism invoked in case of disagreement.

MIT-licensed modules for easy implementation in blockchain consortiums. Free and open access for developers build on the æternity platform.

CROSS – CHAIN ATOMIC SWAPS

AE Tokens AE are access tokens to the æternity network and act as a unit of account for the resources spent on æternity.



Aeons: energy for applications implemented on the platform.


ACCOUNTS & IDENTITY: æternity's accounts are permission-less, but allow customization via schema.org's semantic web scheme. Create & own (**federated group**) / individual identities on the æternity network



("ORG_ID")

("ORG_ID")

NAMES (DNS) In the vein of Aaron Swartz' work and Namecoin, æternity features an easy to use name system, that is both decentralized and secure, while still supporting human-friendly, memorable names. The blockchain's state includes a mapping from unique human-friendly strings to fixed-size byte arrays, that are individually customizable.



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. No need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree

AETERNITY CROSS-CHAIN ATOMIC SWAPS CORRESPOND TO HEART BEACON CYCLE'S USE OF BATTLEFIELD DIGITIZATION DERIVED HEARTBEAT SYNC DELTAS



$\Delta\delta$



Terra Trade Reference Currency TRC "world currency" Bernard A. Lietaer Belgian economist proposed 1991 Basket of 9-12 most important commodities. Public issued demurrage fees for storage, shipping, handling

TOKENS REPRESENT REAL WORLD VALUE URN RESOURCES

ETHEREUM USES GAS GUAGE MEME INDICATING THRESHOLD MET / NOT MET



BLOCK
ROLES Meters
RULES Metrics



HBC's PRIMARY USE CASE IS TO ORGANIZE INDIVIDUALS IN TRADE FEDERATION GROUPS RE-USING BATTLEFIELD DIGITIZATION / ARIN Organizational Identifier Org_ID for Ecosphere friendly trade




Federation Gateway
("ORG_ID")



HYPER LEDGER OPEN SOURCE BLOCKCHAIN

Core APIs, & SDKs

$\Delta\delta$ Shared Ledger



HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002


FEDERATION
Federation Gateway

METRICS ("Organization ID")
METERS


RESTFUL SYNC DELTA
CHANGE MANAGEMENT
MICRO-MACRO CYCLE




BLOCKTIME ARBITRAGE



Code execution environment, ledger data structures, modular consensus fwk & algos, and modular membership services, modular storage and event fwks, network peers



Alpha-Numerics




ROSETTA STONE

XBR / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS

SYNTAX
SYMBOL LIBRARY

300 + MESSAGE
TEMPLATES
USE CASES / GROUPED
DATA TRANSACTIONS
Alpha-Numeric Data
Element ID -- #'s are the
UNIVERSAL LANGUAGE



MICRO-MACRO CYCLE SCHEDULE



FFIRNS
FFUDNS

HYPER LEDGER USES
JSON ("tag") / YAML
Text indentation –
UNIVERSAL LANGUAGE
= ALPHA-NUMERICS

DASH



"All decentralized, blockchain-based networks are DAOs, or decentralized autonomous organizations" Bitcoinist

"A DAO can be summed up as an organization of people who communicate with each other via a "network protocol," which is to say that they communicate with one another via a ruleset"

[LINK](http://bitcoinist.net/how-dash-dao-work/) <http://bitcoinist.net/how-dash-dao-work/>



"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" — all get paid to do so" "consensus," or an agreement upon what the rules should be; and second, the execution of said rules.

"Its makeup is thus: the block reward is divvied up in three parts. The first 45 percent goes to [Dash's miners](#). Another 45 percent goes to its Masternodes. And 10 percent is set aside to fund whatever other jobs or expenditures the Dash network deems necessary"

InstantX: To solve the problem of lag time in transactions, Masternodes are able to instantly lock transactions and receive payments for their service to the network

DAO: RAND THINK TANK TERM COINED + / - 2001

NETWORK CENTRIC WARFARE
Developing and Leveraging Information Superiority



STOCHASTIC HARMONIZATION FIREFLY-HEARTBEAT EVENT BUS

HEART BEACON CYCLE = IMPROVEMENT TO NETWORK CENTRIC WARFARE



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE



STATE: stored data at a given instant in time

STATE CHANNELS: blockchain interactions

which *could* occur on the blockchain, but instead get conducted *off* of the blockchain, without significantly increasing the risk of any participant.




1. Part of the blockchain state is locked via multisignature or smart contract convention, so that a specific set of participants must completely agree with each other to update it.






2. Participants update the state amongst themselves by constructing and signing transactions that *could* be submitted to the blockchain, but instead are made available for a new update "trumps" previous updates.



3. Finally, participants submit the state back to the blockchain, which closes the state channel.



NEW UPDATES OVERWRITE THE PREVIOUS: simplest way is to have any unlocking attempt start a timer, during which any *newer* update can replace the old update (restarting the timer). When the timer completes, the channel is closed and the state adjusted to reflect the last update received. The length of the timer would be chosen for each state channel, balancing the inconvenience of a long channel closing time with the increased safety it would provide against internet connection or blockchain problems. Alternatively, one could structure channel with a financial penalty so anyone publishing an inaccurate update to the blockchain will lose more than gain by pretending later.




Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE

TWAP Algorithm Manages Bitcoin Price Volatility Algorithm



TWAP GOAL: provide a Time Weighted Average Price Benchmark



FIREFLY HEARTBEAT ALGO
STAT MEAN VALUE INDEX



TWAP Works To gauge trading performance, many traders in different asset classes (equity, fixed income, currency) often use average price as a benchmark. The two common ways to calculate an average are a time-weighted average price (TWAP) and a volume-weighted average price (VWAP). TWAP is the average price of a bitcoin over the course of a specified period of time i.e., Heart Beacon Cycle



The algorithm trades over a desired time, either 1, 6, 12 or 24 hours and will give you a TWAP over that time period. For example, set the TWAP algorithm to sell 12 bitcoins over 12 hours, the algorithm will sell throughout the period, aiming to get a 12-hour TWAP



VWAP is price multiplied by number of bitcoins traded, then divided by the total number of bitcoins traded during a time period. The time-weighted average price algorithm is matched to closest HB



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC's improvement is stipulating a clock cycle value e.g., 5, 10, 15..

Block-Weighted-Average-Price (B-WAP) API creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

Key Features:

Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.



Built using historic bitcoin price index - the [BNC BLX](#).

API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).

All rates time-stamped in UTC.

Ability to look up by time-stamp.

Ability to look up by block-height.

Asset Classes: Digital Currencies

Get by: Block-height, Time-stamp or Transaction

Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transaction.



"Blocks are a measure of time":

The Bitcoin Blockchain 'B-WAP'

• Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC [Bitcoin Liquid Index](#) (BLX) bitcoin price calculation.

• Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.





UNIVERSAL EVENT BUS



- Choreographing workflow between firms without a central controller
- Supports inclusion of regulatory & supervisory observer nodes
- Validating transactions solely between parties to the transaction
- Supporting a variety of consensus mechanisms
- Recording explicit links between human-language legal prose documents and smart contract code

NAME	QCC0A	TAB	ASAB	AMPCB	AFATN	WCB
ABAB	F002	F003	F004	F005	F006	F007
AMPCB	F008	F009	F010	F011	F012	F013
AFATN	F014	F015	F016	F017	F018	F019
WCB	F020	F021	F022	F023	F024	F025

- PROOF OF WORK
- PROOF OF STAKE
- STATE CHANNELS
- BITCOIN NEXGEN
- LIGHTNING / DASH..



XBRIL / CDE / DAML STOCK MIC CODES



STRUCTURED MILITARY MESSAGE TEMPLATE FORMS

LOGIC / FILTERS

300+ Use Case Templates



Federation Gateway



NAME	QCC0A	TAB	ASAB	AMPCB	AFATN	WCB
ABAB	F002	F003	F004	F005	F006	F007
AMPCB	F008	F009	F010	F011	F012	F013
AFATN	F014	F015	F016	F017	F018	F019
WCB	F020	F021	F022	F023	F024	F025

Electronic Product Code Information Services (EPCIS) GS1 Standard for creating, sharing visibility event data




HBC
SYSTEM OF SYSTEMS
TIME-SPACE SYNC

UNIVERSAL EVENT BUS




EPCIS
EPCIS DATA MODEL



Core Business Vocabulary (CBV)

- What identifiers of object(s) or entities / subject of the event
- When date time when event took place, local time zone in effect
- Where location identifier where event occurred, identifier of location where object(s) are expected to be following the event
- Why Information about the business context, including:
 - a Identifier that indicates the business step taking place



A small circular logo containing two distinct symbols: a brown horse in profile facing left, and a concentric target or bullseye pattern in red, yellow, and blue.

CLOSER IS CHEAPER

CLOSER IS FASTER

!st Compiler DESIGN Still the **BEST**

The image is a collage of screenshots from various software applications. It includes sections titled 'TEMPLATES / FORMS', 'ROLES / RULES ("FILTERS")', and 'NETOPS SOP'. Each section displays different data tables or configuration panels. The 'ROSETTA STONE' logo is prominently displayed in the bottom right corner of each screenshot.

ROSETTA STONE



Proximity Wireless Sensor Networks in Combination With RFID .. on reading tag in RF-field the router sends heartbeat message

RFID Configuration TCP/IP heartbeat message

STRUCTURED DATA EXCHANGE / STRUCTURED MILITARY MESSAGES

BIZ USE CASES ALPHA NUMERIC BREVITY CODES



**SYNTAX
LEXICON
CODE
GUIDE**



Richard Lighthouse Tonight on LNM Radio
Time Travel & The Blinking Universe



www.RLighthouse.com



Quadrature amplitude modulation

QAM by setting a suitable constellation size, limited only by the noise level and linearity of the communications channel

“Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value”




Figure U-1.

Sine wave of our blinking universe. The 4 fundamental forces will all be found to vary continuously when sampled at 2x the blinking frequency, per Nyquist-Shannon theory




USPTO 13/573,002
sawconcepts.com/index

NDN

IDMaps
SonarHops


{“Distance”}

{“Interest”}




Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics

TRIANGULATION



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM

“LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE”





TERRA
TRC



ECONOMIC HEARTBEAT



HB MSG </108>
PROTOCOL

INDUSTRY-DRIVEN MESSAGING STANDARD

LAST LOSS



AAA/
Aaa














AA/Aa

A/A

BBB/
Baa

B/B

RISK CORRELATION







COINTELEGRAPH
live cryptocurrency community opinion



Decentralized Exchange Meets Decentralized Crowdfunding



A decentralized exchange called BitSquare has [launched a campaign](#) on the decentralized crowd funding app [Lighthouse](#). Its campaign is simultaneously an example of how powerful decentralized crowd funding is, and how difficult running a successful campaign is... segue to the MESH ECONOMY

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



Autonomous Device Coordination Framework



Rules of engagement

FEDERATION AGREEMENTS

PROCEDURAL TEMPLATE

Registration

Authentication

Proximity based rules

Consensus based rules

Contracts

Checklists

FEDERATION

<UUID> <ORG_ID> <URN>

LDAP DIRECTORY

Physical proximity


Social proximity

Temporal proximity

Agreements


Payments

Barter



NIST TIME BEACON




TIME



PAYMENTS BASED ON GEO-SPATIAL TEMPORAL METRICS / METERS

<URN> DESCRIBES COMMODITIES ETC BY UNIFORM RESOURCE NAME BY </INTEREST>>

ADEPT Standard Peer Architecture – Logical View





* Could be optimized to hold the complete blockchain. Function of ADEPT Installer




ADEPT Installer

$\Delta\delta$



DATA LAYER: STATE META DATA TIME STAMPED BY <UUID><ORG_ID><URN> & DATA PREPPED & "DATA WRANGLED PRIOR TO FUSION CENTER ENHANCED ANALYTICS / PROTECTS BANDWIDTH



Three ideas combined

HOW TRUTHCOIN WORKS:

1) Tradable Reputation

- Abstract Corp exists to prove consistency within / across TIME
- Collects \$ to power the mechanism.

2) SVD Cross-Validation

- Statistical technique: seeks importance.
- Gleans truth, measures conformity.



3) Strategic Use of TIME

- Funds can be ‘locked’ across time.
- Yet info-search-costs constantly fall.
- Net effect: time penalizes attackers only.

2. A kind of ‘Future Wikipedia’

	Wikipedia	Truthcoin
Focus	Outcomes of <i>past</i> events. Consensus on known facts.	Outcomes of <i>future</i> events. <i>Future</i> consensus on <i>knowable</i> facts.

Finance Thing	Interpretation	EVENT DERIVATIVE CORP = <Org_ID_1,2,3>
Bond (Debt)	“I, Paul Sztorc, owe \$20 to whoever is holding this bond certificate on 03/02/2015.”	
Stock (Equity)	“I, the CEO of SztorcCorp, owe 1/100 th of SztorcCorp’s profits to whoever is holding this stock certificate on 03/02/2015.”	
Binary Call Option	“I, Paul Sztorc, owe \$20 to whoever is holding this Option on 03/02/2015, <u>only if</u> the stock price of SztorcCorp is above 40 \$/share on that date.”	
...(others)...	...(others)...	...(others)...
Event Derivative	“I, Paul Sztorc, owe \$20 to whoever is holding this derivative on 12/01/2016, <u>only if</u> Hillary Clinton is elected US President in 2016. Otherwise I owe \$0.”	...(others)...
...(others)...	...(others)...	...(others)...

3. A software protocol

A protocol is a set of rules that determine how something is performed or accomplished



Protocol (Decentralized)	Centralized Non-Protocol
Spoken English	Shakespeare’s Globe Theatre, The Library of Alexandria, MLA Citation Format, Walt Whitman, J.K. Rowling.
Rules to American Football	The NFL, ESPN, The Buffalo Bills.
Bluetooth	A Set of Stereo Speakers, The iPhone 6, A Car Radio Equipped with Bluetooth
Bitcoin	VISA, PayPal, SWIFT, Western Union, Airline Miles, Amazon Coins, e-Gold, Liberty Reserve.


How 'Bitbanks' Could Solve Bitcoin's Volatility Problem

$$MV=PQ \text{ Money} \times \text{Velocity} = \text{Price} \times \text{Quantity}$$

The most important equation in monetary economics, the equation of exchange: $MV=PQ$. The quantity of money (M) times the rate spent (V for velocity) equals the price of everything bought (P) times the amount bought (Q for quantity). In Bitcoin, M Money is on a predetermined path, converging to 21m bitcoins. In relation to the other variables, Bitcoin is fixed. V, P, & Q fluctuate



Gamification is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.



HOW GAMIFICATION WORKS:

5 COMMON MECHANICS

POINTS

100 PT

Measure a user's achievements in relation to others
Can double as currency to exchange for rewards

BADGES

Reward achievements visually

LEVELS

Encourage users to progress and unlock new rewards

LEADERBOARDS

Organise players by rank

CHALLENGES

Encourage engagement by offering specific tasks to complete

4 MAIN WAYS TO DRIVE ENGAGEMENT

ACCELERATED FEEDBACK CYCLES

CLEAR GOALS AND RULES OF PLAY


A COMPELLING NARRATIVE


CHALLENGING BUT ACHIEVABLE TASKS



FUNGABILITY







BUILDING BLOCKS



TASK ON / OFF

201

B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION



MACRO CYCLES



.0001

MICRO CYCLES
216

219

CLOUD COMPUTING




218

202 FEDERATED GROUP JOINS, MERGE, ADDS, DROPS


B2: BUILDING BLOCK 2: ADAPTIVE, CYCLIC, ITERATIVE PROCEDURAL TEMPLATES: XML ARTIFACTS i.e. UNIT TASK ORDER & K00.99 HEARTBEAT SYNC DELTA MESSAGES / STATE META DATA SNAPSHOTS IN NETWORK EXECUTION MANAGEMENT MARKUP OF SERVICE INTERFACE ARTIFACTS



214



UTO 213




215



ADHOC / AGILE
FEDERATED <ID>
GROUPS SYNC'D
IN TIME / SPACE



212
SNAPSHOTS
210




203

B3: BEACON TECH TYPE I: PAUL REVERE LINEAR, SEQUENTIAL HOP COUNTS



SYNC DELTA METRICS IN SLA CLAUSES AS
MOE, MOP METER IN TAX CODES, TRANCHE
CLASSES / RATINGS ARBITRAGE TRIGGERS



LENGTH, THRESHOLD, INTENSITY, DURATION



SEARCH FOLLOWED BY ARBITRAGE INVITES VIA
BEACON NEWSCASTS. INVITE ACROSS SPACE / TIME



206



APPLIQUE' OVERLAYS



209

MAP VIEWS GEO-LOCATION SPECIFIC
SHOW SYNC DELTAS BY GROUP /
RESOURCE TYPE, EVENT CLASS /
NEWSCAST BY TRANCHE <CLASSES>

204

B4 BEACON TECH TYPE II: WATER DROP IN POND RADIUS, CIRCUMFERENCE GEO SPATIO-TEMPORAL



NIST RANDOMNESS BEACON: broadcast full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped, signed, & includes hash of previous value to chain sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. 1st, Beacon-generated numbers cannot be predicted before they are published. 2nd, public, Beacon's time-bound, authenticated nature of the Beacon proves true random numbers not known before a certain point in time. 3rd, this proof can be presented offline at any point in the future



NIST QUANTUM ENCRYPTION RANDOMIZATION BEACON

UNPREDICTABLE SAMPLING

SECURE AUTHENTICATION


SECURE MULTI

PARTY /
AUTHENTICATION

Entanglement
Source

RANDOM
NUMBER
GENERATOR

Bell
Test



NIST

**NON
REPUDIATION**

Legend:
■ App: software application
■ DB: database
■ Fw: firewall
■ HSM: hardware security module
■ RNG: random-number generator

IDMaps Distance Estimation Service

SonarHops

{"Org_ID"}
In the clear



USPTO 13,573,002 Heart Beacon Cycle Geo-spatial, temporal Intensity

Metrics and Time - Space Meter uses PHYSICAL Memes / Metaphors

**NAMED DATA
NETWORKING**



NDN
</Interest>
</Distance>

NDN
SURVEY METHODS
+ TRIANGULATION
Euclidian Geometry
Geodesic System Routing Info Base RIB

Time / Distance Metrics



PROXIMITY

OFFSHORE BEACONS ONSHORE

ACCOUNT BELONGS TO </Org_ID>

RESOURCE TYPE: <URN><URN><URN>

DEVICE / SENSORS <UUID><UUID>

Higher-level services collect distance data to build virtual distance map State Snap Shots

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. Stochastic Harmonization

Firefly-Heartbeat Algorithm
UNIVERSAL TIME ZONE SYNC UTZ

Sync Events to
Closest HBC

{"USER_ID"} + QRB

{"INTEREST"}

{"ORG_ID"}
{"URN"}

AGGREGATE, SUM
STAT MEAN VALUE INDEX

EVENT BUS

{"DISTANCE"}

On Off



Shore

Shore


I.R.S.
#1421

{"Org_ID"}
In clear

The proposed Universal Timezone System would do away with all these different



<https://hackaday.com/2014/12/19/nist-randomness-beacon/>



NIST Interoperable Randomness Beacon

The NIST Randomness Beacon Broadcasts a randomness pulse every 60 seconds. Each pulse commits to a fresh 512-bit random string. Each pulse is time-stamped and signed. Beacon periodically outputs a pulse containing 512 fresh random bits, time-stamped, signed and hash-chained. For example, each pulse also pre-commits to the randomness to be released in the next pulse. The latter enables users to securely combine randomness from different beacons. The Beacon protocol also specifies the interface for users to interact with the Beacon, in order to obtain information about past pulses.

A randomness beacon produces timed outputs of fresh public randomness. Each output, called a pulse, includes metadata / cryptographic elements





Figure 2. Illustration of the generation of the i^{th} pulse by a Beacon App (2.0)

The main goal of the NIST Random # Beacon is to serve as a baseline for deployment of many interoperable beacons

ALL THINGS NET FORMED WITH: Building Blocks:
 1) EPOCH TIME CYCLES
 2) SYNTAX / Opcode Brevity codes Programmable Economy / \$\$\$

NIST Quantum Random Number Beacon



"The external environment could update resources at random..."



One solution is a **heartbeat**: defining a default lease duration delaying updates until the next **cycle**"



QubitCoin Interval: Every 30 Seconds

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **INCENTIVIZE ECO-FRIENDLY TRANSACTIONS**

ENVIRONMENT FRIENDLY ECO INCENTIVES

["INTEREST"]
["DISTANCE"]

NDN
FIREFLY HEARTBEAT ALGORITHM




HEARTBEAT {108"} MESSAGES

STATE META DATA SNAPSHOTs

The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



STOCHASTIC HARMONIZATION STAT MEAN VALUE INDEX



Multi Meme Meter

SonarHops

SHORE

SYNTAX LEXICON



ALGORITHMIC REGULATION HEARTBEAT SYNC DELTAS



Firefly - Heartbeat Sync Algorithm
Heartbeat Event Message Bus
UTZ stochastic harmonization

Epoch Time Cycles

E0 E1 E2 E3...



ROSETTA ("Org_ID"){"URN"}

STONE
BREVITY
CODES

Attribute Series

Time Series

300 + Message Sets

Spatial

Work flow Filters

SYNTAX LEXICON


SYNTAX LEXICON

CLOSER = < Infrastructure
= CHEAPER SLA

ElectroMagnetic waveforms




ENERGY / DATA
Over
Transmission
Lines / Airwaves



In 1887, Heinrich Hertz demonstrated the reality of Maxwell's electromagnetic waves by experimentally generating radio waves in his laboratory.

All Photons and EM waves can have various directions of polarisation with respect to their direction of propagation



Although they utilise the same EM energies, different EM waveforms can be produced where the Electric fields are in 90° opposition to each other thus leading to conflicting theories of EM wave propagation

The E fields are co-linear with the direction of propagation

Through longitudinal waves, Tesla transferred energy to receiving devices. He sent electrostatic forces through the air, transferred electrical energies and noted the lethal forces produced by these waves.




f



(22 February 1857 - January 1 1894)

Cycles per Second

INTERNET = 1. TIME EPOCH CYCLES 2. Syntax (not) Processed in cycle






(10 July 1856 - 7 January 1943)

Volts per Second

Soon after Hertz's claim of discovering Maxwell's transverse EM waves Tesla visited him and personally demonstrated the experimental error to him. Hertz agreed with Tesla and had planned to withdraw his claim, but varying agendas intervened and set the stage for a major rift in the 'accepted' theories that soon became transformed into the fundamental "laws" of the electric sciences that have held sway in industry and the halls of academia to the present day

V

QUANTUM COMPUTING / HBC TIME – SPACE METER / METRICS



#QuantumComputing USct Alice Corp Vs CLS Bank compliant memes:
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Sct Alice Corp Vs CLS Bank Physical memes

Linear sequential “Paul Revere” meme = horizontal polarization


Vertical polarization vectors from a known point 0 null Sonar Hop meme



particle representation / samples



Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?




qubits can be in a superposition of all the classically allowed states


silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.



Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)



$$|00\rangle = \begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}, \quad |01\rangle = \begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix}, \quad |11\rangle = \begin{bmatrix} 0 \\ 0 \\ 1 \end{bmatrix}$$




STATE
CHANGE
EVENT

Double-Slit Experiment

Screen with two slits

PARTICLE ?

Sodium lamp



Screen

WAVE ?




Light source Rays of light coming from the source reach the slits

Interference of light waves due to two tiny slits and arrows indicate direction of wave propagation

Alternating bright and dark fringes due to interference of light waves


QUANTUM COMPUTING
- RESISTANT ? - BASED ?
THROUGH LENS OF SCOTUS
ALICE LOOKING GLASS RULING



CLOCK FACE 360°
90 / 90 / 90 / 90




BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base



MACRO CYCLES

RULES / ROLES
INSTRUCTIONS
WORKFLOW
UMPIRE
COACH



3rd Base

STATISTICIAN
Metrics, Meters
Stat Mean Value Index



State Meta

Data Snapshots

Survey Point


MICRO CYCLES

TIME STAMP SERVER

USPTO APPLICATION 13/573 002


The Heart Beacon Cycle Time-Space Meter

Main Embodiment: Baseball Diamond = block in 3D = cube




SCOTUS ALICE RULING: "Claims may not direct towards abstract ideas" / Physical = opposite of abstract

a



b



The Hopf Fibration

Edmund Harriss









FIGURE 2.11.1. The Hopf fibration



BLOCH SPHERE



Quantum physics says that as you go deeper and deeper into the workings of the atom, you see that there is nothing there – just energy waves. It says an atom is actually an invisible force field, a kind of miniature tornado, which emits waves of electrical energy.


Hopf Fibration / #Bloch sphere


"the most important object in the universe"

"Hopf fiber bundles pop up in 8 quantum physics situations"... USPTO 13/573,002 water drop in pond meme / scalar wave in 2D - 3D

Paul Revere linear - sequential hop count meme

The Bloch sphere provides a useful means of visualizing the state of a single qubit & operations on it. Any point on this sphere represents a linear combination of the 0 and 1 states with complex coefficients. A $\pi/2$ -pulse 'rotates' a qubit from the 0-state to a superposition state.






Alice Corp. v. CLS Bank International, 573 U.S. 134 S. Ct. 2347 (2014)
RULING: "claims may not direct towards abstract ideas"




USPTO SCREEN CAPTURES SUSPENDED PAIR RULES

- Moved Examination outside PAIR
- Admin forms, fees, amendments.. MUTED
- NO Time Stamps = TEMPORAL AMBIGUITY
- Screen captures before / after filing









MINIMUM LIST OF COMPONENTS, BUILDING BLOCKS, PROCESSES, PROCEDURES AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DISTRIBUTED AUTONOMOUS ORGANIZATION DAO CONSENSUS,



#UNRIG Marine Corps Data Center Robert Steele RIP

twelve reforms needed to create educated engaged democracy, unrig the "pay to play" system + DoD system of systems engineering structured data exchange best practice foundation DeFi technology



DAO: Distributed Autonomous Organization

RAND term circa 2000 / The TAO OF THE DAO


SWARMING AND THE FUTURE OF CONFLICT



RAND

RAND
Monograph
Report

THE
ADVENT
Of NETWAR




<http://cointelegraph.com/news/112077/the-new-frontier-after-cryptocurrency-cryptoequity>

Taoism Philosophy

Taoism represents:

- Contraction of the past to the future.
- The transcendence of time and place.
- The balance of the old and the new.
- The balance between opposing forces and desires.

Overall the Taoism Philosophy represents "The Way" in which to live.



(An ancient philosophy tradition. This article involves the yin-yang or principle of harmony and change.)

Eris, The Dawn of Distributed Autonomous Organizations and The Future of Governance

@TheBitcoinArmy








USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter

Main Embodiment: Baseball Diamond = block in 3D = cube

$$1 + 3 + 5 + 7 + 3 + 2 = 21 \quad 21 \text{ squared} = 441$$

"We can synchronize ourselves in time for a common purpose" Universal Blockchain Meme



Satoshi Bitcoin Blockchain
Time Stamp Server

卷之三

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and suddenly publishing the hash, such as in a

newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in hash, forming a chain, with each additional timestamp reinforcing the ones before it.

<input type="checkbox"/> None	<input type="checkbox"/> Some	<input type="checkbox"/> All
--------------------------------------	--------------------------------------	-------------------------------------

THE SOLUTION WE PROPOSE

THE SOLUTION WE PROPOSE
BEGINS WITH A

ENDS WITH A
TIME STAMP SERVER


THE SWIM SERVER

Simplified block structure:


- version info
- previous block
- timestamp
- Merkle tree hash
- transaction's list
- ...

Proof-of-work results



- nonce



Metatron's Cube and the Platonic Solids



“In the beginning (of time) there was the word”





"There is only one revolution tolerable to all men, all societies, all political systems: revolution by design and invention."

-Buckminster Fuller




THE GREAT CONJUNCTION IN AQUARIUS

HERALDING THE NEW AGE
On December 2020, Jupiter and Saturn unite in the sign of Aquarius, forming a configuration called a Great Conjunction which only happens once every twenty years. Great Conjunctions are often longterm beginnings or foundations formed out of unstable circumstances. In the sign of AQUARIUS, this is likely to mark a major technological boom that will culminate on 2030 and last until 2040, the next Great Conjunction.



Over the next ten years, we are going to see our world innovate unlike never before, particularly in the fields of AI, technology, science, space travel, UFOs, networks, and the Internet. Major Universal truths will also be revealed as we welcome the New Age of Aquarius. The old world will soon come to an end, paving way to the new order of things.

photo by werner du plessis



Forces of light on earth shall overcome the forces of darkness. Complete spiritual enlightenment on earth will occur.

~ Edgar Cayce



"ONLY A CRISIS—ACTUAL OR PERCEIVED—PRODUCES REAL CHANGE. WHEN THAT CRISIS OCCURS, THE ACTIONS THAT ARE TAKEN DEPEND ON THE IDEAS THAT ARE LYING AROUND."

That, I believe, is our basic function: to develop alternatives to existing policies, to keep them alive and available until the politically impossible becomes politically inevitable.



Milton Friedman — Preface to Capitalism & Freedom 1962

The K-Percent Rule was a proposal by economist Milton Friedman that the central bank should increase the money supply by a constant percentage every year.

The K-Percent Rule: sets the money supply growth at a rate equal to the growth of gross domestic product (GDP) yearly.

Milton Friedman

- 1912-2006
- Economist, monetarist
- 1946-1977: University of Chicago
- 1977-2006: Hoover Institution
- Essays on Positive Economics, A Theory of Consumption Function, Capitalism and Freedom, A Monetary History of the United States (1867-1960) - with Anna Schwartz, Price Theory, etc.
- Nobel Prize in Economics, 1976
- Considered as conservative, in reality liberal economist
- Advisor to President Nixon



The Age of Aquarius: Aquarius, Aquarius Rising @ 6:44 A.M. Feb 10th 1960

Buckminster Fuller "build a new model that makes the old model obsolete"

Socrates: focus all your energy on building the new, not fighting the old"

#algorithmic #stablecoin #buckminster #fuller #cryptocurrency #Milton #Friedman

