## **NAME**

systemd-sysv-generator - Unit generator for SysV init scripts

## **SYNOPSIS**

/lib/systemd/system-generators/systemd-sysv-generator

## DESCRIPTION

systemd–sysv–generator is a generator that creates wrapper .service units for **SysV init**<sup>[1]</sup> scripts in /etc/init.d/\* at boot and when configuration of the system manager is reloaded. This will allow **systemd**(1) to support them similarly to native units.

**LSB headers**<sup>[2]</sup> in SysV init scripts are interpreted, and the ordering specified in the header is turned into dependencies between the generated unit and other units. The LSB facilities "\$remote\_fs", "\$network", "\$named", "\$portmap", "\$time" are supported and will be turned into dependencies on specific native systemd targets. See **systemd.special**(5) for more details.

SysV runlevels have corresponding systemd targets (runlevelX.target). The wrapper unit that is generated will be wanted by those targets which correspond to runlevels for which the script is enabled.

**systemd** does not support SysV scripts as part of early boot, so all wrapper units are ordered after basic.target.

 $systemd-sysv-generator\ implements\ \textbf{systemd.generator}(7).$ 

### **SEE ALSO**

systemd(1), systemd.service(5), systemd.target(5)

# **NOTES**

- SysV init https://savannah.nongnu.org/projects/sysvinit
- 2. LSB headers http://refspecs.linuxbase.org/LSB\_3.1.1/LSB-Core-generic/LSB-Core-generic/iniscrptact.html

systemd 242