

Hands-on Lab: String Patterns, Sorting and Grouping

Estimated time needed: 35 minutes

In this lab, you will go through some SQL practice problems that will provide hands-on experience with string patterns, sorting result sets and grouping result sets.

Software Used in this Lab


In this lab, you will use an IBM Db2 Database. Db2 is a Relational Database Management System (RDBMS) from IBM, designed to store, analyze and retrieve data efficiently.

To complete this lab you will utilize a Db2 database service on IBM Cloud. If you did not already complete this lab task earlier in this module, you will not yet have access to Db2 on IBM Cloud, and you will need to follow the lab below first:

• Hands-on Lab: Sign up for IBM Cloud, Create Db2 service instance and Get started with the Db2 console

Database Used in this Lab

The database used in this lab is an internal database. You will be working on a sample HR database. This HR database schema consists of 5 tables called **EMPLOYEES**, **JOB_HISTORY**, **JOBS**, **DEPARTMENTS** and **LOCATIONS**. Each table has a few rows of sample data. The following diagram shows the tables for the HR database:



NOTE: This lab requires you to have all 5 of these tables of the HR database populated with sample data on Db2. If you didn't complete the earlier lab in this module, you won't have the tables above populated with sample data on Db2, so you will need to go through the lab below first:

• Hands-on Lab: Create tables using SQL scripts and Load data into tables

Objectives

After completing this lab, you will be able to:

- Simplify a SELECT statement by using string patterns, ranges, or sets of values
- Sort the result set in either ascending or descending order and identify which column to use for the sorting order
- Eliminate duplicates from a result set and further restrict a result set

NOTE: Make sure that you are using the CSV file and datasets from the same instruction file.

Instructions

When you approach the exercises in this lab, follow the instructions to run the queries on Db2:

- Go to the Resource List of IBM Cloud by logging in where you can find the Db2 service instance that you created in a previous lab under Services section. Click on the Db2-xx service. Next, open the Db2 Console by clicking on Open Console button. Click on the 3-bar menu icon in the top left corner and go to the Run SQL page. The Run SQL tool enables you to run SQL statements.
 - o If needed, follow Hands-on Lab: Sign up for IBM Cloud, Create Db2 service instance and Get started with the Db2 console

LACICISE I. SUITING FACTORIES

In this exercise, you will go through some SQL problems on String Patterns.

1. Problem:

Retrieve all employees whose address is in Elgin,IL.

- ► Hint
- ► Solution
- ▶ Output
- 2. Problem:

Retrieve all employees who were born during the 1970's.

- ▶ Hint
- ► Solution
- ▶ Output
- 3. Problem:

Retrieve all employees in department 5 whose salary is between 60000 and 70000.

- ► Hint
- ► Solution
- ► Output

Exercise 2: Sorting

In this exercise, you will go through some SQL problems on Sorting.

1. Problem:

Retrieve a list of employees ordered by department ID.

- ▶ Hint
- ► Solution
- ► Output
- 2. Problem:

Retrieve a list of employees ordered in descending order by department ID and within each department ordered alphabetically in descending order by last name.

- ► Hint
- ► Solution
- ► Output
- 3. (Optional) Problem:

In SQL problem 2 (Exercise 2 Problem 2), use department name instead of department ID. Retrieve a list of employees ordered by department name, and within each department ordered alphabetically in descending order by last name.

- ▶ Hint
- ► Solution
- ► Output

Exercise 3: Grouping

In this exercise, you will go through some SQL problems on Grouping.

NOTE: The SQL problems in this exercise involve usage of SQL Aggregate functions AVG and COUNT. COUNT has been covered earlier. AVG is a function that can be used to calculate the Average or Mean of all values of a specified column in the result set. For example, to retrieve the average salary for all employees in the EMPLOYEES table, issue the query: **SELECT AVG(SALARY)** FROM EMPLOYEES;. You will learn more about AVG and other aggregate functions later in the lecture **Built-in Database Functions**.

1	D.	ro	Ы	-	m	٠
ı	П	ı	U	ıe	ш	٠

For each department ID retrieve the number of employees in the department.

- ► Hint
- ► Solution
- ▶ Output

2. Problem:

For each department retrieve the number of employees in the department, and the average employee salary in the department.

- ► Hint
- ► Solution
- ▶ Output

3. Problem:

Label the computed columns in the result set of SQL problem 2 (Exercise 3 Problem 2) as NUM_EMPLOYEES and AVG_SALARY.

- ▶ Hint
- ► Solution
- ▶ Output

4. Problem:

In SQL problem 3 (Exercise 3 Problem 3), order the result set by Average Salary..

- ▶ Hint
- ► Solution
- ► Output

5. Problem:

In SQL problem 4 (Exercise 3 Problem 4), limit the result to departments with fewer than 4 employees.

- ▶ Hint
- ► Solution
- ► Output

Solution Script

If you would like to run all the solution queries of the SQL problems of this lab with a script, download the script below. Upload the script to the Db2 console and run. Follow Hands-on Lab: Create tables using SQL scripts and Load data into tables on how to upload a script to Db2 console and run it.

• StringPattern-Sorting-Grouping_Solution_Script.sql

Congratulations! You have completed this lab, and you are ready for the next topic.

Author(s)

- Rav AhujaSandip Saha Joy

Changelog

Date	Version	Changed by	Change Description
2020-12-24	2.1	Steve Ryan	ID Reviewed
2020-12-08	2.0	Sandip Saha Joy	Created revised version from DB0201EN
2020	1.0	Rav Ahuja	Created initial version

© IBM Corporation 2020. All rights reserved.