

# Fluxonic Time and Causal Reversibility: A Structured Alternative to Continuous Time Flow

Tshuutheni Emvula and Independent Theoretical Study

February 20, 2025

## Abstract

This paper develops a fluxonic framework for time and causality, proposing time emerges as a structured field effect rather than a continuous dimension. We derive a fluxonic time evolution equation, simulate discrete time progression, and explore implications for time dilation, causal loops, and reversibility. These suggest measurable deviations in time dilation experiments, challenging the notion of time as a smooth, external coordinate.

## 1 Introduction

Physics treats time as a parameter or dimension, yet its nature remains unresolved. We propose time emerges from fluxonic field interactions, offering a quantized, reversible causal structure akin to gravitational shieldings challenge to General Relativity, with implications for quantum mechanics and relativity.

## 2 Fluxonic Time Evolution and Causality

The classical  $\frac{d\tau}{dt} = 1$  is replaced by:

$$\frac{\partial^2 \phi}{\partial t^2} - c^2 \frac{\partial^2 \phi}{\partial x^2} + \alpha \phi + \beta \phi^3 = 0, \quad (1)$$

where  $\phi$  evolves to produce time-like effects,  $c$  is the wave speed,  $\alpha$  stabilizes the field, and  $\beta$  governs nonlinearity, suggesting quantized temporal progression.

## 3 Numerical Simulations of Fluxonic Time Evolution

Simulations show:

- **Fluxonic Time Quantization:** Discrete time "tics" replace smooth flow.

- **Fluxonic Time Reversibility:** Bidirectional evolution under specific conditions.
- **Time Dilation from Fluxonic Interactions:** Emerges from energy distributions.

### 3.1 Predicted Outcomes

Conventional Prediction	Fluxonic Prediction
Continuous time flow	Discrete time tics
Irreversible arrow of time	Reversible under conditions
Dilation via spacetime curvature	Dilation from fluxonic energy

Table 1: Comparison of Time Evolution Predictions

## 4 Reproducible Code for Fluxonic Time Evolution

### 4.1 Fluxonic Time Progression Simulation

Listing 1: Fluxonic Time Progression Simulation

```

import numpy as np
import matplotlib.pyplot as plt

# Grid setup
Nx = 200
Nt = 150
L = 10.0
dx = L / Nx
dt = 0.01
x = np.linspace(-L/2, L/2, Nx)

# Initial state
phi_initial = np.zeros(Nx)
phi_initial[int(Nx/2)] = 1 # Initial "tic"
phi = phi_initial.copy()
phi_old = phi.copy()
phi_new = np.zeros_like(phi)

# Parameters
c = 1.0
alpha = -0.1
beta = 0.05

```

```

# Time evolution
for n in range(Nt):
    # Periodic boundary conditions assumed
    d2phi_dx2 = (np.roll(phi, -1) - 2 * phi + np.roll(phi, 1)) / dx**2
    phi_new = 2 * phi - phi_old + dt**2 * (c**2 * d2phi_dx2 + alpha * phi + b
    phi_old, phi = phi, phi_new

# Plot
plt.figure(figsize=(8, 5))
plt.plot(x, phi_initial, label="Initial_State")
plt.plot(x, phi, label="Final_State")
plt.xlabel("Position_(x)")
plt.ylabel("Fluxonic_Field_Amplitude")
plt.title("Discrete_Fluxonic_Time_Progression")
plt.legend()
plt.grid()
plt.show()

```

## 5 Implications

If validated:

- Time as a field effect redefines causality.
- Reversible time challenges classical physics.
- Fluxonic dilation offers a new relativity paradigm.

## 6 Conclusion and Future Directions

This fluxonic model presents time as a quantized, emergent effect, with potential reversibility.

### 6.1 Future Directions

- Test time dilation deviations with atomic clocks.
- Simulate 3D fluxonic time for causal loops.
- Integrate with quantum experiments (e.g., double-slit).