

# PW/TP 11-12 Partial Differential Equations

## First-order Quasilinear Equation

$$a(x, y, u)u_x + b(x, y, u)u_y = c(x, y, u)$$

### Solving the Homogeneous Equation of two independent variables

$$a(x, y)u_x + b(x, y)u_y = 0$$

the characteristic curve:  $ady - bdx = 0$

Calculate solution  $f(x, y) = k$  with  $k$  an arbitrary constant.

$$u = F(f(x, y))$$

**Exercise 1.** Find the general solution of

1.  $3u_x - 7u_y = 0$

2.  $y^2u_x + \frac{1}{x}u_y = 0$

3.  $2xyu_x + (x^2 + y^2)u_y = 0$

### Solving the Homogeneous Equation of more independent variables

$$a(x, y, z)u_x + b(x, y, z)u_y + c(x, y, z)u_z = 0$$

Define the system  $\frac{dx}{a} = \frac{dy}{b} = \frac{dz}{c}$

Calculate solution  $f_1(x, y, z) = k_1$  and  $f_2(x, y, z) = k_2$  with  $k_1$  and  $k_2$  arbitrary constants.

$$u = F(f_1(x, y, z), f_2(x, y, z))$$

**Exercise 2.** Find the general solution of

1.  $3u_x + 7u_y + 5u_z = 0$

2.  $xu_x + zu_y + z^2u_z = 0$

### The general solution of two independent variables

We search  $u = f(x, y)$  of  $a(x, y, u)u_x + b(x, y, u)u_y = c(x, y, u)$ .

Write  $F(x, y, u) = 0$  of  $a(x, y, u)F_x + b(x, y, u)F_y + c(x, y, u)F_u = 0$

Define the system  $\frac{dx}{a} = \frac{dy}{b} = \frac{du}{c}$

Calculate solution  $f_1(x, y, u) = k_1$  and  $f_2(x, y, u) = k_2$  with  $k_1$  and  $k_2$  arbitrary constants.

$$F(x, y, u) = G(f_1(x, y, u), f_2(x, y, u)) = 0$$

**Exercise 3.** Find the general solution of

1.  $xu_x + yu_y = u + 1$
2.  $u_x + axu_y = bxu^2$ , with  $a, b \in \mathbb{R}$
3.  $u_x + yu^2u_y + au = 0$

**The general solution of two independent variables with boundary conditions**

$$\text{using boundary conditions } \begin{cases} \gamma_1(x, y, u) = 0 \\ \gamma_2(x, y, u) = 0 \end{cases}, \text{ we get } \begin{cases} f_1(x, y, u) = k_1 \\ f_2(x, y, u) = k_2 \\ \gamma_1(x, y, u) = 0 \\ \gamma_2(x, y, u) = 0 \end{cases}$$

Find the relation between  $k_1$  and  $k_2$ :  $F_1(k_1, k_2) = 0$

Giving the solution:  $F_1(f_1(x, y, u), f_2(x, y, u)) = 0$

**Exercise 4.** Find the general solution of

1.  $xu_x + yu_y = u + 1$  with  $u(x, y) = x^2$  on  $y = x^2$
2.  $u_x + uu_y = 0$ , with  $u = \varphi(y)$  at  $x = 0$
3.  $u_x + u_y = u$ , with  $u(x, 0) = \cos(x)$
4.  $xu_x + yu_y = cu$ , with  $u(x, 1) = f(x)$