1 27mer

1.1 27mer Selection Sets

Symbol	Set	# Peptides	HLA-I Coverage	HLA-II Coverage	Total Coverage	# B-cell Epitope Regions
*	CD4+/CD8+	4	92.2%	88.5%	81.6%	0
\circledast^d	$CD4+/CD8+ (H2^d ligands)$	4	93.8%	84.7%	79.5%	0
\circledast^b	CD4+/CD8+ (H2 ^b ligands)	3	92.2%	84.7%	78.1%	0
\circledast^{bd}	$CD4+/CD8+$ ($H2^b$ and $H2^d$ ligands)	4	92.1%	84.7%	78.0%	0
0	CD4+	3	91.3%	88.5%	80.8%	0
\circ^d	$CD4+ (H2^d ligands)$	3	91.3%	88.5%	80.8%	0
\circ^b	$CD4+ (H2^b \text{ ligands})$	3	76.8%	84.7%	65.0%	0
\circ^{bd}	$CD4+ (H2^b \text{ and } H2^d \text{ ligands})$	3	92.2%	84.7%	78.1%	0
*	CD8+	3	95.8%	61.3%	58.7%	0
$*^d$	$CD8+ (H2^d ligands)$	3	95.1%	76.2%	72.5%	0
$*^b$	$CD8+ (H2^b \text{ ligands})$	3	95.8%	61.3%	58.7%	0
$*^{bd}$	$CD8+ (H2^b \text{ and } H2^d \text{ ligands})$	3	94.7%	72.6%	68.8%	0
*	B-Cell/CD4+/CD8+	3	88.9%	62.7%	55.7%	3
0	B-Cell/CD4+	3	88.9%	62.7%	55.7%	3
\circ^d	B-Cell/CD4+ (H2 d ligands)	1	66.2%	39.9%	26.4%	1
\circ^b	B-Cell/CD4+ (H2 b ligands)	2	64.8%	39.4%	25.5%	2
*	B-Cell/CD8+	3	90.8%	57.7%	52.4%	3
$*^d$	B-Cell/CD8+ (H2 d ligands)	1	81.8%	38.4%	31.4%	1
*b	B-Cell/CD8+ (H2 b ligands)	2	89.4%	46.5%	41.5%	2
$*^{bd}$	B-Cell/CD8+ (H2 ^b and H2 ^d ligands)	1	81.8%	38.4%	31.4%	1
	B-Cell	3	81.8%	52.8%	43.2%	3
\Box^d	B-Cell ($H2^d$ ligands)	3	81.8%	52.8%	43.2%	3
\Box^b	B-Cell ($H2^b$ ligands)	3	81.8%	52.8%	43.2%	3
\Box^{bd}	B-Cell ($\mathrm{H}2^b$ and $\mathrm{H}2^d$ ligands)	3	81.8%	52.8%	43.2%	3

1.2 27mer Vaccine Peptides

	Sequence	Protein	Start	End	B-cell Epitope Region	HLA-I Coverage	HLA-II Coverage	$\mathrm{H}2^b$ I	$\mathrm{H}2^b$ II	$\mathrm{H}2^d$ I	$\mathrm{H}2^d$ II	Selection Sets
1	LLQFAYANRNRFLYIIKLIFLWLLWPV	M	34	60		89.0%	36.0%	+	+	+	+	$\begin{array}{c} **^b*^d*^{bd} \\ \circ \circ^d \circ^{bd} \circledast \\ \circledast^d \circledast^b \circledast^{bd} \end{array}$
2	PVTLACFVLAAVYRINWITGGIAIAMA	${ m M}$	59	85		42.0%	76.0%	+	+	_	+	\circ^b
3	YFIASFRLFARTRSMWSFNPETNILLN	M	95	121		78.0%	53.0%	+	+	+	+	*bd
4	KDLSPRWYFYYLGTGPEAGLPYGANKD	N	102	128		49.0%	39.0%	+	+	+	-	$**^b*^d$
5	WPQIAQFAPSASAFFGMSRIGMEVTPS	N	301	327		63.0%	61.0%	+	+	+	+	$\circ^{bd} \circledast^d \circledast^{bd}$
6	AQFAPSASAFFGMSRIGMEVTPSGTWL	N	305	331		71.0%	57.0%	+	+	+	-	$\circledast \circledast^b$
7	SASAFFGMSRIGMEVTPSGTWLTYTGA	N	310	336		76.0%	45.0%	+	-	+	-	$*^{bd}$
8	VTPSGTWLTYTGAIKLDDKDPNFKDQV	N	324	350		50.0%	62.0%	+	+	-	-	\circ^b
9	PQRQKKQQTVTLLPAADLDDFSKQLQQ	N	383	409		11.0%	52.0%	-	-	-	+	$\circ \circ^d \circledast$
10	YPDKVFRSSVLHSTQDLFLPFFSNVTW	\mathbf{S}	38	64		44.0%	52.0%	-	+	+	+	\circledast^d
11	GAAAYYVGYLQPRTFLLKYNENGTITD	\mathbf{S}	261	287		88.0%	38.0%	+	+	+	-	$*^{bd}$
12	SETKCTLKSFTVEKGIYQTSNFRVQPT	\mathbf{S}	297	323		54.0%	52.0%	-	-	+	-	$*^d$
13	GLTVLPPLLTDEMIAQYTSALLAGTIT	\mathbf{S}	857	883		66.0%	73.0%	+	+	+	+	$\circledast \circledast^d \circledast^b \circledast^{bd}$
14	SVLNDILSRLDKVEAEVQIDRLITGRL	\mathbf{S}	975	1001		72.0%	28.0%	+	-	-	-	$**^b$
15	RLQSLQTYVTQQLIRAAEIRASANLAA	\mathbf{S}	1000	1026		54.0%	81.0%	-	+	+	+	$\circ \circ^d \circ^b \circ^{bd}$
16	GNYNYLYRLFRKSNLKPFERDISTEIY	\mathbf{S}	447	473	456-FRKSNLKPFERDISTEIY-473	82.0%	38.0%	+	-	+	-	$**^d*^b*^bd$
17	YLYRLFRKSNLKPFERDISTEIYQAGS	\mathbf{S}	451	477	456-FRKSNLKPFERDISTEIY-473	78.0%	46.0%	+	-	-	-	\Box \Box b \Box b d b b
18	FRKSNLKPFERDISTEIYQAGSTPCNG	\mathbf{S}	456	482	456-FRKSNLKPFERDISTEIY-473	46.0%	30.0%	_	+	_	_	\circ^b
19	KFLPFQQFGRDIADTTDAVRDPQTLEI	S	558	584	580-QTLE-583	0.0%	0.0%	_	-	_	_	\Box \Box \Box \Box \Box \Box \Box bd
20	PQTLEILDITPCSFGGVSVITPGTNTS	S	579	605	580-QTLE-583	13.0%	21.0%	_	_	_	_	* 0 *
01	•	C		014	·							$\square \square^b \square^d \square^{bd}$
21	IYKTPPIKDFGGFNFSQILPDPSKPSK	\mathbf{S}	788	814	809-PSKP-812	35.0%	23.0%	-	+	-	-	\circ^b
22	PSKPSKRSFIEDLLFNKVTLADAGFIK	S	809	835	809-PSKP-812	66.0%	40.0%	+	-	-	+	$**^b$ oo d

2 21mer

2.1 21mer Selection Sets

Symbol	Set	# Peptides	HLA-I Coverage	HLA-II Coverage	Total Coverage	# B-cell Epitope Regions
*	CD4+/CD8+	3	84.9%	84.7%	71.9%	0
$*^d$	$CD4+/CD8+ (H2^d ligands)$	4	90.2%	84.7%	76.4%	0
\circledast^b	$CD4+/CD8+(H2^b ligands)$	4	93.9%	84.7%	79.5%	0
\circledast^{bd}	$CD4+/CD8+$ ($H2^b$ and $H2^d$ ligands)	4	92.1%	84.7%	78.0%	0
0	CD4+	3	92.2%	88.5%	81.6%	0
\circ^d	$CD4+ (H2^d ligands)$	3	92.2%	88.5%	81.6%	0
\circ^b	$CD4+ (H2^b \text{ ligands})$	3	69.5%	84.7%	58.9%	0
\circ^{bd}	$CD4+ (H2^b \text{ and } H2^d \text{ ligands})$	3	93.8%	84.7%	79.4%	0
*	CD8+	3	95.1%	62.2%	59.1%	0
$*^d$	$CD8+ (H2^d ligands)$	3	94.7%	68.9%	65.3%	0
$*^b$	$CD8+ (H2^b \text{ ligands})$	3	94.7%	68.9%	65.3%	0
$*^{bd}$	$CD8+ (H2^b \text{ and } H2^d \text{ ligands})$	3	94.7%	68.9%	65.3%	0
*	B-Cell/CD4+/CD8+	4	84.2%	62.7%	52.8%	3
0	B-Cell/CD4+	4	84.2%	62.7%	52.8%	3
\circ^b	B-Cell/CD4+ (H2 b ligands)	2	37.2%	39.4%	14.6%	2
*	B-Cell/CD8+	3	88.9%	22.6%	20.1%	3
$*^d$	B-Cell/CD8+ (H2 d ligands)	1	77.2%	38.4%	29.7%	1
$*^b$	B-Cell/CD8+ (H2 b ligands)	2	87.2%	22.6%	19.7%	2
*bd	B-Cell/CD8+ (H2 ^b and H2 ^d ligands)	1	77.2%	38.4%	29.7%	1
	B-Cell	3	78.0%	40.7%	31.8%	3
\Box^d	B-Cell ($H2^d$ ligands)	3	78.0%	40.7%	31.8%	3
\Box^b	B-Cell ($H2^b$ ligands)	3	78.0%	40.7%	31.8%	3
\Box^{bd}	B-Cell ($\mathrm{H}2^b$ and $\mathrm{H}2^d$ ligands)	3	78.0%	40.7%	31.8%	3

2.2 21mer Vaccine Peptides

	Sequence	Protein	Start	End	B-cell Epitope Region	HLA-I Coverage	HLA-II Coverage	$\mathrm{H}2^b$ I	$\mathrm{H}2^b$ II	$\mathrm{H}2^d$ I	$\mathrm{H}2^d$ II	Selection Sets
1	LLQFAYANRNRFLYIIKLIFL	M	34	54		89.0%	36.0%	+	+	+	+	$\begin{array}{c} **^b*^d*^{bd} \\ \circ \circ^d \circ^{bd} \circledast^d \\ \circledast^b \circledast^{bd} \end{array}$
2	FVLAAVYRINWITGGIAIAMA	${\bf M}$	65	85		42.0%	76.0%	+	+	_	+	$\circ^b\circledast\circledast^b$
3	LSYFIASFRLFARTRSMWSFN	M	93	113		78.0%	46.0%	+	+	+	+	\circledast^{bd}
4	LSPRWYFYYLGTGPEAGLPYG	N	104	124		49.0%	23.0%	+	+	+	-	*
5	GTRNPANNAAIVLQLPQGTTL	N	147	167		20.0%	55.0%	-	+	-	+	\circ^{bd}
6	IAQFAPSASAFFGMSRIGMEV	N	304	324		63.0%	51.0%	+	+	+	+	$\circledast^d \circledast^{bd}$
7	SASAFFGMSRIGMEVTPSGTW	N	310	330		65.0%	37.0%	+	-	+	-	$*^b*^d*^{bd}$
8	IGMEVTPSGTWLTYTGAIKLD	N	320	340		54.0%	52.0%	+	+	-	-	\circledast^b
9	GTWLTYTGAIKLDDKDPNFKD	N	328	348		26.0%	62.0%	+	+	-	-	$\circ^b \circledast$
10	KQQTVTLLPAADLDDFSKQLQ	N	388	408		11.0%	52.0%	-	-	-	+	$\circ \circ^d$
11	LPFNDGVYFASTEKSNIIRGW	\mathbf{S}	84	104		58.0%	41.0%	-	+	-	-	*
12	PLVDLPIGINITRFQTLLALH	\mathbf{S}	225	245		65.0%	62.0%	+	-	+	+	$\circledast \circledast^d$
13	GAAAYYVGYLQPRTFLLKYNE	\mathbf{S}	261	281		88.0%	38.0%	+	+	+	-	$*^b*^d*^{bd}$
14	LTDEMIAQYTSALLAGTITSG	\mathbf{S}	865	885		42.0%	73.0%	+	+	+	+	$\circledast^d \circledast^{bd}$
15	LSSNFGAISSVLNDILSRLDK	\mathbf{S}	966	986		59.0%	62.0%	+	+	-	+	\circledast^b
16	VTQQLIRAAEIRASANLAATK	\mathbf{S}	1008	1028		30.0%	81.0%	-	+	-	+	$\circ \circ^d \circ^b \circ^{bd}$
17	NYNYLYRLFRKSNLKPFERDI	\mathbf{S}	448	468	456-FRKSNLKPFERDISTEIY-473	77.0%	38.0%	+	-	+	-	$*^d *^{bd} \circ *$
												$\Box \Box^b \Box^d \Box^{bd}$
18	YRLFRKSNLKPFERDISTEIY	\mathbf{S}	453	473	456-FRKSNLKPFERDISTEIY-473	78.0%	23.0%	+	-	-	_	$**^b$ o $*$
19	KPFERDISTEIYQAGSTPCNG	\mathbf{S}	462	482	456-FRKSNLKPFERDISTEIY-473	20.0%	21.0%	-	+	-	_	\circ^b
20	QFGRDIADTTDAVRDPQTLEI	\mathbf{S}	564	584	580-QTLE-583	0.0%	0.0%	-	-	-	-	$\Box \Box^b \Box^d \Box^{bd}$
21	PQTLEILDITPCSFGGVSVIT	\mathbf{S}	579	599	580-QTLE-583	13.0%	0.0%	-	-	-	-	*
22	QTLEILDITPCSFGGVSVITP	\mathbf{S}	580	600	580-QTLE-583	13.0%	21.0%	-	-	-	-	0*
23	GFNFSQILPDPSKPSKRSFIE	S	799	819	809-PSKP-812	21.0%	23.0%	-	+	-	-	
24	PSKPSKRSFIEDLLFNKVTLA	S	809	829	809-PSKP-812	66.0%	0.0%	+	-	-	-	**

3 15mer vaccine peptides

3.1 15mer Selection Sets

Symbol	Set	# Peptides	HLA-I Coverage	HLA-II Coverage	Total Coverage	# B-cell Epitope Regions
*	CD4+/CD8+	5	90.6%	88.5%	80.2%	0
$*^d$	$CD4+/CD8+ (H2^d ligands)$	3	81.1%	76.2%	61.8%	0
\circledast^b	$CD4+/CD8+(H2^b ligands)$	3	81.8%	62.5%	51.1%	0
\circledast^{bd}	$CD4+/CD8+$ ($H2^b$ and $H2^d$ ligands)	2	77.2%	65.8%	50.8%	0
0	CD4+	3	83.9%	88.5%	74.3%	0
\circ^d	$CD4+ (H2^d ligands)$	3	86.7%	84.7%	73.4%	0
\circ^b	$CD4+ (H2^b \text{ ligands})$	3	83.9%	84.7%	71.1%	0
\circ^{bd}	$CD4+ (H2^b \text{ and } H2^d \text{ ligands})$	3	86.7%	84.7%	73.4%	0
*	CD8+	3	95.8%	38.4%	36.8%	0
$*^d$	$CD8+ (H2^d ligands)$	3	94.6%	22.6%	21.4%	0
$*^b$	$CD8+ (H2^b ligands)$	3	91.2%	46.5%	42.4%	0
$*^{bd}$	$CD8+ (H2^b \text{ and } H2^d \text{ ligands})$	3	91.2%	46.5%	42.4%	0
*	B-Cell/CD4+/CD8+	4	77.2%	45.8%	35.3%	3
0	B-Cell/CD4+	5	77.2%	62.7%	48.4%	3
\circ^b	B-Cell/CD4+ (H2 b ligands)	2	0.0%	39.4%	0.0%	2
*	B-Cell/CD8+	6	84.2%	29.9%	25.2%	3
$*^d$	B-Cell/CD8+ (H2 d ligands)	1	77.2%	20.4%	15.8%	1
$*^b$	B-Cell/CD8+ (H2 b ligands)	2	72.5%	20.4%	14.8%	1
*bd	B-Cell/CD8+ (H2 ^{b} and H2 ^{d} ligands)	1	77.2%	20.4%	15.8%	1
	B-Cell	3	44.0%	11.9%	5.2%	3
\Box^d	B-Cell ($H2^d$ ligands)	3	44.0%	11.9%	5.2%	3
\Box^b	B-Cell ($H2^b$ ligands)	3	44.0%	11.9%	5.2%	3
\Box^{bd}	B-Cell ($\mathrm{H}2^b$ and $\mathrm{H}2^d$ ligands)	3	44.0%	11.9%	5.2%	3

$3.2\quad 15 mer\ Vaccine\ Peptides$

	Sequence	Protein	Start	End	B-cell Epitope Region	HLA-I Coverage	HLA-II Coverage	$\mathrm{H}2^b$ I	$\mathrm{H}2^b$ II	$\mathrm{H}2^d$ I	$\mathrm{H}2^d$ II	Selection Sets
1	LLQFAYANRNRFLYI	M	34	48		77.0%	36.0%	+	+	+	+	$ \circ \circ^b \circ^d \circ^{bd} \\ \circledast \circledast^d \circledast^{bd} $
2	YANRNRFLYIIKLIF	\mathbf{M}	39	53		78.0%	0.0%	+	-	+	-	$*^d$
3	ANRNRFLYIIKLIFL	\mathbf{M}	40	54		81.0%	0.0%	+	-	+	-	$*^b*^{bd}$
4	YFIASFRLFARTRSM	\mathbf{M}	95	109		78.0%	20.0%	+	-	+	+	*
5	SFRLFARTRSMWSFN	\mathbf{M}	99	113		73.0%	46.0%	+	+	-	+	\circledast^b
6	LSPRWYFYYLGTGPE	N	104	118		49.0%	0.0%	+	-	+	-	$*^d*^b*^{bd}$
7	ATKAYNVTQAFGRRG	N	264	278		24.0%	46.0%	+	+	+	-	\circledast^b
8	PQIAQFAPSASAFFG	N	302	316		17.0%	39.0%	-	+	+	+	$\circ^d \circ^{bd} \circledast^d$
9	SASAFFGMSRIGMEV	N	310	324		56.0%	37.0%	+	-	+	-	*
10	MEVTPSGTWLTYTGA	N	322	336		46.0%	0.0%	-	-	-	-	*
11	PSGTWLTYTGAIKLD	N	326	340		14.0%	52.0%	+	+	-	-	\circ^b
12	QQTVTLLPAADLDDF	N	389	403		11.0%	34.0%	-	-	-	-	0*
13	IGINITRFQTLLALH	\mathbf{S}	231	245		61.0%	62.0%	+	-	+	+	$\circledast \circledast^d$
14	YYVGYLQPRTFLLKY	\mathbf{S}	265	279		88.0%	23.0%	-	+	+	-	$**^d$
15	LTDEMIAQYTSALLA	\mathbf{S}	865	879		42.0%	46.0%	+	+	+	+	$*^b *^{bd} *^b *^{bd}$
16	RAAEIRASANLAATK	S	1014	1028		30.0%	79.0%	-	+	-	+	$\circ \circ^b \circ^d \circ^{bd}$
17	GGNYNYLYRLFRKSN	\mathbf{S}	446	460	456-FRKSNLKPFERDISTEIY-473	37.0%	20.0%	+	_	+	_	*
18	NYNYLYRLFRKSNLK	S	448	462	456-FRKSNLKPFERDISTEIY-473	77.0%	20.0%	+	_	+	_	$*^d *^{bd} \circ *$
19	YNYLYRLFRKSNLKP	S	449	463	456-FRKSNLKPFERDISTEIY-473	73.0%	20.0%	+	_	_	_	**
20	YLYRLFRKSNLKPFE	S	451	465	456-FRKSNLKPFERDISTEIY-473	73.0%	20.0%	+	_	_	_	*
21	YRLFRKSNLKPFERD	S	453	467	456-FRKSNLKPFERDISTEIY-473	73.0%	23.0%	+	_	_	_	0*
22	RLFRKSNLKPFERDI	S	454	468	456-FRKSNLKPFERDISTEIY-473	56.0%	0.0%	+	_	_	_	**b
23	FRKSNLKPFERDIST	$\overset{\sim}{\mathrm{S}}$	456	470	456-FRKSNLKPFERDISTEIY-473	32.0%	0.0%	_	_	_	_	*
$\frac{2}{24}$	KSNLKPFERDISTEI	$\overset{\sim}{\mathrm{S}}$	458	472	456-FRKSNLKPFERDISTEIY-473	29.0%	0.0%	_	_	_	_	$\Box \Box^d \Box^b \Box^{bd}$
25	LKPFERDISTEIYQA	$\overset{\sim}{\mathrm{S}}$	461	475	456-FRKSNLKPFERDISTEIY-473	20.0%	12.0%	_	_	_	_	*
26	ISTEIYQAGSTPCNG	$\overset{\sim}{ m S}$	468	482	456-FRKSNLKPFERDISTEIY-473	0.0%	21.0%	-	+	-	-	$\bigcirc \bigcirc b$
27	ADTTDAVRDPQTLEI	S	570	584	580-QTLE-583	0.0%	0.0%	-	-	-	-	\Box \Box d \Box b \Box bd
28	PQTLEILDITPCSFG	\mathbf{S}	579	593	580-QTLE-583	13.0%	0.0%	_	_	_	_	*
29	GFNFSQILPDPSKPS	S	799	813	809-PSKP-812	0.0%	23.0%	_	+	_	_	$\bigcirc b$
30	FNFSQILPDPSKPSK	S	800	814	809-PSKP-812	21.0%	12.0%	-	-	-	-	$\begin{array}{ccc} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ \end{array}$