Assessment of Scotian Shelf and Bay of Fundy herring (*Clupea harengus*)

Assessment ID:DFO-HERR4VWX-1965-2006-PREFONTAINE Issue URL: http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/171

Area ID: Canada-DFO-4VWX

General assessment details.

Detail	Value
Management body	DFO
Assessment group	Department of Fisheries and Oceans
Assessment authors	Power, M.J.
Assessment method	A general approach to fitting VPA models.
	ADAPT is based on minimising the sum-
	of-squares over any number of indices of
	abundance to find best-fit parameters.
Publication year	2006
Timeseries span	1965-2006
Document	NAFO-HERR4VWX-2006.pdf (pdf not in
	database)
Recorder	PREFONTAINE
Date entered	2008-06-02
Date last loaded	2009-03-17
QA/QC complete	NO
Date approved	

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

			Parameter	Value	Units	
			SSB-AGE-yr	3+	yr	
nrimarı IME	accordon IME	tortion, IME	REC-AGE-yr F-AGE-yr-yr	1 5-8	yr wr-wr	
primary LME	secondary LME	tertiary LME	TB-AGE-yr	NA	yr-yr	
8 - Scotian Shelf	na	na	A50-yr	3	yr yr	
			M-1/T	0.2	1/T	
			M	O. _	1,1	
			L50-cm			
Reference points						
Parameter	Value		Unit	Units		
Bmsy-MT (TB)	SEE NOTES			MT		
F0.1-1/yr (F)	0.23		1/yr	1/yr		
Fmax-1/yr (F)	0.57		1/yr	1/yr		
BH-h-dimless	4 to 8 compared with ages 5-9 the following year		r diml	dimless		

Time series minima and maxima								
	SSB	R	F	TB	Catch			
Minimum year	1965	1965	1965	1965				
Maximum year	2006	2006	2005	2006				
Time series minimum	48646	247148	0.15	91734				
Time series maximum	714331	7460417	2.46	819446				
Units	MT	E03	1/T	MT				

