## Assessment of Gulf of Maine / Georges Bank american plaice (*Hippoglossoides platessoides*) Assessment ID:NEFSC-AMPL5YZ-1960-2008-OBRIEN

Assessment ID:NEFSC-AMPL5YZ-1960-2008-OBRIEN Issue URL: http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/112

Area ID: USA-NMFS-5YZ

## General assessment details.

Detail	Value
Management body Assessment group Assessment authors Assessment method	NMFS Northeast Fisheries Science Center Northeast Fisheries Science Center A general approach to fitting VPA models. ADAPT is based on minimising the sum- of-squares over any number of indices of abundance to find best-fit parameters.
Publication year Timeseries span Document Recorder Date entered Date last loaded QA/QC complete Date approved	2008 1960-2008 .pdf (pdf not in database) OBRIEN 2008-12-12 2009-03-23 NO

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LM	ΙE		secondary LME	secondary LME tertiary LME		
7 - Northeast U.S. Continental Shelf na na						
Parameter	Value	Units				
TB-AGE-yr A50-yr	1+ AVAILABLE	yr yr	Reference points Parameter Value Un			
M-1/T SSB-AGE-yr REC-AGE-yr F-AGE-yr-yr M L50-cm	0.2 1+ 1 6-9	1/T yr yr yr-yr	F40%-1/T SSBmsy-MT (SSB) MSY-MT (TB) $SSB_{2007}/SSB_{msy}$	0.19 22243 4059 0.704	1/T MT MT	

Time series minima and maxima									
	SSB	R	F	ТВ	Catch				
Minimum year	1980	1979	1980	1980	1980				
Maximum year	2007	2007	2007	2008	2007				
Time series minimum	7880.98	12409.45	0.06	11431.53	1226.17				
Time series maximum	36806.95	53494.2	0.9	52640.22	15566.81				
Units	MT	E03	1/T	MT	MT				

