## Assessment of Western Gulf of Mexico red snapper (Lutianus campechanus)

snapper (Lutjanus campechanus)
Assessment ID:SEFSC-RSNAPWGM-1880-2003-STANTON
Issue URL: http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/456

Area ID: USA-NMFS-WGM

General assessment details.

Detail	Value
Management body	NMFS
Assessment group	Southeast Fisheries Science Center
Assessment authors	SEDAR
Assessment method	Statistical catch-at-age model
Publication year	2005
Timeseries span	1880-2003
Document	RedSnapper-SEDAR-2008.pdf (pdf in
	database)
Recorder	STANTON
Date entered	2010-05-10
Date last loaded	2010-05-12
QA/QC complete	NO
Date approved	

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME		secondary LME ter			ary LME
5 - Gulf of Mexico		a		na	
	Parameter		Value	Units	
	REC-AGE-yr		1+	yr	
	M-1/yr		0.1	1/yr	
	NATMORT-1/yr		0.29	1/yr	
SSB-AGE-yr					
SSB-SEX-sex		X			
TB-AGE-yr					
F-AGE-yr					
M					
A50-yr					
	L50-cm				

Reference points							
Parameter	Value	Units					
Fref-1/T (F)	0.069	1/T					
NATMORT-1/yr (M)	0.29	1/yr					
SSBmsy-MT (SSB)	1236505.488524	MT					
MSY-MT (TB)	18656.4456137168	MT					
BH-h-dimless	0.9	dimless					
$SSB_{2003}/SSB_{msy}$	0.000						

Time series minima and maxima								
	SSB	R	F	TB	Catch			
Minimum year	1984	1983			1880			
Maximum year	2003	2002			2003			
Time series minimum	390	5953.2			87.59095460885			
Time series maximum	1110.5	21933			2919.80356919405			
Units	E03	E03			MT			

