Assessment of Western Scotian Shelf, Bay of Fundy and Gulf of Maine haddock

(Melanogrammus aeglefinus)
Assessment ID:DFO-HAD4X5Y-1960-2003-PREFONTAINE Issue URL: http://www.marinebiodiversity.ca/RAMlegacy/ramlegacybug-reporting/166

Area ID: Canada-DFO-4X5Y

General assessment details.

Detail	Value				
Management body	DFO				
Assessment group	Department of Fisheries and Oceans				
Assessment authors	Hurley, P.C.F.				
Assessment method	l A general approach to fitting VPA model				
	ADAPT is based on minimising the sum-				
	of-squares over any number of indices of				
	abundance to find best-fit parameters.				
Publication year	2003				
Timeseries span	1960-2003				
Document	NAFO-HAD4X5Y-2003.pdf (pdf not in				
	database)				
Recorder	PREFONTAINE				
Date entered	2008-06-03				
Date last loaded	2009-03-17				
QA/QC complete	NO				
Date approved					

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME			secondary L	ME t	tertiary LME
7 - Northeast U.S	na				
Parameter	Value	Units			
SSB-AGE-yr REC-AGE-yr	4+ 1	yr yr			
F-AGE-yr-yr TB-AGE-yr	5-7 1-10	yr-yr yr	Reference Parameter	ce point Value	
M-1/T SSB-SEX-sex	0.2	1/T	F0.1-1/yr (F)	0.25	1/yr
M A50-yr L50-cm					

Time series minima and maxima								
	SSB	R	F	TB	Catch			
Minimum year	1970	1970	1970	1970	1960			
Maximum year	2003	2003	2003	2003	2003			
Time series minimum	19506	5.765	0.04	29495	4406			
Time series maximum	69091	81.978	0.7	90408	43349			
Units	MT	E03	1/T	MT	MT			

