

# Keeping the Direct in Power BI DirectQuery

Benni De Jagere





# Benni De Jagere


Senior Program Manager | Fabric Customer Advisory Team ( Fabric CAT )



dataMinds



sessionize



Fabric CAT

.be Member

@BenniDeJagere

/bennidejagere

/bennidejagere

/bennidejagere

#SayNoToPieCharts



# Session Objectives




# Session Objectives

- Assess problem areas
- Discuss different cogs in the chain
- Help you make better design decisions

**Disclaimer: Benchmark your own scenario and results**

# Where does DirectQuery shine?



# Reasons for opting for DirectQuery

Data is too large to import

Data changes too frequently to refresh

Data Sovereignty restrictions apply

Data Source has complex security roles

Data Exploration scenarios

Philosophical reasons..

# But what's the catch?

It's not easy

- DirectQuery scenarios are typically harder to investigate
- Schema changes have an immediate impact

Power BI is 'chatty'

- Data Source handles incoming requests
- Response time of 3 seconds or less

Query Folding applies

- All transformations need to be transformed into source appropriate SQL
- Beware of source specific functionalities

Scoped set of DAX


- Not all transformations are available
- Especially 'Time Intelligence' is more complicated

User Education matters

- End users need to be briefed on the implications for their actions



# Where does it hurt?




# User inspired quotes

"My report is slow. Fix it."

"Why can't I see anything on my screen?"

"Seriously, is this the best we can do?"

"I could build a faster report in Crystal Reports"

A man with dark, curly hair is sitting at a desk in a cluttered room, talking on a white corded telephone. He is wearing a white t-shirt with red text that partially reads "RT M". He has a watch on his left wrist. The room is filled with various items, including a large cardboard box, a small figurine, and a book titled "Source". The background is a wall with a white flower decoration and a poster.

**HELLO, IT, HAVE YOU TRIED  
TURNING IT OFF AND ON AGAIN?**

# What's your tool of choice?

[Performance Analyzer Pane](#)

[DAX Studio](#)

[VertiPaq Analyzer](#) (SQLBI.com)

[Tabular Editor](#)

[Report Analyzer](#)

[Power BI Helper](#)

[Bravo](#)

[ALM Toolkit](#)

[Power BI Field Finder](#)

[Power BI Sentinel \(€\)](#)

[Power Query Diagnostics Tool](#)

[Power BI Sidetools](#)

[Power BI Cleaner](#)

[PBI Tools](#)

And more ..




# Power BI Performance Analyzer Pane

## DAX Studio

## SQL Profiler




# Data Source



# Is your data source ..


Scaled/Sized?	Data Typed?
Modelled?	Caching Results?
Materialized?	Data Integrity?
Indexed?	Limiting access to objects?
Partitioned?	Serverless?

# Power BI Dataset ( The Model )





# STAR SCHEMA




Thanks, @KoVer!

*Data should be transformed as far upstream as possible, and as far downstream as necessary.*

Matthew Roche, 2021

(The purple haired sword aficionado)

<https://ssbipolar.com/2021/05/31/roches-maxim>



**NO CALCULATED COLUMNS!**

# PowerQuery & Relationships

Push Data Transformations to the source

'Assume Referential Integrity'

Opt for Dual (or Import) mode for dimension tables

Avoid

- bi-directional filtering
- many-to-many relationships
- snowflake dimensions

# Model

Keep things simple

Complex DAX is often due to modeling deficiencies

Make your Date dimension ☆ shine ☆

Hide the 'one-side' of the relationship


- Filtering on the fact generates poor queries





**SHUT UP AND TAKE MY AD MONEY**

# Properties



Consider the Maximum Data Connections

- 10 connections by default
- 30 connections when using (  )

Advanced:

- Premium Capacity Workload Settings (  )
- Analysis Services Server Properties (  )

Preview:

- MaxParallelismPerQuery (  )
- Analysis Services Server Properties (  )

**!! Use with caution !!**

# Capacity – Workload Settings

DATASETS

Observe XMLA-based workspace settings (which may override capacity settings)

☒ On

Query Memory Limit (%)

Query Timeout (seconds)

Max Intermediate Row Count

Max Result Row Count

Max Offline Dataset Size (GB)

Automatic page refresh

☒ On

Minimum refresh interval

Seconds ▾

Change detection measure

☒ On

Minimum execution interval

Seconds ▾

XMLA Endpoint

Read Write ▾





# PQ & Model



# Power BI Reports



# Be mindful of your Filters and Visuals

Measure filters

Generates multiple queries

Fact attribute filters

Filters over fact table, when elimination through dimension could be enough

TopN

Generates multiple queries

Median

Not supported as aggregate by sources

Multi-Select

Each new selection launches queries to datasource

Visual Totals

Generates multiple queries

# Query Reduction Techniques

Visual Interactions

Apply Filters

Apply Slicers

Where do you filter?

# Report Tips

Limit number of visuals (and objects!)

Be mindful of level of detail & granularity

Visible objects get rendered

- Bookmarks
- Drill Down
- Drill Through
- Page Navigation



# Power BI Report



# User Education



# User Education

Benchmark, Set expectations

Filter first, details later


Explain some of the key concepts

"Chatty" users can overload a data source

Analyze in Excel over DirectQuery is killer



# Kicking it up a notch





POWER



TURBO



HDD



TURBO

RESET

100

MHz



Ihre  
STEIRISCHE  
COMPUTER  
GESELLSCHAFT



# Look into these functionalities

Composite Models

User-Defined Aggregations


Automatic Aggregations (  )

Hybrid Tables




<https://blog.crossjoin.co.uk/2022/01/02/monitor-power-bi-queries-and-refreshes-with-directquery-on-log-analytics-part-1-creating-a-dataset/>




# QSO - Refresh isolation



# QSO – High Concurrency - *planned by GA*



Load balancer



No need to:

- Analyze usage for optimum scale out design
- Create and manage scripts for scale out

Responds to unforeseen usage patterns

Plan to be on by default!

# Resources

- <https://blog.crossjoin.co.uk/2023/01/02/why-dax-window-functions-are-important-for-performance-in-power-bi-directquery-mode/>
- <https://medium.com/snowflake/best-practices-for-using-power-bi-in-directquery-mode-with-snowflake-bfd1312ca7ab>
- <https://learn.microsoft.com/en-us/power-bi/guidance/directquery-model-guidance>
- <https://learn.microsoft.com/en-us/power-bi/guidance/star-schema>
- <https://blog.crossjoin.co.uk/2021/05/02/measuring-directquery-performance-in-power-bi/>



# Slides



[https://github.com/BenniDeJagere/Presentations/{Year}/{YYYYMMDD}\\_{Event}](https://github.com/BenniDeJagere/Presentations/{Year}/{YYYYMMDD}_{Event})







# Thank you

