

## College of Engineering, Construction and Living Sciences Bachelor of Information Technology

IN721: Design and Development of Applications for Mobile Devices Level 7, Credits 15

## Assessment 01: Language Translator

#### **Assessment Overview**

For this assessment, you will use Kotlin with Android Studio to build a language translator. As well as implementing the core functionality, you will be required to **independently** research & implement seven components. In addition, marks will also be given for code elegance, robustness & git usage.

#### Assessment Table

Assessment Activity	Weighting	Learning Outcomes	Assessment Grading Scheme	Completion Requirements
Practicals	25%	1, 3, 4	CRA	Cumulative
Language Translator	20%	1, 3, 4	CRA	Cumulative
Wishlist	25%	1, 3, 4	CRA	Cumulative
Exams 1-5	30%	2, 3, 4	CRA	Cumulative

## Conditions of Assessment

You will complete this assessment outside timetabled class time, however, there will be availability during the teaching sessions to discuss the requirements and progress of this assessment. This assessment will need to be completed by Friday, 01 May 2020 at 5pm.

#### Pass Criteria

This assessment is criterion-referenced with a cumulative pass mark of 50%.

## **Submission Details**

You must submit your program files via **GitHub Classroom**. Here is the link to the repository you will be using for your submission – <a href="https://classroom.github.com/a/4408YJ7J">https://classroom.github.com/a/4408YJ7J</a>. For ease of marking, please submit the marking sheet with your name & student id number via **Microsoft Teams** under the **Assignments** tab.

## Group Contribution

All git commit messages must identify which member(s) participated in the associated work session. Proportional contribution will be determined by inspection of the commit logs. If the commit logs show evidence of significantly uneven contribution proportion, the lecturer may choose to adjust the mark of the lesser contributor downward by an amount derived from the individual contributions.

## Authenticity

All parts of your submitted assessment must be completely your work and any references must be cited appropriately including, externally-sourced graphic elements. All media must be royalty free (or legally purchased) for educational use. Failure to do this will result in a mark of zero.

## Policy on Submissions, Extensions, Resubmissions & Resits

The school's process concerning **Submissions**, **Extensions**, **Resubmissions** and **Resits** complies with Otago Polytechnic policies. Students can view policies on the Otago Polytechnic website located at https://www.op.ac.nz/about-us/governance-and-management/policies.

#### **Extensions**

Please familiarise yourself with the assessment due dates. If you need an extension, please contact your lecturer before the due date. If you require more than a week's extension, a medical certificate or support letter from your manager may be needed.

#### Resubmissions

Students may be requested to resubmit an assessment following a rework of part/s of the original assessment. Resubmissions are completed within a short time frame (usually no more than 5 working days) and usually must be completed within the timing of the course to which the assessment relates. Resubmissions will be available to students who have made a genuine attempt at the first assessment opportunity. The maximum grade awarded for resubmission will be C-.

## Learning Outcomes

At the successful completion of this course, students will be able to:

- 1. Implement complete, non-trivial, industry-standard mobile applications following sound architectural and code-quality standards.
- 2. Explain relevant principles of human perception and cognition and their importance to software design.
- 3. Identify relevant use cases for a mobile computing scenario and incorporate them into an effective user experience design.
- 4. Follow industry standard software engineering practice in the design of mobile applications.

### Instructions

### Application Requirements - Learning Outcomes 1, 3, 4

The language translator application **must** have the following functional requirements:

#### • System:

- Open without modification in Android Studio. This includes the removal of the gradle & idea hidden directories.
- Run without modification on multiple mobile devices.

#### • Features:

- Text translation which includes support for at least four languages, excluding English. This will be done via an async task using the Yandex API.
  - \* Display a progress dialog while in translation.
  - \* Handle incorrect formatted input values.
- Localization which includes support for at least four languages.
- Exit the application via an alert dialog.
- Research: Text-to-speech using the TextToSpeech Android class or a third-party library.
- Research: Multiple mobile screen/device support. Include support for at least four screens/devices, excluding tablets & smartwatches devices.
- Research: For each language, create an interactive quiz.
  - \* Each quiz must have at least five questions. For example, questions can be on colours, animals, numbers, etc.
  - \* Each question must have an image & at least four answers.
  - \* Provide appropriate feedback for correct & incorrect answers.
  - \* At the end of each quiz, the score is saved to shared preferences.
  - \* For each quiz, display the highest score.

#### • User-Interface:

- Visually attractive user-interface with a coherent graphical theme and style. This can be a custom theme/style or Material Design.
- Research: Toggle between light & dark mode.
- **Research:** Splash screen with a transition animation.
- Research: Adaptive launcher icon.
- Bottom navigation which navigates the user to the appropriate activities/fragments.

#### • Publishing:

- Application published to the Google Play Store.
- Download application from Google Play Store on mobile device.

#### Documentation - Learning Outcomes 1, 3, 4

Write the following documentation requirements in the README.md file:

- Step-by-step user guide. Must include a screenshot of each activity/fragment provided with a description.
- Research: Code commented & documented using KDoc. Kotlin's documentation generation tool is called Dokka. Click here for usage instructions.

#### Git Usage - Learning Outcomes 1, 3, 4

The language translator repository must have the following git requirements:

- At least five feature branches excluding master.
- Commit messages reflect the context of each functional requirement change.

#### Publishing to Google Play Store

When you publish your application to Google Play Store, please put your Otago Polytechnic Ltd username in front of the application name, for example, **johndoe-language-translator**. The reason for this is due to not being able to create an application with the same name.

In addition, when you create your new application, please appropriately name your package, for example, com.johndoe.languagetranslator.

#### **Additional Resources**

- Yandex API https://tech.yandex.com/translate/
- Documenting Kotlin Code https://kotlinlang.org/docs/reference/kotlin-doc.html
- $\bullet$  Android Design https://developer.android.com/design
- Adaptive Launcher Icon https://developer.android.com/guide/practices/ui\_guidelines/icon\_design\_adaptive
- Google Play Store https://support.google.com/googleplay/android-developer/answer/113469?hl=en
- Publishing Application https://developer.android.com/studio/publish/app-signing

# Assessment 01: Language Translator Assessment Rubric

	10-9	8-7	6-5	4-0
	Application thoroughly demonstrates	Application mostly demonstrates	Application demonstrates some	Application does not or does not fully
	functionality & robustness on the following:	functionality & robustness on the	functionality & robustness on the	demonstrate functionality &
	Open without modification in Android	following:	following:	robustness on the following:
Functionality & Robustness	<ul> <li>functionality &amp; robustness on the following:</li> <li>Open without modification in Android Studio. This includes the removal of the gradle &amp; idea hidden directories.</li> <li>Run without modification on multiple mobile devices.</li> <li>Text translation which includes support for at least four languages, excluding English.</li> <li>Display a progress dialog while in translation.</li> <li>Handle incorrect formatted input values.</li> <li>Localization which includes support for at least four languages.</li> <li>Exit the application via an alert dialog.</li> <li>Text-to-speech using the TextToSpeech Android class or a third-party library.</li> <li>Multiple mobile screen/device support. Include support for at least four</li> </ul>	functionality & robustness on the following:  Open without modification in Android Studio. This includes the removal of the gradle & idea hidden directories.  Run without modification on multiple mobile devices.  Text translation which includes support for at least four languages, excluding English.  Display a progress dialog while in translation.  Handle incorrect formatted input values.  Localization which includes support for at least four languages.  Exit the application via an alert dialog.	functionality & robustness on the following:  Open without modification in Android Studio. This includes the removal of the gradle & idea hidden directories.  Run without modification on multiple mobile devices.  Text translation which includes support for at least four languages, excluding English.  Display a progress dialog while in translation.  Handle incorrect formatted input values.  Localization which includes support for at least four languages.  Exit the application via an alert dialog.	demonstrate functionality & robustness on the following:  Open without modification in Android Studio. This includes the removal of the gradle & idea hidden directories.  Run without modification on multiple mobile devices.  Text translation which includes support for at least four languages, excluding English.  Display a progress dialog while in translation.  Handle incorrect formatted input values.  Localization which includes support for at least four languages.  Exit the application via an alert dialog.
	screens/devices, excluding tablets & smartwatches devices.  • Interactive quiz for each language.	<ul> <li>Text-to-speech using the         TextToSpeech Android class or a third-party library.     </li> </ul>	<ul> <li>Text-to-speech using the         TextToSpeech Android class or a third-party library.     </li> </ul>	<ul> <li>Text-to-speech using the         TextToSpeech Android class or a third-party library.     </li> </ul>
	<ul> <li>Visually attractive user-interface with a coherent graphical theme and style.</li> <li>Toggle between light &amp; dark mode.</li> </ul>	Multiple mobile screen/device support. Include support for at least four screens/devices,	Multiple mobile screen/device support. Include support for at least four screens/devices,	Multiple mobile screen/device support. Include support for at least four screens/devices,
	Splash screen with a transition animation.	excluding tablets & smartwatches devices.	excluding tablets & smartwatches devices.	excluding tablets & smartwatches devices.

## IN721: Design & Development of Applications for Mobile Devices

## Semester 1, 2020

	1103101 1, 2020			
	<ul> <li>Adaptive launcher icon.</li> </ul>	Interactive quiz for each	Interactive quiz for each	Interactive quiz for each
	<ul> <li>Bottom navigation which navigates the</li> </ul>	language.	language.	language.
	user to the appropriate activities.	Visually attractive user-interface	<ul> <li>Visually attractive user-interface</li> </ul>	Visually attractive user-interface
	<ul> <li>Application published to Google Play</li> </ul>	with a coherent graphical theme	with a coherent graphical theme	with a coherent graphical theme
	Store.	and style.	and style.	and style.
	Download application from Google Play	Toggle between light & dark	Toggle between light & dark	Toggle between light & dark
	Store on mobile device.	mode.	mode.	mode.
		Splash screen with a transition	Splash screen with a transition	Splash screen with a transition
		animation.	animation.	animation.
		Adaptive launcher icon.	Adaptive launcher icon.	Adaptive launcher icon.
		Bottom navigation which	Bottom navigation which	Bottom navigation which
		navigates the user to the	navigates the user to the	navigates the user to the
		appropriate activities.	appropriate activities.	appropriate activities.
		Application published to Google	Application published to Google	Application published to Google
		Play Store.	Play Store.	Play Store.
		Download application from	Download application from	Download application from
		Google Play Store on mobile	Google Play Store on mobile	Google Play Store on mobile
		device.	device.	device.
	Step-by-step user guide thoroughly	Step-by-step user guide mostly	Step-by-step user guide briefly	Step-by-step user guide does not or
<u>_</u>	describes each activity/fragment	describes each activity/fragment	describes each activity/fragment	does not fully describe each
Documentation	screenshot.	screenshot.	screenshot.	activity/fragment screenshot.
ent				
Ĕ	Application code is thoroughly commented	Most application code is commented	Some application code is commented	Application code is not or is not fully
000	& documented with KDoc/Dokka.	& documented with KDoc/Dokka.	& documented with KDoc/Dokka.	commented & documented with
				KDoc/Dokka.

	All Kotlin files contain no magic numbers/strings.  All XML files contain no magic numbers/strings. Note: use dimen.xml (resource directory) to store magic numbers.	Most Kotlin files contain no magic numbers/strings.  Most XML files contain no magic numbers/strings. Note: use dimen.xml (resource directory) to store magic numbers.	Some Kotlin files contain no magic numbers/strings.  Some XML files contain no magic numbers/strings. Note: use dimen.xml (resource directory) to store magic numbers.	Kotlin files contain frequent magic numbers/strings.  XML files contain frequent magic numbers/strings. Note: use dimen.xml (resource directory) to store magic numbers.
Code Elegance	<ul> <li>Application thoroughly demonstrates code elegance on the following:</li> <li>Correct use of intermediate variables, e.g., no method calls as arguments.</li> <li>Idiomatic use of control flow, data structures &amp; other in-built functions.</li> <li>Sufficient modularity, e.g., code adheres to various OO design principles.</li> <li>Adhere to a complex OO architecture, e.g., classes, methods, concise naming &amp; methods assigned to the correct classes.</li> <li>Efficient algorithmic approach.</li> </ul>	<ul> <li>Application mostly demonstrates code elegance on the following:         <ul> <li>Correct use of intermediate variables, e.g., no method calls as arguments.</li> <li>Idiomatic use of control flow, data structures &amp; other in-built functions.</li> <li>Sufficient modularity, e.g., code adheres to various OO design principles.</li> <li>Adhere to a complex OO architecture, e.g., classes, methods, concise naming &amp; methods assigned to the correct classes.</li> <li>Efficient algorithmic approach.</li> </ul> </li> </ul>	<ul> <li>Application demonstrates some code elegance on the following:</li> <li>Correct use of intermediate variables, e.g., no method calls as arguments.</li> <li>Idiomatic use of control flow, data structures &amp; other in-built functions.</li> <li>Sufficient modularity, e.g., code adheres to various OO design principles.</li> <li>Adhere to a complex OO architecture, e.g., classes, methods, concise naming &amp; methods assigned to the correct classes.</li> <li>Efficient algorithmic approach.</li> </ul>	<ul> <li>Application does not or does not fully demonstrate code elegance on the following:</li> <li>Correct use of intermediate variables, e.g., no method calls as arguments.</li> <li>Idiomatic use of control flow, data structures &amp; other in-built functions.</li> <li>Sufficient modularity, e.g., code adheres to various OO design principles.</li> <li>Adhere to a complex OO architecture, e.g., classes, methods, concise naming &amp; methods assigned to the correct classes.</li> <li>Efficient algorithmic approach.</li> </ul>
Git Usage	Git commit messages thoroughly reflect the functional requirement changes.  Git branches thoroughly named & describe the context of the functional requirements.	Git commit messages mostly reflect the functional requirement changes.  Git branches mostly named & describe the context of the functional requirements.	Git commit messages reflect some of the functional requirement changes.  Git branches named & describe some of the context of the functional requirements.	Git commit messages do not or do not fully reflect the context of each solution.  Git branches incorrectly named & do not or do not fully describe the context of the functional requirements.

## **Marking Cover Sheet**



Assessment 01: Language Translator IN721: Design & Development of Application for Mobile Devices

Level 7, Credits 15

## **Bachelor of Information Technology**



Name:	Date:
Learner ID:	
Assessor's Name:	
Assessor's Signature:	

Criteria	Out Of	Weighting	Final Result
Functionality & Robustness	10	40	
Documentation	10	30	
Code Elegance	10	20	
Git Usage	10	10	
Final Result /100			

This assessment is worth 20% of the final mark for the Design & Development of Application for Mobile Devices course.