

# College of Engineering, Construction and Living Sciences Bachelor of Information Technology

IN721: Design and Development of Applications for Mobile Devices Level 7, Credits 15

# Kotlin Travelling App

#### **Assessment Overview**

For this assessment, you will develop & publish a travelling application using Kotlin in Android Studio & Google Play Store. Intermediate Android features such as asynchronous tasks, recycler view widget, card view widget, shared preferences, SQLite & maps were covered formally in class. The main purpose of this assessment is not just to build a mobile application, rather to demonstrate your ability to effectively learn intermediate/advanced Android features independently. In addition, marks will be allocated for application robustness, code elegance, documentation & git usage.

The travelling application will help you sound like a local abroad & help you adapt to a new culture. You begin by selecting a continent & country tool. For example, if you are travelling to Japan, you will have text translation support, text-to-speech support, a selection of key Japanese phrases & an interactive quiz to test your knowledge of Japanese culture. A user of your travelling application should be able to select from at least two country tools per continent **excluding** Antarctica.

# Assessment Table

Assessment Activity	Weighting	Learning Outcomes	Assessment Grading Scheme	Completion Requirements
Practicals	10%	1, 3, 4	CRA	Cumulative
Kotlin Travelling App	35%	1, 3, 4	CRA	Cumulative
React Native Social Game App	25%	1, 3, 4	CRA	Cumulative
Kotlin Exam	15%	2, 3, 4	CRA	Cumulative
React Native Exam	15%	2, 3, 4	CRA	Cumulative

# Conditions of Assessment

You will complete this assessment outside timetabled class time, however, there will be availability during the teaching sessions to discuss the requirements and progress of this assessment. This assessment will need to be completed by Wednesday, 14 October 2020 at 5pm.

#### Pass Criteria

This assessment is criterion-referenced with a cumulative pass mark of 50%.

#### **Submission Details**

You must submit your program files via **GitHub Classroom**. Here is the link to the repository you will use for your submission – https://classroom.github.com/a/Z5yfBBUS.

# **Group Contribution**

All git commit messages must identify which member(s) participated in the associated work session. Proportional contribution will be determined by inspection of the commit logs. If the commit logs show evidence of significantly uneven contribution proportion, the lecturer may choose to adjust the mark of the lesser contributor downward by an amount derived from the individual contributions.

# Authenticity

All parts of your submitted assessment must be completely your work and any references must be cited appropriately including, externally-sourced graphic elements. All media must be royalty free (or legally purchased) for educational use. Failure to do this will result in a mark of zero.

# Policy on Submissions, Extensions, Resubmissions & Resits

The school's process concerning **Submissions**, **Extensions**, **Resubmissions** and **Resits** complies with Otago Polytechnic policies. Students can view policies on the Otago Polytechnic website located at https://www.op.ac.nz/about-us/governance-and-management/policies.

#### Extensions

Please familiarise yourself with the assessment due date. If you need an extension, please contact your lecturer before the due date. If you require more than a week's extension, a medical certificate or support letter from your manager may be needed.

# Resubmissions

Students may be requested to resubmit an assessment following a rework of part/s of the original assessment. Resubmissions are completed within a short time frame (usually no more than 5 working days) and usually must be completed within the timing of the course to which the assessment relates. Resubmissions will be available to students who have made a genuine attempt at the first assessment opportunity. The maximum grade awarded for resubmission will be C-.

# **Learning Outcomes**

At the successful completion of this course, students will be able to:

- 1. Implement complete, non-trivial, industry-standard mobile applications following sound architectural and code-quality standards.
- 2. Explain relevant principles of human perception and cognition and their importance to software design.
- 3. Identify relevant use cases for a mobile computing scenario and incorporate them into an effective user experience design.
- 4. Follow industry standard software engineering practice in the design of mobile applications.

# Instructions

## Functionality & Robustness - Learning Outcomes 1, 3, 4

- Application must open without file structure modification in Android Studio.
- Application must run without code modification on multiple mobile devices.
- Text translation support for at least two countries per continent. If a country is multilingual (use of more than one language), choose only one language.
  - Use an asynchronous task & Yandex Translate API to translate text from one language to another.
  - Display a progress dialog while text is being translated.
  - Handle incorrectly formatted input fields, for example, a blank or empty edit text widget.
  - Resource: https://tech.yandex.com/translate
- Text-to-speech support for at least two countries per continent.
  - If a country is not supported, please handle correctly by either using a snackbar widget or a toast message.
  - $\ \textbf{Resource:} \ \text{https://developer.android.com/reference/kotlin/android/speech/tts/TextToSpeech}$
- Selection of at least four key phrases per country per continent.
- An interactive quiz for at least one country per continent.
  - Quiz topics may include animals, culture, food & drink, geography & sport.
  - Each quiz must have at least five questions.
  - Questions can be multi-choice &/or true or false.
  - Each question must have an image. Multi-choice questions must have four answers.
  - Display appropriate feedback for correct & incorrect answers by either using a text view widget or a
    toast message. If a question is answered incorrectly, display the correct answer.
  - At the end of each quiz, store the user's score in a SQLite database table.
  - For each quiz, display the user's top three scores in either a recycler view widget or a text view widget.
- Localization support for at least two countries per continent.
  - Resource: https://developer.android.com/guide/topics/resources/localization
- Application can be exited via a dialog fragment. The dialog fragment should prompt the user when the user double taps the mobile device's back button.
- For each country, display a Google marker on a Google map. The marker's information window should display the name of the country & capital city. The marker's coordinates will be the latitude & longitude of the capital city.
  - $\ Resource: \ {\rm https://developers.google.com/maps/documentation/android-sdk/start}$
- Switch widget which toggles between light & dark mode.
  - The state (true or false) of the switch widget must be stored in shared preferences.
  - The mode will be based off the state of the switch widget, for example, true equals dark mode & false equals light mode.
  - Resource: https://developer.android.com/guide/topics/ui/look-and-feel/darktheme
- Splash screen with an image view widget & transition animation.
  - The transition animation must be a custom animation XML file.
  - Resource: https://developer.android.com/guide/topics/resources/animation-resource

- Adaptive launcher icon which displays a variety of shapes across different mobile devices.
  - Resources:
    - $*\ https://developer.android.com/guide/practices/ui\_guidelines/icon\_design\_adaptive$
    - $*\ https://romannurik.github.io/AndroidAssetStudio/icons-launcher.html$
- Bottom navigation view widget which navigates the user to the appropriate activities.
  - $\ \textbf{Resource:} \ \text{https://developer.android.com/reference/com/google/android/material/bottomnavigation/BottomNavigationView} \\ \ \textbf{Resource:} \$
- Display the application's privacy policy in a web view widget.
  - Resource: https://play.google.com/about/developer-content-policy
- Visually attractive user-interface with a coherent graphical theme & style using Material Design.
- Application is published to Google Play Store.
  - When you create the application, please name the package appropriately, for example,
     op.johndoe.travelling. Note: replace johndoe with your Otago Polytechnic Ltd username.
  - Resources:
    - $*\ https://support.google.com/googleplay/android-developer/answer/113469?hl{=}en$
    - \* https://developer.android.com/studio/publish/app-signing
- Ability to download the application from Google Play Store on to multiple mobile devices.

## Documentation & Git Usage - Learning Outcomes 3, 4

- Provide the following in the repository README file:
  - Privacy policy which discloses user information collected by the application.
  - Sketched wireframes of the application. This can be hand-written or digitalised.
  - Step-by-step user guide detailing each activity. The user guide must contain a screenshot of each activity in the application.
  - Commented code is documented using KDoc & generated to Markdown using Dokka.
    - \* Resources:
      - $\cdot\ https://kotlinlang.org/docs/reference/kotlin-doc.html$
      - · https://github.com/Kotlin/dokka
- At least 10 feature branches excluding the **master** branch.
  - Your branches must be prefix with **feature**, for example, **feature**-<name of functional requirement>.
  - For each branch, merge your own pull request to the **master** branch.
- Commit messages must reflect the context of each functional requirement change.

# Assessment 01: Kotlin Travelling App Assessment Rubric

	10-9	8-7	6-5	4-0
	Application thoroughly demonstrates	Application mostly demonstrates	Application demonstrates some	Application does not or does not fully
	functionality & robustness on the	functionality & robustness on the	functionality & robustness on the	demonstrate functionality &
	following:	following:	following:	robustness on the following:
unctionality & Robustness	<ul> <li>Application opens without file structure modification.</li> <li>Application runs without code modification.</li> <li>Text translation support.</li> <li>Text-to-speech support.</li> <li>Selection of key phrases.</li> <li>Interactive quiz.</li> <li>Localization support.</li> <li>Exiting via a dialog fragment.</li> <li>Google markers &amp; map.</li> <li>Light &amp; dark mode.</li> <li>Splash screen with image view widget &amp; transition animation.</li> </ul>	<ul> <li>Application opens without file structure modification.</li> <li>Application runs without code modification.</li> <li>Text translation support.</li> <li>Text-to-speech support.</li> <li>Selection of key phrases.</li> <li>Interactive quiz.</li> <li>Localization support.</li> <li>Exiting via a dialog fragment.</li> <li>Google markers &amp; map.</li> <li>Light &amp; dark mode.</li> <li>Splash screen with image view widget &amp; transition animation.</li> </ul>	<ul> <li>Application opens without file structure modification.</li> <li>Application runs without code modification.</li> <li>Text translation support.</li> <li>Text-to-speech support.</li> <li>Selection of key phrases.</li> <li>Interactive quiz.</li> <li>Localization support.</li> <li>Exiting via a dialog fragment.</li> <li>Google markers &amp; map.</li> <li>Light &amp; dark mode.</li> <li>Splash screen with image view widget &amp; transition animation.</li> </ul>	<ul> <li>Application opens without file structure modification.</li> <li>Application runs without code modification.</li> <li>Text translation support.</li> <li>Text-to-speech support.</li> <li>Selection of key phrases.</li> <li>Interactive quiz.</li> <li>Localization support.</li> <li>Exiting via a dialog fragment.</li> <li>Google markers &amp; map.</li> <li>Light &amp; dark mode.</li> <li>Splash screen with image view widget &amp; transition animation.</li> </ul>
ncti	<ul><li>Adaptive launcher icon.</li><li>Bottom navigation view widget</li></ul>			
Fu	which navigates the user to the appropriate activities.	which navigates the user to the appropriate activities.	which navigates the user to the appropriate activities.	which navigates the user to the appropriate activities.
	<ul> <li>Privacy policy in a web view widget.</li> </ul>	<ul> <li>Privacy policy in a web view widget.</li> </ul>	<ul> <li>Privacy policy in a web view widget.</li> </ul>	<ul> <li>Privacy policy in a web view widget.</li> </ul>
	<ul> <li>Visually attractive user interface.</li> </ul>			
	<ul> <li>Published to Google Play Store.</li> </ul>			
	<ul> <li>Application downloadable</li> </ul>			
	from Google Play Store.			

All Kotlin files contain no magic numbers/strings & are stored in their appropriate XML files.

All XML files contain no magic numbers/strings & are stored in their appropriate XML files.

Application code thoroughly demonstrates code elegance on the following:

- Correct use of intermediate variables, i.e., no method calls as arguments.
- Idiomatic use of control flow, data structures & other in-built functions.
- Sufficient modularity, i.e., code adheres to various OO design principles.
- Adhere to an OO architecture, i.e., classes, functions, concise naming & functions assigned to the correct classes.
- Efficient algorithmic approach.

Most Kotlin files contain no magic numbers/strings & are stored in their appropriate XML files.

Most XML files contain no magic numbers/strings & are stored in their appropriate XML files.

Application code mostly demonstrates code elegance on the following:

- Correct use of intermediate variables, i.e., no method calls as arguments.
- Idiomatic use of control flow, data structures & other in-built functions.
- Sufficient modularity, i.e., code adheres to various OO design principles.
- Adhere to an OO architecture, i.e., classes, functions, concise naming & functions assigned to the correct classes.
- Efficient algorithmic approach.

Some Kotlin files contain no magic numbers/strings & are stored in their appropriate XML files.

Some XML files contain no magic numbers/strings & are stored in their appropriate XML files.

Application code demonstrates some code elegance on the following:

- Correct use of intermediate variables, i.e., no method calls as arguments.
- Idiomatic use of control flow, data structures & other in-built functions.
- Sufficient modularity, i.e., code adheres to various OO design principles.
- Adhere to an OO architecture, i.e., classes, functions, concise naming & functions assigned to the correct classes.
- Efficient algorithmic approach.

Kotlin files contain frequent magic numbers/strings & are not or are not fully stored in their appropriate XML files.

XML files contain frequent magic numbers/strings & are not or are not fully stored in their appropriate XML files.

Application code does not does not fully demonstrate code elegance on the following:

- Correct use of intermediate variables, i.e., no method calls as arguments.
- Idiomatic use of control flow, data structures & other in-built functions.
- Sufficient modularity, i.e., code adheres to various OO design principles.
- Adhere to an OO architecture, i.e., classes, functions, concise naming & functions assigned to the correct classes.
- Efficient algorithmic approach.

	Privacy policy thoroughly discloses	Privacy policy mostly discloses user	Privacy policy briefly discloses user	Privacy policy does not or does not
	user information collected by the	information collected by the	information collected by the	fully disclose user information
	application.	application.	application.	collected by the application.
	Wireframes thoroughly sketched &	Application wireframes mostly	Application wireframes briefly	Application wireframes are not or are
	reflect the final application.	sketched & reflect the final	sketched & reflect the final	not fully sketched & do not or do not
<b>a</b> \		application.	application.	fully reflect the final application.
ge	Step-by-step user guide thoroughly			
Usage	describes each activity in detail.	Step-by-step user guide mostly	Step-by-step user guide briefly	Step-by-step guide does not or does
<u> </u>		describes each activity in detail.	describes each activity in detail.	not fully describe each activity in
Git	Application code thoroughly			detail.
જ	commented with KDoc & generated	Application code mostly commented	Some application code commented	
o	with Dokka.	with KDoc & generated with Dokka.	with KDoc & generated with Dokka.	Application code is not or not fully
ati				commented with KDoc & generated
Documentation	Git branches thoroughly named with	Git branches mostly named with	Some git branches named with	with Dokka.
πe	convention & contain the correct code	convention & contain the correct code	convention & contain the correct code	
5	relating to the functional	relating to the functional	relating to the functional	Git branches are not or are not fully
Ŏ	requirement.	requirement.	requirement.	named with convention & do not or
_				do not fully contain the correct code
	Git commit messages thoroughly	Git commit messages mostly reflect	Some git commit messages reflect the	relating to the functional
	reflect the functional requirement	the functional requirement changes.	functional requirement changes.	requirement.
	changes.			
	_			Git commit messages do not or do not
				fully reflect the functional
				requirement changes.

# Assessment 01: Kotlin Travelling App Marking Cover Sheet

Name:
Date:
Learner ID:
Assessor's Name:
Assessor's Signature:

Criteria	Out Of	Weighting	Final Result
Functionality & Robustness	10	40	
Code Elegance	10	45	
Documentation & Git Usage	10	15	
Final Result			/100

This assessment is worth 35% of the final mark for the Design and Development of Application Mobile Devices course.

Feedback:

Assessment 01: Kotlin Travelling App Version 1, 2020