



1. Introduction

Adv. Macro: Heterogenous Agent Models

Jeppe Druedahl & Patrick Moran

2023



Introduction

- **Teachers:** Jeppe Druedahl & Patrick Moran (& Jacob Røpke)

- **Teachers:** Jeppe Druedahl & Patrick Moran (& Jacob Røpke)
- **Central economic questions:**
 1. What explains the level and dynamics of heterogeneity/inequality?
 2. What role does heterogeneity play for understanding consumption-saving dynamics in partial equilibrium?
 3. What role does heterogeneity play for understanding business-cycle fluctuations in general equilibrium?

Introduction

- **Teachers:** Jeppe Druedahl & Patrick Moran (& Jacob Røpke)
 - **Central economic questions:**
 1. What explains the level and dynamics of heterogeneity/inequality?
 2. What role does heterogeneity play for understanding consumption-saving dynamics in partial equilibrium?
 3. What role does heterogeneity play for understanding business-cycle fluctuations in general equilibrium?
 - **Central technical method:** Programming in Python
- Prerequisite:** *Intro. to Programming and Numerical Analysis*
- Complicated:** *Close to the research frontier*

Introduction

- **Teachers:** Jeppe Druedahl & Patrick Moran (& Jacob Røpke)
- **Central economic questions:**
 1. What explains the level and dynamics of heterogeneity/inequality?
 2. What role does heterogeneity play for understanding consumption-saving dynamics in partial equilibrium?
 3. What role does heterogeneity play for understanding business-cycle fluctuations in general equilibrium?
- **Central technical method:** Programming in Python
Prerequisite: *Intro. to Programming and Numerical Analysis*
Complicated: *Close to the research frontier*
- **Plan for today:**
 1. More about the course
 2. Consumption-saving models
 3. Numerical dynamic programming

Macroeconomic Models with Heterogeneous Agents

- **Model components:**

1. Optimizing individual agents (households + firms)
2. Idiosyncratic and aggregate risk
3. Information flows (who knows what when \Rightarrow often everything)
4. Market clearing (Walras vs. search-and-match)

Macroeconomic Models with Heterogeneous Agents

- **Model components:**

1. Optimizing individual agents (households + firms)
2. Idiosyncratic and aggregate risk
3. Information flows (who knows what when \Rightarrow often everything)
4. Market clearing (Walras vs. search-and-match)

- **Insurance/markets:**

Complete \rightarrow idiosyncratic risk insured away \sim representative agent

Incomplete \rightarrow agents need to *self-insure*

Macroeconomic Models with Heterogeneous Agents

- **Model components:**

1. Optimizing individual agents (households + firms)
2. Idiosyncratic and aggregate risk
3. Information flows (who knows what when \Rightarrow often everything)
4. Market clearing (Walras vs. search-and-match)

- **Insurance/markets:**

Complete \rightarrow idiosyncratic risk insured away \sim representative agent

Incomplete \rightarrow agents need to *self-insure*

- **Heterogeneity:**

Ex ante in preferences, abilities etc.

Ex post after realization of idiosyncratic shocks

Macroeconomic Models with Heterogeneous Agents

- **Model components:**

1. Optimizing individual agents (households + firms)
2. Idiosyncratic and aggregate risk
3. Information flows (who knows what when \Rightarrow often everything)
4. Market clearing (Walras vs. search-and-match)

- **Insurance/markets:**

Complete \rightarrow idiosyncratic risk insured away \sim representative agent

Incomplete \rightarrow agents need to *self-insure*

- **Heterogeneity:**

Ex ante in preferences, abilities etc.

Ex post after realization of idiosyncratic shocks

- **HANC:** Heterogeneous Agent *Neo-Classical* model

(Aiyagari-Bewley-Hugget-Imrohoroglu or Standard Incomplete Market model)

Macroeconomic Models with Heterogeneous Agents

- **Model components:**

1. Optimizing individual agents (households + firms)
2. Idiosyncratic and aggregate risk
3. Information flows (who knows what when \Rightarrow often everything)
4. Market clearing (Walras vs. search-and-match)

- **Insurance/markets:**

Complete \rightarrow idiosyncratic risk insured away \sim representative agent

Incomplete \rightarrow agents need to *self-insure*

- **Heterogeneity:**

Ex ante in preferences, abilities etc.

Ex post after realization of idiosyncratic shocks

- **HANC:** Heterogeneous Agent *Neo-Classical* model
(Aiyagari-Bewley-Hugget-Imrohoroglu or Standard Incomplete Market model)
- **HANK:** Heterogeneous Agent *New Keynesian* model
(i.e. include price and wage setting frictions)

Teaching method

- **Lectures:** Thursday 10-13
 - ~2 hours of »normal« lecture
 - ~1 hour of active problem solving (no exercise classes)

Teaching method

- **Lectures:** Thursday 10-13
 - ~2 hours of »normal« lecture
 - ~1 hour of active problem solving (no exercise classes)
- **Content:**
 1. Explanation of computational methods
 2. Discussion of research papers
 3. Examples of code for central mechanisms
(you should run the notebook codes simultaneously)

Teaching method

- **Lectures:** Thursday 10-13
 - ~2 hours of »normal« lecture
 - ~1 hour of active problem solving (no exercise classes)
- **Content:**
 1. Explanation of computational methods
 2. Discussion of research papers
 3. Examples of code for central mechanisms
(you should run the notebook codes simultaneously)
- **Material:**

Web: sites.google.com/view/numeconcph-advmacrohet/
Git: github.com/numeconcopenhagen/adv-macro-het

Teaching method

- **Lectures:** Thursday 10-13
 - ~2 hours of »normal« lecture
 - ~1 hour of active problem solving (no exercise classes)
- **Content:**
 1. Explanation of computational methods
 2. Discussion of research papers
 3. Examples of code for central mechanisms
(you should run the notebook codes simultaneously)
- **Material:**

Web: sites.google.com/view/numeconcph-advmacrohet/
Git: github.com/numeconcopenhagen/adv-macro-het
- **Code:**
 1. We provide code you will build upon
 2. Based on the **GEModelTools** package

Assignments and exam

- Individual **assignments** (hand-in on Absalon)

Assignments and exam

- Individual **assignments** (hand-in on Absalon)
 1. **Assignment I**
Deadline: 6th of October (*must be approved before exam*)

Assignments and exam

- Individual **assignments** (hand-in on Absalon)
 1. **Assignment I**
Deadline: 6th of October (*must be approved before exam*)
 2. **Assignment II**
Deadline: 24th of November (*must be approved before exam*)

Assignments and exam

- Individual **assignments** (hand-in on Absalon)
 1. **Assignment I**
Deadline: 6th of October (*must be approved before exam*)
 2. **Assignment II**
Deadline: 24th of November (*must be approved before exam*)
 3. **Assignment III** with essay on a relevant model extension of own choice and a simple implementation
Deadline for proposal: 8th of December
Deadline for peer feedback: 14th of December (*exam requirement*)

Assignments and exam

- Individual **assignments** (hand-in on Absalon)
 1. **Assignment I**
Deadline: 6th of October (*must be approved before exam*)
 2. **Assignment II**
Deadline: 24th of November (*must be approved before exam*)
 3. **Assignment III** with essay on a relevant model extension of own choice and a simple implementation
Deadline for proposal: 8th of December
Deadline for peer feedback: 14th of December (*exam requirement*)
- All **feedback** can be used to improve assignments before the exam

Assignments and exam

- Individual **assignments** (hand-in on Absalon)
 1. **Assignment I**
Deadline: 6th of October (*must be approved before exam*)
 2. **Assignment II**
Deadline: 24th of November (*must be approved before exam*)
 3. **Assignment III** with essay on a relevant model extension of own choice and a simple implementation
Deadline for proposal: 8th of December
Deadline for peer feedback: 14th of December (*exam requirement*)
- All **feedback** can be used to improve assignments before the exam
- **Exam**:
 1. Hand-in 3×**assignments**
 2. **48 hour take-home**: Programming of new extension
+ analysis of model + interpretation of results

1. **Assumed knowledge:** From **Introduction to Programming and Numerical Analysis** you are assumed to know the basics of
 - 1.1 Python
 - 1.2 VSCode
 - 1.3 git
2. **Updated Python:** Install (or re-install) newest Anaconda
3. **Packages:** `pip install quantecon, EconModel, consav`
4. **GEModel tools:**
 - 4.1 Clone the GEModelTools repository
 - 4.2 Locate repository in command prompt
 - 4.3 Run `pip install -e .`

See CoursePlan.pdf in repository

1. Account for, formulate and interpret precautionary saving models
2. Account for stochastic and non-stochastic simulation methods
3. Account for, formulate and interpret general equilibrium models with ex ante and ex post heterogeneity, idiosyncratic and aggregate risk, and with and without pricing frictions
4. Discuss the difference between the stationary equilibrium, the transition path and the dynamic equilibrium
5. Discuss the relationship between various equilibrium concepts and their solution methods
6. Identify and account for methods for analyzing the dynamic distributional effects of long-run policy (e.g. taxation and social security) and short-run policy (e.g. monetary and fiscal policy)

1. Solve precautionary saving problems with dynamic programming and simulate behavior with stochastic and non-stochastic techniques
2. Solve general equilibrium models with ex ante and ex post heterogeneity, idiosyncratic and aggregate risk, and with and without pricing frictions (stationary equilibrium, transition path, dynamic equilibrium)
3. Analyze dynamics of income and wealth inequality
4. Analyze transitional and permanent structural changes (e.g. inequality trends and the long-run decline in the interest rate)
5. Analyze the dynamic distributional effects of long-run policy (e.g. taxation and social security) and short-run policy (e.g. monetary and fiscal policy)

Competencies

1. Independently formulate, discuss and assess research on both the causes and effects of heterogeneity and risk for both long-run and short-run outcomes
2. Discuss and assess the importance of how heterogeneity and risk is modeled for questions about both long-run and short-run dynamics

History of heterogeneous agent macro

1. Heathcote et al. (2009), »Quantitative Macroeconomics with Heterogeneous Households«
2. Kaplan and Violante (2018), »Microeconomic Heterogeneity and Macroeconomic Shocks«
3. Cherrier et al. (2023), »Household Heterogeneity in Macroeconomic Models: A Historical Perspective«

Consumption-Saving

Generations of models

1. Permanent income hypothesis (Friedman, 1957) or life-cycle model (Modigliani and Brumberg, 1954)
2. Buffer-stock consumption model (Deaton, 1991, 1992; Carroll, 1992, 1997)
3. Multiple-asset buffer-stock consumption models (e.g. Kaplan and Violante (2014))

$$v_0 = \max_{\{c_t\}_{t=0}^{T-1}} \sum_{t=0}^{T-1} \beta^t u(c_t)$$

s.t.

$$a_t = (1 + r)a_{t-1} + wz_t - c_t$$

$$a_{T-1} \geq 0$$

- **Variables:**

Consumption: c_t

Productivity: z_t

End-of-period savings: a_t (*no debt at death*)

- **Parameters:**

Discount factor: β

Wage: w

Interest rate: r (define $R \equiv 1 + r$ as interest factor)

It is a *static* problem

$$v_0 = \max_{\{c_t\}_{t=0}^{T-1}} \sum_{t=0}^{T-1} \beta^t u(c_t)$$

s.t.

$$a_t = (1 + r)a_{t-1} + wz_t - c_t$$

$$a_{T-1} \geq 0$$

■ It is a *static* problem:

1. **Information:** z_t is known for all t at $t = 0$
2. **Target:** Discounted utility, $\sum_{t=0}^{T-1} \beta^t u(c_t)$
3. **Behavior:** Choose c_0, c_1, \dots, c_{T-1} *simultaneously*
4. **Solution:** Sequence of consumption *choices* $c_0^*, c_1^*, \dots, c_{T-1}^*$

- **Substitution** implies *Intertemporal Budget Constraint* (IBC)

$$\begin{aligned}a_{T-1} &= Ra_{T-2} + wz_{T-1} - c_{T-1} \\&= R^2 a_{T-3} + R wz_{T-2} - Rc_{T-2} + wz_{T-1} - c_{T-1} \\&= R^T a_{-1} + \sum_{t=0}^{T-1} R^{T-1-t} (wz_t - c_t)\end{aligned}$$

- **Substitution** implies *Intertemporal Budget Constraint* (IBC)

$$\begin{aligned}
 a_{T-1} &= Ra_{T-2} + wz_{T-1} - c_{T-1} \\
 &= R^2 a_{T-3} + Rwz_{T-2} - Rc_{T-2} + wz_{T-1} - c_{T-1} \\
 &= R^T a_{-1} + \sum_{t=0}^{T-1} R^{T-1-t} (wz_t - c_t)
 \end{aligned}$$

- Use **terminal condition** $a_{T-1} = 0$ (equality due utility max.)

$$R^{-(T-1)} a_{T-1} = 0 \Leftrightarrow s_0 + h_0 - \sum_{t=0}^{T-1} R^{-t} c_t = 0$$

where $s_0 \equiv Ra_{-1}$ (after-interest assets)
 and $h_0 \equiv \sum_{t=0}^{T-1} R^{-t} wz_t$ (human capital)

$$\mathcal{L} = \sum_{t=0}^{T-1} \beta^t u(c_t) + \lambda \left[\sum_{t=0}^{T-1} R^{-t} c_t - s_0 - h_0 \right]$$

- **First order conditions:**

$$\forall t : 0 = \beta^t u'(c_t) - \lambda(1+r)^{-t} \Leftrightarrow u'(c_t) = -\lambda(\beta R)^{-t}$$

- **Euler-equation** for $k \in \{1, 2, \dots\}$:

$$\frac{u'(c_t)}{u'(c_{t+k})} = \frac{-\lambda(\beta R)^{-t}}{-\lambda(\beta R)^{-(t+k)}} = (\beta R)^k$$

Consumption choice

- **CRRRA:** $u(c_t) = \frac{c_t^{1-\sigma}}{1-\sigma}$ imply Euler-equation

$$\frac{c_0^{-\sigma}}{c_t^{-\sigma}} = (\beta R)^t \Leftrightarrow c_t = (\beta R)^{\frac{t}{\sigma}} c_0$$

- Insert **Euler** into **IBC** to get consumption choice

$$\sum_{t=0}^{T-1} R^{-t} (\beta R)^{t/\sigma} c_0 = s_0 + h_0 \Leftrightarrow$$

$$c_0^* = \frac{1 - (\beta R)^{1/\sigma} R^{-1}}{1 - ((\beta R)^{1/\sigma} R^{-1})^T} (s_0 + h_0)$$

- **Infinite horizon** for $(\beta R)^{1/\sigma} R^{-1} < 1$: Let $T \rightarrow \infty$ to get

$$c_0^* = \left(1 - \frac{(\beta R)^{1/\sigma}}{R}\right) (s_0 + h_0)$$

- **Interesting properties** are e.g.:

1. Interest rate sensitivity: $\frac{\partial c_0}{\partial r}$
2. MPC of permanent income change: $\frac{\partial c_0}{\partial w}$
3. MPC of future income: $\frac{\partial c_0}{\partial z_t}$
4. MPC of windfall income: $\frac{\partial c_0}{\partial s_0}$

Small when $\beta R \approx 1$ and $1 - R^{-1} \approx r \Rightarrow \frac{\partial c_0}{\partial s_0} \approx r$

- **No borrowing constraints or uncertainty**
- **Other simplifications:** No age life-cycle, bequests etc.

Initial liquidity/borrowing constraint

- Implied period 0 **savings** are:

$$a_0 = Ra_{-1} + wz_0 - c_0$$

- **Borrowing constraint:** $a_0 \geq -w \cdot b$
- **Maximum consumption:** $\bar{c}_0 = Ra_{-1} + wz_0 + wb$
- **Optimal consumption:** Constrained or unconstrained.

$$c_0^* = \min \left\{ \bar{c}_0, \left(1 - \frac{(\beta R)^{1/\sigma}}{R} \right) (s_0 + h_0) \right\}$$

- **Empirical realism.** Incl. high MPC of constrained.
- **Technical issue:** Borrowing constraints further in the future complicates the analytical solution considerably.

Uncertainty and always borrowing constraint

$$v_0(z_0, a_{-1}) = \max_{\{c_t\}_{t=0}^{\infty}} \mathbb{E}_0 \left[\sum_{t=0}^{\infty} \beta^t u(c_t) \right]$$

s.t.

$$a_t = (1 + r)a_{t-1} + wz_t - c_t$$

$$z_{t+1} \sim \mathcal{Z}(z_t)$$

$$a_t \geq -wb$$

$$\lim_{t \rightarrow \infty} (1 + r)^{-t} a_t \geq 0 \quad [\text{No-Ponzi game}]$$

- **Stochastic income** from 1st order Markov-process, \mathcal{Z}
- **A true dynamic problem:**
 1. **Information:** z_t is revealed period-by-period
 2. **Target:** Expected discounted utility, $\mathbb{E}_0 \left[\sum_{t=0}^{\infty} \beta^t u(c_t) \right]$
 3. **Behavior:** Choose c_t *sequentially* as information is revealed
 4. **Solution:** Sequence of consumption *functions*, $c_t^*(z_t, a_{t-1})$

- **Substitution** still implies:

$$R^{-(T-1)}a_{T-1} = 0 \Leftrightarrow s_0 + h_0 - \sum_{t=0}^{T-1} R^{-t}c_t = 0$$

- **What if $T \rightarrow \infty$?** We must have $\lim_{T \rightarrow \infty} R^{-(T-1)}a_{T-1} = 0$
 1. $\lim_{T \rightarrow \infty} R^{-(T-1)}a_{T-1} > 0$: Consumption can be increased
 2. $\lim_{T \rightarrow \infty} R^{-(T-1)}a_{T-1} < 0$: Violates No-Ponzi game condition
- For $T \rightarrow \infty$ we have the **IBC**:

$$\sum_{t=0}^{\infty} R^{-t}c_t = Ra_{-1} + \sum_{t=0}^{\infty} R^{-t}wz_t$$

Natural borrowing limit

- Denote **minimum possible income** by \underline{z}

Natural borrowing limit

- Denote **minimum possible income** by \underline{z}
- **Consumption must be non-negative** \Rightarrow *interest payments must be less than minimum income*

$$c_t \geq 0 \Rightarrow r(-a_t) \leq w\underline{z} \Leftrightarrow a_t \geq -\frac{w\underline{z}}{r}$$

If debt was larger it would in the worst case ($\forall z_t = \underline{z}$) grow without bound even with zero consumption ($\forall c_t = 0$)

$$a_0 = -\frac{w\underline{z}}{r} - \Delta$$

$$a_1 = (1+r)a_0 + w\underline{z} = a_0 - (1+r)\Delta$$

$$a_2 = (1+r)a_1 + w\underline{z} = a_0 - (1+r)^2\Delta$$

$$\vdots$$

Natural borrowing limit

- Denote **minimum possible income** by \underline{z}
- **Consumption must be non-negative** \Rightarrow *interest payments must be less than minimum income*

$$c_t \geq 0 \Rightarrow r(-a_t) \leq w\underline{z} \Leftrightarrow a_t \geq -\frac{w\underline{z}}{r}$$

If debt was larger it would in the worst case ($\forall z_t = \underline{z}$) grow without bound even with zero consumption ($\forall c_t = 0$)

$$a_0 = -\frac{w\underline{z}}{r} - \Delta$$

$$a_1 = (1+r)a_0 + w\underline{z} = a_0 - (1+r)\Delta$$

$$a_2 = (1+r)a_1 + w\underline{z} = a_0 - (1+r)^2\Delta$$

$$\vdots$$

- **Natural borrowing constraint:** $a_t \geq \underline{a} = -w \min \left\{ b, \frac{\underline{z}}{r} \right\}$

Euler-equation from variation argument

- **Case I:** If $u'(c_t) > \beta R \mathbb{E}_t[u'(c_{t+1})]$:

Increase c_t by marginal $\Delta > 0$, and lower c_{t+1} by $R\Delta$

1. **Feasible:** Yes, if $a_t > \underline{a}$
2. **Utility change:** $u'(c_t) + \beta(-R) \mathbb{E}_t[u'(c_{t+1})] > 0$

Euler-equation from variation argument

- **Case I:** If $u'(c_t) > \beta R \mathbb{E}_t [u'(c_{t+1})]$:

Increase c_t by marginal $\Delta > 0$, and lower c_{t+1} by $R\Delta$

1. **Feasible:** Yes, if $a_t > \underline{a}$
2. **Utility change:** $u'(c_t) + \beta (-R) \mathbb{E}_t [u'(c_{t+1})] > 0$

- **Case II:** If $u'(c_t) < \beta R \mathbb{E}_t [u'(c_{t+1})]$:

Lower c_t by marginal $\Delta > 0$, and increase c_{t+1} by $R\Delta$

1. **Feasible:** Yes (always)
2. **Utility change:** $u'(c_t) + \beta R \mathbb{E}_t [u'(c_{t+1})] > 0$

Euler-equation from variation argument

- **Case I:** If $u'(c_t) > \beta R \mathbb{E}_t [u'(c_{t+1})]$:
Increase c_t by marginal $\Delta > 0$, and lower c_{t+1} by $R\Delta$
 1. **Feasible:** Yes, if $a_t > \underline{a}$
 2. **Utility change:** $u'(c_t) + \beta(-R) \mathbb{E}_t [u'(c_{t+1})] > 0$
- **Case II:** If $u'(c_t) < \beta R \mathbb{E}_t [u'(c_{t+1})]$:
Lower c_t by marginal $\Delta > 0$, and increase c_{t+1} by $R\Delta$
 1. **Feasible:** Yes (always)
 2. **Utility change:** $u'(c_t) + \beta R \mathbb{E}_t [u'(c_{t+1})] > 0$
- **Conclusion:** By contradiction
 1. **Constrained:** $a_t = \underline{a}$ and $u'(c_t) \geq \beta R \mathbb{E}_t [u'(c_{t+1})]$, or
 2. **Unconstrained:** $a_t > \underline{a}$ and $u'(c_t) = \beta R \mathbb{E}_t [u'(c_{t+1})]$

Special case I: Quadratic utility

- **Quadratic utility:** $u(c_t) = -\frac{1}{2}(\bar{c} - c)^2$ with $\beta R = 1$ and »large« \bar{c}
- **Euler-equation:** *Consumption = expected future consumption*

$$(\bar{c} - c_t) = \mathbb{E}_t [(\bar{c} - c_{t+k})] \Leftrightarrow c_t = \mathbb{E}_t [c_{t+k}]$$

- Use **IBC** in expectation to get **consumption function**:

$$\sum_{t=0}^{\infty} R^{-t} \mathbb{E}_0 [c_t] = Ra_{-1} + \sum_{t=0}^{\infty} R^{-t} w \mathbb{E}_0 [z_t] \Rightarrow$$
$$c^*(z_t, a_{t-1}) = c_0 = ra_{-1} + \frac{r}{R} \sum_{t=0}^T R^{-t} w \mathbb{E}_0 [z_t]$$

where we formally disregard the borrowing constraint

- **Certainty equivalence:** *Only expected income matter.*

Special case II: CARA utility

- **CARA utility:** $u(c_t) = -\frac{1}{\alpha} e^{-\alpha c}$
- **Productivity is absolute random walk:**

$$z_t = z_{t-1} + \psi_t$$

$$\psi_t \sim \mathcal{N}(0, \sigma_\psi^2)$$

- **Consumption function (see proof):**

$$c^*(a_{t-1}, z_t) = ra_{t-1} + wz_t - \frac{\log(\beta R)^{\frac{1}{\alpha}} + \alpha \frac{\sigma_\psi^2}{2}}{r^2}$$

where we formally disregard the borrowing constraint

- **Precautionary saving:** $\sigma_\psi^2 \uparrow$ implies $c_t^* \downarrow$ for given z_t and a_{t-1}
 \Rightarrow *accumulation of buffer-stock*

Further resources

1. **Lecture notes** by Christopher Carroll
2. **Lecture notes** by Pierre-Olivier Gourinchas
3. **The Economics of Consumption**, Jappelli and Pistaferri (2017)
4. »Liquidity constraints and precautionary saving«
Carroll, Holm, Kimball (JET, 2021)
5. »Theoretical Foundations of Buffer Stock Saving«
Carroll (QE, forthcoming)

Dynamic solution: Bellman's Principle of Optimality

- **In words:** *An optimal policy has the property that whatever the initial state and initial decision are, the remaining decisions must constitute an optimal policy with regard to the state resulting from the first decision. (See Bellman, 1957, Chap. III.3.)*

Dynamic solution: Bellman's Principle of Optimality

- **In words:** *An optimal policy has the property that whatever the initial state and initial decision are, the remaining decisions must constitute an optimal policy with regard to the state resulting from the first decision. (See Bellman, 1957, Chap. III.3.)*
- **In math:**

Dynamic solution: Bellman's Principle of Optimality

- **In words:** *An optimal policy has the property that whatever the initial state and initial decision are, the remaining decisions must constitute an optimal policy with regard to the state resulting from the first decision. (See Bellman, 1957, Chap. III.3.)*
- **In math:**
 1. **Value function, v_t :** Defined *recursively* from

$$v_t(z_t, a_{t-1}) = \max_{c_t} u(c_t) + \beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$$

$$\text{s.t. } a_t = (1 + r)a_{t-1} + wz_t - c_t \geq \underline{a}$$

with $v_T(\bullet) = 0$.

Dynamic solution: Bellman's Principle of Optimality

- **In words:** *An optimal policy has the property that whatever the initial state and initial decision are, the remaining decisions must constitute an optimal policy with regard to the state resulting from the first decision. (See Bellman, 1957, Chap. III.3.)*
- **In math:**
 1. **Value function, v_t :** Defined *recursively* from

$$v_t(z_t, a_{t-1}) = \max_{c_t} u(c_t) + \beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$$
$$\text{s.t. } a_t = (1 + r)a_{t-1} + wz_t - c_t \geq \underline{a}$$

with $v_T(\bullet) = 0$.

2. **Policy function, c_t^* :** Is the same as

$$c_t^*(z_t, a_{t-1}) = \arg \max_{c_t} u(c_t) + \beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$$
$$\text{s.t. } a_t = (1 + r)a_{t-1} + wz_t - c_t \geq \underline{a}$$

$$v_t(z_t, a_{t-1}) = \max_{c_t} u(c_t) + \beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$$
$$\text{s.t. } a_t = (1 + r)a_{t-1} + wz_t - c_t \geq \underline{a}$$

1. **State variables:** z_t and a_{t-1}
2. **Control variable:** c_t
3. **Continuation value:** $\beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$
4. **Parameters:** r , w , and stuff in $u(\bullet)$

Note: Straightforward to extend to more goods, more assets or other states, more complex uncertainty, bounded rationality etc.

Infinite horizon: $T \rightarrow \infty$?

$$v_t(z_t, a_{t-1}) = \max_{c_t} u(c_t) + \beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$$
$$\text{s.t. } a_t = (1+r)a_{t-1} + wz_t - c_t \geq \underline{a}$$

- **Contraction mapping result:** *If β is low enough (strong enough impatience) then the value and policy functions converge to $v(z_t, a_{t-1})$ and $c^*(z_t, a_{t-1})$ for large enough T*
- **Maximum upper limit for β :** $\frac{1}{1+r}$
- **In practice:**
 1. Make arbitrary initial guess (e.g. $v_{t+1} = 0$)
 2. Solve backwards until value and policy functions does not change anymore (given some tolerance)

Numerical solution

Timing of shocks

- **Realization of shocks:** First in the period before choices are made

Timing of shocks

- **Realization of shocks:** First in the period before choices are made
- **Beginning-of-period value function** (before realization):

$$\underline{v}_t(z_{t-1}, a_{t-1}) = \mathbb{E}_{t-1} [v_t(z_t, a_{t-1})]$$

Timing of shocks

- **Realization of shocks:** First in the period before choices are made
- **Beginning-of-period value function** (before realization):

$$\underline{v}_t(z_{t-1}, a_{t-1}) = \mathbb{E}_{t-1} [v_t(z_t, a_{t-1})]$$

- **End-of-period value function** (after realization):

$$\begin{aligned} v_t(z_t, a_{t-1}) &= \max_{c_t} u(c_t) + \beta \underline{v}_{t+1}(z_t, a_t) \\ \text{s.t. } a_t &= (1 + r)a_{t-1} + wz_t - c_t \geq \underline{a} \end{aligned}$$

Discretization and linear interpolation

- **Discretization:** All state variables belong to discrete sets \equiv *grids*,

$$z_t \in \mathcal{G}_z = \{z^0, z^1, \dots, z^{\#z-1}\}$$

$$a_t \in \mathcal{G}_a = \{a^0, a^1, \dots, a^{\#a-1}\}$$

$$a^0 = \underline{a}$$

Discretization and linear interpolation

- **Discretization:** All state variables belong to discrete sets \equiv *grids*,

$$z_t \in \mathcal{G}_z = \{z^0, z^1, \dots, z^{\#z-1}\}$$

$$a_t \in \mathcal{G}_a = \{a^0, a^1, \dots, a^{\#a-1}\}$$

$$a^0 = \underline{a}$$

- **Transition probabilities:** $\pi_{i_z-, i_z} = \Pr[z_t = z^{i_z} \mid z_{t-1} = z^{i_z-}]$

Discretization and linear interpolation

- **Discretization:** All state variables belong to discrete sets \equiv *grids*,

$$z_t \in \mathcal{G}_z = \{z^0, z^1, \dots, z^{\#z-1}\}$$

$$a_t \in \mathcal{G}_a = \{a^0, a^1, \dots, a^{\#a-1}\}$$

$$a^0 = \underline{a}$$


- **Transition probabilities:** $\pi_{i_z-, i_z} = \Pr[z_t = z^{i_z} \mid z_{t-1} = z^{i_z-}]$
- **Linear interpolation** (function approximation):

1. Assume \underline{v}_{t+1} is known on $\mathcal{G}_z \times \mathcal{G}_a$ (tensor product)
2. Evaluate $\underline{v}_{t+1}(z^{i_z}, a)$ for arbitrary a by

$$\check{\underline{v}}_{t+1}(z^{i_z}, a) = \underline{v}_{t+1}(z^{i_z}, a^\iota) + \omega(a - a^\iota)$$

$$\omega \equiv \frac{\underline{v}_{t+1}(z^{i_z}, a^{\iota+1}) - \underline{v}_{t+1}(z^{i_z}, a^\iota)}{a^{\iota+1} - a^\iota}$$

$$\iota \equiv \text{largest } i_a \in \{0, 1, \dots, \#a - 2\} \text{ such that } a^{i_a} \leq a$$



Deriving transition probabilities


- **Specification:** Assume

$$z_t = \tilde{z}_t \xi_t, \quad \log \xi_t \sim \mathcal{N}(\mu_\xi, \sigma_\xi)$$
$$\log \tilde{z}_{t+1} = \rho_z \log \tilde{z}_t + \psi_{t+1}, \quad \psi_{t+1} \sim \mathcal{N}(\mu_\psi, \sigma_\psi)$$

where μ_ξ and μ_ψ ensures $\mathbb{E}[\xi_t] = 1$, $\mathbb{E}[\tilde{z}_t] = 1$ and $\mathbb{E}[z_t] = 1$

- **Discretization of \tilde{z}_t :** Derive $\mathcal{G}_{\tilde{z}}$ and $\pi_{i_{\tilde{z}-}, i_{\tilde{z}}}$ given ρ_z and σ_ψ (using a method such as Tauchen (1986) or Rouwenhorst (1995))
- **Discretization of ξ_t :** Derive \mathcal{G}_ξ and $\pi_{i_{\xi-}, i_\xi}$ given σ_ξ (using Gauss-Hermite quadrature, see next slides)
- **Combined:** Derive $\mathcal{G}_z = \mathcal{G}_{\tilde{z}} \times \mathcal{G}_\xi$ (tensor product) and use independence of \tilde{z}_t and ξ_t to get transition probabilities π_{i_{z-}, i_z} (kronecker product)

Transition probability matrix



- **General problem:** How can we calculate

$$\mathbb{E}[f(x)] = \int f(x)g(x)dx$$

- $f : \mathbb{R} \rightarrow \mathbb{R}$ some function
 - $g(x)$ is the probability distribution function (PDF) for x
- **General solution:** Turn it into a discrete sum

$$\mathbb{E}[f(x)] \approx \sum_{i=1}^S \omega_i f(x_i)$$

- **How to choose S and the *nodes* (x_i) and *weights* (ω_i)?**

Answer: Guassian quadrature

- **Gauss-Hermite** quadrature uses that

$$\int_{-\infty}^{\infty} f(x)e^{-x^2} dx = \sum_{i=1}^S \omega_i f(x_i) + \frac{S! \sqrt{\pi}}{S^S (2S)!} f^{(2S)}(\epsilon)$$

for some ϵ and where the (x_i, ω_i) 's can be easily found

- **Well behaved function:** For $S \rightarrow \infty$ we have

$$\int_{-\infty}^{\infty} f(x)e^{-x^2} dx \approx \sum_{i=1}^S \omega_i f(x_i)$$

- **Example:** Random normal variable, $Y \sim \mathcal{N}(\mu, \sigma^2)$, so that

$$\begin{aligned} \mathbb{E}[f(Y)] &= \frac{1}{\sqrt{2\pi}\sigma} \int_{-\infty}^{\infty} f(y) e^{-\frac{(y-\mu)^2}{2\sigma^2}} dy \\ &\approx \frac{1}{\sqrt{\pi}} \sum_{i=1}^S \omega_i f(\sqrt{2}\sigma x_i + \mu) \end{aligned}$$

Value function iteration (VFI)

- Beginning-of-period value function:

$$\underline{v}_t(z^{i_z-}, a^{i_a-}) = \sum_{i_z=0}^{\#_z-1} \pi_{i_z-, i_z} v_t(z^{i_z}, a^{i_a-})$$

Value function iteration (VFI)

- Beginning-of-period value function:

$$\underline{v}_t(z^{i_z-}, a^{i_a-}) = \sum_{i_z=0}^{\#_z-1} \pi_{i_z-, i_z} v_t(z^{i_z}, a^{i_a-})$$

- End-of-period value-of-choice:

$$v_t(z^{i_z}, a^{i_a-}) = \max_{c_t} v_t(z^{i_z}, a^{i_a-} | c_t)$$

$$\text{with } c_t \in [0, (1+r)a^{i_a-} + wz^{i_z} + \underline{a}]$$

$$v_t(z^{i_z}, a^{i_a-} | c_t) = u(c_t) + \check{v}_{t+1}(z^{i_z}, a_t)$$

$$\text{with } a_t = (1+r)a^{i_a-} + wz^{i_z} - c_t$$

Value function iteration (VFI)

- **Beginning-of-period value function:**

$$\underline{v}_t(z^{i_z-}, a^{i_a-}) = \sum_{i_z=0}^{\#_z-1} \pi_{i_z-, i_z} v_t(z^{i_z}, a^{i_a-})$$

- **End-of-period value-of-choice:**

$$v_t(z^{i_z}, a^{i_a-}) = \max_{c_t} v_t(z^{i_z}, a^{i_a-} | c_t)$$

$$\text{with } c_t \in [0, (1+r)a^{i_a-} + wz^{i_z} + \underline{a}]$$

$$v_t(z^{i_z}, a^{i_a-} | c_t) = u(c_t) + \check{v}_{t+1}(z^{i_z}, a_t)$$

$$\text{with } a_t = (1+r)a^{i_a-} + wz^{i_z} - c_t$$

- **Inner loop:** For each grid point in $\mathcal{G}_z \times \mathcal{G}_a$ find $c_t^*(z_t, a_{t-1})$ and therefore $v_t(z_t, a_{t-1})$ with a *numerical optimizer*

Value function iteration (VFI)

- **Beginning-of-period value function:**

$$\underline{v}_t(z^{i_z-}, a^{i_a-}) = \sum_{i_z=0}^{\#_z-1} \pi_{i_z-, i_z} v_t(z^{i_z}, a^{i_a-})$$

- **End-of-period value-of-choice:**

$$v_t(z^{i_z}, a^{i_a-}) = \max_{c_t} v_t(z^{i_z}, a^{i_a-} | c_t)$$


$$\text{with } c_t \in [0, (1+r)a^{i_a-} + wz^{i_z} + \underline{a}]$$

$$v_t(z^{i_z}, a^{i_a-} | c_t) = u(c_t) + \check{\underline{v}}_{t+1}(z^{i_z}, a_t)$$

$$\text{with } a_t = (1+r)a^{i_a-} + wz^{i_z} - c_t$$


- **Inner loop:** For each grid point in $\mathcal{G}_z \times \mathcal{G}_a$ find $c_t^*(z_t, a_{t-1})$ and therefore $v_t(z_t, a_{t-1})$ with a *numerical optimizer*
- **Outer loop:** Backwards from $t = T - 1$ (note $\underline{v}_T = 0$, or known)

Convergence ($t = T - 1 - k$)



with $z_t = 0.87$

Converged policy functions



Numerical Monte Carlo simulation

- **Initial distribution:** Draw $z_{i,-1}$ and $a_{i,-1}$ for $i \in \{0, 1, \dots, N-1\}$

Numerical Monte Carlo simulation

- **Initial distribution:** Draw $z_{i,-1}$ and $a_{i,-1}$ for $i \in \{0, 1, \dots, N-1\}$
- **Simulation:** Forwards in time from $t = 0$ and in each time period
 1. Draw z_{it} given transition probabilities
 2. Use linear interpolation to evaluate

$$c_{it} = \check{c}_t^*(z_{it}, a_{it-1})$$

$$a_{it} = (1 + r)a_{it-1} + wz_{it} - c_{it}$$

Numerical Monte Carlo simulation

- **Initial distribution:** Draw $z_{i,-1}$ and $a_{i,-1}$ for $i \in \{0, 1, \dots, N-1\}$
- **Simulation:** Forwards in time from $t = 0$ and in each time period
 1. Draw z_{it} given transition probabilities
 2. Use linear interpolation to evaluate

$$c_{it} = \check{c}_t^*(z_{it}, a_{it-1})$$

$$a_{it} = (1 + r)a_{it-1} + wz_{it} - c_{it}$$

- **Review:**
 - **Pro:** Simple to implement
 - **Con:** Computationally costly and introduces randomness

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period
 1. **Distribute stochastic mass:** For each i_z and i_{a-} calculate

$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period
 1. **Distribute stochastic mass:** For each i_z and i_a calculate
$$D_t(z^{i_z}, a^{i_a-}) = \sum_{i_{z-}=0}^{\#z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_a-})$$
 2. **Initial zero mass:** Set $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$ for all i_z and i_a

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period
 1. **Distribute stochastic mass:** For each i_z and i_{a-} calculate
$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$
 2. **Initial zero mass:** Set $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$ for all i_z and i_a
 3. **Distribute endogenous mass:** For each i_z and i_{a-} do

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period
 1. **Distribute stochastic mass:** For each i_z and i_{a-} calculate
$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$
 2. **Initial zero mass:** Set $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$ for all i_z and i_a
 3. **Distribute endogenous mass:** For each i_z and i_{a-} do
 - 3.1 Find $\iota \equiv$ largest $i_a \in \{0, 1, \dots, \#_a - 2\}$ such that $a^{i_a} \leq a_t^*(z^{i_z}, a^{i_{a-}})$

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period
 1. **Distribute stochastic mass:** For each i_z and i_{a-} calculate
$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$
 2. **Initial zero mass:** Set $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$ for all i_z and i_a
 3. **Distribute endogenous mass:** For each i_z and i_{a-} do
 - 3.1 Find $\iota \equiv$ largest $i_a \in \{0, 1, \dots, \#a - 2\}$ such that $a^{i_a} \leq a_t^*(z^{i_z}, a^{i_{a-}})$
 - 3.2 Calculate $\omega = \frac{a^{\iota+1} - a^*(z^{i_z}, a^{i_{a-}})}{a^{\iota+1} - a^\iota} \in [0, 1]$

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period

1. **Distribute stochastic mass:** For each i_z and i_{a-} calculate

$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$

2. **Initial zero mass:** Set $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$ for all i_z and i_a

3. **Distribute endogenous mass:** For each i_z and i_{a-} do

3.1 Find $\iota \equiv$ largest $i_a \in \{0, 1, \dots, \#_a - 2\}$ such that $a^{i_a} \leq a_t^*(z^{i_z}, a^{i_{a-}})$

3.2 Calculate $\omega = \frac{a^{\iota+1} - a^*(z^{i_z}, a^{i_{a-}})}{a^{\iota+1} - a^{\iota}} \in [0, 1]$

3.3 Increment $\underline{D}_{t+1}(z^{i_z}, a^{\iota})$ with $\omega D_t(z^{i_z}, a^{i_{a-}})$

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period

1. **Distribute stochastic mass:** For each i_z and i_{a-} calculate

$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$

2. **Initial zero mass:** Set $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$ for all i_z and i_a

3. **Distribute endogenous mass:** For each i_z and i_{a-} do

3.1 Find $\iota \equiv$ largest $i_a \in \{0, 1, \dots, \#_a - 2\}$ such that $a^{i_a} \leq a_t^*(z^{i_z}, a^{i_{a-}})$

3.2 Calculate $\omega = \frac{a^{\iota+1} - a^*(z^{i_z}, a^{i_{a-}})}{a^{\iota+1} - a^{\iota}} \in [0, 1]$

3.3 Increment $\underline{D}_{t+1}(z^{i_z}, a^{\iota})$ with $\omega D_t(z^{i_z}, a^{i_{a-}})$

3.4 Increment $\underline{D}_{t+1}(z^{i_z}, a^{\iota+1})$ with $(1 - \omega) D_t(z^{i_z}, a^{i_{a-}})$

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period

1. **Distribute stochastic mass:** For each i_z and i_{a-} calculate

$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$

2. **Initial zero mass:** Set $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$ for all i_z and i_a

3. **Distribute endogenous mass:** For each i_z and i_{a-} do

3.1 Find $\iota \equiv$ largest $i_a \in \{0, 1, \dots, \#_a - 2\}$ such that $a^{i_a} \leq a_t^*(z^{i_z}, a^{i_{a-}})$

3.2 Calculate $\omega = \frac{a^{\iota+1} - a^*(z^{i_z}, a^{i_{a-}})}{a^{\iota+1} - a^{\iota}} \in [0, 1]$

3.3 Increment $\underline{D}_{t+1}(z^{i_z}, a^{\iota})$ with $\omega D_t(z^{i_z}, a^{i_{a-}})$

3.4 Increment $\underline{D}_{t+1}(z^{i_z}, a^{\iota+1})$ with $(1 - \omega) D_t(z^{i_z}, a^{i_{a-}})$

- **Review:**

1. **Pro:** Computationally efficient and no randomness
2. **Con:** Introduces a non-continuous distribution

Small example


- **Grids:** $\mathcal{G}_z = \{\underline{z}, \bar{z}\}$ and $\mathcal{G}_a = \{0, 1\}$
- **Transition matrix:** $\pi_{0,0} = \pi_{1,1} = 0.5$
- **Policy function:**
 - Low income: $a^*(\underline{z}, 0) = a^*(\underline{z}, 1) = 0$
 - High income: Let $a^*(\bar{z}, 0) = 0.5$ and $a^*(\bar{z}, 1) = 1$
- **Initial distribution:** $\underline{D}_0(z_{it}, a_{it-1}) = \begin{cases} 1 & \text{if } z_{it} = \underline{z} \text{ and } a_{it} = 0 \\ 0 & \text{else} \end{cases}$
- **Task:** Calculate by hand the transitions to

$$\underline{D}_0, \underline{D}_1, \underline{D}_1, \dots$$


Infinite horizon: $T \rightarrow \infty$?

- **Initial guess:** Can be arbitrary.
 1. Everyone in one grid point, or
 2. Ergodic distribution of z_{it} and everyone has zero savings,
- **Convergence:** Simulate forward until the distribution does not change anymore (given some tolerance)


Converged CDF of savings



MPC from policy function



MPC distribution



Side-note: Matrix formulation

- The histogram method can be written in **matrix form**:

$$\begin{aligned}\underline{D}_t &= \Pi'_z \underline{D}_t \\ \underline{D}_{t+1} &= \Lambda'_t \underline{D}_t\end{aligned}$$

where

\underline{D}_t is vector of length $\#_z \times \#_a$

D_t is vector of length $\#_z \times \#_a$

Π'_z is derived from the π_{i_z-, i_z} 's

Λ'_t is derived from the ι 's and ω 's

- **Note:** Example shown in notebook
- **Further details:** Young (2010), Tan (2020), Ocampo and Robinson (2022)

EGM

Endogenous grid-point method (EGM)

Alternative to VFI using Euler, i.e. $c_t^{-\sigma} = \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\sigma}]$:

1. Calculate **post-decision marginal value of cash**:

$$q(z^{i_z}, a^{i_a}) = \sum_{i_{z+}=0}^{\#_z-1} \pi_{i_z, i_{z+}} c_+(z^{i_{z+}}, a^{i_a})^{-\sigma}$$

Endogenous grid-point method (EGM)

Alternative to VFI using Euler, i.e. $c_t^{-\sigma} = \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\sigma}]$:

1. Calculate **post-decision marginal value of cash**:

$$q(z^{i_z}, a^{i_a}) = \sum_{i_{z+}=0}^{\#_z-1} \pi_{i_z, i_{z+}} c_+(z^{i_{z+}}, a^{i_a})^{-\sigma}$$

2. **Invert Euler-equation**:

$$c(z^{i_z}, a^{i_a}) = (\beta(1+r)q(z^{i_z}, a^{i_a}))^{-\frac{1}{\sigma}}$$

Endogenous grid-point method (EGM)

Alternative to VFI using Euler, i.e. $c_t^{-\sigma} = \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\sigma}]$:

1. Calculate **post-decision marginal value of cash**:

$$q(z^{i_z}, a^{i_a}) = \sum_{i_{z+}=0}^{\#_z-1} \pi_{i_z, i_{z+}} c_+(z^{i_{z+}}, a^{i_a})^{-\sigma}$$

2. **Invert Euler-equation**:

$$c(z^{i_z}, a^{i_a}) = (\beta(1+r)q(z^{i_z}, a^{i_a}))^{-\frac{1}{\sigma}}$$

3. **Endogenous cash-on-hand**:

$$m(z^{i_z}, a^{i_a}) = a^{i_a} + c(z^{i_z}, a^{i_a})$$

Endogenous grid-point method (EGM)

Alternative to VFI using Euler, i.e. $c_t^{-\sigma} = \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\sigma}]$:

1. Calculate **post-decision marginal value of cash**:

$$q(z^{i_z}, a^{i_a}) = \sum_{i_{z+}=0}^{\#_z-1} \pi_{i_z, i_{z+}} c_+(z^{i_{z+}}, a^{i_a})^{-\sigma}$$

2. **Invert Euler-equation**:

$$c(z^{i_z}, a^{i_a}) = (\beta(1+r)q(z^{i_z}, a^{i_a}))^{-\frac{1}{\sigma}}$$

3. **Endogenous cash-on-hand**:

$$m(z^{i_z}, a^{i_a}) = a^{i_a} + c(z^{i_z}, a^{i_a})$$

4. **Consumption function**: Calculate $m = (1+r)a^{i_{a-}} + wz^{i_z}$

If $m \leq m(z^{i_z}, a^0)$ constraint binds: $c^*(z^{i_z}, a^{i_{a-}}) = m + \underline{a}$

Else: $c^*(z^{i_z}, a^{i_{a-}}) = \text{interpolate } m(z^{i_z}, \cdot) \text{ to } c(z^{i_z}, \cdot) \text{ at } m$

Practice

In practice

- **EconModel:** Go through notebook 01. Using the EconModelClass (except part on C++)
- **ConSav:** Look at the 04. Tools folder.
- **Todays notebook:** *Consumption-Saving Model* show implementation of solution and simulation methods.

Summary

Summary and next week

- **Today:**

1. Introduction to course
2. Consumption-saving models
3. Numerical dynamic programming

- **Next week:** Stationary equilibrium

- **Homework:**

1. **Work on:** Familiarize your self with today's code
2. **Read:** Aiyagari (1994),
»Uninsured Idiosyncratic Risk and Aggregate Saving«