

1527. Patients With a Condition

Table: Patients

```
+-----+-----+
| Column Name | Type  |
+-----+-----+
| patient_id  | int   |
| patient_name | varchar |
| conditions  | varchar |
+-----+-----+
```

patient_id is the primary key (column with unique values) for this table.

'conditions' contains 0 or more code separated by spaces.

This table contains information of the patients in the hospital.

Write a solution to find the patient_id, patient_name, and conditions of the patients who have Type I Diabetes. Type I Diabetes always starts with DIAB1 prefix.

Return the result table in any order.

The result format is in the following example.

Example 1:

Input:

Patients table:

```
+-----+-----+-----+
| patient_id | patient_name | conditions |
+-----+-----+-----+
| 1          | Daniel       | YFEV COUGH |
| 2          | Alice        |             |
| 3          | Bob          | DIAB100 MYOP |
| 4          | George       | ACNE DIAB100 |
| 5          | Alain        | DIAB201     |
+-----+-----+-----+
```

Output:

```
+-----+-----+-----+
| patient_id | patient_name | conditions |
+-----+-----+-----+
| 3          | Bob          | DIAB100 MYOP |
| 4          | George       | ACNE DIAB100 |
+-----+-----+-----+
```

Explanation: Bob and George both have a condition that starts with DIAB1.

Write your MySQL query statement below

```
select patient_id,
       patient_name,
```

conditions
from Patients
where conditions LIKE 'DIAB1%' or conditions LIKE '% DIAB1%'