



# Darshan UNIVERSITY

## Python Programming - 2301CS404

### Lab - 5

Roll No.: 418

Name: Bhavik A. Parmar

### 1) Character Category Counter

**Problem:** Count uppercase, lowercase, digits, and special characters in a string.

**Sample Inputs & Outputs:**

- Input: Python3@Lab → Uppercase: 2, Lowercase: 7, Digits: 1, Special: 1
- Input: HELL0123 → Uppercase: 5, Lowercase: 0, Digits: 3, Special: 0
- Input: hi@#9 → Uppercase: 0, Lowercase: 2, Digits: 1, Special: 2

```
In [3]: s = input("Enter Something :")
up = 0
lw = 0
digit = 0
spe = 0
for i in s:
    if(i.isupper()):
        up += 1
    elif(i.islower()):
        lw += 1
    elif(i.isdigit()):
        digit += 1
    elif not (i.isalnum()):
        spe += 1
    else:
        print("Enter Valid Input.")
print("Total Number Of Uppercase :", up)
print("Total Number Of Lowercase :", lw)
print("Total Number Of Digit :", digit)
print("Total Number Of Special :", spe)
```

Total Number Of Uppercase : 2  
 Total Number Of Lowercase : 7  
 Total Number Of Digit : 1  
 Total Number Of Special : 1

## 2) Reverse Each Word

- Input: Python is Easy → nohtyP si ysaE
- Input: Hello World → olleH dlroW
- Input: Learn Python Fast → nraeL nohtyP tsaF

```
In [5]: s = input("Enter Something : ")
l1 = s.split()
res = []
for i in l1:
    res.append(i[::-1])
res = " ".join(res)
print(res)
# res = " ".join([i[::-1] for i in s.split()])
```

nohtyP si ysaE

## 3) Case Pattern Identifier

- PYTHON → Uppercase
- python → Lowercase
- Python Programming → Title Case

```
In [8]: s = input("Enter Something : ")
if s.isupper():
    print("Uppercase")
elif s.islower():
    print("Lowercase")
elif s.istitle():
    print("Tital Case")
elif s.isdigit():
    print("Special Char")
else:
    print("Enter Valid Input")
```

Tital Case

## 4) First and Last Occurrence Finder

- programming , g → First:3 Last:10
- banana , a → First:1 Last:5
- hello , z → Not found

```
In [9]: s = input("Enter Something : ")
find = input("Enter Find Char : ")
print(f"First Occurance : {s.find(find)}")
print(f"Last Occurance : {s.rfind(find)}")
```

First Occurance : 3  
 Last Occurance : 10

## 5) Word Frequency Counter (ignore the case)

- Python is easy and Python is powerful → python: 2
- Java is popular but java is verbose → java: 2
- C is fast → c:1

```
In [10]: s1 = input("Enter Something :")
print(f"Count python: {s1.lower().count("python")}")
s2 = input("Enter Something :")
print(f"Count java: {s2.lower().count("java")}")
s3 = input("Enter Something :")
print(f"Count c: {s3.lower().count("c")}")
```

Count python: 2

Count java: 2

Count c: 1

## 6) Remove Extra Spaces

- Python is fun → Python is fun
- Hello World → Hello World
- NoExtraSpace → NoExtraSpace

```
In [13]: s = input("Enter Something :")
res = " ".join(s.split())
print(res)
```

Python is fun

## 7) Prefix and Suffix Removal

- unhappy.txt → happy
- pretest.py → test
- unwanted.doc → wanted

```
In [18]: # s.removeprefix(prefix)
# s.removesuffix(suffix)
s = input("Enter Something: ")
res = s.removeprefix('un').removesuffix('.txt')
print(res)
```

happy

## 8) Replace Vowels

- Programming → Pr\*gr\*mm\*ng
- Education → \*d\*c\*t\*\*n
- Sky → Sky

```
In [29]: s1 = input("Enter Something: ")
vowels = 'aeiouAEIOU'
res = ""
for i in s1:
```

```

    if i in vowels:
        res += "*"
    else:
        res += i
print(res)

str2 = input("Enter Something (STR): ")

for v in "aeiouAEIOU":
    str2 = str2.replace(v, "*")

print(str2)

```

Pr\*gr\*mm\*ng  
\*d\*c\*t\*\*n

## 9) String Compression

- aaabbccccc → a3b2c4
- xxxyyyzz → x3y3z1
- abcd → a1b1c1d1

```

In [1]: s = input("Enter Something: ")
res = ''
count = 1

for i in range(len(s)):
    if i + 1 < len(s) and s[i] == s[i + 1]:
        count += 1
    else:
        res += s[i] + str(count)
        count = 1

print(res)

```

a3b2c4

## 10) Toggle Case (without using str.swapcase())

- PyThOn → pYtHoN
- HELLo → heLLo
- Python → pYTHON

```

In [35]: s = input("Enter Something :")
res = ''
for i in s:
    if i.islower():
        res += i.upper()
    elif i.isupper():
        res += i.lower()
print(res)

```

pYTHON

## 11) Username Validation

valid username rules:

1. only alphabets and digits
2. does not start with a digit
3. length  $\geq 6$

- User123 → Valid
- 123User → Invalid
- Us@12 → Invalid

```
In [53]: un = input("Enter Username: ")

if (
    un.isalnum() and          # only Letters & digits
    not un[0].isdigit() and   # first character not digit
    len(un) >= 6              # minimum length
):
    print("Valid Username")
else:
    print("Invalid Username")
```

Valid Username

## 12) Palindrome Checker (ignore the case)

- Madam → Palindrome
- Level → Palindrome
- Python → Not Palindrome

```
In [39]: s = input("Enter Something: ")
s = s.lower()
if s == s[::-1]:
    print("Palindrom")
else:
    print("not palindrom")
```

Palindrom

## 13) Longest Word Finder

- Python programming is interesting → programming
- I love coding → coding
- Data structures and algorithms → structures

```
In [45]: s = input("Enter Sentence: ")
words = s.split()
longest = words[0]
for w in words:
    if len(w) > len(longest):
        longest = w
print("Longest word:", longest)
```

Longest word: programming

## 14) Case Conversion

- python programming
  - Upper: PYTHON PROGRAMMING
  - Lower: python programming
  - Title: Python Programming
  - Capitalize: Python programming

```
In [40]: s = input("Enter Something: ")
print("Upper : ", s.upper())
print("Lower : ", s.lower())
print("Tital : ", s.title())
print("Capitalize : ", s.capitalize())
```

```
Upper :  PYTHON PROGRAMMING
Lower :  python programming
Tital :  Python Programming
Capitalize :  Python programming
```

## 15) Custom Split

- apple,banana,grape
- 10|20|30
- A-B-C-D

```
In [44]: # s = input("Enter Something: ")
# l1 = s.split("/")
# print(l1)

s = input("Enter String: ")
sep = input("Enter Separator: ")
res = []
temp = ""
for ch in s:
    if ch == sep:
        res.append(temp)
        temp = ""
    else:
        temp += ch
res.append(temp) # add last part
print(res)
```

```
['apple', ' banana', ' grape']
```

```
In [ ]:
```