

COMP3320 Introduction to OpenGL


Alex Biddulph

The University of Newcastle, Australia

Based on the work provided at www.learnopengl.com

Semester 2, 2021

What is OpenGL?

- A standard, maintained by the  [Khronos Group](https://www.khronos.org/), specifying how graphics operations should behave
 - Each operation is specified to generate a certain result
 - Graphics card manufacturers are free to implement operations however they please, provided the result complies with the standard
- An API (Application Programming Interface)
 - Operating system agnostic
 - Window system agnostic

What is OpenGL?

- A rendering library
 - An external library is needed to create a window that OpenGL can render on to
- A state machine
 - OpenGL only knows about triangles
 - The current state tells OpenGL how to render those triangles

- Graphics card manufacturers can implement extensions to the OpenGL specification
 - Not available on all devices
 - Need to query the drivers to see if a specific extension is available
 - Create a shader program using `glCreateProgram`
 - Use `GL_ARB_extension_name` to check for `extension_name`
 - For example, `GL_ARB_transpose_matrix` adds new functions allowing application matrices to be stored in row-major order

Common OpenGL Libraries

GLFW ¹: Allows you to:

- Create and manage windows and OpenGL contexts
- Handle keyboard, mouse, and joystick inputs

GLAD ²: OS-specific library abstracting away from the graphics card's implementation of the OpenGL functions

GLM ³: OpenGL C++ Mathematics library based on the OpenGL Shading Language (GLSL)

SOIL ⁴: Simple OpenGL Image Library - a small C library useful for uploading image textures into OpenGL

ASSIMP ⁵: Open Asset Import Library - useful for loading 3D models from various common formats

¹GLFW: www.glfw.org

²GLAD: glad.dav1d.de

³OpenGL Mathematics: glm.g-truc.net/0.9.9/index.html

⁴Simple OpenGL Image Library: www.lonesock.net/soil.html

⁵The Open-Asset-Importer-Lib: www.assimp.org

OpenGL Workflow with GLFW and GLAD

- ➊ Initialise GLFW and set OpenGL context version and profile to use
 - We will use OpenGL context version 3.3 and the core profile in these examples
- ➋ Create a window and set its width, height, and title
- ➌ Make the window's context the main context for the current thread
- ➍ Initialise GLAD and set it up to find all of the OpenGL function pointers (this is OS specific)
- ➎ Set up callback functions to handle window resizing and user inputs
- ➏ Set up rendering objects and textures
- ➐ Enter a rendering loop that handles updating the screen
- ➑ Clean up