DiscoverLife Bee Checklist Archive

Poelen, JH

2023-08-29

Abstract

Digital biodiversity knowledge resources are increasingly available openly on the internet. Some of these potentially valuable resources are still actively curated, whereas others may have lost their maintenance/curators due to life events, funding, or a change in institutional policy. This data publication records a snapshot of an authoritive resource on the biodiversity of bees: Ascher, J. S. and J. Pickering. 2022. Discover Life bee species guide and world checklist (Hymenoptera: Apoidea: Anthophila). http://www.discoverlife.org/mp/20q?guide=Apoidea_species The reason for making this snapshot is to provide a citable data package containing the DiscoverLife Bee checklist for use in data synthesis and integration workflows. This data package is versioned and made verifiable using Preston, a biodiversity data tracker. With this publication, verifiable versions of the DiscoverLife Bee Checklist can now be cited and copied regardless of their physical location.

Contents

Introduction	1
Methods	2
Results Example 1. List Most Frequently Appearing Bee Subgenus Names Example 2. List Bee Hosts	3 4
Discussion	7
References	7
:warning: work in progress	

Introduction

Life on earth is sustained through a complex, and diverse, web of relationships between organisms and their environment. Now that digital storage, processing

and networking technologies are within reach of (community) scientists, digital datasets documenting life on earth are increasingly available through the internet. However, evidence suggestions these network accessible digital datasets are likely to become unavailable due to linkrot, or change due to content drift (Elliott, Poelen, and Fortes 2020, 2023). To help reduce the risk of dataloss (or change) of valuable digital biodiversity datasets, content-based data tracking methods are applied to a commonly used digital biodiversity resource, the DiscoverLife Bee Checklist (Ascher and Pickering 2022).

Methods

To help version a snapshot of the DiscoverLife Bee Checklist, the following openly available tools were used: bash, Preston, grep, xmllint, cut, and xargs. With these tools the following archiving workflow was implemented:

```
#!/bin/bash
   # Makes an archive of DiscoverLife Bee checklist and associated species pages.
   preston track "https://www.discoverlife.org/mp/20q/?act=x checklist&guide=Apoidea species&f
    | grep hasVersion\
    | preston cat\
    | xmllint --html --xpath '//table//tr/td/i/a/@href' -\
    | cut --delimiter '"' -f2\
10
    | sed 's+^+https://www.discoverlife.org+g'\
    | xargs -L100 preston track
12
13
    # retry previously failed web requests, if needed.
14
   preston ls -1 tsv\
    | grep well-known\
16
    | grep hasVersion\
17
    | cut -f1\
18
    | xargs preston track
```

In this workflow, preston track in line 6 take a snapshot of an html pages that contains references to all bee species pages. The output of this tracking process is a stream of statement describing the tracking process in great detail. This output is fed into grep hasVersion using a linux pipe to selects only statements that associate the web location with the content that was found. Following, the associated content is streamed to stdout (or standard output) using preston cat. Following, URLs to species pages are generated from this streamed content by extracting a relevant html fragments using a xpath query. Then, this fragment is transformed into a URLs using string parsing (i.e., cut --delimiter '"' -f2\) and stream editing (i.e., sed 's+^+https://www.discoverlife.org+g'). The resulting URLs of the bees species pages are then tracked, in blocks on 100 URLs,

by Preston. To help compensate for likely web request failures, the workflow was completed with a retry procedure for web locations that failed to successfully provide content initially.

Results

The resulting archive can be used to access a versioned copy of discover life. The archive contains over 20k HTML pages that appear to be consistently structured. This consistent structure allow for scripts, or other computer programs, to automatically transform the data into a format suitable for reuse.

Table 1: First three DiscoverLife Bee Checklist HTML resources tracked. The first contains the index page of species pages. The following two are locations, and associated content identifiers, to species pages associated with $Andrena\ angustior$ and $Andrena\ angusticrus$. This table was generated using preston alias -1 tsv | tail -n3 | tac | cut -f1-3 | mlr --hi --itsvlite --omd cat .

discoverlife url	content id
guide=Apoidea_species&flags=HAS	sha256:c4f
Andrena+angustior	sha256;3091
Andrena+angusticrus	sha256:afe0

The current content identifiers of this versioned package of DiscoverLife Bee Checklist html resources are:

 $\label{lem:hash:/sha256/86e7ce5f3df9a136a2957de5655261c007b95e217b2f0901988ffb39ee0230fe} \\ hash://md5/55fe2b12ab306704ce332d97723b95af$

Example 1. List Most Frequently Appearing Bee Subgenus Names

DiscoverLife species pages document subgenera associated with bee species in html fragments such as:

```
<small>Subgenus: <a href="/mp/20p?see=Archianthidium&amp;name=Trachusa&amp;flags=subgenus:">
```

The html fragment above was seen at a page describing $Trachusa\ forcipata$ with content id hash://sha256/ce144a314ef4bafa714f6921506544730910935a870786964506dc18c65349dd.

To query for the top 10 most frequently appearing subgenera appearing in the pages, you can use:

- preston ls\
- 2 --remote https://linker.bio,https://github.com/Big-Bee-Network/discoverlife-bee-archive/raw

```
--anchor hash://sha256/86e7ce5f3df9a136a2957de5655261c007b95e217b2f0901988ffb39ee0230fe\
-l tsv\
| grep -v well-known\
| grep hasVersion\
| cut -f3\
| preston cat\
| grep "Subgenus:"\
| sed 's+<br>
| sed 's+</i></a></small>++g'\
| sort\
| sort -nr\
| head
```

The result is shown in the table below.

Table 2: Top 10 most frequent appearances of (likely) subgenus names in the bee species pages ordered by decreasing frequency:

frequency	subgenus
5600	None
765	Uncertain
448	Perdita
403	Dialictus
259	Hemihalictus
209	Eutricharaea
179	Ctenonomia
161	Homalictus
152	Anthidium
151	Lasioglossum

Example 2. List Bee Hosts

The DiscoverLife Bee checklist contains information about (plant) hosts associated with specific bees. This information is captured in html snippets such as:

```
\label{localization} $$\p<a name= "Hosts">
```

as extracted from line 538 of content associated with Discover Life Bee page on $Agapostemon\ texanus.$

With this, the script below can be constructed to extract hosts from this particular species page:

```
preston cat 'hash://sha256/7168d15fe822bc6770954b9e3a3b64b62f05ccad636c293e9d5a07d6fb173ddc
preston cat 'hash://sha256/7168d15fe822bc6770954b9e3a3b64b62f05ccad636c293e9d5a07d6fb173ddc
```

```
3 --html\
4 --xpath "//a[@name='Hosts']/following-sibling::*//td/a/text()"\
5 -\
6 | grep -oE "[A-Z][a-z]{1,}[].*"
```

where, preston cat ... streams a species page with content id hash://sha256/7168d... and selects associated host species by combining an XPath query (line 3) with a regular expression (line 4).

This script was used to generate the following list of known hosts of Agapostemon taxanus, as claimed by (Ascher and Pickering 2022):

Achillea millefolium Aletris farinosa Arnica sp Aster simplex Aster sp Astragalus racemosus Baccharis salicina Baileya multiradiata Barbarea vulgaris Beta vulgaris Bidens ferulifolia Blephilia ciliata Chrysanthemum leucanthemum Chrysothamnus sp Chrysothamnus viscidiflorus Cichorium intybus Cirsium sp Cirsium vulgare Cleome serrulata Cleome sp Convolvulus sepium Conyza canadensis Coreopsis sp Ericameria nauseosa Erigeron annuus Erigeron leiomerus Eriogonum sp Erysimum repandum Eupatorium purpureum Flaveria campestris Fragaria virginiana Glaucium flavum Grindelia sp Grindelia squarrosa Helianthus annuus

Helianthus anomalus Helianthus sp Heterotheca inuloides Heterotheca subaxillaris Hieracium sp Horkelia sp Kalmia latifolia Larrea tridentata Lathyrus japonicus Leucanthemum vulgare Limonium carolinianum Machaeranthera bigelovii Machaeranthera sp Madia elegans Malus pumila Medicago sativa Petrophyton caespitosum Phacelia sp Plantago lanceolata Poinsettia heterophylla Prosopis glandulosa Prosopis sp Raphanus raphanistrum Ratibida columnifera Rosa rugosa Rubus sp Rubus spp Salvia carduacea Sclerocactus wrightiae Senecio sp Solidago tenuifolia Sphaeralcea sp Taraxacum campylodes Tephrosia virginiana Teucrium canadense Trifolium hybridum Trifolium repens Verbena sp Vernonia noveboracensis

The examples above show two applications of data extraction from (Ascher and Pickering 2022): extracting most frequently appearing subgenera names, and extracting host plants for a specific species page.

Discussion

Biodiversity datasets are available online as html pages, or structured in other digital formats. In this publication, one such resource (Ascher and Pickering 2022) was tracked and packaged into a citable biodiversity dataset containing over 20k HTML resources. The data tracking method may be applied to other currently available network-accessible biodiversity datasets in an effort to turn webpages into versioned digital research objects.

References

- Ascher, John S., and John Pickering. 2022. "Discover Life Bee Species Guide and World Checklist (Hymenoptera: Apoidea: Anthophila)." DiscoverLife. http://www.discoverlife.org/mp/20q?guide=Apoidea_species.
- Elliott, Michael J., Jorrit H. Poelen, and José A. B. Fortes. 2020. "Toward Reliable Biodiversity Dataset References." *Ecological Informatics* 59 (September): 101132. https://doi.org/10.1016/j.ecoinf.2020.101132.
- ———. 2023. "Signing Data Citations Enables Data Verification and Citation Persistence." *Scientific Data* 10 (1). https://doi.org/10.1038/s41597-023-02230-y.