Canada

Health Statistics Division, Statistics Canada

Canadian Community Health Survey, 2005: Cycle 3.1, Main File

Study Documentation

Metadata Production

Metadata Producer(s)	Data Centre (DC), Carleton University, Producer Data Resource Centre (DRC), University of Guelph, Producer
Production Date	April 21, 2006
Version	SP XML Version 2 Version 1
Identification	cchs-82M0013-E-2005-c3-1-main-file

Table of Contents

<u>Overview</u>	<u>4</u>
Scope & Coverage	<u>4</u>
Producers & Sponsors.	<u>5</u>
Sampling.	<u>5</u>
Data Collection.	<u>5</u>
Data Processing & Appraisal.	<u>5</u>
Accessibility	<u>6</u>
Rights & Disclaimer	<u>6</u>
Files Description.	<u>7</u>
cchs-82M0013-E-2005-c3-1-main-file.	<u>7</u>
Variables Group(s)	
Administration	<u>8</u>
Geographic Identifiers	<u>8</u>
Sample Identifiers.	<u>8</u>
Demographic and Household Variables.	<u>8</u>
General Health	<u>9</u>
Voluntary Organizations.	<u>9</u>
Changes Made to Improve Health.	<u>10</u>
Health Care System Satisfaction.	
Height and Weight	
Chronic Conditions.	
Diabetes Care.	
Medication Use.	
Health Care Utilization.	
Home Care Services.	
Restriction of Activities.	
Two-Week Disability	
Flu Shots.	
Blood Pressure Check.	
Pap Smear Test.	
Mammography.	
Breast Examinations.	
Breast Self-Examinations.	
Eye Examinations.	
Prostate Cancer Screening.	
Colorectal Cancer Screening.	
Dental Visits.	
Oral Health 2	<u>35</u>
Food Choices	
Fruit and Vegetable Consumption.	
Physical Activities.	
Sedentary Activities.	
Use of Protective Equipment.	
Sun Safety	
Smoking.	
Smoking - Physician Counselling.	
Youth Smoking.	
Exposure to Second-Hand Smoke.	
Alcohol Use.	
Maternal Experiences.	
Illicit Drugs.	
Problem Gambling	
Satisfaction With Life	
Childhood and Adult Stressors.	
	<u>55</u>

Work Stress.	<u>50</u>
<u>Self-esteem</u>	
Social Support - availability	<u>51</u>
Contacts with Mental Health Professionals.	
Distress	
Depression.	
Suicidal Thoughts and Attempts.	
Injuries.	
Health Utility Index (HUI).	55
Health Status - SF-36.	
Sexual Behaviours.	
Access to Health Care Services.	<u>57</u>
Waiting Times.	<u>65</u>
Labour Force - common portion.	
Socio-demographic characteristics.	<u>72</u>
Insurance Coverage.	<u>73</u>
Education.	<u>73</u>
<u>Income</u>	<u>74</u>
Food Security.	<u>74</u>
Weights.	
Variables Description.	<u>76</u>
cchs-82M0013-E-2005-c3-1-main-file	77

Canadian Community Health Survey, 2005: Cycle 3.1, Main File (CCHS 2005: Cycle 3.1, Main File)

Enquête sur la santé dans les collectivités canadiennes, 2005: Cycle 3.1

Overview		
Туре	Canadian Community Health Survey	
Identification	cchs-82M0013-E-2005-c3-1-main-file	
Version	Production Date: 2014-03-03 Version: 1	
Series	The central objective of the Canadian Community Health Survey (CCHS) is to gather health-related data at the sub-provincial levels of geography (health region or combined health regions).	

Abstract

The Canadian Community Health Survey (CCHS) is a cross-sectional survey that collects information related to health status, health care utilization and health determinants for the Canadian population. The CCHS operates on a two-year collection cycle. The first year of the survey cycle ".1" is a large sample, general population health survey, designed to provide reliable estimates at the health region level. The second year of the survey cycle ".2" has a smaller sample and is designed to provide provincial level results on specific focused health topics.

This Microdata File contains data collected for CCHS Cycle 3.1 between January 2005 and December 2005. The CCHS Cycle 3.1 collects responses from persons aged 12 or older, living in private occupied dwellings in 122 health regions covering all provinces and territories. Excluded from the sampling frame are individuals living on Indian Reserves and on Crown Lands, institutional residents, full-time members of the Canadian Forces, and residents of certain remote regions. The CCHS covers approximately 98% of the Canadian population aged 12 and over.

CCHS 3.1 Survey consists of the main survey files and 3 sub-sample files

Sub-sample 1: Health Utility Index (HUI), Fruit and Vegetable Consumption and Labour Force (long form)

Sub-sample 2: Measured Height and Weight

Sub-sample 3: Access to Health Care Services, Waiting Times and Patient Satisfaction (replaces the Health Services Access Survey (HSAS))

Kind of Data	Survey Data
Unit of Analysis	Individuals

Scope & Coverage	
Keywords	Administration, Alcohol, Blood pressure check, Breast examinations, Breast self-examinations, Canadian Problem Gambling Index, Changes made to improve health, Childhood and adult stressors, Chronic conditions, Colorectal cancer exams, Contacts with mental health professionals, Dental visits, Depression, Diabetes care, Distress, Exposure to second-hand smoke, Eye examinations, Flu shots, Food choices, Food security, General Health, Health care system satisfaction, Health care utilization, Health status - SF-36, Height and weight, Home care, Illicit drugs, Income, Injuries, Insurance coverage, Labour force (short form), Mammography, Maternal experiences, Medication use, Nicotine dependence, Ongoing problems, Oral health 2, Pap smear test, Physical check-up, Physical activities, Prostate cancer screening, Restriction of activities, Satification with life, Sedentary activities, Self-esteem, Sexual behabiour, Sleep, Smoking, Smoking cessation aids, Smoking - physician councelling, Smoking - stages of change, Social support - availability, Social support - utilization, Socio-demographic characteristics, Stress - coping, Stress - sources, Suicidal thoughts and attempts, Sun safety, Two-week disability, Use of protective equipment, Voluntary organizations, Work stress, Youth smoking
Time Period(s)	2005
<u>Countries</u>	Canada

Geographic Coverage

Canada, Provinces, Territories, Health Regions

Universe

The CCHS targets persons aged 12 years and older who are living in private dwellings in the ten provinces and three territories. Persons living on Indian Reserves or Crown lands, those residing in institutions, full-time members of the Canadian Forces and residents of certain remote regions are excluded from this survey. The CCHS covers approximately 98% of the Canadian population aged 12 and older.

Producers & Sponsors	
Primary Investigator(s)	Health Statistics Division, Statistics Canada
Other Producer(s)	Health Statistics Division , Statistics Canada

Sampling

Sampling Procedure

Stratified random sample

Response Rate

See section 9. http://odesi.scholarsportal.info/documentation/HEALTH/CCHS/2005/DOCS/guide_e.pdf

Weighting

 $WTSE_M = Weights - Master$

The principle behind estimation in a probability sample such as the CCHS Cycle 3.1 is that each person in the sample "represents", besides himself or herself, several other persons not in the sample. For example, in a simple random 2% sample of the population, each person in the sample represents 50 persons in the population. In the terminology used here, it can be said that each person has a weight of 50.

The weighting phase is a step that calculates, for each person, his or her associated sampling weight. This weight appears on the PUMF, and must be used to derive meaningful estimates from the survey. For example, if the number of individuals who smoke daily is to be estimated, it is done by selecting the records referring to those individuals in the sample having that characteristic and summing the weights entered on those records.

Details of the method used to calculate sampling weights are presented in Section 8. http://odesi.scholarsportal.info/documentation/HEALTH/CCHS/2005/DOCS/guide_e.pdf

Data Collection	
Data Collection Dates	start 2005-01-01 end 2005-12-31
Time Period(s)	start 2005-01-01 end 2005-12-31
Data Collection Mode	Varied
Data Collector(s)	Statistics Canada

Data Processing & Appraisal

Estimates of Sampling Error

Since it is an unavoidable fact that estimates from a sample survey are subject to sampling error, sound statistical practice calls for researchers to provide users with some indication of the magnitude of this sampling error. The basis for measuring the potential size of sampling errors is the standard deviation of the estimates derived from survey results. However, because of the large variety of estimates that can be produced from a survey, the standard deviation of an estimate is usually expressed relative to the estimate to which it pertains. This resulting measure, known as the coefficient of variation (CV) of an estimate,

is obtained by dividing the standard deviation of the estimate by the estimate itself and is expressed as a percentage of the estimate.

For example, suppose hypothetically that it is estimated that 25% of Canadians aged 12 and over are regular smokers and that this estimate is found to have a standard deviation of 0.003. Then the CV of the estimate is calculated as: $(0.003/0.25) \times 100\% = 1.20\%$

Statistics Canada commonly uses CV results when analyzing data and urges users producing estimates from the CCHS Cycle 3.1 data files to also do so. For details on how to determine CVs, see Section 11. For guidelines on how to interpret CV results, see the table at the end of Subsection 10.4.

http://odesi.scholarsportal.info/documentation/HEALTH/CCHS/2005/DOCS/guide_e.pdf

Accessibility	
Access Authority	Data Liberation Initiative (DLI) , http://www.statcan.gc.ca/dli-ild/dli-idd-eng.htm
Contact(s)	Data Liberation Initiative (Statistics Canada) , http://www.statcan.gc.ca/dli-ild/dli-idd-eng.htm
Distributor(s)	Data Liberation Initiative

Access Conditions

Data Liberation Initiative

Citation Requirements

The publishing of analysis and results from research using any of the data products is permitted in research communications such as scholarly papers, journals and the like. The authors of these communications are required to cite Statistics Canada as the source of the data, and to indicate that the results or views expressed are those of the author/authorized user and are not those of Statistics Canada. Permission to include extracts of these data in textbooks must be obtained from the Licencing Section of Statistics Canada's Marketing Division.

Rights & Disclaimer	
Copyright	Copyright © Statistics Canada, 2014

Files Description

Dataset contains 1 file(s)

cchs-82M0013-E-2005-c3-1-main-file	
# Cases	132221
# Variable(s)	1284

Variables Group(s)

Dataset contains 63 group(s)

Gro	Group Administration										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	ADME_RNO	Sequential record number	continuous	numeric-6.0	132221	0	Sequential record number				
2	SAME_TYP	Sample type	discrete	numeric-1.0	132221	0	Sample type				
3	ADME_PRX	Health Component completed by proxy	discrete	numeric-1.0	132221	0	Health Component completed by proxy				
4	ADME_N09	Interview by telephone/in person	discrete	numeric-1.0	64216	68005	Interviewer: Was this interview conducted on the telephone or in person?				
5	ADME_N10	Respondent alone during interview	discrete	numeric-1.0	129539	2682	Interviewer: Was the respondent alone when you asked this health questionnaire?				
6	ADME_N11	Answers aff./presence of another person	discrete	numeric-1.0	16428	115793	Interviewer: Do you think that the answers of the respondent were affected by someone else being there?				

Gro	Group Geographic Identifiers										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	GEOEGPRV	Province of residence of respondent-(G)	discrete	numeric-2.0	132221	0	Province of residence of respondent-(G)				
2	GEOEDPMF	Health Region (5) - (G)	discrete	numeric-5.0	132221	0	Health Region (5) - (G)				
3	GEOEGSHR	Sub-Health Region (Québec only) - (D,G)	discrete	numeric-7.0	11340	120881	Sub-Health Region (Québec only) - (D,G)				

Gro	Group Sample Identifiers									
#	# Name Label Type Format Valid Invalid Question									
1	SAME_TYP	Sample type	discrete	numeric-1.0	132221	0	Sample type			

Gro	Group Demographic and Household Variables										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	DHHEGAGE	Age - (G)	discrete	numeric-2.0	132221	0	What is your age?				
2	DHHE_SEX	Sex	discrete	numeric-1.0	132221	0	Interviewer: Enter the respondent's sex. If necessary, ask: Is respondent male or female?				
3	DHHEGMS	Marital status - (G)	discrete	numeric-1.0	132049	172	What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single, never married?				
4	DHHEGHSZ	Household size - (D, G)	discrete	numeric-1.0	132199	22	Household size - (D, G)				
5	DHHEGL12	No. pers. < 12 years old in hhld - (D,G)	discrete	numeric-1.0	132221	0	No. pers. < 12 years old in hhld - (D,G)				
6	DHHEGLE5	No. pers. <= 5 years old in hhld - (D,G)	discrete	numeric-1.0	132221	0	No. pers. <= 5 years old in hhld - (D,G)				

#	Name	Label	Туре	Format	Valid	Invalid	Question
7	DHHEG611	No. persons 6-11 years/in hhld - (D,G)	discrete	numeric-1.0	132221	0	No. persons 6-11 years/in hhld - (D,G)
8	DHHEGLVG	Living arrangements/selected resp -(D,G)	discrete	numeric-2.0	131338	883	Living arrangements/selected resp - (D,G)
9	DHHE_OWN	Dwelling - owned by a member of hhld	discrete	numeric-1.0	128718	3503	Is this dwelling owned by a member of this household?
10	DHHEGBED	Dwelling - number of bedrooms - (G)	discrete	numeric-1.0	128376	3845	How many bedrooms are there in this dwelling?

#	Name	Label	Type	Format	Valid	Invalid	Question
1	GENE_01	Self-perceived health	discrete	numeric-1.0	132057	164	In general, would you say your health is: (excellent, very good, good, fair, or poor)?
2	GENE_02	Self-perceived hlth - compared 1 yr ago	discrete	numeric-1.0	132042	179	Compared to one year ago, how would you say your health is now? Is it: (much better now than 1 year ago, somewhat better now than 1 year ago, about the same as 1 year ago, somewhat worse now, or much worse now than 1 year ago)?
3	GENE_02A	Satisfaction with life in general	discrete	numeric-1.0	129668	2553	How satisfied are you with your life in general: (very satisfied, satisfied, neither satisfied nor dissatisfied, dissatisfied, or very dissatisfied)?
4	GENE_02B	Self-perceived mental health	discrete	numeric-1.0	129840	2381	In general, would you say your mental health is: (excellent, very good, good, fair, or poor)?
5	GENE_07	Self-perceived stress	discrete	numeric-1.0	125433	6788	Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?
6	GENE_08	Worked at job	discrete	numeric-1.0	111653	20568	Have you worked at a job or business at any time in the past 12 months?
7	GENE_09	Self perceived work stress	discrete	numeric-1.0	80160	52061	The next question is about your main job or business in the past 12 months. Would you say that most days were: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?
8	GENE_10	Sense of belonging - local community	discrete	numeric-1.0	128287	3934	How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?
9	GENEDHDI	Self-rated health - (D)	discrete	numeric-1.0	132057	164	Self-rated health - (D)
10	GENEDMHI	Self-rated mental health - (D)	discrete	numeric-1.0	129840	2381	Self-rated mental health - (D)

Group Voluntary Organizations								
#	Name	Label	Туре	Format	Valid	Invalid	Question	
1	ORGEFOPT	Optional module: ORG -(F)	discrete	numeric-1.0	132221	0	Optional module: ORG -(F)	

#	Name	Label	Туре	Format	Valid	Invalid	Question
2	ORGE_1	Member of a voluntary organization	discrete	numeric-1.0	4028	128193	Are you a member of any voluntary organizations or associations such as school groups, church social groups, community centres, ethnic associations or social, civic or fraternal clubs?
3	ORGE_2	Frequency - participate in activities	discrete	numeric-1.0	1467	130754	How often did you participate in meetings or activities of these groups in the past 12 months? If you belong to many, just think of the iones in which you are most active: (at least once a week, at least once a month,, or not at all)?

#	Name	Label	Type	Format	Valid	Invalid	Question
1	CIHEFOPT	Optional module: CIH - (F)	discrete	numeric-1.0	132221	0	Optional module: CIH - (F)
2	CIHE_1	Did something to improve health	discrete	numeric-1.0	52233	79988	In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking, increased exercise)
3	CIHE_2	Most important change to improve health	discrete	numeric-2.0	29091	103130	What is the single most important change you have made?
4	CIHE_3	Thinks should do something to improve hl	discrete	numeric-1.0	51972	80249	Do you think there is anything (else) you should do to improve your physical health?
5	CIHE_4	Most important thing to improve health	discrete	numeric-2.0	32919	99302	What is the most important thing?
6	CIHE_5	Barrier to improving health	discrete	numeric-1.0	32938	99283	Is there anything stopping you from making this improvement?
7	CIHE_6A	Barrier improve hlth - lack will power	discrete	numeric-1.0	15534	116687	What is that? - Lack of will power / self-discipline
8	CIHE_6I	Barrier improve health - family respons.	discrete	numeric-1.0	15534	116687	What is that? - family responsibilities
9	CIHE_6B	Barrier improve hlth - lwork schedule	discrete	numeric-1.0	15534	116687	What is that? -work schedule
10	CIHE_6J	Barrier improve health -add. drugs/alc.	discrete	numeric-1.0	15534	116687	What is that? - Addiction to drugs / alcohol
11	CIHE_6K	Barrier improve health - phys. condition	discrete	numeric-1.0	15534	116687	What is that? - Physical condition
12	CIHE_6G	Barrier improve hlth - disability	discrete	numeric-1.0	15534	116687	What is that? - disability / health problem
13	CIHE_6F	Barrier improve health - too stressed	discrete	numeric-1.0	15534	116687	What is that? - Too stressed
14	CIHE_6E	Barrier improve health - too costly	discrete	numeric-1.0	15534	116687	What is that? - Too costly / financial constraints
15	CIHE_6L	Barrier improve health - not avail./area	discrete	numeric-1.0	15534	116687	What is that? - Not available - in area
16	CIHE_6M	Barrier improve health - trans. problems	discrete	numeric-1.0	15534	116687	What is that? - Transportation problem
17	CIHE_6N	Barrier improve health - weather prob.	discrete	numeric-1.0	15534	116687	What is that? - Weather problems

#	Name	Label	Type	Format	Valid	Invalid	Question
18	CIHE_6H	Barrier improve health - other	discrete	numeric-1.0	15534	116687	What is that? - Other
19	CIHE_7	Intending to improve health over next yr	discrete	numeric-1.0	32608	99613	Is there anything you intend to do to improve your physical health in the next year?
20	CIHE_8A	Health improvement - more exercise	discrete	numeric-1.0	23571	108650	What is that? - Start / Increase exercise, sports / physical activity
21	CIHE_8B	Health improvement - lose weight	discrete	numeric-1.0	23571	108650	What is that? - Lose weight
22	CIHE_8C	Health improvement - eating habits	discrete	numeric-1.0	23571	108650	What is that? - Change diet / improve eating habits
23	CIHE_8J	Health improvement - quit smoking	discrete	numeric-1.0	23571	108650	What is that? - Quit smoking / reduce amount smoked
24	CIHE_8K	Health improvement - drink less alcohol	discrete	numeric-1.0	23571	108650	What is that? - Drink less alcohol
25	CIHE_8G	Health improvement - reduce stress	discrete	numeric-1.0	23571	108650	What is that? - Reduce stress level
26	CIHE_8L	Health improv receive med. treatment	discrete	numeric-1.0	23571	108650	What is that? - Receive medical treatment
27	CIHE_8H	Health improvement - take vitamins	discrete	numeric-1.0	23571	108650	What is that? - Take vitamins
28	CIHE_8I	Health improvement - other	discrete	numeric-1.0	23571	108650	What is that? - Other

Gro	Group Health Care System Satisfaction										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	HCSEFOPT	Optional module: HCS - (F)	discrete	numeric-1.0	132221	0	Optional module: HCS - (F)				
2	HCSE_1	Rating of availability hlth care - prov	discrete	numeric-1.0	4619	127602	Overall, how would you rate the availability of health care services in [province]? Would you say it is: (excellent, good, fair, or poor)?				
3	HCSE_2	Rating of quality of health care - prov	discrete	numeric-1.0	4586	127635	Overall, how would you rate the quality of the health care services that are available in [province]: (excellent, good, fair, or poor)?				
4	HCSE_3	Rating of availability hlth care - comm.	discrete	numeric-1.0	4571	127650	Overall, how would you rate the availability of health care services in your community?				
5	HCSE_4	Rating of quality of hlth care - comm.	discrete	numeric-1.0	4532	127689	Overall, how would you rate the quality of the health care services that are available in your community?				

Gro	Group Height and Weight										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	HWTE_4	Opinion of own weight - self-reported	discrete	numeric-1.0	127350	4871	Do you consider yourself: (overweight, underweight, or just about right)?				
2	HWTEGHTM	Height (metres) / self-reported - (D,G)	continuous	numeric-5.3	131110	1111	Height (metres) / self-reported - (D,G)				
3	HWTEGWTK	Weight (kilograms)/self- reported - (D,G)	continuous	numeric-6.2	128237	3984	Weight (kilograms)/self-reported - (D,G)				
4	HWTEGBMI	BMI / self-report - (D,G)	continuous	numeric-6.2	127228	4993	BMI / self-report - (D,G)				

#	Name	Label	Туре	Format	Valid	Invalid	Question
5	HWTEGISW	BMI class. (18 +) / self-report - (D,G)	discrete	numeric-1.0	115787	16434	BMI class. (18 +) / self-report - (D,G)
6	HWTEDCOL	BMI class. (12-17) / self-report (D)	discrete	numeric-1.0	11350	120871	BMI class. (12-17) / self-report (D)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	CCCE_011	Has food allergies	discrete	numeric-1.0	132103	118	Do you have food allergies?
2	CCCE_021	Has allergies other than food allergies	discrete	numeric-1.0	132074	147	(Do you have) any other allergies?
3	CCCE_031	Has asthma	discrete	numeric-1.0	132134	87	(Do you have) asthma?
4	CCCE_035	Asthma - had symptoms/ attacks	discrete	numeric-1.0	11678	120543	Have you had any asthma symptoms or asthma attacks in the past 12 months?
5	CCCE_036	Asthma - took medication	discrete	numeric-1.0	11689	120532	In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?
6	CCCE_041	Has fibromyalgia	discrete	numeric-1.0	132065	156	Do you have fibromyalgia?
7	CCCE_051	Has arthritis or rheumatism	discrete	numeric-1.0	132002	219	Remember, we are interested in conditions diagnosed by a health professional. Do you have arthritis or rheumatism, excluding fibromyalgia?
8	CCCE_05A	Kind of arthritis / rheumatism	discrete	numeric-1.0	23571	108650	What kind of arthritis do you have?
9	CCCE_061	Has back problems/excl. fibro/arthritis	discrete	numeric-1.0	132095	126	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have back problems, excluding fibromyalgia and arthritis?
10	CCCE_071	Has high blood pressure	discrete	numeric-1.0	131891	330	Do you have high blood pressure?
11	CCCE_072	Ever diagnosed with high blood pressure	discrete	numeric-1.0	107223	24998	Have you ever been diagnosed with high blood pressure?
12	CCCE_073	Medication - high blood pressure	discrete	numeric-1.0	31625	100596	In the past month, have you taken any medicine for high blood pressure?
13	CCCE_074	Did something - reduce blood pressure	discrete	numeric-1.0	31597	100624	In the past month, did you do anything else, recommended by a health professional, to reduce or control your blood pressure?
14	CCCE_75A	Recommendation - eating habits	discrete	numeric-1.0	10167	122054	What did you do? - Changed diet (e.g., reduced salt intake)
15	CCCE_75B	Recommendation - exercised more	discrete	numeric-1.0	10167	122054	What did you do? - Exercised more
16	CCCE_75C	Recommendation - reduced alcohol intake	discrete	numeric-1.0	10167	122054	What did you do? - Reduced alcohol intake
17	CCCE_75D	Recommendation - other	discrete	numeric-1.0	10167	122054	What did you do? - Other
18	CCCE_081	Has migraine headaches	discrete	numeric-1.0	132114	107	Remember, we are interested in conditions diagnosed by a health professional. Do you have migraine headaches?
19	CCCE_91A	Has chronic bronchitis	discrete	numeric-1.0	132070	151	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have chronic bronchitis?

#	Name	Label	Туре	Format	Valid	Invalid	Question
20	CCCE_91E	Has emphysema	discrete	numeric-1.0	98846	33375	(Do you have) emphysema?
21	CCCE_91F	Has COPD	discrete	numeric-1.0	98747	33474	(Do you have) chronic obstructive pulmonary disease (COPD)?
22	CCCE_101	Has diabetes	discrete	numeric-1.0	132105	116	(Do you have) diabetes?
23	CCCEG102	Diabetes - age first diagnosed - (G)	discrete	numeric-2.0	8063	124158	How old were you when this was first diagnosed?
24	CCCE_10A	Diabetes diagnosed when pregnant	discrete	numeric-1.0	1240	130981	Were you pregnant when you were first diagnosed with diabetes?
25	CCCE_10B	Diabetes diagnosed - other than pregnant	discrete	numeric-1.0	183	132038	Other than during pregnancy, has a health professional ever told you that you have diabetes?
26	CCCE_10C	Diabetes diag when started w/insulin	discrete	numeric-2.0	8062	124159	When you were first diagnosed with diabetes, how long was it before you were started on insulin?
27	CCCE_105	Diabetes - currently takes insulin	discrete	numeric-1.0	8095	124126	Do you currently take insulin for your diabetes?
28	CCCE_106	Diabetes - pills to control blood sugar	discrete	numeric-1.0	8095	124126	In the past month, did you take pills to control your blood sugar?
29	CCCE_111	Has epilepsy	discrete	numeric-1.0	132141	80	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have epilepsy?
30	CCCE_121	Has heart disease	discrete	numeric-1.0	132014	207	(Do you have) heart disease?
31	CCCE_131	Has cancer	discrete	numeric-1.0	132109	112	(Do you have) cancer?
32	CCCE_31A	Ever had cancer	discrete	numeric-1.0	129830	2391	Have you ever been diagnosed with cancer?
33	CCCE_141	Has stomach or intestinal ulcers	discrete	numeric-1.0	131972	249	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have intestinal or stomach ulcers?
34	CCCE_151	Suffers from the effects of a stroke	discrete	numeric-1.0	132086	135	Do you suffer from the effects of a stroke?
35	CCCE_161	Has urinary incontinence	discrete	numeric-1.0	132075	146	(Do you suffer) from urinary incontinence?
36	CCCE_171	Has bowel disorder	discrete	numeric-1.0	132031	190	Do you suffer from a bowel disorder such as Crohn's Disease, ulcerative colitis, irritable bowel syndrome or bowel incontinence?
37	CCCE_17A	Type of bowel disease	discrete	numeric-1.0	5998	126223	What kind of bowel disease do you have?
38	CCCE_191	Has cataracts	discrete	numeric-1.0	119757	12464	(Do you have) cataracts?
39	CCCE_201	Has glaucoma	discrete	numeric-1.0	119726	12495	(Do you have) glaucoma?
40	CCCE_211	Has a thyroid condition	discrete	numeric-1.0	132000	221	(Do you have) a thyroid condition?
41	CCCE_251	Has chronic fatigue syndrome	discrete	numeric-1.0	131991	230	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have chronic fatigue syndrome?
42	CCCE_261	Suffers/multiple chemical sensitivities	discrete	numeric-1.0	131949	272	Do you suffer from multiple chemical sensitivities?
43	CCCE_280	Has a mood disorder	discrete	numeric-1.0	132063	158	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have a mood

#	Name	Label	Туре	Format	Valid	Invalid	Question
							disorder such as depression, bipolar disorder, mania or dysthymia?
44	CCCE_290	Has an anxiety disorder	discrete	numeric-1.0	132020	201	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?
45	CCCE_331	Has a learning disability	discrete	numeric-1.0	132047	174	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have a learning disability?
46	CCCEF1	Has a chronic condition - (F)	discrete	numeric-1.0	131872	349	Has a chronic condition - (F)
47	CCCEG901	Other long-term physical/ mental hlth-(G)	discrete	numeric-1.0	131968	253	Do you have any other long-term physical or mental health condition that has been diagnosed by a health professional?

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DIAEFOPT	Optional module: DIA - (F)	discrete	numeric-1.0	132221	0	Optional module: DIA - (F)
2	DIAE_01	Tested for "A-one-C" haemoglobin	discrete	numeric-1.0	3694	128527	In the past 12 months, has a health care professional tested you for haemoglobin "A-one-C"? (An "A-one-C" haemoglobin test measures the average level of blood sugar over a 3-month period.)
3	DIAE_02	No. of times - tested for "A-one-C"	continuous	numeric-3.0	2810	129411	How many times? (In the past 12 months, has a health care professional tested you for haemoglobin "A-one-C"?
4	DIAE_03	Feet checked by health professional	discrete	numeric-1.0	3831	128390	In the past 12 months, has a health care professional checked your feet for any sores or irritations?
5	DIAE_04	No of times - feet checked by hlth prof.	continuous	numeric-3.0	1769	130452	How many times? (In the past 12 months, has a health care professional checked your feet for any sores or irritations?)
6	DIAE_05	Urine tested for protein by health prof.	discrete	numeric-1.0	3687	128534	In the past 12 months, has a health care professional tested your urine for protein (i.e., Microalbumin)?
7	DIAE_06	Ever had eye exam with pupils dilated	discrete	numeric-1.0	3788	128433	Have you ever had an eye exam where the pupils of your eyes were dilated? (This procedure would have made you temporarily sensitive to light.)
8	DIAE_07	Eye exam with pupils dilated - last time	discrete	numeric-1.0	2647	129574	When was the last time: (less than one month ago, 1 month to less than 1 year ago, 1 year to less than 2 years ago, or 2 or more years ago)?
9	DIAE_08	Checks glucose level/self-reporting unit	discrete	numeric-1.0	3838	128383	How often do you usually have your blood checked for glucose or sugar by yourself or by a family member or friend?
10	DIAE_N8B	Checks glucose level/self-no times day	continuous	numeric-3.0	1951	130270	Interviewer: Enter the number of times per day.
11	DIAE_N8C	Checks glucose level - no times per week	continuous	numeric-3.0	1093	131128	Interviewer: Enter the number of times per week.

#	Name	Label	Туре	Format	Valid	Invalid	Question
12	DIAE_N8D	Checks glucose level -no times per month	continuous	numeric-3.0	299	131922	Interviewer: Enter the number of times per month.
13	DIAE_N8E	Checks glucose level -no times per year	continuous	numeric-3.0	112	132109	Interviewer: Enter the number of times per year.
14	DIAE_09	Checks feet / self-reporting unit	discrete	numeric-1.0	3793	128428	How often do you usually have your feet checked for any sores or irritations by yourself or by a family member or friend?
15	DIAE_N9B	Checks feet/self-number of times per day	continuous	numeric-3.0	1466	130755	Interviewer: Enter the number of times per day.
16	DIAE_N9C	Checks feet/self-number of times week	continuous	numeric-3.0	735	131486	Interviewer: Enter the number of times per week.
17	DIAE_N9D	Checks feet/self-number of times month	continuous	numeric-3.0	259	131962	Interviewer: Enter the number of times per month.
18	DIAE_N9E	Checks feet/self-number of times year	continuous	numeric-3.0	167	132054	Interviewer: Enter the number of times per year.
19	DIAE_10	Medication - ASA - past month	discrete	numeric-1.0	3692	128529	In the past month, did you take aspirin or other ASA (acetylsalicylic acid) medication every day or every second day?
20	DIAE_11	Medication -blood cholesterol-past month	discrete	numeric-1.0	3667	128554	In the past month, did you take prescription medications such as Lipitor or Zocor to control your blood cholesterol levels?

Gro	up Medicat	tion Use					
#	Name	Label	Туре	Format	Valid	Invalid	Question
1	MEDEFOPT	Optional module: MED - (F)	discrete	numeric-1.0	132221	0	Optional module: MED - (F)
2	MEDE_1A	Medication - pain relievers - past mo	discrete	numeric-1.0	9170	123051	(In the past month, did you take) pain relievers such as aspirin or Tylenol (including arthritis medicine and anti- inflammatories)?
3	MEDE_1B	Medication - tranquilizers - past mo	discrete	numeric-1.0	9173	123048	In the past month, did you take tranquilizers such as Valium or Ativan?
4	MEDE_1C	Medication - diet pills - past mo	discrete	numeric-1.0	9175	123046	(In the past month, did you take) diet pills such as Dexatrim, Ponderal or Fastin?
5	MEDE_1D	Medication - antidepressants - past mo	discrete	numeric-1.0	9166	123055	(In the past month, did you take) anti- depressants such as Prozac, Paxil or Effexor?
6	MEDE_1E	Medcodeine/Demerol/ morphine - past mo	discrete	numeric-1.0	9167	123054	(In the past month, did you take) codeine, Demerol or morphine?
7	MEDE_1F	Medication - allergy medicine - past mo	discrete	numeric-1.0	9175	123046	(In the past month, did you take) allergy medicine such as Reactine or Allegra?
8	MEDE_1G	Med asthma medications - past mo	discrete	numeric-1.0	9175	123046	(In the past month, did you take) asthma medications such as inhalers or nebulizers?
9	MEDE_1H	Med cough or cold remedies - past mo	discrete	numeric-1.0	9175	123046	(In the past month, did you take) cough or cold remedies?
10	MEDE_1I	Med - penic./other antibiotics -past mo	discrete	numeric-1.0	9171	123050	(In the past month, did you take) penicillin or other antibiotics?

#	Name	Label	Туре	Format	Valid	Invalid	Question
11	MEDE_1J	Med medicine for the heart - past mo	discrete	numeric-1.0	9175	123046	(In the past month, did you take) medicine for the heart?
12	MEDE_1L	Medication - diuretics - past mo	discrete	numeric-1.0	9158	123063	(In the past month, did you take) diuretics or water pills?
13	MEDE_1M	Medication - steroids - past mo	discrete	numeric-1.0	9167	123054	(In the past month, did you take) steroids?
14	MEDE_1P	Medication - sleeping pills - past mo	discrete	numeric-1.0	9171	123050	(In the past month, did you take) sleeping pills such as Imovane, Nytol or Starnoc?
15	MEDE_1Q	Medication - stomach remedies - past mo	discrete	numeric-1.0	9172	123049	(In the past month, did you take) stomach remedies?
16	MEDE_1R	Medication - laxatives - past mo	discrete	numeric-1.0	9173	123048	(In the past month, did you take) laxatives?
17	MEDE_1S	Med birth control pills - past mo	discrete	numeric-1.0	2691	129530	(In the past month, did you take) birth control pills?
18	MEDE_1T	Med hormones for menopause - past mo	discrete	numeric-1.0	3928	128293	(In the past month, did you take) hormones for menopause or ageing symptoms?
19	MEDE_1T1	Hormone therapy - type	discrete	numeric-1.0	211	132010	What type of hormones are you taking: (estrogen only, progesterone only, both, or neither)?
20	MEDE_1T2	Hormone therapy - year started	continuous	numeric-4.0	227	131994	When did you start this hormone therapy?
21	MEDE_1U	Medication - thyroid - past mo	discrete	numeric-1.0	9174	123047	In the past month, did you take thyroid medication such as Synthroid or Levothyroxine?
22	MEDE_1V	Medication - other - past mo	discrete	numeric-1.0	9168	123053	(In the past month, did you take) any other medication?
23	MEDEF1	Medication use - past mo - (F)	discrete	numeric-1.0	9170	123051	Medication use - past mo - (F)

Gro	oup Health (Care Utilization					
#	Name	Label	Туре	Format	Valid	Invalid	Question
1	HCUE_1AA	Has regular medical doctor	discrete	numeric-1.0	132054	167	Do you have a regular medical doctor?
2	HCUE_1BA	Reason no dr - no one available in area	discrete	numeric-1.0	19544	112677	Why do you not have a regular medical doctor? - No medical doctors available in the area
3	HCUE_1BB	Reason no dr - none taking new patients	discrete	numeric-1.0	19544	112677	Why do you not have a regular medical doctor? - Medical doctors in the area are not taking new patients
4	HCUE_1BC	Reason no dr - not tried to contact one	discrete	numeric-1.0	19544	112677	Why do you not have a regular medical doctor? - Have not tried to contact one
5	HCUE_1BD	Reason no dr - has left/retired	discrete	numeric-1.0	19544	112677	Why do you not have a regular medical doctor? - Had a medical doctor who left or retired
6	HCUE_1BE	Reason no dr - other	discrete	numeric-1.0	19544	112677	Why do you not have a regular medical doctor? - Other
7	HCUE_01	Overnight patient	discrete	numeric-1.0	132134	87	In the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?
8	HCUEG01A	No. of nights as patient - (G)	continuous	numeric-2.0	12189	120032	For how many nights in the past 12 months?

#	Name	Label	Туре	Format	Valid	Invalid	Question
9	HCUEG02A	No. of consult family doctor - (G)	continuous	numeric-2.0	131582	639	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a family doctor (pediatrician) or general practitioner?
10	HCUEG02B	No. of consult eye specialist - (G)	continuous	numeric-2.0	131986	235	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with an eye specialist (such as an ophthalmologist or optometrist)?
11	HCUEG02C	No. of consult other doctor - (G)	continuous	numeric-2.0	131992	229	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with any other medical doctor (such as surgeon, allergist, orthopedist, gynaecologist, or psychiatrist)?
12	HCUEG02D	No. of consult nurse - (G)	continuous	numeric-2.0	131894	327	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a nurse for care or advice?
13	HCUEG02E	No. of consult dentist/ ortho (G)	continuous	numeric-2.0	132044	177	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a dentist or orthodontist?
14	HCUEG02F	No. of consult chiropractor - (G)	continuous	numeric-2.0	132083	138	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a chiropractor?
15	HCUEG02G	No. of consult physiotherapist - (G)	continuous	numeric-2.0	132079	142	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a physiotherapist?
16	HCUEG02H	No. of consult social worker - (G)	continuous	numeric-2.0	132073	148	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a social worker or counsellor?
17	HCUEG02I	No. of consult psychologist - (G)	continuous	numeric-2.0	132117	104	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a psychologist?
18	HCUEG02J	No. of cons speech/aud./ occ. ther(G)	continuous	numeric-2.0	132132	89	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a speech, audiology or occupational therapist?
19	HCUEG03A	Loc. most recent cont family dr - (G)	discrete	numeric-2.0	103089	29132	Where did the most recent contact take place? - family doctor
20	HCUEG03C	Loc. most recent cont other M.D(G)	discrete	numeric-2.0	35420	96801	Where did the most recent contact take place? - other medical doctor

#	Name	Label	Type	Format	Valid	Invalid	Question
21	HCUEG03D	Location most recent cont nurse - (G)	discrete	numeric-2.0	17379	114842	Where did the most recent contact take place? - nurse
22	HCUEG3D1	Method most recent contact - nurse	discrete	numeric-1.0	5474	126747	Did this most recent contact occur: (in-person (face to face), through a videoconference or through another method)?
23	HCUE_04A	Attended self-help group	discrete	numeric-1.0	132143	78	In the past 12 months, have you attended a meeting of a self-help group such as AA or a cancer support group?
24	HCUE_04	Consulted altern. health care provider	discrete	numeric-1.0	132158	63	In the past 12 months, have you seen or talked to an alternative health care provider such as an acupuncturist, homeopath or massage therapist about your physical, emotional or mental health?
25	HCUE_05A	Alt. hlth care - massage therapist	discrete	numeric-1.0	17186	115035	Who did you see or talk to? - Massage therapist
26	HCUE_05B	Alt. hlth care - acupuncturist	discrete	numeric-1.0	17186	115035	Who did you see or talk to? - Acupuncturist
27	HCUE_05C	Alt. hlth care - homeopath/ naturopath	discrete	numeric-1.0	17186	115035	Who did you see or talk to? - Homeopath or naturopath
28	HCUEG05L	Alt. hlth care - other - (G)	discrete	numeric-1.0	17186	115035	Who did you see or talk to? - Other
29	HCUE_06	Unmet health care needs - self-perceived	discrete	numeric-1.0	132048	173	During the past 12 months, was there ever a time when you felt that you needed health care but you didn't receive it?
30	HCUE_07A	Care not rec'd - not avail. in area	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Not available in the area
31	HCUE_07B	Care not rec'd - not avail. time req'd	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Not available at time required (e.g., doctor on holidays, inconvenient hours)
32	HCUE_07C	Care not rec'd - wait too long	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Waiting time too long
33	HCUE_07D	Care not rec'd - felt be inadequate	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Felt would be inadequate
34	HCUE_07E	Care not rec'd - cost	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Cost
35	HCUE_07F	Care not rec'd - too busy	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Too busy
36	HCUE_07G	Care not rec'd - didn't get around it	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Didn't get around to it / didn't bother
37	HCUE_07H	Care not rec'd - didn't know where to go	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Didn't know where to go
38	HCUE_07I	Care not rec'd - transportation problems	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Transportation problems
39	HCUE_07J	Care not rec'd - language problems	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Language problems

#	Name	Label	Type	Format	Valid	Invalid	Question
40	HCUE_07K	Care not rec'd - pers./family resp.	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Personal or family responsibilities
41	HCUE_07L	Care not rec'd - dislikes doctor/afraid	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Dislikes doctors / afraid
42	HCUE_07M	Care not rec'd - decided not seek care	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Decided not to seek care
43	HCUE_07O	Care not rec'd - doctor think not nec.	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Doctor didn't think it was necessary
44	HCUE_07P	Care not rec'd - unable to leave house	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Unable to leave the house because of health problem
45	HCUE_07N	Care not rec'd - other	discrete	numeric-1.0	15121	117100	Thinking of the most recent time, why didn't you get care? - Other
46	HCUE_08A	Type care not rec'd - physical hlth prob	discrete	numeric-1.0	15105	117116	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of a physical health problem
47	HCUE_08B	Type care not rec'd - emotional problem	discrete	numeric-1.0	15105	117116	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of an emotional or mental health problem
48	HCUE_08C	Type care not rec'd - regular check-up	discrete	numeric-1.0	15105	117116	Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including regular pre-natal care)
49	HCUE_08D	Type care not rec'd - care of injury	discrete	numeric-1.0	15105	117116	Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury
50	HCUE_08E	Type care not rec'd - other	discrete	numeric-1.0	15105	117116	Again, thinking of the most recent time, what was the type of care that was needed? - Other
51	HCUE_09A	Tried get serv doctor's office	discrete	numeric-1.0	14894	117327	Where did you try to get the service you were seeking? - Doctor's office
52	HCUE_09B	Tried get serv hospital emergency	discrete	numeric-1.0	14894	117327	Where did you try to get the service you were seeking? - Hospital emergency room
53	HCUE_09C	Tried get serv hsp. overnight patient	discrete	numeric-1.0	14894	117327	Where did you try to get the service you were seeking? - Hospital overnight patient
54	HCUE_09D	Tried get serv hsp. outpatient clinic	discrete	numeric-1.0	14894	117327	Where did you try to get the service you were seeking? - Hospital outpatient clinic (e.g., day surgery, cancer)
55	HCUE_09E	Tried get serv walk-in clinic	discrete	numeric-1.0	14894	117327	Where did you try to get the service you were seeking? - Walk-in clinic
56	HCUE_09F	Tried get serv appointment clinic	discrete	numeric-1.0	14894	117327	Where did you try to get the service you were seeking? - Appointment clinic
57	HCUE_09G	Tried get serv comm. hlth centre/CLSC	discrete	numeric-1.0	14894	117327	Where did you try to get the service you were seeking? - Community health centre / CLSC
58	HCUE_09H	Tried get serv other	discrete	numeric-1.0	14894	117327	Where did you try to get the service you were seeking? - Other

#	Name	Label	Туре	Format	Valid	Invalid	Question
59	HCUEGMDC	No. of consultations w/medical dr -(D,G)	continuous	numeric-2.0	131435	786	No. of consultations w/medical dr - (D,G)
60	HCUEFCOP	Consultations - hlth professionals - (F)	discrete	numeric-1.0	132032	189	Consultations - hlth professionals - (F)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HMCE_09	Rec'd home care services by govt.	discrete	numeric-1.0	119829	12392	Have you received any home care services in the past 12 months, with the cost being entirely or partially covered by government?
2	HMCE_10A	Type govt. care rec'd - nursing care	discrete	numeric-1.0	4832	127389	What type of services have you received? - Nursing care (e.g., dressing changes, preparing medications, V.O.N visits)
3	HMCE_10B	Type govt. care rec'd - health services	discrete	numeric-1.0	4832	127389	What type of services have you received? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling)
4	HMCE_10C	Type govt. care rec'd - personal care	discrete	numeric-1.0	4832	127389	What type of services have you received? - Personal care (e.g., bathing, foot care)
5	HMCE_10D	Type govt. care rec'd - housework	discrete	numeric-1.0	4832	127389	What type of services have you received? - Housework (e.g., cleaning, laundry)
6	HMCE_10E	Type govt. care rec'd - meals	discrete	numeric-1.0	4832	127389	What type of services have you received? - Meal preparation or delivery
7	HMCE_10F	Type govt. care rec'd - shopping	discrete	numeric-1.0	4832	127389	What type of services have you received? - Shopping
8	HMCE_10G	Type govt. care rec'd - respite care	discrete	numeric-1.0	4832	127389	What type of services have you received? - Respite care (i.e., caregiver relief program)
9	HMCE_10H	Type govt. care rec'd - other	discrete	numeric-1.0	4832	127389	What type of services have you received? - Other
10	HMCE_10I	Type govt. care rec'd - med. equipment	discrete	numeric-1.0	4832	127389	What type of services have you received? - Medical equipment or supplies
11	HMCE_11	Rec'd home care not covered by govt.	discrete	numeric-1.0	119821	12400	Have you received any [other] home care services in the past 12 months, with the cost not covered by government (for example: care provided by a private agency or by a spouse or friends)?
12	HMCEG12A	Non govt provided by private agency -(G)	discrete	numeric-1.0	5132	127089	Non govt provided by private agency - (G)
13	HMCEG12C	Non govt. provided by neigh/ fam/vol(G)	discrete	numeric-1.0	5132	127089	Non govt. provided by neigh/fam/vol(G)
14	HMCE_12F	Non govt. provided by other	discrete	numeric-1.0	5132	127089	Who provided these [other] home care services? - Other
15	HMCEG3AA	Private agency - nursing care - (G)	discrete	numeric-1.0	1403	130818	Private agency - nursing care - (G)
16	HMCEG3AB	Private agency - hlth serv (G)	discrete	numeric-1.0	1403	130818	Private agency - hlth serv (G)

#	Name	Label	Туре	Format	Valid	Invalid	Question
17	HMCEG3AI	Private agency - med. equip (G)	discrete	numeric-1.0	1403	130818	Private agency - med. equip (G)
18	HMCEG3AC	Private agency - pers. Care - (G)	discrete	numeric-1.0	1403	130818	Private agency - pers. Care - (G)
19	HMCEG3AD	Private agency - housework - (G)	discrete	numeric-1.0	1404	130817	Private agency - housework - (G)
20	HMCEG3AE	Private agency - meals - (G)	discrete	numeric-1.0	1403	130818	Private agency - meals - (G)
21	HMCEG3AF	Private agency - shopping - (G)	discrete	numeric-1.0	1404	130817	Private agency - shopping - (G)
22	HMCEG3AG	Private agency - respite care - (G)	discrete	numeric-1.0	1403	130818	Private agency - respite care - (G)
23	HMCEG3AH	Private agency - other - (G)	discrete	numeric-1.0	1403	130818	Private agency - other - (G)
24	HMCEG3CA	Neigh/fam/vol - nursing care - (G)	discrete	numeric-1.0	3587	128634	Neigh/fam/vol - nursing care - (G)
25	HMCEG3CB	Neigh/fam/vol - health services - (G)	discrete	numeric-1.0	3587	128634	Neigh/fam/vol - health services - (G)
26	HMCEG3CI	Neigh/fam/vol - med. equip. - (G)	discrete	numeric-1.0	3587	128634	Neigh/fam/vol - med. equip (G)
27	HMCEG3CC	Neigh/fam/vol - personal - (G)	discrete	numeric-1.0	3587	128634	Neigh/fam/vol - personal - (G)
28	HMCEG3CD	Neigh/fam/vol - housework - (G)	discrete	numeric-1.0	3587	128634	Neigh/fam/vol - housework - (G)
29	HMCEG3CE	Neigh/fam/vol - meals - (G)	discrete	numeric-1.0	3587	128634	Neigh/fam/vol - meals - (G)
30	HMCEG3CF	Neigh/fam/vol - shopping - (G)	discrete	numeric-1.0	3589	128632	Neigh/fam/vol - shopping - (G)
31	HMCEG3CG	Neigh/fam/vol - respite - (G)	discrete	numeric-1.0	3587	128634	Neigh/fam/vol - respite - (G)
32	HMCEG3CH	Neigh/fam/vol - other - (G)	discrete	numeric-1.0	3588	128633	Neigh/fam/vol - other - (G)
33	HMCE_3FA	Home care provided by other - nursing	discrete	numeric-1.0	448	131773	What type of services have you received from [person specified]? - Nursing care (e.g., dressing changes, preparing medications, V.O.N. visits)
34	HMCE_3FB	Home care provided by other - health	discrete	numeric-1.0	448	131773	What type of services have you received from [person specified]? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling)
35	HMCE_3FI	Home care provided by other - med.equip.	discrete	numeric-1.0	448	131773	What type of services have you received from [person specified]? - Medical equipment or supplies
36	HMCE_3FC	Home care provided by other - personal	discrete	numeric-1.0	448	131773	What type of services have you received from [person specified]? - Personal care (e.g., bathing, foot care)
37	HMCE_3FD	Care provided by other - housework	discrete	numeric-1.0	448	131773	What type of services have you received from [person specified]? - Housework (e.g., cleaning, laundry)
38	HMCE_3FE	Home care provided by other - meals	discrete	numeric-1.0	448	131773	What type of services have you received from [person specified]? - Meal preparation or delivery
39	HMCE_3FF	Home care provided by other - shopping	discrete	numeric-1.0	448	131773	What type of services have you received from [person specified]? - Shopping

#	Name	Label	Type	Format	Valid	Invalid	Question
40	HMCE_3FG	Home care provided by other - respite	discrete	numeric-1.0	448	131773	What type of services have you received from [person specified]? - Respite care (i.e., caregiver relief program)
41	HMCE_3FH	Home care provided by other - other	discrete	numeric-1.0	448	131773	What type of services have you received from [person specified]? - Other
42	HMCE_14	Self-perceived unmet home care needs	discrete	numeric-1.0	119794	12427	During the past 12 months, was there ever a time when you felt that you needed home care services but you didn't receive them?
43	HMCE_15A	Care not rec'd - not avail./	discrete	numeric-1.0	2660	129561	Thinking of the most recent time, why didn't you get these services? - Not available in the area
44	HMCE_15B	Care not rec'd - not avail./ time req'd	discrete	numeric-1.0	2660	129561	Thinking of the most recent time, why didn't you get these services? - Not available at time required (e.g., inconvenient hours)
45	HMCE_15C	Care not rec'd - waiting time too long	discrete	numeric-1.0	2660	129561	Thinking of the most recent time, why didn't you get these services? - Waiting time too long
46	HMCE_15D	Care not rec'd - would be inadequate	discrete	numeric-1.0	2660	129561	Thinking of the most recent time, why didn't you get these services? - Felt would be inadequate
47	HMCE_15E	Care not rec'd - cost	discrete	numeric-1.0	2660	129561	Thinking of the most recent time, why didn't you get these services? - Cost
48	HMCE_15F	Care not rec'd - too busy	discrete	numeric-1.0	2660	129561	Thinking of the most recent time, why didn't you get these services? - Too busy
49	HMCE_15G	Care not rec'd - didn't get around to it	discrete	numeric-1.0	2660	129561	Thinking of the most recent time, why didn't you get these services? - Didn't get around to it / didn't bother
50	HMCE_15H	Care not rec'd - didn't know where to go	discrete	numeric-1.0	2660	129561	Thinking of the most recent time, why didn't you get these services? - Didn't know where to go / call
51	HMCE_15I	Care not rec'd - language problems	discrete	numeric-1.0	2660	129561	Thinking of the most recent time, why didn't you get these services? - Language problems
52	HMCE_15J	Care not rec'd - family responsibilities	discrete	numeric-1.0	2660	129561	Thinking of the most recent time, why didn't you get these services? - Personal or family responsibilities
53	HMCE_15K	Care not rec'd - decided not seek serv.	discrete	numeric-1.0	2660	129561	Thinking of the most recent time, why didn't you get these services? - Decided not to seek services
54	HMCE_15L	Care not rec'd - doctor think not nec.	discrete	numeric-1.0	2660	129561	Thinking of the most recent time, why didn't you get these services? - Doctor didn't think it was necessary
55	HMCE_15M	Care not rec'd - other	discrete	numeric-1.0	2660	129561	Thinking of the most recent time, why didn't you get these services? - Other
56	HMCE_15N	Care not rec'd - Did not qualify	discrete	numeric-1.0	2660	129561	Thinking of the most recent time, why didn't you get these services? - Did not qualify / Not eligible for homecare
57	HMCE_15O	Care not rec'd - Still waiting/ homecare	discrete	numeric-1.0	2660	129561	Thinking of the most recent time, why didn't you get these services? - Still waiting for homecare
58	HMCE_16A	Type care needed - nursing care	discrete	numeric-1.0	2667	129554	Again, thinking of the most recent time, what was the type of home care that was needed? - Nursing care (e.g., dressing

#	Name	Label	Type	Format	Valid	Invalid	Question
							changes, preparing medications, V.O.N. visits)
59	HMCE_16B	Type care needed - health services	discrete	numeric-1.0	2667	129554	Again, thinking of the most recent time, what was the type of home care that was needed? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling)
60	HMCE_16C	Type care needed - personal care	discrete	numeric-1.0	2667	129554	Again, thinking of the most recent time, what was the type of home care that was needed? - Personal care (e.g., bathing, foot care)
61	HMCE_16D	Type care needed - housework	discrete	numeric-1.0	2667	129554	Again, thinking of the most recent time, what was the type of home care that was needed? - Housework (e.g., cleaning, laundry)
62	HMCE_16E	Type care needed - meals	discrete	numeric-1.0	2667	129554	Again, thinking of the most recent time, what was the type of home care that was needed? - Meal preparation or delivery
63	HMCE_16F	Type care needed - shopping	discrete	numeric-1.0	2667	129554	Again, thinking of the most recent time, what was the type of home care that was needed? - Shopping
64	HMCE_16G	Type care needed - respite care	discrete	numeric-1.0	2667	129554	Again, thinking of the most recent time, what was the type of home care that was needed? - Respite care (i.e., caregiver relief)
65	HMCE_16H	Type care needed - other	discrete	numeric-1.0	2667	129554	Again, thinking of the most recent time, what was the type of home care that was needed? - Other
66	HMCE_16I	Type care needed - Med. equip./supplies	discrete	numeric-1.0	2667	129554	Again, thinking of the most recent time, what was the type of home care that was needed? - Medical equipment or supplies
67	HMCE_17A	Who contacted - govt. spons. prog.	discrete	numeric-1.0	2441	129780	Where did you try to get this home care service? - A government sponsored program
68	HMCE_17B	Who contacted - private agency	discrete	numeric-1.0	2441	129780	Where did you try to get this home care service? - A private agency
69	HMCE_17C	Who contacted - family/ friend	discrete	numeric-1.0	2441	129780	Where did you try to get this home care service? - A family member, friend or neighbour
70	HMCE_17D	Who contacted - volunteer org.	discrete	numeric-1.0	2441	129780	Where did you try to get this home care service? - A volunteer organization
71	HMCE_17E	Who contacted - other	discrete	numeric-1.0	2441	129780	Where did you try to get this home care service? - Other
72	HMCEFRHC	Flag: Received home care - (F)	discrete	numeric-1.0	119822	12399	Flag: Received home care - (F)

Gro	Group Restriction of Activities										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	RACE_1	Has difficulty with activities	discrete	numeric-1.0	132018	203	Do you have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities: (sometimes, often, or never)?				

#	Name	Label	Type	Format	Valid	Invalid	Question
2	RACE_2A	Reduction kind/amount activities - home	discrete	numeric-1.0	131989	232	Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do at home: (sometimes, often, or never)?
3	RACE_2B1	Reduction kind/amount activities- school	discrete	numeric-1.0	132080	141	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) at school?
4	RACE_2B2	Reduction kind/amount act at work	discrete	numeric-1.0	132053	168	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) at work?
5	RACE_2C	Reduction kind/amount act other	discrete	numeric-1.0	131887	334	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) in other activities, for example, transportation or leisure?
6	RACEG5	Cause of health problem - (G)	discrete	numeric-2.0	44158	88063	Which one of the following is the best description of the cause of this condition: (accident at home, motor vehicle accident, accident at work, other type of accident, existed from birth or genetic,, or use of alcohol or drugs)?
7	RACE_5B1	Discri. due condition/hlth prob life	discrete	numeric-1.0	44595	87626	Because of your condition or health problem, have you ever experienced discrimination or unfair treatment?
8	RACE_5B2	Discri. due condition/hlth prob.	discrete	numeric-1.0	5070	127151	In the past 12 months, how much discrimination or unfair treatment did you experience?
9	RACE_6A	Needs help - preparing meals	discrete	numeric-1.0	132022	199	Because of any physical condition or mental condition or health problem, do you need the help of another person with preparing meals?
10	RACE_6B1	Needs help - getting to appointments	discrete	numeric-1.0	132013	208	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with getting to appointments and running errands such as shopping for groceries?
11	RACE_6C	Needs help - doing housework	discrete	numeric-1.0	132004	217	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with doing normal everyday housework?
12	RACE_6D	Needs help - heavy household chores	discrete	numeric-1.0	131899	322	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with doing heavy household chores such as spring cleaning or yard work?
13	RACE_6E	Needs help - personal care	discrete	numeric-1.0	132024	197	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with personal care such as washing, dressing, eating or taking medication?
14	RACE_6F	Needs help - moving about inside house	discrete	numeric-1.0	132018	203	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with moving about inside the house?

#	Name	Label	Type	Format	Valid	Invalid	Question
15	RACE_6G	Needs help - looking after finances	discrete	numeric-1.0	131865	356	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with looking after your personal finances such as making bank transactions or paying bills?
16	RACE_7A	Difficulty - making new friends	discrete	numeric-1.0	131863	358	Because of any physical condition or mental condition or health problem, do you have difficulty making new friends or maintaining friendships?
17	RACE_7B	Difficulty - dealing w/ unknown people	discrete	numeric-1.0	131810	411	(Because of any physical condition or mental condition or health problem, do you have difficulty) dealing with people you do not know well?
18	RACE_7C	Difficulty - starting/maintain. convers.	discrete	numeric-1.0	131848	373	(Because of any physical condition or mental condition or health problem, do you have difficulty) starting and maintaining a conversation?
19	RACE_8A	Cause of diff physical health	discrete	numeric-1.0	24382	107839	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason? - Physical health
20	RACE_8B	Cause of diff emot./mental health	discrete	numeric-1.0	24382	107839	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason? - Emotional or mental health
21	RACE_8C	Cause of diff use of alcohol/drugs	discrete	numeric-1.0	24382	107839	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason? - Use of alcohol or drugs
22	RACE_8D	Cause of diff other	discrete	numeric-1.0	24382	107839	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason? - Another reason
23	RACEDIMP	Impact of health problems - (D)	discrete	numeric-1.0	131764	457	Impact of health problems - (D)
24	RACEDPAL	Participation and activity limit (D)	discrete	numeric-1.0	131666	555	Participation and activity limit (D)
25	RACEF6R	Help needed for tasks - (F)	discrete	numeric-1.0	131791	430	Help needed for tasks - (F)
26	RACEF7	Difficulty with social situations - (F)	discrete	numeric-1.0	131733	488	Difficulty with social situations - (F)

Gro	Group Two-Week Disability										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	TWDE_1	Stayed in bed - b/c illness/injury	discrete	numeric-1.0	132042	179	During that period, did you stay in bed at all because of illness or injury, including any nights spent as a patient in a hospital?				
2	TWDE_3	Reduced activities - illness/ injury	discrete	numeric-1.0	131435	786	Not counting days spent in bed during those 14 days, were there any days that you cut down on things you normally do because of illness or injury?				

#	Name	Label	Туре	Format	Valid	Invalid	Question
3	TWDEDDDY	Total nb. of disability past 14 days	discrete	numeric-2.0	131755	466	Total nb. of disability past 14 days
4	TWDEDDDM	No. days - memt.hlth/alc/ drugs	discrete	numeric-2.0	131713	508	No. days - memt.hlth/alc/drugs
5	TWDEDDDP	No. disability days - ill./ phys.injury	discrete	numeric-2.0	131713	508	No. disability days - ill./phys.injury

#	Name	Label	Type	Format	Valid	Invalid	Question
1	FLUE_160	Ever had a flu shot	discrete	numeric-1.0	129237	2984	Have you ever had a flu shot?
2	FLUE_162	Had flu shot - last time	discrete	numeric-1.0	69217	63004	When did you have your last flu shot: (less than 1 year ago, 1 year to less than 2 years ago, or 2 years ago or more)?
3	FLUE_66A	No flu shot - have not gotten around it	discrete	numeric-1.0	80395	51826	What are the reasons that you have not had a flu shot in the past year? - Have not gotten around to it
4	FLUE_66B	No flu shot - resp. didn't think nec.	discrete	numeric-1.0	80395	51826	What are the reasons that you have not had a flu shot in the past year? - Respondent did not think it was necessary
5	FLUE_66C	No flu shot - doctor didn't think nec.	discrete	numeric-1.0	80395	51826	What are the reasons that you have not had a flu shot in the past year? - Doctor did not think it was necessary
6	FLUE_66D	No flu shot - personal/family resp.	discrete	numeric-1.0	80395	51826	What are the reasons that you have not had a flu shot in the past year? - Personal or family responsibilities
7	FLUE_66E	No flu shot - not available when req'd	discrete	numeric-1.0	80395	51826	What are the reasons that you have not had a flu shot in the past year? - Not available at time required
8	FLUE_66F	No flu shot - not available in area	discrete	numeric-1.0	80395	51826	What are the reasons that you have not had a flu shot in the past year? - Not available at all in the area
9	FLUE_66G	No flu shot - waiting time was too long	discrete	numeric-1.0	80395	51826	What are the reasons that you have not had a flu shot in the past year? - Waiting time was too long
10	FLUE_66H	No flu shot - transportation problems	discrete	numeric-1.0	80395	51826	What are the reasons that you have not had a flu shot in the past year? - Transportation problems
11	FLUE_66I	No flu shot - language problem	discrete	numeric-1.0	80395	51826	What are the reasons that you have not had a flu shot in the past year? - Language problem
12	FLUE_66J	No flu shot - cost	discrete	numeric-1.0	80395	51826	What are the reasons that you have not had a flu shot in the past year? - Cost
13	FLUE_66K	No flu shot - did not know where to go	discrete	numeric-1.0	80395	51826	What are the reasons that you have not had a flu shot in the past year? - Did not know where to go / uninformed
14	FLUE_66L	No flu shot - fear	discrete	numeric-1.0	80395	51826	What are the reasons that you have not had a flu shot in the past year? - Fear (e.g., painful, embarrassing, find something wrong)
15	FLUE_66M	No flu shot - bad reaction to prev. shot	discrete	numeric-1.0	80395	51826	What are the reasons that you have not had a flu shot in the past year? - Bad reaction to previous shot

#	#	Name	Label	Туре	Format	Valid	Invalid	Question
1	6	FLUE_66O	No flu shot - unable leave house/hlth	discrete	numeric-1.0	80395	51826	What are the reasons that you have not had a flu shot in the past year? - Unable to leave the house because of a health problem
1	7	FLUE_66N	No flu shot - other	discrete	numeric-1.0	80395	51826	What are the reasons that you have not had a flu shot in the past year? - Other

#	Name	Label	Туре	Format	Valid	Invalid	Question
1	BPCEFOPT	Optional module: BPC - (F)	discrete	numeric-1.0	132221	0	Optional module: BPC - (F)
2	BPCE_010	Ever had blood pressure taken	discrete	numeric-1.0	6930	125291	Have you ever had your blood pressure taken?
3	BPCE_012	Last time blood pressure was taken	discrete	numeric-1.0	6591	125630	When was the last time?
4	BPCE_16A	B.p. not taken - not gotten around to it	discrete	numeric-1.0	404	131817	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Have not gotten around to it
5	BPCE_16B	B.p. not taken - resp. didn't think nec.	discrete	numeric-1.0	404	131817	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Respondent did not think it was necessary
6	BPCE_16C	B.p. not taken - dr. didn't think nec.	discrete	numeric-1.0	404	131817	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Doctor did not think it was necessary
7	BPCE_16D	B.p. not taken - personal/ family resp.	discrete	numeric-1.0	404	131817	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Personal or family responsibilities
8	BPCE_16E	B.p. not taken - not available when req.	discrete	numeric-1.0	404	131817	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Not available at time required
9	BPCE_16F	B.p. not taken - not available in area	discrete	numeric-1.0	404	131817	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Not available at all in the area
10	BPCE_16G	B.p. not taken - waiting time too long	discrete	numeric-1.0	404	131817	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Waiting time was too long
11	BPCE_16H	B.p. not taken - transportation problems	discrete	numeric-1.0	404	131817	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Transportation problems
12	BPCE_16I	B.p. not taken - language problem	discrete	numeric-1.0	404	131817	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Language problem
13	BPCE_16J	B.p. not taken - cost	discrete	numeric-1.0	404	131817	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Cost
14	BPCE_16K	B.p. not taken - didn't know where to go	discrete	numeric-1.0	404	131817	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Did not know where to go / uninformed
15	BPCE_16L	B.p. not taken - fear	discrete	numeric-1.0	404	131817	What are the reasons that you have not had your blood pressure taken in

#	Name	Label	Туре	Format	Valid	Invalid	Question
							the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)
16	BPCE_16N	B.p. not taken - unable leave house	discrete	numeric-1.0	404	131817	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Unable to leave the house because of a health problem
17	BPCE_16M	B.p. not taken - other	discrete	numeric-1.0	404	131817	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Other

Gro	oup Pap Sm	near Test					
#	Name	Label	Type	Format	Valid	Invalid	Question
1	PAPE_020	Ever had PAP smear test	discrete	numeric-1.0	64407	67814	Have you ever had a PAP smear test?
2	PAPE_022	Last time had PAP smear test	discrete	numeric-1.0	56946	75275	When was the last time?
3	PAPE_26A	No PAP - have not gotten around to it	discrete	numeric-1.0	21377	110844	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have not gotten around to it
4	PAPE_26B	No PAP - resp. didn't think necessary	discrete	numeric-1.0	21377	110844	What are the reasons that you have you not had a PAP smear test in the past 3 years? - Respondent did not think it was necessary
5	PAPE_26C	No PAP - doctor didn't think necessary	discrete	numeric-1.0	21377	110844	What are the reasons that you have not had a PAP smear test in the past 3 years? - Doctor did not think it was necessary
6	PAPE_26D	No PAP - personal/fam. responsibilities	discrete	numeric-1.0	21377	110844	What are the reasons that you have not had a PAP smear test in the past 3 years? - Personal or family responsibilities
7	PAPE_26E	No PAP - not available when required	discrete	numeric-1.0	21377	110844	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at time required
8	PAPE_26F	No PAP - not available in area	discrete	numeric-1.0	21377	110844	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at all in the area
9	PAPE_26G	No PAP - waiting time too long	discrete	numeric-1.0	21377	110844	What are the reasons that you have not had a PAP smear test in the past 3 years? - Waiting time was too long
10	PAPE_26H	No PAP - transportation problems	discrete	numeric-1.0	21377	110844	What are the reasons that you have not had a PAP smear test in the past 3 years? - Transportation problems
11	PAPE_26I	No PAP - language problem	discrete	numeric-1.0	21377	110844	What are the reasons that you have not had a PAP smear test in the past 3 years? - Language problem
12	PAPE_26J	No PAP - cost	discrete	numeric-1.0	21377	110844	What are the reasons that you have not had a PAP smear test in the past 3 years? - Cost
13	PAPE_26K	No PAP - did not know where to go	discrete	numeric-1.0	21377	110844	What are the reasons that you have not had a PAP smear test in the past 3 years? - Did not know where to go / uninformed
14	PAPE_26L	No PAP - fear	discrete	numeric-1.0	21377	110844	What are the reasons that you have not had a PAP smear test in the past 3 years? - Fear (e.g. painful, embarrassing, find something wrong)

#	Name	Label	Туре	Format	Valid	Invalid	Question
15	PAPE_26M	No PAP - hysterectomy	discrete	numeric-1.0	21377	110844	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have had a hysterectomy
16	PAPE_26N	No PAP - hate/dislike having one done	discrete	numeric-1.0	21377	110844	What are the reasons that you have not had a PAP smear test in the past 3 years? - Hate / dislike having one done
17	PAPE_26P	No PAP - unable leave house/hlth prob.	discrete	numeric-1.0	21377	110844	What are the reasons that you have not had a PAP smear test in the past 3 years? - Unable to leave the house because of a health problem
18	PAPE_26O	No PAP - other	discrete	numeric-1.0	21377	110844	What are the reasons that you have not had a PAP smear test in the past 3 years? - Other

#	Name	Label	Type	Format	Valid	Invalid	Question
1	MAME_030	Ever had mammogram	discrete	numeric-1.0	48019	84202	Have you ever had a mammogram, that is, a breast x-ray?
2	MAME_31A	Had mammogram - family history	discrete	numeric-1.0	34295	97926	Why did you have it? - Family history of breast cancer
3	MAME_31B	Had mammogram - regular check-up	discrete	numeric-1.0	34295	97926	Why did you have it? - Part of regular check-up / routine screening
4	MAME_31C	Had mammogram - age	discrete	numeric-1.0	34295	97926	Why did you have it? - Age
5	MAME_31D	Had mammogram - previously detected lump	discrete	numeric-1.0	34295	97926	Why did you have it? - Previously detected lump
6	MAME_31E	Had mammogram - follow- up treatment	discrete	numeric-1.0	34295	97926	Why did you have it? - Follow-up of breast cancer treatment
7	MAME_31F	Had mammogram - hormone replac. therapy	discrete	numeric-1.0	34295	97926	Why did you have it? - On hormone replacement therapy
8	MAME_31G	Had mammogram - breast problem	discrete	numeric-1.0	34295	97926	Why did you have it? - Breast problem
9	MAME_31H	Had mammogram - other	discrete	numeric-1.0	34295	97926	Why did you have it? - Other
10	MAME_032	Last time mammogram was done	discrete	numeric-1.0	34180	98041	When was the last time?
11	MAME_36A	No mamhave not gotten ar.to it -2 yrs	discrete	numeric-1.0	5796	126425	What are the reasons you have not had one in the past 2 years? - Have not gotten around to it
12	MAME_36B	No mam. resp didn't think nec 2 yrs	discrete	numeric-1.0	5796	126425	What are the reasons you have not had one in the past 2 years? - Respondent did not think it was necessary
13	MAME_36C	No mamdoctor didn't think nec2 yrs	discrete	numeric-1.0	5796	126425	What are the reasons you have not had one in the past 2 years? - Doctor did not think it was necessary
14	MAME_36D	No mam personal/family resp 2 yrs	discrete	numeric-1.0	5796	126425	What are the reasons you have not had one in the past 2 years? - Personal or family responsibilities
15	MAME_36E	No mam not ava. when required - 2 yrs	discrete	numeric-1.0	5796	126425	What are the reasons you have not had one in the past 2 years? - Not available at time required
16	MAME_36F	No mam not avai. in the area - 2 yrs	discrete	numeric-1.0	5796	126425	What are the reasons you have not had one in the past 2 years? - Not available at all in the area

#	Name	Label	Type	Format	Valid	Invalid	Question
17	MAME_36G	No mamwait. time was too long - 2 yrs	discrete	numeric-1.0	5796	126425	What are the reasons you have not had one in the past 2 years? - Waiting time was too long
18	MAME_36H	No mamtransportation problems - 2 yrs	discrete	numeric-1.0	5796	126425	What are the reasons you have not had one in the past 2 years? - Transportation problems
19	MAME_36I	No mam language problem - 2 yrs	discrete	numeric-1.0	5796	126425	What are the reasons you have not had one in the past 2 years? - Language problem
20	MAME_36J	No mam cost - 2 yrs	discrete	numeric-1.0	5796	126425	What are the reasons you have not had one in the past 2 years? - Cost
21	MAME_36K	No mamdid not know where to go -2 yrs	discrete	numeric-1.0	5796	126425	What are the reasons you have not had one in the past 2 years? - Did not know where to go / uninformed
22	MAME_36L	No mam fear - 2 yrs	discrete	numeric-1.0	5796	126425	What are the reasons you have not had one in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)
23	MAME_36M	No mam other - 2 yrs	discrete	numeric-1.0	5796	126425	What are the reasons you have not had one in the past 2 years? - Other
24	MAME_36N	No mamun. leave house/ hlth pro -2 yrs	discrete	numeric-1.0	5796	126425	What are the reasons you have not had one in the past 2 years? - Unable to leave the house because of a health problem
25	MAME_36O	No mamBreasts removed/ Mastec2 yrs	discrete	numeric-1.0	5796	126425	What are the reasons you have not had one in the past 2 years? - Breasts removed / Mastectomy
26	MAME_038	Had a hysterectomy	discrete	numeric-1.0	36133	96088	Have you had a hysterectomy? (In other words, has your uterus been removed)?

Gro	up Breast l	Examinations					
#	Name	Label	Туре	Format	Valid	Invalid	Question
1	BRXEFOPT	Optional module: BRX - (F)	discrete	numeric-1.0	132221	0	Optional module: BRX - (F)
2	BRXE_110	Had breasts examined by health prof.	discrete	numeric-1.0	20428	111793	Other than a mammogram, have you ever had your breasts examined for lumps (tumours, cysts) by a doctor or other health professional?
3	BRXE_112	Last time breasts examined for lumps	discrete	numeric-1.0	15714	116507	When was the last time?
4	BRXE_16A	No breast ex havn't gotten around/it	discrete	numeric-1.0	7688	124533	What are the reasons that you have not had a breast exam in the past 2 years? - Have not gotten around to it
5	BRXE_16B	No breast ex resp. didn't think nec.	discrete	numeric-1.0	7688	124533	What are the reasons that you have not had a breast exam in the past 2 years? - Respondent did not think it was necessary
6	BRXE_16C	No breast ex doctor didn't think nec.	discrete	numeric-1.0	7688	124533	What are the reasons that you have not had a breast exam in the past 2 years? - Doctor did not think it was necessary
7	BRXE_16D	No breast ex personal/ family resp.	discrete	numeric-1.0	7688	124533	What are the reasons that you have not had a breast exam in the past 2 years? - Personal or family responsibilities

#	Name	Label	Туре	Format	Valid	Invalid	Question
8	BRXE_16E	No breast ex not avail. when req'd	discrete	numeric-1.0	7688	124533	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at time required
9	BRXE_16F	No breast ex not available in area	discrete	numeric-1.0	7688	124533	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at all in the area
10	BRXE_16G	No breast ex waiting time too long	discrete	numeric-1.0	7688	124533	What are the reasons that you have not had a breast exam in the past 2 years? - Waiting time was too long
11	BRXE_16H	No breast ex transportation problems	discrete	numeric-1.0	7688	124533	What are the reasons that you have not had a breast exam in the past 2 years? - Transportation problems
12	BRXE_16I	No breast ex language problem	discrete	numeric-1.0	7688	124533	What are the reasons that you have not had a breast exam in the past 2 years? - Language problem
13	BRXE_16J	No breast ex cost	discrete	numeric-1.0	7688	124533	What are the reasons that you have not had a breast exam in the past 2 years? - Cost
14	BRXE_16K	No breast ex did not know where to go	discrete	numeric-1.0	7688	124533	What are the reasons that you have not had a breast exam in the past 2 years? - Did not know where to go / uninformed
15	BRXE_16L	No breast ex fear	discrete	numeric-1.0	7688	124533	What are the reasons that you have not had a breast exam in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)
16	BRXE_16N	No breast ex unable to leave house	discrete	numeric-1.0	7688	124533	What are the reasons that you have not had a breast exam in the past 2 years? - Unable to leave the house because of a health problem
17	BRXE_16O	No breast - breast removed/ mastectomy	discrete	numeric-1.0	7688	124533	What are the reasons that you have not had a breast exam in the past 2 years? - Breast removed / mastectomy
18	BRXE_16M	No breast ex other	discrete	numeric-1.0	7688	124533	What are the reasons that you have not had a breast exam in the past 2 years? - Other

Gro	oup Breast S	Self-Examinations					
#	Name	Label	Type	Format	Valid	Invalid	Question
1	BSXEFOPT	Optional module: BSX - (F)	discrete	numeric-1.0	132221	0	Optional module: BSX - (F)
2	BSXE_120	Self-examined breasts for lumps	discrete	numeric-1.0	4597	127624	Have you ever examined your breasts for lumps (tumours, cysts)?
3	BSXE_121	Freq breast self- examination	discrete	numeric-1.0	3662	128559	How often ?
4	BSXE_22A	Breast self-ex. learned from - doctor	discrete	numeric-1.0	3639	128582	How did you learn to do this? - Doctor
5	BSXE_22B	Breast self-ex. learned from - nurse	discrete	numeric-1.0	3639	128582	How did you learn to do this? - Nurse
6	BSXE_22C	Breast self-ex. learned from - book/mag.	discrete	numeric-1.0	3639	128582	How did you learn to do this? - Book / magazine / pamphlet
7	BSXE_22D	Breast self-ex. learned from - TV/video	discrete	numeric-1.0	3639	128582	How did you learn to do this? - TV / video / film
8	BSXE_22H	Breast self-ex. learned from - family	discrete	numeric-1.0	3639	128582	How did you learn to do this? - Family member (e.g., mother, sister, cousin)

#	Name	Label	Туре	Format	Valid	Invalid	Question
9	BSXE_22G	Breast self-ex. learned from - other	discrete	numeric-1.0	3639	128582	How did you learn to do this? - Other

#	Name	Label	Type	Format	Valid	Invalid	Question
1	EYXEFOPT	Optional module: EYX - (F)	discrete	numeric-1.0	132221	0	Optional module: EYX - (F)
2	EYXE_140	Visit eye doctor - 12 m	discrete	numeric-1.0	18620	113601	It was reported earlier that you have "seen" or "talked to" an optometrist or ophthalmologist in the past 12 months. Did you actually visit one?
3	EYXE_142	Last time eye examination	discrete	numeric-1.0	42613	89608	When did you last have an eye examination?
4	EYXE_46A	No eye exam - haven't got around to it	discrete	numeric-1.0	13248	118973	What are the reasons that you have not had an eye examination in the past 2 years? - Have not gotten around to it
5	EYXE_46B	No eye exam - resp. think not nec.	discrete	numeric-1.0	13248	118973	What are the reasons that you have not had an eye examination in the past 2 years? - Respondent did not think it was necessary
6	EYXE_46C	No eye exam - dr. think not nec.	discrete	numeric-1.0	13248	118973	What are the reasons that you have not had an eye examination in the past 2 years? - Doctor did not think it was necessary
7	EYXE_46D	No eye exam - pers./family resp.	discrete	numeric-1.0	13248	118973	What are the reasons that you have not had an eye examination in the past 2 years? - Personal and family responsibilities
8	EYXE_46E	No eye exam - not av. when require	discrete	numeric-1.0	13248	118973	What are the reasons that you have not had an eye examination in the past 2 years? - Not available at time required
9	EYXE_46F	No eye exam - not available/ area	discrete	numeric-1.0	13248	118973	What are the reasons that you have not had an eye examination in the past 2 years? - Not available at all in the area
10	EYXE_46G	No eye exam - wait. time too long	discrete	numeric-1.0	13248	118973	What are the reasons that you have not had an eye examination in the past 2 years? - Waiting time was too long
11	EYXE_46H	No eye exam - transportation problems	discrete	numeric-1.0	13248	118973	What are the reasons that you have not had an eye examination in the past 2 years? - Transportation problems
12	EYXE_46I	No eye exam - language problem	discrete	numeric-1.0	13248	118973	What are the reasons that you have not had an eye examination in the past 2 years? - Language problem
13	EYXE_46J	No eye exam - cost	discrete	numeric-1.0	13248	118973	What are the reasons that you have not had an eye examination in the past 2 years? - Cost
14	EYXE_46K	No eye exam - did not know where to go	discrete	numeric-1.0	13248	118973	What are the reasons that you have not had an eye examination in the past 2 years? - Did not know where to go / uninformed
15	EYXE_46L	No eye exam - fear	discrete	numeric-1.0	13248	118973	What are the reasons that you have not had an eye examination in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)
16	EYXE_46N	No eye exam - health problem	discrete	numeric-1.0	13248	118973	What are the reasons you have not had an eye examination in the past 2 years?

#	Name	Label	Туре	Format	Valid	Invalid	Question
							- Unable to leave the house because of a health problem
17	EYXE_46M	No eye exam - other	discrete	numeric-1.0	13248	118973	What are the reasons that you have not had an eye examination in the past 2 years? - Other

#	Name	e Cancer Screening Label	Туре	Format	Valid	Invalid	Question
1	PSAEFOPT	Optional module: PSA - (F)	discrete	numeric-1.0	132221	0	Optional module: PSA - (F)
2	PSAE_170	Ever had a PSA blood test	discrete	numeric-1.0	3162	129059	Have you ever had a prostate specific antigen test for prostate cancer, that is, a PSA blood test?
3	PSAE_172	Last time had PSA blood test	discrete	numeric-1.0	1621	130600	When was the last time?
4	PSAE_73A	Had PSA test - family history	discrete	numeric-1.0	1628	130593	Why did you have it? - Family history of prostate cancer
5	PSAE_73B	Had PSA test - regular check-up	discrete	numeric-1.0	1628	130593	Why did you have it? - Part of regular check-up / routine screening
6	PSAE_73C	Had PSA test - age	discrete	numeric-1.0	1628	130593	Why did you have it? - Age
7	PSAE_73G	Had PSA test - race	discrete	numeric-1.0	1628	130593	Why did you have it? - Race
8	PSAE_73D	Had PSA test - follow-up / problem	discrete	numeric-1.0	1628	130593	Why did you have it? - Follow-up of problem
9	PSAE_73E	Had PSA test - follow-up/ prostate treat.	discrete	numeric-1.0	1628	130593	Why did you have it? - Follow-up of prostate cancer treatment
10	PSAE_73F	Had PSA test - other	discrete	numeric-1.0	1628	130593	Why did you have it? - Other
11	PSAE_174	Had a digital rectal exam	discrete	numeric-1.0	3250	128971	A Digital Rectal Exam is an exam in which a gloved finger is inserted into the rectum in order to feel the prostate gland. Have you ever had this exam?
12	PSAE_175	Last time had digital rectal exam	discrete	numeric-1.0	1754	130467	When was the last time?

Group Colorectal Cancer Screening								
#	Name	Label	Туре	Format	Valid	Invalid	Question	
1	CCSEFOPT	Optional module: CCS - (F)	discrete	numeric-1.0	132221	0	Optional module: CCS - (F)	
2	CCSE_180	Had an FOBT test	discrete	numeric-1.0	39622	92599	An FOBT is a test to check for blood in your stool, where you have a bowel movement and use a stick to smear a small sample on a special card. Have you ever had this test?	
3	CCSE_182	Last time FOBT test done	discrete	numeric-2.0	10762	121459	When was the last time?	
4	CCSE_83A	Had FOBT - family history	discrete	numeric-1.0	10681	121540	Why did you have it? - Family history of colorectal cancer	
5	CCSE_83B	Had FOBT - regular check- up	discrete	numeric-1.0	10681	121540	Why did you have it? - Part of regular check-up / routine screening	
6	CCSE_83C	Had FOBT - age	discrete	numeric-1.0	10681	121540	Why did you have it? - Age	
7	CCSE_83G	Had FOBT - race	discrete	numeric-1.0	10681	121540	Why did you have it? - Race	
8	CCSE_83D	Had FOBT - follow-up of problem	discrete	numeric-1.0	10681	121540	Why did you have it? - Follow-up of problem	

#	Name	Label	Type	Format	Valid	Invalid	Question
9	CCSE_83E	Had FOBT - follow-up of treatment	discrete	numeric-1.0	10681	121540	Why did you have it? - Follow-up of colorectal cancer treatment
10	CCSE_83F	Had FOBT - other	discrete	numeric-1.0	10681	121540	Why did you have it? - Other
11	CCSE_184	Had colonoscopy or sigmoidoscopy	discrete	numeric-1.0	39762	92459	A colonoscopy or sigmoidoscopy is when a tube is inserted into the rectum to view the bowel for early signs of cancer and other health problems. Have you ever had either of these exams?
12	CCSE_185	Last time had colonoscopy/ sigmoidoscopy	discrete	numeric-2.0	10092	122129	When was the last time?
13	CCSE_86A	Had colonoscopy - family history	discrete	numeric-1.0	10040	122181	Why did you have it? - Family history of colorectal cancer
14	CCSE_86B	Had colonoscopy - regular check-up	discrete	numeric-1.0	10040	122181	Why did you have it? - Part of regular check-up / routine screening
15	CCSE_86C	Had colonoscopy - age	discrete	numeric-1.0	10040	122181	Why did you have it? - Age
16	CCSE_86D	Had colonoscopy - follow-up of problem	discrete	numeric-1.0	10040	122181	Why did you have it? - Follow-up of problem
17	CCSE_86E	Had colonoscopy - follow-up of treatment	discrete	numeric-1.0	10040	122181	Why did you have it? - Follow-up of colorectal cancer treatment
18	CCSE_86F	Had colonoscopy - other	discrete	numeric-1.0	10040	122181	Why did you have it? - Other
19	CCSE_187	Colonoscopy/sigmoidoscopy - FOBT test	discrete	numeric-1.0	4783	127438	Was the colonoscopy or sigmoidoscopy a follow-up of the results of an FOBT?

Group Dental Visits							
#	Name	Label	Туре	Format	Valid	Invalid	Question
1	DENEFOPT	Optional module: DEN - (F)	discrete	numeric-1.0	132221	0	Optional module: DEN - (F)
2	DENE_130	Visited dentist	discrete	numeric-1.0	33224	98997	It was reported earlier that you have "seen" or "talked to" a dentist in the past 12 months. Did you actually visit one?
3	DENE_132	Last time visited dentist	discrete	numeric-2.0	51606	80615	When was the last time that you went to a dentist?
4	DENE_36A	No dent. vis haven't got around to it	discrete	numeric-1.0	10103	122118	What are the reasons that you have not been to a dentist in the past 3 years? - Have not gotten around to it
5	DENE_36B	No dent. vis resp. didn't think nec.	discrete	numeric-1.0	10103	122118	What are the reasons that you have not been to a dentist in the past 3 years? - Respondent did not think it was necessary
6	DENE_36C	No dent. vis dent. didn't think nec.	discrete	numeric-1.0	10103	122118	What are the reasons that you have not been to a dentist in the past 3 years? - Dentist did not think it was necessary
7	DENE_36D	No dent. vis pers./family respons.	discrete	numeric-1.0	10103	122118	What are the reasons that you have not been to a dentist in the past 3 years? - Personal or family responsibilities
8	DENE_36E	No dent. vis not avail. when req'd.	discrete	numeric-1.0	10103	122118	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at time required
9	DENE_36F	No dent. vis not available in area	discrete	numeric-1.0	10103	122118	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at all in the area

#	Name	Label	Type	Format	Valid	Invalid	Question
10	DENE_36G	No dent. vis waiting time too long	discrete	numeric-1.0	10103	122118	What are the reasons that you have not been to a dentist in the past 3 years? - Waiting time was too long
11	DENE_36H	No dent. vis transportation problems	discrete	numeric-1.0	10103	122118	What are the reasons that you have not been to a dentist in the past 3 years? - Transportation problems
12	DENE_36I	No dent. vis language problem	discrete	numeric-1.0	10103	122118	What are the reasons that you have not been to a dentist in the past 3 years? - Language problem
13	DENE_36J	No dent. vis cost	discrete	numeric-1.0	10103	122118	What are the reasons that you have not been to a dentist in the past 3 years? - Cost
14	DENE_36K	No dent. vis didn't know where to go	discrete	numeric-1.0	10103	122118	What are the reasons that you have not been to a dentist in the past 3 years? - Did not know where to go / uninformed
15	DENE_36L	No dent. vis fear	discrete	numeric-1.0	10103	122118	What are the reasons that you have not been to a dentist in the past 3 years? - Fear (e.g., painful, embarrassing, find something wrong)
16	DENE_36M	No dent. vis wears dentures	discrete	numeric-1.0	10103	122118	What are the reasons that you have not been to a dentist in the past 3 years? - Wears dentures
17	DENE_36O	No dent. vis unable to leave house	discrete	numeric-1.0	10103	122118	What are the reasons that you have not been to a dentist in the past 3 years? - Unable to leave the house because of a health problem
18	DENE_36N	No dent. vis other	discrete	numeric-1.0	10103	122118	What are the reasons that you have not been to a dentist in the past 3 years? - Other

Gro	Group Oral Health 2										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	OH2EFOPT	Optional module: OH2 - (F)	discrete	numeric-1.0	132221	0	Optional module: OH2 - (F)				
2	OH2E_10	Freq. usually visits the dentist	discrete	numeric-1.0	47633	84588	Do you usually visit the dentist: (more than once a year for checkups, about once a year for checkups, less than once a year for checkups, or only for emergency care)?				
3	OH2E_11	Insurance for dental expenses	discrete	numeric-1.0	47277	84944	Do you have insurance that covers all or part of your dental expenses?				
4	OH2E_11A	Dental ins government- sponsored	discrete	numeric-1.0	29039	103182	Is it a government-sponsored plan?				
5	OH2E_11B	Type of plan - employer- sponsored	discrete	numeric-1.0	29039	103182	Is it an employer-sponsored plan?				
6	OH2E_11C	Type of plan - private	discrete	numeric-1.0	29039	103182	Is it a private plan?				
7	OH2E_12	Teeth removed by dentist - 12 mo	discrete	numeric-1.0	31228	100993	In the past 12 months, have you had any teeth removed by a dentist?				
8	OH2E_13	Teeth removed -decay/gum disease - 12 mo	discrete	numeric-1.0	3778	128443	(In the past 12 months,) were any teeth removed because of decay or gum disease?				
9	OH2E_20	Has one or more of own teeth	discrete	numeric-1.0	47994	84227	Do you have one or more of your own teeth?				
10	OH2E_21	Wears dentures	discrete	numeric-1.0	48334	83887	Do you wear dentures or false teeth?				

#	Name	Label	Type	Format	Valid	Invalid	Question
11	OH2E_22	Mouth cond diff. speaking clearly	discrete	numeric-1.0	48004	84217	Because of the condition of your teeth, mouth or dentures, do you have difficulty pronouncing any words or speaking clearly?
12	OH2E_23	Cond. mouth - avoided conversat 12 mo	discrete	numeric-1.0	47997	84224	In the past 12 months, how often have you avoided conversation or contact with other people, because of the condition of your teeth, mouth or dentures: (often, sometimes, rarely, or never)?
13	OH2E_24	Mouth condav. laughing/ smiling -12 mo	discrete	numeric-1.0	47999	84222	(In the past 12 months, how often have you avoided:) laughing or smiling, because of the condition of your teeth, mouth or dentures?
14	OH2E_25A	Had a toothache - past mo	discrete	numeric-1.0	47975	84246	In the past month, have you had a toothache?
15	OH2E_25B	Teeth sensitive to hot/cold - past mo	discrete	numeric-1.0	47974	84247	In the past month, were your teeth sensitive to hot or cold food or drinks?
16	OH2E_25C	Had pain - jaw joints - past mo	discrete	numeric-1.0	47997	84224	In the past month, have you had pain in or around the jaw joints?
17	OH2E_25D	Had pain - mouth/face - past mo	discrete	numeric-1.0	48002	84219	(In the past month, have you had) other pain in the mouth or face?
18	OH2E_25E	Had bleeding gums - past mo	discrete	numeric-1.0	47998	84223	(In the past month, have you had) bleeding gums?
19	OH2E_25F	Had dry mouth - past mo	discrete	numeric-1.0	47991	84230	(In the past month, have you had:) dry mouth?
20	OH2E_25G	Had bad breath - past mo	discrete	numeric-1.0	47531	84690	(In the past month, have you had:) bad breath?
21	OH2E_30	Frequency of brushing teeth	discrete	numeric-2.0	43061	89160	How often do you brush your teeth?
22	OH2EFLIM	Ltd soc. due to oral hlth - 12 mo - (F)	discrete	numeric-1.0	47985	84236	Ltd soc. due to oral hlth - 12 mo - (F)
23	OH2EFOFP	Oral/facial pain - past mo - (F)	discrete	numeric-1.0	47763	84458	Oral/facial pain - past mo - (F)

Gro	Group Food Choices										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	FDCEFOPT	Optional module: FDC - (F)	discrete	numeric-1.0	132221	0	Optional module: FDC - (F)				
2	FDCE_1A	Chooses/avoids foods - weight concern	discrete	numeric-1.0	12129	120092	Do you choose certain foods or avoid others because you are concerned about your body weight?				
3	FDCE_1B	Chooses/avoids foods - heart disease	discrete	numeric-1.0	12109	120112	(Do you choose certain foods or avoid others) because you are concerned about heart disease?				
4	FDCE_1C	Chooses/avoids foods - cancer	discrete	numeric-1.0	12103	120118	(Do you choose certain foods or avoid others) because you are concerned about cancer?				
5	FDCE_1D	Chooses/avoids foods - osteoporosis	discrete	numeric-1.0	12104	120117	(Do you choose certain foods or avoid others) because you are concerned about osteoporosis (brittle bones)?				
6	FDCE_2A	Reason/choose foods - lower fat content	discrete	numeric-1.0	12104	120117	Do you choose certain foods because of the lower fat content?				

#	Name	Label	Type	Format	Valid	Invalid	Question
7	FDCE_2B	Reason/choose foods - fibre content	discrete	numeric-1.0	12095	120126	(Do you choose certain foods because of) the fibre content?
8	FDCE_2C	Reason/choose foods - calcium content	discrete	numeric-1.0	12088	120133	(Do you choose certain foods because of) the calcium content?
9	FDCE_3A	Reason/avoid foods - fat content	discrete	numeric-1.0	12098	120123	Do you avoid certain foods because of the fat content?
10	FDCE_3B	Reason/avoid foods - type of fat	discrete	numeric-1.0	12057	120164	(Do you avoid certain foods because of) the type of fat they contain?
11	FDCE_3C	Reason/avoid foods - salt content	discrete	numeric-1.0	12088	120133	(Do you avoid certain foods because of) the salt content?
12	FDCE_3D	Reason/avoid foods - cholesterol content	discrete	numeric-1.0	12078	120143	(Do you avoid certain foods because of) the cholesterol content?
13	FDCE_3E	Reason/avoid foods - calorie content	discrete	numeric-1.0	12064	120157	(Do you avoid certain foods because) of the calorie content?
14	FDCEFCAH	Chooses/avoids foods hlth concerns - (F)	discrete	numeric-1.0	12112	120109	Chooses/avoids foods hlth concerns - (F)
15	FDCEFCHO	Chooses foods for content reasons - (F)	discrete	numeric-1.0	12100	120121	Chooses foods for content reasons - (F)
16	FDCEFAVD	Avoids foods for content reasons - (F)	discrete	numeric-1.0	12093	120128	Avoids foods for content reasons - (F)

Gro	Group Fruit and Vegetable Consumption										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	FVCEFOPT	Optional module: FVC - (F)	discrete	numeric-1.0	132221	0	Optional module: FVC - (F)				
2	FVCEDJUI	Daily consumption - fruit juice - (D)	continuous	numeric-5.1	68942	63279	Daily consumption - fruit juice - (D)				
3	FVCEDFRU	Daily consumption - fruit - (D)	continuous	numeric-5.1	68751	63470	Daily consumption - fruit - (D)				
4	FVCEDSAL	Daily consumption - green salad - (D)	continuous	numeric-5.1	68712	63509	Daily consumption - green salad - (D)				
5	FVCEDPOT	Daily consumption - potatoes - (D)	continuous	numeric-5.1	68739	63482	Daily consumption - potatoes - (D)				
6	FVCEDCAR	Daily consumption - carrots - (D)	continuous	numeric-5.1	68428	63793	Daily consumption - carrots - (D)				
7	FVCEDVEG	Daily consumption other vegetables - (D)	continuous	numeric-5.1	68193	64028	Daily consumption other vegetables - (D)				
8	FVCEDTOT	Daily cons total fruits and veg D)	continuous	numeric-5.1	67136	65085	Daily cons total fruits and veg D)				
9	FVCEGTOT	Daily cons. total fruits/veg (D, G)	discrete	numeric-1.0	67136	65085	Daily cons. total fruits/veg (D, G)				

Gro	Group Physical Activities											
#	Name	Label	Туре	Format	Valid	Invalid	Question					
1	PACE_1A	Act./last 3 mo - walking	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Walking for exercise					
2	PACE_1B	Act./last 3 mo - gardening/ yard work	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Gardening or yard work					

#	Name	Label	Type	Format	Valid	Invalid	Question
3	PACE_1C	Act./last 3 mo - swimming	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Swimming
4	PACE_1D	Act./last 3 mo - bicycling	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Bicycling
5	PACE_1E	Act./last 3 mo - popular/ social dance	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Popular or social dance
6	PACE_1F	Act./last 3 mo - home exercises	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Home exercises
7	PACE_1G	Act./last 3 mo - ice hockey	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Ice hockey
8	PACE_1H	Act./last 3 mo - ice skating	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Ice skating
9	PACE_1I	Act./last 3 mo - in-line skating/roll.	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - In-line skating or rollerblading
10	PACE_1J	Act./last 3 mo - jogging or running	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Jogging or running
11	PACE_1K	Act./last 3 mo - golfing	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Golfing
12	PACE_1L	Act./last 3 mo - exer. class/ aerobics	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Exercise class or aerobics
13	PACE_1M	Act./last 3 mo - skiing/ snowboarding	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Downhill skiing or snowboarding
14	PACE_1N	Act./last 3 mo - bowling	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Bowling
15	PACE_10	Act./last 3 mo - baseball or softball	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Baseball or softball
16	PACE_1P	Act./last 3 mo - tennis	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Tennis
17	PACE_1Q	Act./last 3 mo - weight-training	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Weight-training
18	PACE_1R	Act./last 3 mo - fishing	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Fishing
19	PACE_1S	Act./last 3 mo - volleyball	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Volleyball
20	PACE_1T	Act./last 3 mo - basketball	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Basketball
21	PACE_1Z	Act./last 3 mo - soccer	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Soccer
22	PACE_1U	Act./last 3 mo - other (#1)	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - Other activity #1
23	PACE_1V	Act./last 3 mo - no physical activity	discrete	numeric-1.0	129641	2580	Have you done any of the following in the past 3 months? - No physical activity
24	PACE_1W	Act./last 3 mo - other (#2)	discrete	numeric-1.0	17084	115137	In the past 3 months, did you do any other physical activity for leisure? - Other activity #2
25	PACE_1X	Act./last 3 mo - other (#3)	discrete	numeric-1.0	2871	129350	In the past 3 months, did you do any other physical activity for leisure? - Other activity #3

#	Name	Label	Type	Format	Valid	Invalid	Question
26	PACE_2A	No. of times - walking for exercise	continuous	numeric-3.0	89911	42310	In the past 3 months, how many times did you [participate in identified activity]? - Walking for exercise
27	PACE_3A	Time spent - walking for exercise	discrete	numeric-1.0	89679	42542	About how much time did you spend on each occasion? - Walking for exercise
28	PACE_2B	No. of times - gardening/yard work	continuous	numeric-3.0	61389	70832	In the past 3 months, how many times did you [participate in identified activity]? - Gardening or yard work
29	PACE_3B	Time spent - gardening/yard work	discrete	numeric-1.0	61181	71040	About how much time did you spend on each occasion? - Gardening or yard work
30	PACE_2C	No. of times - swimming	continuous	numeric-3.0	29919	102302	In the past 3 months, how many times did you [participate in identified activity]? - Swimming
31	PACE_3C	Time spent - swimming	discrete	numeric-1.0	29863	102358	About how much time did you spend on each occasion? - Swimming
32	PACE_2D	No. of times - bicycling	continuous	numeric-3.0	28967	103254	In the past 3 months, how many times did you [participate in identified activity]? - Bicycling
33	PACE_3D	Time spent - bicycling	discrete	numeric-1.0	28914	103307	About how much time did you spend on each occasion? - Bicycling
34	PACE_2E	No. of times - popular/social dance	continuous	numeric-3.0	23860	108361	In the past 3 months, how many times did you [participate in identified activity]? - Popular or social dance
35	PACE_3E	Time spent - popular/social dance	discrete	numeric-1.0	23784	108437	About how much time did you spend on each occasion? - Popular / social dance
36	PACE_2F	No. of times - home exercises	continuous	numeric-3.0	41376	90845	In the past 3 months, how many times did you [participate in identified activity]? - Home exercises
37	PACE_3F	Time spent - home exercises	discrete	numeric-1.0	41310	90911	About how much time did you spend on each occasion? - Home exercises
38	PACE_2G	No. of times - ice hockey	continuous	numeric-3.0	6157	126064	In the past 3 months, how many times did you [participate in identified activity]? - Ice hockey
39	PACE_3G	Time spent - ice hockey	discrete	numeric-1.0	6157	126064	About how much time did you spend on each occasion? - Ice hockey
40	PACE_2H	No. of times - ice skating	continuous	numeric-3.0	7393	124828	In the past 3 months, how many times did you [participate in identified activity]? - Ice skating
41	PACE_3H	Time spent - ice skating	discrete	numeric-1.0	7389	124832	About how much time did you spend on each occasion? - Ice skating
42	PACE_2I	No. of times - in-line skating/roller b.	continuous	numeric-3.0	7019	125202	In the past 3 months, how many times did you [participate in identified activity]? - In-line skating or roller blading
43	PACE_3I	Time spent - in-line skating/roller b.	discrete	numeric-1.0	7011	125210	About how much time did you spend on each occasion? - In-line skating or roller blading
44	PACE_2J	No. of times - jogging or running	continuous	numeric-3.0	21886	110335	In the past 3 months, how many times did you [participate in identified activity]? - Jogging or running
45	PACE_3J	Time spent - jogging or running	discrete	numeric-1.0	21850	110371	About how much time did you spend on each occasion? - Jogging or running

#	Name	Label	Type	Format	Valid	Invalid	Question
46	PACE_2K	No. of times - golfing	continuous	numeric-3.0	14276	117945	In the past 3 months, how many times did you [participate in identified activity]? - Golfing
47	PACE_3K	Time spent - golfing	discrete	numeric-1.0	14271	117950	About how much time did you spend on each occasion? - Golfing
48	PACE_2L	No. of times- exercise class/ aerobics	continuous	numeric-3.0	11729	120492	In the past 3 months, how many times did you [participate in identified activity]? - Exercise class or aerobics
49	PACE_3L	Time spent - exercise class/ aerobics	discrete	numeric-1.0	11722	120499	About how much time did you spend on each occasion? - Exercise class or aerobics
50	PACE_2M	No. of times - skiing/ snowboarding	continuous	numeric-3.0	5488	126733	In the past 3 months, how many times did you [participate in identified activity]? - Downhill ski / snowboarding
51	PACE_3M	Time spent - skiing/ snowboarding	discrete	numeric-1.0	5486	126735	About how much time did you spend on each occasion? - Downhill skiing or snowboarding
52	PACE_2N	No. of times - bowling	continuous	numeric-3.0	11822	120399	In the past 3 months, how many times did you [participate in identified activity]? - Bowling
53	PACE_3N	Time spent - bowling	discrete	numeric-1.0	11813	120408	About how much time did you spend on each occasion? - Bowling
54	PACE_2O	No. of times - baseball/ softball	continuous	numeric-3.0	7631	124590	In the past 3 months, how many times did you [participate in identified activity]? - Baseball or softball
55	PACE_3O	Time spent - baseball/softball	discrete	numeric-1.0	7625	124596	About how much time did you spend on each occasion? - Baseball or softball
56	PACE_2P	No. of times - tennis	continuous	numeric-3.0	4902	127319	In the past 3 months, how many times did you [participate in identified activity]? - Tennis
57	PACE_3P	Time spent - tennis	discrete	numeric-1.0	4897	127324	About how much time did you spend on each occasion? - Tennis
58	PACE_2Q	No. of times - weight-training	continuous	numeric-3.0	19612	112609	In the past 3 months, how many times did you [participate in identified activity]? - Weight-training
59	PACE_3Q	Time spent - weight-training	discrete	numeric-1.0	19596	112625	About how much time did you spend on each occasion? - Weight-training
60	PACE_2R	No. of times - fishing	continuous	numeric-3.0	14490	117731	In the past 3 months, how many times did you [participate in identified activity]? - Fishing
61	PACE_3R	Time spent - fishing	discrete	numeric-1.0	14479	117742	About how much time did you spend on each occasion? - Fishing
62	PACE_2S	No. of times - volleyball	continuous	numeric-3.0	8167	124054	In the past 3 months, how many times did you [participate in identified activity]? - Volleyball
63	PACE_3S	Time spent - volleyball	discrete	numeric-1.0	8158	124063	About how much time did you spend on each occasion? - Volleyball
64	PACE_2T	No. of times - basketball	continuous	numeric-3.0	10152	122069	In the past 3 months, how many times did you [participate in identified activity]? - Basketball
65	PACE_3T	Time spent - basketball	discrete	numeric-1.0	10144	122077	About how much time did you spend on each occasion? - Basketball

#	Name	Label	Type	Format	Valid	Invalid	Question
66	PACE_2Z	No. of times - soccer	continuous	numeric-3.0	9542	122679	In the past 3 months, how many times did you [participate in identified activity]? - Soccer
67	PACE_3Z	Time spent - soccer	discrete	numeric-1.0	9538	122683	About how much time did you spend on each occasion? - Soccer
68	PACE_2U	No. of times - other activity (#1)	continuous	numeric-3.0	16967	115254	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#1)
69	PACE_3U	Time spent - other activity (#1)	discrete	numeric-1.0	16946	115275	About how much time did you spend on each occasion? - Other activity (#1)
70	PACE_2W	No. of times - other activity (#2)	continuous	numeric-3.0	2837	129384	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#2)
71	PACE_3W	Time spent - other activity (#2)	discrete	numeric-1.0	2834	129387	About how much time did you spend on each occasion? - Other activity (#2)
72	PACE_2X	No. of times - other activity (#3)	continuous	numeric-3.0	558	131663	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#3)
73	PACE_3X	Time spent - other activity (#3)	discrete	numeric-1.0	558	131663	About how much time did you spend on each occasion? - Other activity (#3)
74	PACE_4A	No. of hrs. walking - to work/school	discrete	numeric-2.0	128075	4146	In a typical week in the past 3 months, how many hours did you usually spend walking to work or to school or while doing errands?
75	PACE_4B	No. of hrs. biking - to work/school	discrete	numeric-2.0	129389	2832	(In a typical week in the past 3 months,) how much time did you usually spend bicycling to work or to school or while doing errands?
76	PACE_6	Level of physical activity for usual day	discrete	numeric-1.0	128889	3332	Thinking back over the past 3 months, which of the following best describes your usual daily activities or work habits: (usually sit during the day and don't walk around very much,, or do heavy work or carry very heavy loads)?
77	PACEDEE	Daily energy expenditure - (D)	continuous	numeric-4.1	129641	2580	-
78	PACEFLEI	Participant - leisure phys. activity-(F)	discrete	numeric-1.0	129641	2580	-
79	PACEDFM	Monthly freq./phys. act. >15 min (D)	continuous	numeric-3.0	129641	2580	-
80	PACEDFR	Freq. of all physical activity - (D)	discrete	numeric-1.0	129641	2580	Freq. of all physical activity - (D)
81	PACEFD	Partic. daily phys. act. > 15 min (F)	discrete	numeric-1.0	129641	2580	Partic. daily phys. act. > 15 min (F)
82	PACEDPAI	Physical activity index - (D)	discrete	numeric-1.0	129641	2580	Physical activity index - (D)

Gre	Group Sedentary Activities										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	SACEFOPT	Optional module: SAC - (F)	discrete	numeric-1.0	132221	0	Optional module: SAC - (F)				
2	SACE_1	No. of hrs on a computer - past 3 mo	discrete	numeric-2.0	7579	124642	In a typical week in the past 3 months, how much time did you usually spend on a computer, including playing computer games and using the Internet?				

#	Name	Label	Туре	Format	Valid	Invalid	Question
3	SACE_2	No. hrs playing v. games - past 3 mo	discrete	numeric-2.0	972	131249	(In a typical week, in the past 3 months, how much time did you usually spend) playing video games, such as XBOX, Nintendo and Playstation?
4	SACE_3	No.hrswatching tele/videos -past 3 mo	discrete	numeric-2.0	7517	124704	(In a typical week, in the past 3 months, how much time did you usually spend) watching television or videos?
5	SACE_4	No. of hrs reading - past 3 mo	discrete	numeric-2.0	7489	124732	(In a typical week, in the past 3 months, how much time did you usually spend) reading, not counting at work or at school?
6	SACEDTOT	Tot. hrsseden. activit 3 mo - (D)	continuous	numeric-2.0	7455	124766	Tot. hrsseden. activit 3 mo - (D)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	UPEEFOPT	Optional module: UPE - (F)	discrete	numeric-1.0	132221	0	Optional module: UPE - (F)
2	UPEE_01	Freq helmet - bicycling	discrete	numeric-1.0	12525	119696	When riding a bicycle, how often do you wear a helmet: (always, most of the time, rarely, or never)?
3	UPEE_02A	Freq helmet - in-line skating	discrete	numeric-1.0	2820	129401	When in-line skating or rollerblading, how often do you wear a helmet?
4	UPEE_02B	Freq wrist guards - in-line skating	discrete	numeric-1.0	2822	129399	How often do you wear wrist guards or wrist protectors?
5	UPEE_02C	Freq elbow pads - in-line skating	discrete	numeric-1.0	2822	129399	How often do you wear elbow pads?
6	UPEE_03A	Downhill skiing/ snowboarding - 3 mo	discrete	numeric-1.0	1869	130352	Earlier, you mentioned going downhill skiing or snowboarding in the past 3 months. Was that: (downhill skiing only snowboarding only, or both)?
7	UPEE_03B	Downhill skiing/ snowboarding - 12 mo	discrete	numeric-1.0	51377	80844	In the past 12 months, did you do any downhill skiing or snowboarding: (downhill skiing only, snowboarding only, both, or neither)?
8	UPEE_04A	Freq helmet - downhill skiing	discrete	numeric-1.0	3655	128566	When downhill skiing, how often do you wear a helmet: (always, most of the time, rarely, or never)?
9	UPEE_05A	Freq helmet - snowboarding	discrete	numeric-1.0	2096	130125	When snowboarding, how often do you wear a helmet?
10	UPEE_05B	Freq wrist guards - snowboarding	discrete	numeric-1.0	2096	130125	How often do you wear wrist guards or wrist protectors?
11	UPEE_06	Has done skateboarding - past 12 mo	discrete	numeric-1.0	6548	125673	In the past 12 months, have you done any skateboarding?
12	UPEE_06A	Freq helmet - skateboarding	discrete	numeric-1.0	1200	131021	How often do you wear a helmet: (always, most of the time, rarely, or never)?
13	UPEE_06B	Freq wrist guards - skateboarding	discrete	numeric-1.0	1200	131021	How often do you wear wrist guards or wrist protectors?
14	UPEE_06C	Freq elbow pads - skateboarding	discrete	numeric-1.0	1201	131020	How often do you wear elbow pads?
15	UPEEFILS	Wears all prot. equip in- line skating	discrete	numeric-1.0	2821	129400	Wears all prot. equip in-line skating

#	Name	Label	Туре	Format	Valid	Invalid	Question
16	UPEEFSNB	Wears all prot. equip snowb (F)	discrete	numeric-1.0	2096	130125	Wears all prot. equip snowb (F)
17	UPEEFSKB	Wears all prot. equip skateb (F)	discrete	numeric-1.0	1201	131020	Wears all prot. equip skateb (F)

Gro	up Sun Sat	fety					
#	Name	Label	Туре	Format	Valid	Invalid	Question
1	SSBEFOPT	Optional module: SSB - (F)	discrete	numeric-1.0	132221	0	Optional module: SSB - (F)
2	SSBE_01	Been surnburnt - past 12 months	discrete	numeric-1.0	13574	118647	In the past 12 months, has any part of your body been sunburnt?
3	SSBE_02	Sunburn involved blistering	discrete	numeric-1.0	4839	127382	Did any of your sunburns involve blistering?
4	SSBE_03	Sunburns involved pain - more than 1 day	discrete	numeric-1.0	4837	127384	Did any of your sunburns involve pain or discomfort that lasted for more than 1 day?
5	SSBE_06	Amount time in the sun - 11 am to 4 pm	discrete	numeric-2.0	13408	118813	About how much time each day do you spend in the sun between 11 am and 4 pm?
6	SSBE_07	Frequency - seek shade	discrete	numeric-1.0	10230	121991	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you seek shade: (always, often, sometimes, rarely or never)?
7	SSBE_08	Frequency - wear hat in the sun	discrete	numeric-1.0	10265	121956	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you) wear a hat that shades your face, ears and neck?
8	SSBE_09A	Frequency - wear long pants or skirt	discrete	numeric-1.0	10256	121965	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you) wear long pants or a long skirt to protect your skin from the sun?
9	SSBE_09B	Frequency - use sunscreen on your face	discrete	numeric-1.0	10273	121948	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you) use sunscreen on your face?
10	SSBE_10	SPF use - face	discrete	numeric-1.0	5295	126926	What Sun Protection factor (SPF) do you usually use?
11	SSBE_11	Frequency - use sunscreen on your body	discrete	numeric-1.0	10257	121964	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you use sunscreen on your body?
12	SSBE_12	SPF use - body	discrete	numeric-1.0	4897	127324	What Sun Protection factor (SPF) do you usually use?

Gro	Group Smoking										
#	Name	Label	Type	Format	Valid	Invalid	Question				
1	SMKE_01A	Smoked 100 or more cigarettes - life	discrete	numeric-1.0	131689	532	In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)?				
2	SMKE_01B	Ever smoked whole cigarette	discrete	numeric-1.0	65179	67042	Have you ever smoked a whole cigarette?				

#	Name	Label	Туре	Format	Valid	Invalid	Question
3	SMKEG01C	Age - smoked first whole cigarette - (G)	discrete	numeric-2.0	82104	50117	At what age did you smoke your first whole cigarette?
4	SMKE_202	Type of smoker	discrete	numeric-1.0	131745	476	At the present time, do you smoke cigarettes daily, occasionally or not at all?
5	SMKEG203	Age start smok daily (daily smoker)-(G)	discrete	numeric-2.0	24093	108128	At what age did you begin to smoke cigarettes daily?
6	SMKE_204	No. of cig. smoked/day (daily smoker)	continuous	numeric-3.0	24408	107813	How many cigarettes do you smoke each day now?
7	SMKE_05B	No. of cig. per day (occasional smoker)	continuous	numeric-3.0	6200	126021	On the days that you do smoke, how many cigarettes do you usually smoke?
8	SMKE_05C	No. of days-1 cig. or more (occ. smoker)	continuous	numeric-2.0	6099	126122	In the past month, on how many days have you smoked 1 or more cigarettes?
9	SMKE_05D	Ever smoked cigarettes daily	discrete	numeric-1.0	42056	90165	Have you ever smoked cigarettes daily?
10	SMKE_06A	Stopped smoking-when (never daily smok.)	discrete	numeric-1.0	3190	129031	When did you stop smoking? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?
11	SMKEG06C	No. of years since stopped smoking - (G)	discrete	numeric-1.0	2707	129514	How many years ago was it?
12	SMKEG207	Age - started smoking daily - (G)	discrete	numeric-2.0	36595	95626	At what age did you begin to smoke cigarettes daily?
13	SMKE_208	No. of cig. smoked/day (former daily)	continuous	numeric-3.0	36246	95975	How many cigarettes did you usually smoke each day?
14	SMKE_09A	Stopped smoking daily - when	discrete	numeric-1.0	37207	95014	When did you stop smoking daily? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?
15	SMKEG09C	Years since stopped smoking daily - (G)	discrete	numeric-1.0	29206	103015	How many years ago was it?
16	SMKE_10	Quit smoking completely	discrete	numeric-1.0	33506	98715	Was that when you completely quit smoking?
17	SMKE_10A	Stopped smoking completely - when	discrete	numeric-1.0	853	131368	When did you stop smoking completely? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, or 3 or more years ago)?
18	SMKEG10C	No. of years since stopped smoking - (G)	discrete	numeric-1.0	511	131710	How many years ago was it?
19	SMKEDSTY	Type of smoker - (D)	discrete	numeric-2.0	131624	597	Type of smoker - (D)
20	SMKEGSTP	No. years stopping smoking compl. (D,G)	discrete	numeric-1.0	36409	95812	No. years stopping smoking compl. (D,G)
21	SMKEDYCS	Number of years smoked - (D)	continuous	numeric-3.0	24093	108128	Number of years smoked - (D)

Gr	Group Smoking - Physician Counselling									
#	Name	Label	Туре	Format	Valid	Invalid	Question			
1	SPCEFOPT	Optional module: SPC - (F)	discrete	numeric-1.0	132221	0	Optional module: SPC - (F)			
2	SPCE_10	Visited regular medical doctor	discrete	numeric-1.0	390	131831	Earlier, you mentioned having a regular medical doctor. In the past 12 months, did you go see this doctor?			

#	Name	Label	Type	Format	Valid	Invalid	Question
3	SPCE_11	Doctor - knows smokes/ smoked	discrete	numeric-1.0	325	131896	Does your doctor know that you smoke/ smoked cigarettes?
4	SPCE_12	Doctor - advised to quit	discrete	numeric-1.0	288	131933	In the past 12 months, did your doctor advise you to quit smoking?
5	SPCE_13	Doctor - gave specific help	discrete	numeric-1.0	288	131933	(In the past 12 months,) did your doctor give you any specific help or information to quit smoking?
6	SPCE_14A	Type help - referral to one- on-one prog.	discrete	numeric-1.0	105	132116	What type of help did the doctor give? - Referral to a one-on-one cessation program
7	SPCE_14B	Type help - referral to group prog.	discrete	numeric-1.0	105	132116	What type of help did the doctor give? - Referral to a group cessation program
8	SPCE_14C	Type help - recommended nicotine patch	discrete	numeric-1.0	105	132116	What type of help did the doctor give? - Recommended use of nicotine patch or nicotine gum
9	SPCE_14D	Type help - recommended Zyban/other med.	discrete	numeric-1.0	105	132116	What type of help did the doctor give? - Recommended Zyban or other medication
10	SPCE_14E	Type help - provided self-help info.	discrete	numeric-1.0	105	132116	What type of help did the doctor give? - Provided self-help information (e.g., pamphlet, referral to website)
11	SPCE_14F	Type help - doctor offered couns.	discrete	numeric-1.0	105	132116	What type of help did the doctor give? - Own doctor offered counselling
12	SPCE_14G	Type help - other	discrete	numeric-1.0	105	132116	What type of help did the doctor give? - Other
13	SPCE_20	Visited dentist	discrete	numeric-1.0	208	132013	Did you actually go to the dentist?
14	SPCE_21	Dentist/hygienist - knows smokes/smoked	discrete	numeric-1.0	184	132037	Does your dentist or dental hygienist know that you smoked/cigarettes?
15	SPCE_22	Dentist/hygienist - advised to quit	discrete	numeric-1.0	145	132076	In the past 12 months, did the dentist or hygienist advise you to quit smoking?

Gro	up Youth S	Smoking					
#	Name	Label	Туре	Format	Valid	Invalid	Question
1	YSMEG1	Source of cigarettes - (G)	discrete	numeric-1.0	2283	129938	Where do you usually get your cigarettes?
2	YSME_2	Bought cigarettes for self/ others	discrete	numeric-1.0	632	131589	In the past 12 months, have you bought cigarettes for yourself or for someone else?
3	YSME_3	Age asked when buying cig. in store	discrete	numeric-1.0	1857	130364	In the past 12 months, have you been asked your age when buying cigarettes in a store?
4	YSME_4	Someone refused to sell cigarettes	discrete	numeric-1.0	1852	130369	In the past 12 months, has anyone in a store refused to sell you cigarettes?
5	YSME_5	Asked a stranger to buy cigarettes	discrete	numeric-1.0	2276	129945	In the past 12 months, have you asked a stranger to buy you cigarettes?

Gro	Group Exposure to Second-Hand Smoke								
#	Name	Label	Туре	Format	Valid	Invalid	Question		
1	ETSE_10	Someone smokes inside home	discrete	numeric-1.0	122272	9949	Including both household members and regular visitors, does anyone smoke		

#	Name	Label	Type	Format	Valid	Invalid	Question
							inside your home, every day or almost every day?
2	ETSEG11	No. of people who smoke inside home -(G)	discrete	numeric-1.0	18881	113340	How many people smoke inside your home every day or almost every day?
3	ETSE_20	Exposed to 2nd-hand smoke - private veh.	discrete	numeric-1.0	100808	31413	In the past month, were you exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle?
4	ETSE_20B	Exposed to 2nd-hand smoke - public places	discrete	numeric-1.0	100733	31488	(In the past month,) were you exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)?
5	ETSE_5	Restrictions - smoking in home	discrete	numeric-1.0	131330	891	Are there any restrictions against smoking cigarettes in your home?
6	ETSE_6A	Smoking restrict not permitted home	discrete	numeric-1.0	86702	45519	How is smoking restricted in your home? - Smokers are asked to refrain from smoking in the house
7	ETSE_6B	Smoking restrict certain rooms only	discrete	numeric-1.0	86702	45519	How is smoking restricted in your home? - Smoking is allowed in certain rooms only
8	ETSE_6C	Smoking restrict not presence/child.	discrete	numeric-1.0	86702	45519	How is smoking restricted in your home? - Smoking is restricted in the presence of young children
9	ETSE_6D	Smoking restrict other	discrete	numeric-1.0	86702	45519	How is smoking restricted in your home? - Other restriction

Gro	up Alcohol	Use					
#	Name	Label	Туре	Format	Valid	Invalid	Question
1	ALCE_1	Drank alcohol - past 12 months	discrete	numeric-1.0	130783	1438	During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?
2	ALCE_2	Frequency of drinking alcohol	discrete	numeric-2.0	98934	33287	During the past 12 months, how often did you drink alcoholic beverages?
3	ALCE_3	Frequency of having 5 or more drinks	discrete	numeric-2.0	98698	33523	How often in the past 12 months have you had 5 or more drinks on one occasion?
4	ALCE_5	Drank alcohol in past week	discrete	numeric-1.0	99099	33122	Thinking back over the past week, did you have a drink of beer, wine, liquor o any other alcoholic beverage?
5	ALCE_5A1	No. of drinks - Sunday	continuous	numeric-3.0	59979	72242	Starting with yesterday, that is [day name], how many drinks did you have? - Sunday
6	ALCE_5A2	No. of drinks - Monday	continuous	numeric-3.0	59874	72347	Starting with yesterday, that is [day name], how many drinks did you have? - Monday
7	ALCE_5A3	No. of drinks - Tuesday	continuous	numeric-3.0	59689	72532	Starting with yesterday, that is [day name], how many drinks did you have? - Tuesday
8	ALCE_5A4	No. of drinks - Wednesday	continuous	numeric-3.0	59545	72676	Starting with yesterday, that is [day name], how many drinks did you have? - Wednesday

#	Name	Label	Туре	Format	Valid	Invalid	Question
9	ALCE_5A5	No. of drinks - Thursday	continuous	numeric-3.0	59495	72726	Starting with yesterday, that is [day name], how many drinks did you have? - Thursday
10	ALCE_5A6	No. of drinks - Friday	continuous	numeric-3.0	59630	72591	Starting with yesterday, that is [day name], how many drinks did you have? - Friday
11	ALCE_5A7	No. of drinks - Saturday	continuous	numeric-3.0	59794	72427	Starting with yesterday, that is [day name], how many drinks did you have? - Saturday
12	ALCE_5B	Ever had a drink	discrete	numeric-1.0	31465	100756	Have you ever had a drink?
13	ALCE_6	Regularly drank > 12 drinks a week	discrete	numeric-1.0	18318	113903	Did you ever regularly drink more than 12 drinks a week?
14	ALCE_7A	Reason reduced drinking - dieting	discrete	numeric-1.0	3818	128403	Why did you reduce or quit drinking altogether? - Dieting
15	ALCE_7B	Reason red. drink athletic training	discrete	numeric-1.0	3818	128403	Why did you reduce or quit drinking altogether? - Athletic training
16	ALCE_7C	Reason reduced drinking - pregnancy	discrete	numeric-1.0	3818	128403	Why did you reduce or quit drinking altogether? - Pregnancy
17	ALCE_7D	Reason reduced drinking - getting older	discrete	numeric-1.0	3818	128403	Why did you reduce or quit drinking altogether? - Getting older
18	ALCE_7E	Reason reduced drink drink too much	discrete	numeric-1.0	3818	128403	Why did you reduce or quit drinking altogether? - Drinking too much / drinking problem
19	ALCE_7F	Reason red. drink aff. work/studies	discrete	numeric-1.0	3818	128403	Why did you reduce or quit drinking altogether? - Affected work, studies, employment opportunities
20	ALCE_7G	Reason red. drink interfered w/life	discrete	numeric-1.0	3818	128403	Why did you reduce or quit drinking altogether? - Interfered with family or home life
21	ALCE_7H	Reason red. drink affect phys. health	discrete	numeric-1.0	3818	128403	Why did you reduce or quit drinking altogether? - Affected physical health
22	ALCE_7I	Reason red. drink affect social rel.	discrete	numeric-1.0	3818	128403	Why did you reduce or quit drinking altogether? - Affected friendships or social relationships
23	ALCE_7J	Reason red. drink affected finances	discrete	numeric-1.0	3818	128403	Why did you reduce or quit drinking altogether? - Affected financial position
24	ALCE_7K	Reason red. drink affect happiness	discrete	numeric-1.0	3818	128403	Why did you reduce or quit drinking altogether? - Affected outlook on life, happiness
25	ALCE_7L	Reason red. drink influence of family	discrete	numeric-1.0	3818	128403	Why did you reduce or quit drinking altogether? - Influence of family or friends
26	ALCE_7M	Reason reduced drinking - other	discrete	numeric-1.0	3818	128403	Why did you reduce or quit drinking altogether? - Other
27	ALCE_7N	Reason red. drink life change	discrete	numeric-1.0	3818	128403	Why did you reduce or quit drinking altogether? - Life change
28	ALCE_8	Age-started drinking alcoholic beverages	continuous	numeric-3.0	9628	122593	Not counting small sips, how old were you when you started drinking alcoholic beverages?
29	ALCEDTYP	Type of drinker - (D)	discrete	numeric-1.0	130399	1822	Type of drinker - (D)
30	ALCEDDLY	Average daily alcohol consumption - (D)	continuous	numeric-3.0	96886	35335	Average daily alcohol consumption - (D)

#	Name	Label	Туре	Format	Valid	Invalid	Question
31	ALCEDWKY	No. of drinks - past week - (D)	continuous	numeric-3.0	96886	35335	No. of drinks - past week - (D)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	MEXE_01	Has given birth in the past 5 years	discrete	numeric-1.0	37361	94860	Have you given birth in the past 5 years?
2	MEXE_02	Took folic acid - before last pregnancy	discrete	numeric-1.0	7305	124916	Did you take a vitamin supplement containing folic acid before your (last) pregnancy, that is, before you found out that you were pregnant?
3	MEXE_03	Breastfed/tried breastfeed/ last child	discrete	numeric-1.0	7343	124878	(For your last baby,) did you breastfeed or try to breastfeed your baby, even if only for a short time?
4	MEXEG04	Reason did not breastfeed - (G)	discrete	numeric-2.0	1113	131108	Reason did not breastfeed - (G)
5	MEXE_05	Still breastfeeding last child	discrete	numeric-1.0	6218	126003	Are you still breastfeeding?
6	MEXE_06	Duration of breastfeeding last child	discrete	numeric-2.0	5226	126995	How long did you breastfeed (your last baby)?
7	MEXE_07	Age of last baby - other foods added	discrete	numeric-2.0	6167	126054	How old was your (last) baby when you first added any other liquids (e.g., milk, formula, water, teas, herbal mixtures) or solid foods to the baby's feeds?
8	MEXE_08	Main reason other foods added	discrete	numeric-2.0	5819	126402	What is the main reason that you first added other liquids or solid foods?
9	MEXE_09	Gave vitamin D - breast milk only	discrete	numeric-1.0	5509	126712	During the time when your (last) baby was only fed breast milk, did you give the baby a vitamin supplement containing Vitamin D?
10	MEXE_10	Main reason stopped breastfeeding	discrete	numeric-2.0	5168	127053	What is the main reason that you stopped breastfeeding?
11	MEXE_20	Type of smoker - last pregnancy	discrete	numeric-1.0	4514	127707	During your last pregnancy, did you smoke daily, occasionally or not at all?
12	MEXEG21	No. daily - last preg. (daily smk) - (G)	discrete	numeric-2.0	670	131551	How many cigarettes did you usually smoke each day?
13	MEXEG22	No. daily - last preg. (occ. smk) - (G)	discrete	numeric-2.0	642	131579	On the days that you smoked, how many cigarettes did you usually smoke?
14	MEXE_23	Smoked while breastfeeding (occ. smoker)	discrete	numeric-1.0	3734	128487	When you were breastfeeding (your last baby), did you smoke daily, occasionally or not at all?
15	MEXEG24	No/day - breastfeeding (daily smk)-(G)	discrete	numeric-2.0	492	131729	How many cigarettes did you usually smoke each day?
16	MEXEG25	No. daily - breastfeeding (occ. smk)-(G)	discrete	numeric-2.0	403	131818	On the days that you smoked, how many cigarettes did you usually smoke?
17	MEXE_26	2nd-hand smoke - during/ after last preg.	discrete	numeric-1.0	7336	124885	Did anyone regularly smoke in your presence during or after the pregnancy (about 6 months after)?
18	MEXE_30	Drank alcohol - last pregnancy	discrete	numeric-1.0	6832	125389	Did you drink any alcohol during your last pregnancy?
19	MEXE_31	Freq. of drinking - last pregnancy	discrete	numeric-2.0	719	131502	How often did you drink?

#	Name	Label	Туре	Format	Valid	Invalid	Question
20	MEXE_32	Drank alcohol - breastfeeding last baby	discrete	numeric-1.0	5749	126472	Did you drink any alcohol while you were breastfeeding (your last baby)?
21	MEXE_33	Freq. drinking - breastfeeding last baby	discrete	numeric-2.0	1202	131019	How often did you drink?
22	MEXEDEBF	Duration of exclusive breastfeeding- (D)	discrete	numeric-2.0	6988	125233	Duration of exclusive breastfeeding- (D)
23	MEXEFEB4	Exclusive breastfeeding 4 mo - (F)	discrete	numeric-1.0	6988	125233	Exclusive breastfeeding 4 mo - (F)

Gro	Group Illicit Drugs										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	IDGEFOPT	Optional module: IDG - (F)	discrete	numeric-1.0	132221	0	Optional module: IDG - (F)				
2	IDGEFLCA	Cannabis drug use/incl.1 time only - (F)	discrete	numeric-1.0	4990	127231	Cannabis drug use/incl.1 time only - (F)				
3	IDGEFLCM	Cannabis drug use/excl.1 time only - (F)	discrete	numeric-1.0	4990	127231	Cannabis drug use/excl.1 time only - (F)				
4	IDGEFYCM	Can.drg use/excl.1 time only -12 mo -(F)	discrete	numeric-1.0	4990	127231	Can.drg use/excl.1 time only -12 mo - (F)				
5	IDGEFLA	Illicit drg use/incl. 1 time cann (F)	discrete	numeric-1.0	4987	127234	Illicit drg use/incl. 1 time cann (F)				
6	IDGEFLAC	Illicit drug use/excl.1 time cann (F)	discrete	numeric-1.0	4987	127234	Illicit drug use/excl.1 time cann (F)				
7	IDGEFYA	Illicit drg /incl.1 time can12 mo -(F)	discrete	numeric-1.0	4985	127236	Illicit drg /incl.1 time can12 mo -(F)				
8	IDGEFYAC	Illi.drg use/excl.1 time can12 mo -(F)	discrete	numeric-1.0	4985	127236	Illi.drg use/excl.1 time can12 mo -(F)				
9	IDGEDINT	Illicit drug interference mean - 12 mo	continuous	numeric-4.1	242	131979	Illicit drug interference mean - 12 mo				
10	IDGEFINT	Illicit drug interference - 12 mo - (F)	discrete	numeric-1.0	242	131979	Illicit drug interference - 12 mo - (F)				

Group Problem Gambling										
#	Name	Label	Туре	Format	Valid	Invalid	Question			
1	CPGEFOPT	Optional module: CPG - (F)	discrete	numeric-1.0	132221	0	Optional module: CPG - (F)			
2	CPGEFGAM	Gambling activity - (F)	discrete	numeric-1.0	4992	127229	Gambling activity - (F)			
3	CPGEDSEV	Problem gambling severity index - (D)	continuous	numeric-2.0	3601	128620	Problem gambling severity index - (D)			
4	CPGEDTYP	Type of gambler - (D)	discrete	numeric-2.0	4979	127242	Type of gambler - (D)			
5	CPGEDACT	No. of diff. types of gamb. act (D)	continuous	numeric-2.0	4979	127242	No. of diff. types of gamb. act (D)			
6	CPGEDINT	Gambling Interference - Mean	continuous	numeric-4.1	56	132165	Gambling Interference - Mean			
7	CPGEFINT	Gambling Interference - (F)	discrete	numeric-1.0	56	132165	Gambling Interference - (F)			

Gro	Group Satisfaction With Life								
#	Name	Label	Type	Format	Valid	Invalid	Question		

#	Name	Label	Type	Format	Valid	Invalid	Question
1	SWLEFOPT	Optional module: SWL - (F)	discrete	numeric-1.0	132221	0	Optional module: SWL - (F)
2	SWLE_02	Satisfaction - job	discrete	numeric-1.0	28098	104123	How satisfied are you with your job or main activity?
3	SWLE_03	Satisfaction - leisure activities	discrete	numeric-1.0	28080	104141	How satisfied are you with your leisure activities?
4	SWLE_04	Satisfaction - financial situation	discrete	numeric-1.0	28148	104073	(How satisfied are you) with your financial situation?
5	SWLE_05	Satisfaction - with self	discrete	numeric-1.0	28188	104033	How satisfied are you with yourself?
6	SWLE_06	Satisfaction - way body looks	discrete	numeric-1.0	28149	104072	How satisfied are you with the way your body looks?
7	SWLE_07	Satisfaction - relationship with family	discrete	numeric-1.0	28210	104011	How satisfied are you with your relationships with other family members?
8	SWLE_08	Satisfaction - relationship with friends	discrete	numeric-1.0	28188	104033	(How satisfied are you) with your relationships with friends?
9	SWLE_09	Satisfaction - housing	discrete	numeric-1.0	28266	103955	(How satisfied are you) with your housing?
10	SWLE_10	Satisfaction - neighbourhood	discrete	numeric-1.0	28236	103985	(How satisfied are you) with your neighbourhood?

Gro	Group Childhood and Adult Stressors										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	CSTEFOPT	Optional module: CST - (F)	discrete	numeric-1.0	132221	0	Optional module: CST - (F)				
2	CSTE_1	Spent 2 weeks or more in the hospital	discrete	numeric-1.0	13036	119185	Did you spend 2 weeks or more in the hospital?				
3	CSTE_2	Parents divorced	discrete	numeric-1.0	13143	119078	Did your parents get a divorce?				
4	CSTE_3	Parents unemployed for a long time	discrete	numeric-1.0	12992	119229	Did your father or mother not have a job for a long time when they wanted to be working?				
5	CSTE_4	Something happened that scared you	discrete	numeric-1.0	13084	119137	Did something happen that scared you so much you thought about it for years after?				
6	CSTE_5	Sent away from home - something wrong	discrete	numeric-1.0	13128	119093	Were you sent away from home because you did something wrong?				
7	CSTE_6	Family prob./parents abusing alc./drugs	discrete	numeric-1.0	13086	119135	Did either of your parents drink or use drugs so often that it caused problems for the family?				
8	CSTE_7	Physically abused - someone close to you	discrete	numeric-1.0	13093	119128	Were you ever physically abused by someone close to you?				

Gro	Group Work Stress											
#	Name	Label	Туре	Format	Valid	Invalid	Question					
1	WSTEFOPT	Optional module: WST - (F)	discrete	numeric-1.0	132221	0	Optional module: WST - (F)					
2	WSTE_413	Work stress - job satisfaction	discrete	numeric-1.0	21381	110840	How satisfied were you with your job: (very satisfied, somewhat satisfied, not too satisfied, or not at all satisfied)					
3	WSTEDSKI	Work stress - skill discretion - (D)	continuous	numeric-2.0	21364	110857	Work stress - skill discretion - (D)					
4	WSTEDAUT	Work stress - authority - (D)	continuous	numeric-2.0	21359	110862	Work stress - authority - (D)					

#	Name	Label	Туре	Format	Valid	Invalid	Question
5	WSTEDPSY	Work stress - psycholog. demands - (D)	continuous	numeric-2.0	21289	110932	Work stress - psycholog. demands - (D)
6	WSTEDJIN	Work stress - job Insecurity - (D)	discrete	numeric-1.0	21350	110871	Work stress - job Insecurity - (D)
7	WSTEDPHY	Work stress - physical exertion - (D)	discrete	numeric-1.0	21414	110807	Work stress - physical exertion - (D)
8	WSTEDSOC	Work stress - social support - (D)	continuous	numeric-2.0	20661	111560	Work stress - social support - (D)
9	WSTEDJST	Work stress - job strain - (D)	continuous	numeric-4.2	21162	111059	Work stress - job strain - (D)

Gro	Group Self-esteem										
#	Name	Label	Type	Format	Valid	Invalid	Question				
1	SFEEFOPT	Optional module: SFE - (F)	discrete	numeric-1.0	132221	0	Optional module: SFE - (F)				
2	SFEE_501	Self-esteem - has good qualities	discrete	numeric-1.0	14357	117864	You feel that you have a number of good qualities.				
3	SFEE_502	Self-esteem - is person of worth	discrete	numeric-1.0	14328	117893	You feel that you're a person of worth at least equal to others.				
4	SFEE_503	Self-esteem - is able to do things well	discrete	numeric-1.0	14349	117872	You are able to do things as well as most other people.				
5	SFEE_504	Self-esteem - takes positive attitude	discrete	numeric-1.0	14355	117866	You take a positive attitude toward yourself.				
6	SFEE_505	Self-esteem - satisfied with self	discrete	numeric-1.0	14374	117847	On the whole you are satisfied with yourself.				
7	SFEE_506	Self-esteem - feels is a failure	discrete	numeric-1.0	14338	117883	All in all, you're inclined to feel you're a failure.				
8	SFEEDE1	Self-esteem scale - (D)	continuous	numeric-2.0	14210	118011	Self-esteem scale - (D)				

Gro	Group Social Support - availability										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	SSAEFOPT	Optional module: SSA - (F)	discrete	numeric-1.0	132221	0	Optional module: SSA - (F)				
2	SSAEDTNG	Tangible social support - MOS - (D)	continuous	numeric-2.0	49605	82616	Tangible social support - MOS - (D)				
3	SSAEDAFF	Affection - MOS subscale - (D)	continuous	numeric-2.0	49743	82478	Affection - MOS subscale - (D)				
4	SSAEDSOC	Positive social interaction - MOS - (D)	continuous	numeric-2.0	49787	82434	Positive social interaction - MOS - (D)				
5	SSAEDEMO	Emot./info. support - MOS subscale - (D)	continuous	numeric-2.0	49007	83214	Emot./info. support - MOS subscale - (D)				

Gro	Group Contacts with Mental Health Professionals										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	CMHEFOPT	Optional module: CMH - (F)	discrete	numeric-1.0	132221	0	Optional module: CMH - (F)				
2	CMHE_01K	Consulted mental health professional	discrete	numeric-1.0	56568	75653	In the past 12 months, have you seen, or talked on the telephone, to a health professional about your emotional or mental health?				

#	Name	Label	Туре	Format	Valid	Invalid	Question
3	CMHEG01L	Cons. mental hlth prof no. times -(G)	discrete	numeric-2.0	4671	127550	How many times (in the past 12 months)?
4	CMHE_1MA	Consulted mental hlth prof fam. doc.	discrete	numeric-1.0	4709	127512	Whom did you see or talk to? - Family doctor or general practitioner
5	CMHE_1MB	Consulted men. hlth prof psychiatrist	discrete	numeric-1.0	4709	127512	Whom did you see or talk to? - Psychiatrist
6	CMHE_1MC	Consulted men. hlth prof psychologist	discrete	numeric-1.0	4709	127512	Whom did you see or talk to? - Psychologist
7	CMHE_1MD	Consulted mental hlth prof nurse	discrete	numeric-1.0	4709	127512	Whom did you see or talk to? - Nurse
8	CMHE_1ME	Consulted men. hlth prof social worker	discrete	numeric-1.0	4709	127512	Whom did you see or talk to? - Social worker or counsellor
9	CMHE_1MF	Consulted mental hlth prof other	discrete	numeric-1.0	4709	127512	Whom did you see or talk to? - Other

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DISEFOPT	Optional module: DIS - (F)	discrete	numeric-1.0	132221	0	Optional module: DIS - (F)
2	DISE_10A	Frequency/distress:tired outpast month	discrete	numeric-1.0	63182	69039	During the past month, about how often did you feel tired out for no good reason: (all of the time, most of the time some of the time, a little of the time, or none of the time)?
3	DISE_10B	Freq./distress: felt nervous - past mo	discrete	numeric-1.0	62997	69224	During the past month, about how often did you feel nervous?
4	DISE_10C	Freq./distress:so nervous - past month	discrete	numeric-1.0	62902	69319	(During the past month, about how ofter did you feel) so nervous that nothing could calm you down?
5	DISE_10D	Freq./distress: felt hopeless - past mo	discrete	numeric-1.0	63000	69221	During the past month, about how often did you feel hopeless?
6	DISE_10E	Freq./distress: felt restless - past mo	discrete	numeric-1.0	62966	69255	During the past month, about how often did you feel restless or fidgety?
7	DISE_10F	Frequency/distress:could not sit still	discrete	numeric-1.0	62897	69324	(During the past month, about how often did you feel) so restless you could not si still?
8	DISE_10G	Freq./distress: sad,depressed - past mo	discrete	numeric-1.0	62992	69229	(During the past month, about how often did you feel) sad or depressed?
9	DISE_10H	Freq./d.:dep,nothing cheer up - past mo.	discrete	numeric-1.0	62934	69287	(During the past month, about how often did you feel) so depressed that nothing could cheer you up?
10	DISE_10I	Freq./distr: every. was effort - past mo	discrete	numeric-1.0	62843	69378	(During the past month, about how often did you feel) that everything was an effort?
11	DISE_10J	Freq./distr.: felt worthless - past mo	discrete	numeric-1.0	62871	69350	(During the past month, about how often did you feel) worthless?
12	DISE_10K	Freq. of distress feelings - past mo	continuous	numeric-1.0	62545	69676	Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?
13	DISE_10L	Freq. of distress feelings (more often)	discrete	numeric-1.0	8428	123793	Is that a lot more, somewhat more or only a little more often than usual?

#	Name	Label	Туре	Format	Valid	Invalid	Question
14	DISE_10M	Freq. of distress feelings (less often)	discrete	numeric-1.0	5074	127147	Is that a lot less, somewhat less or only a little less often than usual?
15	DISE_10N	Freq./distr. feelings int. w/ life-p.m.	discrete	numeric-1.0	52089	80132	During the past month, how much did these feelings usually interfere with your life or activities: (a lot, some, a little, or not at all)?
16	DISEDK6	Distress scale - K6 - past month - (D)	continuous	numeric-2.0	62362	69859	Distress scale - K6 - past month - (D)
17	DISEDDSX	Distress scale - K10 - past month - (D)	continuous	numeric-2.0	62274	69947	Distress scale - K10 - past month - (D)
18	DISEDCHR	Chronicity of distress/impair. scale (D)	discrete	numeric-2.0	62374	69847	Chronicity of distress/impair. scale (D)

Gro	Group Depression										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	DPSEFOPT	Optional module: DPS - (F)	discrete	numeric-1.0	132221	0	Optional module: DPS - (F)				
2	DPSEDSF	Depr. scale - short form score - (D)	continuous	numeric-2.0	67711	64510	Depr. scale - short form score - (D)				
3	DPSEDPP	Depr. scale - predicted prob. - (D)	continuous	numeric-4.2	67711	64510	Depr. scale - predicted prob (D)				
4	DPSEDWK	No. of weeks felt depressed - (D)	continuous	numeric-2.0	5219	127002	No. of weeks felt depressed - (D)				
5	DPSEDMT	Specific month last felt depressed - (D)	discrete	numeric-2.0	4801	127420	Specific month last felt depressed - (D)				

Gro	Group Suicidal Thoughts and Attempts										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	SUIEFOPT	Optional module: SUI - (F)	discrete	numeric-1.0	132221	0	Optional module: SUI - (F)				
2	SUIE_1	Has considered suicide - lifetime	discrete	numeric-1.0	82675	49546	Have you ever seriously considered committing suicide or taking your own life?				
3	SUIE_2	Has considered suicide - past 12 mo	discrete	numeric-1.0	8688	123533	Has this happened in the past 12 months?				

Gro	Group Injuries										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	REPE_1	Repetitive strain injury	discrete	numeric-1.0	129496	2725	In the past 12 months, did you have any injuries due to repetitive strain which were serious enough to limit your normal activities?				
2	REPEG3	Rep. strain - body part affected - (G)	discrete	numeric-2.0	13379	118842	Thinking about the most serious repetitive strain, what part of the body was affected?				
3	REPE_4A	Rep. strain - sports / exercise	discrete	numeric-1.0	13144	119077	What type of activity were you doing when you got this repetitive strain? - Sports or physical exercise (including school activities)				
4	REPE_4B	Rep. strain - leisure/hobby	discrete	numeric-1.0	13144	119077	What type of activity were you doing when you got this repetitive strain? - Leisure or hobby (include volunteering)				

#	Name	Label	Туре	Format	Valid	Invalid	Question
5	REPE_4C	Rep. strain - job/business	discrete	numeric-1.0	13144	119077	What type of activity were you doing when you got this repetitive strain? - Working at a job or business (exclude travel to or from work)
6	REPE_4G	Rep. strain - travel to/from work	discrete	numeric-1.0	13144	119077	What type of activity were you doing when you got this repetitive strain? - Travel to or from work
7	REPE_4D	Rep. strain - chores, unpaid work, ed.	discrete	numeric-1.0	13144	119077	What type of activity were you doing when you got this repetitive strain? - Household chores, other unpaid work or education
8	REPE_4E	Rep. strain - sleeping, eating, care	discrete	numeric-1.0	13144	119077	What type of activity were you doing when you got this repetitive strain? - Sleeping, eating, personal care
9	REPE_4F	Rep. strain - other	discrete	numeric-1.0	13144	119077	What type of activity were you doing when you got this repetitive strain? - Other
10	INJE_01	Injured in past 12 mo	discrete	numeric-1.0	129595	2626	(Not counting repetitive strain injuries,) in the past 12 months, were you injured?
11	INJEG02	No. of injuries in past 12 mo - (G)	discrete	numeric-1.0	17333	114888	How many times were you injured?
12	INJEG05	Most serious injury - type - (G)	discrete	numeric-2.0	17292	114929	What type of injury did you have? For example, a broken bone or burn.
13	INJEG06	Most serious inj body part aff (G)	discrete	numeric-2.0	16800	115421	What part of the body was injured?
14	INJEG08	Most serious injury - place - (G)	discrete	numeric-2.0	17162	115059	Where did the injury happen?
15	INJEG09	Most serious injury - act. when inj(G)	discrete	numeric-2.0	17162	115059	What type of activity were you doing when you were injured?
16	INJE_10	Most serious injury - result of a fall	discrete	numeric-1.0	17271	114950	Was the injury the result of a fall?
17	INJEG11	Most serious injury - how fell - (G)	discrete	numeric-1.0	7152	125069	How did you fall?
18	INJE_13	Most serious inj rec'd treat./48 hrs.	discrete	numeric-1.0	17295	114926	Did you receive any medical attention for the injury from a health professional in the 48 hours following the injury?
19	INJE_14A	Most ser. inj treated/ doctor's office	discrete	numeric-1.0	10577	121644	Where did you receive treatment? - Doctor's office
20	INJE_14B	Most serious inj emerg.	discrete	numeric-1.0	10577	121644	Where did you receive treatment? - Hospital emergency room
21	INJEG14C	Treatment site - clinic - (G)	discrete	numeric-1.0	10577	121644	Treatment site - clinic - (G)
22	INJEG14G	Most ser. inj treat. W/S/H - (G)	discrete	numeric-1.0	10577	121644	Most ser. inj treat. W/S/H - (G)
23	INJEG14J	Most ser. inj telephone/ other - (G)	discrete	numeric-1.0	10577	121644	Most ser. inj telephone/other - (G)
24	INJE_15	Most serious injury - hospital admission	discrete	numeric-1.0	10583	121638	Were you admitted to a hospital overnight?
25	INJE_16	Other injuries - treated / not limiting	discrete	numeric-1.0	129445	2776	Did you have any other injuries in the past 12 months that were treated by a health professional, but did not limit your normal activities?
26	INJEG17	Other injuries - number - (G)	discrete	numeric-1.0	6618	125603	How many injuries?
27	INJEGCAU	Cause of injury - (D,G)	discrete	numeric-2.0	17118	115103	Cause of injury - (D,G)

#	Name	Label	Туре	Format	Valid	Invalid	Question
28	INJEDSTT	Injury Status - (D)	discrete	numeric-1.0	129445	2776	Injury Status - (D)

Gro	Group Health Utility Index (HUI)										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	HUIEFOPT	Optional module: HUI - (F)	discrete	numeric-1.0	132221	0	Optional module: HUI - (F)				
2	HUIEGVIS	Vision trouble - function code - (D,G)	discrete	numeric-1.0	14915	117306	Vision trouble - function code - (D,G)				
3	HUIEGHER	Hearing problems - function code - (D,G)	discrete	numeric-1.0	14793	117428	Hearing problems - function code - (D,G)				
4	HUIEGSPE	Speech trouble - function code - (D,G)	discrete	numeric-1.0	14984	117237	Speech trouble - function code - (D,G)				
5	HUIEGMOB	Mobility trouble - function code - (D,G)	discrete	numeric-1.0	14984	117237	Mobility trouble - function code - (D,G)				
6	HUIEGDEX	Dexterity trouble - function code -(D,G)	discrete	numeric-1.0	14986	117235	Dexterity trouble - function code -(D,G)				
7	HUIEDEMO	Emotional problems - function code - (D)	discrete	numeric-1.0	14917	117304	Emotional problems - function code - (D)				
8	HUIEDCOG	Cognition prob function code - (D)	discrete	numeric-2.0	14911	117310	Cognition prob function code - (D)				
9	HUIEDPAD	Act. prevent/pain - function code - (D)	discrete	numeric-1.0	14936	117285	Act. prevent/pain - function code - (D)				
10	HUIEDHSI	Health Utility Index (HUI3) - (D)	continuous	numeric-6.3	14521	117700	Health Utility Index (HUI3) - (D)				

Gro	Group Health Status - SF-36										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	SFREFOPT	Optional module: SFR - (F)	discrete	numeric-1.0	132221	0	Optional module: SFR - (F)				
2	SFREDPFS	Physical functioning scale - (D)	continuous	numeric-3.0	10967	121254	Physical functioning scale - (D)				
3	SFREDSFS	Social functioning scale - (D)	continuous	numeric-3.0	10935	121286	Social functioning scale - (D)				
4	SFREDPRF	Role functioning (physical) scale - (D)	continuous	numeric-3.0	11036	121185	Role functioning (physical) scale - (D)				
5	SFREDMRF	Role functioning (mental) scale - (D)	continuous	numeric-3.0	11035	121186	Role functioning (mental) scale - (D)				
6	SFREDGMH	General mental health scale - (D)	continuous	numeric-3.0	10857	121364	General mental health scale - (D)				
7	SFREDVTS	Vitality scale - (D)	continuous	numeric-3.0	10800	121421	Vitality scale - (D)				
8	SFREDBPS	Bodily pain scale - (D)	continuous	numeric-3.0	11050	121171	Bodily pain scale - (D)				
9	SFREDGHP	General health perceptions scale - (D)	continuous	numeric-3.0	10774	121447	General health perceptions scale - (D)				
10	SFREDPCS	Summary measure of physical health - (D)	continuous	numeric-2.0	10398	121823	Summary measure of physical health - (D)				
11	SFREDMCS	Summary measure of mental health - (D)	continuous	numeric-2.0	10398	121823	Summary measure of mental health - (D)				

Group Sexual Behaviours

#	Name	Label	Type	Format	Valid	Invalid	Question
1	SXBE_1	Ever had sexual intercourse	discrete	numeric-1.0	64351	67870	Have you ever had sexual intercourse?
2	SXBE_3	Had sexual intercourse - past 12 mo	discrete	numeric-1.0	55124	77097	In the past 12 months, have you had sexual intercourse?
3	SXBE_07	Ever diagnosed with STD	discrete	numeric-1.0	55017	77204	Have you ever been diagnosed with a sexually transmitted disease?
4	SXBE_7A	Condom use - last time	discrete	numeric-1.0	20985	111236	Did you use a condom the last time you had sexual intercourse?
5	SXBE_09	Important to avoid getting pregnant	discrete	numeric-1.0	5305	126916	It is important to me to avoid getting pregnant right now.
6	SXBE_10	Important avoid getting partner pregnant	discrete	numeric-2.0	4611	127610	It is important to me to avoid getting my partner pregnant right now.
7	SXBE_11	Usually use birth control - past 12 mo	discrete	numeric-1.0	10152	122069	In the past 12 months, did you and your partner usually use birth control?
8	SXBE_12A	Usual birth control method - condom	discrete	numeric-1.0	8733	123488	What kind of birth control did you and your partner usually use? - Condom (male or female condom)
9	SXBE_12B	Usual birth control method - the pill	discrete	numeric-1.0	8733	123488	What kind of birth control did you and your partner usually use? - Birth control pill
10	SXBE_12C	Usual birth control method - diaphragm	discrete	numeric-1.0	8733	123488	What kind of birth control did you and your partner usually use? - Diaphragm
11	SXBE_12D	Usual birth control method - spermicide	discrete	numeric-1.0	8733	123488	What kind of birth control did you and your partner usually use? - Spermicide (e.g., foam, jelly, film)
12	SXBE_12F	Usual birth control method - injection	discrete	numeric-1.0	8733	123488	What kind of birth control did you and your partner usually use? - Birth control injection (Deprovera)
13	SXBE_12E	Usual birth control method - other	discrete	numeric-1.0	8733	123488	What kind of birth control did you and your partner usually use? - Other
14	SXBE_13A	B.c. method used last time - condom	discrete	numeric-1.0	8564	123657	What kind of birth control did you and your partner use the last time you had sex? - Condom (male or female condom)
15	SXBE_13B	B.c. method used last time - the pill	discrete	numeric-1.0	8564	123657	What kind of birth control did you and your partner use the last time you had sex? - Birth control pill
16	SXBE_13C	B.c. method used last time - diaphragm	discrete	numeric-1.0	8564	123657	What kind of birth control did you and your partner use the last time you had sex? - Diaphragm
17	SXBE_13D	B.c. method used last time - spermicide	discrete	numeric-1.0	8564	123657	What kind of birth control did you and your partner use the last time you had sex? - Spermicide (e.g., foam, jelly, film)
18	SXBE_13E	B.c. method used last time - other	discrete	numeric-1.0	8564	123657	What kind of birth control did you and your partner use the last time you had sex? - Other
19	SXBE_13F	B.c. method used last time - injection	discrete	numeric-1.0	8564	123657	What kind of birth control did you and your partner use the last time you had sex? - Birth control injection (Deprovera)
20	SXBE_13G	Method used last time - nothing	discrete	numeric-1.0	8564	123657	What kind of birth control did you and your partner use the last time you had sex? - nothing

#	Name	Label	Type	Format	Valid	Invalid	Question
1	ACCEFOPT	Optional module: ACC - (F)	discrete	numeric-1.0	132221	0	Optional module: ACC - (F)
2	ACCE_10	Required visit to medical specialist	discrete	numeric-1.0	4753	127468	In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation?
3	ACCE_11	Diff. getting specialist care	discrete	numeric-1.0	1372	130849	In the past 12 months, did you ever experience any difficulties getting the specialist care you needed for a diagnosis or consultation?
4	ACCE_12A	Diff getting a referral	discrete	numeric-1.0	266	131955	What type of difficulties did you experience? - Difficulty getting a referral
5	ACCE_12B	Diff getting an appointment	discrete	numeric-1.0	266	131955	What type of difficulties did you experience? - Difficulty getting an appointment
6	ACCE_12C	Diff no specalists in area	discrete	numeric-1.0	266	131955	What type of difficulties did you experience? - No specialists in the area
7	ACCE_12D	Diff waited too long for appointment	discrete	numeric-1.0	266	131955	What type of difficulties did you experience? - Waited too long between booking appointment and visit
8	ACCE_12E	Diff waited too long /see doc.	discrete	numeric-1.0	266	131955	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
9	ACCE_12F	Diff transportation	discrete	numeric-1.0	266	131955	What type of difficulties did you experience? - Transportation problems
10	ACCE_12G	Diff language	discrete	numeric-1.0	266	131955	What type of difficulties did you experience? - Language problem
11	ACCE_12H	Diff cost	discrete	numeric-1.0	266	131955	What type of difficulties did you experience? - Cost
12	ACCE_12I	Diff pers./family responsibilities	discrete	numeric-1.0	266	131955	What type of difficulties did you experience? - Personal or family responsibilities
13	ACCE_12J	Diff deterioration of health	discrete	numeric-1.0	266	131955	What type of difficulties did you experience? - General deterioration of health
14	ACCE_12K	Diff appointment cancelled/deferred	discrete	numeric-1.0	266	131955	What type of difficulties did you experience? - Appointment cancelled or deferred by specialist
15	ACCE_12L	Diff still waiting for visit	discrete	numeric-1.0	266	131955	What type of difficulties did you experience? - Still waiting for visit
16	ACCE_12M	Diff unable leave house/ health	discrete	numeric-1.0	266	131955	What type of difficulties did you experience? - Unable to leave the house because of a health problem
17	ACCE_12N	Diff other	discrete	numeric-1.0	266	131955	What type of difficulties did you experience? - Other
18	ACCE_20	Required non-emergency surgery	discrete	numeric-1.0	4754	127467	In the past 12 months, did you require any non-emergency surgery?
19	ACCE_21	Diff. getting non-emerg. surg.	discrete	numeric-1.0	386	131835	In the past 12 months, did you ever experience any difficulties getting the surgery you needed?
20	ACCE_22A	Diff getting an appointment	discrete	numeric-1.0	58	132163	What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon

#	Name	Label	Type	Format	Valid	Invalid	Question
21	ACCE_22B	Diff getting a diagnosis	discrete	numeric-1.0	58	132163	What type of difficulties did you experience? - Difficulty getting a diagnosis
22	ACCE_22C	Diff wait too long/diag. test	discrete	numeric-1.0	58	132163	What type of difficulties did you experience? - Waited too long for a diagnostic test
23	ACCE_22D	Diff waited too long/hosp. bed	discrete	numeric-1.0	58	132163	What type of difficulties did you experience? - Waited too long for a hospital bed to become available
24	ACCE_22E	Diff waited too long/ surgery	discrete	numeric-1.0	58	132163	What type of difficulties did you experience? - Waited too long for surgery
25	ACCE_22F	Diff service not available/ area	discrete	numeric-1.0	58	132163	What type of difficulties did you experience? - Service not available in the area
26	ACCE_22G	Diff transportation	discrete	numeric-1.0	58	132163	What type of difficulties did you experience? - Transportation problems
27	ACCE_22H	Diff language	discrete	numeric-1.0	58	132163	What type of difficulties did you experience? - Language problem
28	ACCE_22I	Diff cost	discrete	numeric-1.0	58	132163	What type of difficulties did you experience? - Cost
29	ACCE_22J	Diff pers./family responsibilities	discrete	numeric-1.0	58	132163	What type of difficulties did you experience? - Personal or family responsibilities
30	ACCE_22K	Diff deterioration of health	discrete	numeric-1.0	58	132163	What type of difficulties did you experience? - General deterioration of health
31	ACCE_22L	Diff appointment cancelled/deferred	discrete	numeric-1.0	58	132163	What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital
32	ACCE_22M	Diff still waiting for surgery	discrete	numeric-1.0	58	132163	What type of difficulties did you experience? - Still waiting for surgery
33	ACCE_22N	Diff unable leave house/ health	discrete	numeric-1.0	58	132163	What type of difficulties did you experience? - Unable to leave the house because of a health problem
34	ACCE_22O	Diff other	discrete	numeric-1.0	58	132163	What type of difficulties did you experience? - Other
35	ACCE_30	Required MRI, CT Scan, angiography	discrete	numeric-1.0	4749	127472	In the past 12 months, did you require one of these tests?
36	ACCE_31	Difficulties getting test	discrete	numeric-1.0	567	131654	In the past 12 months, did you ever experience any difficulties getting the tests you needed?
37	ACCE_32A	Diff getting a referral	discrete	numeric-1.0	77	132144	What type of difficulties did you experience? - Difficulty getting a referral
38	ACCE_32B	Diff getting an appointment	discrete	numeric-1.0	77	132144	What type of difficulties did you experience? - Difficulty getting an appointment
39	ACCE_32C	Diff waited too long for appt.	discrete	numeric-1.0	77	132144	What type of difficulties did you experience? - Waited too long to get an appointment
40	ACCE_32D	Diff waited too long/get test	discrete	numeric-1.0	77	132144	What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)

#	Name	Label	Type	Format	Valid	Invalid	Question
41	ACCE_32E	Diff not available at time required	discrete	numeric-1.0	77	132144	What type of difficulties did you experience? - Service not available at time required
42	ACCE_32F	Diff not available/area	discrete	numeric-1.0	77	132144	What type of difficulties did you experience? - Service not available in the area
43	ACCE_32G	Diff transportation	discrete	numeric-1.0	77	132144	What type of difficulties did you experience? - Transportation problems
44	ACCE_32H	Diff language	discrete	numeric-1.0	77	132144	What type of difficulties did you experience? - Language problem
45	ACCE_32I	Diff cost	discrete	numeric-1.0	77	132144	What type of difficulties did you experience? - Cost
46	ACCE_32J	Diff deterioration of health	discrete	numeric-1.0	77	132144	What type of difficulties did you experience? - General deterioration of health
47	ACCE_32K	Diff did not know where to go	discrete	numeric-1.0	77	132144	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
48	ACCE_32L	Diff still waiting for test	discrete	numeric-1.0	77	132144	What type of difficulties did you experience? - Still waiting for test
49	ACCE_32M	Diff unable leave house / health	discrete	numeric-1.0	77	132144	What type of difficulties did you experience? - Unable to leave the house because of a health problem
50	ACCE_32N	Diff other	discrete	numeric-1.0	77	132144	What type of difficulties did you experience? - Other
51	ACCE_40	Required health information	discrete	numeric-1.0	4748	127473	In the past 12 months, have you required health information or advice for yourself or a family member?
52	ACCE_40A	Contact/health info - doctor	discrete	numeric-1.0	1876	130345	Who did you contact when you needed health information or advice for yourself or a family member? - Doctor's office
53	ACCE_40B	Contact/health info - community hlth ctr	discrete	numeric-1.0	1876	130345	Who did you contact when you needed health information or advice for yourself or a family member? - Community health centre / CLSC
54	ACCE_40C	Contact/health info - walk-in clinic	discrete	numeric-1.0	1876	130345	Who did you contact when you needed health information or advice for yourself or a family member? - Walk-in clinic
55	ACCE_40D	Contact/health info - health line	discrete	numeric-1.0	1876	130345	Who did you contact when you needed health information or advice for yourself or a family member? - Telephone health line (e.g., HealthLinks, Telehealth Ontario, HealthLink, Health-Line, Telecare, Info-Santé)
56	ACCE_40E	Contact/health info - emergency room	discrete	numeric-1.0	1876	130345	Who did you contact when you needed health information or advice for yourself or a family member? - Hospital emergency room
57	ACCE_40F	Contact/health info - other hosp. serv.	discrete	numeric-1.0	1876	130345	Who did you contact when you needed health information or advice for yourself or a family member? - Other hospital service
58	ACCE_40G	Contact/health info - other	discrete	numeric-1.0	1876	130345	Who did you contact when you needed health information or advice for yourself or a family member? - Other

#	Name	Label	Туре	Format	Valid	Invalid	Question
59	ACCE_41	Diff. getting health information	discrete	numeric-1.0	1873	130348	In the past 12 months, did you ever experience any difficulties getting the health information or advice you needed for yourself or a family member?
60	ACCE_42	Exp. diff. during regular hrs.	discrete	numeric-1.0	263	131958	Did you experience difficulties during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?
61	ACCE_43A	Diff contact a physician/ nurse	discrete	numeric-1.0	212	132009	What type of difficulties did you experience? - Difficulty contacting a physician or nurse
62	ACCE_43B	Diff did not have a phone number	discrete	numeric-1.0	212	132009	What type of difficulties did you experience? - Did not have a phone number
63	ACCE_43C	Diff could not get through	discrete	numeric-1.0	212	132009	What type of difficulties did you experience? - Could not get through (i.e. no answer)
64	ACCE_43D	Diff waited too long to speak	discrete	numeric-1.0	212	132009	What type of difficulties did you experience? - Waited too long to speak to someone
65	ACCE_43E	Diff inadequate information	discrete	numeric-1.0	212	132009	What type of difficulties did you experience? - Did not get adequate info or advice
66	ACCE_43F	Diff language	discrete	numeric-1.0	212	132009	What type of difficulties did you experience? - Language problem
67	ACCE_43G	Diff did not know where to go/call	discrete	numeric-1.0	212	132009	What type of difficulties did you experience? - Did not know where to go / call / uninformed
68	ACCE_43H	Diff unable to leave house/ health	discrete	numeric-1.0	212	132009	What type of difficulties did you experience? - Unable to leave the house because of a health problem
69	ACCE_43I	Diff other	discrete	numeric-1.0	212	132009	What type of difficulties did you experience? - Other
70	ACCE_44	Exp. diff. during evening/ weekends	discrete	numeric-1.0	264	131957	Did you experience difficulties getting health information or advice during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?
71	ACCE_45A	Diff contact a physician/ nurse	discrete	numeric-1.0	78	132143	What type of difficulties did you experience? - Difficulty contacting a physician or nurse
72	ACCE_45B	Diff did not have a phone number	discrete	numeric-1.0	78	132143	What type of difficulties did you experience? - Did not have a phone number
73	ACCE_45C	Diff could not get through	discrete	numeric-1.0	78	132143	What type of difficulties did you experience? - Could not get through (i.e. no answer)
74	ACCE_45D	Diff waited too long to speak	discrete	numeric-1.0	78	132143	What type of difficulties did you experience? - Waited too long to speak to someone
75	ACCE_45E	Diff inadequate information	discrete	numeric-1.0	78	132143	What type of difficulties did you experience? - Did not get adequate info or advice
76	ACCE_45F	Diff language	discrete	numeric-1.0	78	132143	What type of difficulties did you experience? - Language problem

#	Name	Label	Type	Format	Valid	Invalid	Question
77	ACCE_45G	Diff did not know where to go/call	discrete	numeric-1.0	78	132143	What type of difficulties did you experience? - Did not know where to go / call / uninformed
78	ACCE_45H	Diff unable to leave/health	discrete	numeric-1.0	78	132143	What type of difficulties did you experience? - Unable to leave the house because of a health problem
79	ACCE_45I	Diff other	discrete	numeric-1.0	78	132143	What type of difficulties did you experience? - Other
80	ACCE_46	Exp. diff. during middle of night	discrete	numeric-1.0	264	131957	Did you experience difficulties getting health information or advice during the middle of the night?
81	ACCE_47A	Diff contact a physician/ nurse	discrete	numeric-1.0	22	132199	What type of difficulties did you experience? - Difficulty contacting a physician or nurse
82	ACCE_47B	Diff did not have a phone number	discrete	numeric-1.0	22	132199	What type of difficulties did you experience? - Did not have a phone number
83	ACCE_47C	Diff could not get through	discrete	numeric-1.0	22	132199	What type of difficulties did you experience? - Could not get through (i.e. no answer)
84	ACCE_47D	Diff waited too long/to speak	discrete	numeric-1.0	22	132199	What type of difficulties did you experience? - Waited too long to speak to someone
85	ACCE_47E	Diff inadequate information	discrete	numeric-1.0	22	132199	What type of difficulties did you experience? - Did not get adequate info or advice
86	ACCE_47F	Diff language	discrete	numeric-1.0	22	132199	What type of difficulties did you experience? - Language problem
87	ACCE_47G	Diff did not know where to go/call	discrete	numeric-1.0	22	132199	What type of difficulties did you experience? - Did not know where to go / call / uninformed
88	ACCE_47H	Diff unable to leave/health	discrete	numeric-1.0	22	132199	What type of difficulties did you experience? - Unable to leave the house because of a health problem
89	ACCE_47I	Diff other	discrete	numeric-1.0	22	132199	What type of difficulties did you experience? - Other
90	ACCE_50A	Has a regular family doctor	discrete	numeric-1.0	4755	127466	Do you have a regular family doctor?
91	ACCE_50	Required routine care for self/family	discrete	numeric-1.0	4750	127471	In the past 12 months, did you require any routine or on-going care for yourself or a family member?
92	ACCE_51	Exp. diff. getting on-going care	discrete	numeric-1.0	2875	129346	In the past 12 months, did you ever experience any difficulties getting the routine or on-going care you or a family member needed?
93	ACCE_52	Experienced diff. during regular hours	discrete	numeric-1.0	333	131888	Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?
94	ACCE_53A	Diff contact a physician	discrete	numeric-1.0	293	131928	What type of difficulties did you experience? - Difficulty contacting a physician
95	ACCE_53B	Diff getting an appointment	discrete	numeric-1.0	293	131928	What type of difficulties did you experience? - Difficulty getting an appointment

#	Name	Label	Type	Format	Valid	Invalid	Question
96	ACCE_53C	Diff do not have family physician	discrete	numeric-1.0	293	131928	What type of difficulties did you experience? - Do not have personal / family physician
97	ACCE_53D	Diff waited too long for appointment	discrete	numeric-1.0	293	131928	What type of difficulties did you experience? - Waited too long to get an appointment
98	ACCE_53E	Diff waited too long/see doc.	discrete	numeric-1.0	293	131928	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
99	ACCE_53F	Diff not available at time required	discrete	numeric-1.0	293	131928	What type of difficulties did you experience? - Service not available at time required
100	ACCE_53G	Diff not available in the area	discrete	numeric-1.0	293	131928	What type of difficulties did you experience? - Service not available in the area
101	ACCE_53H	Diff transportation	discrete	numeric-1.0	293	131928	What type of difficulties did you experience? - Transportation problems
102	ACCE_53I	Diff language	discrete	numeric-1.0	293	131928	What type of difficulties did you experience? - Language problem
103	ACCE_53J	Diff cost	discrete	numeric-1.0	293	131928	What type of difficulties did you experience? - Cost
104	ACCE_53K	Diff did not know where to go	discrete	numeric-1.0	293	131928	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
105	ACCE_53L	Diff unable to leave house/ health	discrete	numeric-1.0	293	131928	What type of difficulties did you experience? - Unable to leave the house because of a health problem
106	ACCE_53M	Diff other	discrete	numeric-1.0	293	131928	What type of difficulties did you experience? - Other
107	ACCE_54	Exp. diff. during evening/ weekends	discrete	numeric-1.0	333	131888	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?
108	ACCE_55A	Diff contact a physician	discrete	numeric-1.0	67	132154	What type of difficulties did you experience? - Difficulty contacting a physician
109	ACCE_55B	Diff getting an appointment	discrete	numeric-1.0	67	132154	What type of difficulties did you experience? - Difficulty getting an appointment
110	ACCE_55C	Diff do not have family physician	discrete	numeric-1.0	67	132154	What type of difficulties did you experience? - Do not have personal / family physician
111	ACCE_55D	Diff waited too long for appointment	discrete	numeric-1.0	67	132154	What type of difficulties did you experience? - Waited too long to get an appointment
112	ACCE_55E	Diff waited too long/see doc	discrete	numeric-1.0	67	132154	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
113	ACCE_55F	Diff not available at time required	discrete	numeric-1.0	67	132154	What type of difficulties did you experience? - Service not available at time required
114	ACCE_55G	Diff not available/area	discrete	numeric-1.0	67	132154	What type of difficulties did you experience? - Service not available in the area

#	Name	Label	Type	Format	Valid	Invalid	Question
115	ACCE_55H	Diff transportation	discrete	numeric-1.0	67	132154	What type of difficulties did you experience? - Transportation problems
116	ACCE_55I	Diff language	discrete	numeric-1.0	67	132154	What type of difficulties did you experience? - Language problem
117	ACCE_55J	Diff cost	discrete	numeric-1.0	67	132154	What type of difficulties did you experience? - Cost
118	ACCE_55K	Diff did not know where to go	discrete	numeric-1.0	67	132154	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
119	ACCE_55L	Diff unable to leave house/ health	discrete	numeric-1.0	67	132154	What type of difficulties did you experience? - Unable to leave house because of a health problem
120	ACCE_55M	Diff other	discrete	numeric-1.0	67	132154	What type of difficulties did you experience? - Other
121	ACCE_60	Required immediate care - self/family	discrete	numeric-1.0	4745	127476	In the past 12 months, have you or a family member required immediate health care services for a minor health problem?
122	ACCE_61	Exp. diff. getting immediate care	discrete	numeric-1.0	1549	130672	In the past 12 months, did you ever experience any difficulties getting the immediate care needed for a minor health problem for yourself or a family member?
123	ACCE_62	Experienced diff. during regular hours	discrete	numeric-1.0	305	131916	Did you experience difficulties getting such care during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?
124	ACCE_63A	Diff contact a physician	discrete	numeric-1.0	182	132039	What type of difficulties did you experience? - Difficulty contacting a physician
125	ACCE_63B	Diff getting an appointment	discrete	numeric-1.0	182	132039	What type of difficulties did you experience? - Difficulty getting an appointment
126	ACCE_63C	Diff do not have family physician	discrete	numeric-1.0	182	132039	What type of difficulties did you experience? - Do not have personal / family physician
127	ACCE_63D	Diff waited too long/for appointment	discrete	numeric-1.0	182	132039	What type of difficulties did you experience? - Waited too long to get an appointment
128	ACCE_63E	Diff waited too long/see doc	discrete	numeric-1.0	182	132039	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
129	ACCE_63F	Diff not available at time required	discrete	numeric-1.0	182	132039	What type of difficulties did you experience? - Service not available at time required
130	ACCE_63G	Diff not available/area	discrete	numeric-1.0	182	132039	What type of difficulties did you experience? - Service not available in the area
131	ACCE_63H	Diff transportation	discrete	numeric-1.0	182	132039	What type of difficulties did you experience? - Transportation problems
132	ACCE_63I	Diff language	discrete	numeric-1.0	182	132039	What type of difficulties did you experience? - Language problem
133	ACCE_63J	Diff cost	discrete	numeric-1.0	182	132039	What type of difficulties did you experience? - Cost

#	Name	Label	Type	Format	Valid	Invalid	Question
134	ACCE_63K	Diff did not know where to go	discrete	numeric-1.0	182	132039	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
135	ACCE_63L	Diff unable to leave house/ health	discrete	numeric-1.0	182	132039	What type of difficulties did you experience? - Unable to leave the house because of a health problem
136	ACCE_63M	Diff other	discrete	numeric-1.0	182	132039	What type of difficulties did you experience? - Other
137	ACCE_64	Exp. diff. during evening/ weekends	discrete	numeric-1.0	304	131917	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm, Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?
138	ACCE_65A	Diff contact a physician	discrete	numeric-1.0	153	132068	What type of difficulties did you experience? - Difficulty contacting a physician
139	ACCE_65B	Diff getting an appointment	discrete	numeric-1.0	153	132068	What type of difficulties did you experience? - Difficulty getting an appointment
140	ACCE_65C	Diff do not have family physician	discrete	numeric-1.0	153	132068	What type of difficulties did you experience? - Do not have personal / family physician
141	ACCE_65D	Diff waited too long/for appointment	discrete	numeric-1.0	153	132068	What type of difficulties did you experience? - Waited too long to get an appointment
142	ACCE_65E	Diff waited too long/see doc	discrete	numeric-1.0	153	132068	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
143	ACCE_65F	Diff not available at time required	discrete	numeric-1.0	153	132068	What type of difficulties did you experience? - Service not available at time required
144	ACCE_65G	Diff not available/area	discrete	numeric-1.0	153	132068	What type of difficulties did you experience? - Service not available in the area
145	ACCE_65H	Diff transportation	discrete	numeric-1.0	153	132068	What type of difficulties did you experience? - Transportation problems
146	ACCE_65I	Diff language	discrete	numeric-1.0	153	132068	What type of difficulties did you experience? - Language problem
147	ACCE_65J	Diff cost	discrete	numeric-1.0	153	132068	What type of difficulties did you experience? - Cost
148	ACCE_65K	Diff did not know where to go	discrete	numeric-1.0	153	132068	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
149	ACCE_65L	Diff unable to leave house/ health	discrete	numeric-1.0	153	132068	What type of difficulties did you experience? - Unable to leave the house because of a health problem
150	ACCE_65M	Diff other	discrete	numeric-1.0	153	132068	What type of difficulties did you experience? - Other
151	ACCE_66	Exp. diff. during middle of night	discrete	numeric-1.0	305	131916	Did you experience difficulties getting such care during the middle of the night?
152	ACCE_67A	Diff contact a physician	discrete	numeric-1.0	45	132176	What type of difficulties did you experience? - Difficulty contacting a physician

#	Name	Label	Type	Format	Valid	Invalid	Question
153	ACCE_67B	Diff getting an appointment	discrete	numeric-1.0	45	132176	What type of difficulties did you experience? - Difficulty getting an appointment
154	ACCE_67C	Diff do not have family physician	discrete	numeric-1.0	45	132176	What type of difficulties did you experience? - Do not have personal / family physician
155	ACCE_67D	Diff waited too long/for appointment	discrete	numeric-1.0	45	132176	What type of difficulties did you experience? - Waited too long to get an appointment
156	ACCE_67E	Diff waited too long/see doc	discrete	numeric-1.0	45	132176	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
157	ACCE_67F	Diff not available at time required	discrete	numeric-1.0	45	132176	What type of difficulties did you experience? - Service not available at time required
158	ACCE_67G	Diff not available/area	discrete	numeric-1.0	45	132176	What type of difficulties did you experience? - Service not available in the area
159	ACCE_67H	Diff transportation	discrete	numeric-1.0	45	132176	What type of difficulties did you experience? - Transportation problems
160	ACCE_67I	Diff language	discrete	numeric-1.0	45	132176	What type of difficulties did you experience? - Language problem
161	ACCE_67J	Diff cost	discrete	numeric-1.0	45	132176	What type of difficulties did you experience? - Cost
162	ACCE_67K	Diff did not know where to go	discrete	numeric-1.0	45	132176	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
163	ACCE_67L	Diff unable to leave house/ health	discrete	numeric-1.0	45	132176	What type of difficulties did you experience? - Unable to leave the house because of a health problem
164	ACCE_67M	Diff other	discrete	numeric-1.0	45	132176	What type of difficulties did you experience? - Other

Gro	Group Waiting Times										
#	Name	Label	Type	Format	Valid	Invalid	Question				
1	WTMEFOPT	Optional module: WTM - (F)	discrete	numeric-1.0	132221	0	Optional module: WTM - (F)				
2	WTME_01	Required visit to medical specialist	discrete	numeric-1.0	1371	130850	In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation for a new illness or condition?				
3	WTME_02	Saw med. spec type of condition	discrete	numeric-2.0	574	131647	For what type of condition? If you have more than one such visit, please answer for the most recent visit. (Heart condition or stroke, cancer, asthma or other breathing conditions, arthritis or rheumatism, cataract or other eye conditions,)				
4	WTME_03	Person who referred resp. to med. spec.	discrete	numeric-1.0	574	131647	Were you referred by: (a family doctor, another specialist or another health care provider)?				
5	WTME_04	Already visited the medical specialist	discrete	numeric-1.0	574	131647	Have you already visited the medical specialist?				

#	Name	Label	Туре	Format	Valid	Invalid	Question
6	WTME_05	Difficulty seeing medical specialist	discrete	numeric-1.0	512	131709	Thinking about this visit, did you experience any difficulties seeing the specialist?
7	WTME_06A	Diff getting referral	discrete	numeric-1.0	73	132148	What type of difficulties did you experience? - Difficulty getting a referral
8	WTME_06B	Diff getting an appointment	discrete	numeric-1.0	73	132148	What type of difficulties did you experience? - Difficulty getting an appointment
9	WTME_06C	Diff no specialists in area	discrete	numeric-1.0	73	132148	What type of difficulties did you experience? - No specialists in the area
10	WTME_06D	Diff waited too long for appointment	discrete	numeric-1.0	73	132148	What type of difficulties did you experience? - Waited too long between booking appointment and visit
11	WTME_06E	Diff waited too long to see doc.	discrete	numeric-1.0	73	132148	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
12	WTME_06F	Diff transportation	discrete	numeric-1.0	73	132148	What type of difficulties did you experience? - Transportation problems
13	WTME_06G	Diff language	discrete	numeric-1.0	73	132148	What type of difficulties did you experience? - Language problem
14	WTME_06H	Diff cost	discrete	numeric-1.0	73	132148	What type of difficulties did you experience? - Cost
15	WTME_06I	Diff pers./family responsibilities	discrete	numeric-1.0	73	132148	What type of difficulties did you experience? - Personal or family responsibilities
16	WTME_06J	Diff deterioration of health	discrete	numeric-1.0	73	132148	What type of difficulties did you experience? - General deterioration of health
17	WTME_06K	Diff appointment cancelled/deferred	discrete	numeric-1.0	73	132148	What type of difficulties did you experience? - Appointment cancelled or deferred by specialist
18	WTME_06L	Diff unable leave house/ health	discrete	numeric-1.0	73	132148	What type of difficulties did you experience? - Unable to leave the house because of a health problem
19	WTME_06M	Diff other	discrete	numeric-1.0	73	132148	What type of difficulties did you experience? - Other
20	WTME_07A	Length of wait to see specialist	continuous	numeric-3.0	506	131715	How long did you have to wait between when [you and your doctor/health care provider] decided that you should see a specialist and when you actually visited the specialist?
21	WTME_07B	Length of wait to see specialist - unit	discrete	numeric-1.0	506	131715	Interviewer : Enter unit of time.
22	WTME_08A	Length of time been waiting to see spec.	continuous	numeric-3.0	60	132161	How long have you been waiting since [you and your doctor/health care provider] decided that you should see a specialist?
23	WTME_08B	Length of time waiting/see spec unit	discrete	numeric-1.0	60	132161	Interviewer : Enter unit of time.
24	WTME_10	Respondent's opinion of waiting time	discrete	numeric-1.0	571	131650	In your view, was the [waiting time/has the waiting time been]: (acceptable or not acceptable)?
25	WTME_11A	Acceptable waiting time	continuous	numeric-3.0	141	132080	In this particular case, what do you think is an acceptable waiting time?

#	Name	Label	Type	Format	Valid	Invalid	Question
26	WTME_11B	Acceptable waiting time - unit	discrete	numeric-1.0	141	132080	Interviewer : Enter unit of time.
27	WTME_12	Visit to specialist cancelled/ postponed	discrete	numeric-1.0	573	131648	Was your visit cancelled or postponed at any time?
28	WTME_13A	Visit cancelled/postponed - respondent	discrete	numeric-1.0	56	132165	Was it cancelled or postponed by: (yourself or the specialist)? - Yourself
29	WTME_13B	Visit cancelled/postponed - specialist	discrete	numeric-1.0	56	132165	Was it cancelled or postponed by: (yourself or the specialist)? - The specialist
30	WTME_13C	Visit cancelled/postponed - other	discrete	numeric-1.0	56	132165	Was it cancelled or postponed by: (yourself or the specialist)? - Other
31	WTME_14	Life affected by wait/spec.	discrete	numeric-1.0	570	131651	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this visit?
32	WTME_15A	Life affected by wait - worry	discrete	numeric-1.0	90	132131	How was your life affected as a result of waiting for this visit? - Worry, anxiety, stress
33	WTME_15B	Life affected by wait - worry for family	discrete	numeric-1.0	90	132131	How was your life affected as a result of waiting for this visit? - Worry or stress for family or friends
34	WTME_15C	Life affected by wait - pain	discrete	numeric-1.0	90	132131	How was your life affected as a result of waiting for this visit? - Pain
35	WTME_15D	Life affected by wait - prob. daily act.	discrete	numeric-1.0	90	132131	How was your life affected as a result of waiting for this visit? - Problems with activities of daily living (e.g., dressing, driving)
36	WTME_15E	Life affected by wait - loss of work	discrete	numeric-1.0	90	132131	How was your life affected as a result of waiting for this visit? - Loss of work
37	WTME_15F	Life affected by wait - loss of income	discrete	numeric-1.0	90	132131	How was your life affected as a result of waiting for this visit? - Loss of income
38	WTME_15G	Life affected by wait - incr. dependence	discrete	numeric-1.0	90	132131	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends
39	WTME_15H	Life affected by wait - incr. use med.	discrete	numeric-1.0	90	132131	How was your life affected as a result of waiting for this visit? - Increased use of over-the-counter drugs
40	WTME_15I	Life affected by wait - health deter.	discrete	numeric-1.0	90	132131	How was your life affected as a result of waiting for this visit? - Overal health deteriorated, condition got worse
41	WTME_15J	Life affected by wait - health improved	discrete	numeric-1.0	90	132131	How was your life affected as a result of waiting for this visit? - Health problem improved
42	WTME_15K	Life affected by wait - pers. rel.	discrete	numeric-1.0	90	132131	How was your life affected as a result of waiting for this visit? - Personal relationships suffered
43	WTME_15L	Life affected by wait - other	discrete	numeric-1.0	90	132131	How was your life affected as a result of waiting for this visit? - Other
44	WTME_16	Type of surgery required	discrete	numeric-2.0	385	131836	What type of surgery did you require? If you have had more than one in the past 12 months, please answer for the most recent surgery. (Cardiac surgery, cancer related surgery, hip or knee replacement surgery, cataract or other eye surgery,)

#	Name	Label	Туре	Format	Valid	Invalid	Question
45	WTME_17	Already had the surgery	discrete	numeric-1.0	385	131836	Did you already have this surgery?
46	WTME_18	Surgery required overnight hospital stay	discrete	numeric-1.0	352	131869	Did the surgery require an overnight hospital stay?
47	WTME_19	Diff. getting this surgery	discrete	numeric-1.0	352	131869	Did you experience any difficulties getting this surgery?
48	WTME_20A	Diff getting an appointment	discrete	numeric-1.0	39	132182	What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon
49	WTME_20B	Diff getting a diagnosis	discrete	numeric-1.0	39	132182	What type of difficulties did you experience? - Difficulty getting a diagnosis
50	WTME_20C	Diff wait too long for diag.	discrete	numeric-1.0	39	132182	What type of difficulties did you experience? - Waited too long for a diagnostic test
51	WTME_20D	Diff waited too long for hosp. bed	discrete	numeric-1.0	39	132182	What type of difficulties did you experience? - Waited too long for a hospital bed to become available
52	WTME_20E	Diff waited too long/ surgery	discrete	numeric-1.0	39	132182	What type of difficulties did you experience? - Waited too long for surgery
53	WTME_20F	Diff service not available/ area	discrete	numeric-1.0	39	132182	What type of difficulties did you experience? - Service not available in the area
54	WTME_20G	Diff transportation	discrete	numeric-1.0	39	132182	What type of difficulties did you experience? - Transportation problems
55	WTME_20H	Diff language	discrete	numeric-1.0	39	132182	What type of difficulties did you experience? - Language problem
56	WTME_20I	Diff cost	discrete	numeric-1.0	39	132182	What type of difficulties did you experience? - Cost
57	WTME_20J	Diff pers./family responsibilities	discrete	numeric-1.0	39	132182	What type of difficulties did you experience? - Personal or family responsibilities
58	WTME_20K	Diff deterioration of health	discrete	numeric-1.0	39	132182	What type of difficulties did you experience? - General deterioration of health
59	WTME_20L	Diff appt. cancelled/ deferred	discrete	numeric-1.0	39	132182	What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital
60	WTME_20M	Diff unable leave house/ health	discrete	numeric-1.0	39	132182	What type of difficulties did you experience? - Unable to leave the house because of a health problem
61	WTME_20N	Diff other	discrete	numeric-1.0	39	132182	What type of difficulties did you experience? - Other
62	WTME_21A	Length of wait/surgery	continuous	numeric-3.0	346	131875	How long did you have to wait between when you and the surgeon decided to go ahead with surgery and the day of surgery?
63	WTME_21B	Length of wait/surgery - unit	discrete	numeric-1.0	346	131875	Interviewer : Enter unit of time.
64	WTME_22	Surg. will require overnight hosp. stay	discrete	numeric-1.0	31	132190	Will the surgery require an overnight hospital stay?
65	WTME_23A	Time since decision/have surgery	continuous	numeric-3.0	30	132191	How long have you been waiting since you and the surgeon decided to go ahead with the surgery?

#	Name	Label	Type	Format	Valid	Invalid	Question
66	WTME_23B	Time since decision/have surgery - unit	discrete	numeric-1.0	30	132191	Interviewer : Enter unit of time.
67	WTME_24	Respondent's opinion of waiting time	discrete	numeric-1.0	383	131838	In your view, [was the waiting time/has the waiting time been]: (acceptable or not acceptable)?
68	WTME_25A	Acceptable waiting time	continuous	numeric-3.0	59	132162	In this particular case, what do you think is an acceptable waiting time?
69	WTME_25B	Acceptable waiting time - unit	discrete	numeric-1.0	59	132162	Interviewer : Enter unit of time.
70	WTME_26	Surgery cancelled or postponed	discrete	numeric-1.0	383	131838	Was your surgery cancelled or postponed at any time?
71	WTME_27A	Surgery cancelled/postponed - respondent	discrete	numeric-1.0	57	132164	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - Yourself
72	WTME_27B	Surgery cancelled/postponed - surgeon	discrete	numeric-1.0	57	132164	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - The surgeon
73	WTME_27C	Surgery cancelled/postponed - hospital	discrete	numeric-1.0	57	132164	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - The hospital
74	WTME_27D	Surgery cancelled/postponed - other	discrete	numeric-1.0	57	132164	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - Other
75	WTME_28	Life affected by wait for surgery	discrete	numeric-1.0	381	131840	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this surgery?
76	WTME_29A	Life affected by wait - worry	discrete	numeric-1.0	39	132182	How was your life affected as a result of waiting for surgery? - Worry, anxiety, stress
77	WTME_29B	Life affected by wait - worry/family	discrete	numeric-1.0	39	132182	How was your life affected as a result of waiting for this visit? - Worry or stress for family or friends
78	WTME_29C	Life affected by wait - pain	discrete	numeric-1.0	39	132182	How was your life affected as a result of waiting for this visit? - Pain
79	WTME_29D	Life affected by wait - prob. daily act.	discrete	numeric-1.0	39	132182	How was your life affected as a result of waiting for this visit? - Problems with activities of daily living (e.g., dressing, driving)
80	WTME_29E	Life affected by wait - loss of work	discrete	numeric-1.0	39	132182	How was your life affected as a result of waiting for this visit? - Loss of work
81	WTME_29F	Life affected by wait - loss of income	discrete	numeric-1.0	39	132182	How was your life affected as a result of waiting for this visit? - Loss of income
82	WTME_29G	Life affected by wait - incr. dependence	discrete	numeric-1.0	39	132182	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends
83	WTME_29H	Life affected by wait - incr. use med.	discrete	numeric-1.0	39	132182	How was your life affected as a result of waiting for this visit? - Increased use of over-the-counter drugs
84	WTME_29I	Life affected by wait - health deter.	discrete	numeric-1.0	39	132182	How was your life affected as a result of waiting for this visit? - Overal health deteriorated, condition got worse
85	WTME_29J	Life affected by wait - health improved	discrete	numeric-1.0	39	132182	How was your life affected as a result of waiting for this visit? - Health problem improved

#	Name	Label	Type	Format	Valid	Invalid	Question
86	WTME_29K	Life affected by wait - pers. rel.	discrete	numeric-1.0	39	132182	How was your life affected as a result of waiting for this visit? - Personal relationships suffered
87	WTME_29L	Life affected by wait - other	discrete	numeric-1.0	39	132182	How was your life affected as a result of waiting for this visit? - Other
88	WTME_30	Type of diagnostic test required	discrete	numeric-1.0	558	131663	What type of test did you require? If you had more than one in the past 12 months, please answer for the most recent test. (MRI, CAT Scan or angiography)
89	WTME_31	Had diagnostic test - type of condition	discrete	numeric-1.0	563	131658	For what type of condition: (heart disease or stroke, cancer, joints or fractures, or neurological or brain disorders (e.g., for MS, migraine or headaches))?
90	WTME_32	Already had diagnostic test	discrete	numeric-1.0	566	131655	Did you already have this test?
91	WTME_33	Location of test	discrete	numeric-1.0	540	131681	Where was the test done: (hospital, public clinic or private clinic)?
92	WTME_34	Location of clinic	discrete	numeric-1.0	4	132217	Was the clinic located: (in your province or in another province)?
93	WTME_35	Patient in hospital at time of test	discrete	numeric-1.0	540	131681	Were you a patient in a hospital at the time of the test?
94	WTME_36	Diff. getting diagnostic test	discrete	numeric-1.0	540	131681	Did you experience any difficulties getting this test?
95	WTME_37A	Diff getting referral	discrete	numeric-1.0	54	132167	What type of difficulties did you experience? - Difficulty getting a referral
96	WTME_37B	Diff getting an appointment	discrete	numeric-1.0	54	132167	What type of difficulties did you experience? - Difficulty getting an appointment
97	WTME_37C	Diff waited too long to get an appt.	discrete	numeric-1.0	54	132167	What type of difficulties did you experience? - Waited too long to get an appointment
98	WTME_37D	Diff waited too long/get test	discrete	numeric-1.0	54	132167	What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)
99	WTME_37E	Diff service not avail./time required	discrete	numeric-1.0	54	132167	What type of difficulties did you experience? - Service not available at time required
100	WTME_37F	Diff service not available/ area	discrete	numeric-1.0	54	132167	What type of difficulties did you experience? - Service not available in the area
101	WTME_37G	Diff transportation	discrete	numeric-1.0	54	132167	What type of difficulties did you experience? - Transportation problems
102	WTME_37H	Diff language	discrete	numeric-1.0	54	132167	What type of difficulties did you experience? - Language problem
103	WTME_37I	Diff cost	discrete	numeric-1.0	54	132167	What type of difficulties did you experience? - Cost
104	WTME_37J	Diff deterioration of health	discrete	numeric-1.0	54	132167	What type of difficulties did you experience? - General deterioration of health
105	WTME_37K	Diff did not know where to go	discrete	numeric-1.0	54	132167	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

#	Name	Label	Type	Format	Valid	Invalid	Question
106	WTME_37L	Diff unable leave house/ health	discrete	numeric-1.0	54	132167	What type of difficulties did you experience? - Unable to leave the house because of a health problem
107	WTME_37M	Diff other	discrete	numeric-1.0	54	132167	What type of difficulties did you experience? - Other
108	WTME_38A	Length of wait / test	continuous	numeric-3.0	521	131700	How long did you have to wait between when you and your doctor decided to go ahead with the test and the day of the test?
109	WTME_38B	Lgth wait decision and test - unit	discrete	numeric-1.0	521	131700	Interviewer : Enter unit of time.
110	WTME_39A	Length of time been waiting/diag. test	continuous	numeric-3.0	25	132196	How long have you been waiting for the test since you and your doctor decided to go ahead with the test?
111	WTME_39B	Lgth time been waiting for test - unit	discrete	numeric-1.0	25	132196	Interviewer : Enter unit of time.
112	WTME_40	Respondent's opinion of waiting time	discrete	numeric-1.0	560	131661	In your view, [was the waiting time/has the waiting time been]: (acceptable or not acceptable)?
113	WTME_41A	Acceptable waiting time	continuous	numeric-3.0	106	132115	In this particular case, what do you think is an acceptable waiting time?
114	WTME_41B	Acceptable waiting time - unit	discrete	numeric-1.0	106	132115	Interviewer : Enter unit of time.
115	WTME_42	Test cancelled or postponed	discrete	numeric-1.0	563	131658	Was your test cancelled or postponed at any time?
116	WTME_43	Test cancelled or postponed by	discrete	numeric-1.0	35	132186	Was it cancelled or postponed by: (yourself, the specialist, the hospital or the clinic)?
117	WTME_44	Life affected by wait/test	discrete	numeric-1.0	561	131660	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this test?
118	WTME_45A	Life affected by wait - worry	discrete	numeric-1.0	63	132158	How was your life affected as a result of waiting for this test? - Worry, anxiety, stress
119	WTME_45B	Life affected by wait - worry for family	discrete	numeric-1.0	63	132158	How was your life affected as a result of waiting for this test? - Worry or stress for family or friends
120	WTME_45C	Life affected by wait - pain	discrete	numeric-1.0	63	132158	How was your life affected as a result of waiting for this test? - Pain
121	WTME_45D	Life affected by wait - prob. daily act.	discrete	numeric-1.0	63	132158	How was your life affected as a result of waiting for this test? - Problems with activities of daily living (e.g., dressing, driving)
122	WTME_45E	Life affected by wait - loss of work	discrete	numeric-1.0	63	132158	How was your life affected as a result of waiting for this test? - Loss of work
123	WTME_45F	Life affected by wait - loss of income	discrete	numeric-1.0	63	132158	How was your life affected as a result of waiting for this test? - Loss of income
124	WTME_45G	Life affected by wait - incr. dependence	discrete	numeric-1.0	63	132158	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends
125	WTME_45H	Life affected by wait-incr. use med.	discrete	numeric-1.0	63	132158	How was your life affected as a result of waiting for this test? - Increased use of over-the-counter drugs

#	Name	Label	Туре	Format	Valid	Invalid	Question
126	WTME_45I	Life affected by wait - health deter.	discrete	numeric-1.0	63	132158	How was your life affected as a result of waiting for this visit? - Overall health deteriorated, condition got worse
127	WTME_45J	Life affected by wait - health improved	discrete	numeric-1.0	63	132158	How was your life affected as a result of waiting for this visit? - Health problem improved
128	WTME_45K	Life affected by wait - pers. rel.	discrete	numeric-1.0	63	132158	How was your life affected as a result of waiting for this test? - Personal relationships suffered
129	WTME_45L	Life affected by wait - other	discrete	numeric-1.0	63	132158	How was your life affected as a result of waiting for this test? - Other
130	WTMEDSO	# days wait/med. specseen spec (D)	continuous	numeric-4.0	506	131715	# days wait/med. specseen spec (D)
131	WTMEDSN	# days wait/med. spec not seen - (D)	continuous	numeric-4.0	60	132161	# days wait/med. spec not seen - (D)
132	WTMEDSA	# days accept. wait - med. spec. (D)	continuous	numeric-4.0	565	131656	# days accept. wait - med. spec. (D)
133	WTMEDCO	# days wait-non-urg. surg - surg. done(D)	continuous	numeric-4.0	346	131875	# days wait-non-urg. surg -surg. done(D)
134	WTMEDCN	# days wait-non-urg. surg-not done (D)	continuous	numeric-4.0	30	132191	# days wait - non-urg. surg-not done(D)
135	WTMEDCA	# days accept. wait -n-emer. surg (D)	continuous	numeric-4.0	377	131844	# days accept. wait -n-emer. surg (D)
136	WTMEDTO	# days wait - diag. test - done - (D)	continuous	numeric-4.0	521	131700	# days wait - diag. test - done - (D)
137	WTMEDTN	# days wait - diag. test -not done -(D)	continuous	numeric-4.0	25	132196	# days wait - diag. test -not done -(D)
138	WTMEDTA	# days accept. wait - diag. test -(D)	continuous	numeric-4.0	542	131679	# days accept. wait - diag. test -(D)

Gro	Group Labour Force - common portion										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	LBSEDHPW	Total usual hrs. worked current - (D)	continuous	numeric-3.0	71004	61217	Total usual hrs. worked current - (D)				
2	LBSEDPFT	Full/part-time - current jobs - (D)	discrete	numeric-1.0	71004	61217	Full/part-time - current jobs - (D)				
3	LBSEDWSS	Working status last week - 4 grps - (D)	discrete	numeric-1.0	110630	21591	Working status last week - 4 grps - (D)				

Group Socio-demographic characteristics										
#	Name	Label	Туре	Format	Valid	Invalid	Question			
1	SDCE_8	Current student	discrete	numeric-1.0	123271	8950	Are you currently attending a school, college or university?			
2	SDCE_9	Full-time student/part-time student	discrete	numeric-1.0	14610	117611	Are you enrolled as a full-time student or a part-time student?			
3	SDCEGCBG	Country of birth - Canada/ other - (G)	discrete	numeric-1.0	125991	6230	Country of birth - Canada/other - (G)			
4	SDCEFIMM	Immigrant - (F)	discrete	numeric-1.0	129207	3014	Immigrant - (F)			

#	Name	Label	Туре	Format	Valid	Invalid	Question
5	SDCEGRES	Length/time in Canada since imm (D,G)	continuous	numeric-1.0	17395	114826	Length/time in Canada since imm (D,G)
6	SDCEGCGT	Cultural or racial origin - (D, G)	discrete	numeric-1.0	129026	3195	Cultural or racial origin - (D, G)
7	SDCEGLNG	Languages - can converse - (D,G)	discrete	numeric-1.0	129472	2749	Languages - can converse - (D,G)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	INSEFOPT	Optional module: INS - (F)	discrete	numeric-1.0	132221	0	Optional module: INS - (F)
2	INSE_1	Insurance - prescription medications	discrete	numeric-1.0	40287	91934	Do you have insurance that covers all or part of the cost of your prescription medications?
3	INSE_1A	Type of plan -gov sponsored (med)	discrete	numeric-1.0	30604	101617	Is it a government-sponsored plan?
4	INSE_1B	Type of plan - employer- sponsored (med)	discrete	numeric-1.0	30604	101617	Is it an employer-sponsored plan?
5	INSE_1C	Type of plan - private (med)	discrete	numeric-1.0	30604	101617	Is it a private plan?
6	INSE_2	Insurance - dental expenses	discrete	numeric-1.0	40296	91925	(Do you have insurance that covers all or part of) your dental expenses?
7	INSE_2A	Type of plan -gov sponsored (dental)	discrete	numeric-1.0	25599	106622	Is it a government-sponsored plan?
8	INSE_2B	Type of plan - employer- spons. (dental)	discrete	numeric-1.0	25599	106622	Is it an employer-sponsored plan?
9	INSE_2C	Type of plan - private (dental)	discrete	numeric-1.0	25599	106622	Is it a private plan?
10	INSE_3	Insurance - eye glasses/ contact lenses	discrete	numeric-1.0	39658	92563	(Do you have insurance that covers all or part of the costs of) eye glasses or contact lenses?
11	INSE_3A	Type of plan -gov sponsored (eyes)	discrete	numeric-1.0	23617	108604	Is it a government-sponsored plan?
12	INSE_3B	Type of plan - employer- spons. (eyes)	discrete	numeric-1.0	23617	108604	Is it an employer-sponsored plan?
13	INSE_3C	Type of plan - private (eyes)	discrete	numeric-1.0	23617	108604	Is it a private plan?
14	INSE_4	Insurance - hospital charges	discrete	numeric-1.0	38053	94168	(Do you have insurance that covers all or part of) hospital charges for a private or semi-private room?
15	INSE_4A	Type of plan -gov sponsored (hosp.)	discrete	numeric-1.0	22961	109260	Is it a government-sponsored plan?
16	INSE_4B	Type of plan - employer- spons. (hosp.)	discrete	numeric-1.0	22961	109260	Is it an employer-sponsored plan?
17	INSE_4C	Type of plan - private (hosp.)	discrete	numeric-1.0	22961	109260	Is it a private plan?

Group Education										
#	Name	Label	Туре	Format	Valid	Invalid	Question			
1	EDUEDH04	Highest level/edu HH 4 levels - (D)	discrete	numeric-1.0	121134	11087	Highest level/edu HH 4 levels - (D)			
2	EDUEDR04	Highest level/edu HH 4 levels - (D)	discrete	numeric-1.0	128868	3353	Highest level/edu HH 4 levels - (D)			

Group Income										
#	Name	Label	Туре	Format	Valid	Invalid	Question			
1	INCEG2	Total hhld inc main source - (G)	discrete	numeric-1.0	123409	8812	What was the main source of income?			
2	INCEGHH	Total hhld inc. from all sources - (D,G)	continuous	numeric-1.0	112358	19863	Total hhld inc. from all sources - (D,G)			
3	INCEGPER	Total pers. inc. from all sources -(D,G)	discrete	numeric-2.0	107531	24690	Total pers. inc. from all sources -(D,G)			
4	INCEDRCA	Household income distribution - (D)	discrete	numeric-2.0	110079	22142	Household income distribution - (D)			
5	INCEDRPR	Hhld inc. distribution-prov. level - (D)	discrete	numeric-2.0	110079	22142	Hhld inc. distribution-prov. level - (D)			
6	INCEDRRS	Hhld inc. distribution- hr level - (D)	discrete	numeric-2.0	110079	22142	Hhld inc. distribution- hr level - (D)			

#	Name	Label	Type	Format	Valid	Invalid	Question
1	FSCEFOPT	Optional module: FSC - (F)	discrete	numeric-1.0	132221	0	Optional module: FSC - (F)
2	FSCE_010	Food situation in household - 12 mo	discrete	numeric-1.0	101597	30624	Which of the following statements best describes the food eaten in your household in the past 12 months? Wor you say: (you always had enough of the kinds of food you wanted to eat,, or often you didn't have enough to eat)?
3	FSCE_020	Worried food would run out - 12 mo	discrete	numeric-1.0	101377	30844	You and other household members worried that food would run out befor you got money to buy more. Was that often true, sometimes true, or never tr in the past 12 months?
4	FSCE_030	No food and no money for more - 12 mo	discrete	numeric-1.0	101316	30905	The food that you and other household members bought just didn't last, and there wasn't any money to get more. Was that often true, sometimes true, o never true in the past 12 months?
5	FSCE_040	Could not afford balanced meals - 12 mo	discrete	numeric-1.0	101258	30963	You and other household members couldn't afford to eat balanced meals. the past 12 months was that often true sometimes true, or never true?
6	FSCE_050	Few kinds low-cost food for kids -12 mo	discrete	numeric-1.0	30418	101803	You or other adults in your household relied on only a few kinds of low-cost food to feed the children because you were running out of money to buy foo Was that often true, sometimes true, o never true in the past 12 months?
7	FSCE_060	Couldn't feed child. bal. meal - 12 mo	discrete	numeric-1.0	30411	101810	You or other adults in your household couldn't feed the children a balanced meal, because you couldn't afford it. Was that often true, sometimes true, o never true in the past 12 months?
8	FSCE_070	Children were not eating enough - 12 mo	discrete	numeric-1.0	4766	127455	The children were not eating enough because you or other adults in your household just couldn't afford enough food. Was that often, sometimes, or never true in the past 12 months?
9	FSCE_080	Adults cut or skipped meals - 12 mo	discrete	numeric-1.0	11799	120422	In the past 12 months, did you or othe adults in your household ever cut the

#	Name	Label	Type	Format	Valid	Invalid	Question
							size of your meals or skip meals because there wasn't enough money for food?
10	FSCE_081	Adults skipped meals (freq) - 12 mo	discrete	numeric-1.0	3722	128499	How often did this happenalmost every month, some months but not every month, or in only 1 or 2 months?
11	FSCE_090	Ate less than felt should - 12 mo	discrete	numeric-1.0	11790	120431	In the past 12 months, did you (personally) ever eat less than you felt you should because there wasn't enough money to buy food?
12	FSCE_100	Was hungry but could not eat - 12 mo	discrete	numeric-1.0	11787	120434	In the past 12 months, were you (personally) ever hungry but didn't eat because you couldn't afford enough food?
13	FSCE_110	Lost weight no money for food- 12 mo	discrete	numeric-1.0	11747	120474	In the past 12 months, did you (personally) lose weight because you didn't have enough money for food?
14	FSCE_120	Adults did not eat whole day - 12 mo	discrete	numeric-1.0	5018	127203	In the past 12 months, did you or other adults in your household ever not eat for a whole day because there wasn't enough money for food?
15	FSCE_121	Adults not eat whole day (freq) - 12 mo	discrete	numeric-1.0	881	131340	How often did this happenalmost every month, some months but not every month, or in only 1 or 2 months?
16	FSCE_130	Cut size of children's meals - 12 mo	discrete	numeric-1.0	1893	130328	In the past 12 months, did you or other adults in your household ever cut the size of any of the children's meals because there wasn't enough money for food?
17	FSCE_140	Children skipped meals - 12 mo	discrete	numeric-1.0	1895	130326	In the past 12 months, did any of the children ever skip meals because there wasn't enough money for food?
18	FSCE_141	Freq child. skipped meals - 12 mo	discrete	numeric-1.0	116	132105	How often did this happenalmost every month, some months but not every month, or in only 1 or 2 months?
19	FSCE_150	Children were hungry - 12 mo	discrete	numeric-1.0	1891	130330	In the past 12 months, were any of the children ever hungry but you just couldn't afford more food?
20	FSCE_160	Children did not eat whole day - 12 mo	discrete	numeric-1.0	1893	130328	In the past 12 months, did any of the children ever not eat for a whole day because there wasn't enough money for food?
21	FSCEDHFS	Household food security status - (D)	discrete	numeric-1.0	100579	31642	Household food security status - (D)

Gro	Group Weights									
#	Name	Label	Туре	Format	Valid	Invalid	Question			
1	WTSE_M	Weights - Master	continuous	numeric-7.2	132221	0	Weights - Master			

Variables Description

Dataset contains 1284 variable(s)

Information	[Type= continuous] [Format=numeric] [Range= 1-132221] [Missing=*]		
Statistics [NW/W]	stics [NW/W] [Valid=132221 / 27126164.98] [Invalid=0 / 0] [Mean=66111 / 66116.72] [StdDev=38169.059 / 38254.872]		
Universe	All respondents		
Literal question	Sequential record number		

GEOEGPRV: Province of residence of respondent-(G)

Information	[Type= discrete] [Format=numeric] [Range= 10-60] [Missing=*]	
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents	
Literal question	Province of residence of respondent-(G)	

Value	Label	Cases	Weighted	Percentage (Weighted)	
10	NFLD & LAB.	4111	448812.4	1.7%	
11	PEI	2031	117477.8	0.4%	
12	NOVA SCOTIA	5066	795983.2	2.9%	
13	NEW BRUNSWICK	5100	638232.2	2.4%	
24	QUEBEC	29165	6467615.3	23.8%	
35	ONTARIO	41766	10570076.1		39.0%
46	MANITOBA	7352	935340.0	3.4%	
47	SASKATCHEWAN	7765	787764.6	2.9%	
48	ALBERTA	11800	2686119.0	9.9%	
59	BRITISH COLUMBIA	15407	3601944.9	13.3%	
60	YUKON/NWT/NUNA.	2658	76799.6	0.3%	
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEOEDPMF: Health Region (5) - (G)

Information	[Type= discrete] [Format=numeric] [Range= 10911-60901] [Missing=*]		
Statistics [NW/W]	Valid=132221 / 27126164.98] [Invalid=0 / 0]		
Universe	All respondents		
Literal question	Health Region (5) - (G)		
Notes	Based on GEOEDHR4, GEOEFPMF. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)
10911	EASTERN REGIONAL	1814	260577.7	1.0%
10912	CENTRAL REGIONAL	747	85324.0	0.3%
10913	WEST/LABR/GREN	1550	102910.6	0.4%
11901	WEST/EAST/KINGS	1295	58950.7	0.2%
11903	QUEENS	736	58527.1	0.2%
12901	ZONE 1 (DHA 1&2)	800	108005.4	0.4%
12902	ZONE 2 (DHA 3)	656	69366.6	0.3%
12903	ZONE 3 (DHA 4&5)	718	90624.7	0.3%
12904	ZONE 4 (DHA 6&7)	713	80101.9	0.3%

GEOEDPMF: Health Region (5) - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
12905	ZONE 5 (DHA 8)	836	109084.0	0.4%
12906	ZONE 6 (DHA 9)	1343	338800.6	1.2%
13901	REGION 1	968	166298.4	0.6%
13902	REGION 2	980	150678.1	0.6%
13903	REGION 3	947	141333.6	0.5%
13904	REGIONS 4 AND 5	1006	69019.2	0.3%
13906	REGIONS 6 AND 7	1199	110902.7	0.4%
24901	BAS-ST-LAURENT	3518	174615.2	0.6%
24902	SAG./LAC ST-JEAN	1230	235861.0	0.9%
24903	CAPITALE-NAT'L	1883	578539.8	2.1%
24904	MAUR. CTR QUEBEC	1682	415106.4	1.5%
24905	L'ESTRIE	1233	256622.2	0.9%
24906	MONTRÉAL	5390	1621596.2	6.0%
24907	OUTAOUAIS	1256	291211.0	1.1%
24908	ABITIBI-TÉMISC.	1170	120353.6	0.4%
24909	CÔTE-NORD	1175	71538.8	0.3%
24911	GASP. ÎLES MADE.	1214	82186.1	0.3%
24912	CHAU. APPALACHES	1414	339611.8	1.3%
24913	LAVAL	2432	316630.1	1.2%
24914	LANAUDIÈRE	1447	359885.5	1.3%
24915	LAURENTIDES	1532	432351.3	1.6%
24916	MONTÉRÉGIE	2589	1171506.3	4.3%
35926	DISTR. ALGOMA HU	832	101249.4	0.4%
35927	BRANT COUNTY HU	798	111894.9	0.4%
35930	DURHAM REG HU	1579	480906.3	1.8%
35931	ELGIN-ST THOMAS	708	73350.1	0.3%
35933	GREY BRUCE HU	1011	138475.4	0.5%
35934	HALDIMAND-NORF.	729	94759.1	0.3%
35935	HAL/KAWPINE DHU	990	151143.4	0.6%
35936	HALTON REG. HU	1399	373321.4	1.4%
35937	CITY HAMILTON HU	1683	442206.4	1.6%
35938	HASTINGS/P.E CNT	908	137439.9	0.5%
35939	HURON/PERTH HU	1206	116723.7	0.4%
35940	CHATHAM-KENT HU	794	91813.9	0.3%
35941	KING/FRO/LEN/ADD	1001	157904.5	0.6%
35942	LAMBTON HU	840	110191.5	0.4%
35943	LEEDS-GREN-LAN.	997	144582.6	0.5%
35944	MIDDLESEX-LONDON	1418	369370.3	1.4%
35946	NIAGARA REG. HU	1544	372519.2	1.4%
35947	N.BAY/TIMIS. HU	1416	135364.6	0.5%
35949	NORTHWESTERN HU	624	49998.8	0.2%
35951	CITY OTTAWA HU	1975	702062.6	2.6%
35952	OXFORD COUNTY HU	753	88101.5	0.3%

GEOEDPMF: Health Region (5) - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)	
35953	PEEL REGIONAL HU	2126	1010708.8	3.7%	
35955	PETERBOROUGH HU	846	113977.1	0.4%	
35956	PORCUPINE HU	694	72048.6	0.3%	
35957	RENFREW HU	753	81410.5	0.3%	
35958	EAST ONTARIO HU	1032	169256.3	0.6%	
35960	SIMCOE MUSKOKA	1753	405468.4	1.5%	
35961	SUDBURY DHU	1120	164698.7	0.6%	
35962	THUNDER BAY DHU	976	130833.7	0.5%	
35965	WATERLOO HU	1561	407038.6	1.5%	
35966	WELLDUFGUEL.	1104	218472.8	0.8%	
35968	WINDSOR-ESSEX	1474	340590.0	1.3%	
35970	YORK REGIONAL HU	1824	777780.5	2.9%	
35995	CITY OF TORONTO	3298	2234412.6	8.2%	
46910	WINNIPEG	2030	559088.9	2.1%	
46915	BRANDON/ASSINIB.	1224	96089.7	0.4%	
46920	N. & S. EASTMAN	1146	78595.0	0.3%	
46930	INTERLAKE	671	61773.3	0.2%	
46940	CENTRAL	783	80442.1	0.3%	
46960	PRK/NRM/BRNT/CHR	1498	59351.0	0.2%	
47901	SUN/5 HILL/CYPR	1748	125081.0	0.5%	
47904	REGINA QU'APPEL.	1228	200200.4	0.7%	
47905	SUNRISE/KELSEY T	1144	77761.0	0.3%	
47906	SASKATOON	1305	235619.9	0.9%	
47907	HEART./PRAIRIE N	1151	81070.4	0.3%	
47909	P.AL./MAM/KEE/AT	1189	68032.0	0.3%	
48920	CHINOOK RHA	1031	123501.5	0.5%	
48921	PALLISER HR	813	84748.1	0.3%	
48922	CALGARY HR	2648	995477.8	3.7%	
48923	DAVID THOMPSON	1303	239239.3	0.9%	
48924	EAST CENTRAL HLT	884	94225.4	0.3%	
48925	CAPITAL HEALTH	2543	854059.4	3.1%	
48926	ASPEN RHA	1019	135606.6	0.5%	
48927	PEACE CTY/NRTH L	1559	159260.9	0.6%	
59911	EAST KOOTENAY	579	71419.5	0.3%	
59912	KOOTENAY-BOUND.	579	70608.9	0.3%	
59913	OKANAGAN	1126	277185.8	1.0%	
59914	THOMPSON/CARIBOO	900	185604.1	0.7%	
59921	FRASER EAST	992	214579.2	0.8%	
59922	FRASER NORTH	1485	481661.8	1.8%	
59923	FRASER SOUTH	1533	537313.9	2.0%	
59931	RICHMOND	782	151182.4	0.6%	
59932	VANCOUVER	1515	520658.1	1.9%	
59933	NORTH SHORE/COAS	1021	232666.6	0.9%	

#GEOEDPMF: Health Region (5) - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
59941	S. VANCOUVER ISL	1351	300263.4	1.1%
59942	C. VANCOUVER ISL	1085	215871.3	0.8%
59943	N. VANCOUVER ISL	514	99261.8	0.4%
59951	NORTH WEST/EAST	1155	116660.6	0.4%
59952	NORTH. INTERIOR	790	127007.6	0.5%
60901	YUKON/NWT/NUNA.	2658	76799.6	0.3%
99996	NOT APPLICABLE	0	0.0	
99997	DON'T KNOW	0	0.0	
99998	REFUSAL	0	0.0	
99999	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEOEGSHR: Sub-Health Region (Québec only) - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 2490101-2491302] [Missing=*]	
Statistics [NW/W]	[Valid=11340 / 2112841.52] [Invalid=120881 / 25013323.46]	
Universe	e Respondents with GEOEDHR4 in 2401, 2406 or 2413	
Literal question	Sub-Health Region (Québec only) - (D,G)	
Notes	Based on GEOEDPC. See documentation on derived variables	

Value	Label	Cases	Weighted	Percentage (Weighted)
2490101	BAS-ST-LAURENT/E	1781	99456.4	4.7%
2490102	BAS-ST-LAURENT/O	1737	75158.7	3.6%
2490601	PIERREFONDS	461	183208.2	8.7%
2490602	LASALLE/LACHINE	462	118017.6	5.6%
2490603	VERDUN,ST-HENRI	446	116016.5	5.5%
2490604	RENÉ-CASSIN/NDG	451	105226.6	5.0%
2490605	CÔTE-DES-NEIGES	444	196333.2	9.3%
2490606	NORD DE L'ÎLE	441	111533.2	5.3%
2490607	AHUNSTIC/MTL N.	450	144423.8	6.8%
2490608	LA PETITE PATRIE	435	96607.9	4.6%
2490609	FAUBOURGS	472	121664.8	5.8%
2490610	SAINT-MICHEL	422	111469.2	5.3%
2490611	HOCHELAGA-MAISON	445	151302.5	7.2%
2490612	RIV-DES-PRAIRIES	461	165792.6	7.8%
2491301	LAVAL - EST	1226	152194.4	7.2%
2491302	LAVAL - OUEST	1206	164435.7	7.8%
9999996	NOT APPLICABLE	120881	25013323.5	
9999997	DON'T KNOW	0	0.0	
9999998	REFUSAL	0	0.0	
9999999	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SAME_TYP: Sample type

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]	

#SAME_TYP: Sample type

Literal question Sample type

Value	Label	Cases	Weighted	Percentage (Weighted)
1	AREA FRAME	65039	12020195.2	44.3%
2	PHONE FRAME LIST	66374	15083841.5	55.6%
3	PHONE FRAME RDD	808	22128.3	0.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADME_PRX: Health Component completed by proxy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents	
Literal question	Health Component completed by proxy	
Notes	See documentation on data collection in User Guide.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2080	505481.0	1.9%
2	NO	130141	26620683.9	98.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADME_N09: Interview by telephone/in person

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/W]	[Valid=64216 / 11833890.33] [Invalid=68005 / 15292274.65]		
Universe	Respondents with SAME_TYP = 1 (area frame)		
Literal question	Interviewer: Was this interview conducted on the telephone or in person?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ON TELEPHONE	13743	2682624.4	22.7%
2	IN PERSON	47407	8563465.4	72.4%
3	ВОТН	3066	587800.5	5.0%
6	NOT APPLICABLE	67182	15105969.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	823	186304.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADME_N10: Respondent alone during interview

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=129539 / 26450712.79] [Invalid=2682 / 675452.19]

ADME_N10: Respondent alone during interview

Universe	All respondents
Literal question Interviewer: Was the respondent alone when you asked this health questionnaire?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	112931	22854077.1	86.4%
2	NO	16608	3596635.7	13.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	478	124426.2	
8	REFUSAL	63	11044.2	
9	NOT STATED	2141	539981.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADME_N11: Answers aff./presence of another person

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	V/W] [Valid=16428 / 3555741.52] [Invalid=115793 / 23570423.46]		
Literal question	Interviewer: Do you think that the answers of the respondent were affected by someone else being there?		
Notes	Respondents with ADME_N10 = (2, 7 or 8)		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1173	264696.0	7.4%
2	NO	15255	3291045.5	92.6%
6	NOT APPLICABLE	112931	22854077.1	
7	DON'T KNOW	177	40499.7	
8	REFUSAL	3	394.5	
9	NOT STATED	2682	675452.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHEGAGE: Age - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]		
Universe	All respondents		
Literal question	What is your age?		
Notes	Derived from DHHE_DOB, DHHE_MOB and DHHE_YOB during interview and confirmed with respondent.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	12 TO 14 YEARS	6172	1235377.8	4.6%
2	15 TO 17 YEARS	6145	1304373.8	4.8%
3	18 TO 19 YEARS	3989	813008.8	3.0%
4	20 TO 24 YEARS	7740	2239015.8	8.3%
5	25 TO 29 YEARS	9227	2103064.2	7.8%
6	30 TO 34 YEARS	10252	2079629.6	7.7%
7	35 TO 39 YEARS	10058	2282458.5	8.4%
8	40 TO 44 YEARS	11172	2803793.0	10.3%
9	45 TO 49 YEARS	9143	2532177.0	9.3%
10	50 TO 54 YEARS	10296	2251247.4	8.3%
11	55 TO 59 YEARS	10645	1973800.8	7.3%
12	60 TO 64 YEARS	9268	1580369.0	5.8%

#DHHEGAGE: Age - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
13	65 TO 69 YEARS	7846	1213620.9	4.5%
14	70 TO 74 YEARS	7124	1030975.0	3.8%
15	75 TO 79 YEARS	5961	807899.7	3.0%
16	80 YEARS OR MORE	7183	875353.6	3.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHE_SEX: Sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents	
Literal question	Interviewer: Enter the respondent's sex. If necessary, ask: Is respondent male or female?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MALE	60545	13368853.0	49.3%
2	FEMALE	71676	13757312.0	50.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHEGMS: Marital status - (G)

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/W]	[Valid=132049 / 27103828.48] [Invalid=172 / 22336.5]	
Universe	All respondents	
Literal question	What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single, never married?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MARRIED	54775	13317284.2	49.1%
2	COMMON-LAW	11633	2628615.9	9.7%
3	WIDOW/SEP/DIV	25488	3071022.8	11.3%
4	SINGLE/NEVER MAR	40153	8086905.7	29.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	172	22336.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENE_01: Self-perceived health

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	V] [Valid=132057 / 27099425.84] [Invalid=164 / 26739.14]	
Universe	All respondents	
Literal question	In general, would you say your health is: (excellent, very good, good, fair, or poor)?	
Notes	By health, we mean not only the absence of disease or injury but also physical, mental and social wellbeing.	

#GENE_01: Self-perceived health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	26185	5934421.9	21.9%
2	VERY GOOD	48546	10357235.3	38.2%
3	GOOD	39063	7779790.0	28.7%
4	FAIR	13654	2283281.0	8.4%
5	POOR	4609	744697.7	2.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	152	23219.1	
8	REFUSAL	12	3520.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENE_02: Self-perceived hlth - compared 1 yr ago

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	Valid=132042 / 27096369.24] [Invalid=179 / 29795.74]	
Universe	All respondents	
Literal question	Compared to one year ago, how would you say your health is now? Is it: (much better now than 1 year ago, somewhat better now than 1 year ago, about the same as 1 year ago, somewhat worse now, or much worse now than 1 year ago)?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MUCH BETTER	9803	2079353.0	7.7%
2	SOMEWHAT BETTER	16414	3413968.8	12.6%
3	ABOUT THE SAME	90442	18737809.6	69.2%
4	SOMEWHAT WORSE	13100	2487630.0	9.2%
5	MUCH WORSE	2283	377607.9	1.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	170	27763.8	
8	REFUSAL	9	2031.9	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENE_02A: Satisfaction with life in general

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=129668 / 26536265.83] [Invalid=2553 / 589899.15]	
Universe	All respondents	
Literal question	How satisfied are you with your life in general: (very satisfied, satisfied, neither satisfied nor dissatisfied, dissatisfied, or very dissatisfied)?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	49588	10359627.0	39.0%
2	SATISFIED	68751	13990787.5	52.7%
3	NEITHER NOR	6880	1392119.2	5.2%
4	DISSATISFIED	3675	665614.3	2.5%
5	VERY DISSATIS.	774	128118.0	0.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	370	69721.1	
8	REFUSAL	99	13991.6	

#GENE_02A: Satisfaction with life in general

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	2084	506186.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#GENE_02B: Self-perceived mental health

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W] [Valid=129840 / 26567623.86] [Invalid=2381 / 558541.12]		
Universe	All respondents	
Literal question In general, would you say your mental health is: (excellent, very good, good, fair, or poor)?		
Notes	The "not stated" category includes people who did the interview by proxy.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	47486	10095792.7	38.0%
2	VERY GOOD	46848	9683683.5	36.4%
3	GOOD	28671	5497312.0	20.7%
4	FAIR	5585	1051197.0	4.0%
5	POOR	1250	239638.7	0.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	237	41663.8	
8	REFUSAL	60	10690.9	
9	NOT STATED	2084	506186.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#GENE_07: Self-perceived stress

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=125433 / 25774658.63] [Invalid=6788 / 1351506.35]	
Universe	Respondents aged 15 and over	
Literal question	Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT AT ALL	17805	3083572.8	12.0%
2	NOT VERY	31695	6104195.8	23.7%
3	A BIT	49752	10695443.3	41.5%
4	QUITE A BIT	21960	4959230.0	19.2%
5	EXTREMELY	4221	932216.8	3.6%
6	NOT APPLICABLE	6172	1235377.8	
7	DON'T KNOW	565	107540.4	
8	REFUSAL	50	8224.9	
9	NOT STATED	1	363.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#GENE_08: Worked at job

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=111653 / 23879815.11] [Invalid=20568 / 3246349.87]	
Universe Respondents aged 15 to 75	
Literal question	Have you worked at a job or business at any time in the past 12 months?

#GENE_08: Worked at job

Notes The "not stated" category includes people who did the interview by proxy.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	81040	18533487.9	77.6%
2	NO	30613	5346327.2	22.4%
6	NOT APPLICABLE	19316	2918631.1	
7	DON'T KNOW	13	2407.3	
8	REFUSAL	9	1026.4	
9	NOT STATED	1230	324285.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#GENE_09: Self perceived work stress

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=80160 / 18336681.91] [Invalid=52061 / 8789483.07]
Universe	Respondents who answered GENE_08 = (1, 7 or 8)
Literal question	The next question is about your main job or business in the past 12 months. Would you say that most days were: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?
Notes	The "not stated" category includes people who did the interview by proxy. The "not stated" category also includes respondents who answered they did not work at a job or business in the last 12 months at GENE_08 (General health module) and that they did work at a job or business in the last 12 months in the Labour Force module (LBF).

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT AT ALL	8514	1823859.3	9.9%
2	NOT VERY	15494	3439502.9	18.8%
3	A BIT	32867	7596904.5	41.4%
4	QUITE A BIT	18875	4472241.3	24.4%
5	EXTREMELY	4410	1004174.0	5.5%
6	NOT APPLICABLE	49929	8264958.3	
7	DON'T KNOW	195	52210.8	
8	REFUSAL	10	4474.0	
9	NOT STATED	1927	467840.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENE_10: Sense of belonging - local community

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	ntistics [NW/ W] [Valid=128287 / 26253693.74] [Invalid=3934 / 872471.24]	
Universe	All respondents	
Literal question	How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?	
Notes	The "not stated" category includes people who did the interview by proxy	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY STRONG	25863	4501088.6	17.1%
2	SOMEWHAT STRONG	60200	12402123.2	47.2%
3	SOMEWHAT WEAK	30332	6836643.1	26.0%
4	VERY WEAK	11892	2513838.8	9.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	1728	344409.7	

GENE_10: Sense of belonging - local community

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	121	21511.9	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENEDHDI: Self-rated health - (D)

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
Statistics [NW/W] [Valid=132057 / 27099425.84] [Invalid=164 / 26739.14]	
Universe	All respondents
Literal question Self-rated health - (D)	
Notes	Based on GENE_01. Higher scores indicate positive self-reported health status. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	POOR	4609	744697.7	2.7%
1	FAIR	13654	2283281.0	8.4%
2	GOOD	39063	7779790.0	28.7%
3	VERY GOOD	48546	10357235.3	38.2%
4	EXCELLENT	26185	5934421.9	21.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	164	26739.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENEDMHI: Self-rated mental health - (D)

Information	Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
Statistics [NW/W]	alid=129840 / 26567623.86] [Invalid=2381 / 558541.12]	
Universe	ll respondents	
Literal question	elf-rated mental health - (D)	
Notes	Based on GENE_02B. See documentation on derived variables.	

Value	Label	Cases	Weighted	Pe	ercentage (Weighted)	
0	POOR	1250	239638.7	0.9%		
1	FAIR	5585	1051197.0	4.0%		
2	GOOD	28671	5497312.0		20.7%	
3	VERY GOOD	46848	9683683.5			36.4%
4	EXCELLENT	47486	10095792.7			38.0%
6	NOT APPLICABLE	0	0.0			
7	DON'T KNOW	0	0.0			
8	REFUSAL	0	0.0			
9	NOT STATED	2381	558541.1			

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ORGEFOPT: Optional module: ORG -(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents	

#ORGEFOPT: Optional module: ORG -(F)

Literal question	Optional module: ORG -(F)
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4111	448812.4	1.7%
2	NO	128110	26677352.6	98
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ORGE_1: Member of a voluntary organization

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4028 / 439046.57] [Invalid=128193 / 26687118.41]	
Universe	Respondents with ORGEFOPT = 1	
Literal question	Are you a member of any voluntary organizations or associations such as school groups, church social groups, community centres, ethnic associations or social, civic or fraternal clubs?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1468	154024.5	35.1%
2	NO	2560	285022.1	64.9%
6	NOT APPLICABLE	128110	26677352.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	83	9765.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ORGE_2: Frequency - participate in activities

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=1467 / 153977.47] [Invalid=130754 / 26972187.51]	
Universe		
	Respondents who answered $ORGE_1 = (1, 7 \text{ or } 8)$	
Literal question	How often did you participate in meetings or activities of these groups in the past 12 months? If you belong to many, just think of the iones in which you are most active: (at least once a week, at least once a month,, or not at all)?	

Value	Label	Cases	Weighted	Percentag	ge (Weighted)
1	>= ONCE A WEEK	728	74461.5		48.4%
2	>= ONCE A MONTH	496	54467.8		35.4%
3	>= 3 TO 4 T./YR	159	16970.2	11.0%	
4	>= ONCE A YEAR	53	4882.7	3.2%	
5	NOT AT ALL	31	3195.2	2.1%	
6	NOT APPLICABLE	130670	26962374.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	1	47.0		
9	NOT STATED	83	9765.8		

CIHEFOPT: Optional module: CIH - (F)

Information	ormation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents	
Literal question	Optional module: CIH - (F)	
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	53229	11954228.4	44.1%
2	NO	78992	15171936.5	5
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_1: Did something to improve health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=52233 / 11683762.4] [Invalid=79988 / 15442402.58]
Universe	Respondents with CIHEFOPT = 1
Literal question	In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking, increased exercise)
Notes	In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking, increased exercise)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29132	6782126.0	58.0%
2	NO	23101	4901636.4	42.0%
6	NOT APPLICABLE	78992	15171936.5	
7	DON'T KNOW	60	11574.8	
8	REFUSAL	13	1620.5	
9	NOT STATED	923	257270.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_2: Most important change to improve health

Information	formation [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/W]	[Valid=29091 / 6772951.3] [Invalid=103130 / 20353213.68]	
Universe Respondents who answered CIHE_1 = (1, 7 or 8)		
Literal question	What is the single most important change you have made?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MORE EXERCISE	14909	3673003.8	54.2%
2	LOST WEIGHT	4045	840552.5	12.4%
3	EATING HABITS	4413	1073166.2	15.8%
4	SMOKE LESS/STOP	1707	359525.1	5.3%
5	LESS ALCOHOL	198	49285.8	0.7%
6	REDUCE STRESS LE	462	97266.4	1.4%
7	MEDICAL TREAT	1574	293145.0	4.3%

CIHE_2: Most important change to improve health

Value	Label	Cases	Weighted	Percentage (Weighted)
8	TOOK VITAMINS	475	106952.7	1.6%
9	OTHER	1308	280053.7	4.1%
96	NOT APPLICABLE	102093	20073572.9	
97	DON'T KNOW	41	9174.7	
98	REFUSAL	0	0.0	
99	NOT STATED	996	270466.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_3: Thinks should do something to improve hl

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=51972 / 11635913.47] [Invalid=80249 / 15490251.51]
Universe	Respondents who answered CIHE_1 = (1, 7 or 8)
Literal question	Do you think there is anything (else) you should do to improve your physical health?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	32987	7694567.2	66.1%
2	NO	18985	3941346.3	33.9%
6	NOT APPLICABLE	78992	15171936.5	
7	DON'T KNOW	256	46052.6	
8	REFUSAL	5	1796.3	
9	NOT STATED	996	270466.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_4: Most important thing to improve health

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/W]	[Valid=32919 / 7678250.03] [Invalid=99302 / 19447914.95]
Universe	Respondents who answered CIHE_3 = (1, 7 or 8) or CIHE_1 = (7 or 8)
Literal question	What is the most important thing?

Value	Label	Cases	Weighted	Percentage (Weight	ed)
1	MORE EXERCISE	15356	3755712.3		48.9%
2	LOST WEIGHT	4041	801800.5	10.4%	
3	EATING HABITS	5774	1438831.5	18.7%	
4	SMOKE LESS/STOP	5010	1004955.6	13.1%	
5	LESS ALCOHOL	247	62610.6	0.8%	
6	REDUCE STRESS LE	728	191656.9	2.5%	
7	MEDICAL TREAT	420	81887.1	1.1%	
8	TOOK VITAMINS	123	36952.2	0.5%	
9	OTHER	1220	303843.3	4.0%	
96	NOT APPLICABLE	97977	19113282.8		
97	DON'T KNOW	63	14997.1		
98	REFUSAL	5	1320.1		
99	NOT STATED	1257	318315.0		

CIHE_5: Barrier to improving health

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=32938 / 7685182.68] [Invalid=99283 / 19440982.3]
Universe	Respondents who answered CIHE_3 = (1, 7 or 8) or CIHE_1 = (7 or 8)
Literal question	Is there anything stopping you from making this improvement?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15555	3780480.2	49.2%
2	NO	17383	3904702.4	50.8%
6	NOT APPLICABLE	97977	19113282.8	
7	DON'T KNOW	48	9079.6	
8	REFUSAL	1	305.0	
9	NOT STATED	1257	318315.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_6A: Barrier improve hlth - lack will power

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15534 / 3774062.51] [Invalid=116687 / 23352102.47]
Universe	Respondents who answered CIHE_5 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)
Literal question	What is that? - Lack of will power / self-discipline

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5210	1170941.0	31.0%
2	NO	10324	2603121.6	69.0%
6	NOT APPLICABLE	115360	23017985.2	
7	DON'T KNOW	20	6246.4	
8	REFUSAL	1	171.3	
9	NOT STATED	1306	327699.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_6I: Barrier improve health - family respons.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15534 / 3774062.51] [Invalid=116687 / 23352102.47]	
Universe	Respondents who answered CIHE_5 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)	
Literal question	What is that? - family responsibilities	

Value	Label	Cases	Weighted	Percentage
1	YES	1790	527403.1	14.0%
2	NO	13744	3246659.4	
6	NOT APPLICABLE	115360	23017985.2	
7	DON'T KNOW	20	6246.4	
8	REFUSAL	1	171.3	
9	NOT STATED	1306	327699.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_6B: Barrier improve hlth - lwork schedule

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15534 / 3774062.51] [Invalid=116687 / 23352102.47]	

CIHE_6B: Barrier improve hlth - lwork schedule

Universe	Respondents who answered CIHE_5 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)
Literal question	What is that? -work schedule

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3634	1084226.1	28.7%
2	NO	11900	2689836.4	
6	NOT APPLICABLE	115360	23017985.2	
7	DON'T KNOW	20	6246.4	
8	REFUSAL	1	171.3	
9	NOT STATED	1306	327699.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_6J: Barrier improve health -add. drugs/alc.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	W] [Valid=15534 / 3774062.51] [Invalid=116687 / 23352102.47]	
Universe	Respondents who answered CIHE_5 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)	
Literal question	What is that? - Addiction to drugs / alcohol	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	209	50334.5	1.3%
2	NO	15325	3723728.0	98.7%
6	NOT APPLICABLE	115360	23017985.2	
7	DON'T KNOW	20	6246.4	
8	REFUSAL	1	171.3	
9	NOT STATED	1306	327699.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_6K: Barrier improve health - phys. condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15534 / 3774062.51] [Invalid=116687 / 23352102.47]	
Universe	Respondents who answered CIHE_5 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)	
Literal question	What is that? - Physical condition	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	931	166554.2	4.4%
2	NO	14603	3607508.3	95.6%
6	NOT APPLICABLE	115360	23017985.2	
7	DON'T KNOW	20	6246.4	
8	REFUSAL	1	171.3	
9	NOT STATED	1306	327699.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_6G: Barrier improve hlth - disability

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=15534 / 3774062.51] [Invalid=116687 / 23352102.47]		
Universe Respondents who answered CIHE_5 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)		
Literal question	What is that? - disability / health problem	

CIHE_6G: Barrier improve hlth - disability

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	779	134375.8	3.6%
2	NO	14755	3639686.8	96.4%
6	NOT APPLICABLE	115360	23017985.2	
7	DON'T KNOW	20	6246.4	
8	REFUSAL	1	171.3	
9	NOT STATED	1306	327699.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_6F: Barrier improve health - too stressed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15534 / 3774062.51] [Invalid=116687 / 23352102.47]	
Universe	Respondents who answered CIHE_5 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)	
Literal question	What is that? - Too stressed	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	977	223149.0	5.9%
2	NO	14557	3550913.5	94.1%
6	NOT APPLICABLE	115360	23017985.2	
7	DON'T KNOW	20	6246.4	
8	REFUSAL	1	171.3	
9	NOT STATED	1306	327699.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_6E: Barrier improve health - too costly

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=15534 / 3774062.51] [Invalid=116687 / 23352102.47]	
Universe Respondents who answered CIHE_5 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)	
Literal question	What is that? - Too costly / financial constraints

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	760	186371.8	4.9%
2	NO	14774	3587690.7	95.1%
6	NOT APPLICABLE	115360	23017985.2	
7	DON'T KNOW	20	6246.4	
8	REFUSAL	1	171.3	
9	NOT STATED	1306	327699.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_6L: Barrier improve health - not avail./area

Information	ation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15534 / 3774062.51] [Invalid=116687 / 23352102.47]	
Universe Respondents who answered CIHE_5 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)		
Literal question	What is that? - Not available - in area	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	145	27387.2	0.7%

CIHE_6L: Barrier improve health - not avail./area

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	15389	3746675.3	99.39
6	NOT APPLICABLE	115360	23017985.2	
7	DON'T KNOW	20	6246.4	
8	REFUSAL	1	171.3	
9	NOT STATED	1306	327699.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_6M: Barrier improve health - trans. problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15534 / 3774062.51] [Invalid=116687 / 23352102.47]	
Universe	Respondents who answered CIHE_5 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)	
Literal question	What is that? - Transportation problem	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	75	15641.7	0.4%
2	NO	15459	3758420.8	99.6%
6	NOT APPLICABLE	115360	23017985.2	
7	DON'T KNOW	20	6246.4	
8	REFUSAL	1	171.3	
9	NOT STATED	1306	327699.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_6N: Barrier improve health - weather prob.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15534 / 3774062.51] [Invalid=116687 / 23352102.47]
Universe	Respondents who answered CIHE_5 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)
Literal question	What is that? - Weather problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	480	108368.4	2.9%
2	NO	15054	3665694.1	97.1%
6	NOT APPLICABLE	115360	23017985.2	
7	DON'T KNOW	20	6246.4	
8	REFUSAL	1	171.3	
9	NOT STATED	1306	327699.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#CIHE_6H: Barrier improve health - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15534 / 3774062.51] [Invalid=116687 / 23352102.47]	
Universe	Respondents who answered CIHE_5 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)	
Literal question	What is that? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2997	783831.1	20.8%	
2	NO	12537	2990231.4	79.2%	

CIHE_6H: Barrier improve health - other

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	115360	23017985.2	
7	DON'T KNOW	20	6246.4	
8	REFUSAL	1	171.3	
9	NOT STATED	1306	327699.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_7: Intending to improve health over next yr

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=32608 / 7601483.5] [Invalid=99613 / 19524681.48]	
Universe Respondents who answered CIHE_3 = (1, 7 or 8) or CIHE_1 = (7 or 8)		
Literal question	Is there anything you intend to do to improve your physical health in the next year?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23607	5632676.3	74.1%
2	NO	9001	1968807.2	25.9%
6	NOT APPLICABLE	97977	19113282.8	
7	DON'T KNOW	375	92516.4	
8	REFUSAL	4	567.3	
9	NOT STATED	1257	318315.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_8A: Health improvement - more exercise

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=23571 / 5622053.29] [Invalid=108650 / 21504111.69]	
Universe	Respondents who answered CIHE_7 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)	
Literal question	What is that? - Start / Increase exercise, sports / physical activity	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15341	3788057.8	67.4%
2	NO	8230	1833995.5	32.6%
6	NOT APPLICABLE	106978	21082090.0	
7	DON'T KNOW	34	9763.6	
8	REFUSAL	2	859.4	
9	NOT STATED	1636	411398.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_8B: Health improvement - lose weight

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=23571 / 5622053.29] [Invalid=108650 / 21504111.69]	
Universe	Respondents who answered CIHE_7 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)	
Literal question	What is that? - Lose weight	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3381	730422.0	13.0%
2	NO	20190	4891631.3	87.0%
6	NOT APPLICABLE	106978	21082090.0	

CIHE_8B: Health improvement - lose weight

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	34	9763.6	
8	REFUSAL	2	859.4	
9	NOT STATED	1636	411398.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_8C: Health improvement - eating habits

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=23571 / 5622053.29] [Invalid=108650 / 21504111.69]	
Universe	Respondents who answered CIHE_7 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)	
Literal question	What is that? - Change diet / improve eating habits	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4715	1171059.2	20.8%
2	NO	18856	4450994.1	79.2%
6	NOT APPLICABLE	106978	21082090.0	
7	DON'T KNOW	34	9763.6	
8	REFUSAL	2	859.4	
9	NOT STATED	1636	411398.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_8J: Health improvement - quit smoking

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=23571 / 5622053.29] [Invalid=108650 / 21504111.69]
Universe	Respondents who answered CIHE_7 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)
Literal question	What is that? - Quit smoking / reduce amount smoked

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2774	580862.1	10.3%
2	NO	20797	5041191.2	89.7%
6	NOT APPLICABLE	106978	21082090.0	
7	DON'T KNOW	34	9763.6	
8	REFUSAL	2	859.4	
9	NOT STATED	1636	411398.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_8K: Health improvement - drink less alcohol

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=23571 / 5622053.29] [Invalid=108650 / 21504111.69]	
Universe	Respondents who answered CIHE_7 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)	
Literal question	What is that? - Drink less alcohol	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	180	42464.5	0.8%
2	NO	23391	5579588.8	99.2%
6	NOT APPLICABLE	106978	21082090.0	
7	DON'T KNOW	34	9763.6	

CIHE_8K: Health improvement - drink less alcohol

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	2	859.4	
9	NOT STATED	1636	411398.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_8G: Health improvement - reduce stress

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=23571 / 5622053.29] [Invalid=108650 / 21504111.69]	
Universe	Respondents who answered CIHE_7 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)	
Literal question	What is that? - Reduce stress level	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	882	224677.1	4.0%
2	NO	22689	5397376.2	96.0%
6	NOT APPLICABLE	106978	21082090.0	
7	DON'T KNOW	34	9763.6	
8	REFUSAL	2	859.4	
9	NOT STATED	1636	411398.7	
Warning: these fi	gures indicate the number of cases found in the data file. They cannot be	e interpreted as si	ummary statistics of the	population of interest.

# CIHE_8L: Health improv receive med. treatment		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=23571 / 5622053.29] [Invalid=108650 / 21504111.69]	
Parameter Cine Parameter Cihe Parame		
Literal question	What is that? - Receive medical treatment	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	574	119113.4	2.1%
2	NO	22997	5502939.9	97.9%
6	NOT APPLICABLE	106978	21082090.0	
7	DON'T KNOW	34	9763.6	
8	REFUSAL	2	859.4	
9	NOT STATED	1636	411398.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_8H: Health improvement - take vitamins

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=23571 / 5622053.29] [Invalid=108650 / 21504111.69]		
Universe	Respondents who answered CIHE_7 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)		
Literal question	What is that? - Take vitamins		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	315	81571.3	1.5%
2	NO	23256	5540482.0	98.5%
6	NOT APPLICABLE	106978	21082090.0	
7	DON'T KNOW	34	9763.6	
8	REFUSAL	2	859.4	
9	NOT STATED	1636	411398.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIHE_8I: Health improvement - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=23571 / 5622053.29] [Invalid=108650 / 21504111.69]	
Universe	Respondents who answered CIHE_7 = (1, 7 or 8) or CIHE_3 = (7 or 8) or CIHE_1 = (7 or 8)	
Literal question	What is that? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1215	306710.3	5.5%
2	NO	22356	5315343.0	94.5%
6	NOT APPLICABLE	106978	21082090.0	
7	DON'T KNOW	34	9763.6	
8	REFUSAL	2	859.4	
9	NOT STATED	1636	411398.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCSEFOPT: Optional module: HCS - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents	
Literal question	Optional module: HCS - (F)	

HCSEFOPT: Optional module: HCS - (F)

Notes Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5066	795983.2	2.9%
2	NO	127155	26330181.8	97.1
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCSE_1: Rating of availability hlth care - prov

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=4619 / 721687.91] [Invalid=127602 / 26404477.07]
Universe	Respondents aged 15 and over with HCSEFOPT = 1
Literal question	Overall, how would you rate the availability of health care services in [province]? Would you say it is: (excellent, good, fair, or poor)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	505	78262.1	10.8%
2	GOOD	2129	335700.1	46.5%
3	FAIR	1352	205671.1	28.5%
4	POOR	633	102054.6	14.1%
6	NOT APPLICABLE	127370	26365198.2	
7	DON'T KNOW	120	20633.1	
8	REFUSAL	7	913.4	
9	NOT STATED	105	17732.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCSE_2: Rating of quality of health care - prov

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=4586 / 716359.82] [Invalid=127635 / 26409805.16]
Universe	Respondents aged 15 and over with HCSEFOPT = 1
Literal question	Overall, how would you rate the quality of the health care services that are available in [province]: (excellent, good, fair, or poor)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	712	108772.8	15.2%
2	GOOD	2573	411193.2	57.4%
3	FAIR	1019	156123.6	21.8%
4	POOR	282	40270.2	5.6%
6	NOT APPLICABLE	127370	26365198.2	
7	DON'T KNOW	33	5328.1	
8	REFUSAL	0	0.0	
9	NOT STATED	232	39278.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCSE_3: Rating of availability hlth care - comm.

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=4571 / 712518.46] [Invalid=127650 / 26413646.52]

HCSE_3: Rating of availability hlth care - comm.

Universe Respondents aged 15 and over with HCSEFOPT = 1

Literal question Overall, how would you rate the availability of health care services in your community?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	574	89618.2	12.6%
2	GOOD	2112	330196.7	46.3%
3	FAIR	1206	185521.2	26.0%
4	POOR	679	107182.4	15.0%
6	NOT APPLICABLE	127370	26365198.2	
7	DON'T KNOW	48	9169.4	
8	REFUSAL	0	0.0	
9	NOT STATED	232	39278.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCSE_4: Rating of quality of hlth care - comm.

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/W]	[Valid=4532 / 706321.13] [Invalid=127689 / 26419843.85]			
Universe	Respondents aged 15 and over with HCSEFOPT = 1			
Literal question	Overall, how would you rate the quality of the health care services that are available in your community?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	714	109027.3	15.4%
2	GOOD	2507	392246.4	55.5%
3	FAIR	914	144330.6	20.4%
4	POOR	397	60716.8	8.6%
6	NOT APPLICABLE	127370	26365198.2	
7	DON'T KNOW	83	14685.2	
8	REFUSAL	4	681.5	
9	NOT STATED	232	39278.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HWTE_4: Opinion of own weight - self-reported

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W] [Valid=127350 / 26127455.9] [Invalid=4871 / 998709.08]	
Universe	All respondents
Literal question	Do you consider yourself: (overweight, underweight, or just about right)?
Notes	The "not stated" category includes people who did the interview by proxy

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OVERWEIGHT	50812	10020972.9	38.4%
2	UNDERWEIGHT	5500	1140539.7	4.4%
3	JUST ABOUT RIGHT	71038	14965943.3	57.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	211	36562.1	
8	REFUSAL	21	3298.4	
9	NOT STATED	4639	958848.6	
Warning: these figure	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# HWTEGHTM: Height (metres) / self-reported - (D,G)		
Information [Type= continuous] [Format=numeric] [Range= 0.914-2.134] [Missing=*]		
Statistics [NW/W]	Statistics [NW/W] [Valid=131110 / 26928167.15] [Invalid=1111 / 197997.83]	
Universe All respondents		
Literal question Height (metres) / self-reported - (D,G)		
Notes	Based on HWTE_2, HWTE_2C, HWTE_2D, HWTE_2E, HWTE_2F. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
0.914	0.926 M OR LESS	0	0.0	
0.94	0.927 TO 0.952 M	0	0.0	
0.965	0.953 TO 0.977 M	0	0.0	
0.991	0.978 TO 1.002 M	0	0.0	
1.016	1.003 TO 1.028 M	0	0.0	
1.041	1.029 TO 1.053 M	0	0.0	
1.067	1.054 TO 1.079 M	0	0.0	
1.092	1.080 TO 1.104 M	0	0.0	
1.118	1.105 TO 1.129 M	0	0.0	
1.143	1.130 TO 1.155 M	0	0.0	
1.168	1.156 TO 1.180 M	0	0.0	
1.194	1.181 TO 1.206 M	0	0.0	
1.219	1.207 TO 1.231 M	0	0.0	
1.245	1.232 TO 1.256 M	0	0.0	
1.27	1.257 TO 1.282 M	24	3936.1	0.0%
1.295	1.283 TO 1.307 M	5	611.5	0.0%
1.321	1.308 TO 1.333 M	43	10181.2	0.0%
1.346	1.334 TO 1.358 M	36	8283.2	0.0%
1.372	1.359 TO 1.383 M	44	9586.1	0.0%
1.397	1.384 TO 1.409 M	101	19524.9	0.1%
1.422	1.410 TO 1.434 M	134	22009.8	0.1%
1.448	1.435 TO 1.460 M	243	42742.4	0.2%
1.473	1.461 TO 1.485 M	763	134670.9	0.5%
1.499	1.486 TO 1.510 M	1802	348536.2	1.3%
1.524	1.511 TO 1.536 M	4788	881397.2	3.3%
1.549	1.537 TO 1.561 M	5555	1043606.4	3.9%
1.575	1.562 TO 1.587 M	10591	1967983.8	7.3%
1.6	1.588 TO 1.612 M	10266	2046584.5	7.6%
1.626	1.613 TO 1.637 M	12137	2350740.5	8.7%
1.651	1.638 TO 1.663 M	9953	1993691.3	7.4%
1.676	1.664 TO 1.688 M	11725	2406463.0	8.9%
1.702	1.689 TO 1.714 M	11227	2325723.9	8.6%
1.727	1.715 TO 1.739 M	11092	2303683.7	8.6%
1.753	1.740 TO 1.764 M	8423	1807536.9	6.7%
1.778	1.765 TO 1.790 M	9705	2100152.5	7.8%
1.803	1.791 TO 1.815 M	8322	1843880.9	6.8%
1.829	1.816 TO 1.841 M	6133	1399519.1	5.2%
1.854	1.842 TO 1.866 M	3262	762216.1	2.8%
1.88	1.867 TO 1.891 M	2480	558849.2	2.1%

HWTEGHTM: Height (metres) / self-reported - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1.905	1.892 TO 1.917 M	1179	273143.3	1.0%
1.93	1.918 TO 1.942 M	819	195068.4	0.7%
1.956	1.943 TO 1.968 M	258	67844.2	0.3%
1.981	1.969 TO 1.993 M	0	0.0	
2.007	1.994 TO 2.018 M	0	0.0	
2.032	2.019 TO 2.044 M	0	0.0	
2.057	2.045 TO 2.069 M	0	0.0	
2.083	2.070 TO 2.095 M	0	0.0	
2.108	2.096 TO 2.120 M	0	0.0	
2.134	2.121M OR TALLER	0	0.0	
9.996	NOT APPLICABLE	0	0.0	
9.997	DON'T KNOW	0	0.0	
9.998	REFUSAL	0	0.0	
9.999	NOT STATED	1111	197997.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTEGWTK: Weight (kilograms)/self-reported - (D,G)

Information	[Type= continuous] [Format=numeric] [Range= 30.6-135] [Missing=*]
Statistics [NW/W] [Valid=128237 / 26367231.69] [Invalid=3984 / 758933.29] [Mean=73.195 / 72.904] [StdDev=16.952 / 16.845]	
Universe	All respondents
Literal question	Weight (kilograms)/self-reported - (D,G)
Notes	Based on HWTE_3, HWTE_N4. See documentation on derived variables

Value	Label	Cases	Weighted
999.96	NOT APPLICABLE	0	0.0
999.97	DON'T KNOW	0	0.0
999.98	REFUSAL	0	0.0
999.99	NOT STATED	3984	758933.3

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTEGBMI: BMI / self-report - (D,G)

Information	[Type= continuous] [Format=numeric] [Range= 11.91-54.96] [Missing=*]
Statistics [NW/W] [Valid=127228 / 26158871.58] [Invalid=4993 / 967293.4] [Mean=25.629 / 25.31] [StdDev=5.066 / 4.893]	
Universe	All respondents excluding pregnant women (MAME_037 = 1)
Literal question BMI / self-report - (D,G)	
Notes	Based on HWTEGHTM, HWTEGWTK. See documentation on derived variables

Value Label		Cases	Weighted	
999.96 NOT APPLICA	ABLE	0	0.0	
999.97 DON'T KNOW		0	0.0	
999.98 REFUSAL		0	0.0	
999.99 NOT STATED		4993	967293.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTEGISW: BMI class. (18 +) / self-report - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=115787 / 23790280.28] [Invalid=16434 / 3335884.7]

# HWTEGISW: BMI class. (18 +) / self-report - (D,G)		
Universe Respondents aged 18 and over excluding pregnant women (MAME_037 = 1)		
Literal question BMI class. (18 +) / self-report - (D,G)		
Notes Based on DHHE_AGE, HWTEDBMI. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)			
1	UNDERWEIGHT	2918	657934.7	2.8%			
2	NORMAL WEIGHT	51970	11241940.1				47.3%
3	OVERWEIGHT	40082	8126639.3			34.2%	
4	OBESE	20817	3763766.2		15.8%		
6	NOT APPLICABLE	12317	2539751.7				
7	DON'T KNOW	0	0.0				
8	REFUSAL	0	0.0				
9	NOT STATED	4117	796133.0				

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTEDCOL: BMI class. (12-17) / self-report. - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W] [Valid=11350 / 2346048.91] [Invalid=120871 / 24780116.07]	
Universe	Respndents aged 12 to 17
Literal question	BMI class. (12-17) / self-report (D)
Notes	Based on HWTEDBMI, DHHE_YOB, DHHE_MOB, DHHE_DOB, ADME_YOI, ADME_MOI, ADME_DOI, DHHD_SEX et MAME_037. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEITHER NOR	8925	1891276.2	80.6%
2	OVERWEIGHT	1821	342694.3	14.6%
3	OBESE	604	112078.5	4.8%
6	NOT APPLICABLE	119904	24586413.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	967	193702.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_011: Has food allergies

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=132103 / 27104418.06] [Invalid=118 / 21746.92]	
Universe	All respondents
Literal question	Do you have food allergies?
Notes	We are interested in "long-term conditions" which are expected to last or have already lasted 6 months or more and that have been diagnosed by a health professional.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	9957	1964397.6	7.2%	
2	NO	122146	25140020.5	92.8%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	94	17702.5		
8	REFUSAL	24	4044.5		
9	NOT STATED	0	0.0		
Warning: these figur	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# CCCE_021: Has allergies other than food allergies		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=132074 / 27096740.59] [Invalid=147 / 29424.39]		
Universe All respondents		
Literal question (Do you have) any other allergies?		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	35808	7221920.1	26.7%	
2	NO	96266	19874820.5	73.	.3%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	121	25135.2		
8	REFUSAL	2	244.7		
9	NOT STATED	24	4044.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_031: Has asthma

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=132134 / 27111179.96] [Invalid=87 / 14985.02]	
Universe	All respondents
Literal question	(Do you have) asthma?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11695	2249227.9	8.3%
2	NO	120439	24861952.0	91.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	60	10541.4	
8	REFUSAL	3	399.1	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_035: Asthma - had symptoms/attacks

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=11678 / 2246512.77] [Invalid=120543 / 24879652.21]	
Universe Respondents who answered CCCE_031 = (1, 7 or 8) or CCCE_011 = 8	
Literal question	Have you had any asthma symptoms or asthma attacks in the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6244	1190216.4	53.0%
2	NO	5434	1056296.3	47.0%
6	NOT APPLICABLE	120439	24861952.0	
7	DON'T KNOW	17	2715.2	
8	REFUSAL	0	0.0	
9	NOT STATED	87	14985.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_036: Asthma - took medication

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=11689 / 2248582.61] [Invalid=120532 / 24877582.37]	
Universe	Respondents who answered CCCE_031 = (1, 7 or 8) or CCCE_011 = 8
Literal question	In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?

CCCE_036: Asthma - took medication

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8774	1659125.2	73.8%
2	NO	2915	589457.4	26.2%
6	NOT APPLICABLE	120439	24861952.0	
7	DON'T KNOW	6	645.3	
8	REFUSAL	0	0.0	
9	NOT STATED	87	14985.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_041: Has fibromyalgia

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=132065 / 27098338.57] [Invalid=156 / 27826.41]	
Universe	All respondents
Literal question	Do you have fibromyalgia?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2318	389782.2	1.4%
2	NO	129747	26708556.4	98.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	128	22270.8	
8	REFUSAL	4	1511.2	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_051: Has arthritis or rheumatism

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=132002 / 27082297.61] [Invalid=219 / 43867.37]
Universe	All respondents
Literal question	Remember, we are interested in conditions diagnosed by a health professional. Do you have arthritis or rheumatism, excluding fibromyalgia?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	28221	4441851.3	16.4%
2	NO	103781	22640446.4	83.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	191	39472.2	
8	REFUSAL	4	350.7	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_05A: Kind of arthritis / rheumatism

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=23571 / 3724164.81] [Invalid=108650 / 23402000.17]	
Universe Respondents who answered CCCE_051 = (1, 7 or 8) or CCCE_011 = 8	
Literal question	What kind of arthritis do you have?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	RHEUMATOID ARTH	5098	778114.1	20.9%	
2	OSTEOARTHRITIS	14141	2212683.4	59	0.4%

CCCE_05A: Kind of arthritis / rheumatism

Value	Label	Cases	Weighted	Percentage (Weighted)
3	RHEUMATISM	2096	352578.5	9.5%
4	OTHER	2236	380788.8	10.2%
6	NOT APPLICABLE	103781	22640446.4	
7	DON'T KNOW	4609	709873.7	
8	REFUSAL	41	7812.7	
9	NOT STATED	219	43867.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_061: Has back problems/excl. fibro/arthritis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=132095 / 27105852.45] [Invalid=126 / 20312.53]
Universe	All respondents
Literal question	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have back problems, excluding fibromyalgia and arthritis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26685	5089655.1	18.8%
2	NO	105410	22016197.4	81.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	93	14325.1	
8	REFUSAL	9	1942.9	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_071: Has high blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=131891 / 27060459.71] [Invalid=330 / 65705.27]		
Universe	All respondents	
Literal question	Do you have high blood pressure?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24785	4051794.2	15.0%
2	NO	107106	23008665.6	85.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	297	60041.3	
8	REFUSAL	9	1619.5	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_072: Ever diagnosed with high blood pressure

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=107223 / 23033953.8] [Invalid=24998 / 4092211.18]	
Universe Respondents who answered CCCE_071 = (2, 7 or 8) or CCCE_011 = 8	
Literal question	Have you ever been diagnosed with high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6879	1223852.1	5.3%	
2	NO	100344	21810101.7	94.7%	

CCCE_072: Ever diagnosed with high blood pressure

Value	Label	Cases	Weighted
6	NOT APPLICABLE	24785	4051794.2
7	DON'T KNOW	177	33708.1
8	REFUSAL	3	1045.0
9	NOT STATED	33	5664.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_073: Medication - high blood pressure

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=31625 / 5270143.3] [Invalid=100596 / 21856021.68]	
Universe Respondents who answered CCCE_071 = (1 or 8) or CCCE_072 = (1, 7 or 8) or CCCE_011 = 8	
Literal question In the past month, have you taken any medicine for high blood pressure?	

Value	Label	Cases	Weighted
1	YES	23744	3775600.8
2	NO	7881	1494542.5
6	NOT APPLICABLE	100344	21810101.7
7	DON'T KNOW	37	5347.2
8	REFUSAL	2	155.7
9	NOT STATED	213	40417.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_074: Did something - reduce blood pressure

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=31597 / 5265724.14] [Invalid=100624 / 21860440.84]
Universe	Respondents who answered CCCE_071 = (1 or 8) or CCCE_072 = (1, 7 or 8) or CCCE_011 = 8
Literal question	In the past month, did you do anything else, recommended by a health professional, to reduce or control your blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10178	1818711.6	34.5%
2	NO	21419	3447012.5	65.5%
6	NOT APPLICABLE	100344	21810101.7	
7	DON'T KNOW	62	9387.9	
8	REFUSAL	5	534.2	
9	NOT STATED	213	40417.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_75A: Recommendation - eating habits

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=10167 / 1817905.45] [Invalid=122054 / 25308259.53]	
Universe	Respondents who answered CCCE_074 = (1, 7 or 8) or CCCE_072 = (7 or 8) or CCCE_071 = 8 or CCCE_011 = 8
Literal question What did you do? - Changed diet (e.g., reduced salt intake)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6307	1098416.3	60.4%
2	NO	3860	719489.2	39.6%
6	NOT APPLICABLE	121763	25257114.2	
7	DON'T KNOW	11	806.2	
8	REFUSAL	0	0.0	

CCCE_75A: Recommendation - eating habits

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	280	50339.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_75B: Recommendation - exercised more

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=10167 / 1817905.45] [Invalid=122054 / 25308259.53]	
Universe	Respondents who answered CCCE_074 = (1, 7 or 8) or CCCE_072 = (7 or 8) or CCCE_071 = 8 or CCCE_011 = 8
Literal question	What did you do? - Exercised more

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5386	999845.6	55.0%
2	NO	4781	818059.9	45.0%
6	NOT APPLICABLE	121763	25257114.2	
7	DON'T KNOW	11	806.2	
8	REFUSAL	0	0.0	
9	NOT STATED	280	50339.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_75C: Recommendation - reduced alcohol intake

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=10167 / 1817905.45] [Invalid=122054 / 25308259.53]
Universe	Respondents who answered CCCE_074 = (1, 7 or 8) or CCCE_072 = (7 or 8) or CCCE_071 = 8 or CCCE_011 = 8
Literal question	What did you do? - Reduced alcohol intake

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	318	63063.2	3.5%
2	NO	9849	1754842.2	96.5%
6	NOT APPLICABLE	121763	25257114.2	
7	DON'T KNOW	11	806.2	
8	REFUSAL	0	0.0	
9	NOT STATED	280	50339.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_75D: Recommendation - other

Information	ation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=10167 / 1817905.45] [Invalid=122054 / 25308259.53]	
Universe	Respondents who answered CCCE_074 = (1, 7 or 8) or CCCE_072 = (7 or 8) or CCCE_071 = 8 or CCCE_011 = 8	
Literal question	What did you do? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1283	238975.9	13.1%	
2	NO	8884	1578929.6		86.9%
6	NOT APPLICABLE	121763	25257114.2		
7	DON'T KNOW	11	806.2		
8	REFUSAL	0	0.0		
9	NOT STATED	280	50339.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# CCCE_081: Has migraine headaches				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=132114 / 27102219.85] [Invalid=107 / 23945.13]			
Universe	All respondents			
Literal question	Remember, we are interested in conditions diagnosed by a health professional. Do you have migraine headaches?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13524	2860623.4	10.6%
2	NO	118590	24241596.4	89.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	71	17404.9	
8	REFUSAL	12	2495.8	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_91A: Has chronic bronchitis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	Valid=132070 / 27095113.34] [Invalid=151 / 31051.64]			
Universe	All respondents			
Literal question (Remember, we are interested in conditions diagnosed by a health professional.) Do you have chronic bronchitis?				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4174	675095.6	2.5%
2	NO	127896	26420017.7	97.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	114	23487.0	
8	REFUSAL	13	3520.2	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_91E: Has emphysema

Information	IType= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=98846 / 19411891.87] [Invalid=33375 / 7714273.11]	
Universe	Respondents aged 30 and over	
Literal question	(Do you have) emphysema?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1283	190183.0	1.0%
2	NO	97563	19221708.9	99.0%
6	NOT APPLICABLE	33273	7694840.5	
7	DON'T KNOW	77	14287.7	
8	REFUSAL	8	2189.5	
9	NOT STATED	17	2955.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_91F: Has COPD

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=98747 / 19397422.31] [Invalid=33474 / 7728742.67]	
Universe	Respondents aged 30 and over	
Literal question	(Do you have) chronic obstructive pulmonary disease (COPD)?	

CCCE_91F: Has COPD

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1254	191010.4	1.0%
2	NO	97493	19206411.9	99.0%
6	NOT APPLICABLE	33273	7694840.5	
7	DON'T KNOW	171	27832.9	
8	REFUSAL	13	3113.8	
9	NOT STATED	17	2955.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_101: Has diabetes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=132105 / 27103545.94] [Invalid=116 / 22619.04]	
Universe	All respondents	
Literal question	(Do you have) diabetes?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8160	1324873.8	4.9%
2	NO	123945	25778672.1	95.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	75	16242.2	
8	REFUSAL	17	2332.3	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCEG102: Diabetes - age first diagnosed - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]	
Statistics [NW/W] [Valid=8063 / 1308714.99] [Invalid=124158 / 25817449.99]		
Universe	rse Respondents who answered CCCE_101 = (1, 7 or 8) or CCCE_011 = 8	
Literal question How old were you when this was first diagnosed?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	0 TO 11 YEARS	186	28741.0	2.2%
2	12 TO 17 YEARS	182	38748.7	3.0%
3	18 TO 24 YEARS	177	34001.9	2.6%
4	25 TO 29 YEARS	191	37965.2	2.9%
5	30 TO 34 YEARS	278	56617.3	4.3%
6	35 TO 39 YEARS	334	60200.4	4.6%
7	40 TO 44 YEARS	639	128935.4	9.9%
8	45 TO 49 YEARS	765	136916.9	10.5%
9	50 TO 54 YEARS	1103	190112.2	14.5%
10	55 TO 59 YEARS	1048	168120.1	12.8%
11	60 TO 64 YEARS	1042	150057.2	11.5%
12	65 TO 69 YEARS	834	116388.7	8.9%
13	70 TO 74 YEARS	626	83830.6	6.4%
14	75 TO 79 YEARS	413	52396.3	4.0%
15	80 YEARS OR MORE	245	25683.3	2.0%
96	NOT APPLICABLE	123945	25778672.1	
97	DON'T KNOW	0	0.0	

CCCEG102: Diabetes - age first diagnosed - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	0	0.0	
99	NOT STATED	213	38777.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_10A: Diabetes diagnosed when pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=1240 / 221392.03] [Invalid=130981 / 26904772.95]			
Universe	Females aged 15 and over who answered (15 <= CCCE_102 <= 49) or CCCE_102 = (997 or 998) or CCCE_101 = (7 or 8) or CCCE_011 = 8			
Literal question	Were you pregnant when you were first diagnosed with diabetes?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	183	45759.4	20.7%
2	NO	1057	175632.6	79.3%
6	NOT APPLICABLE	130864	26885489.9	
7	DON'T KNOW	1	192.0	
8	REFUSAL	1	155.5	
9	NOT STATED	115	18935.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_10B: Diabetes diagnosed - other than pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=183 / 45759.38] [Invalid=132038 / 27080405.6]			
Universe	Females aged 15 and over who answered CCCE_10A = (1, 7 or 8) or CCCE_102 = (997 or 998) or CCCE_101 = (7 or 8) or CCCE_011 = 8			
Literal question	Other than during pregnancy, has a health professional ever told you that you have diabetes?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	132	34705.5	75.8%
2	NO	51	11053.9	24.2%
6	NOT APPLICABLE	131921	27061122.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	117	19283.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_10C: Diabetes diag. - when started w/insulin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]			
Statistics [NW/W]	[Valid=8062 / 1307083.91] [Invalid=124159 / 25819081.07]			
Universe	Respondents who answered CCCE_101 = (1, 7 or 8) or CCCE_011 = 8 excluding females aged 15 and over who answered CCCE_10B = 2			
Literal question	When you were first diagnosed with diabetes, how long was it before you were started on insulin?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 MONTH	761	136379.6	10.4%
2	1 TO < 2 MONTHS	72	13930.9	1.1%
3	2 TO < 6 MONTHS	88	12955.0	1.0%
4	6 MONTH - < 1 YR	88	11404.3	0.9%
5	>= 1 YR	891	137670.6	10.5%

CCCE_10C: Diabetes diag. - when started w/insulin

Value	Label	Cases	Weighted
6	NEVER	6162	994743.4
96	NOT APPLICABLE	123996	25789726.0
97	DON'T KNOW	46	6665.8
98	REFUSAL	1	70.3
99	NOT STATED	116	22619.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_105: Diabetes - currently takes insulin

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=8095 / 1311903.5] [Invalid=124126 / 25814261.48]			
Universe	Respondents who answered CCCE_101 = (1, 7 or 8) or CCCE_011 = 8 excluding females aged 15 and over who answered CCCE_10B = 2			
Literal question	Do you currently take insulin for your diabetes?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1609	263687.4	20.1%
2	NO	6486	1048216.1	79.9%
6	NOT APPLICABLE	123996	25789726.0	
7	DON'T KNOW	14	1916.4	
8	REFUSAL	0	0.0	
9	NOT STATED	116	22619.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_106: Diabetes - pills to control blood sugar

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=8095 / 1311919.81] [Invalid=124126 / 25814245.17]	
Literal question	In the past month, did you take pills to control your blood sugar?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5531	896985.9	68.4%
2	NO	2564	414933.9	31.6%
6	NOT APPLICABLE	123996	25789726.0	
7	DON'T KNOW	13	1401.6	
8	REFUSAL	1	498.5	
9	NOT STATED	116	22619.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_111: Has epilepsy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=132141 / 27105880.9] [Invalid=80 / 20284.08]
Universe	All respondents
Literal question	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have epilepsy?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	867	159759.0	0.6%
2	NO	131274	26946121.9	99.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	40	13958.9	
8	REFUSAL	16	2280.7	

CCCE_111: Has epilepsy

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_121: Has heart disease

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=132014 / 27092573.85] [Invalid=207 / 33591.13]	
Universe	All respondents	
Literal question	(Do you have) heart disease?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8529	1288008.5	4.8%
2	NO	123485	25804565.3	95.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	162	26316.6	
8	REFUSAL	21	3230.0	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_131: Has cancer

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=132109 / 27106749.82] [Invalid=112 / 19415.16]	
Universe	All respondents	
Literal question	(Do you have) cancer?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2287	370763.1	1.4%
2	NO	129822	26735986.8	98.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	66	12471.2	
8	REFUSAL	22	2899.5	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_31A: Ever had cancer

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=129830 / 26737498.79] [Invalid=2391 / 388666.19]
Universe	Respondents who answered CCCE_131 = (2, 7 or 8) or CCCE_011 = 8
Literal question	Have you ever been diagnosed with cancer?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6837	1082696.5	4.0%
2	NO	122993	25654802.2	96.0%
6	NOT APPLICABLE	2287	370763.1	
7	DON'T KNOW	55	10641.3	
8	REFUSAL	3	317.9	
9	NOT STATED	46	6943.9	
Warning: these figu	res indicate the number of cases found in the data file. They cannot be	interpreted as su	mmary statistics of the	population of interest.

# CCCE_141: Has stomach or intestinal ulcers		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=131972 / 27081056.84] [Invalid=249 / 45108.14]	
Universe	All respondents	
Literal question	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have intestinal or stomach ulcers?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4698	846823.0	3.1%
2	NO	127274	26234233.8	96.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	204	38262.2	
8	REFUSAL	21	2801.5	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_151: Suffers from the effects of a stroke

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=132086 / 27103732.12] [Invalid=135 / 22432.86]	
Universe All respondents	
Literal question	Do you suffer from the effects of a stroke?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1991	297547.3	1.1%
2	NO	130095	26806184.8	98.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	87	15221.8	
8	REFUSAL	24	3166.6	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_161: Has urinary incontinence

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=132075 / 27099495.28] [Invalid=146 / 26669.7]	
Universe All respondents	
Literal question	(Do you suffer) from urinary incontinence?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5312	808739.8	3.0%
2	NO	126763	26290755.5	97.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	93	18229.3	
8	REFUSAL	29	4395.9	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_171: Has bowel disorder

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=132031 / 27091338.61] [Invalid=190 / 34826.37]
Universe	All respondents

CCCE_171: Has bowel disorder

Literal question Do you suffer from a bowel disorder such as Crohn's Disease, ulcerative colitis, irritable bowel syndrome or bowel incontinence?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6115	1047243.4	3.9%
2	NO	125916	26044095.2	96.19
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	140	27236.5	
8	REFUSAL	26	3545.4	
9	NOT STATED	24	4044.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# CCCE_17A: Type of bowel disease		
Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W] [Valid=5998 / 1028315.06] [Invalid=126223 / 26097849.92]		
Universe Respondents who answered CCCE_171 = (1, 7 or 8) or CCCE_011 = 8		
Literal question What kind of bowel disease do you have?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	CROHN'S DISEASE	489	92459.8	9.0%
2	ULCER. COLITIS	642	113156.3	11.0%
3	IRRITABLE BOWEL	3374	598420.9	58.2%
4	INCONTINENCE	301	47988.3	4.7%
5	OTHER	1192	176289.8	17.1%
6	NOT APPLICABLE	125916	26044095.2	
7	DON'T KNOW	113	17750.4	
8	REFUSAL	4	1177.9	
9	NOT STATED	190	34826.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_191: Has cataracts

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=119757 / 24560582.56] [Invalid=12464 / 2565582.42]	
Universe	Respondents aged 18 and over
Literal question	(Do you have) cataracts?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7881	1143486.5	4.7%
2	NO	111876	23417096.1	95.3%
6	NOT APPLICABLE	12317	2539751.7	
7	DON'T KNOW	103	19172.3	
8	REFUSAL	23	3004.9	
9	NOT STATED	21	3653.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_201: Has glaucoma

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=119726 / 24556821.05] [Invalid=12495 / 2569343.93]	
Universe	Respondents aged 18 and over
Literal question	(Do you have) glaucoma?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2694	407390.2	1.7%
2	NO	117032	24149430.8	98.3%
6	NOT APPLICABLE	12317	2539751.7	
7	DON'T KNOW	134	22933.8	
8	REFUSAL	23	3004.9	
9	NOT STATED	21	3653.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_211: Has a thyroid condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

CCCE_211: Has a thyroid condition Statistics [NW/W] [Valid=132000 / 27084455.45] [Invalid=221 / 41709.53] Universe All respondents Literal question (Do you have) a thyroid condition?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9069	1515993.6	5.6%
2	NO	122931	25568461.8	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	172	34048.0	
8	REFUSAL	25	3617.1	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_251: Has chronic fatigue syndrome

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=131991 / 27082119.58] [Invalid=230 / 44045.4]
Universe	All respondents
Literal question	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have chronic fatigue syndrome?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1790	333815.5	1.2%
2	NO	130201	26748304.0	98.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	180	36603.0	
8	REFUSAL	26	3397.9	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_261: Suffers/multiple chemical sensitivities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=131949 / 27075523.87] [Invalid=272 / 50641.11]
Universe	All respondents
Literal question	Do you suffer from multiple chemical sensitivities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3414	598585.2	2.2%
2	NO	128535	26476938.7	97.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	219	42699.2	
8	REFUSAL	29	3897.5	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_280: Has a mood disorder

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=132063 / 27095272.54] [Invalid=158 / 30892.44]
Universe	All respondents
Literal question	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?

CCCE_280: Has a mood disorder

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8187	1514253.2	5.6%
2	NO	123876	25581019.3	94.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	103	21376.4	
8	REFUSAL	31	5471.6	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_290: Has an anxiety disorder

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=132020 / 27082184.45] [Invalid=201 / 43980.53]
Universe	All respondents
Literal question	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6364	1186549.5	4.4%
2	NO	125656	25895635.0	95.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	146	34473.8	
8	REFUSAL	31	5462.3	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCE_331: Has a learning disability

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=132047 / 27091046.69] [Invalid=174 / 35118.29]		
Universe	All respondents		
Literal question	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have a learning disability?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3608	752782.6	2.8%
2	NO	128439	26338264.0	97.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	121	26086.5	
8	REFUSAL	29	4987.3	
9	NOT STATED	24	4044.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCEF1: Has a chronic condition - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=131872 / 27041404.45] [Invalid=349 / 84760.53]
Universe	All respondents
Literal question	Has a chronic condition - (F)
Notes	Based on CCCE_011, CCCE_021, CCCE_031, CCCE_041, CCCE_051, CCCE_061, CCCE_071, CCCE_081, CCCE_91A, CCCE_91E, CCCE_91F, CCCE_101, CCCE_111, CCCE_121, CCCE_131, CCCE_141, CCCE_151, CCCE_161, CCCE_171, CCCE_181, CCCE_191, CCCE_201, CCCE_211, CCCE_251, CCCE_261, CCCE_271, CCCE_280, CCCE_290, CCCE_321, CCCE_331, CCCE_341, CCCE_901. See documentation on derived variables.

CCCEF1: Has a chronic condition - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	95513	18639981.5	68.9%
2	NO	36359	8401422.9	31.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	349	84760.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCEG901: Other long-term physical/mental hlth-(G)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=131968 / 27073707.05] [Invalid=253 / 52457.93]	
Universe	All respondents
Literal question	Do you have any other long-term physical or mental health condition that has been diagnosed by a health professional?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19047	3657972.4	13.5%
2	NO	112921	23415734.7	86.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	253	52457.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIAEFOPT: Optional module: DIA - (F)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents
Literal question	Optional module: DIA - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	60360	12709938.4	46.9%
2	NO	71861	14416226.6	53.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DIAE_01: Tested for "A-one-C" haemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3694 / 587417.8] [Invalid=128527 / 26538747.18]
Universe	Respondents with DIAEFOPT = 1 who answered CCCE_101 = (1, 7 or 8) or CCCE_011 = 8, excluding females aged 15 and over who answered (15 <= CCCE_102 <= 49) and CCCE_10A = 1
Literal question	In the past 12 months, has a health care professional tested you for haemoglobin "A-one-C"? (An "A-one-C" haemoglobin test measures the average level of blood sugar over a 3-month period.)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2899	462693.8	78.8%

#DIAE_01: Tested for "A-one-C" haemoglobin

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	795	124724.0	21.2%
6	NOT APPLICABLE	128304	26504331.5	
7	DON'T KNOW	164	22067.8	
8	REFUSAL	3	766.6	
9	NOT STATED	56	11581.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DIAE_02: No. of times - tested for "A-one-C"

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W]	[Valid=2810 / 450157.15] [Invalid=129411 / 26676007.83] [Mean=3.489 / 3.43] [StdDev=4.085 / 3.409]	
Universe	Respondents with DIAEFOPT = 1 who answered DIAE_01 = (1, 7 or 8) or CCCE_011 = 8 or CCCE_101 = (7 or 8) or CCCE_10A = (7 or 8)	
Literal question	How many times? (In the past 12 months, has a health care professional tested you for haemoglobin "A-one-C"?)	

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	129099	26629055.5	
997	DON'T KNOW	88	12475.5	
998	REFUSAL	1	61.2	
999	NOT STATED	223	34415.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DIAE_03: Feet checked by health professional

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=3831 / 604566.07] [Invalid=128390 / 26521598.91]
Universe	Respondents with DIAEFOPT = 1 who answered CCCE_101 = (1, 7 or 8) or CCCE_011 = 8, excluding females aged 15 and over who answered (15 <= CCCE_102 <= 49) and CCCE_10A = 1
Literal question	In the past 12 months, has a health care professional checked your feet for any sores or irritations?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1806	300644.4	49.7%
2	NO	2025	303921.7	50.3%
3	NO FEET	0	0.0	
6	NOT APPLICABLE	128304	26504331.5	
7	DON'T KNOW	27	4919.6	
8	REFUSAL	0	0.0	
9	NOT STATED	59	12347.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DIAE_04: No of times - feet checked by hlth prof.

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/W]	[Valid=1769 / 296627.78] [Invalid=130452 / 26829537.2] [Mean=4.171 / 3.67] [StdDev=6.158 / 4.716]
Universe	Respondents with DIAEFOPT=1 who answered DIAE_03 = (1, 7 or 8) or DIAE_01 = 8 or CCCE_011 = 8 or CCCE_101 = (7 or 8) or CCCE_10A = (7 or 8)
Literal question	How many times? (In the past 12 months, has a health care professional checked your feet for any sores or irritations?)

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	130346	26811058.4	
997	DON'T KNOW	37	4016.6	
998	REFUSAL	0	0.0	

#DIAE_04: No of times - feet checked by hlth prof.

Value	Label	Cases	Weighted	Percentage (Weighted)
999	NOT STATED	69	14462.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DIAE_05: Urine tested for protein by health prof.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3687 / 584115.57] [Invalid=128534 / 26542049.41]
Universe	Respondents with DIAEFOPT = 1 who answered CCCE_101 = (1, 7 or 8) or CCCE_011 = 8, excluding females aged 15 and over who answered (15 <= CCE_102 <= 49) and CCCE_10A = 1
Literal question	In the past 12 months, has a health care professional tested your urine for protein (i.e., Microalbumin)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2568	425786.0	72.9%
2	NO	1119	158329.6	27.1%
6	NOT APPLICABLE	128304	26504331.5	
7	DON'T KNOW	171	25370.1	
8	REFUSAL	0	0.0	
9	NOT STATED	59	12347.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DIAE_06: Ever had eye exam with pupils dilated

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3788 / 598574.73] [Invalid=128433 / 26527590.25]
Universe	Respondents with DIAEFOPT = 1 who answered CCCE_101 = (1, 7 or 8) or CCCE_011 = 8, excluding females aged 15 and over who answered (15 <= CCE_102 <= 49) and CCCE_10A = 1
Literal question	Have you ever had an eye exam where the pupils of your eyes were dilated? (This procedure would have made you temporarily sensitive to light.)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2660	422774.8	70.6%
2	NO	1128	175799.9	29.4%
6	NOT APPLICABLE	128304	26504331.5	
7	DON'T KNOW	70	10910.9	
8	REFUSAL	0	0.0	
9	NOT STATED	59	12347.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DIAE_07: Eye exam with pupils dilated - last time

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=2647 / 421621.61] [Invalid=129574 / 26704543.37]
Universe	Respondents with DIAEFOPT=1 who answered DIAE_06 = (1, 7 or 8) or DIAE_01 = 8 or CCCE_011 = 8 or CCCE_101 = (7 or 8) or CCCE_10A = (7 or 8)
Literal question	When was the last time: (less than one month ago, 1 month to less than 1 year ago, 1 year to less than 2 years ago, or 2 or more years ago)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	LESS 1 MONTH	381	56993.1	13.5%	
2	1 MO.TO < 1 YEAR	1507	244666.2	58.0%	Ó
3	1 TO < 2 YEARS	446	72186.0	17.1%	
4	2 OR MORE YEARS	313	47776.4	11.3%	
6	NOT APPLICABLE	129432	26680131.4		

#DIAE_07: Eye exam with pupils dilated - last time

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	13	1153.2	
8	REFUSAL	0	0.0	
9	NOT STATED	129	23258.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DIAE_08: Checks glucose level/self-reporting unit

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=3838 / 605171.77] [Invalid=128383 / 26520993.21]
Universe	Respondents with DIAEFOPT = 1 who answered CCCE_101 = (1, 7 or 8) or CCCE_011 = 8, excluding females aged 15 and over who answered (15 <= CCE_102 <= 49) and CCCE_10A = 1
Literal question	How often do you usually have your blood checked for glucose or sugar by yourself or by a family member or friend?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	PER DAY	1954	310058.2		51.2%
2	PER WEEK	1094	172547.6	28.5%	
3	PER MONTH	301	44740.0	7.4%	
4	PER YEAR	114	17530.2	2.9%	
5	NEVER	375	60295.9	10.0%	
6	NOT APPLICABLE	128304	26504331.5		
7	DON'T KNOW	20	4313.9		
8	REFUSAL	0	0.0		
9	NOT STATED	59	12347.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DIAE_N8B: Checks glucose level/self-no times day

Information	[Type= continuous] [Format=numeric] [Range= 1-23] [Missing=*]
Statistics [NW/W]	[Valid=1951 / 309571.44] [Invalid=130270 / 26816593.54] [Mean=2.102 / 2.152] [StdDev=1.469 / 1.571]
Universe	Respondents with DIAEFOPT = 1 who answered DIAE_08 = (1, 7 or 8) or DIAE_01 = 8 or CCCE_011 = 8 or CCCE_101 = (7 or 8) or CCCE_10A = 8
Literal question	Interviewer: Enter the number of times per day.
Notes	Unit of measure of value in DIAE_08.

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	130188	26799445.1	
997	DON'T KNOW	3	486.7	
998	REFUSAL	0	0.0	
999	NOT STATED	79	16661.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIAE_N8C: Checks glucose level - no times per week

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/W]	[Valid=1093 / 172442.57] [Invalid=131128 / 26953722.41] [Mean=2.483 / 2.524] [StdDev=1.371 / 1.37]
Universe	Respondents with DIAEFOPT = 1 who answered DIAE_08 = (2, 7 or 8) or DIAE_01 = 8 or CCCE_011 = 8 or CCCE_101 = (7 or 8) excluding females aged 15 and over who answered CCCE_10A = 1
Literal question	Interviewer: Enter the number of times per week.
Notes	Unit of measure of value in DIAE_08.

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	131048	26936955.7	

DIAE_N8C: Checks glucose level - no times per week

Value	Label	Cases	Weighted	Percentage (Weighted)
997	DON'T KNOW	1	105.0	
998	REFUSAL	0	0.0	
999	NOT STATED	79	16661.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIAE_N8D: Checks glucose level -no times per month

Information	[Type= continuous] [Format=numeric] [Range= 1-33] [Missing=*]
Statistics [NW/W]	[Valid=299 / 44496.67] [Invalid=131922 / 27081668.31] [Mean=2.438 / 2.082] [StdDev=3.506 / 2.426]
Universe	Respondents with DIAEFOPT = 1 who answered DIAE_08 = (3, 7 or 8) or DIAE_01 = 8 or CCCE_011 = 8 or CCCE_101 = (7 or 8) excluding females aged 15 and over who answered CCCE_10A = 1
Literal question	Interviewer: Enter the number of times per month.
Notes	Unit of measure of value in DIAE_08.

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	131841	27064763.3	
997	DON'T KNOW	2	243.3	
998	REFUSAL	0	0.0	
999	NOT STATED	79	16661.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIAE_N8E: Checks glucose level -no times per year

Information	[Type= continuous] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/W]	[Valid=112 / 17232.07] [Invalid=132109 / 27108932.91] [Mean=3.321 / 2.853] [StdDev=2.259 / 1.951]
Universe	Respondents with DIAEFOPT = 1 who answered DIAE_08 = (4, 7 or 8) or DIAE_01 = 8 or CCCE_011 = 8 or CCCE_101 = (7 or 8) excluding females aged 15 and over who answered CCCE_10A = 1
Literal question	Interviewer: Enter the number of times per year.
Notes	Unit of measure of value in DIAE_08.

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	132028	27091973.1	
997	DON'T KNOW	1	102.9	
998	REFUSAL	1	195.2	
999	NOT STATED	79	16661.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DIAE_09: Checks feet / self-reporting unit

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=3793 / 594894.01] [Invalid=128428 / 26531270.97]
Universe	Respondents with DIAEFOPT=1 who answered DIAE_03 = (1, 2, 7 or 8) or DIAE_01=8 or CCCE_011 = 8 or CCCE_101 = (7 or 8) or CCCE_10A = (7 or 8)
Literal question	How often do you usually have your feet checked for any sores or irritations by yourself or by a family member or friend?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	PER DAY	1467	231480.4	38.9%
2	PER WEEK	739	107388.2	18.1%
3	PER MONTH	260	38171.4	6.4%
4	PER YEAR	167	23058.0	3.9%
5	NEVER	1160	194796.0	32.7%
6	NOT APPLICABLE	128304	26504331.5	

#DIAE_09: Checks feet / self-reporting unit

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	65	14591.6	
8	REFUSAL	0	0.0	
9	NOT STATED	59	12347.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DIAE_N9B: Checks feet/self-number of times per day

Information	[Type= continuous] [Format=numeric] [Range= 1-30] [Missing=*]
Statistics [NW/W]	[Valid=1466 / 231423.15] [Invalid=130755 / 26894741.83] [Mean=1.091 / 1.109] [StdDev=0.874 / 0.831]
Literal question	Interviewer: Enter the number of times per day.
Notes	Unit of measure of value in DIAE_09.

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	130630	26867745.1	
997	DON'T KNOW	1	57.2	
998	REFUSAL	0	0.0	
999	NOT STATED	124	26939.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DIAE_N9C: Checks feet/self-number of times week

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/W]	[Valid=735 / 107045.8] [Invalid=131486 / 27019119.18] [Mean=2.008 / 1.978] [StdDev=1.164 / 1.106]
Universe	Respondents with DIAEFOPT = 1 who answered DIAE_09 = (2, 7 or 8) or DIAE_01 = 8 or CCCE_101 = (7 or 8) or CCCE_011 = 8
Literal question	Interviewer: Enter the number of times per week.
Notes	Unit of measure of value in DIAE_09.

Value	Label	Cases	Weighted	
996	NOT APPLICABLE	131358	26991837.3	
997	DON'T KNOW	4	342.4	
998	REFUSAL	0	0.0	
999	NOT STATED	124	26939.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DIAE_N9D: Checks feet/self-number of times month

Information	[Type= continuous] [Format=numeric] [Range= 1-20] [Missing=*]
Statistics [NW/W]	[Valid=259 / 38131.31] [Invalid=131962 / 27088033.67] [Mean=1.529 / 1.546] [StdDev=1.779 / 1.905]
Universe	Respondents with DIAEFOPT = 1 who answered DIAE_09 = (3, 7 or 8) or DIAE_01 = 8 or CCCE_011 = 8 or CCCE_101 = (7 or 8)
Literal question	Interviewer: Enter the number of times per month.
Notes	Unit of measure of value in DIAE_09.

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	131837	27061054.1	
997	DON'T KNOW	1	40.1	
998	REFUSAL	0	0.0	
999	NOT STATED	124	26939.5	
Warning: these figur	es indicate the number of cases found in the data file. They cannot be	interpreted as si	ımmarv statistics of the ı	population of interest.

# DIAE_N9E: Checks	feet/self-number of times year
Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/W]	[Valid=167 / 23057.95] [Invalid=132054 / 27103107.03] [Mean=3.593 / 3.223] [StdDev=2.909 / 2.806]
Universe	Respondents with DIAEFOPT = 1 who answered DIAE_09 = (4, 7 or 8) or DIAE_01 = 8 or CCCE_011 = 8 or CCCE_101 = (7 or 8)
Literal question	Interviewer: Enter the number of times per year.
Notes	Unit of measure of value in DIAE_09.

Value	Label	Cases	Weighted
996	NOT APPLICABLE	131930	27076167.6
997	DON'T KNOW	0	0.0
998	REFUSAL	0	0.0
999	NOT STATED	124	26939.5

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DIAE_10: Medication - ASA - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3692 / 577215.79] [Invalid=128529 / 26548949.19]
Universe	Respondents aged 35 and over with DIAEFOPT = 1, who answered CCCE_101 = (1, 7 or 8) or CCCE_011 = 8, excluding females aged 15 and over who answered CCCE_10A = 1
Literal question	In the past month, did you take aspirin or other ASA (acetylsalicylic acid) medication every day or every second day?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1918	299538.8	
2	NO	1774	277677.0	
6	NOT APPLICABLE	128456	26534595.1	
7	DON'T KNOW	13	1982.9	
8	REFUSAL	1	23.4	
9	NOT STATED	59	12347.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DIAE_11: Medication -blood cholesterol-past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3667 / 574046.66] [Invalid=128554 / 26552118.32]
Universe	Respondents aged 35 and over with DIAEFOPT = 1, who answered CCCE_101 = (1, 7 or 8) or CCCE_011 = 8, excluding females aged 15 and over who answered CCCE_10A = 11
Literal question	In the past month, did you take prescription medications such as Lipitor or Zocor to control your blood cholesterol levels?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1938	303124.7	52.8%
2	NO	1729	270921.9	47.2%
6	NOT APPLICABLE	128456	26534595.1	
7	DON'T KNOW	38	5152.0	
8	REFUSAL	1	23.4	
9	NOT STATED	59	12347.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEDEFOPT: Optional module: MED - (F)

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]		
Universe	All respondents		

MEDEFOPT: Optional module: MED - (F)

Literal question Optional module: MED - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9177	1244795.6	4.6%
2	NO	123044	25881369.4	95.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEDE_1A: Medication - pain relievers - past mo

	·			
Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	Valid=9170 / 1243162.3] [Invalid=123051 / 25883002.68]			
Universe	Respondents with MEDEFOPT = 1			
Literal question	(In the past month, did you take) pain relievers such as aspirin or Tylenol (including arthritis medicine and anti- inflammatories)?			
Notes	Formerly DRGA_1A in cycle 1.1			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6059	829908.4	66.8%
2	NO	3111	413253.9	33.2%
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	7	1633.3	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEDE_1B: Medication - tranquilizers - past mo

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	Valid=9173 / 1244306.2] [Invalid=123048 / 25881858.78]			
Universe	Respondents with MEDEFOPT = 1			
Literal question	In the past month, did you take tranquilizers such as Valium or Ativan?			
Notes	Formerly DRGA_1B in cycle 1.1.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	280	35839.5	2.9%
2	NO	8893	1208466.7	97.1%
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	3	409.4	
8	REFUSAL	1	80.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEDE_1C: Medication - diet pills - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=9175 / 1244616.99] [Invalid=123046 / 25881547.99]			
Universe	Respondents with MEDEFOPT = 1			
Literal question	(In the past month, did you take) diet pills such as Dexatrim, Ponderal or Fastin?			

#MEDE_1C: Medication - diet pills - past mo

Notes Formerly DRGA_1C in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	40	5190.6	0.4%
2	NO	9135	1239426.4	99.6
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	1	98.6	
8	REFUSAL	1	80.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEDE_1D: Medication - antidepressants - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=9166 / 1243593.65] [Invalid=123055 / 25882571.33]			
Universe	Respondents with MEDEFOPT = 1			
Literal question	(In the past month, did you take) anti-depressants such as Prozac, Paxil or Effexor?			
Notes	Formerly DRGA_1D in cycle 1.1			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	594	83140.9	6.7%
2	NO	8572	1160452.8	93.3%
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	9	1074.4	
8	REFUSAL	2	127.5	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEDE_1E: Med.-codeine/Demerol/morphine - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=9167 / 1243709.78] [Invalid=123054 / 25882455.2]	
Universe	espondents with MEDEFOPT = 1	
Literal question	In the past month, did you take) codeine, Demerol or morphine?	
Notes	Formerly DRGA_1E in cycle 1.1	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	425	63302.3	5.1%
2	NO	8742	1180407.4	94.9%
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	9	1005.8	
8	REFUSAL	1	80.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEDE_1F: Medication - allergy medicine - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	stics [NW/ W] [Valid=9175 / 1244581.23] [Invalid=123046 / 25881583.75]	
Universe	Respondents with MEDEFOPT = 1	
Literal question	(In the past month, did you take) allergy medicine such as Reactine or Allegra?	
Notes	Formerly DRGA_1F in cycle 1.1	

#MEDE_1F: Medication - allergy medicine - past mo

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	703	99328.0	8.0%
2	NO	8472	1145253.2	92.0%
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	2	214.3	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEDE_1G: Med. - asthma medications - past mo

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	Valid=9175 / 1244628.18] [Invalid=123046 / 25881536.8]			
Universe	Respondents with MEDEFOPT = 1			
Literal question	(In the past month, did you take) asthma medications such as inhalers or nebulizers?			
Notes	Formerly DRGA_1G in cycle 1.1			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	739	92606.6	7.4%
2	NO	8436	1152021.6	92.6
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	1	87.4	
8	REFUSAL	1	80.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEDE_1H: Med. - cough or cold remedies - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=9175 / 1244643.92] [Invalid=123046 / 25881521.06]	
Universe	Respondents with MEDEFOPT = 1	
Literal question	In the past month, did you take) cough or cold remedies?	
Notes	Formerly DRGA_1H in cycle 1.1	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1585	225867.6	18.1%
2	NO	7590	1018776.3	81.9%
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	1	71.7	
8	REFUSAL	1	80.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEDE_1I: Med - penic./other antibiotics -past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	Valid=9171 / 1244167.37] [Invalid=123050 / 25881997.61]			
Universe	Respondents with MEDEFOPT = 1			
Literal question	(In the past month, did you take) penicillin or other antibiotics?			
Notes	Formerly DRGA_1I in cycle 1.1			

#MEDE_11: Med - penic./other antibiotics -past mo

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	845	114779.1	9.2%
2	NO	8326	1129388.3	90.8%
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	5	548.2	
8	REFUSAL	1	80.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEDE_1J: Med. - medicine for the heart - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=9175 / 1244587.9] [Invalid=123046 / 25881577.08]	
Universe	Respondents with MEDEFOPT = 1	
Literal question	(In the past month, did you take) medicine for the heart?	
Notes	Formerly DRGA_1J in cycle 1.1	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	902	101679.2	8.2%
2	NO	8273	1142908.7	91.8%
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	1	127.7	
8	REFUSAL	1	80.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEDE_1L: Medication - diuretics - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=9158 / 1242551.98] [Invalid=123063 / 25883613]
Universe	Respondents with MEDEFOPT = 1
Literal question	(In the past month, did you take) diuretics or water pills?
Notes	Formerly DRGA_1L in cycle 1.1

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	880	97034.1	7.8%
2	NO	8278	1145517.9	92.2%
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	18	2163.6	
8	REFUSAL	1	80.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEDE_1M: Medication - steroids - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=9167 / 1243897.05] [Invalid=123054 / 25882267.93]
Universe	Respondents with MEDEFOPT = 1
Literal question	(In the past month, did you take) steroids?
Notes	Formerly DRGA_1M in cycle 1.1

MEDE_1M: Medication - steroids - past mo

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	193	25133.6	2.0%
2	NO	8974	1218763.4	98.0%
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	9	818.5	
8	REFUSAL	1	80.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEDE_1P: Medication - sleeping pills - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=9171 / 1244298.19] [Invalid=123050 / 25881866.79]
Universe	Respondents with MEDEFOPT = 1
Literal question	(In the past month, did you take) sleeping pills such as Imovane, Nytol or Starnoc?
Notes	Formerly DRGA_1P in cycle 1.1

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	415	52876.9	4.2%
2	NO	8756	1191421.3	95.8%
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	5	417.4	
8	REFUSAL	1	80.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEDE_1Q: Medication - stomach remedies - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=9172 / 1244268.72] [Invalid=123049 / 25881896.26]
Universe	Respondents with MEDEFOPT = 1
Literal question	(In the past month, did you take) stomach remedies?
Notes	Formerly DRGA_1Q in cycle 1.1

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1486	199405.1	16.0%
2	NO	7686	1044863.6	84.0%
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	3	413.4	
8	REFUSAL	2	113.5	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEDE_1R: Medication - laxatives - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=9173 / 1244382.28] [Invalid=123048 / 25881782.7]
Universe	Respondents with MEDEFOPT = 1
Literal question	(In the past month, did you take) laxatives?
Notes	Formerly DRGA_1R in cycle 1.1

#MEDE_1R: Medication - laxatives - past mo

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	395	45273.0	3.6%
2	NO	8778	1199109.3	96.4%
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	3	333.3	
8	REFUSAL	1	80.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEDE_1S: Med. - birth control pills - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2691 / 391053.02] [Invalid=129530 / 26735111.96]
Universe	Females aged 49 or less with MEDEFOPT = 1
Literal question	(In the past month, did you take) birth control pills?
Notes	Formerly DRGA_1S in cycle 1.1.

Value	Label	Cases	Weighted
1	YES	645	94412.8
2	NO	2046	296640.3
6	NOT APPLICABLE	129528	26734913.5
7	DON'T KNOW	0	0.0
8	REFUSAL	2	198.4
9	NOT STATED	0	0.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEDE_1T: Med.- hormones for menopause - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	tics [NW/ W] [Valid=3928 / 473032.97] [Invalid=128293 / 26653132.01]			
Universe	Females aged 30 and over with MEDEFOPT = 1			
Literal question (In the past month, did you take) hormones for menopause or ageing symptoms?				
Notes Formerly DRGA_1T in cycle 1.1				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	229	27845.6	5.9%
2	NO	3699	445187.4	94.1%
6	NOT APPLICABLE	128287	26652594.9	
7	DON'T KNOW	1	92.0	
8	REFUSAL	1	80.0	
9	NOT STATED	4	365.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEDE_1T1: Hormone therapy - type

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/W]	W] [Valid=211 / 26060.48] [Invalid=132010 / 27100104.5]			
Universe	Respondents who answered MEDE_1T = (1, 7 or 8) or MEDE_1A = 8			
Literal question What type of hormones are you taking: (estrogen only, progesterone only, both, or neither)?				
Notes Formerly DRGA_1T1 in cycle 1.1.				

*MEDE_1T1: Hormone therapy - type					
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ESTROGEN	121	14808.2	56.8%	
2	PROGESTERONE	16	2284.1	8.8%	
3	вотн	50	5901.8	22.6%	
4	NEITHER	24	3066.4	11.8%	
6	NOT APPLICABLE	131986	27097782.3		
7	DON'T KNOW	18	1785.1		
8	REFUSAL	0	0.0		
9	NOT STATED	6	537.1		
Narning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# MEDE_1T2: Hormone therapy - year started				
Information	[Type= continuous] [Format=numeric] [Range= 1951-2005] [Missing=*]			
Statistics [NW/W]	Valid=227 / 27397.08] [Invalid=131994 / 27098767.9] [Mean=1995.366 / 1996.591] [StdDev=9.29 / 8.738]			
Universe	Respondents who answered MEDE_1T = (1, 7 or 8) or MEDE_1A = 8			
Literal question	When did you start this hormone therapy?			
Notes	Formerly DRGA_1T2 in cycle 1.1			

Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	131986	27097782.3	
9997	DON'T KNOW	2	448.5	
9998	REFUSAL	0	0.0	
9999	NOT STATED	6	537.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

#MEDE_1U: Medication - thyroid - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=9174 / 1244519.49] [Invalid=123047 / 25881645.49]			
Universe	Respondents with MEDEFOPT = 1			
Literal question In the past month, did you take thyroid medication such as Synthroid or Levothyroxine?				
Notes	Formerly DRGA_1U in cycle 1.1.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	653	74433.9	6.0%
2	NO	8521	1170085.6	94.0%
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	1	77.6	
8	REFUSAL	2	198.4	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEDE_1V: Medication - other - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=9168 / 1244136.79] [Invalid=123053 / 25882028.19]		
Universe	Respondents with MEDEFOPT = 1		
Literal question	on (In the past month, did you take) any other medication?		
Notes	Formerly DRGA_1V in cycle 1.1		

Value	Label	Cases	Weighted
1	YES	2474	310670.2
2	NO	6694	933466.6
6	NOT APPLICABLE	123044	25881369.4
7	DON'T KNOW	8	578.8
8	REFUSAL	1	80.0
9	NOT STATED	0	0.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEDEF1: Medication use - past mo - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=9170 / 1243229.25] [Invalid=123051 / 25882935.73]			

# MEDEF1: Medication use - past mo - (F)				
Universe	Respondents with MEDEFOPT = 1			
Literal question	Medication use - past mo - (F)			
Notes	Based on MEDE_1A, MEDE_1B, MEDE_1C, MEDE_1D, MEDE_1E, MEDE_1F, MEDE_1G, MEDE_1H, MEDE_1I, MEDE_1J, CCCE_073, MEDE_1L, MEDE_1M, CCCE_105, CCCE_106, MEDE_1P, MEDE_1Q, MEDE_1R, MEDE_1S, MEDE_1T, MEDE_1U, MEDE_1V. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8003	1075370.8	86.5%
2	NO	1167	167858.4	13.5%
6	NOT APPLICABLE	123044	25881369.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	7	1566.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_1AA: Has regular medical doctor

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=132054 / 27094593.25] [Invalid=167 / 31571.73]	
Universe	All respondents
Literal question	Do you have a regular medical doctor?
Notes	Formerly TWDA_5 in cycle 1.1

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	112209	23228190.1	85.7%
2	NO	19845	3866403.2	14.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	160	30251.1	
8	REFUSAL	7	1320.6	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_1BA: Reason no dr - no one available in area

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=19544 / 3799517.65] [Invalid=112677 / 23326647.33]	
Universe	Respondents who answered HCUE_1AA = (2, 7 or 8)
Literal question	Why do you not have a regular medical doctor? - No medical doctors available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3188	473224.7	12.5%	
2	NO	16356	3326292.9		87
6	NOT APPLICABLE	112209	23228190.1		
7	DON'T KNOW	295	65081.0		
8	REFUSAL	6	1804.5		
9	NOT STATED	167	31571.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUE_1BB: Reason no dr - none taking new patients

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=19544 / 3799517.65] [Invalid=112677 / 23326647.33]

HCUE_1BB: Reason no dr - none taking new patients

Universe Respondents who answered HCUE_1AA = (2, 7 or 8)

Literal question Why do you not have a regular medical doctor? - Medical doctors in the area are not taking new patients

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3040	581701.4	15.3%
2	NO	16504	3217816.2	
6	NOT APPLICABLE	112209	23228190.1	
7	DON'T KNOW	295	65081.0	
8	REFUSAL	6	1804.5	
9	NOT STATED	167	31571.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_1BC: Reason no dr - not tried to contact one

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=19544 / 3799517.65] [Invalid=112677 / 23326647.33]	
Universe	Respondents who answered HCUE_1AA = (2, 7 or 8)
Literal question	Why do you not have a regular medical doctor? - Have not tried to contact one

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7305	1558708.4	41.0%
2	NO	12239	2240809.2	59.0%
6	NOT APPLICABLE	112209	23228190.1	
7	DON'T KNOW	295	65081.0	
8	REFUSAL	6	1804.5	
9	NOT STATED	167	31571.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUE_1BD: Reason no dr - has left/retired

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=19544 / 3799517.65] [Invalid=112677 / 23326647.33]	
Universe	Respondents who answered HCUE_1AA = (2, 7 or 8)
Literal question	Why do you not have a regular medical doctor? - Had a medical doctor who left or retired

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3784	624137.4	16.4%	
2	NO	15760	3175380.3		83.6%
6	NOT APPLICABLE	112209	23228190.1		
7	DON'T KNOW	295	65081.0		
8	REFUSAL	6	1804.5		
9	NOT STATED	167	31571.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_1BE: Reason no dr - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=19544 / 3799517.65] [Invalid=112677 / 23326647.33]	
Universe Respondents who answered HCUE_1AA = (2, 7 or 8)	
Literal question	Why do you not have a regular medical doctor? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4666	987647.3	26.0%

HCUE_1BE: Reason no dr - other

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	14878	2811870.3	
6	NOT APPLICABLE	112209	23228190.1	
7	DON'T KNOW	295	65081.0	
8	REFUSAL	6	1804.5	
9	NOT STATED	167	31571.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_01: Overnight patient

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=132134 / 27083860.8] [Invalid=87 / 42304.18]		
Universe	All respondents		
Literal question	In the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?		
Notes	All respondents who answered Tamil (22) in HCUE_1AC were not asked HCUE_01. This was unintentional and due to an application error. These cases were coded to "Not stated".		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12310	2066277.0	7.6%
2	NO	119824	25017583.8	92.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	34	6539.0	
8	REFUSAL	7	1694.7	
9	NOT STATED	46	34070.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUEG01A: No. of nights as patient - (G)

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W] [Valid=12189 / 2045023.59] [Invalid=120032 / 25081141.39]	
Universe	Respondents who answered HCUE_01 = (1, 7 or 8)
Literal question	For how many nights in the past 12 months?
Notes	The "not stated" category includes respondents who reported in HCU module not having been a patient overnight in a hospital, nursing home or convalescent home in the past 12 months and who reported in INJ module having been admitted to a hospital for one night following an injury that occurred in the past 12 months.

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31 NIGHTS OR +	633	90896.7	100.0%
96	NOT APPLICABLE	119824	25017583.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	208	63557.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUEG02A: No. of consult. - family doctor - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]	
Statistics [NW/W]	[Valid=131582 / 26998758.68] [Invalid=639 / 127406.3]	
Universe	All respondents	
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a family doctor (pediatrician) or general practitioner?	
Notes	For respondents aged less than 18, includes consultations with pediatricians.	

HCUEG02A: No. of consult. - family doctor - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31+ CONSULTATION	537	100137.5	1
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	639	127406.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUEG02B: No. of consult. - eye specialist - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]			
Statistics [NW/W]	[Valid=131986 / 27076824.8] [Invalid=235 / 49340.18]			
Universe	All respondents			
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with an eye specialist (such as an ophthalmologist or optometrist)?			

Value	Label	Cases	Weighted	Percentage (Weighted)
12	12+ CONSULTATION	143	27251.4	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	235	49340.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUEG02C: No. of consult. - other doctor - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/W]	[Valid=131992 / 27085315.26] [Invalid=229 / 40849.72]	
Universe	All respondents	
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with any other medical doctor (such as surgeon, allergist, orthopedist, gynaecologist, or psychiatrist)?	

Value	Label	Cases	Weighted	Percentage (Weighted)
12	12+ CONSULTATION	1601	343857.0	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	229	40849.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUEG02D: No. of consult. - nurse - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/W]	[Valid=131894 / 27069190.36] [Invalid=327 / 56974.62]	
Universe	All respondents	
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a nurse for care or advice?	

Value	Label	Cases	Weighted	Percentage (Weighted)
12	12+ CONSULTATION	2126	317458.8	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	

HCUEG02D: No. of consult. - nurse - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	0	0.0	
99	NOT STATED	327	56974.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUEG02E: No. of consult. - dentist/ortho. - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/W]	[Valid=132044 / 27089466.73] [Invalid=177 / 36698.25]	
Universe	All respondents	
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a dentist or orthodontist?	

Value	Label	Cases	Weighted	Percentage (Weighted)
12	12+ CONSULTATION	1071	243564.7	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	177	36698.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUEG02F: No. of consult. - chiropractor - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/W]	[Valid=132083 / 27099396.99] [Invalid=138 / 26767.99]
Universe	All respondents
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a chiropractor?

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31+ CONSULTATION	660	149064.6	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	138	26768.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\mbox{\tt\#}\, HCUEG02G\mbox{\tt G}\mbox{\tt :}\, No.\mbox{\tt of consult.} \mbox{\tt -} physiotherapist - (G)$

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/W]	[Valid=132079 / 27094918.27] [Invalid=142 / 31246.71]
Universe	All respondents
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a physiotherapist?

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31+ CONSULTATION	863	178268.8	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	142	31246.7	
Warning: these figure	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# HCUEG02H: No. of consult social worker - (G)		
Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/W]	Valid=132073 / 27095727.2] [Invalid=148 / 30437.78]	
Universe	All respondents	
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a social worker or counsellor?	

Value	Label	Cases	Weighted	Percentage (Weighted)
12	12+ CONSULTATION	1421	239582.0	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	148	30437.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUEG02I: No. of consult. - psychologist - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/W]	[Valid=132117 / 27105134.59] [Invalid=104 / 21030.39]	
Universe	All respondents	
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a psychologist?	

Value	Label	Cases	Weighted	Percentage (Weighted)	
12	12+ CONSULTATION	708	153813.8	100.0%	
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	104	21030.4		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

HCUEG02J: No. of cons.- speech/aud./occ. ther.-(G)

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/W]	[Valid=132132 / 27108356.78] [Invalid=89 / 17808.2]		
Universe	All respondents		
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a speech, audiology or occupational therapist?		

Value	Label	Cases	Weighted	Percentage (Weighted)
12	12+ CONSULTATION	174	35576.0	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	89	17808.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUEG03A: Loc. most recent cont. - family dr - (G)

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/W] [Valid=103089 / 20899524.41] [Invalid=29132 / 6226640.57]	
Universe Respondents who answered HCUEG02A > 0 or HCUE_01 = 8	
Literal question	Where did the most recent contact take place? - family doctor

HCUEG03A: Loc. most recent cont. - family dr - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	82365	16705329.4	79.9%
2	HOSP EMERG ROOM	3633	589525.0	2.8%
3	HOSP OUTPAT CLIN	1953	325917.4	1.6%
4	WALK-IN CLINIC	6653	1690513.9	8.1%
5	APPOINT CLINIC	4943	939428.8	4.5%
6	COMM HLTH CENTRE	1734	276694.5	1.3%
7	WORK/SCHOOL/OTH	487	104320.5	0.5%
8	AT HOME	469	81867.7	0.4%
9	TEL CONSULT ONLY	852	185927.4	0.9%
96	NOT APPLICABLE	28426	6082584.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	706	144055.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUEG03C: Loc. most recent cont. - other M.D. -(G)

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/W] [Valid=35420 / 7175900.54] [Invalid=96801 / 19950264.44]	
Universe Respondents who answered HCUEG02C > 0 or HCUE_01 = 8	
Literal question Where did the most recent contact take place? - other medical doctor	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	21313	4441417.2	61.9%
2	HOSP EMERG ROOM	1613	298627.6	4.2%
3	HOSP OUTPAT CLIN	8096	1493763.9	20.8%
4	WALK-IN CLINIC	560	147896.1	2.1%
5	APPOINT CLINIC	2660	560143.0	7.8%
6	COMM HLTH CENTRE	333	61060.4	0.9%
7	WORK/SCHOOL/OTH	620	123996.8	1.7%
8	AT HOME	50	9626.6	0.1%
9	TEL CONSULT ONLY	175	39368.9	0.5%
96	NOT APPLICABLE	96531	19902473.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	270	47791.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUEG03D: Location most recent cont. - nurse - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/W]	[Valid=17379 / 3116343.52] [Invalid=114842 / 24009821.46]
Universe Respondents who answered HCUEG02D > 0 or HCUE_01 = 8	
Literal question	Where did the most recent contact take place? - nurse

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	2026	387365.5	12.4%
2	HOSP EMERG ROOM	1560	289643.5	9.3%
3	HOSP OUTPAT CLIN	1901	348293.2	11.2%

#HCUEG03D: Location most recent cont. - nurse - (G)

Value	Label	Cases	Weighted	Percentage	(Weighted)	
4	WALK-IN CLINIC	822	162947.2	5.2%		
5	APPOINT CLINIC	941	145804.7	4.7%		
6	COMM HLTH CENTRE	2634	385451.8		12.4%	
7	WORK/SCHOOL/OTH	2047	385333.5		12.4%	
8	AT HOME	2492	397869.5		12.8%	
9	TEL CONSULT ONLY	2956	613634.4			19.7%
96	NOT APPLICABLE	114489	23949240.4			
97	DON'T KNOW	0	0.0			
98	REFUSAL	0	0.0			
99	NOT STATED	353	60581.0			

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUEG3D1: Method most recent contact - nurse

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=5474 / 879170.84] [Invalid=126747 / 26246994.14]
Universe	Respondents who answered HCUE_03D = (3, 5, 6, 97 or 98) or HCUE_02D = (997 or 998) or HCUE_01 = 8
Literal question	Did this most recent contact occur: (in-person (face to face), through a videoconference or through another method)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	IN PERSON	5244	835552.0	95.0%
2	VIDEOCONF/OTHER	230	43618.9	5.0%
6	NOT APPLICABLE	126392	26186034.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	355	60960.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_04A: Attended self-help group

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=132143 / 27108468.28] [Invalid=78 / 17696.7]		
Universe	All respondents		
Literal question	In the past 12 months, have you attended a meeting of a self-help group such as AA or a cancer support group?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3801	658682.4	2.4%
2	NO	128342	26449785.9	97.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	39	9883.2	
8	REFUSAL	32	6118.8	
9	NOT STATED	7	1694.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_04: Consulted altern. health care provider

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=132158 / 27114673.28] [Invalid=63 / 11491.7]	
Universe	All respondents	
Literal question	In the past 12 months, have you seen or talked to an alternative health care provider such as an acupuncturist, homeopath or massage therapist about your physical, emotional or mental health?	

#HCUE_04: Consulted altern. health care provider

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17202	3714577.2	13.7%
2	NO	114956	23400096.1	86.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	44	8230.1	
8	REFUSAL	12	1566.9	
9	NOT STATED	7	1694.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_05A: Alt. hlth care - massage therapist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=17186 / 3709269.65] [Invalid=115035 / 23416895.33]	
Universe	Respondents who answered HCUE_04 = (1, 7 or 8) or HCUE_01 = 8	
Literal question	Who did you see or talk to? - Massage therapist	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11332	2430623.1	65.5%
2	NO	5854	1278646.6	34.5%
6	NOT APPLICABLE	114956	23400096.1	
7	DON'T KNOW	13	4814.0	
8	REFUSAL	3	493.5	
9	NOT STATED	63	11491.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUE_05B: Alt. hlth care - acupuncturist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=17186 / 3709269.65] [Invalid=115035 / 23416895.33]	
Universe	Respondents who answered HCUE_04 = (1, 7 or 8) or HCUE_01 = 8	
Literal question	Who did you see or talk to? - Acupuncturist	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3182	687472.6	18.5%	
2	NO	14004	3021797.1		81.5%
6	NOT APPLICABLE	114956	23400096.1		
7	DON'T KNOW	13	4814.0		
8	REFUSAL	3	493.5		
9	NOT STATED	63	11491.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_05C: Alt. hlth care - homeopath/naturopath

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=17186 / 3709269.65] [Invalid=115035 / 23416895.33]	
Universe	Respondents who answered HCUE_04 = (1, 7 or 8) or HCUE_01 = 8	
Literal question	Who did you see or talk to? - Homeopath or naturopath	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2943	648540.0	17.5%
2	NO	14243	3060729.6	82.5%
6	NOT APPLICABLE	114956	23400096.1	

#HCUE_05C: Alt. hlth care - homeopath/naturopath

Value	Label	Cases	Weighted	Percentage (We
7	DON'T KNOW	13	4814.0	
8	REFUSAL	3	493.5	
9	NOT STATED	63	11491.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUEG05L: Alt. hlth care - other - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=17186 / 3709269.65] [Invalid=115035 / 23416895.33]		
Universe	Respondents who answered HCUE_04 = (1, 7 or 8) or HCUE_01 = 8		
Literal question	Who did you see or talk to? - Other		
Notes	Based on HCUE_05D, HCUE_05E, HCUE_05F, HCUE_05G, HCUE_05H, HCUE_05I, HCUE_05J, HCUE_05K, HCUE_05L. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2829	612918.2	16.5%
2	NO	14357	3096351.5	83.5%
6	NOT APPLICABLE	114956	23400096.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	79	16799.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUE_06: Unmet health care needs - self-perceived

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=132048 / 27093063.45] [Invalid=173 / 33101.53]				
Universe	All respondents			
Literal question	During the past 12 months, was there ever a time when you felt that you needed health care but you didn't receive it?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15157	3068801.0	11.3%
2	NO	116891	24024262.4	88.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	147	28187.1	
8	REFUSAL	19	3219.8	
9	NOT STATED	7	1694.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_07A: Care not rec'd - not avail. in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8	
Literal question	Thinking of the most recent time, why didn't you get care? - Not available in the area	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1637	261706.4	8.6%
2	NO	13484	2798402.1	91.4%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	32	7683.8	

HCUE_07A: Care not rec'd - not avail. in area

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	4	1008.7	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\mbox{\#}\,HCUE_07B\mbox{:}\,$ Care not rec'd - not avail. time req'd

Information	prmation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8	
Literal question	Thinking of the most recent time, why didn't you get care? - Not available at time required (e.g., doctor on holidays, inconvenient hours)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2088	388796.8	12.7%
2	NO	13033	2671311.7	87.3%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	32	7683.8	
8	REFUSAL	4	1008.7	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_07C: Care not rec'd - wait too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8	
Literal question	Thinking of the most recent time, why didn't you get care? - Waiting time too long	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5454	1095498.5	35.8%
2	NO	9667	1964610.0	64.2%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	32	7683.8	
8	REFUSAL	4	1008.7	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\mbox{\#}\,HCUE_07D\mbox{:}\,$ Care not rec'd - felt be inadequate

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	Valid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]			
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8			
Literal question	Thinking of the most recent time, why didn't you get care? - Felt would be inadequate			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	600	112224.2	3.7%	
2	NO	14521	2947884.3	96.3%	
6	NOT APPLICABLE	116891	24024262.4		
7	DON'T KNOW	32	7683.8		
8	REFUSAL	4	1008.7		
9	NOT STATED	173	33101.5		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

#HCUE_07E: Care not rec'd - cost			
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]		
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8		
Literal question	Thinking of the most recent time, why didn't you get care? - Cost		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1175	264205.5	8.6%	
2	NO	13946	2795903.0	91.4	1%
6	NOT APPLICABLE	116891	24024262.4		
7	DON'T KNOW	32	7683.8		
8	REFUSAL	4	1008.7		
9	NOT STATED	173	33101.5		

HCUE_07F: Care not rec'd - too busy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	/alid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]			
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8			
Literal question	Thinking of the most recent time, why didn't you get care? - Too busy			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	854	193731.6	6.3%
2	NO	14267	2866377.0	93.7%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	32	7683.8	
8	REFUSAL	4	1008.7	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_07G: Care not rec'd - didn't get around it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	/alid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]			
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8			
Literal question	Thinking of the most recent time, why didn't you get care? - Didn't get around to it / didn't bother			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1112	253915.9	8.3%
2	NO	14009	2806192.6	91.7%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	32	7683.8	
8	REFUSAL	4	1008.7	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUE_07H: Care not rec'd - didn't know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	Valid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]			
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8			
Literal question	Thinking of the most recent time, why didn't you get care? - Didn't know where to go			

#HCUE_07H: Care not rec'd - didn't know where to go

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	301	65880.4	2.2%
2	NO	14820	2994228.1	97.8%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	32	7683.8	
8	REFUSAL	4	1008.7	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_07I: Care not rec'd - transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	Valid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]			
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8			
Literal question	Thinking of the most recent time, why didn't you get care? - Transportation problems			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	330	49863.8	1.6%
2	NO	14791	3010244.8	98.4%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	32	7683.8	
8	REFUSAL	4	1008.7	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_07J: Care not rec'd - language problems

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]		
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8		
Literal question	Thinking of the most recent time, why didn't you get care? - Language problems		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	48	12233.7	0.4%
2	NO	15073	3047874.8	99.6%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	32	7683.8	
8	REFUSAL	4	1008.7	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_07K: Care not rec'd - pers./family resp.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]		
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8		
Literal question	Thinking of the most recent time, why didn't you get care? - Personal or family responsibilities		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	145	31692.4	1.0%
2	NO	14976	3028416.2	99.0%
6	NOT APPLICABLE	116891	24024262.4	

#HCUE_07K: Care not rec'd - pers./family resp.

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	32	7683.8	
8	REFUSAL	4	1008.7	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_07L: Care not rec'd - dislikes doctor/afraid

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]		
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8		
Literal question	Thinking of the most recent time, why didn't you get care? - Dislikes doctors / afraid		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	300	57960.3	1.9%
2	NO	14821	3002148.2	98.1%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	32	7683.8	
8	REFUSAL	4	1008.7	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_07M: Care not rec'd - decided not seek care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Thinking of the most recent time, why didn't you get care? - Decided not to seek care

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1212	232622.2	7.6%
2	NO	13909	2827486.3	92.4%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	32	7683.8	
8	REFUSAL	4	1008.7	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_07O: Care not rec'd - doctor think not nec.

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]		
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8		
Literal question	Thinking of the most recent time, why didn't you get care? - Doctor didn't think it was necessary		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	774	150955.5	4.9%
2	NO	14347	2909153.1	95.1%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	32	7683.8	
8	REFUSAL	4	1008.7	
9	NOT STATED	173	33101.5	

#HCUE_07O: Care not rec'd - doctor think not nec.

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUE_07P: Care not rec'd - unable to leave house

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]		
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8		
Literal question	Thinking of the most recent time, why didn't you get care? - Unable to leave the house because of health problem		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	162	31213.0	1.0%
2	NO	14959	3028895.5	99.0%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	32	7683.8	
8	REFUSAL	4	1008.7	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUE_07N: Care not rec'd - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15121 / 3060108.52] [Invalid=117100 / 24066056.46]
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Thinking of the most recent time, why didn't you get care? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3396	695323.7	22.7%
2	NO	11725	2364784.8	77.3%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	32	7683.8	
8	REFUSAL	4	1008.7	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUE_08A: Type care not rec'd - physical hlth prob

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15105 / 3056946.86] [Invalid=117116 / 24069218.12]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8	
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of a physical health problem	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	11034	2207715.0	72.29	%
2	NO	4071	849231.8	27.8%	
6	NOT APPLICABLE	116891	24024262.4		
7	DON'T KNOW	47	10530.4		
8	REFUSAL	5	1323.8		
9	NOT STATED	173	33101.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# HCUE_08B: Type care not rec'd - emotional problem		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15105 / 3056946.86] [Invalid=117116 / 24069218.12]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8	
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of an emotional or mental health problem	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1424	283746.8	9.3%
2	NO	13681	2773200.1	90.7%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	47	10530.4	
8	REFUSAL	5	1323.8	
9	NOT STATED	173	33101.5	

HCUE_08C: Type care not rec'd - regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=15105 / 3056946.86] [Invalid=117116 / 24069218.12]
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including regular pre-natal care)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1279	271008.3	8.9%
2	NO	13826	2785938.5	91.1%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	47	10530.4	
8	REFUSAL	5	1323.8	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\ensuremath{\mbox{\#}\,\mbox{HCUE}}\xspace_08D\ensuremath{\mbox{E}}\xspace$ Type care not rec'd - care of injury

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=15105 / 3056946.86] [Invalid=117116 / 24069218.12]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1085	228588.2	7.5%
2	NO	14020	2828358.7	92
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	47	10530.4	
8	REFUSAL	5	1323.8	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUE_08E: Type care not rec'd - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=15105 / 3056946.86] [Invalid=117116 / 24069218.12]

#HCUE_08E: Type care not rec'd - other

Universe Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8

Literal question Again, thinking of the most recent time, what was the type of care that was needed? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1185	252691.1	8.3%	
2	NO	13920	2804255.7		91.7%
6	NOT APPLICABLE	116891	24024262.4		
7	DON'T KNOW	47	10530.4		
8	REFUSAL	5	1323.8		
9	NOT STATED	173	33101.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_09A: Tried get serv. - doctor's office

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=14894 / 3015513.45] [Invalid=117327 / 24110651.53]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Where did you try to get the service you were seeking? - Doctor's office

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6527	1293354.7	42.9%
2	NO	8367	1722158.8	57.1%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	224	43471.3	
8	REFUSAL	39	9816.3	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_09B: Tried get serv. - hospital emergency

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=14894 / 3015513.45] [Invalid=117327 / 24110651.53]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Where did you try to get the service you were seeking? - Hospital emergency room

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2401	441947.2	14.7%
2	NO	12493	2573566.3	85.3%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	224	43471.3	
8	REFUSAL	39	9816.3	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_09C: Tried get serv. - hsp. overnight patient

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=14894 / 3015513.45] [Invalid=117327 / 24110651.53]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Where did you try to get the service you were seeking? - Hospital overnight patient

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	192	30904.4	1.0%

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	14702	2984609.0	9
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	224	43471.3	
8	REFUSAL	39	9816.3	
9	NOT STATED	173	33101.5	

HCUE_09D: Tried get serv. - hsp. outpatient clinic

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=14894 / 3015513.45] [Invalid=117327 / 24110651.53]	
Universe Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8	
Literal question	Where did you try to get the service you were seeking? - Hospital outpatient clinic (e.g., day surgery, cancer)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	912	185921.4	6.2%
2	NO	13982	2829592.1	93.8%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	224	43471.3	
8	REFUSAL	39	9816.3	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_09E: Tried get serv. - walk-in clinic

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=14894 / 3015513.45] [Invalid=117327 / 24110651.53]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Where did you try to get the service you were seeking? - Walk-in clinic

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1549	371065.1	12.3%
2	NO	13345	2644448.4	87.7%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	224	43471.3	
8	REFUSAL	39	9816.3	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUE_09F: Tried get serv. - appointment clinic

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=14894 / 3015513.45] [Invalid=117327 / 24110651.53]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8	
Literal question	Where did you try to get the service you were seeking? - Appointment clinic	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	972	202459.9	6.7%	
2	NO	13922	2813053.5	93	3.3%
6	NOT APPLICABLE	116891	24024262.4		
7	DON'T KNOW	224	43471.3		

#HCUE_09F: Tried get serv. - appointment clinic

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	39	9816.3	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\mbox{\#}\,\mbox{HCUE_09G:}$ Tried get serv. - comm. hlth centre/CLSC

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=14894 / 3015513.45] [Invalid=117327 / 24110651.53]
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question Where did you try to get the service you were seeking? - Community health centre / CLSC	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	745	120795.6	4.0%
2	NO	14149	2894717.9	96.0%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	224	43471.3	
8	REFUSAL	39	9816.3	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HCUE_09H: Tried get serv. - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=14894 / 3015513.45] [Invalid=117327 / 24110651.53]	
Universe Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8	
Literal question Where did you try to get the service you were seeking? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3181	671826.3	22.3%
2	NO	11713	2343687.1	77.7%
6	NOT APPLICABLE	116891	24024262.4	
7	DON'T KNOW	224	43471.3	
8	REFUSAL	39	9816.3	
9	NOT STATED	173	33101.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCUEGMDC: No. of consultations w/medical dr -(D,G)

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/W] [Valid=131435 / 26972080.99] [Invalid=786 / 154083.99]	
Universe	All respondents
Literal question	No. of consultations w/medical dr -(D,G)
Notes	Based on HCUEG02A, HCUG02C. See documentation on derived variables.

Value	Label	Cases	Weighted
31	31+ CONSULTATION	1118	219383.5
96	NOT APPLICABLE	0	0.0
97	DON'T KNOW	0	0.0
98	REFUSAL	0	0.0
99	NOT STATED	786	154084.0
Warning: these figure:	indicate the number of cases found in the data file. They cannot be	interpreted as su	ummary statistics of the p

# HCUEFCOP: Consultations - hlth professionals - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=132032 / 27087892.01] [Invalid=189 / 38272.97]			
Universe	All respondents			
Literal question	Consultations - hlth professionals - (F)			
Notes	Based on HCUE_02A, HCUE_02B, HCUE_02C, HCUE_02D, HCUE_02E, HCUE_02F, HCUE_02G, HCUE_02H, HCUE_02I, HCUE_02J. This variable is not comparable to HCUAFHPC (CCHS 1.1) nor to HCCnDHPC (NPHS cycles 1-5) since it does not use CMHA_01K. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	124556	25574456.4	94.4%
2	NO	7476	1513435.6	5.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	189	38273.0	

#HMCE_09: Rec'd home care services by govt.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=119829 / 24569928.41] [Invalid=12392 / 2556236.57]			
Universe	Respondents aged 18 and over			
Literal question	Have you received any home care services in the past 12 months, with the cost being entirely or partially covered by government?			
Notes	Home care services includes health care, home maker or other support services received at home. Examples include: nursing care, personal care or help with bathing, housework, meal preparation, meal delivery and respite care.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4836	689276.2	2.8%
2	NO	114993	23880652.2	97.2%
6	NOT APPLICABLE	12317	2539751.7	
7	DON'T KNOW	44	7784.5	
8	REFUSAL	31	8700.4	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HMCE_10A: Type govt. care rec'd - nursing care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=4832 / 687505.33] [Invalid=127389 / 26438659.65]		
Universe	Respondents who answered HMCE_09 = (1, 7 or 8)		
Literal question	What type of services have you received? - Nursing care (e.g., dressing changes, preparing medications, V.O.N. visits)		
Notes	Cost must be entirely or partially covered by government.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2157	344378.5	50.19
2	NO	2675	343126.8	49.9%
6	NOT APPLICABLE	127310	26420403.9	
7	DON'T KNOW	4	1770.8	
8	REFUSAL	0	0.0	
9	NOT STATED	75	16484.9	

#HMCE_10A: Type govt. care rec'd - nursing care

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_10B: Type govt. care rec'd - health services

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=4832 / 687505.33] [Invalid=127389 / 26438659.65]
Universe	Respondents who answered HMCE_09 = (1, 7 or 8)
Literal question	What type of services have you received? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling)
Notes	Cost must be entirely or partially covered by government.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	464	78631.6	11.4%
2	NO	4368	608873.7	88.6%
6	NOT APPLICABLE	127310	26420403.9	
7	DON'T KNOW	4	1770.8	
8	REFUSAL	0	0.0	
9	NOT STATED	75	16484.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_10C: Type govt. care rec'd - personal care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4832 / 687505.33] [Invalid=127389 / 26438659.65]	
Universe	Respondents who answered HMCE_09 = (1, 7 or 8)	
Literal question	What type of services have you received? - Personal care (e.g., bathing, foot care)	
Notes	Cost must be entirely or partially covered by government.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	460	70207.1	10.2%
2	NO	4372	617298.3	89.8%
6	NOT APPLICABLE	127310	26420403.9	
7	DON'T KNOW	4	1770.8	
8	REFUSAL	0	0.0	
9	NOT STATED	75	16484.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_10D: Type govt. care rec'd - housework

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4832 / 687505.33] [Invalid=127389 / 26438659.65]	
Universe	Respondents who answered HMCE_09 = (1, 7 or 8)	
Literal question	What type of services have you received? - Housework (e.g., cleaning, laundry)	
Notes	Cost must be entirely or partially covered by government.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1323	174192.6	25.3%
2	NO	3509	513312.8	74.7%
6	NOT APPLICABLE	127310	26420403.9	
7	DON'T KNOW	4	1770.8	
8	REFUSAL	0	0.0	
9	NOT STATED	75	16484.9	

#HMCE_10D: Type govt. care rec'd - housework

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_10E: Type govt. care rec'd - meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4832 / 687505.33] [Invalid=127389 / 26438659.65]	
Universe	Respondents who answered HMCE_09 = (1, 7 or 8)	
Literal question	What type of services have you received? - Meal preparation or delivery	
Notes	Cost must be entirely or partially covered by government.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1937	206291.7	30.0%
2	NO	2895	481213.7	70.0%
6	NOT APPLICABLE	127310	26420403.9	
7	DON'T KNOW	4	1770.8	
8	REFUSAL	0	0.0	
9	NOT STATED	75	16484.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_10F: Type govt. care rec'd - shopping

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4832 / 687505.33] [Invalid=127389 / 26438659.65]	
Universe	Respondents who answered HMCE_09 = (1, 7 or 8)	
iteral question What type of services have you received? - Shopping		
Notes	Cost must be entirely or partially covered by government.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	705	76955.2	11.2%
2	NO	4127	610550.1	88.8%
6	NOT APPLICABLE	127310	26420403.9	
7	DON'T KNOW	4	1770.8	
8	REFUSAL	0	0.0	
9	NOT STATED	75	16484.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\#\,HMCE_10G$. Type govt. care rec'd - respite care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=4832 / 687505.33] [Invalid=127389 / 26438659.65]	
Universe	despondents who answered HMCE_09 = (1, 7 or 8)	
Literal question What type of services have you received? - Respite care (i.e., caregiver relief program)		
Notes	Cost must be entirely or partially covered by government.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	267	28105.9	4.1%
2	NO	4565	659399.4	95.9%
6	NOT APPLICABLE	127310	26420403.9	
7	DON'T KNOW	4	1770.8	
8	REFUSAL	0	0.0	
9	NOT STATED	75	16484.9	
Warning: these fig	gures indicate the number of cases found in the data file. They cannot be	interpreted as si	ummary statistics of the	population of interest.

# HMCE_10H: Type go	# HMCE_10H: Type govt. care rec'd - other		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	alid=4832 / 687505.33] [Invalid=127389 / 26438659.65]		
Universe	espondents who answered HMCE_09 = (1, 7 or 8)		
Literal question	What type of services have you received? - Other		
Notes	Cost must be entirely or partially covered by government.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	244	46178.0	6.7%
2	NO	4588	641327.3	93.3%
6	NOT APPLICABLE	127310	26420403.9	
7	DON'T KNOW	4	1770.8	
8	REFUSAL	0	0.0	
9	NOT STATED	75	16484.9	

$\mbox{\#}\,\mbox{HMCE_10I:}$ Type govt. care rec'd - med. equipment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4832 / 687505.33] [Invalid=127389 / 26438659.65]	
Universe	Respondents who answered HMCE_09 = (1, 7 or 8)	
Literal question	What type of services have you received? - Medical equipment or supplies	
Notes	Cost must be entirely or partially covered by government.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	404	68215.3	9.9%
2	NO	4428	619290.0	90.1%
6	NOT APPLICABLE	127310	26420403.9	
7	DON'T KNOW	4	1770.8	
8	REFUSAL	0	0.0	
9	NOT STATED	75	16484.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HMCE_11: Rec'd home care not covered by govt.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=119821 / 24567158.95] [Invalid=12400 / 2559006.03]
Universe	Respondents aged 18 and over
Literal question	Have you received any [other] home care services in the past 12 months, with the cost not covered by government (for example: care provided by a private agency or by a spouse or friends)?
Notes	Includes only health care, homemaker or other support services (e.g., housework) that are provided because of a respondent's health problem or condition.

Value	Label	Cases	Weighted	Percentage (Weighted)		
1	YES	5150	762039.9	3.1%		
2	NO	114671	23805119.1	96.9%		
6	NOT APPLICABLE	12317	2539751.7			
7	DON'T KNOW	49	9833.7			
8	REFUSAL	3	720.2			
9	NOT STATED	31	8700.4			
Warning: these figures	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# HMCEG12A: Non govt provided by private agency -(G)		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	alid=5132 / 759846.7] [Invalid=127089 / 26366318.28]	
Universe	Respondents who answered HMCE_11 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	stion Non govt provided by private agency -(G)	
Notes	Based on HMCE_12A, HMCE_12B, HMCE_12G. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1406	203047.3	26.7%	
2	NO	3726	556799.4	73.3	3%
6	NOT APPLICABLE	126988	26344870.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	101	21447.6		

HMCEG12C: Non govt. provided by neigh/fam/vol.-(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=5132 / 759846.7] [Invalid=127089 / 26366318.28]		
Universe	Respondents who answered HMCE_11 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Non govt. provided by neigh/fam/vol(G)	
Notes	Based on HMCE_12C, HMCE_12D, HMCE_12E. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3589	540628.7	71
2	NO	1543	219218.0	28.9%
6	NOT APPLICABLE	126988	26344870.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	101	21447.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_12F: Non govt. provided by other

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=5132 / 759846.7] [Invalid=127089 / 26366318.28]	
Universe	Respondents who answered HMCE_11 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Who provided these [other] home care services? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	449	62653.7	8.2%
2	NO	4683	697193.0	91.8%
6	NOT APPLICABLE	126988	26344870.7	
7	DON'T KNOW	17	2109.7	
8	REFUSAL	1	83.5	
9	NOT STATED	83	19254.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3AA: Private agency - nursing care - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1403 / 202696.52] [Invalid=130818 / 26923468.46]

HMCEG3AA: Private agency - nursing care - (G) Universe Respondents who answered HMCEG12A = (1 or 9) Literal question Private agency - nursing care - (G) Notes Based on HMCE_3AA, HMCE_3BA, HMCE_3GA. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	153	29103.2	14.4%	
2	NO	1250	173593.3		85.6%
6	NOT APPLICABLE	130714	26901670.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	104	21798.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3AB: Private agency - hlth serv. - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1403 / 202696.52] [Invalid=130818 / 26923468.46]	
Universe	Respondents who answered HMCEG12A = (1 or 9)	
Literal question	Private agency - hlth serv (G)	
Notes	Based on HMCE_3AB, HMCE_3GB. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	58	12871.2	6.3%	
2	NO	1345	189825.3	93.	7%
6	NOT APPLICABLE	130714	26901670.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	104	21798.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3AI: Private agency - med. equip. - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	atistics [NW/ W] [Valid=1403 / 202696.52] [Invalid=130818 / 26923468.46]	
Universe	Respondents who answered HMCEG12A = (1 or 9)	
Literal question	Private agency - med. equip (G)	
Notes	Based on HMCE_3AI, HMCE_3BI, HMCE_3GI. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percent
1	YES	37	7140.9	3.5%
2	NO	1366	195555.7	
6	NOT APPLICABLE	130714	26901670.1	
7	DON'T KNOW	0	0.0	
	REFUSAL	0	0.0	
)	NOT STATED	104	21798.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3AC: Private agency - pers. Care - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1403 / 202696.52] [Invalid=130818 / 26923468.46]	
Universe	Respondents who answered HMCEG12A = (1 or 9)	

#HMCEG3AC: Private agency - pers. Care - (G)

Literal question Private agency - pers. Care - (G)

Notes Based on HMCE_3AC, HMCE_3BC, HMCE_3GC. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	223	35348.7	17.4%	
2	NO	1180	167347.9	82.69	%
6	NOT APPLICABLE	130714	26901670.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	104	21798.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3AD: Private agency - housework - (G)

Information	nation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1404 / 202799.74] [Invalid=130817 / 26923365.24]	
Universe	Respondents who answered HMCEG12A = (1 or 9)	
Literal question	Literal question Private agency - housework - (G)	
Notes Based on HMCE_3AD, HMCE_3BD, HMCE_3GD. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1126	155024.5	76.4%
2	NO	278	47775.2	23.6%
6	NOT APPLICABLE	130714	26901670.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	103	21695.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3AE: Private agency - meals - (G)

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=1403 / 202696.52] [Invalid=130818 / 26923468.46]		
Universe	Respondents who answered HMCEG12A = (1 or 9)	
Literal question Private agency - meals - (G)		
Notes	Based on HMCE_3AD, HMCE_3BD, HMCE_3GD. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	189	28507.2	14.1%
2	NO	1214	174189.3	85.9%
6	NOT APPLICABLE	130714	26901670.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	104	21798.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3AF: Private agency - shopping - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1404 / 202799.74] [Invalid=130817 / 26923365.24]	
Universe	Respondents who answered HMCEG12A = (1 or 9)	
Literal question	Private agency - shopping - (G)	

HMCEG3AF: Private agency - shopping - (G)

Notes Based on HMCE_3AF, HMCE_3BF, HMCE_3GF. See documentation on derived variables.

Value	Label	Cases	Weighted	
1	YES	103	15283.7	7.5%
2	NO	1301	187516.0	
6	NOT APPLICABLE	130714	26901670.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	103	21695.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3AG: Private agency - respite care - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1403 / 202696.52] [Invalid=130818 / 26923468.46]	
Universe	Respondents who answered HMCEG12A = (1 or 9)	
Literal question Private agency - respite care - (G)		
Notes Based on HMCE_3AG, HMCE_3BG, HMCE_3GG. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	38	7796.6	3.8%
2	NO	1365	194899.9	96.2%
6	NOT APPLICABLE	130714	26901670.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	104	21798.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3AH: Private agency - other - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1403 / 202696.52] [Invalid=130818 / 26923468.46]	
Universe	Respondents who answered HMCEG12A = (1 or 9)	
Literal question	Private agency - other - (G)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	62	10623.0	5.2%
2	NO	1341	192073.5	94.8%
6	NOT APPLICABLE	130714	26901670.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	104	21798.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3CA: Neigh/fam/vol - nursing care - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3587 / 540542.69] [Invalid=128634 / 26585622.29]	
Universe	Respondents who answered HMCEG12A = (1 or 9)	
Literal question	Neigh/fam/vol - nursing care - (G)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	430	77797.5	14.4%

HMCEG3CA: Neigh/fam/vol - nursing care - (G)

Value	Label	Cases	Weighted
2	NO	3157	462745.2
6	NOT APPLICABLE	128531	26564088.8
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	103	21533.5

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3CB: Neigh/fam/vol - health services - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3587 / 540542.69] [Invalid=128634 / 26585622.29]
Universe	Respondents who answered HMCEG12A = (1 or 9)
Literal question	Neigh/fam/vol - health services - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	99	22072.9	4.1%
2	NO	3488	518469.8	95.9%
6	NOT APPLICABLE	128531	26564088.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	103	21533.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3CI: Neigh/fam/vol - med. equip. - (G)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=3587 / 540542.69] [Invalid=128634 / 26585622.29]	
Universe	Respondents who answered HMCEG12A = (1 or 9)
Literal question	Neigh/fam/vol - med. equip (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	135	20554.7	3.8%
2	NO	3452	519988.0	96.2%
6	NOT APPLICABLE	128531	26564088.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	103	21533.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3CC: Neigh/fam/vol - personal - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3587 / 540542.69] [Invalid=128634 / 26585622.29]
Universe	Respondents who answered HMCEG12A = (1 or 9)
Literal question	Neigh/fam/vol - personal - (G)
Notes	Based on HMCE_3CA, HMCE_3DA, HMCE_3EA. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	987	177354.4	32.8%
2	NO	2600	363188.2	67.2%
6	NOT APPLICABLE	128531	26564088.8	

HMCEG3CC: Neigh/fam/vol - personal - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	103	21533.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3CD: Neigh/fam/vol - housework - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=3587 / 540542.69] [Invalid=128634 / 26585622.29]	
Universe	Respondents who answered HMCEG12A = (1 or 9)
Literal question Neigh/fam/vol - housework - (G)	
Notes	Based on HMCE_3CB, HMCE_3DB, HMCE_3EB. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2612	397228.2	73.5%
2	NO	975	143314.5	26.5%
6	NOT APPLICABLE	128531	26564088.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	103	21533.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3CE: Neigh/fam/vol - meals - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=3587 / 540542.69] [Invalid=128634 / 26585622.29]	
Universe	Respondents who answered HMCEG12A = (1 or 9)
Literal question	Neigh/fam/vol - meals - (G)
Notes	Based on HMCE_3CI, HMCE_3DI, HMCE_3EI. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1956	336665.5	62.3%
2	NO	1631	203877.2	37.7%
6	NOT APPLICABLE	128531	26564088.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	103	21533.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3CF: Neigh/fam/vol - shopping - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=3589 / 540628.68] [Invalid=128632 / 26585536.3]		
Universe	Respondents who answered HMCEG12A = (1 or 9)	
Literal question Neigh/fam/vol - shopping - (G)		
Notes	Based on HMCE_3CC, HMCE_3DC, HMCE_3EC. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1783	280025.4	51.8%
2	NO	1806	260603.3	48.2%
6	NOT APPLICABLE	128531	26564088.8	

HMCEG3CF: Neigh/fam/vol - shopping - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	101	21447.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3CG: Neigh/fam/vol - respite - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=3587 / 540542.69] [Invalid=128634 / 26585622.29]		
Universe	Respondents who answered HMCEG12A = (1 or 9)	
Literal question Neigh/fam/vol - respite - (G)		
Notes Based on HMCE_3CD, HMCE_3DD, HMCE_3ED. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	215	44919.1	8.3%
2	NO	3372	495623.6	91.7%
6	NOT APPLICABLE	128531	26564088.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	103	21533.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEG3CH: Neigh/fam/vol - other - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=3588 / 540600.22] [Invalid=128633 / 26585564.76]		
Universe	Respondents who answered HMCEG12A = (1 or 9)	
Literal question Neigh/fam/vol - other - (G)		
Notes Based on HMCE_3CE, HMCE_3DE, HMCE_3EE. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	574	72534.3	13.4%
2	NO	3014	468065.9	86.6%
6	NOT APPLICABLE	128531	26564088.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	102	21476.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HMCE_3FA: Home care provided by other - nursing

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=448 / 62622.58] [Invalid=131773 / 27063542.4]				
Universe	Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8			
Literal question	What type of services have you received from [person specified]? - Nursing care (e.g., dressing changes, preparing medications, V.O.N. visits)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	46	10034.8	16.0%
2	NO	402	52587.8	84.0%
6	NOT APPLICABLE	131671	27042063.7	

#HMCE_3FA: Home care provided by other - nursing

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	1	31.1	
8	REFUSAL	0	0.0	
9	NOT STATED	101	21447.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HMCE_3FB: Home care provided by other - health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=448 / 62622.58] [Invalid=131773 / 27063542.4]	
Universe Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8	
Literal question	What type of services have you received from [person specified]? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19	4368.7	7.0%
2	NO	429	58253.9	93.0%
6	NOT APPLICABLE	131671	27042063.7	
7	DON'T KNOW	1	31.1	
8	REFUSAL	0	0.0	
9	NOT STATED	101	21447.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HMCE_3FI: Home care provided by other - med.equip.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=448 / 62622.58] [Invalid=131773 / 27063542.4]
Universe	Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8
Literal question	What type of services have you received from [person specified]? - Medical equipment or supplies

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	966.7	1.5%
2	NO	440	61655.9	98.
6	NOT APPLICABLE	131671	27042063.7	
7	DON'T KNOW	1	31.1	
8	REFUSAL	0	0.0	
9	NOT STATED	101	21447.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_3FC: Home care provided by other - personal

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=448 / 62622.58] [Invalid=131773 / 27063542.4]	
Universe	Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8	
Literal question	What type of services have you received from [person specified]? - Personal care (e.g., bathing, foot care)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	61	9365.4	15.0%
2	NO	387	53257.2	85.0%
6	NOT APPLICABLE	131671	27042063.7	
7	DON'T KNOW	1	31.1	
8	REFUSAL	0	0.0	

# HMCE_3FC: Home care provided by other - personal				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	101	21447.6	
Warning: these figures	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#HMCE_3FD: Care provided by other - housework		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=448 / 62622.58] [Invalid=131773 / 27063542.4]	
Universe	Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8	
Literal question	What type of services have you received from [person specified]? - Housework (e.g., cleaning, laundry)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	271	37044.2	5
2	NO	177	25578.4	40.8%
6	NOT APPLICABLE	131671	27042063.7	
7	DON'T KNOW	1	31.1	
8	REFUSAL	0	0.0	
9	NOT STATED	101	21447.6	

#HMCE_3FE: Home care provided by other - meals

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=448 / 62622.58] [Invalid=131773 / 27063542.4]		
Universe	Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8		
Literal question	What type of services have you received from [person specified]? - Meal preparation or delivery		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	95	15002.4	24.0%
2	NO	353	47620.2	
6	NOT APPLICABLE	131671	27042063.7	
7	DON'T KNOW	1	31.1	
8	REFUSAL	0	0.0	
9	NOT STATED	101	21447.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HMCE_3FF: Home care provided by other - shopping

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=448 / 62622.58] [Invalid=131773 / 27063542.4]	
Universe	Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8	
Literal question	What type of services have you received from [person specified]? - Shopping	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	33	6591.4	10.5%
2	NO	415	56031.2	89.5%
6	NOT APPLICABLE	131671	27042063.7	
7	DON'T KNOW	1	31.1	
8	REFUSAL	0	0.0	
9	NOT STATED	101	21447.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_3FG: Home care provided by other - respite

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=448 / 62622.58] [Invalid=131773 / 27063542.4]			
Universe	Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8			
Literal question	What type of services have you received from [person specified]? - Respite care (i.e., caregiver relief program)			

#HMCE_3FG: Home care provided by other - respite

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	2228.2	3.6%
2	NO	436	60394.4	96.4%
6	NOT APPLICABLE	131671	27042063.7	
7	DON'T KNOW	1	31.1	
8	REFUSAL	0	0.0	
9	NOT STATED	101	21447.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HMCE_3FH: Home care provided by other - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=448 / 62622.58] [Invalid=131773 / 27063542.4]
Universe	Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8
Literal question	What type of services have you received from [person specified]? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	89	11068.1	17.7%
2	NO	359	51554.5	82.3%
6	NOT APPLICABLE	131671	27042063.7	
7	DON'T KNOW	1	31.1	
8	REFUSAL	0	0.0	
9	NOT STATED	101	21447.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_14: Self-perceived unmet home care needs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=119794 / 24562986.98] [Invalid=12427 / 2563178]
Universe	Respondents aged 18 and over
Literal question	During the past 12 months, was there ever a time when you felt that you needed home care services but you didn't receive them?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2686	422128.8	1.7%
2	NO	117108	24140858.2	98.3%
6	NOT APPLICABLE	12317	2539751.7	
7	DON'T KNOW	70	13682.4	
8	REFUSAL	9	1043.5	
9	NOT STATED	31	8700.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_15A: Care not rec'd - not avail./area

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=2660 / 417801.42] [Invalid=129561 / 26708363.56]		
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8		
Literal question	Thinking of the most recent time, why didn't you get these services? - Not available in the area		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	248	40979.6	9.8%	
2	NO	2412	376821.8	9	90.2%

HMCE_15A: Care not rec'd - not avail./area

Value	Label	Cases	Weighted
6	NOT APPLICABLE	129425	26680609.8
7	DON'T KNOW	26	4327.4
8	REFUSAL	0	0.0
9	NOT STATED	110	23426.3

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HMCE_15B: Care not rec'd - not avail./time req'd

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2660 / 417801.42] [Invalid=129561 / 26708363.56]
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Thinking of the most recent time, why didn't you get these services? - Not available at time required (e.g., inconvenient hours)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	122	20036.1	4.8%
2	NO	2538	397765.4	95.2%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	26	4327.4	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HMCE_15C: Care not rec'd - waiting time too long

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=2660 / 417801.42] [Invalid=129561 / 26708363.56]
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Thinking of the most recent time, why didn't you get these services? - Waiting time too long

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	136	22773.2	5.5%	
2	NO	2524	395028.2	94.5%	
6	NOT APPLICABLE	129425	26680609.8		
7	DON'T KNOW	26	4327.4		
8	REFUSAL	0	0.0		
9	NOT STATED	110	23426.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HMCE_15D: Care not rec'd - would be inadequate

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2660 / 417801.42] [Invalid=129561 / 26708363.56]
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Thinking of the most recent time, why didn't you get these services? - Felt would be inadequate

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	72	9018.3	2.2%
2	NO	2588	408783.1	97.8%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	26	4327.4	

#HMCE_15D: Care not rec'd - would be inadequate

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_15E: Care not rec'd - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=2660 / 417801.42] [Invalid=129561 / 26708363.56]		
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8		
Literal question	Thinking of the most recent time, why didn't you get these services? - Cost		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	516	85161.9	20.4%
2	NO	2144	332639.5	79.6%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	26	4327.4	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_15F: Care not rec'd - too busy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=2660 / 417801.42] [Invalid=129561 / 26708363.56]		
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8		
Literal question	Thinking of the most recent time, why didn't you get these services? - Too busy		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	28	4060.0	1.0%
2	NO	2632	413741.4	99.0%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	26	4327.4	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HMCE_15G: Care not rec'd - didn't get around to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=2660 / 417801.42] [Invalid=129561 / 26708363.56]		
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8		
Literal question	Thinking of the most recent time, why didn't you get these services? - Didn't get around to it / didn't bother		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	332	46536.0	11.1%
2	NO	2328	371265.4	88.9%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	26	4327.4	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# HMCE_15H: Care not rec'd - didn't know where to go		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=2660 / 417801.42] [Invalid=129561 / 26708363.56]	
Universe	Priverse Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Thinking of the most recent time, why didn't you get these services? - Didn't know where to go / call	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	327	65831.7	15.8%
2	NO	2333	351969.7	84.2%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	26	4327.4	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

HMCE_15I: Care not rec'd - language problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=2660 / 417801.42] [Invalid=129561 / 26708363.56]		
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8		
Literal question	Thinking of the most recent time, why didn't you get these services? - Language problems		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	791.5	0.2%
2	NO	2651	417009.9	99.8%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	26	4327.4	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\#\,HMCE_15J\colon Care\ not\ rec'd$ - family responsibilities

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=2660 / 417801.42] [Invalid=129561 / 26708363.56]	
Universe Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question Thinking of the most recent time, why didn't you get these services? - Personal or family responsibilities	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22	3831.7	0.9%
2	NO	2638	413969.7	99.1%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	26	4327.4	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_15K: Care not rec'd - decided not seek serv.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=2660 / 417801.42] [Invalid=129561 / 26708363.56]	
Universe Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Thinking of the most recent time, why didn't you get these services? - Decided not to seek services

#HMCE_15K: Care not rec'd - decided not seek serv.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	249	33750.7	8.1%
2	NO	2411	384050.7	91.9%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	26	4327.4	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HMCE_15L: Care not rec'd - doctor think not nec.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=2660 / 417801.42] [Invalid=129561 / 26708363.56]
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Thinking of the most recent time, why didn't you get these services? - Doctor didn't think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	85	14466.0	3.5%
2	NO	2575	403335.4	96.5%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	26	4327.4	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_15M: Care not rec'd - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=2660 / 417801.42] [Invalid=129561 / 26708363.56]
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Thinking of the most recent time, why didn't you get these services? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	406	61741.0	14.8%	
2	NO	2254	356060.4		85.2%
6	NOT APPLICABLE	129425	26680609.8		
7	DON'T KNOW	26	4327.4		
8	REFUSAL	0	0.0		
9	NOT STATED	110	23426.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_15N: Care not rec'd - Did not qualify

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=2660 / 417801.42] [Invalid=129561 / 26708363.56]	
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Thinking of the most recent time, why didn't you get these services? - Did not qualify / Not eligible for homecare	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	148	19959.4	4.8%
2	NO	2512	397842.0	95.2%
6	NOT APPLICABLE	129425	26680609.8	

HMCE_15N: Care not rec'd - Did not qualify

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	26	4327.4	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HMCE_150: Care not rec'd - Still waiting/homecare

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=2660 / 417801.42] [Invalid=129561 / 26708363.56]		
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8		
Literal question	Thinking of the most recent time, why didn't you get these services? - Still waiting for homecare		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	686	107498.2	25.7%
2	NO	1974	310303.2	74.3%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	26	4327.4	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HMCE_16A: Type care needed - nursing care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2667 / 417476.09] [Invalid=129554 / 26708688.89]
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Again, thinking of the most recent time, what was the type of home care that was needed? - Nursing care (e.g., dressing changes, preparing medications, V.O.N. visits)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	374	66672.4	16.0%
2	NO	2293	350803.7	84.0%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	19	4652.7	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_16B: Type care needed - health services

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2667 / 417476.09] [Invalid=129554 / 26708688.89]
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Again, thinking of the most recent time, what was the type of home care that was needed? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	199	38186.8	9.1%
2	NO	2468	379289.3	90.9%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	19	4652.7	
8	REFUSAL	0	0.0	

HMCE_16B: Type care needed - health services

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_16C: Type care needed - personal care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2667 / 417476.09] [Invalid=129554 / 26708688.89]
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Again, thinking of the most recent time, what was the type of home care that was needed? - Personal care (e.g., bathing, foot care)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	95	16112.5	3.9%
2	NO	2572	401363.6	96.1%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	19	4652.7	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_16D: Type care needed - housework

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2667 / 417476.09] [Invalid=129554 / 26708688.89]
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Again, thinking of the most recent time, what was the type of home care that was needed? - Housework (e.g., cleaning, laundry)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	571	91140.0	21.8%
2	NO	2096	326336.1	78.2%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	19	4652.7	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_16E: Type care needed - meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2667 / 417476.09] [Invalid=129554 / 26708688.89]
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Again, thinking of the most recent time, what was the type of home care that was needed? - Meal preparation or delivery

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1747	249370.7	59.7%
2	NO	920	168105.4	40.3%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	19	4652.7	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# HMCE_16F: Type care needed - shopping		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W] [Valid=2667 / 417476.09] [Invalid=129554 / 26708688.89]		
Universe Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8		
Literal question Again, thinking of the most recent time, what was the type of home care that was needed? - Shopping		

Value	Label	Cases	Weighted	Percentage (Weight
1	YES	719	108820.3	26.1%
2	NO	1948	308655.8	
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	19	4652.7	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

#HMCE_16G: Type care needed - respite care

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=2667 / 417476.09] [Invalid=129554 / 26708688.89]	
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Again, thinking of the most recent time, what was the type of home care that was needed? - Respite care (i.e., caregiver relief)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	410	53713.1	12.9%	
2	NO	2257	363763.0	8	7.1%
6	NOT APPLICABLE	129425	26680609.8		
7	DON'T KNOW	19	4652.7		
8	REFUSAL	0	0.0		
9	NOT STATED	110	23426.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\ensuremath{^\#}\xspace$ HMCE_16H: Type care needed - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=2667 / 417476.09] [Invalid=129554 / 26708688.89]	
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Again, thinking of the most recent time, what was the type of home care that was needed? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	228	46337.6	11.1%
2	NO	2439	371138.5	88.9%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	19	4652.7	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\#\,HMCE_16I\colon Type$ care needed - Med. equip./supplies

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2667 / 417476.09] [Invalid=129554 / 26708688.89]
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8

HMCE_16I: Type care needed - Med. equip./supplies

Literal question Again, thinking of the most recent time, what was the type of home care that was needed? - Medical equipment or supplies

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	299	55674.4	13.3%
2	NO	2368	361801.7	86.7%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	19	4652.7	
8	REFUSAL	0	0.0	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#HMCE_17A: Who contacted - govt. spons. prog.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=2441 / 382222.33] [Invalid=129780 / 26743942.65]			
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8			
Literal question	Where did you try to get this home care service? - A government sponsored program			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1109	154824.4	40.5%
2	NO	1332	227398.0	59.5%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	226	37539.1	
8	REFUSAL	19	2367.4	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_17B: Who contacted - private agency

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=2441 / 382222.33] [Invalid=129780 / 26743942.65]	
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Where did you try to get this home care service? - A private agency

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	183	31962.7	8.4%
2	NO	2258	350259.6	91.6%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	226	37539.1	
8	REFUSAL	19	2367.4	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_17C: Who contacted - family/friend

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=2441 / 382222.33] [Invalid=129780 / 26743942.65]
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Where did you try to get this home care service? - A family member, friend or neighbour

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	284	43618.6	11.4%
2	NO	2157	338603.7	88.6%

HMCE_17C: Who contacted - family/friend

Value	Label	Cases	Weighted
6	NOT APPLICABLE	129425	26680609.8
7	DON'T KNOW	226	37539.1
8	REFUSAL	19	2367.4
9	NOT STATED	110	23426.3

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_17D: Who contacted - volunteer org.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=2441 / 382222.33] [Invalid=129780 / 26743942.65]	
Universe Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Where did you try to get this home care service? - A volunteer organization

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	100	13788.4	3.6%
2	NO	2341	368434.0	96.4%
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	226	37539.1	
8	REFUSAL	19	2367.4	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCE_17E: Who contacted - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=2441 / 382222.33] [Invalid=129780 / 26743942.65]	
Universe Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Where did you try to get this home care service? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	993	167992.9	44.0%
2	NO	1448	214229.4	56.0
6	NOT APPLICABLE	129425	26680609.8	
7	DON'T KNOW	226	37539.1	
8	REFUSAL	19	2367.4	
9	NOT STATED	110	23426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HMCEFRHC: Flag: Received home care - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	tatistics [NW/ W] [Valid=119822 / 24567930.57] [Invalid=12399 / 2558234.41]	
Universe	Respondents aged 18 and over	
Literal question	Flag: Received home care - (F)	
Notes	Based on HMCE_09, HMCE_11. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8691	1276340.9	5.2%
2	NO	111131	23291589.7	94.8%
6	NOT APPLICABLE	12317	2539751.7	
7	DON'T KNOW	0	0.0	

HMCEFRHC: Flag: Received home care - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	82	18482.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACE_1: Has difficulty with activities

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=132018 / 27085483.52] [Invalid=203 / 40681.46]	
Universe	All respondents	
Literal question	Do you have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities: (sometimes, often, or never)?	
Notes	Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	19192	3503918.2	12.9%
2	OFTEN	17557	2888098.3	10.7%
3	NEVER	95269	20693467.0	76.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	134	25724.5	
8	REFUSAL	69	14957.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACE_2A: Reduction kind/amount activities - home

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=131989 / 27084537.31] [Invalid=232 / 41627.67]	
Universe	All respondents	
Literal question	Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do at home: (sometimes, often, or never)?	
Notes	Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	15142	2820718.5	10.4%
2	OFTEN	11557	1880738.7	6.9%
3	NEVER	105290	22383080.1	82.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	144	22646.3	
8	REFUSAL	19	4024.4	
9	NOT STATED	69	14957.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACE_2B1: Reduction kind/amount activities- school

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=132080 / 27094636.21] [Invalid=141 / 31528.77]	
Universe	All respondents	
Literal question	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) at school?	

#RACE_2B1: Reduction kind/amount activities- school

Notes

Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	1609	376858.0	1.4%
2	OFTEN	731	162625.9	0.6%
3	NEVER	28237	6874229.1	25.4%
4	NOT AT SCHOOL	101503	19680923.1	72.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	50	11899.6	
8	REFUSAL	3	647.7	
9	NOT STATED	88	18981.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACE_2B2: Reduction kind/amount act. - at work

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=132053 / 27090094.18] [Invalid=168 / 36070.8]	
Universe	All respondents	
Literal question	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) at work?	
Notes	Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	7441	1621605.3	6.0%
2	OFTEN	3465	671372.9	2.5%
3	NEVER	71552	16595344.9	61.3%
4	HAS NO JOB	49595	8201771.1	30.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	70	15678.0	
8	REFUSAL	7	763.7	
9	NOT STATED	91	19629.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#RACE_2C: Reduction kind/amount act. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=131887 / 27064577.1] [Invalid=334 / 61587.88]	
Universe	All respondents	
Literal question	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) in other activities, for example, transportation or leisure?	
Notes	Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	14250	2658083.2	9.8%
2	OFTEN	11644	1938965.3	7.2%
3	NEVER	105993	22467528.6	83.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	230	39890.8	
8	REFUSAL	6	1304.3	

#RACE_2C: Reduction kind/amount act. - other

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	98	20392.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACEG5: Cause of health problem - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/W] [Valid=44158 / 7958168.66] [Invalid=88063 / 19167996.32]	
Universe	Respondents who answered RACE_1 = (1, 2, 7 or 8) or RACE_2A = (1, 2, 7 or 8) or RACE_2B1 = (1, 2, 7 or 8) or RACE_2B2 = (1, 2, 7 or 8) or RACE_2C = (1, 2, 7 or 8)
Literal question	Which one of the following is the best description of the cause of this condition: (accident at home, motor vehicle accident, accident at work, other type of accident, existed from birth or genetic,, or use of alcohol or drugs)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	INJURY	7307	1426807.8	17.9%
2	DISEASE OR ILLNE	13838	2268151.8	28.5%
3	AGEING	8918	1473838.8	18.5%
4	EXISTED AT BIRTH	4004	813401.7	10.2%
5	WORK CONDITIONS	3724	696189.3	8.7%
6	OTHER	6367	1279779.4	16.1%
96	NOT APPLICABLE	87093	18985951.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	970	182045.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#RACE_5B1: Discri. due condition/hlth prob. - life

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/W] [Valid=44595 / 8042287.12] [Invalid=87626 / 19083877.86]				
Universe	Respondents who answered RACE_1 = (1, 2, 7 or 8) or RACE_2A = (1, 2, 7 or 8) or RACE_2B1 = (1, 2, 7 or 8) or RACE_2B2 = (1, 2, 7 or 8) or RACE_2C = (1, 2, 7 or 8)			
Literal question Because of your condition or health problem, have you ever experienced discrimination or unfair treatment?				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5119	932950.1	11.6%
2	NO	39476	7109337.0	88.4%
6	NOT APPLICABLE	87093	18985951.0	
7	DON'T KNOW	223	37824.7	
8	REFUSAL	30	5307.3	
9	NOT STATED	280	54794.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#RACE_5B2: Discri. due condition/hlth prob.

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=5070 / 922497.01] [Invalid=127151 / 26203667.97]
Universe	Respondents who answered RACE_5B1 = (1, 7 or 8) or at least one of RACE_1, RACE_2A, RACE_2B1, RACE_2B2, RACE_2C = 7 and RACE_1 = (3 or 7) and RACE_2A = (3 or 7) and RACE_2B1 = (3, 4 or 7) and RACE_2B2 = (3, 4 or 7) and RACE_2C = (3 or 7) or one of RACE_1, RACE_2A, RACE_2B1, RACE_2B2, RACE_2C = 8
Literal question	In the past 12 months, how much discrimination or unfair treatment did you experience?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	1096	195159.9	21.2%

RACE_5B2: Discri. due condition/hlth prob.

Value	Label	Cases	Weighted	Percentage (Weighted)
2	SOME	1449	243847.8	26.4
3	A LITTLE	1403	264532.4	2
4	NOT AT ALL	1122	218956.9	23.7%
6	NOT APPLICABLE	126569	26095288.0	
7	DON'T KNOW	46	9664.6	
8	REFUSAL	3	788.5	
9	NOT STATED	533	97926.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#RACE_6A: Needs help - preparing meals

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=132022 / 27079167.69] [Invalid=199 / 46997.29]			
Universe	All respondents		
Literal question	Because of any physical condition or mental condition or health problem, do you need the help of another person with preparing meals?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3805	701712.5	2.6%
2	NO	128217	26377455.2	97.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	68	15435.9	
8	REFUSAL	27	9864.3	
9	NOT STATED	104	21697.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#RACE_6B1: Needs help - getting to appointments

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W] [Valid=132013 / 27077649.86] [Invalid=208 / 48515.12]			
Universe	All respondents		
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with getting to appointments and running errands such as shopping for groceries?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8408	1362302.3	5.0%
2	NO	123605	25715347.6	95.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	13163.2	
8	REFUSAL	40	13654.8	
9	NOT STATED	104	21697.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACE_6C: Needs help - doing housework

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=132004 / 27078047.37] [Invalid=217 / 48117.61]
Universe	All respondents
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with doing normal everyday housework?

RACE_6C: Needs help - doing housework

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8687	1442386.6	5.3%
2	NO	123317	25635660.7	94.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	75	14857.5	
8	REFUSAL	38	11563.0	
9	NOT STATED	104	21697.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACE_6D: Needs help - heavy household chores

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=131899 / 27061952.68] [Invalid=322 / 64212.3]	
Universe	All respondents	
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with doing heavy household chores such as spring cleaning or yard work?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19625	3182326.8	11.8%
2	NO	112274	23879625.9	88.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	166	27454.7	
8	REFUSAL	52	15060.5	
9	NOT STATED	104	21697.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACE_6E: Needs help - personal care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=132024 / 27083448.5] [Invalid=197 / 42716.48]
Universe	All respondents
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with personal care such as washing, dressing, eating or taking medication?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2685	460598.3	1.7%
2	NO	129339	26622850.2	98.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	54	9276.8	
8	REFUSAL	39	11742.6	
9	NOT STATED	104	21697.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#RACE_6F: Needs help - moving about inside house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=132018 / 27081977.13] [Invalid=203 / 44187.85]
Universe	All respondents
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with moving about inside the house?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1641	314203.6	1.2%

# RACE_0	6F: Needs help - moving about inside house	9		
Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	130377	26767773.5	98.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	58	10295.0	
8	REFUSAL	41	12195.8	
9	NOT STATED	104	21697.1	
Warning: these f	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# RACE_6G: Needs help - looking after finances		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=131865 / 27050292.12] [Invalid=356 / 75872.86]	
Universe	Il respondents	
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with looking after your personal finances such as making bank transactions or paying bills?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3866	656392.7	2.4%
2	NO	127999	26393899.4	97.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	191	37028.6	
8	REFUSAL	61	17147.2	
9	NOT STATED	104	21697.1	

RACE_7A: Difficulty - making new friends

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=131863 / 27052199.66] [Invalid=358 / 73965.32]
Universe	All respondents
Literal question	Because of any physical condition or mental condition or health problem, do you have difficulty making new friends or maintaining friendships?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3896	734758.0	2.7%
2	NO	127967	26317441.7	97.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	182	34581.0	
8	REFUSAL	72	17687.2	
9	NOT STATED	104	21697.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACE_7B: Difficulty - dealing w/unknown people

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=131810 / 27044686.07] [Invalid=411 / 81478.91]
Universe	All respondents
Literal question	(Because of any physical condition or mental condition or health problem, do you have difficulty) dealing with people you do not know well?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4151	767353.8	2.8%
2	NO	127659	26277332.2	97.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	236	42531.1	
8	REFUSAL	70	17126.9	
9	NOT STATED	105	21821.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACE_7C: Difficulty - starting/maintain. convers.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=131848 / 27044792.06] [Invalid=373 / 81372.92]

# RACE_7C: Difficulty - starting/maintain. convers.		
Universe	All respondents	
Literal question	(Because of any physical condition or mental condition or health problem, do you have difficulty) starting and maintaining a conversation?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3931	725764.9	2.7%
2	NO	127917	26319027.2	97.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	193	41074.8	
8	REFUSAL	75	18477.1	
9	NOT STATED	105	21821.0	

#RACE_8A: Cause of diff. - physical health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=24382 / 4048261.2] [Invalid=107839 / 23077903.78]
Universe	Respondents who answered RACE_6A = (1, 7 or 8) or RACE_6B1 = (1, 7 or 8) or RACE_6C = (1, 7 or 8) or RACE_6D = (1, 7 or 8) or RACE_6E = (1, 7 or 8) or RACE_6F = (1, 7 or 8) or RACE_6G = (1, 7 or 8) or RACE_7A = (1, 7 or 8) or RACE_7B = (1, 7 or 8) or RACE_7C = (1, 7 or 8)
Literal question	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason? - Physical health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19296	3107010.7	76.7%
2	NO	5086	941250.5	23.3%
6	NOT APPLICABLE	107059	22919154.1	
7	DON'T KNOW	213	32889.5	
8	REFUSAL	29	4594.8	
9	NOT STATED	538	121265.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#RACE_8B: Cause of diff. - emot./mental health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=24382 / 4048261.2] [Invalid=107839 / 23077903.78]
Universe	Respondents who answered RACE_6A = (1, 7 or 8) or RACE_6B1 = (1, 7 or 8) or RACE_6C = (1, 7 or 8) or RACE_6D = (1, 7 or 8) or RACE_6E = (1, 7 or 8) or RACE_6F = (1, 7 or 8) or RACE_6G = (1, 7 or 8) or RACE_7A = (1, 7 or 8) or RACE_7B = (1, 7 or 8) or RACE_7C = (1, 7 or 8)
Literal question	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason? - Emotional or mental health

Value	Label	Cases	Weighted	Percenta
1	YES	3679	692305.9	17.1%
2	NO	20703	3355955.3	
6	NOT APPLICABLE	107059	22919154.1	
7	DON'T KNOW	213	32889.5	
8	REFUSAL	29	4594.8	
9	NOT STATED	538	121265.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#RACE_8C: Cause of diff. - use of alcohol/drugs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

#RACE_8C: Cause of diff use of alcohol/drugs		
Statistics [NW/W]	[Valid=24382 / 4048261.2] [Invalid=107839 / 23077903.78]	
Universe	Respondents who answered RACE_6A = (1, 7 or 8) or RACE_6B1 = (1, 7 or 8) or RACE_6C = (1, 7 or 8) or RACE_6D = (1, 7 or 8) or RACE_6E = (1, 7 or 8) or RACE_6F = (1, 7 or 8) or RACE_6G = (1, 7 or 8) or RACE_7A = (1, 7 or 8) or RACE_7B = (1, 7 or 8) or RACE_7C = (1, 7 or 8)	
Literal question	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason? - Use of alcohol or drugs	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	150	27163.1	0.7%
2	NO	24232	4021098.1	99.3%
6	NOT APPLICABLE	107059	22919154.1	
7	DON'T KNOW	213	32889.5	
8	REFUSAL	29	4594.8	
9	NOT STATED	538	121265.4	

#RACE_8D: Cause of diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=24382 / 4048261.2] [Invalid=107839 / 23077903.78]
Universe	Respondents who answered RACE_6A = (1, 7 or 8) or RACE_6B1 = (1, 7 or 8) or RACE_6C = (1, 7 or 8) or RACE_6D = (1, 7 or 8) or RACE_6E = (1, 7 or 8) or RACE_6F = (1, 7 or 8) or RACE_6G = (1, 7 or 8) or RACE_7A = (1, 7 or 8) or RACE_7B = (1, 7 or 8) or RACE_7C = (1, 7 or 8)
Literal question	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason? - Another reason

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2246	401533.6	9.9%
2	NO	22136	3646727.6	90.1%
6	NOT APPLICABLE	107059	22919154.1	
7	DON'T KNOW	213	32889.5	
8	REFUSAL	29	4594.8	
9	NOT STATED	538	121265.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACEDIMP: Impact of health problems - (D)

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W] [Valid=131764 / 27044396.03] [Invalid=457 / 81768.95]	
Literal question	Impact of health problems - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	18477	3539407.5	13.1%
2	OFTEN	15749	2663197.3	9.8%
3	NEVER	97538	20841791.2	77.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	457	81769.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACEDPAL: Participation and activity limit. - (D)

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
--	--

RACEDPAL: Participation and activity limit. - (D)

Statistics [NW/W] [Valid=131666 / 27025078.38] [Invalid=555 / 101086.6]

Literal question Participation and activity limit. - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	22517	4278344.4	15.8%
2	OFTEN	22056	3760783.0	13.9%
3	NEVER	87093	18985951.0	70.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	555	101086.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACEF6R: Help needed for tasks - (F)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=131791 / 27032526.46] [Invalid=430 / 93638.52]
Literal question	Help needed for tasks - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21893	3571565.6	13.2%
2	NO	109898	23460960.8	86.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	430	93638.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACEF7: Difficulty with social situations - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=131733 / 27023833.58] [Invalid=488 / 102331.4]		
Universe	All respondents	
Literal question	Difficulty with social situations - (F)	
Notes	Based on RACE_7A, RACE_7B, RACE_7C. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6616	1220743.8	4.5%
2	NO	125117	25803089.8	95.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	488	102331.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#TWDE_1: Stayed in bed - b/c illness/injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=132042 / 27081277.07] [Invalid=179 / 44887.91]
Universe	All respondents
Literal question	During that period, did you stay in bed at all because of illness or injury, including any nights spent as a patient in a hospital?
Notes	Reference period is past 14 days.

#TWDE_1: Stayed in bed - b/c illness/injury

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10039	2062935.7	7.6%
2	NO	122003	25018341.3	92.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	68	17051.2	
8	REFUSAL	110	27712.9	
9	NOT STATED	1	123.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#TWDE_3: Reduced activities - illness/injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=131435 / 26968157.1] [Invalid=786 / 158007.88]
Universe	All respondents excluding those who answered TWDE_2 = 14
Literal question	Not counting days spent in bed during those 14 days, were there any days that you cut down on things you normally do because of illness or injury?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19119	3834001.7	14.2%
2	NO	112316	23134155.4	85.8%
6	NOT APPLICABLE	474	88036.7	
7	DON'T KNOW	92	17531.8	
8	REFUSAL	6	894.0	
9	NOT STATED	214	51545.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#TWDEDDDY: Total nb. of disability past 14 days

Information	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]	
Statistics [NW/W]	[Valid=131755 / 27029953.29] [Invalid=466 / 96211.69]	
Universe	All respondents	
Literal question	Total nb. of disability past 14 days	
Notes	Based on TWDE_2, TWDE_4. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
0	0 DAYS	109236	22487986.1	83.2%
1	1 DAY	4623	986726.6	3.7%
2	2 DAYS	4411	944935.6	3.5%
3	3 DAYS	2745	568498.1	2.1%
4	4 DAYS	1846	379285.2	1.4%
5	5 DAYS	1184	237621.5	0.9%
6	6 DAYS	672	130877.0	0.5%
7	7 DAYS	1350	253787.3	0.9%
8	8 DAYS	415	83499.8	0.3%
9	9 DAYS	276	50599.3	0.2%
10	10 DAYS	526	103502.3	0.4%
11	11 DAYS	135	23484.0	0.1%
12	12 DAYS	199	37710.2	0.1%
13	13 DAYS	91	18727.9	0.1%
14	14 DAYS	4046	722712.3	2.7%

#TWDEDDDY: Total nb. of disability past 14 days

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	466	96211.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#TWDEDDDM: No. days - memt.hlth/alc/drugs

Information	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]	
Statistics [NW/ W] [Valid=131713 / 27021438.69] [Invalid=508 / 104726.29]		
Universe	All respondents	
Literal question	No. days - memt.hlth/alc/drugs	
Notes	Based on TWDE_2B, TWDE_4B. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
0	0 DAYS	129687	26631153.9	98.6%
1	1 DAY	431	87035.6	0.3%
2	2 DAYS	423	77782.6	0.3%
3	3 DAYS	219	42798.3	0.2%
4	4 DAYS	160	30007.9	0.1%
5	5 DAYS	102	22957.6	0.1%
6	6 DAYS	63	15317.1	0.1%
7	7 DAYS	136	27646.3	0.1%
8	8 DAYS	31	4337.8	0.0%
9	9 DAYS	20	3094.0	0.0%
10	10 DAYS	59	11626.9	0.0%
11	11 DAYS	19	2618.4	0.0%
12	12 DAYS	18	4171.3	0.0%
13	13 DAYS	18	3274.8	0.0%
14	14 DAYS	327	57616.1	0.2%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	508	104726.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#TWDEDDDP: No. disability days - ill./phys.injury

Information	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]	
Statistics [NW/ W] [Valid=131713 / 27021438.69] [Invalid=508 / 104726.29]		
Universe	All respondents	
Literal question	No. disability days - ill./phys.injury	
Notes	Based on TWDEDDDY, TWDEDDDM. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
0	0 DAYS	110745	22777731.9	84.3%
1	1 DAY	4449	950270.0	3.5%
2	2 DAYS	4188	906936.9	3.4%
3	3 DAYS	2567	533472.2	2.0%

#TWDEDDDP: No. disability days - ill./phys.injury

Value	Label	Cases	Weighted	Percentage (Weighted)
4	4 DAYS	1732	358886.3	1.3%
5	5 DAYS	1097	217006.8	0.8%
6	6 DAYS	616	116830.4	0.4%
7	7 DAYS	1224	227355.6	0.8%
8	8 DAYS	369	73545.1	0.3%
9	9 DAYS	248	45841.4	0.2%
10	10 DAYS	489	95293.7	0.4%
11	11 DAYS	118	20689.7	0.1%
12	12 DAYS	209	38285.0	0.1%
13	13 DAYS	88	18055.5	0.1%
14	14 DAYS	3574	641238.2	2.4%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	508	104726.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FLUE_160: Ever had a flu shot

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=129237 / 26410142.4] [Invalid=2984 / 716022.58]	
Universe	All respondents	
Literal question	Have you ever had a flu shot?	
Notes	The "not stated" category includes people who did the interview by proxy.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	69702	13882842.3	52.0
2	NO	59535	12527300.1	47.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	786	179779.1	
8	REFUSAL	112	29569.9	
9	NOT STATED	2086	506673.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FLUE_162: Had flu shot - last time

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W] [Valid=69217 / 13778064.81] [Invalid=63004 / 13348100.17]		[Valid=69217 / 13778064.81] [Invalid=63004 / 13348100.17]
Universe		Respondents who answered FLUE_160 = (1, 7 or 8)
	Literal question	When did you have your last flu shot: (less than 1 year ago, 1 year to less than 2 years ago, or 2 years ago or more)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	47108	8879746.5	64.4%
2	1 TO < 2 YEARS	7285	1672131.2	12.1%
3	2 YEARS OR MORE	14824	3226187.1	23.4%
6	NOT APPLICABLE	59535	12527300.1	
7	DON'T KNOW	479	104300.0	
8	REFUSAL	6	477.5	
9	NOT STATED	2984	716022.6	

#FLUE_162: Had flu shot - last time

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FLUE_66A: No flu shot - have not gotten around it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=80395 / 17136316.92] [Invalid=51826 / 9989848.06]	
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11725	2557570.2	14.9%
2	NO	68670	14578746.8	85.1%
6	NOT APPLICABLE	47108	8879746.5	
7	DON'T KNOW	1235	283342.3	
8	REFUSAL	14	5959.2	
9	NOT STATED	3469	820800.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FLUE_66B: No flu shot - resp. didn't think nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=80395 / 17136316.92] [Invalid=51826 / 9989848.06]
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	54569	11596783.7	67.7%
2	NO	25826	5539533.3	32.3%
6	NOT APPLICABLE	47108	8879746.5	
7	DON'T KNOW	1235	283342.3	
8	REFUSAL	14	5959.2	
9	NOT STATED	3469	820800.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FLUE_66C: No flu shot - doctor didn't think nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=80395 / 17136316.92] [Invalid=51826 / 9989848.06]			
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)		
Literal question	What are the reasons that you have not had a flu shot in the past year? - Doctor did not think it was necessary		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1819	367463.4	2.1%
2	NO	78576	16768853.5	97.9%
6	NOT APPLICABLE	47108	8879746.5	
7	DON'T KNOW	1235	283342.3	
8	REFUSAL	14	5959.2	
9	NOT STATED	3469	820800.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FLUE_66D: No flu shot - personal/family resp.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=80395 / 17136316.92] [Invalid=51826 / 9989848.06]

#FLUE_66D: No flu shot - personal/family resp.

Universe Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)

Literal question What are the reasons that you have not had a flu shot in the past year? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	161	32974.8	0.2%
2	NO	80234	17103342.2	99.8%
6	NOT APPLICABLE	47108	8879746.5	
7	DON'T KNOW	1235	283342.3	
8	REFUSAL	14	5959.2	
9	NOT STATED	3469	820800.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FLUE_66E: No flu shot - not available when req'd

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/W]	[Valid=80395 / 17136316.92] [Invalid=51826 / 9989848.06]				
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)				
Literal question	What are the reasons that you have not had a flu shot in the past year? - Not available at time required				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	564	114287.8	0.7%
2	NO	79831	17022029.1	99.3%
6	NOT APPLICABLE	47108	8879746.5	
7	DON'T KNOW	1235	283342.3	
8	REFUSAL	14	5959.2	
9	NOT STATED	3469	820800.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FLUE_66F: No flu shot - not available in area

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=80395 / 17136316.92] [Invalid=51826 / 9989848.06]	
Universe Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)	
Literal question	What are the reasons that you have not had a flu shot in the past year? - Not available at all in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	160	30146.0	0.2%
2	NO	80235	17106171.0	99.8%
6	NOT APPLICABLE	47108	8879746.5	
7	DON'T KNOW	1235	283342.3	
8	REFUSAL	14	5959.2	
9	NOT STATED	3469	820800.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FLUE_66G: No flu shot - waiting time was too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=80395 / 17136316.92] [Invalid=51826 / 9989848.06]	
Universe Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)		
Literal question	What are the reasons that you have not had a flu shot in the past year? - Waiting time was too long	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	179	43388.5	0.3%

#FLUE_66G: No flu shot - waiting time was too long

Value	Label	Cases	Weighted
2	NO	80216	17092928.4
6	NOT APPLICABLE	47108	8879746.5
7	DON'T KNOW	1235	283342.3
8	REFUSAL	14	5959.2
9	NOT STATED	3469	820800.1

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLUE_66H: No flu shot - transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=80395 / 17136316.92] [Invalid=51826 / 9989848.06]	
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)	
Literal question	What are the reasons that you have not had a flu shot in the past year? - Transportation problems	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	65	11624.5	0.1%
2	NO	80330	17124692.4	99.9%
6	NOT APPLICABLE	47108	8879746.5	
7	DON'T KNOW	1235	283342.3	
8	REFUSAL	14	5959.2	
9	NOT STATED	3469	820800.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FLUE_66I: No flu shot - language problem

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=80395 / 17136316.92] [Invalid=51826 / 9989848.06]	
Universe Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)	
Literal question	What are the reasons that you have not had a flu shot in the past year? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	2048.8	0.0%
2	NO	80389	17134268.1	100.0%
6	NOT APPLICABLE	47108	8879746.5	
7	DON'T KNOW	1235	283342.3	
8	REFUSAL	14	5959.2	
9	NOT STATED	3469	820800.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FLUE_66J: No flu shot - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=80395 / 17136316.92] [Invalid=51826 / 9989848.06]	
Universe Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)		
Literal question	What are the reasons that you have not had a flu shot in the past year? - Cost	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	497	109124.0	0.6%
2	NO	79898	17027193.0	99.4%
6	NOT APPLICABLE	47108	8879746.5	
7	DON'T KNOW	1235	283342.3	

#FLUE_66J: No flu shot - cost

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	14	5959.2	
9	NOT STATED	3469	820800.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\ensuremath{^{\#}}\xspace FLUE_66K\ensuremath{\mbox{K}}\xspace$. No flu shot - did not know where to go

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=80395 / 17136316.92] [Invalid=51826 / 9989848.06]	
Universe Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)	
Literal question	What are the reasons that you have not had a flu shot in the past year? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	571	131822.7	0.8%
2	NO	79824	17004494.2	99.2%
6	NOT APPLICABLE	47108	8879746.5	
7	DON'T KNOW	1235	283342.3	
8	REFUSAL	14	5959.2	
9	NOT STATED	3469	820800.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FLUE_66L: No flu shot - fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=80395 / 17136316.92] [Invalid=51826 / 9989848.06]
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Fear (e.g., painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2788	591008.9	3.4%
2	NO	77607	16545308.0	96.6%
6	NOT APPLICABLE	47108	8879746.5	
7	DON'T KNOW	1235	283342.3	
8	REFUSAL	14	5959.2	
9	NOT STATED	3469	820800.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FLUE_66M: No flu shot - bad reaction to prev. shot

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=80395 / 17136316.92] [Invalid=51826 / 9989848.06]	
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Bad reaction to previous shot

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3570	678760.6	4.0%
2	NO	76825	16457556.3	96.0%
6	NOT APPLICABLE	47108	8879746.5	
7	DON'T KNOW	1235	283342.3	
8	REFUSAL	14	5959.2	
9	NOT STATED	3469	820800.1	
9 NOT STATED 3469 820800.1 Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of intere:

# FLUE_66O: No flu shot - unable leave house/hlth			
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=80395 / 17136316.92] [Invalid=51826 / 9989848.06]		
Universe Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)			
Literal question	What are the reasons that you have not had a flu shot in the past year? - Unable to leave the house because of a health problem		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	102	18685.6	0.1%
2	NO	80293	17117631.3	99.9%
6	NOT APPLICABLE	47108	8879746.5	
7	DON'T KNOW	1235	283342.3	
8	REFUSAL	14	5959.2	
9	NOT STATED	3469	820800.1	

#FLUE_66N: No flu shot - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=80395 / 17136316.92] [Invalid=51826 / 9989848.06]	
Universe Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)	
Literal question What are the reasons that you have not had a flu shot in the past year? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9394	2064328.6	12.0%
2	NO	71001	15071988.3	88.0%
6	NOT APPLICABLE	47108	8879746.5	
7	DON'T KNOW	1235	283342.3	
8	REFUSAL	14	5959.2	
9	NOT STATED	3469	820800.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BPCEFOPT: Optional module: BPC - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]		
Universe	All respondents	
Literal question	Optional module: BPC - (F)	
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7097	913461.0	3.4%
2	NO	125124	26212704.0	96.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPCE_010: Ever had blood pressure taken

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=6930 / 890930.2] [Invalid=125291 / 26235234.78]

#BPCE_010: Ever had blood pressure taken

Universe Respondents with BPCEFOPT = 1

Literal question Have you ever had your blood pressure taken?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6652	852283.9	95.7%
2	NO	278	38646.3	4.3%
6	NOT APPLICABLE	125124	26212704.0	
7	DON'T KNOW	14	2182.0	
8	REFUSAL	2	114.3	
9	NOT STATED	151	20234.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\#BPCE_012$: Last time blood pressure was taken

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=6591 / 844155.76] [Invalid=125630 / 26282009.22]
Universe	Respondents who answered BPCE_010 = (1, 7 or 8)
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	4376	539967.8	64.0%
2	6 MTHS TO < 1 YR	1147	154609.9	18.3%
3	1 TO < 2 YEARS	565	79928.8	9.5%
4	2 TO < 5 YEARS	346	48334.6	5.7%
5	5 YEARS OR MORE	157	21314.7	2.5%
6	NOT APPLICABLE	125402	26251350.3	
7	DON'T KNOW	59	7888.1	
8	REFUSAL	2	240.1	
9	NOT STATED	167	22530.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BPCE_16A: B.p. not taken - not gotten around to it

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W] [Valid=404 / 52506.08] [Invalid=131817 / 27073658.9]		
Universe	Respondents aged 25 and over who answered BPCE_010 = (2, 7 or 8) or BPCE_012 = (4, 5, 7 or 8)	
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Have not gotten around to it	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	117	15120.9	28.8%
2	NO	287	37385.2	71.2%
6	NOT APPLICABLE	131654	27053365.8	
7	DON'T KNOW	7	1119.8	
8	REFUSAL	0	0.0	
9	NOT STATED	156	19173.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BPCE_16B: B.p. not taken - resp. didn't think nec.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=404 / 52506.08] [Invalid=131817 / 27073658.9]
Universe	Respondents aged 25 and over who answered BPCE_010 = (2, 7 or 8) or BPCE_012 = (4, 5, 7 or 8)

#BPCE_16B: B.p. not taken - resp. didn't think nec.

Literal question What are the reasons that you have not had your blood pressure taken in the past 2 years? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (We
	YES	242	31145.0	
	NO	162	21361.1	40
	NOT APPLICABLE	131654	27053365.8	
	DON'T KNOW	7	1119.8	
	REFUSAL	0	0.0	
	NOT STATED	156	19173.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BPCE_16C: B.p. not taken - dr. didn't think nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=404 / 52506.08] [Invalid=131817 / 27073658.9]
Universe	Respondents aged 25 and over who answered BPCE_010 = (2, 7 or 8) or BPCE_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Doctor did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	40	4920.4	9.4%
2	NO	364	47585.6	90.6%
6	NOT APPLICABLE	131654	27053365.8	
7	DON'T KNOW	7	1119.8	
8	REFUSAL	0	0.0	
9	NOT STATED	156	19173.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BPCE_16D: B.p. not taken - personal/family resp.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=404 / 52506.08] [Invalid=131817 / 27073658.9]	
Universe	Respondents aged 25 and over who answered BPCE_010 = (2, 7 or 8) or BPCE_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Personal or family responsibilities

Value	Label	Cases	Weighted
1	YES	0	0.0
2	NO	404	52506.1
6	NOT APPLICABLE	131654	27053365.8
7	DON'T KNOW	7	1119.8
8	REFUSAL	0	0.0
9	NOT STATED	156	19173.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BPCE_16E: B.p. not taken - not available when req.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/W]	[Valid=404 / 52506.08] [Invalid=131817 / 27073658.9]				
Universe	Respondents aged 25 and over who answered BPCE_010 = (2, 7 or 8) or BPCE_012 = (4, 5, 7 or 8)				
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Not available at time required				

$\#BPCE_16E$: B.p. not taken - not available when req.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	118.8	0.2%
2	NO	402	52387.3	99.8%
6	NOT APPLICABLE	131654	27053365.8	
7	DON'T KNOW	7	1119.8	
8	REFUSAL	0	0.0	
9	NOT STATED	156	19173.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BPCE_16F: B.p. not taken - not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/W]	[Valid=404 / 52506.08] [Invalid=131817 / 27073658.9]				
Universe	Respondents aged 25 and over who answered BPCE_010 = (2, 7 or 8) or BPCE_012 = (4, 5, 7 or 8)				
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Not available at all in the area				

Value	Label	Cases	Weighted
1	YES	0	0.0
2	NO	404	52506.1
6	NOT APPLICABLE	131654	27053365.8
7	DON'T KNOW	7	1119.8
8	REFUSAL	0	0.0
9	NOT STATED	156	19173.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BPCE_16G: B.p. not taken - waiting time too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=404 / 52506.08] [Invalid=131817 / 27073658.9]
Universe	Respondents aged 25 and over who answered BPCE_010 = (2, 7 or 8) or BPCE_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	37.0	0.1%
2	NO	403	52469.1	99.9%
6	NOT APPLICABLE	131654	27053365.8	
7	DON'T KNOW	7	1119.8	
8	REFUSAL	0	0.0	
9	NOT STATED	156	19173.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BPCE_16H: B.p. not taken - transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=404 / 52506.08] [Invalid=131817 / 27073658.9]
Universe	Respondents aged 25 and over who answered BPCE_010 = (2, 7 or 8) or BPCE_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	404	52506.1	100.0%
6	NOT APPLICABLE	131654	27053365.8	

#BPCE_16H: B.p. not taken - transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	7	1119.8	
8	REFUSAL	0	0.0	
9	NOT STATED	156	19173.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BPCE_16I: B.p. not taken - language problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=404 / 52506.08] [Invalid=131817 / 27073658.9]
Universe	Respondents aged 25 and over who answered BPCE_010 = (2, 7 or 8) or BPCE_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	404	52506.1	100.0%
6	NOT APPLICABLE	131654	27053365.8	
7	DON'T KNOW	7	1119.8	
8	REFUSAL	0	0.0	
9	NOT STATED	156	19173.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BPCE_16J: B.p. not taken - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=404 / 52506.08] [Invalid=131817 / 27073658.9]	
Universe	Respondents aged 25 and over who answered BPCE_010 = (2, 7 or 8) or BPCE_012 = (4, 5, 7 or 8)	
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Cost	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	404	52506.1	100.0%
6	NOT APPLICABLE	131654	27053365.8	
7	DON'T KNOW	7	1119.8	
8	REFUSAL	0	0.0	
9	NOT STATED	156	19173.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BPCE_16K: B.p. not taken - didn't know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=404 / 52506.08] [Invalid=131817 / 27073658.9]
Universe	Respondents aged 25 and over who answered BPCE_010 = (2, 7 or 8) or BPCE_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	404	52506.1	100.0%
6	NOT APPLICABLE	131654	27053365.8	
7	DON'T KNOW	7	1119.8	
8	REFUSAL	0	0.0	

$\#BPCE_16K$: B.p. not taken - didn't know where to go

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	156	19173.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BPCE_16L: B.p. not taken - fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=404 / 52506.08] [Invalid=131817 / 27073658.9]
Universe	Respondents aged 25 and over who answered BPCE_010 = (2, 7 or 8) or BPCE_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	145.4	0.3%
2	NO	402	52360.7	99.7%
6	NOT APPLICABLE	131654	27053365.8	
7	DON'T KNOW	7	1119.8	
8	REFUSAL	0	0.0	
9	NOT STATED	156	19173.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\ensuremath{^\#}\mbox{BPCE_16N:}$ B.p. not taken - unable leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=404 / 52506.08] [Invalid=131817 / 27073658.9]
Universe	Respondents aged 25 and over who answered BPCE_010 = (2, 7 or 8) or BPCE_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	404	52506.1	100.0%
6	NOT APPLICABLE	131654	27053365.8	
7	DON'T KNOW	7	1119.8	
8	REFUSAL	0	0.0	
9	NOT STATED	156	19173.2	
Warning: these figur	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#BPCE_16M: B.p. not taken - other		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=404 / 52506.08] [Invalid=131817 / 27073658.9]	
Universe	Respondents aged 25 and over who answered BPCE_010 = (2, 7 or 8) or BPCE_012 = (4, 5, 7 or 8)	
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	39	4817.2	9.2%
2	NO	365	47688.9	90.8%
6	NOT APPLICABLE	131654	27053365.8	
7	DON'T KNOW	7	1119.8	
8	REFUSAL	0	0.0	
9	NOT STATED	156	19173.2	

#PAPE_020: Ever had PAP smear test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=64407 / 12221627.57] [Invalid=67814 / 14904537.41]
Universe	Females aged 18 and over
Literal question	Have you ever had a PAP smear test?
Notes	The "not stated" category includes people who did the interview by proxy.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	57341	10682367.7	87.4%
2	NO	7066	1539259.9	12.6%
6	NOT APPLICABLE	66603	14590278.7	
7	DON'T KNOW	429	84959.6	
8	REFUSAL	100	26090.1	
9	NOT STATED	682	203209.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PAPE_022: Last time had PAP smear test

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W] [Valid=56946 / 10619635.82] [Invalid=75275 / 16506529.16]	
Universe Respondents who answer ed PAPE _020 = (1, 7 or 8)	
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	12019	2392616.8	22.5%
2	6 MTHS TO < 1 YR	15946	3370556.2	31.7%
3	1 TO < 3 YEARS	14247	2680759.0	25.2%
4	3 TO < 5 YEARS	3931	652255.2	6.1%
5	5 OR MORE YEARS	10803	1523448.6	14.3%
6	NOT APPLICABLE	73669	16129538.6	
7	DON'T KNOW	373	59222.8	
8	REFUSAL	22	3509.1	
9	NOT STATED	1211	314258.7	

# PAPE_26A: No PAP - have not gotten around to it		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]		
Universe Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)		
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have not gotten around to it	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3721	680543.3	18.7%
2	NO	17656	2954089.2	81.3%
6	NOT APPLICABLE	108815	23034210.7	
7	DON'T KNOW	395	72907.4	
8	REFUSAL	28	7423.8	
9	NOT STATED	1606	376990.6	

#PAPE_26B: No PAP - resp. didn't think necessary

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have you not had a PAP smear test in the past 3 years? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7345	1296270.2	35.7%
2	NO	14032	2338362.2	64.3%
6	NOT APPLICABLE	108815	23034210.7	
7	DON'T KNOW	395	72907.4	
8	REFUSAL	28	7423.8	
9	NOT STATED	1606	376990.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PAPE_26C: No PAP - doctor didn't think necessary

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Doctor did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3933	595633.9	16.4%	
2	NO	17444	3038998.6		83.6%
6	NOT APPLICABLE	108815	23034210.7		
7	DON'T KNOW	395	72907.4		
8	REFUSAL	28	7423.8		
9	NOT STATED	1606	376990.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\#\,PAPE_26D\colon No\,\,PAP$ - personal/fam. responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)

#PAPE_26D: No PAP - personal/fam. responsibilities

Literal question What are the reasons that you have not had a PAP smear test in the past 3 years? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	71	11347.3	0.3%
2	NO	21306	3623285.1	99.7
6	NOT APPLICABLE	108815	23034210.7	
7	DON'T KNOW	395	72907.4	
8	REFUSAL	28	7423.8	
9	NOT STATED	1606	376990.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PAPE_26E: No PAP - not available when required

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]	
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	140	31506.1	0.9%
2	NO	21237	3603126.4	99.1%
6	NOT APPLICABLE	108815	23034210.7	
7	DON'T KNOW	395	72907.4	
8	REFUSAL	28	7423.8	
9	NOT STATED	1606	376990.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PAPE_26F: No PAP - not available in area

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at all in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	108	20929.3	0.6%
2	NO	21269	3613703.1	99.4%
6	NOT APPLICABLE	108815	23034210.7	
7	DON'T KNOW	395	72907.4	
8	REFUSAL	28	7423.8	
9	NOT STATED	1606	376990.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PAPE_26G: No PAP - waiting time too long

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	123	25891.5	0.7%	
2	NO	21254	3608741.0	9	9.3%

PAPE_26G: No PAP - waiting time too long

Value	Label	Cases	Weighted
6	NOT APPLICABLE	108815	23034210.7
7	DON'T KNOW	395	72907.4
8	REFUSAL	28	7423.8
9	NOT STATED	1606	376990.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PAPE_26H: No PAP - transportation problems

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	39	8452.5	0.2%
2	NO	21338	3626180.0	99.8%
6	NOT APPLICABLE	108815	23034210.7	
7	DON'T KNOW	395	72907.4	
8	REFUSAL	28	7423.8	
9	NOT STATED	1606	376990.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAPE_26I: No PAP - language problem

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	1278.1	0.0%
2	NO	21373	3633354.3	100.0%
6	NOT APPLICABLE	108815	23034210.7	
7	DON'T KNOW	395	72907.4	
8	REFUSAL	28	7423.8	
9	NOT STATED	1606	376990.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PAPE_26J: No PAP - cost

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	3062.6	0.1%
2	NO	21364	3631569.9	99.9%
6	NOT APPLICABLE	108815	23034210.7	
7	DON'T KNOW	395	72907.4	
8	REFUSAL	28	7423.8	

#PAPE_26J: No PAP - cost

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1606	376990.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PAPE_26K: No PAP - did not know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/W] [Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]					
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)				
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Did not know where to go / uninformed				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	207	55443.3	1.5%
2	NO	21170	3579189.2	98.5%
6	NOT APPLICABLE	108815	23034210.7	
7	DON'T KNOW	395	72907.4	
8	REFUSAL	28	7423.8	
9	NOT STATED	1606	376990.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PAPE_26L: No PAP - fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]				
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Fear (e.g. painful, embarrassing, find something wrong)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	429	89386.2	2.5%
2	NO	20948	3545246.2	97.5%
6	NOT APPLICABLE	108815	23034210.7	
7	DON'T KNOW	395	72907.4	
8	REFUSAL	28	7423.8	
9	NOT STATED	1606	376990.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PAPE_26M: No PAP - hysterectomy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]				
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have had a hysterectomy			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4553	635407.4	17.5%	
2	NO	16824	2999225.1	8	32.5%
6	NOT APPLICABLE	108815	23034210.7		
7	DON'T KNOW	395	72907.4		
8	REFUSAL	28	7423.8		
9	NOT STATED	1606	376990.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# PAPE_26N: No PAP - hate/dislike having one done		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]		
Universe Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)		
Literal question What are the reasons that you have not had a PAP smear test in the past 3 years? - Hate / dislike having one don		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	742	115532.6	3.2%
2	NO	20635	3519099.9	96.8%
6	NOT APPLICABLE	108815	23034210.7	
7	DON'T KNOW	395	72907.4	
8	REFUSAL	28	7423.8	
9	NOT STATED	1606	376990.6	

#PAPE_26P: No PAP - unable leave house/hlth prob.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]	
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30	5952.8	0.2%
2	NO	21347	3628679.7	99.8%
6	NOT APPLICABLE	108815	23034210.7	
7	DON'T KNOW	395	72907.4	
8	REFUSAL	28	7423.8	
9	NOT STATED	1606	376990.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PAPE_26O: No PAP - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=21377 / 3634632.47] [Invalid=110844 / 23491532.51]
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2031	408681.5	11.2%
2	NO	19346	3225951.0	88.88
6	NOT APPLICABLE	108815	23034210.7	
7	DON'T KNOW	395	72907.4	
8	REFUSAL	28	7423.8	
9	NOT STATED	1606	376990.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAME_030: Ever had mammogram

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=48019 / 8695155.33] [Invalid=84202 / 18431009.65]
Universe	Females aged 35 and over

MAME_030: Ever had mammogram

Literal question Have you ever had a mammogram, that is, a breast x-ray?

Notes The "not stated" category includes people who did the interview by proxy.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	34430	5943941.0	68.4%
2	NO	13589	2751214.4	31.6%
6	NOT APPLICABLE	83415	18216983.5	
7	DON'T KNOW	119	19532.1	
8	REFUSAL	85	22724.2	
9	NOT STATED	583	171769.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MAME_31A: Had mammogram - family history

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=34295 / 5923528.65] [Invalid=97926 / 21202636.33]
Universe	Respondents who answered MAME_030 = (1, 7 or 8)
Literal question	Why did you have it? - Family history of breast cancer

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3962	656991.7	11.1%
2	NO	30333	5266536.9	88.9%
6	NOT APPLICABLE	97004	20968197.9	
7	DON'T KNOW	123	18904.4	
8	REFUSAL	12	1507.9	
9	NOT STATED	787	214026.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MAME_31B: Had mammogram - regular check-up

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=34295 / 5923528.65] [Invalid=97926 / 21202636.33]
Universe	Respondents who answered MAME_030 = (1, 7 or 8)
Literal question	Why did you have it? - Part of regular check-up / routine screening

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23401	3951822.6	66.7%
2	NO	10894	1971706.0	33.3%
6	NOT APPLICABLE	97004	20968197.9	
7	DON'T KNOW	123	18904.4	
8	REFUSAL	12	1507.9	
9	NOT STATED	787	214026.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAME_31C: Had mammogram - age

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=34295 / 5923528.65] [Invalid=97926 / 21202636.33]
Universe	Respondents who answered MAME_030 = (1, 7 or 8)
Literal question	Why did you have it? - Age

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5032	910325.7	15.4%

#MAME_31C: Had mammogram - age

Value	Label	Cases	Weighted
2	NO	29263	5013202.9
6	NOT APPLICABLE	97004	20968197.9
7	DON'T KNOW	123	18904.4
8	REFUSAL	12	1507.9
9	NOT STATED	787	214026.1

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAME_31D: Had mammogram - previously detected lump

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=34295 / 5923528.65] [Invalid=97926 / 21202636.33]
Universe	Respondents who answered MAME_030 = (1, 7 or 8)
Literal question	Why did you have it? - Previously detected lump

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3975	708658.8	12.0%
2	NO	30320	5214869.9	88.0%
6	NOT APPLICABLE	97004	20968197.9	
7	DON'T KNOW	123	18904.4	
8	REFUSAL	12	1507.9	
9	NOT STATED	787	214026.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\#MAME_31E$: Had mammogram - follow-up treatment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=34295 / 5923528.65] [Invalid=97926 / 21202636.33]	
Universe	Respondents who answered MAME_030 = (1, 7 or 8)	
Literal question	Why did you have it? - Follow-up of breast cancer treatment	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1040	154552.5	2.6%
2	NO	33255	5768976.1	97.4%
6	NOT APPLICABLE	97004	20968197.9	
7	DON'T KNOW	123	18904.4	
8	REFUSAL	12	1507.9	
9	NOT STATED	787	214026.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MAME_31F: Had mammogram - hormone replac. therapy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=34295 / 5923528.65] [Invalid=97926 / 21202636.33]	
Universe	Respondents who answered MAME_030 = (1, 7 or 8)	
Literal question	Why did you have it? - On hormone replacement therapy	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	244	40715.5	0.7%
2	NO	34051	5882813.1	99.3%
6	NOT APPLICABLE	97004	20968197.9	
7	DON'T KNOW	123	18904.4	

#MAME_31F: Had mammogram - hormone replac. therapy

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	12	1507.9	
9	NOT STATED	787	214026.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\#MAME_31G$: Had mammogram - breast problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=34295 / 5923528.65] [Invalid=97926 / 21202636.33]	
Universe	Respondents who answered MAME_030 = (1, 7 or 8)	
Literal question	Why did you have it? - Breast problem	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1215	232916.5	3.9%
2	NO	33080	5690612.2	96.1%
6	NOT APPLICABLE	97004	20968197.9	
7	DON'T KNOW	123	18904.4	
8	REFUSAL	12	1507.9	
9	NOT STATED	787	214026.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MAME_31H: Had mammogram - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=34295 / 5923528.65] [Invalid=97926 / 21202636.33]	
Universe	Respondents who answered MAME_030 = (1, 7 or 8)	
Literal question	Why did you have it? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1355	246550.5	4.2%
2	NO	32940	5676978.2	95.8%
6	NOT APPLICABLE	97004	20968197.9	
7	DON'T KNOW	123	18904.4	
8	REFUSAL	12	1507.9	
9	NOT STATED	787	214026.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MAME_032: Last time mammogram was done

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=34180 / 5911339.48] [Invalid=98041 / 21214825.5]	
Universe	Respondents who answered MAME_030 = (1, 7 or 8)	
Literal question	When was the last time?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	6354	1137921.6	19.2%
2	6 MTHS TO < 1 YR	8592	1567198.4	26.5%
3	1 TO < 2 YEARS	8478	1429072.4	24.2%
4	2 TO < 5 YEARS	5643	975333.2	16.5%
5	5 YEARS OR MORE	5113	801813.8	13.6%
6	NOT APPLICABLE	97004	20968197.9	
7	DON'T KNOW	236	30914.0	

#MAME_032: Last time mammogram was done

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	14	1687.4	
9	NOT STATED	787	214026.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MAME_36A: No mam. -have not gotten ar.to it -2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=5796 / 960059.97] [Invalid=126425 / 26166105.01]			
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Have not gotten around to it			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1693	280962.9	29.3%
2	NO	4103	679097.1	70.7%
6	NOT APPLICABLE	126105	26073950.4	
7	DON'T KNOW	62	13625.8	
8	REFUSAL	3	444.9	
9	NOT STATED	255	78083.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MAME_36B: No mam. resp.- didn't think nec. - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=5796 / 960059.97] [Invalid=126425 / 26166105.01]	
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)	
Literal question	What are the reasons you have not had one in the past 2 years? - Respondent did not think it was necessary	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2128	342865.4	35.7%
2	NO	3668	617194.6	64.3%
6	NOT APPLICABLE	126105	26073950.4	
7	DON'T KNOW	62	13625.8	
8	REFUSAL	3	444.9	
9	NOT STATED	255	78083.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MAME_36C: No mam. -doctor didn't think nec. -2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=5796 / 960059.97] [Invalid=126425 / 26166105.01]			
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Doctor did not think it was necessary			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	779	137595.6	14.3%	
2	NO	5017	822464.3	85.7%	
6	NOT APPLICABLE	126105	26073950.4		
7	DON'T KNOW	62	13625.8		
8	REFUSAL	3	444.9		
9	NOT STATED	255	78083.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

#MAME_36D: No mam personal/family resp 2 yrs				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=5796 / 960059.97] [Invalid=126425 / 26166105.01]			
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Personal or family responsibilities			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	41	4949.1	0.5%
2	NO	5755	955110.9	99.5%
6	NOT APPLICABLE	126105	26073950.4	
7	DON'T KNOW	62	13625.8	
8	REFUSAL	3	444.9	
9	NOT STATED	255	78083.9	

#MAME_36E: No mam. - not ava. when required - 2 yrs

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=5796 / 960059.97] [Invalid=126425 / 26166105.01]
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	51	5736.9	0.6%
2	NO	5745	954323.1	99.4%
6	NOT APPLICABLE	126105	26073950.4	
7	DON'T KNOW	62	13625.8	
8	REFUSAL	3	444.9	
9	NOT STATED	255	78083.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\#\,MAME_36F\colon No$ mam. - not avai. in the area - 2 yrs

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=5796 / 960059.97] [Invalid=126425 / 26166105.01]
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Not available at all in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	72	6745.6	0.7%
2	NO	5724	953314.4	99.3%
6	NOT APPLICABLE	126105	26073950.4	
7	DON'T KNOW	62	13625.8	
8	REFUSAL	3	444.9	
9	NOT STATED	255	78083.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAME_36G: No mam. -wait. time was too long - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=5796 / 960059.97] [Invalid=126425 / 26166105.01]	
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)	
Literal question	What are the reasons you have not had one in the past 2 years? - Waiting time was too long	

#MAME_36G: No mam. -wait. time was too long - 2 yrs

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	61	7424.2	0.8%
2	NO	5735	952635.8	99.2%
6	NOT APPLICABLE	126105	26073950.4	
7	DON'T KNOW	62	13625.8	
8	REFUSAL	3	444.9	
9	NOT STATED	255	78083.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MAME_36H: No mam. -transportation problems - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=5796 / 960059.97] [Invalid=126425 / 26166105.01]	
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)	
Literal question	What are the reasons you have not had one in the past 2 years? - Transportation problems	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	37	5538.3	0.6%
2	NO	5759	954521.6	99.4%
6	NOT APPLICABLE	126105	26073950.4	
7	DON'T KNOW	62	13625.8	
8	REFUSAL	3	444.9	
9	NOT STATED	255	78083.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MAME_36I: No mam. - language problem - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=5796 / 960059.97] [Invalid=126425 / 26166105.01]	
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)	
Literal question	What are the reasons you have not had one in the past 2 years? - Language problem	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	329.6	0.0%
2	NO	5795	959730.4	100.0%
6	NOT APPLICABLE	126105	26073950.4	
7	DON'T KNOW	62	13625.8	
8	REFUSAL	3	444.9	
9	NOT STATED	255	78083.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAME_36J: No mam. - cost - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=5796 / 960059.97] [Invalid=126425 / 26166105.01]
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	1565.7	0.2%
2	NO	5786	958494.3	99.8%
6	NOT APPLICABLE	126105	26073950.4	

MAME_36J: No mam. - cost - 2 yrs

Value	Label	Cases	Weighted	Percentage (W
7	DON'T KNOW	62	13625.8	
3	REFUSAL	3	444.9	
9	NOT STATED	255	78083.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MAME_36K: No mam. -did not know where to go -2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=5796 / 960059.97] [Invalid=126425 / 26166105.01]
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	35	11044.7	1.2%
2	NO	5761	949015.3	98.8%
6	NOT APPLICABLE	126105	26073950.4	
7	DON'T KNOW	62	13625.8	
8	REFUSAL	3	444.9	
9	NOT STATED	255	78083.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAME_36L: No mam. - fear - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=5796 / 960059.97] [Invalid=126425 / 26166105.01]
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	381	57107.8	5.9%
2	NO	5415	902952.2	94.1%
6	NOT APPLICABLE	126105	26073950.4	
7	DON'T KNOW	62	13625.8	
8	REFUSAL	3	444.9	
9	NOT STATED	255	78083.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAME_36M: No mam. - other - 2 yrs

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=5796 / 960059.97] [Invalid=126425 / 26166105.01]	
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24	3464.1	0.4%
2	NO	5772	956595.8	99.6%
6	NOT APPLICABLE	126105	26073950.4	
7	DON'T KNOW	62	13625.8	
8	REFUSAL	3	444.9	
9	NOT STATED	255	78083.9	

MAME_36M: No mam. - other - 2 yrs

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MAME_36N: No mam. -un. leave house/hlth pro -2 yrs

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=5796 / 960059.97] [Invalid=126425 / 26166105.01]			
Universe Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Unable to leave the house because of a health problem		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	50	6524.6	0.7%
2	NO	5746	953535.3	99.3%
6	NOT APPLICABLE	126105	26073950.4	
7	DON'T KNOW	62	13625.8	
8	REFUSAL	3	444.9	
9	NOT STATED	255	78083.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MAME_36O: No mam. -Breasts removed/Mastec. -2 yrs

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=5796 / 960059.97] [Invalid=126425 / 26166105.01]	
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Breasts removed / Mastectomy

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1007	174300.9	18.2%	
2	NO	4789	785759.1	81.89	%
6	NOT APPLICABLE	126105	26073950.4		
7	DON'T KNOW	62	13625.8		
8	REFUSAL	3	444.9		
9	NOT STATED	255	78083.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAME_038: Had a hysterectomy

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=36133 / 7874782.68] [Invalid=96088 / 19251382.3]	
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Literal question	Have you had a hysterectomy? (In other words, has your uterus been removed)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5990	918830.2	11.7%
2	NO	30143	6955952.4	88.3%
6	NOT APPLICABLE	66603	14590278.7	
7	DON'T KNOW	41	12173.4	
8	REFUSAL	40	12665.4	
9	NOT STATED	29404	4636264.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRXEFOPT: Optional module: BRX - (F)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]

#BRXEFOPT: Optional module: BRX - (F) Universe All respondents Literal question Optional module: BRX - (F) Notes Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".

Value	Label	Cases	Weighted
1	YES	41766	10570076.1
2	NO	90455	16556088.9
6	NOT APPLICABLE	0	0.0
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	0	0.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BRXE_110: Had breasts examined by health prof.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=20428 / 4755972.1] [Invalid=111793 / 22370192.88]
Universe	Females aged 18 and over with BRXEFOPT = 1
Literal question	Other than a mammogram, have you ever had your breasts examined for lumps (tumours, cysts) by a doctor or other health professional?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15816	3604966.1	75.89
2	NO	4612	1151006.0	24.2%
6	NOT APPLICABLE	111427	22234976.2	
7	DON'T KNOW	73	20152.3	
8	REFUSAL	50	15180.2	
9	NOT STATED	243	99884.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BRXE_112: Last time breasts examined for lumps

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=15714 / 3586343.09] [Invalid=116507 / 23539821.89]
Universe	Respondents who answered BRXE_110 = (1, 7 or 8)
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	3785	888995.5	24.8%
2	6 MTHS TO < 1 YR	5335	1322737.4	36.9%
3	1 TO < 2 YEARS	3394	753163.8	21.0%
4	2 TO < 5 YEARS	1728	364295.2	10.2%
5	5 YEARS OR MORE	1472	257151.3	7.2%
6	NOT APPLICABLE	116039	23385982.2	
7	DON'T KNOW	98	18248.0	
8	REFUSAL	4	374.9	
9	NOT STATED	366	135216.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BRXE_16A: No breast ex. - havn't gotten around/it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

#BRXE_16A: No breast ex. - havn't gotten around/it Statistics [NW/W] [Valid=7688 / 1740315.31] [Invalid=124533 / 25385849.67] Universe Respondents who answered BRXE_110 = (2, 7 or 8) or BRXE_112 = (4, 5, 7 or 8) Literal question What are the reasons that you have not had a breast exam in the past 2 years? - Have not gotten around to it

Value	Label	Cases	Weighted
1	YES	1621	396580.5
2	NO	6067	1343734.8
6	NOT APPLICABLE	123941	25199872.8
7	DON'T KNOW	119	29847.4
8	REFUSAL	5	2289.8
9	NOT STATED	468	153839.7

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BRXE_16B: No breast ex. - resp. didn't think nec.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=7688 / 1740315.31] [Invalid=124533 / 25385849.67]	
Universe	Respondents who answered BRXE_110 = (2, 7 or 8) or BRXE_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3290	757918.2	43.6%
2	NO	4398	982397.1	56.4%
6	NOT APPLICABLE	123941	25199872.8	
7	DON'T KNOW	119	29847.4	
8	REFUSAL	5	2289.8	
9	NOT STATED	468	153839.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

#BRXE_16C: No breast ex doctor didn't think nec.		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W] [Valid=7688 / 1740315.31] [Invalid=124533 / 25385849.67]		
Universe Respondents who answered BRXE_110 = (2, 7 or 8) or BRXE_112 = (4, 5, 7 or 8)		
Literal question What are the reasons that you have not had a breast exam in the past 2 years? - Doctor did not think it was necessary		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1700	359981.1	20.7%	
2	NO	5988	1380334.2		79.3%
6	NOT APPLICABLE	123941	25199872.8		
7	DON'T KNOW	119	29847.4		
8	REFUSAL	5	2289.8		
9	NOT STATED	468	153839.7		

#BRXE_16D: No breast ex. - personal/family resp.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=7688 / 1740315.31] [Invalid=124533 / 25385849.67]
Universe	Respondents who answered BRXE_110 = (2, 7 or 8) or BRXE_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	43	8195.2	0.5%
2	NO	7645	1732120.1	99.5%
6	NOT APPLICABLE	123941	25199872.8	
7	DON'T KNOW	119	29847.4	
8	REFUSAL	5	2289.8	
9	NOT STATED	468	153839.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BRXE_16E: No breast ex. - not avail. when req'd

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=7688 / 1740315.31] [Invalid=124533 / 25385849.67]	
Universe	Respondents who answered BRXE_110 = (2, 7 or 8) or BRXE_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	49	12586.8	0.7%
2	NO	7639	1727728.5	99.3%
6	NOT APPLICABLE	123941	25199872.8	
7	DON'T KNOW	119	29847.4	
8	REFUSAL	5	2289.8	
9	NOT STATED	468	153839.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BRXE_16F: No breast ex. - not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=7688 / 1740315.31] [Invalid=124533 / 25385849.67]	
Universe	Respondents who answered BRXE_110 = (2, 7 or 8) or BRXE_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at all in the area

#BRXE_16F: No breast ex. - not available in area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	56	12060.3	0.7%
2	NO	7632	1728255.0	99.3%
6	NOT APPLICABLE	123941	25199872.8	
7	DON'T KNOW	119	29847.4	
8	REFUSAL	5	2289.8	
9	NOT STATED	468	153839.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BRXE_16G: No breast ex. - waiting time too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=7688 / 1740315.31] [Invalid=124533 / 25385849.67]
Universe	Respondents who answered BRXE_110 = (2, 7 or 8) or BRXE_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26	5095.5	0.3%
2	NO	7662	1735219.8	99.7%
6	NOT APPLICABLE	123941	25199872.8	
7	DON'T KNOW	119	29847.4	
8	REFUSAL	5	2289.8	
9	NOT STATED	468	153839.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BRXE_16H: No breast ex. - transportation problems

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=7688 / 1740315.31] [Invalid=124533 / 25385849.67]
Universe	Respondents who answered BRXE_110 = (2, 7 or 8) or BRXE_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16	4409.0	0.3%
2	NO	7672	1735906.3	99.7%
6	NOT APPLICABLE	123941	25199872.8	
7	DON'T KNOW	119	29847.4	
8	REFUSAL	5	2289.8	
9	NOT STATED	468	153839.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BRXE_16I: No breast ex. - language problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=7688 / 1740315.31] [Invalid=124533 / 25385849.67]	
Universe	Respondents who answered BRXE_110 = (2, 7 or 8) or BRXE_112 = (4, 5, 7 or 8)	
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Language problem	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	1150.2	0.1%
2	NO	7685	1739165.2	99.9%
6	NOT APPLICABLE	123941	25199872.8	

#BRXE_16I: No breast ex. - language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	119	29847.4	
8	REFUSAL	5	2289.8	
9	NOT STATED	468	153839.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BRXE_16J: No breast ex. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=7688 / 1740315.31] [Invalid=124533 / 25385849.67]
Universe	Respondents who answered BRXE_110 = (2, 7 or 8) or BRXE_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	590.5	0.0%
2	NO	7683	1739724.8	100.0%
6	NOT APPLICABLE	123941	25199872.8	
7	DON'T KNOW	119	29847.4	
8	REFUSAL	5	2289.8	
9	NOT STATED	468	153839.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BRXE_16K: No breast ex. - did not know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=7688 / 1740315.31] [Invalid=124533 / 25385849.67]
Universe	Respondents who answered BRXE_110 = (2, 7 or 8) or BRXE_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	37	10233.4	0.6%
2	NO	7651	1730081.9	99.4%
6	NOT APPLICABLE	123941	25199872.8	
7	DON'T KNOW	119	29847.4	
8	REFUSAL	5	2289.8	
9	NOT STATED	468	153839.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BRXE_16L: No breast ex. - fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=7688 / 1740315.31] [Invalid=124533 / 25385849.67]
Universe	Respondents who answered BRXE_110 = (2, 7 or 8) or BRXE_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	125	30387.3	1.7%
2	NO	7563	1709928.0	98.3%
6	NOT APPLICABLE	123941	25199872.8	
7	DON'T KNOW	119	29847.4	
8	REFUSAL	5	2289.8	

#BRXE_16L: No breast ex. - fear

Ī	Value	Label	Cases	Weighted	Percentage (Weighted)
	9	NOT STATED	468	153839.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BRXE_16N: No breast ex. - unable to leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=7688 / 1740315.31] [Invalid=124533 / 25385849.67]
Universe	Respondents who answered BRXE_110 = (2, 7 or 8) or BRXE_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	38	4982.8	0.3%
2	NO	7650	1735332.5	99.7%
6	NOT APPLICABLE	123941	25199872.8	
7	DON'T KNOW	119	29847.4	
8	REFUSAL	5	2289.8	
9	NOT STATED	468	153839.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BRXE_16O: No breast - breast removed/mastectomy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=7688 / 1740315.31] [Invalid=124533 / 25385849.67]
Universe	Respondents who answered BRXE_110 = (2, 7 or 8) or BRXE_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Breast removed / mastectomy

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1284	275694.2	15.8%
2	NO	6404	1464621.1	84.2%
6	NOT APPLICABLE	123941	25199872.8	
7	DON'T KNOW	119	29847.4	
8	REFUSAL	5	2289.8	
9	NOT STATED	468	153839.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BRXE_16M: No breast ex. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=7688 / 1740315.31] [Invalid=124533 / 25385849.67]	
Universe	Respondents who answered BRXE_110 = (2, 7 or 8) or BRXE_112 = (4, 5, 7 or 8)	
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Other	

Label	Cases	Weighted	Percentage (Weighted)
YES	10	1683.0	0.1%
NO	7678	1738632.4	99.9%
NOT APPLICABLE	123941	25199872.8	
DON'T KNOW	119	29847.4	
REFUSAL	5	2289.8	
NOT STATED	468	153839.7	
	YES NO NOT APPLICABLE DON'T KNOW REFUSAL	YES 10 NO 7678 NOT APPLICABLE 123941 DON'T KNOW 119 REFUSAL 5	YES 10 1683.0 NO 7678 1738632.4 NOT APPLICABLE 123941 25199872.8 DON'T KNOW 119 29847.4 REFUSAL 5 2289.8

# BSXEFOPT: Optional module: BSX - (F)		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]		
Universe All respondents		
Literal question Optional module: BSX - (F)		
Notes Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not sta		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9177	1244795.6	4.6%
2	NO	123044	25881369.4	95.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

#BSXE_120: Self-examined breasts for lumps

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=4597 / 574312.06] [Invalid=127624 / 26551852.92]
Universe	Females aged 18 and over with BSXEFOPT = 1
Literal question	Have you ever examined your breasts for lumps (tumours, cysts)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3677	470333.0	81.9	9%
2	NO	920	103979.0	18.1%	
6	NOT APPLICABLE	127550	26540523.4		
7	DON'T KNOW	5	452.8		
8	REFUSAL	5	368.8		
9	NOT STATED	64	10507.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BSXE_121: Freq. - breast self-examination

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=3662 / 469232.31] [Invalid=128559 / 26656932.67]
Literal question	How often ?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONCE A MONTH	1769	223313.8	47.
2	EVERY 2-3 MTH	884	113164.0	24.1%
3	LESS 2-3 MTH	1009	132754.4	28.3%
6	NOT APPLICABLE	128470	26644502.4	
7	DON'T KNOW	13	973.0	
8	REFUSAL	2	127.7	
9	NOT STATED	74	11329.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BSXE_22A: Breast self-ex. learned from - doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3639 / 466833.54] [Invalid=128582 / 26659331.44]
Universe	Respondents who answered BSXE_120 = (1, 7 or 8)

#BSXE_22A: Breast self-ex. learned from - doctor

Literal question How did you learn to do this? - Doctor

Value	Label	Cases	Weighted
1	YES	1934	266524.7
2	NO	1705	200308.8
6	NOT APPLICABLE	128470	26644502.4
7	DON'T KNOW	37	3463.8
8	REFUSAL	1	35.7
9	NOT STATED	74	11329.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BSXE_22B: Breast self-ex. learned from - nurse

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=3639 / 466833.54] [Invalid=128582 / 26659331.44]	
Universe	Respondents who answered BSXE_120 = (1, 7 or 8)
Literal question	How did you learn to do this? - Nurse

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	715	75651.1	16.2%
2	NO	2924	391182.4	8
6	NOT APPLICABLE	128470	26644502.4	
7	DON'T KNOW	37	3463.8	
8	REFUSAL	1	35.7	
9	NOT STATED	74	11329.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BSXE_22C: Breast self-ex. learned from - book/mag.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3639 / 466833.54] [Invalid=128582 / 26659331.44]	
Universe Respondents who answered BSXE_120 = (1, 7 or 8)		
Literal question How did you learn to do this? - Book / magazine / pamphlet		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	863	110117.8	23.6%
2	NO	2776	356715.7	76.4%
6	NOT APPLICABLE	128470	26644502.4	
7	DON'T KNOW	37	3463.8	
8	REFUSAL	1	35.7	
9	NOT STATED	74	11329.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BSXE_22D: Breast self-ex. learned from - TV/video

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3639 / 466833.54] [Invalid=128582 / 26659331.44]
Universe	Respondents who answered BSXE_120 = (1, 7 or 8)
Literal question	How did you learn to do this? - TV / video / film

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	250	28840.6	6.2%
2	NO	3389	437993.0	93.8%

#BSXE_22D: Breast self-ex. learned from - TV/video

Value	Label	Cases	Weighted
6	NOT APPLICABLE	128470	26644502.4
7	DON'T KNOW	37	3463.8
8	REFUSAL	1	35.7
9	NOT STATED	74	11329.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#BSXE_22H: Breast self-ex. learned from - family

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3639 / 466833.54] [Invalid=128582 / 26659331.44]
Universe	Respondents who answered BSXE_120 = (1, 7 or 8)
Literal question	How did you learn to do this? - Family member (e.g., mother, sister, cousin)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	117	14002.5	3.0%
2	NO	3522	452831.0	97.0%
6	NOT APPLICABLE	128470	26644502.4	
7	DON'T KNOW	37	3463.8	
8	REFUSAL	1	35.7	
9	NOT STATED	74	11329.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\#\,BSXE_22G\colon Breast\,self\text{-ex.}$ learned from - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3639 / 466833.54] [Invalid=128582 / 26659331.44]
Universe	Respondents who answered BSXE_120 = (1, 7 or 8)
Literal question	How did you learn to do this? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	396	51603.2	11.1%
2	NO	3243	415230.4	88.9%
6	NOT APPLICABLE	128470	26644502.4	
7	DON'T KNOW	37	3463.8	
8	REFUSAL	1	35.7	
9	NOT STATED	74	11329.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#EYXEFOPT: Optional module: EYX - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]
Universe	All respondents
Literal question	Optional module: EYX - (F)
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	43797	10687553.8	39.4%
2	NO	88424	16438611.1	60.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	

#EYXEFOPT: Optional module: EYX - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#EYXE_140: Visit eye doctor - 12 m

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=18620 / 4272200.61] [Invalid=113601 / 22853964.37]
Universe	Respondents with EYXEFOPT = 1 who answered HCUE_02B > 0
Literal question	It was reported earlier that you have "seen" or "talked to" an optometrist or ophthalmologist in the past 12 months. Did you actually visit one?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18202	4158682.4	97.3%
2	NO	418	113518.2	2.7%
6	NOT APPLICABLE	113095	22712787.9	
7	DON'T KNOW	26	6557.0	
8	REFUSAL	32	7771.2	
9	NOT STATED	448	126848.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#EYXE_142: Last time eye examination

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=42613 / 10339146.8] [Invalid=89608 / 16787018.18]
Universe	Respondents with EYXEFOPT = 1
Literal question	When did you last have an eye examination?
Notes	In processing, if a respondent answered EYXE_140 = 1 (yes), the variable EYXE_142 is given the value of 1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	20047	4642155.3	44.9%
2	1 TO < 2YEARS	9253	2327340.8	22.5%
3	2 TO < 3 YEARS	4771	1236650.4	12.0%
4	3 OR MORE YEARS	6945	1673025.1	16.2%
5	NEVER	1597	459975.2	4.4%
6	NOT APPLICABLE	88424	16438611.1	
7	DON'T KNOW	315	86828.6	
8	REFUSAL	46	14965.2	
9	NOT STATED	823	246613.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#EYXE_46A: No eye exam - haven't got around to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=13248 / 3357648.38] [Invalid=118973 / 23768516.6]
Universe	Respondents who answered EYXE_142 = (3, 4, 5, 7 or 8) or EYXE_140 = (7 or 8)
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3016	696905.0	20.8%	
2	NO	10232	2660743.4		79.2%

#EYXE_46A: No eye exam - haven't got around to it

Value	Label	Cases	Weighted
6	NOT APPLICABLE	117724	23408107.2
7	DON'T KNOW	63	11743.2
8	REFUSAL	2	259.2
9	NOT STATED	1184	348407.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#EYXE_46B: No eye exam - resp. think not nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=13248 / 3357648.38] [Invalid=118973 / 23768516.6]	
Universe	Respondents who answered EYXE_142 = (3, 4, 5, 7 or 8) or EYXE_140 = (7 or 8)	
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Respondent did not think it was necessary	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8430	2230410.2	66.4%
2	NO	4818	1127238.2	33.6%
6	NOT APPLICABLE	117724	23408107.2	
7	DON'T KNOW	63	11743.2	
8	REFUSAL	2	259.2	
9	NOT STATED	1184	348407.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#EYXE_46C: No eye exam - dr. think not nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=13248 / 3357648.38] [Invalid=118973 / 23768516.6]	
Universe	Respondents who answered EYXE_142 = (3, 4, 5, 7 or 8) or EYXE_140 = (7 or 8)	
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Doctor did not think it was necessary	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	330	86753.5	2.6%
2	NO	12918	3270894.9	97.4%
6	NOT APPLICABLE	117724	23408107.2	
7	DON'T KNOW	63	11743.2	
8	REFUSAL	2	259.2	
9	NOT STATED	1184	348407.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#EYXE_46D: No eye exam - pers./family resp.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=13248 / 3357648.38] [Invalid=118973 / 23768516.6]	
Universe	Respondents who answered EYXE_142 = (3, 4, 5, 7 or 8) or EYXE_140 = (7 or 8)	
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Personal and family responsibilities	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	81	18192.7	0.5%
2	NO	13167	3339455.7	99.5%
6	NOT APPLICABLE	117724	23408107.2	
7	DON'T KNOW	63	11743.2	

#EYXE_46D: No eye exam - pers./family resp.

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	2	259.2	
9	NOT STATED	1184	348407.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#EYXE_46E: No eye exam - not av. when require

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=13248 / 3357648.38] [Invalid=118973 / 23768516.6]	
Universe	Respondents who answered EYXE_142 = (3, 4, 5, 7 or 8) or EYXE_140 = (7 or 8)	
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Not available at time required	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	41	9071.0	0.3%
2	NO	13207	3348577.4	99.7%
6	NOT APPLICABLE	117724	23408107.2	
7	DON'T KNOW	63	11743.2	
8	REFUSAL	2	259.2	
9	NOT STATED	1184	348407.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#EYXE_46F: No eye exam - not available/area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=13248 / 3357648.38] [Invalid=118973 / 23768516.6]		
Universe	Respondents who answered EYXE_142 = (3, 4, 5, 7 or 8) or EYXE_140 = (7 or 8)		
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Not available at all in the area		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	32	6079.2	0.2%
2	NO	13216	3351569.2	99.8%
6	NOT APPLICABLE	117724	23408107.2	
7	DON'T KNOW	63	11743.2	
8	REFUSAL	2	259.2	
9	NOT STATED	1184	348407.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#EYXE_46G: No eye exam - wait. time too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=13248 / 3357648.38] [Invalid=118973 / 23768516.6]		
Universe	Respondents who answered EYXE_142 = (3, 4, 5, 7 or 8) or EYXE_140 = (7 or 8)		
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Waiting time was too long		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	45	15742.6	0.5%
2	NO	13203	3341905.8	99.5%
6	NOT APPLICABLE	117724	23408107.2	
7	DON'T KNOW	63	11743.2	
8	REFUSAL	2	259.2	
9	NOT STATED	1184	348407.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# EYXE_46H: No eye exam - transportation problems		
Information	Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=13248 / 3357648.38] [Invalid=118973 / 23768516.6]		
Universe Respondents who answered EYXE_142 = (3, 4, 5, 7 or 8) or EYXE_140 = (7 or 8)		
Literal question What are the reasons that you have not had an eye examination in the past 2 years? - Transportation problems		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	43	7796.0	0.2%
2	NO	13205	3349852.4	99.8%
6	NOT APPLICABLE	117724	23408107.2	
7	DON'T KNOW	63	11743.2	
8	REFUSAL	2	259.2	
9	NOT STATED	1184	348407.0	

EYXE_46I: No eye exam - language problem

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=13248 / 3357648.38] [Invalid=118973 / 23768516.6]		
Universe	Respondents who answered EYXE_142 = (3, 4, 5, 7 or 8) or EYXE_140 = (7 or 8)	
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Language problem	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	652.4	0.0%
2	NO	13245	3356995.9	100.0%
6	NOT APPLICABLE	117724	23408107.2	
7	DON'T KNOW	63	11743.2	
8	REFUSAL	2	259.2	
9	NOT STATED	1184	348407.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

EYXE_46J: No eye exam - cost

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=13248 / 3357648.38] [Invalid=118973 / 23768516.6]	
Universe Respondents who answered EYXE_142 = (3, 4, 5, 7 or 8) or EYXE_140 = (7 or 8)	
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1297	305351.2	9.1%
2	NO	11951	3052297.2	90.9%
6	NOT APPLICABLE	117724	23408107.2	
7	DON'T KNOW	63	11743.2	
8	REFUSAL	2	259.2	
9	NOT STATED	1184	348407.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#EYXE_46K: No eye exam - did not know where to go

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=13248 / 3357648.38] [Invalid=118973 / 23768516.6]	
Universe Respondents who answered EYXE_142 = (3, 4, 5, 7 or 8) or EYXE_140 = (7 or 8)	
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Did not know where to go / uninformed

#EYXE_46K: No eye exam - did not know where to go

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	38	8693.2	0.3%
2	NO	13210	3348955.2	99.7%
6	NOT APPLICABLE	117724	23408107.2	
7	DON'T KNOW	63	11743.2	
8	REFUSAL	2	259.2	
9	NOT STATED	1184	348407.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#EYXE_46L: No eye exam - fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=13248 / 3357648.38] [Invalid=118973 / 23768516.6]	
Universe	Respondents who answered EYXE_142 = (3, 4, 5, 7 or 8) or EYXE_140 = (7 or 8)	
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26	4966.8	0.1%
2	NO	13222	3352681.6	99.9%
6	NOT APPLICABLE	117724	23408107.2	
7	DON'T KNOW	63	11743.2	
8	REFUSAL	2	259.2	
9	NOT STATED	1184	348407.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#EYXE_46N: No eye exam - health problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=13248 / 3357648.38] [Invalid=118973 / 23768516.6]
Universe	Respondents who answered EYXE_142 = (3, 4, 5, 7 or 8) or EYXE_140 = (7 or 8)
Literal question	What are the reasons you have not had an eye examination in the past 2 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23	3974.8	0.1%
2	NO	13225	3353673.6	99.9%
6	NOT APPLICABLE	117724	23408107.2	
7	DON'T KNOW	63	11743.2	
8	REFUSAL	2	259.2	
9	NOT STATED	1184	348407.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#EYXE_46M: No eye exam - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=13248 / 3357648.38] [Invalid=118973 / 23768516.6]
Universe	Respondents who answered EYXE_142 = (3, 4, 5, 7 or 8) or EYXE_140 = (7 or 8)
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	894	219028.9	6.5%

#EYXE_46M: No eye exam - other

Value	Label	Cases	Weighted
2	NO	12354	3138619.5
6	NOT APPLICABLE	117724	23408107.2
7	DON'T KNOW	63	11743.2
8	REFUSAL	2	259.2
9	NOT STATED	1184	348407.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSAEFOPT: Optional module: PSA - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	PCUE_150
Literal question	Optional module: PSA - (F)
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11242	1204522.3	4.4%
2	NO	120979	25921642.7	95.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PSAE_170: Ever had a PSA blood test

Information	rmation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3162 / 357644.26] [Invalid=129059 / 26768520.72]	
Universe	PCUE_151	
Literal question	Have you ever had a prostate specific antigen test for prostate cancer, that is, a PSA blood test?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1629	174623.2	48.8%
2	NO	1533	183021.0	51.2%
6	NOT APPLICABLE	128829	26743685.4	
7	DON'T KNOW	110	12342.8	
8	REFUSAL	1	20.0	
9	NOT STATED	119	12472.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PSAE_172: Last time had PSA blood test

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=1621 / 174106.36] [Invalid=130600 / 26952058.62]
Universe	PCUE_152
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	987	105608.2	60.7%
2	1 TO < 2 YEARS	312	32896.5	18.9%
3	2 TO < 3 YEARS	154	18044.9	10.4%

#PSAE_172: Last time had PSA blood test

Value	Label	Cases	Weighted	Percentage (Weighted)
4	3 TO < 5 YEARS	76	8390.2	4.8%
5	5 YEARS OR MORE	92	9166.5	5.3%
6	NOT APPLICABLE	130362	26926706.4	
7	DON'T KNOW	8	516.9	
8	REFUSAL	0	0.0	
9	NOT STATED	230	24835.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PSAE_73A: Had PSA test - family history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1628 / 174570.43] [Invalid=130593 / 26951594.55]
Universe	PCUE_56A
Literal question	Why did you have it? - Family history of prostate cancer

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	93	11483.2	6.6%
2	NO	1535	163087.3	93.4%
6	NOT APPLICABLE	130362	26926706.4	
7	DON'T KNOW	1	52.8	
8	REFUSAL	0	0.0	
9	NOT STATED	230	24835.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PSAE_73B: Had PSA test - regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1628 / 174570.43] [Invalid=130593 / 26951594.55]
Universe	PCUE_56B
Literal question	Why did you have it? - Part of regular check-up / routine screening

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1229	132153.0	75.7%
2	NO	399	42417.4	24.3%
6	NOT APPLICABLE	130362	26926706.4	
7	DON'T KNOW	1	52.8	
8	REFUSAL	0	0.0	
9	NOT STATED	230	24835.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PSAE_73C: Had PSA test - age

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1628 / 174570.43] [Invalid=130593 / 26951594.55]
Universe	PCUE_56C
Literal question	Why did you have it? - Age

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	183	21105.8	12.1%
2	NO	1445	153464.6	87.9%
6	NOT APPLICABLE	130362	26926706.4	

#PSAE_73C: Had PSA test - age

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	1	52.8	
8	REFUSAL	0	0.0	
9	NOT STATED	230	24835.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PSAE_73G: Had PSA test - race

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1628 / 174570.43] [Invalid=130593 / 26951594.55]
Universe	PCUE_56D
Literal question	Why did you have it? - Race

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	1628	174570.4	100.0%
6	NOT APPLICABLE	130362	26926706.4	
7	DON'T KNOW	1	52.8	
8	REFUSAL	0	0.0	
9	NOT STATED	230	24835.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PSAE_73D: Had PSA test - follow-up / problem

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1628 / 174570.43] [Invalid=130593 / 26951594.55]
Universe	PCUE_56E
Literal question	Why did you have it? - Follow-up of problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	212	22433.0	12.9%
2	NO	1416	152137.5	87.1%
6	NOT APPLICABLE	130362	26926706.4	
7	DON'T KNOW	1	52.8	
8	REFUSAL	0	0.0	
9	NOT STATED	230	24835.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PSAE_73E: Had PSA test - follow-up/prostate treat.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1628 / 174570.43] [Invalid=130593 / 26951594.55]
Universe	PCUE_56F
Literal question	Why did you have it? - Follow-up of prostate cancer treatment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	82	7105.2	4.1%
2	NO	1546	167465.2	95.9%
6	NOT APPLICABLE	130362	26926706.4	
7	DON'T KNOW	1	52.8	
8	REFUSAL	0	0.0	
9	NOT STATED	230	24835.3	

#PSAE_73E: Had PSA test - follow-up/prostate treat.

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSAE_73F: Had PSA test - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=1628 / 174570.43] [Invalid=130593 / 26951594.55]	
Universe PCUE_56G	
Literal question Why did you have it? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	36	4967.7	2.8%
2	NO	1592	169602.8	97.2%
6	NOT APPLICABLE	130362	26926706.4	
7	DON'T KNOW	1	52.8	
8	REFUSAL	0	0.0	
9	NOT STATED	230	24835.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSAE_174: Had a digital rectal exam

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=3250 / 368337.87] [Invalid=128971 / 26757827.11]	
Universe	PCUE_56H
Literal question	A Digital Rectal Exam is an exam in which a gloved finger is inserted into the rectum in order to feel the prostate gland. Have you ever had this exam?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1767	194135.1	52.7%	
2	NO	1483	174202.7	47.3%	
6	NOT APPLICABLE	128829	26743685.4		
7	DON'T KNOW	22	1649.2		
8	REFUSAL	0	0.0		
9	NOT STATED	120	12492.5		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# PSAE_175: Last time had digital rectal exam			
Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/W]	[Valid=1754 / 192794.34] [Invalid=130467 / 26933370.64]		
Universe	Universe PCUE_56I		
Literal question When was the last time?			

Value	Label	Cases	Weighted	Per	centage (Weighted)	
1	< 1 YEAR	696	75451.5			39.1%
2	1 TO < 2 YEARS	361	36956.8		19.2%	
3	2 TO < 3 YEARS	249	32366.8		16.8%	
4	3 TO < 5 YEARS	150	16353.1	8.5%		
5	5 YEARS OR MORE	298	31666.2		16.4%	
6	NOT APPLICABLE	130312	26917888.2			
7	DON'T KNOW	13	1340.8			
8	REFUSAL	0	0.0			
9	NOT STATED	142	14141.7			

CCSEFOPT: Optional module: CCS - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]		
Universe	PCUE_56J	
Literal question Optional module: CCS - (F)		
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	60732	12647381.1	46.6%
2	NO	71489	14478783.8	53.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCSE_180: Had an FOBT test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=39622 / 7795125.9] [Invalid=92599 / 19331039.08]	
Universe	PCUE_56K
Literal question	An FOBT is a test to check for blood in your stool, where you have a bowel movement and use a stick to smear a small sample on a special card. Have you ever had this test?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	10894	1971270.3	25.3%	
2	NO	28728	5823855.6	74.7%	
6	NOT APPLICABLE	91336	19017670.5		
7	DON'T KNOW	361	80775.8		
8	REFUSAL	83	20280.7		
9	NOT STATED	819	212312.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# CCSE_182: Last time FOBT test done			
Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]			
Statistics [NW/W]	[Valid=10762 / 1950044.44] [Invalid=121459 / 25176120.54]		
Universe	niverse PCUE_56L		
Literal question When was the last time?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	3293	642888.6	33.0%
2	1 TO < 2 YEARS	1963	352879.6	18.1%
3	2 TO < 3 YEARS	1170	208815.5	10.7%
4	3 TO < 5 YEARS	1208	211441.1	10.8%
5	5 TO < 10YEARS	1585	265632.1	13.6%
6	5 YEARS OR MORE	1543	268387.5	13.8%
96	NOT APPLICABLE	120064	24841526.1	
97	DON'T KNOW	130	21067.1	
98	REFUSAL	2	158.8	
99	NOT STATED	1263	313368.5	

CCSE_83A: Had FOBT - family history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=10681 / 1934479.55] [Invalid=121540 / 25191685.43]		
Universe	PCUE_56N		
Literal question	Why did you have it? - Family history of colorectal cancer		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	582	94434.5	4.9%
2	NO	10099	1840045.1	95.1%
6	NOT APPLICABLE	120064	24841526.1	
7	DON'T KNOW	211	36304.7	
8	REFUSAL	2	486.0	
9	NOT STATED	1263	313368.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCSE_83B: Had FOBT - regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	Valid=10681 / 1934479.55] [Invalid=121540 / 25191685.43]		
Universe	PCUE_56M		
Literal question	Why did you have it? - Part of regular check-up / routine screening		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6195	1157666.0		59.8%
2	NO	4486	776813.6	40.2%	
6	NOT APPLICABLE	120064	24841526.1		
7	DON'T KNOW	211	36304.7		
8	REFUSAL	2	486.0		
9	NOT STATED	1263	313368.5		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# CCSE_83C: Had FOBT - age		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=10681 / 1934479.55] [Invalid=121540 / 25191685.43]	
Universe	Respondents who answered CCSE_180 = (1, 7 or 8)	
Literal question	iteral question Why did you have it? - Age	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	376	82633.2	4.3%
2	NO	10305	1851846.4	95.7%
6	NOT APPLICABLE	120064	24841526.1	
7	DON'T KNOW	211	36304.7	
8	REFUSAL	2	486.0	
9	NOT STATED	1263	313368.5	

CCSE_83G: Had FOBT - race

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=10681 / 1934479.55] [Invalid=121540 / 25191685.43]		
Universe	Respondents who answered CCSE_180 = (1, 7 or 8)		
Literal question	Why did you have it? - Race		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	1097.0	0.1%
2	NO	10678	1933382.6	99.9%
6	NOT APPLICABLE	120064	24841526.1	
7	DON'T KNOW	211	36304.7	
8	REFUSAL	2	486.0	
9	NOT STATED	1263	313368.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCSE_83D: Had FOBT - follow-up of problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=10681 / 1934479.55] [Invalid=121540 / 25191685.43]	
Universe	Respondents who answered CCSE_180 = (1, 7 or 8)	
Literal question	Why did you have it? - Follow-up of problem	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3358	576512.2	29.8%
2	NO	7323	1357967.4	70
6	NOT APPLICABLE	120064	24841526.1	
7	DON'T KNOW	211	36304.7	
8	REFUSAL	2	486.0	
9	NOT STATED	1263	313368.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCSE_83E: Had FOBT - follow-up of treatment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	Valid=10681 / 1934479.55] [Invalid=121540 / 25191685.43]		
Universe	Respondents who answered CCSE_180 = (1, 7 or 8)		
Literal question	Why did you have it? - Follow-up of colorectal cancer treatment		

CCSE_83E: Had FOBT - follow-up of treatment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	127	18412.0	1.0%
2	NO	10554	1916067.6	99.0%
6	NOT APPLICABLE	120064	24841526.1	
7	DON'T KNOW	211	36304.7	
8	REFUSAL	2	486.0	
9	NOT STATED	1263	313368.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCSE_83F: Had FOBT - other

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=10681 / 1934479.55] [Invalid=121540 / 25191685.43]	
Universe	Respondents who answered CCSE_180 = (1, 7 or 8)	
Literal question	Why did you have it? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	740	133481.4	6.9%
2	NO	9941	1800998.1	93.1%
6	NOT APPLICABLE	120064	24841526.1	
7	DON'T KNOW	211	36304.7	
8	REFUSAL	2	486.0	
9	NOT STATED	1263	313368.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCSE_184: Had colonoscopy or sigmoidoscopy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=39762 / 7833339.4] [Invalid=92459 / 19292825.58]
Universe	Respondents aged 35 and over with CCSEFOPT = 1 or CCSE_180 = 8
Literal question	A colonoscopy or sigmoidoscopy is when a tube is inserted into the rectum to view the bowel for early signs of cancer and other health problems. Have you ever had either of these exams?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10143	1799746.7	23.0%
2	NO	29619	6033592.7	77.0%
6	NOT APPLICABLE	91336	19017670.5	
7	DON'T KNOW	213	41367.2	
8	REFUSAL	8	1195.1	
9	NOT STATED	902	232592.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCSE_185: Last time had colonoscopy/sigmoidoscopy

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/W]	[Valid=10092 / 1793439.77] [Invalid=122129 / 25332725.21]
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	2164	400033.1	22.3%
2	1 TO < 2 YEARS	1881	338672.8	18.9%
3	2 TO < 3 YEARS	1425	276114.6	15.4%

CCSE_185: Last time had colonoscopy/sigmoidoscopy

Value	Label	Cases	Weighted	Percentage (Weighted)
4	3 TO < 5 YEARS	1550	273645.9	15.3%
5	5 TO < 10YEARS	1572	272290.5	15.2%
6	5 YEARS OR MORE	1500	232682.9	13.0%
96	NOT APPLICABLE	120955	25051263.3	
97	DON'T KNOW	50	6259.4	
98	REFUSAL	1	47.5	
99	NOT STATED	1123	275155.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCSE_86A: Had colonoscopy - family history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=10040 / 1783484.03] [Invalid=122181 / 25342680.95]	
Universe	Respondents who answered CCSE_184 = (1, 7 or 8) or CCSE_180 = 8	
Literal question	Why did you have it? - Family history of colorectal cancer	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1537	293439.4	16.5%
2	NO	8503	1490044.7	83
6	NOT APPLICABLE	120955	25051263.3	
7	DON'T KNOW	100	16023.1	
8	REFUSAL	3	239.6	
9	NOT STATED	1123	275155.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCSE_86B: Had colonoscopy - regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=10040 / 1783484.03] [Invalid=122181 / 25342680.95]
Universe	Respondents who answered CCSE_184 = (1, 7 or 8) or CCSE_180 = 8
Literal question	Why did you have it? - Part of regular check-up / routine screening

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3250	620602.9	34.8%
2	NO	6790	1162881.1	65.2%
6	NOT APPLICABLE	120955	25051263.3	
7	DON'T KNOW	100	16023.1	
8	REFUSAL	3	239.6	
9	NOT STATED	1123	275155.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCSE_86C: Had colonoscopy - age

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=10040 / 1783484.03] [Invalid=122181 / 25342680.95]
Universe	Respondents who answered CCSE_184 = (1, 7 or 8) or CCSE_180 = 8
Literal question	Why did you have it? - Age

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	356	84634.3	4.7%
2	NO	9684	1698849.8	95.3%

CCSE_86C: Had colonoscopy - age

Value	Label	Cases	Weighted
6	NOT APPLICABLE	120955	25051263.3
7	DON'T KNOW	100	16023.1
8	REFUSAL	3	239.6
9	NOT STATED	1123	275155.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCSE_86D: Had colonoscopy - follow-up of problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=10040 / 1783484.03] [Invalid=122181 / 25342680.95]
Universe	Respondents who answered CCSE_184 = (1, 7 or 8) or CCSE_180 = 8
Literal question	Why did you have it? - Follow-up of problem

Value	Label	Cases	Weighted	Percentage (Weig
1	YES	5024	816790.2	
2	NO	5016	966693.9	
6	NOT APPLICABLE	120955	25051263.3	
7	DON'T KNOW	100	16023.1	
8	REFUSAL	3	239.6	
9	NOT STATED	1123	275155.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCSE_86E: Had colonoscopy - follow-up of treatment

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=10040 / 1783484.03] [Invalid=122181 / 25342680.95]
Universe	Respondents who answered CCSE_184 = (1, 7 or 8) or CCSE_180 = 8
Literal question	Why did you have it? - Follow-up of colorectal cancer treatment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	272	43393.7	2.4%
2	NO	9768	1740090.4	97.6%
6	NOT APPLICABLE	120955	25051263.3	
7	DON'T KNOW	100	16023.1	
8	REFUSAL	3	239.6	
9	NOT STATED	1123	275155.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCSE_86F: Had colonoscopy - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=10040 / 1783484.03] [Invalid=122181 / 25342680.95]
Universe	Respondents who answered CCSE_184 = (1, 7 or 8) or CCSE_180 = 8
Literal question	Why did you have it? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	652	116059.8	6.5%
2	NO	9388	1667424.2	93.5%
6	NOT APPLICABLE	120955	25051263.3	
7	DON'T KNOW	100	16023.1	
8	REFUSAL	3	239.6	

CCSE_86F: Had colonoscopy - other

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1123	275155.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCSE_187: Colonoscopy/sigmoidoscopy - FOBT test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=4783 / 817464.66] [Invalid=127438 / 26308700.32]
Universe	Respondents who answered CCSE_184 = (1, 7 or 8) and CCSE_180 = (1 or 7) or CCSE_180 = 8
Literal question	Was the colonoscopy or sigmoidoscopy a follow-up of the results of an FOBT?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1384	218170.0	26.7%
2	NO	3399	599294.7	73.3%
6	NOT APPLICABLE	125964	25975657.6	
7	DON'T KNOW	323	51117.1	
8	REFUSAL	6	706.2	
9	NOT STATED	1145	281219.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DENEFOPT: Optional module: DEN - (F)

Information	nformation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]		
Universe All respondents		
Literal question Optional module: DEN - (F)		
Notes Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not star		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	53642	11806653.0	43.5%
2	NO	78579	15319512.0	56.
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DENE_130: Visited dentist

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=33224 / 7888181.21] [Invalid=98997 / 19237983.77]
Universe	Respondents who answered HCUE_02E > 0 with DENEFOPT = 1
Literal question	It was reported earlier that you have "seen" or "talked to" a dentist in the past 12 months. Did you actually visit one?

Value	Label	Cases	Weighted	Percentage (Weighted)			
1	YES	32930	7820601.5	99.1%			
2	NO	294	67579.7	0.9%			
6	NOT APPLICABLE	98374	19069949.0				
7	DON'T KNOW	42	9870.9				
8	REFUSAL	42	14287.9				
9	NOT STATED	539	143875.9				
Warning: these figu	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.						

#DENE_132: Last time visited dentist					
Information	nation [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]				
Statistics [NW/W]	[Valid=51606 / 11283439.7] [Invalid=80615 / 15842725.28]				
Universe	Respondents with DENEFOPT = 1				
Literal question	When was the last time that you went to a dentist?				
Notes	In processing, if a respondent answered DENE_130 = 1 (yes), the variable DENE_132 is given the value of 1 (yes). The "not stated" category includes respondents who reported in HCU module not having seen or talked on the telephone with a dentist or ortodontist regarding physical, emotional or mental health in the past 12 months and reported in DEN module having visited a dentist in the past 12 months.				

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< 1 YEAR	33080	7860805.4	69.7	%
2	1 TO <2 YEARS	5475	1181743.7	10.5%	
3	2 TO < 3 YEARS	2924	599598.7	5.3%	
4	3 TO < 4 YEARS	1462	286807.1	2.5%	
5	4 TO < 5 YEARS	1324	237879.2	2.1%	
6	5 YEARS OR MORE	6832	982799.5	8.7%	
7	NEVER	509	133806.1	1.2%	
96	NOT APPLICABLE	78579	15319512.0		
97	DON'T KNOW	253	46542.7		
98	REFUSAL	67	19604.0		
99	NOT STATED	1716	457066.6		

#DENE_36A: No dent. vis. - haven't got around to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=10103 / 1638067.81] [Invalid=122118 / 25488097.17]
Universe	Respondents who answered DENE_132 = (4, 5, 6, 7, 97, or 98) or DENE_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	995	180818.9	11.0%
2	NO	9108	1457249.0	89.0%
6	NOT APPLICABLE	120777	25150297.3	
7	DON'T KNOW	21	2897.1	
8	REFUSAL	3	327.0	
9	NOT STATED	1317	334575.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\mbox{\#}\, DENE_36B\mbox{:}\, No\mbox{ dent. vis. - resp. didn't think nec.}$

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=10103 / 1638067.81] [Invalid=122118 / 25488097.17]
Universe	Respondents who answered DENE_132 = (4, 5, 6, 7, 97, or 98) or DENE_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2828	571788.0	34.9%
2	NO	7275	1066279.8	65.1%
6	NOT APPLICABLE	120777	25150297.3	
7	DON'T KNOW	21	2897.1	

#DENE_36B: No dent. vis. - resp. didn't think nec.

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	3	327.0	
9	NOT STATED	1317	334575.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DENE_36C: No dent. vis. - dent. didn't think nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=10103 / 1638067.81] [Invalid=122118 / 25488097.17]		
Universe	Respondents who answered DENE_132 = (4, 5, 6, 7, 97, or 98) or DENE_130 = (7 or 8)		
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Dentist did not think it was necessary		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	73	11297.4	0.7%
2	NO	10030	1626770.5	99.3%
6	NOT APPLICABLE	120777	25150297.3	
7	DON'T KNOW	21	2897.1	
8	REFUSAL	3	327.0	
9	NOT STATED	1317	334575.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DENE_36D: No dent. vis. - pers./family respons.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=10103 / 1638067.81] [Invalid=122118 / 25488097.17]			
Universe	Respondents who answered DENE_132 = (4, 5, 6, 7, 97, or 98) or DENE_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Personal or family responsibilities			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	28	5721.4	0.3%
2	NO	10075	1632346.4	99.7%
6	NOT APPLICABLE	120777	25150297.3	
7	DON'T KNOW	21	2897.1	
8	REFUSAL	3	327.0	
9	NOT STATED	1317	334575.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DENE_36E: No dent. vis. - not avail. when req'd.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=10103 / 1638067.81] [Invalid=122118 / 25488097.17]			
Universe	Respondents who answered DENE_132 = (4, 5, 6, 7, 97, or 98) or DENE_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at time required			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	31	6169.2	0.4%
2	NO	10072	1631898.6	99.6%
6	NOT APPLICABLE	120777	25150297.3	
7	DON'T KNOW	21	2897.1	
8	REFUSAL	3	327.0	
9	NOT STATED	1317	334575.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# DENE_36F: No dent. vis not available in area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=10103 / 1638067.81] [Invalid=122118 / 25488097.17]			
Universe	Respondents who answered DENE_132 = (4, 5, 6, 7, 97, or 98) or DENE_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at all in the area			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27	3963.7	0.2%
2	NO	10076	1634104.1	99.8%
6	NOT APPLICABLE	120777	25150297.3	
7	DON'T KNOW	21	2897.1	
8	REFUSAL	3	327.0	
9	NOT STATED	1317	334575.8	

#DENE_36G: No dent. vis. - waiting time too long

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=10103 / 1638067.81] [Invalid=122118 / 25488097.17]		
Universe	Respondents who answered DENE_132 = (4, 5, 6, 7, 97, or 98) or DENE_130 = (7 or 8)		
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Waiting time was too long		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	726.6	0.0%
2	NO	10097	1637341.2	100.0%
6	NOT APPLICABLE	120777	25150297.3	
7	DON'T KNOW	21	2897.1	
8	REFUSAL	3	327.0	
9	NOT STATED	1317	334575.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DENE_36H: No dent. vis. - transportation problems

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=10103 / 1638067.81] [Invalid=122118 / 25488097.17]		
Universe	Respondents who answered DENE_132 = (4, 5, 6, 7, 97, or 98) or DENE_130 = (7 or 8)		
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Transportation problems		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21	2594.0	0.2%
2	NO	10082	1635473.8	99.8%
6	NOT APPLICABLE	120777	25150297.3	
7	DON'T KNOW	21	2897.1	
8	REFUSAL	3	327.0	
9	NOT STATED	1317	334575.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DENE_36I: No dent. vis. - language problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=10103 / 1638067.81] [Invalid=122118 / 25488097.17]			
Universe	Respondents who answered DENE_132 = (4, 5, 6, 7, 97, or 98) or DENE_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Language problem			

DENE_36I: No dent. vis. - language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	1958.9	0.1%
2	NO	10099	1636108.9	99.9%
6	NOT APPLICABLE	120777	25150297.3	
7	DON'T KNOW	21	2897.1	
8	REFUSAL	3	327.0	
9	NOT STATED	1317	334575.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DENE_36J: No dent. vis. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=10103 / 1638067.81] [Invalid=122118 / 25488097.17]			
Universe	Respondents who answered DENE_132 = (4, 5, 6, 7, 97, or 98) or DENE_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Cost			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1406	301360.1	18.4%	
2	NO	8697	1336707.7	81.	6%
6	NOT APPLICABLE	120777	25150297.3		
7	DON'T KNOW	21	2897.1		
8	REFUSAL	3	327.0		
9	NOT STATED	1317	334575.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DENE_36K: No dent. vis. - didn't know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=10103 / 1638067.81] [Invalid=122118 / 25488097.17]			
Universe	Respondents who answered DENE_132 = (4, 5, 6, 7, 97, or 98) or DENE_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Did not know where to go / uninformed			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26	5483.7	0.3%
2	NO	10077	1632584.1	99.7%
6	NOT APPLICABLE	120777	25150297.3	
7	DON'T KNOW	21	2897.1	
8	REFUSAL	3	327.0	
9	NOT STATED	1317	334575.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DENE_36L: No dent. vis. - fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=10103 / 1638067.81] [Invalid=122118 / 25488097.17]
Universe	Respondents who answered DENE_132 = (4, 5, 6, 7, 97, or 98) or DENE_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Fear (e.g., painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	547	91416.2	5.6%
2	NO	9556	1546651.6	94.4%

# DENE	36L:	No	dent.	vis	fear

Value	Label	Cases	Weighted
6	NOT APPLICABLE	120777	25150297.3
7	DON'T KNOW	21	2897.1
8	REFUSAL	3	327.0
9	NOT STATED	1317	334575.8

DENE_36M: No dent. vis. - wears dentures

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=10103 / 1638067.81] [Invalid=122118 / 25488097.17]				
Universe	Respondents who answered DENE_132 = (4, 5, 6, 7, 97, or 98) or DENE_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Wears dentures			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4374	499406.7	30.5%
2	NO	5729	1138661.1	69.5%
6	NOT APPLICABLE	120777	25150297.3	
7	DON'T KNOW	21	2897.1	
8	REFUSAL	3	327.0	
9	NOT STATED	1317	334575.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DENE_36O: No dent. vis. - unable to leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=10103 / 1638067.81] [Invalid=122118 / 25488097.17]
Universe	Respondents who answered DENE_132 = (4, 5, 6, 7, 97, or 98) or DENE_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	1957.8	0.1%
2	NO	10089	1636110.0	99.9%
6	NOT APPLICABLE	120777	25150297.3	
7	DON'T KNOW	21	2897.1	
8	REFUSAL	3	327.0	
9	NOT STATED	1317	334575.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DENE_36N: No dent. vis. - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=10103 / 1638067.81] [Invalid=122118 / 25488097.17]		
Universe	Respondents who answered DENE_132 = (4, 5, 6, 7, 97, or 98) or DENE_130 = (7 or 8)		
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Other		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	669	120404.3	7.4%
2	NO	9434	1517663.5	92.6%
6	NOT APPLICABLE	120777	25150297.3	
7	DON'T KNOW	21	2897.1	

#DENE_36N: No dent. vis. - other

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	3	327.0	
9	NOT STATED	1317	334575.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#OH2EFOPT: Optional module: OH2 - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents
Literal question	Optional module: OH2 - (F)
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	49531	11357840.7	41.9%
2	NO	82690	15768324.3	58.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#OH2E_10: Freq. usually visits the dentist

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=47633 / 10883750.89] [Invalid=84588 / 16242414.09]
Universe	Respondents with OH2EFOPT = 1 excluding those who answered DENE_132 = 7
Literal question	Do you usually visit the dentist: (more than once a year for checkups, about once a year for checkups, less than once a year for checkups, or only for emergency care)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	> ONCE/YEAR	17336	4565775.3	42.0%
2	ONCE/YEAR	15232	3422812.0	31.4%
3	< ONCE/YEAR	3171	695626.3	6.4%
4	EMERGENCY	11894	2199537.3	20.2%
6	NOT APPLICABLE	83122	15893805.8	
7	DON'T KNOW	455	72620.9	
8	REFUSAL	153	32386.2	
9	NOT STATED	858	243601.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2E_11: Insurance for dental expenses

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=47277 / 10820889.11] [Invalid=84944 / 16305275.87]		
Universe	Respondents with OH2EFOPT = 1		
Literal question	Do you have insurance that covers all or part of your dental expenses?		
Notes	OH2E_11 is set to INSE_2.		

Val	ue	Label	Cases	Weighted	Percentage (Weighted)
1		YES	29523	7322732.9	67.7%
2		NO	17754	3498156.2	32.3%

#OH2E_11: Insurance for dental expenses

Value	Label	Cases	Weighted
6	NOT APPLICABLE	82690	15768324.3
7	DON'T KNOW	774	185301.6
8	REFUSAL	15	3111.8
9	NOT STATED	1465	348538.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2E_11A: Dental ins. - government-sponsored

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=29039 / 7193524.15] [Invalid=103182 / 19932640.83]	
Universe	Respondents who answered OH2E_11 = (1, 7 or 8) or OH2E_10 = (7 or 8)	
Literal question	Is it a government-sponsored plan?	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3266	601046.4	8.4%	
2	NO	25773	6592477.8	9	1.6%
6	NOT APPLICABLE	100444	19266480.5		
7	DON'T KNOW	478	128100.3		
8	REFUSAL	6	1108.4		
9	NOT STATED	2254	536951.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2E_11B: Type of plan - employer-sponsored

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	tistics [NW/ W] [Valid=29039 / 7193524.15] [Invalid=103182 / 19932640.83]		
Universe Respondents who answered OH2E_11 = (1, 7 or 8) or OH2E_10 = (7 or 8)			
Literal question Is it an employer-sponsored plan?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23883	6139986.1	85.4%
2	NO	5156	1053538.0	14.6%
6	NOT APPLICABLE	100444	19266480.5	
7	DON'T KNOW	478	128100.3	
8	REFUSAL	6	1108.4	
9	NOT STATED	2254	536951.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#OH2E_11C: Type of plan - private

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=29039 / 7193524.15] [Invalid=103182 / 19932640.83]		
Universe Respondents who answered OH2E_11 = (1, 7 or 8) or OH2E_10 = (7 or 8)		
Literal question	Is it a private plan?	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2140	504611.0	7.0%	
2	NO	26899	6688913.2	93.	.0%
6	NOT APPLICABLE	100444	19266480.5		
7	DON'T KNOW	478	128100.3		
8	REFUSAL	6	1108.4		

#OH2F	11C.	Type of plan	- nrivate
" ()11215	110.	I VUC UI DIAII	- Dilvate

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	2254	536951.6	

#OH2E_12: Teeth removed by dentist - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=31228 / 7635648.93] [Invalid=100993 / 19490516.05]			
Universe	Respondents with OH2EFOPT = 1 who answered DENE_130 = (1, 7 or 8) or DENE_132 = (1, 97 or 98)			
Literal question	In the past 12 months, have you had any teeth removed by a dentist?			
Notes	The "not stated" category includes respondents who reported in HCU module not having seen or talked on the telephone with a dentist or ortodontist regarding physical, emotional or mental health in the past 12 months and reported in DEN module having visited a dentist in the past 12 months.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3808	826144.9	10.8%
2	NO	27420	6809504.1	89.2%
6	NOT APPLICABLE	99040	18970663.6	
7	DON'T KNOW	18	4769.8	
8	REFUSAL	5	1410.6	
9	NOT STATED	1930	513672.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2E_13: Teeth removed -decay/gum disease - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3778 / 820471.18] [Invalid=128443 / 26305693.8]	
Universe	Respondents with OH2EFOPT = 1 who answered OH2E_12 = (1, 7 or 8) or OH2E_10 = (7 or 8) and (DENE_130 = 1 or DENE_132 = 1) or DENE_130 = (7 or 8) or DENE_132 = (97 or 98)	
Literal question	(In the past 12 months,) were any teeth removed because of decay or gum disease?	
Notes	The "not stated" category includes respondents who reported in HCU module not having seen or talked on the telephone with a dentist or ortodontist regarding physical, emotional or mental health in the past 12 months and reported in DEN module having visited a dentist in the past 12 months.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1895	396403.3	48.3%
2	NO	1883	424067.9	51.7%
6	NOT APPLICABLE	126460	25780167.6	
7	DON'T KNOW	30	5673.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1953	519852.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#OH2E_20: Has one or more of own teeth

Information	on [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Statistics [NW/W] [Valid=47994 / 10999308.72] [Invalid=84227 / 16126856.26]	
Universe Respondents with OH2EFOPT = 1		
Literal question Do you have one or more of your own teeth?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	43137	10324677.7	93.9%
2	NO	4857	674631.0	6.1%

#OH2E_20: Has one or more of own teeth

Value	Label	Cases	Weighted
6	NOT APPLICABLE	82690	15768324.3
7	DON'T KNOW	66	8609.1
8	REFUSAL	6	1384.7
9	NOT STATED	1465	348538.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#OH2E_21: Wears dentures

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=48334 / 11036632.52] [Invalid=83887 / 16089532.46]	
Universe	Respondents with OH2EFOPT = 1	
Literal question	Do you wear dentures or false teeth?	
Notes	In processing, if a respondent answered DENE_36M = 1 (yes), the variable OH2E_21 is given the value of 1 (yes).	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12062	2054802.1	18.6%
2	NO	36272	8981830.4	81.4%
6	NOT APPLICABLE	82690	15768324.3	
7	DON'T KNOW	11	4179.1	
8	REFUSAL	7	1906.7	
9	NOT STATED	1179	315122.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#OH2E_22: Mouth cond.- diff. speaking clearly

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=48004 / 10996318.76] [Invalid=84217 / 16129846.22]			
Universe	Respondents with OH2EFOPT = 1			
Literal question	Because of the condition of your teeth, mouth or dentures, do you have difficulty pronouncing any words or speaking clearly?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1320	265945.6	2.4%
2	NO	46684	10730373.1	97.6%
6	NOT APPLICABLE	82690	15768324.3	
7	DON'T KNOW	43	10348.8	
8	REFUSAL	19	2635.0	
9	NOT STATED	1465	348538.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2E_23: Cond. mouth - avoided conversat. - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=47997 / 10991777.23] [Invalid=84224 / 16134387.75]
Universe	Respondents with OH2EFOPT = 1
Literal question	In the past 12 months, how often have you avoided conversation or contact with other people, because of the condition of your teeth, mouth or dentures: (often, sometimes, rarely, or never)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN	228	48095.7	0.4%
2	SOMETIMES	672	147046.0	1.3%
3	RARELY	950	220862.9	2.0%

# OH2E_23: Cond. mouth - avoided conversat 12 mo				
Value	Label	Cases	Weighted	Percentage (Weighted)
4	NEVER	46147	10575772.7	96.2%
6	NOT APPLICABLE	82690	15768324.3	
7	DON'T KNOW	46	14295.5	
8	REFUSAL	23	3229.8	
9	NOT STATED	1465	348538.2	
Warning: these fi	igures indicate the number of cases found in the data file. They co	annot be interpreted as su	mmary statistics of the p	population of interest.

# OH2E_24: Mouth condav. laughing/smiling -12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/W]	[Valid=47999 / 10992984.84] [Invalid=84222 / 16133180.14]			
Universe	Respondents with OH2EFOPT = 1			
Literal question	(In the past 12 months, how often have you avoided:) laughing or smiling, because of the condition of your teeth, mouth or dentures?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN	482	91527.6	0.8%
2	SOMETIMES	1012	229113.3	2.1%
3	RARELY	848	202776.4	1.8%
4	NEVER	45657	10469567.6	95.2%
6	NOT APPLICABLE	82690	15768324.3	
7	DON'T KNOW	43	12838.4	
8	REFUSAL	24	3479.3	
9	NOT STATED	1465	348538.2	

OH2E_25A: Had a toothache - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=47975 / 10988473.27] [Invalid=84246 / 16137691.71]
Universe	Respondents with OH2EFOPT = 1
Literal question	In the past month, have you had a toothache?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4452	1076455.3	9.8%
2	NO	43523	9912018.0	90.2%
6	NOT APPLICABLE	82690	15768324.3	
7	DON'T KNOW	59	16580.9	
8	REFUSAL	32	4248.3	
9	NOT STATED	1465	348538.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2E_25B: Teeth sensitive to hot/cold - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=47974 / 10987996.97] [Invalid=84247 / 16138168.01]	
Universe	Respondents with OH2EFOPT = 1	
Literal question	In the past month, were your teeth sensitive to hot or cold food or drinks?	

Value	Label	Cases	Weighted
1	YES	12588	3038777.1
2	NO	35386	7949219.9
6	NOT APPLICABLE	82690	15768324.3
7	DON'T KNOW	58	16883.5
8	REFUSAL	34	4422.1
9	NOT STATED	1465	348538.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#OH2E_25C: Had pain - jaw joints - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

OH2E_25C: Had pain - jaw joints - past mo Statistics [NW/W] [Valid=47997 / 10991623.18] [Invalid=84224 / 16134541.8] Universe Respondents with OH2EFOPT = 1 Literal question In the past month, have you had pain in or around the jaw joints?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3925	873251.0	7.9%
2	NO	44072	10118372.2	92.1%
6	NOT APPLICABLE	82690	15768324.3	
7	DON'T KNOW	40	13644.3	
8	REFUSAL	29	4035.1	
9	NOT STATED	1465	348538.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#OH2E_25D: Had pain - mouth/face - past mo

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=48002 / 10991041.12] [Invalid=84219 / 16135123.86]	
Universe	Respondents with OH2EFOPT = 1	
Literal question	(In the past month, have you had) other pain in the mouth or face?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2809	633526.9	5.8%
2	NO	45193	10357514.3	94.2%
6	NOT APPLICABLE	82690	15768324.3	
7	DON'T KNOW	36	14298.3	
8	REFUSAL	28	3963.1	
9	NOT STATED	1465	348538.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#OH2E_25E: Had bleeding gums - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=47998 / 10991308.4] [Invalid=84223 / 16134856.58]	
Universe	Respondents with OH2EFOPT = 1	
Literal question	(In the past month, have you had) bleeding gums?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4636	1208790.4	11.0%
2	NO	43362	9782518.0	89.0%
6	NOT APPLICABLE	82690	15768324.3	
7	DON'T KNOW	41	14074.3	
8	REFUSAL	27	3919.8	
9	NOT STATED	1465	348538.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2E_25F: Had dry mouth - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=47991 / 10987901.77] [Invalid=84230 / 16138263.21]	
Universe	Respondents with OH2EFOPT = 1	
Literal question	(In the past month, have you had:) dry mouth?	
Notes	Does not include thirst caused by exercise.	

#OH2E_25F: Had dry mouth - past mo

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5645	1186481.1	10.8%
2	NO	42346	9801420.7	89.2%
6	NOT APPLICABLE	82690	15768324.3	
7	DON'T KNOW	49	17537.8	
8	REFUSAL	26	3862.9	
9	NOT STATED	1465	348538.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#OH2E_25G: Had bad breath - past mo

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=47531 / 10886514.19] [Invalid=84690 / 16239650.79]	
Universe	Respondents with OH2EFOPT = 1
Literal question	(In the past month, have you had:) bad breath?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5882	1372817.0	12.6%
2	NO	41649	9513697.2	87.4%
6	NOT APPLICABLE	82690	15768324.3	
7	DON'T KNOW	502	117452.5	
8	REFUSAL	33	5335.9	
9	NOT STATED	1465	348538.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#OH2E_30: Frequency of brushing teeth

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/ W] [Valid=43061 / 10304209.21] [Invalid=89160 / 16821955.77]	
Universe	Respondents who answered OH2E_20 = (1, 7 or 8) or OH2E_10 = (7 or 8)
Literal question	How often do you brush your teeth?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	> TWICE/DAY	10069	2341108.7	22.7%
2	TWICE/DAY	24034	6096066.6	59.2%
3	ONCE/DAY	7955	1709411.4	16.6%
4	< ONCE/DAY	582	92817.6	0.9%
5	ONCE/WEEK	161	25855.4	0.3%
6	< ONCE/WEEK	260	38949.6	0.4%
96	NOT APPLICABLE	87607	16450541.4	
97	DON'T KNOW	52	15911.3	
98	REFUSAL	24	4557.2	
99	NOT STATED	1477	350945.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2EFLIM: Ltd soc. due to oral hlth - 12 mo - (F)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=47985 / 10989457.35] [Invalid=84236 / 16136707.63]	
Universe	Respondents with OH2EFOPT = 1
Literal question	Ltd soc. due to oral hlth - 12 mo - (F)

#OH2EFLIM: Ltd soc. due to oral hlth - 12 mo - (F)

Notes Based on OH2E_23, OH2E_24. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOCIAL LIMIT.	1780	387403.1	3.5%
2	NO SOCIAL LIMIT.	46205	10602054.3	96.5%
6	NOT APPLICABLE	82690	15768324.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1546	368383.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#OH2EFOFP: Oral/facial pain - past mo - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	V] [Valid=47763 / 10938768.94] [Invalid=84458 / 16187396.04]	
Universe	Respondents with OH2EFOPT = 1	
Literal question	Oral/facial pain - past mo - (F)	
Notes	Based on OH2E_25A, OH2E_25B, OH2E_25C, OH2E_25D, OH2E_25E, OH2E_25F, OH2E_25G. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	HAS EXP. PAIN	22276	5179981.0	47.4%
2	NOT EXP. PAIN	25487	5758788.0	52.6%
6	NOT APPLICABLE	82690	15768324.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1768	419071.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDCEFOPT: Optional module: FDC - (F)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents
Literal question	Optional module: FDC - (F)
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12418	1731323.2	6.4%
2	NO	119803	25394841.7	93.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FDCE_1A: Chooses/avoids foods - weight concern

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=12129 / 1688495.69] [Invalid=120092 / 25437669.29]	
Universe	Respondents with FDCEFOPT = 1
Literal question	Do you choose certain foods or avoid others because you are concerned about your body weight?

#FDCE_1A: Chooses/avoids foods - weight concern

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	5845	824197.0	48.89
2	NO	6284	864298.7	51.
6	NOT APPLICABLE	119803	25394841.7	
7	DON'T KNOW	29	3807.6	
8	REFUSAL	34	3565.4	
9	NOT STATED	226	35454.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FDCE_1B: Chooses/avoids foods - heart disease

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=12109 / 1686114.81] [Invalid=120112 / 25440050.17]
Universe	Respondents with FDCEFOPT = 1
Literal question	(Do you choose certain foods or avoid others) because you are concerned about heart disease?

Value	Label	Cases	Weighted
1	YES / SOMETIMES	4685	667779.5
2	NO	7424	1018335.4
6	NOT APPLICABLE	119803	25394841.7
7	DON'T KNOW	18	1714.2
8	REFUSAL	2	666.6
9	NOT STATED	289	42827.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FDCE_1C: Chooses/avoids foods - cancer

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=12103 / 1685177.7] [Invalid=120118 / 25440987.28]	
Universe	Respondents with FDCEFOPT = 1
Literal question	(Do you choose certain foods or avoid others) because you are concerned about cancer?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	3232	463066.8	27.5%
2	NO	8871	1222110.9	
6	NOT APPLICABLE	119803	25394841.7	
7	DON'T KNOW	22	2408.0	
8	REFUSAL	4	910.0	
9	NOT STATED	289	42827.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FDCE_1D: Chooses/avoids foods - osteoporosis

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=12104 / 1684832.16] [Invalid=120117 / 25441332.82]
Universe	Respondents with FDCEFOPT = 1
Literal question	(Do you choose certain foods or avoid others) because you are concerned about osteoporosis (brittle bones)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	3113	427818.1	25.4%
2	NO	8991	1257014.0	74.6%
6	NOT APPLICABLE	119803	25394841.7	

FDCE_1D: Chooses/avoids foods - osteoporosis

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	21	2414.8	
8	REFUSAL	4	1248.7	
9	NOT STATED	289	42827.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FDCE_2A: Reason/choose foods - lower fat content

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=12104 / 1685572.7] [Invalid=120117 / 25440592.28]	
Universe	Respondents with FDCEFOPT = 1
Literal question	Do you choose certain foods because of the lower fat content?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	7644	1069164.7	63.4%
2	NO	4460	616408.0	36.6%
6	NOT APPLICABLE	119803	25394841.7	
7	DON'T KNOW	22	1833.2	
8	REFUSAL	3	1089.8	
9	NOT STATED	289	42827.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FDCE_2B: Reason/choose foods - fibre content

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=12095 / 1683991.14] [Invalid=120126 / 25442173.84]	
Universe Respondents with FDCEFOPT = 1	
Literal question	(Do you choose certain foods because of) the fibre content?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	6410	874739.2	51.9%
2	NO	5685	809252.0	48.1%
6	NOT APPLICABLE	119803	25394841.7	
7	DON'T KNOW	28	3221.0	
8	REFUSAL	6	1283.5	
9	NOT STATED	289	42827.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FDCE_2C: Reason/choose foods - calcium content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=12088 / 1682992.35] [Invalid=120133 / 25443172.63]			
Universe	Respondents with FDCEFOPT = 1			
Literal question	(Do you choose certain foods because of) the calcium content?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	5345	724147.6	43.0%
2	NO	6743	958844.8	57.0
6	NOT APPLICABLE	119803	25394841.7	
7	DON'T KNOW	33	3962.1	
8	REFUSAL	8	1541.2	
9	NOT STATED	289	42827.6	

#FDCE_2C: Reason/choose foods - calcium content

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FDCE_3A: Reason/avoid foods - fat content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	Valid=12098 / 1684017.59] [Invalid=120123 / 25442147.39]			
Universe	Respondents with FDCEFOPT = 1			
Literal question	Do you avoid certain foods because of the fat content?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	7739	1079988.7	64.1%
2	NO	4359	604028.9	35.9%
6	NOT APPLICABLE	119803	25394841.7	
7	DON'T KNOW	23	2831.0	
8	REFUSAL	8	1647.1	
9	NOT STATED	289	42827.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FDCE_3B: Reason/avoid foods - type of fat

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=12057 / 1678548.62] [Invalid=120164 / 25447616.36]			
Universe	Respondents with FDCEFOPT = 1			
Literal question	(Do you avoid certain foods because of) the type of fat they contain?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	6518	910585.1	54.2%
2	NO	5539	767963.6	45.8%
6	NOT APPLICABLE	119803	25394841.7	
7	DON'T KNOW	63	8262.6	
8	REFUSAL	9	1684.5	
9	NOT STATED	289	42827.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FDCE_3C: Reason/avoid foods - salt content

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=12088 / 1682944.99] [Invalid=120133 / 25443219.99]	
Universe	Respondents with FDCEFOPT = 1
Literal question	(Do you avoid certain foods because of) the salt content?

Value	Label	Cases	Weighted
1	YES / SOMETIMES	5549	732861.0
2	NO	6539	950084.0
6	NOT APPLICABLE	119803	25394841.7
7	DON'T KNOW	31	3892.0
8	REFUSAL	10	1658.7
9	NOT STATED	289	42827.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FDCE_3D: Reason/avoid foods - cholesterol content

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=12078 / 1682024.99] [Invalid=120143 / 25444139.99]

#FDCE_3D: Reason/avoid foods - cholesterol content

Universe Respondents with FDCEFOPT = 1

Literal question (Do you avoid certain foods because of) the cholesterol content?

Value	Label	Cases	Weighted	Percentage (V
1	YES / SOMETIMES	5407	741714.9	
2	NO	6671	940310.1	
6	NOT APPLICABLE	119803	25394841.7	
7	DON'T KNOW	41	4859.1	
8	REFUSAL	10	1611.6	
9	NOT STATED	289	42827.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FDCE_3E: Reason/avoid foods - calorie content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=12064 / 1679592.53] [Invalid=120157 / 25446572.45]			
Universe	Respondents with FDCEFOPT = 1			
Literal question	(Do you avoid certain foods because) of the calorie content?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	5393	756971.5	45.1%
2	NO	6671	922621.0	54.9%
6	NOT APPLICABLE	119803	25394841.7	
7	DON'T KNOW	55	7271.7	
8	REFUSAL	10	1631.5	
9	NOT STATED	289	42827.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FDCEFCAH: Chooses/avoids foods hlth concerns - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=12112 / 1685966.39] [Invalid=120109 / 25440198.59]
Universe	Respondents with FDCEFOPT = 1
Literal question	Chooses/avoids foods hlth concerns - (F)
Notes	Based on FDCE_1A, FDCE_1B, FDCE_1C, FDCE_1D. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7316	1027355.0	60.9%
2	NO	4796	658611.3	39.1%
6	NOT APPLICABLE	119803	25394841.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	306	45356.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDCEFCHO: Chooses foods for content reasons - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=12100 / 1684258.04] [Invalid=120121 / 25441906.94]
Universe	Respondents with FDCEFOPT = 1
Literal question	Chooses foods for content reasons - (F)
Notes	Based on FDCE_2A, FDCE_2B, FDCE_2C. See documentation on derived variables.

$\mbox{\tt\#FDCEFCHO:}$ Chooses foods for content reasons - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8658	1202837.1	71.4%
2	NO	3442	481420.9	28.6%
6	NOT APPLICABLE	119803	25394841.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	318	47065.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDCEFAVD: Avoids foods for content reasons - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=12093 / 1682008.37] [Invalid=120128 / 25444156.61]
Universe	Respondents with FDCEFOPT = 1
Literal question	Avoids foods for content reasons - (F)
Notes	Based on FDCE_3A, FDCE_3B, FDCE_3C, FDCE_3D, FDCE_3E. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9054	1261481.1	75.0%
2	NO	3039	420527.3	25.0%
6	NOT APPLICABLE	119803	25394841.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	325	49314.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCEFOPT: Optional module: FVC - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]
Universe	All respondents
Literal question	Optional module: FVC - (F)
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	71004	16975617.8	62.6%
2	NO	61217	10150547.2	37.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FVCEDJUI: Daily consumption - fruit juice - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/W]	[Valid=68942 / 16405082.65] [Invalid=63279 / 10721082.33] [Mean=0.889 / 0.903] [StdDev=1.022 / 1.041]
Universe	Respondents with FVCEFOPT = 1
Literal question	Daily consumption - fruit juice - (D)
Notes	Based on FVCE_1A, FVCE_1B, FVCE_1C, FVCE_1D, FVCE_1E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

#FVCEDJUI: Daily consumption - fruit juice - (D)

Value	Label	Cases	Weighted
999.6	NOT APPLICABLE	61217	10150547.2
999.7	DON'T KNOW	0	0.0
999.8	REFUSAL	0	0.0
999.9	NOT STATED	2062	570535.1

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FVCEDFRU: Daily consumption - fruit - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/W]	[Valid=68751 / 16363285.84] [Invalid=63470 / 10762879.14] [Mean=1.336 / 1.343] [StdDev=1.177 / 1.177]
Universe	Respondents with FVCEFOPT = 1
Literal question	Daily consumption - fruit - (D)
Notes	Based on FVCE_2A, FVCE_2B, FVCE_2C, FVCE_2D, FVCE_2E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

Value	Label	Cases	Weighted	Percen
999.6	NOT APPLICABLE	61217	10150547.2	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	2253	612331.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FVCEDSAL: Daily consumption - green salad - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/W]	[Valid=68712 / 16351842.82] [Invalid=63509 / 10774322.16] [Mean=0.56 / 0.582] [StdDev=0.523 / 0.543]
Universe	Respondents with FVCEFOPT = 1
Literal question	Daily consumption - green salad - (D)
Notes	Based on FVCE_3A, FVCE_3B, FVCE_3C, FVCE_3D, FVCE_3E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	61217	10150547.2	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	2292	623774.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FVCEDPOT: Daily consumption - potatoes - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-14] [Missing=*]
Statistics [NW/W]	[Valid=68739 / 16341521.96] [Invalid=63482 / 10784643.02] [Mean=0.376 / 0.341] [StdDev=0.416 / 0.395]
Universe	Respondents with FVCEFOPT = 1
Literal question	Daily consumption - potatoes - (D)
Notes	Based on FVCE_4A, FVCE_4B, FVCE_4C, FVCE_4D, FVCE_4E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

Value La	abel	Cases	Weighted
999.6 NO	OT APPLICABLE	61217	10150547.2
999.7 DO	ON'T KNOW	0	0.0
999.8 RE	EFUSAL	0	0.0

#FVCEDPOT: Daily consumption - potatoes - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
999.9	NOT STATED	2265	634095.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FVCEDCAR: Daily consumption - carrots - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/W]	[Valid=68428 / 16275323.17] [Invalid=63793 / 10850841.81] [Mean=0.373 / 0.361] [StdDev=0.464 / 0.449]
Universe	Respondents with FVCEFOPT = 1
Literal question	Daily consumption - carrots - (D)
Notes	Based on FVCE_5A, FVCE_5B, FVCE_5C, FVCE_5D, FVCE_5E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	61217	10150547.2	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	2576	700294.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FVCEDVEG: Daily consumption other vegetables - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/W]	[Valid=68193 / 16224675.2] [Invalid=64028 / 10901489.78] [Mean=1.314 / 1.34] [StdDev=1.102 / 1.119]
Universe	Respondents with FVCEFOPT = 1
Literal question	Daily consumption other vegetables - (D)
Notes	Based on FVCE_6A, FVCE_6B, FVCE_6C, FVCE_6D, FVCE_6E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	61217	10150547.2	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	2811	750942.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FVCEDTOT: Daily cons. - total fruits and veg. - D)

Information	[Type= continuous] [Format=numeric] [Range= 0-47.4] [Missing=*]
Statistics [NW/W]	[Valid=67136 / 15986639.47] [Invalid=65085 / 11139525.51] [Mean=4.882 / 4.906] [StdDev=2.558 / 2.561]
Universe	Respondents with FVCEFOPT = 1
Literal question	Daily cons total fruits and veg D)
Notes	Based on FVCEDJUI, FVCEDFRU, FVCEDSAL, FVCEDPOT, FVCEDCAR, FVCEDVEG. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	61217	10150547.2	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	3868	988978.3	

# FVCEGTOT: Daily cons. total fruits/veg (D, G)		
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=67136 / 15986639.47] [Invalid=65085 / 11139525.51]	
Universe	Respondents with FVCEFOPT = 1	
Literal question	Daily cons. total fruits/veg (D, G)	
Notes	Based on FVCEDTOT. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 5 PER DAY	38840	9210378.2	57.6%
2	5 À 10 TIMES/DAY	25837	6178050.3	38.6%
3	MORE 10 TIMES/DA	2459	598211.0	3.7%
6	NOT APPLICABLE	61217	10150547.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3868	988978.3	

PACE_1A: Act./last 3 mo - walking

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Walking for exercise
Notes	Includes only leisure time activities. The "not stated" category includes people who did the interview by proxy

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	90898	18547528.7	70.0%
2	NO	38743	7944121.8	30.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_1B: Act./last 3 mo - gardening/yard work

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Gardening or yard work
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	62392	12388394.6	46.8%
2	NO	67249	14103256.0	53.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

# PACE_1C: Act./la	ast 3 mo - swimming
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Swimming
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30134	6481936.0	24.5%
2	NO	99507	20009714.5	75.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

$\mbox{\#PACE_1D:}$ Act./last 3 mo - bicycling

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Bicycling
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29296	6328150.8	23.9%
2	NO	100345	20163499.7	76.
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACE_1E: Act./last 3 mo - popular/social dance

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Popular or social dance
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24047	5121984.3	19.3%
2	NO	105594	21369666.2	80.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_1F: Act./last 3 mo - home exercises

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
--

#PACE_1F: Act./last 3 mo - home exercises		
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]	
Universe	All respondents	
Literal question	Have you done any of the following in the past 3 months? - Home exercises	
Notes	Includes only leisure time activities.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	41907	9110089.6	34.4%
2	NO	87734	17381560.9	65.6
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

#PACE_1G: Act./last 3 mo - ice hockey

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Ice hockey
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6193	1584686.5	6.0%
2	NO	123448	24906964.1	94.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_1H: Act./last 3 mo - ice skating

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Ice skating
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7459	1883307.5	7.1%
2	NO	122182	24608343.0	92.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_1I: Act./last 3 mo - in-line skating/roll.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]

PACE_11: Act./last 3 mo - in-line skating/roll. Universe All respondents Literal question Have you done any of the following in the past 3 months? - In-line skating or rollerblading

Notes Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7072	1655127.2	6.2%
2	NO	122569	24836523.3	93.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_1J: Act./last 3 mo - jogging or running

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Jogging or running
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22150	5512493.8	20.8%
2	NO	107491	20979156.8	79.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_1K: Act./last 3 mo - golfing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Golfing
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14355	3008208.4	11.4%
2	NO	115286	23483442.2	88
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACE_1L: Act./last 3 mo - exer. class/aerobics

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]		
Universe	All respondents		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	11811	2769832.7	10.5%	
2	NO	117830	23721817.8	89.5%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	226	65518.0		
8	REFUSAL	269	62446.7		
9	NOT STATED	2085	506549.7		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

#PACE_1M: Act./last 3 mo - skiing/snowboarding

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]		
Universe	All respondents		
Literal question	Have you done any of the following in the past 3 months? - Downhill skiing or snowboarding		
Notes	Includes only leisure time activities.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5521	1491518.8	5.6%
2	NO	124120	25000131.7	94.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_1N: Act./last 3 mo - bowling

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	/alid=129641 / 26491650.56] [Invalid=2580 / 634514.42]		
Universe	All respondents		
Literal question	Have you done any of the following in the past 3 months? - Bowling		
Notes	Includes only leisure time activities.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11877	2625515.3	9.9%
2	NO	117764	23866135.2	90.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

#PACE_10: Act./last 3 mo - baseball or softball				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]			
Universe	ll respondents			
Literal question	Have you done any of the following in the past 3 months? - Baseball or softball			
Notes	Includes only leisure time activities.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7684	1576653.9	6.0%
2	NO	121957	24914996.6	94.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

#PACE_1P: Act./last 3 mo - tennis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]		
Universe	All respondents		
Literal question	Have you done any of the following in the past 3 months? - Tennis		
Notes	Includes only leisure time activities.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4929	1318753.4	5.0%
2	NO	124712	25172897.1	95.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_1Q: Act./last 3 mo - weight-training

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]		
Universe	All respondents		
Literal question	Have you done any of the following in the past 3 months? - Weight-training		
Notes	Includes only leisure time activities.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19767	4924451.8	18.6%
2	NO	109874	21567198.8	81.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_1R: Act./last 3 mo - fishing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

#PACE_1R: Act./last 3 mo - fishing		
Statistics [NW/W] [Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]		
Universe	All respondents	
Literal question	Have you done any of the following in the past 3 months? - Fishing	
Notes	Includes only leisure time activities.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14593	2577033.8	9.7%
2	NO	115048	23914616.8	90.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

#PACE_1S: Act./last 3 mo - volleyball

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]	
Universe	All respondents	
Literal question	Have you done any of the following in the past 3 months? - Volleyball	
Notes	Includes only leisure time activities.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8229	1903731.0	7.2%
2	NO	121412	24587919.6	92.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_1T: Act./last 3 mo - basketball

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	/alid=129641 / 26491650.56] [Invalid=2580 / 634514.42]	
Universe	all respondents	
Literal question	Have you done any of the following in the past 3 months? - Basketball	
Notes	Includes only leisure time activities.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10271	2557331.6	9.7%
2	NO	119370	23934318.9	90.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_1Z: Act./last 3 mo - soccer

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]

#PACE_1Z: Act./last 3 mo - soccer

Universe All respondents

Literal question Have you done any of the following in the past 3 months? - Soccer

Notes Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9619	2398872.8	9.1%
2	NO	120022	24092777.8	90.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_1U: Act./last 3 mo - other (#1)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]	
Universe	All respondents	
Literal question	iteral question Have you done any of the following in the past 3 months? - Other activity #1	
Notes	Includes only leisure time activities.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17095	3740038.4	14.1%
2	NO	112546	22751612.2	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_1V: Act./last 3 mo - no physical activity

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	alid=129641 / 26491650.56] [Invalid=2580 / 634514.42]	
Universe	ll respondents	
Literal question	Have you done any of the following in the past 3 months? - No physical activity	
Notes	Includes only leisure time activities.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10872	1984634.8	7.5%
2	NO	118769	24507015.7	92
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	226	65518.0	
8	REFUSAL	269	62446.7	
9	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_1W: Act./last 3 mo - other (#2)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=17084 / 3737279.33] [Invalid=115137 / 23388885.65]
Universe	Respondents who answered PACE_1U = (1, 7 or 8)

#PACE_1W: Act./last 3 mo - other (#2)

Literal question In the past 3 months, did you do any other physical activity for leisure? - Other activity #2

Notes Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2874	643661.6	17.2%
2	NO	14210	3093617.7	82.8%
6	NOT APPLICABLE	112546	22751612.2	
7	DON'T KNOW	6	1083.2	
8	REFUSAL	1	81.8	
9	NOT STATED	2584	636108.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACE_1X: Act./last 3 mo - other (#3)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=2871 / 642912.63] [Invalid=129350 / 26483252.35]	
Universe	Respondents who answered PACE_1W = (1, 7 or 8) or PACE_1U = (7 or 8)
Literal question	In the past 3 months, did you do any other physical activity for leisure? - Other activity #3
Notes Includes only leisure time activities.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	567	118734.7	18.5%
2	NO	2304	524178.0	81.5%
6	NOT APPLICABLE	126756	25845229.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2594	638022.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2A: No. of times - walking for exercise

Information	[Type= continuous] [Format=numeric] [Range= 1-270] [Missing=*]
Statistics [NW/W]	[Valid=89911 / 18352171.61] [Invalid=42310 / 8773993.37] [Mean=46.514 / 44.545] [StdDev=37.397 / 36.435]
Universe	Respondents who answered PACE_1A = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Walking for exercise

Value	Label	Cases	Weighted
996	NOT APPLICABLE	38743	7944121.8
997	DON'T KNOW	915	177916.0
998	REFUSAL	72	17441.1
999	NOT STATED	2580	634514.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3A: Time spent - walking for exercise

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=89679 / 18314259.6] [Invalid=42542 / 8811905.38]
Universe	Respondents who answered PACE_1A = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Walking for exercise

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	8387	1586621.6	8.7%

#PACE_3A: Time spent - walking for exercise

Value	Label	Cases	Weighted	Percentage (Weighted)
2	16 TO 30 MINUTES	34474	7135800.3	39.0%
3	31 TO 60 MINUTES	34644	7222724.2	39.4%
4	MORE THAN 1 HOUR	12174	2369113.6	12.9%
6	NOT APPLICABLE	38743	7944121.8	
7	DON'T KNOW	230	37600.0	
8	REFUSAL	2	312.0	
9	NOT STATED	3567	829871.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2B: No. of times - gardening/yard work

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/W]	[Valid=61389 / 12201198.64] [Invalid=70832 / 14924966.34] [Mean=22.884 / 20.36] [StdDev=24.947 / 23.25]
Universe	Respondents who answered PACE_1B = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Gardening or yard work

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	67249	14103256.0	
997	DON'T KNOW	950	176251.6	
998	REFUSAL	53	10944.4	
999	NOT STATED	2580	634514.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3B: Time spent - gardening/yard work

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W] [Valid=61181 / 12164560.29] [Invalid=71040 / 14961604.69]	
Universe	Respondents who answered PACE_1B = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Gardening or yard work

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	2982	569716.7	4.7%
2	16 TO 30 MINUTES	11689	2357611.2	19.4%
3	31 TO 60 MINUTES	17931	3615923.5	29.7%
4	MORE THAN 1 HOUR	28579	5621308.9	46.2%
6	NOT APPLICABLE	67249	14103256.0	
7	DON'T KNOW	206	36348.3	
8	REFUSAL	2	290.0	
9	NOT STATED	3583	821710.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2C: No. of times - swimming

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/W] [Valid=29919 / 6432963.62] [Invalid=102302 / 20693201.36] [Mean=15.388 / 15.09] [StdDev=19.555 / 19.233]				
Universe Respondents who answered PACE_1C = (1, 7 or 8)				
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Swimming			

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	99507	20009714.5	
997	DON'T KNOW	184	42970.6	

#PACE_2C: No. of times - swimming

Γ	Value	Label	Cases	Weighted	Percentage (Weighted)
	998	REFUSAL	31	6001.8	
	999	NOT STATED	2580	634514.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3C: Time spent - swimming

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W] [Valid=29863 / 6419841.73] [Invalid=102358 / 20706323.25]	
Universe Respondents who answered PACE_1C = (1, 7 or 8)	
Literal question About how much time did you spend on each occasion? - Swimming	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	2020	435147.5	6.8%
2	16 TO 30 MINUTES	6995	1566612.2	24.4%
3	31 TO 60 MINUTES	10672	2310520.8	36.0%
4	MORE THAN 1 HOUR	10176	2107561.2	32.8%
6	NOT APPLICABLE	99507	20009714.5	
7	DON'T KNOW	56	13121.9	
8	REFUSAL	0	0.0	
9	NOT STATED	2795	683486.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2D: No. of times - bicycling

Information [Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]			
Statistics [NW/W]	[Valid=28967 / 6256455.59] [Invalid=103254 / 20869709.39] [Mean=22.052 / 20.247] [StdDev=26.674 / 25.22]		
Universe	Respondents who answered PACE_1D = (1, 7 or 8)		
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Bicycling		

Value	Label	Cases	Weighted
996	NOT APPLICABLE	100345	20163499.7
997	DON'T KNOW	299	64249.3
998	REFUSAL	30	7446.0
999	NOT STATED	2580	634514.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3D: Time spent - bicycling

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=28914 / 6248196.17] [Invalid=103307 / 20877968.81]		
Universe Respondents who answered PACE_1D = (1, 7 or 8)		
Literal question About how much time did you spend on each occasion? - Bicycling		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	2593	518438.3	8.3%
2	16 TO 30 MINUTES	8681	1856245.5	29.7%
3	31 TO 60 MINUTES	9596	2124450.8	34.0%
4	MORE THAN 1 HOUR	8044	1749061.5	28.0%
6	NOT APPLICABLE	100345	20163499.7	
7	DON'T KNOW	52	8045.9	
8	REFUSAL	1	213.5	

#PACE_3D: Time spent - bicycling

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	2909	706209.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2E: No. of times - popular/social dance

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/W]	s [NW/W] [Valid=23860 / 5078848.39] [Invalid=108361 / 22047316.59] [Mean=8.259 / 8.466] [StdDev=12.91 / 13.136]		
Universe	Respondents who answered PACE_1E = (1, 7 or 8)		
Literal question In the past 3 months, how many times did you [participate in identified activity]? - Popular or social dance			

Value	Label	Cases	Weighted
996	NOT APPLICABLE	105594	21369666.2
997	DON'T KNOW	162	38136.0
998	REFUSAL	25	4999.9
999	NOT STATED	2580	634514.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3E: Time spent - popular/social dance

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=23784 / 5062791.27] [Invalid=108437 / 22063373.71]		
Universe Respondents who answered PACE_1E = (1, 7 or 8)		
Literal question About how much time did you spend on each occasion? - Popular / social dance		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	1074	202400.4	4.0%
2	16 TO 30 MINUTES	1948	410007.0	8.1%
3	31 TO 60 MINUTES	3869	845111.6	16.7%
4	MORE THAN 1 HOUR	16893	3605272.3	71.2%
6	NOT APPLICABLE	105594	21369666.2	
7	DON'T KNOW	76	16057.1	
8	REFUSAL	0	0.0	
9	NOT STATED	2767	677650.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2F: No. of times - home exercises

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W]	[Valid=41376 / 9004052.74] [Invalid=90845 / 18122112.24] [Mean=39.373 / 37.88] [StdDev=30.968 / 30.316]	
Universe	Respondents who answered PACE_1F = (1, 7 or 8)	
Literal question In the past 3 months, how many times did you [participate in identified activity]? - Home exercises		

Value	Label	Cases	Weighted
996	NOT APPLICABLE	87734	17381560.9
997	DON'T KNOW	482	96415.3
998	REFUSAL	49	9621.6
999	NOT STATED	2580	634514.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3F: Time spent - home exercises

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=41310 / 8994853.59] [Invalid=90911 / 18131311.39]

#PACE_3F: Time spent - home exercises

Universe	Respondents who answered PACE_1F = $($	(1, 7 or 8)

Literal question About how much time did you spend on each occasion? - Home exercises

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	10247	2065644.0	23.0%
2	16 TO 30 MINUTES	18580	4011356.1	44.6%
3	31 TO 60 MINUTES	10079	2355601.0	26.2%
4	MORE THAN 1 HOUR	2404	562252.5	6.3%
6	NOT APPLICABLE	87734	17381560.9	
7	DON'T KNOW	65	9101.7	
8	REFUSAL	1	97.4	
9	NOT STATED	3111	740551.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2G: No. of times - ice hockey

Information	IType= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W] [Valid=6157 / 1574806.91] [Invalid=126064 / 25551358.07] [Mean=15.767 / 15.703] [StdDev=16.198 / 16]		
Universe Respondents who answered PACE_1G = (1, 7 or 8)		
Literal question In the past 3 months, how many times did you [participate in identified activity]? - Ice hockey		

Value	Label	Cases	Weighted
996	NOT APPLICABLE	123448	24906964.1
997	DON'T KNOW	28	7688.5
998	REFUSAL	8	2191.1
999	NOT STATED	2580	634514.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3G: Time spent - ice hockey

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=6157 / 1574806.91] [Invalid=126064 / 25551358.07]	
Universe	Respondents who answered PACE_1G = (1, 7 or 8)	
Literal question	About how much time did you spend on each occasion? - Ice hockey	

Value	Label	Cases	Weighted	Per	centage (Weighted)	
1	1 TO 15 MINUTES	30	5894.4	0.4%		
2	16 TO 30 MINUTES	153	42201.2	2.7%		
3	31 TO 60 MINUTES	1745	464435.7		29.5%	
4	MORE THAN 1 HOUR	4229	1062275.6			67.5%
6	NOT APPLICABLE	123448	24906964.1			
7	DON'T KNOW	0	0.0			
8	REFUSAL	0	0.0			
9	NOT STATED	2616	644394.0			

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2H: No. of times - ice skating

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/W]	[Valid=7393 / 1865713.92] [Invalid=124828 / 25260451.06] [Mean=6.747 / 6.595] [StdDev=10.127 / 9.745]			
Universe	Respondents who answered PACE_1H = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Ice skating			

#PACE_2H: No. of times - ice skating

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	122182	24608343.0	
997	DON'T KNOW	59	15638.6	
998	REFUSAL	7	1955.0	
999	NOT STATED	2580	634514.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3H: Time spent - ice skating

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=7389 / 1864939.66] [Invalid=124832 / 25261225.32]	
Universe Respondents who answered PACE_1H = (1, 7 or 8)	
Literal question	About how much time did you spend on each occasion? - Ice skating

Value	Label	Cases	Weighted	Percentage (Weighted)	1
1	1 TO 15 MINUTES	146	39563.1	2.1%	
2	16 TO 30 MINUTES	857	204539.8	11.0%	
3	31 TO 60 MINUTES	3376	857214.5		46.0%
4	MORE THAN 1 HOUR	3010	763622.2		40.9%
6	NOT APPLICABLE	122182	24608343.0		
7	DON'T KNOW	4	774.3		
8	REFUSAL	0	0.0		
9	NOT STATED	2646	652108.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2I: No. of times - in-line skating/roller b.

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W] [Valid=7019 / 1638960.78] [Invalid=125202 / 25487204.2] [Mean=10.505 / 9.884] [StdDev=15.301 / 14.	
Universe Respondents who answered PACE_1I = (1, 7 or 8)	
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - In-line skating or roller blading

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	122569	24836523.3	
997	DON'T KNOW	47	14520.2	
998	REFUSAL	6	1646.3	
999	NOT STATED	2580	634514.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3I: Time spent - in-line skating/roller b.

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=7011 / 1636940.86] [Invalid=125210 / 25489224.12]
Universe	Respondents who answered PACE_1I = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - In-line skating or roller blading

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	406	88056.6	5.4%	
2	16 TO 30 MINUTES	1850	426192.5	26.0%	
3	31 TO 60 MINUTES	2691	642271.7	39.2%	
4	MORE THAN 1 HOUR	2064	480420.0	29.3%	
6	NOT APPLICABLE	122569	24836523.3		

PACE_3I: Time spent - in-line skating/roller b.

Value	Label	Cases	Weighted	Percentage (Weighte
7	DON'T KNOW	8	2019.9	
8	REFUSAL	0	0.0	
9	NOT STATED	2633	650680.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2J: No. of times - jogging or running

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W]	[Valid=21886 / 5444677.16] [Invalid=110335 / 21681487.82] [Mean=23.635 / 23.616] [StdDev=23.422 / 22.987]
Universe	Respondents who answered PACE_1J = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Jogging or running

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	107491	20979156.8	
997	DON'T KNOW	240	59505.4	
998	REFUSAL	24	8311.2	
999	NOT STATED	2580	634514.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3J: Time spent - jogging or running

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=21850 / 5435396.6] [Invalid=110371 / 21690768.38]
Universe	Respondents who answered PACE_1J = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Jogging or running

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	3764	846724.6	15.6%
2	16 TO 30 MINUTES	9813	2481415.6	45.7%
3	31 TO 60 MINUTES	6559	1690052.2	31.1%
4	MORE THAN 1 HOUR	1714	417204.1	7.7%
6	NOT APPLICABLE	107491	20979156.8	
7	DON'T KNOW	36	9280.6	
8	REFUSAL	0	0.0	
9	NOT STATED	2844	702331.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2K: No. of times - golfing

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/W]	[Valid=14276 / 2989342.76] [Invalid=117945 / 24136822.22] [Mean=9.653 / 8.692] [StdDev=13.547 / 12.267]
Universe	Respondents who answered PACE_1K = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Golfing

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	115286	23483442.2	
997	DON'T KNOW	61	12808.6	
998	REFUSAL	18	6057.0	
999	NOT STATED	2580	634514.4	
Warning: these figure	es indicate the number of cases found in the data file. They cannot be	interpreted as su	mmary statistics of the p	population of interest.

# PACE_3K: Time spen	nt - golfing
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=14271 / 2988543.26] [Invalid=117950 / 24137621.72]
Universe	Respondents who answered PACE_1K = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Golfing

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	53	8687.1	0.3%
2	16 TO 30 MINUTES	155	32775.5	1.1%
3	31 TO 60 MINUTES	399	91281.0	3.1%
4	MORE THAN 1 HOUR	13664	2855799.6	95.6%
6	NOT APPLICABLE	115286	23483442.2	
7	DON'T KNOW	5	799.5	
8	REFUSAL	0	0.0	
9	NOT STATED	2659	653380.1	

#PACE_2L: No. of times- exercise class/aerobics

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/W]	[Valid=11729 / 2750230.97] [Invalid=120492 / 24375934.01] [Mean=23.065 / 22.082] [StdDev=18.99 / 18.784]
Universe	Respondents who answered PACE_1L = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Exercise class or aerobics

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	117830	23721817.8	
997	DON'T KNOW	67	16084.6	
998	REFUSAL	15	3517.1	
999	NOT STATED	2580	634514.4	
Warning: these figures	indicate the number of cases found in the data file. They cannot be	interpreted as su	mmary statistics of the	population of interest.

#PACE_3L: Time spent - exercise class/aerobics

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=11722 / 2749041.37] [Invalid=120499 / 24377123.61]
Universe	Respondents who answered PACE_1L = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Exercise class or aerobics

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	319	63521.4	2.3%	
2	16 TO 30 MINUTES	2170	470026.9	17.1%	
3	31 TO 60 MINUTES	6315	1497906.4		54.5%
4	MORE THAN 1 HOUR	2918	717586.7	26.1%	
6	NOT APPLICABLE	117830	23721817.8		
7	DON'T KNOW	6	927.8		
8	REFUSAL	1	261.8		
9	NOT STATED	2662	654116.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2M: No. of times - skiing/snowboarding

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/W]	[Valid=5488 / 1482593.16] [Invalid=126733 / 25643571.82] [Mean=5.832 / 5.643] [StdDev=9.229 / 9.305]

#PACE_2M: No. of times - skiing/snowboarding

Universe Respondents who answered PACE_1M = (1, 7 or 8)

Literal question In the past 3 months, how many times did you [participate in identified activity]? - Downhill ski / snowboarding

Value	Label	Cases	Weighted
996	NOT APPLICABLE	124120	25000131.7
997	DON'T KNOW	23	5519.0
998	REFUSAL	10	3406.7
999	NOT STATED	2580	634514.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3M: Time spent - skiing/snowboarding

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=5486 / 1481642.59] [Invalid=126735 / 25644522.39]	
Universe	Respondents who answered PACE_1M = (1, 7 or 8)	
Literal question	About how much time did you spend on each occasion? - Downhill skiing or snowboarding	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	39	9721.4	0.7%
2	16 TO 30 MINUTES	56	11537.2	0.8%
3	31 TO 60 MINUTES	153	32070.1	2.2%
4	MORE THAN 1 HOUR	5238	1428313.8	96.4%
6	NOT APPLICABLE	124120	25000131.7	
7	DON'T KNOW	2	950.6	
8	REFUSAL	0	0.0	
9	NOT STATED	2613	643440.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2N: No. of times - bowling

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]				
Statistics [NW/W]	W] [Valid=11822 / 2612489.37] [Invalid=120399 / 24513675.61] [Mean=4.833 / 4.34] [StdDev=7.26 / 6.732]			
Universe Respondents who answered PACE_1N = (1, 7 or 8)				
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Bowling			

Value	Label	Cases	Weighted
996	NOT APPLICABLE	117764	23866135.2
997	DON'T KNOW	43	8943.0
998	REFUSAL	12	4082.9
999	NOT STATED	2580	634514.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3N: Time spent - bowling

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[NW/W] [Valid=11813 / 2610340.83] [Invalid=120408 / 24515824.15]	
Universe	Respondents who answered PACE_1N = (1, 7 or 8)	
Literal question About how much time did you spend on each occasion? - Bowling		

V	alue	Label	Cases	Weighted	Percentage (Weighted)
1		1 TO 15 MINUTES	38	6321.8	0.2%
2		16 TO 30 MINUTES	224	46223.7	1.8%
3		31 TO 60 MINUTES	2181	514860.0	19.7%

#PACE_3N: Time spent - bowling

Value	Label	Cases	Weighted
4	MORE THAN 1 HOUR	9370	2042935.4
6	NOT APPLICABLE	117764	23866135.2
7	DON'T KNOW	9	2148.5
8	REFUSAL	0	0.0
9	NOT STATED	2635	647540.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_20: No. of times - baseball/softball

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/W]	[Valid=7631 / 1565776.78] [Invalid=124590 / 25560388.2] [Mean=10.175 / 9.674] [StdDev=13.14 / 12.86]			
Universe	Respondents who answered PACE_1O = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Baseball or softball			

Value	Label	Cases	Weighted
996	NOT APPLICABLE	121957	24914996.6
997	DON'T KNOW	49	10178.0
998	REFUSAL	4	699.1
999	NOT STATED	2580	634514.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_30: Time spent - baseball/softball

Information	Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=7625 / 1564476.55] [Invalid=124596 / 25561688.43]	
Universe	Respondents who answered PACE_1O = (1, 7 or 8)	
Literal question	About how much time did you spend on each occasion? - Baseball or softball	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	116	24200.3	1.5%
2	16 TO 30 MINUTES	543	117698.6	7.5%
3	31 TO 60 MINUTES	1546	326664.4	20.9%
4	MORE THAN 1 HOUR	5420	1095913.2	70.0%
6	NOT APPLICABLE	121957	24914996.6	
7	DON'T KNOW	6	1300.2	
8	REFUSAL	0	0.0	
9	NOT STATED	2633	645391.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2P: No. of times - tennis

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/W]	[NW/W] [Valid=4902 / 1311711.48] [Invalid=127319 / 25814453.5] [Mean=8.644 / 8.893] [StdDev=12.712 / 12.845]		
Universe	Respondents who answered PACE_1P = (1, 7 or 8)		
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Tennis		

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	124712	25172897.1	
997	DON'T KNOW	25	6689.5	
998	REFUSAL	2	352.5	
999	NOT STATED	2580	634514.4	

#PACE_2P: No. of times - tennis

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3P: Time spent - tennis

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=4897 / 1310467.65] [Invalid=127324 / 25815697.33]	
Universe Respondents who answered PACE_1P = (1, 7 or 8)	
Literal question About how much time did you spend on each occasion? - Tennis	

Value	Label	Cases	Weighted	Percentage (Weighted))
1	1 TO 15 MINUTES	94	27097.6	2.1%	
2	16 TO 30 MINUTES	485	122806.3	9.4%	
3	31 TO 60 MINUTES	1824	485836.3	37.1%	ó
4	MORE THAN 1 HOUR	2494	674727.4		51.5%
6	NOT APPLICABLE	124712	25172897.1		
7	DON'T KNOW	5	1243.8		
8	REFUSAL	0	0.0		
9	NOT STATED	2607	641556.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2Q: No. of times - weight-training

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W] [Valid=19612 / 4879798.85] [Invalid=112609 / 22246366.13] [Mean=29.665 / 29.114] [StdDev=22.917 / 22.43	
Universe Respondents who answered PACE_1Q = (1, 7 or 8)	
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Weight-training

Value	Label	Cases	Weighted
996	NOT APPLICABLE	109874	21567198.8
997	DON'T KNOW	129	39952.1
998	REFUSAL	26	4700.8
999	NOT STATED	2580	634514.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3Q: Time spent - weight-training

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W] [Valid=19596 / 4876051.51] [Invalid=112625 / 22250113.47]	
Universe Respondents who answered PACE_1Q = (1, 7 or 8)	
Literal question About how much time did you spend on each occasion? - Weight-training	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	2552	582970.6	12.0%	
2	16 TO 30 MINUTES	6471	1588330.7		32.6%
3	31 TO 60 MINUTES	6786	1712214.5		35.1%
4	MORE THAN 1 HOUR	3787	992535.6	20.4%	
6	NOT APPLICABLE	109874	21567198.8		
7	DON'T KNOW	15	3124.1		
8	REFUSAL	1	623.2		
9	NOT STATED	2735	679167.4		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# PACE_2R: No. of times - fishing		
Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/W] [Valid=14490 / 2557645.37] [Invalid=117731 / 24568519.61] [Mean=7.363 / 6.505] [StdDev=11.437 / 10.229]		
Universe Respondents who answered PACE_1R = (1, 7 or 8)		
Literal question In the past 3 months, how many times did you [participate in identified activity]? - Fishing		

Value	Label	Cases	Weighted	Percentage (Weigl
996	NOT APPLICABLE	115048	23914616.8	
997	DON'T KNOW	88	12406.0	
998	REFUSAL	15	6982.4	
999	NOT STATED	2580	634514.4	

#PACE_3R: Time spent - fishing

Information	ormation [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W] [Valid=14479 / 2556044.98] [Invalid=117742 / 24570120]		
Universe Respondents who answered PACE_1R = (1, 7 or 8)		
Literal question	About how much time did you spend on each occasion? - Fishing	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	97	18386.2	0.7%
2	16 TO 30 MINUTES	305	51233.7	2.0%
3	31 TO 60 MINUTES	908	161844.5	6.3%
4	MORE THAN 1 HOUR	13169	2324580.6	90.9%
6	NOT APPLICABLE	115048	23914616.8	
7	DON'T KNOW	11	1600.4	
8	REFUSAL	0	0.0	
9	NOT STATED	2683	653902.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACE_2S: No. of times - volleyball

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W] [Valid=8167 / 1888218.21] [Invalid=124054 / 25237946.77] [Mean=9.834 / 9.379] [StdDev=12.511 / 11.835]	
Universe Respondents who answered PACE_1S = (1, 7 or 8)	
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Volleyball

Value	Label	Cases	Weighted
996	NOT APPLICABLE	121412	24587919.6
997	DON'T KNOW	57	12926.1
998	REFUSAL	5	2586.7
999	NOT STATED	2580	634514.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3S: Time spent - volleyball

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=8158 / 1887123.59] [Invalid=124063 / 25239041.39]	
Universe	Respondents who answered PACE_1S = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Volleyball

#PACE_3S: Time spent - volleyball

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	174	37422.4	2.0%
2	16 TO 30 MINUTES	1041	240729.8	12.8%
3	31 TO 60 MINUTES	2836	655435.3	34.7%
4	MORE THAN 1 HOUR	4107	953536.1	50.5%
6	NOT APPLICABLE	121412	24587919.6	
7	DON'T KNOW	9	1094.6	
8	REFUSAL	0	0.0	
9	NOT STATED	2642	650027.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2T: No. of times - basketball

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W] [Valid=10152 / 2525868.21] [Invalid=122069 / 24600296.77] [Mean=15.193 / 14.756] [StdDev=19.795 /	
Universe	Respondents who answered PACE_1T = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Basketball

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	119370	23934318.9	
997	DON'T KNOW	107	24844.9	
998	REFUSAL	12	6618.5	
999	NOT STATED	2580	634514.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# PACE_3T: Time spent - basketball		
Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/W] [Valid=10144 / 2524337.95] [Invalid=122077 / 24601827.03]		
Universe Respondents who answered PACE_1T = (1, 7 or 8)		
Literal question About how much time did you spend on each occasion? - Basketball		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	430	107900.4	4.3%
2	16 TO 30 MINUTES	2025	485912.4	19.2%
3	31 TO 60 MINUTES	3682	915848.2	36.3%
4	MORE THAN 1 HOUR	4007	1014676.9	40.2%
6	NOT APPLICABLE	119370	23934318.9	
7	DON'T KNOW	6	1128.1	
8	REFUSAL	2	402.2	
9	NOT STATED	2699	665977.8	

#PACE_2Z: No. of times - soccer

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W]	[Valid=9542 / 2375015.36] [Invalid=122679 / 24751149.62] [Mean=12.313 / 12.074] [StdDev=15.591 / 15.207]
Universe	Respondents who answered PACE_1Z = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Soccer

Value	Label	Cases	Weighted	Percentage (Weighted)	
996	NOT APPLICABLE	120022	24092777.8		
997	DON'T KNOW	73	20614.1		
998	REFUSAL	4	3243.3		
999	NOT STATED	2580	634514.4		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

#PACE_3Z: Time spent - soccer

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W] [Valid=9538 / 2374031.75] [Invalid=122683 / 24752133.23]	
Universe	Respondents who answered PACE_1Z = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Soccer

Value	Label	Cases	Weighted	Percenta	age (Weighted)	
1	1 TO 15 MINUTES	318	72327.5	3.0%		
2	16 TO 30 MINUTES	1485	352410.4	14.8%		
3	31 TO 60 MINUTES	3221	775987.4		32.7%	
4	MORE THAN 1 HOUR	4514	1173306.4			49.4
6	NOT APPLICABLE	120022	24092777.8			
7	DON'T KNOW	4	983.6			
8	REFUSAL	0	0.0			
9	NOT STATED	2657	658371.9			

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2U: No. of times - other activity (#1)

Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]
Statistics [NW/W]	[Valid=16967 / 3711894.89] [Invalid=115254 / 23414270.09] [Mean=20.272 / 19.712] [StdDev=23.673 / 22.761]

#PACE_2U: No. of times - other activity (#1)

Universe Respondents who answered PACE_1U = (1, 7 or 8)

Literal question In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#1)

Value	Label	Cases	Weighted
996	NOT APPLICABLE	112546	22751612.2
997	DON'T KNOW	109	23084.6
998	REFUSAL	15	3464.9
999	NOT STATED	2584	636108.5

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3U: Time spent - other activity (#1)

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=16946 / 3708520.2] [Invalid=115275 / 23417644.78]	
Universe Respondents who answered PACE_1U = (1, 7 or 8)	
Literal question	About how much time did you spend on each occasion? - Other activity (#1)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	590	117343.7	3.2%
2	16 TO 30 MINUTES	1684	380025.5	10.2%
3	31 TO 60 MINUTES	3940	911512.7	24.6%
4	MORE THAN 1 HOUR	10732	2299638.3	62.0%
6	NOT APPLICABLE	112546	22751612.2	
7	DON'T KNOW	19	3092.3	
8	REFUSAL	2	282.4	
9	NOT STATED	2708	662657.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2W: No. of times - other activity (#2)

Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]	
Statistics [NW/W] [Valid=2837 / 635879.05] [Invalid=129384 / 26490285.93] [Mean=16.016 / 15.155] [StdDev=21.815 / 20.74		
Universe Respondents who answered PACE_1W = (1, 7 or 8) or PACE_10 = (7 or 8)		
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#2)	

Value	Label	Cases	Weighted
996	NOT APPLICABLE	126756	25845229.9
997	DON'T KNOW	27	5299.8
998	REFUSAL	7	1733.8
999	NOT STATED	2594	638022.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3W: Time spent - other activity (#2)

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=2834 / 635565.1] [Invalid=129387 / 26490599.88]	
Universe Respondents who answered PACE_1W = (1, 7 or 8) or PACE_10 = (7 or 8)	
Literal question About how much time did you spend on each occasion? - Other activity (#2)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	135	30146.6	4.7%
2	16 TO 30 MINUTES	350	77196.0	12.1%
3	31 TO 60 MINUTES	705	163769.3	25.8%

#PACE_3W: Time spent - other activity (#2)

Value	Label	Cases	Weighted
4	MORE THAN 1 HOUR	1644	364453.3
6	NOT APPLICABLE	126756	25845229.9
7	DON'T KNOW	2	294.2
8	REFUSAL	1	19.8
9	NOT STATED	2628	645056.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_2X: No. of times - other activity (#3)

Information [Type= continuous] [Format=numeric] [Range= 1-180] [Missing=*]	
Statistics [NW/W]	[Valid=558 / 117787.86] [Invalid=131663 / 27008377.12] [Mean=14.018 / 13.611] [StdDev=19.952 / 18.407]
Universe	Respondents who answered PACE_1X = (1, 7 or 8) or PACE_1U (7 or 8) or PACE_10 = (7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#3)

Value	Label	Cases	Weighted	P	Percentage (
996	NOT APPLICABLE	129060	26369407.9		
997	DON'T KNOW	7	838.8		
998	REFUSAL	1	19.8		
999	NOT STATED	2595	638110.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_3X: Time spent - other activity (#3)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=558 / 117787.86] [Invalid=131663 / 27008377.12]		
Universe Respondents who answered PACE_1X = (1, 7 or 8) or PACE_1U (7 or 8) or PACE_10 = (7 or 8)		
Literal question	About how much time did you spend on each occasion? - Other activity (#3)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	34	5790.0	4.9%
2	16 TO 30 MINUTES	69	17126.6	14.5%
3	31 TO 60 MINUTES	130	25954.0	22.0%
4	MORE THAN 1 HOUR	325	68917.3	58.5%
6	NOT APPLICABLE	129060	26369407.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2603	638969.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_4A: No. of hrs. walking - to work/school

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/W]	[Valid=128075 / 26196779.78] [Invalid=4146 / 929385.2]
Universe	All respondents
Literal question	In a typical week in the past 3 months, how many hours did you usually spend walking to work or to school or while doing errands?
Notes	Includes physical activity at work or while doing daily chores around the house, but not leisure time activity. The "not stated" category includes people who did the interview by proxy.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE	38626	7596645.2	29.0%
2	< 1 HOUR	15683	3215782.7	12.3%

PACE_4A: No. of hrs. walking - to work/school

Value	Label	Cases	Weighted	Percentage (Weighted)
3	1 TO 5 HOURS	42764	9228182.5	35.2%
4	6 TO 10 HOURS	13326	2780478.2	10.6%
5	11 TO 20 HOURS	6265	1253183.4	4.8%
6	> 20 HOURS	11411	2122507.9	8.1%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	1744	343607.2	
98	REFUSAL	317	79228.4	
99	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_4B: No. of hrs. biking - to work/school

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/W]	[Valid=129389 / 26438024.24] [Invalid=2832 / 688140.74]
Universe All respondents	
Literal question	(In a typical week in the past 3 months,) how much time did you usually spend bicycling to work or to school or while doing errands?
Notes	Includes physical activity at work or while doing daily chores around the house, but not leisure time activity. The "not stated" category includes people who did the interview by proxy.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE	119142	24262179.0	91.8%
2	< 1 HOUR	3385	695859.8	2.6%
3	1 TO 5 HOURS	5217	1157820.0	4.4%
4	6 TO 10 HOURS	993	199756.1	0.8%
5	11 TO 20 HOURS	355	67418.9	0.3%
6	> 20 HOURS	297	54990.5	0.2%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	439	106196.3	
98	REFUSAL	308	75394.8	
99	NOT STATED	2085	506549.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#PACE_6: Level of physical activity for usual day

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=128889 / 26339613.7] [Invalid=3332 / 786551.28]
Universe	All respondents
Literal question	Thinking back over the past 3 months, which of the following best describes your usual daily activities or work habits: (usually sit during the day and don't walk around very much,, or do heavy work or carry very heavy loads)?
Notes	The "not stated" category includes people who did the interview by proxy.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	USUALLY SIT	30838	6646212.8	25.2%	
2	STAND OR WALK	54664	11042174.1		41.9%
3	LIFT LIGHT LOADS	33464	6596393.9	25.0%	
4	LIFT HEAVY LOADS	9923	2054832.9	7.8%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	913	199062.9		
8	REFUSAL	334	80938.7		

# PACE_6: Level of	physical activity	for usual day
--------------------	-------------------	---------------

ĺ	Value	Label	Cases	Weighted	Percentage (Weighted)
	9	NOT STATED	2085	506549.7	

PACEDEE: Daily energy expenditure - (D)

Information	ation [Type= continuous] [Format=numeric] [Range= 0-38.5] [Missing=*]	
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42] [Mean=2.196 / 2.256] [StdDev=2.421 / 2.466]	
Universe	All respondents	
Notes	Based on PACE_1V, PACE_2A, PACE_2B, PACE_2C, PACE_2D, PACE_2E, PACE_2F, PACE_2G, PACE_2H, PACE_2I, PACE_2J, PACE_2L, PACE_2M, PACE_2N, PACE_2O, PACE_2P, PACE_2Q, PACE_2R, PACE_2S, PACE_2T, PACE_2U, PACE_2W, PACE_2X, PACE_3Z, PACE_3A, PACE_3B, PACE_3C, PACE_3D, PACE_3E, PACE_3F, PACE_3G, PACE_3H, PACE_3I, PACE_3I, PACE_3L, PACE_3M, PACE_3N, PACE_3O, PACE_3P, PACE_3Q, PACE_3R, PACE_3S, PACE_3T, PACE_3U, PACE_3W, PACE_3Z, PACE_3Z. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
99.6	NOT APPLICABLE	0	0.0	
99.7	DON'T KNOW	0	0.0	
99.8	REFUSAL	0	0.0	
99.9	NOT STATED	2580	634514.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACEFLEI: Participant - leisure phys. activity-(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]	
Universe	All respondents
Notes Based on PACE_1V. See documentation on derived variables	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	118769	24507015.7	92.5%
2	NO	10872	1984634.8	7.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2580	634514.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACEDFM: Monthly freq./phys. act. >15 min. - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-276] [Missing=*]
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42] [Mean=25.829 / 26.058] [StdDev=24.939 / 24.952]
Universe	All respondents
Notes	Based on PACE_1V, PACE_2A, PACE_2B, PACE_2C, PACE_2D, PACE_2E, PACE_2F, PACE_2G, PACE_2H, PACE_2I, PACE_2J, PACE_2K, PACE_2L, PACE_2M, PACE_2N, PACE_2O, PACE_2P, PACE_2Q, PACE_2R, PACE_2S, PACE_2T, PACE_2Z, PACE_2U, PACE_2W, PACE_2X, PACE_3A, PACE_3B, PACE_3C, PACE_3D, PACE_3E, PACE_3F, PACE_3G, PACE_3H, PACE_3I, PACE_3I, PACE_3K, PACE_3L, PACE_3M, PACE_3N, PACE_3O, PACE_3Q, PACE_3Q, PACE_3R, PACE_3S, PACE_3T, PACE_3Z, PACE_3U, PACE_3W, PACE_3X. See documentation on derived variables

Value	Label	Cases	Weighted
996	NOT APPLICABLE	0	0.0
997	DON'T KNOW	0	0.0
998	REFUSAL	0	0.0

#PACEDFM: Monthly freq./phys. act. >15 min. - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
999	NOT STATED	2580	634514.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACEDFR: Freq. of all physical activity - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]	
Universe	All respondents	
Literal question Freq. of all physical activity - (D)		
Notes Based on PACEDFM. The variable uses values for the derived variable Monthly Frequency of Physical Activi (PACEDFM). The values for PACEDFM reflect a one-month average based on data reported for a three-month documentation on derived variables		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	REGULAR	85594	17649832.0	66.6%
2	OCCASIONAL	19925	4247847.6	16.0%
3	INFREQUENT	24122	4593971.0	17.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2580	634514.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACEFD: Partic. daily phys. act. > 15 min. - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	tistics [NW/ W] [Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]	
Universe	niverse All respondents	
Literal question Partic. daily phys. act. > 15 min (F)		
Notes Based on PACEDFM. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	49165	9956756.0	37.6%
2	NO	80476	16534894.6	62.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2580	634514.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACEDPAI: Physical activity index - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=129641 / 26491650.56] [Invalid=2580 / 634514.42]	
Universe	se All respondents	
Literal question Physical activity index - (D)		
Notes Based on PACEDEE. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ACTIVE	34208	7179272.9	27.1%
2	MODERATE	32259	6641682.3	25.1%

PACEDPAI: Physical activity index - (D)

Value	Label	Cases	Weighted
3	INACTIVE	63174	12670695.3
6	NOT APPLICABLE	0	0.0
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	2580	634514.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SACEFOPT: Optional module: SAC - (F)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents
Literal question	Optional module: SAC - (F)
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7765	787764.6	2.9%
2	NO	124456	26338400.4	97.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SACE_1: No. of hrs. - on a computer - past 3 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/W]	tistics [NW/ W] [Valid=7579 / 769101.58] [Invalid=124642 / 26357063.4]	
Universe	Respondents with SACEFOPT = 1	
Literal question	In a typical week in the past 3 months, how much time did you usually spend on a computer, including playing computer games and using the Internet?	
Notes	Includes only leisure time activities.	

Value	Label	Cases	Weighted	Percentage (Weighted)			
1	NONE	3357	270471.5	35.2%			
2	LESS 1 HOUR	692	83608.7	10.9%			
3	1 TO 2 HOURS	1053	122151.7	15.9%			
4	3 TO 5 HOURS	957	112413.5	14.6%			
5	6 TO 10 HOURS	820	101041.1	13.1%			
6	11 TO 14 HOURS	261	28498.5	3.7%			
7	15 TO 20 HOURS	156	19804.2	2.6%			
8	MORE THAN 20 HRS	283	31112.3	4.0%			
96	NOT APPLICABLE	124456	26338400.4				
97	DON'T KNOW	24	2711.8				
98	REFUSAL	30	2923.8				
99	NOT STATED	132	13027.4				
Warning: these fig	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.						

3 --- 3

#SACE_2: No. hrs pl	# SACE_2: No. hrs playing v. games - past 3 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			

#SACE_2: No. hrs playing v. games - past 3 mo				
Statistics [NW/W] [Valid=972 / 104892.41] [Invalid=131249 / 27021272.57]				
Universe Respondents aged less than 20 with SACEFOPT = 1				
Literal question (In a typical week, in the past 3 months, how much time did you usually spend) playing video games, such as XBOX, Nintendo and Playstation?				
Notes	Includes only leisure time activities.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE	465	48916.6	46.6%
2	LESS 1 HOUR	106	11657.3	11.1%
3	1 TO 2 HOURS	130	14039.2	13.4%
4	3 TO 5 HOURS	120	14520.0	13.8%
5	6 TO 10 HOURS	85	9467.7	9.0%
6	11 TO 14 HOURS	26	2388.7	2.3%
7	15 TO 20 HOURS	19	1743.2	1.7%
8	MORE THAN 20 HRS	21	2159.8	2.1%
96	NOT APPLICABLE	131216	27017974.8	
97	DON'T KNOW	3	116.2	
98	REFUSAL	0	0.0	
99	NOT STATED	30	3181.6	

#SACE_3: No.hrs. -watching tele/videos -past 3 mo

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W] [Valid=7517 / 764049.07] [Invalid=124704 / 26362115.91]	
Universe Respondents with SACEFOPT = 1	
Literal question	(In a typical week, in the past 3 months, how much time did you usually spend) watching television or videos?
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE	235	18885.2	2.5%
2	LESS 1 HOUR	185	17160.6	2.2%
3	1 TO 2 HOURS	650	70272.1	9.2%
4	3 TO 5 HOURS	1198	138495.0	18.1%
5	6 TO 10 HOURS	1803	196026.9	25.7%
6	11 TO 14 HOURS	1271	126734.2	16.6%
7	15 TO 20 HOURS	750	75513.4	9.9%
8	MORE THAN 20 HRS	1425	120961.5	15.8%
96	NOT APPLICABLE	124456	26338400.4	
97	DON'T KNOW	58	4264.3	
98	REFUSAL	4	788.2	
99	NOT STATED	186	18663.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SACE_4: No. of hrs. - reading - past 3 mo

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W] [Valid=7489 / 762289.76] [Invalid=124732 / 26363875.22]			
Universe Respondents with SACEFOPT = 1			
Literal question	(In a typical week, in the past 3 months, how much time did you usually spend) reading, not counting at work or at school?		

#SACE_4: No. of hrs. - reading - past 3 mo

Notes Includes books, magazines, newspapers, and homework

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE	985	99813.1	13.1%
2	LESS 1 HOUR	755	72555.5	9.5%
3	1 TO 2 HOURS	1563	172543.9	22.6%
4	3 TO 5 HOURS	1612	179435.2	23.5%
5	6 TO 10 HOURS	1486	145928.9	19.1%
6	11 TO 14 HOURS	485	43068.2	5.6%
7	15 TO 20 HOURS	245	19989.8	2.6%
8	MORE THAN 20 HRS	358	28955.2	3.8%
96	NOT APPLICABLE	124456	26338400.4	
97	DON'T KNOW	80	5667.1	
98	REFUSAL	10	1144.7	
99	NOT STATED	186	18663.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SACEDTOT: Tot. hrs. -seden. activit. - 3 mo - (D)

Information	[Type= continuous] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/W] [Valid=7455 / 759733.42] [Invalid=124766 / 26366431.56]			
Universe	Respondents with SACEFOPT = 1		
Literal question	Tot. hrsseden. activit 3 mo - (D)		
Notes	Based on SACE_1, SACE_2, SACE_3, SACE_4. See documentation on derived variables		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 5 HOURS	541	55930.7	7.4%
2	5 TO 9 HOURS	1177	119862.0	15.8%
3	10 TO 14 HOURS	1189	129391.0	17.0%
4	15 TO 19 HOURS	986	106884.6	14.1%
5	20 TO 24 HOURS	1580	156509.0	20.6%
6	25 TO 29 HOURS	936	94912.8	12.5%
7	30 TO 34 HOURS	399	36515.2	4.8%
8	35 TO 39 HOURS	256	23774.4	3.1%
9	40 TO 44 HOURS	255	21201.7	2.8%
10	45 OR MORE HOURS	136	14752.0	1.9%
96	NOT APPLICABLE	124456	26338400.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	310	28031.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPEEFOPT: Optional module: UPE - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]		
Universe	All respondents		
Literal question	Optional module: UPE - (F)		
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated"		

UPEEFOPT: Optional module: UPE - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	54597	12153823.9	44.8%
2	NO	77624	14972341.1	55.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#UPEE_01: Freq. - helmet - bicycling

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/W]	[Valid=12525 / 2893262.52] [Invalid=119696 / 24232902.46]			
Universe	Respondents with UPEEFOPT = 1 who answered PACE_1D = (1, 7 or 8) or PACE_4B <> 1			
Literal question	When riding a bicycle, how often do you wear a helmet: (always, most of the time, rarely, or never)?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	3765	926310.5	32.0%
2	MOST OF THE TIME	997	265176.6	9.2%
3	RARELY	1110	277166.9	9.6%
4	NEVER	6653	1424608.6	49.2%
6	NOT APPLICABLE	118287	23854814.1	
7	DON'T KNOW	37	8083.1	
8	REFUSAL	22	7514.9	
9	NOT STATED	1350	362490.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#UPEE_02A: Freq. - helmet - in-line skating

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=2820 / 694979.31] [Invalid=129401 / 26431185.67]
Universe	Respondents with UPEEFOPT = 1 who answered PACE_1I = (1, 7 or 8)
Literal question	When in-line skating or rollerblading, how often do you wear a helmet?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	597	155745.9	22.4%
2	MOST OF THE TIME	153	41921.9	6.0%
3	RARELY	209	54347.2	7.8%
4	NEVER	1861	442964.2	63.7%
6	NOT APPLICABLE	128111	26077879.4	
7	DON'T KNOW	7	1528.2	
8	REFUSAL	7	4301.7	
9	NOT STATED	1276	347476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPEE_02B: Freq. - wrist guards - in-line skating

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=2822 / 695399.7] [Invalid=129399 / 26430765.28]	
Universe	Respondents with UPEEFOPT = 1 who answered PACE_1I = (1, 7 or 8)	
Literal question	How often do you wear wrist guards or wrist protectors?	

UPEE_02B: Freq. - wrist guards - in-line skating

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	577	157035.0	22.6%
2	MOST OF THE TIME	110	30609.3	4.4%
3	RARELY	159	39871.3	5.7%
4	NEVER	1976	467884.1	67.3%
6	NOT APPLICABLE	128111	26077879.4	
7	DON'T KNOW	5	1107.8	
8	REFUSAL	7	4301.7	
9	NOT STATED	1276	347476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#UPEE_02C: Freq. - elbow pads - in-line skating

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/W]	[Valid=2822 / 695399.7] [Invalid=129399 / 26430765.28]		
Universe	Respondents with UPEEFOPT = 1 who answered PACE_1I = (1, 7 or 8)		
Literal question	How often do you wear elbow pads?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	271	69813.5	10.0%
2	MOST OF THE TIME	77	18043.4	2.6%
3	RARELY	144	37127.3	5.3%
4	NEVER	2330	570415.5	82.0%
6	NOT APPLICABLE	128111	26077879.4	
7	DON'T KNOW	5	1107.8	
8	REFUSAL	7	4301.7	
9	NOT STATED	1276	347476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPEE_03A: Downhill skiing/snowboarding - 3 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/W]	[Valid=1869 / 549756.04] [Invalid=130352 / 26576408.94]		
Universe	Respondents with UPEEFOPT = 1 who answered PACE_1M = (1, 7 or 8)		
Literal question	Earlier, you mentioned going downhill skiing or snowboarding in the past 3 months. Was that: (downhill skiing only, snowboarding only, or both)?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOWNHILL SKIING	1041	315946.2	57.5%
2	SNOWBOARDING	674	187076.0	34.0%
3	вотн	154	46733.9	8.5%
4	NEITHER	0	0.0	
6	NOT APPLICABLE	129066	26226830.0	
7	DON'T KNOW	6	1305.4	
8	REFUSAL	4	797.2	
9	NOT STATED	1276	347476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPEE_03B: Downhill skiing/snowboarding - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=51377 / 11236380.08] [Invalid=80844 / 15889784.9]

#UPEE_03B: Downhill skiing/snowboarding - 12 mo		
Universe	Respondents with UPEEFOPT = 1 who answered PACE_1M = (2, 7 or 8)	
Literal question	In the past 12 months, did you do any downhill skiing or snowboarding: (downhill skiing only, snowboarding only, both, or neither)?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOWNHILL SKIING	2170	593413.9	5.3%
2	SNOWBOARDING	978	224262.2	2.0%
3	вотн	291	67186.3	0.6%
4	NEITHER	47938	10351517.6	92.1%
6	NOT APPLICABLE	79503	15524199.7	
7	DON'T KNOW	192	55418.3	
8	REFUSAL	181	48182.5	
9	NOT STATED	968	261984.5	

UPEE_04A: Freq. - helmet - downhill skiing

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/W]	[Valid=3655 / 1023266.54] [Invalid=128566 / 26102898.44]		
Universe	Respondents who answered UPEE_03A = (1, 3, 7 or 8) or UPEE_03B = (1, 3, 7 or 8)		
Literal question	When downhill skiing, how often do you wear a helmet: (always, most of the time, rarely, or never)?		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	680	189002.0	18.5%	
2	MOST OF THE TIME	83	24065.3	2.4%	
3	RARELY	105	25560.7	2.5%	
4	NEVER	2787	784638.6		76.7%
6	NOT APPLICABLE	127214	25735196.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	1	13.8		
9	NOT STATED	1351	367687.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPEE_05A: Freq. - helmet - snowboarding

Information	formation [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W] [Valid=2096 / 524944.34] [Invalid=130125 / 26601220.64]		
Universe Respondents who answered UPEE_03A = (2, 3, 7 or 8) or UPEE_03B = (2, 3, 7 or 8)		
Literal question	When snowboarding, how often do you wear a helmet?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	681	165580.6	31.5%
2	MOST OF THE TIME	99	22653.1	4.3%
3	RARELY	139	31830.7	6.1%
4	NEVER	1177	304879.9	58.1%
6	NOT APPLICABLE	128773	26233218.8	
7	DON'T KNOW	1	314.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1351	367687.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# UPEE_05B: Freq wrist guards - snowboarding		
Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W] [Valid=2096 / 525176.77] [Invalid=130125 / 26600988.21]		
Universe Respondents who answered UPEE_03A = (2, 3, 7 or 8) or UPEE_03B = (2, 3, 7 or 8)		
Literal question	How often do you wear wrist guards or wrist protectors?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	132	36019.0	6.9%
2	MOST OF THE TIME	59	13040.4	2.5%
3	RARELY	65	16243.7	3.1%
4	NEVER	1840	459873.7	87.6%
6	NOT APPLICABLE	128773	26233218.8	
7	DON'T KNOW	1	81.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1351	367687.8	

#UPEE_06: Has done skateboarding - past 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=6548 / 1497665.83] [Invalid=125673 / 25628499.15]	
Universe	Respondents aged 12 to 19 with UPEEFOPT = 1	
Literal question	In the past 12 months, have you done any skateboarding?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1201	244577.4	16.3%
2	NO	5347	1253088.4	83.79
6	NOT APPLICABLE	125487	25590536.7	
7	DON'T KNOW	19	5066.3	
8	REFUSAL	15	3748.0	
9	NOT STATED	152	29148.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPEE_06A: Freq. - helmet - skateboarding

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=1200 / 244129.45] [Invalid=131021 / 26882035.53]	
Universe	Respondents who answered UPEE_06 = (1, 7 or 8)
Literal question	How often do you wear a helmet: (always, most of the time, rarely, or never)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	211	43776.5	17.9%	
2	MOST OF THE TIME	101	21085.6	8.6%	
3	RARELY	179	40995.5	16.8%	
4	NEVER	709	138271.8	56	5.6%
6	NOT APPLICABLE	130834	26843625.1		
7	DON'T KNOW	1	447.9		
8	REFUSAL	0	0.0		
9	NOT STATED	186	37962.5		
Warning: these fig	gures indicate the number of cases found in the data file. They cannot be	interpreted as si	ummary statistics of the p	population of interest.	

# UPEE_06B: Freq wrist guards - skateboarding		
Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/W] [Valid=1200 / 244539.44] [Invalid=131021 / 26881625.54]		
Universe Respondents who answered UPEE_06 = (1, 7 or 8)		
Literal question How often do you wear wrist guards or wrist protectors?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	52	11096.0	4.5%
2	MOST OF THE TIME	46	11966.7	4.9%
3	RARELY	60	11564.0	4.7%
4	NEVER	1042	209912.7	85.8%
6	NOT APPLICABLE	130834	26843625.1	
7	DON'T KNOW	1	37.9	
8	REFUSAL	0	0.0	
9	NOT STATED	186	37962.5	

#UPEE_06C: Freq. - elbow pads - skateboarding

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=1201 / 244577.38] [Invalid=131020 / 26881587.6]	
Universe Respondents who answered UPEE_06 = (1, 7 or 8)	
Literal question	How often do you wear elbow pads?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	51	14011.4	5.7%
2	MOST OF THE TIME	33	7277.2	3.0%
3	RARELY	61	14153.1	5.8%
4	NEVER	1056	209135.7	85.5%
6	NOT APPLICABLE	130834	26843625.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	186	37962.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPEEFILS: Wears all prot. equip. - in-line skating

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=2821 / 695220.15] [Invalid=129400 / 26430944.83]	
Universe Respondents with UPEEFOPT = 1 who answered PACE_1I = (1, 7 or 8)	
Literal question	Wears all prot. equip in-line skating
Notes	Based on UPEE_02A, UPEE_02B, UPEE_02C, PACE1I. Respondents that does not in-line skate were excluded from the population. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	195	58673.2	8.4%	
2	NO	2626	636547.0		91.6%
6	NOT APPLICABLE	128111	26077879.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1289	353065.5		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# UPEEFSNB: Wears all prot. equip snowb (F)		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	Statistics [NW/W] [Valid=2096 / 525176.77] [Invalid=130125 / 26600988.21]	
Universe	Respondents who answered UPEE_03A = (2, 3, 7 or 8) or UPEE_03B = (2, 3, 7 or 8)	
Literal question Wears all prot. equip snowb (F)		
Notes Based on UPEE_05A, UPEE_05B. Respondents that have not snowboarded in past 12 months were excluded from the population. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	118	29594.6	5.6%
2	NO	1978	495582.1	94.4%
6	NOT APPLICABLE	128773	26233218.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1352	367769.4	

UPEEFSKB: Wears all prot. equip. - skateb. - (F)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=1201 / 244577.38] [Invalid=131020 / 26881587.6]	
Universe	Respondents aged 12 to 19 who answered UPEE_06 = (1, 7 or 8)
Literal question	Wears all prot. equip skateb (F)
Notes	Based on UPEE_06A, UPEE_06B, UPEE_06C. Respondents less than 12 years old or more than 19 years old and respondents that have not skateboarded in the past 12 months were excluded from the population. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	44	11851.4	4.8%
2	NO	1157	232725.9	95.2%
6	NOT APPLICABLE	130018	26610788.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1002	270798.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSBEFOPT: Optional module: SSB - (F)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]		
Universe All respondents		
Literal question	Optional module: SSB - (F)	
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13831	2803596.8	10.3%
2	NO	118390	24322568.2	89.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figu	res indicate the number of cases found in the data file. They cannot be	interpreted as si	ummary statistics of the	population of interest.

# SSBE_01: Been surnburnt - past 12 months			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	Statistics [NW/W] [Valid=13574 / 2747048.37] [Invalid=118647 / 24379116.61]		
Universe	Respondents with SSBEFOPT = 1		
Literal question	Literal question In the past 12 months, has any part of your body been sunburnt?		
Notes Sunburn is defined as any reddening or discomfort of the skin, that lasts longer than 12 hours after exposure to the sun o other UV sources, such as tanning beds or sun lamps.			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4843	1009969.1	36.8%	
2	NO	8731	1737079.3	63.2%	
6	NOT APPLICABLE	118390	24322568.2		
7	DON'T KNOW	24	6618.5		
8	REFUSAL	46	9626.4		
9	NOT STATED	187	40303.6		

#SSBE_02: Sunburn involved blistering

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=4839 / 1009060.15] [Invalid=127382 / 26117104.83]
Universe	Respondents who answered SSBE_01 = (1, 7 or 8)
Literal question	Did any of your sunburns involve blistering?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	564	108259.4	10.7%	
2	NO	4275	900800.7	89.3%	
6	NOT APPLICABLE	127121	26059647.4		
7	DON'T KNOW	4	908.9		
8	REFUSAL	0	0.0		
9	NOT STATED	257	56548.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SSBE_03: Sunburns involved pain - more than 1 day

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=4837 / 1008008.1] [Invalid=127384 / 26118156.88]	
Universe	Respondents who answered SSBE_01 = (1, 7 or 8)
Literal question	Did any of your sunburns involve pain or discomfort that lasted for more than 1 day?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1682	360568.8	35.8%
2	NO	3155	647439.3	64.
6	NOT APPLICABLE	127121	26059647.4	
7	DON'T KNOW	6	1961.0	
8	REFUSAL	0	0.0	
9	NOT STATED	257	56548.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\#\,SSBE_06\colon Amount$ time in the sun - 11 am to 4 pm

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/W]	[Valid=13408 / 2702039.71] [Invalid=118813 / 24424125.27]		

# SSBE_06: Amount time in the sun - 11 am to 4 pm		
Universe Respondents with SSBEFOPT = 1		
Literal question About how much time each day do you spend in the sun between 11 am and 4 pm?		
Notes	On a typical weekend or day off from work, or school in the summer months	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NONE	1326	207017.4	7.7%	
2	< 30 MIN.	1794	331307.2	12.3%	
3	30 TO 59 MINUTES	1493	289264.4	10.7%	
4	1 TO < 2 HOURS	2559	553065.4		20.5%
5	2 TO < 3 HOURS	2478	556410.9		20.6%
6	3 TO < 4 HOURS	1301	279582.2	10.3%	
7	4 TO < 5 HOURS	911	178064.0	6.6%	
8	5 HOURS	1546	307328.2	11.4%	
96	NOT APPLICABLE	118390	24322568.2		
97	DON'T KNOW	147	39336.4		
98	REFUSAL	19	5672.3		
99	NOT STATED	257	56548.4		

#SSBE_07: Frequency - seek shade

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=10230 / 2150788.09] [Invalid=121991 / 24975376.89]
Universe	Respondents who answered SSBE_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSBE_01 = (7 or 8)
Literal question	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you seek shade: (always, often, sometimes, rarely or never)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	1076	206923.3	9.6%
2	OFTEN	2665	595854.8	27.7%
3	SOMETIMES	3335	697398.1	32.4%
4	RARELY	1956	411519.0	19.1%
5	NEVER	1198	239093.0	11.1%
6	NOT APPLICABLE	121510	24860892.8	
7	DON'T KNOW	56	10452.6	
8	REFUSAL	2	2474.5	
9	NOT STATED	423	101557.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\#\,SSBE_08\colon Frequency$ - wear hat in the sun

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=10265 / 2154742.02] [Invalid=121956 / 24971422.96]
Universe	Respondents who answered SSBE_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSBE_01 = (7 or 8)
Literal question	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you) wear a hat that shades your face, ears and neck?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	2991	586119.5	27.2%
2	OFTEN	1467	344861.9	16.0%
3	SOMETIMES	1386	297899.4	13.8%

SSBE_08: Frequency - wear hat in the sun

Value	Label	Cases	Weighted	Percentage (Weighted)
4	RARELY	1081	244346.7	11.3%
5	NEVER	3340	681514.5	31.6%
6	NOT APPLICABLE	121510	24860892.8	
7	DON'T KNOW	20	6176.3	
8	REFUSAL	3	2796.8	
9	NOT STATED	423	101557.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\#SSBE_09A$: Frequency - wear long pants or skirt

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=10256 / 2154807.84] [Invalid=121965 / 24971357.14]
Universe	Respondents who answered SSBE_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSBE_01 = (7 or 8)
Literal question	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you) wear long pants or a long skirt to protect your skin from the sun?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	2659	482217.6	22.4%
2	OFTEN	1452	322527.6	15.0%
3	SOMETIMES	1513	334649.9	15.5%
4	RARELY	1369	301191.9	14.0%
5	NEVER	3263	714220.8	33.1%
6	NOT APPLICABLE	121510	24860892.8	
7	DON'T KNOW	27	5972.4	
8	REFUSAL	5	2934.9	
9	NOT STATED	423	101557.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SSBE_09B: Frequency - use sunscreen on your face

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=10273 / 2156183.13] [Invalid=121948 / 24969981.85]
Universe	Respondents who answered SSBE_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSBE_01 = (7 or 8)
Literal question	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you) use sunscreen on your face?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	2840	626120.6	29.0%
2	OFTEN	1351	301448.2	14.0%
3	SOMETIMES	1333	287965.0	13.4%
4	RARELY	1048	232145.1	10.8%
5	NEVER	3701	708504.2	32.9%
6	NOT APPLICABLE	121510	24860892.8	
7	DON'T KNOW	11	4533.7	
8	REFUSAL	4	2998.3	
9	NOT STATED	423	101557.1	
Varning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# SSBE_10: SPF use - face		
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=5295 / 1170250.71] [Invalid=126926 / 25955914.27]	
Universe	Respondents who answered SSBE_09B = (1, 2, 3, 7 or 8) or SSBE_06 = (97 or 98) or SSBE_01 = (7 or 8)	
Literal question	What Sun Protection factor (SPF) do you usually use?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 15	309	64879.2	5.5%
2	15 TO 25	1992	433688.8	37.1%
3	MORE THAN 25	2994	671682.7	57.4%
6	NOT APPLICABLE	126259	25801542.0	
7	DON'T KNOW	227	45028.0	
8	REFUSAL	2	255.2	
9	NOT STATED	438	109089.1	

#SSBE_11: Frequency - use sunscreen on your body

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=10257 / 2153371.92] [Invalid=121964 / 24972793.06]	
Universe	Respondents who answered SSBE_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSBE_01 = (7 or 8)	
Literal question	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you use sunscreen on your body?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	1915	406138.4	18.9%
2	OFTEN	1514	361551.6	16.8%
3	SOMETIMES	1684	364333.3	16.9%
4	RARELY	1396	326005.7	15.1%
5	NEVER	3748	695342.9	32.3%
6	NOT APPLICABLE	121510	24860892.8	
7	DON'T KNOW	26	7176.3	
8	REFUSAL	5	3166.9	
9	NOT STATED	423	101557.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SSBE_12: SPF use - body

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=4897 / 1087791.35] [Invalid=127324 / 26038373.63]
Universe	Respondents who answered SSBE_11 = (1, 2, 3, 7 or 8) or SSBE_06 = (97 or 98) or SSBE_01 = (7 or 8)
Literal question	What Sun Protection factor (SPF) do you usually use?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 15	305	59496.1	5.5%
2	15 TO 25	1687	371414.0	34.1%
3	MORE THAN 25	2905	656881.3	60.4%
6	NOT APPLICABLE	126654	25882241.4	
7	DON'T KNOW	215	44145.4	
8	REFUSAL	1	86.6	
9	NOT STATED	454	111900.3	
Warning: these figures	indicate the number of cases found in the data file. They cannot be	interpreted as su	mmary statistics of the p	population of interest.

# SMKE_01A: Smoked 100 or more cigarettes - life				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=131689 / 26988867.33] [Invalid=532 / 137297.65]			
Universe	All respondents			
Literal question	In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)?			

Value	Label	Cases	Weighted
1	YES	66504	12621228.3
2	NO	65185	14367639.0
6	NOT APPLICABLE	0	0.0
7	DON'T KNOW	278	69626.0
8	REFUSAL	254	67671.6
9	NOT STATED	0	0.0

#SMKE_01B: Ever smoked whole cigarette

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=65179 / 14365360.06] [Invalid=67042 / 12760804.92]
Universe	Respondents who answered SMKE_01A = (2, 7 or 8)
Literal question	Have you ever smoked a whole cigarette?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16973	3669141.0	25.5%
2	NO	48206	10696219.1	74.5%
6	NOT APPLICABLE	66504	12621228.3	
7	DON'T KNOW	278	70143.1	
8	REFUSAL	254	68245.9	
9	NOT STATED	6	1187.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SMKEG01C: Age - smoked first whole cigarette - (G)

Information [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]	
Statistics [NW/W]	[Valid=82104 / 16062319.69] [Invalid=50117 / 11063845.29]
Universe	Respondents who answered SMKE_01A = 1 or SMKE_01B = 1 or SMKE_01A = 8 and SMKE_01B = 8
Literal question	At what age did you smoke your first whole cigarette?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	5 TO 11 YEARS	6604	1167999.9	7.3%	
2	12 TO 14 YEARS	24970	4846429.9		30.2%
3	15 TO 17 YEARS	28880	5809517.6		36.2%
4	18 TO 19 YEARS	9971	2026435.2	12.6%	
5	20 TO 24 YEARS	7984	1579235.0	9.8%	
6	25 TO 29 YEARS	2024	381461.2	2.4%	
7	30 TO 34 YEARS	851	131886.2	0.8%	
8	35 TO 39 YEARS	363	57783.4	0.4%	
9	40 TO 44 YEARS	247	36741.2	0.2%	
10	45 TO 49 YEARS	85	9299.7	0.1%	
11	50 YEARS OR MORE	125	15530.3	0.1%	
96	NOT APPLICABLE	48206	10696219.1		

#SMKEG01C: Age - smoked first whole cigarette - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1911	367626.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SMKE_202: Type of smoker

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=131745 / 26999743.33] [Invalid=476 / 126421.65]
Universe	All respondents
Literal question	At the present time, do you smoke cigarettes daily, occasionally or not at all?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DAILY	24509	4478575.5	16.6%	
2	OCCASIONALLY	6257	1396012.5	5.2%	
3	NOT AT ALL	100979	21125155.2		78.2%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	198	55301.2		
8	REFUSAL	19	2219.0		
9	NOT STATED	259	68901.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SMKEG203: Age start smok daily (daily smoker)-(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]			
Statistics [NW/W]	[Valid=24093 / 4413095.11] [Invalid=108128 / 22713069.87]			
Universe	Respondents who answered SMKE_202 = (1, 7 or 8) or SMKE_01A = 8 and SMKE_01B = 8			
Literal question	At what age did you begin to smoke cigarettes daily?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	5 TO 11 YEARS	738	117073.0	2.7%
2	12 TO 14 YEARS	4565	812728.6	18.4%
3	15 TO 17 YEARS	9165	1694656.0	38.4%
4	18 TO 19 YEARS	4216	789578.1	17.9%
5	20 TO 24 YEARS	3586	687131.2	15.6%
6	25 TO 29 YEARS	990	169505.2	3.8%
7	30 TO 34 YEARS	397	69034.1	1.6%
8	35 TO 39 YEARS	204	37866.5	0.9%
9	40 TO 44 YEARS	95	13871.2	0.3%
10	45 TO 49 YEARS	59	9906.0	0.2%
11	50 YEARS OR MORE	78	11745.2	0.3%
96	NOT APPLICABLE	107236	22521167.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	892	191902.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SMKE_204: No. of cig. smoked/day (daily smoker)

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/W]	[Valid=24408 / 4463121.98] [Invalid=107813 / 22663043] [Mean=15.823 / 15.596] [StdDev=8.867 / 8.658]			

#SMKE_204: No. of cig. smoked/day (daily smoker)

Universe Respondents who answered SMKE_202 = (1, 7 or 8) or SMKE_01A = 8 and SMKE_01B = 8

Literal question How many cigarettes do you smoke each day now?

Value	Label	Cases	Weighted
996	NOT APPLICABLE	107236	22521167.8
997	DON'T KNOW	86	13057.4
998	REFUSAL	15	2396.2
999	NOT STATED	476	126421.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKE_05B: No. of cig. per day (occasional smoker)

Information	[Type= continuous] [Format=numeric] [Range= 1-50] [Missing=*]			
Statistics [NW/W]	[Valid=6200 / 1387811.87] [Invalid=126021 / 25738353.11] [Mean=3.79 / 3.519] [StdDev=3.716 / 3.307]			
Universe	Respondents who answered SMKE_202 = (2, 7 or 8) or SMKE_01A = 8 and SMKE_01B = 8			
Literal question	On the days that you do smoke, how many cigarettes do you usually smoke?			

Value	Label	Cases	Weighted
996	NOT APPLICABLE	125488	25603730.8
997	DON'T KNOW	54	7796.4
998	REFUSAL	3	404.3
999	NOT STATED	476	126421.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SMKE_05C: No. of days-1 cig. or more (occ. smoker)

Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]			
Statistics [NW/W]	[Valid=6099 / 1369545.86] [Invalid=126122 / 25756619.12] [Mean=10.334 / 9.849] [StdDev=9.354 / 9.173]			
Literal question	In the past month, on how many days have you smoked 1 or more cigarettes?			

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	125488	25603730.8	
97	DON'T KNOW	154	25165.7	
98	REFUSAL	4	1301.0	
99	NOT STATED	476	126421.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SMKE_05D: Ever smoked cigarettes daily

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=42056 / 8152211.63] [Invalid=90165 / 18973953.35]			
Universe	Respondents who answered SMKE_202 = (2, 7 or 8) or SMKE_01A = 8 and SMKE_01B = 8			
Literal question	Have you ever smoked cigarettes daily?			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	37328	7127634.0	87	7.4%
2	NO	4728	1024577.7	12.6%	
6	NOT APPLICABLE	89599	18830785.8		
7	DON'T KNOW	13	1893.4		
8	REFUSAL	6	1062.0		
9	NOT STATED	547	140212.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

#SMKE_06A: Stopped smoking-when (never daily smok.)				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/W]	[Valid=3190 / 662080.47] [Invalid=129031 / 26464084.51]			
Universe	Respondents who answered SMKE_01A = (1, 7 or 8) and SMKE_202 = (2, 3, 7 or 8) or SMKE_01A = 8 and SMKE_01B = 8			
Literal question	When did you stop smoking? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	121	26309.6	4.0%
2	1 TO < 2 YEARS	93	22823.2	3.4%
3	2 TO < 3 YEARS	175	33218.3	5.0%
4	3 OR MORE YEARS	2801	579729.4	87.6%
6	NOT APPLICABLE	128446	26316316.7	
7	DON'T KNOW	20	4556.6	
8	REFUSAL	9	1647.6	
9	NOT STATED	556	141563.5	

#SMKEG06C: No. of years since stopped smoking - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=2707 / 562073.83] [Invalid=129514 / 26564091.15]
Universe	Respondents who answered SMKE_06A = (4, 7 or 8) or (SMKE_01A = (7 or 8) or SMKE_05D = (7 or 8)) and SMKE_202 = 3 or SMKE_01A = (1, 7 or 8) and SMKE_202 = (7 or 8) or SMKE_01A = 8 and SMKE_01B = 8
Literal question	How many years ago was it?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	3 TO 5 YEARS	243	58562.7	10.4%
2	6 TO YEARS	411	88515.9	15.7%
3	11 OR MORE YEARS	2053	414995.2	73.8%
6	NOT APPLICABLE	128835	26398667.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	679	165423.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SMKEG207: Age - started smoking daily - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/W]	[Valid=36595 / 7012318.02] [Invalid=95626 / 20113846.96]
Universe	Respondents who answered SMKE_05D = (1, 7 or 8) or SMKE_01A = (7 or 8) and SMKE_202 = (2 or 3) or SMKE_01A = (1, 7 or 8) and SMKE_202 = (7 or 8) or SMKE_01A = 8 and SMKE_01B = 8
Literal question	At what age did you begin to smoke cigarettes daily?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	5 TO 11 YEARS	622	103760.2	1.5%
2	12 TO 14 YEARS	4918	940264.8	13.4%
3	15 TO 17 YEARS	13598	2647248.8	37.8%
4	18 TO 19 YEARS	7699	1496559.7	21.3%
5	20 TO 24 YEARS	6749	1285843.5	18.3%
6	25 TO 29 YEARS	1658	312600.9	4.5%
7	30 TO 34 YEARS	688	121256.6	1.7%

#SMKEG207: Age - started smoking daily - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	35 TO 39 YEARS	282	49137.9	0.7%
9	40 TO 44 YEARS	200	30534.2	0.4%
10	45 TO 49 YEARS	87	14673.6	0.2%
11	50 YEARS OR MORE	94	10437.8	0.1%
96	NOT APPLICABLE	94327	19855363.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1299	258483.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKE_208: No. of cig. smoked/day (former daily)

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/W]	[Valid=36246 / 6945874.41] [Invalid=95975 / 20180290.57] [Mean=18.258 / 17.597] [StdDev=13.33 / 12.861]
Universe	Respondents who answered SMKE_05D = (1, 7 or 8) or SMKE_01A = (7 or 8) and SMKE_202 = (2 or 3) or SMKE_01A = (1, 7 or 8) and SMKE_202 = (7 or 8) or SMKE_01A = 8 and SMKE_01B = 8
Literal question	How many cigarettes did you usually smoke each day?

Value	Label	Cases	Weighted
996	NOT APPLICABLE	94327	19855363.4
997	DON'T KNOW	1040	176226.0
998	REFUSAL	41	5498.6
999	NOT STATED	567	143202.5

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SMKE_09A: Stopped smoking daily - when

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=37207 / 7106219.82] [Invalid=95014 / 20019945.16]
Universe	Respondents who answered SMKE_05D = (1, 7 or 8) or SMKE_01A = (7 or 8) and SMKE_202 = (2 or 3) or SMKE_01A = (1, 7 or 8) and SMKE_202 = (7 or 8) or SMKE_01A = 8 and SMKE_01B = 8
Literal question	When did you stop smoking daily? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	3414	695239.5	9.8%
2	1 TO < 2 YEARS	1920	403096.7	5.7%
3	2 TO < 3 YEARS	2445	481727.4	6.8%
4	3 OR MORE YEARS	29428	5526156.3	77.8%
6	NOT APPLICABLE	94327	19855363.4	
7	DON'T KNOW	102	17566.5	
8	REFUSAL	16	3694.8	
9	NOT STATED	569	143320.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SMKEG09C: Years since stopped smoking daily - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=29206 / 5491905.29] [Invalid=103015 / 21634259.69]
Universe	Respondents who answered SMKE_09A = (4, 7 or 8) or SMKE_05D = (7 or 8) or SMKE_01A = (7 or 8) and SMKE_202 = (2 or 3) or SMKE_01A = (1, 7 or 8) and SMKE_202 = (7 or 8) or SMKE_01A = 8 and SMKE_01B = 8
Literal question	How many years ago was it?

#SMKEG09C: Years since stopped smoking daily - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	3 TO 5 YEARS	4439	888987.1	16.2%
2	6 TO YEARS	5030	985584.5	17.9%
3	11 OR MORE YEARS	19737	3617333.8	65.9%
6	NOT APPLICABLE	102106	21435427.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	909	198832.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SMKE_10: Quit smoking completely

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=33506 / 6310198.15] [Invalid=98715 / 20815966.83]
Universe	This question determines if respondent completely stopped smoking at the same time that stopped smoking daily (see SMKE_09A).
Literal question	Was that when you completely quit smoking?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	32633	6116767.4	96.9%
2	NO	873	193430.7	3.1%
6	NOT APPLICABLE	98124	20668846.6	
7	DON'T KNOW	17	2874.6	
8	REFUSAL	0	0.0	
9	NOT STATED	574	144245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SMKE_10A: Stopped smoking completely - when

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=853 / 188605.96] [Invalid=131368 / 26937559.02]
Universe	Respondents who answered SMKE_10 = (2, 7 or 8) or (SMKE_01A = (7 or 8) or SMKE_05D = (7 or 8) or SMKE_09A = (7 or 8)) and SMKE_202 = 3 or SMKE_01A = (1, 7 or 8) and SMKE_202 = (7 or 8) or SMKE_01A = 8 and SMKE_01B = 8
Literal question	When did you stop smoking completely? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, or 3 or more years ago)?
Notes	Former daily smokers who completely quit smoking later than when they quit daily smoking.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	172	34537.5	18.3%
2	1 TO < 2 YEARS	82	19751.1	10.5%
3	2 TO < 3 YEARS	78	20520.8	10.9%
4	3 OR MORE YEARS	521	113796.5	60.3%
6	NOT APPLICABLE	130757	26785614.0	
7	DON'T KNOW	17	4087.4	
8	REFUSAL	3	737.3	
9	NOT STATED	591	147120.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SMKEG10C: No. of years since stopped smoking - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=511 / 112144.45] [Invalid=131710 / 27014020.53]

#SMKEG10C: No. of years since stopped smoking - (G)

Universe Respondents who answered SMKE_ $10A = (4, 7 \text{ or } 8) \text{ or SMKE}_{10} = (7 \text{ or } 8) \text{ or (SMKE}_{01}A = (7 \text{ or } 8) \text{ or SMKE}_{05}D = (7 \text{ or } 8) \text{ or SMKE}_{09}A = (7 \text{ or } 8)) \text{ and SMKE}_{202} = 3 \text{ or SMKE}_{01}A = (1, 7 \text{ or } 8) \text{ and SMKE}_{202} = (7 \text{ or } 8) \text{ or SMKE}_{01}A = (1, 2 \text{ or } 8))$

 $8 \text{ and } SMKE_01B = 8$

Literal question How many years ago was it?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	3 TO 5 YEARS	132	32649.3	29.1%
2	6 TO YEARS	104	23808.5	21.2%
3	11 OR MORE YEARS	275	55686.7	49.7%
6	NOT APPLICABLE	131089	26860423.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	621	153597.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKEDSTY: Type of smoker - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/W]	[Valid=131624 / 26976314.82] [Invalid=597 / 149850.16]
Universe	All respondents
Literal question	Type of smoker - (D)
Notes	Based on SMKE_01A, SMKE_01B, SMKE_202, SMKE_05D. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	24509	4478575.5	16.6%
2	OCCASIONAL	3787	811879.1	3.0%
3	ALWAYS OCCASION.	2460	582529.3	2.2%
4	FORMER DAILY	33541	6315754.8	23.4%
5	FORMER OCCASION.	19185	4106321.0	15.2%
6	NEVER SMOKED	48142	10681254.9	39.6%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	597	149850.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKEGSTP: No. years stopping smoking compl. (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=36409 / 6924488.89] [Invalid=95812 / 20201676.09]
Universe	Respondents with SMKEDSTY = (4 or 5) and who answered SMKE_01A = (1, 7 or 8) or with SMKEDSTY = 99
Literal question	No. years stopping smoking compl. (D,G)
Notes	Based on SMKE_06A, SMKE_06C, SMKE_09A, SMKE_09C, SMKE_10, SMKE_10A, SMKE_10C, SMKEDSTY. Current smokers and respondents who have never smoked a whole cigarette and respondents who did not smoked a total of 100 cigarettes or more lifetime were excluded from the population. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	2641	530266.4	7.7%
2	1 TO 2 YEARS	3704	744565.1	10.8%
3	3 TO 5 YEARS	4053	804915.2	11.6%
4	6 TO 10 YEARS	4897	967203.1	14.0%
5	11 OR MORE YEARS	21114	3877539.0	56.0%

#SMKEGSTP: No. years stopping smoking compl. (D,G)

Value	Label	Cases	Weighted
6	NOT APPLICABLE	94798	19980583.7
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	1014	221092.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SMKEDYCS: Number of years smoked - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-92] [Missing=*]
Statistics [NW/W]	[Valid=24093 / 4413095.11] [Invalid=108128 / 22713069.87] [Mean=25.934 / 24.197] [StdDev=15.605 / 14.612]
Universe	SCHEFOPT
Literal question	Number of years smoked - (D)
Notes	Based on SMKE_202, SMKE_203, DHHE_AGE. See documentation on derived variables.

Value	Label	Cases	Weighted
996	NOT APPLICABLE	107236	22521167.8
997	DON'T KNOW	0	0.0
998	REFUSAL	0	0.0
999	NOT STATED	892	191902.1

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPCEFOPT: Optional module: SPC - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	tatistics [NW/ W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	SCHE_1	
Literal question	Optional module: SPC - (F)	
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2031	117477.8	0.4%
2	NO	130190	27008687.2	99.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SPCE_10: Visited regular medical doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	/W] [Valid=390 / 23897.57] [Invalid=131831 / 27102267.41]	
Universe	SCHE_2	
Literal question	Earlier, you mentioned having a regular medical doctor. In the past 12 months, did you go see this doctor?	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	335	20444.3	85.5%	,
2	NO	55	3453.3	14.5%	
6	NOT APPLICABLE	131825	27101942.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		

#SPCE_10: Visited regular medical doctor

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	6	325.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SPCE_11: Doctor - knows smokes/smoked

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=325 / 19723.82] [Invalid=131896 / 27106441.16]	
Universe SCHE_3	
Literal question Does your doctor know that you smoke/smoked cigarettes?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	288	17325.2	87.8%
2	NO	37	2398.6	12.2%
6	NOT APPLICABLE	131880	27105395.3	
7	DON'T KNOW	10	720.5	
8	REFUSAL	0	0.0	
9	NOT STATED	6	325.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPCE_12: Doctor - advised to quit

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=288 / 17325.24] [Invalid=131933 / 27108839.74]		
Universe	SCHE_4	
Literal question In the past 12 months, did your doctor advise you to quit smoking?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	211	13301.4	76.8%
2	NO	77	4023.8	23.2%
6	NOT APPLICABLE	131917	27107793.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	16	1045.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SPCE_13: Doctor - gave specific help

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=288 / 17325.24] [Invalid=131933 / 27108839.74]		
Universe	SCHEDSTG		
Literal question	(In the past 12 months,) did your doctor give you any specific help or information to quit smoking?		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	105	7584.1	43.8%	
2	NO	183	9741.1	56.2%	
6	NOT APPLICABLE	131917	27107793.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	16	1045.9		
Warning: these figu	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# SPCE_14A: Type help - referral to one-on-one prog.		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W] [Valid=105 / 7584.13] [Invalid=132116 / 27118580.85]		
Universe NDEEFOPT		
Literal question What type of help did the doctor give? - Referral to a one-on-one cessation program		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	793.3	10.5%
2	NO	97	6790.8	89.5%
6	NOT APPLICABLE	132100	27117535.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	16	1045.9	

$\#\,SPCE_14B\colon Type\ help$ - referral to group prog.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=105 / 7584.13] [Invalid=132116 / 27118580.85]	
Universe	NDEE_1
Literal question	What type of help did the doctor give? - Referral to a group cessation program

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	13	894.8	11.8%	
2	NO	92	6689.3	88.	.2%
6	NOT APPLICABLE	132100	27117535.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	16	1045.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SPCE_14C: Type help - recommended nicotine patch

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=105 / 7584.13] [Invalid=132116 / 27118580.85]	
Universe	NDEE_2
Literal question	What type of help did the doctor give? - Recommended use of nicotine patch or nicotine gum

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	57	4163.2	54.9
2	NO	48	3420.9	45.1%
6	NOT APPLICABLE	132100	27117535.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	16	1045.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SPCE_14D: Type help - recommended Zyban/other med.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=105 / 7584.13] [Invalid=132116 / 27118580.85]	
Universe	NDEE_3
Literal question	What type of help did the doctor give? - Recommended Zyban or other medication

#SPCE_14D: Type help - recommended Zyban/other med.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	41	2890.8	38.1%
2	NO	64	4693.3	61.9%
6	NOT APPLICABLE	132100	27117535.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	16	1045.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SPCE_14E: Type help - provided self-help info.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=105 / 7584.13] [Invalid=132116 / 27118580.85]	
Universe	NDEE_4
Literal question	What type of help did the doctor give? - Provided self-help information (e.g., pamphlet, referral to website)

Value	Label	Cases	Weighted	P
1	YES	53	3591.2	
2	NO	52	3992.9	
6	NOT APPLICABLE	132100	27117535.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	16	1045.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SPCE_14F: Type help - doctor offered couns.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=105 / 7584.13] [Invalid=132116 / 27118580.85]	
Universe	NDEE_5
Literal question	What type of help did the doctor give? - Own doctor offered counselling

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	645.1	8.5%
2	NO	93	6939.0	91.5%
6	NOT APPLICABLE	132100	27117535.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	16	1045.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPCE_14G: Type help - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=105 / 7584.13] [Invalid=132116 / 27118580.85]
Universe	NDEEDFTT
Literal question	What type of help did the doctor give? - Other

Value	Label	Cases	Weighted		Percentage (Weighted)	
1	YES	8	524.1	6.9%		
2	NO	97	7060.0			93.1%
6	NOT APPLICABLE	132100	27117535.0			

#SPCE_14G: Type help - other

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	16	1045.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SPCE_20: Visited dentist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=208 / 13091.76] [Invalid=132013 / 27113073.22]
Universe	SCAEFOPT
Literal question	Did you actually go to the dentist?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	206	13008.2	99.4%
2	NO	2	83.5	0.6%
6	NOT APPLICABLE	132011	27112977.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2	96.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SPCE_21: Dentist/hygienist - knows smokes/smoked

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=184 / 11168.14] [Invalid=132037 / 27114996.84]
Universe	SCAE_10
Literal question	Does your dentist or dental hygienist know that you smoked/cigarettes?
Notes	The "not stated" category includes respondents who reported in HCU module not having seen or talked on the telephone with a dentist or ortodontist regarding physical, emotional or mental health in the past 12 months and reported in DEN module having visited a dentist in the past 12 months.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	146	8717.1	78.1%
2	NO	38	2451.0	21.9%
6	NOT APPLICABLE	132013	27113060.6	
7	DON'T KNOW	21	1815.8	
8	REFUSAL	1	24.3	
9	NOT STATED	2	96.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SPCE_22: Dentist/hygienist - advised to quit

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=145 / 8702.06] [Invalid=132076 / 27117462.92]	
Universe	SCAE_10A
Literal question	In the past 12 months, did the dentist or hygienist advise you to quit smoking?
Notes	The "not stated" category includes respondents who reported in HCU module not having seen or talked on the telephone with a dentist or ortodontist regarding physical, emotional or mental health in the past 12 months and reported in DEN module having visited a dentist in the past 12 months.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	67	3337.7	38.4%

SPCE_22: Dentist/hygienist - advised to quit

Value	Label	Cases	Weighted
2	NO	78	5364.4
6	NOT APPLICABLE	132051	27115511.7
7	DON'T KNOW	1	15.0
8	REFUSAL	0	0.0
9	NOT STATED	24	1936.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

YSMEG1: Source of cigarettes - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=2283 / 396654.16] [Invalid=129938 / 26729510.82]
Universe	SCAE_11
Literal question	Where do you usually get your cigarettes?
Notes	The "not stated" category includes people who did the interview by proxy

Value	Label	Cases	Weighted	Percentage (Weighted)
1	BUY - GROCERY	836	155932.8	39.3%
2	BUY - OTHER GROC	815	131665.2	33.2%
3	OTHER	632	109056.1	27.5%
6	NOT APPLICABLE	129838	26708944.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	100	20566.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#YSME_2: Bought cigarettes for self/others

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=632 / 109056.14] [Invalid=131589 / 27017108.84]	
Universe	SCAE_11A	
Literal question	In the past 12 months, have you bought cigarettes for yourself or for someone else?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	224	37138.4	34.1%
2	NO	408	71917.8	65.9%
6	NOT APPLICABLE	131489	26996542.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	100	20566.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#YSME_3: Age asked when buying cig. in store

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1857 / 321427.36] [Invalid=130364 / 26804737.62]
Universe	SCAE_12
Literal question	In the past 12 months, have you been asked your age when buying cigarettes in a store?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1029	180394.3	56.1%
2	NO	828	141033.1	43.9%

#YSME_3: Age asked when buying cig. in store

Value	Label	Cases	Weighted
6	NOT APPLICABLE	130246	26780862.1
7	DON'T KNOW	15	2926.1
8	REFUSAL	2	318.8
9	NOT STATED	101	20630.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

YSME_4: Someone refused to sell cigarettes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1852 / 320700.42] [Invalid=130369 / 26805464.56]
Universe	SCAE_12A
Literal question	In the past 12 months, has anyone in a store refused to sell you cigarettes?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	632	115513.5	36.0%
2	NO	1220	205186.9	64.0%
6	NOT APPLICABLE	130246	26780862.1	
7	DON'T KNOW	18	3411.7	
8	REFUSAL	4	560.1	
9	NOT STATED	101	20630.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#YSME_5: Asked a stranger to buy cigarettes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2276 / 395180.64] [Invalid=129945 / 26730984.34]
Universe	SCAE_50
Literal question	In the past 12 months, have you asked a stranger to buy you cigarettes?
Notes	The "not stated" category includes people who did the interview by proxy.

Value	Label	Cases	Weighted
1	YES	381	63105.0
2	NO	1895	332075.6
6	NOT APPLICABLE	129838	26708944.4
7	DON'T KNOW	5	1303.2
8	REFUSAL	1	106.2
9	NOT STATED	101	20630.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ETSE_10: Someone smokes inside home

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=122272 / 26059250.02] [Invalid=9949 / 1066914.96]
Universe	SCAE_60
Literal question	Including both household members and regular visitors, does anyone smoke inside your home, every day or almost every day?
Notes	Includes cigarettes, cigars and pipes.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	18908	4052504.1	15.6%	
2	NO	103364	22006745.9		84.4%

# ETSE	10.	Someone	smokes	inside	home

Value	Label	Cases	Weighted
6	NOT APPLICABLE	9093	834712.3
7	DON'T KNOW	194	53418.1
8	REFUSAL	217	55662.5
9	NOT STATED	445	123122.1

ETSEG11: No. of people who smoke inside home -(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=18881 / 4047955.58] [Invalid=113340 / 23078209.4]		
Universe SCAE_61		
Literal question How many people smoke inside your home every day or almost every day?		
Notes Includes household members and regular visitors.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 PERSON	10858	2268959.5	56.1%
2	2 PERSONS	6537	1394199.2	34.4%
3	3 PERSONS	1086	277829.6	6.9%
4	4 OR + PERSONS	400	106967.3	2.6%
6	NOT APPLICABLE	112457	22841458.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	883	236751.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ETSE_20: Exposed to 2nd-hand smoke - private veh.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=100808 / 21088881.4] [Invalid=31413 / 6037283.58]	
Universe SCAE_62	
Literal question In the past month, were you exposed to second-hand smoke, every day or almost every day, in a car or other p	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8338	1714298.8	8.1%
2	NO	92470	19374582.6	91.9%
6	NOT APPLICABLE	30766	5874588.1	
7	DON'T KNOW	47	10080.7	
8	REFUSAL	8	1920.0	
9	NOT STATED	592	150694.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETSE_20B: Exposed to 2nd-hand smoke -public places

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=100733 / 21068170.54] [Invalid=31488 / 6057994.44]			
Universe	SCAEDQUI			
Literal question	(In the past month,) were you exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13274	3115291.4	14.8%

# ETSE_20B:	Exposed to	2nd-hand	smoke -	public [places
-------------	------------	----------	---------	----------	--------

Value	Label	Cases	Weighted
2	NO	87459	17952879.1
6	NOT APPLICABLE	30766	5874588.1
7	DON'T KNOW	114	29560.6
8	REFUSAL	14	2819.8
9	NOT STATED	594	151025.9

#ETSE_5: Restrictions - smoking in home

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=131330 / 26908247.4] [Invalid=891 / 217917.58]		
Universe All respondents		
Literal question Are there any restrictions against smoking cigarettes in your home?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	86767	18801343.3	69.9%
2	NO	44563	8106904.1	30.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	254	59815.2	
8	REFUSAL	17	1905.1	
9	NOT STATED	620	156197.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ETSE_6A: Smoking restrict. - not permitted home

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=86702 / 18785694.84] [Invalid=45519 / 8340470.14]			
Universe Respondents who answered ETSE_5 = (1, 7 or 8) or ETSE_10 = (7 or 8)				
Literal question How is smoking restricted in your home? - Smokers are asked to refrain from smoking in the house				

Value	Label	Cases	Weighted	Percentage (Weighted)			
1	YES	79328	17234119.6	91.7%			
2	NO	7374	1551575.3	8.3%			
6	NOT APPLICABLE	44563	8106904.1				
7	DON'T KNOW	65	15648.5				
8	REFUSAL	0	0.0				
9	NOT STATED	891	217917.6				
Warning: these fi	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.						

# ETSE_6B: Smoking restrict certain rooms only				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=86702 / 18785694.84] [Invalid=45519 / 8340470.14]			
Universe	Respondents who answered ETSE_5 = (1, 7 or 8) or ETSE_10 = (7 or 8)			
Literal question	How is smoking restricted in your home? - Smoking is allowed in certain rooms only			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5027	1098370.6	5.8%
2	NO	81675	17687324.2	94.2%
6	NOT APPLICABLE	44563	8106904.1	
7	DON'T KNOW	65	15648.5	
8	REFUSAL	0	0.0	
9	NOT STATED	891	217917.6	

#ETSE_6C: Smoking restrict. - not presence/child.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=86702 / 18785694.84] [Invalid=45519 / 8340470.14]			
Universe	Respondents who answered ETSE_5 = (1, 7 or 8) or ETSE_10 = (7 or 8)			
Literal question	How is smoking restricted in your home? - Smoking is restricted in the presence of young children			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2575	506189.9	2.7%
2	NO	84127	18279504.9	97.3%
6	NOT APPLICABLE	44563	8106904.1	
7	DON'T KNOW	65	15648.5	
8	REFUSAL	0	0.0	
9	NOT STATED	891	217917.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ETSE_6D: Smoking restrict. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=86702 / 18785694.84] [Invalid=45519 / 8340470.14]		
Universe	Respondents who answered ETSE_5 = (1, 7 or 8) or ETSE_10 = (7 or 8)		
Literal question	How is smoking restricted in your home? - Other restriction		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1781	368330.6	2.0%
2	NO	84921	18417364.2	98.0
6	NOT APPLICABLE	44563	8106904.1	
7	DON'T KNOW	65	15648.5	
8	REFUSAL	0	0.0	
9	NOT STATED	891	217917.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_1: Drank alcohol - past 12 months

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	Valid=130783 / 26765225.42] [Invalid=1438 / 360939.56]			
Universe	All respondents			
Literal question	During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?			

ALCE_1: Drank alcohol - past 12 months

Notes

The word drink means: one bottle or can of beer or a glass of draft, one glass of wine or a wine cooler, or one drink or cocktail with 1 and a 1/2 ounces of liquor.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	99268	20758565.6	77.6%
2	NO	31515	6006659.8	22.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	133	31464.0	
8	REFUSAL	269	53066.8	
9	NOT STATED	1036	276408.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_2: Frequency of drinking alcohol

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]			
Statistics [NW/W]	[Valid=98934 / 20685898.35] [Invalid=33287 / 6440266.63]			
Universe	Respondents who answered ALCE_1 = (1, 7 or 8)			
Literal question	During the past 12 months, how often did you drink alcoholic beverages?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< ONCE A MONTH	24240	4622614.4	22.3%
2	ONCE A MONTH	11002	2232993.0	10.8%
3	2 TO 3 TIMES/MO	14124	2918312.1	14.1%
4	ONCE/WEEK	16892	3659033.7	17.7%
5	2 TO 3 TIMES/WK	18415	4200367.8	20.3%
6	4 TO 6 TIMES/WK	5341	1202088.2	5.8%
7	EVERY DAY	8920	1850489.2	8.9%
96	NOT APPLICABLE	31515	6006659.8	
97	DON'T KNOW	274	58330.1	
98	REFUSAL	43	10399.1	
99	NOT STATED	1455	364877.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ALCE_3: Frequency of having 5 or more drinks

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/W]	[Valid=98698 / 20635866.21] [Invalid=33523 / 6490298.77]		
Universe	Respondents who answered ALCE_1 = (1, 7 or 8)		
Literal question	How often in the past 12 months have you had 5 or more drinks on one occasion?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEVER	52377	10647285.0	51.6%
2	LESS ONCE/MONTH	24376	5380357.0	26.1%
3	ONCE/MONTH	7126	1499286.8	7.3%
4	2-3 TIMES/MONTH	6236	1319070.6	6.4%
5	ONCE/WEEK	5285	1108671.4	5.4%
6	MORE ONCE/WEEK	3298	681195.5	3.3%
96	NOT APPLICABLE	31515	6006659.8	
97	DON'T KNOW	480	98395.0	
98	REFUSAL	63	16376.4	
99	NOT STATED	1465	368867.6	

#ALCE_3: Frequency of having 5 or more drinks

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_5: Drank alcohol in past week

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=99099 / 20719413.27] [Invalid=33122 / 6406751.71]
Universe	Respondents who answered ALCE_1 = (1, 7 or 8)
Literal question	Thinking back over the past week, did you have a drink of beer, wine, liquor or any other alcoholic beverage?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	60515	13149863.2	63.5%
2	NO	38584	7569550.0	36.5%
6	NOT APPLICABLE	31515	6006659.8	
7	DON'T KNOW	82	16411.0	
8	REFUSAL	53	13233.1	
9	NOT STATED	1472	370447.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_5A1: No. of drinks - Sunday

Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
Statistics [NW/W]	[Valid=59979 / 13033186.74] [Invalid=72242 / 14092978.24] [Mean=1.059 / 1.062] [StdDev=1.909 / 1.856]
Universe	Respondents who answered ALCE_5 = (1, 7 or 8) or ALCE_1 = (7 or 8)
Literal question	Starting with yesterday, that is [day name], how many drinks did you have? - Sunday

Value	Label	Cases	Weighted
996	NOT APPLICABLE	70099	13576209.8
997	DON'T KNOW	452	98299.1
998	REFUSAL	23	4782.4
999	NOT STATED	1668	413686.9

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_5A2: No. of drinks - Monday

Information	[Type= continuous] [Format=numeric] [Range= 0-48] [Missing=*]
Statistics [NW/W]	[Valid=59874 / 13015335.04] [Invalid=72347 / 14110829.94] [Mean=0.646 / 0.624] [StdDev=1.502 / 1.45]
Universe	Respondents who answered ALCE_5 = (1, 7 or 8) or ALCE_1 = (7 or 8)
Literal question	Starting with yesterday, that is [day name], how many drinks did you have? - Monday

Value	Label	Cases	Weighted	Percentage (Weigh
996	NOT APPLICABLE	70099	13576209.8	
997	DON'T KNOW	548	111280.0	
998	REFUSAL	30	8581.6	
999	NOT STATED	1670	414758.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_5A3: No. of drinks - Tuesday

Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]
Statistics [NW/W]	[Valid=59689 / 12973761.45] [Invalid=72532 / 14152403.53] [Mean=0.638 / 0.605] [StdDev=1.506 / 1.413]
Universe	Respondents who answered ALCE_5 = (1, 7 or 8) or ALCE_1 = (7 or 8)
Literal question	Starting with yesterday, that is [day name], how many drinks did you have? - Tuesday

ALCE_5A3: No. of drinks - Tuesday

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	70099	13576209.8	
997	DON'T KNOW	731	152480.8	
998	REFUSAL	39	12391.8	
999	NOT STATED	1663	411321.1	
Warning: these figures	indicate the number of cases found in the data file. They cannot be	interpreted as si	ummary statistics of the p	population of interest.

ALCE_5A4: No. of drinks - Wednesday

Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
Statistics [NW/W]	[Valid=59545 / 12951489.12] [Invalid=72676 / 14174675.86] [Mean=0.669 / 0.641] [StdDev=1.553 / 1.496]
Universe	Respondents who answered ALCE_5 = (1, 7 or 8) or ALCE_1 = (7 or 8)
Literal question	Starting with yesterday, that is [day name], how many drinks did you have? - Wednesday

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	70099	13576209.8	
997	DON'T KNOW	876	176782.4	
998	REFUSAL	33	6892.6	
999	NOT STATED	1668	414791.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_5A5: No. of drinks - Thursday

Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]
Statistics [NW/W]	[Valid=59495 / 12941004.23] [Invalid=72726 / 14185160.75] [Mean=0.756 / 0.727] [StdDev=1.821 / 1.753]
Universe	Respondents who answered ALCE_5 = (1, 7 or 8) or ALCE_1 = (7 or 8)
Literal question	Starting with yesterday, that is [day name], how many drinks did you have? - Thursday

Value	Label	Cases	Weighted
996	NOT APPLICABLE	70099	13576209.8
997	DON'T KNOW	925	188585.6
998	REFUSAL	30	4237.7
999	NOT STATED	1672	416127.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_5A6: No. of drinks - Friday

Information [Type= continuous] [Format=numeric] [Range= 0-48] [Missing=*]				
Statistics [NW/W]	[Valid=59630 / 12966434.77] [Invalid=72591 / 14159730.21] [Mean=1.512 / 1.49] [StdDev=2.705 / 2.648]			
Universe	Respondents who answered ALCE_5 = (1, 7 or 8) or ALCE_1 = (7 or 8)			
Literal question	Starting with yesterday, that is [day name], how many drinks did you have? - Friday			

Value	Label	Cases	Weighted
996	NOT APPLICABLE	70099	13576209.8
997	DON'T KNOW	792	162949.7
998	REFUSAL	29	5186.2
999	NOT STATED	1671	415384.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_5A7: No. of drinks - Saturday

Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]
Statistics [NW/W]	[Valid=59794 / 13005401.37] [Invalid=72427 / 14120763.61] [Mean=2.093 / 2.084] [StdDev=3.098 / 3.027]

ALCE_5A7: No. of drinks - Saturday

Universe	Respondents who answered ALCE_5 = $(1, 7 \text{ or } 8)$ or ALCE_1 = $(7 \text{ or } 8)$

Literal question Starting with yesterday, that is [day name], how many drinks did you have? - Saturday

Value	Label	Cases	Weighted
996	NOT APPLICABLE	70099	13576209.8
997	DON'T KNOW	636	125144.7
998	REFUSAL	18	3129.0
999	NOT STATED	1674	416280.1

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_5B: Ever had a drink

Information	Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=31465 / 5997575.56] [Invalid=100756 / 21128589.42]	
Universe	Respondents who answered ALCE_1 = (2, 7 or 8)	
Literal question	Have you ever had a drink?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18386	3153010.3	
2	NO	13079	2844565.2	
6	NOT APPLICABLE	99268	20758565.6	
7	DON'T KNOW	32	6655.1	
8	REFUSAL	15	2157.1	
9	NOT STATED	1441	361211.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_6: Regularly drank > 12 drinks a week

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=18318 / 3143015.81] [Invalid=113903 / 23983149.17]	
Universe	Respondents who answered ALCE_5B = (1, 7 or 8) or ALCE_1 = (7 or 8)	
Literal question	Did you ever regularly drink more than 12 drinks a week?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3844	596364.1	19.0%
2	NO	14474	2546651.7	81.0%
6	NOT APPLICABLE	112347	23603130.8	
7	DON'T KNOW	59	8496.6	
8	REFUSAL	7	1143.2	
9	NOT STATED	1490	370378.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_7A: Reason reduced drinking - dieting

Information	If the discrete [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=3818 / 591289.24] [Invalid=128403 / 26534875.74]		
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)		
Literal question	Why did you reduce or quit drinking altogether? - Dieting		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	28	6251.7	1.1%
2	NO	3790	585037.5	98.9%
6	NOT APPLICABLE	126821	26149782.5	

#ALCE_7A: Reason reduced drinking - dieting

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	18	4116.4	
8	REFUSAL	8	958.5	
9	NOT STATED	1556	380018.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_7B: Reason red. drink. - athletic training

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3818 / 591289.24] [Invalid=128403 / 26534875.74]
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Athletic training

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	3859.8	0.7%
2	NO	3804	587429.4	99.3%
6	NOT APPLICABLE	126821	26149782.5	
7	DON'T KNOW	18	4116.4	
8	REFUSAL	8	958.5	
9	NOT STATED	1556	380018.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_7C: Reason reduced drinking - pregnancy

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=3818 / 591289.24] [Invalid=128403 / 26534875.74]	
Literal question	Why did you reduce or quit drinking altogether? - Pregnancy

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	66	12030.0	2.0%
2	NO	3752	579259.3	98.0%
6	NOT APPLICABLE	126821	26149782.5	
7	DON'T KNOW	18	4116.4	
8	REFUSAL	8	958.5	
9	NOT STATED	1556	380018.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_7D: Reason reduced drinking - getting older

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3818 / 591289.24] [Invalid=128403 / 26534875.74]
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Getting older

Label	Cases	Weighted	Percentage (Weighted)
YES	225	32637.0	5.5%
NO	3593	558652.2	94.5%
NOT APPLICABLE	126821	26149782.5	
DON'T KNOW	18	4116.4	
REFUSAL	8	958.5	
NOT STATED	1556	380018.4	
	YES NO NOT APPLICABLE DON'T KNOW REFUSAL	YES 225 NO 3593 NOT APPLICABLE 126821 DON'T KNOW 18 REFUSAL 8	YES 225 32637.0 NO 3593 558652.2 NOT APPLICABLE 126821 26149782.5 DON'T KNOW 18 4116.4 REFUSAL 8 958.5

# ALCE_7E: Reason reduced drink drink too much				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W] [Valid=3818 / 591289.24] [Invalid=128403 / 26534875.74]				
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)			
Literal question	Why did you reduce or quit drinking altogether? - Drinking too much / drinking problem			

Value	Label	Cases	Weighted
1	YES	1448	213535.4
2	NO	2370	377753.9
6	NOT APPLICABLE	126821	26149782.5
7	DON'T KNOW	18	4116.4
8	REFUSAL	8	958.5
9	NOT STATED	1556	380018.4

ALCE_7F: Reason red. drink. - aff. work/studies

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3818 / 591289.24] [Invalid=128403 / 26534875.74]
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Affected work, studies, employment opportunities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	252	37428.1	6.3%
2	NO	3566	553861.2	93.7%
6	NOT APPLICABLE	126821	26149782.5	
7	DON'T KNOW	18	4116.4	
8	REFUSAL	8	958.5	
9	NOT STATED	1556	380018.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_7G: Reason red. drink. - interfered w/life

Information	Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3818 / 591289.24] [Invalid=128403 / 26534875.74]	
Universe Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)		
Literal question Why did you reduce or quit drinking altogether? - Interfered with family or home life		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	544	77668.9	13.1%
2	NO	3274	513620.3	86
6	NOT APPLICABLE	126821	26149782.5	
7	DON'T KNOW	18	4116.4	
8	REFUSAL	8	958.5	
9	NOT STATED	1556	380018.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_7H: Reason red. drink. - affect phys. health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3818 / 591289.24] [Invalid=128403 / 26534875.74]
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Affected physical health

ALCE_7H: Reason red. drink. - affect phys. health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	878	139194.0	23.5%
2	NO	2940	452095.3	76.5%
6	NOT APPLICABLE	126821	26149782.5	
7	DON'T KNOW	18	4116.4	
8	REFUSAL	8	958.5	
9	NOT STATED	1556	380018.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_7I: Reason red. drink. - affect social rel.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=3818 / 591289.24] [Invalid=128403 / 26534875.74]	
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Affected friendships or social relationships

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	303	43070.2	7.3%
2	NO	3515	548219.0	92.7%
6	NOT APPLICABLE	126821	26149782.5	
7	DON'T KNOW	18	4116.4	
8	REFUSAL	8	958.5	
9	NOT STATED	1556	380018.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_7J: Reason red. drink. - affected finances

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3818 / 591289.24] [Invalid=128403 / 26534875.74]
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Affected financial position

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	310	44032.9	7.4%
2	NO	3508	547256.3	92.6%
6	NOT APPLICABLE	126821	26149782.5	
7	DON'T KNOW	18	4116.4	
8	REFUSAL	8	958.5	
9	NOT STATED	1556	380018.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ALCE_7K: Reason red. drink. - affect happiness

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3818 / 591289.24] [Invalid=128403 / 26534875.74]
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Affected outlook on life, happiness

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	338	52670.7	8.9%
2	NO	3480	538618.6	91.1%
6	NOT APPLICABLE	126821	26149782.5	

ALCE_7K: Reason red. drink. - affect happiness

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	18	4116.4	
8	REFUSAL	8	958.5	
9	NOT STATED	1556	380018.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_7L: Reason red. drink. - influence of family

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3818 / 591289.24] [Invalid=128403 / 26534875.74]
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Influence of family or friends

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	231	33073.2	5.6%
2	NO	3587	558216.0	94.4%
6	NOT APPLICABLE	126821	26149782.5	
7	DON'T KNOW	18	4116.4	
8	REFUSAL	8	958.5	
9	NOT STATED	1556	380018.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_7M: Reason reduced drinking - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3818 / 591289.24] [Invalid=128403 / 26534875.74]
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	738	114890.7	19.4%
2	NO	3080	476398.5	80.6%
6	NOT APPLICABLE	126821	26149782.5	
7	DON'T KNOW	18	4116.4	
8	REFUSAL	8	958.5	
9	NOT STATED	1556	380018.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_7N: Reason red. drink. - life change

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=3818 / 591289.24] [Invalid=128403 / 26534875.74]			
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)			
Literal question	Why did you reduce or quit drinking altogether? - Life change			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	827	130559.5	22.1%
2	NO	2991	460729.7	77.9%
6	NOT APPLICABLE	126821	26149782.5	
7	DON'T KNOW	18	4116.4	
8	REFUSAL	8	958.5	
9	NOT STATED	1556	380018.4	

ALCE_7N: Reason red. drink. - life change

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCE_8: Age-started drinking alcoholic beverages

Information [Type= continuous] [Format=numeric] [Range= 5-19] [Missing=*]	
Statistics [NW/W] [Valid=9628 / 1931709.1] [Invalid=122593 / 25194455.88] [Mean=14.603 / 14.669] [StdDev=1.954 / 1.991]	
Universe Respondents aged less than 20 who answered ALCE_1 = (1, 7 or 8) or ALCE_5B = (1, 7 or 8)	
Literal question	Not counting small sips, how old were you when you started drinking alcoholic beverages?
Notes	Drinking does not include having a few sips of wine for religious purposes

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	122280	25125303.2	
997	DON'T KNOW	145	30728.0	
998	REFUSAL	18	4526.4	
999	NOT STATED	150	33898.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCEDTYP: Type of drinker - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	Valid=130399 / 26683473.91] [Invalid=1822 / 442691.07]	
Universe	All respondents	
Literal question	Type of drinker - (D)	
Notes	Based on ALCE_2, ALCE_5B. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	REGULAR DRINKER	74694	16063283.9		60.2%
2	OCC. DRINKER	24240	4622614.4	17.3%	
3	FORMER DRINKER	18386	3153010.3	11.8%	
4	NEVER DRANK	13079	2844565.2	10.7%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1822	442691.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCEDDLY: Average daily alcohol consumption - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]			
Statistics [NW/W]	[Valid=96886 / 20254783.28] [Invalid=35335 / 6871381.7] [Mean=0.593 / 0.606] [StdDev=1.148 / 1.116]			
Universe	Respondents who answered ALCE_1 = (1, 7 or 8)			
Literal question	Average daily alcohol consumption - (D)			
Notes	Based on ALCEDWKY. Respondents who had not at least one drink in the last 12 months were excluded from the population. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)	
996	NOT APPLICABLE	31515	6006659.8		
997	DON'T KNOW	0	0.0		
998	REFUSAL	0	0.0		
999	NOT STATED	3820	864721.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# ALCEDWKY: No. of drinks - past week - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-280] [Missing=*]			
Statistics [NW/W]	[Valid=96886 / 20254783.28] [Invalid=35335 / 6871381.7] [Mean=4.402 / 4.498] [StdDev=7.794 / 7.542]			
Universe	Respondents who answered ALCE_1 = (1, 7 or 8)			
Literal question	No. of drinks - past week - (D)			
Notes	Based on ALCE_1, ALCE_5A1, ALCE_5A2, ALCE_5A3, ALCE_5A4, ALCE_5A5, ALCE_5A6, ALCE_5A7. Respondents who did not have at least one drink in the past 12 months were excluded from the population. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	31515	6006659.8	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	3820	864721.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

#MEXE_01: Has given birth in the past 5 years

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=37361 / 8383907.77] [Invalid=94860 / 18742257.21]			
Universe	Females aged 15 to 55			
Literal question	Have you given birth in the past 5 years?			
Notes	Does not include stillbirths. Formerly BRFA_01 in cycle 1.1. The "not stated" category includes people who did the interview by proxy.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7353	1448674.4	17.3%
2	NO	30008	6935233.4	82.7%
6	NOT APPLICABLE	94225	18546080.7	
7	DON'T KNOW	22	9257.5	
8	REFUSAL	83	20163.9	
9	NOT STATED	530	166755.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEXE_02: Took folic acid - before last pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=7305 / 1438158.28] [Invalid=124916 / 25688006.7]
Universe	Respondents who answered MEXE_01 = (1, 7 or 8)
Literal question	Did you take a vitamin supplement containing folic acid before your (last) pregnancy, that is, before you found out that you were pregnant?
Notes	Formerly BRFA_01B in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4016	830232.6	57.7%
2	NO	3289	607925.7	42.3%
6	NOT APPLICABLE	124233	25481314.0	
7	DON'T KNOW	45	10253.3	
8	REFUSAL	1	63.3	
9	NOT STATED	637	196376.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# MEXE_03: Breastfed/tried breastfeed/last child		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=7343 / 1446011.75] [Invalid=124878 / 25680153.23]	
Universe	Respondents who answered MEXE_01 = (1, 7 or 8)	
Literal question	(For your last baby,) did you breastfeed or try to breastfeed your baby, even if only for a short time?	
Notes	Formerly BRFA_02 in cycle 1.1.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6218	1259718.5	87.1%
2	NO	1125	186293.2	12.9%
6	NOT APPLICABLE	124233	25481314.0	
7	DON'T KNOW	3	1026.5	
8	REFUSAL	4	1110.9	
9	NOT STATED	638	196701.9	

#MEXEG04: Reason did not breastfeed - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/W]	[Valid=1113 / 184758.77] [Invalid=131108 / 26941406.21]	
Universe	Respondents who answered MEXE_03 = (2, 7 or 8) or MEXE_01 = (7 or 8)	
Literal question	Reason did not breastfeed - (G)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	BOTTLE FEED.EASY	204	34584.8	18.7%
2	FORMULA AS GOOD	26	3984.1	2.2%
3	UNAPPEALING	171	24257.4	13.1%
4	FATHER DN'T WANT	5	816.8	0.4%
5	RETURNED TO WORK	36	4816.9	2.6%
6	C-SECTION	143	23880.7	12.9%
7	ALCOHOL/SMOKE	35	5901.4	3.2%
8	OTHER	493	86516.6	46.8%
96	NOT APPLICABLE	130451	26741032.5	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	657	200373.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEXE_05: Still breastfeeding last child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=6218 / 1259718.52] [Invalid=126003 / 25866446.46]
Universe	Respondents who answered MEXE_03 = (1, 7 or 8) or MEXE_01 = (7 or 8)
Literal question	Are you still breastfeeding?
Notes	Formerly BRFA_03 in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	986	212077.1	16.8%	
2	NO	5232	1047641.4	83.2%	5
6	NOT APPLICABLE	125358	25667607.2		
7	DON'T KNOW	0	0.0		

MEXE_05: Still breastfeeding last child

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	645	198839.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEXE_06: Duration of breastfeeding last child

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W] [Valid=5226 / 1046829.39] [Invalid=126995 / 26079335.59]		
Universe	Respondents who answered MEXE_05 = (2, 7 or 8) or MEXE_03 = (7 or 8) or MEXE_01 = (7 or 8)	
Literal question	How long did you breastfeed (your last baby)?	
Notes	Formerly BRFA_04 in cycle 1.1.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 WEEK	395	67367.4	6.4%
2	1 TO 2 WEEKS	350	63378.6	6.1%
3	3 TO 4 WEEKS	436	85549.7	8.2%
4	5 TO 8 WEEKS	352	64123.3	6.1%
5	9 TO < 12 WEEKS	181	33095.8	3.2%
6	3 MONTHS	406	84326.3	8.1%
7	4 MONTHS	320	65454.1	6.3%
8	5 MONTHS	211	44256.1	4.2%
9	6 MONTHS	543	112426.0	10.7%
10	7 TO 9 MONTHS	715	140181.3	13.4%
11	10 TO 12 MONTHS	696	147637.3	14.1%
12	> 1 YEAR	621	139033.5	13.3%
96	NOT APPLICABLE	126344	25879684.4	
97	DON'T KNOW	5	780.5	
98	REFUSAL	1	31.5	
99	NOT STATED	645	198839.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEXE_07: Age of last baby - other foods added

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/W]	[Valid=6167 / 1249145.96] [Invalid=126054 / 25877019.02]
Universe	Respondents who answered MEXE_03 = (1, 7 or 8) or MEXE_01 = (7 or 8)
Literal question	How old was your (last) baby when you first added any other liquids (e.g., milk, formula, water, teas, herbal mixtures) or solid foods to the baby's feeds?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< 1 WEEK	608	122828.8	9.8%	
2	1 TO 2 WEEKS	364	65563.1	5.2%	
3	3 TO 4 WEEKS	434	80393.4	6.4%	
4	5 TO 8 WEEKS	405	87481.3	7.0%	
5	9 TO < 12 WEEKS	245	44171.5	3.5%	
6	3 MONTHS	630	126134.3	10.1%	
7	4 MONTHS	989	206236.5	16.5%	
8	5 MONTHS	598	126525.3	10.1%	
9	6 MONTHS	962	198816.8	15.9%	

#MEXE_07: Age of last baby - other foods added

Value	Label	Cases	Weighted	Percentage (Weighted)
10	7 TO 9 MONTHS	389	77367.4	6.2%
11	10 TO 12 MONTHS	153	30461.1	2.4%
12	> 1 YEAR	60	11460.3	0.9%
13	NOT ADD/LIQUIDS	330	71706.3	5.7%
96	NOT APPLICABLE	125358	25667607.2	
97	DON'T KNOW	43	9263.4	
98	REFUSAL	2	497.2	
99	NOT STATED	651	199651.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEXE_08: Main reason other foods added

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/W]	[Valid=5819 / 1173453.21] [Invalid=126402 / 25952711.77]
Universe	Respondents who answered MEXE_07 < 13 or MEXE_07 = (97 or 98) or MEXE_06 = (97 or 98) or MEXE_05 = (7 or 8) or MEXE_03 = (7 or 8) or MEXE_01 = (7 or 8)
Literal question	What is the main reason that you first added other liquids or solid foods?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT ENOUGH BREAS	1098	229366.6	19.5%
2	READY FOR SOLIDS	2383	472856.2	40.3%
3	INCONVENIENCE	266	51666.0	4.4%
4	DIFFICULTY	294	46404.0	4.0%
5	MED. COND.MOTHER	117	25055.8	2.1%
6	MED. COND. BABY	126	25719.1	2.2%
7	ADVICE OF DOCTOR	405	94821.2	8.1%
8	RETURNED TO WORK	154	28802.0	2.5%
9	ADVICE OF OTHERS	43	8902.4	0.8%
10	FORMULA HEALTHY	41	8681.4	0.7%
11	WANTED TO DRINK	8	1270.1	0.1%
12	WANTED TO SMOKE	0	0.0	
13	OTHER	884	179908.6	15.3%
96	NOT APPLICABLE	125688	25739313.5	
97	DON'T KNOW	18	3986.5	
98	REFUSAL	0	0.0	
99	NOT STATED	696	209411.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEXE_09: Gave vitamin D - breast milk only

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=5509 / 1117155.63] [Invalid=126712 / 26009009.35]
Universe	Respondents who answered MEXE_07 = (2 to 13) or MEXE_07 = (97 or 98) or MEXE_06 = (97 or 98) or MEXE_05 = (7 or 8) or MEXE_03 = (7 or 8) or MEXE_01 = (7 or 8)
Literal question	During the time when your (last) baby was only fed breast milk, did you give the baby a vitamin supplement containing Vitamin D?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3179	681626.1	61.0%
2	NO	2330	435529.5	39.0%

MEXE_09: Gave vitamin D - breast milk only

Value	Label	Cases	Weighted
6	NOT APPLICABLE	125966	25790436.0
7	DON'T KNOW	47	8684.2
8	REFUSAL	2	283.6
9	NOT STATED	697	209605.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEXE_10: Main reason stopped breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/W]	[Valid=5168 / 1034662.99] [Invalid=127053 / 26091501.99]
Universe	Respondents who answered MEXE_05 = (2, 7 or 8) or MEXE_03 = (7 or 8) or MEXE_01 (7 or 8)
Literal question	What is the main reason that you stopped breastfeeding?
Notes	Formerly BRFA_05 in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT ENOUGH MILK	1044	217288.1	21.0%
2	READY FOR SOLIDS	762	153469.6	14.8%
3	INCONVENIENCE	433	81338.9	7.9%
4	DIFFICULTY	395	66276.0	6.4%
5	MED.COND.MOTHER	189	36785.9	3.6%
6	MED. COND. BABY	96	16662.0	1.6%
7	PLANNED TO STOP	349	73985.9	7.2%
8	WEANED SELF	572	116748.6	11.3%
9	ADVICE OF DOCTOR	60	15376.2	1.5%
10	RETURNED TO WORK	494	98553.8	9.5%
11	ADVICE OF OTHERS	7	1580.7	0.2%
12	FORMULA HEALTHY	16	2810.5	0.3%
13	WANTED TO DRINK	4	509.4	0.0%
14	WANTED TO SMOKE	2	149.0	0.0%
15	OTHER	745	153128.6	14.8%
96	NOT APPLICABLE	126344	25879684.4	
97	DON'T KNOW	11	2607.2	
98	REFUSAL	3	461.9	
99	NOT STATED	695	208748.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEXE_20: Type of smoker - last pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=4514 / 807916.47] [Invalid=127707 / 26318248.51]
Universe	Respondents who answered MEXE_01 = (1, 7 or 8) and (SMKE_202 = (1, 2, 7 or 8) or SMKE_01A = (1, 7 or 8) or SMKE_01B = (1, 7 or 8)
Literal question	During your last pregnancy, did you smoke daily, occasionally or not at all?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DAILY	678	94386.1	11.7%	
2	OCCASIONALLY	650	96762.9	12.0%	
3	NOT AT ALL	3186	616767.4	76.3%	
6	NOT APPLICABLE	127340	26217827.0		

#MEXE_20: Type of smoker - last pregnancy

Value	Label	Cases	Weighted	Percentag
7	DON'T KNOW	1	274.6	
8	REFUSAL	2	122.5	
9	NOT STATED	364	100024.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEXEG21: No. daily - last preg. (daily smk) - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/W]	[Valid=670 / 93974.52] [Invalid=131551 / 27032190.46]
Universe	Respondents who answered MEXE_20 = (1, 7 or 8) or MEXE_01 = (1, 7 or 8) and [SMKE_202 = (3, 7 or 8) and (SMKE_01A = (2, 7 or 8) and SMKE_01B = (7 or 8) or SMKE_01A = (7 or 8) and SMKE_01B = (2, 7 or 8)) or SMKE_01A = 8 and SMKE_01B = 8] or MEXE_01 = (7 or 8) and (SMKE_202 = (1 or 2) or SMKE_01A = 1 or SMKE_01B = 1)
Literal question	How many cigarettes did you usually smoke each day?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	13	2554.4	2.7%
2	2 CIGARETTES	28	4587.1	4.9%
3	3 CIGARETTES	32	3447.2	3.7%
4	4 CIGARETTES	37	6075.1	6.5%
5	5 CIGARETTES	101	11951.9	12.7%
6	6 TO 10 CIG.	259	40228.8	42.8%
7	11 TO 15 CIG.	126	15287.4	16.3%
8	16+ CIGARETTES	74	9842.5	10.5%
96	NOT APPLICABLE	131176	26931357.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	375	100833.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEXEG22: No. daily - last preg. (occ. smk) - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/W]	[Valid=642 / 95360.69] [Invalid=131579 / 27030804.29]
Universe	Respondents who answered MEXE_20 = (2, 7 or 8) or MEXE_01 = (1, 7 or 8) and [SMKE_202 = (3, 7 or 8) and (SMKE_01A = (2, 7 or 8) and SMKE_01B = (7 or 8) or SMKE_01A = (7 or 8) and SMKE_01B = (2, 7 or 8)) or SMKE_01A = 8 and SMKE_01B = 8] or MEXE_01 = (7 or 8) and (SMKE_202 = (1 or 2) or SMKE_01A = 1 or SMKE_01B = 1)
Literal question	On the days that you smoked, how many cigarettes did you usually smoke?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	161	23864.1	25.0%
2	2 CIGARETTES	160	23613.7	24.8%
3	3 CIGARETTES	124	20890.6	21.9%
4	4 CIGARETTES	51	7168.8	7.5%
5	5 CIGARETTES	82	11054.7	11.6%
6	6+ CIGARETTES	64	8768.8	9.2%
96	NOT APPLICABLE	131204	26928980.5	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	375	101823.8	

#MEXEG22: No. daily - last preg. (occ. smk) - (G)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEXE_23: Smoked while breastfeeding (occ. smoker)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=3734 / 688335.68] [Invalid=128487 / 26437829.3]
Universe	Respondents who answered (MEXE_03 = (1, 7 or 8) or MEXE_01 = (7 or 8)) and (SMKE_202 = (3, 7 or 8) and (SMKE_01A = (2, 7 or 8) and SMKE_01B = (7 or 8) or SMKE_01A = (7 or 8) and SMKE_01B = (2, 7 or 8)) or SMKE_01A = 8 and SMKE_01B = 8 or SMKE_202 = (1 or 2) or SMKE_01A = 1 or SMKE_01B = 1)
Literal question	When you were breastfeeding (your last baby), did you smoke daily, occasionally or not at all?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	494	68884.2	10.0%
2	OCCASIONALLY	408	65945.8	9.6%
3	NOT AT ALL	2832	553505.6	80.4%
6	NOT APPLICABLE	128116	26337175.3	
7	DON'T KNOW	4	232.5	
8	REFUSAL	0	0.0	
9	NOT STATED	367	100421.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEXEG24: No/day - breastfeeding (daily smk)-(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/W]	[Valid=492 / 68854.78] [Invalid=131729 / 27057310.2]
Universe	Respondents who answered MEXE_23 = (1, 7 or 8) or (MEXE_03 = (1, 7 or 8) or MEXE_01 = (7 or 8)) and [SMKE_202 = (3, 7 or 8) and (SMKE_01A = (2, 7 or 8) and SMKE_01B = (7 or 8) or SMKE_01A = (7 or 8) and SMKE_01B = (2, 7 or 8)) or SMKE_01A = 8 and SMKE_01B = 8] or (MEXE_20 = (7 or 8) or MEXE_03 = (7 or 8) or MEXE_01 = (7 or 8)) and (SMKE_202 = (1 or 2) or SMKE_01A = 1 or SMKE_01B = 1)
Literal question	How many cigarettes did you usually smoke each day?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	11	2330.2	3.4%
2	2 CIGARETTES	25	3846.9	5.6%
3	3 CIGARETTES	24	3129.8	4.5%
4	4 CIGARETTES	30	3299.2	4.8%
5	5 CIGARETTES	69	8628.7	12.5%
6	6 TO 10 CIG.	196	30974.6	45.0%
7	11 TO 15 CIG.	89	10627.5	15.4%
8	16+ CIGARETTES	48	6017.8	8.7%
96	NOT APPLICABLE	131356	26956626.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	373	100683.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEXEG25: No. daily - breastfeeding (occ. smk)-(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/W]	[Valid=403 / 65454.39] [Invalid=131818 / 27060710.59]
Universe	Respondents who answered MEXE_23 = (2, 7 or 8) or (MEXE_03 = (1, 7 or 8) or MEXE_01 = (7 or 8)) and [SMKE_202 = (3, 7 or 8) and (SMKE_01A = (2, 7 or 8) and SMKE_01B = (7 or 8) or SMKE_01A = (7 or 8) and SMKE_01B = (2, 7 or 8)) or SMKE_01A = 8 and SMKE_01B = 8] or (MEXE_20 = (7 or 8) or MEXE_03 = (7 or 8) or MEXE_01 = (7 or 8)) and (SMKE_202 = (1 or 2) or SMKE_01A = 1 or SMKE_01B = 1)

#MEXEG25: No. daily - breastfeeding (occ. smk)-(G)

Literal question On the days that you smoked, how many cigarettes did you usually smoke?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 CIGARETTE	113	19375.3	29.6%	
2	2 CIGARETTES	103	18261.1	27.9%	
3	3 CIGARETTES	71	9844.8	15.0%	
4	4 CIGARETTES	35	6514.5	10.0%	
5	5 CIGARETTES	38	5786.0	8.8%	
6	6+ CIGARETTES	43	5672.6	8.7%	
96	NOT APPLICABLE	131442	26959565.1		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	376	101145.5		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# MEXE_26: 2nd-hand smoke - during/after last preg.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=7336 / 1445167.4] [Invalid=124885 / 25680997.58]			
Universe	Respondents who answered MEXE_01 = (1, 7 or 8)			
Literal question	Did anyone regularly smoke in your presence during or after the pregnancy (about 6 months after)?			
Notes	Formerly BRFA_14 in cycle 1.1.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1293	201932.0	14.0%
2	NO	6043	1243235.4	86.0%
6	NOT APPLICABLE	124233	25481314.0	
7	DON'T KNOW	9	2232.6	
8	REFUSAL	3	504.0	
9	NOT STATED	640	196947.0	

#MEXE_30: Drank alcohol - last pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=6832 / 1285587.23] [Invalid=125389 / 25840577.75]	
Universe	Respondents who answered MEXE_01 = $(1, 7 \text{ or } 8)$ and $(ALCE_1 = (1, 7 \text{ or } 8) \text{ or } ALCE_5B = (1, 7 \text{ or } 8))$	
Literal question	Did you drink any alcohol during your last pregnancy?	
Notes	Formerly BRFA_20 in cycle 1.1.	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	720	151300.1	11.8%	
2	NO	6112	1134287.1	88.	2%
6	NOT APPLICABLE	124844	25678860.5		
7	DON'T KNOW	3	474.5		
8	REFUSAL	2	122.5		
9	NOT STATED	540	161120.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEXE_31: Freq. of drinking - last pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]			
Statistics [NW/W]	[Valid=719 / 151293.15] [Invalid=131502 / 26974871.83]			
Universe	Respondents who answered MEXE_30 = (1, 7 or 8) or MEXE_01 = (1, 7 or 8) and (ALCE_1 = (7 or 8) or ALCE_5B = (7 or 8)) or MEXE_01 = (7 or 8) and (ALCE_1 = 1 or ALCE_5B = 1)			
Literal question	How often did you drink?			
Notes	Formerly BRFA_21 in cycle 1.1.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< ONCE A MONTH	516	110454.0	73.0%
2	ONCE A MONTH	91	18036.2	11.9%
3	2 TO 3 TIMES/MO	34	7006.1	4.6%
4	ONCE/WEEK	51	10688.4	7.1%
5	2 TO 3 TIMES/WK	19	3062.8	2.0%
6	4 TO 6 TIMES/WK	3	849.0	0.6%
7	EVERY DAY	5	1196.6	0.8%
96	NOT APPLICABLE	130956	26813147.6	

#MEXE_31: Freq. of drinking - last pregnancy

Value	Label	Cases	Weighted	Percentage (Weighted)
97	DON'T KNOW	1	7.0	
98	REFUSAL	0	0.0	
99	NOT STATED	545	161717.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEXE_32: Drank alcohol - breastfeeding last baby

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=5749 / 1114527.75] [Invalid=126472 / 26011637.23]	
Universe	Respondents who answered (MEXE_03 = (1, 7 or 8) or MEXE_01 = (7 or 8)) and (ALCE_1 = (1, or 8) or ALCE_5B = (1, 7 or 8)	
Literal question	Did you drink any alcohol while you were breastfeeding (your last baby)?	
Notes	Formerly BRFA_22 in cycle 1.1.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1202	255323.1	22.9%
2	NO	4547	859204.7	77.1%
6	NOT APPLICABLE	125920	25848073.1	
7	DON'T KNOW	7	1246.5	
8	REFUSAL	0	0.0	
9	NOT STATED	545	162317.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEXE_33: Freq. drinking - breastfeeding last baby

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/W]	[Valid=1202 / 255323.08] [Invalid=131019 / 26870841.9]	
Universe	Respondents who answered MEXE_32 = (1, 7 or 8) or MEXE_03 = 1 and MEXE_30 = (7 or 8) or (MEXE_03 = (1, 7 or 8) or MEXE_01 = (7 or 8)) and (ALCE_1 = (7 or 8) or ALCE_5B = (7 or 8)) or (MEXE_03 = (7 or 8) or MEXE_01 = (7 or 8)) and (ALCE_1 = 1 or ALCE_5D = 1)	
Literal question	How often did you drink?	
Notes	Formerly BRFA_23 in cycle 1.1.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< ONCE A MONTH	718	145806.8	57.1%
2	ONCE A MONTH	174	37471.7	14.7%
3	2 TO 3 TIMES/MO	101	24887.9	9.7%
4	ONCE/WEEK	127	29093.2	11.4%
5	2 TO 3 TIMES/WK	70	16397.4	6.4%
6	4 TO 6 TIMES/WK	2	250.2	0.1%
7	EVERY DAY	10	1415.8	0.6%
96	NOT APPLICABLE	130467	26707277.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	552	163564.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#MEXEDEBF: Duration of exclusive breastfeeding- (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/W]	[Valid=6988 / 1369304.68] [Invalid=125233 / 25756860.3]

# MEXEDEBF: Durati	#MEXEDEBF: Duration of exclusive breastfeeding- (D)				
Universe	Respondents who answered MEXE_03 = (2, 7 or 8) or MEXE_05 = (2, 7 or 8) or MEXE_07 < 13 or MEXE_07 = (97 or 98) or MEXE_01 = (7 or 8)				
Literal question	Duration of exclusive breastfeeding- (D)				
Notes	Based on MEXE_03, MEXE_06, MEXE_07. Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old are excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who still breastfeed and who have not yet added any other liquid or solid foods to the baby's feeds are also excluded. See documentation on derived variables.				

Value	Label	Cases	Weighted	Percentage (Weighted)
0	DID NOT BF/LAST	1125	186293.2	13.6%
1	< I WEEK	613	124003.0	9.1%
2	1 TO < 5 WEEKS	813	149349.2	10.9%
3	5 TO < 12 WEEKS	652	131815.7	9.6%
4	12 TO < 20 WEEKS	1619	332370.8	24.3%
5	20 TO < 28 WEEKS	1561	325371.0	23.8%
6	28 WKS TO < 1 YR	544	108540.2	7.9%
7	> 1 YEAR	61	11561.5	0.8%
96	NOT APPLICABLE	124537	25547448.5	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	696	209411.8	

MEXEFEB4: Exclusive breastfeeding 4 mo - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=6988 / 1369304.68] [Invalid=125233 / 25756860.3]			
Universe	Respondents who answered MEXE_03 = (2, 7 or 8) or MEXE_05 = (2, 7 or 8) or MEXE_07 < 13 or MEXE_07 = (97 or 98) or MEXE_01 = (7 or 8)			
Literal question	Exclusive breastfeeding 4 mo - (F)			
Notes	Based on MEXE_03, MEXE_06, MEXE_07. Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old are excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who still breastfeed and who have not yet added any other liquid or solid foods to the baby's feeds are also excluded. See documentation on derived variables.			

Value	Label	Cases	Weighted	Pe	rce
1	YES	3155	651709.2		
2	NO	3833	717595.5		
6	NOT APPLICABLE	124537	25547448.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	696	209411.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGEFOPT: Optional module: IDG - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]		
Universe	All respondents		
Literal question	Optional module: IDG - (F)		
Notes	The "not stated" category includes people who did the interview by proxy		

IDGEFOPT: Optional module: IDG - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5100	638232.2	2.4%
2	NO	127121	26487932.8	97.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGEFLCA: Cannabis drug use/incl.1 time only - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4990 / 624115.69] [Invalid=127231 / 26502049.29]	
Universe	Respondents with IDGEFOPT = 1	
Literal question	Cannabis drug use/incl.1 time only - (F)	
Notes	Based on IDGE_01. See documentation on derived variables.	

Value	Label	Cases	Weighted
1	YES	1681	250478.8
2	NO	3309	373636.8
6	NOT APPLICABLE	127121	26487932.8
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	110	14116.5

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGEFLCM: Cannabis drug use/excl.1 time only - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=4990 / 624115.69] [Invalid=127231 / 26502049.29]	
Universe	Respondents with IDGEFOPT = 1	
Literal question	Cannabis drug use/excl.1 time only - (F)	
Notes	Based on IDGE_01. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1269	196122.5	31.4%
2	NO	3721	427993.2	68.6%
6	NOT APPLICABLE	127121	26487932.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	110	14116.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGEFYCM: Can.drg use/excl.1 time only -12 mo -(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=4990 / 624115.69] [Invalid=127231 / 26502049.29]			
Universe	Respondents with IDGEFOPT = 1			
Literal question	Can.drg use/excl.1 time only -12 mo -(F)			
Notes	Based on IDGE_01, IDGE_02. See documentation on derived variables.			

IDGEFYCM: Can.drg use/excl.1 time only -12 mo -(F)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	416	56996.5	9.1%
2	NO	4574	567119.2	90.9%
6	NOT APPLICABLE	127121	26487932.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	110	14116.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGEFLA: Illicit drg use/incl. 1 time cann. - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=4987 / 623796.07] [Invalid=127234 / 26502368.91]			
Universe	Respondents with IDGEFOPT = 1			
Literal question	Illicit drg use/incl. 1 time cann (F)			
Notes	Based on IDGEFLCA, IDGEFLCO, IDGEFLAM, IDGEFLEX, IDGEFLHA, IDGEFLGL, IDGEFLHE, IDGEFLST. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1700	252862.2	40.5%
2	NO	3287	370933.9	59.5%
6	NOT APPLICABLE	127121	26487932.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	113	14436.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGEFLAC: Illicit drug use/excl.1 time cann. - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=4987 / 623796.07] [Invalid=127234 / 26502368.91]			
Universe	Respondents with IDGEFOPT = 1			
Literal question	Illicit drug use/excl.1 time cann (F)			
Notes	Based on IDGEFLCA, IDGEFLCO, IDGEFLAM, IDGEFLEX, IDGEFLHA, IDGEFLGL, IDGEFLHE, IDGEFLST. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1312	201714.2	32.3%
2	NO	3675	422081.9	67.7%
6	NOT APPLICABLE	127121	26487932.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	113	14436.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGEFYA: Illicit drg /incl.1 time can.-12 mo -(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=4985 / 623573.18] [Invalid=127236 / 26502591.8]		
Universe	Respondents with IDGEFOPT = 1		
Literal question	Illicit drg /incl.1 time can12 mo -(F)		

IDGEFYA: Illicit drg /incl.1 time can.-12 mo -(F)

Notes Based on IDGE_02, IDGE_05, IDGE_08, IDGE_11, IDGE_14, IDGE_17, IDGE_20, IDGE_23. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	454	63668.8	10.2%
2	NO	4531	559904.3	89.8%
6	NOT APPLICABLE	127121	26487932.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	14659.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGEFYAC: Illi.drg use/excl.1 time can.-12 mo -(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=4985 / 623573.18] [Invalid=127236 / 26502591.8]			
Universe	Respondents with IDGEFOPT = 1			
Literal question	Illi.drg use/excl.1 time can12 mo -(F)			
Notes	Based on IDGEFYCM, IDGE_05, IDGE_08, IDGE_11, IDGE_14, IDGE_17, IDGE_20, IDGE_23. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	424	58506.0	9.4%
2	NO	4561	565067.2	90.6%
6	NOT APPLICABLE	127121	26487932.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	14659.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGEDINT: Illicit drug interference mean - 12 mo

Information	[Type= continuous] [Format=numeric] [Range= 0-8.3] [Missing=*]			
Statistics [NW/W] [Valid=242 / 33064.14] [Invalid=131979 / 27093100.84] [Mean=0.844 / 0.938] [StdDev=1.586 / 1.679]				
Universe	Respondents with IDGEFOPT = 1			
Literal question	Illicit drug interference mean - 12 mo			
Notes	Based on IDGE_26A, IDGE_6B1, IDGE_6B2, IDGE_26C, IDGE_26D. See documentation on derived variables.			

Value	Label	Ca	ases	Weighted
99.6	NOT APPLICABLE	131	1859	27077379.8
99.7	DON'T KNOW	(0	0.0
99.8	REFUSAL	(0	0.0
99.9	NOT STATED	12	20	15721.1

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGEFINT: Illicit drug interference - 12 mo - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=242 / 33064.14] [Invalid=131979 / 27093100.84]
Universe	Respondents who answered one of IDGE_03, IDGE_06, IDGE_09, IDGE_12, IDGE_15, IDGE_18, IDGE_21 = (2, 3, 4, 5, 7 or 8) or one of IDGE_01, IDGE_02, IDGE_04, IDGE_05, IDGE_07, IDGE_08, IDGE_10, IDGE_11, IDGE_13, IDGE_14, IDGE_16, IDGE_17, IDGE_19, IDGE_20 = (7 or 8)
Literal question	Illicit drug interference - 12 mo - (F)

IDGEFINT: Illicit drug interference - 12 mo - (F)

Notes Based on IDGE_26A, IDGE_6B1, IDGE_6B2, IDGE_26C, IDGE_26D. See documentation on derived variables

Value	Label	Cases	Weighted
1	YES	55	8274.6
2	NO	187	24789.6
6	NOT APPLICABLE	131859	27077379.8
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	120	15721.1

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CPGEFOPT: Optional module: CPG - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]			
Universe	All respondents			
Literal question	Optional module: CPG - (F)			
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5100	638232.2	2.4%
2	NO	127121	26487932.8	97.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CPGEFGAM: Gambling activity - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	W] [Valid=4992 / 623781.92] [Invalid=127229 / 26502383.06]		
Universe	Respondents with CPGEFOPT = 1		
Literal question	Gambling activity - (F)		
Notes	Based on CPGE_01A, CPGE_01B, CPGE_01C, CPGE_01D, CPGE_01E, CPGE_01F, CPGE_01G, CPGE_01H, CPGE_01I, CPGE_01J, CPGE_01K, CPGE_01L, CPGE_01M. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3614	458778.4	73.5%
2	NO	1378	165003.5	26.5%
6	NOT APPLICABLE	127121	26487932.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	108	14450.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CPGEDSEV: Problem gambling severity index - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-95] [Missing=*]	
Statistics [NW/W]	[Valid=3601 / 457082.22] [Invalid=128620 / 26669082.76]	
Universe	Respondents with CPGEFGAM <> 2 and CPGEFOPT = 1	
Literal question Problem gambling severity index - (D)		

CPGEDSEV: Problem gambling severity index - (D)

Notes
Based on CPGE_02, CPGE_03, CPGE_04, CPGE_05, CPGE_06, CPGE_07, CPGE_08, CPGE_09, CPGE_10, CPGE_13, CPGEFGAM. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
95	NOT A GAMBLER	1204	135701.8	100.0%
96	NOT APPLICABLE	128499	26652936.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	121	16146.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CPGEDTYP: Type of gambler - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-95] [Missing=*]	
Statistics [NW/W]	[Valid=4979 / 622085.69] [Invalid=127242 / 26504079.29]	
Universe	Respondents with CPGEFOPT = 1	
Literal question Type of gambler - (D)		
Notes Based on CPGEDSEV, CPGEFGAM. See documentation on derived variables		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NON-GAMBLER	1378	165003.5	26.5%
2	NON-PROBLEM GAMB	2257	302224.2	48.6%
3	LOW RISK GAMBLER	83	12323.6	2.0%
4	MOD RISK GAMBLER	37	5419.8	0.9%
5	PROBLEM GAMBLER	20	1412.9	0.2%
95	NOT A GAMBLER	1204	135701.8	21.8%
96	NOT APPLICABLE	127121	26487932.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	121	16146.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CPGEDACT: No. of diff. types of gamb. act. - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-13] [Missing=*]	
Statistics [NW/W]	[Valid=4979 / 622234.17] [Invalid=127242 / 26503930.81] [Mean=1.454 / 1.542] [StdDev=1.37 / 1.432]	
Universe	Respondents with CPGEFOPT = 1	
Literal question	No. of diff. types of gamb. act (D)	
Notes	Based on CPGE_01A, CPGE_01B, CPGE_01C, CPGE_01D, CPGE_01E, CPGE_01F, CPGE_01G, CPGE_01H, CPGE_01I, CPGE_01I, CPGE_01K, CPGE_01L, CPGE_01M. See documentation on derived variables.	

Value	Label	Cases	Weighted	
96	NOT APPLICABLE	127121	26487932.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	121	15998.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CPGEDINT: Gambling Interference - Mean

Information	[Type= continuous] [Format=numeric] [Range= 0-8.8] [Missing=*]			
Statistics [NW/W]	[Valid=56 / 6640.93] [Invalid=132165 / 27119524.05] [Mean=0.773 / 0.494] [StdDev=1.778 / 1.259]			

# CPGEDINT: Gambling Interference - Mean				
Universe	Respondents whose score is "> 2" to the sum of recoded values (1 = 0; 2 = 1; 3 = 2; 4 = 3) in CPGE_03 to CPGE_10 and CPGE_13 or whose score is " <= 2 " and at least one of CPGE_03 to CPGE_10 or CPGE_13 = (7 or 8) or CPGE_02 = 8 or CPGE_01A = 98 or all of CPGE_01A through CPGE_01M = (7, 8, 97 or 98) with at least one response of "97" or "98".			
Literal question	Gambling Interference - Mean			
Notes	Based on CPGE_19A, CPGE_9B1, CPGE_9B2, CPGE_19C, CPGE_19D. See documentation on derived variables.			

Value	Label	Cases	Weighted
99.6	NOT APPLICABLE	132043	27103185.8
99.7	DON'T KNOW	0	0.0
99.8	REFUSAL	0	0.0
99.9	NOT STATED	122	16338.2

CPGEFINT: Gambling Interference - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=56 / 6640.93] [Invalid=132165 / 27119524.05]	
Universe	Respondents whose score is "> 2" to the sum of recoded values (1 = 0; 2 = 1; 3 = 2; 4 = 3) in CPGE_03 to CPGE_10 and CPGE_13 or whose score is " <= 2 " and at least one of CPGE_03 to CPGE_10 or CPGE_13 = (7 or 8) or CPGE_02 = 8 or CPGE_01A = 98 or all of CPGE_01A through CPGE_01M = (7, 8, 97 or 98) with at least one response of "97" or "98".	
Literal question	Gambling Interference - (F)	
Notes	Based on CPGE_19A, CPGE_9B1, CPGE_9B2, CPGE_19C, CPGE_19D. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	542.0	8.2%
2	NO	48	6098.9	91.8%
6	NOT APPLICABLE	132043	27103185.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	16338.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWLEFOPT: Optional module: SWL - (F)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents
Literal question	Optional module: SWL - (F)
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".

alue	Label	Cases	Weighted
1	YES	29165	6467615.3
2	NO	103056	20658549.7
6	NOT APPLICABLE	0	0.0
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	0	0.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SWLE_02: Satisfaction - job

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=28098 / 6224366.92] [Invalid=104123 / 20901798.06]

#SWLE_02: Satisfaction - job

Universe Respondents with SWLEFOPT = 1

Literal question How satisfied are you with your job or main activity?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	10350	2296780.0	36.9%
2	SATISFIED	14120	3099258.8	49.8%
3	NEITHER NOR	1987	456337.6	7.3%
4	DISSATISFIED	1280	288171.1	4.6%
5	VERY DISSATIS.	361	83819.5	1.3%
6	NOT APPLICABLE	103056	20658549.7	
7	DON'T KNOW	235	45354.9	
8	REFUSAL	101	23017.6	
9	NOT STATED	731	174875.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SWLE_03: Satisfaction - leisure activities

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W] [Valid=28080 / 6220771.81] [Invalid=104141 / 20905393.17]	
Universe Respondents with SWLEFOPT = 1	
Literal question	How satisfied are you with your leisure activities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	8974	1998603.1	32.1%
2	SATISFIED	13798	3049470.8	49.0%
3	NEITHER NOR	2662	586126.0	9.4%
4	DISSATISFIED	2293	513104.1	8.2%
5	VERY DISSATIS.	353	73467.8	1.2%
6	NOT APPLICABLE	103056	20658549.7	
7	DON'T KNOW	227	41554.6	
8	REFUSAL	21	5093.4	
9	NOT STATED	837	200195.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SWLE_04: Satisfaction - financial situation

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W] [Valid=28148 / 6225602.33] [Invalid=104073 / 20900562.65]	
Universe	Respondents with SWLEFOPT = 1
Literal question	(How satisfied are you) with your financial situation?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	4822	1089093.8	17.5%
2	SATISFIED	15682	3446885.6	55.4%
3	NEITHER NOR	3627	811903.8	13.0%
4	DISSATISFIED	3198	708603.2	11.4%
5	VERY DISSATIS.	819	169116.0	2.7%
6	NOT APPLICABLE	103056	20658549.7	
7	DON'T KNOW	155	38184.5	
8	REFUSAL	22	3015.6	
9	NOT STATED	840	200812.8	

#SWLE_04: Satisfaction - financial situation

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SWLE_05: Satisfaction - with self

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W] [Valid=28188 / 6238200.28] [Invalid=104033 / 20887964.7]	
Universe	Respondents with SWLEFOPT = 1
Literal question	How satisfied are you with yourself?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	8772	1996710.8	32.0%
2	SATISFIED	17008	3693440.4	59.2%
3	NEITHER NOR	1584	365655.7	5.9%
4	DISSATISFIED	732	165063.6	2.6%
5	VERY DISSATIS.	92	17329.7	0.3%
6	NOT APPLICABLE	103056	20658549.7	
7	DON'T KNOW	125	26868.7	
8	REFUSAL	9	868.8	
9	NOT STATED	843	201677.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SWLE_06: Satisfaction - way body looks

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W] [Valid=28149 / 6233374.66] [Invalid=104072 / 20892790.32]	
Universe	Respondents with SWLEFOPT = 1
Literal question	How satisfied are you with the way your body looks?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	4813	1083162.8	17.4%
2	SATISFIED	17251	3807203.4	61.1%
3	NEITHER NOR	3497	770521.7	12.4%
4	DISSATISFIED	2294	504850.8	8.1%
5	VERY DISSATIS.	294	67636.0	1.1%
6	NOT APPLICABLE	103056	20658549.7	
7	DON'T KNOW	147	27695.9	
8	REFUSAL	24	4815.2	
9	NOT STATED	845	201729.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SWLE_07: Satisfaction - relationship with family

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=28210 / 6245295.96] [Invalid=104011 / 20880869.02]
Universe	Respondents with SWLEFOPT = 1
Literal question	How satisfied are you with your relationships with other family members?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	13128	2909350.1	46.6%
2	SATISFIED	12889	2865095.6	45.9%
3	NEITHER NOR	1255	273019.6	4.4%
4	DISSATISFIED	768	168598.7	2.7%

#SWLE_07: Satisfaction - relationship with family

Value	Label	Cases	Weighted	Percentage (Weighted)
5	VERY DISSATIS.	170	29231.8	0.5%
6	NOT APPLICABLE	103056	20658549.7	
7	DON'T KNOW	97	18653.3	
8	REFUSAL	10	1578.1	
9	NOT STATED	848	202087.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWLE_08: Satisfaction - relationship with friends

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W] [Valid=28188 / 6239477.57] [Invalid=104033 / 20886687.41]	
Universe Respondents with SWLEFOPT = 1	
Literal question	(How satisfied are you) with your relationships with friends?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	13034	2878238.6	46.1%
2	SATISFIED	13827	3072974.6	49.3%
3	NEITHER NOR	856	182993.8	2.9%
4	DISSATISFIED	409	92378.4	1.5%
5	VERY DISSATIS.	62	12892.2	0.2%
6	NOT APPLICABLE	103056	20658549.7	
7	DON'T KNOW	116	23233.0	
8	REFUSAL	11	2193.4	
9	NOT STATED	850	202711.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SWLE_09: Satisfaction - housing

Information	Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W] [Valid=28266 / 6254461.4] [Invalid=103955 / 20871703.58]		
Universe	Respondents with SWLEFOPT = 1	
Literal question	(How satisfied are you) with your housing?	

Value	Label	Cases	Weighted	Percenta	ge (Weighted)
1	VERY SATISFIED	13240	2954468.9		47.2%
2	SATISFIED	12852	2787729.5		44.6%
3	NEITHER NOR	1113	255901.3	4.1%	
4	DISSATISFIED	872	211329.6	3.4%	
5	VERY DISSATIS.	189	45032.0	0.7%	
6	NOT APPLICABLE	103056	20658549.7		
7	DON'T KNOW	41	8856.6		
8	REFUSAL	6	941.9		
9	NOT STATED	852	203355.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SWLE_10: Satisfaction - neighbourhood

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=28236 / 6248563.18] [Invalid=103985 / 20877601.8]
Universe	STSEFOPT

SWLE_10: Satisfaction - neighbourhood

Literal question (How satisfied are you) with your neighbourhood?

Value	Label	Cases	Weighted	Percent	age (Weighted)
1	VERY SATISFIED	11438	2515038.8		40.2%
2	SATISFIED	13854	3049257.3		48.8%
3	NEITHER NOR	1800	417020.2	6.7%	
4	DISSATISFIED	948	220902.1	3.5%	
5	VERY DISSATIS.	196	46344.8	0.7%	
6	NOT APPLICABLE	103056	20658549.7		
7	DON'T KNOW	70	15074.7		
8	REFUSAL	7	622.0		
9	NOT STATED	852	203355.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CSTEFOPT: Optional module: CST - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents
Literal question	Optional module: CST - (F)
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15117	1723104.7	6.4%
2	NO	117104	25403060.3	93.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CSTE_1: Spent 2 weeks or more in the hospital

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=13036 / 1481720.29] [Invalid=119185 / 25644444.69]	
Universe Respondents aged 18 and over with CSTEFOPT = 1	
Literal question Did you spend 2 weeks or more in the hospital?	
Notes Things that may have happened to respondent while he was a child or a teenager, before he moved out of the house.	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2179	224268.2	15.1%	
2	NO	10857	1257452.1		84.9%
6	NOT APPLICABLE	118581	25580664.2		
7	DON'T KNOW	166	15060.3		
8	REFUSAL	190	18667.4		
9	NOT STATED	248	30052.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#CSTE_2: Parents divorced

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=13143 / 1489712.9] [Invalid=119078 / 25636452.08]

CSTE_2: Parents divorced Universe Respondents aged 18 and over with CSTEFOPT = 1 Literal question Did your parents get a divorce?

Notes Things that may have happened to respondent while he was a child or a teenager, before he moved out of the house.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1367	181719.4	12.2%	
2	NO	11776	1307993.5		87.8%
6	NOT APPLICABLE	118581	25580664.2		
7	DON'T KNOW	44	5011.8		
8	REFUSAL	15	2056.0		
9	NOT STATED	438	48720.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CSTE_3: Parents unemployed for a long time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=12992 / 1475038.5] [Invalid=119229 / 25651126.48]	
Universe	Respondents aged 18 and over with CSTEFOPT = 1
Literal question Did your father or mother not have a job for a long time when they wanted to be working?	
Notes	Things that may have happened to respondent while he was a child or a teenager, before he moved out of the house.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1106	135528.2	9.2%
2	NO	11886	1339510.2	90.8%
6	NOT APPLICABLE	118581	25580664.2	
7	DON'T KNOW	183	19203.8	
8	REFUSAL	27	2538.4	
9	NOT STATED	438	48720.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CSTE_4: Something happened that scared you

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=13084 / 1484455.81] [Invalid=119137 / 25641709.17]	
Universe Respondents aged 18 and over with CSTEFOPT = 1	
Literal question Did something happen that scared you so much you thought about it for years after?	
Notes	Things that may have happened to respondent while he was a child or a teenager, before he moved out of the house.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2421	266220.2	17.9%
2	NO	10663	1218235.6	82.1%
6	NOT APPLICABLE	118581	25580664.2	
7	DON'T KNOW	93	9584.5	
8	REFUSAL	24	2633.8	
9	NOT STATED	439	48826.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CSTE_5: Sent away from home - something wrong

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=13128 / 1487731.62] [Invalid=119093 / 25638433.36]		
Universe	Respondents aged 18 and over with CSTEFOPT = 1	

CSTE_5: Sent away from home - something wrong

Literal question Were you sent away from home because you did something wrong?

Notes Things that may have happened to respondent while he was a child or a teenager, before he moved out of the house.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	279	33488.4	2.3%
2	NO	12849	1454243.3	97.
6	NOT APPLICABLE	118581	25580664.2	
7	DON'T KNOW	47	6498.6	
8	REFUSAL	25	2316.5	
9	NOT STATED	440	48954.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CSTE_6: Family prob./parents abusing alc./drugs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=13086 / 1483542.43] [Invalid=119135 / 25642622.55]	
Universe Respondents aged 18 and over with CSTEFOPT = 1	
Literal question Did either of your parents drink or use drugs so often that it caused problems for the family?	
Notes	Things that may have happened to respondent while he was a child or a teenager, before he moved out of the house.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1868	215177.7	14.5%
2	NO	11218	1268364.7	85.5%
6	NOT APPLICABLE	118581	25580664.2	
7	DON'T KNOW	77	9087.0	
8	REFUSAL	37	3917.4	
9	NOT STATED	440	48954.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CSTE_7: Physically abused - someone close to you

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=13093 / 1484431.81] [Invalid=119128 / 25641733.17]	
Universe	despondents aged 18 and over with CSTEFOPT = 1	
Literal question	Were you ever physically abused by someone close to you?	
Notes	Things that may have happened to respondent while he was a child or a teenager, before he moved out of the house.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1025	109125.6	7.4%
2	NO	12068	1375306.2	92
6	NOT APPLICABLE	118581	25580664.2	
7	DON'T KNOW	60	7281.1	
8	REFUSAL	47	4833.9	
9	NOT STATED	440	48954.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WSTEFOPT: Optional module: WST - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents	
Literal question	Optional module: WST - (F)	

WSTEFOPT: Optional module: WST - (F)

Notes

Refers to main job or business in past 12 months. The "not stated" category also includes respondents who should have been selected for the WST module, but were not because they answered they did not work at a job or business in the last 12 months at GENE_08 (General health module) and that they did work at a job or business in the last 12 months in the Labour Force module (LBF).

Value	Label	Cases	Weighted	
1	YES	36526	7203699.4	
2	NO	95695	19922465.6	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WSTE_413: Work stress - job satisfaction

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	atistics [NW/W] [Valid=21381 / 4658785.88] [Invalid=110840 / 22467379.1]	
Universe	Respondents aged 15 to 75 with WSTEFOPT = 1 who answered GENE_08 = (1, 7 or 8)	
Literal question	How satisfied were you with your job: (very satisfied, somewhat satisfied, not too satisfied, or not at all satisfied)	
Notes	Refers to main job or business in past 12 months	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	9280	1942026.7	41.7%
2	SOME SATISFIED	10207	2293166.6	49.2%
3	NOT TOO SATISF.	1401	311825.4	6.7%
4	NOT AT ALL SAT.	493	111767.3	2.4%
6	NOT APPLICABLE	109821	22236060.3	
7	DON'T KNOW	111	23456.2	
8	REFUSAL	11	2129.4	
9	NOT STATED	897	205733.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WSTEDSKI: Work stress - skill discretion - (D)

Information	Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/W]	'alid=21364 / 4657478.12] [Invalid=110857 / 22468686.86] [Mean=4.665 / 4.546] [StdDev=2.367 / 2.402]	
Universe	espondents aged 15 to 75 with WSTEFOPT = 1 who answered GENE_08 = (1, 7 or 8)	
Literal question	Vork stress - skill discretion - (D)	
Notes	Based on WSTE_401, WSTE_403, WSTE_409. Refers to main job or business in past 12 months. Higher scores indicate greater work stress. See documentation on derived variables.	

Value	Label	Cases	Weighted
96	NOT APPLICABLE	109821	22236060.3
97	DON'T KNOW	0	0.0
98	REFUSAL	0	0.0
99	NOT STATED	1036	232626.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WSTEDAUT: Work stress - authority - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*]	
Statistics [NW/W]	[Valid=21359 / 4652087.12] [Invalid=110862 / 22474077.86] [Mean=2.672 / 2.659] [StdDev=1.786 / 1.794]	

#WSTEDAUT: Work stress - authority - (D)		
Universe	Respondents aged 15 to 75 with WSTEFOPT = 1 who answered GENE_08 = (1, 7 or 8)	
Literal question	Work stress - authority - (D)	
Notes	Based on WSTE_401, WSTE_405, WSTE_406. Higher scores indicate greater work stress. See documentation on derived variables.	

Value	Label	Cases	Weighted
96	NOT APPLICABLE	109821	22236060.3
97	DON'T KNOW	0	0.0
98	REFUSAL	0	0.0
99	NOT STATED	1041	238017.6

WSTEDPSY: Work stress - psycholog. demands - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*]	
Statistics [NW/W]	[Valid=21289 / 4638649.32] [Invalid=110932 / 22487515.66] [Mean=4.371 / 4.359] [StdDev=1.7 / 1.707]	
Universe	Respondents aged 15 to 75 with WSTEFOPT = 1 who answered GENE_08 = (1, 7 or 8)	
Literal question	Work stress - psycholog. demands - (D)	
Notes	Based on WSTE_401, WSTE_407. Refers to main job or business in past 12 months. Higher scores indicate greater work stress. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	109821	22236060.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1111	251455.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WSTEDJIN: Work stress - job Insecurity - (D)

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]	
Statistics [NW/ W] [Valid=21350 / 4651008.88] [Invalid=110871 / 22475156.1]	
Universe Respondents aged 15 to 75 with WSTEFOPT = 1 who answered GENE_08 = (1, 7 or 8)	
Literal question	Work stress - job Insecurity - (D)
Notes	Based on WSTE_401, WSTE_407. Refers to main job or business in past 12 months. Higher scores indicate greater work stress. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	0	4706	1013307.4	21.8%
1	1	10868	2319964.6	49.9%
2	2	1645	373143.6	8.0%
3	3	3129	710125.7	15.3%
4	4	1002	234467.6	5.0%
5	5	0	0.0	
6	NOT APPLICABLE	109821	22236060.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1050	239095.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WSTEDPHY: Work stress - physical exertion - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

#WSTEDPHY: Work stress - physical exertion - (D)				
Statistics [NW/W] [Valid=21414 / 4667778.57] [Invalid=110807 / 22458386.41]				
Universe Respondents aged 15 to 75 with WSTEFOPT = 1 who answered GENE_08 = (1, 7 or 8)				
Literal question Work stress - physical exertion - (D)				
Notes Based on WSTE_401, WSTE_408. Higher scores indicate greater work stress. See documentation on derived variable				

Value	Label	Cases	Weighted	Percentage (Weighted)
0	0	2242	560595.1	12.0%
1	1	8097	1853393.6	39.7%
2	2	1986	442104.9	9.5%
3	3	6308	1239533.5	26.6%
4	4	2781	572151.4	12.3%
5	5	0	0.0	
6	NOT APPLICABLE	109821	22236060.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	986	222326.1	

WSTEDSOC: Work stress - social support - (D)

Information [Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]				
Statistics [NW/W] [Valid=20661 / 4507272.51] [Invalid=111560 / 22618892.47] [Mean=4.339 / 4.399] [StdDev=2.061 / 2.069				
Universe Respondents aged 15 to 75 with WSTEFOPT = 1 who answered GENE_08 = (1, 7 or 8)				
Literal question	Work stress - social support - (D)			
Notes	Based on WSTE_401, WSTE_410, WSTE_411, WSTE_412. Higher scores indicate greater work stress. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	109821	22236060.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1739	382832.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

#WSTEDJST: Work stress - job strain - (D)					
Information	[Type= continuous] [Format=numeric] [Range= 0.2-5] [Missing=*]				
Statistics [NW/W]	atistics [NW/W] [Valid=21162 / 4610744.58] [Invalid=111059 / 22515420.4] [Mean=1.417 / 1.438] [StdDev=0.647 / 0.671]				
Universe	Respondents aged 15 to 75 with WSTEFOPT = 1 who answered GENE_08 = (1, 7 or 8)				
Literal question Work stress - job strain - (D)					
Notes Based on WSTE_401, WSTE_402, WSTE_403, WSTE_404, WSTE_405, WSTE_406, WSTE_409. Higher score greater work stress. See documentation on derived variables.					

Value	Label	Cases	Weighted
9.96	NOT APPLICABLE	109821	22236060.3
9.97	DON'T KNOW	0	0.0
9.98	REFUSAL	0	0.0
9.99	NOT STATED	1238	279360.1

#SFEEFOPT: Optional module: SFE - (F)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe All respondents	
Literal question	Optional module: SFE - (F)
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15117	1723104.7	6.4%
2	NO	117104	25403060.3	93.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFEE_501: Self-esteem - has good qualities

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=14357 / 1640195.93] [Invalid=117864 / 25485969.05]
Literal question	You feel that you have a number of good qualities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	4959	620976.5	37.9%
2	AGREE	9119	989944.6	60.4%
3	NEITHER NOR	185	20246.4	1.2%
4	DISAGREE	88	8131.8	0.5%
5	STRONG DISAGREE	6	896.7	0.1%
6	NOT APPLICABLE	117104	25403060.3	
7	DON'T KNOW	131	12601.8	
8	REFUSAL	328	33543.2	
9	NOT STATED	301	36763.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SFEE_502: Self-esteem - is person of worth

		formation	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
--	--	-----------	--

# SFEE_502: Self-esteem - is person of worth			
Statistics [NW/W] [Valid=14328 / 1636984.92] [Invalid=117893 / 25489180.06]			
Universe Respondents with SFEEFOPT = 1			
Literal question You feel that you're a person of worth at least equal to others.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	5227	653706.0	39.9%
2	AGREE	8813	955379.8	58.4%
3	NEITHER NOR	155	16229.9	1.0%
4	DISAGREE	127	10737.6	0.7%
5	STRONG DISAGREE	6	931.5	0.1%
6	NOT APPLICABLE	117104	25403060.3	
7	DON'T KNOW	152	15072.5	
8	REFUSAL	8	740.2	
9	NOT STATED	629	70307.0	

#SFEE_503: Self-esteem - is able to do things well

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W] [Valid=14349 / 1637774.25] [Invalid=117872 / 25488390.73]	
Universe Respondents with SFEEFOPT = 1	
Literal question You are able to do things as well as most other people.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	4769	617012.4	37.7%
2	AGREE	8771	945272.9	57.7%
3	NEITHER NOR	322	29796.6	1.8%
4	DISAGREE	444	40553.2	2.5%
5	STRONG DISAGREE	43	5139.1	0.3%
6	NOT APPLICABLE	117104	25403060.3	
7	DON'T KNOW	129	13622.5	
8	REFUSAL	9	821.0	
9	NOT STATED	630	70887.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SFEE_504: Self-esteem - takes positive attitude

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W] [Valid=14355 / 1638685.87] [Invalid=117866 / 25487479.11]	
Universe Respondents with SFEEFOPT = 1	
Literal question You take a positive attitude toward yourself.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	4690	585148.0	35.7%
2	AGREE	8802	957769.5	58.4%
3	NEITHER NOR	486	52249.0	3.2%
4	DISAGREE	342	38839.8	2.4%
5	STRONG DISAGREE	35	4679.6	0.3%
6	NOT APPLICABLE	117104	25403060.3	
7	DON'T KNOW	119	12208.1	

#SFEE_504: Self-esteem - takes positive attitude

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	13	1323.8	
9	NOT STATED	630	70887.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SFEE_505: Self-esteem - satisfied with self

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W] [Valid=14374 / 1640174.49] [Invalid=117847 / 25485990.49]	
Universe Respondents with SFEEFOPT = 1	
Literal question On the whole you are satisfied with yourself.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	4444	547289.8	33.4%
2	AGREE	9091	995711.9	60.7%
3	NEITHER NOR	429	49877.0	3.0%
4	DISAGREE	372	43071.4	2.6%
5	STRONG DISAGREE	38	4224.4	0.3%
6	NOT APPLICABLE	117104	25403060.3	
7	DON'T KNOW	99	10797.0	
8	REFUSAL	14	1246.3	
9	NOT STATED	630	70887.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFEE_506: Self-esteem - feels is a failure

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/W]	[Valid=14338 / 1636011.25] [Invalid=117883 / 25490153.73]		
Universe	Respondents with SFEEFOPT = 1		
Literal question All in all, you're inclined to feel you're a failure.			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	46	5695.2	0.3%	
2	AGREE	388	41700.6	2.5%	
3	NEITHER NOR	320	36029.6	2.2%	
4	DISAGREE	6717	725034.4		44.3%
5	STRONG DISAGREE	6867	827551.5		50.6%
6	NOT APPLICABLE	117104	25403060.3		
7	DON'T KNOW	130	14721.9		
8	REFUSAL	18	1472.8		
9	NOT STATED	631	70898.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFEEDE1: Self-esteem scale - (D)

Information	[Type= continuous] [Format=numeric] [Range= 2-24] [Missing=*]				
Statistics [NW/ W]	[Valid=14210 / 1625984.98] [Invalid=118011 / 25500180] [Mean=19.769 / 19.982] [StdDev=2.863 / 2.887]				
Universe	Respondents with SFEEFOPT = 1				
Literal question	Self-esteem scale - (D)				
Notes	Based on SFEE_501, SFEE_502, SFEE_503, SFEE_504, SFEE_505, SFEE_506. Scores on the index are based on a subset of items from the self-esteem Rosenberg scale (1969). The six items have been factored into one dimension in the factor				

SFEEDE1: Self-esteem scale - (D)

analysis done by Pearlin and Schooler (1978). Higher scores indicate greater self-esteem. See documentation on derived variables.

Value	Label	Cases	Weighted
96	NOT APPLICABLE	117104	25403060.3
97	DON'T KNOW	0	0.0
98	REFUSAL	0	0.0
99	NOT STATED	907	97119.7

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSAEFOPT: Optional module: SSA - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]				
Universe	All respondents			
Literal question	Optional module: SSA - (F)			
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	56372	12755679.2	47.0%
2	NO	75849	14370485.8	53.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSAEDTNG: Tangible social support - MOS - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-16] [Missing=*]				
Statistics [NW/W]	[Valid=49605 / 11292962.64] [Invalid=82616 / 15833202.34] [Mean=12.822 / 13.18] [StdDev=3.741 / 3.403]				
Universe	Respondents with SSAEFOPT = 1				
Literal question	Tangible social support - MOS - (D)				
Notes	Based on SSAE_02, SSAE_05, SSAE_12, SSAE_15. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.				

Value	Label	Cases	Weighted
96	NOT APPLICABLE	75849	14370485.8
97	DON'T KNOW	0	0.0
98	REFUSAL	0	0.0
99	NOT STATED	6767	1462716.5

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSAEDAFF: Affection - MOS subscale - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]			
Statistics [NW/W]	[Valid=49743 / 11311671.83] [Invalid=82478 / 15814493.15] [Mean=10.287 / 10.548] [StdDev=2.631 / 2.36]			
Universe	Respondents with SSAEFOPT = 1			
Literal question	Affection - MOS subscale - (D)			
Notes	Based on SSAE_07, SSAE_11, SSAE_14, SSAE_18. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.			

#SSAEDAFF: Affection - MOS subscale - (D)

Value	Label	Cases	Weighted
96	NOT APPLICABLE	75849	14370485.8
97	DON'T KNOW	0	0.0
98	REFUSAL	0	0.0
99	NOT STATED	6629	1444007.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSAEDSOC: Positive social interaction - MOS - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-16] [Missing=*]				
Statistics [NW/W]	[Valid=49787 / 11318191.69] [Invalid=82434 / 15807973.29] [Mean=13.478 / 13.752] [StdDev=3.329 / 3.04]				
Universe	Respondents with SSAEFOPT = 1				
Literal question	Positive social interaction - MOS - (D)				
Notes	Based on SSAE_07, SSAE_11, SSAE_14, SSAE_18. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.				

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	75849	14370485.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	6585	1437487.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSAEDEMO: Emot./info. support - MOS subscale - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]
Statistics [NW/W]	[Valid=49007 / 11174769.19] [Invalid=83214 / 15951395.79] [Mean=26.584 / 26.992] [StdDev=6.63 / 6.188]
Universe	SSUEFOPT
Literal question	Emot./info. support - MOS subscale - (D)
Notes	Based on SSAE_03, SSAE_04, SSAE_08, SSAE_09, SSAE_13, SSAE_16, SSAE_17, SSAE_19. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	75849	14370485.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	7365	1580910.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMHEFOPT: Optional module: CMH - (F)

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents	
Literal question	Optional module: CMH - (F)	
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	58666	13894427.2	51.2%
2	NO	73555	13231737.7	48.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	

CMHEFOPT: Optional module: CMH - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMHE_01K: Consulted mental health professional

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=56568 / 13294626.36] [Invalid=75653 / 13831538.62]		
Universe	Respondents with CMHEFOPT = 1		
Literal question	In the past 12 months, have you seen, or talked on the telephone, to a health professional about your emotional or mental health?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4714	1017025.4	7.6%
2	NO	51854	12277601.0	92.4%
6	NOT APPLICABLE	73555	13231737.7	
7	DON'T KNOW	108	32531.0	
8	REFUSAL	175	41821.9	
9	NOT STATED	1815	525448.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMHEG01L: Cons. mental hlth prof. - no. times -(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/W]	[Valid=4671 / 1009043.63] [Invalid=127550 / 26117121.35]	
Universe	Respondents who answered CMHE_01K = 1	
Literal question	How many times (in the past 12 months)?	

Value	Label	Cases	Weighted	Percentage (W	eighted)
1	1 CONSULTATION	1112	244024.8		24.2%
2	2 CONSULTATIONS	826	181498.8		18.0%
3	3 CONSULTATIONS	489	108080.7	10.7%	
4	4 CONSULTATIONS	420	85727.5	8.5%	
5	5 CONSULTATIONS	207	48054.0	4.8%	
6	6 CONSULTATIONS	321	68027.4	6.7%	
7	7 CONSULTATIONS	49	7089.8	0.7%	
8	8 CONSULTATIONS	97	20051.4	2.0%	
9	9 CONSULTATIONS	25	4581.1	0.5%	
10	10 CONSULTATIONS	152	33288.3	3.3%	
11	11 CONSULTATIONS	12	2807.8	0.3%	
12	12+ CONSULTATION	961	205812.1		20.4%
96	NOT APPLICABLE	125409	25509338.7		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	2141	607782.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMHE_1MA: Consulted mental hlth prof. - fam. doc.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4709 / 1015603.59] [Invalid=127512 / 26110561.39]

CMHE_1MA: Consulted mental hlth prof. - fam. doc.

Literal question Whom did you see or talk to? - Family doctor or general practitioner

Value	Label	Cases	Weighted
1	YES	2421	515112.5
2	NO	2288	500491.1
6	NOT APPLICABLE	125409	25509338.7
7	DON'T KNOW	2	536.4
8	REFUSAL	1	606.4
9	NOT STATED	2100	600079.9

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#CMHE_1MB: Consulted men. hlth prof. - psychiatrist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4709 / 1015603.59] [Invalid=127512 / 26110561.39]	
Universe	Respondents who answered CMHE_01K = (1, 7 or 8)	
Literal question	Whom did you see or talk to? - Psychiatrist	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	977	221419.8	21.8%
2	NO	3732	794183.7	78.2%
6	NOT APPLICABLE	125409	25509338.7	
7	DON'T KNOW	2	536.4	
8	REFUSAL	1	606.4	
9	NOT STATED	2100	600079.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMHE_1MC: Consulted men. hlth prof. - psychologist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=4709 / 1015603.59] [Invalid=127512 / 26110561.39]
Literal question	Whom did you see or talk to? - Psychologist

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	735	159080.3	15.7%	
2	NO	3974	856523.3		84.3
6	NOT APPLICABLE	125409	25509338.7		
7	DON'T KNOW	2	536.4		
8	REFUSAL	1	606.4		
9	NOT STATED	2100	600079.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMHE_1MD: Consulted mental hlth prof. - nurse

Information	nation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=4709 / 1015603.59] [Invalid=127512 / 26110561.39]		
Universe Respondents who answered CMHE_01K = (1, 7 or 8)		
Literal question	Whom did you see or talk to? - Nurse	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	264	56652.5	5.6%
2	NO	4445	958951.1	94.4%
6	NOT APPLICABLE	125409	25509338.7	

CMHE_1MD: Consulted mental hlth prof. - nurse

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	2	536.4	
8	REFUSAL	1	606.4	
9	NOT STATED	2100	600079.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMHE_1ME: Consulted men. hlth prof.- social worker

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=4709 / 1015603.59] [Invalid=127512 / 26110561.39]	
Universe	Respondents who answered CMHE_01K = (1, 7 or 8)
Literal question	Whom did you see or talk to? - Social worker or counsellor

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1153	241964.6	23.8%
2	NO	3556	773639.0	76.2%
6	NOT APPLICABLE	125409	25509338.7	
7	DON'T KNOW	2	536.4	
8	REFUSAL	1	606.4	
9	NOT STATED	2100	600079.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMHE_1MF: Consulted mental hlth prof. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=4709 / 1015603.59] [Invalid=127512 / 26110561.39]	
Universe	Respondents who answered CMHE_01K = (1, 7 or 8)
Literal question	Whom did you see or talk to? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	325	68556.4	6.8%
2	NO	4384	947047.1	93.2%
6	NOT APPLICABLE	125409	25509338.7	
7	DON'T KNOW	2	536.4	
8	REFUSAL	1	606.4	
9	NOT STATED	2100	600079.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DISEFOPT: Optional module: DIS - (F)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]		
Universe	All respondents	
Literal question	Optional module: DIS - (F)	
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	66168	13660921.6	50.4%
2	NO	66053	13465243.4	49.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

DISEFOPT: Optional module: DIS - (F)

ľ	Value	Label	Cases	Weighted	Percentage (Weighted)
	9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DISE_10A: Frequency/distress:tired out-past month

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/W] [Valid=63182 / 13001265.49] [Invalid=69039 / 14124899.49]				
Universe	Respondents with DISEFOPT = 1			
Literal question	During the past month, about how often did you feel tired out for no good reason: (all of the time, most of the time, some of the time, a little of the time, or none of the time)?			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALL OF THE TIME	1285	232723.4	1.8%	
2	MOST OF THE TIME	3419	657244.2	5.1%	
3	SOME OF THE TIME	14294	3013456.9	23.2%	
4	LITTLE OF TIME	17261	3699080.5	28.5%	
5	NONE OF THE TIME	26923	5398760.5		41.5%
6	NOT APPLICABLE	66053	13465243.4		
7	DON'T KNOW	520	103392.2		
8	REFUSAL	758	161067.2		
9	NOT STATED	1708	395196.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DISE_10B: Freq./distress: felt nervous - past mo

Information	ion [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W] [Valid=62997 / 12968909.77] [Invalid=69224 / 14157255.21]		
Universe Respondents with DISEFOPT = 1		
Literal question During the past month, about how often did you feel nervous?		
Notes	Formerly DISA_01B in cycle 1.1	

Value	Label	Cases	Weighted	Percentage (Weighted)		
1	ALL OF THE TIME	1294	262251.2	2.0%		
2	MOST OF THE TIME	3360	685680.0	5.3%		
3	SOME OF THE TIME	13904	3067698.3		23.7%	
4	LITTLE OF TIME	14954	3256282.9		25.1%	
5	NONE OF THE TIME	29485	5696997.3			43.9%
6	NOT APPLICABLE	66053	13465243.4			
7	DON'T KNOW	158	27861.9			
8	REFUSAL	20	3613.2			
9	NOT STATED	2993	660536.7			

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DISE_10C: Freq./distress:so nervous - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W] [Valid=62902 / 12950965.09] [Invalid=69319 / 14175199.89]		
Universe Respondents with DISEFOPT = 1		
Literal question (During the past month, about how often did you feel) so nervous that nothing could calm you down?		
Notes	Formerly DISA_01B in cycle 1.1	

#DISE_10C: Freq./distress:so nervous - past month

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	272	56732.7	0.4%
2	MOST OF THE TIME	615	127388.1	1.0%
3	SOME OF THE TIME	2304	489173.3	3.8%
4	LITTLE OF TIME	4710	1075741.8	8.3%
5	NONE OF THE TIME	55001	11201929.2	86.5%
6	NOT APPLICABLE	66053	13465243.4	
7	DON'T KNOW	84	15914.8	
8	REFUSAL	7	942.4	
9	NOT STATED	3175	693099.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DISE_10D: Freq./distress: felt hopeless - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=63000 / 12965357.12] [Invalid=69221 / 14160807.86]	
Universe Respondents with DISEFOPT = 1		
Literal question During the past month, about how often did you feel hopeless?		
Notes Formerly DISA_01B in cycle 1.1		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	283	52882.8	0.4%
2	MOST OF THE TIME	747	139782.0	1.1%
3	SOME OF THE TIME	3685	764161.3	5.9%
4	LITTLE OF TIME	5681	1264216.2	9.8%
5	NONE OF THE TIME	52604	10744314.9	82.9%
6	NOT APPLICABLE	66053	13465243.4	
7	DON'T KNOW	138	28670.7	
8	REFUSAL	31	5209.7	
9	NOT STATED	2999	661684.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DISE_10E: Freq./distress: felt restless - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W] [Valid=62966 / 12960239.01] [Invalid=69255 / 14165925.97]		
Universe Respondents with DISEFOPT = 1		
Literal question During the past month, about how often did you feel restless or fidgety?		
Notes Formerly DISA_01C in cycle 1.1		

Value	Label	Cases	Weighted	Percentage (Weighter	d)
1	ALL OF THE TIME	1040	213750.6	1.6%	
2	MOST OF THE TIME	2085	421241.3	3.3%	
3	SOME OF THE TIME	10059	2131906.9	16.4%	
4	LITTLE OF TIME	10900	2350694.7	18.1%	
5	NONE OF THE TIME	38882	7842645.5		60.5%
6	NOT APPLICABLE	66053	13465243.4		
7	DON'T KNOW	164	33072.0		
8	REFUSAL	36	5745.7		
9	NOT STATED	3002	661864.9		

#DISE_10E: Freq./distress: felt restless - past mo

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DISE_10F: Frequency/distress:could not sit still

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=62897 / 12944864.39] [Invalid=69324 / 14181300.59]	
Universe	Respondents with DISEFOPT = 1	
Literal question (During the past month, about how often did you feel) so restless you could not sit still?		
Notes	In processing, if a respondent answered DISE_10E = 5 (none of the time), the variable DISE_10F is given the value of 5 (none of the time).	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	482	101134.6	0.8%
2	MOST OF THE TIME	958	177217.6	1.4%
3	SOME OF THE TIME	3733	790723.2	6.1%
4	LITTLE OF TIME	5063	1092673.0	8.4%
5	NONE OF THE TIME	52661	10783115.9	83.3%
6	NOT APPLICABLE	66053	13465243.4	
7	DON'T KNOW	67	14460.6	
8	REFUSAL	1	892.0	
9	NOT STATED	3203	700704.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DISE_10G: Freq./distress: sad,depressed - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=62992 / 12966683.1] [Invalid=69229 / 14159481.88]	
Universe Respondents with DISEFOPT = 1		
Literal question (During the past month, about how often did you feel) sad or depressed?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	475	79650.2	0.6%
2	MOST OF THE TIME	1677	326151.8	2.5%
3	SOME OF THE TIME	10198	2110466.7	16.3%
4	LITTLE OF TIME	12669	2725795.3	21.0%
5	NONE OF THE TIME	37973	7724619.0	59.6%
6	NOT APPLICABLE	66053	13465243.4	
7	DON'T KNOW	123	23282.4	
8	REFUSAL	46	8051.9	
9	NOT STATED	3007	662904.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DISE_10H: Freq./d.:dep,nothing cheer up - past mo.

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	tatistics [NW/ W] [Valid=62934 / 12958210.8] [Invalid=69287 / 14167954.18]	
Universe	Respondents with DISEFOPT = 1	
Literal question (During the past month, about how often did you feel) so depressed that nothing could cheer you up?		
Notes	In processing, if a respondent answered DISE_10G = 5 (none of the time), the variable DISE_10H is given the value of 5 (none of the time).	

V	alue	Label	Cases	Weighted	Percentage (Weighted)
1		ALL OF THE TIME	215	40738.1	0.3%

#DISE_10H: Freq./d.:dep,nothing cheer up - past mo.

Value	Label	Cases	Weighted	Percentage (Weighted)
2	MOST OF THE TIME	604	110748.5	0.9%
3	SOME OF THE TIME	2388	501698.7	3.9%
4	LITTLE OF TIME	3823	842652.6	6.5%
5	NONE OF THE TIME	55904	11462373.0	88.5%
6	NOT APPLICABLE	66053	13465243.4	
7	DON'T KNOW	54	8105.3	
8	REFUSAL	4	367.0	
9	NOT STATED	3176	694238.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\mbox{\tt\#DISE_10I:}$ Freq./distr: every. was effort - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=62843 / 12940287.1] [Invalid=69378 / 14185877.88]
Universe	Respondents with DISEFOPT = 1
Literal question	(During the past month, about how often did you feel) that everything was an effort?
Notes	Formerly DISA_01F in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALL OF THE TIME	1159	209695.2	1.6%	
2	MOST OF THE TIME	1962	374867.9	2.9%	
3	SOME OF THE TIME	6888	1387609.0	10.7%	
4	LITTLE OF TIME	8301	1759703.1	13.6%	
5	NONE OF THE TIME	44533	9208411.9	71.2%	
6	NOT APPLICABLE	66053	13465243.4		
7	DON'T KNOW	260	47914.7		
8	REFUSAL	54	8658.0		
9	NOT STATED	3011	664061.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DISE_10J: Freq./distr.: felt worthless - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=62871 / 12945368.23] [Invalid=69350 / 14180796.75]
Universe	Respondents with DISEFOPT = 1
Literal question	(During the past month, about how often did you feel) worthless?
Notes	Formerly DISA_01E in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	339	55399.2	0.4%
2	MOST OF THE TIME	650	119894.4	0.9%
3	SOME OF THE TIME	2771	570772.2	4.4%
4	LITTLE OF TIME	4031	867054.5	6.7%
5	NONE OF THE TIME	55080	11332247.8	
6	NOT APPLICABLE	66053	13465243.4	
7	DON'T KNOW	212	40614.3	
8	REFUSAL	74	10877.3	
9	NOT STATED	3011	664061.7	

# DISE_10K: Freq. of o	listress feelings - past mo
Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=62545 / 12877960.32] [Invalid=69676 / 14248204.66]
Universe	Respondents with DISEFOPT = 1
Literal question	Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?
Notes	Formerly DISA_01G in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MORE OFTEN	8485	1803912.9	14.0%
2	LESS OFTEN	5188	1103430.6	8.6%
3	ABOUT THE SAME	38594	8044870.7	62.5%
4	NEVER HAD ANY	10278	1925746.1	15.0%
6	NOT APPLICABLE	66053	13465243.4	
7	DON'T KNOW	484	94584.4	
8	REFUSAL	90	17816.3	
9	NOT STATED	3049	670560.6	

${\tt\#\,DISE_10L\colon Freq.\, of\, distress\, feelings\, (more\, often)}$

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=8428 / 1792878.91] [Invalid=123793 / 25333286.07]
Universe	Respondents who answered DISE_10K = (1, 7 or 8) or DISE_10A = (7 or 8) or DISE_10B = (7 or 8) and DISE_10D = (7 or 8)
Literal question	Is that a lot more, somewhat more or only a little more often than usual?
Notes	Formerly DISA_01H in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	2955	621267.7	34.7%
2	SOMEWHAT	2291	498578.0	27.8%
3	A LITTLE	3182	673033.2	37.5%
6	NOT APPLICABLE	120113	24539290.8	
7	DON'T KNOW	50	10215.5	
8	REFUSAL	6	765.2	
9	NOT STATED	3624	783014.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DISE_10M: Freq. of distress feelings (less often)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=5074 / 1080472.12] [Invalid=127147 / 26045692.86]
Universe	Respondents who answered DISE_10K = (1, 7 or 8) or DISE_10A = (7 or 8) or DISE_10B = (7 or 8) and DISE_10D = (7 or 8) and DISE_10B = (7 or 8) and DISE_10B = (7 or 8) and DISE_10B = (7 or 8)
Literal question	Is that a lot less, somewhat less or only a little less often than usual?
Notes	Formerly DISA_01I in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	1696	354238.5	32.8%
2	SOMEWHAT	1510	313793.9	29.0%
3	A LITTLE	1868	412439.7	38.2%
6	NOT APPLICABLE	123410	25239773.1	

DISE_10M: Freq. of distress feelings (less often)

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	109	21952.5	
8	REFUSAL	5	1006.0	
9	NOT STATED	3623	782961.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DISE_10N: Freq./distr. feelings int. w/life-p.m.

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=52089 / 10921396.02] [Invalid=80132 / 16204768.96]
Universe	Respondents who answered DISE_10K = (1, 2, 3, 7 or 8) or DISE_10A = (7 or 8) or DISE_10B = (7 or 8) and DISE_10D = (7 or 8) and DISE_10E = (7 or 8) and DISE_10B = (7 or 8) and DISE_10B = (7 or 8)
Literal question	During the past month, how much did these feelings usually interfere with your life or activities: (a lot, some, a little, or not at all)?
Notes	Formerly DISA_01J in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	2551	509029.9	4.7%
2	SOME	5045	1032615.6	9.5%
3	A LITTLE	13384	2907912.5	26.6%
4	NOT AT ALL	31109	6471838.0	59.3%
6	NOT APPLICABLE	76331	15390989.5	
7	DON'T KNOW	138	24749.3	
8	REFUSAL	25	2983.6	
9	NOT STATED	3638	786046.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DISEDK6: Distress scale - K6 - past month - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/W]	[Valid=62362 / 12850180.22] [Invalid=69859 / 14275984.76] [Mean=2.728 / 2.776] [StdDev=3.309 / 3.25]
Universe	Respondents with DISEFOPT = 1
Literal question	Distress scale - K6 - past month - (D)
Notes	Based on DISE_10B, DISE_10D, DISE_10E, DISE_10H, DISE_10I, DISE_10J. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	66053	13465243.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	3806	810741.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DISEDDSX: Distress scale - K10 - past month - (D)

Information	Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]	
Statistics [NW/W]	[Valid=62274 / 12831679.9] [Invalid=69947 / 14294485.08] [Mean=4.785 / 4.855] [StdDev=5.296 / 5.216]	
Universe	Respondents with DISEFOPT = 1	
Literal question	Distress scale - K10 - past month - (D)	
Notes	Based on DISE_10A, DISE_10B, DISE_10C, DISE_10D, DISE_10E, DISE_10F, DISE_10G, DISE_10H, DISE_10I, DISE_10J. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	66053	13465243.4	

DISEDDSX: Distress scale - K10 - past month - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	3894	829241.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DISEDCHR: Chronicity of distress/impair. scale (D)

Information	Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/W]	Valid=62374 / 12843967.84] [Invalid=69847 / 14282197.14]	
Universe	Respondents with DISEFOPT = 1	
Literal question	Chronicity of distress/impair. scale (D)	
Notes	Based on DISE_10K, DISE_10L, DISE_10M. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	A LOT MORE	2955	621267.7	4.8%	
2	SOMEWHAT MORE	2291	498578.0	3.9%	
3	LITTLE MORE	3182	673033.2	5.2%	
4	ABOUT THE SAME	38594	8044870.7		62.6%
5	LITTLE LESS	1868	412439.7	3.2%	
6	SOMEWHAT LESS	1510	313793.9	2.4%	
7	A LOT LESS	1696	354238.5	2.8%	
8	NEVER HAD ANY	10278	1925746.1	15.0%	
96	NOT APPLICABLE	66053	13465243.4		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	3794	816953.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPSEFOPT: Optional module: DPS - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]		
Universe	All respondents		
Literal question	Optional module: DPS - (F)		
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".		

Value	Label	Cases	Weighted
1	YES	71234	14456904.8
2	NO	60987	12669260.2
6	NOT APPLICABLE	0	0.0
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	0	0.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPSEDSF: Depr. scale - short form score - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/W]	[Valid=67711 / 13713092.44] [Invalid=64510 / 13413072.54] [Mean=0.428 / 0.4] [StdDev=1.518 / 1.467]		
Universe	Respondents with DPSEFOPT = 1		

# DPSEDSF: Depr. scale - short form score - (D)				
Literal question	Depr. scale - short form score - (D)			
Notes	Based on DPSE_02, DPSE_05, DPSE_06, DPSE_08A, DPSE_08B, DPSE_10, DPSE_11, DPSE_12, DPSE_13, DPSE_16, DPSE_17, DPSE_18, DPSE_19, DPSE_21A, DPSE_21B, DPSE_23, DPSE_24, DPSE_25, DPSE_26. Higher scores indicate higher level of depression. See documentation on derived variables			

Value	Label	Cases	Weighted
96	NOT APPLICABLE	60987	12669260.2
97	DON'T KNOW	0	0.0
98	REFUSAL	0	0.0
99	NOT STATED	3523	743812.4

DPSEDPP: Depr. scale - predicted prob. - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-0.9] [Missing=*]			
Statistics [NW/W]	[Valid=67711 / 13713092.44] [Invalid=64510 / 13413072.54]			
Universe	Respondents with DPSEFOPT = 1			
Literal question	Depr. scale - predicted prob (D)			
Notes	Based on DPSEDSF. A probability of caseness of 0 was assigned to respondents who denied the stem questions. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)
0	0.00	62197	12662399.0	92.3%
0.05	0.05	108	23655.7	0.2%
0.25	0.25	279	58249.3	0.4%
0.5	0.50	534	96732.3	0.7%
0.8	0.80	831	162444.2	1.2%
0.9	0.90	3762	709611.9	5.2%
9.96	NOT APPLICABLE	60987	12669260.2	
9.97	DON'T KNOW	0	0.0	
9.98	REFUSAL	0	0.0	
9.99	NOT STATED	3523	743812.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DPSEDWK: No. of weeks felt depressed - (D)

Information	[Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]
Statistics [NW/W]	[Valid=5219 / 993146.41] [Invalid=127002 / 26133018.57] [Mean=12.728 / 12.33] [StdDev=14.335 / 14.035]
Universe	Respondents who answered DPSE_05 = (1, 7 or 8) or DPSE_06 = (1, 7 or 8) or DPSE_09 = (1, 7 or 8) or DPSE_11 = (1, 7 or 8) or DPSE_12 = (1, 7 or 8) or DPSE_13 = (1, 7 or 8) or DPSE_07 = (1, 2, 7 or 8) or DPSE_19 = (1, 7 or 8) or DPSE_22 = (1, 7 or 8) or DPSE_24 = (1, 7 or 8) or DPSE_25 = (1, 7 or 8) or DPSE_26 = (1, 7 or 8) or DPSE_20 = (1, 2, 7 or 8) or DPSE_20 = (1, 2, 7 or 8) or DPSE_20 = (1, 2, 7 or 8) or DPSE_10, DPSE_10, DPSE_10, DPSE_16, DPSE_17, DPSE_18, DPSE_23 = (7 or 8)
Literal question	No. of weeks felt depressed - (D)
Notes	Based on DPSE_14, DPSE_27. Respondents who did not report feeling sad, blue or depressed and who did not report having lost interest in most things are excluded from the calculation of this variable; or did not show any required signs of depression have been excluded from the population. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)	
96	NOT APPLICABLE	123265	25347782.1		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99 NOT STATED 3737 785236.5					
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# DPSEDMT: Specific month last felt depressed - (D)					
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]				
Statistics [NW/W]	[Valid=4801 / 920023.8] [Invalid=127420 / 26206141.18]				
Universe	Respondents who answered DPSE_14 < 52 or DPSE_27 < 52 or DPSE_14 = (97 or 98) or DPSE_27 = (97 or 98) or one of DPSE_02, DPSE_03, DPSE_04, DPSE_05, DPSE_06, DPSE_07, DPSE_09, DPSE_10, DPSE_11, DPSE_12, DPSE_13, DPSE_16, DPSE_17, DPSE_18, DPSE_19, DPSE_20, DPSE_22, DPSE_23, DPSE_24, DPSE_25, DPSE_26 = (7 or 8)				
Literal question	Specific month last felt depressed - (D)				
Notes	Based on DPSE_14, DPSE_15, DPSE_27, DPSE_28. The following respondents have been excluded from the population: respondents who did not report feeling sad, blue or depressed and who did not report having lost interest in most things; or respondents who did not show any required signs of depression; or respondents who have been depressed more than 51 weeks in the last past year; in the calculation of this variable. See documentation on derived variables.				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	505	107235.0	11.7%
2	FEBRUARY	503	92524.2	10.1%
3	MARCH	481	82198.8	8.9%
4	APRIL	436	80082.3	8.7%
5	MAY	379	66660.1	7.2%
6	JUNE	330	55257.6	6.0%
7	JULY	359	64419.1	7.0%
8	AUGUST	287	61680.5	6.7%
9	SEPTEMBER	362	65579.7	7.1%
10	OCTOBER	381	71354.8	7.8%
11	NOVEMBER	363	82739.9	9.0%
12	DECEMBER	415	90291.9	9.8%
96	NOT APPLICABLE	123610	25411630.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	3810	794511.2	

SUIEFOPT: Optional module: SUI - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	Valid=132221 / 27126164.98] [Invalid=0 / 0]			
Universe	All respondents			
Literal question	Optional module: SUI - (F)			
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	90496	20511575.0	75.6%
2	NO	41725	6614590.0	24.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SUIE_1: Has considered suicide - lifetime

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=82675 / 18630687.84] [Invalid=49546 / 8495477.14]	

SUIE_1: Has considered suicide - lifetime Universe Respondents aged 15 and over with SUIEFOPT = 1 Literal question Have you ever seriously considered committing suicide or taking your own life?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	8703	1755881.5	9.4%	
2	NO	73972	16874806.4	90.6%	
6	NOT APPLICABLE	45924	7558927.1		
7	DON'T KNOW	294	72580.8		
8	REFUSAL	523	101922.0		
9	NOT STATED	2805	762047.3		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

#SUIE_2: Has considered suicide - past 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=8688 / 1753608.62] [Invalid=123533 / 25372556.36]	
Universe	Respondents who answered SUIE_1 = (1, 7 or 8)	
Literal question	Has this happened in the past 12 months?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1780	363456.6	20.7%
2	NO	6908	1390152.0	79.3%
6	NOT APPLICABLE	119896	24433733.4	
7	DON'T KNOW	10	1921.0	
8	REFUSAL	4	196.4	
9	NOT STATED	3623	936705.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REPE_1: Repetitive strain injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=129496 / 26480852.75] [Invalid=2725 / 645312.23]
Universe	All respondents
Literal question	In the past 12 months, did you have any injuries due to repetitive strain which were serious enough to limit your normal activities?
Notes	Repetitive strain injuries mean injuries caused by overuse or by repeating the same movement frequently.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13407	2801537.1	10.6%
2	NO	116089	23679315.6	89.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	343	72963.0	
8	REFUSAL	598	114791.0	
9	NOT STATED	1784	457558.3	
Warning: these figure	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# REPEG3: Rep. strain - body part affected - (G)		
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/W]	[Valid=13379 / 2794989.84] [Invalid=118842 / 24331175.14]	
Universe Respondents who answered REPE_1 = (1, 7 or 8)		
Literal question Thinking about the most serious repetitive strain, what part of the body was affected?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NECK	429	89015.4	3.2%
2	SHOULDER /UP ARM	2812	567115.7	20.3%
3	ELBOW, LOWER ARM	1997	449788.9	16.1%
4	WRIST / HAND	3177	610069.5	21.8%
5	KNEE / LOWER LEG	1257	279153.8	10.0%
6	ANKLE / FOOT	712	160230.8	5.7%
7	UPPER BACK	407	85640.3	3.1%
8	LOWER BACK	1990	431360.7	15.4%
9	OTHER	598	122614.8	4.4%
96	NOT APPLICABLE	116089	23679315.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2753	651859.5	

REPE_4A: Rep. strain - sports / exercise

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=13144 / 2753343.92] [Invalid=119077 / 24372821.06]
Universe	Respondents who answered REPE_1 = (1, 7 or 8)
Literal question	What type of activity were you doing when you got this repetitive strain? - Sports or physical exercise (including school activities)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2812	678905.9	24.7%
2	NO	10332	2074438.0	75.3%
6	NOT APPLICABLE	116089	23679315.6	
7	DON'T KNOW	258	46791.2	
8	REFUSAL	5	1402.0	
9	NOT STATED	2725	645312.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REPE_4B: Rep. strain - leisure/hobby

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=13144 / 2753343.92] [Invalid=119077 / 24372821.06]	
Universe	Respondents who answered REPE_1 = (1, 7 or 8)	
Literal question	What type of activity were you doing when you got this repetitive strain? - Leisure or hobby (include volunteering)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1147	207838.6	7.5%
2	NO	11997	2545505.3	92.5%
6	NOT APPLICABLE	116089	23679315.6	
7	DON'T KNOW	258	46791.2	
8	REFUSAL	5	1402.0	

REPE_4B: Rep. strain - leisure/hobby

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	2725	645312.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REPE_4C: Rep. strain - job/business

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=13144 / 2753343.92] [Invalid=119077 / 24372821.06]
Universe	Respondents who answered REPE_1 = (1, 7 or 8)
Literal question	What type of activity were you doing when you got this repetitive strain? - Working at a job or business (exclude travel to or from work)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6401	1361438.0	49.4%
2	NO	6743	1391905.9	50.6%
6	NOT APPLICABLE	116089	23679315.6	
7	DON'T KNOW	258	46791.2	
8	REFUSAL	5	1402.0	
9	NOT STATED	2725	645312.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#REPE_4G: Rep. strain - travel to/from work

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=13144 / 2753343.92] [Invalid=119077 / 24372821.06]		
Universe Respondents who answered REPE_1 = (1, 7 or 8)		
Literal question	What type of activity were you doing when you got this repetitive strain? - Travel to or from work	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	127	25482.6	0.9%
2	NO	13017	2727861.4	99.1%
6	NOT APPLICABLE	116089	23679315.6	
7	DON'T KNOW	258	46791.2	
8	REFUSAL	5	1402.0	
9	NOT STATED	2725	645312.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#REPE_4D: Rep. strain - chores, unpaid work, ed.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=13144 / 2753343.92] [Invalid=119077 / 24372821.06]	
Universe	Respondents who answered REPE $_1 = (1, 7 \text{ or } 8)$	
Literal question	What type of activity were you doing when you got this repetitive strain? - Household chores, other unpaid work or education	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1781	328058.7	11.9%	
2	NO	11363	2425285.3		88.1%
6	NOT APPLICABLE	116089	23679315.6		
7	DON'T KNOW	258	46791.2		
8	REFUSAL	5	1402.0		
9	NOT STATED	2725	645312.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# REPE_4E: Rep. strain - sleeping, eating, care		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=13144 / 2753343.92] [Invalid=119077 / 24372821.06]		
Universe Respondents who answered REPE_1 = (1, 7 or 8)		
Literal question What type of activity were you doing when you got this repetitive strain? - Sleeping, eating, personal care		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	191	35726.1	1.3%
2	NO	12953	2717617.8	98.7%
6	NOT APPLICABLE	116089	23679315.6	
7	DON'T KNOW	258	46791.2	
8	REFUSAL	5	1402.0	
9	NOT STATED	2725	645312.2	

REPE_4F: Rep. strain - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=13144 / 2753343.92] [Invalid=119077 / 24372821.06]	
Universe Respondents who answered REPE_1 = (1, 7 or 8)	
Literal question What type of activity were you doing when you got this repetitive strain? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1342	251912.4	9.1%
2	NO	11802	2501431.5	90.9%
6	NOT APPLICABLE	116089	23679315.6	
7	DON'T KNOW	258	46791.2	
8	REFUSAL	5	1402.0	
9	NOT STATED	2725	645312.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJE_01: Injured in past 12 mo

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=129595 / 26497024.01] [Invalid=2626 / 629140.97]	
Universe All respondents	
Literal question (Not counting repetitive strain injuries,) in the past 12 months, were you injured?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17381	3646910.4	13.8%
2	NO	112214	22850113.6	86.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	235	52625.6	
8	REFUSAL	583	112646.0	
9	NOT STATED	1808	463869.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJEG02: No. of injuries in past 12 mo - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W] [Valid=17333 / 3637785.3] [Invalid=114888 / 23488379.68]		
Universe Respondents who answered INJE_01 = (1, 7 or 8)		
Literal question How many times were you injured?		

INJEG02: No. of injuries in past 12 mo - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONE INJURY	13549	2819852.9	77.5%
2	TWO INJURIES	2314	503333.5	13.8%
3	3 TO 5 INJURIES	1131	242958.7	6.7%
4	6+ INJURIES	339	71640.2	2.0%
6	NOT APPLICABLE	112214	22850113.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2674	638266.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJEG05: Most serious injury - type - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/W]	[Valid=17292 / 3628194.51] [Invalid=114929 / 23497970.47]
Universe	Respondents who answered INJE_01 = (1, 7 or 8)
Literal question	What type of injury did you have? For example, a broken bone or burn.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MULT INJURIES	337	67889.6	1.9%
2	BROKEN BONES	3670	728021.1	20.1%
3	BURN, SCALD, CHE	594	126872.5	3.5%
4	DISLOCATION	564	111332.5	3.1%
5	SPRAIN OR STRAIN	6494	1429013.8	39.4%
6	CUT, PUNCTURE	1953	419708.1	11.6%
7	SCRAP, BRUISE	1067	206603.4	5.7%
8	CONCUSSION OR IN	345	71064.4	2.0%
9	OTHER	2268	467689.0	12.9%
96	NOT APPLICABLE	112214	22850113.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2715	647856.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#INJEG06: Most serious inj. - body part aff. - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/W]	[Valid=16800 / 3532633.86] [Invalid=115421 / 23593531.12]
Universe	Respondents who answered INJE_01 = (1, 7 or 8)
Literal question	What part of the body was injured?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MULTIPLE SITES	324	63954.6	1.8%
2	EYES/HEAD/NECK	1229	263510.0	7.5%
3	SHOULDER, UPPER	1356	279619.5	7.9%
4	ELBOW,LOWER ARM	721	135917.6	3.8%
5	WRIST OR HAND	3406	729425.2	20.6%
6	HIP OR THIGH	658	133063.7	3.8%
7	KNEE, LOWER LEG	2216	461835.9	13.1%
8	ANKLE, FOOT	3827	829082.2	23.5%

#INJEG06: Most serious inj. - body part aff. - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
9	UPPER OR LOWER B	2287	486541.2	13.8%
10	CHEST OR ABDOMEN	776	149684.0	4.2%
96	NOT APPLICABLE	112708	22946811.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2713	646719.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJEG08: Most serious injury - place - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/W]	[Valid=17162 / 3603556.67] [Invalid=115059 / 23522608.31]
Universe	Respondents who answered INJE_01 = (1, 7 or 8)
Literal question	Where did the injury happen?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	HOME/SURRROUNDNG	6236	1184780.5	32.9%
2	RESIDENT./SCHOOL	1136	240774.8	6.7%
3	SPORTS/ATHLETICS	1271	304577.6	8.5%
4	OTHER SPORTS	2075	489553.5	13.6%
5	STREET, HIGHWAY	1784	366709.8	10.2%
6	COMMERCIAL AREA	1204	269951.4	7.5%
7	INDUSTRIAL AREA	1192	245032.0	6.8%
8	OTHER	2264	502177.1	13.9%
96	NOT APPLICABLE	112214	22850113.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2845	672494.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJEG09: Most serious injury - act. when inj.-(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/W]	[Valid=17162 / 3598142.53] [Invalid=115059 / 23528022.45]
Universe	Respondents who answered INJE_01 = (1, 7 or 8)
Literal question	What type of activity were you doing when you were injured?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SPORTS OR PHYSIC	4926	1139551.8	31.7%
2	LEISURE OR HOBBY	2097	408152.9	11.3%
3	WORKING AT A JOB	2996	652727.3	18.1%
4	TRAVEL TO AND FR	721	159475.2	4.4%
5	HOUSEHOLD CHORES	2749	502615.5	14.0%
6	OTHER	3673	735619.8	20.4%
96	NOT APPLICABLE	112214	22850113.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2845	677908.8	
Warning: these f	figures indicate the number of cases found in the data file. They can	not be interpreted as su	mmary statistics of the p	population of interest.

# INJE_10: Most serious injury - result of a fall			
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=17271 / 3623041.38] [Invalid=114950 / 23503123.6]			
Universe Respondents who answered INJE_01 = (1, 7 or 8)			
Literal question Was the injury the result of a fall?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7178	1436816.1	39.7%
2	NO	10093	2186225.3	60.3%
6	NOT APPLICABLE	112214	22850113.6	
7	DON'T KNOW	53	12835.9	
8	REFUSAL	5	797.0	
9	NOT STATED	2678	639377.1	

INJEG11: Most serious injury - how fell - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=7152 / 1432840.98] [Invalid=125069 / 25693324]
Universe	Respondents who answered INJE_10 = (1, 7 or 8) or INJE_01 = (7 or 8) or INJE_02 = (97 or 98)
Literal question	How did you fall?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	WHILE SKATING,SK	883	202749.4	14.2%
2	GOING UP/DOWN	1365	252042.3	17.6%
3	ON ICE	981	185547.8	12.9%
4	SLIP, TRIP, STUM	2329	460904.5	32.2%
5	OTHER	1594	331597.0	23.1%
6	NOT APPLICABLE	122307	25036338.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2762	656985.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#INJE_13: Most serious inj. - rec'd treat./48 hrs.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=17295 / 3629611.02] [Invalid=114926 / 23496553.96]
Universe	Respondents who answered INJE_01 = (1, 7 or 8)
Literal question	Did you receive any medical attention for the injury from a health professional in the 48 hours following the injury?

Value	Label	Cases	Weighted
1	YES	10589	2210223.4
2	NO	6706	1419387.6
6	NOT APPLICABLE	112214	22850113.6
7	DON'T KNOW	29	6032.6
8	REFUSAL	5	1030.6
9	NOT STATED	2678	639377.1

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJE_14A: Most ser. inj. - treated/doctor's office

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

INJE_14A: Most ser. inj. - treated/doctor's office Statistics [NW/W] [Valid=10577 / 2207947] [Invalid=121644 / 24918217.98] Universe Respondents who answered INJE_13 = (1, 7 or 8) or INJE_01 = (7 or 8) or INJE_02 = (97 or 98) Literal question Where did you receive treatment? - Doctor's office

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1841	419145.9	19.0%	
2	NO	8736	1788801.1		81.0%
6	NOT APPLICABLE	118920	24269501.2		
7	DON'T KNOW	12	2276.4		
8	REFUSAL	0	0.0		
9	NOT STATED	2712	646440.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#INJE_14B: Most serious inj. - emerg. room

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=10577 / 2207947] [Invalid=121644 / 24918217.98]
Universe	Respondents who answered INJE_13 = (1, 7 or 8) or INJE_01 = (7 or 8) or INJE_02 = (97 or 98)
Literal question	Where did you receive treatment? - Hospital emergency room

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6402	1244056.3	56.3%
2	NO	4175	963890.7	43.7%
6	NOT APPLICABLE	118920	24269501.2	
7	DON'T KNOW	12	2276.4	
8	REFUSAL	0	0.0	
9	NOT STATED	2712	646440.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJEG14C: Treatment site - clinic - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=10577 / 2207947] [Invalid=121644 / 24918217.98]
Universe	Respondents who answered INJE_13 = (1, 7 or 8) or INJE_01 = (7 or 8) or INJE_02 = (97 or 98)
Literal question	Treatment site - clinic - (G)
Notes	Based on INJE_14C, INJE_14D, INJE_14E, INJE_14F. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1944	453138.7	20.5%
2	NO	8633	1754808.3	79.5%
6	NOT APPLICABLE	118920	24269501.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2724	648716.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJEG14G: Most ser. inj. - treat. W/S/H - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=10577 / 2207947] [Invalid=121644 / 24918217.98]
Universe	Respondents who answered INJE_13 = (1, 7 or 8) or INJE_01 = (7 or 8) or INJE_02 = (97 or 98)
Literal question	Most ser. inj treat. W/S/H - (G)

#INJEG14G: Most ser. inj. - treat. W/S/H - (G)

Notes Based on INJE_14G, INJE_14H, INJE_14I. See documentation on derived variables.

Value	Label	Cases	Weighted		Per
1	YES	216	45498.6	2.1%	
2	NO	10361	2162448.4		
6	NOT APPLICABLE	118920	24269501.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	2724	648716.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#INJEG14J: Most ser. inj. - telephone/other - (G)

Information	Tormation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=10577 / 2207947] [Invalid=121644 / 24918217.98]			
Universe Respondents who answered INJE_13 = (1, 7 or 8) or INJE_01 = (7 or 8) or INJE_02 = (97 or 98)			
Literal question Most ser. inj telephone/other - (G)			
Notes Based on INJE_14J, INJE_14K. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	510	122578.6	5.6%
2	NO	10067	2085368.4	94.4%
6	NOT APPLICABLE	118920	24269501.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2724	648716.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#INJE_15: Most serious injury - hospital admission

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W] [Valid=10583 / 2209526.22] [Invalid=121638 / 24916638.76]			
Universe	Respondents who answered INJE_13 = (1, 7 or 8) or INJE_01 = (7 or 8) or INJE_02 = (97 or 98)		
Literal question	Were you admitted to a hospital overnight?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	959	170871.2	7.7%
2	NO	9624	2038655.0	92.3%
6	NOT APPLICABLE	118920	24269501.2	
7	DON'T KNOW	4	488.3	
8	REFUSAL	1	195.9	
9	NOT STATED	2713	646453.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#INJE_16: Other injuries - treated / not limiting

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=129445 / 26466510.35] [Invalid=2776 / 659654.63]			
Universe	All respondents		
Literal question	Did you have any other injuries in the past 12 months that were treated by a health professional, but did not limit your normal activities?		

#INJE_16: Other injuries - treated / not limiting

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6649	1436782.7	5.4%
2	NO	122796	25029727.6	94.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	68	14468.9	
8	REFUSAL	22	4172.8	
9	NOT STATED	2686	641013.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJEG17: Other injuries - number - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W] [Valid=6618 / 1432068.42] [Invalid=125603 / 25694096.56]	
Universe	Respondents who answered INJE_16 = (1, 7 or 8) or INJE_01 = (7 or 8) or INJE_02 = (97 or 98)
Literal question	How many injuries?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONE INJURY	5491	1181919.1	82.5%
2	2 TO 5 INJURIES	1022	228728.4	16.0%
3	6 OR MORE INJ.	105	21421.0	1.5%
6	NOT APPLICABLE	122796	25029727.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2807	664368.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJEGCAU: Cause of injury - (D,G)

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/W] [Valid=17118 / 3591601.09] [Invalid=115103 / 23534563.89]	
Universe Respondents who answered INJE_01 = (1, 7 or 8)	
Literal question Cause of injury - (D,G)	
Notes Based on INJE_10, INJE_12. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FALL	7178	1436816.1	40.0%
2	TRANSPORT ACC	757	165395.6	4.6%
3	ACC. BUMPED	870	189318.6	5.3%
4	ACC. STRUCK	1271	260812.0	7.3%
5	ACC. SHARP OBJCT	1218	265838.0	7.4%
6	OVEREXERTION	2459	544008.6	15.1%
7	OTHER	3365	729412.2	20.3%
96	NOT APPLICABLE	112214	22850113.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2889	684450.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJEDSTT: Injury Status - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

# INJEDSTT: Injury Status - (D)		
Statistics [NW/ W] [Valid=129445 / 26466510.35] [Invalid=2776 / 659654.63]		
Universe All respondents Literal question Injury Status - (D) Notes Based on INJE_01, INJE_16. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NO INJURIES	106779	21674025.9	81.9%
1	ACTIVITY-LIMIT.	16017	3355701.7	12.7%
2	NON-ACT-LIMIT.	5369	1161588.7	4.4%
3	LIM AND NON-LIM	1280	275194.0	1.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2776	659654.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

HUIEFOPT: Optional module: HUI - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]
Universe	All respondents
Literal question	Optional module: HUI - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15407	3601944.9	13.3%
2	NO	116814	23524220.1	86.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIEGVIS: Vision trouble - function code - (D,G)

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W] [Valid=14915 / 3481313.62] [Invalid=117306 / 23644851.36]	
Universe	Respondents with HUIEFOPT = 1
Literal question	Vision trouble - function code - (D,G)
Notes	Based on HUIE_01, HUIE_02, HUIE_03, HUIE_04, HUIE_05. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO VISUAL PROBL.	6668	1683118.9	48.3%
2	CORR. BY LENSES	8000	1753207.3	50.4%
3	HYPERMET/N CORR	81	18196.9	0.5%
4	MYOPIA/N CORR	80	12733.4	0.4%
5	MYOPIA&HYPERMET	86	14057.1	0.4%
6	NOT APPLICABLE	116814	23524220.1	
9	NOT STATED	492	120631.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# HUIEGHER: Hearing problems - function code - (D,G)		
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	stics [NW/ W] [Valid=14793 / 3466635.22] [Invalid=117428 / 23659529.76]	
Universe	Universe Respondents with HUIEFOPT = 1	
Literal question Hearing problems - function code - (D,G)		
Notes	Based on HUIE_06, HUIE_07, HUIE_07A, HUIE_08, HUIE_09. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	14020	3329011.1	96.0%
2	CORRECTED	497	89846.7	2.6%
3	NOT CORRECTED	276	47777.4	1.4%
6	NOT APPLICABLE	116814	23524220.1	
9	NOT STATED	614	135309.7	

HUIEGSPE: Speech trouble - function code - (D,G)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=14984 / 3498549.31] [Invalid=117237 / 23627615.67]		
Universe Respondents with HUIEFOPT = 1		
Literal question	Speech trouble - function code - (D,G)	
Notes	Based on HUIE_10, HUIE_11, HUIE_12, HUIE_13. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	14851	3468002.0	99.1%
2	PART/NOT UNDERST	133	30547.3	0.9%
6	NOT APPLICABLE	116814	23524220.1	
9	NOT STATED	423	103395.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIEGMOB: Mobility trouble - function code - (D,G)

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=14984 / 3497866.68] [Invalid=117237 / 23628298.3]	
Universe Respondents with HUIEFOPT = 1	
Literal question	Mobility trouble - function code - (D,G)
Notes	Based on HUIE_14, HUIE_15, HUIE_16, HUIE_17, HUIE_18. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	14107	3355644.7	95.9%
2	NO AID REQUIRED	142	22593.4	0.6%
3	NEED MECH. SUPP	558	86190.4	2.5%
4	HELP/CAN'T WALK	177	33438.1	1.0%
6	NOT APPLICABLE	116814	23524220.1	
9	NOT STATED	423	104078.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIEGDEX: Dexterity trouble - function code -(D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

# HUIEGDEX: Dexterity trouble - function code -(D,G)		
Statistics [NW/W]	[Valid=14986 / 3499315.73] [Invalid=117235 / 23626849.25]	
Universe	Respondents with HUIEFOPT = 1	
Literal question	Dexterity trouble - function code -(D,G)	
Notes	Based on HUIE_21, HUIE_22, HUIE_23, HUIE_24. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	14844	3469412.2	99.1%
2	NO HELP REQ'D	71	14055.6	0.4%
3	NEEDS HELP	71	15848.0	0.5%
6	NOT APPLICABLE	116814	23524220.1	
9	NOT STATED	421	102629.2	

HUIEDEMO: Emotional problems - function code - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=14917 / 3487646.77] [Invalid=117304 / 23638518.21]
Universe	Respondents with HUIEFOPT = 1
Literal question	Emotional problems - function code - (D)
Notes	Based on HUIE_25. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	HAPPY IN LIFE	11725	2787001.7	79.9%
2	SOMEWHAT HAPPY	2630	584798.8	16.8%
3	SOMEWHAT UNHAPPY	418	84466.2	2.4%
4	VERY UNHAPPY	109	24532.9	0.7%
5	LIFE NOT WORTH	35	6847.2	0.2%
6	NOT APPLICABLE	116814	23524220.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	490	114298.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIEDCOG: Cognition prob. - function code - (D)

_		
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/W]	[Valid=14911 / 3480776.29] [Invalid=117310 / 23645388.69]	
Universe	Respondents with HUIEFOPT = 1	
Literal question	Cognition prob function code - (D)	
Notes	Based on HUIE_26, HUIE_27. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	10040	2389017.6	68.6%
2	LITTLE DIFFICUL.	559	131765.9	3.8%
3	SOME FORGETFUL	2882	659971.6	19.0%
4	FORGET/DIF THINK	1025	217696.2	6.3%
5	VERY FORGETFUL	384	76109.7	2.2%
6	CAN'T REMEMBER	21	6215.4	0.2%

HUIEDCOG: Cognition prob. - function code - (D)

Value	Label	Cases	Weighted
96	NOT APPLICABLE	116814	23524220.1
97	DON'T KNOW	0	0.0
98	REFUSAL	0	0.0
99	NOT STATED	496	121168.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIEDPAD: Act. prevent/pain - function code - (D)

Information	Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	Valid=14936 / 3487980.13] [Invalid=117285 / 23638184.85]	
Universe	Respondents with HUIEFOPT = 1	
Literal question	Act. prevent/pain - function code - (D)	
Notes	Based on HUIE_28, HUIE_30. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PAIN	11929	2878997.1	82.5%
2	DOESN'T PREVENT	773	169976.3	4.9%
3	PREVENTS A FEW	839	173489.6	5.0%
4	PREVENTS SOME	793	156156.8	4.5%
5	PREVENTS MOST	602	109360.4	3.1%
6	NOT APPLICABLE	116814	23524220.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	471	113964.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIEDHSI: Health Utility Index (HUI3) - (D)

Information	[Type= continuous] [Format=numeric] [Range= -0.255-1] [Missing=*]
Statistics [NW/W]	[Valid=14521 / 3407593.04] [Invalid=117700 / 23718571.94] [Mean=0.855 / 0.873] [StdDev=0.213 / 0.195]
Universe	Respondents with HUIEFOPT = 1
Literal question	Health Utility Index (HUI3) - (D)
Notes	Based on HUIEDVIS, HUIEDHER, HUIEDSPE, HUIEDMOB, HUIEDDEX, HUIEDEMO, HUIEDCOG, HUIEDPAD. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
99.996	NOT APPLICABLE	116814	23524220.1	
99.997	DON'T KNOW	0	0.0	
99.998	REFUSAL	0	0.0	
99.999	NOT STATED	886	194351.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFREFOPT: Optional module: SFR - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents	
Literal question	Optional module: SFR - (F)	

#SFREFOPT: Optional module: SFR - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11463	1384152.4	5.1%
2	NO	120758	25742012.6	94.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFREDPFS: Physical functioning scale - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]			
Statistics [NW/W] [Valid=10967 / 1327476.13] [Invalid=121254 / 25798688.85] [Mean=86.5 / 88.852] [StdDev=22.883 / 20.88]				
Universe Respondents with SFREFOPT = 1				
Literal question Physical functioning scale - (D)				
Notes	Based on SFRE_03, SFRE_04, SFRE_05, SFRE_06, SFRE_07, SFRE_08, SFRE_09, SFRE_10, SFRE_11, SFRE_12. A high score reflects increased physical function. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	120758	25742012.6	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	496	56676.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFREDSFS: Social functioning scale - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]
Statistics [NW/W] [Valid=10935 / 1319916.59] [Invalid=121286 / 25806248.39] [Mean=91.251 / 91.529] [StdDev=18.402 / 17.90]	
Universe	Respondents with SFREFOPT = 1
Literal question	Social functioning scale - (D)
Notes	Based on SFRE_13, SFRE_14, SFRE_15, SFRE_16. A high score reflects increased physical functioning (i.e., less limitation). See documentation on derived variables.

Value	Label	Cases	Weighted
996	NOT APPLICABLE	120758	25742012.6
997	DON'T KNOW	0	0.0
998	REFUSAL	0	0.0
999	NOT STATED	528	64235.8

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFREDPRF: Role functioning (physical) scale - (D)

Information [Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]	
Statistics [NW/W] [Valid=11036 / 1336492.11] [Invalid=121185 / 25789672.87] [Mean=83.429 / 84.683] [StdDev=32.611 /	
Universe	Respondents with SFREFOPT = 1
Literal question	Role functioning (physical) scale - (D)
Notes	Based on SFRE_17, SFRE_18, SFRE_19. A high score is consistent with a positive mental health. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	120758	25742012.6	

SFREDPRF: Role functioning (physical) scale - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	427	47660.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFREDMRF: Role functioning (mental) scale - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]
Statistics [NW/W] [Valid=11035 / 1336711.42] [Invalid=121186 / 25789453.56] [Mean=93.614 / 93.586] [StdDev=21.444 / 21.589]	
Universe	Respondents with SFREFOPT = 1
Literal question	Role functioning (mental) scale - (D)
Notes	Based on SFRE_24, SFRE_25, SFRE_26, SFRE_28, SFRE_30. The scale is transformed to facilitate comparisons across scales and reflect a relative position. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	120758	25742012.6	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	428	47441.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFREDGMH: General mental health scale - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]			
Statistics [NW/W] [Valid=10857 / 1312239.36] [Invalid=121364 / 25813925.62] [Mean=84.046 / 83.928] [StdDev=14.408 / 14.33				
Universe	Respondents with SFREFOPT = 1			
Literal question	General mental health scale - (D)			
Notes	Based on SFRE_23, SFRE_27, SFRE_29, SFRE_31. A high score is consistent with a positive level of energy. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	120758	25742012.6	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	606	71913.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFREDVTS: Vitality scale - (D)

Information	Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]			
Statistics [NW/W]	Valid=10800 / 1303834.13] [Invalid=121421 / 25822330.85] [Mean=66.764 / 67.176] [StdDev=21.07 / 20.564]			
Universe	Respondents with SFREFOPT = 1			
Literal question	Vitality scale - (D)			
Notes	Based on SFRE_21, SFRE_22. A high score is consistent with a decreased level of pain. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)		
996	NOT APPLICABLE	120758	25742012.6			
997	DON'T KNOW	0	0.0			
998 REFUSAL 0 0.0						
999 NOT STATED 663 80318.3						
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.						

# SFREDBPS: Bodily pain scale - (D)					
Information	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]				
Statistics [NW/W]	Valid=11050 / 1336618.82] [Invalid=121171 / 25789546.16] [Mean=79.203 / 80.281] [StdDev=23.646 / 23.536]				
Universe	Respondents with SFREFOPT = 1				
Literal question	Bodily pain scale - (D)				
Notes	Based on SFRE_01, SFRE_33, SFRE_34, SFRE_35, SFRE_36. A high score is consistent with a positive perception of one's general health status. See documentation on derived variables.				

Value	Label	Cases	Weighted
996	NOT APPLICABLE	120758	25742012.6
997	DON'T KNOW	0	0.0
998	REFUSAL	0	0.0
999	NOT STATED	413	47533.6

$\#\,SFREDGHP\colon General\ health\ perceptions\ scale$ - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]		
Statistics [NW/W]	[Valid=10774 / 1302671.37] [Invalid=121447 / 25823493.61] [Mean=74.175 / 75.882] [StdDev=19.796 / 19.394]		
Universe	Respondents with SFREFOPT = 1		
Literal question	General health perceptions scale - (D)		
Notes	Based on SFREDPFS, SFREDSFS, SFREDPRF, SFREDMRF, SFREDGMH, SFREDVTS, SFREDBPS, SFREDGHP. See documentation on derived variables.		

Value	Label	Cases	Weighted
996	NOT APPLICABLE	120758	25742012.6
997	DON'T KNOW	0	0.0
998	REFUSAL	0	0.0
999	NOT STATED	689	81481.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFREDPCS: Summary measure of physical health - (D)

Information	[Type= continuous] [Format=numeric] [Range= 6-70] [Missing=*]		
Statistics [NW/W]	[Valid=10398 / 1259853.89] [Invalid=121823 / 25866311.09] [Mean=49.796 / 50.662] [StdDev=9.978 / 9.489]		
Universe	Respondents with SFREFOPT = 1		
Literal question	Summary measure of physical health - (D)		
Notes	Based on SFREDPFS, SFREDSFS, SFREDPRF, SFREDMRF, SFREDGMH, SFREDVTS, SFREDBPS, SFREDGHP. See documentation on derived variables.		

Value	Label	Cases	Weighted
96	NOT APPLICABLE	120758	25742012.6
97	DON'T KNOW	0	0.0
98	REFUSAL	0	0.0
99	NOT STATED	1065	124298.5

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFREDMCS: Summary measure of mental health - (D)

Information	[Type= continuous] [Format=numeric] [Range= 4-75] [Missing=*]		
Statistics [NW/W] [Valid=10398 / 1259853.89] [Invalid=121823 / 25866311.09] [Mean=55.209 / 54.962] [StdDev=7.521 / 7.395]			
Universe Respondents with SFREFOPT = 1			
Literal question	Summary measure of mental health - (D)		

SFREDMCS: Summary measure of mental health - (D)

Notes The "not stated" category includes people who did the interview by proxy.

Value	Label	Cases	Weighted
96	NOT APPLICABLE	120758	25742012.6
97	DON'T KNOW	0	0.0
98	REFUSAL	0	0.0
99	NOT STATED	1065	124298.5

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXBE_1: Ever had sexual intercourse

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=64351 / 15269095.58] [Invalid=67870 / 11857069.4]	
Universe	Respondents aged 15 to 49	
Literal question	Have you ever had sexual intercourse?	
Notes	The "not stated" category includes people who did the interview by proxy.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	57202	13504244.7	88.4%
2	NO	7149	1764850.9	11.6%
6	NOT APPLICABLE	64495	10968644.3	
7	DON'T KNOW	378	99965.7	
8	REFUSAL	1538	365375.6	
9	NOT STATED	1459	423083.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXBE_3: Had sexual intercourse - past 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=55124 / 13015331.8] [Invalid=77097 / 14110833.18]	
Universe	Respondents who answered SXBE_1 = (1, 7 or 8) or SXBE_2 = (997 or 998)	
Literal question	In the past 12 months, have you had sexual intercourse?	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	50204	12089515.2	92.9	%
2	NO	4920	925816.6	7.1%	
6	NOT APPLICABLE	71644	12733495.2		
7	DON'T KNOW	14	3195.2		
8	REFUSAL	48	7926.3		
9	NOT STATED	5391	1366216.5		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# SXBE_07: Ever diagnosed with STD			
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=55017 / 12992864.35] [Invalid=77204 / 14133300.63]		
Universe	Respondents who answered SXBE_1 = (1, 7 or 8)		
Literal question	Literal question Have you ever been diagnosed with a sexually transmitted disease?		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4539	898979.7	6.9%	
2	NO	50478	12093884.7		93.1%
6	NOT APPLICABLE	71644	12733495.2		
7	DON'T KNOW	26	7551.9		
8	REFUSAL	16	4460.6		
9	NOT STATED	5518	1387792.9		

#SXBE_7A: Condom use - last time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=20985 / 4265919.06] [Invalid=111236 / 22860245.92]			
Universe	Respondents who answered (SXBE_3 = (1, 7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)) excluding those with DHHE_MS = (1 or 2) who answered SXBE_4 = 1			
Literal question	Did you use a condom the last time you had sexual intercourse?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11031	2342776.3	54.9%
2	NO	9954	1923142.8	45.1%
6	NOT APPLICABLE	105661	21460360.3	
7	DON'T KNOW	24	5310.5	
8	REFUSAL	21	3552.3	
9	NOT STATED	5530	1391022.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SXBE_09: Important to avoid getting pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=5305 / 1168417.23] [Invalid=126916 / 25957747.75]	
Universe	Females aged 24 or less who answered (SXBE_3 = (1, 7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)) and (MAME_037 = (2, 7 or 8) or MAME_030 = (7 or 8))	
Literal question	It is important to me to avoid getting pregnant right now.	

Value	Label	Cases	Weighted	Percentage (V	Veighted)
1	STRONGLY AGREE	3868	876532.7		75.0%
2	AGREE	967	204582.8	17.5%	
3	NEITHER NOR	211	38022.8	3.3%	
4	DISAGREE	167	30109.8	2.6%	
5	STRONG DISAGREE	92	19169.1	1.6%	
6	NOT APPLICABLE	126525	25869898.8		
7	DON'T KNOW	6	1301.7		
8	REFUSAL	3	752.2		
9	NOT STATED	382	85795.2		

# SXBE_10: Important avoid getting partner pregnant				
Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]				
Statistics [NW/W]	[Valid=4611 / 1215551.49] [Invalid=127610 / 25910613.49]			
Universe Males aged 24 or less who answered SXBE_3 = (1, 7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)				
Literal question It is important to me to avoid getting my partner pregnant right now.				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	3156	837444.4	68.9%
2	AGREE	931	256290.0	21.1%
3	NEITHER NOR	140	31657.2	2.6%
4	DISAGREE	133	29666.6	2.4%
5	STRONG DISAGREE	87	19901.8	1.6%
6	NO PARTNER	164	40591.6	3.3%
96	NOT APPLICABLE	127006	25754904.5	
97	DON'T KNOW	12	5200.8	
98	REFUSAL	13	2814.6	
99	NOT STATED	579	147693.6	

#SXBE_11: Usually use birth control - past 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=10152 / 2421451.84] [Invalid=122069 / 24704713.14]				
Universe	Respondents aged 24 or less who answered SXBE_3 = (1, 7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)			
Literal question	In the past 12 months, did you and your partner usually use birth control?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8810	2110693.7	87.2%
2	NO	1342	310758.1	12.8%
6	NOT APPLICABLE	121046	24457209.8	
7	DON'T KNOW	40	8657.8	
8	REFUSAL	3	736.2	
9	NOT STATED	980	238109.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

${\tt\#SXBE_12A: Usual\ birth\ control\ method\ -\ condom}$

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=8733 / 2092602.27] [Invalid=123488 / 25033562.71]			
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)			
Literal question	What kind of birth control did you and your partner usually use? - Condom (male or female condom)			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5254	1285768.5		61.4%
2	NO	3479	806833.8	38.6%	
6	NOT APPLICABLE	122388	24767968.0		
7	DON'T KNOW	68	16559.2		
8	REFUSAL	9	1532.3		
9	NOT STATED	1023	247503.3		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

#SXBE_12B: Usual birth control method - the pill				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	Valid=8733 / 2092602.27] [Invalid=123488 / 25033562.71]			
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)			
Literal question	What kind of birth control did you and your partner usually use? - Birth control pill			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5921	1424618.7	68.1%
2	NO	2812	667983.6	31.9%
6	NOT APPLICABLE	122388	24767968.0	
7	DON'T KNOW	68	16559.2	
8	REFUSAL	9	1532.3	
9	NOT STATED	1023	247503.3	

#SXBE_12C: Usual birth control method - diaphragm

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=8733 / 2092602.27] [Invalid=123488 / 25033562.71]			
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)			
Literal question	What kind of birth control did you and your partner usually use? - Diaphragm			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	40	9606.2	0.5%
2	NO	8693	2082996.0	99.5%
6	NOT APPLICABLE	122388	24767968.0	
7	DON'T KNOW	68	16559.2	
8	REFUSAL	9	1532.3	
9	NOT STATED	1023	247503.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SXBE_12D: Usual birth control method - spermicide

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=8733 / 2092602.27] [Invalid=123488 / 25033562.71]			
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)			
Literal question	What kind of birth control did you and your partner usually use? - Spermicide (e.g., foam, jelly, film)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	76	20137.4	1.0%
2	NO	8657	2072464.9	99.0%
6	NOT APPLICABLE	122388	24767968.0	
7	DON'T KNOW	68	16559.2	
8	REFUSAL	9	1532.3	
9	NOT STATED	1023	247503.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXBE_12F: Usual birth control method - injection

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=8733 / 2092602.27] [Invalid=123488 / 25033562.71]	

#SXBE_12F: Usual birth control method - injection

Universe Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)

Literal question What kind of birth control did you and your partner usually use? - Birth control injection (Deprovera)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	426	80936.9	3.9%
2	NO	8307	2011665.4	96.1%
6	NOT APPLICABLE	122388	24767968.0	
7	DON'T KNOW	68	16559.2	
8	REFUSAL	9	1532.3	
9	NOT STATED	1023	247503.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SXBE_12E: Usual birth control method - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=8733 / 2092602.27] [Invalid=123488 / 25033562.71]			
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)			
Literal question	What kind of birth control did you and your partner usually use? - Other			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	292	63122.3	3.0%
2	NO	8441	2029479.9	97.0%
6	NOT APPLICABLE	122388	24767968.0	
7	DON'T KNOW	68	16559.2	
8	REFUSAL	9	1532.3	
9	NOT STATED	1023	247503.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SXBE_13A: B.c. method used last time - condom

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=8564 / 2059511.52] [Invalid=123657 / 25066653.46]
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Condom (male or female condom)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4921	1197187.1	58.1%
2	NO	3643	862324.4	41.9%
6	NOT APPLICABLE	122537	24794869.3	
7	DON'T KNOW	25	6488.5	
8	REFUSAL	6	2835.7	
9	NOT STATED	1089	262460.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SXBE_13B: B.c. method used last time - the pill

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=8564 / 2059511.52] [Invalid=123657 / 25066653.46]	
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8) excluding females who answered MAME_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Birth control pill

#SXBE_13B: B.c. method used last time - the pill

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5210	1260473.5	61.2%
2	NO	3354	799038.0	38.8%
6	NOT APPLICABLE	122537	24794869.3	
7	DON'T KNOW	25	6488.5	
8	REFUSAL	6	2835.7	
9	NOT STATED	1089	262460.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SXBE_13C: B.c. method used last time - diaphragm

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=8564 / 2059511.52] [Invalid=123657 / 25066653.46]			
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8) excluding females who answered MAME_037 = 1		
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Diaphragm		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	37	8852.9	0.4%
2	NO	8527	2050658.6	99.6%
6	NOT APPLICABLE	122537	24794869.3	
7	DON'T KNOW	25	6488.5	
8	REFUSAL	6	2835.7	
9	NOT STATED	1089	262460.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SXBE_13D: B.c. method used last time - spermicide

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=8564 / 2059511.52] [Invalid=123657 / 25066653.46]	
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8) excluding females who answered MAME_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Spermicide (e.g., foam, jelly, film)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	49	13488.5	0.7%
2	NO	8515	2046023.0	99.3%
6	NOT APPLICABLE	122537	24794869.3	
7	DON'T KNOW	25	6488.5	
8	REFUSAL	6	2835.7	
9	NOT STATED	1089	262460.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SXBE_13E: B.c. method used last time - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=8564 / 2059511.52] [Invalid=123657 / 25066653.46]	
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8) excluding females who answered MAME_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	333	64554.1	3.1%

#SXBE_13E: B.c. method used last time - other

Value	Label	Cases	Weighted
2	NO	8231	1994957.4
6	NOT APPLICABLE	122537	24794869.3
7	DON'T KNOW	25	6488.5
8	REFUSAL	6	2835.7
9	NOT STATED	1089	262460.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SXBE_13F: B.c. method used last time - injection

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=8564 / 2059511.52] [Invalid=123657 / 25066653.46]
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8) excluding females who answered MAME_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Birth control injection (Deprovera)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	259	56999.1	2.8%
2	NO	8305	2002512.4	97.2%
6	NOT APPLICABLE	122537	24794869.3	
7	DON'T KNOW	25	6488.5	
8	REFUSAL	6	2835.7	
9	NOT STATED	1089	262460.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SXBE_13G: Method used last time - nothing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=8564 / 2059511.52] [Invalid=123657 / 25066653.46]
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8) excluding females who answered MAME_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - nothing

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	242	53710.5	2.6%
2	NO	8322	2005801.0	97.4%
6	NOT APPLICABLE	122537	24794869.3	
7	DON'T KNOW	25	6488.5	
8	REFUSAL	6	2835.7	
9	NOT STATED	1089	262460.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCEFOPT: Optional module: ACC - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]		
Universe	All respondents		
Literal question	Optional module: ACC - (F)		
Notes	Questions for this module were not asked in proxy interviews. This mostly explains the high number of "not stated".		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5100	638232.2	2.4%	
2	NO	127121	26487932.8	97.6%	

ACCEFOPT: Optional module: ACC - (F)

Value	Label	Cases	Weighted
6	NOT APPLICABLE	0	0.0
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	0	0.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_10: Required visit to medical specialist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=4753 / 592215.91] [Invalid=127468 / 26533949.07]
Universe	Respondents aged 15 and over with ACCEFOPT = 1
Literal question	In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation?
Notes	Includes experiences getting health care from a medical specialist such as a cardiologist, allergist, gynaecologist or psychiatrist, but excludes optometrist.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1373	160224.1	27.1%
2	NO	3380	431991.8	72.9%
6	NOT APPLICABLE	127357	26518466.6	
7	DON'T KNOW	11	2526.4	
8	REFUSAL	3	349.4	
9	NOT STATED	97	12606.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_11: Diff. getting specialist care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1372 / 160180.68] [Invalid=130849 / 26965984.3]
Universe	Respondents who answered ACCE_10 = (1, 7 or 8)
Literal question	In the past 12 months, did you ever experience any difficulties getting the specialist care you needed for a diagnosis or consultation?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	266	33240.7	20.8%
2	NO	1106	126939.9	79.2%
6	NOT APPLICABLE	130737	26950458.5	
7	DON'T KNOW	1	43.4	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15482.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_12A: Diff. - getting a referral

Information	rmation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=266 / 33240.74] [Invalid=131955 / 27092924.24]	
Universe	Respondents who answered ACCE_11 = (1, 7 or 8) or ACCE_10 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Difficulty getting a referral	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	29	3303.3	9.9%	
2	NO	237	29937.5	90.	1%
6	NOT APPLICABLE	131843	27077398.4		

#ACCE_12A: Diff. - getting a referral

Value Label	Cases	Weighted	
7 DON'T KNOW	0	0.0	
8 REFUSAL	0	0.0	
9 NOT STATED	112	15525.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_12B: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=266 / 33240.74] [Invalid=131955 / 27092924.24]
Universe	Respondents who answered ACCE_11 = (1, 7 or 8) or ACCE_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	103	13153.3	39.6%
2	NO	163	20087.4	60.4%
6	NOT APPLICABLE	131843	27077398.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	112	15525.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_12C: Diff. - no specalists in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=266 / 33240.74] [Invalid=131955 / 27092924.24]
Universe	Respondents who answered ACCE_11 = (1, 7 or 8) or ACCE_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - No specialists in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19	1885.7	5.7%
2	NO	247	31355.0	94.3%
6	NOT APPLICABLE	131843	27077398.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	112	15525.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_12D: Diff. - waited too long for appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=266 / 33240.74] [Invalid=131955 / 27092924.24]
Universe	Respondents who answered ACCE_11 = (1, 7 or 8) or ACCE_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long between booking appointment and visit

Value	Label	Cases	Weighted
1	YES	139	16852.2
2	NO	127	16388.6
6	NOT APPLICABLE	131843	27077398.4
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	112	15525.8

ACCE_12D: Diff. - waited too long for appointment

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_12E: Diff. - waited too long /see doc.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=266 / 33240.74] [Invalid=131955 / 27092924.24]			
Universe	Universe Respondents who answered ACCE_11 = (1, 7 or 8) or ACCE_10 = (7 or 8)		
Literal question What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	37	5312.3	16.0%	
2	NO	229	27928.5		84.0%
6	NOT APPLICABLE	131843	27077398.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	112	15525.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_12F: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=266 / 33240.74] [Invalid=131955 / 27092924.24]			
Universe	Respondents who answered ACCE_11 = (1, 7 or 8) or ACCE_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Transportation problems			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	263.3	0.8%
2	NO	262	32977.5	99.2%
6	NOT APPLICABLE	131843	27077398.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	112	15525.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_12G: Diff. - language

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W] [Valid=266 / 33240.74] [Invalid=131955 / 27092924.24]				
Universe	Respondents who answered ACCE_11 = (1, 7 or 8) or ACCE_10 = (7 or 8)			
Literal question What type of difficulties did you experience? - Language problem				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	294.0	0.9%
2	NO	265	32946.8	99.1%
6	NOT APPLICABLE	131843	27077398.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	112	15525.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_12H: Diff. - cost

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=266 / 33240.74] [Invalid=131955 / 27092924.24]

ACCE_12H: Diff. - cost

Universe Respondents who answered ACCE_11 = (1, 7 or 8) or ACCE_10 = (7 or 8)

Literal question What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	659.8	2.0%
2	NO	264	32581.0	98.0%
6	NOT APPLICABLE	131843	27077398.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	112	15525.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_12I: Diff. - pers./family responsibilities

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W] [Valid=266 / 33240.74] [Invalid=131955 / 27092924.24]				
Universe	Respondents who answered ACCE_11 = (1, 7 or 8) or ACCE_10 = (7 or 8)			
Literal question What type of difficulties did you experience? - Personal or family responsibilities				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	266	33240.7	100.0
6	NOT APPLICABLE	131843	27077398.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	112	15525.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_12J: Diff. - deterioration of health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=266 / 33240.74] [Invalid=131955 / 27092924.24]			
Universe	Respondents who answered ACCE_11 = (1, 7 or 8) or ACCE_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - General deterioration of health			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	848.0	2.6%
2	NO	260	32392.8	97.4%
6	NOT APPLICABLE	131843	27077398.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	112	15525.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_12K: Diff. - appointment cancelled/deferred

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=266 / 33240.74] [Invalid=131955 / 27092924.24]			
Universe Respondents who answered ACCE_11 = (1, 7 or 8) or ACCE_10 = (7 or 8)			
Literal question What type of difficulties did you experience? - Appointment cancelled or deferred by specialist			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	814.7	2.5%

ACCE_12K: Diff. - appointment cancelled/deferred

Value	Label	Cases	Weighted
2	NO	257	32426.0
6	NOT APPLICABLE	131843	27077398.4
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	112	15525.8

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_12L: Diff. - still waiting for visit

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=266 / 33240.74] [Invalid=131955 / 27092924.24]			
Universe Respondents who answered ACCE_11 = (1, 7 or 8) or ACCE_10 = (7 or 8)			
Literal question What type of difficulties did you experience? - Still waiting for visit			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23	2543.1	7.7%
2	NO	243	30697.7	92.3%
6	NOT APPLICABLE	131843	27077398.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	112	15525.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_12M: Diff. - unable leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=266 / 33240.74] [Invalid=131955 / 27092924.24]				
Universe Respondents who answered ACCE_11 = (1, 7 or 8) or ACCE_10 = (7 or 8)				
Literal question What type of difficulties did you experience? - Unable to leave the house because of a health problem				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	72.2	0.2%
2	NO	265	33168.5	99.8%
6	NOT APPLICABLE	131843	27077398.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	112	15525.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_12N: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=266 / 33240.74] [Invalid=131955 / 27092924.24]		
Universe	Respondents who answered ACCE_11 = (1, 7 or 8) or ACCE_10 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19	3037.5	9.1%
2	NO	247	30203.2	90.9%
6	NOT APPLICABLE	131843	27077398.4	
7	DON'T KNOW	0	0.0	

ACCE_12N: Diff. - other

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	112	15525.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_20: Required non-emergency surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=4754 / 592508.8] [Invalid=127467 / 26533656.18]			
Universe	Respondents aged 15 and over with ACCEFOPT = 1			
Literal question In the past 12 months, did you require any non-emergency surgery?				
Notes	Does include any surgery not provided in an emergency, such as cardiac surgery, joint surgery, caesarean sections and cataract surgery, but excludes laser eye surgery.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	386	42209.6	7.1%
2	NO	4368	550299.2	92.9%
6	NOT APPLICABLE	127357	26518466.6	
7	DON'T KNOW	10	2251.8	
8	REFUSAL	2	214.5	
9	NOT STATED	98	12723.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_21: Diff. getting non-emerg. surg.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=386 / 42209.56] [Invalid=131835 / 27083955.42]	
Universe	Respondents who answered ACCE_20 = (1, 7 or 8)	
Literal question	In the past 12 months, did you ever experience any difficulties getting the surgery you needed?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	58	6132.7	14.5%
2	NO	328	36076.9	85.5%
6	NOT APPLICABLE	131725	27068765.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	110	15189.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_22A: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=58 / 6132.68] [Invalid=132163 / 27120032.3]	
Universe	Respondents who answered ACCE_20 = (1, 7 or 8)	
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	1480.5	24.1%
2	NO	44	4652.2	75.9%
6	NOT APPLICABLE	132053	27104842.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

ACCE_22A: Diff. - getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	110	15189.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_22B: Diff. - getting a diagnosis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=58 / 6132.68] [Invalid=132163 / 27120032.3]	
Universe	Respondents who answered ACCE_20 = (1, 7 or 8)	
Literal question	What type of difficulties did you experience? - Difficulty getting a diagnosis	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	447.8	7.3%
2	NO	54	5684.8	92.7%
6	NOT APPLICABLE	132053	27104842.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	110	15189.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_22C: Diff. - wait too long/diag. test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=58 / 6132.68] [Invalid=132163 / 27120032.3]	
Universe	Respondents who answered ACCE_20 = (1, 7 or 8)	
Literal question	What type of difficulties did you experience? - Waited too long for a diagnostic test	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5	548.5	8.9%	
2	NO	53	5584.2		91.1%
6	NOT APPLICABLE	132053	27104842.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	110	15189.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\#\,ACCE_22D\text{: Diff.}$ - waited too long/hosp. bed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=58 / 6132.68] [Invalid=132163 / 27120032.3]	
Universe	Respondents who answered ACCE_20 = (1, 7 or 8)	
Literal question	What type of difficulties did you experience? - Waited too long for a hospital bed to become available	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	696.4	11.4%
2	NO	54	5436.3	88.6%
6	NOT APPLICABLE	132053	27104842.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	110	15189.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# ACCE_22E: Diff waited too long/surgery		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[NW/W] [Valid=58 / 6132.68] [Invalid=132163 / 27120032.3]	
Universe	Respondents who answered ACCE_20 = (1, 7 or 8)	
Literal question What type of difficulties did you experience? - Waited too long for surgery		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	37	4052.0	66
2	NO	21	2080.6	33.9%
6	NOT APPLICABLE	132053	27104842.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	110	15189.5	

ACCE_22F: Diff. - service not available/area

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=58 / 6132.68] [Invalid=132163 / 27120032.3]	
Universe	Respondents who answered ACCE_20 = (1, 7 or 8)
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	97.7	1.6%
2	NO	57	6035.0	98.4%
6	NOT APPLICABLE	132053	27104842.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	110	15189.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_22G: Diff. - transportation

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=58 / 6132.68] [Invalid=132163 / 27120032.3]	
Universe Respondents who answered ACCE_20 = (1, 7 or 8)	
Literal question What type of difficulties did you experience? - Transportation problems	

Value	Label	Cases	Weighted	Percentage (
1	YES	0	0.0	
2	NO	58	6132.7	
6	NOT APPLICABLE	132053	27104842.8	
1	DON'T KNOW	0	0.0	
	REFUSAL	0	0.0	
	NOT STATED	110	15189.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_22H: Diff. - language

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=58 / 6132.68] [Invalid=132163 / 27120032.3]	
Universe Respondents who answered ACCE_20 = (1, 7 or 8)	
Literal question What type of difficulties did you experience? - Language problem	

#ACCE_22H: Diff. - language

Value	Label	Cases	Weighted	Percentage (Wei
1	YES	0	0.0	
2	NO	58	6132.7	
6	NOT APPLICABLE	132053	27104842.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	110	15189.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_22I: Diff. - cost

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=58 / 6132.68] [Invalid=132163 / 27120032.3]	
Universe	Respondents who answered ACCE_20 = (1, 7 or 8)
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	58	6132.7	100.0%
6	NOT APPLICABLE	132053	27104842.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	110	15189.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_22J: Diff. - pers./family responsibilities

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=58 / 6132.68] [Invalid=132163 / 27120032.3]	
Universe Respondents who answered ACCE_20 = (1, 7 or 8)	
Literal question What type of difficulties did you experience? - Personal or family responsibilities	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	207.8	3.4%
2	NO	56	5924.9	96.6%
6	NOT APPLICABLE	132053	27104842.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	110	15189.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_22K: Diff. - deterioration of health

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=58 / 6132.68] [Invalid=132163 / 27120032.3]	
Universe Respondents who answered ACCE_20 = (1, 7 or 8)	
Literal question	What type of difficulties did you experience? - General deterioration of health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	103.9	1.7%
2	NO	57	6028.7	98.3%
6	NOT APPLICABLE	132053	27104842.8	

ACCE_22K: Diff. - deterioration of health

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	110	15189.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_22L: Diff. - appointment cancelled/deferred

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=58 / 6132.68] [Invalid=132163 / 27120032.3]
Universe	Respondents who answered ACCE_20 = (1, 7 or 8)
Literal question	What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	606.7	9.9%
2	NO	50	5526.0	90.1%
6	NOT APPLICABLE	132053	27104842.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	110	15189.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_22M: Diff. - still waiting for surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=58 / 6132.68] [Invalid=132163 / 27120032.3]
Universe	Respondents who answered ACCE_20 = (1, 7 or 8)
Literal question	What type of difficulties did you experience? - Still waiting for surgery

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	632.6	10.3%
2	NO	52	5500.0	89.7%
6	NOT APPLICABLE	132053	27104842.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	110	15189.5	
Warning: these figures	indicate the number of cases found in the data file. They cannot be	interpreted as su	mmary statistics of the p	population of interest.

# ACCE_22N: Diff unable leave house/health				
Information	Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W] [Valid=58 / 6132.68] [Invalid=132163 / 27120032.3]				
Universe	Universe Respondents who answered ACCE_20 = (1, 7 or 8)			
Literal question What type of difficulties did you experience? - Unable to leave the house because of a health problem				

Value	Label	Cases	Weighted
1	YES	0	0.0
2	NO	58	6132.7
6	NOT APPLICABLE	132053	27104842.8
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	110	15189.5

#ACCE_22O: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=58 / 6132.68] [Invalid=132163 / 27120032.3]
Universe	Respondents who answered ACCE_20 = (1, 7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	300.4	4.9%
2	NO	53	5832.3	95.1%
6	NOT APPLICABLE	132053	27104842.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	110	15189.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_30: Required MRI, CT Scan, angiography

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=4749 / 592111.34] [Invalid=127472 / 26534053.64]
Universe	Respondents aged 15 and over with ACCEFOPT = 1
Literal question	In the past 12 months, did you require one of these tests?
Notes	Includes only MRIs, CAT Scans and angiographies provided in a non-emergency situation.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	567	62339.0	10.5%
2	NO	4182	529772.3	89
6	NOT APPLICABLE	127357	26518466.6	
7	DON'T KNOW	15	2649.3	
8	REFUSAL	2	214.5	
9	NOT STATED	98	12723.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_31: Difficulties getting test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=567 / 62339.02] [Invalid=131654 / 27063825.96]	
Universe	Respondents who answered ACCE_30 = (1, 7 or 8)	

#ACCE_31: Difficulties getting test

Literal question In the past 12 months, did you ever experience any difficulties getting the tests you needed?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	77	9580.3	15.4%
2	NO	490	52758.7	84.69
6	NOT APPLICABLE	131539	27048239.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15587.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_32A: Diff. - getting a referral

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	tistics [NW/ W] [Valid=77 / 9580.34] [Invalid=132144 / 27116584.64]			
Universe	Respondents who answered ACCE_31 = (1, 7 or 8) or ACCE_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty getting a referral			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	1298.7	13.6%
2	NO	67	8281.6	86.4%
6	NOT APPLICABLE	132029	27100997.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15587.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_32B: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W] [Valid=77 / 9580.34] [Invalid=132144 / 27116584.64]				
Universe	Respondents who answered ACCE_31 = (1, 7 or 8) or ACCE_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	2013.4	21.0%
2	NO	63	7566.9	79.0%
6	NOT APPLICABLE	132029	27100997.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15587.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_32C: Diff. - waited too long for appt.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=77 / 9580.34] [Invalid=132144 / 27116584.64]			
Universe	Respondents who answered ACCE_31 = (1, 7 or 8) or ACCE_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	45	5423.1	56.6%
2	NO	32	4157.2	43.4%

#ACCE_32C: Diff. - waited too long for appt.

Value	Label	Cases	Weighted
6	NOT APPLICABLE	132029	27100997.6
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	115	15587.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_32D: Diff. - waited too long/get test

Information	rmation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=77 / 9580.34] [Invalid=132144 / 27116584.64]			
Universe	Respondents who answered ACCE_31 = (1, 7 or 8) or ACCE_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)			

Value	Label	Cases	Weighted
1	YES	19	2185.5
2	NO	58	7394.8
6	NOT APPLICABLE	132029	27100997.6
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	115	15587.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_32E: Diff. - not available at time required

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/W]	Statistics [NW/W] [Valid=77 / 9580.34] [Invalid=132144 / 27116584.64]			
Universe	Respondents who answered ACCE_31 = (1, 7 or 8) or ACCE_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available at time required			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	77	9580.3	100.0%
6	NOT APPLICABLE	132029	27100997.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15587.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_32F: Diff. - not available/area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=77 / 9580.34] [Invalid=132144 / 27116584.64]
Universe	Respondents who answered ACCE_31 = (1, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	312.0	3.3%
2	NO	74	9268.4	96.7%
6	NOT APPLICABLE	132029	27100997.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

ACCE_32F: Diff. - not available/area

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	115	15587.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_32G: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=77 / 9580.34] [Invalid=132144 / 27116584.64]
Universe	Respondents who answered ACCE_31 = (1, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	135.5	1.4%
2	NO	76	9444.9	98.6%
6	NOT APPLICABLE	132029	27100997.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15587.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_32H: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=77 / 9580.34] [Invalid=132144 / 27116584.64]
Universe	Respondents who answered ACCE_31 = (1, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted		Perce	Percentage (Weig	Percentage (Weighted)	Percentage (Weighted)
1	YES	0	0.0					
2	NO	77	9580.3					
6	NOT APPLICABLE	132029	27100997.6					
7	DON'T KNOW	0	0.0					
8	REFUSAL	0	0.0					
9	NOT STATED	115	15587.0					

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_32I: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=77 / 9580.34] [Invalid=132144 / 27116584.64]
Universe	Respondents who answered ACCE_31 = (1, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	77	9580.3	100.0%
6	NOT APPLICABLE	132029	27100997.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15587.0	
Warning: these figu	res indicate the number of cases found in the data file. They cannot be	interpreted as su	ımmary statistics of the p	population of interest.

# ACCE_32J: Diff	deterioration of health
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=77 / 9580.34] [Invalid=132144 / 27116584.64]
Universe	Respondents who answered ACCE_31 = (1, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - General deterioration of health

Value	Label	Cases	Weighted
1	YES	0	0.0
2	NO	77	9580.3
6	NOT APPLICABLE	132029	27100997.6
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	115	15587.0

ACCE_32K: Diff. - did not know where to go

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/W]	[Valid=77 / 9580.34] [Invalid=132144 / 27116584.64]			
Universe	Respondents who answered ACCE_31 = (1, 7 or 8) or ACCE_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	77	9580.3	100.0%
6	NOT APPLICABLE	132029	27100997.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15587.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_32L: Diff. - still waiting for test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=77 / 9580.34] [Invalid=132144 / 27116584.64]			
Universe	Respondents who answered ACCE_31 = (1, 7 or 8) or ACCE_30 = (7 or 8)			
Literal question	eral question What type of difficulties did you experience? - Still waiting for test			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	461.8	4.8%
2	NO	73	9118.6	9:
6	NOT APPLICABLE	132029	27100997.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15587.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_32M: Diff. - unable leave house /health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=77 / 9580.34] [Invalid=132144 / 27116584.64]			
Universe	Respondents who answered ACCE_31 = (1, 7 or 8) or ACCE_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem			

ACCE_32M: Diff. - unable leave house /health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	77	9580.3	100.0%
6	NOT APPLICABLE	132029	27100997.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15587.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_32N: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=77 / 9580.34] [Invalid=132144 / 27116584.64]		
Universe	Respondents who answered ACCE_31 = (1, 7 or 8) or ACCE_30 = (7 or 8)		
Literal question	What type of difficulties did you experience? - Other		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	8	1644.0	17.2%	
2	NO	69	7936.3		82.8%
6	NOT APPLICABLE	132029	27100997.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	115	15587.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_40: Required health information

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=4748 / 591177.99] [Invalid=127473 / 26534986.99]		
Universe	Respondents aged 15 and over with ACCEFOPT = 1		
Literal question	In the past 12 months, have you required health information or advice for yourself or a family member?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1878	256245.0	43.3%
2	NO	2870	334933.0	
6	NOT APPLICABLE	127357	26518466.6	
7	DON'T KNOW	15	3507.0	
8	REFUSAL	3	290.1	
9	NOT STATED	98	12723.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_40A: Contact/health info - doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=1876 / 256099.33] [Invalid=130345 / 26870065.65]			
Universe	Respondents who answered ACCE_40 = (1, 7 or 8)			
Literal question	Who did you contact when you needed health information or advice for yourself or a family member? - Doctor's office			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1388	192082.0	75.0%
2	NO	488	64017.3	25.0%
6	NOT APPLICABLE	130227	26853399.6	

ACCE_40A: Contact/health info - doctor

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	1	88.4	
8	REFUSAL	1	57.3	
9	NOT STATED	116	16520.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_40B: Contact/health info - community hlth ctr

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=1876 / 256099.33] [Invalid=130345 / 26870065.65]	
Universe	Respondents who answered ACCE_40 = (1, 7 or 8)
Literal question	Who did you contact when you needed health information or advice for yourself or a family member? - Community health centre / CLSC

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	69	8459.4	3.3%
2	NO	1807	247639.9	96.7%
6	NOT APPLICABLE	130227	26853399.6	
7	DON'T KNOW	1	88.4	
8	REFUSAL	1	57.3	
9	NOT STATED	116	16520.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_40C: Contact/health info - walk-in clinic

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=1876 / 256099.33] [Invalid=130345 / 26870065.65]	
Universe	Respondents who answered ACCE_40 = (1, 7 or 8)
Literal question	Who did you contact when you needed health information or advice for yourself or a family member? - Walk-in clinic

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	170	26617.4	10.4%
2	NO	1706	229482.0	89.6%
6	NOT APPLICABLE	130227	26853399.6	
7	DON'T KNOW	1	88.4	
8	REFUSAL	1	57.3	
9	NOT STATED	116	16520.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_40D: Contact/health info - health line

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=1876 / 256099.33] [Invalid=130345 / 26870065.65]	
Universe	Respondents who answered ACCE_40 = (1, 7 or 8)
Literal question	Who did you contact when you needed health information or advice for yourself or a family member? - Telephone health line (e.g., HealthLinks, Telehealth Ontario, HealthLink, Health-Line, Telecare, Info-Santé)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	290	37610.3	14.7%
2	NO	1586	218489.0	85.3%
6	NOT APPLICABLE	130227	26853399.6	
7	DON'T KNOW	1	88.4	
8	REFUSAL	1	57.3	

ACCE_40D: Contact/health info - health line

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	116	16520.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_40E: Contact/health info - emergency room

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=1876 / 256099.33] [Invalid=130345 / 26870065.65]		
Universe	Respondents who answered ACCE_40 = (1, 7 or 8)	
Literal question	Who did you contact when you needed health information or advice for yourself or a family member? - Hospital emergency room	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	344	47339.7	18.5%
2	NO	1532	208759.6	81.5%
6	NOT APPLICABLE	130227	26853399.6	
7	DON'T KNOW	1	88.4	
8	REFUSAL	1	57.3	
9	NOT STATED	116	16520.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_40F: Contact/health info - other hosp. serv.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=1876 / 256099.33] [Invalid=130345 / 26870065.65]	
Universe	Respondents who answered ACCE_40 = (1, 7 or 8)
Literal question	Who did you contact when you needed health information or advice for yourself or a family member? - Other hospital service

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	122	16658.9	6.5%
2	NO	1754	239440.4	93.5%
6	NOT APPLICABLE	130227	26853399.6	
7	DON'T KNOW	1	88.4	
8	REFUSAL	1	57.3	
9	NOT STATED	116	16520.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_40G: Contact/health info - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=1876 / 256099.33] [Invalid=130345 / 26870065.65]			
Universe	Respondents who answered ACCE_40 = (1, 7 or 8)			
Literal question	Who did you contact when you needed health information or advice for yourself or a family member? - Other			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	213	28755.7	11.2%	
2	NO	1663	227343.6	88.8%	
6	NOT APPLICABLE	130227	26853399.6		
7	DON'T KNOW	1	88.4		
8	REFUSAL	1	57.3		
9	NOT STATED	116	16520.3		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

#ACCE_41: Diff. getting health information				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=1873 / 255899.37] [Invalid=130348 / 26870265.61]			
Universe	espondents who answered ACCE_40 = (1, 7 or 8)			
Literal question	In the past 12 months, did you ever experience any difficulties getting the health information or advice you needed for yourself or a family member?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	264	38092.5	14.9%
2	NO	1609	217806.9	85.1%
6	NOT APPLICABLE	130227	26853399.6	
7	DON'T KNOW	4	301.4	
8	REFUSAL	1	44.2	
9	NOT STATED	116	16520.3	

ACCE_42: Exp. diff. during regular hrs.

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/W]	[Valid=263 / 38044.44] [Invalid=131958 / 27088120.54]			
Universe	Respondents who answered ACCE_41 = (1, 7 or 8) or ACCE_40 = (7 or 8)			
Literal question	Did you experience difficulties during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	212	30474.2	80.1%
2	NO	34	5156.1	13.6%
3	NOT REQUIRED	17	2414.2	6.3%
6	NOT APPLICABLE	131836	27071206.6	
7	DON'T KNOW	1	48.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_43A: Diff. - contact a physician/nurse

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=212 / 30474.18] [Invalid=132009 / 27095690.8]			
Universe	Respondents who answered ACCE_42 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician or nurse			

Value	Label	Cases	Weighted	Percentage (V
1	YES	85	12217.9	
2	NO	127	18256.3	
5	NOT APPLICABLE	131887	27078776.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	16914.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_43B: Diff. - did not have a phone number

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=212 / 30474.18] [Invalid=132009 / 27095690.8]	

#ACCE_43B: Diff. - did not have a phone number

Universe Respondents who answered ACCE_42 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)

Literal question What type of difficulties did you experience? - Did not have a phone number

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	433.0	1.4%
2	NO	210	30041.2	98.6%
6	NOT APPLICABLE	131887	27078776.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	16914.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_43C: Diff. - could not get through

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=212 / 30474.18] [Invalid=132009 / 27095690.8]			
Universe	Respondents who answered ACCE_42 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Could not get through (i.e. no answer)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29	3964.1	13.0%
2	NO	183	26510.0	87.0%
6	NOT APPLICABLE	131887	27078776.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	16914.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_43D: Diff. - waited too long to speak

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=212 / 30474.18] [Invalid=132009 / 27095690.8]	
Universe Respondents who answered ACCE_42 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)		
Literal question What type of difficulties did you experience? - Waited too long to speak to someone		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	50	6935.6	22.8%
2	NO	162	23538.6	77.2%
6	NOT APPLICABLE	131887	27078776.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	16914.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_43E: Diff. - inadequate information

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=212 / 30474.18] [Invalid=132009 / 27095690.8]				
Universe Respondents who answered ACCE_42 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)				
Literal question	What type of difficulties did you experience? - Did not get adequate info or advice			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	71	10889.1	35.7%

ACCE_43E: Diff. - inadequate information

Value	Label	Cases	Weighted
2	NO	141	19585.0
6	NOT APPLICABLE	131887	27078776.8
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	122	16914.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_43F: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=212 / 30474.18] [Invalid=132009 / 27095690.8]			
Universe	Respondents who answered ACCE_42 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	212	30474.2	100.0%
6	NOT APPLICABLE	131887	27078776.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	16914.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_43G: Diff. - did not know where to go/call

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=212 / 30474.18] [Invalid=132009 / 27095690.8]				
Universe Respondents who answered ACCE_42 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)				
Literal question What type of difficulties did you experience? - Did not know where to go / call / uninformed				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	1179.8	3.9%
2	NO	206	29294.4	96.1%
6	NOT APPLICABLE	131887	27078776.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	16914.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_43H: Diff. - unable to leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	W/W] [Valid=212 / 30474.18] [Invalid=132009 / 27095690.8]			
Universe	Respondents who answered ACCE_42 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	174.7	0.6%
2	NO	211	30299.5	99.4%
6	NOT APPLICABLE	131887	27078776.8	
7	DON'T KNOW	0	0.0	

ACCE_43H: Diff. - unable to leave house/health

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	122	16914.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_43I: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=212 / 30474.18] [Invalid=132009 / 27095690.8]	
Universe	Respondents who answered ACCE_42 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	44	5670.7	18.6%
2	NO	168	24803.4	81.4%
6	NOT APPLICABLE	131887	27078776.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	16914.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_44: Exp. diff. during evening/weekends

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=264 / 38092.46] [Invalid=131957 / 27088072.52]	
Universe	Respondents who answered ACCE_41 = (1, 7 or 8) or ACCE_40 = (7 or 8)	
Literal question	Did you experience difficulties getting health information or advice during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	78	12947.7	34.0%
2	NO	89	12213.1	32.1%
3	NOT REQUIRED	97	12931.6	33.9%
6	NOT APPLICABLE	131836	27071206.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_45A: Diff. - contact a physician/nurse

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=78 / 12947.74] [Invalid=132143 / 27113217.24]	
Universe	Respondents who answered ACCE_44 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician or nurse	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27	3867.5	29.9%
2	NO	51	9080.3	70.1%
6	NOT APPLICABLE	132022	27096351.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

ACCE_45A: Diff. - contact a physician/nurse

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	121	16866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_45B: Diff. - did not have a phone number

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=78 / 12947.74] [Invalid=132143 / 27113217.24]	
Universe	Respondents who answered ACCE_44 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Did not have a phone number	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	78	12947.7	100.0%
6	NOT APPLICABLE	132022	27096351.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_45C: Diff. - could not get through

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=78 / 12947.74] [Invalid=132143 / 27113217.24]	
Universe	Respondents who answered ACCE_44 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Could not get through (i.e. no answer)	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	10	1477.6	11.4%	
2	NO	68	11470.2	88	8.6%
6	NOT APPLICABLE	132022	27096351.3		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	121	16866.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_45D: Diff. - waited too long to speak

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=78 / 12947.74] [Invalid=132143 / 27113217.24]	
Universe	Respondents who answered ACCE_44 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Waited too long to speak to someone	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	32	5469.1	42.2%
2	NO	46	7478.7	57.8%
6	NOT APPLICABLE	132022	27096351.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# ACCE_45E: Diff inadequate information			
Information	Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W] [Valid=78 / 12947.74] [Invalid=132143 / 27113217.24]			
Universe Respondents who answered ACCE_44 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)			
Literal question What type of difficulties did you experience? - Did not get adequate info or advice			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25	4141.8	32.0%
2	NO	53	8806.0	68
6	NOT APPLICABLE	132022	27096351.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	

ACCE_45F: Diff. - language

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=78 / 12947.74] [Invalid=132143 / 27113217.24]
Universe	Respondents who answered ACCE_44 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	78	12947.7	100.0%
6	NOT APPLICABLE	132022	27096351.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_45G: Diff. - did not know where to go/call

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=78 / 12947.74] [Invalid=132143 / 27113217.24]
Universe	Respondents who answered ACCE_44 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not know where to go / call / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	432.0	3.3%
2	NO	75	12515.8	96.7%
6	NOT APPLICABLE	132022	27096351.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_45H: Diff. - unable to leave/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=78 / 12947.74] [Invalid=132143 / 27113217.24]
Universe	Respondents who answered ACCE_44 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

ACCE_45H: Diff. - unable to leave/health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	65.6	0.5%
2	NO	77	12882.2	99.5%
6	NOT APPLICABLE	132022	27096351.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_45I: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=78 / 12947.74] [Invalid=132143 / 27113217.24]	
Universe	Respondents who answered ACCE_44 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	3037.2	23.5%
2	NO	64	9910.5	76.5%
6	NOT APPLICABLE	132022	27096351.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_46: Exp. diff. during middle of night

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W] [Valid=264 / 38092.46] [Invalid=131957 / 27088072.52]	
Universe Respondents who answered ACCE_41 = (1, 7 or 8) or ACCE_40 = (7 or 8)	
Literal question	Did you experience difficulties getting health information or advice during the middle of the night?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22	2997.4	7.9%
2	NO	95	13663.9	35.9%
3	NOT REQUIRED	147	21431.2	56.3%
6	NOT APPLICABLE	131836	27071206.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_47A: Diff. - contact a physician/nurse

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=22 / 2997.36] [Invalid=132199 / 27123167.62]	
Universe	Respondents who answered ACCE_46 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician or nurse

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	769.6	25.7%
2	NO	14	2227.8	74.3%

#ACCE_47A: Diff. - contact a physician/nurse

Value	Label	Cases	Weighted
6	NOT APPLICABLE	132078	27106301.6
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	121	16866.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_47B: Diff. - did not have a phone number

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=22 / 2997.36] [Invalid=132199 / 27123167.62]
Universe	Respondents who answered ACCE_46 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)
Literal question What type of difficulties did you experience? - Did not have a phone number	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	22	2997.4	100.0%
6	NOT APPLICABLE	132078	27106301.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	

# ACCE_47C: Diff could not get through				
Information	Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W] [Valid=22 / 2997.36] [Invalid=132199 / 27123167.62]				
Universe	Universe Respondents who answered ACCE_46 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)			
Literal question What type of difficulties did you experience? - Could not get through (i.e. no answer)				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	263.8	8.8%
2	NO	20	2733.5	91.
6	NOT APPLICABLE	132078	27106301.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	

ACCE_47D: Diff. - waited too long/to speak

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=22 / 2997.36] [Invalid=132199 / 27123167.62]
Universe Respondents who answered ACCE_46 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)	
Literal question What type of difficulties did you experience? - Waited too long to speak to someone	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	685.9	22.9%
2	NO	15	2311.5	77.1%
6	NOT APPLICABLE	132078	27106301.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_47E: Diff. - inadequate information

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=22 / 2997.36] [Invalid=132199 / 27123167.62]	
Universe Respondents who answered ACCE_46 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)	
Literal question What type of difficulties did you experience? - Did not get adequate info or advice	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	1119.3	37.3%
2	NO	14	1878.1	62
6	NOT APPLICABLE	132078	27106301.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_47F: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=22 / 2997.36] [Invalid=132199 / 27123167.62]	
Universe	Respondents who answered ACCE_46 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Language problem	

#ACCE_47F: Diff. - language

Value	Label	Cases	Weighted	Percentage (Wei
1	YES	0	0.0	
2	NO	22	2997.4	
6	NOT APPLICABLE	132078	27106301.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_47G: Diff. - did not know where to go/call

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=22 / 2997.36] [Invalid=132199 / 27123167.62]		
Universe	Respondents who answered ACCE_46 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)		
Literal question	What type of difficulties did you experience? - Did not know where to go / call / uninformed		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1	95.1	3.2%	
2	NO	21	2902.2		ğ
6	NOT APPLICABLE	132078	27106301.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	121	16866.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_47H: Diff. - unable to leave/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=22 / 2997.36] [Invalid=132199 / 27123167.62]		
Universe	Respondents who answered ACCE_46 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)		
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	65.6	2.2%
2	NO	21	2931.8	97.8%
6	NOT APPLICABLE	132078	27106301.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_47I: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=22 / 2997.36] [Invalid=132199 / 27123167.62]	
Universe	Respondents who answered ACCE_46 = (1, 7 or 8) or ACCE_41 = (7 or 8) or ACCE_40 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	914.4	30.5%
2	NO	18	2082.9	69.5%
6	NOT APPLICABLE	132078	27106301.6	

#ACCE_47I: Diff. - other

Value	Label	Cases	Weighted
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	121	16866.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_50A: Has a regular family doctor

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4755 / 592536.91] [Invalid=127466 / 26533628.07]	
Universe	Respondents aged 15 and over with ACCEFOPT = 1	
Literal question	Do you have a regular family doctor?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4372	548046.8	92.5%
2	NO	383	44490.1	7.5%
6	NOT APPLICABLE	127357	26518466.6	
7	DON'T KNOW	8	2148.1	
8	REFUSAL	3	290.1	
9	NOT STATED	98	12723.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_50: Required routine care for self/family

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4750 / 591779.73] [Invalid=127471 / 26534385.25]	
Universe	Respondents aged 15 and over with ACCEFOPT = 1	
Literal question	In the past 12 months, did you require any routine or on-going care for yourself or a family member?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2876	352581.7	59.6%
2	NO	1874	239198.0	40.4%
6	NOT APPLICABLE	127357	26518466.6	
7	DON'T KNOW	13	2905.3	
8	REFUSAL	3	290.1	
9	NOT STATED	98	12723.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_51: Exp. diff. getting on-going care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2875 / 352532.72] [Invalid=129346 / 26773632.26]
Universe	Respondents aged 15 and over with ACCEFOPT = 1
Literal question	In the past 12 months, did you ever experience any difficulties getting the routine or on-going care you or a family member needed?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	333	44670.0	12.7%
2	NO	2542	307862.8	87.3%
6	NOT APPLICABLE	129231	26757664.7	
7	DON'T KNOW	1	49.0	
8	REFUSAL	0	0.0	

#ACCE_51: Exp. diff. getting on-going care

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	114	15918.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_52: Experienced diff. during regular hours

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=333 / 44669.96] [Invalid=131888 / 27081495.02]
Universe	Respondents who answered ACCE_51 = (1, 7 or 8) or ACCE_50 = (7 or 8)
Literal question	Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	293	39672.3	88.8%
2	NO	34	4429.8	9.9%
3	NOT REQUIRED	6	567.9	1.3%
6	NOT APPLICABLE	131773	27065527.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_53A: Diff. - contact a physician

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=293 / 39672.26] [Invalid=131928 / 27086492.72]
Universe	Respondents who answered ACCE_52 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	69	11146.7	28.1%
2	NO	224	28525.6	71.9%
6	NOT APPLICABLE	131813	27070525.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_53B: Diff. - getting an appointment

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=293 / 39672.26] [Invalid=131928 / 27086492.72]
Universe	Respondents who answered ACCE_52 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	134	17269.5	43.5%
2	NO	159	22402.8	56.5%
6	NOT APPLICABLE	131813	27070525.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	
Warning: these fi	gures indicate the number of cases found in the data file. They cannot be	interpreted as si	ummary statistics of the p	population of interest.

# ACCE_53C: Diff do not have family physician				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=293 / 39672.26] [Invalid=131928 / 27086492.72]			
Universe	Respondents who answered ACCE_52 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Do not have personal / family physician			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	31	4561.3	11.5%	
2	NO	262	35110.9		88.5%
6	NOT APPLICABLE	131813	27070525.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	115	15967.6		

ACCE_53D: Diff. - waited too long for appointment

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=293 / 39672.26] [Invalid=131928 / 27086492.72]		
Universe	Respondents who answered ACCE_52 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)		
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	104	14965.8	37.7%
2	NO	189	24706.4	62.3%
6	NOT APPLICABLE	131813	27070525.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_53E: Diff. - waited too long/see doc.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=293 / 39672.26] [Invalid=131928 / 27086492.72]		
Universe	Respondents who answered ACCE_52 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)		
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	43	6490.3	16.4%
2	NO	250	33182.0	
6	NOT APPLICABLE	131813	27070525.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_53F: Diff. - not available at time required

Information	tion [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=293 / 39672.26] [Invalid=131928 / 27086492.72]			
Universe	Respondents who answered ACCE_52 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available at time required			

ACCE_53F: Diff. - not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	1779.8	4.5%
2	NO	279	37892.4	95.5%
6	NOT APPLICABLE	131813	27070525.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_53G: Diff. - not available in the area

Information	Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=293 / 39672.26] [Invalid=131928 / 27086492.72]		
Universe	Respondents who answered ACCE_52 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)		
Literal question	What type of difficulties did you experience? - Service not available in the area		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	1365.0	3.4%
2	NO	284	38307.3	96.6%
6	NOT APPLICABLE	131813	27070525.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_53H: Diff. - transportation

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=293 / 39672.26] [Invalid=131928 / 27086492.72]		
Universe	Respondents who answered ACCE_52 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)		
Literal question	What type of difficulties did you experience? - Transportation problems		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	890.2	2.2%
2	NO	288	38782.0	97.8%
6	NOT APPLICABLE	131813	27070525.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_53I: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=293 / 39672.26] [Invalid=131928 / 27086492.72]			
Universe	Respondents who answered ACCE_52 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	206.7	0.5%
2	NO	291	39465.6	99.5%
6	NOT APPLICABLE	131813	27070525.1	

#ACCE_53I: Diff. - language

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_53J: Diff. - cost

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=293 / 39672.26] [Invalid=131928 / 27086492.72]
Universe	Respondents who answered ACCE_52 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	442.6	1.1%
2	NO	291	39229.7	98.9%
6	NOT APPLICABLE	131813	27070525.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_53K: Diff. - did not know where to go

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=293 / 39672.26] [Invalid=131928 / 27086492.72]	
Universe Respondents who answered ACCE_52 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	729.6	1.8%
2	NO	289	38942.7	98.2%
6	NOT APPLICABLE	131813	27070525.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_53L: Diff. - unable to leave house/health

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=293 / 39672.26] [Invalid=131928 / 27086492.72]	
Universe Respondents who answered ACCE_52 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	55.5	0.1%
2	NO	292	39616.7	99.9%
6	NOT APPLICABLE	131813	27070525.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

#ACCE_53L: Diff. - unable to leave house/health

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_53M: Diff. - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=293 / 39672.26] [Invalid=131928 / 27086492.72]	
Universe Respondents who answered ACCE_52 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	51	5494.9	13.9%	
2	NO	242	34177.3		86.1%
6	NOT APPLICABLE	131813	27070525.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	115	15967.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_54: Exp. diff. during evening/weekends

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W] [Valid=333 / 44669.96] [Invalid=131888 / 27081495.02]	
Universe	Respondents who answered ACCE_51 = (1, 7 or 8) or ACCE_50 = (7 or 8)
Literal question	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	67	9433.6	21.1%
2	NO	125	17045.4	38.2%
3	NOT REQUIRED	141	18190.9	40.7%
6	NOT APPLICABLE	131773	27065527.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_55A: Diff. - contact a physician

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=67 / 9433.61] [Invalid=132154 / 27116731.37]	
Universe Respondents who answered ACCE_54 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)	
Literal question What type of difficulties did you experience? - Difficulty contacting a physician	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15	3888.9	41.2%
2	NO	52	5544.7	58.8%
6	NOT APPLICABLE	132039	27100763.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# ACCE_55B: Diff getting an appointment		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=67 / 9433.61] [Invalid=132154 / 27116731.37]		
Universe Respondents who answered ACCE_54 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)		
Literal question What type of difficulties did you experience? - Difficulty getting an appointment		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	2611.1	27.7%
2	NO	50	6822.5	72.3
6	NOT APPLICABLE	132039	27100763.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

ACCE_55C: Diff. - do not have family physician

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=67 / 9433.61] [Invalid=132154 / 27116731.37]	
Universe	Respondents who answered ACCE_54 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Do not have personal / family physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	1257.7	13.3%
2	NO	60	8175.9	86.7%
6	NOT APPLICABLE	132039	27100763.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\#\,ACCE_55D\text{:}\,Diff.$ - waited too long for appointment

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=67 / 9433.61] [Invalid=132154 / 27116731.37]	
Universe	Respondents who answered ACCE_54 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	909.9	9.6%
2	NO	59	8523.7	90.4%
6	NOT APPLICABLE	132039	27100763.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_55E: Diff. - waited too long/see doc

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=67 / 9433.61] [Invalid=132154 / 27116731.37]	
Universe	Respondents who answered ACCE_54 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

ACCE_55E: Diff. - waited too long/see doc

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	1714.7	18.2%
2	NO	56	7718.9	81.8%
6	NOT APPLICABLE	132039	27100763.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_55F: Diff. - not available at time required

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=67 / 9433.61] [Invalid=132154 / 27116731.37]
Universe	Respondents who answered ACCE_54 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18	1876.5	19.9%
2	NO	49	7557.2	80
6	NOT APPLICABLE	132039	27100763.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_55G: Diff. - not available/area

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=67 / 9433.61] [Invalid=132154 / 27116731.37]	
Universe Respondents who answered ACCE_54 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6	1523.0	16.1%	
2	NO	61	7910.6		83.9%
6	NOT APPLICABLE	132039	27100763.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	115	15967.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_55H: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=67 / 9433.61] [Invalid=132154 / 27116731.37]	
Universe	Respondents who answered ACCE_54 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Transportation problems	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	327.8	3.5%
2	NO	64	9105.8	96.5%
6	NOT APPLICABLE	132039	27100763.8	

ACCE_55H: Diff. - transportation

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_55I: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=67 / 9433.61] [Invalid=132154 / 27116731.37]
Universe	Respondents who answered ACCE_54 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	67	9433.6	100.0%
6	NOT APPLICABLE	132039	27100763.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_55J: Diff. - cost

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=67 / 9433.61] [Invalid=132154 / 27116731.37]
Universe	Respondents who answered ACCE_54 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	406.4	4.3%
2	NO	66	9027.2	95.7%
6	NOT APPLICABLE	132039	27100763.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_55K: Diff. - did not know where to go

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=67 / 9433.61] [Invalid=132154 / 27116731.37]
Universe	Respondents who answered ACCE_54 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Value	Label	Cases	Weighted
1	YES	0	0.0
2	NO	67	9433.6
6	NOT APPLICABLE	132039	27100763.8
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	115	15967.6

#ACCE_55K: Diff. - did not know where to go

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_55L: Diff. - unable to leave house/health

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=67 / 9433.61] [Invalid=132154 / 27116731.37]
Universe	Respondents who answered ACCE_54 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	55.5	0.6%
2	NO	66	9378.1	99.4%
6	NOT APPLICABLE	132039	27100763.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_55M: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=67 / 9433.61] [Invalid=132154 / 27116731.37]	
Universe	Respondents who answered ACCE_54 = (1, 7 or 8) or ACCE_51 = (7 or 8) or ACCE_50 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	1274.5	13.5%
2	NO	56	8159.1	86.5%
6	NOT APPLICABLE	132039	27100763.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15967.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_60: Required immediate care - self/family

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=4745 / 591405.36] [Invalid=127476 / 26534759.62]
Universe	Respondents aged 15 and over with ACCEFOPT = 1
Literal question	In the past 12 months, have you or a family member required immediate health care services for a minor health problem?
Notes	Minor health problems include fever, headache, a sprained ankle, vomiting or an unexplained rash.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1550	222703.7	37.7%
2	NO	3195	368701.7	62.3%
6	NOT APPLICABLE	127357	26518466.6	
7	DON'T KNOW	16	3003.6	
8	REFUSAL	5	566.2	
9	NOT STATED	98	12723.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_61: Exp. diff. getting immediate care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

# ACCE_61: Exp. diff. getting immediate care			
Statistics [NW/W]	[Valid=1549 / 222314.89] [Invalid=130672 / 26903850.09]		
Universe	Respondents who answered ACCE_60 = (1, 7 or 8)		

Literal questionIn the past 12 months, did you ever experience any difficulties getting the immediate care needed for a minor health problem for yourself or a family member?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	306	46799.1	21.1%
2	NO	1243	175515.8	
6	NOT APPLICABLE	130552	26887168.3	
7	DON'T KNOW	1	388.8	
8	REFUSAL	0	0.0	
9	NOT STATED	119	16293.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_62: Experienced diff. during regular hours

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=305 / 46411.7] [Invalid=131916 / 27079753.28]
Universe	Respondents who answered ACCE_61 = (1, 7 or 8) or ACCE_60 = (7 or 8)
Literal question	Did you experience difficulties getting such care during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	182	28160.9	60.7%
2	NO	88	13489.2	29.1%
3	NOT REQUIRED	35	4761.6	10.3%
6	NOT APPLICABLE	131795	27062684.1	
7	DON'T KNOW	1	387.4	
8	REFUSAL	0	0.0	
9	NOT STATED	120	16681.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_63A: Diff. - contact a physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=182 / 28160.94] [Invalid=132039 / 27098004.04]			
Universe	Respondents who answered ACCE_62 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	31	5331.3	18.9%
2	NO	151	22829.6	81.1
6	NOT APPLICABLE	131918	27080934.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	17069.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_63B: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=182 / 28160.94] [Invalid=132039 / 27098004.04]			
Universe	Respondents who answered ACCE_62 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)			

ACCE_63B: Diff. - getting an appointment

Literal question What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted
1	YES	65	8336.8
2	NO	117	19824.2
6	NOT APPLICABLE	131918	27080934.8
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	121	17069.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_63C: Diff. - do not have family physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=182 / 28160.94] [Invalid=132039 / 27098004.04]			
Universe	Respondents who answered ACCE_62 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Do not have personal / family physician			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	949.8	3.4%
2	NO	173	27211.2	96.6%
6	NOT APPLICABLE	131918	27080934.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	17069.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_63D: Diff. - waited too long/for appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=182 / 28160.94] [Invalid=132039 / 27098004.04]			
Universe	Respondents who answered ACCE_62 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	41	6099.0	21.7%
2	NO	141	22061.9	78.3%
6	NOT APPLICABLE	131918	27080934.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	17069.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_63E: Diff. - waited too long/see doc

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=182 / 28160.94] [Invalid=132039 / 27098004.04]	
Universe Respondents who answered ACCE_62 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	76	12409.5	44.1%	
2	NO	106	15751.4	55.9%	

#ACCE_63E: Diff. - waited too long/see doc

Value	Label	Cases	Weighted
6	NOT APPLICABLE	131918	27080934.8
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	121	17069.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_63F: Diff. - not available at time required

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=182 / 28160.94] [Invalid=132039 / 27098004.04]	
Universe Respondents who answered ACCE_62 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Service not available at time required

Value	Label	Cases	Weighted
1	YES	14	2192.1
2	NO	168	25968.9
6	NOT APPLICABLE	131918	27080934.8
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	121	17069.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_63G: Diff. - not available/area

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=182 / 28160.94] [Invalid=132039 / 27098004.04]	
Universe Respondents who answered ACCE_62 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	132.5	0.5%
2	NO	181	28028.4	99.5%
6	NOT APPLICABLE	131918	27080934.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	17069.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_63H: Diff. - transportation

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=182 / 28160.94] [Invalid=132039 / 27098004.04]	
Universe Respondents who answered ACCE_62 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3	338.3	1.2%	
2	NO	179	27822.6	98.8%	
6	NOT APPLICABLE	131918	27080934.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		

# ACCE_63H: Diff transportation				
Value	Label	Cases	Weighted	

9	NOT STATED	121	17069.2	

ACCE_63I: Diff. - language

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=182 / 28160.94] [Invalid=132039 / 27098004.04]	
Universe	Respondents who answered ACCE_62 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Percentage (Weighted)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	182	28160.9	100.	
6	NOT APPLICABLE	131918	27080934.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	121	17069.2		
Warning: these fi	Varning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

#ACCE_63J: Diff cost		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=182 / 28160.94] [Invalid=132039 / 27098004.04]		
Universe Respondents who answered ACCE_62 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)		
Literal question What type of difficulties did you experience? - Cost		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	406.4	1.4%
2	NO	181	27754.6	98.6%
6	NOT APPLICABLE	131918	27080934.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	17069.2	

ACCE_63K: Diff. - did not know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=182 / 28160.94] [Invalid=132039 / 27098004.04]
Universe	Respondents who answered ACCE_62 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	182	28160.9	100.0%
6	NOT APPLICABLE	131918	27080934.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	17069.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_63L: Diff. - unable to leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=182 / 28160.94] [Invalid=132039 / 27098004.04]	
Universe	Respondents who answered ACCE_62 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	77.1	0.3%
2	NO	181	28083.8	99
6	NOT APPLICABLE	131918	27080934.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	17069.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_63M: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=182 / 28160.94] [Invalid=132039 / 27098004.04]	
Universe	Respondents who answered ACCE_62 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

#ACCE_63M: Diff. - other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15	2580.6	9.2%
2	NO	167	25580.4	90
6	NOT APPLICABLE	131918	27080934.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	17069.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_64: Exp. diff. during evening/weekends

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W] [Valid=304 / 46362.84] [Invalid=131917 / 27079802.14]	
Universe	Respondents who answered ACCE_61 = (1, 7 or 8) or ACCE_60 = (7 or 8)
Literal question	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm, Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	153	24349.2	52.5%
2	NO	77	10776.3	23.2%
3	NOT REQUIRED	74	11237.4	24.2%
6	NOT APPLICABLE	131795	27062684.1	
7	DON'T KNOW	2	436.3	
8	REFUSAL	0	0.0	
9	NOT STATED	120	16681.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_65A: Diff. - contact a physician

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=153 / 24349.15] [Invalid=132068 / 27101815.83]	
Universe	Respondents who answered ACCE_64 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	3751.7	15.4%
2	NO	136	20597.4	84.6%
6	NOT APPLICABLE	131946	27084697.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	17118.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_65B: Diff. - getting an appointment

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=153 / 24349.15] [Invalid=132068 / 27101815.83]	
Universe	Respondents who answered ACCE_64 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18	3412.8	14.0%

ACCE_65B: Diff. - getting an appointment

Value	Label	Cases	Weighted
2	NO	135	20936.4
6	NOT APPLICABLE	131946	27084697.8
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	122	17118.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_65C: Diff. - do not have family physician

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=153 / 24349.15] [Invalid=132068 / 27101815.83]	
Universe	Respondents who answered ACCE_64 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Do not have personal / family physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	769.8	3.2%
2	NO	148	23579.4	96.8%
6	NOT APPLICABLE	131946	27084697.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	17118.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_65D: Diff. - waited too long/for appointment

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=153 / 24349.15] [Invalid=132068 / 27101815.83]	
Universe	Respondents who answered ACCE_64 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22	3069.6	12.6%
2	NO	131	21279.6	87.4%
6	NOT APPLICABLE	131946	27084697.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	17118.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_65E: Diff. - waited too long/see doc

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=153 / 24349.15] [Invalid=132068 / 27101815.83]	
Universe	Respondents who answered ACCE_64 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	91	15187.4	62.4%
2	NO	62	9161.8	37.6%
6	NOT APPLICABLE	131946	27084697.8	
7	DON'T KNOW	0	0.0	

ACCE_65E: Diff. - waited too long/see doc

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	122	17118.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\mbox{\#}\,ACCE_65F\mbox{:}\,$ Diff. - not available at time required

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=153 / 24349.15] [Invalid=132068 / 27101815.83]	
Universe	Respondents who answered ACCE_64 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	2203.4	9.0%
2	NO	143	22145.7	91.0%
6	NOT APPLICABLE	131946	27084697.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	17118.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_65G: Diff. - not available/area

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=153 / 24349.15] [Invalid=132068 / 27101815.83]	
Universe Respondents who answered ACCE_64 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	451.3	1.9%
2	NO	150	23897.8	98.1%
6	NOT APPLICABLE	131946	27084697.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	17118.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_65H: Diff. - transportation

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=153 / 24349.15] [Invalid=132068 / 27101815.83]	
Universe Respondents who answered ACCE_64 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	487.3	2.0%
2	NO	149	23861.8	98.0%
6	NOT APPLICABLE	131946	27084697.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	17118.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# ACCE_65I: Diff language		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W] [Valid=153 / 24349.15] [Invalid=132068 / 27101815.83]		
Universe Respondents who answered ACCE_64 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)		
Literal question What type of difficulties did you experience? - Language problem		

Value	Label	Cases	Weighted
1	YES	0	0.0
2	NO	153	24349.2
6	NOT APPLICABLE	131946	27084697.8
1	DON'T KNOW	0	0.0
3	REFUSAL	0	0.0
9	NOT STATED	122	17118.0

#ACCE_65J: Diff. - cost

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=153 / 24349.15] [Invalid=132068 / 27101815.83]	
Universe Respondents who answered ACCE_64 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	581.0	2.4%
2	NO	151	23768.1	97.6%
6	NOT APPLICABLE	131946	27084697.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	17118.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_65K: Diff. - did not know where to go

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=153 / 24349.15] [Invalid=132068 / 27101815.83]	
Universe Respondents who answered ACCE_64 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

	·		
Value	Label	Cases	Weighted
1	YES	0	0.0
2	NO	153	24349.2
6	NOT APPLICABLE	131946	27084697.8
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	122	17118.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_65L: Diff. - unable to leave house/health

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=153 / 24349.15] [Invalid=132068 / 27101815.83]	
Universe Respondents who answered ACCE_64 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

ACCE_65L: Diff. - unable to leave house/health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	153	24349.2	100.0%
6	NOT APPLICABLE	131946	27084697.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	17118.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_65M: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=153 / 24349.15] [Invalid=132068 / 27101815.83]
Universe	Respondents who answered ACCE_64 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21	2581.3	10.6%
2	NO	132	21767.8	89.4%
6	NOT APPLICABLE	131946	27084697.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	122	17118.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_66: Exp. diff. during middle of night

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=305 / 46750.27] [Invalid=131916 / 27079414.71]
Universe	Respondents who answered ACCE_61 = (1, 7 or 8) or ACCE_60 = (7 or 8)
Literal question	Did you experience difficulties getting such care during the middle of the night?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	45	6389.4	13.7%
2	NO	106	16781.7	35.9%
3	NOT REQUIRED	154	23579.1	50.4
6	NOT APPLICABLE	131795	27062684.1	
7	DON'T KNOW	1	48.9	
8	REFUSAL	0	0.0	
9	NOT STATED	120	16681.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_67A: Diff. - contact a physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=45 / 6389.39] [Invalid=132176 / 27119775.59]
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	495.3	7.8%
2	NO	43	5894.1	92.2%
6	NOT APPLICABLE	132055	27103045.0	

#ACCE_67A: Diff. - contact a physician

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16730.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_67B: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=45 / 6389.39] [Invalid=132176 / 27119775.59]
Universe	Respondents who answered ACCE_66 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	48.1	0.8%
2	NO	44	6341.3	99.2%
6	NOT APPLICABLE	132055	27103045.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16730.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_67C: Diff. - do not have family physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=45 / 6389.39] [Invalid=132176 / 27119775.59]
Universe	Respondents who answered ACCE_66 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Do not have personal / family physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	308.7	4.8%
2	NO	44	6080.7	95.2%
6	NOT APPLICABLE	132055	27103045.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16730.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_67D: Diff. - waited too long/for appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=45 / 6389.39] [Invalid=132176 / 27119775.59]	
Universe	Respondents who answered ACCE_66 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	540.5	8.5%	
2	NO	41	5848.9		9
6	NOT APPLICABLE	132055	27103045.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	121	16730.6		

ACCE_67D: Diff. - waited too long/for appointment

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_67E: Diff. - waited too long/see doc

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=45 / 6389.39] [Invalid=132176 / 27119775.59]	
Universe	Respondents who answered ACCE_66 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	28	3936.5	61.6%
2	NO	17	2452.9	38.4%
6	NOT APPLICABLE	132055	27103045.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16730.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_67F: Diff. - not available at time required

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=45 / 6389.39] [Invalid=132176 / 27119775.59]
Universe	Respondents who answered ACCE_66 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	922.1	14.4%
2	NO	40	5467.3	85.6%
6	NOT APPLICABLE	132055	27103045.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16730.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_67G: Diff. - not available/area

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=45 / 6389.39] [Invalid=132176 / 27119775.59]
Universe	Respondents who answered ACCE_66 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Perc	enta
1	YES	0	0.0		
2	NO	45	6389.4		
6	NOT APPLICABLE	132055	27103045.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	121	16730.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_67H: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=45 / 6389.39] [Invalid=132176 / 27119775.59]

ACCE_67H: Diff. - transportation

Universe Respondents who answered ACCE_66 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)

Literal question What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	352.9	5.5%
2	NO	43	6036.5	94.5%
6	NOT APPLICABLE	132055	27103045.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16730.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_67I: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=45 / 6389.39] [Invalid=132176 / 27119775.59]
Universe	Respondents who answered ACCE_66 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	45	6389.4	1
6	NOT APPLICABLE	132055	27103045.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16730.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_67J: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W] [Valid=45 / 6389.39] [Invalid=132176 / 27119775.59]			
Universe	Respondents who answered ACCE_66 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)		
Literal question	What type of difficulties did you experience? - Cost		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	421.9	6.6%
2	NO	43	5967.5	93.4%
6	NOT APPLICABLE	132055	27103045.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16730.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_67K: Diff. - did not know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=45 / 6389.39] [Invalid=132176 / 27119775.59]			
Universe	Respondents who answered ACCE_66 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	

ACCE_67K: Diff. - did not know where to go

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	45	6389.4	10
6	NOT APPLICABLE	132055	27103045.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16730.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACCE_67L: Diff. - unable to leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=45 / 6389.39] [Invalid=132176 / 27119775.59]				
Universe	Respondents who answered ACCE_66 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	337.4	5.3%
2	NO	44	6052.0	94.7%
6	NOT APPLICABLE	132055	27103045.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16730.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#ACCE_67M: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=45 / 6389.39] [Invalid=132176 / 27119775.59]		
Universe	Respondents who answered ACCE_66 = (1, 7 or 8) or ACCE_61 = (7 or 8) or ACCE_60 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	1329.0	20.8%
2	NO	34	5060.4	79.2%
6	NOT APPLICABLE	132055	27103045.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16730.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMEFOPT: Optional module: WTM - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	IW/W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents	
Literal question	Optional module: WTM - (F)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5100	638232.2	2.4%
2	NO	127121	26487932.8	97.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	

WTMEFOPT: Optional module: WTM - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTME_01: Required visit to medical specialist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1371 / 159912.15] [Invalid=130850 / 26966252.83]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered ACCE_10 = (1, 7 or 8)
Literal question	In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation for a new illness or condition?
Notes	The "not stated" category includes people who did the interview by proxy.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	574	70738.7	44.2
2	NO	797	89173.4	
6	NOT APPLICABLE	130737	26950458.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	113	15794.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_02: Saw med. spec. - type of condition

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/W]	[Valid=574 / 70738.74] [Invalid=131647 / 27055426.24]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_01 = (1, 7 or 8) or ACCE_10 = (7 or 8)
Literal question	For what type of condition? If you have more than one such visit, please answer for the most recent visit. (Heart condition or stroke, cancer, asthma or other breathing conditions, arthritis or rheumatism, cataract or other eye conditions,)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	HEART CONDITION	56	6175.0	8.7%
2	CANCER	36	3199.4	4.5%
3	ASTHMA	15	1996.3	2.8%
4	ARTHRITIS/RHEUM.	14	1705.4	2.4%
5	CATARACT	32	2696.2	3.8%
6	MENTAL HEALTH	22	3193.9	4.5%
7	SKIN CONDITIONS	43	6186.3	8.7%
8	GYNAECOLOGICAL	55	7434.2	10.5%
9	OTHER	301	38152.2	53.9%
96	NOT APPLICABLE	131534	27039631.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	113	15794.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_03: Person who referred resp. to med. spec.

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=574 / 70738.74] [Invalid=131647 / 27055426.24]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_01 = (1, 7 or 8) or ACCE_10 = (7 or 8)	

#WTME_03: Person who referred resp. to med. spec.

Literal question Were you referred by: (a family doctor, another specialist or another health care provider)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	FAMILY DOCTOR	434	54835.7	77.	.5%
2	OTHER SPECIALIST	67	6835.3	9.7%	
3	OTHER HLTH CARE	50	6604.7	9.3%	
4	DID NOT REQUIRE	23	2463.1	3.5%	
6	NOT APPLICABLE	131534	27039631.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	113	15794.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_04: Already visited the medical specialist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=574 / 70738.74] [Invalid=131647 / 27055426.24]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_01 = (1, 7 or 8) or ACCE_10 = (7 or 8)
Literal question	Have you already visited the medical specialist?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	513	62501.4	88.4%
2	NO	61	8237.4	11.6%
6	NOT APPLICABLE	131534	27039631.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	113	15794.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_05: Difficulty seeing medical specialist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=512 / 62430] [Invalid=131709 / 27063734.98]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_01 = (1, 7 or 8) or ACCE_10 = (7 or 8)
Literal question	Thinking about this visit, did you experience any difficulties seeing the specialist?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	73	8504.1	13.6%
2	NO	439	53925.9	86.4%
6	NOT APPLICABLE	131595	27047869.3	
7	DON'T KNOW	1	71.4	
8	REFUSAL	0	0.0	
9	NOT STATED	113	15794.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_06A: Diff. - getting referral

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=73 / 8504.1] [Invalid=132148 / 27117660.88]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting a referral

#WTME_06A: Diff. - getting referral

Notes

Questions ACCE_12A to ACCE_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.

Value	Label	Cases	Weighted	Percen	tage (Weighted)
1	YES	5	605.6	7.1%	
2	NO	68	7898.5		ç
6	NOT APPLICABLE	132034	27101795.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	114	15865.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_06B: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=73 / 8504.1] [Invalid=132148 / 27117660.88]		
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)		
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment		
Notes	Questions ACCE_12A to ACCE_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22	2604.1	30.6%
2	NO	51	5900.0	69.4%
6	NOT APPLICABLE	132034	27101795.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	15865.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_06C: Diff. - no specialists in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=73 / 8504.1] [Invalid=132148 / 27117660.88]		
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)		
Literal question	teral question What type of difficulties did you experience? - No specialists in the area		
Notes	Questions ACCE_12A to ACCE_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	325.6	3.8%
2	NO	68	8178.4	96.2%
6	NOT APPLICABLE	132034	27101795.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	15865.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_06D: Diff. - waited too long for appointment

Information	on [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=73 / 8504.1] [Invalid=132148 / 27117660.88]		

# WTME_06D: Diff waited too long for appointment		
Universe Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)		
Literal question	What type of difficulties did you experience? - Waited too long between booking appointment and visit	
Notes	Questions ACCE_12A to ACCE_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	45	4758.8	56.0
2	NO	28	3745.3	44.0%
6	NOT APPLICABLE	132034	27101795.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	15865.7	

$\ensuremath{^\#}\xspace\ensuremath{WTME_06E}\xspace$: Diff. - waited too long to see doc.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=73 / 8504.1] [Invalid=132148 / 27117660.88]		
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)		
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)		
Notes	Questions ACCE_12A to ACCE_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	1819.7	21.4%
2	NO	60	6684.4	78.
6	NOT APPLICABLE	132034	27101795.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	15865.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTME_06F: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=73 / 8504.1] [Invalid=132148 / 27117660.88]		
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)		
Literal question	What type of difficulties did you experience? - Transportation problems		
Notes	Questions ACCE_12A to ACCE_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	134.9	1.6%
2	NO	72	8369.2	98.4%
6	NOT APPLICABLE	132034	27101795.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	15865.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# WTME_06G: Diff language		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=73 / 8504.1] [Invalid=132148 / 27117660.88]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Language problem	
Notes	Questions ACCE_12A to ACCE_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	73	8504.1	
6	NOT APPLICABLE	132034	27101795.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	15865.7	

#WTME_06H: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	tatistics [NW/ W] [Valid=73 / 8504.1] [Invalid=132148 / 27117660.88]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Cost	
Notes	Questions ACCE_12A to ACCE_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	73	8504.1	100.0%
6	NOT APPLICABLE	132034	27101795.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	15865.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_06I: Diff. - pers./family responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=73 / 8504.1] [Invalid=132148 / 27117660.88]	
Universe Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)		
Literal question	What type of difficulties did you experience? - Personal or family responsibilities	
Notes	Questions ACCE_12A to ACCE_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	73	8504.1	100.0%
6	NOT APPLICABLE	132034	27101795.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

#WTME_06I: Diff. - pers./family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	114	15865.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_06J: Diff. - deterioration of health

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	tics [NW/W] [Valid=73 / 8504.1] [Invalid=132148 / 27117660.88]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)	
Literal question	What type of difficulties did you experience? - General deterioration of health	
Notes	Questions ACCE_12A to ACCE_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	116.2	1.4%
2	NO	72	8387.8	98.6%
6	NOT APPLICABLE	132034	27101795.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	15865.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_06K: Diff. - appointment cancelled/deferred

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=73 / 8504.1] [Invalid=132148 / 27117660.88]		
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Appointment cancelled or deferred by specialist	
Notes	Questions ACCE_12A to ACCE_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	148.4	1.7%
2	NO	72	8355.7	98.3%
6	NOT APPLICABLE	132034	27101795.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	15865.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_06L: Diff. - unable leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=73 / 8504.1] [Invalid=132148 / 27117660.88]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem	
Notes	Questions ACCE_12A to ACCE_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	

# WTME_	WTME_06L: Diff unable leave house/health				
Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	73	8504.1	100.0	
6	NOT APPLICABLE	132034	27101795.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	114	15865.7		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

#WTME_06M: Diff other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=73 / 8504.1] [Invalid=132148 / 27117660.88]		
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)		
Literal question	What type of difficulties did you experience? - Other		
Notes	Questions ACCE_12A to ACCE_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	1268.5	14.9%
2	NO	65	7235.6	85.1%
6	NOT APPLICABLE	132034	27101795.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	15865.7	

#WTME_07A: Length of wait to see specialist

Information	[Type= continuous] [Format=numeric] [Range= 1-30] [Missing=*]
Statistics [NW/W] [Valid=506 / 61821.55] [Invalid=131715 / 27064343.43] [Mean=3.14 / 3.106] [StdDev=3.541 / 3.309]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	How long did you have to wait between when [you and your doctor/health care provider] decided that you should see a specialist and when you actually visited the specialist?
Notes	Questions ACCE_12A to ACCE_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	131595	27047869.3	
997	DON'T KNOW	7	679.8	
998	REFUSAL	0	0.0	
999	NOT STATED	113	15794.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_07B: Length of wait to see specialist - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=506 / 61821.55] [Invalid=131715 / 27064343.43]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)	
Literal question	Interviewer : Enter unit of time.	

83 181 242	10439.5 22361.5	16.9%
		36.2%
242		
242	29020.5	4
131595	27047869.3	
0	0.0	
0	0.0	
120	16474.2	
	0 120	0 0.0

# WTME_08A: Length of time been waiting to see spec.		
Information [Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/W]	[Valid=60 / 8077.47] [Invalid=132161 / 27118087.51] [Mean=4.917 / 5.148] [StdDev=4.492 / 3.849]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)	
Literal question	How long have you been waiting since [you and your doctor/health care provider] decided that you should see a specialist?	

Value	Label	Cases	Weighted
996	NOT APPLICABLE	132047	27102133.3
997	DON'T KNOW	1	159.9
998	REFUSAL	0	0.0
999	NOT STATED	113	15794.3

#WTME_08B: Length of time waiting/see spec. - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=60 / 8077.47] [Invalid=132161 / 27118087.51]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_05 = (1, 7 or 8) or WTME_04 = (7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	Interviewer : Enter unit of time.
Notes	Unit of measure of value in WTME_08A.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	4	599.8	7.4%
2	WEEKS	12	1860.8	23.0%
3	MONTHS	44	5616.9	69.5%
6	NOT APPLICABLE	132047	27102133.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	15954.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_10: Respondent's opinion of waiting time

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=571 / 70361.22] [Invalid=131650 / 27055803.76]
Literal question	In your view, was the [waiting time/has the waiting time been]: (acceptable or not acceptable)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ACCEPTABLE	430	52558.9	74.7%
2	NOT ACCEPTABLE	136	16727.4	23.8%
3	NO VIEW	5	1074.9	1.5%
6	NOT APPLICABLE	131534	27039631.9	
7	DON'T KNOW	3	377.5	
8	REFUSAL	0	0.0	
9	NOT STATED	113	15794.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_11A: Acceptable waiting time

Information	[Type= continuous] [Format=numeric] [Range= 1-30] [Missing=*]
Statistics [NW/W]	[Valid=141 / 17960.61] [Invalid=132080 / 27108204.37] [Mean=2.511 / 2.458] [StdDev=3.644 / 3.876]

#WTME_11A: Acceptable waiting time

Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_01 = (1, 7 or 8) or ACCE_10 = (7 or 8)

Literal question In this particular case, what do you think is an acceptable waiting time?

Value	Label	Cases	Weighted
996	NOT APPLICABLE	131964	27092190.8
997	DON'T KNOW	3	219.2
998	REFUSAL	0	0.0
999	NOT STATED	113	15794.3

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_11B: Acceptable waiting time - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=141 / 17960.61] [Invalid=132080 / 27108204.37]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_01 = (1, 7 or 8) or ACCE_10 = (7 or 8)
Literal question	Interviewer: Enter unit of time.
Notes	Unit of measure of value in WTME_11A.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	11	1090.9	6.1%
2	WEEKS	51	6135.2	34.2%
3	MONTHS	79	10734.5	59.8%
6	NOT APPLICABLE	131964	27092190.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	16013.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_12: Visit to specialist cancelled/postponed

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=573 / 70456.23] [Invalid=131648 / 27055708.75]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_01 = (1, 7 or 8) or ACCE_10 = (7 or 8)
Literal question	Was your visit cancelled or postponed at any time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	56	6106.3	8.7%
2	NO	517	64349.9	91.3%
6	NOT APPLICABLE	131534	27039631.9	
7	DON'T KNOW	1	282.5	
8	REFUSAL	0	0.0	
9	NOT STATED	113	15794.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_13A: Visit cancelled/postponed - respondent

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=56 / 6106.32] [Invalid=132165 / 27120058.66]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_01 = (1, 7 or 8) or ACCE_10 = (7 or 8)
Literal question	Was it cancelled or postponed by: (yourself or the specialist)? - Yourself

#WTME_13A: Visit cancelled/postponed - respondent

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18	2462.6	40.3%
2	NO	38	3643.8	59.7%
6	NOT APPLICABLE	132051	27103981.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	16076.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_13B: Visit cancelled/postponed - specialist

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=56 / 6106.32] [Invalid=132165 / 27120058.66]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_01 = (1, 7 or 8) or ACCE_10 = (7 or 8)
Literal question Was it cancelled or postponed by: (yourself or the specialist)? - The specialist	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	38	3558.3	58
2	NO	18	2548.1	41.7%
6	NOT APPLICABLE	132051	27103981.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	16076.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_13C: Visit cancelled/postponed - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=56 / 6106.32] [Invalid=132165 / 27120058.66]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_01 = (1, 7 or 8) or ACCE_10 = (7 or 8)
Literal question	Was it cancelled or postponed by: (yourself or the specialist)? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	271.9	4.5%
2	NO	54	5834.4	95.5%
6	NOT APPLICABLE	132051	27103981.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	16076.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_14: Life affected by wait/spec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=570 / 70461.76] [Invalid=131651 / 27055703.22]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_12 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this visit?

,	Value	Label	Cases	Weighted	Percentage (Weighted)
1	1	YES	90	10595.1	15.0%

#WTME_14: Life affected by wait/spec.

Value	Label	Cases	Weighted
2	NO	480	59866.7
6	NOT APPLICABLE	131534	27039631.9
7	DON'T KNOW	4	277.0
8	REFUSAL	0	0.0
9	NOT STATED	113	15794.3

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTME_15A: Life affected by wait - worry

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=90 / 10595.07] [Invalid=132131 / 27115569.91]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_12 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Worry, anxiety, stress

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	68	7915.0	74.7%
2	NO	22	2680.1	25.3%
6	NOT APPLICABLE	132014	27099498.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	117	16071.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_15B: Life affected by wait - worry for family

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=90 / 10595.07] [Invalid=132131 / 27115569.91]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_12 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Worry or stress for family or friends

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27	2823.0	26.6%
2	NO	63	7772.0	
6	NOT APPLICABLE	132014	27099498.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	117	16071.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_15C: Life affected by wait - pain

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=90 / 10595.07] [Invalid=132131 / 27115569.91]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_12 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Pain

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30	2983.5	28.2%
2	NO	60	7611.6	71.8%

#WTME_15C: Life affected by wait - pain

Value	Label	Cases	Weighted
6	NOT APPLICABLE	132014	27099498.6
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	117	16071.3

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_15D: Life affected by wait - prob. daily act.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=90 / 10595.07] [Invalid=132131 / 27115569.91]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_12 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Problems with activities of daily living (e.g., dressing, driving)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22	2146.6	20.3%
2	NO	68	8448.5	79.7%
6	NOT APPLICABLE	132014	27099498.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	117	16071.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_15E: Life affected by wait - loss of work

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=90 / 10595.07] [Invalid=132131 / 27115569.91]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_12 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Loss of work

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	1400.2	13.2%
2	NO	80	9194.9	86.8%
6	NOT APPLICABLE	132014	27099498.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	117	16071.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_15F: Life affected by wait - loss of income

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=90 / 10595.07] [Invalid=132131 / 27115569.91]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_12 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Loss of income

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	561.7	5.3%
2	NO	86	10033.3	94.7%

#WTME_15F: Life affected by wait - loss of income

Value	Label	Cases	Weighted
6	NOT APPLICABLE	132014	27099498.6
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	117	16071.3

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_15G: Life affected by wait - incr. dependence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=90 / 10595.07] [Invalid=132131 / 27115569.91]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_12 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	1258.8	11.9%
2	NO	78	9336.3	88.1%
6	NOT APPLICABLE	132014	27099498.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	117	16071.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_15H: Life affected by wait - incr. use med.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=90 / 10595.07] [Invalid=132131 / 27115569.91]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_12 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Increased use of over-the-counter drugs

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	737.8	7.0%
2	NO	81	9857.3	93.0%
6	NOT APPLICABLE	132014	27099498.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	117	16071.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_15I: Life affected by wait - health deter.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=90 / 10595.07] [Invalid=132131 / 27115569.91]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_12 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Overal health deteriorated, condition got worse

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	840.6	7.9%
2	NO	77	9754.4	92.1%
6	NOT APPLICABLE	132014	27099498.6	

#WTME_15I: Life affected by wait - health deter.

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	117	16071.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_15J: Life affected by wait - health improved

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=90 / 10595.07] [Invalid=132131 / 27115569.91]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_12 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Health problem improved

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	90	10595.1	
6	NOT APPLICABLE	132014	27099498.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	117	16071.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_15K: Life affected by wait - pers. rel.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=90 / 10595.07] [Invalid=132131 / 27115569.91]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_12 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Personal relationships suffered

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	759.0	7.2%
2	NO	80	9836.0	92.8%
6	NOT APPLICABLE	132014	27099498.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	117	16071.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_15L: Life affected by wait - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=90 / 10595.07] [Invalid=132131 / 27115569.91]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_12 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)	
Literal question	How was your life affected as a result of waiting for this visit? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	1374.9	13.0%
2	NO	78	9220.1	87.0%
6	NOT APPLICABLE	132014	27099498.6	
7	DON'T KNOW	0	0.0	

#WTME_15L: Life affected by wait - other

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	117	16071.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_16: Type of surgery required

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/W] [Valid=385 / 42151.77] [Invalid=131836 / 27084013.21]	
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered ACCE_20 = (1, 7 or 8)
Literal question	What type of surgery did you require? If you have had more than one in the past 12 months, please answer for the most recent surgery. (Cardiac surgery, cancer related surgery, hip or knee replacement surgery, cataract or other eye surgery,)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	CARDIAC	15	1190.6	2.8%	
2	CANCER	24	2383.0	5.7%	
3	HIP/KNEE	19	1790.4	4.2%	
4	CATARACT/EYE	47	3829.1	9.1%	
5	HYSTERECTOMY	12	1346.6	3.2%	
6	GALL BLADDER	13	1003.0	2.4%	
7	OTHER	255	30609.1		72.6%
96	NOT APPLICABLE	131725	27068765.9		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	111	15247.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_17: Already had the surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=385 / 42151.77] [Invalid=131836 / 27084013.21]
Literal question	Did you already have this surgery?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	352	39057.4	92.7%
2	NO	33	3094.4	7.3%
6	NOT APPLICABLE	131725	27068765.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_18: Surgery required overnight hospital stay

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=352 / 39057.41] [Invalid=131869 / 27087107.57]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered ACCE_20 = (1, 7 or 8)
Literal question	Did the surgery require an overnight hospital stay?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	121	11176.6	28.6%
2	NO	231	27880.8	71.4%
6	NOT APPLICABLE	131758	27071860.2	

#WTME_18: Surgery required overnight hospital stay

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_19: Diff. getting this surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=352 / 39057.41] [Invalid=131869 / 27087107.57]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_17 = (1, 7 or 8) or ACCE_20 = (7 or 8)
Literal question Did you experience any difficulties getting this surgery?	
Notes	Questions ACCE_22A to ACCE_22N ask about any difficulties experienced getting the needed nonemergency surgery. This question refers to difficulties experienced for the most recent non emergency surgery.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	39	3918.6	10.0%
2	NO	313	35138.8	90.0%
6	NOT APPLICABLE	131758	27071860.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_20A: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=39 / 3918.58] [Invalid=132182 / 27122246.4]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_19 = (1, 7 or 8) or WTME_17 = (7 or 8) or ACCE_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon
Notes	Questions ACCE_22A to ACCE_22N ask about any difficulties experienced getting the needed nonemergency surgery. This question refers to difficulties experienced for the most recent non emergency surgery.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	1250.1	31.9%
2	NO	31	2668.5	68.1%
6	NOT APPLICABLE	132071	27106999.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_20B: Diff. - getting a diagnosis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=39 / 3918.58] [Invalid=132182 / 27122246.4]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_19 = (1, 7 or 8) or WTME_17 = (7 or 8) or ACCE_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting a diagnosis
Notes	Questions ACCE_22A to ACCE_22N ask about any difficulties experienced getting the needed nonemergency surgery. This question refers to difficulties experienced for the most recent non emergency surgery.

#WTME_20B: Diff. - getting a diagnosis

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	450.7	11.5%
2	NO	37	3467.9	88.5
6	NOT APPLICABLE	132071	27106999.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_20C: Diff. - wait too long for diag. test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=39 / 3918.58] [Invalid=132182 / 27122246.4]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_19 = (1, 7 or 8) or WTME_17 = (7 or 8) or ACCE_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long for a diagnostic test
Notes	Questions ACCE_22A to ACCE_22N ask about any difficulties experienced getting the needed nonemergency surgery. This question refers to difficulties experienced for the most recent non emergency surgery.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	79.2	2.0%
2	NO	37	3839.3	98.0%
6	NOT APPLICABLE	132071	27106999.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_20D: Diff. - waited too long for hosp. bed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	tics [NW/ W] [Valid=39 / 3918.58] [Invalid=132182 / 27122246.4]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_19 = (1, 7 or 8) or WTME_17 = (7 or 8) or ACCE_20 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Waited too long for a hospital bed to become available	
Notes	Questions ACCE_22A to ACCE_22N ask about any difficulties experienced getting the needed nonemergency surgery. This question refers to difficulties experienced for the most recent non emergency surgery.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	880.3	22.5%
2	NO	30	3038.2	77
6	NOT APPLICABLE	132071	27106999.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_20E: Diff. - waited too long/surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=39 / 3918.58] [Invalid=132182 / 27122246.4]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_19 = (1, 7 or 8) or WTME_17 = (7 or 8) or ACCE_20 = (7 or 8)	

WTME_20E: Diff. - waited too long/surgery Literal question What type of difficulties did you experience? - Waited too long for surgery Notes Questions ACCE_22A to ACCE_22N ask about any difficulties experienced getting the needed nonemergency surgery. This

question refers to difficulties experienced for the most recent non emergency surgery.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21	2291.3	58.5%
2	NO	18	1627.2	41.5%
6	NOT APPLICABLE	132071	27106999.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_20F: Diff. - service not available/area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=39 / 3918.58] [Invalid=132182 / 27122246.4]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_19 = (1, 7 or 8) or WTME_17 = (7 or 8) or ACCE_20 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Service not available in the area	
Notes	Questions ACCE_22A to ACCE_22N ask about any difficulties experienced getting the needed nonemergency surgery. This question refers to difficulties experienced for the most recent non emergency surgery.	

Value	Label	Cases	Weighted
1	YES	0	0.0
2	NO	39	3918.6
6	NOT APPLICABLE	132071	27106999.1
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	111	15247.3

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_20G: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=39 / 3918.58] [Invalid=132182 / 27122246.4]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_19 = (1, 7 or 8) or WTME_17 = (7 or 8) or ACCE_20 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Transportation problems	
Notes	Questions ACCE_22A to ACCE_22N ask about any difficulties experienced getting the needed nonemergency surgery. This question refers to difficulties experienced for the most recent non emergency surgery.	

Value	Label	Cases	Weighted	
1	YES	0	0.0	
2	NO	39	3918.6	
6	NOT APPLICABLE	132071	27106999.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_20H: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

# WTME_20H: Diff language		
Statistics [NW/W]	[Valid=39 / 3918.58] [Invalid=132182 / 27122246.4]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_19 = (1, 7 or 8) or WTME_17 = (7 or 8) or ACCE_20 = (7 or 8)	
Literal question	eral question What type of difficulties did you experience? - Language problem	
Notes	Questions ACCE_22A to ACCE_22N ask about any difficulties experienced getting the needed nonemergency surgery. This question refers to difficulties experienced for the most recent non emergency surgery.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	39	3918.6	100.0%
6	NOT APPLICABLE	132071	27106999.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

#WTME_20I: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=39 / 3918.58] [Invalid=132182 / 27122246.4]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_19 = (1, 7 or 8) or WTME_17 = (7 or 8) or ACCE_20 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Cost	
Notes	Questions ACCE_22A to ACCE_22N ask about any difficulties experienced getting the needed nonemergency surgery. This question refers to difficulties experienced for the most recent non emergency surgery.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	39	3918.6	
6	NOT APPLICABLE	132071	27106999.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTME_20J: Diff. - pers./family responsibilities

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=39 / 3918.58] [Invalid=132182 / 27122246.4]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_19 = (1, 7 or 8) or WTME_17 = (7 or 8) or ACCE_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Personal or family responsibilities
Notes	Questions ACCE_22A to ACCE_22N ask about any difficulties experienced getting the needed nonemergency surgery. This question refers to difficulties experienced for the most recent non emergency surgery.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	39	3918.6	100.0%
6	NOT APPLICABLE	132071	27106999.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

#WTME_20J: Diff. - pers./family responsibilities

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME 20K: Diff. - deterioration of health

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W] [Valid=39 / 3918.58] [Invalid=132182 / 27122246.4]			
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_19 = (1, 7 or 8) or WTME_17 = (7 or 8) or ACCE_20 = (7 or 8)		
Literal question What type of difficulties did you experience? - General deterioration of health			
Notes	Questions ACCE_22A to ACCE_22N ask about any difficulties experienced getting the needed nonemergency surgery. This question refers to difficulties experienced for the most recent non emergency surgery.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	413.7	10.6%
2	NO	38	3504.8	89.4%
6	NOT APPLICABLE	132071	27106999.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_20L: Diff. - appt. cancelled/deferred

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=39 / 3918.58] [Invalid=132182 / 27122246.4]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_19 = (1, 7 or 8) or WTME_17 = (7 or 8) or ACCE_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital
Notes	Questions ACCE_22A to ACCE_22N ask about any difficulties experienced getting the needed nonemergency surgery. This question refers to difficulties experienced for the most recent non emergency surgery.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	851.8	21.7%
2	NO	33	3066.8	78.3%
6	NOT APPLICABLE	132071	27106999.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_20M: Diff. - unable leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=39 / 3918.58] [Invalid=132182 / 27122246.4]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_19 = (1, 7 or 8) or WTME_17 = (7 or 8) or ACCE_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem
Notes	Questions ACCE_22A to ACCE_22N ask about any difficulties experienced getting the needed nonemergency surgery. This question refers to difficulties experienced for the most recent non emergency surgery.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	39	3918.6	100.0%
6	NOT APPLICABLE	132071	27106999.1	

#WTME_20M: Diff. - unable leave house/health

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_20N: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=39 / 3918.58] [Invalid=132182 / 27122246.4]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_19 = (1, 7 or 8) or WTME_17 = (7 or 8) or ACCE_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other
Notes	Questions ACCE_22A to ACCE_22N ask about any difficulties experienced getting the needed nonemergency surgery. This question refers to difficulties experienced for the most recent non emergency surgery.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	409.2	10.4%
2	NO	33	3509.4	89.6%
6	NOT APPLICABLE	132071	27106999.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_21A: Length of wait/surgery

Information	[Type= continuous] [Format=numeric] [Range= 1-90] [Missing=*]		
Statistics [NW/W] [Valid=346 / 38663.52] [Invalid=131875 / 27087501.46] [Mean=5.095 / 5.372] [StdDev=9.717 / 10.038]			
Universe Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_17 = (1, 7 or 8) or ACCE_20 =			
Literal question	How long did you have to wait between when you and the surgeon decided to go ahead with surgery and the day of surgery?		

Value	Label	Cases	Weighted
996	NOT APPLICABLE	131758	27071860.2
997	DON'T KNOW	6	393.9
998	REFUSAL	0	0.0
999	NOT STATED	111	15247.3

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_21B: Length of wait/surgery - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/W]	(W) [Valid=346 / 38663.52] [Invalid=131875 / 27087501.46]		
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_17 = (1, 7 or 8) or ACCE_20 = (7 or 8)		
Literal question	Interviewer: Enter unit of time.		
Notes	Unit of measure of value in WTME_21A.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	68	7908.7	20.5%
2	WEEKS	112	12191.8	31.5%
3	MONTHS	166	18563.0	48.0%
6	NOT APPLICABLE	131758	27071860.2	

#WTME_21B: Length of wait/surgery - unit

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	117	15641.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_22: Surg. will require overnight hosp. stay

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=31 / 3004.15] [Invalid=132190 / 27123160.83]	
Literal question Will the surgery require an overnight hospital stay?	
Notes	Unit of measure of value in WTME_21A.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15	1256.1	41.8%
2	NO	16	1748.1	58.2%
6	NOT APPLICABLE	132077	27107823.3	
7	DON'T KNOW	2	90.2	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_23A: Time since decision/have surgery

Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]	
Statistics [NW/W] [Valid=30 / 2898.48] [Invalid=132191 / 27123266.5] [Mean=7.5 / 6.713] [StdDev=7.291 / 6.425]		
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_17 = (2, 7 or 8) or ACCE_20 = (7 or 8)	
Literal question	How long have you been waiting since you and the surgeon decided to go ahead with the surgery?	
Notes	Unit of measure of value in WTME_23A.	

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	132077	27107823.3	
997	DON'T KNOW	3	195.9	
998	REFUSAL	0	0.0	
999	NOT STATED	111	15247.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

WTME_23B: Time since decision/have surgery - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	Statistics [NW/W] [Valid=30 / 2898.48] [Invalid=132191 / 27123266.5]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered ACCE_20 = (1, 7 or 8)	
Literal question	Interviewer: Enter unit of time.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	0	0.0	
2	WEEKS	7	687.9	23.7%
3	MONTHS	23	2210.5	76.3%
6	NOT APPLICABLE	132077	27107823.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	15443.2	

#WTME_23B: Time since decision/have surgery - unit

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_24: Respondent's opinion of waiting time

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=383 / 42073.79] [Invalid=131838 / 27084091.19]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_24 = (2, 3, 7 or 8) or ACCE_20 = (7 or 8)
Literal question	In your view, [was the waiting time/has the waiting time been]: (acceptable or not acceptable)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ACCEPTABLE	322	35862.5	85.2%
2	NOT ACCEPTABLE	57	6018.7	14.3%
3	NO VIEW	4	192.6	0.5%
6	NOT APPLICABLE	131725	27068765.9	
7	DON'T KNOW	2	78.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_25A: Acceptable waiting time

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/W]	[Valid=59 / 6058.94] [Invalid=132162 / 27120106.04] [Mean=2.508 / 2.358] [StdDev=1.96 / 1.76]
Literal question	In this particular case, what do you think is an acceptable waiting time?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	132047	27104628.4	
997	DON'T KNOW	4	230.4	
998	REFUSAL	0	0.0	
999	NOT STATED	111	15247.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# WTME_25B: Acceptable waiting time - unit		
Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/W]	[Valid=59 / 6058.94] [Invalid=132162 / 27120106.04]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_24 = (2, 3, 7 or 8) or ACCE_20 = (7 or 8)	
Literal question	Interviewer: Enter unit of time.	
Notes	Unit of measure of value in WTME_25A.	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DAYS	4	579.2	9.6%	
2	WEEKS	13	1699.7	28.1%	
3	MONTHS	42	3780.1		62.4%
6	NOT APPLICABLE	132047	27104628.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	115	15477.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_26: Surgery cancelled or postponed

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=383 / 42073.79] [Invalid=131838 / 27084091.19]	
Universe Respondents aged 15 and over with WTMEFOPT = 1 who answered ACCE_20 = (1, 7 or 8)	
Literal question Was your surgery cancelled or postponed at any time?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	60	7367.1	17.5%
2	NO	323	34706.7	82.5%
6	NOT APPLICABLE	131725	27068765.9	
7	DON'T KNOW	2	78.0	
8	REFUSAL	0	0.0	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_27A: Surgery cancelled/postponed - respondent

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=57 / 6949.11] [Invalid=132164 / 27119215.87]	
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered ACCE_20 = (1, 7 or 8)
Literal question	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - Yourself

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19	3155.1	45.4%
2	NO	38	3794.0	5
6	NOT APPLICABLE	132048	27103472.6	
7	DON'T KNOW	3	418.0	
8	REFUSAL	0	0.0	
9	NOT STATED	113	15325.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_27B: Surgery cancelled/postponed - surgeon

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=57 / 6949.11] [Invalid=132164 / 27119215.87]	

#WTME_27B: Surgery cancelled/postponed - surgeon

Universe Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20 = (7 or 8)

Literal question Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - The surgeon

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27	2825.7	40.7%
2	NO	30	4123.4	59.3%
6	NOT APPLICABLE	132048	27103472.6	
7	DON'T KNOW	3	418.0	
8	REFUSAL	0	0.0	
9	NOT STATED	113	15325.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_27C: Surgery cancelled/postponed - hospital

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=57 / 6949.11] [Invalid=132164 / 27119215.87]	
Universe Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20	
Literal question Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - The hospital	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	1009.7	14.5%
2	NO	46	5939.4	85.5%
6	NOT APPLICABLE	132048	27103472.6	
7	DON'T KNOW	3	418.0	
8	REFUSAL	0	0.0	
9	NOT STATED	113	15325.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_27D: Surgery cancelled/postponed - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=57 / 6949.11] [Invalid=132164 / 27119215.87]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20 = (7 or 8)
Literal question	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	439.3	6.3%
2	NO	54	6509.8	93.7%
6	NOT APPLICABLE	132048	27103472.6	
7	DON'T KNOW	3	418.0	
8	REFUSAL	0	0.0	
9	NOT STATED	113	15325.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_28: Life affected by wait for surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=381 / 41854.68] [Invalid=131840 / 27084310.3]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20 = (7 or 8)
Literal question	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this surgery?

#WTME_28: Life affected by wait for surgery

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	39	4133.9	9.9%
2	NO	342	37720.8	90.1%
6	NOT APPLICABLE	131725	27068765.9	
7	DON'T KNOW	3	212.9	
8	REFUSAL	1	84.2	
9	NOT STATED	111	15247.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_29A: Life affected by wait - worry

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=39 / 4133.88] [Invalid=132182 / 27122031.1]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for surgery? - Worry, anxiety, stress

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20	1967.2	47.6%
2	NO	19	2166.7	52
6	NOT APPLICABLE	132067	27106486.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15544.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_29B: Life affected by wait - worry/family

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=39 / 4133.88] [Invalid=132182 / 27122031.1]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Worry or stress for family or friends

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	1040.8	25.2%
2	NO	31	3093.1	74.8%
6	NOT APPLICABLE	132067	27106486.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15544.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_29C: Life affected by wait - pain

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=39 / 4133.88] [Invalid=132182 / 27122031.1]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Pain

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24	2009.1	48.6%
2	NO	15	2124.8	51.4%
6	NOT APPLICABLE	132067	27106486.7	

#WTME_29C: Life affected by wait - pain

Value	Label	Cases	Weighted
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	115	15544.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_29D: Life affected by wait - prob. daily act.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=39 / 4133.88] [Invalid=132182 / 27122031.1]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Problems with activities of daily living (e.g., dressing, driving)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16	2163.0	52.3%
2	NO	23	1970.9	47.7%
6	NOT APPLICABLE	132067	27106486.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15544.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_29E: Life affected by wait - loss of work

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=39 / 4133.88] [Invalid=132182 / 27122031.1]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Loss of work

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	426.2	10.3%
2	NO	35	3707.7	89.7
6	NOT APPLICABLE	132067	27106486.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15544.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_29F: Life affected by wait - loss of income

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=39 / 4133.88] [Invalid=132182 / 27122031.1]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20 = (7 or 8)	
Literal question	How was your life affected as a result of waiting for this visit? - Loss of income	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	262.0	6.3%
2	NO	37	3871.8	93.7%
6	NOT APPLICABLE	132067	27106486.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

#WTME_29F: Life affected by wait - loss of income

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	115	15544.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_29G: Life affected by wait - incr. dependence

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=39 / 4133.88] [Invalid=132182 / 27122031.1]	
Universe Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20 = (7 or 8)	
Literal question	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	1226.8	29.7%
2	NO	32	2907.1	70.3%
6	NOT APPLICABLE	132067	27106486.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15544.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_29H: Life affected by wait - incr. use med.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=39 / 4133.88] [Invalid=132182 / 27122031.1]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Increased use of over-the-counter drugs

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	271.0	6.6%
2	NO	35	3862.9	93.4%
6	NOT APPLICABLE	132067	27106486.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15544.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_29I: Life affected by wait - health deter.

Information	ation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=39 / 4133.88] [Invalid=132182 / 27122031.1]	
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20 = (7 or 8)	
Literal question	How was your life affected as a result of waiting for this visit? - Overal health deteriorated, condition got worse	

Value	Label	Cases	Weighted	Pero	centage (Weighted)	
1	YES	10	1253.0		30.3%	
2	NO	29	2880.9			69.7%
6	NOT APPLICABLE	132067	27106486.7			
7	DON'T KNOW	0	0.0			
8	REFUSAL	0	0.0			
9	NOT STATED	115	15544.4			
Warning: these figure	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

#WTME_29J: Life affected by wait - health improved		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	tatistics [NW/W] [Valid=39 / 4133.88] [Invalid=132182 / 27122031.1]	
Universe Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20 = (7 or 8)		
Literal question	How was your life affected as a result of waiting for this visit? - Health problem improved	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	39	4133.9	100.09
6	NOT APPLICABLE	132067	27106486.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15544.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_29K: Life affected by wait - pers. rel.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=39 / 4133.88] [Invalid=132182 / 27122031.1]
Universe	Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Personal relationships suffered

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	75.0	1.8%
2	NO	38	4058.8	98.2%
6	NOT APPLICABLE	132067	27106486.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15544.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\ensuremath{^\#}\xspace$ WTME_29L: Life affected by wait - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=39 / 4133.88] [Invalid=132182 / 27122031.1]	
Universe Respondents aged 15 or over with WTMEFOPT = 1 who answered WTME_26 = (1, 7 or 8) or ACCE_20 = (7 or 8)	
Literal question	How was your life affected as a result of waiting for this visit? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	284.9	6.9%
2	NO	34	3849.0	93.1%
6	NOT APPLICABLE	132067	27106486.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	115	15544.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTME_30: Type of diagnostic test required

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
	Statistics [NW/W]	[Valid=558 / 61607.79] [Invalid=131663 / 27064557.19]
	Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered ACCE_30 = (1, 7 or 8)

#WTME_30: Type of diagnostic test required

Literal question What type of test did you require? If you had more than one in the past 12 months, please answer for the most recent test. (MRI, CAT Scan or angiography)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MRI	229	29525.5	47.9%
2	CAT SCAN	283	27502.8	44.6%
3	ANGIOGRAPHY	46	4579.5	7.4%
6	NOT APPLICABLE	131539	27048239.0	
7	DON'T KNOW	7	519.4	
8	REFUSAL	1	154.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_31: Had diagnostic test - type of condition

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=563 / 62097.03] [Invalid=131658 / 27064067.95]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered ACCE_30 = (1, 7 or 8)
Literal question	For what type of condition: (heart disease or stroke, cancer, joints or fractures, or neurological or brain disorders (e.g., for MS, migraine or headaches))?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	HEART DISEASE	67	7237.1	11.7%
2	CANCER	43	3640.8	5.9%
3	JOINTS/FRACTURES	111	12258.0	19.7%
4	NEUROLOGICAL	105	13586.5	21.9%
5	OTHER	237	25374.6	40.9%
6	NOT APPLICABLE	131539	27048239.0	
7	DON'T KNOW	3	184.2	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_32: Already had diagnostic test

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=566 / 62281.23] [Invalid=131655 / 27063883.75]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered ACCE_30 = (1, 7 or 8)
Literal question	Did you already have this test?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	540	59469.9	95.5%
2	NO	26	2811.4	4.5%
6	NOT APPLICABLE	131539	27048239.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_33: Location of test

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=540 / 59469.86] [Invalid=131681 / 27066695.12]

#WTME_33: Location of test Universe Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_32 = (1, 7 or 8) or ACCE_30 = (7 or 8) Where was the test done: (hospital, public clinic or private clinic)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	HOSPITAL	533	58713.4	98.7%
2	PUBLIC CLINIC	2	117.1	0.2%
3	PRIVATE CLINIC	4	544.1	0.9%
4	OTHER	1	95.3	0.2%
6	NOT APPLICABLE	131565	27051050.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_34: Location of clinic

Literal question

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=4 / 544.08] [Invalid=132217 / 27125620.9]
Universe	Respondents who answered WTME_33 = (3, 7 or 8) or WTME_32 = (7 or 8) or ACCE_30 = (7 or 8)
Literal question	Was the clinic located: (in your province or in another province)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	RESP'S PROV.	1	251.9	46.3%
2	ANOTHER PROV.	2	108.6	20.0%
3	OTHER	1	183.6	33.7%
6	NOT APPLICABLE	132101	27109976.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_35: Patient in hospital at time of test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=540 / 59469.86] [Invalid=131681 / 27066695.12]			
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_32 = (1, 7 or 8) or ACCE_30 = (7 or 8)			
Literal question	Were you a patient in a hospital at the time of the test?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	67	7095.1	11.9%
2	NO	473	52374.7	88.1%
6	NOT APPLICABLE	131565	27051050.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_36: Diff. getting diagnostic test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=540 / 59469.86] [Invalid=131681 / 27066695.12]			
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_32 = (1, 7 or 8) or ACCE_30 = (7 or 8)			

WTME_36: Diff. getting diagnostic test Literal question Did you experience any difficulties getting this test?

Notes

Questions ACCE_32A to ACCE_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	54	7507.4	12.6%
2	NO	486	51962.4	87.4%
6	NOT APPLICABLE	131565	27051050.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_37A: Diff. - getting referral

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=54 / 7507.43] [Invalid=132167 / 27118657.55]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_36 = (1, 7 or 8) or WTME_32 = (7 or 8) or ACCE_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting a referral
Notes	Questions ACCE_32A to ACCE_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5	630.8	8.4%	
2	NO	49	6876.6	91.6%	6
6	NOT APPLICABLE	132051	27103012.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	116	15644.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_37B: Diff. - getting an appointment

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W] [Valid=54 / 7507.43] [Invalid=132167 / 27118657.55]				
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_36 = (1, 7 or 8) or WTME_32 = (7 or 8) or ACCE_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment			
Notes	Questions ACCE_32A to ACCE_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	1412.8	18.8%
2	NO	44	6094.7	
6	NOT APPLICABLE	132051	27103012.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_37C: Diff. - waited too long to get an appt.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

# WTME_37C: Diff waited too long to get an appt.				
Statistics [NW/W] [Valid=54 / 7507.43] [Invalid=132167 / 27118657.55]				
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_36 = (1, 7 or 8) or WTME_32 = (7 or 8) or ACCE_30 = (7 or 8)			
Literal question What type of difficulties did you experience? - Waited too long to get an appointment				
Notes	Questions ACCE_32A to ACCE_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25	3156.4	42.0%
2	NO	29	4351.0	58.0%
6	NOT APPLICABLE	132051	27103012.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\mbox{\ensuremath{\#}\xspace}\xspace$ WTME_37D: Diff. - waited too long/get test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=54 / 7507.43] [Invalid=132167 / 27118657.55]	
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_36 = (1, 7 or 8) or WTME_32 = (7 or 8) or ACCE_30 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)	
Notes	Questions ACCE_32A to ACCE_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16	1888.3	25.2%
2	NO	38	5619.2	
6	NOT APPLICABLE	132051	27103012.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_37E: Diff. - service not avail./time required

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=54 / 7507.43] [Invalid=132167 / 27118657.55]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_36 = (1, 7 or 8) or WTME_32 = (7 or 8) or ACCE_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available at time required
Notes	Questions ACCE_32A to ACCE_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	97.2	1.3%
2	NO	53	7410.3	98.7%
6	NOT APPLICABLE	132051	27103012.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

#WTME_37E: Diff. - service not avail./time required

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME 37F: Diff. - service not available/area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=54 / 7507.43] [Invalid=132167 / 27118657.55]			
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_36 = (1, 7 or 8) or WTME_32 = (7 or 8) or ACCE_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available in the area			
Notes	Questions ACCE_32A to ACCE_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	135.5	1.8%
2	NO	53	7372.0	98.2%
6	NOT APPLICABLE	132051	27103012.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_37G: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=54 / 7507.43] [Invalid=132167 / 27118657.55]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_36 = (1, 7 or 8) or WTME_32 = (7 or 8) or ACCE_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Transportation problems
Notes	Questions ACCE_32A to ACCE_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	54	7507.4	100
6	NOT APPLICABLE	132051	27103012.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_37H: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=54 / 7507.43] [Invalid=132167 / 27118657.55]	
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_36 = (1, 7 or 8) or WTME_32 = (7 or 8) or ACCE_30 = (7 or 8)	
Literal question	What type of difficulties did you experience? - Language problem	
Notes	Questions ACCE_32A to ACCE_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	54	7507.4	100.0%
6	NOT APPLICABLE	132051	27103012.8	

#WTME_37H: Diff. - language

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_37I: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=54 / 7507.43] [Invalid=132167 / 27118657.55]			
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_36 = (1, 7 or 8) or WTME_32 = (7 or 8) or ACCE_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Cost			
Notes	Questions ACCE_32A to ACCE_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	54	7507.4	10
6	NOT APPLICABLE	132051	27103012.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTME_37J: Diff. - deterioration of health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=54 / 7507.43] [Invalid=132167 / 27118657.55]	
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_36 = (1, 7 or 8) or WTME_32 = (7 or 8) or ACCE_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - General deterioration of health
Notes	Questions ACCE_32A to ACCE_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.

Value	Label	Cases	Weighted	Percentage (Weigl
	YES	0	0.0	
2	NO	54	7507.4	
6	NOT APPLICABLE	132051	27103012.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_37K: Diff. - did not know where to go

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=54 / 7507.43] [Invalid=132167 / 27118657.55]	
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_36 = (1, 7 or 8) or WTME_32 = (7 or 8) or ACCE_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
Notes	Questions ACCE_32A to ACCE_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.

#WTME_37K: Diff. - did not know where to go

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	54	7507.4		10
6	NOT APPLICABLE	132051	27103012.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	116	15644.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_37L: Diff. - unable leave house/health

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=54 / 7507.43] [Invalid=132167 / 27118657.55]	
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_36 = (1, 7 or 8) or WTME_32 = (7 or 8) or ACCE_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem
Notes	Questions ACCE_32A to ACCE_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	54	7507.4	100.0%
6	NOT APPLICABLE	132051	27103012.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_37M: Diff. - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=54 / 7507.43] [Invalid=132167 / 27118657.55]	
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_36 = (1, 7 or 8) or WTME_32 = (7 or 8) or ACCE_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other
Notes	Questions ACCE_32A to ACCE_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.

Value	Label	Cases	Weighted	Percentage (Weigh
1	YES	6	1367.7	18.2%
2	NO	48	6139.8	
6	NOT APPLICABLE	132051	27103012.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_38A: Length of wait / test

Information	[Type= continuous] [Format=numeric] [Range= 1-60] [Missing=*]				
Statistics [NW/W]	[Valid=521 / 57736.24] [Invalid=131700 / 27068428.74] [Mean=3.065 / 3.252] [StdDev=4.335 / 4.687]				
Universe	Respondents aged 15 and over who answered WTME_32 = (1, 7 or 8) or ACCE_30 = (7 or 8)				

#WTME_38A: Length of wait / test

Literal question How long did you have to wait between when you and your doctor decided to go ahead with the test and the day of the test?

Value	Label	Cases	Weighted
996	NOT APPLICABLE	131565	27051050.3
997	DON'T KNOW	17	1654.4
998	REFUSAL	2	79.2
999	NOT STATED	116	15644.8

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTME_38B: Lgth wait decision and test - unit

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W] [Valid=521 / 57736.24] [Invalid=131700 / 27068428.74]	
Universe Respondents aged 15 and over who answered WTME_32 = (1, 7 or 8) or ACCE_30 = (7 or 8)	
Literal question Interviewer : Enter unit of time.	
Notes	Unit of measure of value in WTME_38A.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	155	19090.5	33.1%
2	WEEKS	176	18656.7	32.3%
3	MONTHS	190	19989.0	34.6%
6	NOT APPLICABLE	131565	27051050.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	135	17378.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_39A: Length of time been waiting/diag. test

Information [Type= continuous] [Format=numeric] [Range= 1-48] [Missing=*]	
Statistics [NW/W]	[Valid=25 / 2713.69] [Invalid=132196 / 27123451.29] [Mean=5.4 / 4.407] [StdDev=9.574 / 5.819]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_32 = (2, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	How long have you been waiting for the test since you and your doctor decided to go ahead with the test?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	132079	27107708.8	
997	DON'T KNOW	1	97.7	
998	REFUSAL	0	0.0	
999	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_39B: Lgth time been waiting for test - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W] [Valid=25 / 2713.69] [Invalid=132196 / 27123451.29]	
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_32 = (2, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	Interviewer: Enter unit of time.
Notes	Unit of measure of value in WTME_39A.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	4	434.6	16.0%
2	WEEKS	2	65.3	2.4%

#WTME_39B: Lgth time been waiting for test - unit

Value	Label	Cases	Weighted	Percentage (Weighted)
3	MONTHS	19	2213.8	
6	NOT APPLICABLE	132079	27107708.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	117	15742.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_40: Respondent's opinion of waiting time

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W] [Valid=560 / 61814.89] [Invalid=131661 / 27064350.09]	
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered ACCE_30 = (1, 7 or 8)
Literal question	In your view, [was the waiting time/has the waiting time been]: (acceptable or not acceptable)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ACCEPTABLE	452	50063.4	81.0%
2	NOT ACCEPTABLE	101	11234.5	18.2%
3	NO VIEW	7	517.0	0.8%
6	NOT APPLICABLE	131539	27048239.0	
7	DON'T KNOW	5	435.2	
8	REFUSAL	1	31.1	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_41A: Acceptable waiting time

Information [Type= continuous] [Format=numeric] [Range= 1-14] [Missing=*]	
Statistics [NW/W]	[Valid=106 / 11783.43] [Invalid=132115 / 27114381.55] [Mean=2.245 / 2.109] [StdDev=2.142 / 1.935]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_40 = (2, 3, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	In this particular case, what do you think is an acceptable waiting time?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	131991	27098302.4	
997	DON'T KNOW	7	403.3	
998	REFUSAL	1	31.1	
999	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_41B: Acceptable waiting time - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W] [Valid=106 / 11783.43] [Invalid=132115 / 27114381.55]	
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_40 = (2, 3, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	Interviewer : Enter unit of time.
Notes	Unit of measure of value in WTME_41A.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	15	1624.9	13.8%
2	WEEKS	48	5623.8	47.7%
3	MONTHS	43	4534.8	38.5%
6	NOT APPLICABLE	131991	27098302.4	

#WTME_41B: Acceptable waiting time - unit

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	124	16079.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_42: Test cancelled or postponed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=563 / 62185.4] [Invalid=131658 / 27063979.58]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered ACCE_30 = (1, 7 or 8)
Literal question	Was your test cancelled or postponed at any time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	35	4033.6	6.5%
2	NO	528	58151.8	93.5%
6	NOT APPLICABLE	131539	27048239.0	
7	DON'T KNOW	2	64.7	
8	REFUSAL	1	31.1	
9	NOT STATED	116	15644.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_43: Test cancelled or postponed by

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=35 / 4033.63] [Invalid=132186 / 27122131.35]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_42 = (1, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	Was it cancelled or postponed by: (yourself, the specialist, the hospital or the clinic)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SELF	8	878.4	21.8%
2	SPECIALIST	4	380.4	9.4%
3	HOSPITAL	21	2598.3	64.4%
4	CLINIC	0	0.0	
5	OTHER	2	176.5	4.4%
6	NOT APPLICABLE	132067	27106390.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	119	15740.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_44: Life affected by wait/test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=561 / 61525.7] [Invalid=131660 / 27064639.28]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered ACCE_30 = (1, 7 or 8)
Literal question	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this test?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	63	6199.0	10.1%
2	NO	498	55326.8	89.9%

#WTME_44: Life affected by wait/test

Value	Label	Cases	Weighted
6	NOT APPLICABLE	131539	27048239.0
7	DON'T KNOW	4	724.4
8	REFUSAL	1	31.1
9	NOT STATED	116	15644.8

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_45A: Life affected by wait - worry

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=63 / 6198.95] [Invalid=132158 / 27119966.03]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_44 = (1, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this test? - Worry, anxiety, stress

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	42	4142.8	66.8%
2	NO	21	2056.2	33.2%
6	NOT APPLICABLE	132037	27103565.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16400.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# WTME_45B: Life aff	Cected by wait - worry for family
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=63 / 6198.95] [Invalid=132158 / 27119966.03]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_44 = (1, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this test? - Worry or stress for family or friends

Value	Label	Cases	Weighted
1	YES	9	1415.0
2	NO	54	4784.0
6	NOT APPLICABLE	132037	27103565.7
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	121	16400.3

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_45C: Life affected by wait - pain

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=63 / 6198.95] [Invalid=132158 / 27119966.03]			
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_44 = (1, 7 or 8) or ACCE_30 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this test? - Pain			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30	2927.0	47.2%
2	NO	33	3272.0	52.8%
6	NOT APPLICABLE	132037	27103565.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16400.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_45D: Life affected by wait - prob. daily act.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=63 / 6198.95] [Invalid=132158 / 27119966.03]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_44 = (1, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this test? - Problems with activities of daily living (e.g., dressing, driving)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15	1532.0	24.7%
2	NO	48	4667.0	75.3%
6	NOT APPLICABLE	132037	27103565.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16400.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\ensuremath{^\#}\xspace\ensuremath{WTME_45E}\xspace$. Life affected by wait - loss of work

Information	tion [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/W]	[Valid=63 / 6198.95] [Invalid=132158 / 27119966.03]				
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_44 = (1, 7 or 8) or ACCE_30 = (7 or 8)				

#WTME_45E: Life affected by wait - loss of work

Literal question How was your life affected as a result of waiting for this test? - Loss of work

alue	Label	Cases	Weighted
1	YES	9	1325.8
2	NO	54	4873.2
6	NOT APPLICABLE	132037	27103565.7
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	121	16400.3

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_45F: Life affected by wait - loss of income

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=63 / 6198.95] [Invalid=132158 / 27119966.03]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_44 = (1, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this test? - Loss of income

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	1550.1	25.0%
2	NO	55	4648.9	75.0%
6	NOT APPLICABLE	132037	27103565.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16400.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_45G: Life affected by wait - incr. dependence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=63 / 6198.95] [Invalid=132158 / 27119966.03]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_44 = (1, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	1015.7	16.4%
2	NO	56	5183.3	83.6%
6	NOT APPLICABLE	132037	27103565.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16400.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_45H: Life affected by wait-incr. use med.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/W]	[Valid=63 / 6198.95] [Invalid=132158 / 27119966.03]				
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_44 = (1, 7 or 8) or ACCE_30 = (7 or 8)				
Literal question	How was your life affected as a result of waiting for this test? - Increased use of over-the-counter drugs				

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6	454.9	7.3%	
2	NO	57	5744.1		92.7%

#WTME_45H: Life affected by wait-incr. use med.

Value	Label	Cases	Weighted
6	NOT APPLICABLE	132037	27103565.7
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	121	16400.3

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_45I: Life affected by wait - health deter.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=63 / 6198.95] [Invalid=132158 / 27119966.03]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_44 = (1, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Overall health deteriorated, condition got worse

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	8	834.8	13.5%	
2	NO	55	5364.1		86.5%
6	NOT APPLICABLE	132037	27103565.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	121	16400.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTME_45J: Life affected by wait - health improved

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=63 / 6198.95] [Invalid=132158 / 27119966.03]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_44 = (1, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Health problem improved

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	61.1	1.0%
2	NO	62	6137.9	99.0%
6	NOT APPLICABLE	132037	27103565.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16400.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_45K: Life affected by wait - pers. rel.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=63 / 6198.95] [Invalid=132158 / 27119966.03]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_44 = (1, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this test? - Personal relationships suffered

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	527.8	8.5%
2	NO	59	5671.2	91.5%
6	NOT APPLICABLE	132037	27103565.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

#WTME_45K: Life affected by wait - pers. rel.

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	121	16400.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTME_45L: Life affected by wait - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=63 / 6198.95] [Invalid=132158 / 27119966.03]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_44 = (1, 7 or 8) or ACCE_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this test? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	462.1	7.5%
2	NO	56	5736.9	92.5%
6	NOT APPLICABLE	132037	27103565.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	121	16400.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMEDSO: # days wait/med. spec. -seen spec. - (D)

Information	[Type= continuous] [Format=numeric] [Range= 1-720] [Missing=*]
Statistics [NW/W]	[Valid=506 / 61821.55] [Invalid=131715 / 27064343.43] [Mean=57.978 / 55.499] [StdDev=86.525 / 79.986]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_04 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	# days wait/med. spec seen spec (D)
Notes	Based on WTME_07A, WTME_07B. See documentation on derived variables.

Value	Label	Cases	Weighted
9996	NOT APPLICABLE	131595	27047869.3
9997	DON'T KNOW	0	0.0
9998	REFUSAL	0	0.0
9999	NOT STATED	120	16474.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMEDSN: # days wait/med. spec. - not seen - (D)

Information	[Type= continuous] [Format=numeric] [Range= 1-720] [Missing=*]		
Statistics [NW/W]	[Valid=60 / 8077.47] [Invalid=132161 / 27118087.51] [Mean=121.017 / 120.852] [StdDev=129.366 / 110.494]		
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_04 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)		
Literal question	# days wait/med. spec not seen - (D)		
Notes	Based on WTME_08A, WTME_08B. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)	
9996	NOT APPLICABLE	132047	27102133.3		
9997	DON'T KNOW	0	0.0		
9998	REFUSAL	0	0.0		
9999 NOT STATED 114 15954.2					
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# WTMEDSA: # days accept. wait - med. spec. (D)				
Information	[Type= continuous] [Format=numeric] [Range= 1-300] [Missing=*]			
Statistics [NW/W]	[Valid=565 / 70003.41] [Invalid=131656 / 27056161.57] [Mean=34.427 / 33.925] [StdDev=39.363 / 38.456]			
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_04 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)			
Literal question	# days accept. wait - med. spec. (D)			
Notes	Based on WTME_07A, WTME_08A, WTME_10, WTME_11A, WTME_11B, WTMEDSO, WTMEDSN. See documentation on derived variables.			

Value	Label	Cases	Weighted	Pe		
9996	NOT APPLICABLE	131534	27039631.9			
9997	DON'T KNOW	0	0.0			
9998	REFUSAL	0	0.0			
9999 NOT STATED 122 16529.7						
Warning: these figures	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

#WTMEDCO: # days wait-non-urg. surg -surg. done(D)

Information	[Type= continuous] [Format=numeric] [Range= 1-1800] [Missing=*]	
Statistics [NW/W]	[Valid=346 / 38663.52] [Invalid=131875 / 27087501.46] [Mean=69.072 / 67.593] [StdDev=130.672 / 134.582]	
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_04 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)	
Literal question # days wait-non-urg. surg -surg. done(D)		
Notes	Based on WTME_21A, WTME_21B. See documentation on derived variables.	

Value	Label	Cases	Weighted
9996	NOT APPLICABLE	131758	27071860.2
9997	DON'T KNOW	0	0.0
9998	REFUSAL	0	0.0
9999	NOT STATED	117	15641.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMEDCN: # days wait-non-urg. surg-not done (D)

Information	[Type= continuous] [Format=numeric] [Range= 7-720] [Missing=*]	
Statistics [NW/W]	[Valid=30 / 2898.48] [Invalid=132191 / 27123266.5] [Mean=198.167 / 171.032] [StdDev=215.022 / 174.685]	
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_04 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)	
Literal question	# days wait - non-urg. surg-not done(D)	
Notes	Based on WTME_23A, WTME_23B. See documentation on derived variables.	

Value	Label	Cases	Weighted
9996	NOT APPLICABLE	132077	27107823.3
9997	DON'T KNOW	0	0.0
9998	REFUSAL	0	0.0
9999	NOT STATED	114	15443.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

$\mbox{\#}\,WTMEDCA\mbox{:}\,\mbox{\#}\,days$ accept. wait -n-emer. surg.- (D)

Information [Type= continuous] [Format=numeric] [Range= 1-1800] [Missing=*]		
Statistics [NW/W]	[Valid=377 / 41605.5] [Invalid=131844 / 27084559.48] [Mean=58.265 / 58.05] [StdDev=116.377 / 122.437]	
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_04 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)	

WTMEDCA: # days accept. wait -n-emer. surg.- (D) Literal question # days accept. wait -n-emer. surg.- (D) Notes Based on WTME_21A, WTME_23A, WTME_24, WTME_25A, WTME_25B, WTMEDCO, WTMEDCN. See documentation on derived variables.

Value	Label	Cases	Weighted
9996	NOT APPLICABLE	131725	27068765.9
9997	DON'T KNOW	0	0.0
9998	REFUSAL	0	0.0
9999	NOT STATED	119	15793.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#WTMEDTO: # days wait - diag. test - done - (D)

Information	[Type= continuous] [Format=numeric] [Range= 1-540] [Missing=*]	
Statistics [NW/W]	(W) [Valid=521 / 57736.24] [Invalid=131700 / 27068428.74] [Mean=40.008 / 39.023] [StdDev=60.798 / 59.5]	
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_04 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)	
Literal question # days wait - diag. test - done - (D)		
Notes	Based on WTME_38A, WTME_38B. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	131565	27051050.3	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	135	17378.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMEDTN: # days wait - diag. test -not done -(D)

Information	[Type= continuous] [Format=numeric] [Range= 1-1440] [Missing=*]
Statistics [NW/W]	[Valid=25 / 2713.69] [Invalid=132196 / 27123451.29] [Mean=140.28 / 115.057] [StdDev=291.893 / 179.963]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered WTME_04 = (1, 7 or 8) or WTME_01 = (7 or 8) or ACCE_10 = (7 or 8)
Literal question	# days wait - diag. test -not done -(D)
Notes	Based on WTME_39A, WTME_39B. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	132079	27107708.8	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	117	15742.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMEDTA: # days accept. wait - diag. test -(D)

Information	[Type= continuous] [Format=numeric] [Range= 1-240] [Missing=*]
Statistics [NW/W]	[Valid=542 / 60310.66] [Invalid=131679 / 27065854.32] [Mean=25.247 / 25.17] [StdDev=31.89 / 33.769]
Universe	Respondents aged 15 and over with WTMEFOPT = 1 who answered ACCE_30 = (1, 7 or 8)
Literal question	# days accept. wait - diag. test -(D)
Notes	Based on WTME_38A, WTME_39A, WTME_40, WTME_41A, WTME_41B, WTMEDTO, WTMEDTN. See documentation on derived variables.

#WTMEDTA: # days accept. wait - diag. test -(D)

Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	131539	27048239.0	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	140	17615.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

#LBSEDHPW: Total usual hrs. worked current - (D)

Information	rmation [Type= continuous] [Format=numeric] [Range= 1-169] [Missing=*]	
Statistics [NW/W]	[Valid=71004 / 16281515.5] [Invalid=61217 / 10844649.48] [Mean=40.428 / 40.233] [StdDev=16.067 / 15.407]	
Universe	Respondents who answered LBSE_01 = (1, 7 or 8) or LBSE_02 = (1, 7 or 8)	
Literal question	Total usual hrs. worked current - (D)	
Notes	Based on LBSE_42, LBSE_53. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	58263	10094924.2	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	2954	749725.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBSEDPFT: Full/part-time - current jobs - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=71004 / 16281515.5] [Invalid=61217 / 10844649.48]	
Universe	Respondents who answered LBSE_01 = (1, 7 or 8) or LBSE_02 = (1, 7 or 8)	
Literal question	Full/part-time - current jobs - (D)	
Notes	Based on LBSEDHPW. Usual hours currently worked. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FULL-TIME	58849	13544391.0	83.2%
2	PART-TIME	12155	2737124.5	16.8%
6	NOT APPLICABLE	58263	10094924.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2954	749725.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#LBSEDWSS: Working status last week - 4 grps - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=110630 / 23610503] [Invalid=21591 / 3515661.98]	
Universe	Respondents aged 15 to 75	
Literal question	Working status last week - 4 grps - (D)	
Notes	Based on LBSE_01, LBSE_02. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	AT WORK LAST WK	65653	15153078.0	64.2%
2	ABSENT LAST WK	6030	1281131.8	5.4%
3	NO JOB LAST WK	35851	6693664.5	28.4%

#LBSEDWSS: Working status last week - 4 grps - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
4	UNABLE/PERMANENT	3096	482628.6	2.0%
6	NOT APPLICABLE	19316	2918631.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2275	597030.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SDCE_8: Current student

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=123271 / 25224191.84] [Invalid=8950 / 1901973.14]	
Universe	Respondents aged 14 or older	
Literal question	Are you currently attending a school, college or university?	
Notes	For educational attainment variables, see EDUE_01 - EDUEDR10.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14822	3812520.9	15.1%
2	NO	108449	21411670.9	84.9%
6	NOT APPLICABLE	6172	1235377.8	
7	DON'T KNOW	304	57162.5	
8	REFUSAL	509	102852.8	
9	NOT STATED	1965	506580.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SDCE_9: Full-time student/part-time student

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=14610 / 3784077.93] [Invalid=117611 / 23342087.05]	
Universe	Respondents who answered SDCE_8 =(1, 7 or 8)
Literal question Are you enrolled as a full-time student or a part-time student?	
Notes	For educational attainment variables, see EDUE_01 - EDUEDR10.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FULL-TIME	11151	2867292.4	75.8%
2	PART-TIME	3459	916785.5	24.2%
6	NOT APPLICABLE	114621	22647048.7	
7	DON'T KNOW	209	28229.1	
8	REFUSAL	3	213.9	
9	NOT STATED	2778	666595.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SDCEGCBG: Country of birth - Canada/other - (G)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=125991 / 25302091.38] [Invalid=6230 / 1824073.6]	
Universe	All respondents
Literal question	Country of birth - Canada/other - (G)
Notes	Based on SDCECCB. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	CANADA	111097	20711558.2	81.9%	

#SDCEGCBG: Country of birth - Canada/other - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
2	OTHER	14894	4590533.2	18.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	6230	1824073.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCEFIMM: Immigrant - (F)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=129207 / 26413039.19] [Invalid=3014 / 713125.79]	
Universe	All respondents
Literal question	Immigrant - (F)
Notes	Based on SDCE_3. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17395	5524581.6	20.9%
2	NO	111812	20888457.6	79.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3014	713125.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCEGRES: Length/time in Canada since imm. - (D,G)

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=17395 / 5524581.63] [Invalid=114826 / 21601583.35]	
Universe	Respondents who answered SDCE_2 = (2, 7 or 8) or SDCE_1 = (97 or 98)
Literal question Length/time in Canada since imm (D,G)	
Notes	Based on SDCE_3 and ADME_YOI. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	0 TO 9 YEARS	3665	1507828.3	27.3%
2	10 OR MORE YEARS	13730	4016753.3	72.7%
6	NOT APPLICABLE	111812	20888457.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3014	713125.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SDCEGCGT: Cultural or racial origin - (D, G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=129026 / 26379658.82] [Invalid=3195 / 746506.16]	
Universe	All respondents
Literal question	Cultural or racial origin - (D, G)
Notes	Based on SDCE_7A, SDCE_7B, SDCE_7C, SDCE_7D, SDCE_7E, SDCE_7F, SDCE_7G, SDCE_7H, SDCE_7I, SDCE_7J, SDCE_7K, SDCE_7L, SDCE_7M, SDCE_43A, SDCE_43B, SDCE_43C, SDCE_43D, SDCE_43E, SDCE_43F, SDCE_43G, SDCE_43I, SDCE_43I, SDCE_43I, SDCE_43L, SDCE_43M. See documentation on derived variables.

#SDCEGCGT: Cultural or racial origin - (D, G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	WHITE	114277	21956624.8	83.2%
2	VISIBLE MINORITY	14749	4423034.0	16.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3195	746506.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#SDCEGLNG: Languages - can converse - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/W]	(W) [Valid=129472 / 26479261.9] [Invalid=2749 / 646903.08]			
Universe	All respondents			
Literal question	Languages - can converse - (D,G)			
Notes	Based on SDCE_5A, SDCE_5B, SDCE_5C, SDCE_5D, SDCE_5E, SDCE_5F, SDCE_5G, SDCE_5H, SDCE_5I, SDCE_5J, SDCE_5K, SDCE_5L, SDCE_5M, SDCE_5N, SDCE_5O, SDCE_5P, SDCE_5Q, SDCE_5R, SDCE_5S, SDCE_5T, SDCE_5U, SDCE_5V, SDCE_5W. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ENG. W-W/O OTHER	85311	17013324.4	64.3%
2	FRE. W-W/O OTHER	16250	3076211.1	11.6%
3	ENG./FRE. W-W/O	27043	6021740.2	22.7%
4	NOT ENGL. / FRE.	868	367986.2	1.4%
6	NOT APPLICABLE	0	0.0	
9	NOT STATED	2749	646903.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INSEFOPT: Optional module: INS - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=132221 / 27126164.98] [Invalid=0 / 0]		
Universe	All respondents	
Literal question	Optional module: INS - (F)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	41766	10570076.1	39.0%
2	NO	90455	16556088.9	61.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#INSE_1: Insurance - prescription medications

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=40287 / 10131455.74] [Invalid=91934 / 16994709.24]			
Universe	Respondents with INSEFOPT = 1		
Literal question	Do you have insurance that covers all or part of the cost of your prescription medications?		

#INSE_1: Insurance - prescription medications

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30752	7720673.7	76.2%
2	NO	9535	2410782.1	23.8%
6	NOT APPLICABLE	90455	16556088.9	
7	DON'T KNOW	439	132089.9	
8	REFUSAL	94	24688.0	
9	NOT STATED	946	281842.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INSE_1A: Type of plan -gov. - sponsored (med)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=30604 / 7672747.32] [Invalid=101617 / 19453417.66]	
Universe	Respondents who answered INSE_1 = (1, 7 or 8)	
Literal question	Is it a government-sponsored plan?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6971	1268389.8	16.5%
2	NO	23633	6404357.5	83.5%
6	NOT APPLICABLE	99990	18966871.0	
7	DON'T KNOW	145	47292.8	
8	REFUSAL	3	633.5	
9	NOT STATED	1479	438620.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INSE_1B: Type of plan - employer-sponsored (med)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=30604 / 7672747.32] [Invalid=101617 / 19453417.66]		
Universe	Respondents who answered INSE_1 = (1, 7 or 8)	
Literal question	Is it an employer-sponsored plan?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22433	6063113.5	79.0%
2	NO	8171	1609633.8	21.0%
6	NOT APPLICABLE	99990	18966871.0	
7	DON'T KNOW	145	47292.8	
8	REFUSAL	3	633.5	
9	NOT STATED	1479	438620.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INSE_1C: Type of plan - private (med)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=30604 / 7672747.32] [Invalid=101617 / 19453417.66]		
Universe Respondents who answered INSE_1 = (1, 7 or 8)		
Literal question	Is it a private plan?	

Value	Label	Cases	Weighted		Percentage (Weighted)	
1	YES	1812	462189.7	6.0%		
2	NO	28792	7210557.6			94.0%
6	NOT APPLICABLE	99990	18966871.0			

INSE_1C: Type of plan - private (med)

Value	Label	Cases	Weighted	Percentage (Weight
7	DON'T KNOW	145	47292.8	
8	REFUSAL	3	633.5	
9	NOT STATED	1479	438620.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INSE_2: Insurance - dental expenses

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=40296 / 10147971.31] [Invalid=91925 / 16978193.67]	
Universe	Respondents with INSEFOPT = 1
Literal question	(Do you have insurance that covers all or part of) your dental expenses?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25716	6910117.7	68.1%
2	NO	14580	3237853.6	31.9%
6	NOT APPLICABLE	90455	16556088.9	
7	DON'T KNOW	425	114174.4	
8	REFUSAL	5	1400.0	
9	NOT STATED	1040	306530.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INSE_2A: Type of plan -gov. - sponsored (dental)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=25599 / 6867001.86] [Invalid=106622 / 20259163.12]
Universe	Respondents who answered INSE_2 = (1, 7 or 8) or INSE_1 = 8
Literal question	Is it a government-sponsored plan?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2713	569991.2	8.3%
2	NO	22886	6297010.6	91.7%
6	NOT APPLICABLE	105035	19793942.5	
7	DON'T KNOW	114	42113.8	
8	REFUSAL	3	1002.1	
9	NOT STATED	1470	422104.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#INSE_2B: Type of plan - employer-spons. (dental)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=25599 / 6867001.86] [Invalid=106622 / 20259163.12]
Universe	Respondents who answered INSE_2 = $(1, 7 \text{ or } 8)$ or INSE_1 = 8
Literal question	Is it an employer-sponsored plan?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21631	5952801.7	86.7%
2	NO	3968	914200.2	13.3%
6	NOT APPLICABLE	105035	19793942.5	
7	DON'T KNOW	114	42113.8	
8	REFUSAL	3	1002.1	
9	NOT STATED	1470	422104.8	

INSE_2B: Type of plan - employer-spons. (dental)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INSE_2C: Type of plan - private (dental)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=25599 / 6867001.86] [Invalid=106622 / 20259163.12]	
Universe	Respondents who answered INSE_2 = (1, 7 or 8) or INSE_1 = 8
Literal question	Is it a private plan?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1502	403802.8	5.9%
2	NO	24097	6463199.0	94.1%
6	NOT APPLICABLE	105035	19793942.5	
7	DON'T KNOW	114	42113.8	
8	REFUSAL	3	1002.1	
9	NOT STATED	1470	422104.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INSE_3: Insurance - eye glasses/contact lenses

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=39658 / 9962927.58] [Invalid=92563 / 17163237.4]		
Universe	Respondents with INSEFOPT = 1	
Literal question	(Do you have insurance that covers all or part of the costs of) eye glasses or contact lenses?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23701	6184557.5	62.1%
2	NO	15957	3778370.1	37.9%
6	NOT APPLICABLE	90455	16556088.9	
7	DON'T KNOW	1046	295451.9	
8	REFUSAL	17	3515.8	
9	NOT STATED	1045	308180.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#INSE_3A: Type of plan -gov. - sponsored (eyes)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W] [Valid=23617 / 6158638.13] [Invalid=108604 / 20967526.85]		
Universe Respondents who answered INSE_3 = (1, 7 or 8) or INSE_1 = 8		
Literal question	Is it a government-sponsored plan?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2782	555605.5	9.0%
2	NO	20835	5603032.6	91.0%
6	NOT APPLICABLE	106412	20334459.0	
7	DON'T KNOW	83	25633.8	
8	REFUSAL	1	285.5	
9	NOT STATED	2108	607148.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#INSE_3B: Type of plan - employer-spons. (eyes)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=23617 / 6158638.13] [Invalid=108604 / 20967526.85]

#INSE_3B: Type of plan - employer-spons. (eyes)

Universe Respondents who answered INSE_3 = (1, 7 or 8) or INSE_1 = 8

Literal question Is it an employer-sponsored plan?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19611	5298896.3	86.0%
2	NO	4006	859741.8	14.0%
6	NOT APPLICABLE	106412	20334459.0	
7	DON'T KNOW	83	25633.8	
8	REFUSAL	1	285.5	
9	NOT STATED	2108	607148.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#INSE_3C: Type of plan - private (eyes)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=23617 / 6158638.13] [Invalid=108604 / 20967526.85]
Universe	Respondents who answered INSE_3 = (1, 7 or 8) or INSE_1 = 8
Literal question	Is it a private plan?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1426	350482.3	5.7%	
2	NO	22191	5808155.8	94	4.3%
6	NOT APPLICABLE	106412	20334459.0		
7	DON'T KNOW	83	25633.8		
8	REFUSAL	1	285.5		
9	NOT STATED	2108	607148.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INSE_4: Insurance - hospital charges

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=38053 / 9480222.53] [Invalid=94168 / 17645942.45]	
Universe	Respondents with INSEFOPT = 1	
Literal question	(Do you have insurance that covers all or part of) hospital charges for a private or semi-private room?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23051	5959919.9	62.9%
2	NO	15002	3520302.6	37.1%
6	NOT APPLICABLE	90455	16556088.9	
7	DON'T KNOW	2633	768900.3	
8	REFUSAL	35	12772.4	
9	NOT STATED	1045	308180.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INSE_4A: Type of plan -gov. - sponsored (hosp.)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=22961 / 5932281.48] [Invalid=109260 / 21193883.5]
Universe	Respondents who answered INSE_4 = (1, 7 or 8) or INSE_1 = 8
Literal question	Is it a government-sponsored plan?

	Value	Label	Cases	Weighted	Percentage (Weighted)
l	1	YES	2215	440807.3	7.4%

INSE_4A: Type of plan -gov. - sponsored (hosp.)

Value	Label	Cases	Weighted
2	NO	20746	5491474.2
6	NOT APPLICABLE	105457	20076391.6
7	DON'T KNOW	86	26359.4
8	REFUSAL	4	1279.0
9	NOT STATED	3713	1089853.5

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INSE_4B: Type of plan - employer-spons. (hosp.)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=22961 / 5932281.48] [Invalid=109260 / 21193883.5]
Universe	Respondents who answered INSE_4 = (1, 7 or 8) or INSE_1 = 8
Literal question	Is it an employer-sponsored plan?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19243	5136991.9	86.6%
2	NO	3718	795289.6	13.4%
6	NOT APPLICABLE	105457	20076391.6	
7	DON'T KNOW	86	26359.4	
8	REFUSAL	4	1279.0	
9	NOT STATED	3713	1089853.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INSE_4C: Type of plan - private (hosp.)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=22961 / 5932281.48] [Invalid=109260 / 21193883.5]	
Universe	Respondents who answered INSE_4 = (1, 7 or 8) or INSE_1 = 8	
Literal question	Is it a private plan?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1710	406463.8	6.9%
2	NO	21251	5525817.6	93.1%
6	NOT APPLICABLE	105457	20076391.6	
7	DON'T KNOW	86	26359.4	
8	REFUSAL	4	1279.0	
9	NOT STATED	3713	1089853.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

EDUEDH04: Highest level/edu. - HH 4 levels - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=121134 / 24225553.06] [Invalid=11087 / 2900611.92]	
Universe	All respondents	
Literal question	Highest level/edu HH 4 levels - (D)	
Notes	Based on EDUEDR04 for each member of the household. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< THAN SECONDARY	17410	1990955.0	8.2%
2	SECONDARY GRAD.	14811	2544757.2	10.5%
3	OTHER POST-SEC.	7420	1437782.4	5.9%

EDUEDH04: Highest level/edu. - HH 4 levels - (D)

Value	Label	Cases	Weighted
4	POST-SEC. GRAD.	81493	18252058.4
6	NOT APPLICABLE	0	0.0
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	11087	2900611.9

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

EDUEDR04: Highest level/edu. - HH 4 levels - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=128868 / 26334698.91] [Invalid=3353 / 791466.07]	
Universe	All respondents	
Literal question	Highest level/edu HH 4 levels - (D)	
Notes	Based on EDUE_1, EDUE_2, EDUE_3, EDUE_4. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< THAN SECONDARY	37312	6319096.3	24.0%
2	SECONDARY GRAD.	19247	3997362.9	15.2%
3	OTHER POST-SEC.	10124	2285072.8	8.7%
4	POST-SEC. GRAD.	62185	13733167.0	52.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3353	791466.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHEGHSZ: Household size - (D, G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	istics [NW/W] [Valid=132199 / 27124470.84] [Invalid=22 / 1694.14]	
Universe	All respondents	
Literal question	Household size - (D, G)	
Notes	Based on household roster, SAMPLEID, PERSONID. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 PERSON	34631	3257522.6	12.0%
2	2 PERSONS	47728	8630597.0	31.
3	3 PERSONS	20247	5253699.8	19.4%
4	4 PERSONS	19546	6045543.0	22.3%
5	5 OR + PERSONS	10047	3937108.5	14.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	22	1694.1	

# DHHEGL12: No. pers. < 12 years old in hhld - (D,G)		
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents	
Literal question	No. pers. < 12 years old in hhld - (D,G)	
Notes	Based on SAMPLEID, PERSONID, DHHE_AGE. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NONE	104619	20460276.4	75.4%
1	1 OR MORE	27602	6665888.6	24.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHEGLE5: No. pers. \leq 5 years old in hhld - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents	
Literal question	No. pers. <= 5 years old in hhld - (D,G)	
Notes	Based on SAMPLEID, PERSONID, DHHE_AGE. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NONE	116928	23623010.1	87.1%
1	1 OR MORE	15293	3503154.9	12.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DHHEG611: No. persons 6-11 years/in hhld - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]
Universe	All respondents
Literal question	No. persons 6-11 years/in hhld - (D,G)
Notes	Based on SAMPLEID, PERSONID, DHHE_AGE. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NONE	114156	22685700.5	83.6%
1	1 OR MORE	18065	4440464.5	16.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHEGLVG: Living arrangements/selected resp -(D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Illioi mation	[Type=discrete] [Toffide=numeric] [Runge=Tof [Wissing=]

# DHHEGLVG: Living arrangements/selected resp -(D,G)		
Statistics [NW/W] [Valid=131338 / 26896023.24] [Invalid=883 / 230141.74]		
Universe	All respondents	
Literal question	iteral question Living arrangements/selected resp -(D,G)	
Notes	Based on relationship matrix, DHHEDHSZ. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	UNATTACHED ALONE	34636	3258008.7	12.1%
2	UNATTACHED OTH	4954	1337896.2	5.0%
3	SPOUSE / PARTER	38126	6761693.5	25.1%
4	PAR SPOUSE CHILD	23255	7666323.6	28.5%
5	PARENT CHILD	4897	1012710.6	3.8%
6	CHILD PARENT SIB	5314	1033842.9	3.8%
7	CHILD 2 PAR SIB	14836	3833611.5	14.3%
8	OTHER	5320	1991936.2	7.4%
96	NOT APPLICABLE	0	0.0	
99	NOT STATED	883	230141.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#DHHE_OWN: Dwelling - owned by a member of hhld

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=128718 / 26269748.87] [Invalid=3503 / 856416.11]	
Universe	Respondents with DHHEDDWE <> 7 (not living in institution)	
Literal question	Is this dwelling owned by a member of this household?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	94864	20174501.9	76.8%
2	NO	33854	6095247.0	23.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	482	119069.6	
8	REFUSAL	897	198431.4	
9	NOT STATED	2124	538915.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHEGBED: Dwelling - number of bedrooms - (G)

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/W]	[Valid=128376 / 26222573.89] [Invalid=3845 / 903591.09]
Universe	All respondents
Literal question	How many bedrooms are there in this dwelling?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NO BEDROOMS	827	119798.2	0.5%
1	1 BEDROOM	12743	1828688.4	7.0%
2	2 BEDROOMS	30335	5118709.5	19.5%
3	3 BEDROOMS	53120	10848507.6	41.4%
4	4 OR + BEDROOMS	31351	8306870.1	31.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

DHHEGBED: Dwelling - number of bedrooms - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	3845	903591.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCEG2: Total hhld inc. - main source - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=123409 / 25197656.91] [Invalid=8812 / 1928508.07]
Universe	All respondents
Literal question	What was the main source of income?
Notes	In processing, if respondent reported only one source of income in INCE_1A through INCE_1N, the variable INCE_2 is given its value. The value 14 (none) is created during processing.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EMPLOYMENT INC.	84988	19745780.2	78.4%
2	EI/WORKER'S COMP	5057	741016.2	2.9%
3	SENIOR BENEFITS	28545	3856502.1	15.3%
4	OTHER	4819	854358.4	3.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	8812	1928508.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCEGHH: Total hhld inc. from all sources - (D,G)

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=112358 / 22848212.27] [Invalid=19863 / 4277952.71]
Universe	All respondents
Literal question	Total hhld inc. from all sources - (D,G)
Notes	Based on INCE_3A, INCE_3B, INCE_3C, INCE_3D, INCE_3E, INCE_3F, INCE_3G. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO OR <\$15,000	10826	1282889.5	5.6%
2	\$15,000-\$29,999	20367	2928006.3	12.8%
3	\$30,000-\$49,999	25178	4548210.0	19.9%
4	\$50,000-\$79,999	28048	6223197.0	27.2%
5	\$80,000 OR MORE	27939	7865909.5	34.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	19863	4277952.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCEGPER: Total pers. inc. from all sources -(D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/W]	/alid=107531 / 21928700.36] [Invalid=24690 / 5197464.62]	
Universe	Respondents aged 15 and over	
Literal question	Total pers. inc. from all sources -(D,G)	
Notes	Based on INCE_4A, INCE_4C, INCE_4D, INCE_4F, INCE_4G. See documentation on derived variables.	

INCEGPER: Total pers. inc. from all sources -(D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO INCOME	5254	1299444.1	5.9%
2	LESS THAN 15,000	27873	5068409.6	23.1%
3	\$15,000-\$29,999	27064	4934684.0	22.5%
4	\$30,000-\$49,999	24995	5255111.4	24.0%
5	\$50,000-\$79,999	15956	3679164.3	16.8%
6	\$80,000 OR MORE	6389	1691887.0	7.7%
96	NOT APPLICABLE	6172	1235377.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	18518	3962086.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCEDRCA: Household income distribution - (D)

Information [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/W]	[Valid=110079 / 22781753] [Invalid=22142 / 4344411.98]
Universe	Respondents with GEOE_PRV < 60
Literal question	Household income distribution - (D)
Notes	Based on INCEDADR. See document on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DECILE 1	12735	2275919.9	10.0%
2	DECILE 2	13222	2304352.0	10.1%
3	DECILE 3	11385	2254877.1	9.9%
4	DECILE 4	10956	2273176.3	10.0%
5	DECILE 5	10098	2280083.2	10.0%
6	DECILE 6	11186	2326212.0	10.2%
7	DECILE 7	9962	2272369.2	10.0%
8	DECILE 8	10250	2314727.1	10.2%
9	DECILE 9	9767	2204568.8	9.7%
10	DECILE 10	10518	2275467.6	10.0%
96	NOT APPLICABLE	2655	76768.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	19487	4267643.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCEDRPR: Hhld inc. distribution-prov. level - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/W]	[Valid=110079 / 22781753] [Invalid=22142 / 4344411.98]
Literal question	Hhld inc. distribution-prov. level - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DECILE 1	12917	2281658.4	10.0%
2	DECILE 2	12499	2277173.7	10.0%
3	DECILE 3	11451	2292176.4	10.1%
4	DECILE 4	10872	2329647.2	10.2%
5	DECILE 5	10496	2245900.5	9.9%

INCEDRPR: Hhld inc. distribution-prov. level - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
6	DECILE 6	10305	2265590.5	9.9%
7	DECILE 7	10383	2274519.0	10.0%
8	DECILE 8	10129	2290032.2	10.1%
9	DECILE 9	10272	2262782.0	9.9%
10	DECILE 10	10755	2262273.2	9.9%
96	NOT APPLICABLE	2655	76768.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	19487	4267643.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCEDRRS: Hhld inc. distribution- hr level - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/ W] [Valid=110079 / 22781753] [Invalid=22142 / 4344411.98]		
Universe	Respondents with GEOE_PRV < 60	
Literal question	Hhld inc. distribution- hr level - (D)	
Notes	Based on INCEDADR, GEOE_PRV. See document on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DECILE 1	13836	2303410.6	10.1%
2	DECILE 2	12778	2285715.0	10.0%
3	DECILE 3	11286	2277810.2	10.0%
4	DECILE 4	11163	2318562.7	10.2%
5	DECILE 5	10605	2273335.9	10.0%
6	DECILE 6	10176	2274483.0	10.0%
7	DECILE 7	10165	2277487.0	10.0%
8	DECILE 8	10050	2271997.1	10.0%
9	DECILE 9	10064	2292113.9	10.1%
10	DECILE 10	9956	2206837.5	9.7%
96	NOT APPLICABLE	2655	76768.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	19487	4267643.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSCEFOPT: Optional module: FSC - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=132221 / 27126164.98] [Invalid=0 / 0]	
Universe	All respondents	
Literal question	Optional module: FSC - (F)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	105235	24239216.2	89.4%
2	NO	26986	2886948.7	10.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

#FSCEFOPT: Optional module: FSC - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_010: Food situation in household - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=101597 / 23270011.16] [Invalid=30624 / 3856153.82]	
Literal question	Which of the following statements best describes the food eaten in your household in the past 12 months? Would you say: (you always had enough of the kinds of food you wanted to eat,, or often you didn't have enough to eat)?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS ENOUGH	90087	20774502.0	89.3%
2	ENOUGH-NOT KIND	9845	2185593.4	9.4%
3	SOMETIMES NOT	1302	255016.7	1.1%
4	OFTEN NOT	363	54899.0	0.2%
6	NOT APPLICABLE	26986	2886948.7	
7	DON'T KNOW	644	177251.6	
8	REFUSAL	1022	270674.3	
9	NOT STATED	1972	521279.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_020: Worried food would run out - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=101377 / 23214133.29] [Invalid=30844 / 3912031.69]	
Universe	Respondents with FSCEFOPT = 1	
Literal question	You and other household members worried that food would run out before you got money to buy more. Was that often true, sometimes true, or never true in the past 12 months?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	2093	392020.6	1.7%
2	SOMETIMES TRUE	6585	1453733.2	6.3%
3	NEVER TRUE	92699	21368379.5	92.0%
6	NOT APPLICABLE	26986	2886948.7	
7	DON'T KNOW	118	29358.4	
8	REFUSAL	96	25539.5	
9	NOT STATED	3644	970185.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_030: No food and no money for more - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/W]	[Valid=101316 / 23197594.91] [Invalid=30905 / 3928570.07]			
Universe	Respondents with FSCEFOPT = 1			
Literal question	The food that you and other household members bought just didn't last, and there wasn't any money to get more. Was that often true, sometimes true, or never true in the past 12 months?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	1446	250018.2	1.1%
2	SOMETIMES TRUE	5190	1115396.1	4.8%
3	NEVER TRUE	94680	21832180.6	94.1%
6	NOT APPLICABLE	26986	2886948.7	

#FSCE_030: No food and no money for more - 12 mo

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	152	41577.6	
8	REFUSAL	120	29405.1	
9	NOT STATED	3647	970638.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_040: Could not afford balanced meals - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	NW/ W] [Valid=101258 / 23188210.11] [Invalid=30963 / 3937954.87]	
Universe	Respondents with FSCEFOPT = 1	
Literal question	You and other household members couldn't afford to eat balanced meals. In the past 12 months was that often true, sometimes true, or never true?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	1888	327048.1	1.4%
2	SOMETIMES TRUE	4956	1023130.6	4.4%
3	NEVER TRUE	94414	21838031.3	94.2%
6	NOT APPLICABLE	26986	2886948.7	
7	DON'T KNOW	197	48164.5	
8	REFUSAL	131	31824.2	
9	NOT STATED	3649	971017.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_050: Few kinds low-cost food for kids -12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=30418 / 9381856.09] [Invalid=101803 / 17744308.89]
Universe	Respondents with FSCEFOPT = 1 and (DHHEDOKD + DHHEDYKD) > 0
Literal question	You or other adults in your household relied on only a few kinds of low-cost food to feed the children because you were running out of money to buy food. Was that often true, sometimes true, or never true in the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	506	122988.5	1.3%
2	SOMETIMES TRUE	2014	538215.8	5.7%
3	NEVER TRUE	27898	8720651.8	93.0%
6	NOT APPLICABLE	100237	17156876.5	
7	DON'T KNOW	140	47601.6	
8	REFUSAL	80	30637.1	
9	NOT STATED	1346	509193.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_060: Couldn't feed child. bal. meal - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=30411 / 9380794.86] [Invalid=101810 / 17745370.12]	
Universe	Respondents with FSCEFOPT = 1 and (DHHEDOKD + DHHEDYKD) > 0	
Literal question	You or other adults in your household couldn't feed the children a balanced meal, because you couldn't afford it. Was that often true, sometimes true, or never true in the past 12 months?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	276	71068.4	0.8%
2	SOMETIMES TRUE	1266	327462.5	3.5%

#FSCE 060:	Couldn't	feed child.	bal. meal	l - 12 r	no
-------------------	----------	-------------	-----------	----------	----

Value	Label	Cases	Weighted	Percentage (Weighted)
3	NEVER TRUE	28869	8982263.9	95
6	NOT APPLICABLE	100237	17156876.5	
7	DON'T KNOW	143	46648.6	
8	REFUSAL	84	32651.2	
9	NOT STATED	1346	509193.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_070: Children were not eating enough - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=4766 / 1313632.33] [Invalid=127455 / 25812532.65]
Universe	Respondents with (DHHEDOKD + DHHEDYKD) > 0, who answered ((FSCE_020 or FSCE_030 or FSCE_040 or FSCE_050 or FSCE_060) = (1,2, 7 or 8) or (FSCE_010 = (3, 4, 7 or 8)
Literal question	The children were not eating enough because you or other adults in your household just couldn't afford enough food. Was that often, sometimes, or never true in the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	135	37153.6	2.8%
2	SOMETIMES TRUE	564	145931.2	11.1%
3	NEVER TRUE	4067	1130547.5	86.1%
6	NOT APPLICABLE	125862	25212544.0	
7	DON'T KNOW	21	8000.7	
8	REFUSAL	9	2486.1	
9	NOT STATED	1563	589501.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_080: Adults cut or skipped meals - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=11799 / 2546048.27] [Invalid=120422 / 24580116.71]
Universe	Respondents who answered ((FSCE_020 or FSCE_030 or FSCE_040 or FSCE_050 or FSCE_060) = (1, 2, 7 or 8)) or (FSCE_010 = (3, 4, 7 or 8))
Literal question	In the past 12 months, did you or other adults in your household ever cut the size of your meals or skip meals because there wasn't enough money for food?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3737	724482.6	28.5%
2	NO	8062	1821565.7	71.5%
6	NOT APPLICABLE	115988	23355578.2	
7	DON'T KNOW	40	9229.2	
8	REFUSAL	28	7539.7	
9	NOT STATED	4366	1207769.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_081: Adults skipped meals (freq) - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=3722 / 721714.62] [Invalid=128499 / 26404450.36]
Universe	Respondents who answered FSCE_080 = (1, 7 or 8) or FSCE_010 = (7 or 8) or (all of (FSCE_020, FSCE_030, FSCE_040) = (3, 7 or 8) and FSCE_010 = (1 or 2) and (DHHEDOKD+DHHEDYKD = 0 or FSCE_050 = (3, 7 or 8) and FSCE_060 = (3, 7 or 8)) and at least one of (FSCE_020, FSCE_030, FSCE_040, FSCE_050, FSCE_060) = (7 or 8))
Literal question	How often did this happenalmost every month, some months but not every month, or in only 1 or 2 months?

#FSCE_081: Adults skipped meals (freq) - 12 mo

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST EVERY MON	1423	244674.2	33.9%
2	SOME MONTHS	1375	276174.5	38.3%
3	ONLY 1 OR 2 MONT	924	200865.9	27.8%
6	NOT APPLICABLE	124050	25177143.9	
7	DON'T KNOW	15	2767.9	
8	REFUSAL	0	0.0	
9	NOT STATED	4434	1224538.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_090: Ate less than felt should - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=11790 / 2544675.1] [Invalid=120431 / 24581489.88]
Universe	Respondents who answered ((FSCE_020 or FSCE_030 or FSCE_040 or FSCE_050 or FSCE_060) = (1, 2, 7 or 8)) or FSCE_010 = (3, 4, 7 or 8)
Literal question	In the past 12 months, did you (personally) ever eat less than you felt you should because there wasn't enough money to buy food?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4000	784325.1	30.8%
2	NO	7790	1760350.0	69.2%
6	NOT APPLICABLE	115988	23355578.2	
7	DON'T KNOW	48	9788.5	
8	REFUSAL	29	8353.6	
9	NOT STATED	4366	1207769.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_100: Was hungry but could not eat - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=11787 / 2544572.76] [Invalid=120434 / 24581592.22]
Universe	Respondents who answered ((FSCE_020 or FSCE_030 or FSCE_040 or FSCE_050 or FSCE_060) = (1, 2, 7 or 8)) or FSCE_010 = (1, 2, 7 or 8)
Literal question	In the past 12 months, were you (personally) ever hungry but didn't eat because you couldn't afford enough food?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2191	420541.5	16.5%	
2	NO	9596	2124031.3		83.5%
6	NOT APPLICABLE	115988	23355578.2		
7	DON'T KNOW	51	9890.8		
8	REFUSAL	29	8353.6		
9	NOT STATED	4366	1207769.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_110: Lost weight no money for food- 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=11747 / 2532676.77] [Invalid=120474 / 24593488.21]
Universe	Respondents who answered ((FSCE_020 or FSCE_030 or FSCE_040 or FSCE_050 or FSCE_060) = (1, 2, 7 or 8)) or FSCE_010 = (3, 4, 7 or 8)
Literal question	In the past 12 months, did you (personally) lose weight because you didn't have enough money for food?

#FSCE_110: Lost weight no money for food- 12 mo

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1431	255349.7	10.1%
2	NO	10316	2277327.0	89.9%
6	NOT APPLICABLE	115988	23355578.2	
7	DON'T KNOW	86	20455.8	
8	REFUSAL	34	9684.6	
9	NOT STATED	4366	1207769.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_120: Adults did not eat whole day - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=5018 / 1000776.94] [Invalid=127203 / 26125388.04]		
Universe	Respondents who answered (FSCE_070 = (1, 2, 7 or 8)) or at least one of (FSCE_080, FSCE_090, FSCE_100, FSCE_110) = (1, 7 or 8) or FSCE_010 = (7 or 8) or (all of (FSCE_020, FSCE_030, FSCE_040) = (3, 7 or 8) and FSCE_010 = (1 or 2) and (DHHEDOKD+DHHEDYKD = 0 or FSCE_050 = (3, 7 or 8) and FSCE_060 = (3, 7 or 8)) and at least one of (FSCE_020, FSCE_030, FSCE_040, FSCE_040, FSCE_050, FSCE_060) = (7 or 8))		
Literal question	In the past 12 months, did you or other adults in your household ever not eat for a whole day because there wasn't enough money for food?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	884	148940.1	14.9%
2	NO	4134	851836.8	85.1%
6	NOT APPLICABLE	122726	24884889.0	
7	DON'T KNOW	6	927.6	
8	REFUSAL	4	954.0	
9	NOT STATED	4467	1238617.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_121: Adults not eat whole day (freq) - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=881 / 148022.9] [Invalid=131340 / 26978142.08]	
Universe	Respondents who answ. FSCE_120 = (1, 7 or 8) or ((DHHEDOKD+DHHEDYKD)=0 or FSCE_70=(3, 7 or 8) and all of (FSCE_080, FSCE_090, FSCE_100, FSCE_110)=(2, 7 or 8) and at least one of (FSCE_070, FSCE_080, FSCE_090, FSCE_100, FSCE_110) = (7 or 8) or FSCE_010 = (7 or 8) or (all of (FSCE_020, FSCE_030, FSCE_040) = (3, 7 or 8) and FSCE_010 = (1 or 2) and (DHHEDOKD+DHHEDYKD = 0 or FSCE_050 = (3, 7 or 8) and FSCE_060 = (3, 7 or 8)) and at least one of (FSCE_020, FSCE_030, FSCE_040, FSCE_050, FSCE_060) = (7 or 8))	
Literal question	How often did this happenalmost every month, some months but not every month, or in only 1 or 2 months?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST EVERY MON	354	50244.0	33.9%
2	SOME MONTHS	305	54343.8	36.
3	ONLY 1 OR 2 MONT	222	43435.1	29.3%
6	NOT APPLICABLE	126860	25736725.8	
7	DON'T KNOW	2	266.9	
8	REFUSAL	1	650.3	
9	NOT STATED	4477	1240499.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_130: Cut size of children's meals - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=1893 / 477487.18] [Invalid=130328 / 26648677.8]	

#FSCE_130: Cut size of children's meals - 12 mo				
Universe	Respondents with DHHEDOKD+DHHEDYKD>0 who answered FSCE_070 = (1, 2, 7 or 8) or at least one of (FSCE_080, FSCE_090, FSCE_100, FSCE_110) = (1, 7 or 8) or FSCE_010 = (7 or 8) or all of (FSCE_020, FSCE_030, FSCE_040, FSCE_050, FSCE_060) = (3, 7 or 8) and FSCE_010 = (1 or 2) and at least one of (FSCE_020, FSCE_030, FSCE_040, FSCE_050, FSCE_060) = (7 or 8)			
Literal question	In the past 12 months, did you or other adults in your household ever cut the size of any of the children's meals because there wasn't enough money for food?			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	208	58321.7	12.2%	
2	NO	1685	419165.5	87.	.8%
6	NOT APPLICABLE	128713	26040444.7		
7	DON'T KNOW	4	811.8		
8	REFUSAL	4	1816.8		
9	NOT STATED	1607	605604.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_140: Children skipped meals - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1895 / 477924.3] [Invalid=130326 / 26648240.68]	
Universe	Respondents with DHHEDOKD+DHHEDYKD>0 who answered FSCE_070 = (1, 2, 7 or 8) or at least one of (FSCE_080, FSCE_090, FSCE_100, FSCE_110) = (1, 7 or 8) or FSCE_010 = (7 or 8) or all of (FSCE_020, FSCE_030, FSCE_040, FSCE_050, FSCE_060) = (3, 7 or 8) and FSCE_010 = (1 or 2) and at least one of (FSCE_020, FSCE_030, FSCE_040, FSCE_050, FSCE_060) = (7 or 8)	
Literal question	In the past 12 months, did any of the children ever skip meals because there wasn't enough money for food?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	118	33408.5	7.0%
2	NO	1777	444515.8	93.0%
6	NOT APPLICABLE	128713	26040444.7	
7	DON'T KNOW	2	374.7	
8	REFUSAL	4	1816.8	
9	NOT STATED	1607	605604.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_141: Freq. - child. skipped meals - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=116 / 32597.45] [Invalid=132105 / 27093567.53]
Universe	Respondents with DHHEDOKD+DHHEDYKD > 0 who answered FSCE_140 = (1, 7 or 8) or FSCE_070=(3, 7 or 8) and all of (FSCE_080, FSCE_090, FSCE_100, FSCE_110)=(2, 7 or 8) and at least one of (FSCE_070, FSCE_080, FSCE_090, FSCE_100, FSCE_110) = (7 or 8) or FSCE_010 = (7 or 8) or all of (FSCE_020, FSCE_030, FSCE_040, FSCE_050, FSCE_060) = (3, 7 or 8) and FSCE_010 = (1 or 2) and at least one of (FSCE_020, FSCE_030, FSCE_040, FSCE_050, FSCE_060) = (7 or 8)
Literal question	How often did this happenalmost every month, some months but not every month, or in only 1 or 2 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST EVERY MON	37	10230.2	31.4%
2	SOME MONTHS	55	16629.5	51.0%
3	ONLY 1 OR 2 MONT	24	5737.8	17.6%
6	NOT APPLICABLE	130490	26484960.5	
7	DON'T KNOW	2	811.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1613	607796.0	

#FSCE_141: Freq. - child. skipped meals - 12 mo

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_150: Children were hungry - 12 mo

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=1891 / 476883.51] [Invalid=130330 / 26649281.47]		
Universe	Respondents with DHHEDOKD+DHHEDYKD>0 who answered FSCE_070 = (1, 2, 7 or 8) or at least one of (FSCE_080, FSCE_090, FSCE_100, FSCE_110) = (1, 7 or 8) or FSCE_010 = (7 or 8) or all of (FSCE_020, FSCE_030, FSCE_040, FSCE_050, FSCE_060) = (3, 7 or 8) and FSCE_010 = (1 or 2) and at least one of (FSCE_020, FSCE_030, FSCE_040, FSCE_050, FSCE_060) = (7 or 8)		
Literal question	In the past 12 months, were any of the children ever hungry but you just couldn't afford more food?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	175	45895.2	9.6%
2	NO	1716	430988.4	90.4%
6	NOT APPLICABLE	128713	26040444.7	
7	DON'T KNOW	6	1415.5	
8	REFUSAL	4	1816.8	
9	NOT STATED	1607	605604.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCE_160: Children did not eat whole day - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=1893 / 474920.97] [Invalid=130328 / 26651244.01]			
Universe	Respondents with DHHEDOKD+DHHEDYKD>0 who answered FSCE_070 = (1, 2, 7 or 8) or at least one of (FSCE_080, FSCE_090, FSCE_100, FSCE_110) = (1, 7 or 8) or FSCE_010 = (7 or 8) or all of (FSCE_020, FSCE_030, FSCE_040, FSCE_050, FSCE_060) = (3, 7 or 8) and FSCE_010 = (1 or 2) and at least one of (FSCE_020, FSCE_030, FSCE_040, FSCE_050, FSCE_060) = (7 or 8)			
Literal question	In the past 12 months, did any of the children ever not eat for a whole day because there wasn't enough money for food?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	32	9082.1	1.9%
2	NO	1861	465838.8	98.1%
6	NOT APPLICABLE	128713	26040444.7	
7	DON'T KNOW	3	3073.3	
8	REFUSAL	5	2121.5	
9	NOT STATED	1607	605604.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#FSCEDHFS: Household food security status - (D)

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
	Statistics [NW/W]	[Valid=100579 / 22952429.83] [Invalid=31642 / 4173735.15]
	Literal question	Household food security status - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
0	SECURE	94648	21762181.2	94.8%
1	WITHOUT HUNGER	3549	766173.3	3.3%
2	W/MOD. HUNGER	1838	334165.2	1.5%
3	W/SEVERE HUNGER	544	89910.1	0.4%
6	NOT APPLICABLE	26986	2886948.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

#FSCEDHFS: Household food security status - (D)						
Value	Label		Cases	Weighted	Percentage (Weighted)	
9	NOT STA	NOT STATED		1286786.4		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.						
# WTSE_	M: Weights -	Master				
Information [Type= continuous] [Format=numeric] [Range= 2.	01-4741.47] [Missi	ng=*]		
Statistics [NW/W]		[Valid=132221 /-] [Invalid=0 /-] [Mean=205.158 /-] [StdDev=242.455 /-]				
Literal question Weights - Master						