Canada

Health Statistics Division, Statistics Canada

Canadian Community Health Survey, 2011-2012: Annual Component

Study Documentation

April 30, 2019

Metadata Production

Metadata Producer(s)	Data Centre (DC) , Carleton University
Production Date	April 14, 2013
Version	2013-11-14 Carleton University Data Centre
Identification	cchs-82M0013-E-2011-2012-Annual-component

Table of Contents

Canadian Community Health Survey, 2011-2012: Annual Component (CCHS 2011-2012: Annual Component)

Overview

Type	Canadian Community Health Survey
Identification	cchs-82M0013-E-2011-2012-Annual-component
Series	The Canadian Community Health Survey (CCHS) is a cross-sectional survey that collects information related to health status, health care utilization and health determinants for the Canadian population. The survey's objectives were to: - support health surveillance programs by providing health data at the national, provincial and intra-provincial levels; - provide a single data source for health research on small populations and rare characteristics; - timely release of information easily accessible to a diverse community of users; and - create a flexible survey instrument that includes a rapid response option to address emerging issues related to the health of the population.

Abstract

The Canadian Community Health Survey (CCHS) is a cross-sectional survey that collects information related to health status, health care utilization and health determinants for the Canadian population. It surveys a large sample of respondents and is designed to provide reliable estimates at the health region level. In 2007, major changes were made to the CCHS design. Data is now collected on an ongoing basis with annual releases, rather than every two years as was the case prior to 2007. The survey's objectives were also revised and are as follows:
• support health surveillance programs by providing health data at the national, provincial and intra-provincial levels;
• provide a single data source for health research on small populations and rare characteristics;
• timely release of information easily accessible to a diverse community of users; and
• create a flexible survey instrument that includes a rapid response option to address emerging issues related to the health of the population.
The CCHS data is always collected from persons aged 12 and over living in private dwellings in the 115 health regions covering all provinces and territories. Excluded from the sampling frame are individuals living on Indian Reserves and on Crown Lands, institutional residents, full-time members of the Canadian Forces, and residents of certain remote regions. The CCHS covers approximately 98% of the Canadian population aged 12 and over.
The CCHS produces three types of microdata files: master files; share files; and public use microdata files (PUMF). The characteristics of each of these files are presented in the User Guide. The PUMF is released every two years and contains two years of data.

Kind of Data	Survey Data
Unit of Analysis	Individuals

Scope & Coverage

Keywords	Administration, Alcohol use, Breast examination, Cancer, Chronic Conditions, Dental visits, Depression, Diabetes, Education, Food Security, Health Care, Income, Labour Force, Mental Health, Smoking, Socio-demographics, Stressors
Topics	Health
Countries	Canada

Geographic Coverage
Canada, Provinces, Territories

Universe
The CCHS targets persons aged 12 years and older who are living in private dwellings in the ten provinces and three territories. Persons living on Indian Reserves or Crown lands, those residing in institutions, full-time members of the

Canadian Forces and residents of certain remote regions are excluded from this survey. The CCHS covers approximately 98% of the Canadian population aged 12 and older. The optional content is selected from a long list of modules available for inclusion in the CCHS. The content modules selected by a region are asked only of residents in the regions that selected these modules. In reality, since 2005 (cycle 3.1), the regions and provinces have opted to coordinate the optional content selected in order to ensure a uniform selection of optional modules provincially. The optional content may vary annually depending on needs and must be reviewed every two years.

Producers & Sponsors

Primary Investigator(s)	Health Statistics Division, Statistics Canada
Other Producer(s)	Health Statistics Division , Statistics Canada

Data Collection

Data Collector(s)	Statistics Canada

Accessibility

Access Authority	Data Liberation Initiative (DLI) , http://www.statcan.gc.ca/eng/dli/dli , dli-idd@statcan.gc.ca
Contact(s)	Data Liberation Initiative (Statistics Canada) , http://www.statcan.gc.ca/eng/dli/dli , dli-idd@statcan.gc.ca
Distributor(s)	Data Liberation Initiative

Access Conditions
Data Liberation Initiative Community.

Citation Requirements
The publishing of analysis and results from research using any of the data products is permitted in research communications such as scholarly papers, journals and the like. The authors of these communications are required to cite Statistics Canada as the source of the data, and to indicate that the results or views expressed are those of the author/authorized user and are not those of Statistics Canada.

Rights & Disclaimer

Copyright	Copyright © Statistics Canada, 2013

Files Description

Dataset contains 1 file(s)

cchs-2011-2012	
# Cases	124929
# Variable(s)	1207

Variables Group(s)

Dataset contains 79 group(s)

Group Access to Health Care Services							
Universe							
Optional content selection only asked in: Newfoundland and Labrador, New Brunswick, British Columbia							
#	**Name**	**Label**	**Type**	**Format**	**Valid**	**Invalid**	**Question**
1	DOACC	Module:Access to hlth care services-ACC-F	discrete	numeric-1.0	15413	109516	-
2	ACC_10	Past yr,need visit to medical specialist	discrete	numeric-1.0	14099	110830	In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation?
3	ACC_11	Past yr,difficulty getting specialist care	discrete	numeric-1.0	5106	119823	In the past 12 months, did you ever experience any difficulties getting the specialist care you needed for a diagnosis or consultation?
4	ACC_12A	Care difficulty: Getting a referral	discrete	numeric-1.0	1239	123690	What type of difficulties did you experience? - Difficulty getting a referral
5	ACC_12B	Care difficulty: Getting an appointment	discrete	numeric-1.0	1239	123690	What type of difficulties did you experience? - Difficulty getting an appointment
6	ACC_12C	Care difficulty: No specialists in area	discrete	numeric-1.0	1239	123690	What type of difficulties did you experience? - No specialists in the area
7	ACC_12D	Care difficulty: Wait too long for appt	discrete	numeric-1.0	1239	123690	What type of difficulties did you experience? - Waited too long between booking appointment and visit
8	ACC_12E	Care difficulty: Wait long in office	discrete	numeric-1.0	1239	123690	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
9	ACC_12F	Care difficulty: Transportation problems	discrete	numeric-1.0	1239	123690	What type of difficulties did you experience? - Transportation problems
10	ACC_12G	Care difficulty: Language problems	discrete	numeric-1.0	1239	123690	What type of difficulties did you experience? - Language problem
11	ACC_12H	Care difficulty: Cost	discrete	numeric-1.0	1239	123690	What type of difficulties did you experience? - Cost
12	ACC_12I	Care difficulty: Personal responsibility	discrete	numeric-1.0	1239	123690	What type of difficulties did you experience? - Personal or family responsibilities
13	ACC_12J	Care difficulty: Deterioration of health	discrete	numeric-1.0	1239	123690	What type of difficulties did you experience? - General deterioration of health
14	ACC_12K	Care difficulty: Appt cancelled/deferred	discrete	numeric-1.0	1239	123690	What type of difficulties did you experience? - Appointment cancelled or deferred by specialist
15	ACC_12L	Care difficulty: Still waiting for visit	discrete	numeric-1.0	1239	123690	What type of difficulties did you experience? - Still waiting for visit
16	ACC_12M	Care difficulty: Unable leave house/hlth	discrete	numeric-1.0	1239	123690	What type of difficulties did you experience? - Unable to leave the house because of a health problem
17	ACC_12N	Care difficulty: Other	discrete	numeric-1.0	1239	123690	What type of difficulties did you experience? - Other

#	Name	Label	Type	Format	Valid	Invalid	Question
18	ACC_20	Past year, require non-emergency surgery	discrete	numeric-1.0	14102	110827	In the past 12 months, did you require any non-emergency surgery?
19	ACC_21	Past year, difficulty getting surgery	discrete	numeric-1.0	1449	123480	In the past 12 months, did you ever experience any difficulties getting the surgery you needed?
20	ACC_22A	Surgery difficulty: Getting an appt	discrete	numeric-1.0	311	124618	What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon
21	ACC_22B	Surgery difficulty: Getting a diagnosis	discrete	numeric-1.0	311	124618	What type of difficulties did you experience? - Difficulty getting a diagnosis
22	ACC_22C	Surgery difficulty: Wait long diag test	discrete	numeric-1.0	311	124618	What type of difficulties did you experience? - Waited too long for a diagnostic test
23	ACC_22D	Surgery difficulty: No hospital bed	discrete	numeric-1.0	311	124618	What type of difficulties did you experience? - Waited too long for a hospital bed to become available
24	ACC_22E	Surgery difficulty: Wait long for surgery	discrete	numeric-1.0	311	124618	What type of difficulties did you experience? - Waited too long for surgery
25	ACC_22F	Surgery difficulty:Service not avail area	discrete	numeric-1.0	311	124618	What type of difficulties did you experience? - Service not available in the area
26	ACC_22G	Surgery difficulty: Transportation probs	discrete	numeric-1.0	311	124618	What type of difficulties did you experience? - Transportation problems
27	ACC_22H	Surgery difficulty: Language problems	discrete	numeric-1.0	311	124618	What type of difficulties did you experience? - Language problem
28	ACC_22I	Surgery difficulty: Cost	discrete	numeric-1.0	311	124618	What type of difficulties did you experience? - Cost
29	ACC_22J	Surgery difficulty:Personl responsibility	discrete	numeric-1.0	311	124618	What type of difficulties did you experience? - Personal or family responsibilities
30	ACC_22K	Surgery difficulty:Deterioration of hlth	discrete	numeric-1.0	311	124618	What type of difficulties did you experience? - General deterioration of health
31	ACC_22L	Surgery difficulty: Appt canceld/deferrd	discrete	numeric-1.0	311	124618	What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital
32	ACC_22M	Surgery difficulty:Still wait for surgery	discrete	numeric-1.0	311	124618	What type of difficulties did you experience? - Still waiting for surgery
33	ACC_22N	Surgery difficulty:Unable leave house/hlth	discrete	numeric-1.0	311	124618	What type of difficulties did you experience? - Unable to leave the house because of a health problem
34	ACC_22O	Surgery difficulty: Other	discrete	numeric-1.0	311	124618	What type of difficulties did you experience? - Other
35	ACC_30	Past yr, required MRI/CAT/ angiographies	discrete	numeric-1.0	14063	110866	In the past 12 months, did you require one of these tests?
36	ACC_31	Difficulty getting MRI/CAT/ angiography	discrete	numeric-1.0	2233	122696	In the past 12 months, did you ever experience any difficulties getting the tests you needed?
37	ACC_32A	Scan difficulty: Getting a referral	discrete	numeric-1.0	434	124495	What type of difficulties did you experience? - Difficulty getting a referral

#	Name	Label	Type	Format	Valid	Invalid	Question
38	ACC_32B	Scan difficulty: Getting an appointment	discrete	numeric-1.0	434	124495	What type of difficulties did you experience? - Difficulty getting an appointment
39	ACC_32C	Scan difficulty: Waited too long for appt	discrete	numeric-1.0	434	124495	What type of difficulties did you experience? - Waited too long to get an appointment
40	ACC_32D	Scan difficulty: Waited too long get test	discrete	numeric-1.0	434	124495	What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)
41	ACC_32E	Scan difficulty:Not avail at time requird	discrete	numeric-1.0	434	124495	What type of difficulties did you experience? - Service not available at time required
42	ACC_32F	Scan difficulty: Not available in area	discrete	numeric-1.0	434	124495	What type of difficulties did you experience? - Service not available in the area
43	ACC_32G	Scan difficulty: Transportation problems	discrete	numeric-1.0	434	124495	What type of difficulties did you experience? - Transportation problems
44	ACC_32H	Scan difficulty: Language problems	discrete	numeric-1.0	434	124495	What type of difficulties did you experience? - Language problem
45	ACC_32I	Scan difficulty: Cost	discrete	numeric-1.0	434	124495	What type of difficulties did you experience? - Cost
46	ACC_32J	Scan difficulty: Deterioration of health	discrete	numeric-1.0	434	124495	What type of difficulties did you experience? - General deterioration of health
47	ACC_32K	Scan difficulty: Didn't know where to go	discrete	numeric-1.0	434	124495	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
48	ACC_32L	Scan difficulty: Still waiting for test	discrete	numeric-1.0	434	124495	What type of difficulties did you experience? - Still waiting for test
49	ACC_32M	Scan difficulty:Unable leave house /hlth	discrete	numeric-1.0	434	124495	What type of difficulties did you experience? - Unable to leave the house because of a health problem
50	ACC_32N	Scan difficulty: Other	discrete	numeric-1.0	434	124495	What type of difficulties did you experience? - Other
51	ACC_40	Past yr,need hlth info/advice from family	discrete	numeric-1.0	14051	110878	In the past 12 months, have you required health information or advice ^DT_YourFamily?
52	ACC_40A	Contact health info: Doctor office	discrete	numeric-1.0	7790	117139	Who did you contact when you needed health information or advice ^DT_YourFamily? - Doctor's office
53	ACC_40B	Contact health info: Community hlth ctr	discrete	numeric-1.0	7790	117139	Who did you contact when you needed health information or advice ^DT_YourFamily? - Community health centre / CLSC
54	ACC_40C	Contact health info: Walk-in clinic	discrete	numeric-1.0	7790	117139	Who did you contact when you needed health information or advice ^DT_YourFamily? - Walk-in clinic
55	ACC_40D	Contact health info: Health line	discrete	numeric-1.0	7790	117139	Who did you contact when you needed health information or advice ^DT_YourFamily? - Telephone health line (e.g., HealthLinks, Telehealth Ontario, HealthLink, Health-Line, Telecare, Info-Santé)
56	ACC_40E	Contact health info: Emergency room	discrete	numeric-1.0	7790	117139	Who did you contact when you needed health information or advice

#	Name	Label	Type	Format	Valid	Invalid	Question
							^DT_YourFamily? - Hospital emergency room
57	ACC_40F	Contact health info: Other hosp services	discrete	numeric-1.0	7790	117139	Who did you contact when you needed health information or advice ^DT_YourFamily? - Other hospital service
58	ACC_40G	Contact health info: Other	discrete	numeric-1.0	7790	117139	Who did you contact when you needed health information or advice ^DT_YourFamily? - Other
59	ACC_41	Past year, difficulty getting hlth info	discrete	numeric-1.0	7783	117146	In the past 12 months, did you ever experience any difficulties getting the health information or advice you needed ^DT_YourFamily?
60	ACC_42	Difficulty get hlth info during office hrs	discrete	numeric-1.0	1070	123859	Did you experience difficulties during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?
61	ACC_43A	Difficulty reg hr:Contact physician/nurse	discrete	numeric-1.0	860	124069	What type of difficulties did you experience? - Difficulty contacting a physician or nurse
62	ACC_43B	Difficulty reg hrs: No phone number	discrete	numeric-1.0	860	124069	What type of difficulties did you experience? - Did not have a phone number
63	ACC_43C	Difficulty reg hrs: Couldn't get through	discrete	numeric-1.0	860	124069	What type of difficulties did you experience? - Could not get through (i.e. no answer)
64	ACC_43D	Difficulty reg hrs: Waited too long	discrete	numeric-1.0	860	124069	What type of difficulties did you experience? - Waited too long to speak to someone
65	ACC_43E	Difficulty reg hr:Inadequate information	discrete	numeric-1.0	860	124069	What type of difficulties did you experience? - Did not get adequate info or advice
66	ACC_43F	Difficulty reg hrs: Language	discrete	numeric-1.0	860	124069	-
67	ACC_43G	Difficulty reg hr:Not know where go/call	discrete	numeric-1.0	860	124069	What type of difficulties did you experience? - Language problem
68	ACC_43H	Difficulty reg hr: Unable leave house	discrete	numeric-1.0	860	124069	What type of difficulties did you experience? - Did not know where to go / call / uninformed
69	ACC_43I	Difficulty reg hr: Other	discrete	numeric-1.0	860	124069	What type of difficulties did you experience? - Unable to leave the house because of a health problem
70	ACC_44	Difficulty hlth info evenings/ weekends	discrete	numeric-1.0	1071	123858	What type of difficulties did you experience? - Other
71	ACC_45A	Difficulty non-reg hrs:Contact physician	discrete	numeric-1.0	301	124628	Did you experience difficulties getting health information or advice during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?
72	ACC_45B	Difficulty non-reg hrs: No phone number	discrete	numeric-1.0	301	124628	What type of difficulties did you experience? - Difficulty contacting a physician or nurse
73	ACC_45C	Difficulty non-reg hrs: Not get through	discrete	numeric-1.0	301	124628	What type of difficulties did you experience? - Did not have a phone number
74	ACC_45D	Difficulty non-reg hrs: Waited too long	discrete	numeric-1.0	301	124628	What type of difficulties did you experience? - Could not get through (i.e. no answer)

#	Name	Label	Type	Format	Valid	Invalid	Question
75	ACC_45E	Difficulty non-reg hrs:Inadequate info	discrete	numeric-1.0	301	124628	What type of difficulties did you experience? - Waited too long to speak to someone
76	ACC_45F	Difficulty non-reg hrs: Language	discrete	numeric-1.0	301	124628	What type of difficulties did you experience? - Language problem
77	ACC_45G	Difficulty non-reg hrs: Not know go/call	discrete	numeric-1.0	301	124628	What type of difficulties did you experience? - Did not know where to go / call / uninformed
78	ACC_45H	Difficulty non-reg hrs: Unable to leave	discrete	numeric-1.0	301	124628	What type of difficulties did you experience? - Unable to leave the house because of a health problem
79	ACC_45I	Difficulty non-reg hrs: Other	discrete	numeric-1.0	301	124628	What type of difficulties did you experience? - Other
80	ACC_46	Difficulty getting hlth info at night	discrete	numeric-1.0	1072	123857	Did you experience difficulties getting health information or advice during the middle of the night?
81	ACC_47A	Difficulty@night: Contact physician	discrete	numeric-1.0	102	124827	What type of difficulties did you experience? - Difficulty contacting a physician or nurse
82	ACC_47B	Difficulty@night: No phone number	discrete	numeric-1.0	102	124827	What type of difficulties did you experience? - Did not have a phone number
83	ACC_47C	Difficulty@night: Not get through	discrete	numeric-1.0	102	124827	What type of difficulties did you experience? - Could not get through (i.e. no answer)
84	ACC_47D	Difficulty@night: Waited too long	discrete	numeric-1.0	102	124827	What type of difficulties did you experience? - Waited too long to speak to someone
85	ACC_47E	Difficulty@night: Inadequate info	discrete	numeric-1.0	102	124827	What type of difficulties did you experience? - Did not get adequate info or advice
86	ACC_47F	Difficulty@night: Language	discrete	numeric-1.0	102	124827	What type of difficulties did you experience? - Language problem
87	ACC_47G	Difficulty@night: Not know go/call	discrete	numeric-1.0	102	124827	What type of difficulties did you experience? - Did not know where to go / call / uninformed
88	ACC_47H	Difficulty@night: Unable to leave	discrete	numeric-1.0	102	124827	What type of difficulties did you experience? - Unable to leave the house because of a health problem
89	ACC_47I	Difficulty@night: Other	discrete	numeric-1.0	102	124827	What type of difficulties did you experience? - Other
90	ACC_50A	Do you have a regular family doctor	discrete	numeric-1.0	14080	110849	Do you have a regular family doctor?
91	ACC_50	Past year, require routine care	discrete	numeric-1.0	14056	110873	In the past 12 months, did you require any routine or on-going care ^DT_YourFamily?
92	ACC_51	Past year, difficulty w/routine care	discrete	numeric-1.0	8344	116585	In the past 12 months, did you ever experience any difficulties getting the routine or on-going care ^DT_Family needed?
93	ACC_52	Past yr,difficulty w/routine care reg hrs	discrete	numeric-1.0	989	123940	Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?

#	Name	Label	Type	Format	Valid	Invalid	Question
94	ACC_53A	Diff w/routine,reg: Contact physician	discrete	numeric-1.0	835	124094	What type of difficulties did you experience? - Difficulty contacting a physician
95	ACC_53B	Diff w/routine,reg: Getting appointment	discrete	numeric-1.0	835	124094	What type of difficulties did you experience? - Difficulty getting an appointment
96	ACC_53C	Diff w/routine,reg: No family physician	discrete	numeric-1.0	835	124094	What type of difficulties did you experience? - Do not have personal / family physician
97	ACC_53D	Diff w/routine,reg: Wait too long appt	discrete	numeric-1.0	835	124094	What type of difficulties did you experience? - Waited too long to get an appointment
98	ACC_53E	Diff w/routine,reg:Wait too long see doc	discrete	numeric-1.0	835	124094	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
99	ACC_53F	Diff w/routine,reg:Not avail when needed	discrete	numeric-1.0	835	124094	What type of difficulties did you experience? - Service not available at time required
100	ACC_53G	Difficulty w/routine,reg:Not avail in area	discrete	numeric-1.0	835	124094	What type of difficulties did you experience? - Service not available in the area
101	ACC_53H	Difficulty w/routine,reg: Transportation	discrete	numeric-1.0	835	124094	What type of difficulties did you experience? - Transportation problems
102	ACC_53I	Difficulty w/routine,reg: Language	discrete	numeric-1.0	835	124094	What type of difficulties did you experience? - Language problem
103	ACC_53J	Difficulty w/routine,reg: Cost	discrete	numeric-1.0	835	124094	What type of difficulties did you experience? - Cost
104	ACC_53K	Difficulty w/routine,reg: Unsure location	discrete	numeric-1.0	835	124094	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
105	ACC_53L	Difficulty w/routine,reg:Cant leave house	discrete	numeric-1.0	835	124094	What type of difficulties did you experience? - Unable to leave the house because of a health problem
106	ACC_53M	Difficulty w/routine,reg: Other	discrete	numeric-1.0	835	124094	What type of difficulties did you experience? - Other
107	ACC_54	Difficulty getting care non-reg hrs	discrete	numeric-1.0	982	123947	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?
108	ACC_55A	Diff w/routine,nonreg: Contact physician	discrete	numeric-1.0	197	124732	What type of difficulties did you experience? - Difficulty contacting a physician
109	ACC_55B	Diff w/routine,non-reg: Getting appt	discrete	numeric-1.0	197	124732	What type of difficulties did you experience? - Difficulty getting an appointment
110	ACC_55C	Diff w/routine,reg-reg: No family doctor	discrete	numeric-1.0	197	124732	What type of difficulties did you experience? - Do not have personal / family physician
111	ACC_55D	Diff w/routine,non-reg:Wait too long appt	discrete	numeric-1.0	197	124732	What type of difficulties did you experience? - Waited too long to get an appointment
112	ACC_55E	Diff w/routine,non-reg:Wait long see doc	discrete	numeric-1.0	197	124732	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

#	Name	Label	Type	Format	Valid	Invalid	Question
113	ACC_55F	Diff w/routine,nonreg:Not avail as needed	discrete	numeric-1.0	197	124732	What type of difficulties did you experience? - Service not available at time required
114	ACC_55G	Diff w/routine,non-reg:Not avail in area	discrete	numeric-1.0	197	124732	What type of difficulties did you experience? - Service not available in the area
115	ACC_55H	Diff w/routine,non-reg: Transportation	discrete	numeric-1.0	197	124732	What type of difficulties did you experience? - Transportation problems
116	ACC_55I	Difficulty w/routine,non-reg: Language	discrete	numeric-1.0	197	124732	What type of difficulties did you experience? - Language problem
117	ACC_55J	Difficulty w/routine,non-reg: Cost	discrete	numeric-1.0	197	124732	What type of difficulties did you experience? - Cost
118	ACC_55K	Diff w/routine,non-reg: Unsure location	discrete	numeric-1.0	197	124732	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
119	ACC_55L	Diff w/routine,non-reg:Can't leave house	discrete	numeric-1.0	197	124732	What type of difficulties did you experience? - Unable to leave house because of a health problem
120	ACC_55M	Difficulty w/routine,non-reg: Other	discrete	numeric-1.0	197	124732	What type of difficulties did you experience? - Other
121	ACC_60	Past yr,family need care minor hlth prob	discrete	numeric-1.0	14043	110886	In the past 12 months, did ^DT_Famiily require immediate health care services for a minor health problem?
122	ACC_61	Past year, diff get care minor hlth prob	discrete	numeric-1.0	4852	120077	In the past 12 months, did you ever experience any difficulties getting the immediate care needed for a minor health problem for yourself or a family member?
123	ACC_62	Difficulty getting care reg hrs	discrete	numeric-1.0	783	124146	Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?
124	ACC_63A	Diff minor reg hrs: Contact physician	discrete	numeric-1.0	487	124442	What type of difficulties did you experience? - Difficulty contacting a physician
125	ACC_63B	Difficulty minor reg hrs: Getting appt	discrete	numeric-1.0	487	124442	What type of difficulties did you experience? - Difficulty getting an appointment
126	ACC_63C	Difficulty minor reg hrs: No doctor	discrete	numeric-1.0	487	124442	What type of difficulties did you experience? - Do not have personal / family physician
127	ACC_63D	Diff minor reg hrs: Wait too long appt	discrete	numeric-1.0	487	124442	What type of difficulties did you experience? - Waited too long to get an appointment
128	ACC_63E	Diff minor reg hrs: Wait too long see dr	discrete	numeric-1.0	487	124442	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
129	ACC_63F	Diff minor reg hrs: Not avail time needed	discrete	numeric-1.0	487	124442	What type of difficulties did you experience? - Service not available at time required
130	ACC_63G	Difficulty minor reg hrs: Not avail area	discrete	numeric-1.0	487	124442	What type of difficulties did you experience? - Service not available in the area
131	ACC_63H	Difficulty minor reg hrs: Transportation	discrete	numeric-1.0	487	124442	What type of difficulties did you experience? - Transportation problems

#	Name	Label	Type	Format	Valid	Invalid	Question
132	ACC_63I	Difficulty minor reg hrs: Language	discrete	numeric-1.0	487	124442	What type of difficulties did you experience? - Language problem
133	ACC_63J	Difficulty minor reg hrs: Cost	discrete	numeric-1.0	487	124442	What type of difficulties did you experience? - Cost
134	ACC_63K	Difficulty minor reg hrs:Unsure location	discrete	numeric-1.0	487	124442	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
135	ACC_63L	Difficulty minor reg hrs:Cant leave house	discrete	numeric-1.0	487	124442	What type of difficulties did you experience? - Unable to leave the house because of a health problem
136	ACC_63M	Difficulty minor reg hrs: Other	discrete	numeric-1.0	487	124442	What type of difficulties did you experience? - Other
137	ACC_64	Difficulty getting care non-reg hrs	discrete	numeric-1.0	779	124150	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm, Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?
138	ACC_65A	Diff minor non-reg hrs: Contact physician	discrete	numeric-1.0	363	124566	What type of difficulties did you experience? - Difficulty contacting a physician
139	ACC_65B	Difficulty minor non-reg hrs:Getting appt	discrete	numeric-1.0	363	124566	What type of difficulties did you experience? - Difficulty getting an appointment
140	ACC_65C	Difficulty minor non-reg hrs: No doctor	discrete	numeric-1.0	363	124566	What type of difficulties did you experience? - Do not have personal / family physician
141	ACC_65D	Diff minor non-reg hrs:Wait too long appt	discrete	numeric-1.0	363	124566	What type of difficulties did you experience? - Waited too long to get an appointment
142	ACC_65E	Diff minor non-reg hrs: Wait too long dr	discrete	numeric-1.0	363	124566	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
143	ACC_65F	Diff minor non-reg hrs: Not avail needed	discrete	numeric-1.0	363	124566	What type of difficulties did you experience? - Service not available at time required
144	ACC_65G	Diff minor non-reg hrs: Not avail area	discrete	numeric-1.0	363	124566	What type of difficulties did you experience? - Service not available in the area
145	ACC_65H	Difficulty minor non-reg hrs:Transportatn	discrete	numeric-1.0	363	124566	What type of difficulties did you experience? - Transportation problems
146	ACC_65I	Difficulty minor non-reg hrs: Language	discrete	numeric-1.0	363	124566	What type of difficulties did you experience? - Language problem
147	ACC_65J	Difficulty minor non-reg hrs: Cost	discrete	numeric-1.0	363	124566	What type of difficulties did you experience? - Cost
148	ACC_65K	Diff minor non-reg hrs: Unsure location	discrete	numeric-1.0	363	124566	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
149	ACC_65L	Diff minor non-reg hrs: Cant leave house	discrete	numeric-1.0	363	124566	What type of difficulties did you experience? - Unable to leave the house because of a health problem
150	ACC_65M	Difficulty minor non-reg hrs: Other	discrete	numeric-1.0	363	124566	What type of difficulties did you experience? - Other
151	ACC_66	Difficulty getting care middle of night	discrete	numeric-1.0	780	124149	Did you experience difficulties getting such care during the middle of the night?

#	Name	Label	Type	Format	Valid	Invalid	Question
152	ACC_67A	Difficulty minor@night:Contact physician	discrete	numeric-1.0	143	124786	What type of difficulties did you experience? - Difficulty contacting a physician
153	ACC_67B	Difficulty minor@night: Getting appt	discrete	numeric-1.0	143	124786	What type of difficulties did you experience? - Difficulty getting an appointment
154	ACC_67C	Difficulty minor@night: No doctor	discrete	numeric-1.0	143	124786	What type of difficulties did you experience? - Do not have personal / family physician
155	ACC_67D	Difficulty minor@night:Wait too long appt	discrete	numeric-1.0	143	124786	What type of difficulties did you experience? - Waited too long to get an appointment
156	ACC_67E	Difficulty minor@night: Wait too long dr	discrete	numeric-1.0	143	124786	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
157	ACC_67F	Difficulty minor@night: Not avail needed	discrete	numeric-1.0	143	124786	What type of difficulties did you experience? - Service not available at time required
158	ACC_67G	Difficulty minor@night: Not avail area	discrete	numeric-1.0	143	124786	What type of difficulties did you experience? - Service not available in the area
159	ACC_67H	Difficulty minor@night: Transportatn	discrete	numeric-1.0	143	124786	What type of difficulties did you experience? - Transportation problems
160	ACC_67I	Difficulty minor@night: Language	discrete	numeric-1.0	143	124786	What type of difficulties did you experience? - Language problem
161	ACC_67J	Difficulty minor@night: Cost	discrete	numeric-1.0	143	124786	What type of difficulties did you experience? - Cost
162	ACC_67K	Difficulty minor@night: Unsure location	discrete	numeric-1.0	143	124786	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
163	ACC_67L	Difficulty minor@night: Can't leave house	discrete	numeric-1.0	143	124786	What type of difficulties did you experience? - Unable to leave the house because of a health problem
164	ACC_67M	Difficulty minor@night: Other	discrete	numeric-1.0	143	124786	What type of difficulties did you experience? - Other

Group Activities of Daily Living

Universe

Optional content selection only asked in: Newfoundland and Labrador, Ontario

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOADL	Module:Activities of Daily Living(ADL)-F	discrete	numeric-1.0	46540	78389	-
2	ADL_01	Do you need help with preparing meals	discrete	numeric-1.0	46511	78418	Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person: ... with preparing meals?
3	ADL_02	Do you need help w/ appointments/errands	discrete	numeric-1.0	46495	78434	Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person: ... with getting to appointments and running errands such as shopping for groceries?
4	ADL_03	Do you need help with doing housework	discrete	numeric-1.0	46486	78443	Because of any physical condition or mental condition or health problem,

#	Name	Label	Type	Format	Valid	Invalid	Question
							^DOVERB ^YOU1 need the help of another person: ... with doing everyday housework?
5	ADL_04	Do you need help with personal care	discrete	numeric-1.0	46517	78412	Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person: ... with personal care such as washing, dressing, eating or taking medication?
6	ADL_05	Do you need help with moving inside house	discrete	numeric-1.0	46515	78414	Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person: ... with moving about inside the house?
7	ADL_06	Do you need help with personal finances	discrete	numeric-1.0	46413	78516	Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person: ... with looking after ^YOUR1 personal finances such as making bank transactions or paying bills?

Group Administration Information

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	ADM_PRX	Health Component completed by proxy	discrete	numeric-1.0	124929	0	-
2	ADM_N09	Interview by telephone or in person	discrete	numeric-1.0	52664	72265	Interviewer : Was this interview conducted on the telephone or in person?
3	ADM_N10	Respondent alone during interview	discrete	numeric-1.0	121157	3772	Interviewer: Was the respondent alone when you asked this health questionnaire?
4	ADM_N11	Answers effected by another person	discrete	numeric-1.0	14078	110851	Interviewer: Do you think that the answers of the respondent were affected by someone else being there?
5	ADM_RNO	Sequential record number	continuous	numeric-6.0	124929	0	-
6	PMKPROXY	Person most knowledgeable	discrete	numeric-1.0	6661	118268	-

Group Alcohol Use

Universe
Core content and was asked to all regions

Subgroup(s)		Alcohol Use During the Past Week					
#	Name	Label	Type	Format	Valid	Invalid	Question
1	ALC_1	Past year, have you drank alcohol	discrete	numeric-1.0	123201	1728	During the past 12 months, that is, from [date one year ago] to yesterday, ^HAVE ^YOU2 had a drink of beer, wine, liquor or any other alcoholic beverage?
2	ALC_2	Past year, frequency of drinking alcohol	discrete	numeric-2.0	92085	32844	During the past 12 months, how often did ^YOU1 drink alcoholic beverages?

#	Name	Label	Type	Format	Valid	Invalid	Question
3	ALC_3	Past yr, frequency 5+ drinks 1 occasion	discrete	numeric-2.0	91855	33074	How often in the past 12 months ^HAVE ^YOU1 had 5 or more drinks on one occasion?
4	ALCDTTM	Type of drinker (12 months)	discrete	numeric-1.0	122753	2176	-

Group Blood Pressure Check

Universe

Optional content selection only asked in: Newfoundland and Labrador, Prince Edward Island, Manitoba, Alberta, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOBPC	Module: Blood pressure check (BPC)-F	discrete	numeric-1.0	12361	112568	-
2	BPC_010	Ever had blood pressure taken	discrete	numeric-1.0	12062	112867	Have you ever had your blood pressure taken?
3	BPC_012	Last time had blood pressure taken	discrete	numeric-1.0	11464	113465	When was the last time?
4	BPC_013	Pregnant last time blood pressure taken	discrete	numeric-1.0	2738	122191	Were you pregnant the last time your blood pressure was taken?
5	BPC_16A	Why B.P. not taken: Not gotten to it	discrete	numeric-1.0	675	124254	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Have not gotten around to it
6	BPC_16B	Why B.P. not taken:Not necessary	discrete	numeric-1.0	675	124254	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Respondent did not think it was necessary
7	BPC_16C	Why B.P. not taken:Dr didnt think needed	discrete	numeric-1.0	675	124254	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Doctor did not think it was necessary
8	BPC_16D	Why B.P. not taken:Personl responsibility	discrete	numeric-1.0	675	124254	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Personal or family responsibilities
9	BPC_16G	Why B.P. not taken: Too long wait time	discrete	numeric-1.0	675	124254	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Waiting time was too long
10	BPC_16H	Why B.P. not taken: Transportation probs	discrete	numeric-1.0	675	124254	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Transportation problems
11	BPC_16I	Why B.P. not taken: Language problems	discrete	numeric-1.0	675	124254	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Language problem
12	BPC_16J	Why B.P. not taken: Cost	discrete	numeric-1.0	675	124254	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Cost
13	BPC_16K	Why B.P. not taken: Uninformed	discrete	numeric-1.0	675	124254	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Did not know where to go / uninformed
14	BPC_16L	Why B.P. not taken: Fear	discrete	numeric-1.0	675	124254	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)

#	Name	Label	Type	Format	Valid	Invalid	Question
15	BPC_16N	Why B.P. not taken: Cannot leave house	discrete	numeric-1.0	675	124254	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Unable to leave the house because of a health problem
16	BPC_16M	Why B.P. not taken: Other	discrete	numeric-1.0	675	124254	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Other

Group Breast Examinations

Universe
Optional content selection only asked in: Saskatchewan, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOBRX	Module: Breast examinations (BRX) - (F)	discrete	numeric-1.0	7161	117768	-
2	BRX_110	Have had breasts examined for lumps by dr	discrete	numeric-1.0	3612	121317	Other than a mammogram, have you ever had your breasts examined for lumps (tumours, cysts) by a doctor or other health professional?
3	BRX_112	Last time breasts examined for lumps	discrete	numeric-1.0	2740	122189	When was the last time?
4	BRX_16A	Why no breast exam: Not gotten to it	discrete	numeric-1.0	1610	123319	What are the reasons that you have not had a breast exam in the past 2 years? - Have not gotten around to it
5	BRX_16B	Why no breast exam: Not necessary	discrete	numeric-1.0	1610	123319	What are the reasons that you have not had a breast exam in the past 2 years? - Respondent did not think it was necessary
6	BRX_16C	Why no breast exam: Dr didnt think needed	discrete	numeric-1.0	1610	123319	What are the reasons that you have not had a breast exam in the past 2 years? - Doctor did not think it was necessary
7	BRX_16D	Why no breast exam:Personl responsibility	discrete	numeric-1.0	1610	123319	What are the reasons that you have not had a breast exam in the past 2 years? - Personal or family responsibilities
8	BRX_16E	Why no breast exam:Not avail when needed	discrete	numeric-1.0	1610	123319	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at time required
9	BRX_16F	Why no breast exam: Not available in area	discrete	numeric-1.0	1610	123319	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at all in the area
10	BRX_16G	Why no breast exam: Too long wait time	discrete	numeric-1.0	1610	123319	What are the reasons that you have not had a breast exam in the past 2 years? - Waiting time was too long
11	BRX_16H	Why no breast exam: Transportation probs	discrete	numeric-1.0	1610	123319	What are the reasons that you have not had a breast exam in the past 2 years? - Transportation problems
12	BRX_16I	Why no breast exam: Language problems	discrete	numeric-1.0	1610	123319	What are the reasons that you have not had a breast exam in the past 2 years? - Language problem
13	BRX_16J	Why no breast exam: Cost	discrete	numeric-1.0	1610	123319	What are the reasons that you have not had a breast exam in the past 2 years? - Cost
14	BRX_16K	Why no breast exam: Uninformed	discrete	numeric-1.0	1610	123319	What are the reasons that you have not had a breast exam in the past 2 years? - Did not know where to go / uninformed

#	Name	Label	Type	Format	Valid	Invalid	Question
15	BRX_16L	Why no breast exam: Fear	discrete	numeric-1.0	1610	123319	What are the reasons that you have not had a breast exam in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)
16	BRX_16N	Why no breast exam: Cannot leave house	discrete	numeric-1.0	1610	123319	What are the reasons that you have not had a breast exam in the past 2 years? - Unable to leave the house because of a health problem
17	BRX_16O	Why no breast exam: Mastectomy	discrete	numeric-1.0	1610	123319	What are the reasons that you have not had a breast exam in the past 2 years? - Breast removed / mastectomy
18	BRX_16M	Why no breast exam: Other	discrete	numeric-1.0	1610	123319	What are the reasons that you have not had a breast exam in the past 2 years? - Other

Group Changes Made to Improve Health

Universe

Optional content selection only asked in: Newfoundland and Labrador, Prince Edward Island, Novs Scotia, Quebec, Manitoba, Alberta, Yukon, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOCIH	Changes made to improve health module (F)	discrete	numeric-1.0	51571	73358	-
2	CIH_1	Past yr, did something to improve health	discrete	numeric-1.0	50444	74485	In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking, increased exercise)
3	CIH_2	Most important change to improve health	discrete	numeric-2.0	30534	94395	What is the single most important change you have made?
4	CIH_3	Anything else you shld do to improve hlth	discrete	numeric-1.0	49962	74967	Do you think there is anything you should do to improve your physical health?
5	CIH_4	Most important thing to improve your hlth	discrete	numeric-2.0	34714	90215	What is the most important thing?
6	CIH_5	Any barriers to improving your health	discrete	numeric-1.0	34705	90224	Is there anything stopping you from making this improvement?
7	CIH_6A	Health barrier:Lack will power	discrete	numeric-1.0	18022	106907	What is that? - Lack of will power / self-discipline
8	CIH_6I	Health barrier: Family responsibilities	discrete	numeric-1.0	18022	106907	What is that? - family responsabilities
9	CIH_6B	Health barrier: Work schedule	discrete	numeric-1.0	18022	106907	What is that? -work schedule
10	CIH_6J	Hlth barrier: Addiction to drugs/alcohol	discrete	numeric-1.0	18022	106907	What is that? - Addiction to drugs / alcohol
11	CIH_6K	Health barrier: Physical condition	discrete	numeric-1.0	18022	106907	What is that? - Physical condition
12	CIH_6G	Health barrier: Disability/ health problem	discrete	numeric-1.0	18022	106907	What is that? - disability / health problem
13	CIH_6F	Health barrier: Too stressed	discrete	numeric-1.0	18022	106907	What is that? - Too stressed
14	CIH_6E	Health barrier: Financial constraints	discrete	numeric-1.0	18022	106907	What is that? - Too costly / financial constraints
15	CIH_6L	Health barrier: Not available in area	discrete	numeric-1.0	18022	106907	What is that? - Not available - in area

#	Name	Label	Type	Format	Valid	Invalid	Question
16	CIH_6M	Health barrier: Transportation problems	discrete	numeric-1.0	18022	106907	What is that? - Transportation problem
17	CIH_6N	Health barrier: Weather problems	discrete	numeric-1.0	18022	106907	What is that? - Weather problems
18	CIH_6H	Health barrier: Other	discrete	numeric-1.0	18022	106907	What is that? - Other
19	CIH_7	Next yr, intend to improve physical hlth	discrete	numeric-1.0	34248	90681	Is there anything you intend to do to improve your physical health in the next year?
20	CIH_8A	Improve physical health by: More exercise	discrete	numeric-1.0	27469	97460	What is that? - Start / Increase exercise, sports / physical activity
21	CIH_8B	Improve physical health by: Lose weight	discrete	numeric-1.0	27469	97460	What is that? - Lose weight
22	CIH_8C	Improve physical health by: Change diet	discrete	numeric-1.0	27469	97460	What is that? - Change diet / improve eating habits
23	CIH_8J	Improve phys hlth by:Quit/ reduce smoking	discrete	numeric-1.0	27469	97460	What is that? - Quit smoking / reduce amount smoked
24	CIH_8K	Improve physical health by: Less alcohol	discrete	numeric-1.0	27469	97460	What is that? - Drink less alcohol
25	CIH_8G	Improve physical health by: Reduce stress	discrete	numeric-1.0	27469	97460	What is that? - Reduce stress level
26	CIH_8L	Improve physicl hlth by:Medical treatment	discrete	numeric-1.0	27469	97460	What is that? - Receive medical treatment
27	CIH_8H	Improve physical health by: Take vitamins	discrete	numeric-1.0	27469	97460	What is that? - Take vitamins
28	CIH_8I	Improve physical health by: Other	discrete	numeric-1.0	27469	97460	What is that? - Other

Group Chronic Conditions

Universe
Core content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	CCC_031	Do you have asthma	discrete	numeric-1.0	124775	154	^DOVERB_C ^YOU2 have asthma?
2	CCC_035	Past yr,have had asthma symptoms/attacks	discrete	numeric-1.0	10958	113971	^HAVE_C ^YOU1 had any asthma symptoms or asthma attacks in the past 12 months?
3	CCC_036	Past yr, have taken medicine for asthma	discrete	numeric-1.0	10977	113952	In the past 12 months, ^HAVE ^YOU1 taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?
4	CCC_051	Do you have arthritis(excl. fibromyalgia)	discrete	numeric-1.0	119518	5411	^DOVERB_C ^YOU1 have arthritis, excluding fibromyalgia?
5	CCC_061	Have back problems(excl fibro&arthritis)	discrete	numeric-1.0	124704	225	^DOVERB_C ^YOU2 have back problems, excluding fibromyalgia and arthritis?
6	CCC_071	Do you have high blood pressure	discrete	numeric-1.0	124445	484	Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more. ^DOVERB_C ^YOU2 have high blood pressure?

#	Name	Label	Type	Format	Valid	Invalid	Question
7	CCC_072	Have been diagnosed w/high blood pressure	discrete	numeric-1.0	95748	29181	^HAVE_C ^YOU1 ever been diagnosed with high blood pressure?
8	CCC_073	Past mth,medicine for high blood pressure	discrete	numeric-1.0	35514	89415	In the past month, ^HAVE ^YOU1 taken any medicine for high blood pressure?
9	CCC_073A	Pregnant diagnosed w/high blood pressure	discrete	numeric-1.0	17259	107670	In the past month, have you taken any medicine for high blood pressure?
10	CCC_073B	Not when pregnant,told high blood pressre	discrete	numeric-1.0	933	123996	Other than during pregnancy, has a health professional ever told you that you have high blood pressure?
11	CCC_081	Do you have migraine headaches	discrete	numeric-1.0	124787	142	Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more.Do you have migraine headaches?
12	CCC_091	Do you have COPD(eg bronchitis,emphysema)	discrete	numeric-1.0	88734	36195	^DOVERB_C ^YOU2 have chronic bronchitis, emphysema or chronic obstructive pulmonary disease or COPD?
13	CCC_101	Do you have diabetes	discrete	numeric-1.0	124777	152	 (Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more.) ^DOVERB_C ^YOU2 have diabetes?
14	CCCG102	Age when diagnosed with diabetes	discrete	numeric-2.0	10177	114752	How old were you when this was first diagnosed?
15	CCC_10A	Pregnant when diagnosed with diabetes	discrete	numeric-1.0	1653	123276	^WERE ^YOU1 pregnant when ^YOU1 ^WERE first diagnosed with diabetes?
16	CCC_10B	Told have diabetes (not when pregnant)	discrete	numeric-1.0	237	124692	Other than during pregnancy, has a health professional ever told ^YOU2 that ^YOU1 ^HAVE diabetes?
17	CCC_10C	Time before start insulin after diagnosis	discrete	numeric-2.0	10145	114784	When ^YOU1 ^WERE first diagnosed with diabetes, how long was it before ^YOU1 ^WERE started on insulin?
18	CCC_105	Do you take insulin for your diabetes	discrete	numeric-1.0	10201	114728	^DOVERB_C ^YOU2 currently take insulin for ^YOUR1 diabetes?
19	CCC_106	Past mth,take pills to contrl blood sugar	discrete	numeric-1.0	10175	114754	In the past month, did ^YOU2 take pills to control ^YOUR1 blood sugar?
20	CCC_121	Do you have heart disease	discrete	numeric-1.0	124538	391	^DOVERB_C ^YOU1 have heart disease?
21	CCC_131	Do you have cancer	discrete	numeric-1.0	124722	207	(^DOVERB_C ^YOU1 have:) ... cancer?
22	CCC_31A	Have you ever been diagnosed with cancer	discrete	numeric-1.0	120883	4046	^HAVE ^YOU1 ever been diagnosed with cancer?
23	CCC_141	Do you have intestinal/ stomach ulcers	discrete	numeric-1.0	124572	357	 Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more. ^DOVERB ^YOU1 have intestinal or stomach ulcers?
24	CCC_151	Do you suffer from effects of stroke	discrete	numeric-1.0	124765	164	^DOVERB ^YOU2 suffer from the effects of a stroke?
25	CCC_161	Do you have urinary incontinence	discrete	numeric-1.0	104046	20883	"(^DOVERB ^YOU2 have.:.) . Urinary incontinence?"

#	Name	Label	Type	Format	Valid	Invalid	Question
26	CCC_171	Do you have a bowel disorder/incontinence	discrete	numeric-1.0	124656	273	^DOVERB_C ^YOU2 have a bowel disorder such as Crohn's Disease, ulcerative colitis, Irritable Bowel Syndrome or bowel incontinence?
27	CCC_17A	Type of bowel disease	discrete	numeric-1.0	6500	118429	What kind of bowel disease do you have?
28	CCC_280	Do you have a mood disorder	discrete	numeric-1.0	124697	232	 Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more. ^DOVERB_C ^YOU2 have a mood disorder such as depression, bipolar disorder, mania or dysthymia?
29	CCC_290	Do you have an anxiety disorder	discrete	numeric-1.0	124669	260	^DOVERB_C ^YOU2 have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?
30	CCCDDIA	Diabetes type	discrete	numeric-1.0	10080	114849	-

Group Colorectal Cancer Screening

Universe

Optional content selection only asked in: Newfoundland and Labrador, Prince Edward Island, Ontario, alberta, and Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOCCS	Module: Colorectal cancer screening-CCS-F	discrete	numeric-1.0	59635	65294	-
2	CCS_180	Ever had an FOBT	discrete	numeric-1.0	40970	83959	Have you ever had this test?
3	CCS_182	Last time had an FOBT	discrete	numeric-2.0	18899	106030	When was the last time?
4	CCS_83A	Reason for FOBT: Family history	discrete	numeric-1.0	18849	106080	Why did you have it? - Family history of colorectal cancer
5	CCS_83B	Reason for FOBT: Regular check-up	discrete	numeric-1.0	18849	106080	Why did you have it? - Part of regular check-up / routine screening
6	CCS_83C	Reason for FOBT: Age	discrete	numeric-1.0	18849	106080	Why did you have it? - Age
7	CCS_83D	Reason for FOBT: Follow-up problem	discrete	numeric-1.0	18849	106080	Why did you have it? - Follow-up of problem
8	CCS_83E	Reason for FOBT: Follow-up colorectal	discrete	numeric-1.0	18849	106080	Why did you have it? - Follow-up of colorectal cancer treatment
9	CCS_83F	Reason for FOBT: Other	discrete	numeric-1.0	18849	106080	Why did you have it? - Other
10	CCS_184	Ever had colonoscopy/ sigmoidoscopy	discrete	numeric-1.0	41089	83840	Have you ever had either of these exams?
11	CCS_185	Last time had colonoscopy/ sigmoidoscopy	discrete	numeric-2.0	15554	109375	When was the last time?
12	CCS_86A	Reason for colonoscopy: Family history	discrete	numeric-1.0	15485	109444	Why did you have it? - Family history of colorectal cancer
13	CCS_86B	Reason for colonoscopy: Regular check-up	discrete	numeric-1.0	15485	109444	Why did you have it? - Part of regular check-up / routine screening
14	CCS_86C	Reason for colonoscopy: Age	discrete	numeric-1.0	15485	109444	Why did you have it? - Age
15	CCS_86D	Reason for colonoscopy: Follow-up problem	discrete	numeric-1.0	15485	109444	Why did you have it? - Follow-up of problem
16	CCS_86E	Reason for colonoscopy:Followup treatment	discrete	numeric-1.0	15485	109444	Why did you have it? - Follow-up of colorectal cancer treatment

#	Name	Label	Type	Format	Valid	Invalid	Question
17	CCS_86F	Reason for colonoscopy: Other	discrete	numeric-1.0	15485	109444	Why did you have it? - Other
18	CCS_187	Had colonoscopy to follow-up FOBT	discrete	numeric-1.0	9337	115592	Was the colonoscopy or sigmoidoscopy a follow-up of the results of an FOBT?

Group Consultations about Mental Health

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOCMH	Module:Consultatns about mentl hlth-CMH-F	discrete	numeric-1.0	124929	0	-
2	CMH_01K	Past yr,seen professional re:mental hlth	discrete	numeric-1.0	119356	5573	In the past 12 months, that is, from ^DATEONEYEARAGO to yesterday, have you seen or talked to a health professional about your emotional or mental health?
3	CMHG01L	#times seen professional re:mental hlth-G	discrete	numeric-2.0	15210	109719	How many times (in the past 12 months)?
4	CMH_1MA	Saw mental hlth professional:Family doc	discrete	numeric-1.0	15354	109575	Whom did you see or talk to? - Family doctor or general practitioner
5	CMH_1MB	Saw mental hlth professional:Psychiatrist	discrete	numeric-1.0	15354	109575	Whom did you see or talk to? - Psychiatrist
6	CMH_1MC	Saw mental hlth professional:Psychologist	discrete	numeric-1.0	15354	109575	Whom did you see or talk to? - Psychologist
7	CMH_1MD	Saw mental hlth professional: Nurse	discrete	numeric-1.0	15354	109575	Whom did you see or talk to? - Nurse
8	CMH_1ME	Saw mental hlth professionl:Social worker	discrete	numeric-1.0	15354	109575	Whom did you see or talk to? - Social worker or counsellor
9	CMH_1MF	Saw mental hlth professional: Other	discrete	numeric-1.0	15354	109575	Whom did you see or talk to? - Other

Group Contacts with Health Professionals

Universe
Core content and was asked to all respondents

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOCHP	Contact with health professional	discrete	numeric-1.0	6962	117967	-
2	CHP_01	Past mth,patient overnight in hospitl etc	discrete	numeric-1.0	6958	117971	In the past 12 months, ^HAVE ^YOU2 been a patient overnight in a hospital, nursing home or convalescent home?
3	CHPG02	Past yr,how many nights been a patient-G	continuous	numeric-2.0	6952	117977	-
4	CHP_03	Past year, talked to DR/GP re:health	discrete	numeric-1.0	6943	117986	^DT_COUNT, ^HAVE ^YOU2 seen, or talked to any of the following health professionals about ^YOUR1 physical, emotional or mental health: ...a family doctor, ^DT_PED or general practitioner?
5	CHPG04	Past year, how many time talk to DR/GP	discrete	numeric-2.0	6864	118065	Respondents who answered CHP_03 = (1, 7, 8) or CHP_01 = 8
6	CHPG05	Where was most recent contact with DR/GP	discrete	numeric-2.0	5405	119524	Respondents who answered CHP_03 = (1, 7, 8) or CHP_01 = 8

#	Name	Label	Type	Format	Valid	Invalid	Question
7	CHP_06	Past year, have you seen eye specialist	discrete	numeric-1.0	6939	117990	(^DT_COUNT, ^HAVE ^YOU2 seen, or talked to:) ...an eye specialist, such as an ophthalmologist or optometrist (about ^YOUR1 physical, emotional or mental health)?
8	CHPG07	Past year, times seen eye specialist-G	discrete	numeric-2.0	6928	118001	-
9	CHP_08	Past yr,seen any othr doctor/ specialist	discrete	numeric-1.0	6945	117984	^DT_COUNT, ^HAVE ^YOU2 seen, or talked to:) ...any other medical doctor or specialist such as a surgeon, allergist, orthopaedist, ^DT_DOCTOR or psychiatrist (about ^YOUR1 physical, emotional or mental health)?
10	CHPG09	Past yr,# times seen othr dr/ specialist-G	discrete	numeric-2.0	6926	118003	-
11	CHPG10	Where recent contact w/dr/ specialist -G	discrete	numeric-2.0	1988	122941	-
12	CHP_11	Past yr, seen a nurse for care or advice	discrete	numeric-1.0	6953	117976	^DT_COUNT, ^HAVE ^YOU2 seen, or talked to: ...a nurse for care or advice about ^YOUR1 physical, emotional or mental health?
13	CHPG12	Past year, # of times seen a nurse-G	discrete	numeric-2.0	6921	118008	-
14	CHPG13	Place of most recent contact w/nurse-G	discrete	numeric-2.0	820	124109	-
15	CHP_14	Past year, have you seen a dentist	discrete	numeric-1.0	6954	117975	(^DT_COUNT, ^HAVE ^YOU2 seen, or talked to:) ...a dentist, dental hygienist or orthodontist (about ^YOUR1 physical, emotional or mental health)?
16	CHPG15	Past yr, how many times seen a dentist-G	discrete	numeric-2.0	6866	118063	-
17	CHPGMDC	No. of consult. w/medical doctor (D,G)	continuous	numeric-2.0	6839	118090	-

Group Dental Visits

Universe
Optional content selection only asked in: Newfound and Labrador, Manitoba, Alberta and North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODEN	Module: Dental visits (DEN) - (F)	discrete	numeric-1.0	21908	103021	-
2	DEN_130	Past year, have you visited a dentist	discrete	numeric-1.0	8714	116215	It was reported earlier that you have "seen" or "talked to" a dentist in the past 12 months. Did you actually visit one?
3	DEN_132	Last time visited dentist	discrete	numeric-2.0	21301	103628	When was the last time that you went to a dentist?
4	DEN_36A	Why no dentist: Haven't gotten to it	discrete	numeric-1.0	4135	120794	What are the reasons that you have not been to a dentist in the past 3 years? - Have not gotten around to it
5	DEN_36B	Why no dentist: Not necessary	discrete	numeric-1.0	4135	120794	What are the reasons that you have not been to a dentist in the past 3 years? - Respondent did not think it was necessary

#	Name	Label	Type	Format	Valid	Invalid	Question
6	DEN_36C	Why no dentist: Dentist think not needed	discrete	numeric-1.0	4135	120794	What are the reasons that you have not been to a dentist in the past 3 years? - Dentist did not think it was necessary
7	DEN_36D	Why no dentist: Personal responsibility	discrete	numeric-1.0	4135	120794	What are the reasons that you have not been to a dentist in the past 3 years? - Personal or family responsibilities
8	DEN_36E	Why no dentist: Not available when needed	discrete	numeric-1.0	4135	120794	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at time required
9	DEN_36F	Why no dentist: Not available in area	discrete	numeric-1.0	4135	120794	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at all in the area
10	DEN_36G	Why no dentist: Wait time too long	discrete	numeric-1.0	4135	120794	What are the reasons that you have not been to a dentist in the past 3 years? - Waiting time was too long
11	DEN_36H	Why no dentist: Transportation problems	discrete	numeric-1.0	4135	120794	What are the reasons that you have not been to a dentist in the past 3 years? - Transportation problems
12	DEN_36I	Why no dentist: Language problems	discrete	numeric-1.0	4135	120794	What are the reasons that you have not been to a dentist in the past 3 years? - Language problem
13	DEN_36J	Why no dentist: Cost	discrete	numeric-1.0	4135	120794	What are the reasons that you have not been to a dentist in the past 3 years? - Cost
14	DEN_36K	Why no dentist: Uninformed	discrete	numeric-1.0	4135	120794	What are the reasons that you have not been to a dentist in the past 3 years? - Did not know where to go / uninformed
15	DEN_36L	Why no dentist: Fear	discrete	numeric-1.0	4135	120794	What are the reasons that you have not been to a dentist in the past 3 years? - Fear (e.g., painful, embarrassing, find something wrong)
16	DEN_36M	Why no dentist: Wears dentures	discrete	numeric-1.0	4135	120794	What are the reasons that you have not been to a dentist in the past 3 years? - Wears dentures
17	DEN_36O	Why no dentist: Unable to leave house	discrete	numeric-1.0	4135	120794	What are the reasons that you have not been to a dentist in the past 3 years? - Unable to leave the house because of a health problem
18	DEN_36N	Why no dentist: Other	discrete	numeric-1.0	4135	120794	What are the reasons that you have not been to a dentist in the past 3 years? - Other

Group Depression

Universe
Optional content selection only asked in: Newfoundland and Labrador, Prince Edward Island, Nova Scotia, New Brunswick, Saskatchewan, and Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODEP	Module: Depression-DPS - (F)	discrete	numeric-1.0	21975	102954	-
2	DPS_02	Past year, felt depressed > 2 wks+	discrete	numeric-1.0	21156	103773	During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?
3	DPS_03	2 wk period: Length feelings lasted	discrete	numeric-1.0	2667	122262	For the next few questions, please think of the 2-week period during the past

#	Name	Label	Type	Format	Valid	Invalid	Question
							12 months when these feelings were the worst. During that time, did these feelings usually last:
4	DPS_04	2 wk period: Freq of depression	discrete	numeric-1.0	1531	123398	How often did you feel this way during those 2 weeks?
5	DPS_05	2 wk period: Lost interest in most things	discrete	numeric-1.0	1428	123501	During those 2 weeks did you lose interest in most things?
6	DPS_06	2 wk period: Felt tired all of the time	discrete	numeric-1.0	1424	123505	Did you feel tired out or low on energy all of the time?
7	DPS_07	2 wk period: Weight change	discrete	numeric-1.0	1406	123523	Did you gain weight, lose weight or stay about the same?
8	DPS_08A	2 wk period: Amount weight changed	continuous	numeric-3.0	613	124316	About how much did you ^DT_GAINLOST?
9	DPS_08B	2 wk period: Amount weight changed(lb/kg)	discrete	numeric-1.0	613	124316	-
10	DPS_09	2 wk period: Trouble falling asleep	discrete	numeric-1.0	1394	123535	Did you have more trouble falling asleep than you usually do?
11	DPS_10	2 wk period: Freq trouble falling asleep	discrete	numeric-1.0	998	123931	How often did that happen?
12	DPS_11	2 wk period: Trouble concentrating	discrete	numeric-1.0	1378	123551	Did you have a lot more trouble concentrating than usual?
13	DPS_12	2 wk period: Felt down on self	discrete	numeric-1.0	1374	123555	At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?
14	DPS_13	2 wk period: Thought a lot about death	discrete	numeric-1.0	1365	123564	Did you think a lot about death - either your own, someone else's or death in general?
15	DPS_14	Past year, # of weeks felt depressed	continuous	numeric-2.0	1286	123643	About how many weeks altogether did you feel this way during the past 12 months?
16	DPS_15	Most recent month felt depressed	discrete	numeric-2.0	1159	123770	Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?
17	DPS_16	Past yr,lost interest most things 2 wks+	discrete	numeric-1.0	19613	105316	During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work or activities that usually give you pleasure?
18	DPS_17	Past yr, length interest loss 2 wk period	discrete	numeric-1.0	1373	123556	For the next few questions, please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last?
19	DPS_18	Length of interest loss 2 wk period	discrete	numeric-1.0	556	124373	How often did you feel this way during those 2 weeks?
20	DPS_19	2 wk period: felt tired all the time	discrete	numeric-1.0	418	124511	During those 2 weeks did you feel tired out or low on energy all the time?
21	DPS_20	Loss interest weight change 2 wk	discrete	numeric-1.0	414	124515	Did you gain weight, lose weight, or stay about the same?
22	DPS_21A	Loss interest weight change amount 2 wk	continuous	numeric-3.0	162	124767	About how much did you ^DT_WEIGHT?
23	DPS_21B	Loss interest weight change (lb/kg) 2 wk	discrete	numeric-1.0	162	124767	-

#	Name	Label	Type	Format	Valid	Invalid	Question
24	DPS_22	Loss interest trouble fall asleep 2 wk	discrete	numeric-1.0	412	124517	Did you have more trouble falling asleep than you usually do?
25	DPS_23	Loss interest freq trouble to sleep 2 wk	discrete	numeric-1.0	246	124683	How often did that happen?
26	DPS_24	Loss interest trouble concentrating 2 wk	discrete	numeric-1.0	408	124521	Did you have a lot more trouble concentrating than usual?
27	DPS_25	Loss interest felt down on self 2 wk	discrete	numeric-1.0	405	124524	At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?
28	DPS_26	Loss interest thought a lot/ death 2 wk	discrete	numeric-1.0	405	124524	Did you think a lot about death - either your own, someone else's, or death in general?
29	DPS_27	Past yr,loss interest # of weeks	continuous	numeric-2.0	365	124564	About how many weeks did you feel this way during the past 12 months?
30	DPS_28	Loss interest most recent month 2 wk	discrete	numeric-2.0	337	124592	Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?
31	DPSDSF	Depr. scale - short form score - (D)	discrete	numeric-2.0	20940	103989	-
32	DPSDPP	Depr. scale - predicted prob. - (D)	continuous	numeric-4.2	20940	103989	-
33	DPSDWK	No. of weeks felt depressed - (D)	continuous	numeric-2.0	1596	123333	-
34	DPSDMT	Month last felt depressed 2 wk in a row-D	discrete	numeric-2.0	1451	123478	-

Group Diabetes Care

Universe

Optional content selection only asked in: Newfoundland and Labrador, Nova Scotia, New Brunswick, Ontario

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODIA	Diabetes care - Inclusion Flag - (F)	discrete	numeric-1.0	55955	68974	-
2	DIA_01	Past yr,tested for "A-one-C" haemoglobin	discrete	numeric-1.0	4818	120111	In the past 12 months, has a health care professional tested ^YOU2 for haemoglobin "A- one-C"? (An "Aone-C" haemoglobin test measures the average level of blood sugar over a 3-month period.)
3	DIA_02	# times tested for haemoglobin A-one-C	continuous	numeric-3.0	3978	120951	How many times? (In the past 12 months, has a health care professional tested ^YOU2 for haemoglobin "A-one-C"?)
4	DIA_03	Past yr,feet checked by hlth professional	discrete	numeric-1.0	4956	119973	In the past 12 months, has a health care professional checked ^YOUR1 feet for any sores or irritations?
5	DIA_04	# times feet checked by hlth professional	continuous	numeric-3.0	2782	122147	How many times? (In the past 12 months, has a health care professional checked ^YOUR1 feet for any sores or irritations?)
6	DIA_05	Past yr,hlth prof tested urine for protein	discrete	numeric-1.0	4721	120208	In the past 12 months, has a health care professional tested ^YOUR1 urine for protein (i.e., Microalbumin)?

#	Name	Label	Type	Format	Valid	Invalid	Question
7	DIA_06	Ever had eye exam with pupils dilated	discrete	numeric-1.0	4900	120029	^HAVE_C ^YOU2 ever had an eye exam where the pupils of ^YOUR1 eyes were dilated? (This procedure would have made ^HIMHER temporarily sensitive to light.)
8	DIA_07	Last time: eye exam w/pupils dilated	discrete	numeric-1.0	3885	121044	When was the last time?
9	DIA_08	How often is your glucose/ sugar checked	discrete	numeric-1.0	4966	119963	How often ^DOVERB ^YOU2 usually have ^YOUR1 blood checked for glucose or sugar by ^YOURSELF or by a family member or friend?
10	DIA_N8B	# of times glucose checked/ sugar per day	discrete	numeric-3.0	2726	122203	-
11	DIA_N8C	# of times glucose checked/ sugar per week	discrete	numeric-3.0	1311	123618	-
12	DIA_N8D	# of times glucose checked/ sugar per mth	discrete	numeric-3.0	350	124579	-
13	DIA_N8E	# of times glucose checked/ sugar per year	discrete	numeric-3.0	116	124813	-
14	DIA_09	How often feet checked by self/other	discrete	numeric-1.0	4870	120059	How often ^DOVERB ^YOU2 usually have ^YOUR1 feet checked for any sores or irritations by ^YOURSELF or by a family member or friend?
15	DIA_N9B	# of times feet checked per day	discrete	numeric-3.0	1938	122991	-
16	DIA_N9C	# of times feet checked per week	discrete	numeric-3.0	1103	123826	-
17	DIA_N9D	# of times feet checked per month	discrete	numeric-3.0	364	124565	-
18	DIA_N9E	# of times feet checked per year	discrete	numeric-3.0	270	124659	-
19	DIA_10	Past mth, take aspirin/ASA every(2nd)day	discrete	numeric-1.0	4854	120075	In the past month, did ^YOU2 take aspirin or other ASA (acetylsalicylic acid) medication every day or every second day?
20	DIA_11	Past mth,take prescriptn for cholesterol	discrete	numeric-1.0	4806	120123	In the past month, did ^YOU1 take prescription medications such as Lipitor or Zocor to control ^YOUR1 blood cholesterol levels?

Group Distress

Universe
Optional content selection only asked in: Ontario, Saskatchewan

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODIS	Module: Distress-DIS - (F)	discrete	numeric-1.0	50076	74853	-
2	DIS_10A	Past month, felt tired out	discrete	numeric-1.0	47235	77694	During the past month, that is, from [date one month ago] to yesterday, about how often did you feel: ... tired out for no good reason?
3	DIS_10B	Past month, felt nervous	discrete	numeric-1.0	47057	77872	During the past month, that is, from [date one month ago] to yesterday, about how often did you feel: ... nervous?

#	Name	Label	Type	Format	Valid	Invalid	Question
4	DIS_10C	Past month, felt so nervous couldn't calm	discrete	numeric-1.0	46956	77973	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... so nervous that nothing could calm you down?
5	DIS_10D	Past month, felt hopeless	discrete	numeric-1.0	47063	77866	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... hopeless?
6	DIS_10E	Past month, felt restless	discrete	numeric-1.0	46992	77937	During the past month, that is, from [date one month ago] to yesterday, about how often did you feel: ... restless or fidgety?
7	DIS_10F	Past month, could not sit still	discrete	numeric-1.0	46887	78042	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... so restless you could not sit still?
8	DIS_10G	Past month, felt sad or depressed	discrete	numeric-1.0	47016	77913	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... sad or depressed?
9	DIS_10H	Past mth,depressed&nothing could cheer up	discrete	numeric-1.0	46914	78015	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... so depressed that nothing could cheer you up?
10	DIS_10I	Past month, everything was an effort	discrete	numeric-1.0	46843	78086	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... that everything was an effort?
11	DIS_10J	Past month, felt worthless	discrete	numeric-1.0	46997	77932	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... worthless?
12	DIS_10K	Past mth,frequency of distressed feelings	discrete	numeric-1.0	46669	78260	We just talked about feelings that occurred to different degrees during the past month. Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?
13	DIS_10L	Freq of distressed feelings(a lot more)	discrete	numeric-1.0	5364	119565	Is that a lot more, somewhat more or only a little more often than usual?
14	DIS_10M	Freq of distressed feelings(a lot less)	discrete	numeric-1.0	4245	120684	Is that a lot less, somewhat less or only a little less often than usual?
15	DIS_10N	Past month, feelings interfere w/life	discrete	numeric-1.0	37213	87716	During the past month, how much did these feelings usually interfere with your life or activities?
16	DISDK6	Distress scale - K6 - past month - (D)	continuous	numeric-2.0	46219	78710	-
17	DISDCHR	Chronicity of distress/impair. scale (D)	discrete	numeric-2.0	46557	78372	-
18	DISDDSX	Distress scale - K10 - past month - (D)	continuous	numeric-2.0	46095	78834	Respondents with DODIS = 1

Group Driving and Safety

Universe

Optional content selection only asked in: Prince Edward Island, Manitoba, Alberta, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODRV	Module: Driving and safety (DRV) - (F)	discrete	numeric-1.0	20057	104872	-
2	DRV_01A	Past year, driven a motor vehicle	discrete	numeric-1.0	19593	105336	In the past 12 months, have you driven a motor vehicle?
3	DRV_01B	Past year, driven a motorcycle	discrete	numeric-1.0	19587	105342	In the past 12 months, have you driven a motorcycle?
4	DRV_02	Freq fasten seat belt in motor vehicle	discrete	numeric-1.0	16378	108551	How often do you fasten your seat belt when you drive a motor vehicle?
5	DRV_03A	Frequency use cell phone while driving	discrete	numeric-1.0	16360	108569	Excluding hands-free use, how often do you use a cell phone while you are driving a motor vehicle?
6	DRV_03B	Frequency use hands free while driving	discrete	numeric-1.0	16353	108576	How often do you use a hands-free when talking on the cell phone while you are driving a motor vehicle?
7	DRV_04	Frequency drive when tired	discrete	numeric-1.0	16325	108604	How often do you drive when you are feeling tired?
8	DRV_05	Driving speed compared to others	discrete	numeric-1.0	16233	108696	Compared to other drivers, would you say you usually drive:
9	DRV_06	Driving aggression compared to others	discrete	numeric-1.0	16092	108837	(Compared to other drivers,) would you say you usually drive:
10	DRV_07	Past year, driven after 2+ drinks	discrete	numeric-1.0	13013	111916	In the past 12 months, have you driven a motor vehicle after having 2 or more drinks in the hour before you drove?
11	DRV_07A	Past year, # times driven after 2+ drinks	continuous	numeric-2.0	910	124019	How many times (in the past 12 months)?
12	DRV_08A	Front seat: Fasten seat belt	discrete	numeric-1.0	19559	105370	When you are a front seat passenger, how often do you fasten your seat belt?
13	DRV_08B	Back seat: Fasten seat belt	discrete	numeric-1.0	19533	105396	When you are a back seat passenger, how often do you fasten your seat belt?
14	DRV_09	Taxi passenger: Fasten seat belt	discrete	numeric-1.0	19425	105504	Respondents with DODRV = 1
15	DRV_10	Past yr,been w/driver 2+ drink w/in 1hr	discrete	numeric-1.0	19399	105530	In the past 12 months, have you been a passenger with a driver who had 2 or more drinks in the hour before driving?
16	DRV_10A	# times been w/driver 2+ drink w/in 1hr	continuous	numeric-2.0	1899	123030	How many times (in the past 12 months)?
17	DRV_11A	Past yr,driver/passenger snowmobile/boat	discrete	numeric-1.0	19551	105378	In the past 12 months, have you been the driver of, or a passenger in, a snowmobile, motor boat or seadoo?
18	DRV_11B	Past year, driver/passenger in/on ATV	discrete	numeric-1.0	19542	105387	In the past 12 months, have you been the driver of, or a passenger in, an ATV (all terrain vehicle)?
19	DRV_12	Frequency wear helmet on an ATV	discrete	numeric-1.0	4218	120711	How often do you wear a helmet when on an ATV?
20	DRV_13	Past yr,been w/driver 2+ drink ATV-cbk	discrete	numeric-1.0	6500	118429	In the past 12 months, have you been a passenger on ^DT_ATV with a driver who had 2 or more drinks in the hour before driving?
21	DRV_13A	# times been w/driver 2+ drink ATV-cbk	discrete	numeric-2.0	405	124524	How many times (in the past 12 months)?
22	DRV_14	Past yr,driven snowmobile/ boat 2+ drink	discrete	numeric-1.0	5301	119628	In the past 12 months, have you driven ^DT_ATV after having 2 or more drinks in the hour before you drove?

#	Name	Label	Type	Format	Valid	Invalid	Question
23	DRV_14A	# times driven snowmobile/ boat 2+ drink	discrete	numeric-2.0	310	124619	How many times (in the past 12 months)?
24	DRVFSBU	Passenger seat belt use - motor vehicle	discrete	numeric-1.0	19393	105536	-

Group Dwelling and Household Variables

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DHHGAGE	Age - (G)	discrete	numeric-2.0	124929	0	What is your age?
2	DHH_SEX	Sex	discrete	numeric-1.0	124929	0	-
3	DHHGMS	Marital status - (G)	discrete	numeric-1.0	124595	334	What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single, never married?
4	DHHGLE5	# of person 5 or less in household (D,G)	discrete	numeric-1.0	124929	0	Based on SAMPLEID, PERSONID, DHH_AGE. See documentation on derived variables.
5	DHHG611	# of persons aged 6-11 in household(D,G)	discrete	numeric-1.0	124929	0	-
6	DHHGL12	# of persons <12 in household (D,G)	discrete	numeric-1.0	124929	0	-
7	DHHGLVG	Living arrangements of respondent (D,G)	discrete	numeric-2.0	124104	825	-
8	DHHGHSZ	Household size - (D, G)	discrete	numeric-1.0	124868	61	-

Group Education

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	EDUDH04	Highest level/edu. - HH 4 levels - (D)	discrete	numeric-1.0	114678	10251	-
2	EDUDR04	Highest level/edu. - respond. 4 levels -	discrete	numeric-1.0	120179	4750	-

Group Exposure to Second-Hand Smoke

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	ETS_10	Does anyone smoke inside your home	discrete	numeric-1.0	116160	8769	Including both household members and regular visitors, does anyone smoke inside your home, every day or almost every day?
2	ETSG11	# of people who smoke inside your home-G	discrete	numeric-1.0	10465	114464	How many people smoke inside your home every day or almost every day?
3	ETS_20	Past mth, in 2nd-hand smoke in a car	discrete	numeric-1.0	99249	25680	In the past month, were you exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle?

#	Name	Label	Type	Format	Valid	Invalid	Question
4	ETS_20B	Past mth, in 2nd-hand smoke in public	discrete	numeric-1.0	99168	25761	(In the past month,) were you exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)?
5	ETS_35	Is smoking allowed inside your home	discrete	numeric-1.0	113234	11695	Is smoking allowed inside your home?
6	ETS_36	Is smoking restricted in your home	discrete	numeric-1.0	22474	102455	Is smoking inside your home restricted in anyway?
7	ETS_37A	Smoking restricted: Certain rooms only	discrete	numeric-1.0	8138	116791	How is smoking restricted inside your home? - Allowed in certain rooms only
8	ETS_37B	Smoking restricted: By young children	discrete	numeric-1.0	8138	116791	How is smoking restricted inside your home? - Restricted in the presence of young children
9	ETS_37C	Smoking restricted: With ventilation	discrete	numeric-1.0	8138	116791	How is smoking restricted inside your home? - Allowed only if windows are open or with another type of ventilation
10	ETS_37D	Smoking restricted: Other	discrete	numeric-1.0	8138	116791	How is smoking restricted inside your home? - Other restriction (s)

Group Flu Shots

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	FLU_160	Have you had your seasonal flu shot	discrete	numeric-1.0	121641	3288	Have you ever had a seasonal flu shot?
2	FLU_162	When was your last seasonal flu shot	discrete	numeric-1.0	76236	48693	When did you have your last seasonal flu shot?
3	FLU_164	What month was your last flu shot	discrete	numeric-2.0	41360	83569	In which month did you have your last seasonal flu shot?
4	FLU_165	Last flu shot this year or last year	discrete	numeric-1.0	4321	120608	Was that this year or last year?
5	FLU_66A	Reason no flu shot:Not gotten around to it	discrete	numeric-1.0	75657	49272	What are the reasons that you have not had a flu shot in the past year? - Have not gotten around to it
6	FLU_66B	Reason no flu shot: Not necessary	discrete	numeric-1.0	75657	49272	What are the reasons that you have not had a flu shot in the past year? - Respondent did not think it was necessary
7	FLU_66C	Reason no flu shot: Dr didnt think needed	discrete	numeric-1.0	75657	49272	What are the reasons that you have not had a flu shot in the past year? - Doctor did not think it was necessary
8	FLU_66D	Reason no flu shot:Personl responsibility	discrete	numeric-1.0	75657	49272	What are the reasons that you have not had a flu shot in the past year? - Personal or family responsibilities
9	FLU_66E	Reason no flu shot:Not avail when needed	discrete	numeric-1.0	75657	49272	What are the reasons that you have not had a flu shot in the past year? - Not available at time required
10	FLU_66F	Reason no flu shot:Not available in area	discrete	numeric-1.0	75657	49272	What are the reasons that you have not had a flu shot in the past year? - Not available at all in the area

#	Name	Label	Type	Format	Valid	Invalid	Question
11	FLU_66G	Reason no flu shot: Too long wait time	discrete	numeric-1.0	75657	49272	What are the reasons that you have not had a flu shot in the past year? - Waiting time was too long
12	FLU_66H	Reason no flu shot: Transportatn probs	discrete	numeric-1.0	75657	49272	What are the reasons that you have not had a flu shot in the past year? - Transportation problems
13	FLU_66I	Reason no flu shot: Language problem	discrete	numeric-1.0	75657	49272	What are the reasons that you have not had a flu shot in the past year? - Language problem
14	FLU_66J	Reason no flu shot: Cost	discrete	numeric-1.0	75657	49272	What are the reasons that you have not had a flu shot in the past year? - Cost
15	FLU_66K	Reason no flu shot: Uninformed	discrete	numeric-1.0	75657	49272	What are the reasons that you have not had a flu shot in the past year? - Did not know where to go / uninformed
16	FLU_66L	Reason no flu shot: Fear	discrete	numeric-1.0	75657	49272	What are the reasons that you have not had a flu shot in the past year? - Fear (e.g., painful, embarrassing, find something wrong)
17	FLU_66M	Reason no flu shot:Bad reaction last time	discrete	numeric-1.0	75657	49272	What are the reasons that you have not had a flu shot in the past year? - Bad reaction to previous shot
18	FLU_66O	Reason no flu shot: Cannot leave house	discrete	numeric-1.0	75657	49272	What are the reasons that you have not had a flu shot in the past year? - Unable to leave the house because of a health problem
19	FLU_66N	Reason no flu shot: Other	discrete	numeric-1.0	75657	49272	What are the reasons that you have not had a flu shot in the past year? - Other

Group Food Choices

Universe
Optional content selection only asked in: Prince Edward Island, Nova Scotia, Saskatchewan, Alberta, British Columbia, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOFDC	Module: Food choices (FDC) - (F)	discrete	numeric-1.0	40298	84631	-
2	FDC_1A	Choose/avoid food: Weight issues	discrete	numeric-1.0	39107	85822	Do you choose certain foods or avoid others: ...because you are concerned about your body weight?
3	FDC_1B	Choose/avoid food: Heart disease	discrete	numeric-1.0	39018	85911	(Do you choose certain foods or avoid others:) ...because you are concerned about heart disease?
4	FDC_1C	Choose/avoid food: Cancer	discrete	numeric-1.0	39005	85924	(Do you choose certain foods or avoid others:) ...because you are concerned about cancer?
5	FDC_1D	Choose/avoid food: Osteoporosis	discrete	numeric-1.0	38970	85959	(Do you choose certain foods or avoid others:) ...because you are concerned about osteoporosis (brittle bones)?
6	FDC_2A	Choose/avoid food: Lower fat content	discrete	numeric-1.0	39024	85905	Do you choose certain foods because of: ...the lower fat content?
7	FDC_2B	Choose/avoid food: Fibre content	discrete	numeric-1.0	39001	85928	(Do you choose certain foods because of:) ...the fibre content?

#	Name	Label	Type	Format	Valid	Invalid	Question
8	FDC_2C	Choose/avoid food: Calcium content	discrete	numeric-1.0	38984	85945	(Do you choose certain foods because of:) ...the calcium content?
9	FDC_3A	Choose/avoid food: Fat content	discrete	numeric-1.0	39029	85900	Do you avoid certain foods because of: ...the fat content?
10	FDC_3B	Choose/avoid food: Type of fat	discrete	numeric-1.0	38884	86045	(Do you avoid certain foods because of:) ...the type of fat they contain?
11	FDC_3C	Choose/avoid food: Salt content	discrete	numeric-1.0	39023	85906	(Do you avoid certain foods because of:) ...the salt content?
12	FDC_3D	Choose/avoid food: Cholesterol content	discrete	numeric-1.0	38941	85988	(Do you avoid certain foods because of:) ...the cholesterol content?
13	FDC_3E	Choose/avoid food: Calorie content	discrete	numeric-1.0	39001	85928	(Do you avoid certain foods because of:) ...the calorie content?
14	FDCFAVD	Avoids foods for content reasons - (F)	discrete	numeric-1.0	39029	85900	-
15	FDCFCAH	Chooses/avoids foods hlth concerns - (F)	discrete	numeric-1.0	39033	85896	-
16	FDCFCHO	Chooses foods for content reasons - (F)	discrete	numeric-1.0	39030	85899	-

Group Food Security

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOFSC	Module: Food security	discrete	numeric-1.0	124929	0	-
2	FSC_010	Past year, food situation in household	discrete	numeric-1.0	121046	3883	Which of the following statements best describes the food eaten in your household in the past 12 months, that is, since [current month] of last year?
3	FSC_020	Past year, worried food would run out	discrete	numeric-1.0	120868	4061	The first statement is: ...^DT_YouAndOthers_C worried that food would run out before you got money to buy more. Was that often true, sometimes true, or never true in the past 12 months?
4	FSC_030	Past year, no food or money for more	discrete	numeric-1.0	120821	4108	The food that ^DT_YouAndOthers bought just didn't last, and there wasn't any money to get more. Was that often true, sometimes true, or never true in the past 12 months?
5	FSC_040	Past yr, could not afford balanced meals	discrete	numeric-1.0	120767	4162	^DT_YouAndOthers_C couldn't afford to eat balanced meals. In the past 12 months was that often true, sometimes true, or never true?
6	FSC_050	Past yr,few kinds low-cost food for kids	discrete	numeric-1.0	32463	92466	^DT_YouOtherAdults_C relied on only a few kinds of low-cost food to feed ^DT_ChildFName because you were running out of money to buy food. Was that often true, sometimes true, or never true in the past 12 months?
7	FSC_060	Past yr,couldnt feed kids balanced meal	discrete	numeric-1.0	32462	92467	^DT_YouOtherAdults_C couldn't feed ^DT_ChildFName a balanced meal, because you couldn't afford it. Was that often true, sometimes true, or never true in the past 12 months?
8	FSC_070	Past year,children weren't eating enough	discrete	numeric-1.0	5156	119773	^DT_ChildWas not eating enough because ^DT_YouOtherAdults just couldn't afford enough food. Was that

#	Name	Label	Type	Format	Valid	Invalid	Question
							often, sometimes, or never true in the past 12 months?
9	FSC_080	Past year, adults cut or skipped meals	discrete	numeric-1.0	13483	111446	In the past 12 months, since last [current month] did ^DT_YouOtherAdults ever cut the size of your meals or skip meals because there wasn't enough money for food?
10	FSC_081	Past yr, adults skipped meals freq	discrete	numeric-1.0	4036	120893	How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?
11	FSC_090	Past year, ate less than felt should	discrete	numeric-1.0	13461	111468	In the past 12 months, did you ^Personallyever eat less than you felt you should because there wasn't enough money to buy food?
12	FSC_100	Past year, was hungry but couldn't eat	discrete	numeric-1.0	13474	111455	In the past 12 months, were you ^Personallyever hungry but didn't eat because you couldn't afford enough food?
13	FSC_110	Past year, lost weight,no money for food	discrete	numeric-1.0	13382	111547	In the past 12 months, did you ^Personallylose weight because you didn't have enough money for food?
14	FSC_120	Past year, adults did not eat whole day	discrete	numeric-1.0	5482	119447	In the past 12 months, did ^DT_YouOtherAdults ever not eat for a whole day because there wasn't enough money for food?
15	FSC_121	Past year, adults not eat whole day freq	discrete	numeric-1.0	1055	123874	How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?
16	FSC_130	Past year, cut size of children's meals	discrete	numeric-1.0	1996	122933	In the past 12 months, did ^DT_YouOtherAdults ever cut the size of ^DT_AnyChilds meals because there wasn't enough money for food?
17	FSC_140	Past year, children skipped meals	discrete	numeric-1.0	2000	122929	In the past 12 months, did ^DT_AnyChild ever skip meals because there wasn't enough money for food?
18	FSC_141	Past year, freq child(ren) skipped meals	discrete	numeric-1.0	136	124793	How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?
19	FSC_150	Past year, children were hungry	discrete	numeric-1.0	1996	122933	In the past 12 months, ^DT_WasAnyChild ever hungry but you just couldn't afford more food?
20	FSC_160	Past year, children not eat whole day	discrete	numeric-1.0	1998	122931	In the past 12 months, did ^DT_AnyChild ever not eat for a whole day because there wasn't enough money for food?
21	FSCDHFS2	Household Food Security Status (HC)	discrete	numeric-1.0	120242	4687	-
22	FSCDAFS2	Food Security - Adult Status	discrete	numeric-1.0	120283	4646	-
23	FSCDCFS2	Food Security - Child Status	discrete	numeric-1.0	32386	92543	-

Group Fruit and Vegetable Consumption

Universe

Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question

#	Name	Label	Type	Format	Valid	Invalid	Question
1	FVCDJUI	Daily consumption - fruit juice - (D)	continuous	numeric-5.1	120425	4504	-
2	FVCDFRU	Daily consumption - fruit - (D)	continuous	numeric-5.1	119935	4994	-
3	FVCDSAL	Daily consumption - green salad - (D)	continuous	numeric-5.1	119711	5218	-
4	FVCDPOT	Daily consumption - potatoes - (D)	continuous	numeric-5.1	120032	4897	-
5	FVCDCAR	Daily consumption - carrots - (D)	continuous	numeric-5.1	119259	5670	-
6	FVCDVEG	Daily consumption other vegetables - (D)	continuous	numeric-5.1	118391	6538	-
7	FVCDTOT	Daily cons. - total fruits and veg. - D)	continuous	numeric-5.1	115368	9561	All respondents
8	FVCGTOT	Daily cons. - total fruits/veg. - (D, G)	discrete	numeric-1.0	115368	9561	-

Group General Health

Universe

Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	GEN_01	Self-perceived health	discrete	numeric-1.0	124690	239	In general, how would you say your health is now? Is it…?
2	GEN_02	Self-perceived hlth compared to 1 yr ago	discrete	numeric-1.0	124680	249	Compared to one year ago, how would you say your health is now? Is it…?
3	GEN_02A2	Satisfaction with life in general	discrete	numeric-2.0	120753	4176	Using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfaied", how do you fell about your life as a whole right now?
4	GEN_02B	Self-perceived mental health	discrete	numeric-1.0	121869	3060	In general, would you say your mental health is …?
5	GEN_07	Perceived life stress	discrete	numeric-1.0	124109	820	Thinking about the amount of stress in your life, would you say that most days are…?
6	GEN_08	Worked at job or business	discrete	numeric-1.0	103362	21567	Have you worked at a job or business at any time in the past 12 months?
7	GEN_09	Self perceived work stress	discrete	numeric-1.0	71532	53397	Would you say that most days at work were...?
8	GEN_10	Sense of belonging to local community	discrete	numeric-1.0	119910	5019	How would you describe your sense of belonging to your local community? Would you say it is...?
9	GENDHDI	Perceived Health - (D)	discrete	numeric-1.0	124690	239	-
10	GENDMHI	Perceived Mental Health - (D)	discrete	numeric-1.0	121869	3060	-
11	GENGSWL	Satisfaction with life in general	discrete	numeric-1.0	120753	4176	-

Group Geography Variables

#	Name	Label	Type	Format	Valid	Invalid	Question

#	Name	Label	Type	Format	Valid	Invalid	Question
1	GEOGPRV	Province of residence of respondent-(G)	discrete	numeric-2.0	124929	0	-
2	GEODPMF	Health Region - (G)	discrete	numeric-5.0	124929	0	-
3	GEODBCHA	B.C. Health Authority (BCHA) - (D)	discrete	numeric-4.0	15413	109516	-

Group Health Care Utilization

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HCU_1AA	Do you have regular medical doctor	discrete	numeric-1.0	124712	217	^DOVERB_C ^YOU2 have a regular medical doctor?
2	HCU_1BA	Reason no doctor: No doctors in area	discrete	numeric-1.0	16234	108695	Why do you not have a regular medical doctor? - No medical doctors available in the area
3	HCU_1BB	Reason no dr: No doctors taking patients	discrete	numeric-1.0	16234	108695	Why do you not have a regular medical doctor? - Medical doctors in the area are not taking new patients
4	HCU_1BC	Reason no doctor: Have not contacted one	discrete	numeric-1.0	16234	108695	Why do you not have a regular medical doctor? - Have not tried to contact one
5	HCU_1BD	Reason no doctor: Doctor left/retired	discrete	numeric-1.0	16234	108695	Why do you not have a regular medical doctor? - Had a medical doctor who left or retired
6	HCU_1BE	Reason no doctor: Other	discrete	numeric-1.0	16234	108695	Why do you not have a regular medical doctor? - Other
7	HCU_1A1	Have place to go for your health	discrete	numeric-1.0	16492	108437	Is there a place that ^YOU2 usually ^DT_GOVERB to when ^YOU1 ^ARE sick or need^S advice about ^YOUR1 health?
8	HCU_1A2	Where do you go for your health	discrete	numeric-2.0	13644	111285	What kind of place is it?

Group Health Utilities Index

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HUPDPAD	Pain (function code)	discrete	numeric-1.0	124410	519	-

Group Height and Weight - Self-Reported

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HWT_4	Weight: Do you consider yourself	discrete	numeric-1.0	117456	7473	Do you consider yourself:
2	HWTGHTM	Height (metres) / self-reported - (D,G)	continuous	numeric-5.3	120006	4923	-
3	HWTGWTK	Weight (kilograms)/self-reported - (D,G)	continuous	numeric-6.2	117697	7232	-
4	HWTGBMI	BMI / self-report - (D,G)	continuous	numeric-6.2	116937	7992	-

#	Name	Label	Type	Format	Valid	Invalid	Question
5	HWTGISW	BMI class. (18 +) / self-report - (D,G)	discrete	numeric-1.0	107691	17238	-
6	HWTDCOL	BMI class. (12-17) / self-report. - (D)	discrete	numeric-1.0	9006	115923	-

Group Hormone Replacement Therapy

Universe
Optional content selection only asked in: Prince Edward Island

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOHRT	Module:Hormone replacement therapy-HRT-F	discrete	numeric-1.0	1774	123155	-
2	HRT_01	Past yr,experienced symptoms of menopause	discrete	numeric-1.0	749	124180	In the past 12 months, have you experienced any symptoms of menopause or ageing. These symptoms may include hot flashes, night sweats, or an irregularity or the stopping of your periods?
3	HRT_02	Past year, taken hormone therapy	discrete	numeric-1.0	749	124180	In the past 12 months, did you take any form of Hormone Replacement Therapy for menopause symptoms or for conditions due to ageing?
4	HRT_03	Are you currently taking hormones	discrete	numeric-1.0	59	124870	Are you currently taking hormones?
5	HRT_04A	Type of hormone taken: Estrogen	discrete	numeric-1.0	57	124872	What type of hormones did you take? - Estrogen only (e.g., Premarin, Estrace, Vivelle)
6	HRT_04B	Type of hormone taken: Progestin	discrete	numeric-1.0	57	124872	What type of hormones did you take? - Progestin or progesterone only (e.g., Provera, Prometrium)
7	HRT_04C	Type of hormone taken: Estrogen&Progestin	discrete	numeric-1.0	57	124872	What type of hormones did you take? - Both estrogen and progesterone only (e.g., Premplus, FemHRT, Estalis)
8	HRT_04D	Type of hormone taken: Other	discrete	numeric-1.0	57	124872	What type of hormones did you take? - Other
9	HRT_05	When did you start this hormone therapy	continuous	numeric-4.0	55	124874	When did you start this hormone therapy?
10	HRT_07	Ever taken hormone therapy for menopause	discrete	numeric-1.0	486	124443	Have you ever taken any form of Hormone Replacement Therapy for menopause symptoms or for conditions due to ageing?
11	HRT_10	Past yr,hlth product for menopause symptm	discrete	numeric-1.0	265	124664	In the past 12 months, have you used any of these health products to relieve your symptoms?
12	HRT_11A	Health product menopause: Vitamins	discrete	numeric-1.0	27	124902	What have you used? - Vitamins or other dietary supplements (e.g., Melatonin, Calcium)
13	HRT_11B	Health product menopause: Herbs	discrete	numeric-1.0	27	124902	What have you used? - Herbs (e.g., Black Cohosh, Oil of Evening Primrose)
14	HRT_11C	Health product menopause: Herbal teas	discrete	numeric-1.0	27	124902	What have you used? - Herbal teas
15	HRT_11D	Health product menopause: Other	discrete	numeric-1.0	27	124902	What have you used? - Other

#	Name	Label	Type	Format	Valid	Invalid	Question
16	HRT_12	Past yr for menopause,taken anything else	discrete	numeric-1.0	265	124664	Other than taking hormones or health products, in the past 12 months, did you do anything else to relieve your symptoms?
17	HRT_13A	Other for menopause: Soy, flax, calcium	discrete	numeric-1.0	44	124885	What did you do? - Ate more foods rich in soy, flax or calcium
18	HRT_13B	Other for menopause: More legumes	discrete	numeric-1.0	44	124885	What did you do? - Ate more legumes (i.e., beans, peas)
19	HRT_13C	Other for menopause: Avoid food/activity	discrete	numeric-1.0	44	124885	What did you do? - Avoided certain foods or activities (e.g., spicy foods, alcohol, hot tubs)
20	HRT_13D	Other for menopause: Increase exercise	discrete	numeric-1.0	44	124885	What did you do? - Increased exercise
21	HRT_13E	Othr:for menopause: Relaxation exercises	discrete	numeric-1.0	44	124885	What did you do? - Did relaxation exercises (e.g., yoga, Tai Chi)
22	HRT_13F	Othr:for menopause: Massage therapy	discrete	numeric-1.0	44	124885	What did you do? - Received massage therapy treatments
23	HRT_13G	Othr:for menopause: Other	discrete	numeric-1.0	44	124885	What did you do? - Other

Group Illicit Drug Use

Universe
Optional content selection only asked in: Ontario, Saskatchewan, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOIDG	Illicit drugs use - Inclusion Flag - (F)	discrete	numeric-1.0	50076	74853	-
2	IDGFLCA	Cannabis drug use/incl.1 time only - (F)	discrete	numeric-1.0	47515	77414	-
3	IDGFLCM	Cannabis drug use/excl.1 time only - (F)	discrete	numeric-1.0	47515	77414	-
4	IDGFYCM	Can.drg use/excl.1 time only -12 mo -(F)	discrete	numeric-1.0	47497	77432	-
5	IDGFLA	Illicit drg use/incl. 1 time cann. - (F)	discrete	numeric-1.0	47428	77501	-
6	IDGFLAC	Illicit drug use/excl.1 time cann. - (F)	discrete	numeric-1.0	47418	77511	-
7	IDGFYA	Illicit drg /incl.1 time can.-12 mo -(F)	discrete	numeric-1.0	47371	77558	-
8	IDGFYAC	Illi.drg use/excl.1 time can.-12 mo -(F)	discrete	numeric-1.0	47370	77559	-
9	IDGDINT	Illicit drug interference mean - 12 mo	continuous	numeric-4.1	2483	122446	-
10	IDGFINT	Illicit drug interference - 12 mo - (F)	discrete	numeric-1.0	2489	122440	-

Group Income

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question

#	Name	Label	Type	Format	Valid	Invalid	Question
1	INCG2	Total hhld inc. - main source - (G)	discrete	numeric-1.0	113052	11877	-
2	INCG7	Main source of personal income - (G)	discrete	numeric-1.0	70315	54614	-
3	INCGHH	Total hhld inc. from all sources - (D,G)	discrete	numeric-1.0	124818	111	-
4	INCGPER	Total pers. inc. from all sources (D,G)	discrete	numeric-2.0	100791	24138	-
5	INCDRCA	Household income distribution - (D)	discrete	numeric-2.0	121741	3188	-
6	INCDRPR	Hhld inc. distribution-prov. level - (D)	discrete	numeric-2.0	121741	3188	-
7	INCDRRS	Hhld inc. distribution- hr level - (D)	discrete	numeric-2.0	111161	13768	-

Group Injuries

Universe
Optional content selection only asked in: Alberta, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOINJ	Module: Injuries (INJ) - (F)	discrete	numeric-1.0	11321	113608	-
2	REP_1A	Past year, injury from repetitive strain	discrete	numeric-1.0	11275	113654	In the past 12 months, did ^YOU2 have any injuries due to repetitive strain?
3	REP_2	Repetitive strain injury limit activity	discrete	numeric-1.0	1594	123335	Were these injuries serious enough to limit ^YOUR1 normal activities?
4	REPG3	Body part affected by repetitive strain-G	discrete	numeric-2.0	878	124051	Thinking about the most serious repetitive strain, what part of the body was affected?
5	REP_3A	Know type:strain caused repetitive strain	discrete	numeric-1.0	873	124056	Do you know what type of activity caused this repetitive strain injury?
6	REP_4	Activity done while work at job/business	discrete	numeric-1.0	772	124157	Was the activity something ^YOU1 did while working at a job or business (excluding travel to or from work)?
7	REP_5A	Type of activity: Walking	discrete	numeric-1.0	774	124155	What type of activity was this? Walking
8	REP_5B	Type of activity:Sports/ physical exercise	discrete	numeric-1.0	774	124155	What type of activity was this? Sports or physical exercise (including school activities and running)
9	REP_5C	Type of activity: Leisure or hobby	discrete	numeric-1.0	774	124155	What type of activity was this? Leisure or hobby (include volunteering)
10	REP_5D	Type of activity: Household/ outdoor chore	discrete	numeric-1.0	774	124155	What type of activity was this? Household chores, outdoor yard maintenanceh, ome renovations or other unpaid work
11	REP_5F	Type of activity: Computer/ typing	discrete	numeric-1.0	774	124155	What type of activity was this? Computer use or typing
12	REP_5G	Type of activity: Driving motor vehicle	discrete	numeric-1.0	774	124155	What type of activity was this? Driving a motor vehicle
13	REP_5H	Type of activity:Lift/carry object/person	discrete	numeric-1.0	774	124155	What type of activity was this? Lifting or carrying an object or person
14	REP_5I	Type of activity: Other	discrete	numeric-1.0	774	124155	What type of activity was this? Other

#	Name	Label	Type	Format	Valid	Invalid	Question
15	INJ_01	Past year, were you injured	discrete	numeric-1.0	11300	113629	^DT_INJURIES1 in the past 12 months, that is, from ^DATEONEYEARAGOE to yesterday, ^WERE ^YOU1 injured?
16	INJG02	Past year, # of injuries-G	discrete	numeric-1.0	1943	122986	How many times were you injured?
17	INJG05	Most serious type of injury-G	discrete	numeric-2.0	1931	122998	What type of injury did you have? For example, a broken bone or burn.
18	INJG06	Most serious injury: Body part injured-G	discrete	numeric-2.0	1870	123059	What part of the body was injured?
19	INJG08	Most serious injury: Location-G	discrete	numeric-2.0	1924	123005	Where did the injury happen ?
20	INJG092	Most serious injury: Activity-G	discrete	numeric-2.0	1914	123015	-
21	INJ_10	Most serious injury: Result of a fall	discrete	numeric-1.0	1936	122993	Was the injury the result of a fall?
22	INJG11A	How did you fall - (G)	discrete	numeric-2.0	828	124101	-
23	INJ_13	Most serious injury:Treatment w/in 48 hrs	discrete	numeric-1.0	1936	122993	Did ^YOU2 receive any medical attention for the injury from a health professional in the 48 hours following the injury?
24	INJ_14A	Treatment in 48 hours: Doctor's office	discrete	numeric-1.0	1069	123860	Where did you receive treatment in the 48 hours? Doctor's office
25	INJ_14B	Treatment in 48 hours: Hospital emergency	discrete	numeric-1.0	1069	123860	Where did you receive treatment in the 48 hours? Hospital emergency room
26	INJG14C	Treatment in 48 hours: Clinic-G	discrete	numeric-1.0	1069	123860	-
27	INJG14J2	Treatment in 48 hr:Physio/ massage/chiro-G	discrete	numeric-1.0	1069	123860	-
28	INJ_14O	Treatment in 48 hrs: On-site	discrete	numeric-1.0	1069	123860	Where did you receive treatment in the 48 hours? Where the injury happened/ on-site (workplace, school, sports fieldh, otel, ski hill)
29	INJ_15	Admitted to hospital overnight	discrete	numeric-1.0	1068	123861	Were you admitted to a hospital overnight?
30	INJ_15A	Follow-up care from health professional	discrete	numeric-1.0	1941	122988	At the present time, are you getting follow-up care from a health professional because of this injury?
31	INJ_16	Past yr,treated injury not limit activity	discrete	numeric-1.0	11263	113666	In the past 12 months, did ^YOU2 have any other injuries that were treated by a health professional, but did not limit ^YOUR1 normal activities?
32	INJG17	How many injuries (INJ_16)-G	discrete	numeric-1.0	630	124299	How many injuries?
33	INJGCAU	Cause of injury - (D,G)	discrete	numeric-2.0	1906	123023	-
34	INJDSTT	Injury Status - (D)	discrete	numeric-1.0	11263	113666	-

Group Labour Force

Universe
Common content and was asked to all regions

Subgroup(s)		Labour Force - Extended Version					
#	Name	Label	Type	Format	Valid	Invalid	Question

#	Name	Label	Type	Format	Valid	Invalid	Question
1	LBSG31	Employment status - 12 mo - (G)	discrete	numeric-1.0	63082	61847	Are you an employee or self-employed?
2	LBSDPFT	Full/part-time - current jobs - (D)	discrete	numeric-1.0	62272	62657	-
3	LBSDWSS	Working status last week - 4 grps - (D)	discrete	numeric-1.0	102409	22520	-

Group Loss of Productivity

Universe
Optional content selection only asked in: Quebec

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOLOP	Module: LOP - (F)	discrete	numeric-1.0	23260	101669	-
2	LOP_015	Employed in past 3 months	discrete	numeric-1.0	12941	111988	Did you work at a job or a business at any time in the past three months?
3	LOPG020	Reason for not working - (G)	discrete	numeric-2.0	7436	117493	-
4	LOP_030	Couldn't work due to chronic condition	discrete	numeric-1.0	11723	113206	In the past three months, that is from ^DATETHREEMONTHSAGO to yesterday, have you missed any days at work because of a chronic health condition?
5	LOPG040	Work days lost due to chronic cond. (G)	discrete	numeric-2.0	565	124364	-
6	LOPG050	Chronic condition - (G)	discrete	numeric-2.0	1274	123655	-
7	LOP_060	Missed work due to injury	discrete	numeric-1.0	11315	113614	In the past three months, have you missed any days at work because of an injury such as a broken bone, a bad cut, a burn or a sprain?
8	LOPG070	Work days missed due to injury - (G)	continuous	numeric-2.0	388	124541	-
9	LOP_080	Missed work due to infectious disease	discrete	numeric-1.0	11311	113618	In the past three months, have you missed any days at work because of an infectious disease such as a cold, a stomach flu or a respiratory infection?
10	LOP_81A	Missed work for cold	discrete	numeric-1.0	1340	123589	Which infectious disease was this? - Cold
11	LOP_81B	Missed work for flu/ influenza	discrete	numeric-1.0	1340	123589	Which infectious disease was this? - Flu or influenza
12	LOP_81C	Missed work for stomach flu	discrete	numeric-1.0	1340	123589	Which infectious disease was this? - Stomach flu
13	LOP_81D	Missed work for respiratory flu	discrete	numeric-1.0	1340	123589	Which infectious disease was this? - Respiratory infection
14	LOP_81E	Missed work for other	discrete	numeric-1.0	1340	123589	Which infectious disease was this? - other
15	LOPG082	Work days missed due to cold - (G)	discrete	numeric-2.0	493	124436	-
16	LOPG083	Work days missed due/ flu/ influenza (G)	discrete	numeric-2.0	270	124659	-
17	LOPG084	Work days missed due to stomach flu (G)	discrete	numeric-2.0	397	124532	-
18	LOPG085	Work days missed due/ respir.infect. (G)	discrete	numeric-2.0	114	124815	-

#	Name	Label	Type	Format	Valid	Invalid	Question
19	LOPG086	Wrk days missed due/other infect.dis.(G)	discrete	numeric-2.0	129	124800	-
20	LOP_090	Missed work for physical/ mental hlth	discrete	numeric-1.0	11311	113618	In the past three months, have you been absent from work because of any other reason related to your physical or mental health?
21	LOPG100	Work days missed physical/ mental hlth-G	discrete	numeric-2.0	1199	123730	-

Group Mammography

Universe
Optional content selection only asked in: Newfoundland and Labrador, Ontario, Alberta, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOMAM	Module: Mammography (MAM) - (F)	discrete	numeric-1.0	57861	67068	-
2	MAM_030	Have you ever had a mammogram	discrete	numeric-1.0	22723	102206	Have you ever had a mammogram, that is, a breast x-ray?
3	MAM_31A	Reason had mammogram: Family history	discrete	numeric-1.0	17804	107125	Why did you have it? - Family history of breast cancer
4	MAM_31B	Reason had mammogram: Regular check-up	discrete	numeric-1.0	17804	107125	Why did you have it? - Part of regular check-up / routine screening
5	MAM_31C	Reason had mammogram: Age	discrete	numeric-1.0	17804	107125	Why did you have it? - Age
6	MAM_31D	Reason had mammogram: Prev detected lump	discrete	numeric-1.0	17804	107125	Why did you have it? - Previously detected lump
7	MAM_31E	Reason had mammogram: Followup treatment	discrete	numeric-1.0	17804	107125	Why did you have it? - Follow-up of breast cancer treatment
8	MAM_31F	Reason had mammogram: Hormone replacement	discrete	numeric-1.0	17804	107125	Why did you have it? - On hormone replacement therapy
9	MAM_31G	Reason had mammogram: Breast problem	discrete	numeric-1.0	17804	107125	Why did you have it? - Breast problem
10	MAM_31H	Reason had mammogram: Other	discrete	numeric-1.0	17804	107125	Why did you have it? - Other
11	MAM_032	Last time you had a mammogram	discrete	numeric-1.0	17671	107258	When was the last time?
12	MAM_36A	Reason no mammogram: Not gotten to it	discrete	numeric-1.0	2725	122204	What are the reasons you have not had one in the past 2 years? - Have not gotten around to it
13	MAM_36B	Reason no mammogram: Not necessary	discrete	numeric-1.0	2725	122204	What are the reasons you have not had one in the past 2 years? - Respondent did not think it was necessary
14	MAM_36C	Reason no mammogram:Dr didnt think need	discrete	numeric-1.0	2725	122204	What are the reasons you have not had one in the past 2 years? - Doctor did not think it was necessary
15	MAM_36D	Reason no mammogram:Personl responsibility	discrete	numeric-1.0	2725	122204	What are the reasons you have not had one in the past 2 years? - Personal or family responsibilities
16	MAM_36E	Reason no mammogram:Not avail when needed	discrete	numeric-1.0	2725	122204	What are the reasons you have not had one in the past 2 years? - Not available at time required

#	Name	Label	Type	Format	Valid	Invalid	Question
17	MAM_36F	Reason no mammogram:Not available in area	discrete	numeric-1.0	2725	122204	What are the reasons you have not had one in the past 2 years? - Not available at all in the area
18	MAM_36G	Reason no mammogram: Too long wait time	discrete	numeric-1.0	2725	122204	What are the reasons you have not had one in the past 2 years? - Waiting time was too long
19	MAM_36H	Reason no mammogram:Transportation probs	discrete	numeric-1.0	2725	122204	What are the reasons you have not had one in the past 2 years? - Transportation problems
20	MAM_36I	Reason no mammogram: Language problems	discrete	numeric-1.0	2725	122204	What are the reasons you have not had one in the past 2 years? - Language problem
21	MAM_36J	Reason no mammogram: Cost	discrete	numeric-1.0	2725	122204	What are the reasons you have not had one in the past 2 years? - Cost
22	MAM_36K	Reason no mammogram: Uninformed	discrete	numeric-1.0	2725	122204	What are the reasons you have not had one in the past 2 years? - Did not know where to go / uninformed
23	MAM_36L	Reason no mammogram: Fear	discrete	numeric-1.0	2725	122204	What are the reasons you have not had one in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)
24	MAM_36N	Reason no mammogram: Cannot leave house	discrete	numeric-1.0	2725	122204	What are the reasons you have not had one in the past 2 years? - Unable to leave the house because of a health problem
25	MAM_36O	Reason no mammogram: Mastectomy	discrete	numeric-1.0	2725	122204	What are the reasons you have not had one in the past 2 years? - Breasts removed / Mastectomy
26	MAM_36M	Reason no mammogram: Other	discrete	numeric-1.0	2725	122204	What are the reasons you have not had one in the past 2 years? - Other
27	MAM_038	Have you had a hysterectomy	discrete	numeric-1.0	28891	96038	Have you had a hysterectomy? (in other words, has your uterus been removed)?

Group Mastery

Universe
Optional content selection only asked in: New Brunswick

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOMAS	Module: Mastery (MAS) - (F)	discrete	numeric-1.0	4786	120143	-
2	MAS_601	You have little control over things	discrete	numeric-1.0	4579	120350	You have little control over the things that happen to you.
3	MAS_602	You can't solve some problems you have	discrete	numeric-1.0	4575	120354	There is really no way you can solve some of the problems you have.
4	MAS_603	You can't change important things in life	discrete	numeric-1.0	4575	120354	There is little you can do to change many of the important things in your life.
5	MAS_604	Often feel helpless w/ problems in life	discrete	numeric-1.0	4606	120323	You often feel helpless in dealing with problems of life.
6	MAS_605	You feel pushed around in life	discrete	numeric-1.0	4628	120301	Sometimes you feel that you are being pushed around in life.
7	MAS_606	Your future depends mostly on you	discrete	numeric-1.0	4600	120329	What happens to you in the future mostly depends on you.

#	Name	Label	Type	Format	Valid	Invalid	Question
8	MAS_607	You can do anything you set your mind to	discrete	numeric-1.0	4634	120295	You can do just about anything you really set your mind to.
9	MASDM1	Mastery scale - (D)	continuous	numeric-2.0	4425	120504	-

Group Maternal Experiences

Subgroup(s)	Breastfeeding , Smoking During Pregnancy

Group Medication Use

Universe
Optional content selection only asked in: Quebec

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOMED	Optional module:Medication Use (MED)-(F)	discrete	numeric-1.0	23260	101669	-
2	MED_1A	Past month, take pain relievers	discrete	numeric-1.0	23230	101699	In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take: pain relievers such as aspirin or Tylenol (including arthritis medicine and anti-inflammatories)?
3	MED_1B	Past month, take tranquilizers	discrete	numeric-1.0	23227	101702	In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take: pain relievers such as aspirin or Tylenol (including arthritis medicine and anti-inflammatories)?
4	MED_1C	Past month, take diet pills	discrete	numeric-1.0	23250	101679	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) diet pills such as Dexatrim, Ponderal or Fastin?
5	MED_1D	Past month, take anti-depressants	discrete	numeric-1.0	23236	101693	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) anti-depressants such as Prozac, Paxil or Effexor?
6	MED_1E	Past month,take codeine/Demerol/morphine	discrete	numeric-1.0	23228	101701	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) codeine, Demerol or morphine?
7	MED_1F	Past month, take allergy medicine	discrete	numeric-1.0	23238	101691	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) allergy medicine such as Reactine or Allegra?
8	MED_1G	Past month, take asthma medications	discrete	numeric-1.0	23243	101686	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) asthma medications such as inhalers or nebulizers?
9	MED_1H	Past month, take cough/cold remedies	discrete	numeric-1.0	23234	101695	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) cough or cold remedies?
10	MED_1I	Past mth,take penicillin/othr antibiotics	discrete	numeric-1.0	23238	101691	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) penicillin or other antibiotics?
11	MED_1J	Past month, take medicine for the heart	discrete	numeric-1.0	23220	101709	(In the past month, that is, from [date one month ago] to yesterday, did ^YOU2 take:) medicine for the heart?

#	Name	Label	Type	Format	Valid	Invalid	Question
12	MED_1L	Past month, take diuretics/ water pills	discrete	numeric-1.0	23199	101730	In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:
13	MED_1M	Past month, take steroids	discrete	numeric-1.0	23229	101700	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) steroids?
14	MED_1P	Past month, take sleeping pills	discrete	numeric-1.0	23232	101697	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) sleeping pills such as Imovane, Nytol or Starnoc?
15	MED_1Q	Past month, take stomach remedies	discrete	numeric-1.0	23227	101702	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) stomach remedies?
16	MED_1R	Past month, take laxatives	discrete	numeric-1.0	23233	101696	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) laxatives?
17	MED_1S	Past mth, take birth control pills/othr	discrete	numeric-1.0	5729	119200	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) birth control pills or other kind of prescribed birth control method?
18	MED_1T	Past month,take hormones(menopause/aging)	discrete	numeric-1.0	10059	114870	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) hormones for menopause or ageing symptoms?
19	MED_1T1	What type of hormones are you taking	discrete	numeric-1.0	901	124028	What type of hormones ^ARE ^YOU1 taking?
20	MED_1T2	Year started hormone therapy	continuous	numeric-4.0	1059	123870	When did ^YOU1 start this hormone therapy?
21	MED_1U	Past month, take thyroid medication	discrete	numeric-1.0	23235	101694	In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take: thyroid medication such as Synthroid or Levothyroxine?
22	MED_1V	Past month, take any other medication	discrete	numeric-1.0	23222	101707	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) any other medication?

Group Oral Health 1

Universe
Optional content selection only asked in: Manitoba

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOOH1	Theme module: Oral health 1 (OH1)	discrete	numeric-1.0	6962	117967	-
2	OH1_20	Self-perceived health of teeth and mouth	discrete	numeric-1.0	6790	118139	In general, would you say the health of your teeth and mouth is:
3	OH1_21A	Can you chew firm foods	discrete	numeric-1.0	6773	118156	Now a few questions about your ability to chew different foods, whether you eat them or not. Can you: ...chew firm foods (e.g., meat)?
4	OH1_21B	Can you bite off and chew fresh apple	discrete	numeric-1.0	6768	118161	(Can you:) ...bite off and chew a piece of fresh apple?
5	OH1_21C	Can you chew boiled vegetables	discrete	numeric-1.0	6788	118141	(Can you:) ...chew boiled vegetables?

#	Name	Label	Type	Format	Valid	Invalid	Question
6	OH1_22	Past mth, pain/discomfort in mouth/gums	discrete	numeric-1.0	6775	118154	In the past month, how often have you had any pain or discomfort in your teeth or gums?

Group Oral Health 2

Universe

Optional content selection only asked in: Manitoba

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOOH2	Module: Oral health 2 (OH2) - (F)	discrete	numeric-1.0	6962	117967	-
2	OH2_10	Do you usually visit the dentist	discrete	numeric-1.0	6637	118292	Do you usually visit the dentist:
3	OH2_11	Do you have dental expenses insurance	discrete	numeric-1.0	6590	118339	Do you have insurance that covers all or part of your dental expenses?
4	OH2_11A	Type of dental insurance: Govt sponsored	discrete	numeric-1.0	3937	120992	Is it a government-sponsored plan?
5	OH2_11B	Type of dental insurance: Employer	discrete	numeric-1.0	3937	120992	Is it an employer-sponsored plan?
6	OH2_11C	Type of dental insurance: Private plan	discrete	numeric-1.0	3937	120992	Is it a private plan?
7	OH2_12	Past year, any teeth removed by dentist	discrete	numeric-1.0	4250	120679	In the past 12 months, have you had any teeth removed by a dentist?
8	OH2_13	Past yr, teeth removed decay/ gum disease	discrete	numeric-1.0	582	124347	(In the past 12 months,) were any teeth removed because of decay or gum disease?
9	OH2_20	Have one or more of your own teeth	discrete	numeric-1.0	6679	118250	Do you have one or more of your own teeth?
10	OH2_21	Do you wear dentures or false teeth	discrete	numeric-1.0	6686	118243	Do you wear dentures or false teeth?
11	OH2_22	B/c of teeth,difficulty speaking clearly	discrete	numeric-1.0	6679	118250	Because of the condition of your ^DT_TEETH, do you have difficulty pronouncing any words or speaking clearly?
12	OH2_23	Past year, avoided contact w/ people	discrete	numeric-1.0	6685	118244	In the past 12 months, how often have you avoided: ...conversation or contact with other people, because of the condition of your ^DT_TEETH?
13	OH2_24	Past year, avoided laughing/ smiling	discrete	numeric-1.0	6673	118256	(In the past 12 months, how often have you avoided:) ...laughing or smiling, because of the condition of your ^DT_TEETH?
14	OH2_25A	Past month, had toothache	discrete	numeric-1.0	6051	118878	In the past month, have you had: ...a toothache?
15	OH2_25B	Past month, teeth sensitive to hot/cold	discrete	numeric-1.0	6052	118877	In the past month, were your teeth: ...sensitive to hot or cold food or drinks?
16	OH2_25C	Past month, had pain around jaw joints	discrete	numeric-1.0	6688	118241	In the past month, have you had: ...pain in or around the jaw joints?
17	OH2_25D	Past month, pain in mouth or face	discrete	numeric-1.0	6689	118240	(In the past month, have you had:) ...other pain in the mouth or face?
18	OH2_25E	Past month, had bleeding gums	discrete	numeric-1.0	6691	118238	(In the past month, have you had:) ...bleeding gums?

#	Name	Label	Type	Format	Valid	Invalid	Question
19	OH2_25F	Past month, had dry mouth	discrete	numeric-1.0	6676	118253	(In the past month, have you had:) ...dry mouth?
20	OH2_25G	Past month, had bad breath	discrete	numeric-1.0	6446	118483	(In the past month, have you had:) ...bad breath?
21	OH2_30	How often do you brush your teeth	discrete	numeric-2.0	6040	118889	How often do you brush your teeth?
22	OH2FLIM	Limited social due to oral hlth-12 mth-F	discrete	numeric-1.0	6671	118258	-
23	OH2FOFP	Oral/facial pain - past month - (F)	discrete	numeric-1.0	6568	118361	-

Group PAP Smear Test

Universe
Optional content selection only asked in: Ontario

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPAP	Module: PAP smear test (PAP) - (F)	discrete	numeric-1.0	42915	82014	-
2	PAP_020	Have you ever had a PAP smear test	discrete	numeric-1.0	21399	103530	Have you ever had a PAP smear test?
3	PAP_022	Last time had PAP smear test	discrete	numeric-1.0	19133	105796	When was the last time?
4	PAP_26A	Reason no PAP: Haven't gotten to it	discrete	numeric-1.0	7945	116984	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have not gotten around to it
5	PAP_26B	Reason no PAP: Not necessary	discrete	numeric-1.0	7945	116984	What are the reasons that you have you not had a PAP smear test in the past 3 years? - Respondent did not think it was necessary
6	PAP_26C	Reason no PAP: Dr didn't think needed	discrete	numeric-1.0	7945	116984	What are the reasons that you have not had a PAP smear test in the past 3 years? - Doctor did not think it was necessary
7	PAP_26D	Reason no PAP: Personal responsibilities	discrete	numeric-1.0	7945	116984	What are the reasons that you have not had a PAP smear test in the past 3 years? - Personal or family responsibilities
8	PAP_26E	Reason no PAP: Not available when needed	discrete	numeric-1.0	7945	116984	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at time required
9	PAP_26F	Reason no PAP: Not available in area	discrete	numeric-1.0	7945	116984	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at all in the area
10	PAP_26G	Reason no PAP: Too long wait time	discrete	numeric-1.0	7945	116984	What are the reasons that you have not had a PAP smear test in the past 3 years? - Waiting time was too long
11	PAP_26H	Reason no PAP: Transportation problems	discrete	numeric-1.0	7945	116984	What are the reasons that you have not had a PAP smear test in the past 3 years? - Transportation problems
12	PAP_26I	Reason no PAP: Language problems	discrete	numeric-1.0	7945	116984	What are the reasons that you have not had a PAP smear test in the past 3 years? - Language problem
13	PAP_26J	Reason no PAP: Cost	discrete	numeric-1.0	7945	116984	What are the reasons that you have not had a PAP smear test in the past 3 years? - Cost

#	Name	Label	Type	Format	Valid	Invalid	Question
14	PAP_26K	Reason no PAP: Uninformed	discrete	numeric-1.0	7945	116984	What are the reasons that you have not had a PAP smear test in the past 3 years? - Did not know where to go / uninformed
15	PAP_26L	Reason no PAP: Fear	discrete	numeric-1.0	7945	116984	What are the reasons that you have not had a PAP smear test in the past 3 years? - Fear (e.g. painful, embarrassing, find something wrong)
16	PAP_26M	Reason no PAP: Hysterectomy	discrete	numeric-1.0	7947	116982	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have had a hysterectomy
17	PAP_26N	Reason no PAP: Hate/dislike it	discrete	numeric-1.0	7945	116984	What are the reasons that you have not had a PAP smear test in the past 3 years? - Hate / dislike having one done
18	PAP_26P	Reason no PAP: Cannot leave house	discrete	numeric-1.0	7945	116984	What are the reasons that you have not had a PAP smear test in the past 3 years? - Unable to leave the house because of a health problem
19	PAP_26O	Reason no PAP: Other	discrete	numeric-1.0	7945	116984	What are the reasons that you have not had a PAP smear test in the past 3 years? - Other

Group Patient Satisfaction

Subgroup(s)	Community-Based Care , Health Care Services

Group Physical Activities

Universe
Common content and was asked to all regions

Subgroup(s)	Stages of Change

#	Name	Label	Type	Format	Valid	Invalid	Question
1	PAC_1A	Past 3 mths: Walking for exercise	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Walking for exercise
2	PAC_1B	Past 3 mths: Gardening/yard work	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Gardening or yard work
3	PAC_1C	Past 3 mths: Swimming	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Swimming
4	PAC_1D	Past 3 mths: Bicycling	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Bicycling
5	PAC_1E	Past 3 mths: Popular/social dance	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Popular or social dance
6	PAC_1F	Past 3 mths: Home exercises	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Home exercises
7	PAC_1G	Past 3 mths: Ice hockey	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Ice hockey
8	PAC_1H	Past 3 mths: Ice skating	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Ice skating

#	Name	Label	Type	Format	Valid	Invalid	Question
9	PAC_1I	Past 3 mths: In-line skating/ rollerblade	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - In-line skating or rollerblading
10	PAC_1J	Past 3 mths: Jogging/running	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Jogging or running
11	PAC_1K	Past 3 mths: Golfing	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Golfing
12	PAC_1L	Past 3 mths: Exercise class/ aerobics	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Exercise class or aerobics
13	PAC_1M	Past 3 mths: Downhill skiing/ snowboarding	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Downhill skiing or snowboarding
14	PAC_1N	Past 3 mths: Bowling	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Bowling
15	PAC_1O	Past 3 mths: Baseball/softball	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Baseball or softball
16	PAC_1P	Past 3 mths: Tennis	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Tennis
17	PAC_1Q	Past 3 mths: Weight-training	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Weight-training
18	PAC_1R	Past 3 mths: Fishing	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Fishing
19	PAC_1S	Past 3 mths: Volleyball	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Volleyball
20	PAC_1T	Past 3 mths: Basketball	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Basketball
21	PAC_1Z	Past 3 mths: Soccer	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Soccer
22	PAC_1U	Past 3 mths: Other	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - Any other
23	PAC_1V	Past 3 mths: No physical activity	discrete	numeric-1.0	122082	2847	Have you done any of the following in the past 3 months? - No physical activity
24	PAC_1W	Past 3 mths, leisure physical activity	discrete	numeric-1.0	17462	107467	In the past 3 months, did you do any other physical activity for leisure?
25	PAC_1X	Past 3 mth,othr leisure physical activity	discrete	numeric-1.0	3390	121539	In the past 3 months, did you do any other physical activity for leisure?
26	PAC_2A	# of times: Walking for exercise	continuous	numeric-3.0	87400	37529	In the past 3 months, how many times did you [participate in identified activity]? - Walking for exercise
27	PAC_3A	Time spent: Walking for exercise	discrete	numeric-1.0	87073	37856	About how much time did you spend on each occasion? - Walking for exercise
28	PAC_2B	# of times: Gardening/yard work	continuous	numeric-3.0	59846	65083	In the past 3 months, how many times did you [participate in identified activity]? - Gardening or yard work
29	PAC_3B	Time spent: Gardening/yard work	discrete	numeric-1.0	59570	65359	About how much time did you spend on each occasion? - Gardening or yard work
30	PAC_2C	# of times: Swimming	continuous	numeric-3.0	26699	98230	In the past 3 months, how many times did you [participate in identified activity]? - Swimming
31	PAC_3C	Time spent: Swimming	discrete	numeric-1.0	26623	98306	About how much time did you spend on each occasion? - Swimming

#	Name	Label	Type	Format	Valid	Invalid	Question
32	PAC_2D	# of times: Bicycling	continuous	numeric-3.0	24724	100205	In the past 3 months, how many times did you [participate in identified activity]? - Bicycling
33	PAC_3D	Time spent: Bicycling	discrete	numeric-1.0	24659	100270	About how much time did you spend on each occasion? - Bicycling
34	PAC_2E	# of times: Popular/social dance	continuous	numeric-3.0	20203	104726	In the past 3 months, how many times did you [participate in identified activity]? - Popular or social dance
35	PAC_3E	Time spent: Popular/social dance	discrete	numeric-1.0	20115	104814	About how much time did you spend on each occasion? - Popular / social dance
36	PAC_2F	# of times: Home exercises	continuous	numeric-3.0	45247	79682	In the past 3 months, how many times did you [participate in identified activity]? - Home exercises
37	PAC_3F	Time spent: Home exercises	discrete	numeric-1.0	45134	79795	About how much time did you spend on each occasion? - Home exercises
38	PACG2G	# of times: Ice hockey -G	continuous	numeric-4.0	6180	118749	Respondents who answered PAC_1G = (1, 7 or 8)
39	PAC_3G	Time spent : Ice hockey	discrete	numeric-1.0	6177	118752	About how much time did you spend on each occasion? - Ice hockey
40	PAC_2H	# of times: Ice skating	continuous	numeric-3.0	8052	116877	In the past 3 months, how many times did you [participate in identified activity]? - Ice skating
41	PAC_3H	Time spent: Ice skating	discrete	numeric-1.0	8046	116883	About how much time did you spend on each occasion? - Ice skating
42	PAC_2I	# of times: In-line skating/ roller blade	continuous	numeric-3.0	3376	121553	In the past 3 months, how many times did you [participate in identified activity]? - In-line skating or roller blading
43	PAC_3I	Time spent: In-line skating/ roller blade	discrete	numeric-1.0	3367	121562	About how much time did you spend on each occasion? - In-line skating or roller blading
44	PAC_2J	# of times: Jogging or running	continuous	numeric-3.0	24633	100296	n the past 3 months, how many times did you [participate in identified activity]? - Jogging or running
45	PAC_3J	Time spent : Jogging or running	discrete	numeric-1.0	24587	100342	About how much time did you spend on each occasion? - Jogging or running
46	PAC_2K	# of times: Golfing	continuous	numeric-3.0	11185	113744	In the past 3 months, how many times did you [participate in identified activity]? - Golfing
47	PAC_3K	Time spent: Golfing	discrete	numeric-1.0	11181	113748	About how much time did you spend on each occasion? - Golfing
48	PAC_2L	# of times: Exercise class/ aerobics	continuous	numeric-3.0	14365	110564	In the past 3 months, how many times did you [participate in identified activity]? - Exercise class or aerobics
49	PAC_3L	Time spent : Exercise class/ aerobics	discrete	numeric-1.0	14351	110578	About how much time did you spend on each occasion? - Exercise class or aerobics
50	PAC_2M	# of times: Skiing/ snowboarding	continuous	numeric-3.0	5242	119687	In the past 3 months, how many times did you [participate in identified activity]? - Downhill ski / snowboarding
51	PAC_3M	Time spent: Skiing/ snowboarding	discrete	numeric-1.0	5240	119689	About how much time did you spend on each occasion? - Downhill skiing or snowboarding

#	Name	Label	Type	Format	Valid	Invalid	Question
52	PAC_2N	# of times: Bowling	continuous	numeric-3.0	11158	113771	In the past 3 months, how many times did you [participate in identified activity]?
53	PAC_3N	Time spent: Bowling	discrete	numeric-1.0	11143	113786	About how much time did you spend on each occasion?
54	PAC_2O	# of times: Baseball/softball	continuous	numeric-3.0	5668	119261	In the past 3 months, how many times did you [participate in identified activity]? - Baseball or softball
55	PAC_3O	Time spent: Baseball/softball	discrete	numeric-1.0	5662	119267	About how much time did you spend on each occasion? - Baseball or softball
56	PAC_2P	# of times: Tennis	continuous	numeric-3.0	4022	120907	In the past 3 months, how many times did you [participate in identified activity]? - Tennis
57	PAC_3P	Time spent: Tennis	discrete	numeric-1.0	4020	120909	About how much time did you spend on each occasion? - Tennis
58	PAC_2Q	# of times: Weight-training	continuous	numeric-3.0	20451	104478	In the past 3 months, how many times did you [participate in identified activity]? - Weight-training
59	PAC_3Q	Time spent: Weight-training	discrete	numeric-1.0	20415	104514	About how much time did you spend on each occasion? - Weight-training
60	PAC_2R	# of times: Fishing	continuous	numeric-3.0	14308	110621	In the past 3 months, how many times did you [participate in identified activity]? - Fishing
61	PAC_3R	Time spent: Fishing	discrete	numeric-1.0	14293	110636	About how much time did you spend on each occasion? - Fishing
62	PAC_2S	# of times: Volleyball	continuous	numeric-3.0	6747	118182	In the past 3 months, how many times did you [participate in identified activity]? - Volleyball
63	PAC_3S	Time spent: Volleyball	discrete	numeric-1.0	6735	118194	About how much time did you spend on each occasion? - Volleyball
64	PAC_2T	# of times: Basketball	continuous	numeric-3.0	7908	117021	In the past 3 months, how many times did you [participate in identified activity]? - Basketball
65	PAC_3T	Time spent: Basketball	discrete	numeric-1.0	7891	117038	About how much time did you spend on each occasion? - Basketball
66	PAC_2Z	# of time: Soccer	continuous	numeric-3.0	9111	115818	In the past 3 months, how many times did you [participate in identified activity]? - Soccer
67	PAC_3Z	Time spent: Soccer	discrete	numeric-1.0	9098	115831	About how much time did you spend on each occasion? - Soccer
68	PAC_2U	# of times: Other activity 1	continuous	numeric-3.0	17365	107564	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#1)
69	PAC_3U	Time spent: Other activity 1	discrete	numeric-1.0	17343	107586	About how much time did you spend on each occasion? - Other activity (#1)
70	PAC_2W	# of times: Other activity 2	continuous	numeric-3.0	3370	121559	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#2)
71	PAC_3W	Time spent: Other activity 2	discrete	numeric-1.0	3363	121566	About how much time did you spend on each occasion? - Other activity (#2)
72	PAC_2X	# of times: Other activity 3	continuous	numeric-3.0	659	124270	In the past 3 months, how many times [did you participate in identified activity]? - Other activity (#3)

#	Name	Label	Type	Format	Valid	Invalid	Question
73	PAC_3X	Time spent: Other activity 3	discrete	numeric-1.0	657	124272	About how much time did you spend on each occasion? - Other activity (#3)
74	PAC_7	Past 3 mths, walked to/from work/school	discrete	numeric-1.0	121979	2950	^DT_TIMEWE in the past 3 months when you walked to and from work or school?
75	PAC_7A	# of times, walked to/from work/school	continuous	numeric-3.0	17642	107287	About how much time did you spend on each occasion?
76	PAC_7B	Time spent walking to/from work/school	discrete	numeric-1.0	17610	107319	About how much time did you spend on each occasion?
77	PAC_8	Past 3 mth,bicycled to/from work/school	discrete	numeric-1.0	122025	2904	^DT_TIMEBIKEE in the past 3 months when you bicycled to and from work or school?
78	PAC_8A	# of times, bicycled to/from work/school	continuous	numeric-3.0	3439	121490	How many times?
79	PAC_8B	Time spent bicycled to/from work/school	discrete	numeric-1.0	3435	121494	How many times?
80	PACDEE	Daily energy expenditure - (D)	continuous	numeric-4.1	122055	2874	-
81	PACFLEI	Participant - leisure phys. activity-(F)	discrete	numeric-1.0	122082	2847	-
82	PACDFM	Monthly freq/physical actvty > 15 min -D	continuous	numeric-3.0	122055	2874	-
83	PACDFR	Frequency of all physical activity - (D)	discrete	numeric-1.0	122055	2874	-
84	PACFD	Partic. daily phys. act. > 15 min. - (F)	discrete	numeric-1.0	122055	2874	-
85	PACDPAI	Physical activity index - (D)	discrete	numeric-1.0	122082	2847	-
86	PACDLTI	Leisure and transp. phys. activity index	discrete	numeric-1.0	121226	3703	-
87	PACDTLE	Dai. ener. expen. - Tran. and leis. act.	continuous	numeric-4.1	121199	3730	-
88	PACFLTI	Particip. - Leis. or trans. phys. activ.	discrete	numeric-1.0	122074	2855	-

Group Physical Check-Up

Universe

Optional content selection only asked in: Newfoundland and Labrador, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPCU	Theme module:Physical check-up (PCU) -(F)	discrete	numeric-1.0	3625	121304	-
2	PCU_150	Physical check-up without health problem	discrete	numeric-1.0	3508	121421	Have you ever had a general physical check-up?
3	PCU_153	Last time physical check-up w/o hlth prob	discrete	numeric-2.0	2269	122660	How often do you usually have a general physical check-up?
4	PCU_152	How often physical check-up	discrete	numeric-2.0	2232	122697	When was the last time?
5	PCU_154A	Why no physical check-up:Not gotten to it	discrete	numeric-1.0	1578	123351	What are the reasons that you have not had a general physical check-up in the past 3 years? - Have not gotten around to it

#	Name	Label	Type	Format	Valid	Invalid	Question
6	PCU_154B	Why no physical check-up: Not necessary	discrete	numeric-1.0	1578	123351	What are the reasons that you have not had a general physical check-up in the past 3 years? - respondent - did not yhink it was necessary
7	PCU_154C	Why no physical checkup:Dr think not need	discrete	numeric-1.0	1578	123351	What are the reasons that you have not had a general physical check-up in the past 3 years? - Doctor - did not think it was necessary
8	PCU_154D	Why no physical checkup:Responsibilities	discrete	numeric-1.0	1578	123351	What are the reasons that you have not had a general physical check-up in the past 3 years? - Personal or family responsabilities
9	PCU_154E	Why no physical checkup:Unavail when need	discrete	numeric-1.0	1578	123351	What are the reasons that you have not had a general physical check-up in the past 3 years? - Not available - at time required
10	PCU_154F	Why no physical check-up:Unavail in area	discrete	numeric-1.0	1578	123351	What are the reasons that you have not had a general physical check-up in the past 3 years? - Not available - at all in the area
11	PCU_154G	Why no physical check-up: Too long wait	discrete	numeric-1.0	1578	123351	What are the reasons that you have not had a general physical check-up in the past 3 years? - Waiting time was too long
12	PCU_154H	Why no physical checkup:Transportatn prob	discrete	numeric-1.0	1578	123351	What are the reasons that you have not had a general physical check-up in the past 3 years? - Transportation - problems
13	PCU_154I	Why no physical checkup:Language problem	discrete	numeric-1.0	1578	123351	What are the reasons that you have not had a general physical check-up in the past 3 years? - Language - problem
14	PCU_154J	Why no physical check-up: Cost	discrete	numeric-1.0	1578	123351	What are the reasons that you have not had a general physical check-up in the past 3 years? - Cost
15	PCU_154K	Why no physical checkup: Unimformed	discrete	numeric-1.0	1578	123351	What are the reasons that you have not had a general physical check-up in the past 3 years? - Did not know where to go / uninformed
16	PCU_154L	Why no physical check-up: Fear	discrete	numeric-1.0	1578	123351	What are the reasons that you have not had a general physical check-up in the past 3 years? - Fear (e.g., painful, embarrassing, find something wrong)
17	PCU_154M	Why no physical checkup:Cannot leave house	discrete	numeric-1.0	1578	123351	What are the reasons that you have not had a general physical check-up in the past 3 years? - Other
18	PCU_154N	Why no physical checkup: Other	discrete	numeric-1.0	1578	123351	What are the reasons that you have not had a general physical check-up in the past 3 years? - Unable to leave the house because of a health problem
19	PCU_155	Last checkup,weighed by hlth professional	discrete	numeric-1.0	1834	123095	During your last general physical check-up, did a health professional weigh you?
20	PCU_156	Last checkup,measured by hlth professionl	discrete	numeric-1.0	1835	123094	...did a health professional measure your height?
21	PCU_157	Last checkup, blood pressure checked	discrete	numeric-1.0	1860	123069	During your last general physical check-up, did a health professional check your blood pressure?

#	Name	Label	Type	Format	Valid	Invalid	Question
22	PCU_158	Last checkup,weight risks discussed w/you	discrete	numeric-1.0	1866	123063	(During your last general physical check-up,) ...did a health professional discuss with you any risks that your weight might pose to your health?

Group Positive Mental Health

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPMH	Module: Positive mental health-PMH-(F)	discrete	numeric-1.0	124929	0	-
2	PMH_01	Past month, felt happy	discrete	numeric-2.0	117587	7342	In the past month, how often did you feel …happy?
3	PMH_02	Past month, felt interested in life	discrete	numeric-2.0	116318	8611	(In the past month, how often did you feel:) …interested in life?
4	PMH_03	Past month, felt satisfied with life	discrete	numeric-2.0	116490	8439	(In the past month, how often did you feel:) …satisfied with your life?
5	PMH_04	Past mth,felt were contributing to society	discrete	numeric-2.0	112774	12155	In the past month, how often did you feel…that you had something important to contribute to society?
6	PMH_05	Past month, felt belonged to a community	discrete	numeric-2.0	115141	9788	(In the past month, how often did you feel:) …that you belonged to a community (like a social group, your neighborhood, your city, your school)?
7	PMH_06	Past mth,felt society becoming better place	discrete	numeric-2.0	107291	17638	(In the past month, how often did you feel:)…that our society is becoming a better place for people like you?
8	PMH_07	Past month, felt people are good	discrete	numeric-2.0	115024	9905	In the past month, how often did you feel …that people are basically good?
9	PMH_08	Past month, felt society makes sense	discrete	numeric-2.0	110687	14242	(In the past month, how often did you feel:) …that the way our society works makes sense to you?
10	PMH_09	Past mth, felt liked most of personality	discrete	numeric-2.0	115043	9886	(In the past month, how often did you feel:) …that you liked most parts of your personality?
11	PMH_10	Past mth,felt good@managing responsibilies	discrete	numeric-2.0	116390	8539	In the past month, how often did you feel …good at managing the responsibilities of your daily life?
12	PMH_11	Past mth,felt had trusting relationships	discrete	numeric-2.0	116179	8750	(In the past month, how often did you feel:)…that you had warm and trusting relationships with others?
13	PMH_12	Past mth, felt challenge make you better	discrete	numeric-2.0	113448	11481	(In the past month, how often did you feel:)…that you had experiences that challenge you to grow and become a better person?
14	PMH_13	Past month, felt confident express self	discrete	numeric-2.0	115847	9082	In the past month, how often did you feel …confident to think or express your own ideas and opinions?
15	PMH_14	Past mth,felt life had sense of direction	discrete	numeric-2.0	114315	10614	(In the past month, how often did you feel:) …that your life has a sense of direction or meaning to it?
16	PMHDCLA	Positive Mental Health Classification	discrete	numeric-1.0	117587	7342	All respondents
17	PMHDSCR	Positive Mental Health Continuous Score	continuous	numeric-2.0	96443	28486	-

Group Prostate Cancer Screening

Universe
Optional content selection only asked in: Nova Scotia, Ontario, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPSA	Module: Prostate cancer screening (PSA)-F	discrete	numeric-1.0	47544	77385	-
2	PSA_170	Ever had PSA blood test	discrete	numeric-1.0	13845	111084	Have you ever had a prostate specific antigen test for prostate cancer, that is, a PSA blood test?
3	PSA_172	Last time had PSA blood test	discrete	numeric-1.0	8282	116647	When was the last time?
4	PSA_73A	Why PSA blood test: Family history	discrete	numeric-1.0	8356	116573	Why did you have it? - Family history of prostate cancer
5	PSA_73B	Why PSA blood test: Regular check-up	discrete	numeric-1.0	8356	116573	Why did you have it? - Part of regular check-up / routine screening
6	PSA_73C	Why PSA blood test: Age	discrete	numeric-1.0	8356	116573	Why did you have it? - Age
7	PSA_73D	Why PSA blood test: Follow-up problem	discrete	numeric-1.0	8356	116573	Why did you have it? - Follow-up of problem
8	PSA_73E	Why PSA blood test:Followup prostate prob	discrete	numeric-1.0	8356	116573	Why did you have it? - Follow-up of prostate cancer treatment
9	PSA_73F	Why PSA blood test: Other	discrete	numeric-1.0	8356	116573	Why did you have it? - Other
10	PSA_174	Ever had Digital Rectal Exam	discrete	numeric-1.0	14115	110814	Have you ever had this exam?
11	PSA_175	Last time had Digital Rectal Exam	discrete	numeric-1.0	9229	115700	When was the last time?

Group Restriction of Activities

Universe
Optional content selection only asked in: Yukon Territory, North West Territories, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DORAC	Restriction of activities - Inclusion	discrete	numeric-1.0	3083	121846	-
2	RAC_1	Do you have difficulty w/ activities	discrete	numeric-1.0	3082	121847	^DOVERB ^YOU1 have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities?
3	RAC_2A	Physical/mental prob reduce activity:Home	discrete	numeric-1.0	3082	121847	Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity ^YOU1 can do: ... at home?
4	RAC_2B1	Physical/mental prob reduce activity:Schl	discrete	numeric-1.0	3083	121846	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity ^YOU1 can do:) ... at school?
5	RAC_2B2	Physical/mental prob reduce activity:Work	discrete	numeric-1.0	3083	121846	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity ^YOU1 can do:) ... at work?
6	RAC_2C	Phys/mental prob reduce activity: Other	discrete	numeric-1.0	3079	121850	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity ^YOU1 can do:) ... in other activities, for example, transportation or leisure?

#	Name	Label	Type	Format	Valid	Invalid	Question
7	RACG5	Cause of your limited activity-G	discrete	numeric-2.0	1056	123873	Which one of the following is the best description of the cause of this condition: (accident at home, motor vehicle accident, accident at work, other type of accident, existed from birth or genetic, ..., or use of alcohol or drugs)?
8	RACDIMP	Impact of health problems - (D)	discrete	numeric-1.0	3079	121850	-
9	RACDPAL	Participation and activity limitations - (D)	discrete	numeric-1.0	3078	121851	-
10	ADLF6R	Help needed for tasks - (F)	discrete	numeric-1.0	46406	78523	-

Group Sample Variables

#	Name	Label	Type	Format	Valid	Invalid	Question
1	VERDATE	Date of file creation	discrete	character-8	124929	0	-

Group Satisfaction with Life

Universe
Optional content selection only asked in: Alberta, British Columbia

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSWL	Module: Satisfaction with life (SWL) -(F)	discrete	numeric-1.0	26734	98195	-
2	SWL_02	Satisfaction with job/main activity	discrete	numeric-1.0	25779	99150	How satisfied are you with your job or main activity?
3	SWL_03	Satisfaction with leisure activities	discrete	numeric-1.0	25805	99124	How satisfied are you with your leisure activities?
4	SWL_04	Satisfaction with financial situation	discrete	numeric-1.0	25729	99200	(How satisfied are you) with your financial situation?
5	SWL_05	Satisfaction with yourself	discrete	numeric-1.0	25824	99105	How satisfied are you with yourself?
6	SWL_06	Satisfaction with way your body looks	discrete	numeric-1.0	25727	99202	How satisfied are you with the way your body looks?
7	SWL_07	Satisfaction with relationship w/family	discrete	numeric-1.0	25820	99109	How satisfied are you with your relationships with family members?
8	SWL_08	Satisfaction with relationship w/friends	discrete	numeric-1.0	25860	99069	(How satisfied are you) with your relationships with friends?
9	SWL_09	Satisfaction with your housing	discrete	numeric-1.0	25913	99016	(How satisfied are you) with your housing?
10	SWL_10	Satisfaction with your neighbourhood	discrete	numeric-1.0	25819	99110	(How satisfied are you) with your neighbourhood?

Group Sedentary Activies

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSAC	Module: Sedentary activities (SAC)	discrete	numeric-1.0	124929	0	-
2	SACG1	Typical week, # of hrs on computer	discrete	numeric-2.0	121543	3386	-
3	SACG2	Typical wk# hrs console/ handhld vid games	discrete	numeric-2.0	121381	3548	-

#	Name	Label	Type	Format	Valid	Invalid	Question
4	SACG3	Typical week, # hrs watching TV/videos	discrete	numeric-2.0	120453	4476	-
5	SACG4	Typical week, # of hrs reading	discrete	numeric-2.0	120081	4848	-
6	SACDTOT	Past 3 mth,total hrs sedentary activity-D	discrete	numeric-2.0	119193	5736	-
7	SACDTER	# hrs wk in sedentary activity(excl read)	discrete	numeric-2.0	120310	4619	-

Group Self-Esteem

Universe
Optional content selection only asked in: Quebec

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSFE	Module: Self-esteem (SFE) - (F)	discrete	numeric-1.0	23260	101669	-
2	SFE_501	You have a number of good qualities	discrete	numeric-1.0	22550	102379	You feel that you have a number of good qualities.
3	SFE_502	Person of worth at least equal to others	discrete	numeric-1.0	22542	102387	You feel that you're a person of worth at least equal to others.
4	SFE_503	Able to do things as well as most others	discrete	numeric-1.0	22536	102393	You are able to do things as well as most other people.
5	SFE_504	You take a positive attitude toward self	discrete	numeric-1.0	22561	102368	You take a positive attitude toward yourself.
6	SFE_505	You are satisfied with yourself	discrete	numeric-1.0	22579	102350	On the whole you are satisfied with yourself.
7	SFE_506	You're inclined to feel you're a failure	discrete	numeric-1.0	22519	102410	All in all, you're inclined to feel you're a failure.
8	SFEDE1	Self-esteem scale - (D)	discrete	numeric-2.0	22294	102635	-

Group Sexual Behaviours

Universe
Optional content selection only asked in: Ontario, North West Territories, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSXB	Module: Sexual behaviours-SXB - (F)	discrete	numeric-1.0	42915	82014	-
2	SXB_1	Ever had sexual intercourse	discrete	numeric-1.0	16186	108743	Have you ever had sexual intercourse?
3	SXB_3	Past year, had sexual intercourse	discrete	numeric-1.0	13962	110967	In the past 12 months, have you had sexual intercourse?
4	SXB_07	Ever diagnosed with STD	discrete	numeric-1.0	13931	110998	Have you ever been diagnosed with a sexually transmitted infection?
5	SXB_7A	Use condom last time had sex	discrete	numeric-1.0	5301	119628	Did you use a condom the last time you had sexual intercourse?
6	SXB_09	Currently imp to avoid getting pregnant	discrete	numeric-1.0	1322	123607	It is important to me to avoid getting pregnant right now.
7	SXB_10	Important avoid getting partner pregnant	discrete	numeric-2.0	1339	123590	It is important to me to avoid getting my partner pregnant right now.
8	SXB_11	Past year, used birth control	discrete	numeric-1.0	2678	122251	In the past 12 months, did you and your partner usually use birth control?

#	Name	Label	Type	Format	Valid	Invalid	Question
9	SXB_12A	Birth control: Condom (male or female)	discrete	numeric-1.0	2163	122766	What kind of birth control did you and your partner usually use? - Condom (male or female condom)
10	SXB_12B	Birth control: The pill	discrete	numeric-1.0	2163	122766	What kind of birth control did you and your partner usually use? - Birth control pill
11	SXB_12C	Birth control: Diaphragm	discrete	numeric-1.0	2163	122766	What kind of birth control did you and your partner usually use? - Diaphragm
12	SXB_12D	Birth control: Spermicide	discrete	numeric-1.0	2163	122766	What kind of birth control did you and your partner usually use? - Spermicide (e.g., foam, jelly, film)
13	SXB_12F	Birth control: Injection (e.g. Deprovera)	discrete	numeric-1.0	2163	122766	What kind of birth control did you and your partner usually use? - Birth control injection (Deprovera)
14	SXB_12E	Birth control: Other (specify)	discrete	numeric-1.0	2163	122766	What kind of birth control did you and your partner usually use? - Other
15	SXB_13A	Birth control last had sex: Condom	discrete	numeric-1.0	2127	122802	What kind of birth control did you and your partner use the last time you had sex? - Condom (male of female condom)
16	SXB_13B	Birth control last had sex: The pill	discrete	numeric-1.0	2127	122802	What kind of birth control did you and your partner use the last time you had sex? - Birth control pill
17	SXB_13C	Birth control last had sex: Diaphragm	discrete	numeric-1.0	2127	122802	What kind of birth control did you and your partner use the last time you had sex? - Diaphragm
18	SXB_13D	Birth control last had sex: Spermicide	discrete	numeric-1.0	2127	122802	What kind of birth control did you and your partner use the last time you had sex? - Spermicide (e.g., foam, jelly, film)
19	SXB_13F	Birth control last had sex: Injection	discrete	numeric-1.0	2127	122802	What kind of birth control did you and your partner use the last time you had sex? - Birth control injection (Deprovera)
20	SXB_13G	Birth control last had sex: Nothing	discrete	numeric-1.0	2127	122802	What kind of birth control did you and your partner use the last time you had sex? - nothing
21	SXB_13E	Birth control last had sex: Other	discrete	numeric-1.0	2127	122802	What kind of birth control did you and your partner use the last time you had sex? - Other

Group Sleep

Universe
Optional content selection only asked in: Nova Scotia, Quebec, Manitoba, Alberta, Yukon

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSLP	Optional module: Sleep (SLP) - (F)	discrete	numeric-1.0	46172	78757	-
2	SLPG01	Number of hours spent sleeping per night	discrete	numeric-2.0	45068	79861	How long do you usually spend sleeping each night?
3	SLP_02	Frequency - trouble sleeping	discrete	numeric-1.0	45085	79844	How often do you have trouble going to sleep or staying asleep: (none of the time, a little of the time, some of the time, most of the time, or all of the time)?

#	Name	Label	Type	Format	Valid	Invalid	Question
4	SLP_03	Frequency - find sleep refreshing	discrete	numeric-1.0	44971	79958	How often do you find your sleep refreshing?
5	SLP_04	Frequency - difficult to stay awake	discrete	numeric-1.0	44839	80090	How often do you find it difficult to stay awake when you want to?

Group Smoking

Universe
Common content and was asked to all regions

Subgroup(s)		Smoking Cessation Methods , Stages of Change , Physician Counselling , Other Tobacco Products					
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SMK_01A	In lifetime,smoked 100 or more cigarettes	discrete	numeric-1.0	124626	303	In ^YOUR1 lifetime, ^HAVE ^YOU2 smoked a total of 100 or more cigarettes (about 4 packs)?
2	SMK_01B	Ever smoked a whole cigarette	discrete	numeric-1.0	64138	60791	^HAVE_C ^YOU1 ever smoked a whole cigarette?
3	SMKG01C	Age smoked first whole cigarette-G	discrete	numeric-2.0	74546	50383	At what age did you smoke your first whole cigarette?
4	SMK_202	Daily/occasional/not at all type of smokr	discrete	numeric-1.0	124382	547	At the present time, ^DOVERB ^YOU2 smoke cigarettes daily, occasionally or not at all?
5	SMKG203	Age started to smoke daily-G	discrete	numeric-2.0	19136	105793	At what age did you begin to smoke cigarettes daily?
6	SMK_204	# of cigarettes smoked daily-daily smoker	continuous	numeric-3.0	19373	105556	How many cigarettes ^DOVERB ^YOU1 smoke each day now?
7	SMK_05B	# of cigs smoked daily-occasional smoker	continuous	numeric-3.0	5121	119808	On the days that ^YOU2 ^DOVERB smoke, how many cigarettes ^DOVERB ^YOU1 usually smoke?
8	SMK_05C	Past mth,smoked 1 + cigarettes daily-occ	continuous	numeric-2.0	5024	119905	In the past month, on how many days ^HAVE ^YOU1 smoked 1 or more cigarettes?
9	SMK_05D	Ever smoked cigarettes daily-occ	discrete	numeric-1.0	40663	84266	^HAVE_C ^YOU1 ever smoked cigarettes daily?
10	SMK_06A	When did you stop smoking-non-smoker	discrete	numeric-1.0	3136	121793	When did ^YOU1 stop smoking? Was it...?
11	SMKG06C	# years stopped smoking-non-smoker-G	discrete	numeric-1.0	2675	122254	How many years ago was it?
12	SMKG207	Age you started smoking daily-occ-G	discrete	numeric-2.0	35381	89548	At what age did you begin to smoke cigarettes daily?
13	SMK_208	# of cigarettes smoke each day-occ	continuous	numeric-3.0	34759	90170	How many cigarettes did ^YOU1 usually smoke each day?
14	SMK_09A	When did you stop smoking daily-occ-G	discrete	numeric-1.0	36165	88764	When did ^YOU1 stop smoking daily? Was it...?
15	SMKG09C	Years since stopped smoking daily-occ-G	discrete	numeric-1.0	29957	94972	How many years ago was it?
16	SMK_10	Was when stopped smoking - nonsmoker	discrete	numeric-1.0	33054	91875	Was that when you completely quit smoking?
17	SMK_10A	Stopped smoking completely-nonsmoker	discrete	numeric-1.0	904	124025	When did ^YOU1 stop smoking completely? Was it...?
18	SMKG10C	# years stopped smoking-nonsmoker-G	discrete	numeric-1.0	559	124370	How many years ago was it?

#	Name	Label	Type	Format	Valid	Invalid	Question
19	SMKDSTY	Type of smoker - (D)	discrete	numeric-2.0	124029	900	-
20	SMKGSTP	# of years stop smoking completely-D,G	discrete	numeric-1.0	35833	89096	-
21	SMKDYCS	Number of years smoked - (D)	continuous	numeric-3.0	19136	105793	-

Group Social Provisions Scale 10 Items

Universe
Optional content selection only asked in: Quebec, British Columbia, Yukon, North West Territories, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSPS	Module: Social Provisions-SPS - (F)	discrete	numeric-1.0	41756	83173	-
2	SPS_01	There are people I can depend on	discrete	numeric-1.0	39531	85398	There are people I can depend on to help me if I really need it.
3	SPS_02	There are ppl who enjoy same sc activities	discrete	numeric-1.0	39221	85708	There are people who enjoy the same social activities I do.
4	SPS_03	Have relationships to provide wellbeing	discrete	numeric-1.0	39329	85600	I have close relationships that provide me with a sense of emotional security and wellbeing.
5	SPS_04	Have someone to talk about imp decisions	discrete	numeric-1.0	39387	85542	There is someone I could talk to about important decisions in my life.
6	SPS_05	My competence&skill recognized by rela.s	discrete	numeric-1.0	38983	85946	I have relationships where my competence and skill are recognized.
7	SPS_06	Have trustworthy person for advice	discrete	numeric-1.0	39371	85558	There is a trustworthy person I could turn to for advice if I were having problems.
8	SPS_07	Have group to share attitudes&beliefs	discrete	numeric-1.0	39126	85803	I feel part of a group of people who share my attitudes and beliefs.
9	SPS_08	Have strong emotional bond w/one other	discrete	numeric-1.0	39333	85596	I feel a strong emotional bond with at least one other person.
10	SPS_09	Have people to admire talents/abilities	discrete	numeric-1.0	38618	86311	There are people who admire my talents and abilities.
11	SPS_10	Have people to count on in emergency	discrete	numeric-1.0	39382	85547	There are people I can count on in an emergency.
12	SPSDCON	Soc.Prov.Scale-	continuous	numeric-2.0	37682	87247	-
13	SPSDATT	Soc.Prov.Scale-Attachment	discrete	numeric-2.0	40867	84062	-
14	SPSDGUI	Soc.Prov.Scale-Guidance	discrete	numeric-2.0	39290	85639	-
15	SPSDALL	Soc.Prov.Scale-Reliable alliance	discrete	numeric-2.0	39382	85547	-
16	SPSDINT	Soc.Prov.Scale-Social integration	discrete	numeric-2.0	38880	86049	-
17	SPSDWOR	Soc.Prov.Scale-Reassurance of worth	discrete	numeric-2.0	38292	86637	-

Group Social Support - Availability

Universe
Optional content selection only asked in: Saskatchewan

#	Name	Label	Type	Format	Valid	Invalid	Question

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSSA	Module:Social support-Availability-SSA-F	discrete	numeric-1.0	7161	117768	-
2	SSA_01	# close friends/relatives to talk to	continuous	numeric-3.0	6274	118655	Starting with a question on friendship, about how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?
3	SSA_02	Has someone to help if confined bed	discrete	numeric-1.0	6118	118811	How often is each of the following kinds of support available to you if you need it: ... someone to help you if you were confined to bed?
4	SSA_03	Has someone to listen	discrete	numeric-1.0	6100	118829	(How often is each of the following kinds of support available to you if you need it:) ... someone you can count on to listen to you when you need to talk?
5	SSA_04	Has someone to get advice about crisis	discrete	numeric-1.0	6062	118867	(How often is each of the following kinds of support available to you if you need it:) ... someone to give you advice about a crisis?
6	SSA_05	Has someone to take to doctor	discrete	numeric-1.0	6097	118832	(How often is each of the following kinds of support available to you if you need it:) ... someone to take you to the doctor if you needed it?
7	SSA_06	Has someone who shows love and affection	discrete	numeric-1.0	6087	118842	(How often is each of the following kinds of support available to you if you need it:) ... someone who shows you love and affection?
8	SSA_07	Has someone to have a good time with	discrete	numeric-1.0	6081	118848	Again, how often is each of the following kinds of support available to you if you need it:) ... someone to have a good time with?
9	SSA_08	Has someone to give info about situation	discrete	numeric-1.0	6061	118868	(How often is each of the following kinds of support available to you if you need it:) ... someone to give you information in order to help you understand a situation?
10	SSA_09	Has someone to confide in	discrete	numeric-1.0	6088	118841	(How often is each of the following kinds of support available to you if you need it:) ... someone to confide in or talk to about yourself or your problems?
11	SSA_10	Has someone who gives hugs	discrete	numeric-1.0	6076	118853	(How often is each of the following kinds of support available to you if you need it:) ... someone who hugs you?
12	SSA_11	Has someone to get together w/to relax	discrete	numeric-1.0	6074	118855	(How often is each of the following kinds of support available to you if you need it:) ... someone to get together with for relaxation?
13	SSA_12	Has someone to prepare meals	discrete	numeric-1.0	6037	118892	(How often is each of the following kinds of support available to you if you need it:) ... someone to prepare your meals if you were unable to do it yourself?
14	SSA_13	Has someone to give advice	discrete	numeric-1.0	6028	118901	(How often is each of the following kinds of support available to you if you need it:) ... someone whose advice you really want?
15	SSA_14	Has someone to do things to get mind off	discrete	numeric-1.0	6054	118875	Again, how often is each of the following kinds of support available to you if you need it:) ... someone to do

#	Name	Label	Type	Format	Valid	Invalid	Question
							things with to help you get your mind off things?
16	SSA_15	Has someone to help with daily chores	discrete	numeric-1.0	6053	118876	(How often is each of the following kinds of support available to you if you need it:) ... someone to help with daily chores if you were sick?
17	SSA_16	Has someone to share worries&fears	discrete	numeric-1.0	6056	118873	(How often is each of the following kinds of support available to you if you need it:) ... someone to share your most private worries and fears with?
18	SSA_17	Has someone to turn to for suggestions	discrete	numeric-1.0	6060	118869	(How often is each of the following kinds of support available to you if you need it:) ... someone to turn to for suggestions about how to deal with a personal problem?
19	SSA_18	Has someone to do something enjoyable	discrete	numeric-1.0	6076	118853	(How often is each of the following kinds of support available to you if you need it:) ... someone to do something enjoyable with?
20	SSA_19	Has someone who understands problems	discrete	numeric-1.0	6035	118894	(How often is each of the following kinds of support available to you if you need it:) ... someone who understands your problems?
21	SSA_20	Has someone who loves/ makes feel wanted	discrete	numeric-1.0	6053	118876	(How often is each of the following kinds of support available to you if you need it:) ... someone to love you and make you feel wanted?
22	SSADTNG	Tangible social support - MOS - (D)	discrete	numeric-2.0	5998	118931	-
23	SSADAFF	Affection - MOS subscale - (D)	discrete	numeric-2.0	6022	118907	-
24	SSADSOC	Positive social interaction - MOS - (D)	discrete	numeric-2.0	6003	118926	-
25	SSADEMO	Emot./info. support - MOS subscale - (D)	continuous	numeric-2.0	5883	119046	-

Group Socio-Demographic Characteristics

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	SDCGCB12	Country of birth - Canada/ other	discrete	numeric-1.0	121371	3558	-
2	SDC_5A_1	Knowledge of official languages	discrete	numeric-1.0	121601	3328	Of English or French, which language(s) do you speak well enougtho conduct a conversation? Is it…?
3	SDCDFOLS	First official language spoken - (D)	discrete	numeric-1.0	121585	3344	-
4	DHH_OWN	Is this owned or rented	discrete	numeric-1.0	121326	3603	Is this dwelling… ?
5	SDCGLHM	Language(s) spoken at home	discrete	numeric-1.0	121587	3342	-
6	SDCFIMM	Immigrant - (F)	discrete	numeric-1.0	121195	3734	-
7	SDCGRES	Length/time in Canada since imm. - (D,G)	discrete	numeric-1.0	17276	107653	-

#	Name	Label	Type	Format	Valid	Invalid	Question
8	SDCGCGT	Cultural or racial origin - (D, G)	discrete	numeric-1.0	120633	4296	-
9	SDC_8	Current student	discrete	numeric-1.0	116113	8816	^ARE_C ^YOU1 currently attending a school, college or university?
10	SDCG9	Full-time student or part-time student	discrete	numeric-1.0	12722	112207	-

Group Spirituality

Universe

Optional content selection only asked in: New Brunswick, Manitoba

#	Name	Label	Type	Format	Valid	Invalid	Question
1	SPV_6B	Past yr,engage religious/ spiritual actvty	discrete	numeric-2.0	10765	114164	In the past 12 months, how often did you engage in religious or spirituala ctivities on your own, including prayer, meditation and other forms of worship taking place at home or in any other location?

Group Spiritual Values

Universe

Optional content selection only asked in: New Brunswick, Manitoba

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSPR	Opt. module flag: Spiritual values-SPV-F	discrete	numeric-1.0	11748	113181	-
2	SPV_1	Spiritual values play an imp role in life	discrete	numeric-1.0	11187	113742	Do spiritual values play an important role in your life?
3	SPV_2	Spiritual values help find meaning in life	discrete	numeric-1.0	7353	117576	To what extent do your spiritual values help you to find meaning in your life?
4	SPV_3	Spiritual values:strength for difficulty	discrete	numeric-1.0	7313	117616	To what extent do your spiritual values give you the strength to face everyday difficulties?
5	SPV_4	Spiritual values help w/ difficulty of life	discrete	numeric-1.0	7264	117665	To what extent do your spiritual values help you to understand the difficulties of life?
6	SPVGRL	Religion - (G)	discrete	numeric-1.0	10851	114078	-
7	SPV_6	Past yr,freq at religious service/meeting	discrete	numeric-1.0	10812	114117	Not counting events such as weddings or funerals, during the past 12 months, how often did you participate in religious activities or attend religious services or meetings?
8	SPV_7	In general, would you say you are:	discrete	numeric-1.0	10597	114332	In general, would you say that you are: (very religious, religious, not very religious, not very religious at all)?

Group Spirometry

Universe

Optional content selection only asked in: Newfoundland and Labrador

#	Name	Label	Type	Format	Valid	Invalid	Question

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSPI	Theme module: Spirometry (SPI) - (F)	discrete	numeric-1.0	3625	121304	-
2	SPI_01	Have you ever had a spirometry test	discrete	numeric-1.0	3487	121442	Have you ever had this test?
3	SPI_02	Last time had spirometry test	discrete	numeric-1.0	859	124070	When was the last time?

Group Stress - Childhood and Adult Stressors

Universe
Optional content selection only asked in: British Columbia

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOCST	Opt module:Childhood&adult stressors-CST-F	discrete	numeric-1.0	15413	109516	-
2	CST_1	Did you spend 2 or more weeks in hospital	discrete	numeric-1.0	13692	111237	Did you spend 2 weeks or more in the hospital?
3	CST_2	Did your parents get a divorce	discrete	numeric-1.0	13777	111152	Did your parents get a divorce?
4	CST_3	Father/mother not have job for long time	discrete	numeric-1.0	13605	111324	Did your father or mother not have a job for a long time when they wanted to be working?
5	CST_4	Something scare you,thought of long time	discrete	numeric-1.0	13714	111215	Did something happen that scared you so much you thought about it for years after?
6	CST_5	Sent from home b/c did something wrong	discrete	numeric-1.0	13775	111154	Were you sent away from home because you did something wrong?
7	CST_6	Problem for family from parental drug use	discrete	numeric-1.0	13741	111188	Did either of your parents drink or use drugs so often that it caused problems for the family?
8	CST_7	Physically abused by someone close to you	discrete	numeric-1.0	13725	111204	Were you ever physically abused by someone close to you?

Group Suicidal Thoughts and Attempts

Universe
Optional content selection only asked in: Newfoundland and Labrador, Saskatchewan, Alberta, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSUI	Module: Suicidal thoughts&attempts-SUI-F	discrete	numeric-1.0	22107	102822	-
2	SUI_1	Lifetime: Has considered suicide	discrete	numeric-1.0	20432	104497	Have you ever seriously considered committing suicide or taking your own life?
3	SUI_2	Past year, has considered suicide	discrete	numeric-1.0	1864	123065	Has this happened in the past 12 months?

Group Sun Safety Behaviours

Universe
Optional content selection only asked in: New Brunswick

#	Name	Label	Type	Format	Valid	Invalid	Question

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSSB	Module: Sun safety behaviours (SSB) -F	discrete	numeric-1.0	4786	120143	-
2	SSB_01	Past year, any part of body been sunburnt	discrete	numeric-1.0	4672	120257	-
3	SSB_02	Any sunburns involve blistering	discrete	numeric-1.0	1550	123379	-
4	SSB_03	Any sunburn involve pain/ discomfort >1day	discrete	numeric-1.0	1552	123377	Did any of your sunburns involve blistering?
5	SSB_06	Time each day in sun betwen 11am-4pm	discrete	numeric-2.0	4650	120279	Did any of your sunburns involve pain or discomfort that lasted for more than 1 day?
6	SSB_07	After 30 min, do you seek shade	discrete	numeric-1.0	3468	121461	About how much time each day do you spend in the sun between 11 am and 4 pm?
7	SSB_08	After 30 min, do you wear a hat	discrete	numeric-1.0	3473	121456	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: ...seek shade?
8	SSB_09A	After 30 min,do you wear pants/long skirt	discrete	numeric-1.0	3475	121454	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you:) ...wear long pants or a long skirt to protect your skin from the sun?
9	SSB_09B	After 30 min, do you use sunscreen:face	discrete	numeric-1.0	3473	121456	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you:) ...use sunscreen on your face?
10	SSB_10	What Sun Protection Factor (SPF) use:face	discrete	numeric-1.0	2012	122917	What Sun Protection factor (SPF) do you usually use?
11	SSB_11	After 30 min, do you use sunscreen:body	discrete	numeric-1.0	3474	121455	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: ...use sunscreen on your body?
12	SSB_12	What Sun Protection Factor (SPF) use:body	discrete	numeric-1.0	1853	123076	What Sun Protection factor (SPF) do you usually use?

Group Unmet Health Care Needs

Universe
Optional content selection only asked in: Nova Scotia, Ontario, British Columbia, North West Territories, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOUCN	Module: Unmet health care needs (UCN)	discrete	numeric-1.0	62957	61972	-
2	UCN_010	Past yr,time needed hlth care&receive it	discrete	numeric-1.0	62847	62082	^PHRASE_E
3	UCN_020A	Reason no hlthcare:Not available in area	discrete	numeric-1.0	6638	118291	Thinking of the most recent time, why didn't you get care? - Not available - in the area
4	UCN_020B	Reason no hlthcare:Not available at time	discrete	numeric-1.0	6638	118291	Thinking of the most recent time, why didn't you get care? - Not available - at time required (e.g. doctor on holidays, inconvenient hours)

#	Name	Label	Type	Format	Valid	Invalid	Question
5	UCN_020C	Reason no hlthcare:Waiting time too long	discrete	numeric-1.0	6638	118291	Thinking of the most recent time, why didn't you get care? - Waiting time too long
6	UCN_020D	Reason no healthcare:Would be inadequate	discrete	numeric-1.0	6638	118291	Thinking of the most recent time, why didn't you get care? - Felt would be inadequate
7	UCN_020E	Reason no healthcare: Cost	discrete	numeric-1.0	6638	118291	Thinking of the most recent time, why didn't you get care? - Cost
8	UCN_020F	Reason no healthcare: Too busy	discrete	numeric-1.0	6638	118291	Thinking of the most recent time, why didn't you get care? - Too busy
9	UCN_020G	Reason no hlthcare:Didnt get around to it	discrete	numeric-1.0	6638	118291	Thinking of the most recent time, why didn't you get care? - Didn't get around to it / didn't bother
10	UCN_020H	Reason no hlthcare: Decided not to seek	discrete	numeric-1.0	6638	118291	Thinking of the most recent time, why didn't you get care? - Decided not to seek care
11	UCN_020I	Reason no hlthcare:Dr think not necessary	discrete	numeric-1.0	6638	118291	Thinking of the most recent time, why didn't you get care? - Doctor - didn't think it was necessary
12	UCN_020J	Reason no healthcare: Other	discrete	numeric-1.0	6638	118291	Thinking of the most recent time, why didn't you get care? - Other
13	UCN_030A	Care type not received:Physical hlth prob	discrete	numeric-1.0	6615	118314	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - a physical health problem
14	UCN_030B	Care type not received:Emotionl hlth prob	discrete	numeric-1.0	6615	118314	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - an emotional or mental health problem
15	UCN_030C	Care type not received: Regular check-up	discrete	numeric-1.0	6615	118314	Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including regular pre-natal care)
16	UCN_030D	Care type not received: Care of an injury	discrete	numeric-1.0	6615	118314	Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury
17	UCN_030E	Care type not received: Other	discrete	numeric-1.0	6615	118314	Again, thinking of the most recent time, what was the type of care that was needed? - Other - Specify
18	UCN_040A	Place tried for care:Doctor office	discrete	numeric-1.0	6551	118378	Where did you try to get the service you were seeking? - Doctor's office
19	UCN_040B	Place tried for care:Community hlth centr	discrete	numeric-1.0	6551	118378	Where did you try to get the service you were seeking? - Community health centre / CLSC
20	UCN_040C	Place tried for care: Walk-in clinic	discrete	numeric-1.0	6551	118378	Where did you try to get the service you were seeking? - Walk-in clinic
21	UCN_040D	Place tried for care: Appointment clinic	discrete	numeric-1.0	6551	118378	Where did you try to get the service you were seeking? - Appointment clinic
22	UCN_040E	Place tried for care: Emergency room	discrete	numeric-1.0	6551	118378	Where did you try to get the service you were seeking? - Hospital - emergency room
23	UCN_040F	Place tried for care: Outpatient clinic	discrete	numeric-1.0	6551	118378	Where did you try to get the service you were seeking? - Hospital - outpatient clinic

#	Name	Label	Type	Format	Valid	Invalid	Question
24	UCN_040G	Place tried for care: Other	discrete	numeric-1.0	6551	118378	Where did you try to get the service you were seeking? - Other

Group Use of Protective Equipment

Universe
Optional content selection only asked in: Newfoundland and Labrador, Prince Edward Island, Ontario, Alberta, Yukon

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOUPE	Module:Use of protective equipment(UPE)-F	discrete	numeric-1.0	59635	65294	-
2	UPE_01A	Past year, have you bicycled	discrete	numeric-1.0	46118	78811	In the past 12 months, have you done any bicycling?
3	UPE_01	When bicycling,how often wear helmet	discrete	numeric-1.0	19768	105161	-
4	UPE_02	Past year, have you gone inline skating	discrete	numeric-1.0	56584	68345	In the past 12 months, have you done any in-line skating or rollerblading?
5	UPE_02A	Inline skating: Frequency of helmet wear	discrete	numeric-1.0	3488	121441	When in-line skating or rollerblading, how often do you wear a helmet?
6	UPE_02B	Inline skating: Frequency of wrist guards	discrete	numeric-1.0	3487	121442	How often do you wear wrist guards or wrist protectors?
7	UPE_02C	Inline skating: Frequency of elbow pads	discrete	numeric-1.0	3487	121442	How often do you wear elbow pads?
8	UPE_02D	Inline skating: Frequency of knee pads	discrete	numeric-1.0	3487	121442	How often do you wear knee pads?
9	UPE_03A	Past 3 mths, skiing or snowboarding	discrete	numeric-1.0	2272	122657	Earlier, you mentioned going downhill skiing or snowboarding in the past 3 months. Was that:
10	UPE_03B	Past year, skiing or snowboarding	discrete	numeric-1.0	55870	69059	In the past 12 months, did you do any downhill skiing or snowboarding?
11	UPE_04A	Skiiing: Freq wear a helmet	discrete	numeric-1.0	3982	120947	When downhill skiing, how often do you wear a helmet?
12	UPE_05A	Snowboarding: Frequency wear a helmet	discrete	numeric-1.0	2301	122628	When snowboarding, how often do you wear a helmet?
13	UPE_05B	Snowboarding: Frequency wrist guards	discrete	numeric-1.0	2302	122627	How often do you wear wrist guards or wrist protectors?
14	UPE_06	Past year, have you skateboarded	discrete	numeric-1.0	6630	118299	In the past 12 months, have you done any skateboarding?
15	UPE_06A	Skateboarding: Frequency wear a helmet	discrete	numeric-1.0	996	123933	How often do you wear a helmet?
16	UPE_06B	Skateboarding: Frequency wrist guards	discrete	numeric-1.0	995	123934	How often do you wear wrist guards or wrist protectors?
17	UPE_06C	Skateboarding: Frequency elbow pads	discrete	numeric-1.0	995	123934	How often do you wear elbow pads?
18	UPE_07	Past year, have you played ice hockey	discrete	numeric-1.0	55053	69876	In the past 12 months, have you played any ice hockey?
19	UPE_07A	Ice hockey: wear a mouth guard	discrete	numeric-1.0	4892	120037	When playing ice hockey, how often do you wear a mouth guard?
20	UPEFILS	Wear all protective equip inline skating	discrete	numeric-1.0	3485	121444	-
21	UPEFSKB	Wear all protective equip skateboarding-F	discrete	numeric-1.0	995	123934	-

#	Name	Label	Type	Format	Valid	Invalid	Question
22	UPEFSNB	Wear all protective equip snowboarding-F	discrete	numeric-1.0	2302	122627	-

Group Voluntary Organization - Participation

Universe

Optional content selection only asked in: Prince Edward Island, Quebec, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOORG	Voluntary organization- Participate (F)	discrete	numeric-1.0	25034	99895	-
2	ORG_1	Member of a voluntary organization	discrete	numeric-1.0	24531	100398	Are you a member of any voluntary organizations or associations such as school groups, church social groups, community centres, ethnic associations or social, civic or fraternal clubs?
3	ORG_2	Frequency - participate in activities	discrete	numeric-1.0	7037	117892	How often did you participate in meetings or activities of these groups in the past 12 months? If you belong to many, just think of the ones in which you are most active.

Group Workplace Injury

#	Name	Label	Type	Format	Valid	Invalid	Question
1	INW_01	Injury occurred in current job	discrete	numeric-1.0	277	124652	Did this injury occur in your current main job?
2	INWGSOC	Occup. group (SOC) where inj. occ. -G	discrete	numeric-1.0	257	124672	-

Group Weights

#	Name	Label	Type	Format	Valid	Invalid	Question
1	WTS_M	Weights - Master	continuous	numeric-8.2	124929	0	-

Group Alcohol Use During the Past Week

Universe

Optional content selection only asked in: Newfoundland and Labrador, Quebec, Ontario, Manitoba, Saskatchewan, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOALW	Module:Alcohol use during past week-ALW-F	discrete	numeric-1.0	83923	41006	-
2	ALW_1	Past week, had any alcohol	discrete	numeric-1.0	62366	62563	Thinking back over the past week, that is, from [date last week] to yesterday, did ^YOU2 have a drink of beer, wine, liquor or any other alcoholic beverage?
3	ALW_2A1	# of drinks on Sunday	continuous	numeric-3.0	39087	85842	Starting with yesterday, that is ^DayE[1], how many drinks did ^YOU2 have?
4	ALW_2A2	# of drinks on Monday	continuous	numeric-3.0	38952	85977	(How many drinks did ^YOU1 have:) ...on ^DayE[2]?
5	ALW_2A3	# of drinks on Tuesday	continuous	numeric-3.0	38810	86119	(How many drinks did ^YOU1 have:) ...on ^DayE[3]?

#	Name	Label	Type	Format	Valid	Invalid	Question
6	ALW_2A4	# of drinks on Wednesday	continuous	numeric-3.0	38604	86325	(How many drinks did ^YOU1 have:) ...on ^DayE[4]?
7	ALW_2A5	# of drinks on Thursday	continuous	numeric-3.0	38368	86561	(How many drinks did ^YOU1 have:) ...on ^DayE[5]?
8	ALW_2A6	# of drinks on Friday	continuous	numeric-3.0	38074	86855	(How many drinks did ^YOU1 have:) ...on ^DayE[6]?
9	ALW_2A7	# of drinks on Saturday	continuous	numeric-3.0	37878	87051	(How many drinks did ^YOU1 have:) ...on ^DayE[7]?
10	ALWDWKY	Weekly consumption	continuous	numeric-3.0	60432	64497	-
11	ALWDDLY	Average daily alcohol consumption	continuous	numeric-3.0	60432	64497	-

Group Labour Force - Extended Version

Universe

Common content and was asked to all respondents

#	Name	Label	Type	Format	Valid	Invalid	Question
1	LBSGHPW	Total usual hrs. worked current - (D, G)	continuous	numeric-3.0	62272	62657	-
2	LBSGSOC	Occupation group - (G)	discrete	numeric-1.0	62686	62243	-

Group Breastfeeding

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOMEX	Module flag: Breastfeeding-MEX-(F)-cbk	discrete	numeric-1.0	124929	0	-
2	MEX_01	Year last baby born	discrete	numeric-1.0	30652	94277	-
3	MEX_02	Take folic before knew you were pregnant	discrete	numeric-1.0	6447	118482	Did you take a vitamin supplement containing folic acid before your (last) pregnancy, that is, before you found out that you were pregnant?
4	MEX_03	Last child, try to breastfeed	discrete	numeric-1.0	6492	118437	For your last baby, did you breastfeed or try to breastfeed your baby, even if only for a short time?
5	MEXG04	Reason you did not breastfeed-G	discrete	numeric-2.0	758	124171	-
6	MEX_05	Are you still breastfeeding	discrete	numeric-1.0	5727	119202	Are you still breastfeeding?
7	MEX_06	Length of time you breastfed	discrete	numeric-2.0	4672	120257	How long did you breastfeed (your last baby)?
8	MEX_06A	Other liquids introduced to baby's feeds	discrete	numeric-1.0	1048	123881	Have other liquids such as milk, formula, water, juice, tea or herbal mixture been introduced to the baby's feeds?
9	MEX_06B	Age of last baby when other liquids added	discrete	numeric-2.0	5254	119675	How old was your (last) baby when other liquids ^DT_LIQUIDS were first added to the baby's feeds?
10	MEX_08A	Age last baby when solid food added	discrete	numeric-2.0	5582	119347	How old was your (last) baby when solid foods such as cereals, mashed up or pureed meat vegetables or fruits were first added to the baby's feeds?

#	Name	Label	Type	Format	Valid	Invalid	Question
11	MEX_08B	Reason liquid/solid added to baby's feed	discrete	numeric-2.0	5447	119482	What is the main reason ^DT_ LIQUIDSOLID were first added to the baby's feeds?
12	MEX_09	Give Vitamin D to baby <yr old&breastfed	discrete	numeric-1.0	4929	120000	During the time when your (last) baby was less than one year old and fedb reast milk, did you give the baby a vitamin supplement containing Vitamin D?
13	MEX_09B	Frequency give Vitamin D to baby	discrete	numeric-1.0	3831	121098	Overall, how often did you give the baby a supplement containing Vitamin D?
14	MEX_10	Main reason stopped breastfeeding	discrete	numeric-2.0	4638	120291	What is the main reason that you stopped breastfeeding?
15	MEXDEBF2	Length of exclusive breastfeeding (D)	discrete	numeric-2.0	6087	118842	-
16	MEXFEB6	Exclusive breastfeed for at least 6 mths	discrete	numeric-1.0	6087	118842	-

Group Smoking During Pregnancy

Universe

Optional content selection only asked in: Quebec, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOMXS	Module:Alcohol use during pregnancy-MXS-F	discrete	numeric-1.0	23260	101669	-
2	MXS_01	Module: Smoking during pregnancy-MXS-F	discrete	numeric-1.0	734	124195	During your last pregnancy, did you smoke daily, occasionally or not at all?
3	MXSG02	# cigarettes smoked each day-daily	discrete	numeric-2.0	102	124827	How many cigarettes did you usually smoke each day?
4	MXSG03	# cigarettes smoked each day-occasional	discrete	numeric-2.0	72	124857	On the days that you smoked, how many cigarettes did you usually smoke?
5	MXS_04	How often smoked when breastfeeding	discrete	numeric-1.0	614	124315	When you were breastfeeding (your last baby), did you smoke daily, occasionally or not at all?
6	MXSG05	Breastfeed:# cigs smoked-daily	discrete	numeric-2.0	67	124862	How many cigarettes did you usually smoke each day?
7	MXSG06	Breastfeed:# cigs smoked-occasional	discrete	numeric-2.0	37	124892	On the days that you smoked, how many cigarettes did you usually smoke?
8	MXS_07	During/after pregnancy,second hand smoke	discrete	numeric-1.0	735	124194	Did anyone regularly smoke in your presence during or after the pregnancy (about 6 months after)?

Group Community-Based Care

Universe

Optional content selection only asked in: Nova Scotia, Ontario, British Columbia, Yukon

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPSC	Module: Community-based care (PSC) - F	discrete	numeric-1.0	60102	64827	-
2	PSC_1	Past year, received community-based care	discrete	numeric-1.0	55259	69670	In the past 12 months, have you received any community-based care?

#	Name	Label	Type	Format	Valid	Invalid	Question
3	PSC_2	Quality of community-based care received	discrete	numeric-1.0	13274	111655	Overall, how would you rate the quality of the community-based care you received? Would you say it was:
4	PSC_3	Satisfaction w/community-based care rec'd	discrete	numeric-1.0	13244	111685	Overall, how satisfied were you with the way community-based care was provided? Were you:

Group Health Care Services

Universe
Optional content selection only asked in: Prince Edward Island, Yukon

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPAS	Module : Health care services (PAS) - F	discrete	numeric-1.0	1774	123155	-
2	PAS_11	Past year, have you received health care	discrete	numeric-1.0	1654	123275	In the past 12 months, have you received any health care services?
3	PAS_12	Quality of health care received	discrete	numeric-1.0	1482	123447	Overall, how would you rate the quality of the health care you received? Would you say it was:
4	PAS_13	Satisfaction w/way hlth care was provided	discrete	numeric-1.0	1479	123450	Overall, how satisfied were you with the way health care services were provided? Were you:
5	PAS_21A	Rec'd health care services at hospital	discrete	numeric-1.0	1488	123441	In the past 12 months, have you received any health care services at a hospital, for any diagnostic or day surgery service, overnight stay, or as an emergency room patient?
6	PAS_21B	Most recent hosp visit: Type of patient	discrete	numeric-1.0	569	124360	Thinking of your most recent hospital visit, were you:
7	PAS_22	Most recent hosp visit: Quality of care	discrete	numeric-1.0	568	124361	...how would you rate the quality of the care you received? Would you say it was:
8	PAS_23	Most recent hosp visit: Satisf w/services	discrete	numeric-1.0	568	124361	...how satisfied were you with the way hospital services were provided? Were you:
9	PAS_31A	Past yr,rec'd care from dr/othr physician	discrete	numeric-1.0	1489	123440	In the past 12 months, not counting hospital visits, have you received any health care services from a family doctor or other physician?
10	PAS_31B	Most recent physician care, provided by	discrete	numeric-1.0	1105	123824	Thinking of the most recent time, was care provided by:
11	PAS_32	Most recent physician care, quality was	discrete	numeric-1.0	1105	123824	...how would you rate the quality of the care you received? Would you say it was:
12	PAS_33	Most recent physician care, satisfaction	discrete	numeric-1.0	1103	123826	...how satisfied were you with the way physician care was provided? Were you:

Group Smoking Cessation Methods

Universe
Smoking Cessation Methods were specifically Optional content and were asked in: Nova Scotia, British Columbia, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSCA	Module: Smoking cessation methods(SCA)-F	discrete	numeric-1.0	20042	104887	-
2	SCA_10	Past year, tried nicotine patch	discrete	numeric-1.0	314	124615	In the past 12 months, did you try a nicotine patch to quit smoking?
3	SCA_10A	How useful was nicotine patch to quit	discrete	numeric-1.0	61	124868	How useful was that in helping you quit?
4	SCA_11	Past year,try Nicorettes/othr gum to quit	discrete	numeric-1.0	314	124615	(In the past 12 months) did you try Nicorettes or other nicotine gum or candy to quit smoking?
5	SCA_11A	How useful Nicorettes/othr gum to quit	discrete	numeric-1.0	42	124887	How useful was that in helping you quit?
6	SCA_12	Past year, try medication to quit	discrete	numeric-1.0	314	124615	In the past 12 months, did you try medication such as Zyban, Prolev or Wellbutrin to quit smoking?
7	SCA_12A	How useful medication to quit	discrete	numeric-1.0	63	124866	How useful was that in helping you quit?
8	SCA_50	Past year,stop smoking for at least 24 hr	discrete	numeric-1.0	3324	121605	In the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit?
9	SCA_60	Past year, try nicotine patch to quit	discrete	numeric-1.0	1618	123311	In the past 12 months, did you try any of the following to quit smoking: ...a nicotine patch?
10	SCA_61	Past year,try Nicorettes/othr gum to quit	discrete	numeric-1.0	1618	123311	(In the past 12 months, did you try any of the following to quit smoking:) ...Nicorettes or other nicotine gum or candy?
11	SCA_62	Past year, try medications to quit	discrete	numeric-1.0	1618	123311	(In the past 12 months, did you try any of the following to quit smoking:) ...medication such as Zyban, Prolev or Wellbutrin?
12	SCADQUI	Attempted to stop smoking - (D)	discrete	numeric-1.0	9467	115462	-

Group Stages of Change

Universe
Stages of Change for smoking were specifically optional content and were only asked in: Quebec, British Columbia, Yukon

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSCH	Module: Stages of Change (SCH) - (F)	discrete	numeric-1.0	38673	86256	-
2	SCH_1	Next 6 mths, considering quitting smoking	discrete	numeric-1.0	7235	117694	Are you seriously considering quitting smoking within the next 6 months?
3	SCH_2	Next month, considering quitting smoking	discrete	numeric-1.0	4246	120683	Are you seriously considering quitting within the next 30 days?
4	SCH_3	Past year, stop smoking 24 hours to quit	discrete	numeric-1.0	7365	117564	In the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit?
5	SCH_4	# of times stop smoking 24 hours to quit	continuous	numeric-2.0	3225	121704	How many times? (in the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit)
6	SCHDSTG	Smoking stage of change - (D)	discrete	numeric-1.0	18781	106148	Respondents with DOSCH = 1 who answered SMK_202 = (1, 2, 7 or 8) or SMK_01A <> 2

Group Stages of Change

Universe

Stages of change were specifically optional content and only asked in: Newfoundland and Labrador, Nova Scotia, Quebec, British Columbia, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSCP	Module: Stages of change - SCP - (F)	discrete	numeric-1.0	124929	0	-
2	SCP_01	Level of physical activity every week	discrete	numeric-1.0	45359	79570	Thinking about the level of physical activity you do every week, do youc onsider yourself to be...?
3	SCP_02	Increased physical activity last 6 mths	discrete	numeric-1.0	28772	96157	Did you increase your physical activity level in the last 6 months?
4	SCP_03	Will increase physical activity next mth	discrete	numeric-1.0	16183	108746	Do you intend to increase your physical activity level in the next 30 days?
5	SCP_04	Will increase phys activity next 6 mths	discrete	numeric-1.0	6809	118120	Do you intend to increase your physical activity level in the next 6 months?
6	SCPDSTG	Stages of changes - physical activity	discrete	numeric-1.0	44742	80187	-

Group Physician Counselling

Universe

Physician Counselling were specifically Optional content and were asked in: Prince Edward Island, British Columbia, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSPC	Module: Physician counselling (SPC) - (F)	discrete	numeric-1.0	17187	107742	-
2	SPC_10	Past year, visited regular medical doctor	discrete	numeric-1.0	2493	122436	Earlier, you mentioned having a regular medical doctor. In the past 12 months, did you go see this doctor?
3	SPC_11	Doctor know you smoke(d) cigarettes	discrete	numeric-1.0	2033	122896	Does your doctor know that you ^DT_SMOKING cigarettes?
4	SPC_12	Past year, has doctor advised you to quit	discrete	numeric-1.0	1878	123051	In the past 12 months, did your doctor advise you to quit smoking?
5	SPC_13	Past year, doctor give help/ info to quit	discrete	numeric-1.0	1868	123061	(In the past 12 months,) did your doctor give you any specific help or information to quit smoking?
6	SPC_14A	Dr help type: 1-on-1 cessation program	discrete	numeric-1.0	811	124118	What type of help did the doctor give? - Referral to a one-on-one cessation program
7	SPC_14B	Dr help type: Group cessation program	discrete	numeric-1.0	811	124118	What type of help did the doctor give? - Referral to a group cessation program
8	SPC_14C	Dr help type: Nicotine patch/ gum	discrete	numeric-1.0	811	124118	What type of help did the doctor give? - Recommended use of nicotine patch or nicotine gum
9	SPC_14D	Dr help type: Zyban or other medication	discrete	numeric-1.0	811	124118	What type of help did the doctor give? - Recommended Zyban or other medication
10	SPC_14E	Dr help[type: Provided self-help info	discrete	numeric-1.0	811	124118	What type of help did the doctor give? - Provided self-help information (e.g., pamphlet, referral to website)

#	Name	Label	Type	Format	Valid	Invalid	Question
11	SPC_14F	Dr help type: Doctor offered counselling	discrete	numeric-1.0	811	124118	What type of help did the doctor give? - Own doctor offered counselling
12	SPC_14G	Dr help type: Other	discrete	numeric-1.0	811	124118	What type of help did the doctor give? - Other
13	SPC_20	Past year, have you gone to dentist	discrete	numeric-1.0	725	124204	Earlier, you mentioned having "seen or talked to" a dentist in the past 12 months. Did you actually go to the dentist?
14	SPC_21	Dentist know you smoke(d) cigarettes	discrete	numeric-1.0	682	124247	Does your dentist or dental hygienist know that you ^DT_SMOKING cigarettes?
15	SPC_22	Past year, dentist advise quit smoking	discrete	numeric-1.0	557	124372	In the past 12 months, did the dentist or hygienist advise you to quit smoking?

Group Other Tobacco Products

Universe

Other Tobacco Products were specifically optional content and only asked in: Ontario, Alberta

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOTAL	Module: Other tobacco products (TAL)-F	discrete	numeric-1.0	54236	70693	-
2	TAL_1	Past month, have you smoked cigars	discrete	numeric-1.0	53534	71395	In the past month, ^HAVE ^YOU1 smoked cigars?
3	TAL_2	Past month, have you smoked pipe	discrete	numeric-1.0	53520	71409	(In the past month,) ^HAVE ^YOU1 smoked a pipe?
4	TAL_3	Past month, have you used snuff	discrete	numeric-1.0	53509	71420	(In the past month,) ^HAVE ^YOU1 used snuff?
5	TAL_4	Past month, have you chewed tobacco	discrete	numeric-1.0	53512	71417	(In the past month,) ^HAVE ^YOU1 used chewing tobacco?

Variables Description

Dataset contains 1207 variable(s)

File : cchs-2011-2012

VERDATE: Date of file creation

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=124929 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
20130913		124929	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEOGPRV: Province of residence of respondent-(G)

Information	[Type= discrete] [Format=numeric] [Range= 10-60] [Missing=*]
Statistics [NW/ W]	[Valid=124929 / 29335210.96] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)
10	Nfld. & Labrador	3625	444498.5	1.5%
11	Prince Edward Island	1774	125024.3	0.4%
12	Nova Scotia	4629	809020.0	2.8%
13	New Brunswick	4786	643801.6	2.2%
24	Quebec	23260	6828260.1	23.3%
35	Ontario	42915	11453382.2	39.0%
46	Manitoba	6962	1002096.2	3.4%
47	Saskatchewan	7161	842278.5	2.9%
48	Alberta	11321	3166820.8	10.8%
59	British Columbia	15413	3937383.3	13.4%
60	Yukon/NWT/Nunavut	3083	82645.4	0.3%
96	N/A	0	0.0	
97	DK	0	0.0	
98	Refusal	0	0.0	
99	Not Stated	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEODPMF: Health Region - (G)

Information	[Type= discrete] [Format=numeric] [Range= 10911-60901] [Missing=*]
Statistics [NW/ W]	[Valid=124929 / 29335210.96] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)
10911	Eastern Region IHA	1455	266587.0	0.9%
10912	Central Region IHA	864	79621.0	0.3%
10913	Westrn/Labradr Region	1306	98290.4	0.3%
11901	Prince Edward Island	1774	125024.3	0.4%
12901	ZONE 1 (DHA 1,2)	0	0.0	
12902	ZONE 2 (DHA 3)	0	0.0	
12903	ZONE 1 (DHA 4,5)	0	0.0	
12904	ZONE 1 (DHA 6,7)	0	0.0	
12905	ZONE 5 (DHA 8)	0	0.0	
12906	ZONE 6 (DHA 9)	0	0.0	
12910	South West N.S.	730	101944.4	0.3%
12923	V. District H.	566	69851.9	0.2%
12930	Colchester East	659	88432.7	0.3%

File : cchs-2011-2012

GEODPMF: Health Region - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
12940	Pictou County	649	77324.5	0.3%
12958	Cape Breton	740	101967.4	0.3%
12969	Capital District	1285	369499.1	1.3%
13901	ZONE 1	930	177889.5	0.6%
13902	ZONE 2	912	151416.7	0.5%
13903	ZONE 3	892	144540.0	0.5%
13904	ZONES 4 AND 5	965	64678.8	0.2%
13906	ZONES 6 AND 7	1087	105276.6	0.4%
24901	Region Bas-St Laurent	1184	171951.5	0.6%
24902	Region Saguenay	1291	233815.4	0.8%
24903	Region de Quebec	1809	609002.6	2.1%
24904	Region de la Mauricie	1590	425730.5	1.5%
24905	Region de l'Estrie	1262	270341.1	0.9%
24906	Region de Montreal	3106	1703550.2	5.8%
24907	Region de l'Outaouais	1217	316429.9	1.1%
24908	Region de l'Abitibi-T.	1143	122132.3	0.4%
24909	Region de la Cote-Nord	1184	74361.4	0.3%
24911	Region de la Gaspesie	1151	80440.6	0.3%
24912	Reg:Chaudiere-Appalaches	1444	347108.0	1.2%
24913	Region de Laval	1330	348521.4	1.2%
24914	Region de Lanaudiere	1382	404420.1	1.4%
24915	Region des Laurentides	1547	479872.2	1.6%
24916	Region de la Monteregie	2620	1240582.9	4.2%
35926	Algoma	812	99589.3	0.3%
35927	Brant	766	112565.4	0.4%
35930	Durham	1583	542022.9	1.8%
35931	Elgin-St. Thomas	646	76463.2	0.3%
35933	Grey Bruce	966	141015.6	0.5%
35934	Haldimand-Norfolk	700	96012.4	0.3%
35935	Haliburton, Kawartha	922	156627.2	0.5%
35936	Halton	1442	439040.5	1.5%
35937	Hamilton	1580	465354.2	1.6%
35938	Hastings/Prince Edward	894	137335.9	0.5%
35939	Huron/Perth	1231	116665.0	0.4%
35940	Chatham/Kent	766	92677.5	0.3%
35941	Kingston, Frontenac	943	167833.1	0.6%
35942	Lambton	842	110041.9	0.4%
35943	Leeds-Grenville	988	146815.8	0.5%
35944	Middlesex-London	1516	396024.7	1.3%
35946	Niagara	1516	387781.1	1.3%
35947	North Bay Parry Sound	1233	137691.7	0.5%
35949	Northwestern	753	55600.0	0.2%
35951	Ottawa	2104	779288.1	2.7%

File : cchs-2011-2012

GEODPMF: Health Region - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
35952	Oxford	758	92142.0	0.3%
35953	Peel	2596	1163446.9	4.0%
35955	Peterborough	828	121908.9	0.4%
35956	Porcupine	702	68081.0	0.2%
35957	Renfrew	723	84869.2	0.3%
35958	Eastern Ontario	1090	170114.4	0.6%
35960	Simcoe Muskoka	2170	451250.3	1.5%
35961	Sudbury	1000	168070.8	0.6%
35962	Thunder Bay	1313	128560.3	0.4%
35965	Waterloo	1448	452160.3	1.5%
35966	Wellington-Dufferin	1168	238365.2	0.8%
35968	Windsor-Essex	1393	343641.6	1.2%
35970	York	1723	917820.8	3.1%
35995	City of Toronto	3800	2396505.0	8.2%
46901	Winnipeg Regional	2039	610451.8	2.1%
46902	Prairie Mountain Hlth	1663	127952.3	0.4%
46903	Interlake-Eastern	1088	95950.8	0.3%
46904	Northern Region	804	26782.1	0.1%
46905	Southern Health	1368	140959.1	0.5%
46910	Winnipeg	0	0.0	
46915	Brandon & Ass	0	0.0	
46920	North & So. E	0	0.0	
46931	Interlake/Parlan	0	0.0	
46940	Central	0	0.0	
46970	Nor-Man/Burntwood	0	0.0	
47901	Sun Country/Five Hills	1625	125519.4	0.4%
47904	Regina Qu'Appelle	1144	218148.9	0.7%
47905	Sunrise Regional	1093	75981.0	0.3%
47906	Saskatoon Regional	1245	273104.1	0.9%
47907	Heartland Regional	1073	85044.5	0.3%
47909	Prince Albert Parkland	981	64480.6	0.2%
48931	South Zone	1679	231454.4	0.8%
48932	Calgary Zone	2624	1204457.6	4.1%
48933	Central Zone	2110	373503.4	1.3%
48934	Edmonton Zone	2531	1021859.6	3.5%
48935	North Zone	2377	335545.9	1.1%
59911	East Kootenay	581	68952.0	0.2%
59912	Kootenay-Boundary	607	69747.4	0.2%
59913	Okanagan	1163	294585.1	1.0%
59914	Thompson/Cariboo	938	185824.5	0.6%
59921	Fraser East	1010	237271.0	0.8%
59922	Fraser North	1446	542521.2	1.8%
59923	Fraser South	1534	626194.7	2.1%

File : cchs-2011-2012

GEODPMF: Health Region - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
59931	Richmond	829	175402.2	0.6%
59932	Vancouver	1512	601573.3	2.1%
59933	North Shore/Coast Garibaldi	1069	245043.7	0.8%
59941	South Vancouver Is.	1352	324865.6	1.1%
59942	Central Vancouver Is.	1002	232692.2	0.8%
59943	North Vancouver Is.	484	99751.4	0.3%
59951	Northwest	564	54417.7	0.2%
59952	Northern Interior	814	120567.6	0.4%
59953	Northeast	508	57973.7	0.2%
60901	Yukon/Northwest	3083	82645.4	0.3%
99996	N/A	0	0.0	
99997	Don't Know	0	0.0	
99998	Refusal	0	0.0	
99999	Not Stated	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEODBCHA: B.C. Health Authority (BCHA) - (D)

Information	[Type= discrete] [Format=numeric] [Range= 5910-5950] [Missing=*]
Statistics [NW/ W]	[Valid=15413 / 3937383.27] [Invalid=109516 / 25397827.69]

Value	Label	Cases	Weighted	Percentage (Weighted)
5910	Interior	3289	619108.9	15.7%
5920	Fraser	3990	1405986.9	35.7%
5930	Vancouver	3410	1022019.2	26.0%
5940	Vancouver Island	2838	657309.2	16.7%
5950	Northern	1886	232959.0	5.9%
9996	N/A	109516	25397827.7	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_PRX: Health Component completed by proxy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124929 / 29335210.96] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	Yes	2713	557286.5	1.9%
2	No	122216	28777924.5	98.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_N09: Interview by telephone or in person

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

File : cchs-2011-2012

ADM_N09: Interview by telephone or in person

Statistics [NW/ W]	[Valid=52664 / 17277004.21] [Invalid=72265 / 12058206.75]
Literal question	Interviewer : Was this interview conducted on the telephone or in person?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	Telephone	11288	4520889.4		26.2%
2	In Person	39772	12212984.7		70.7%
3	Both	1604	543130.1		3.1%
6	NOT APPLICABLE	71764	11878065.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	501	180141.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_N10: Respondent alone during interview

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=121157 / 28379636.34] [Invalid=3772 / 955574.62]
Literal question	Interviewer: Was the respondent alone when you asked this health questionnaire?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	Yes	106963	24208600.8		85.3%
2	No	14194	4171035.5		14.7%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	154	45046.6		
8	REFUSAL	25	4761.5		
9	NOT STATED	3593	905766.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_N11: Answers effected by another person

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14078 / 4137083.03] [Invalid=110851 / 25198127.93]
Literal question	Interviewer: Do you think that the answers of the respondent were affected by someone else being there?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	Yes	1417	389713.8		9.4%
2	No	12661	3747369.2		90.6%
6	NOT APPLICABLE	106963	24208600.8		
7	DON'T KNOW	114	33046.4		
8	REFUSAL	2	906.1		
9	NOT STATED	3772	955574.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_RNO: Sequential record number

Information	[Type= continuous] [Format=numeric] [Range= 1-124929] [Missing=*]
Statistics [NW/ W]	[Valid=124929 / 29335210.96] [Invalid=0 / 0] [Mean=62465 / 62403.078] [StdDev=36064.04 / 36073.106]

DHHGAGE: Age - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=124929 / 29335210.96] [Invalid=0 / 0]

File : cchs-2011-2012

DHHGAGE: Age - (G)

Literal question	What is your age?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	12 To 14 Years	5093	1129649.2	3.9%
2	15 To 17 Years	5362	1308176.8	4.5%
3	18 To 19 Years	3298	809128.6	2.8%
4	20 To 24 Years	6913	2367638.7	8.1%
5	25 To 29 Years	7799	2351013.5	8.0%
6	30 To 34 Years	7508	2211174.6	7.5%
7	35 To 39 Years	7778	2281589.8	7.8%
8	40 To 44 Years	7744	2413273.7	8.2%
9	45 To 49 Years	7400	2457760.8	8.4%
10	50 To 54 Years	9660	2647358.5	9.0%
11	55 To 59 Years	11484	2419910.7	8.2%
12	60 To 64 Years	11972	2157558.0	7.4%
13	65 To 69 Years	10175	1649577.3	5.6%
14	70 To 74 Years	7763	1183045.9	4.0%
15	75 To 79 Years	6340	859578.5	2.9%
16	80 Years or more	8640	1088776.2	3.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHH_SEX: Sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124929 / 29335210.96] [Invalid=0 / 0]
Interviewer's instructions	Interviewer: Enter the respondent's sex. If necessary, ask:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	Male	56136	14479104.6	49.4%
2	Female	68793	14856106.4	50.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGMS: Marital status - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=124595 / 29260574.55] [Invalid=334 / 74636.41]
Literal question	What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single, never married?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	Married	52843	13758167.2	47.0%
2	Common-law	10672	3099241.1	10.6%
3	Widow/Sep/Divorced	24895	3560471.9	12.2%
4	Single/Never Married	36185	8842694.3	30.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	

File : cchs-2011-2012

DHHGMS: Marital status - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	334	74636.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGLE5: # of person 5 or less in household (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=124929 / 29335210.96] [Invalid=0 / 0]
Literal question	Based on SAMPLEID, PERSONID, DHH_AGE. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	None	111322	25548967.8		87.1%
1	1 or more	13607	3786243.1	12.9%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHG611: # of persons aged 6-11 in household(D,G)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=124929 / 29335210.96] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	None	109948	25023585.3		85.3%
1	1 or more	14981	4311625.6	14.7%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGL12: # of persons <12 in household (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=124929 / 29335210.96] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	None	101541	22584599.9		77.0%
1	1 or more	23388	6750611.1	23.0%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGLVG: Living arrangements of respondent (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=124104 / 29122574.54] [Invalid=825 / 212636.42]

File : cchs-2011-2012

DHHGLVG: Living arrangements of respondent (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	UNATTACHED ALONE	33473	4166039.7	14.3%
2	UNATTACHED OTHER	3892	1550176.7	5.3%
3	SPOUSE / PARTNER	40294	7824503.6	26.9%
4	PARENT,SPOUSE,CHILD	18562	7378850.9	25.3%
5	PARENT, CHILD	3652	1194884.0	4.1%
6	CHILD,PARENT,SIBLING	4813	1168799.6	4.0%
7	CHILD,2 PARENT,SIB	14311	3664867.4	12.6%
8	OTHER	5107	2174452.6	7.5%
96	NOT APPLICABLE	0	0.0	
99	NOT STATED	825	212636.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGHSZ: Household size - (D, G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=124868 / 29315943.05] [Invalid=61 / 19267.91]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 PERSON	33493	4167569.7	14.2%
2	2 PERSONS	48139	9979207.7	34.0%
3	3 PERSONS	17292	5433759.5	18.5%
4	4 PERSONS	16890	5902915.7	20.1%
5	5 OR + PERSONS	9054	3832490.4	13.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	61	19267.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_01: Self-perceived health

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=124690 / 29293936.28] [Invalid=239 / 41274.68]
Literal question	In general, how would you say your health is now? Is it…?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	23126	6108394.4	20.9%
2	VERY GOOD	46780	11436112.5	39.0%
3	GOOD	37581	8464771.7	28.9%
4	FAIR	12844	2506752.7	8.6%
5	POOR	4359	777904.9	2.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	217	36260.4	
8	REFUSAL	22	5014.2	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : cchs-2011-2012

GEN_02: Self-perceived hlth compared to 1 yr ago

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=124680 / 29298810.9] [Invalid=249 / 36400.06]
Literal question	Compared to one year ago, how would you say your health is now? Is it…?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	MUCH BETTER	9639	2329659.7		8.0%
2	SOMEWHAT BETTER	15193	3776422.1		12.9%
3	ABOUT THE SAME	84759	19908495.3		67.9%
4	SOMEWHAT WORSE	12772	2815365.2		9.6%
5	MUCH WORSE	2317	468868.6		1.6%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	233	33766.6		
8	REFUSAL	16	2633.4		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_02A2: Satisfaction with life in general

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=120753 / 28571118.01] [Invalid=4176 / 764092.95]
Literal question	Using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfaied", how do you fell about your life as a whole right now?

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	VERY DISSATISFIED	607	111205.2		0.4%
1	1	177	35057.3		0.1%
2	2	498	103177.0		0.4%
3	3	831	211575.4		0.7%
4	4	1411	297683.9		1.0%
5	5	6790	1431623.8		5.0%
6	6	6051	1501528.6		5.3%
7	7	18404	4669678.6		16.3%
8	8	38978	9472844.8		33.2%
9	9	22817	5459406.4		19.1%
10	VERY SATISFIED	24189	5277336.9		18.5%
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	1301	175954.6		
98	REFUSAL	162	30851.8		
99	NOT STATED	2713	557286.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_02B: Self-perceived mental health

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=121869 / 28727255.35] [Invalid=3060 / 607955.61]
Literal question	In general, would you say your mental health is …?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	EXCELLENT	40612	10064229.0		35.0%

File : cchs-2011-2012

GEN_02B: Self-perceived mental health

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	VERY GOOD	45191	10665294.1		37.1%
3	GOOD	28573	6364981.1		22.2%
4	FAIR	6111	1327563.9		4.6%
5	POOR	1382	305187.3		1.1%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	290	40443.0		
8	REFUSAL	57	10226.2		
9	NOT STATED	2713	557286.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_07: Perceived life stress

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=124109 / 29211388.16] [Invalid=820 / 123822.8]
Literal question	Thinking about the amount of stress in your life, would you say that most days are…?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NOT AT ALL	17317	3488963.0		11.9%
2	NOT VERY	32528	6852656.9		23.5%
3	A BIT	49599	12274134.0		42.0%
4	QUITE A BIT	21008	5595993.4		19.2%
5	EXTREMELY	3657	999641.0		3.4%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	747	113833.9		
8	REFUSAL	73	9988.9		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_08: Worked at job or business

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=103362 / 25925837.73] [Invalid=21567 / 3409373.23]
Literal question	Have you worked at a job or business at any time in the past 12 months?

| Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	72679	19810164.8		76.4%
2	NO	30683	6115673.0		23.6%
6	NOT APPLICABLE	20073	3078004.0		
7	DON'T KNOW	23	3903.2		
8	REFUSAL	11	1913.8		
9	NOT STATED	1460	325552.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_09: Self perceived work stress

| Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=71532 / 19568378.59] [Invalid=53397 / 9766832.37]
Literal question	Would you say that most days at work were...?

File : cchs-2011-2012

GEN_09: Self perceived work stress

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT AT ALL	7495	1941393.9	9.9%
2	NOT VERY	14867	3795471.4	19.4%
3	A BIT	30023	8267963.2	42.3%
4	QUITE A BIT	15958	4602928.5	23.5%
5	EXTREMELY	3189	960621.5	4.9%
6	NOT APPLICABLE	50756	9193676.9	
7	DON'T KNOW	212	38438.2	
8	REFUSAL	21	4001.4	
9	NOT STATED	2408	530715.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_10: Sense of belonging to local community

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=119910 / 28364734.33] [Invalid=5019 / 970476.63]
Literal question	How would you describe your sense of belonging to your local community? Would you say it is...?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY STRONG	23401	4802160.2	16.9%
2	SOMEWHAT STRONG	60513	13756601.8	48.5%
3	SOMEWHAT WEAK	27324	7456682.3	26.3%
4	VERY WEAK	8672	2349290.1	8.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	2171	384850.7	
8	REFUSAL	133	27553.4	
9	NOT STATED	2715	558072.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENDHDI: Perceived Health - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=124690 / 29293936.28] [Invalid=239 / 41274.68]

Value	Label	Cases	Weighted	Percentage (Weighted)
0	POOR	4359	777904.9	2.7%
1	FAIR	12844	2506752.7	8.6%
2	GOOD	37581	8464771.7	28.9%
3	VERY GOOD	46780	11436112.5	39.0%
4	EXCELLENT	23126	6108394.4	20.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	239	41274.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENDMHI: Perceived Mental Health - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=121869 / 28727255.35] [Invalid=3060 / 607955.61]

File : cchs-2011-2012

GENDMHI: Perceived Mental Health - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
0	POOR	1382	305187.3	1.1%
1	FAIR	6111	1327563.9	4.6%
2	GOOD	28573	6364981.1	22.2%
3	VERY GOOD	45191	10665294.1	37.1%
4	EXCELLENT	40612	10064229.0	35.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3060	607955.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENGSWL: Satisfaction with life in general

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=120753 / 28571118.01] [Invalid=4176 / 764092.95]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	47006	10736743.3	37.6%
2	SATISFIED	63433	15644051.9	54.8%
3	NEITHER	6790	1431623.8	5.0%
4	DISSATISFIED	2740	612436.4	2.1%
5	VERY DISSATISFIED	784	146262.5	0.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	4176	764093.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOORG: Voluntary organization-Participate (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=25034 / 6953284.4] [Invalid=99895 / 22381926.56]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25034	6953284.4	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	99895	22381926.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ORG_1: Member of a voluntary organization

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24531 / 6809595.66] [Invalid=100398 / 22525615.3]
Literal question	Are you a member of any voluntary organizations or associations such as school groups, church social groups, community centres, ethnic associations or social, civic or fraternal clubs?

File : cchs-2011-2012

ORG_1: Member of a voluntary organization

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7051	1782951.6	26.2%
2	NO	17480	5026644.1	73.8%
6	NOT APPLICABLE	99895	22381926.6	
7	DON'T KNOW	15	4849.6	
8	REFUSAL	1	198.5	
9	NOT STATED	487	138640.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ORG_2: Frequency - participate in activities

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=7037 / 1780629.55] [Invalid=117892 / 27554581.41]
Literal question	How often did you participate in meetings or activities of these groups in the past 12 months? If you belong to many, just think of the ones in which you are most active.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	>= ONCE A WEEK	2718	697338.2	39.2%
2	>= ONCE A MONTH	2097	520833.3	29.2%
3	>= 3 TO 4 T./YR	1204	307026.8	17.2%
4	>= ONCE A YEAR	492	126765.9	7.1%
5	NOT AT ALL	526	128665.5	7.2%
6	NOT APPLICABLE	117375	27408570.7	
7	DON'T KNOW	13	2168.4	
8	REFUSAL	1	153.6	
9	NOT STATED	503	143688.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSLP: Optional module: Sleep (SLP) - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=46172 / 11806197.16] [Invalid=78757 / 17529013.8]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	46172	11806197.2	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	78757	17529013.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLPG01: Number of hours spent sleeping per night

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=45068 / 11569376.12] [Invalid=79861 / 17765834.84]
Literal question	How long do you usually spend sleeping each night?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 2 HOURS	270	53705.5	0.5%
2	3 TO < 4 HOURS	611	138361.4	1.2%

File : cchs-2011-2012

SLPG01: Number of hours spent sleeping per night

Value	Label	Cases	Weighted	Percentage (Weighted)
3	4 TO < 5 HOURS	1876	452429.7	3.9%
4	5 TO < 6 HOURS	4442	1193998.7	10.3%
5	6 TO < 7 HOURS	9899	2683334.9	23.2%
6	7 TO < 8 HOURS	13394	3584726.6	31.0%
7	8 TO < 9 HOURS	10736	2581317.4	22.3%
8	9 TO < 10 HOURS	2451	574852.2	5.0%
9	10 TO < 11 HOURS	999	226362.0	2.0%
10	11 TO < 12 HOURS	206	44305.3	0.4%
11	>= 12 HOURS	184	35982.3	0.3%
96	NOT APPLICABLE	78757	17529013.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1104	236821.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLP_02: Frequency - trouble sleeping

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=45085 / 11572157.29] [Invalid=79844 / 17763053.67]
Literal question	How often do you have trouble going to sleep or staying asleep: (none of the time, a little of the time, some of the time, most of the time, or all of the time)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	11549	3151224.6	27.2%
2	A LITTLE OF THE TIME	12674	3302452.3	28.5%
3	SOME OF THE TIME	12266	3079242.9	26.6%
4	MOST OF THE TIME	5840	1385606.0	12.0%
5	ALL OF THE TIME	2756	653631.4	5.6%
6	NOT APPLICABLE	78757	17529013.8	
7	DON'T KNOW	197	29285.4	
8	REFUSAL	15	3009.0	
9	NOT STATED	875	201745.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLP_03: Frequency - find sleep refreshing

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=44971 / 11550261.31] [Invalid=79958 / 17784949.65]
Literal question	How often do you find your sleep refreshing?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1641	402780.4	3.5%
2	A LITTLE OF THE TIME	4590	1183667.8	10.2%
3	SOME OF THE TIME	9720	2565851.9	22.2%
4	MOST OF THE TIME	20369	5166195.9	44.7%
5	ALL OF THE TIME	8651	2231765.3	19.3%
6	NOT APPLICABLE	78757	17529013.8	
7	DON'T KNOW	314	52676.5	

File : cchs-2011-2012

SLP_03: Frequency - find sleep refreshing

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	12	1513.9	
9	NOT STATED	875	201745.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLP_04: Frequency - difficult to stay awake

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=44839 / 11522868.2] [Invalid=80090 / 17812342.76]
Literal question	How often do you find it difficult to stay awake when you want to?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NONE OF THE TIME	18741	4674534.0		40.6%
2	A LITTLE OF THE TIME	12595	3313204.9		28.8%
3	SOME OF THE TIME	9470	2469040.8		21.4%
4	MOST OF THE TIME	2938	772358.7	6.7%	
5	ALL OF THE TIME	1095	293729.8	2.5%	
6	NOT APPLICABLE	78757	17529013.8		
7	DON'T KNOW	442	78638.6		
8	REFUSAL	16	2944.9		
9	NOT STATED	875	201745.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOCIH: Changes made to improve health module (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=51571 / 12375719.96] [Invalid=73358 / 16959491]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	51571	12375720.0		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	73358	16959491.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_1: Past yr, did something to improve health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=50444 / 12147482.57] [Invalid=74485 / 17187728.39]
Literal question	In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking, increased exercise)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	30623	7579257.7		62.4%
2	NO	19821	4568224.9		37.6%
6	NOT APPLICABLE	73358	16959491.0		
7	DON'T KNOW	118	14638.0		
8	REFUSAL	8	638.1		
9	NOT STATED	1001	212961.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : cchs-2011-2012

CIH_2: Most important change to improve health

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=30534 / 7561534.96] [Invalid=94395 / 21773676]
Literal question	What is the single most important change you have made?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	MORE EXERCISE	15643	4008431.7		53.0%
2	LOST WEIGHT	3162	760183.7		10.1%
3	EATING HABITS	5418	1298815.8		17.2%
4	SMOKE LESS/STOP	1592	407227.6		5.4%
5	LESS ALCOHOL	246	76431.3		1.0%
6	REDUCE STRESS	442	122605.2		1.6%
7	MEDICAL TREATMENT	2038	393965.5		5.2%
8	TOOK VITAMINS	384	106759.2		1.4%
9	OTHER	1609	387115.0		5.1%
96	NOT APPLICABLE	93179	21527715.9		
97	DON'T KNOW	80	16544.1		
98	REFUSAL	9	1178.7		
99	NOT STATED	1127	228237.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_3: Anything else you shld do to improve hlth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=49962 / 12074951.2] [Invalid=74967 / 17260259.76]
Literal question	Do you think there is anything you should do to improve your physical health?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	34851	8829517.1		73.1%
2	NO	15111	3245434.1		26.9%
6	NOT APPLICABLE	73358	16959491.0		
7	DON'T KNOW	472	70751.6		
8	REFUSAL	10	1779.8		
9	NOT STATED	1127	228237.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_4: Most important thing to improve your hlth

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=34714 / 8808494.48] [Invalid=90215 / 20526716.48]
Literal question	What is the most important thing?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	MORE EXERCISE	17738	4504909.3		51.1%
2	LOSE WEIGHT	3089	723465.2		8.2%
3	EATING HABITS	6799	1732580.7		19.7%
4	SMOKE LESS/STOP	4064	1053256.9		12.0%
5	LESS ALCOHOL	276	75519.7		0.9%
6	REDUCE STRESS	665	228166.4		2.6%
7	MEDICAL TREATMENT	465	93989.5		1.1%

File : cchs-2011-2012

CIH_4: Most important thing to improve your hlth

Value	Label	Cases	Weighted	Percentage (Weighted)
8	TOOK VITAMINS	90	23697.3	0.3%
9	OTHER	1528	372909.5	4.2%
96	NOT APPLICABLE	88469	20204925.1	
97	DON'T KNOW	124	19156.3	
98	REFUSAL	13	1866.3	
99	NOT STATED	1609	300768.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_5: Any barriers to improving your health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=34705 / 8804986.15] [Invalid=90224 / 20530224.81]
Literal question	Is there anything stopping you from making this improvement?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18057	4785958.1	54.4%
2	NO	16648	4019028.0	45.6%
6	NOT APPLICABLE	88469	20204925.1	
7	DON'T KNOW	144	24206.9	
8	REFUSAL	2	324.0	
9	NOT STATED	1609	300768.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6A: Health barrier:Lack will power

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18022 / 4778607.92] [Invalid=106907 / 24556603.04]
Literal question	What is that? - Lack of will power / self-discipline

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6415	1613754.1	33.8%
2	NO	11607	3164853.8	66.2%
6	NOT APPLICABLE	105117	24223953.2	
7	DON'T KNOW	32	6978.3	
8	REFUSAL	3	371.8	
9	NOT STATED	1755	325299.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6I: Health barrier: Family responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18022 / 4778607.92] [Invalid=106907 / 24556603.04]
Literal question	What is that? - family responsabilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1998	611420.4	12.8%
2	NO	16024	4167187.6	87.2%
6	NOT APPLICABLE	105117	24223953.2	
7	DON'T KNOW	32	6978.3	
8	REFUSAL	3	371.8	

File : cchs-2011-2012

CIH_6I: Health barrier: Family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1755	325299.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6B: Health barrier: Work schedule

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18022 / 4778607.92] [Invalid=106907 / 24556603.04]
Literal question	What is that? -work schedule

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3200	1009902.6	21.1%
2	NO	14822	3768705.4	78.9%
6	NOT APPLICABLE	105117	24223953.2	
7	DON'T KNOW	32	6978.3	
8	REFUSAL	3	371.8	
9	NOT STATED	1755	325299.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6J: Hlth barrier: Addiction to drugs/alcohol

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18022 / 4778607.92] [Invalid=106907 / 24556603.04]
Literal question	What is that? - Addiction to drugs / alcohol

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	201	49691.4	1.0%
2	NO	17821	4728916.5	99.0%
6	NOT APPLICABLE	105117	24223953.2	
7	DON'T KNOW	32	6978.3	
8	REFUSAL	3	371.8	
9	NOT STATED	1755	325299.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6K: Health barrier: Physical condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18022 / 4778607.92] [Invalid=106907 / 24556603.04]
Literal question	What is that? - Physical condition

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	894	162608.9	3.4%
2	NO	17128	4615999.0	96.6%
6	NOT APPLICABLE	105117	24223953.2	
7	DON'T KNOW	32	6978.3	
8	REFUSAL	3	371.8	
9	NOT STATED	1755	325299.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6G: Health barrier: Disability/health problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

File : cchs-2011-2012

CIH_6G: Health barrier: Disability/health problem

Statistics [NW/ W]	[Valid=18022 / 4778607.92] [Invalid=106907 / 24556603.04]
Literal question	What is that? - disability / health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1534	318748.7	6.7%
2	NO	16488	4459859.2	93.3%
6	NOT APPLICABLE	105117	24223953.2	
7	DON'T KNOW	32	6978.3	
8	REFUSAL	3	371.8	
9	NOT STATED	1755	325299.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6F: Health barrier: Too stressed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18022 / 4778607.92] [Invalid=106907 / 24556603.04]
Literal question	What is that? - Too stressed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	695	197128.3	4.1%
2	NO	17327	4581479.6	95.9%
6	NOT APPLICABLE	105117	24223953.2	
7	DON'T KNOW	32	6978.3	
8	REFUSAL	3	371.8	
9	NOT STATED	1755	325299.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6E: Health barrier: Financial constraints

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18022 / 4778607.92] [Invalid=106907 / 24556603.04]
Literal question	What is that? - Too costly / financial constraints

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	820	228876.6	4.8%
2	NO	17202	4549731.3	95.2%
6	NOT APPLICABLE	105117	24223953.2	
7	DON'T KNOW	32	6978.3	
8	REFUSAL	3	371.8	
9	NOT STATED	1755	325299.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6L: Health barrier: Not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18022 / 4778607.92] [Invalid=106907 / 24556603.04]
Literal question	What is that? - Not available - in area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	205	46929.3	1.0%	
2	NO	17817	4731678.7		99.0%
6	NOT APPLICABLE	105117	24223953.2		
7	DON'T KNOW	32	6978.3		
8	REFUSAL	3	371.8		
9	NOT STATED	1755	325299.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6M: Health barrier: Transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18022 / 4778607.92] [Invalid=106907 / 24556603.04]
Literal question	What is that? - Transportation problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	109	28459.4	0.6%	
2	NO	17913	4750148.5		99.4%
6	NOT APPLICABLE	105117	24223953.2		
7	DON'T KNOW	32	6978.3		
8	REFUSAL	3	371.8		
9	NOT STATED	1755	325299.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6N: Health barrier: Weather problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18022 / 4778607.92] [Invalid=106907 / 24556603.04]
Literal question	What is that? - Weather problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	578	103199.2	2.2%	
2	NO	17444	4675408.7		97.8%
6	NOT APPLICABLE	105117	24223953.2		
7	DON'T KNOW	32	6978.3		
8	REFUSAL	3	371.8		
9	NOT STATED	1755	325299.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6H: Health barrier: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18022 / 4778607.92] [Invalid=106907 / 24556603.04]
Literal question	What is that? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3759	1064443.6	22.3%	
2	NO	14263	3714164.4		77.7%
6	NOT APPLICABLE	105117	24223953.2		

CIH_6H: Health barrier: Other

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	32	6978.3	
8	REFUSAL	3	371.8	
9	NOT STATED	1755	325299.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_7: Next yr, intend to improve physical hlth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=34248 / 8711251.82] [Invalid=90681 / 20623959.14]
Literal question	Is there anything you intend to do to improve your physical health in the next year?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27570	7165939.0	82.3%
2	NO	6678	1545312.8	17.7%
6	NOT APPLICABLE	88469	20204925.1	
7	DON'T KNOW	596	116186.9	
8	REFUSAL	7	2078.4	
9	NOT STATED	1609	300768.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8A: Improve physical health by: More exercise

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=27469 / 7146805.48] [Invalid=97460 / 22188405.48]
Literal question	What is that? - Start / Increase exercise, sports / physical activity

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19318	5058579.2	70.8%
2	NO	8151	2088226.3	29.2%
6	NOT APPLICABLE	95147	21750237.9	
7	DON'T KNOW	97	18680.4	
8	REFUSAL	4	453.1	
9	NOT STATED	2212	419034.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8B: Improve physical health by: Lose weight

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=27469 / 7146805.48] [Invalid=97460 / 22188405.48]
Literal question	What is that? - Lose weight

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2849	701432.4	9.8%
2	NO	24620	6445373.0	90.2%
6	NOT APPLICABLE	95147	21750237.9	
7	DON'T KNOW	97	18680.4	
8	REFUSAL	4	453.1	
9	NOT STATED	2212	419034.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8C: Improve physical health by: Change diet

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

CIH_8C: Improve physical health by: Change diet

| | Statistics [NW/ W] | [Valid=27469 / 7146805.48] [Invalid=97460 / 22188405.48] |

| | Literal question | What is that? - Change diet / improve eating habits |

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5953	1554893.0	21.8%
2	NO	21516	5591912.5	78.2%
6	NOT APPLICABLE	95147	21750237.9	
7	DON'T KNOW	97	18680.4	
8	REFUSAL	4	453.1	
9	NOT STATED	2212	419034.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8J: Improve phys hlth by:Quit/reduce smoking

| | Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |

| | Statistics [NW/ W] | [Valid=27469 / 7146805.48] [Invalid=97460 / 22188405.48] |

| | Literal question | What is that? - Quit smoking / reduce amount smoked |

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2534	686282.9	9.6%
2	NO	24935	6460522.6	90.4%
6	NOT APPLICABLE	95147	21750237.9	
7	DON'T KNOW	97	18680.4	
8	REFUSAL	4	453.1	
9	NOT STATED	2212	419034.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8K: Improve physical health by: Less alcohol

| | Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |

| | Statistics [NW/ W] | [Valid=27469 / 7146805.48] [Invalid=97460 / 22188405.48] |

| | Literal question | What is that? - Drink less alcohol |

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	237	72789.8	1.0%
2	NO	27232	7074015.7	99.0%
6	NOT APPLICABLE	95147	21750237.9	
7	DON'T KNOW	97	18680.4	
8	REFUSAL	4	453.1	
9	NOT STATED	2212	419034.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8G: Improve physical health by: Reduce stress

| | Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |

| | Statistics [NW/ W] | [Valid=27469 / 7146805.48] [Invalid=97460 / 22188405.48] |

| | Literal question | What is that? - Reduce stress level |

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	962	291250.6	4.1%
2	NO	26507	6855554.9	95.9%
6	NOT APPLICABLE	95147	21750237.9	
7	DON'T KNOW	97	18680.4	

CIH_8G: Improve physical health by: Reduce stress

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	4	453.1	
9	NOT STATED	2212	419034.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8L: Improve physicl hlth by:Medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=27469 / 7146805.48] [Invalid=97460 / 22188405.48]
Literal question	What is that? - Receive medical treatment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	813	187487.6	2.6%
2	NO	26656	6959317.8	97.4%
6	NOT APPLICABLE	95147	21750237.9	
7	DON'T KNOW	97	18680.4	
8	REFUSAL	4	453.1	
9	NOT STATED	2212	419034.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8H: Improve physical health by: Take vitamins

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=27469 / 7146805.48] [Invalid=97460 / 22188405.48]
Literal question	What is that? - Take vitamins

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	239	70202.9	1.0%
2	NO	27230	7076602.6	99.0%
6	NOT APPLICABLE	95147	21750237.9	
7	DON'T KNOW	97	18680.4	
8	REFUSAL	4	453.1	
9	NOT STATED	2212	419034.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8I: Improve physical health by: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=27469 / 7146805.48] [Invalid=97460 / 22188405.48]
Literal question	What is that? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1769	464926.7	6.5%
2	NO	25700	6681878.8	93.5%
6	NOT APPLICABLE	95147	21750237.9	
7	DON'T KNOW	97	18680.4	
8	REFUSAL	4	453.1	
9	NOT STATED	2212	419034.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOOH1: Theme module: Oral health 1 (OH1)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6962 / 1002096.22] [Invalid=117967 / 28333114.74]

DOOH1: Theme module: Oral health 1 (OH1)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6962	1002096.2	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH1_20: Self-perceived health of teeth and mouth

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6790 / 988139.64] [Invalid=118139 / 28347071.32]
Literal question	In general, would you say the health of your teeth and mouth is:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	1353	195821.8	19.8%
2	VERY GOOD	2340	350659.7	35.5%
3	GOOD	2119	296285.4	30.0%
4	FAIR	681	100934.8	10.2%
5	POOR	297	44438.0	4.5%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	44	3214.2	
8	REFUSAL	2	114.0	
9	NOT STATED	126	10628.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH1_21A: Can you chew firm foods

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6773 / 986968.55] [Invalid=118156 / 28348242.41]
Literal question	Now a few questions about your ability to chew different foods, whether you eat them or not. Can you: ...chew firm foods (e.g., meat)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6577	957703.0	97.0%
2	NO	196	29265.6	3.0%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	15	1104.2	
8	REFUSAL	2	66.9	
9	NOT STATED	172	13956.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH1_21B: Can you bite off and chew fresh apple

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6768 / 985923.14] [Invalid=118161 / 28349287.82]
Literal question	(Can you:) ...bite off and chew a piece of fresh apple?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6227	925264.6	93.8%
2	NO	541	60658.5	6.2%
6	NOT APPLICABLE	117967	28333114.7	

OH1_21B: Can you bite off and chew fresh apple

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	21	2133.5	
8	REFUSAL	1	83.0	
9	NOT STATED	172	13956.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH1_21C: Can you chew boiled vegetables

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6788 / 987783.67] [Invalid=118141 / 28347427.29]
Literal question	(Can you:) ...chew boiled vegetables?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6761	982248.0	99.4%
2	NO	27	5535.6	0.6%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	2	356.0	
8	REFUSAL	0	0.0	
9	NOT STATED	172	13956.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH1_22: Past mth, pain/discomfort in mouth/gums

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=6775 / 986377.88] [Invalid=118154 / 28348833.08]
Literal question	In the past month, how often have you had any pain or discomfort in your teeth or gums?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN	300	54651.6	5.5%
2	SOMETIMES	941	143987.6	14.6%
3	RARELY	1703	235540.3	23.9%
4	NEVER	3831	552198.4	56.0%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	15	1761.8	
8	REFUSAL	0	0.0	
9	NOT STATED	172	13956.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWT_4: Weight: Do you consider yourself

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=117456 / 27790767.73] [Invalid=7473 / 1544443.23]
Literal question	Do you consider yourself:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OVERWEIGHT	48768	10771102.2	38.8%
2	UNDERWEIGHT	4710	1187333.5	4.3%
3	JUST ABOUT RIGHT	63978	15832332.1	57.0%
6	NOT APPLICABLE	1025	262762.7	
7	DON'T KNOW	313	54383.4	
8	REFUSAL	20	3284.1	
9	NOT STATED	6115	1224013.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTGHTM: Height (metres) / self-reported - (D,G)

Information	[Type= continuous] [Format=numeric] [Range= 0.914-2.134] [Missing=*]
Statistics [NW/ W]	[Valid=120006 / 28305860.46] [Invalid=4923 / 1029350.5]

Value	Label	Cases	Weighted	Percentage (Weighted)
0.914	0.926 M OR LESS	0	0.0	
0.94	0.927 TO 0.952 M	0	0.0	
0.965	0.953 TO 0.977 M	0	0.0	
0.991	0.978 TO 1.002 M	0	0.0	
1.016	1.003 TO 1.028 M	0	0.0	
1.041	1.029 TO 1.053 M	0	0.0	
1.067	1.054 TO 1.079 M	0	0.0	
1.092	1.080 TO 1.104 M	0	0.0	
1.118	1.105 TO 1.129 M	0	0.0	
1.143	1.130 TO 1.155 M	0	0.0	
1.168	1.156 TO 1.180 M	0	0.0	
1.194	1.181 TO 1.206 M	0	0.0	
1.219	1.207 TO 1.231 M	0	0.0	
1.245	1.232 TO 1.256 M	0	0.0	
1.27	1.257 TO 1.282 M	18	3486.7	0.0%
1.295	1.283 TO 1.307 M	3	1120.8	0.0%
1.321	1.308 TO 1.333 M	19	2961.4	0.0%
1.346	1.334 TO 1.358 M	17	4855.8	0.0%
1.372	1.359 TO 1.383 M	28	7204.2	0.0%
1.397	1.384 TO 1.409 M	71	9582.0	0.0%
1.422	1.410 TO 1.434 M	90	17465.0	0.1%
1.448	1.435 TO 1.460 M	263	43111.8	0.2%
1.473	1.461 TO 1.485 M	762	146043.2	0.5%
1.499	1.486 TO 1.510 M	1638	361124.9	1.3%
1.524	1.511 TO 1.536 M	4457	938828.4	3.3%
1.549	1.537 TO 1.561 M	5185	1058508.6	3.7%
1.575	1.562 TO 1.587 M	9638	1964750.8	6.9%
1.6	1.588 TO 1.612 M	9414	2116321.5	7.5%
1.626	1.613 TO 1.637 M	11005	2397971.5	8.5%
1.651	1.638 TO 1.663 M	9346	2206448.8	7.8%
1.676	1.664 TO 1.688 M	10856	2454082.7	8.7%
1.702	1.689 TO 1.714 M	10212	2539888.6	9.0%
1.727	1.715 TO 1.739 M	9808	2396278.6	8.5%
1.753	1.740 TO 1.764 M	8013	1969275.2	7.0%
1.778	1.765 TO 1.790 M	8769	2235566.4	7.9%
1.803	1.791 TO 1.815 M	7144	1901866.2	6.7%
1.829	1.816 TO 1.841 M	5829	1524300.8	5.4%
1.854	1.842 TO 1.866 M	3102	828398.4	2.9%
1.88	1.867 TO 1.891 M	2210	605771.6	2.1%
1.905	1.892 TO 1.917 M	1095	289326.5	1.0%
1.93	1.918 TO 1.942 M	787	220016.0	0.8%
1.956	1.943 TO 1.968 M	227	61304.0	0.2%
1.981	1.969 TO 1.993 M	0	0.0	

HWTGHTM: Height (metres) / self-reported - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
2.007	1.994 TO 2.018 M	0	0.0	
2.032	2.019 TO 2.044 M	0	0.0	
2.057	2.045 TO 2.069 M	0	0.0	
2.083	2.070 TO 2.095 M	0	0.0	
2.108	2.096 TO 2.120 M	0	0.0	
2.134	2.121M OR TALLER	0	0.0	
9.996	NOT APPLICABLE	1025	262762.7	
9.997	DON'T KNOW	0	0.0	
9.998	REFUSAL	0	0.0	
9.999	NOT STATED	3898	766587.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTGWTK: Weight (kilograms)/self-reported - (D,G)

Information	[Type= continuous] [Format=numeric] [Range= 30.6-135] [Missing=*]
Statistics [NW/ W]	[Valid=117697 / 27820365.65] [Invalid=7232 / 1514845.31] [Mean=74.467 / 74.041] [StdDev=17.471 / 17.284]

Value	Label	Cases	Weighted	Percentage (Weighted)
999.96	NOT APPLICABLE	0	0.0	
999.97	DON'T KNOW	0	0.0	
999.98	REFUSAL	0	0.0	
999.99	NOT STATED	7232	1514845.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTGBMI: BMI / self-report - (D,G)

Information	[Type= continuous] [Format=numeric] [Range= 11.91-54.96] [Missing=*]
Statistics [NW/ W]	[Valid=116937 / 27680524.79] [Invalid=7992 / 1654686.17] [Mean=26.097 / 25.665] [StdDev=5.335 / 5.108]

Value	Label	Cases	Weighted	Percentage (Weighted)
999.96	NOT APPLICABLE	0	0.0	
999.97	DON'T KNOW	0	0.0	
999.98	REFUSAL	0	0.0	
999.99	NOT STATED	7992	1654686.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTGISW: BMI class. (18 +) / self-report - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=107691 / 25508011.36] [Invalid=17238 / 3827199.6]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	UNDERWEIGHT	2413	643303.8	2.5%
2	NORMAL WEIGHT	45206	11524467.3	45.2%
3	OVERWEIGHT	37383	8660882.3	34.0%
4	OBESE	22689	4679358.0	18.3%
6	NOT APPLICABLE	10455	2437826.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	6783	1389373.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTDCOL: BMI class. (12-17) / self-report. - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=9006 / 2117647.19] [Invalid=115923 / 27217563.77]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NEITHER	6973	1671136.9		78.9%
2	OVERWEIGHT	1520	345776.6		16.3%
3	OBESE	513	100733.6		4.8%
6	NOT APPLICABLE	114474	26897384.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1449	320178.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_031: Do you have asthma

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124775 / 29303330.44] [Invalid=154 / 31880.52]
Literal question	^DOVERB_C ^YOU2 have asthma?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	10986	2443261.4		8.3%
2	NO	113789	26860069.0		91.7%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	119	26833.2		
8	REFUSAL	34	4744.2		
9	NOT STATED	1	303.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_035: Past yr,have had asthma symptoms/attacks

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10958 / 2438870.32] [Invalid=113971 / 26896340.64]
Literal question	^HAVE_C ^YOU1 had any asthma symptoms or asthma attacks in the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5666	1260476.9		51.7%
2	NO	5292	1178393.4		48.3%
6	NOT APPLICABLE	113789	26860069.0		
7	DON'T KNOW	26	4044.3		
8	REFUSAL	2	346.8		
9	NOT STATED	154	31880.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_036: Past yr, have taken medicine for asthma

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10977 / 2441541.44] [Invalid=113952 / 26893669.52]
Literal question	In the past 12 months, ^HAVE ^YOU1 taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	8573	1862326.0		76.3%
2	NO	2404	579215.5		23.7%

CCC_036: Past yr, have taken medicine for asthma

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	113789	26860069.0	
7	DON'T KNOW	9	1720.0	
8	REFUSAL	0	0.0	
9	NOT STATED	154	31880.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_051: Do you have arthritis(excl. fibromyalgia)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=119518 / 28142999.98] [Invalid=5411 / 1192210.98]
Literal question	^DOVERB_C ^YOU1 have arthritis, excluding fibromyalgia?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27490	4564349.0	16.2%
2	NO	92028	23578650.9	83.8%
6	NOT APPLICABLE	5093	1129649.2	
7	DON'T KNOW	276	55736.9	
8	REFUSAL	7	1777.6	
9	NOT STATED	35	5047.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_061: Have back problems(excl fibro&arthritis)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124704 / 29292878.4] [Invalid=225 / 42332.56]
Literal question	^DOVERB_C ^YOU2 have back problems, excluding fibromyalgia and arthritis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25809	5413987.8	18.5%
2	NO	98895	23878890.6	81.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	182	35554.7	
8	REFUSAL	8	1730.5	
9	NOT STATED	35	5047.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_071: Do you have high blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124445 / 29246226.87] [Invalid=484 / 88984.09]
Literal question	Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more. ^DOVERB_C ^YOU2 have high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	28864	5112227.0	17.5%
2	NO	95581	24133999.8	82.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	436	80908.7	
8	REFUSAL	13	3028.0	
9	NOT STATED	35	5047.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_072: Have been diagnosed w/high blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=95748 / 24166468.78] [Invalid=29181 / 5168742.18]
Literal question	^HAVE_C ^YOU1 ever been diagnosed with high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6713	1283966.1	5.3%
2	NO	89035	22882502.7	94.7%
6	NOT APPLICABLE	28864	5112227.0	
7	DON'T KNOW	264	47780.1	
8	REFUSAL	5	659.7	
9	NOT STATED	48	8075.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_073: Past mth,medicine for high blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=35514 / 6387908.41] [Invalid=89415 / 22947302.55]
Literal question	In the past month, ^HAVE ^YOU1 taken any medicine for high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	28479	4858309.0	76.1%
2	NO	7035	1529599.4	23.9%
6	NOT APPLICABLE	89035	22882502.7	
7	DON'T KNOW	61	8193.2	
8	REFUSAL	2	91.4	
9	NOT STATED	317	56515.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_073A: Pregnant diagnosed w/high blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17259 / 2718598.28] [Invalid=107670 / 26616612.68]
Literal question	In the past month, have you taken any medicine for high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	935	175963.6	6.5%
2	NO	16324	2542634.7	93.5%
6	NOT APPLICABLE	107289	26563341.7	
7	DON'T KNOW	217	26861.0	
8	REFUSAL	6	489.0	
9	NOT STATED	158	25920.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_073B: Not when pregnant,told high blood pressre

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=933 / 175662.75] [Invalid=123996 / 29159548.21]
Literal question	Other than during pregnancy, has a health professional ever told you that you have high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	813	146606.1	83.5%
2	NO	120	29056.6	16.5%
6	NOT APPLICABLE	123612	29105875.9	

CCC_073B: Not when pregnant,told high blood pressre

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	3	401.4	
8	REFUSAL	0	0.0	
9	NOT STATED	381	53270.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_081: Do you have migraine headaches

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124787 / 29310418.56] [Invalid=142 / 24792.4]
Literal question	Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more.Do you have migraine headaches?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12061	3014692.1	10.3%
2	NO	112726	26295726.5	89.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	102	18305.1	
8	REFUSAL	5	1440.0	
9	NOT STATED	35	5047.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_091: Do you have COPD(eg bronchitis,emphysema)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=88734 / 19124831.94] [Invalid=36195 / 10210379.02]
Literal question	^DOVERB_C ^YOU2 have chronic bronchitis, emphysema or chronic obstructive pulmonary disease or COPD?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4963	793097.2	4.1%
2	NO	83771	18331734.7	95.9%
6	NOT APPLICABLE	35973	10176781.5	
7	DON'T KNOW	181	27332.7	
8	REFUSAL	8	1610.9	
9	NOT STATED	33	4653.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_101: Do you have diabetes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124777 / 29306977.83] [Invalid=152 / 28233.13]
Literal question	(Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more.) ^DOVERB_C ^YOU2 have diabetes?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10279	1857969.0	6.3%
2	NO	114498	27449008.8	93.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	104	19765.3	
8	REFUSAL	13	3420.4	
9	NOT STATED	35	5047.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCG102: Age when diagnosed with diabetes

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=10177 / 1845545.44] [Invalid=114752 / 27489665.52]
Literal question	How old were you when this was first diagnosed?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	0 TO 11 YEARS	207	45678.1	2.5%
2	12 TO 17 YEARS	160	33658.0	1.8%
3	18 TO 24 YEARS	199	46673.9	2.5%
4	25 TO 29 YEARS	221	45640.1	2.5%
5	30 TO 34 YEARS	350	73249.7	4.0%
6	35 TO 39 YEARS	443	111569.8	6.0%
7	40 TO 44 YEARS	792	162540.1	8.8%
8	45 TO 49 YEARS	1019	241971.5	13.1%
9	50 TO 54 YEARS	1465	270326.5	14.6%
10	55 TO 59 YEARS	1389	227267.4	12.3%
11	60 TO 64 YEARS	1479	234500.9	12.7%
12	65 TO 69 YEARS	1024	151017.0	8.2%
13	70 TO 74 YEARS	753	111131.2	6.0%
14	75 TO 79 YEARS	400	53739.2	2.9%
15	80 YEARS OR MORE	276	36582.0	2.0%
96	NOT APPLICABLE	114498	27449008.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	254	40656.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_10A: Pregnant when diagnosed with diabetes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1653 / 358987.17] [Invalid=123276 / 28976223.79]
Literal question	^WERE ^YOU1 pregnant when ^YOU1 ^WERE first diagnosed with diabetes?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	237	66397.0	18.5%
2	NO	1416	292590.2	81.5%
6	NOT APPLICABLE	123200	28962598.6	
7	DON'T KNOW	8	1605.8	
8	REFUSAL	0	0.0	
9	NOT STATED	68	12019.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_10B: Told have diabetes (not when pregnant)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=237 / 66397.02] [Invalid=124692 / 29268813.94]
Literal question	Other than during pregnancy, has a health professional ever told ^YOU2 that ^YOU1 ^HAVE diabetes?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	168	46754.0	70.4%
2	NO	69	19643.0	29.6%
6	NOT APPLICABLE	124616	29255188.7	

CCC_10B: Told have diabetes (not when pregnant)

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	76	13625.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_10C: Time before start insulin after diagnosis

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=10145 / 1829751.86] [Invalid=114784 / 27505459.1]
Literal question	When ^YOU1 ^WERE first diagnosed with diabetes, how long was it before ^YOU1 ^WERE started on insulin?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 MONTH	882	163883.9	9.0%
2	1 TO < 2 MONTHS	71	10732.0	0.6%
3	2 TO < 6 MONTHS	102	15985.9	0.9%
4	6 MONTH - < 1 YR	116	22558.7	1.2%
5	>= 1 YR	1595	287593.2	15.7%
6	NEVER	7379	1328998.1	72.6%
96	NOT APPLICABLE	114567	27468651.8	
97	DON'T KNOW	63	8550.4	
98	REFUSAL	2	23.8	
99	NOT STATED	152	28233.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_105: Do you take insulin for your diabetes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10201 / 1835620.16] [Invalid=114728 / 27499590.8]
Literal question	^DOVERB_C ^YOU2 currently take insulin for ^YOUR1 diabetes?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2538	455319.9	24.8%
2	NO	7663	1380300.3	75.2%
6	NOT APPLICABLE	114567	27468651.8	
7	DON'T KNOW	7	1708.7	
8	REFUSAL	2	997.2	
9	NOT STATED	152	28233.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_106: Past mth,take pills to contrl blood sugar

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10175 / 1833557.63] [Invalid=114754 / 27501653.33]
Literal question	In the past month, did ^YOU2 take pills to control ^YOUR1 blood sugar?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7610	1390976.9	75.9%
2	NO	2565	442580.7	24.1%
6	NOT APPLICABLE	114567	27468651.8	
7	DON'T KNOW	34	4701.7	
8	REFUSAL	1	66.7	

CCC_106: Past mth,take pills to contrl blood sugar

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	152	28233.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_121: Do you have heart disease

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124538 / 29277211.78] [Invalid=391 / 57999.18]
Literal question	^DOVERB_C ^YOU1 have heart disease?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8775	1427592.6	4.9%
2	NO	115763	27849619.2	95.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	342	49304.2	
8	REFUSAL	14	3647.7	
9	NOT STATED	35	5047.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_131: Do you have cancer

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124722 / 29296771.97] [Invalid=207 / 38438.99]
Literal question	(^DOVERB_C ^YOU1 have:) ... cancer?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3886	653162.9	2.2%
2	NO	120836	28643609.1	97.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	157	29724.6	
8	REFUSAL	15	3667.0	
9	NOT STATED	35	5047.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_31A: Have you ever been diagnosed with cancer

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=120883 / 28652103.33] [Invalid=4046 / 683107.63]
Literal question	^HAVE ^YOU1 ever been diagnosed with cancer?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7720	1271201.0	4.4%
2	NO	113163	27380902.3	95.6%
6	NOT APPLICABLE	3890	653542.8	
7	DON'T KNOW	104	20565.6	
8	REFUSAL	2	284.9	
9	NOT STATED	50	8714.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_141: Do you have intestinal/stomach ulcers

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124572 / 29276701.06] [Invalid=357 / 58509.9]
Literal question	Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more.

CCC_141: Do you have intestinal/stomach ulcers

	^DOVERB ^YOU1 have intestinal or stomach ulcers?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3563	717410.0	2.5%
2	NO	121009	28559291.0	97.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	304	49638.9	
8	REFUSAL	18	3823.6	
9	NOT STATED	35	5047.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_151: Do you suffer from effects of stroke

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124765 / 29308544.43] [Invalid=164 / 26666.53]
Literal question	^DOVERB ^YOU2 suffer from the effects of a stroke?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2075	333602.4	1.1%
2	NO	122690	28974942.0	98.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	119	18759.0	
8	REFUSAL	10	2860.2	
9	NOT STATED	35	5047.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_161: Do you have urinary incontinence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=104046 / 23683227.26] [Invalid=20883 / 5651983.7]
Literal question	"(^DOVERB ^YOU2 have.::.) . Urinary incontinence?"

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6504	1017115.8	4.3%	
2	NO	97542	22666111.5		95.7%
6	NOT APPLICABLE	20666	5614593.4		
7	DON'T KNOW	161	26611.0		
8	REFUSAL	21	5761.6		
9	NOT STATED	35	5017.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_171: Do you have a bowel disorder/incontinence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124656 / 29287411.69] [Invalid=273 / 47799.27]
Literal question	^DOVERB_C ^YOU2 have a bowel disorder such as Crohn's Disease, ulcerative colitis, Irritable Bowel Syndrome or bowel incontinence?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6603	1254550.2	4.3%	
2	NO	118053	28032861.5		95.7%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	221	36681.1		
8	REFUSAL	17	6070.9		
9	NOT STATED	35	5047.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_17A: Type of bowel disease

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6500 / 1241091.94] [Invalid=118429 / 28094119.02]
Literal question	What kind of bowel disease do you have?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	CROHN'S DISEASE	535	99873.1	8.0%	
2	ULCERATIVE COLITIS	711	132816.6	10.7%	
3	IRRITABLE BOWEL	3768	746334.6		60.1%
4	INCONTINENCE	319	58046.2	4.7%	
5	OTHER	1167	204021.4	16.4%	
6	NOT APPLICABLE	118053	28032861.5		
7	DON'T KNOW	99	12903.0		
8	REFUSAL	4	555.2		
9	NOT STATED	273	47799.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_280: Do you have a mood disorder

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124697 / 29291953.3] [Invalid=232 / 43257.66]
Literal question	Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more.

CCC_280: Do you have a mood disorder

				^DOVERB_C ^YOU2 have a mood disorder such as depression, bipolar disorder, mania or dysthymia?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9853	2074137.8	7.1%
2	NO	114844	27217815.5	92.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	168	30562.4	
8	REFUSAL	29	7647.9	
9	NOT STATED	35	5047.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_290: Do you have an anxiety disorder

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124669 / 29285734.8] [Invalid=260 / 49476.16]
Literal question	^DOVERB_C ^YOU2 have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8163	1877355.1	6.4%
2	NO	116506	27408379.7	93.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	192	35341.1	
8	REFUSAL	33	9087.7	
9	NOT STATED	35	5047.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCDDIA: Diabetes type

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=10080 / 1830089.76] [Invalid=114849 / 27505121.2]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	TYPE 1 DIABETES	323	76036.0	4.2%
2	TYPE 2 DIABETES	9560	1714525.7	93.7%
3	GESTATIONAL	30	5394.3	0.3%
4	NOT CLASSIFIED	167	34133.8	1.9%
6	NOT APPLICABLE	114444	27437678.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	405	67442.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DODIA: Diabetes care - Inclusion Flag - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=55955 / 13350702.33] [Invalid=68974 / 15984508.63]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	55955	13350702.3	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	68974	15984508.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

DODIA: Diabetes care - Inclusion Flag - (F)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_01: Past yr,tested for "A-one-C" haemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4818 / 855252.45] [Invalid=120111 / 28479958.51]
Literal question	In the past 12 months, has a health care professional tested ^YOU2 for haemoglobin "A- one-C"? (An "Aone- C" haemoglobin test measures the average level of blood sugar over a 3-month period.)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4086	740284.4		86.6%
2	NO	732	114968.0	13.4%	
6	NOT APPLICABLE	119857	28432364.2		
7	DON'T KNOW	186	35268.3		
8	REFUSAL	0	0.0		
9	NOT STATED	68	12326.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_02: # times tested for haemoglobin A-one-C

Information	[Type= continuous] [Format=numeric] [Range= 1-90] [Missing=*]
Statistics [NW/ W]	[Valid=3978 / 722118.52] [Invalid=120951 / 28613092.44] [Mean=3.443 / 3.353] [StdDev=3.789 / 3.391]
Literal question	How many times? (In the past 12 months, has a health care professional tested ^YOU2 for haemoglobin "A-one-C"?)

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	120589	28547332.2	
997	DON'T KNOW	101	13298.1	
998	REFUSAL	7	4867.8	
999	NOT STATED	254	47594.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_03: Past yr,feet checked by hlth professional

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=4956 / 880405.97] [Invalid=119973 / 28454804.99]
Literal question	In the past 12 months, has a health care professional checked ^YOUR1 feet for any sores or irritations?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2844	512303.4		58.2%
2	NO	2112	368102.6	41.8%	
3	NO FEET	0	0.0		
6	NOT APPLICABLE	119857	28432364.2		
7	DON'T KNOW	47	10032.0		
8	REFUSAL	1	82.8		
9	NOT STATED	68	12326.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_04: # times feet checked by hlth professional

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=2782 / 501584.24] [Invalid=122147 / 28833626.72] [Mean=4.125 / 3.815] [StdDev=8.284 / 6.542]
Literal question	How many times? (In the past 12 months, has a health care professional checked ^YOUR1 feet for any sores or irritations?)

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	121989	28803975.0	

DIA_04: # times feet checked by hlth professional

Value	Label	Cases	Weighted	Percentage (Weighted)
997	DON'T KNOW	59	10455.1	
998	REFUSAL	3	264.0	
999	NOT STATED	96	18932.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_05: Past yr,hlth prof tested urine for protein

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4721 / 837663.85] [Invalid=120208 / 28497547.11]
Literal question	In the past 12 months, has a health care professional tested ^YOUR1 urine for protein (i.e., Microalbumin)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3659	682069.9	81.4%
2	NO	1062	155594.0	18.6%
6	NOT APPLICABLE	119857	28432364.2	
7	DON'T KNOW	278	51177.3	
8	REFUSAL	5	1679.6	
9	NOT STATED	68	12326.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_06: Ever had eye exam with pupils dilated

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4900 / 876024.73] [Invalid=120029 / 28459186.23]
Literal question	^HAVE_C ^YOU2 ever had an eye exam where the pupils of ^YOUR1 eyes were dilated? (This procedure would have made ^HIMHER temporarily sensitive to light.)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3900	703387.1	80.3%
2	NO	1000	172637.6	19.7%
6	NOT APPLICABLE	119857	28432364.2	
7	DON'T KNOW	103	14423.7	
8	REFUSAL	1	72.3	
9	NOT STATED	68	12326.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_07: Last time: eye exam w/pupils dilated

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3885 / 701304.48] [Invalid=121044 / 28633906.48]
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 MONTH	585	102301.4	14.6%
2	1 MONTH TO 1 YEAR	2306	422285.8	60.2%
3	1 TO < 2 YEARS	596	110736.5	15.8%
4	2 OR MORE YEARS	398	65980.7	9.4%
6	NOT APPLICABLE	120857	28605001.8	
7	DON'T KNOW	14	2028.3	
8	REFUSAL	1	54.4	
9	NOT STATED	172	26822.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_08: How often is your glucose/sugar checked

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=4966 / 886305.82] [Invalid=119963 / 28448905.14]
Literal question	How often ^DOVERB ^YOU2 usually have ^YOUR1 blood checked for glucose or sugar by ^YOURSELF or by a family member or friend?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	PER DAY	2736	484944.9	54.7%
2	PER WEEK	1313	231283.2	26.1%
3	PER MONTH	353	64360.0	7.3%
4	PER YEAR	117	21207.0	2.4%
5	NEVER	447	84510.6	9.5%
6	NOT APPLICABLE	119857	28432364.2	
7	DON'T KNOW	37	4114.2	
8	REFUSAL	1	100.7	
9	NOT STATED	68	12326.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N8B: # of times glucose checked/sugar per day

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=2726 / 484040.13] [Invalid=122203 / 28851170.83]
Interviewer's instructions	Interviewer: Enter the number of times per day.

Value	Label	Cases	Weighted	Percentage (Weighted)
1		1095	183370.3	37.9%
2		789	151126.5	31.2%
3		378	64913.8	13.4%
4		309	53798.9	11.1%
5		70	13380.7	2.8%
6		43	7853.3	1.6%
7		15	3188.5	0.7%
8		10	3318.1	0.7%
9		2	645.2	0.1%
10		10	1278.4	0.3%
11		1	353.1	0.1%
12		3	550.8	0.1%
15		1	262.7	0.1%
996	NOT APPLICABLE	122087	28833725.2	
997	DON'T KNOW	10	904.8	
998	REFUSAL	0	0.0	
999	NOT STATED	106	16540.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N8C: # of times glucose checked/sugar per week

Information	[Type= discrete] [Format=numeric] [Range= 1-20] [Missing=*]
Statistics [NW/ W]	[Valid=1311 / 231111.09] [Invalid=123618 / 29104099.87]
Interviewer's instructions	Interviewer: Enter the number of times per week.

Value	Label	Cases	Weighted	Percentage (Weighted)
1		362	62964.7	27.2%

DIA_N8C: # of times glucose checked/sugar per week

Value	Label	Cases	Weighted	Percentage (Weighted)
2		348	64202.7	27.8%
3		338	58953.7	25.5%
4		184	33845.5	14.6%
5		55	8754.4	3.8%
6		11	921.0	0.4%
7		2	102.9	0.0%
9		1	115.3	0.0%
10		4	336.5	0.1%
11		1	101.2	0.0%
12		2	479.8	0.2%
18		1	105.7	0.0%
20		2	227.6	0.1%
996	NOT APPLICABLE	123510	29087386.8	
997	DON'T KNOW	2	172.1	
998	REFUSAL	0	0.0	
999	NOT STATED	106	16540.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N8D: # of times glucose checked/sugar per mth

Information	[Type= discrete] [Format=numeric] [Range= 1-30] [Missing=*]
Statistics [NW/ W]	[Valid=350 / 63625.47] [Invalid=124579 / 29271585.49]
Interviewer's instructions	Interviewer: Enter the number of times per month.

Value	Label	Cases	Weighted	Percentage (Weighted)
1		182	41096.7	64.6%
2		115	16319.3	25.6%
3		23	2933.7	4.6%
4		10	734.0	1.2%
5		4	761.8	1.2%
6		2	197.5	0.3%
7		3	432.5	0.7%
9		1	79.2	0.1%
10		4	258.1	0.4%
15		4	641.8	1.0%
20		1	124.4	0.2%
30		1	46.5	0.1%
996	NOT APPLICABLE	124470	29254310.0	
997	DON'T KNOW	3	734.6	
998	REFUSAL	0	0.0	
999	NOT STATED	106	16540.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N8E: # of times glucose checked/sugar per year

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=116 / 21131.63] [Invalid=124813 / 29314079.33]
Interviewer's instructions	Interviewer: Enter the number of times per year.

DIA_N8E: # of times glucose checked/sugar per year

Value	Label	Cases	Weighted	Percentage (Weighted)
1		16	2670.6	12.6%
2		32	4945.1	23.4%
3		12	4467.7	21.1%
4		38	4201.0	19.9%
5		2	708.2	3.4%
6		9	1120.0	5.3%
7		1	2233.0	10.6%
8		1	60.3	0.3%
9		1	159.8	0.8%
10		1	313.8	1.5%
15		1	151.5	0.7%
24		1	68.5	0.3%
99		1	32.0	0.2%
996	NOT APPLICABLE	124706	29297463.0	
997	DON'T KNOW	1	75.4	
998	REFUSAL	0	0.0	
999	NOT STATED	106	16540.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_09: How often feet checked by self/other

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=4870 / 870175.28] [Invalid=120059 / 28465035.68]
Literal question	How often ^DOVERB ^YOU2 usually have ^YOUR1 feet checked for any sores or irritations by ^YOURSELF or by a family member or friend?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	PER DAY	1952	336785.6	38.7%
2	PER WEEK	1108	199108.8	22.9%
3	PER MONTH	366	67976.8	7.8%
4	PER YEAR	271	41657.3	4.8%
5	NEVER	1173	224646.8	25.8%
6	NOT APPLICABLE	119857	28432364.2	
7	DON'T KNOW	132	20178.0	
8	REFUSAL	2	167.4	
9	NOT STATED	68	12326.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N9B: # of times feet checked per day

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=1938 / 334225.85] [Invalid=122991 / 29000985.11]
Interviewer's instructions	Interviewer: Enter the number of times per day.

Value	Label	Cases	Weighted	Percentage (Weighted)
1		1842	318354.9	95.3%
2		71	12510.3	3.7%
3		16	2099.4	0.6%
4		3	627.4	0.2%

DIA_N9B: # of times feet checked per day

Value	Label	Cases	Weighted	Percentage (Weighted)
7		2	239.8	0.1%
11		2	259.2	0.1%
12		1	55.4	0.0%
99		1	79.3	0.0%
996	NOT APPLICABLE	122775	28965754.0	
997	DON'T KNOW	14	2559.7	
998	REFUSAL	0	0.0	
999	NOT STATED	202	32671.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N9C: # of times feet checked per week

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=1103 / 198582.15] [Invalid=123826 / 29136628.81]
Interviewer's instructions	Interviewer: Enter the number of times per week.

Value	Label	Cases	Weighted	Percentage (Weighted)
1		540	107559.6	54.2%
2		230	38895.4	19.6%
3		212	28392.5	14.3%
4		82	13993.3	7.0%
5		33	8782.9	4.4%
6		2	512.6	0.3%
7		4	445.7	0.2%
996	NOT APPLICABLE	123619	29103430.8	
997	DON'T KNOW	5	526.6	
998	REFUSAL	0	0.0	
999	NOT STATED	202	32671.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N9D: # of times feet checked per month

Information	[Type= discrete] [Format=numeric] [Range= 1-47] [Missing=*]
Statistics [NW/ W]	[Valid=364 / 67852.34] [Invalid=124565 / 29267358.62]
Interviewer's instructions	Interviewer: Enter the number of times per month.

Value	Label	Cases	Weighted	Percentage (Weighted)
1		272	49572.7	73.1%
2		76	15766.6	23.2%
3		6	673.0	1.0%
4		6	1285.0	1.9%
6		1	71.6	0.1%
8		1	179.6	0.3%
15		1	33.6	0.0%
47		1	270.2	0.4%
996	NOT APPLICABLE	124361	29234562.7	
997	DON'T KNOW	2	124.5	
998	REFUSAL	0	0.0	
999	NOT STATED	202	32671.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N9E: # of times feet checked per year

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=270 / 41482.11] [Invalid=124659 / 29293728.85]
Interviewer's instructions	Interviewer: Enter the number of times per year.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1		61	11970.6		28.9%
2		58	9698.8		23.4%
3		21	3590.4		8.7%
4		49	7097.1		17.1%
5		8	510.6		1.2%
6		41	5316.6		12.8%
7		1	86.2		0.2%
8		7	609.5		1.5%
9		9	812.9		2.0%
10		10	1006.4		2.4%
12		3	229.0		0.6%
15		1	532.2		1.3%
24		1	21.7		0.1%
996	NOT APPLICABLE	124456	29260882.2		
997	DON'T KNOW	1	175.2		
998	REFUSAL	0	0.0		
999	NOT STATED	202	32671.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_10: Past mth, take aspirin/ASA every(2nd)day

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4854 / 856608.22] [Invalid=120075 / 28478602.74]
Literal question	In the past month, did ^YOU2 take aspirin or other ASA (acetylsalicylic acid) medication every day or every second day?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2753	444070.4		51.8%
2	NO	2101	412537.8		48.2%
6	NOT APPLICABLE	119986	28463191.8		
7	DON'T KNOW	19	2950.5		
8	REFUSAL	2	134.4		
9	NOT STATED	68	12326.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_11: Past mth,take prescriptn for cholesterol

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4806 / 847316.67] [Invalid=120123 / 28487894.29]
Literal question	In the past month, did ^YOU1 take prescription medications such as Lipitor or Zocor to control ^YOUR1 blood cholesterol levels?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3292	580267.4		68.5%
2	NO	1514	267049.3		31.5%
6	NOT APPLICABLE	119986	28463191.8		
7	DON'T KNOW	63	11785.2		

DIA_11: Past mth,take prescriptn for cholesterol

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	6	591.2	
9	NOT STATED	68	12326.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOMED: Optional module:Medication Use (MED)-(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23260 / 6828260.12] [Invalid=101669 / 22506950.84]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23260	6828260.1	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1A: Past month, take pain relievers

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23230 / 6819478.85] [Invalid=101699 / 22515732.11]
Literal question	In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take: pain relievers such as aspirin or Tylenol (including arthritis medicine and anti-inflammatories)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15485	4513350.9	66.2%
2	NO	7745	2306128.0	33.8%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	25	7245.1	
8	REFUSAL	4	1233.0	
9	NOT STATED	1	303.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1B: Past month, take tranquilizers

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23227 / 6821864.28] [Invalid=101702 / 22513346.68]
Literal question	In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take: pain relievers such as aspirin or Tylenol (including arthritis medicine and anti-inflammatories)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1445	346187.2	5.1%
2	NO	21782	6475677.1	94.9%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	28	4859.7	
8	REFUSAL	0	0.0	
9	NOT STATED	5	1536.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1C: Past month, take diet pills

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23250 / 6825918.88] [Invalid=101679 / 22509292.08]

MED_1C: Past month, take diet pills

	Literal question	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) diet pills such as Dexatrim, Ponderal or Fastin?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	64	25134.7	0.4%	
2	NO	23186	6800784.2		99.6%
6	NOT APPLICABLE	101669	22506950.8		
7	DON'T KNOW	5	805.1		
8	REFUSAL	0	0.0		
9	NOT STATED	5	1536.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1D: Past month, take anti-depressants

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23236 / 6823439.63] [Invalid=101693 / 22511771.33]
Literal question	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) anti-depressants such as Prozac, Paxil or Effexor?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1706	423857.3	6.2%	
2	NO	21530	6399582.3		93.8%
6	NOT APPLICABLE	101669	22506950.8		
7	DON'T KNOW	17	2876.9		
8	REFUSAL	2	407.5		
9	NOT STATED	5	1536.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1E: Past month,take codeine/Demerol/morphine

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23228 / 6822363.69] [Invalid=101701 / 22512847.27]
Literal question	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) codeine, Demerol or morphine?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	798	224368.8	3.3%	
2	NO	22430	6597994.9		96.7%
6	NOT APPLICABLE	101669	22506950.8		
7	DON'T KNOW	25	3960.4		
8	REFUSAL	2	399.9		
9	NOT STATED	5	1536.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1F: Past month, take allergy medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23238 / 6823633.97] [Invalid=101691 / 22511576.99]
Literal question	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) allergy medicine such as Reactine or Allegra?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2366	798994.1	11.7%	
2	NO	20872	6024639.9		88.3%
6	NOT APPLICABLE	101669	22506950.8		

MED_1F: Past month, take allergy medicine

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	15	2871.9	
8	REFUSAL	2	218.1	
9	NOT STATED	5	1536.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1G: Past month, take asthma medications

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23243 / 6824807.16] [Invalid=101686 / 22510403.8]
Literal question	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) asthma medications such as inhalers or nebulizers?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1838	481742.3	7.1%
2	NO	21405	6343064.9	92.9%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	10	1698.7	
8	REFUSAL	2	218.1	
9	NOT STATED	5	1536.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1H: Past month, take cough/cold remedies

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23234 / 6820807.7] [Invalid=101695 / 22514403.26]
Literal question	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) cough or cold remedies?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3837	1130298.1	16.6%
2	NO	19397	5690509.6	83.4%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	18	5507.8	
8	REFUSAL	3	408.5	
9	NOT STATED	5	1536.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1I: Past mth,take penicillin/othr antibiotics

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23238 / 6823481.19] [Invalid=101691 / 22511729.77]
Literal question	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) penicillin or other antibiotics?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1201	360961.5	5.3%
2	NO	22037	6462519.7	94.7%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	14	2834.3	
8	REFUSAL	3	408.5	
9	NOT STATED	5	1536.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1J: Past month, take medicine for the heart

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

MED_1J: Past month, take medicine for the heart

Statistics [NW/ W]	[Valid=23220 / 6818042.64] [Invalid=101709 / 22517168.32]			
Literal question	(In the past month, that is, from [date one month ago] to yesterday, did ^YOU2 take:) medicine for the heart?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2184	485702.1	7.1%
2	NO	21036	6332340.5	92.9%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	32	8272.8	
8	REFUSAL	3	408.5	
9	NOT STATED	5	1536.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1L: Past month, take diuretics/water pills

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23199 / 6815593.15] [Invalid=101730 / 22519617.81]
Literal question	In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1208	263382.1	3.9%
2	NO	21991	6552211.1	96.1%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	53	10722.3	
8	REFUSAL	3	408.5	
9	NOT STATED	5	1536.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1M: Past month, take steroids

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23229 / 6822243.31] [Invalid=101700 / 22512967.65]
Literal question	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) steroids?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	100	33832.2	0.5%
2	NO	23129	6788411.1	99.5%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	22	3868.9	
8	REFUSAL	4	611.8	
9	NOT STATED	5	1536.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1P: Past month, take sleeping pills

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23232 / 6822082.91] [Invalid=101697 / 22513128.05]
Literal question	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) sleeping pills such as Imovane, Nytol or Starnoc?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1578	392541.4	5.8%
2	NO	21654	6429541.5	94.2%
6	NOT APPLICABLE	101669	22506950.8	

MED_1P: Past month, take sleeping pills

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	18	3372.2	
8	REFUSAL	5	1268.8	
9	NOT STATED	5	1536.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1Q: Past month, take stomach remedies

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23227 / 6821120.06] [Invalid=101702 / 22514090.9]
Literal question	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) stomach remedies?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3633	925035.5	13.6%
2	NO	19594	5896084.6	86.4%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	25	5195.4	
8	REFUSAL	3	408.5	
9	NOT STATED	5	1536.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1R: Past month, take laxatives

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23233 / 6823687.74] [Invalid=101696 / 22511523.22]
Literal question	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) laxatives?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1127	283204.0	4.2%
2	NO	22106	6540483.7	95.8%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	19	2627.7	
8	REFUSAL	3	408.5	
9	NOT STATED	5	1536.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1S: Past mth, take birth control pills/othr

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5729 / 1892488.55] [Invalid=119200 / 27442722.41]
Literal question	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) birth control pills or other kind of prescribed birth control method?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1888	557612.9	29.5%
2	NO	3841	1334875.7	70.5%
6	NOT APPLICABLE	119192	27441005.2	
7	DON'T KNOW	4	1011.2	
8	REFUSAL	3	402.9	
9	NOT STATED	1	303.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1T: Past month,take hormones(menopause/aging)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

MED_1T: Past month,take hormones(menopause/aging)

Statistics [NW/ W]	[Valid=10059 / 2596367.03] [Invalid=114870 / 26738843.93]		
Literal question	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) hormones for menopause or ageing symptoms?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1088	243062.7	9.4%
2	NO	8971	2353304.4	90.6%
6	NOT APPLICABLE	114851	26736282.6	
7	DON'T KNOW	13	1753.5	
8	REFUSAL	5	709.8	
9	NOT STATED	1	98.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1T1: What type of hormones are you taking

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=901 / 201328.26] [Invalid=124028 / 29133882.7]		
Literal question	What type of hormones ^ARE ^YOU1 taking?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ESTROGEN	384	83548.3	41.5%
2	PROGESTERONE	48	10055.8	5.0%
3	BOTH	353	87056.4	43.2%
4	NEITHER	116	20667.7	10.3%
6	NOT APPLICABLE	123822	29089586.9	
7	DON'T KNOW	185	41319.4	
8	REFUSAL	2	415.0	
9	NOT STATED	19	2561.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1T2: Year started hormone therapy

Information	[Type= continuous] [Format=numeric] [Range= 1964-2012] [Missing=*]		
Statistics [NW/ W]	[Valid=1059 / 238372.73] [Invalid=123870 / 29096838.23] [Mean=2000.358 / 2001.728] [StdDev=9.928 / 9.575]		
Literal question	When did ^YOU1 start this hormone therapy?		

Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	123822	29089586.9	
9997	DON'T KNOW	20	3097.9	
9998	REFUSAL	3	849.5	
9999	NOT STATED	25	3303.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1U: Past month, take thyroid medication

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=23235 / 6823266.22] [Invalid=101694 / 22511944.74]		
Literal question	In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take: thyroid medication such as Synthroid or Levothyroxine?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2211	524866.9	7.7%
2	NO	21024	6298399.3	92.3%
6	NOT APPLICABLE	101669	22506950.8	

MED_1U: Past month, take thyroid medication

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	17	3049.2	
8	REFUSAL	3	408.5	
9	NOT STATED	5	1536.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1V: Past month, take any other medication

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23222 / 6821646.48] [Invalid=101707 / 22513564.48]
Literal question	(In the past month, that is, from ^ONEMONTHAGO to yesterday, did ^YOU2 take:) any other medication?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7560	1942104.6	28.5%
2	NO	15662	4879541.9	71.5%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	30	4602.9	
8	REFUSAL	3	474.6	
9	NOT STATED	5	1536.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUPDPAD: Pain (function code)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=124410 / 29260962.91] [Invalid=519 / 74248.05]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PAIN	95370	23129383.3	79.0%
2	DOESN'T PREVENT	8139	1816168.8	6.2%
3	PREVENTS A FEW	8041	1808632.8	6.2%
4	PREVENTS SOME	6818	1399192.8	4.8%
5	PREVENTS MOST	6042	1107585.2	3.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	519	74248.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1AA: Do you have regular medical doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124712 / 29299313.31] [Invalid=217 / 35897.65]
Literal question	^DOVERB_C ^YOU2 have a regular medical doctor?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	108156	24885453.6	84.9%
2	NO	16556	4413859.7	15.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	210	33156.0	
8	REFUSAL	6	2438.5	
9	NOT STATED	1	303.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1BA: Reason no doctor: No doctors in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16234 / 4350487.41] [Invalid=108695 / 24984723.55]
Literal question	Why do you not have a regular medical doctor? - No medical doctors available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3504	696543.5		16.0%
2	NO	12730	3653943.9		84.0%
6	NOT APPLICABLE	108156	24885453.6		
7	DON'T KNOW	318	62962.3		
8	REFUSAL	4	410.0		
9	NOT STATED	217	35897.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1BB: Reason no dr: No doctors taking patients

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16234 / 4350487.41] [Invalid=108695 / 24984723.55]
Literal question	Why do you not have a regular medical doctor? - Medical doctors in the area are not taking new patients

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3106	912423.7		21.0%
2	NO	13128	3438063.7		79.0%
6	NOT APPLICABLE	108156	24885453.6		
7	DON'T KNOW	318	62962.3		
8	REFUSAL	4	410.0		
9	NOT STATED	217	35897.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1BC: Reason no doctor: Have not contacted one

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16234 / 4350487.41] [Invalid=108695 / 24984723.55]
Literal question	Why do you not have a regular medical doctor? - Have not tried to contact one

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6337	2018055.1		46.4%
2	NO	9897	2332432.3		53.6%
6	NOT APPLICABLE	108156	24885453.6		
7	DON'T KNOW	318	62962.3		
8	REFUSAL	4	410.0		
9	NOT STATED	217	35897.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1BD: Reason no doctor: Doctor left/retired

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16234 / 4350487.41] [Invalid=108695 / 24984723.55]
Literal question	Why do you not have a regular medical doctor? - Had a medical doctor who left or retired

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3798	781047.5		18.0%
2	NO	12436	3569439.9		82.0%
6	NOT APPLICABLE	108156	24885453.6		

HCU_1BD: Reason no doctor: Doctor left/retired

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	318	62962.3	
8	REFUSAL	4	410.0	
9	NOT STATED	217	35897.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1BE: Reason no doctor: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16234 / 4350487.41] [Invalid=108695 / 24984723.55]
Literal question	Why do you not have a regular medical doctor? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1636	490024.8	11.3%
2	NO	14598	3860462.6	88.7%
6	NOT APPLICABLE	108156	24885453.6	
7	DON'T KNOW	318	62962.3	
8	REFUSAL	4	410.0	
9	NOT STATED	217	35897.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1A1: Have place to go for your health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16492 / 4397109.14] [Invalid=108437 / 24938101.82]
Literal question	Is there a place that ^YOU2 usually ^DT_GOVERB to when ^YOU1 ^ARE sick or need^S advice about ^YOUR1 health?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13674	3509751.7	79.8%
2	NO	2818	887357.5	20.2%
6	NOT APPLICABLE	108156	24885453.6	
7	DON'T KNOW	62	16587.8	
8	REFUSAL	2	162.8	
9	NOT STATED	217	35897.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1A2: Where do you go for your health

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=13644 / 3505565.46] [Invalid=111285 / 25829645.5]
Literal question	What kind of place is it?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	577	114613.7	3.3%
2	COMMUNITY HLTH CENTRE	1965	291768.7	8.3%
3	WALK-IN CLINIC	6230	2135013.9	60.9%
4	APPOINTMENT CLINIC	956	150434.2	4.3%
5	TELEPHONE HLTH LINE	146	32051.2	0.9%
6	HOSPITAL EMERGENCY	2310	473525.7	13.5%
7	HOSPITAL OUTPATIENT	617	81284.4	2.3%
8	OTHER	843	226873.6	6.5%
96	NOT APPLICABLE	110974	25772811.1	

HCU_1A2: Where do you go for your health

Value	Label	Cases	Weighted	Percentage (Weighted)
97	DON'T KNOW	28	2919.6	
98	REFUSAL	2	1266.6	
99	NOT STATED	281	52648.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOCHP: Contact with health professional

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6962 / 1002096.22] [Invalid=117967 / 28333114.74]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6962	1002096.2		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	117967	28333114.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHP_01: Past mth,patient overnight in hospitl etc

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6958 / 1001131.95] [Invalid=117971 / 28334079.01]
Literal question	In the past 12 months, ^HAVE ^YOU2 been a patient overnight in a hospital, nursing home or convalescent home?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	699	80347.8		8.0%
2	NO	6259	920784.1		92.0%
6	NOT APPLICABLE	117967	28333114.7		
7	DON'T KNOW	3	208.3		
8	REFUSAL	1	756.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG02: Past yr,how many nights been a patient-G

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=6952 / 1000398.31] [Invalid=117977 / 28334812.65]

Value	Label	Cases	Weighted	Percentage (Weighted)	
31	31 NIGHTS OR +	46	3178.2		100.0%
96	NOT APPLICABLE	117967	28333114.7		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	10	1697.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHP_03: Past year, talked to DR/GP re:health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6943 / 999953.26] [Invalid=117986 / 28335257.7]
Literal question	^DT_COUNT, ^HAVE ^YOU2 seen, or talked to any of the following health professionals about ^YOUR1 physical, emotional or mental health: ...a family doctor, ^DT_PED or general practitioner?

CHP_03: Past year, talked to DR/GP re:health

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5414	765464.4		76.6%
2	NO	1529	234488.9		23.4%
6	NOT APPLICABLE	117967	28333114.7		
7	DON'T KNOW	18	1387.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1	756.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG04: Past year, how many time talk to DR/GP

Information	[Type= discrete] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=6864 / 993478.1] [Invalid=118065 / 28341732.86]
Literal question	Respondents who answered CHP_03 = (1, 7, 8) or CHP_01 = 8

Value	Label	Cases	Weighted	Percentage (Weighted)	
0		1529	234488.9		23.6%
1		1261	206128.5		20.7%
2		1206	168907.7		17.0%
3		795	121952.2		12.3%
4		881	104670.3		10.5%
5		251	32514.4		3.3%
6		316	34810.0		3.5%
7		63	6817.8		0.7%
8		79	16005.0		1.6%
9		25	4294.5		0.4%
10		102	19249.1		1.9%
11		8	533.6		0.1%
12		230	28216.9		2.8%
13		4	310.5		0.0%
14		6	282.3		0.0%
15		21	4845.4		0.5%
16		4	199.6		0.0%
17		4	529.0		0.1%
20		33	2733.2		0.3%
24		19	2356.2		0.2%
25		4	823.9		0.1%
30		6	1196.0		0.1%
31	31+ CONSULTATION	17	1613.0		0.2%
96	NOT APPLICABLE	117967	28333114.7		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	98	8618.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG05: Where was most recent contact with DR/GP

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=5405 / 763962.91] [Invalid=119524 / 28571248.05]

CHPG05: Where was most recent contact with DR/GP

Literal question	Respondents who answered CHP_03 = (1, 7, 8) or CHP_01 = 8

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DOCTOR'S OFFICE	4112	608653.5		79.7%
2	HOSPITAL EMERGENCY	138	15538.8	2.0%	
3	HOSPITAL OUTPATIENT	130	11459.9	1.5%	
4	WALK-IN CLINIC	414	61022.0	8.0%	
5	APPOINTMENT CLINIC	494	54979.7	7.2%	
6	COMMUNITY HLTH CENTRE	59	4659.9	0.6%	
7	WORK/SCHOOL/OTHER	33	3394.3	0.4%	
8	AT HOME	8	890.5	0.1%	
9	TELEPHONE CONSULT ONLY	17	3364.4	0.4%	
96	NOT APPLICABLE	119496	28567603.6		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	28	3644.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHP_06: Past year, have you seen eye specialist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6939 / 998466.67] [Invalid=117990 / 28336744.29]
Literal question	(^DT_COUNT, ^HAVE ^YOU2 seen, or talked to:) ...an eye specialist, such as an ophthalmologist or optometrist (about ^YOUR1 physical, emotional or mental health)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2921	392303.9	39.3%	
2	NO	4018	606162.8		60.7%
6	NOT APPLICABLE	117967	28333114.7		
7	DON'T KNOW	22	2873.5		
8	REFUSAL	0	0.0		
9	NOT STATED	1	756.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG07: Past year, times seen eye specialist-G

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=6928 / 997254.75] [Invalid=118001 / 28337956.21]

Value	Label	Cases	Weighted	Percentage (Weighted)	
0		4018	606162.8		60.8%
1		2284	296956.1	29.8%	
2		410	64189.0	6.4%	
3		94	15708.9	1.6%	
4		47	6089.5	0.6%	
5		24	1376.2	0.1%	
6		28	2668.0	0.3%	
7		6	2303.6	0.2%	
8		10	772.7	0.1%	
9		1	92.5	0.0%	
10		1	14.7	0.0%	

CHPG07: Past year, times seen eye specialist-G

Value	Label	Cases	Weighted	Percentage (Weighted)
11		1	351.8	0.0%
12	12+ CONSULTATION	4	568.8	0.1%
96	NOT APPLICABLE	117967	28333114.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	34	4841.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHP_08: Past yr,seen any othr doctor/specialist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6945 / 999284.15] [Invalid=117984 / 28335926.81]
Literal question	^DT_COUNT, ^HAVE ^YOU2 seen, or talked to:) ...any other medical doctor or specialist such as a surgeon, allergist, orthopaedist, ^DT_DOCTOR or psychiatrist (about ^YOUR1 physical, emotional or mental health)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1993	292187.2	29.2%
2	NO	4952	707096.9	70.8%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	16	2056.1	
8	REFUSAL	0	0.0	
9	NOT STATED	1	756.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG09: Past yr,# times seen othr dr/specialist-G

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=6926 / 996110.24] [Invalid=118003 / 28339100.72]

Value	Label	Cases	Weighted	Percentage (Weighted)
0		4952	707096.9	71.0%
1		845	119971.5	12.0%
2		447	65480.4	6.6%
3		219	27285.3	2.7%
4		140	17215.8	1.7%
5		61	12548.4	1.3%
6		69	9844.1	1.0%
7		29	8097.1	0.8%
8		31	4561.7	0.5%
9		4	454.9	0.0%
10		32	6379.3	0.6%
11		4	692.6	0.1%
12	12+ CONSULTATION	93	16482.3	1.7%
96	NOT APPLICABLE	117967	28333114.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	36	5986.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG10: Where recent contact w/dr/specialist -G

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

CHPG10: Where recent contact w/dr/specialist -G

	Statistics [NW/ W]	[Valid=1988 / 291516.54] [Invalid=122941 / 29043694.42]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	1156	186439.8	64.0%
2	HOSPITAL EMERGENCY	52	5947.3	2.0%
3	HOSPITAL OUTPATIENT	389	48485.0	16.6%
4	WALK-IN CLINIC	35	5564.9	1.9%
5	APPOINTMENT CLINIC	259	34731.1	11.9%
6	COMMUNITY HLTH CENTRE	24	1412.2	0.5%
7	WORK/SCHOOL/OTHER	56	7228.2	2.5%
8	AT HOME	5	963.8	0.3%
9	TELEPHONE CONSULT ONLY	12	744.2	0.3%
96	NOT APPLICABLE	122919	29040211.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	22	3482.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHP_11: Past yr, seen a nurse for care or advice

	Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
	Statistics [NW/ W]	[Valid=6953 / 1000544.13] [Invalid=117976 / 28334666.83]
	Literal question	^DT_COUNT, ^HAVE ^YOU2 seen, or talked to: ...a nurse for care or advice about ^YOUR1 physical, emotional or mental health?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	824	112092.2	11.2%
2	NO	6129	888451.9	88.8%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	8	796.1	
8	REFUSAL	0	0.0	
9	NOT STATED	1	756.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG12: Past year, # of times seen a nurse-G

	Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
	Statistics [NW/ W]	[Valid=6921 / 998654.06] [Invalid=118008 / 28336556.9]

Value	Label	Cases	Weighted	Percentage (Weighted)
0		6129	888451.9	89.0%
1		293	44955.3	4.5%
2		170	22899.2	2.3%
3		81	10922.3	1.1%
4		59	12697.6	1.3%
5		25	1942.0	0.2%
6		43	3873.8	0.4%
7		8	1196.7	0.1%
8		10	1258.1	0.1%
9		5	589.0	0.1%
10		14	3522.6	0.4%

CHPG12: Past year, # of times seen a nurse-G

Value	Label	Cases	Weighted	Percentage (Weighted)
12	12+ CONSULTATION	84	6345.6	0.6%
96	NOT APPLICABLE	117967	28333114.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	41	3442.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG13: Place of most recent contact w/nurse-G

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=820 / 111947.02] [Invalid=124109 / 29223263.94]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	94	17430.8	15.6%
2	HOSPITAL EMERGENCY	95	12641.6	11.3%
3	HOSPITAL OUTPATIENT	108	13342.4	11.9%
4	WALK-IN CLINIC	43	5270.6	4.7%
5	APPOINTMENT CLINIC	71	7336.8	6.6%
6	COMMUNITY HLTH CENTRE	77	7163.7	6.4%
7	WORK/SCHOOL/OTHER	96	10697.0	9.6%
8	AT HOME	139	15026.6	13.4%
9	TELEPHONE CONSULT ONLY	97	23037.3	20.6%
96	NOT APPLICABLE	124096	29221566.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	13	1697.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHP_14: Past year, have you seen a dentist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6954 / 1000571.81] [Invalid=117975 / 28334639.15]
Literal question	(^DT_COUNT, ^HAVE ^YOU2 seen, or talked to:) ...a dentist, dental hygienist or orthodontist (about ^YOUR1 physical, emotional or mental health)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4376	689138.3	68.9%
2	NO	2578	311433.5	31.1%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	7	768.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1	756.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG15: Past yr, how many times seen a dentist-G

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=6866 / 990514.46] [Invalid=118063 / 28344696.5]

Value	Label	Cases	Weighted	Percentage (Weighted)
0		2578	311433.5	31.4%
1		1873	289046.4	29.2%

CHPG15: Past yr, how many times seen a dentist-G

Value	Label	Cases	Weighted	Percentage (Weighted)
2		1504	259700.6	26.2%
3		399	62278.9	6.3%
4		220	25932.0	2.6%
5		75	7421.6	0.7%
6		71	14685.7	1.5%
7		29	3656.2	0.4%
8		31	3666.8	0.4%
9		3	421.6	0.0%
10		20	2649.0	0.3%
11		4	527.4	0.1%
12	12+ CONSULTATION	59	9094.7	0.9%
96	NOT APPLICABLE	117967	28333114.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	96	11581.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPGMDC: No. of consult. w/medical doctor (D,G)

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=6839 / 989027.72] [Invalid=118090 / 28346183.24]

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31+ CONSULTATION	45	7294.2	100.0%
96	NOT APPLICABLE	117967	28333114.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	123	13068.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOUCN: Module: Unmet health care needs (UCN)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=62957 / 16199785.53] [Invalid=61972 / 13135425.43]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	62957	16199785.5	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	61972	13135425.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_010: Past yr,time needed hlth care&receive it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=62847 / 16177277.48] [Invalid=62082 / 13157933.48]
Literal question	^PHRASE_E

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6657	1753204.7	10.8%

UCN_010: Past yr,time needed hlth care&receive it

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	56190	14424072.8		89.2%
6	NOT APPLICABLE	61972	13135425.4		
7	DON'T KNOW	93	19173.3		
8	REFUSAL	17	3334.8		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020A: Reason no hlthcare:Not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6638 / 1747288.26] [Invalid=118291 / 27587922.7]
Literal question	Thinking of the most recent time, why didn't you get care? - Not available - in the area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	596	124593.1	7.1%	
2	NO	6042	1622695.1		92.9%
6	NOT APPLICABLE	118162	27559498.2		
7	DON'T KNOW	19	5916.4		
8	REFUSAL	0	0.0		
9	NOT STATED	110	22508.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020B: Reason no hlthcare:Not available at time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6638 / 1747288.26] [Invalid=118291 / 27587922.7]
Literal question	Thinking of the most recent time, why didn't you get care? - Not available - at time required (e.g. doctor on holidays, inconvenient hours)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1124	276176.5	15.8%	
2	NO	5514	1471111.8		84.2%
6	NOT APPLICABLE	118162	27559498.2		
7	DON'T KNOW	19	5916.4		
8	REFUSAL	0	0.0		
9	NOT STATED	110	22508.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020C: Reason no hlthcare:Waiting time too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6638 / 1747288.26] [Invalid=118291 / 27587922.7]
Literal question	Thinking of the most recent time, why didn't you get care? - Waiting time too long

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2218	593316.4	34.0%	
2	NO	4420	1153971.9		66.0%
6	NOT APPLICABLE	118162	27559498.2		
7	DON'T KNOW	19	5916.4		
8	REFUSAL	0	0.0		
9	NOT STATED	110	22508.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020D: Reason no healthcare:Would be inadequate

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6638 / 1747288.26] [Invalid=118291 / 27587922.7]
Literal question	Thinking of the most recent time, why didn't you get care? - Felt would be inadequate

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	332	90845.3	5.2%	
2	NO	6306	1656442.9		94.8%
6	NOT APPLICABLE	118162	27559498.2		
7	DON'T KNOW	19	5916.4		
8	REFUSAL	0	0.0		
9	NOT STATED	110	22508.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020E: Reason no healthcare: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6638 / 1747288.26] [Invalid=118291 / 27587922.7]
Literal question	Thinking of the most recent time, why didn't you get care? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	557	176256.5	10.1%	
2	NO	6081	1571031.8		89.9%
6	NOT APPLICABLE	118162	27559498.2		
7	DON'T KNOW	19	5916.4		
8	REFUSAL	0	0.0		
9	NOT STATED	110	22508.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020F: Reason no healthcare: Too busy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6638 / 1747288.26] [Invalid=118291 / 27587922.7]
Literal question	Thinking of the most recent time, why didn't you get care? - Too busy

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	352	109345.0	6.3%	
2	NO	6286	1637943.3		93.7%
6	NOT APPLICABLE	118162	27559498.2		
7	DON'T KNOW	19	5916.4		
8	REFUSAL	0	0.0		
9	NOT STATED	110	22508.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020G: Reason no hlthcare:Didnt get around to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6638 / 1747288.26] [Invalid=118291 / 27587922.7]
Literal question	Thinking of the most recent time, why didn't you get care? - Didn't get around to it / didn't bother

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	331	106276.0	6.1%	
2	NO	6307	1641012.2		93.9%
6	NOT APPLICABLE	118162	27559498.2		

UCN_020G: Reason no hlthcare:Didnt get around to it

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	19	5916.4	
8	REFUSAL	0	0.0	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020H: Reason no hlthcare: Decided not to seek

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6638 / 1747288.26] [Invalid=118291 / 27587922.7]
Literal question	Thinking of the most recent time, why didn't you get care? - Decided not to seek care

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	420	101315.7	5.8%
2	NO	6218	1645972.5	94.2%
6	NOT APPLICABLE	118162	27559498.2	
7	DON'T KNOW	19	5916.4	
8	REFUSAL	0	0.0	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020I: Reason no hlthcare:Dr think not necessary

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6638 / 1747288.26] [Invalid=118291 / 27587922.7]
Literal question	Thinking of the most recent time, why didn't you get care? - Doctor - didn't think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	556	137744.6	7.9%
2	NO	6082	1609543.7	92.1%
6	NOT APPLICABLE	118162	27559498.2	
7	DON'T KNOW	19	5916.4	
8	REFUSAL	0	0.0	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020J: Reason no healthcare: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6638 / 1747288.26] [Invalid=118291 / 27587922.7]
Literal question	Thinking of the most recent time, why didn't you get care? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1866	442997.7	25.4%
2	NO	4772	1304290.6	74.6%
6	NOT APPLICABLE	118162	27559498.2	
7	DON'T KNOW	19	5916.4	
8	REFUSAL	0	0.0	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_030A: Care type not received:Physical hlth prob

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

UCN_030A: Care type not received:Physical hlth prob

Statistics [NW/ W]	[Valid=6615 / 1744317.01] [Invalid=118314 / 27590893.95]			
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - a physical health problem			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4447	1153294.5	66.1%
2	NO	2168	591022.5	33.9%
6	NOT APPLICABLE	118162	27559498.2	
7	DON'T KNOW	35	7748.2	
8	REFUSAL	7	1139.6	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_030B: Care type not received:Emotionl hlth prob

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6615 / 1744317.01] [Invalid=118314 / 27590893.95]			
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - an emotional or mental health problem			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	620	186305.2	10.7%
2	NO	5995	1558011.8	89.3%
6	NOT APPLICABLE	118162	27559498.2	
7	DON'T KNOW	35	7748.2	
8	REFUSAL	7	1139.6	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_030C: Care type not received: Regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6615 / 1744317.01] [Invalid=118314 / 27590893.95]			
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including regular pre-natal care)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	536	155639.6	8.9%
2	NO	6079	1588677.4	91.1%
6	NOT APPLICABLE	118162	27559498.2	
7	DON'T KNOW	35	7748.2	
8	REFUSAL	7	1139.6	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_030D: Care type not received: Care of an injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6615 / 1744317.01] [Invalid=118314 / 27590893.95]			
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	603	170352.8	9.8%
2	NO	6012	1573964.2	90.2%

UCN_030D: Care type not received: Care of an injury

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	118162	27559498.2	
7	DON'T KNOW	35	7748.2	
8	REFUSAL	7	1139.6	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_030E: Care type not received: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6615 / 1744317.01] [Invalid=118314 / 27590893.95]
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Other - Specify

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	965	222280.4	12.7%
2	NO	5650	1522036.7	87.3%
6	NOT APPLICABLE	118162	27559498.2	
7	DON'T KNOW	35	7748.2	
8	REFUSAL	7	1139.6	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_040A: Place tried for care:Doctor office

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6551 / 1721953.63] [Invalid=118378 / 27613257.33]
Literal question	Where did you try to get the service you were seeking? - Doctor's office

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3395	872115.0	50.6%
2	NO	3156	849838.6	49.4%
6	NOT APPLICABLE	118162	27559498.2	
7	DON'T KNOW	89	26935.3	
8	REFUSAL	17	4315.8	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_040B: Place tried for care:Community hlth centr

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6551 / 1721953.63] [Invalid=118378 / 27613257.33]
Literal question	Where did you try to get the service you were seeking? - Community health centre / CLSC

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	223	54355.3	3.2%
2	NO	6328	1667598.4	96.8%
6	NOT APPLICABLE	118162	27559498.2	
7	DON'T KNOW	89	26935.3	
8	REFUSAL	17	4315.8	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_040C: Place tried for care: Walk-in clinic

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6551 / 1721953.63] [Invalid=118378 / 27613257.33]
Literal question	Where did you try to get the service you were seeking? - Walk-in clinic

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	727	206867.6	12.0%
2	NO	5824	1515086.0	88.0%
6	NOT APPLICABLE	118162	27559498.2	
7	DON'T KNOW	89	26935.3	
8	REFUSAL	17	4315.8	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_040D: Place tried for care: Appointment clinic

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6551 / 1721953.63] [Invalid=118378 / 27613257.33]
Literal question	Where did you try to get the service you were seeking? - Appointment clinic

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	216	45299.8	2.6%
2	NO	6335	1676653.8	97.4%
6	NOT APPLICABLE	118162	27559498.2	
7	DON'T KNOW	89	26935.3	
8	REFUSAL	17	4315.8	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_040E: Place tried for care: Emergency room

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6551 / 1721953.63] [Invalid=118378 / 27613257.33]
Literal question	Where did you try to get the service you were seeking? - Hospital - emergency room

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1103	271730.6	15.8%
2	NO	5448	1450223.0	84.2%
6	NOT APPLICABLE	118162	27559498.2	
7	DON'T KNOW	89	26935.3	
8	REFUSAL	17	4315.8	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_040F: Place tried for care: Outpatient clinic

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6551 / 1721953.63] [Invalid=118378 / 27613257.33]
Literal question	Where did you try to get the service you were seeking? - Hospital - outpatient clinic

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	461	106853.9	6.2%
2	NO	6090	1615099.8	93.8%
6	NOT APPLICABLE	118162	27559498.2	

UCN_040F: Place tried for care: Outpatient clinic

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	89	26935.3	
8	REFUSAL	17	4315.8	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_040G: Place tried for care: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6551 / 1721953.63] [Invalid=118378 / 27613257.33]
Literal question	Where did you try to get the service you were seeking? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1263	368932.9	21.4%
2	NO	5288	1353020.8	78.6%
6	NOT APPLICABLE	118162	27559498.2	
7	DON'T KNOW	89	26935.3	
8	REFUSAL	17	4315.8	
9	NOT STATED	110	22508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOPAS: Module : Health care services (PAS) - F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1774 / 125024.28] [Invalid=123155 / 29210186.68]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1774	125024.3	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	123155	29210186.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_11: Past year, have you received health care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1654 / 117288.27] [Invalid=123275 / 29217922.69]
Literal question	In the past 12 months, have you received any health care services?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1490	104743.2	89.3%
2	NO	164	12545.0	10.7%
6	NOT APPLICABLE	123240	29215627.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	35	2295.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_12: Quality of health care received

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1482 / 104557.38] [Invalid=123447 / 29230653.58]
Literal question	Overall, how would you rate the quality of the health care you received? Would you say it was:

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	EXCELLENT	650	44853.7		42.9%
2	GOOD	659	45470.4		43.5%
3	FAIR	135	11009.1	10.5%	
4	POOR	38	3224.2	3.1%	
6	NOT APPLICABLE	123404	29228172.2		
7	DON'T KNOW	8	185.8		
8	REFUSAL	0	0.0		
9	NOT STATED	35	2295.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_13: Satisfaction w/way hlth care was provided

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=1479 / 104165.22] [Invalid=123450 / 29231045.74]
Literal question	Overall, how satisfied were you with the way health care services were provided? Were you:

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	VERY SATISFIED	752	53112.6		51.0%
2	SOMEWAT SATISFIED	529	37009.7		35.5%
3	NEITHER	60	3864.8	3.7%	
4	SOMEWHAT DISSATISFIED	99	7278.8	7.0%	
5	VERY DISSATISFIED	39	2899.4	2.8%	
6	NOT APPLICABLE	123404	29228172.2		
7	DON'T KNOW	10	555.3		
8	REFUSAL	1	22.7		
9	NOT STATED	35	2295.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_21A: Rec'd health care services at hospital

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1488 / 104709.91] [Invalid=123441 / 29230501.05]
Literal question	In the past 12 months, have you received any health care services at a hospital, for any diagnostic or day surgery service, overnight stay, or as an emergency room patient?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	569	41332.7		39.5%
2	NO	919	63377.2		60.5%
6	NOT APPLICABLE	123404	29228172.2		
7	DON'T KNOW	2	33.3		
8	REFUSAL	0	0.0		
9	NOT STATED	35	2295.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_21B: Most recent hosp visit: Type of patient

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=569 / 41332.72] [Invalid=124360 / 29293878.24]

PAS_21B: Most recent hosp visit: Type of patient

Literal question	Thinking of your most recent hospital visit, were you:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ADMITTED OVERNIGHT	120	7768.8	18.8%
2	OUTPATIENT	277	21367.2	51.7%
3	EMERGENCY PATIENT	172	12196.7	29.5%
6	NOT APPLICABLE	124323	29291549.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	37	2328.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_22: Most recent hosp visit: Quality of care

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=568 / 41317.76] [Invalid=124361 / 29293893.2]
Pre-question	(Thinking of this most recent hospital visit:)
Literal question	...how would you rate the quality of the care you received? Would you say it was:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	331	26047.1	63.0%
2	GOOD	178	11354.2	27.5%
3	FAIR	37	1953.1	4.7%
4	POOR	22	1963.3	4.8%
6	NOT APPLICABLE	124323	29291549.4	
7	DON'T KNOW	1	15.0	
8	REFUSAL	0	0.0	
9	NOT STATED	37	2328.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_23: Most recent hosp visit: Satisf w/services

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=568 / 41265.13] [Invalid=124361 / 29293945.83]
Pre-question	(Thinking of this most recent hospital visit:)
Literal question	...how satisfied were you with the way hospital services were provided? Were you:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	346	26956.4	65.3%
2	SOMEWHAT SATISFIED	153	8651.1	21.0%
3	NEITHER	9	616.2	1.5%
4	SOMEWHAT DISSATISFIED	32	2369.7	5.7%
5	VERY DISSATISFIED	28	2671.8	6.5%
6	NOT APPLICABLE	124323	29291549.4	
7	DON'T KNOW	1	67.6	
8	REFUSAL	0	0.0	
9	NOT STATED	37	2328.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_31A: Past yr,rec'd care from dr/othr physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

PAS_31A: Past yr,rec'd care from dr/othr physician

Statistics [NW/ W]	[Valid=1489 / 104674.19] [Invalid=123440 / 29230536.77]			
Literal question	In the past 12 months, not counting hospital visits, have you received any health care services from a family doctor or other physician?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1107	77389.8	73.9%
2	NO	382	27284.4	26.1%
6	NOT APPLICABLE	123404	29228172.2	
7	DON'T KNOW	1	69.0	
8	REFUSAL	0	0.0	
9	NOT STATED	35	2295.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_31B: Most recent physician care, provided by

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1105 / 77298.67] [Invalid=123824 / 29257912.29]
Literal question	Thinking of the most recent time, was care provided by:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FAMILY DOCTOR	924	64885.8	83.9%
2	MEDICAL SPECIALIST	181	12412.9	16.1%
6	NOT APPLICABLE	123786	29255456.6	
7	DON'T KNOW	2	91.1	
8	REFUSAL	0	0.0	
9	NOT STATED	36	2364.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_32: Most recent physician care, quality was

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1105 / 77298.67] [Invalid=123824 / 29257912.29]
Pre-question	(Thinking of this most recent care from a physician:)
Literal question	...how would you rate the quality of the care you received? Would you say it was:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	681	46662.6	60.4%
2	GOOD	361	25825.1	33.4%
3	FAIR	53	3562.7	4.6%
4	POOR	10	1248.3	1.6%
6	NOT APPLICABLE	123786	29255456.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	38	2455.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_33: Most recent physician care, satisfaction

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=1103 / 76991.61] [Invalid=123826 / 29258219.35]
Pre-question	(Thinking of this most recent care from a physician:)
Literal question	...how satisfied were you with the way physician care was provided? Were you:

PAS_33: Most recent physician care, satisfaction

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	773	52036.4	67.6%
2	SOMEWAT SATISFIED	263	20078.9	26.1%
3	NEITHER	27	1623.9	2.1%
4	SOMEWHAT DISSATISFIED	28	1969.0	2.6%
5	VERY DISSATISFIED	12	1283.5	1.7%
6	NOT APPLICABLE	123786	29255456.6	
7	DON'T KNOW	2	307.1	
8	REFUSAL	0	0.0	
9	NOT STATED	38	2455.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOPSC: Module: Community-based care (PSC) - F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60102 / 15515789.78] [Invalid=64827 / 13819421.18]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	60102	15515789.8	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	64827	13819421.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSC_1: Past year, received community-based care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=55259 / 14339351.69] [Invalid=69670 / 14995859.27]
Literal question	In the past 12 months, have you received any community-based care?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13308	3791445.6	26.4%
2	NO	41951	10547906.1	73.6%
6	NOT APPLICABLE	67452	14441096.8	
7	DON'T KNOW	80	17128.4	
8	REFUSAL	16	1586.2	
9	NOT STATED	2122	536047.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSC_2: Quality of community-based care received

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=13274 / 3783399.75] [Invalid=111655 / 25551811.21]
Literal question	Overall, how would you rate the quality of the community-based care you received? Would you say it was:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	5228	1270875.7	33.6%
2	GOOD	5602	1677822.6	44.3%
3	FAIR	1788	628798.8	16.6%
4	POOR	656	205902.6	5.4%

PSC_2: Quality of community-based care received

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	109403	24989002.9	
7	DON'T KNOW	32	7921.7	
8	REFUSAL	2	124.2	
9	NOT STATED	2218	554762.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSC_3: Satisfaction w/community-based care rec'd

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=13244 / 3773394.98] [Invalid=111685 / 25561815.98]
Literal question	Overall, how satisfied were you with the way community-based care was provided? Were you:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	6534	1643249.4	43.5%
2	SOMEWAT SATISFIED	4500	1390669.7	36.9%
3	NEITHER	930	332658.6	8.8%
4	SOMEWHAT DISSATISFIED	879	289833.8	7.7%
5	VERY DISSATISFIED	401	116983.4	3.1%
6	NOT APPLICABLE	109403	24989002.9	
7	DON'T KNOW	63	17989.5	
8	REFUSAL	1	61.2	
9	NOT STATED	2218	554762.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DORAC: Restriction of activities - Inclusion

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3083 / 82645.43] [Invalid=121846 / 29252565.53]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3083	82645.4	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	121846	29252565.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RAC_1: Do you have difficulty w/activities

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=3082 / 82626.22] [Invalid=121847 / 29252584.74]
Literal question	^DOVERB ^YOU1 have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	540	13858.3	16.8%
2	OFTEN	364	9022.9	10.9%
3	NEVER	2178	59745.0	72.3%
6	NOT APPLICABLE	121846	29252565.5	
7	DON'T KNOW	1	19.2	
8	REFUSAL	0	0.0	

RAC_1: Do you have difficulty w/activities

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RAC_2A: Physical/mental prob reduce activity:Home

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=3082 / 82618.78] [Invalid=121847 / 29252592.18]
Literal question	Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity ^YOU1 can do: ... at home?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	462	12045.8	14.6%
2	OFTEN	214	5204.1	6.3%
3	NEVER	2406	65368.8	79.1%
6	NOT APPLICABLE	121846	29252565.5	
7	DON'T KNOW	1	26.6	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RAC_2B1: Physical/mental prob reduce activity:Schl

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3083 / 82645.43] [Invalid=121846 / 29252565.53]
Literal question	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity ^YOU1 can do:) ... at school?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	56	1430.3	1.7%
2	OFTEN	24	898.9	1.1%
3	NEVER	745	19756.0	23.9%
4	NOT AT SCHOOL	2258	60560.2	73.3%
6	NOT APPLICABLE	121846	29252565.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RAC_2B2: Physical/mental prob reduce activity:Work

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3083 / 82645.43] [Invalid=121846 / 29252565.53]
Literal question	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity ^YOU1 can do:) ... at work?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	303	8261.3	10.0%
2	OFTEN	108	3191.1	3.9%
3	NEVER	1834	50492.5	61.1%
4	HAS NO JOB	838	20700.6	25.0%
6	NOT APPLICABLE	121846	29252565.5	
7	DON'T KNOW	0	0.0	

RAC_2B2: Physical/mental prob reduce activity:Work

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RAC_2C: Phys/mental prob reduce activity: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=3079 / 82570.45] [Invalid=121850 / 29252640.51]
Literal question	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity ^YOU1 can do:) ... in other activities, for example, transportation or leisure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	437	11596.4	14.0%
2	OFTEN	233	5788.2	7.0%
3	NEVER	2409	65185.8	78.9%
6	NOT APPLICABLE	121846	29252565.5	
7	DON'T KNOW	4	75.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACG5: Cause of your limited activity-G

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1056 / 27259.32] [Invalid=123873 / 29307951.64]
Literal question	Which one of the following is the best description of the cause of this condition: (accident at home, motor vehicle accident, accident at work, other type of accident, existed from birth or genetic, ..., or use of alcohol or drugs)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	INJURY	248	7043.8	25.8%
2	DISEASE OR ILLNESS	282	7293.3	26.8%
3	AGEING	196	4178.2	15.3%
4	EXISTED AT BIRTH	130	3643.1	13.4%
5	WORK CONDITIONS	87	2303.0	8.4%
6	OTHER	113	2797.9	10.3%
96	NOT APPLICABLE	123838	29307223.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	35	728.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACDIMP: Impact of health problems - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=3079 / 82570.45] [Invalid=121850 / 29252640.51]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	547	14035.4	17.0%
2	OFTEN	337	8837.4	10.7%
3	NEVER	2195	59697.6	72.3%
6	NOT APPLICABLE	121846	29252565.5	
7	DON'T KNOW	0	0.0	

RACDIMP: Impact of health problems - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	4	75.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACDPAL: Participation and activity limitations - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=3078 / 82551.24] [Invalid=121851 / 29252659.72]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	611	15772.5	19.1%
2	OFTEN	475	12120.6	14.7%
3	NEVER	1992	54658.2	66.2%
6	NOT APPLICABLE	121846	29252565.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	5	94.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOADL: Module:Activities of Daily Living(ADL)-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=46540 / 11897880.75] [Invalid=78389 / 17437330.21]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	46540	11897880.8	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	78389	17437330.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADL_01: Do you need help with preparing meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=46511 / 11889825] [Invalid=78418 / 17445385.96]
Literal question	Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person: ... with preparing meals?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1813	416505.6	3.5%
2	NO	44698	11473319.4	96.5%
6	NOT APPLICABLE	78389	17437330.2	
7	DON'T KNOW	22	4684.4	
8	REFUSAL	7	3371.4	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADL_02: Do you need help w/appointments/errands

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=46495 / 11888034.9] [Invalid=78434 / 17447176.06]

ADL_02: Do you need help w/appointments/errands

	Literal question	Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person: ... with getting to appointments and running errands such as shopping for groceries?

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
1	YES	3938	769570.6	6.5%
2	NO	42557	11118464.2	93.5%
6	NOT APPLICABLE	78389	17437330.2	
7	DON'T KNOW	40	8676.7	
8	REFUSAL	5	1169.2	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADL_03: Do you need help with doing housework

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=46486 / 11888066.94] [Invalid=78443 / 17447144.02]
Literal question	Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person: ... with doing everyday housework?

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
1	YES	3897	748268.3	6.3%
2	NO	42589	11139798.6	93.7%
6	NOT APPLICABLE	78389	17437330.2	
7	DON'T KNOW	48	8581.6	
8	REFUSAL	6	1232.2	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADL_04: Do you need help with personal care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=46517 / 11892878.85] [Invalid=78412 / 17442332.11]
Literal question	Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person: ... with personal care such as washing, dressing, eating or taking medication?

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
1	YES	1415	285970.5	2.4%
2	NO	45102	11606908.3	97.6%
6	NOT APPLICABLE	78389	17437330.2	
7	DON'T KNOW	16	3436.5	
8	REFUSAL	7	1565.4	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADL_05: Do you need help with moving inside house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=46515 / 11891764.63] [Invalid=78414 / 17443446.33]
Literal question	Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person: ... with moving about inside the house?

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
1	YES	767	166136.1	1.4%
2	NO	45748	11725628.6	98.6%

ADL_05: Do you need help with moving inside house

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	78389	17437330.2	
7	DON'T KNOW	21	5017.0	
8	REFUSAL	4	1099.1	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADL_06: Do you need help with personal finances

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=46413 / 11871760.76] [Invalid=78516 / 17463450.2]
Literal question	Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person: ... with looking after ^YOUR1 personal finances such as making bank transactions or paying bills?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1844	391361.1	3.3%
2	NO	44569	11480399.6	96.7%
6	NOT APPLICABLE	78389	17437330.2	
7	DON'T KNOW	110	23009.5	
8	REFUSAL	17	3110.5	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADLF6R: Help needed for tasks - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=46406 / 11870549.58] [Invalid=78523 / 17464661.38]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6112	1175445.7	9.9%
2	NO	40294	10695103.9	90.1%
6	NOT APPLICABLE	78389	17437330.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	134	27331.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_160: Have you had your seasonal flu shot

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=121641 / 28621739.05] [Invalid=3288 / 713471.91]
Literal question	Have you ever had a seasonal flu shot?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	76751	16536052.0	57.8%
2	NO	44890	12085687.1	42.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	555	150324.7	
8	REFUSAL	16	4627.6	
9	NOT STATED	2717	558519.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_162: When was your last seasonal flu shot

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

FLU_162: When was your last seasonal flu shot

Statistics [NW/ W]	[Valid=76236 / 16434164.49] [Invalid=48693 / 12901046.47]
Literal question	When did you have your last seasonal flu shot?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	44021	8428288.8	51.3%
2	1 TO < 2 YEARS	11564	2737678.6	16.7%
3	2 YEARS OR MORE	20651	5268197.1	32.1%
6	NOT APPLICABLE	44890	12085687.1	
7	DON'T KNOW	506	98084.3	
8	REFUSAL	9	3803.2	
9	NOT STATED	3288	713471.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_164: What month was your last flu shot

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=41360 / 7960394.98] [Invalid=83569 / 21374815.98]
Literal question	In which month did you have your last seasonal flu shot?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	905	242590.8	3.0%
2	FEBRUARY	423	115113.7	1.4%
3	MARCH	277	73622.7	0.9%
4	APRIL	159	38036.9	0.5%
5	MAY	91	19047.8	0.2%
6	JUNE	68	20399.4	0.3%
7	JULY	69	19242.5	0.2%
8	AUGUST	127	30520.4	0.4%
9	SEPTEMBER	1313	267607.2	3.4%
10	OCTOBER	16381	2778912.7	34.9%
11	NOVEMBER	19510	3862791.9	48.5%
12	DECEMBER	2037	492509.1	6.2%
96	NOT APPLICABLE	77105	20091562.8	
97	DON'T KNOW	2626	460754.1	
98	REFUSAL	35	7139.7	
99	NOT STATED	3803	815359.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_165: Last flu shot this year or last year

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4321 / 838178.76] [Invalid=120608 / 28497032.2]
Literal question	Was that this year or last year?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	THIS YEAR	2117	409218.5	48.8%
2	LAST YEAR	2204	428960.3	51.2%
6	NOT APPLICABLE	114118	27210050.5	
7	DON'T KNOW	14	1771.7	
8	REFUSAL	0	0.0	
9	NOT STATED	6476	1285210.0	

FLU_165: Last flu shot this year or last year

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66A: Reason no flu shot:Not gotten around to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=75657 / 19790653.55] [Invalid=49272 / 9544557.41]
Literal question	What are the reasons that you have not had a flu shot in the past year? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	11225	2972592.4	15.0%	
2	NO	64432	16818061.1		85.0%
6	NOT APPLICABLE	44021	8428288.8		
7	DON'T KNOW	1406	294619.7		
8	REFUSAL	42	6289.6		
9	NOT STATED	3803	815359.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66B: Reason no flu shot: Not necessary

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=75657 / 19790653.55] [Invalid=49272 / 9544557.41]
Literal question	What are the reasons that you have not had a flu shot in the past year? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	54131	14479732.3		73.2%
2	NO	21526	5310921.2	26.8%	
6	NOT APPLICABLE	44021	8428288.8		
7	DON'T KNOW	1406	294619.7		
8	REFUSAL	42	6289.6		
9	NOT STATED	3803	815359.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66C: Reason no flu shot: Dr didnt think needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=75657 / 19790653.55] [Invalid=49272 / 9544557.41]
Literal question	What are the reasons that you have not had a flu shot in the past year? - Doctor did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1391	337755.4	1.7%	
2	NO	74266	19452898.1		98.3%
6	NOT APPLICABLE	44021	8428288.8		
7	DON'T KNOW	1406	294619.7		
8	REFUSAL	42	6289.6		
9	NOT STATED	3803	815359.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66D: Reason no flu shot:Personl responsibility

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=75657 / 19790653.55] [Invalid=49272 / 9544557.41]
Literal question	What are the reasons that you have not had a flu shot in the past year? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	533	134017.5	0.7%	

FLU_66D: Reason no flu shot:Personl responsibility

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	75124	19656636.0		99.3%
6	NOT APPLICABLE	44021	8428288.8		
7	DON'T KNOW	1406	294619.7		
8	REFUSAL	42	6289.6		
9	NOT STATED	3803	815359.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66E: Reason no flu shot:Not avail when needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=75657 / 19790653.55] [Invalid=49272 / 9544557.41]
Literal question	What are the reasons that you have not had a flu shot in the past year? - Not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	806	191814.9	1.0%	
2	NO	74851	19598838.7		99.0%
6	NOT APPLICABLE	44021	8428288.8		
7	DON'T KNOW	1406	294619.7		
8	REFUSAL	42	6289.6		
9	NOT STATED	3803	815359.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66F: Reason no flu shot:Not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=75657 / 19790653.55] [Invalid=49272 / 9544557.41]
Literal question	What are the reasons that you have not had a flu shot in the past year? - Not available at all in the area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	292	63027.4	0.3%	
2	NO	75365	19727626.1		99.7%
6	NOT APPLICABLE	44021	8428288.8		
7	DON'T KNOW	1406	294619.7		
8	REFUSAL	42	6289.6		
9	NOT STATED	3803	815359.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66G: Reason no flu shot: Too long wait time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=75657 / 19790653.55] [Invalid=49272 / 9544557.41]
Literal question	What are the reasons that you have not had a flu shot in the past year? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	230	78261.4	0.4%	
2	NO	75427	19712392.1		99.6%
6	NOT APPLICABLE	44021	8428288.8		
7	DON'T KNOW	1406	294619.7		
8	REFUSAL	42	6289.6		
9	NOT STATED	3803	815359.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66H: Reason no flu shot: Transportatn probs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=75657 / 19790653.55] [Invalid=49272 / 9544557.41]
Literal question	What are the reasons that you have not had a flu shot in the past year? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	142	32570.7	0.2%	
2	NO	75515	19758082.8		99.8%
6	NOT APPLICABLE	44021	8428288.8		
7	DON'T KNOW	1406	294619.7		
8	REFUSAL	42	6289.6		
9	NOT STATED	3803	815359.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66I: Reason no flu shot: Language problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=75657 / 19790653.55] [Invalid=49272 / 9544557.41]
Literal question	What are the reasons that you have not had a flu shot in the past year? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	8	4617.9	0.0%	
2	NO	75649	19786035.6		100.0%
6	NOT APPLICABLE	44021	8428288.8		
7	DON'T KNOW	1406	294619.7		
8	REFUSAL	42	6289.6		
9	NOT STATED	3803	815359.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66J: Reason no flu shot: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=75657 / 19790653.55] [Invalid=49272 / 9544557.41]
Literal question	What are the reasons that you have not had a flu shot in the past year? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	222	67922.7	0.3%	
2	NO	75435	19722730.8		99.7%
6	NOT APPLICABLE	44021	8428288.8		
7	DON'T KNOW	1406	294619.7		
8	REFUSAL	42	6289.6		
9	NOT STATED	3803	815359.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66K: Reason no flu shot: Uninformed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=75657 / 19790653.55] [Invalid=49272 / 9544557.41]
Literal question	What are the reasons that you have not had a flu shot in the past year? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	650	202994.9	1.0%	
2	NO	75007	19587658.6		99.0%
6	NOT APPLICABLE	44021	8428288.8		

FLU_66K: Reason no flu shot: Uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	1406	294619.7	
8	REFUSAL	42	6289.6	
9	NOT STATED	3803	815359.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66L: Reason no flu shot: Fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=75657 / 19790653.55] [Invalid=49272 / 9544557.41]
Literal question	What are the reasons that you have not had a flu shot in the past year? - Fear (e.g., painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3659	883327.2	4.5%
2	NO	71998	18907326.4	95.5%
6	NOT APPLICABLE	44021	8428288.8	
7	DON'T KNOW	1406	294619.7	
8	REFUSAL	42	6289.6	
9	NOT STATED	3803	815359.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66M: Reason no flu shot:Bad reaction last time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=75657 / 19790653.55] [Invalid=49272 / 9544557.41]
Literal question	What are the reasons that you have not had a flu shot in the past year? - Bad reaction to previous shot

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5354	1185289.0	6.0%
2	NO	70303	18605364.6	94.0%
6	NOT APPLICABLE	44021	8428288.8	
7	DON'T KNOW	1406	294619.7	
8	REFUSAL	42	6289.6	
9	NOT STATED	3803	815359.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66O: Reason no flu shot: Cannot leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=75657 / 19790653.55] [Invalid=49272 / 9544557.41]
Literal question	What are the reasons that you have not had a flu shot in the past year? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	188	36504.6	0.2%
2	NO	75469	19754148.9	99.8%
6	NOT APPLICABLE	44021	8428288.8	
7	DON'T KNOW	1406	294619.7	
8	REFUSAL	42	6289.6	
9	NOT STATED	3803	815359.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66N: Reason no flu shot: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=75657 / 19790653.55] [Invalid=49272 / 9544557.41]
Literal question	What are the reasons that you have not had a flu shot in the past year? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1102	284344.9	1.4%	
2	NO	74555	19506308.7		98.6%
6	NOT APPLICABLE	44021	8428288.8		
7	DON'T KNOW	1406	294619.7		
8	REFUSAL	42	6289.6		
9	NOT STATED	3803	815359.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOBPC: Module: Blood pressure check (BPC)-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=12361 / 1571619.02] [Invalid=112568 / 27763591.94]			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12361	1571619.0	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	112568	27763591.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_010: Ever had blood pressure taken

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12062 / 1543446.45] [Invalid=112867 / 27791764.51]
Literal question	Have you ever had your blood pressure taken?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11596	1474145.4	95.5%
2	NO	466	69301.0	4.5%
6	NOT APPLICABLE	112568	27763591.9	
7	DON'T KNOW	35	3916.3	
8	REFUSAL	1	756.0	
9	NOT STATED	263	23500.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_012: Last time had blood pressure taken

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=11464 / 1457413.02] [Invalid=113465 / 27877797.94]
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	7576	881562.2	60.5%
2	6 MTHS TO < 1 YR	2021	305539.6	21.0%
3	1 TO < 2 YEARS	1033	156848.7	10.8%
4	2 TO < 5 YEARS	609	84920.9	5.8%
5	5 YEARS OR MORE	225	28541.6	2.0%
6	NOT APPLICABLE	113034	27832893.0	
7	DON'T KNOW	132	16732.4	
8	REFUSAL	0	0.0	
9	NOT STATED	299	28172.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_013: Pregnant last time blood pressure taken

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2738 / 410348.01] [Invalid=122191 / 28924862.95]
Literal question	Were you pregnant the last time your blood pressure was taken?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	187	24754.8	6.0%

BPC_013: Pregnant last time blood pressure taken

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	2551	385593.2		94.0%
6	NOT APPLICABLE	122126	28918515.8		
7	DON'T KNOW	2	146.8		
8	REFUSAL	3	449.6		
9	NOT STATED	60	5750.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16A: Why B.P. not taken: Not gotten to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=675 / 94493.63] [Invalid=124254 / 29240717.33]
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	159	22097.0	23.4%	
2	NO	516	72396.7		76.6%
6	NOT APPLICABLE	123953	29210291.8		
7	DON'T KNOW	14	982.6		
8	REFUSAL	0	0.0		
9	NOT STATED	287	29442.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16B: Why B.P. not taken:Not necessary

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=675 / 94493.63] [Invalid=124254 / 29240717.33]
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	424	57210.2		60.5%
2	NO	251	37283.4	39.5%	
6	NOT APPLICABLE	123953	29210291.8		
7	DON'T KNOW	14	982.6		
8	REFUSAL	0	0.0		
9	NOT STATED	287	29442.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16C: Why B.P. not taken:Dr didnt think needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=675 / 94493.63] [Invalid=124254 / 29240717.33]
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Doctor did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	35	3832.7	4.1%	
2	NO	640	90660.9		95.9%
6	NOT APPLICABLE	123953	29210291.8		
7	DON'T KNOW	14	982.6		
8	REFUSAL	0	0.0		
9	NOT STATED	287	29442.9		

BPC_16C: Why B.P. not taken:Dr didnt think needed

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16D: Why B.P. not taken:Personl responsibility

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=675 / 94493.63] [Invalid=124254 / 29240717.33]
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	213.1	0.2%
2	NO	672	94280.5	99.8%
6	NOT APPLICABLE	123953	29210291.8	
7	DON'T KNOW	14	982.6	
8	REFUSAL	0	0.0	
9	NOT STATED	287	29442.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16G: Why B.P. not taken: Too long wait time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=675 / 94493.63] [Invalid=124254 / 29240717.33]
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	2939.1	3.1%
2	NO	670	91554.6	96.9%
6	NOT APPLICABLE	123953	29210291.8	
7	DON'T KNOW	14	982.6	
8	REFUSAL	0	0.0	
9	NOT STATED	287	29442.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16H: Why B.P. not taken: Transportation probs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=675 / 94493.63] [Invalid=124254 / 29240717.33]
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	675	94493.6	100.0%
6	NOT APPLICABLE	123953	29210291.8	
7	DON'T KNOW	14	982.6	
8	REFUSAL	0	0.0	
9	NOT STATED	287	29442.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16I: Why B.P. not taken: Language problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=675 / 94493.63] [Invalid=124254 / 29240717.33]
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	

BPC_16I: Why B.P. not taken: Language problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	675	94493.6		100.0%
6	NOT APPLICABLE	123953	29210291.8		
7	DON'T KNOW	14	982.6		
8	REFUSAL	0	0.0		
9	NOT STATED	287	29442.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16J: Why B.P. not taken: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=675 / 94493.63] [Invalid=124254 / 29240717.33]
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1	53.4	0.1%	
2	NO	674	94440.3		99.9%
6	NOT APPLICABLE	123953	29210291.8		
7	DON'T KNOW	14	982.6		
8	REFUSAL	0	0.0		
9	NOT STATED	287	29442.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16K: Why B.P. not taken: Uninformed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=675 / 94493.63] [Invalid=124254 / 29240717.33]
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2	120.5	0.1%	
2	NO	673	94373.2		99.9%
6	NOT APPLICABLE	123953	29210291.8		
7	DON'T KNOW	14	982.6		
8	REFUSAL	0	0.0		
9	NOT STATED	287	29442.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16L: Why B.P. not taken: Fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=675 / 94493.63] [Invalid=124254 / 29240717.33]
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1	158.6	0.2%	
2	NO	674	94335.1		99.8%
6	NOT APPLICABLE	123953	29210291.8		
7	DON'T KNOW	14	982.6		
8	REFUSAL	0	0.0		
9	NOT STATED	287	29442.9		

BPC_16L: Why B.P. not taken: Fear

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16N: Why B.P. not taken: Cannot leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=675 / 94493.63] [Invalid=124254 / 29240717.33]
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	675	94493.6		100.0%
6	NOT APPLICABLE	123953	29210291.8		
7	DON'T KNOW	14	982.6		
8	REFUSAL	0	0.0		
9	NOT STATED	287	29442.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16M: Why B.P. not taken: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=675 / 94493.63] [Invalid=124254 / 29240717.33]
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	80	12223.4	12.9%	
2	NO	595	82270.2		87.1%
6	NOT APPLICABLE	123953	29210291.8		
7	DON'T KNOW	14	982.6		
8	REFUSAL	0	0.0		
9	NOT STATED	287	29442.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOPAP: Module: PAP smear test (PAP) - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=42915 / 11453382.23] [Invalid=82014 / 17881828.73]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	42915	11453382.2		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	82014	17881828.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_020: Have you ever had a PAP smear test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21399 / 5245404.2] [Invalid=103530 / 24089806.76]
Pre-question	(Now PAP tests)
Literal question	Have you ever had a PAP smear test?

PAP_020: Have you ever had a PAP smear test

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	19424	4616769.4		88.0%
2	NO	1975	628634.8	12.0%	
6	NOT APPLICABLE	103001	23962106.3		
7	DON'T KNOW	152	31439.8		
8	REFUSAL	38	7902.1		
9	NOT STATED	339	88358.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_022: Last time had PAP smear test

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=19133 / 4562333.03] [Invalid=105796 / 24772877.93]
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< 6 MONTHS	3294	966913.8	21.2%	
2	6 MTHS TO < 1 YR	4576	1292562.0		28.3%
3	1 TO < 3 YEARS	5078	1287952.2		28.2%
4	3 TO < 5 YEARS	1321	278912.4	6.1%	
5	5 OR MORE YEARS	4864	735992.6	16.1%	
6	NOT APPLICABLE	104976	24590741.1		
7	DON'T KNOW	277	49652.2		
8	REFUSAL	14	4784.2		
9	NOT STATED	529	127700.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26A: Reason no PAP: Haven't gotten to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7945 / 1595153.9] [Invalid=116984 / 27740057.06]
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1117	297765.1	18.7%	
2	NO	6828	1297388.8		81.3%
6	NOT APPLICABLE	115949	27509534.3		
7	DON'T KNOW	194	42950.2		
8	REFUSAL	21	5435.8		
9	NOT STATED	820	182136.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26B: Reason no PAP: Not necessary

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7945 / 1595153.9] [Invalid=116984 / 27740057.06]
Literal question	What are the reasons that you have you not had a PAP smear test in the past 3 years? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2104	507803.3	31.8%	
2	NO	5841	1087350.6		68.2%
6	NOT APPLICABLE	115949	27509534.3		

PAP_26B: Reason no PAP: Not necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	194	42950.2	
8	REFUSAL	21	5435.8	
9	NOT STATED	820	182136.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26C: Reason no PAP: Dr didn't think needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7945 / 1595153.9] [Invalid=116984 / 27740057.06]
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Doctor did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1938	335515.2	21.0%
2	NO	6007	1259638.7	79.0%
6	NOT APPLICABLE	115949	27509534.3	
7	DON'T KNOW	194	42950.2	
8	REFUSAL	21	5435.8	
9	NOT STATED	820	182136.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26D: Reason no PAP: Personal responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7945 / 1595153.9] [Invalid=116984 / 27740057.06]
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16	6979.3	0.4%
2	NO	7929	1588174.6	99.6%
6	NOT APPLICABLE	115949	27509534.3	
7	DON'T KNOW	194	42950.2	
8	REFUSAL	21	5435.8	
9	NOT STATED	820	182136.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26E: Reason no PAP: Not available when needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7945 / 1595153.9] [Invalid=116984 / 27740057.06]
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	44	10902.7	0.7%
2	NO	7901	1584251.2	99.3%
6	NOT APPLICABLE	115949	27509534.3	
7	DON'T KNOW	194	42950.2	
8	REFUSAL	21	5435.8	
9	NOT STATED	820	182136.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26F: Reason no PAP: Not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

PAP_26F: Reason no PAP: Not available in area

Statistics [NW/ W]	[Valid=7945 / 1595153.9] [Invalid=116984 / 27740057.06]
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at all in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26	6348.7	0.4%
2	NO	7919	1588805.2	99.6%
6	NOT APPLICABLE	115949	27509534.3	
7	DON'T KNOW	194	42950.2	
8	REFUSAL	21	5435.8	
9	NOT STATED	820	182136.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26G: Reason no PAP: Too long wait time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7945 / 1595153.9] [Invalid=116984 / 27740057.06]
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15	1597.4	0.1%
2	NO	7930	1593556.5	99.9%
6	NOT APPLICABLE	115949	27509534.3	
7	DON'T KNOW	194	42950.2	
8	REFUSAL	21	5435.8	
9	NOT STATED	820	182136.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26H: Reason no PAP: Transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7945 / 1595153.9] [Invalid=116984 / 27740057.06]
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	1276.2	0.1%
2	NO	7940	1593877.7	99.9%
6	NOT APPLICABLE	115949	27509534.3	
7	DON'T KNOW	194	42950.2	
8	REFUSAL	21	5435.8	
9	NOT STATED	820	182136.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26I: Reason no PAP: Language problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7945 / 1595153.9] [Invalid=116984 / 27740057.06]
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	7945	1595153.9	100.0%
6	NOT APPLICABLE	115949	27509534.3	
7	DON'T KNOW	194	42950.2	

PAP_26I: Reason no PAP: Language problems

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	21	5435.8	
9	NOT STATED	820	182136.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26J: Reason no PAP: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7945 / 1595153.9] [Invalid=116984 / 27740057.06]
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	3193.3	0.2%
2	NO	7935	1591960.6	99.8%
6	NOT APPLICABLE	115949	27509534.3	
7	DON'T KNOW	194	42950.2	
8	REFUSAL	21	5435.8	
9	NOT STATED	820	182136.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26K: Reason no PAP: Uninformed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7945 / 1595153.9] [Invalid=116984 / 27740057.06]
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	48	20111.1	1.3%
2	NO	7897	1575042.8	98.7%
6	NOT APPLICABLE	115949	27509534.3	
7	DON'T KNOW	194	42950.2	
8	REFUSAL	21	5435.8	
9	NOT STATED	820	182136.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26L: Reason no PAP: Fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7945 / 1595153.9] [Invalid=116984 / 27740057.06]
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Fear (e.g. painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	82	21431.4	1.3%
2	NO	7863	1573722.4	98.7%
6	NOT APPLICABLE	115949	27509534.3	
7	DON'T KNOW	194	42950.2	
8	REFUSAL	21	5435.8	
9	NOT STATED	820	182136.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26M: Reason no PAP: Hysterectomy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

PAP_26M: Reason no PAP: Hysterectomy

	Statistics [NW/ W]	[Valid=7947 / 1595412.43] [Invalid=116982 / 27739798.53]
	Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have had a hysterectomy

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2158	311967.8	19.6%
2	NO	5789	1283444.6	80.4%
6	NOT APPLICABLE	115949	27509534.3	
7	DON'T KNOW	192	42691.7	
8	REFUSAL	21	5435.8	
9	NOT STATED	820	182136.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26N: Reason no PAP: Hate/dislike it

	Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
	Statistics [NW/ W]	[Valid=7945 / 1595153.9] [Invalid=116984 / 27740057.06]
	Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Hate / dislike having one done

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	167	38642.3	2.4%
2	NO	7778	1556511.6	97.6%
6	NOT APPLICABLE	115949	27509534.3	
7	DON'T KNOW	194	42950.2	
8	REFUSAL	21	5435.8	
9	NOT STATED	820	182136.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26P: Reason no PAP: Cannot leave house

	Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
	Statistics [NW/ W]	[Valid=7945 / 1595153.9] [Invalid=116984 / 27740057.06]
	Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16	4527.6	0.3%
2	NO	7929	1590626.2	99.7%
6	NOT APPLICABLE	115949	27509534.3	
7	DON'T KNOW	194	42950.2	
8	REFUSAL	21	5435.8	
9	NOT STATED	820	182136.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26O: Reason no PAP: Other

	Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
	Statistics [NW/ W]	[Valid=7945 / 1595153.9] [Invalid=116984 / 27740057.06]
	Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	851	182831.6	11.5%
2	NO	7094	1412322.3	88.5%
6	NOT APPLICABLE	115949	27509534.3	

PAP_26O: Reason no PAP: Other

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	194	42950.2	
8	REFUSAL	21	5435.8	
9	NOT STATED	820	182136.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOMAM: Module: Mammography (MAM) - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=57861 / 15064701.54] [Invalid=67068 / 14270509.42]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	57861	15064701.5	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	67068	14270509.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_030: Have you ever had a mammogram

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22723 / 4877841.2] [Invalid=102206 / 24457369.76]
Pre-question	(Now Mammography)
Literal question	Have you ever had a mammogram, that is, a breast x-ray?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17894	3556368.1	72.9%
2	NO	4829	1321473.1	27.1%
6	NOT APPLICABLE	101797	24359315.6	
7	DON'T KNOW	43	9126.3	
8	REFUSAL	23	2625.2	
9	NOT STATED	343	86302.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31A: Reason had mammogram: Family history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17804 / 3545673.7] [Invalid=107125 / 25789537.26]
Literal question	Why did you have it? - Family history of breast cancer

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2138	413464.0	11.7%
2	NO	15666	3132209.7	88.3%
6	NOT APPLICABLE	106626	25680788.7	
7	DON'T KNOW	85	10092.7	
8	REFUSAL	5	601.7	
9	NOT STATED	409	98054.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31B: Reason had mammogram: Regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

MAM_31B: Reason had mammogram: Regular check-up

Statistics [NW/ W]		[Valid=17804 / 3545673.7] [Invalid=107125 / 25789537.26]			
Literal question		Why did you have it? - Part of regular check-up / routine screening			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	13105	2577610.8		72.7%
2	NO	4699	968062.9		27.3%
6	NOT APPLICABLE	106626	25680788.7		
7	DON'T KNOW	85	10092.7		
8	REFUSAL	5	601.7		
9	NOT STATED	409	98054.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31C: Reason had mammogram: Age

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=17804 / 3545673.7] [Invalid=107125 / 25789537.26]			
Literal question		Why did you have it? - Age			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2488	561394.1		15.8%
2	NO	15316	2984279.6		84.2%
6	NOT APPLICABLE	106626	25680788.7		
7	DON'T KNOW	85	10092.7		
8	REFUSAL	5	601.7		
9	NOT STATED	409	98054.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31D: Reason had mammogram: Prev detected lump

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=17804 / 3545673.7] [Invalid=107125 / 25789537.26]			
Literal question		Why did you have it? - Previously detected lump			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1513	336131.0		9.5%
2	NO	16291	3209542.7		90.5%
6	NOT APPLICABLE	106626	25680788.7		
7	DON'T KNOW	85	10092.7		
8	REFUSAL	5	601.7		
9	NOT STATED	409	98054.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31E: Reason had mammogram: Followup treatment

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=17804 / 3545673.7] [Invalid=107125 / 25789537.26]			
Literal question		Why did you have it? - Follow-up of breast cancer treatment			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	591	91513.9		2.6%
2	NO	17213	3454159.8		97.4%
6	NOT APPLICABLE	106626	25680788.7		
7	DON'T KNOW	85	10092.7		

MAM_31E: Reason had mammogram: Followup treatment

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	5	601.7	
9	NOT STATED	409	98054.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31F: Reason had mammogram: Hormone replacement

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17804 / 3545673.7] [Invalid=107125 / 25789537.26]
Literal question	Why did you have it? - On hormone replacement therapy

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	38	6386.3	0.2%
2	NO	17766	3539287.4	99.8%
6	NOT APPLICABLE	106626	25680788.7	
7	DON'T KNOW	85	10092.7	
8	REFUSAL	5	601.7	
9	NOT STATED	409	98054.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31G: Reason had mammogram: Breast problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17804 / 3545673.7] [Invalid=107125 / 25789537.26]
Literal question	Why did you have it? - Breast problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	512	112539.0	3.2%
2	NO	17292	3433134.8	96.8%
6	NOT APPLICABLE	106626	25680788.7	
7	DON'T KNOW	85	10092.7	
8	REFUSAL	5	601.7	
9	NOT STATED	409	98054.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31H: Reason had mammogram: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17804 / 3545673.7] [Invalid=107125 / 25789537.26]
Literal question	Why did you have it? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	508	92518.4	2.6%
2	NO	17296	3453155.4	97.4%
6	NOT APPLICABLE	106626	25680788.7	
7	DON'T KNOW	85	10092.7	
8	REFUSAL	5	601.7	
9	NOT STATED	409	98054.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_032: Last time you had a mammogram

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=17671 / 3517919.76] [Invalid=107258 / 25817291.2]

MAM_032: Last time you had a mammogram

Literal question	When was the last time?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	3501	711351.7	20.2%
2	6 MTHS TO < 1 YR	4583	989624.4	28.1%
3	1 TO < 2 YEARS	4308	861400.4	24.5%
4	2 TO < 5 YEARS	2789	541401.9	15.4%
5	5 YEARS OR MORE	2490	414141.4	11.8%
6	NOT APPLICABLE	106626	25680788.7	
7	DON'T KNOW	217	37780.6	
8	REFUSAL	6	667.8	
9	NOT STATED	409	98054.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36A: Reason no mammogram: Not gotten to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2725 / 586184.05] [Invalid=122204 / 28749026.91]
Literal question	What are the reasons you have not had one in the past 2 years? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	865	184324.0	31.4%
2	NO	1860	401860.0	68.6%
6	NOT APPLICABLE	121988	28700479.3	
7	DON'T KNOW	42	9425.8	
8	REFUSAL	1	31.2	
9	NOT STATED	173	39090.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36B: Reason no mammogram: Not necessary

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2725 / 586184.05] [Invalid=122204 / 28749026.91]
Literal question	What are the reasons you have not had one in the past 2 years? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1024	213592.4	36.4%
2	NO	1701	372591.7	63.6%
6	NOT APPLICABLE	121988	28700479.3	
7	DON'T KNOW	42	9425.8	
8	REFUSAL	1	31.2	
9	NOT STATED	173	39090.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36C: Reason no mammogram:Dr didnt think need

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2725 / 586184.05] [Invalid=122204 / 28749026.91]
Literal question	What are the reasons you have not had one in the past 2 years? - Doctor did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	437	91659.6	15.6%
2	NO	2288	494524.5	84.4%

MAM_36C: Reason no mammogram:Dr didnt think need

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	121988	28700479.3	
7	DON'T KNOW	42	9425.8	
8	REFUSAL	1	31.2	
9	NOT STATED	173	39090.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36D: Reason no mammogram:Personl responsibility

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2725 / 586184.05] [Invalid=122204 / 28749026.91]
Literal question	What are the reasons you have not had one in the past 2 years? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	40	18821.8	3.2%	
2	NO	2685	567362.2		96.8%
6	NOT APPLICABLE	121988	28700479.3		
7	DON'T KNOW	42	9425.8		
8	REFUSAL	1	31.2		
9	NOT STATED	173	39090.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36E: Reason no mammogram:Not avail when needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2725 / 586184.05] [Invalid=122204 / 28749026.91]
Literal question	What are the reasons you have not had one in the past 2 years? - Not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	32	3774.5	0.6%	
2	NO	2693	582409.5		99.4%
6	NOT APPLICABLE	121988	28700479.3		
7	DON'T KNOW	42	9425.8		
8	REFUSAL	1	31.2		
9	NOT STATED	173	39090.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36F: Reason no mammogram:Not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2725 / 586184.05] [Invalid=122204 / 28749026.91]
Literal question	What are the reasons you have not had one in the past 2 years? - Not available at all in the area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	41	7314.4	1.2%	
2	NO	2684	578869.6		98.8%
6	NOT APPLICABLE	121988	28700479.3		
7	DON'T KNOW	42	9425.8		
8	REFUSAL	1	31.2		
9	NOT STATED	173	39090.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36G: Reason no mammogram: Too long wait time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2725 / 586184.05] [Invalid=122204 / 28749026.91]
Literal question	What are the reasons you have not had one in the past 2 years? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	14	8338.6	1.4%	
2	NO	2711	577845.5		98.6%
6	NOT APPLICABLE	121988	28700479.3		
7	DON'T KNOW	42	9425.8		
8	REFUSAL	1	31.2		
9	NOT STATED	173	39090.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36H: Reason no mammogram:Transportation probs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2725 / 586184.05] [Invalid=122204 / 28749026.91]
Literal question	What are the reasons you have not had one in the past 2 years? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	26	5561.2	0.9%	
2	NO	2699	580622.9		99.1%
6	NOT APPLICABLE	121988	28700479.3		

MAM_36H: Reason no mammogram:Transportation probs

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	42	9425.8	
8	REFUSAL	1	31.2	
9	NOT STATED	173	39090.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36I: Reason no mammogram: Language problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2725 / 586184.05] [Invalid=122204 / 28749026.91]
Literal question	What are the reasons you have not had one in the past 2 years? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	143.5	0.0%
2	NO	2724	586040.6	100.0%
6	NOT APPLICABLE	121988	28700479.3	
7	DON'T KNOW	42	9425.8	
8	REFUSAL	1	31.2	
9	NOT STATED	173	39090.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36J: Reason no mammogram: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2725 / 586184.05] [Invalid=122204 / 28749026.91]
Literal question	What are the reasons you have not had one in the past 2 years? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	812.0	0.1%
2	NO	2717	585372.1	99.9%
6	NOT APPLICABLE	121988	28700479.3	
7	DON'T KNOW	42	9425.8	
8	REFUSAL	1	31.2	
9	NOT STATED	173	39090.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36K: Reason no mammogram: Uninformed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2725 / 586184.05] [Invalid=122204 / 28749026.91]
Literal question	What are the reasons you have not had one in the past 2 years? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	69	15285.4	2.6%
2	NO	2656	570898.6	97.4%
6	NOT APPLICABLE	121988	28700479.3	
7	DON'T KNOW	42	9425.8	
8	REFUSAL	1	31.2	
9	NOT STATED	173	39090.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36L: Reason no mammogram: Fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

MAM_36L: Reason no mammogram: Fear

Statistics [NW/ W]		[Valid=2725 / 586184.05] [Invalid=122204 / 28749026.91]		
Literal question		What are the reasons you have not had one in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	217	54078.7	9.2%
2	NO	2508	532105.4	90.8%
6	NOT APPLICABLE	121988	28700479.3	
7	DON'T KNOW	42	9425.8	
8	REFUSAL	1	31.2	
9	NOT STATED	173	39090.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36N: Reason no mammogram: Cannot leave house

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=2725 / 586184.05] [Invalid=122204 / 28749026.91]		
Literal question		What are the reasons you have not had one in the past 2 years? - Unable to leave the house because of a health problem		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26	2259.2	0.4%
2	NO	2699	583924.9	99.6%
6	NOT APPLICABLE	121988	28700479.3	
7	DON'T KNOW	42	9425.8	
8	REFUSAL	1	31.2	
9	NOT STATED	173	39090.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36O: Reason no mammogram: Mastectomy

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=2725 / 586184.05] [Invalid=122204 / 28749026.91]		
Literal question		What are the reasons you have not had one in the past 2 years? - Breasts removed / Mastectomy		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	33	4325.9	0.7%
2	NO	2692	581858.1	99.3%
6	NOT APPLICABLE	121988	28700479.3	
7	DON'T KNOW	42	9425.8	
8	REFUSAL	1	31.2	
9	NOT STATED	173	39090.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36M: Reason no mammogram: Other

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=2725 / 586184.05] [Invalid=122204 / 28749026.91]		
Literal question		What are the reasons you have not had one in the past 2 years? - Other		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	96	16982.3	2.9%
2	NO	2629	569201.7	97.1%
6	NOT APPLICABLE	121988	28700479.3	
7	DON'T KNOW	42	9425.8	

MAM_36M: Reason no mammogram: Other

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	1	31.2	
9	NOT STATED	173	39090.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_038: Have you had a hysterectomy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28891 / 6868419.83] [Invalid=96038 / 22466791.13]
Literal question	Have you had a hysterectomy? (in other words, has your uterus been removed)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6305	970753.6	14.1%
2	NO	22586	5897666.2	85.9%
6	NOT APPLICABLE	95495	22334179.7	
7	DON'T KNOW	43	13325.1	
8	REFUSAL	24	6030.7	
9	NOT STATED	476	113255.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOBRX: Module: Breast examinations (BRX) - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7161 / 842278.52] [Invalid=117768 / 28492932.44]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7161	842278.5	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_110: Have had breasts examined for lumps by dr

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3612 / 381725.68] [Invalid=121317 / 28953485.28]
Literal question	Other than a mammogram, have you ever had your breasts examined for lumps (tumours, cysts) by a doctor or other health professional?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2804	288269.4	75.5%
2	NO	808	93456.2	24.5%
6	NOT APPLICABLE	121275	28948214.5	
7	DON'T KNOW	13	764.8	
8	REFUSAL	4	537.8	
9	NOT STATED	25	3968.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_112: Last time breasts examined for lumps

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2740 / 283915.03] [Invalid=122189 / 29051295.93]

BRX_112: Last time breasts examined for lumps

Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	530	62660.6	22.1%
2	6 MTHS TO < 1 YR	719	86653.5	30.5%
3	1 TO < 2 YEARS	575	54045.8	19.0%
4	2 TO < 5 YEARS	490	45515.4	16.0%
5	5 YEARS OR MORE	426	35039.7	12.3%
6	NOT APPLICABLE	122083	29041670.7	
7	DON'T KNOW	64	4354.4	
8	REFUSAL	0	0.0	
9	NOT STATED	42	5270.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16A: Why no breast exam: Not gotten to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1610 / 165294.9] [Invalid=123319 / 29169916.06]
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	454	56072.3	33.9%
2	NO	1156	109222.6	66.1%
6	NOT APPLICABLE	123099	29151574.5	
7	DON'T KNOW	112	8573.9	
8	REFUSAL	2	142.5	
9	NOT STATED	106	9625.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16B: Why no breast exam: Not necessary

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1610 / 165294.9] [Invalid=123319 / 29169916.06]
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	568	59130.6	35.8%
2	NO	1042	106164.3	64.2%
6	NOT APPLICABLE	123099	29151574.5	
7	DON'T KNOW	112	8573.9	
8	REFUSAL	2	142.5	
9	NOT STATED	106	9625.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16C: Why no breast exam: Dr didnt think needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1610 / 165294.9] [Invalid=123319 / 29169916.06]
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Doctor did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	275	26133.4	15.8%
2	NO	1335	139161.5	84.2%

BRX_16C: Why no breast exam: Dr didnt think needed

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	123099	29151574.5	
7	DON'T KNOW	112	8573.9	
8	REFUSAL	2	142.5	
9	NOT STATED	106	9625.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16D: Why no breast exam:Personl responsibility

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1610 / 165294.9] [Invalid=123319 / 29169916.06]
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	900.8	0.5%
2	NO	1603	164394.2	99.5%
6	NOT APPLICABLE	123099	29151574.5	
7	DON'T KNOW	112	8573.9	
8	REFUSAL	2	142.5	
9	NOT STATED	106	9625.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16E: Why no breast exam:Not avail when needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1610 / 165294.9] [Invalid=123319 / 29169916.06]
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	999.8	0.6%
2	NO	1598	164295.1	99.4%
6	NOT APPLICABLE	123099	29151574.5	
7	DON'T KNOW	112	8573.9	
8	REFUSAL	2	142.5	
9	NOT STATED	106	9625.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16F: Why no breast exam: Not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1610 / 165294.9] [Invalid=123319 / 29169916.06]
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at all in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	616.7	0.4%
2	NO	1596	164678.2	99.6%
6	NOT APPLICABLE	123099	29151574.5	
7	DON'T KNOW	112	8573.9	
8	REFUSAL	2	142.5	
9	NOT STATED	106	9625.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16G: Why no breast exam: Too long wait time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1610 / 165294.9] [Invalid=123319 / 29169916.06]
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	11	992.8	0.6%	
2	NO	1599	164302.1		99.4%
6	NOT APPLICABLE	123099	29151574.5		
7	DON'T KNOW	112	8573.9		
8	REFUSAL	2	142.5		
9	NOT STATED	106	9625.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16H: Why no breast exam: Transportation probs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1610 / 165294.9] [Invalid=123319 / 29169916.06]
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	8	413.6	0.3%	
2	NO	1602	164881.2		99.7%
6	NOT APPLICABLE	123099	29151574.5		
7	DON'T KNOW	112	8573.9		
8	REFUSAL	2	142.5		
9	NOT STATED	106	9625.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16I: Why no breast exam: Language problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1610 / 165294.9] [Invalid=123319 / 29169916.06]
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	1610	165294.9		100.0%
6	NOT APPLICABLE	123099	29151574.5		
7	DON'T KNOW	112	8573.9		
8	REFUSAL	2	142.5		
9	NOT STATED	106	9625.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16J: Why no breast exam: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1610 / 165294.9] [Invalid=123319 / 29169916.06]
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	1610	165294.9		100.0%
6	NOT APPLICABLE	123099	29151574.5		

BRX_16J: Why no breast exam: Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	112	8573.9	
8	REFUSAL	2	142.5	
9	NOT STATED	106	9625.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16K: Why no breast exam: Uninformed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1610 / 165294.9] [Invalid=123319 / 29169916.06]
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	532.9	0.3%
2	NO	1600	164762.0	99.7%
6	NOT APPLICABLE	123099	29151574.5	
7	DON'T KNOW	112	8573.9	
8	REFUSAL	2	142.5	
9	NOT STATED	106	9625.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16L: Why no breast exam: Fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1610 / 165294.9] [Invalid=123319 / 29169916.06]
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22	1524.7	0.9%
2	NO	1588	163770.2	99.1%
6	NOT APPLICABLE	123099	29151574.5	
7	DON'T KNOW	112	8573.9	
8	REFUSAL	2	142.5	
9	NOT STATED	106	9625.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16N: Why no breast exam: Cannot leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1610 / 165294.9] [Invalid=123319 / 29169916.06]
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	280.0	0.2%
2	NO	1608	165014.9	99.8%
6	NOT APPLICABLE	123099	29151574.5	
7	DON'T KNOW	112	8573.9	
8	REFUSAL	2	142.5	
9	NOT STATED	106	9625.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16O: Why no breast exam: Mastectomy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1610 / 165294.9] [Invalid=123319 / 29169916.06]
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Breast removed / mastectomy

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	20	1331.3	0.8%	
2	NO	1590	163963.6		99.2%
6	NOT APPLICABLE	123099	29151574.5		
7	DON'T KNOW	112	8573.9		
8	REFUSAL	2	142.5		
9	NOT STATED	106	9625.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16M: Why no breast exam: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1610 / 165294.9] [Invalid=123319 / 29169916.06]
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	327	29262.4	17.7%	
2	NO	1283	136032.5		82.3%
6	NOT APPLICABLE	123099	29151574.5		
7	DON'T KNOW	112	8573.9		
8	REFUSAL	2	142.5		
9	NOT STATED	106	9625.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSPI: Theme module: Spirometry (SPI) - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3625 / 444498.52] [Invalid=121304 / 28890712.44]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3625	444498.5		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	121304	28890712.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPI_01: Have you ever had a spirometry test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3487 / 430410.96] [Invalid=121442 / 28904800]
Pre-question	Spirometry is a common lung function test that consists of blowing into a small tube attached to a machine.
Literal question	Have you ever had this test?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	871	105426.9	24.5%	
2	NO	2616	324984.0		75.5%
6	NOT APPLICABLE	121304	28890712.4		

SPI_01: Have you ever had a spirometry test

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	39	3565.9	
8	REFUSAL	0	0.0	
9	NOT STATED	99	10521.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPI_02: Last time had spirometry test

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=859 / 104522.15] [Invalid=124070 / 29230688.81]
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	103	12283.2	11.8%
2	6 MTHS TO < 1 YR	113	13024.1	12.5%
3	1 TO < 2 YEARS	94	11150.0	10.7%
4	2 TO < 5 YEARS	193	24839.4	23.8%
5	5 YEARS OR MORE	356	43225.5	41.4%
6	NOT APPLICABLE	123920	29215696.5	
7	DON'T KNOW	12	904.8	
8	REFUSAL	0	0.0	
9	NOT STATED	138	14087.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOHRT: Module:Hormone replacement therapy-HRT-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1774 / 125024.28] [Invalid=123155 / 29210186.68]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1774	125024.3	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	123155	29210186.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_01: Past yr,experienced symptoms of menopause

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=749 / 46605.28] [Invalid=124180 / 29288605.68]
Literal question	In the past 12 months, have you experienced any symptoms of menopause or ageing. These symptoms may include hot flashes, night sweats, or an irregularity or the stopping of your periods?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	249	18022.6	38.7%
2	NO	500	28582.7	61.3%
6	NOT APPLICABLE	124169	29287965.9	
7	DON'T KNOW	1	68.0	
8	REFUSAL	1	49.7	
9	NOT STATED	9	522.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_02: Past year, taken hormone therapy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=749 / 46642.25] [Invalid=124180 / 29288568.71]
Literal question	In the past 12 months, did you take any form of Hormone Replacement Therapy for menopause symptoms or for conditions due to ageing?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	59	3822.2	8.2%
2	NO	690	42820.1	91.8%
6	NOT APPLICABLE	124169	29287965.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	31.0	
9	NOT STATED	10	571.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_03: Are you currently taking hormones

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=59 / 3822.16] [Invalid=124870 / 29331388.8]
Literal question	Are you currently taking hormones?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	46	2768.4	72.4%
2	NO	13	1053.8	27.6%
6	NOT APPLICABLE	124859	29330786.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	11	602.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_04A: Type of hormone taken: Estrogen

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=57 / 3691.41] [Invalid=124872 / 29331519.55]
Literal question	What type of hormones did you take? - Estrogen only (e.g., Premarin, Estrace, Vivelle)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	34	1810.1	49.0%
2	NO	23	1881.3	51.0%
6	NOT APPLICABLE	124859	29330786.0	
7	DON'T KNOW	2	130.8	
8	REFUSAL	0	0.0	
9	NOT STATED	11	602.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_04B: Type of hormone taken: Progestin

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=57 / 3691.41] [Invalid=124872 / 29331519.55]
Literal question	What type of hormones did you take? - Progestin or progesterone only (e.g., Provera, Prometrium)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	764.2	20.7%
2	NO	49	2927.2	79.3%

HRT_04B: Type of hormone taken: Progestin

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	124859	29330786.0	
7	DON'T KNOW	2	130.8	
8	REFUSAL	0	0.0	
9	NOT STATED	11	602.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_04C: Type of hormone taken: Estrogen&Progestin

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=57 / 3691.41] [Invalid=124872 / 29331519.55]
Literal question	What type of hormones did you take? - Both estrogen and progesterone only (e.g., Premplus, FemHRT, Estalis)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	857.2	23.2%
2	NO	50	2834.2	76.8%
6	NOT APPLICABLE	124859	29330786.0	
7	DON'T KNOW	2	130.8	
8	REFUSAL	0	0.0	
9	NOT STATED	11	602.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_04D: Type of hormone taken: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=57 / 3691.41] [Invalid=124872 / 29331519.55]
Literal question	What type of hormones did you take? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	438.6	11.9%
2	NO	45	3252.8	88.1%
6	NOT APPLICABLE	124859	29330786.0	
7	DON'T KNOW	2	130.8	
8	REFUSAL	0	0.0	
9	NOT STATED	11	602.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_05: When did you start this hormone therapy

Information	[Type= continuous] [Format=numeric] [Range= 1967-2012] [Missing=*]
Statistics [NW/ W]	[Valid=55 / 3672.63] [Invalid=124874 / 29331538.33] [Mean=2000.927 / 2003.811] [StdDev=10.534 / 9.42]
Literal question	When did you start this hormone therapy?

Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	124859	29330786.0	
9997	DON'T KNOW	4	149.5	
9998	REFUSAL	0	0.0	
9999	NOT STATED	11	602.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_07: Ever taken hormone therapy for menopause

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=486 / 25935.21] [Invalid=124443 / 29309275.75]

HRT_07: Ever taken hormone therapy for menopause

Literal question	Have you ever taken any form of Hormone Replacement Therapy for menopause symptoms or for conditions due to ageing?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	139	7305.4	28.2%
2	NO	347	18629.8	71.8%
6	NOT APPLICABLE	124228	29291788.1	
7	DON'T KNOW	2	107.9	
8	REFUSAL	0	0.0	
9	NOT STATED	213	17379.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_10: Past yr,hlth product for menopause symptm

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=265 / 18766.79] [Invalid=124664 / 29316444.17]
Pre-question	Some women use health products such as herbs, minerals or homeopathic supplements to relieve symptoms of menopause or conditions of ageing.
Literal question	In the past 12 months, have you used any of these health products to relieve your symptoms?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27	2031.3	10.8%
2	NO	238	16735.5	89.2%
6	NOT APPLICABLE	124652	29315773.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	12	670.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_11A: Health product menopause: Vitamins

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=27 / 2031.33] [Invalid=124902 / 29333179.63]
Literal question	What have you used? - Vitamins or other dietary supplements (e.g., Melatonin, Calcium)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	1112.5	54.8%
2	NO	13	918.8	45.2%
6	NOT APPLICABLE	124890	29332508.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	12	670.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_11B: Health product menopause: Herbs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=27 / 2031.33] [Invalid=124902 / 29333179.63]
Literal question	What have you used? - Herbs (e.g., Black Cohosh, Oil of Evening Primrose)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	732.2	36.0%
2	NO	18	1299.1	64.0%
6	NOT APPLICABLE	124890	29332508.8	

HRT_11B: Health product menopause: Herbs

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	12	670.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_11C: Health product menopause: Herbal teas

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=27 / 2031.33] [Invalid=124902 / 29333179.63]
Literal question	What have you used? - Herbal teas

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	449.7	22.1%
2	NO	21	1581.6	77.9%
6	NOT APPLICABLE	124890	29332508.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	12	670.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_11D: Health product menopause: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=27 / 2031.33] [Invalid=124902 / 29333179.63]
Literal question	What have you used? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	474.9	23.4%
2	NO	21	1556.4	76.6%
6	NOT APPLICABLE	124890	29332508.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	12	670.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_12: Past yr for menopause,taken anything else

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=265 / 18766.79] [Invalid=124664 / 29316444.17]
Literal question	Other than taking hormones or health products, in the past 12 months, did you do anything else to relieve your symptoms?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	44	3897.1	20.8%
2	NO	221	14869.7	79.2%
6	NOT APPLICABLE	124652	29315773.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	12	670.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_13A: Other for menopause: Soy, flax, calcium

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

HRT_13A: Other for menopause: Soy, flax, calcium

Statistics [NW/ W]	[Valid=44 / 3897.11] [Invalid=124885 / 29331313.85]
Literal question	What did you do? - Ate more foods rich in soy, flax or calcium

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	413.8	10.6%
2	NO	38	3483.3	89.4%
6	NOT APPLICABLE	124873	29330643.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	12	670.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_13B: Other for menopause: More legumes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=44 / 3897.11] [Invalid=124885 / 29331313.85]
Literal question	What did you do? - Ate more legumes (i.e., beans, peas)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	421.0	10.8%
2	NO	40	3476.1	89.2%
6	NOT APPLICABLE	124873	29330643.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	12	670.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_13C: Other for menopause: Avoid food/activity

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=44 / 3897.11] [Invalid=124885 / 29331313.85]
Literal question	What did you do? - Avoided certain foods or activities (e.g., spicy foods, alcohol, hot tubs)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	599.4	15.4%
2	NO	37	3297.7	84.6%
6	NOT APPLICABLE	124873	29330643.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	12	670.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_13D: Other for menopause: Increase exercise

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=44 / 3897.11] [Invalid=124885 / 29331313.85]
Literal question	What did you do? - Increased exercise

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19	1830.0	47.0%
2	NO	25	2067.2	53.0%
6	NOT APPLICABLE	124873	29330643.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	12	670.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_13E: Othr:for menopause: Relaxation exercises

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=44 / 3897.11] [Invalid=124885 / 29331313.85]
Literal question	What did you do? - Did relaxation exercises (e.g., yoga, Tai Chi)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	283.6	7.3%
2	NO	40	3613.5	92.7%
6	NOT APPLICABLE	124873	29330643.0	

HRT_13E: Othr:for menopause: Relaxation exercises

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	12	670.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_13F: Othr:for menopause: Massage therapy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=44 / 3897.11] [Invalid=124885 / 29331313.85]
Literal question	What did you do? - Received massage therapy treatments

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	44	3897.1	100.0%
6	NOT APPLICABLE	124873	29330643.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	12	670.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_13G: Othr:for menopause: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=44 / 3897.11] [Invalid=124885 / 29331313.85]
Literal question	What did you do? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23	2423.7	62.2%
2	NO	21	1473.4	37.8%
6	NOT APPLICABLE	124873	29330643.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	12	670.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOPCU: Theme module:Physical check-up (PCU) -(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3625 / 444498.52] [Invalid=121304 / 28890712.44]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3625	444498.5	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	121304	28890712.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_150: Physical check-up without health problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3508 / 432360.82] [Invalid=121421 / 28902850.14]

PCU_150: Physical check-up without health problem

Literal question	Have you ever had a general physical check-up?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2284	282924.3	65.4%
2	NO	1224	149436.5	34.6%
6	NOT APPLICABLE	121304	28890712.4	
7	DON'T KNOW	18	1616.1	
8	REFUSAL	0	0.0	
9	NOT STATED	99	10521.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_153: Last time physical check-up w/o hlth prob

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=2269 / 281923.03] [Invalid=122660 / 29053287.93]
Literal question	How often do you usually have a general physical check-up?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	> ONCE A YEAR	237	25812.9	9.2%
2	ONCE A YEAR	1045	120886.3	42.9%
3	ONCE EVERY 2 YRS	243	30456.5	10.8%
4	ONCE EVERY 3 YRS	95	14048.7	5.0%
5	<ONCE EVERY 3 YR	73	9640.6	3.4%
6	NO REG. PATTERN	576	81078.1	28.8%
96	NOT APPLICABLE	122528	29040148.9	
97	DON'T KNOW	15	1001.3	
98	REFUSAL	0	0.0	
99	NOT STATED	117	12137.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_152: How often physical check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=2232 / 278595.69] [Invalid=122697 / 29056615.27]
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	> ONCE A YEAR	1203	141473.3	50.8%
2	ONCE A YEAR	425	53807.2	19.3%
3	ONCE EVERY 2 YRS	194	27721.2	10.0%
4	ONCE EVERY 3 YRS	97	14213.6	5.1%
5	<ONCE EVERY 3 YR	70	11096.7	4.0%
6	NO REG. PATTERN	243	30283.8	10.9%
96	NOT APPLICABLE	122528	29040148.9	
97	DON'T KNOW	52	4328.6	
98	REFUSAL	0	0.0	
99	NOT STATED	117	12137.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154A: Why no physical check-up:Not gotten to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1578 / 197940.47] [Invalid=123351 / 29137270.49]

PCU_154A: Why no physical check-up:Not gotten to it

Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	188	19586.5		9.9%
2	NO	1390	178354.0		90.1%
6	NOT APPLICABLE	123126	29113714.1		
7	DON'T KNOW	56	7090.0		
8	REFUSAL	0	0.0		
9	NOT STATED	169	16466.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154B: Why no physical check-up: Not necessary

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1578 / 197940.47] [Invalid=123351 / 29137270.49]
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - respondent - did not yhink it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1138	148825.6		75.2%
2	NO	440	49114.9		24.8%
6	NOT APPLICABLE	123126	29113714.1		
7	DON'T KNOW	56	7090.0		
8	REFUSAL	0	0.0		
9	NOT STATED	169	16466.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154C: Why no physical checkup:Dr think not need

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1578 / 197940.47] [Invalid=123351 / 29137270.49]
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Doctor - did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	96	14750.3		7.5%
2	NO	1482	183190.2		92.5%
6	NOT APPLICABLE	123126	29113714.1		
7	DON'T KNOW	56	7090.0		
8	REFUSAL	0	0.0		
9	NOT STATED	169	16466.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154D: Why no physical checkup:Responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1578 / 197940.47] [Invalid=123351 / 29137270.49]
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Personal or family responsabilities

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2	140.7		0.1%
2	NO	1576	197799.8		99.9%
6	NOT APPLICABLE	123126	29113714.1		

PCU_154D: Why no physical checkup:Responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	56	7090.0	
8	REFUSAL	0	0.0	
9	NOT STATED	169	16466.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154E: Why no physical checkup:Unavail when need

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1578 / 197940.47] [Invalid=123351 / 29137270.49]
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Not available - at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	112.7	0.1%
2	NO	1575	197827.8	99.9%
6	NOT APPLICABLE	123126	29113714.1	
7	DON'T KNOW	56	7090.0	
8	REFUSAL	0	0.0	
9	NOT STATED	169	16466.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154F: Why no physical check-up:Unavail in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1578 / 197940.47] [Invalid=123351 / 29137270.49]
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Not available - at all in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	358.6	0.2%
2	NO	1570	197581.8	99.8%
6	NOT APPLICABLE	123126	29113714.1	
7	DON'T KNOW	56	7090.0	
8	REFUSAL	0	0.0	
9	NOT STATED	169	16466.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154G: Why no physical check-up: Too long wait

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1578 / 197940.47] [Invalid=123351 / 29137270.49]
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	3375.6	1.7%
2	NO	1561	194564.9	98.3%
6	NOT APPLICABLE	123126	29113714.1	
7	DON'T KNOW	56	7090.0	
8	REFUSAL	0	0.0	
9	NOT STATED	169	16466.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154H: Why no physical checkup:Transportatn prob

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

PCU_154H: Why no physical checkup:Transportatn prob

Statistics [NW/ W]	[Valid=1578 / 197940.47] [Invalid=123351 / 29137270.49]			
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Transportation - problems			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	186.3	0.1%
2	NO	1575	197754.2	99.9%
6	NOT APPLICABLE	123126	29113714.1	
7	DON'T KNOW	56	7090.0	
8	REFUSAL	0	0.0	
9	NOT STATED	169	16466.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154I: Why no physical checkup:Language problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1578 / 197940.47] [Invalid=123351 / 29137270.49]			
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Language - problem			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	33.5	0.0%
2	NO	1577	197907.0	100.0%
6	NOT APPLICABLE	123126	29113714.1	
7	DON'T KNOW	56	7090.0	
8	REFUSAL	0	0.0	
9	NOT STATED	169	16466.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154J: Why no physical check-up: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1578 / 197940.47] [Invalid=123351 / 29137270.49]			
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Cost			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	186.3	0.1%
2	NO	1576	197754.2	99.9%
6	NOT APPLICABLE	123126	29113714.1	
7	DON'T KNOW	56	7090.0	
8	REFUSAL	0	0.0	
9	NOT STATED	169	16466.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154K: Why no physical checkup: Unimformed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1578 / 197940.47] [Invalid=123351 / 29137270.49]			
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Did not know where to go / uninformed			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	333.8	0.2%
2	NO	1575	197606.7	99.8%
6	NOT APPLICABLE	123126	29113714.1	

PCU_154K: Why no physical checkup: Unimformed

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	56	7090.0	
8	REFUSAL	0	0.0	
9	NOT STATED	169	16466.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154L: Why no physical check-up: Fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1578 / 197940.47] [Invalid=123351 / 29137270.49]
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Fear (e.g., painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	288.0	0.1%
2	NO	1572	197652.5	99.9%
6	NOT APPLICABLE	123126	29113714.1	
7	DON'T KNOW	56	7090.0	
8	REFUSAL	0	0.0	
9	NOT STATED	169	16466.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154M: Why no physical checkup:Cannot leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1578 / 197940.47] [Invalid=123351 / 29137270.49]
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	70.3	0.0%
2	NO	1577	197870.1	100.0%
6	NOT APPLICABLE	123126	29113714.1	
7	DON'T KNOW	56	7090.0	
8	REFUSAL	0	0.0	
9	NOT STATED	169	16466.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154N: Why no physical checkup: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1578 / 197940.47] [Invalid=123351 / 29137270.49]
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	208	21433.5	10.8%
2	NO	1370	176506.9	89.2%
6	NOT APPLICABLE	123126	29113714.1	
7	DON'T KNOW	56	7090.0	
8	REFUSAL	0	0.0	
9	NOT STATED	169	16466.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_155: Last checkup,weighed by hlth professional

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1834 / 224204.6] [Invalid=123095 / 29111006.36]
Literal question	During your last general physical check-up, did a health professional weigh you?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1290	159645.9	71.2%
2	NO	544	64558.7	28.8%
6	NOT APPLICABLE	122938	29095743.0	
7	DON'T KNOW	40	3125.7	
8	REFUSAL	0	0.0	
9	NOT STATED	117	12137.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_156: Last checkup,measured by hlth professionl

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1835 / 223846.09] [Invalid=123094 / 29111364.87]
Pre-question	(During your last general physical check-up,)
Literal question	...did a health professional measure your height?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	931	117026.8	52.3%
2	NO	904	106819.3	47.7%
6	NOT APPLICABLE	122938	29095743.0	
7	DON'T KNOW	39	3484.2	
8	REFUSAL	0	0.0	
9	NOT STATED	117	12137.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_157: Last checkup, blood pressure checked

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1860 / 226019.7] [Invalid=123069 / 29109191.26]
Literal question	During your last general physical check-up, did a health professional check your blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1747	212409.7	94.0%
2	NO	113	13610.0	6.0%
6	NOT APPLICABLE	122938	29095743.0	
7	DON'T KNOW	14	1310.6	
8	REFUSAL	0	0.0	
9	NOT STATED	117	12137.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_158: Last checkup,weight risks discussed w/you

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1866 / 226392.94] [Invalid=123063 / 29108818.02]
Literal question	(During your last general physical check-up,) ...did a health professional discuss with you any risks that your weight might pose to your health?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	451	49603.0	21.9%

PCU_158: Last checkup,weight risks discussed w/you

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	1415	176789.9	78.1%
6	NOT APPLICABLE	122938	29095743.0	
7	DON'T KNOW	8	937.4	
8	REFUSAL	0	0.0	
9	NOT STATED	117	12137.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOPSA: Module: Prostate cancer screening (PSA)-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=47544 / 12262402.26] [Invalid=77385 / 17072808.7]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	47544	12262402.3	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	77385	17072808.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_170: Ever had PSA blood test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13845 / 3653186.94] [Invalid=111084 / 25682024.02]
Pre-question	Now Prostate tests)
Literal question	Have you ever had a prostate specific antigen test for prostate cancer, that is, a PSA blood test?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8384	1929858.7	52.8%
2	NO	5461	1723328.3	47.2%
6	NOT APPLICABLE	110102	25470544.6	
7	DON'T KNOW	379	99045.7	
8	REFUSAL	31	5266.5	
9	NOT STATED	572	107167.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_172: Last time had PSA blood test

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=8282 / 1909545.49] [Invalid=116647 / 27425665.47]
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	4566	1039092.9	54.4%
2	1 TO < 2 YEARS	1901	480833.6	25.2%
3	2 TO < 3 YEARS	781	188966.5	9.9%
4	3 TO < 5 YEARS	524	97649.0	5.1%
5	5 YEARS OR MORE	510	103003.4	5.4%
6	NOT APPLICABLE	115563	27193872.8	
7	DON'T KNOW	98	19093.0	

PSA_172: Last time had PSA blood test

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	4	1220.2	
9	NOT STATED	982	211479.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_73A: Why PSA blood test: Family history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8356 / 1924819.3] [Invalid=116573 / 27410391.66]
Literal question	Why did you have it? - Family history of prostate cancer

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	473	107445.2	5.6%
2	NO	7883	1817374.1	94.4%
6	NOT APPLICABLE	115563	27193872.8	
7	DON'T KNOW	27	4864.7	
8	REFUSAL	1	174.6	
9	NOT STATED	982	211479.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_73B: Why PSA blood test: Regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8356 / 1924819.3] [Invalid=116573 / 27410391.66]
Literal question	Why did you have it? - Part of regular check-up / routine screening

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6409	1507157.5	78.3%
2	NO	1947	417661.8	21.7%
6	NOT APPLICABLE	115563	27193872.8	
7	DON'T KNOW	27	4864.7	
8	REFUSAL	1	174.6	
9	NOT STATED	982	211479.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_73C: Why PSA blood test: Age

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8356 / 1924819.3] [Invalid=116573 / 27410391.66]
Literal question	Why did you have it? - Age

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1060	292854.6	15.2%
2	NO	7296	1631964.7	84.8%
6	NOT APPLICABLE	115563	27193872.8	
7	DON'T KNOW	27	4864.7	
8	REFUSAL	1	174.6	
9	NOT STATED	982	211479.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_73D: Why PSA blood test: Follow-up problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8356 / 1924819.3] [Invalid=116573 / 27410391.66]

PSA_73D: Why PSA blood test: Follow-up problem

Literal question	Why did you have it? - Follow-up of problem			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	851	169920.2	8.8%
2	NO	7505	1754899.0	91.2%
6	NOT APPLICABLE	115563	27193872.8	
7	DON'T KNOW	27	4864.7	
8	REFUSAL	1	174.6	
9	NOT STATED	982	211479.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_73E: Why PSA blood test:Followup prostate prob

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8356 / 1924819.3] [Invalid=116573 / 27410391.66]			
Literal question	Why did you have it? - Follow-up of prostate cancer treatment			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	424	69972.3	3.6%
2	NO	7932	1854847.0	96.4%
6	NOT APPLICABLE	115563	27193872.8	
7	DON'T KNOW	27	4864.7	
8	REFUSAL	1	174.6	
9	NOT STATED	982	211479.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_73F: Why PSA blood test: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8356 / 1924819.3] [Invalid=116573 / 27410391.66]			
Literal question	Why did you have it? - Other			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	262	56030.2	2.9%
2	NO	8094	1868789.1	97.1%
6	NOT APPLICABLE	115563	27193872.8	
7	DON'T KNOW	27	4864.7	
8	REFUSAL	1	174.6	
9	NOT STATED	982	211479.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_174: Ever had Digital Rectal Exam

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=14115 / 3726477.31] [Invalid=110814 / 25608733.65]			
Pre-question	A Digital Rectal Exam is an exam in which a gloved finger is inserted into the rectum in order to feel the prostate gland.			
Literal question	Have you ever had this exam?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9338	2185335.4	58.6%
2	NO	4777	1541141.9	41.4%
6	NOT APPLICABLE	110102	25470544.6	
7	DON'T KNOW	96	20824.4	

PSA_174: Ever had Digital Rectal Exam

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	13	4931.0	
9	NOT STATED	603	112433.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_175: Last time had Digital Rectal Exam

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=9229 / 2167252.88] [Invalid=115700 / 27167958.08]
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	3801	906275.4	41.8%
2	1 TO < 2 YEARS	2029	492997.0	22.7%
3	2 TO < 3 YEARS	1053	240455.8	11.1%
4	3 TO < 5 YEARS	833	186164.3	8.6%
5	5 YEARS OR MORE	1513	341360.5	15.8%
6	NOT APPLICABLE	114879	27011686.5	
7	DON'T KNOW	107	17955.0	
8	REFUSAL	2	127.6	
9	NOT STATED	712	138189.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOCCS: Module: Colorectal cancer screening-CCS-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=59635 / 15189725.82] [Invalid=65294 / 14145485.14]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	59635	15189725.8	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	65294	14145485.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_180: Ever had an FOBT

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=40970 / 9507657.99] [Invalid=83959 / 19827552.97]
Pre-question	An FOBT is a test to check for blood in your stool, where you have a bowel movement and use a stick to smear a small sample on a special card.
Literal question	Have you ever had this test?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19263	3639800.5	38.3%
2	NO	21707	5867857.5	61.7%
6	NOT APPLICABLE	82562	19524320.0	
7	DON'T KNOW	317	85349.3	
8	REFUSAL	39	6143.2	
9	NOT STATED	1041	211740.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_182: Last time had an FOBT

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]			
Statistics [NW/ W]	[Valid=18899 / 3587527.11] [Invalid=106030 / 25747683.85]			
Literal question	When was the last time?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	6665	1291163.0	36.0%
2	1 TO < 2 YEARS	4712	889594.6	24.8%
3	2 TO < 3 YEARS	2518	472923.3	13.2%
4	3 TO < 5 YEARS	1939	361150.7	10.1%
5	5 TO < 10YEARS	1770	331289.6	9.2%
6	5 YEARS OR MORE	1295	241405.9	6.7%
96	NOT APPLICABLE	104269	25392177.4	
97	DON'T KNOW	357	51614.8	
98	REFUSAL	7	658.7	
99	NOT STATED	1397	303233.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_83A: Reason for FOBT: Family history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=18849 / 3577104.9] [Invalid=106080 / 25758106.06]			
Literal question	Why did you have it? - Family history of colorectal cancer			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	962	178984.3	5.0%
2	NO	17887	3398120.6	95.0%
6	NOT APPLICABLE	104269	25392177.4	
7	DON'T KNOW	406	62181.0	
8	REFUSAL	8	514.7	
9	NOT STATED	1397	303233.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_83B: Reason for FOBT: Regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=18849 / 3577104.9] [Invalid=106080 / 25758106.06]			
Literal question	Why did you have it? - Part of regular check-up / routine screening			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13904	2666351.1	74.5%
2	NO	4945	910753.8	25.5%
6	NOT APPLICABLE	104269	25392177.4	
7	DON'T KNOW	406	62181.0	
8	REFUSAL	8	514.7	
9	NOT STATED	1397	303233.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_83C: Reason for FOBT: Age

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=18849 / 3577104.9] [Invalid=106080 / 25758106.06]			
Literal question	Why did you have it? - Age			

CCS_83C: Reason for FOBT: Age

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1350	354707.9	9.9%	
2	NO	17499	3222397.0		90.1%
6	NOT APPLICABLE	104269	25392177.4		
7	DON'T KNOW	406	62181.0		
8	REFUSAL	8	514.7		
9	NOT STATED	1397	303233.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_83D: Reason for FOBT: Follow-up problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18849 / 3577104.9] [Invalid=106080 / 25758106.06]
Literal question	Why did you have it? - Follow-up of problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3320	589213.1	16.5%	
2	NO	15529	2987891.8		83.5%
6	NOT APPLICABLE	104269	25392177.4		
7	DON'T KNOW	406	62181.0		
8	REFUSAL	8	514.7		
9	NOT STATED	1397	303233.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_83E: Reason for FOBT: Follow-up colorectal

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18849 / 3577104.9] [Invalid=106080 / 25758106.06]
Literal question	Why did you have it? - Follow-up of colorectal cancer treatment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	150	23369.0	0.7%	
2	NO	18699	3553736.0		99.3%
6	NOT APPLICABLE	104269	25392177.4		
7	DON'T KNOW	406	62181.0		
8	REFUSAL	8	514.7		
9	NOT STATED	1397	303233.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_83F: Reason for FOBT: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18849 / 3577104.9] [Invalid=106080 / 25758106.06]
Literal question	Why did you have it? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	774	132777.7	3.7%	
2	NO	18075	3444327.2		96.3%
6	NOT APPLICABLE	104269	25392177.4		
7	DON'T KNOW	406	62181.0		
8	REFUSAL	8	514.7		
9	NOT STATED	1397	303233.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_184: Ever had colonoscopy/sigmoidoscopy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=41089 / 9538370.08] [Invalid=83840 / 19796840.88]
Pre-question	A colonoscopy or sigmoidoscopy is when a tube is inserted into the rectum to view the bowel for early signs of cancer and other health problems.
Literal question	Have you ever had either of these exams?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15723	3118152.5	32.7%
2	NO	25366	6420217.6	67.3%
6	NOT APPLICABLE	82562	19524320.0	
7	DON'T KNOW	194	52945.9	
8	REFUSAL	4	1691.3	
9	NOT STATED	1080	217883.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_185: Last time had colonoscopy/sigmoidoscopy

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=15554 / 3098079.17] [Invalid=109375 / 26237131.79]
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	3167	687576.9	22.2%
2	1 TO < 2 YEARS	2771	599181.6	19.3%
3	2 TO < 3 YEARS	2593	535928.0	17.3%
4	3 TO < 5 YEARS	2905	563079.0	18.2%
5	5 TO < 10YEARS	2512	448128.1	14.5%
6	5 YEARS OR MORE	1606	264185.6	8.5%
96	NOT APPLICABLE	107928	25944537.6	
97	DON'T KNOW	166	19583.0	
98	REFUSAL	3	490.3	
99	NOT STATED	1278	272520.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_86A: Reason for colonoscopy: Family history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15485 / 3087439.84] [Invalid=109444 / 26247771.12]
Literal question	Why did you have it? - Family history of colorectal cancer

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2429	493798.2		16.0%
2	NO	13056	2593641.6		84.0%
6	NOT APPLICABLE	107928	25944537.6		
7	DON'T KNOW	232	29322.2		
8	REFUSAL	6	1390.4		
9	NOT STATED	1278	272520.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_86B: Reason for colonoscopy: Regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15485 / 3087439.84] [Invalid=109444 / 26247771.12]
Literal question	Why did you have it? - Part of regular check-up / routine screening

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6951	1463355.4		47.4%
2	NO	8534	1624084.5		52.6%
6	NOT APPLICABLE	107928	25944537.6		
7	DON'T KNOW	232	29322.2		
8	REFUSAL	6	1390.4		
9	NOT STATED	1278	272520.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_86C: Reason for colonoscopy: Age

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15485 / 3087439.84] [Invalid=109444 / 26247771.12]
Literal question	Why did you have it? - Age

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1187	308516.6		10.0%
2	NO	14298	2778923.2		90.0%
6	NOT APPLICABLE	107928	25944537.6		
7	DON'T KNOW	232	29322.2		
8	REFUSAL	6	1390.4		
9	NOT STATED	1278	272520.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_86D: Reason for colonoscopy: Follow-up problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15485 / 3087439.84] [Invalid=109444 / 26247771.12]
Literal question	Why did you have it? - Follow-up of problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5893	1096797.0		35.5%
2	NO	9592	1990642.8		64.5%
6	NOT APPLICABLE	107928	25944537.6		

CCS_86D: Reason for colonoscopy: Follow-up problem

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	232	29322.2	
8	REFUSAL	6	1390.4	
9	NOT STATED	1278	272520.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_86E: Reason for colonoscopy:Followup treatment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15485 / 3087439.84] [Invalid=109444 / 26247771.12]
Literal question	Why did you have it? - Follow-up of colorectal cancer treatment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	322	48365.3	1.6%
2	NO	15163	3039074.5	98.4%
6	NOT APPLICABLE	107928	25944537.6	
7	DON'T KNOW	232	29322.2	
8	REFUSAL	6	1390.4	
9	NOT STATED	1278	272520.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_86F: Reason for colonoscopy: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15485 / 3087439.84] [Invalid=109444 / 26247771.12]
Literal question	Why did you have it? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	832	144801.2	4.7%
2	NO	14653	2942638.7	95.3%
6	NOT APPLICABLE	107928	25944537.6	
7	DON'T KNOW	232	29322.2	
8	REFUSAL	6	1390.4	
9	NOT STATED	1278	272520.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_187: Had colonoscopy to follow-up FOBT

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9337 / 1724267.69] [Invalid=115592 / 27610943.27]
Literal question	Was the colonoscopy or sigmoidoscopy a follow-up of the results of an FOBT?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1737	305678.4	17.7%
2	NO	7600	1418589.2	82.3%
6	NOT APPLICABLE	113601	27237865.6	
7	DON'T KNOW	635	83962.5	
8	REFUSAL	6	508.4	
9	NOT STATED	1350	288606.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DODEN: Module: Dental visits (DEN) - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

DODEN: Module: Dental visits (DEN) - (F)

Statistics [NW/ W]	[Valid=21908 / 4613415.53] [Invalid=103021 / 24721795.43]			

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
1	YES	21908	4613415.5	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	103021	24721795.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_130: Past year, have you visited a dentist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8714 / 1845991.4] [Invalid=116215 / 27489219.56]			
Literal question	It was reported earlier that you have "seen" or "talked to" a dentist in the past 12 months. Did you actually visit one?			

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
1	YES	8603	1818450.9	98.5%
2	NO	111	27540.5	1.5%
6	NOT APPLICABLE	115932	27441819.0	
7	DON'T KNOW	4	1274.0	
8	REFUSAL	0	0.0	
9	NOT STATED	279	46126.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_132: Last time visited dentist

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]			
Statistics [NW/ W]	[Valid=21301 / 4524626.82] [Invalid=103628 / 24810584.14]			
Literal question	When was the last time that you went to a dentist?			

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
1	< 1 YEAR	12992	2943658.1	65.1%
2	1 TO <2 YEARS	2634	563387.9	12.5%
3	2 TO < 3 YEARS	1518	336844.2	7.4%
4	3 TO < 4 YEARS	704	138196.1	3.1%
5	4 TO < 5 YEARS	514	98589.2	2.2%
6	5 YEARS OR MORE	2738	403563.9	8.9%
7	NEVER	201	40387.5	0.9%
96	NOT APPLICABLE	103021	24721795.4	
97	DON'T KNOW	182	25759.0	
98	REFUSAL	5	1248.9	
99	NOT STATED	420	61780.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36A: Why no dentist: Haven't gotten to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4135 / 678525.33] [Invalid=120794 / 28656685.63]
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Have not gotten around to it

DEN_36A: Why no dentist: Haven't gotten to it

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	424	99293.7	14.6%
2	NO	3711	579231.7	85.4%
6	NOT APPLICABLE	120165	28565685.6	
7	DON'T KNOW	21	2064.4	
8	REFUSAL	1	146.8	
9	NOT STATED	607	88788.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36B: Why no dentist: Not necessary

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4135 / 678525.33] [Invalid=120794 / 28656685.63]
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1135	217588.7	32.1%
2	NO	3000	460936.6	67.9%
6	NOT APPLICABLE	120165	28565685.6	
7	DON'T KNOW	21	2064.4	
8	REFUSAL	1	146.8	
9	NOT STATED	607	88788.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36C: Why no dentist: Dentist think not needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4135 / 678525.33] [Invalid=120794 / 28656685.63]
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Dentist did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25	4604.1	0.7%
2	NO	4110	673921.3	99.3%
6	NOT APPLICABLE	120165	28565685.6	
7	DON'T KNOW	21	2064.4	
8	REFUSAL	1	146.8	
9	NOT STATED	607	88788.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36D: Why no dentist: Personal responsibility

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4135 / 678525.33] [Invalid=120794 / 28656685.63]
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16	4194.8	0.6%
2	NO	4119	674330.5	99.4%
6	NOT APPLICABLE	120165	28565685.6	
7	DON'T KNOW	21	2064.4	
8	REFUSAL	1	146.8	
9	NOT STATED	607	88788.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36E: Why no dentist: Not available when needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4135 / 678525.33] [Invalid=120794 / 28656685.63]			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at time required			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	2853.5	0.4%
2	NO	4121	675671.8	99.6%
6	NOT APPLICABLE	120165	28565685.6	
7	DON'T KNOW	21	2064.4	
8	REFUSAL	1	146.8	
9	NOT STATED	607	88788.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36F: Why no dentist: Not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4135 / 678525.33] [Invalid=120794 / 28656685.63]			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at all in the area			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23	2803.7	0.4%
2	NO	4112	675721.6	99.6%
6	NOT APPLICABLE	120165	28565685.6	
7	DON'T KNOW	21	2064.4	
8	REFUSAL	1	146.8	
9	NOT STATED	607	88788.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36G: Why no dentist: Wait time too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4135 / 678525.33] [Invalid=120794 / 28656685.63]			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Waiting time was too long			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	1123.2	0.2%
2	NO	4125	677402.1	99.8%
6	NOT APPLICABLE	120165	28565685.6	
7	DON'T KNOW	21	2064.4	
8	REFUSAL	1	146.8	
9	NOT STATED	607	88788.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36H: Why no dentist: Transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4135 / 678525.33] [Invalid=120794 / 28656685.63]			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Transportation problems			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	702.0	0.1%
2	NO	4126	677823.4	99.9%
6	NOT APPLICABLE	120165	28565685.6	

DEN_36H: Why no dentist: Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	21	2064.4	
8	REFUSAL	1	146.8	
9	NOT STATED	607	88788.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36I: Why no dentist: Language problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4135 / 678525.33] [Invalid=120794 / 28656685.63]
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	113.5	0.0%
2	NO	4134	678411.8	100.0%
6	NOT APPLICABLE	120165	28565685.6	
7	DON'T KNOW	21	2064.4	
8	REFUSAL	1	146.8	
9	NOT STATED	607	88788.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36J: Why no dentist: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4135 / 678525.33] [Invalid=120794 / 28656685.63]
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	484	114957.5	16.9%
2	NO	3651	563567.8	83.1%
6	NOT APPLICABLE	120165	28565685.6	
7	DON'T KNOW	21	2064.4	
8	REFUSAL	1	146.8	
9	NOT STATED	607	88788.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36K: Why no dentist: Uninformed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4135 / 678525.33] [Invalid=120794 / 28656685.63]
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15	2200.7	0.3%
2	NO	4120	676324.6	99.7%
6	NOT APPLICABLE	120165	28565685.6	
7	DON'T KNOW	21	2064.4	
8	REFUSAL	1	146.8	
9	NOT STATED	607	88788.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36L: Why no dentist: Fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

DEN_36L: Why no dentist: Fear

Statistics [NW/ W]	[Valid=4135 / 678525.33] [Invalid=120794 / 28656685.63]			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Fear (e.g., painful, embarrassing, find something wrong)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	207	31803.6	4.7%
2	NO	3928	646721.7	95.3%
6	NOT APPLICABLE	120165	28565685.6	
7	DON'T KNOW	21	2064.4	
8	REFUSAL	1	146.8	
9	NOT STATED	607	88788.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36M: Why no dentist: Wears dentures

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4135 / 678525.33] [Invalid=120794 / 28656685.63]			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Wears dentures			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1787	195727.6	28.8%
2	NO	2348	482797.7	71.2%
6	NOT APPLICABLE	120165	28565685.6	
7	DON'T KNOW	21	2064.4	
8	REFUSAL	1	146.8	
9	NOT STATED	607	88788.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36O: Why no dentist: Unable to leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4135 / 678525.33] [Invalid=120794 / 28656685.63]			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Unable to leave the house because of a health problem			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	842.7	0.1%
2	NO	4128	677682.6	99.9%
6	NOT APPLICABLE	120165	28565685.6	
7	DON'T KNOW	21	2064.4	
8	REFUSAL	1	146.8	
9	NOT STATED	607	88788.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36N: Why no dentist: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4135 / 678525.33] [Invalid=120794 / 28656685.63]			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Other			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	323	56884.7	8.4%
2	NO	3812	621640.6	91.6%
6	NOT APPLICABLE	120165	28565685.6	

DEN_36N: Why no dentist: Other

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	21	2064.4	
8	REFUSAL	1	146.8	
9	NOT STATED	607	88788.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOOH2: Module: Oral health 2 (OH2) - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6962 / 1002096.22] [Invalid=117967 / 28333114.74]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6962	1002096.2	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_10: Do you usually visit the dentist

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=6637 / 971632.5] [Invalid=118292 / 28363578.46]
Literal question	Do you usually visit the dentist:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	> ONCE PER YEAR	1914	338225.5	34.8%
2	ONCE PER YEAR	2366	337598.4	34.7%
3	< ONCE PER YEAR	625	83452.5	8.6%
4	EMERGENCY	1732	212356.2	21.9%
6	NOT APPLICABLE	118023	28337737.3	
7	DON'T KNOW	135	13646.3	
8	REFUSAL	8	1566.4	
9	NOT STATED	126	10628.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_11: Do you have dental expenses insurance

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6590 / 961977.95] [Invalid=118339 / 28373233.01]
Literal question	Do you have insurance that covers all or part of your dental expenses?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4078	678261.4	70.5%
2	NO	2512	283716.5	29.5%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	99	13597.8	
8	REFUSAL	4	679.4	
9	NOT STATED	269	25841.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_11A: Type of dental insurance: Govt sponsored

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3937 / 655395.98] [Invalid=120992 / 28679814.98]
Literal question	Is it a government-sponsored plan?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	577	76410.2	11.7%
2	NO	3360	578985.7	88.3%
6	NOT APPLICABLE	120479	28616831.3	
7	DON'T KNOW	141	22865.4	
8	REFUSAL	0	0.0	
9	NOT STATED	372	40118.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_11B: Type of dental insurance: Employer

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3937 / 655395.98] [Invalid=120992 / 28679814.98]
Literal question	Is it an employer-sponsored plan?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3009	521455.8	79.6%
2	NO	928	133940.2	20.4%
6	NOT APPLICABLE	120479	28616831.3	
7	DON'T KNOW	141	22865.4	
8	REFUSAL	0	0.0	
9	NOT STATED	372	40118.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_11C: Type of dental insurance: Private plan

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3937 / 655395.98] [Invalid=120992 / 28679814.98]
Literal question	Is it a private plan?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	440	72010.9	11.0%
2	NO	3497	583385.1	89.0%
6	NOT APPLICABLE	120479	28616831.3	
7	DON'T KNOW	141	22865.4	
8	REFUSAL	0	0.0	
9	NOT STATED	372	40118.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_12: Past year, any teeth removed by dentist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4250 / 674712.65] [Invalid=120679 / 28660498.31]
Literal question	In the past 12 months, have you had any teeth removed by a dentist?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	592	93910.4	13.9%
2	NO	3658	580802.2	86.1%
6	NOT APPLICABLE	120449	28639159.6	

OH2_12: Past year, any teeth removed by dentist

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	9	786.9	
8	REFUSAL	0	0.0	
9	NOT STATED	221	20551.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_13: Past yr, teeth removed decay/gum disease

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=582 / 92740.16] [Invalid=124347 / 29242470.8]
Literal question	(In the past 12 months,) were any teeth removed because of decay or gum disease?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	308	44905.4	48.4%
2	NO	274	47834.8	51.6%
6	NOT APPLICABLE	124107	29219961.8	
7	DON'T KNOW	10	1170.3	
8	REFUSAL	0	0.0	
9	NOT STATED	230	21338.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_20: Have one or more of your own teeth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6679 / 973943.82] [Invalid=118250 / 28361267.14]
Literal question	Do you have one or more of your own teeth?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6055	920773.7	94.5%
2	NO	624	53170.1	5.5%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	14	2311.2	
8	REFUSAL	0	0.0	
9	NOT STATED	269	25841.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_21: Do you wear dentures or false teeth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6686 / 975219.8] [Invalid=118243 / 28359991.16]
Literal question	Do you wear dentures or false teeth?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1701	172487.2	17.7%
2	NO	4985	802732.6	82.3%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	6	907.6	
8	REFUSAL	1	127.7	
9	NOT STATED	269	25841.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_22: B/c of teeth,difficulty speaking clearly

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

OH2_22: B/c of teeth,difficulty speaking clearly

Statistics [NW/ W]	[Valid=6679 / 974387.9] [Invalid=118250 / 28360823.06]
Literal question	Because of the condition of your ^DT_TEETH, do you have difficulty pronouncing any words or speaking clearly?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	311	48017.2		4.9%
2	NO	6368	926370.6		95.1%
6	NOT APPLICABLE	117967	28333114.7		
7	DON'T KNOW	12	1522.5		
8	REFUSAL	2	344.7		
9	NOT STATED	269	25841.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_23: Past year, avoided contact w/people

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=6685 / 975515.02] [Invalid=118244 / 28359695.94]
Literal question	In the past 12 months, how often have you avoided: ...conversation or contact with other people, because of the condition of your ^DT_TEETH?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	OFTEN	31	2993.3		0.3%
2	SOMETIMES	100	17908.3		1.8%
3	RARELY	218	29871.4		3.1%
4	NEVER	6336	924742.0		94.8%
6	NOT APPLICABLE	117967	28333114.7		
7	DON'T KNOW	6	395.4		
8	REFUSAL	2	344.7		
9	NOT STATED	269	25841.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_24: Past year, avoided laughing/smiling

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=6673 / 974228.44] [Invalid=118256 / 28360982.52]
Literal question	(In the past 12 months, how often have you avoided:) ...laughing or smiling, because of the condition of your ^DT_TEETH?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	OFTEN	70	8897.3		0.9%
2	SOMETIMES	167	24066.2		2.5%
3	RARELY	174	25520.5		2.6%
4	NEVER	6262	915744.4		94.0%
6	NOT APPLICABLE	117967	28333114.7		
7	DON'T KNOW	18	1682.0		
8	REFUSAL	2	344.7		
9	NOT STATED	269	25841.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_25A: Past month, had toothache

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6051 / 920529.16] [Invalid=118878 / 28414681.8]
Literal question	In the past month, have you had: ...a toothache?

OH2_25A: Past month, had toothache

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	697	114753.5	12.5%
2	NO	5354	805775.6	87.5%
6	NOT APPLICABLE	118605	28388596.1	
7	DON'T KNOW	4	244.6	
8	REFUSAL	0	0.0	
9	NOT STATED	269	25841.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_25B: Past month, teeth sensitive to hot/cold

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6052 / 920525.69] [Invalid=118877 / 28414685.27]
Literal question	In the past month, were your teeth: ...sensitive to hot or cold food or drinks?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1780	305386.5	33.2%
2	NO	4272	615139.2	66.8%
6	NOT APPLICABLE	118605	28388596.1	
7	DON'T KNOW	3	248.0	
8	REFUSAL	0	0.0	
9	NOT STATED	269	25841.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_25C: Past month, had pain around jaw joints

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6688 / 975047.39] [Invalid=118241 / 28360163.57]
Literal question	In the past month, have you had: ...pain in or around the jaw joints?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	577	93807.0	9.6%
2	NO	6111	881240.3	90.4%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	4	1180.9	
8	REFUSAL	1	26.8	
9	NOT STATED	269	25841.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_25D: Past month, pain in mouth or face

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6689 / 975755.05] [Invalid=118240 / 28359455.91]
Literal question	(In the past month, have you had:) ...other pain in the mouth or face?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	500	89767.6	9.2%
2	NO	6189	885987.4	90.8%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	3	473.2	
8	REFUSAL	1	26.8	
9	NOT STATED	269	25841.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_25E: Past month, had bleeding gums

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6691 / 976221.27] [Invalid=118238 / 28358989.69]
Literal question	(In the past month, have you had:) ...bleeding gums?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	719	121838.4	12.5%
2	NO	5972	854382.9	87.5%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	1	7.0	
8	REFUSAL	1	26.8	
9	NOT STATED	269	25841.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_25F: Past month, had dry mouth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6676 / 974652.32] [Invalid=118253 / 28360558.64]
Literal question	(In the past month, have you had:) ...dry mouth?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1292	188804.7	19.4%
2	NO	5384	785847.6	80.6%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	14	1388.3	
8	REFUSAL	3	214.4	
9	NOT STATED	269	25841.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_25G: Past month, had bad breath

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6446 / 948238.33] [Invalid=118483 / 28386972.63]
Literal question	(In the past month, have you had:) ...bad breath?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1490	242005.6	25.5%
2	NO	4956	706232.7	74.5%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	241	27667.2	
8	REFUSAL	6	349.6	
9	NOT STATED	269	25841.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_30: How often do you brush your teeth

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=6040 / 919611.78] [Invalid=118889 / 28415599.18]
Literal question	How often do you brush your teeth?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MORE THAN TWICE A DAY	1009	158615.1	17.2%
2	TWICE A DAY	3192	503561.7	54.8%
3	ONCE A DAY	1548	220875.1	24.0%

OH2_30: How often do you brush your teeth

Value	Label	Cases	Weighted	Percentage (Weighted)
4	LESS THAN ONCE A DAY	180	23817.5	2.6%
5	ONCE A WEEK	36	3743.2	0.4%
6	LESS THAN ONCE A WEEK	75	8999.2	1.0%
96	NOT APPLICABLE	118605	28388596.1	
97	DON'T KNOW	10	528.5	
98	REFUSAL	5	633.4	
99	NOT STATED	269	25841.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2FLIM: Limited social due to oral hlth-12 mth-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6671 / 974313.92] [Invalid=118258 / 28360897.04]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOCIAL LIMITATIONS	285	41409.6	4.3%
2	NO SOCIAL LIMITATIONS	6386	932904.3	95.7%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	291	27782.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2FOFP: Oral/facial pain - past month - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6568 / 962649.18] [Invalid=118361 / 28372561.78]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	HAS EXPERIENCED PAIN	3717	589817.5	61.3%
2	NOT EXPERIENCED PAIN	2851	372831.7	38.7%
6	NOT APPLICABLE	117967	28333114.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	394	39447.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOFDC: Module: Food choices (FDC) - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=40298 / 8880526.89] [Invalid=84631 / 20454684.07]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	40298	8880526.9	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	84631	20454684.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_1A: Choose/avoid food: Weight issues

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

FDC_1A: Choose/avoid food: Weight issues

Statistics [NW/ W]	[Valid=39107 / 8676975] [Invalid=85822 / 20658235.96]			
Literal question	Do you choose certain foods or avoid others: ...because you are concerned about your body weight?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	20607	4650611.1	53.6%
2	NO	18500	4026363.9	46.4%
6	NOT APPLICABLE	84631	20454684.1	
7	DON'T KNOW	279	39611.8	
8	REFUSAL	45	7333.3	
9	NOT STATED	867	156606.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

FDC_1B: Choose/avoid food: Heart disease

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=39018 / 8658740.88] [Invalid=85911 / 20676470.08]
Literal question	(Do you choose certain foods or avoid others:) ...because you are concerned about heart disease?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	16569	3635513.3	42.0%
2	NO	22449	5023227.6	58.0%
6	NOT APPLICABLE	84631	20454684.1	
7	DON'T KNOW	88	18216.8	
8	REFUSAL	1	17.4	
9	NOT STATED	1191	203551.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_1C: Choose/avoid food: Cancer

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=39005 / 8664658.16] [Invalid=85924 / 20670552.8]
Literal question	(Do you choose certain foods or avoid others:) ...because you are concerned about cancer?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	11982	2779344.4	32.1%
2	NO	27023	5885313.8	67.9%
6	NOT APPLICABLE	84631	20454684.1	
7	DON'T KNOW	101	11873.7	
8	REFUSAL	1	443.1	
9	NOT STATED	1191	203551.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_1D: Choose/avoid food: Osteoporosis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=38970 / 8657887.45] [Invalid=85959 / 20677323.51]
Literal question	(Do you choose certain foods or avoid others:) ...because you are concerned about osteoporosis (brittle bones)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	10105	2176324.1	25.1%
2	NO	28865	6481563.3	74.9%
6	NOT APPLICABLE	84631	20454684.1	
7	DON'T KNOW	135	19035.1	
8	REFUSAL	2	52.5	
9	NOT STATED	1191	203551.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_2A: Choose/avoid food: Lower fat content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=39024 / 8667981.01] [Invalid=85905 / 20667229.95]
Literal question	Do you choose certain foods because of: ...the lower fat content?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	26423	5746979.0	66.3%
2	NO	12601	2921002.0	33.7%
6	NOT APPLICABLE	84631	20454684.1	

FDC_2A: Choose/avoid food: Lower fat content

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	78	8763.2	
8	REFUSAL	5	230.8	
9	NOT STATED	1191	203551.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_2B: Choose/avoid food: Fibre content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=39001 / 8660049.23] [Invalid=85928 / 20675161.73]
Literal question	(Do you choose certain foods because of:) ...the fibre content?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	24611	5273236.9	60.9%
2	NO	14390	3386812.3	39.1%
6	NOT APPLICABLE	84631	20454684.1	
7	DON'T KNOW	102	16492.4	
8	REFUSAL	4	433.4	
9	NOT STATED	1191	203551.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_2C: Choose/avoid food: Calcium content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=38984 / 8659146.38] [Invalid=85945 / 20676064.58]
Literal question	(Do you choose certain foods because of:) ...the calcium content?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	18049	3847613.4	44.4%
2	NO	20935	4811532.9	55.6%
6	NOT APPLICABLE	84631	20454684.1	
7	DON'T KNOW	118	15574.8	
8	REFUSAL	5	2253.8	
9	NOT STATED	1191	203551.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_3A: Choose/avoid food: Fat content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=39029 / 8665305.75] [Invalid=85900 / 20669905.21]
Literal question	Do you avoid certain foods because of: ...the fat content?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	26797	5905608.7	68.2%
2	NO	12232	2759697.1	31.8%
6	NOT APPLICABLE	84631	20454684.1	
7	DON'T KNOW	72	9062.4	
8	REFUSAL	6	2606.9	
9	NOT STATED	1191	203551.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_3B: Choose/avoid food: Type of fat

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

FDC_3B: Choose/avoid food: Type of fat

Statistics [NW/ W]	[Valid=38884 / 8643102.7] [Invalid=86045 / 20692108.26]			
Literal question	(Do you avoid certain foods because of:) ...the type of fat they contain?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	24084	5280202.5	61.1%
2	NO	14800	3362900.2	38.9%
6	NOT APPLICABLE	84631	20454684.1	
7	DON'T KNOW	211	30980.6	
8	REFUSAL	12	2891.6	
9	NOT STATED	1191	203551.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_3C: Choose/avoid food: Salt content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=39023 / 8660203.08] [Invalid=85906 / 20675007.88]			
Literal question	(Do you avoid certain foods because of:) ...the salt content?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	24451	5277310.2	60.9%
2	NO	14572	3382892.9	39.1%
6	NOT APPLICABLE	84631	20454684.1	
7	DON'T KNOW	76	14034.6	
8	REFUSAL	8	2737.3	
9	NOT STATED	1191	203551.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_3D: Choose/avoid food: Cholesterol content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=38941 / 8650567.95] [Invalid=85988 / 20684643.01]			
Literal question	(Do you avoid certain foods because of:) ...the cholesterol content?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	19080	4136995.0	47.8%
2	NO	19861	4513573.0	52.2%
6	NOT APPLICABLE	84631	20454684.1	
7	DON'T KNOW	154	23072.0	
8	REFUSAL	12	3335.0	
9	NOT STATED	1191	203551.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_3E: Choose/avoid food: Calorie content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=39001 / 8657071.7] [Invalid=85928 / 20678139.26]			
Literal question	(Do you avoid certain foods because of:) ...the calorie content?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	20949	4648289.1	53.7%
2	NO	18052	4008782.6	46.3%
6	NOT APPLICABLE	84631	20454684.1	
7	DON'T KNOW	94	16358.7	

FDC_3E: Choose/avoid food: Calorie content

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	12	3544.6	
9	NOT STATED	1191	203551.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDCFAVD: Avoids foods for content reasons - (F)

Information	[Type= discrete] [Format=numeric] [Range=1-2] [Missing=*]
Statistics [NW/ W]	[Valid=39029 / 8662477.83] [Invalid=85900 / 20672733.13]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	32021	7049079.2	81.4%
2	NO	7008	1613398.6	18.6%
6	NOT APPLICABLE	84631	20454684.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1269	218049.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDCFCAH: Chooses/avoids foods hlth concerns - (F)

Information	[Type= discrete] [Format=numeric] [Range=1-2] [Missing=*]
Statistics [NW/ W]	[Valid=39033 / 8670164.64] [Invalid=85896 / 20665046.32]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25594	5732146.9	66.1%
2	NO	13439	2938017.8	33.9%
6	NOT APPLICABLE	84631	20454684.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1265	210362.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDCFCHO: Chooses foods for content reasons - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=39030 / 8666911.05] [Invalid=85899 / 20668299.91]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30537	6672551.2	77.0%
2	NO	8493	1994359.8	23.0%
6	NOT APPLICABLE	84631	20454684.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1268	213615.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCDJUI: Daily consumption - fruit juice - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=120425 / 28487685.47] [Invalid=4504 / 847525.49] [Mean=0.706 / 0.719] [StdDev=0.907 / 0.915]

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	

FVCDJUI: Daily consumption - fruit juice - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	4504	847525.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCDFRU: Daily consumption - fruit - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=119935 / 28420799.4] [Invalid=4994 / 914411.56] [Mean=1.4 / 1.407] [StdDev=1.222 / 1.236]

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	4994	914411.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCDSAL: Daily consumption - green salad - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-14] [Missing=*]
Statistics [NW/ W]	[Valid=119711 / 28373180] [Invalid=5218 / 962030.96] [Mean=0.51 / 0.534] [StdDev=0.514 / 0.538]

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	5218	962031.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCDPOT: Daily consumption - potatoes - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-15] [Missing=*]
Statistics [NW/ W]	[Valid=120032 / 28410321.2] [Invalid=4897 / 924889.76] [Mean=0.37 / 0.328] [StdDev=0.402 / 0.386]

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	4897	924889.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCDCAR: Daily consumption - carrots - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=119259 / 28297349.81] [Invalid=5670 / 1037861.15] [Mean=0.378 / 0.363] [StdDev=0.441 / 0.445]

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	5670	1037861.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCDVEG: Daily consumption other vegetables - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=118391 / 28176580.9] [Invalid=6538 / 1158630.06] [Mean=1.373 / 1.425] [StdDev=1.223 / 1.235]

FVCDVEG: Daily consumption other vegetables - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	6538	1158630.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCDTOT: Daily cons. - total fruits and veg. - D)

Information	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]
Statistics [NW/ W]	[Valid=115368 / 27694740.78] [Invalid=9561 / 1640470.18] [Mean=4.744 / 4.783] [StdDev=2.582 / 2.614]
Literal question	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	9561	1640470.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCGTOT: Daily cons. - total fruits/veg. - (D, G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=115368 / 27694740.78] [Invalid=9561 / 1640470.18]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 5 PER DAY	68845	16478072.7	59.5%
2	5 - 10 TIMES PER DAY	42405	10161818.4	36.7%
3	> 10 TIMES PER DAY	4118	1054849.7	3.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	9561	1640470.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1A: Past 3 mths: Walking for exercise

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Walking for exercise

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	88325	20274474.9	70.5%
2	NO	33757	8476259.7	29.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1B: Past 3 mths: Gardening/yard work

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]

PAC_1B: Past 3 mths: Gardening/yard work

Literal question	Have you done any of the following in the past 3 months? - Gardening or yard work

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	61183	13260588.5	46.1%
2	NO	60899	15490146.0	53.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1C: Past 3 mths: Swimming

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Swimming

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26890	6824846.2	23.7%
2	NO	95192	21925888.3	76.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1D: Past 3 mths: Bicycling

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Bicycling

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24963	6645721.5	23.1%
2	NO	97119	22105013.0	76.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1E: Past 3 mths: Popular/social dance

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Popular or social dance

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20364	4763924.0	16.6%
2	NO	101718	23986810.5	83.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	

PAC_1E: Past 3 mths: Popular/social dance

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1F: Past 3 mths: Home exercises

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Home exercises

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	45799	10608791.6	36.9%
2	NO	76283	18141942.9	63.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1G: Past 3 mths: Ice hockey

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Ice hockey

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6216	1668136.0	5.8%
2	NO	115866	27082598.6	94.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1H: Past 3 mths: Ice skating

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Ice skating

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8098	1999421.4	7.0%
2	NO	113984	26751313.1	93.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1I: Past 3 mths: In-line skating/rollerblade

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - In-line skating or rollerblading

PAC_1I: Past 3 mths: In-line skating/rollerblade

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3396	978783.5	3.4%
2	NO	118686	27771951.0	96.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1J: Past 3 mths: Jogging/running

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Jogging or running

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24897	7039922.4	24.5%
2	NO	97185	21710812.2	75.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1K: Past 3 mths: Golfing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Golfing

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11229	2759100.7	9.6%
2	NO	110853	25991633.8	90.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1L: Past 3 mths: Exercise class/aerobics

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Exercise class or aerobics

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14458	3710183.3	12.9%
2	NO	107624	25040551.2	87.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1M: Past 3 mths: Downhill skiing/snowboarding

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Downhill skiing or snowboarding

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5261	1442980.1	5.0%	
2	NO	116821	27307754.4		95.0%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	64	11577.4		
8	REFUSAL	64	14042.5		
9	NOT STATED	2719	558856.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1N: Past 3 mths: Bowling

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Bowling

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	11179	2768075.8	9.6%	
2	NO	110903	25982658.8		90.4%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	64	11577.4		
8	REFUSAL	64	14042.5		
9	NOT STATED	2719	558856.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1O: Past 3 mths: Baseball/softball

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Baseball or softball

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5717	1420911.5	4.9%	
2	NO	116365	27329823.1		95.1%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	64	11577.4		
8	REFUSAL	64	14042.5		
9	NOT STATED	2719	558856.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1P: Past 3 mths: Tennis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Tennis

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4049	1264597.1	4.4%	
2	NO	118033	27486137.4		95.6%
6	NOT APPLICABLE	0	0.0		

PAC_1P: Past 3 mths: Tennis

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1Q: Past 3 mths: Weight-training

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Weight-training

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20590	5758202.5	20.0%
2	NO	101492	22992532.0	80.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1R: Past 3 mths: Fishing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Fishing

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14401	2851229.9	9.9%
2	NO	107681	25899504.6	90.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1S: Past 3 mths: Volleyball

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Volleyball

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6813	1670010.5	5.8%
2	NO	115269	27080724.1	94.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	11577.4	
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1T: Past 3 mths: Basketball

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

PAC_1T: Past 3 mths: Basketball

Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Basketball

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**	
1	YES	8003	2192116.1		7.6%
2	NO	114079	26558618.4		92.4%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	64	11577.4		
8	REFUSAL	64	14042.5		
9	NOT STATED	2719	558856.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1Z: Past 3 mths: Soccer

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Soccer

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**	
1	YES	9195	2567847.6		8.9%
2	NO	112887	26182887.0		91.1%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	64	11577.4		
8	REFUSAL	64	14042.5		
9	NOT STATED	2719	558856.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1U: Past 3 mths: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - Any other

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**	
1	YES	17469	4296379.2		14.9%
2	NO	104613	24454355.4		85.1%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	64	11577.4		
8	REFUSAL	64	14042.5		
9	NOT STATED	2719	558856.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1V: Past 3 mths: No physical activity

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]
Literal question	Have you done any of the following in the past 3 months? - No physical activity

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**	
1	YES	9269	2223411.5		7.7%
2	NO	112813	26527323.0		92.3%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	64	11577.4		

PAC_1V: Past 3 mths: No physical activity

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	64	14042.5	
9	NOT STATED	2719	558856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1W: Past 3 mths, leisure physical activity

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17462 / 4292894.62] [Invalid=107467 / 25042316.34]
Literal question	In the past 3 months, did you do any other physical activity for leisure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3393	817707.6	19.0%
2	NO	14069	3475187.0	81.0%
6	NOT APPLICABLE	104613	24454355.4	
7	DON'T KNOW	7	3484.5	
8	REFUSAL	0	0.0	
9	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1X: Past 3 mth,othr leisure physical activity

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3390 / 817427.18] [Invalid=121539 / 28517783.78]
Literal question	In the past 3 months, did you do any other physical activity for leisure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	664	146238.1	17.9%
2	NO	2726	671189.1	82.1%
6	NOT APPLICABLE	118682	27929542.4	
7	DON'T KNOW	2	251.3	
8	REFUSAL	0	0.0	
9	NOT STATED	2855	587990.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2A: # of times: Walking for exercise

Information	[Type= continuous] [Format=numeric] [Range= 1-270] [Missing=*]
Statistics [NW/ W]	[Valid=87400 / 20120901.89] [Invalid=37529 / 9214309.07] [Mean=48.193 / 45.758] [StdDev=37.751 / 36.636]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Walking for exercise

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	33757	8476259.7	
997	DON'T KNOW	911	144396.7	
998	REFUSAL	14	9176.2	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3A: Time spent: Walking for exercise

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=87073 / 20070148.26] [Invalid=37856 / 9265062.7]
Literal question	About how much time did you spend on each occasion? - Walking for exercise

PAC_3A: Time spent: Walking for exercise

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	7632	1668148.7	8.3%
2	16 TO 30 MINUTES	33099	7676769.1	38.2%
3	31 TO 60 MINUTES	35054	8045931.2	40.1%
4	MORE THAN 1 HOUR	11288	2679299.3	13.3%
6	NOT APPLICABLE	33757	8476259.7	
7	DON'T KNOW	322	50433.6	
8	REFUSAL	5	320.0	
9	NOT STATED	3772	738049.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2B: # of times: Gardening/yard work

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=59846 / 13072594.99] [Invalid=65083 / 16262615.97] [Mean=23.498 / 20.596] [StdDev=25.196 / 23.031]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Gardening or yard work

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	60899	15490146.0	
997	DON'T KNOW	1322	185095.0	
998	REFUSAL	15	2898.6	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3B: Time spent: Gardening/yard work

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=59570 / 13027304.07] [Invalid=65359 / 16307906.89]
Literal question	About how much time did you spend on each occasion? - Gardening or yard work

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	3097	692601.0	5.3%
2	16 TO 30 MINUTES	12188	2728753.1	20.9%
3	31 TO 60 MINUTES	18448	3997960.2	30.7%
4	MORE THAN 1 HOUR	25837	5607989.7	43.0%
6	NOT APPLICABLE	60899	15490146.0	
7	DON'T KNOW	272	45087.6	
8	REFUSAL	4	203.4	
9	NOT STATED	4184	772470.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2C: # of times: Swimming

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=26699 / 6785235.62] [Invalid=98230 / 22549975.34] [Mean=14.374 / 14.211] [StdDev=18.55 / 18.361]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Swimming

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	95192	21925888.3	
997	DON'T KNOW	187	39286.8	
998	REFUSAL	4	323.8	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3C: Time spent: Swimming

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=26623 / 6773779.44] [Invalid=98306 / 22561431.52]
Literal question	About how much time did you spend on each occasion? - Swimming

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	1513	406393.8	6.0%
2	16 TO 30 MINUTES	5916	1635003.8	24.1%
3	31 TO 60 MINUTES	10355	2519757.8	37.2%
4	MORE THAN 1 HOUR	8839	2212624.2	32.7%
6	NOT APPLICABLE	95192	21925888.3	
7	DON'T KNOW	76	11456.2	
8	REFUSAL	0	0.0	
9	NOT STATED	3038	624087.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2D: # of times: Bicycling

Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]
Statistics [NW/ W]	[Valid=24724 / 6596793.66] [Invalid=100205 / 22738417.3] [Mean=20.4 / 19.422] [StdDev=25.196 / 24.09]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Bicycling

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	97119	22105013.0	

PAC_2D: # of times: Bicycling

Value	Label	Cases	Weighted	Percentage (Weighted)
997	DON'T KNOW	227	46746.2	
998	REFUSAL	12	2181.6	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3D: Time spent: Bicycling

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=24659 / 6585438.9] [Invalid=100270 / 22749772.06]
Literal question	About how much time did you spend on each occasion? - Bicycling

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	2026	501690.9	7.6%
2	16 TO 30 MINUTES	7569	1962176.6	29.8%
3	31 TO 60 MINUTES	8799	2396716.3	36.4%
4	MORE THAN 1 HOUR	6265	1724855.1	26.2%
6	NOT APPLICABLE	97119	22105013.0	
7	DON'T KNOW	64	11324.1	
8	REFUSAL	1	30.7	
9	NOT STATED	3086	633404.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2E: # of times: Popular/social dance

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=20203 / 4736102.26] [Invalid=104726 / 24599108.7] [Mean=9.042 / 9.097] [StdDev=14.164 / 13.922]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Popular or social dance

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	101718	23986810.5	
997	DON'T KNOW	158	27411.8	
998	REFUSAL	3	410.0	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3E: Time spent: Popular/social dance

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=20115 / 4721485.25] [Invalid=104814 / 24613725.71]
Literal question	About how much time did you spend on each occasion? - Popular / social dance

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	983	215108.6	4.6%
2	16 TO 30 MINUTES	1925	429308.7	9.1%
3	31 TO 60 MINUTES	4288	1041746.9	22.1%
4	MORE THAN 1 HOUR	12919	3035321.0	64.3%
6	NOT APPLICABLE	101718	23986810.5	
7	DON'T KNOW	87	14387.5	
8	REFUSAL	1	229.5	
9	NOT STATED	3008	612298.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2F: # of times: Home exercises

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=45247 / 10521638.8] [Invalid=79682 / 18813572.16] [Mean=38.311 / 35.74] [StdDev=30.175 / 28.91]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Home exercises

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	76283	18141942.9	
997	DON'T KNOW	537	85225.2	
998	REFUSAL	15	1927.6	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3F: Time spent: Home exercises

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=45134 / 10506464.41] [Invalid=79795 / 18828746.55]
Literal question	About how much time did you spend on each occasion? - Home exercises

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	8888	1832904.8	17.4%
2	16 TO 30 MINUTES	19917	4526887.2	43.1%
3	31 TO 60 MINUTES	13392	3369847.3	32.1%
4	MORE THAN 1 HOUR	2937	776825.1	7.4%
6	NOT APPLICABLE	76283	18141942.9	
7	DON'T KNOW	109	14820.0	
8	REFUSAL	4	354.4	
9	NOT STATED	3399	671629.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACG2G: # of times: Ice hockey -G

Information	[Type= continuous] [Format=numeric] [Range= -999-99] [Missing=*]
Statistics [NW/ W]	[Valid=6180 / 1662666.02] [Invalid=118749 / 27672544.94]
Literal question	Respondents who answered PAC_1G = (1, 7 or 8)

Value	Label	Cases	Weighted	Percentage (Weighted)
-999	NUMBER OF TIMES	0	0.0	
996	NOT APPLICABLE	115866	27082598.6	
999	NOT STATED	2883	589946.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3G: Time spent : Ice hockey

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=6177 / 1662418.33] [Invalid=118752 / 27672792.63]
Literal question	About how much time did you spend on each occasion? - Ice hockey

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	30	6659.0	0.4%
2	16 TO 30 MINUTES	142	24686.4	1.5%
3	31 TO 60 MINUTES	2033	547159.3	32.9%
4	MORE THAN 1 HOUR	3972	1083913.7	65.2%
6	NOT APPLICABLE	115866	27082598.6	
7	DON'T KNOW	3	247.7	

PAC_3G: Time spent : Ice hockey

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	2883	589946.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2H: # of times: Ice skating

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=8052 / 1992174.99] [Invalid=116877 / 27343035.97] [Mean=6.907 / 6.58] [StdDev=10.687 / 11.066]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Ice skating

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	113984	26751313.1	
997	DON'T KNOW	43	6909.6	
998	REFUSAL	3	336.8	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3H: Time spent: Ice skating

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=8046 / 1991405.34] [Invalid=116883 / 27343805.62]
Literal question	About how much time did you spend on each occasion? - Ice skating

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	111	31106.5	1.6%
2	16 TO 30 MINUTES	1047	253179.7	12.7%
3	31 TO 60 MINUTES	3966	935926.5	47.0%
4	MORE THAN 1 HOUR	2922	771192.6	38.7%
6	NOT APPLICABLE	113984	26751313.1	
7	DON'T KNOW	6	769.6	
8	REFUSAL	0	0.0	
9	NOT STATED	2893	591722.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2I: # of times: In-line skating/roller blade

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=3376 / 975597.74] [Invalid=121553 / 28359613.22] [Mean=9.468 / 9.233] [StdDev=14.719 / 14.01]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - In-line skating or roller blading

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	118686	27771951.0	
997	DON'T KNOW	19	2775.5	
998	REFUSAL	1	410.3	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3I: Time spent: In-line skating/roller blade

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3367 / 973867.43] [Invalid=121562 / 28361343.53]
Literal question	About how much time did you spend on each occasion? - In-line skating or roller blading

PAC_3I: Time spent: In-line skating/roller blade

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	209	58025.2	6.0%
2	16 TO 30 MINUTES	887	249682.5	25.6%
3	31 TO 60 MINUTES	1299	376780.3	38.7%
4	MORE THAN 1 HOUR	972	289379.4	29.7%
6	NOT APPLICABLE	118686	27771951.0	
7	DON'T KNOW	7	1438.0	
8	REFUSAL	2	292.3	
9	NOT STATED	2867	587662.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2J: # of times: Jogging or running

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=24633 / 6987895.02] [Invalid=100296 / 22347315.94] [Mean=23.841 / 23.68] [StdDev=22.689 / 22.327]
Literal question	n the past 3 months, how many times did you [participate in identified activity]? - Jogging or running

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	97185	21710812.2	
997	DON'T KNOW	247	49415.7	
998	REFUSAL	17	2611.7	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3J: Time spent : Jogging or running

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=24587 / 6977750.14] [Invalid=100342 / 22357460.82]
Literal question	About how much time did you spend on each occasion? - Jogging or running

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	3365	867711.2	12.4%
2	16 TO 30 MINUTES	10972	3080770.0	44.2%
3	31 TO 60 MINUTES	8465	2517826.2	36.1%
4	MORE THAN 1 HOUR	1785	511442.7	7.3%
6	NOT APPLICABLE	97185	21710812.2	
7	DON'T KNOW	46	10144.9	
8	REFUSAL	0	0.0	
9	NOT STATED	3111	636503.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2K: # of times: Golfing

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=11185 / 2752989.36] [Invalid=113744 / 26582221.6] [Mean=10.085 / 9.209] [StdDev=14.205 / 13.461]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Golfing

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	110853	25991633.8	
997	DON'T KNOW	42	5664.3	
998	REFUSAL	2	447.1	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3K: Time spent: Golfing

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=11181 / 2752548.6] [Invalid=113748 / 26582662.36]
Literal question	About how much time did you spend on each occasion? - Golfing

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	35	6364.8	0.2%
2	16 TO 30 MINUTES	93	20796.2	0.8%
3	31 TO 60 MINUTES	347	86743.8	3.2%
4	MORE THAN 1 HOUR	10706	2638643.8	95.9%
6	NOT APPLICABLE	110853	25991633.8	
7	DON'T KNOW	4	440.8	
8	REFUSAL	0	0.0	
9	NOT STATED	2891	590587.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2L: # of times: Exercise class/aerobics

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=14365 / 3689488.61] [Invalid=110564 / 25645722.35] [Mean=20.987 / 20.672] [StdDev=18.575 / 18.593]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Exercise class or aerobics

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	107624	25040551.2	
997	DON'T KNOW	90	20166.8	
998	REFUSAL	3	527.9	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3L: Time spent : Exercise class/aerobics

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=14351 / 3687460.7] [Invalid=110578 / 25647750.26]
Literal question	About how much time did you spend on each occasion? - Exercise class or aerobics

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	272	73051.9	2.0%
2	16 TO 30 MINUTES	1686	428717.4	11.6%
3	31 TO 60 MINUTES	9076	2261101.6	61.3%
4	MORE THAN 1 HOUR	3317	924589.9	25.1%
6	NOT APPLICABLE	107624	25040551.2	
7	DON'T KNOW	13	1949.8	
8	REFUSAL	1	78.1	
9	NOT STATED	2940	605171.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2M: # of times: Skiing/snowboarding

Information	[Type= continuous] [Format=numeric] [Range= 1-92] [Missing=*]
Statistics [NW/ W]	[Valid=5242 / 1439302.35] [Invalid=119687 / 27895908.61] [Mean=6.154 / 5.79] [StdDev=9.615 / 8.786]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Downhill ski / snowboarding

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	116821	27307754.4	

PAC_2M: # of times: Skiing/snowboarding

Value	Label	Cases	Weighted	Percentage (Weighted)
997	DON'T KNOW	19	3677.7	
998	REFUSAL	0	0.0	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3M: Time spent: Skiing/snowboarding

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=5240 / 1438736.61] [Invalid=119689 / 27896474.35]
Literal question	About how much time did you spend on each occasion? - Downhill skiing or snowboarding

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	36	7755.1	0.5%
2	16 TO 30 MINUTES	47	10261.5	0.7%
3	31 TO 60 MINUTES	158	25861.9	1.8%
4	MORE THAN 1 HOUR	4999	1394858.1	97.0%
6	NOT APPLICABLE	116821	27307754.4	
7	DON'T KNOW	2	565.7	
8	REFUSAL	0	0.0	
9	NOT STATED	2866	588154.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2N: # of times: Bowling

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=11158 / 2765077.41] [Invalid=113771 / 26570133.55] [Mean=4.417 / 3.882] [StdDev=6.801 / 6.363]
Literal question	In the past 3 months, how many times did you [participate in identified activity]?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	110903	25982658.8	
997	DON'T KNOW	19	2670.2	
998	REFUSAL	2	328.2	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3N: Time spent: Bowling

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=11143 / 2760950.53] [Invalid=113786 / 26574260.43]
Literal question	About how much time did you spend on each occasion?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	41	8522.8	0.3%
2	16 TO 30 MINUTES	259	70853.4	2.6%
3	31 TO 60 MINUTES	2582	648311.9	23.5%
4	MORE THAN 1 HOUR	8261	2033262.5	73.6%
6	NOT APPLICABLE	110903	25982658.8	
7	DON'T KNOW	15	4126.9	
8	REFUSAL	0	0.0	
9	NOT STATED	2868	587474.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2O: # of times: Baseball/softball

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=5668 / 1414252.24] [Invalid=119261 / 27920958.72] [Mean=9.731 / 9.083] [StdDev=12.441 / 11.729]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Baseball or softball

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	116365	27329823.1	
997	DON'T KNOW	46	6119.6	
998	REFUSAL	3	539.6	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3O: Time spent: Baseball/softball

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=5662 / 1411541.62] [Invalid=119267 / 27923669.34]
Literal question	About how much time did you spend on each occasion? - Baseball or softball

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	95	25956.9	1.8%
2	16 TO 30 MINUTES	471	126291.8	8.9%
3	31 TO 60 MINUTES	1382	325062.1	23.0%
4	MORE THAN 1 HOUR	3714	934230.8	66.2%
6	NOT APPLICABLE	116365	27329823.1	
7	DON'T KNOW	6	2710.6	
8	REFUSAL	0	0.0	
9	NOT STATED	2896	591135.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2P: # of times: Tennis

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=4022 / 1260044.51] [Invalid=120907 / 28075166.45] [Mean=8.155 / 8.258] [StdDev=12.24 / 11.73]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Tennis

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	118033	27486137.4	
997	DON'T KNOW	23	3281.9	
998	REFUSAL	4	1270.7	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3P: Time spent: Tennis

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=4020 / 1259706.67] [Invalid=120909 / 28075504.29]
Literal question	About how much time did you spend on each occasion? - Tennis

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	82	19454.3	1.5%
2	16 TO 30 MINUTES	398	116880.6	9.3%
3	31 TO 60 MINUTES	1600	472044.0	37.5%
4	MORE THAN 1 HOUR	1940	651327.8	51.7%
6	NOT APPLICABLE	118033	27486137.4	

PAC_3P: Time spent: Tennis

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	2	337.8	
8	REFUSAL	0	0.0	
9	NOT STATED	2874	589029.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2Q: # of times: Weight-training

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=20451 / 5735531.5] [Invalid=104478 / 23599679.46] [Mean=29.353 / 28.968] [StdDev=23.044 / 22.507]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Weight-training

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	101492	22992532.0	
997	DON'T KNOW	131	20197.2	
998	REFUSAL	8	2473.8	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3Q: Time spent: Weight-training

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=20415 / 5731041.95] [Invalid=104514 / 23604169.01]
Literal question	About how much time did you spend on each occasion? - Weight-training

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	2866	687911.0	12.0%
2	16 TO 30 MINUTES	6917	1815254.2	31.7%
3	31 TO 60 MINUTES	7435	2252641.5	39.3%
4	MORE THAN 1 HOUR	3197	975235.2	17.0%
6	NOT APPLICABLE	101492	22992532.0	
7	DON'T KNOW	35	4043.9	
8	REFUSAL	1	445.6	
9	NOT STATED	2986	607147.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2R: # of times: Fishing

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=14308 / 2836086.65] [Invalid=110621 / 26499124.31] [Mean=7.413 / 6.831] [StdDev=11.425 / 10.742]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Fishing

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	107681	25899504.6	
997	DON'T KNOW	87	13834.1	
998	REFUSAL	6	1309.1	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3R: Time spent: Fishing

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=14293 / 2833451.09] [Invalid=110636 / 26501759.87]
Literal question	About how much time did you spend on each occasion? - Fishing

PAC_3R: Time spent: Fishing

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	77	17735.1	0.6%
2	16 TO 30 MINUTES	327	77229.6	2.7%
3	31 TO 60 MINUTES	1083	219211.2	7.7%
4	MORE THAN 1 HOUR	12806	2519275.2	88.9%
6	NOT APPLICABLE	107681	25899504.6	
7	DON'T KNOW	14	2122.3	
8	REFUSAL	1	513.3	
9	NOT STATED	2940	599619.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2S: # of times: Volleyball

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=6747 / 1659657.8] [Invalid=118182 / 27675553.16] [Mean=11.092 / 10.34] [StdDev=14.799 / 14.08]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Volleyball

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	115269	27080724.1	
997	DON'T KNOW	64	9986.4	
998	REFUSAL	2	366.3	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3S: Time spent: Volleyball

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=6735 / 1658092.79] [Invalid=118194 / 27677118.17]
Literal question	About how much time did you spend on each occasion? - Volleyball

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	157	35215.2	2.1%
2	16 TO 30 MINUTES	941	218046.4	13.2%
3	31 TO 60 MINUTES	2541	607580.5	36.6%
4	MORE THAN 1 HOUR	3096	797250.6	48.1%
6	NOT APPLICABLE	115269	27080724.1	
7	DON'T KNOW	12	1565.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2913	594829.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2T: # of times: Basketball

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=7908 / 2174964.13] [Invalid=117021 / 27160246.83] [Mean=14.444 / 14.671] [StdDev=19.039 / 19.158]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Basketball

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	114079	26558618.4	
997	DON'T KNOW	92	16612.4	
998	REFUSAL	3	539.6	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3T: Time spent: Basketball

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=7891 / 2168145.39] [Invalid=117038 / 27167065.57]
Literal question	About how much time did you spend on each occasion? - Basketball

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	301	86332.5	4.0%
2	16 TO 30 MINUTES	1584	426578.5	19.7%
3	31 TO 60 MINUTES	3006	789239.5	36.4%
4	MORE THAN 1 HOUR	3000	865994.9	39.9%
6	NOT APPLICABLE	114079	26558618.4	
7	DON'T KNOW	17	6818.7	
8	REFUSAL	0	0.0	
9	NOT STATED	2942	601628.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2Z: # of time: Soccer

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=9111 / 2553153.55] [Invalid=115818 / 26782057.41] [Mean=12.755 / 12.463] [StdDev=16.575 / 16.143]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Soccer

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	112887	26182887.0	
997	DON'T KNOW	81	14291.6	
998	REFUSAL	3	402.4	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3Z: Time spent: Soccer

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=9098 / 2547679.79] [Invalid=115831 / 26787531.17]
Literal question	About how much time did you spend on each occasion? - Soccer

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	268	65928.9	2.6%
2	16 TO 30 MINUTES	1436	359229.3	14.1%
3	31 TO 60 MINUTES	3377	874108.1	34.3%
4	MORE THAN 1 HOUR	4017	1248413.5	49.0%
6	NOT APPLICABLE	112887	26182887.0	
7	DON'T KNOW	13	5473.8	
8	REFUSAL	0	0.0	
9	NOT STATED	2931	599170.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2U: # of times: Other activity 1

Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]
Statistics [NW/ W]	[Valid=17365 / 4278563.54] [Invalid=107564 / 25056647.42] [Mean=21.111 / 20.645] [StdDev=24.36 / 23.24]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#1)

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	104613	24454355.4	

PAC_2U: # of times: Other activity 1

Value	Label	Cases	Weighted	Percentage (Weighted)
997	DON'T KNOW	99	17088.8	
998	REFUSAL	5	726.8	
999	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3U: Time spent: Other activity 1

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=17343 / 4276224.98] [Invalid=107586 / 25058985.98]
Literal question	About how much time did you spend on each occasion? - Other activity (#1)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	644	137647.9	3.2%
2	16 TO 30 MINUTES	1725	438367.5	10.3%
3	31 TO 60 MINUTES	4453	1162508.0	27.2%
4	MORE THAN 1 HOUR	10521	2537701.5	59.3%
6	NOT APPLICABLE	104613	24454355.4	
7	DON'T KNOW	21	2259.9	
8	REFUSAL	1	78.6	
9	NOT STATED	2951	602292.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2W: # of times: Other activity 2

Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]
Statistics [NW/ W]	[Valid=3370 / 813967.95] [Invalid=121559 / 28521243.01] [Mean=15.503 / 14.365] [StdDev=21.109 / 21.032]
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#2)

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	118682	27929542.4	
997	DON'T KNOW	22	3710.5	
998	REFUSAL	0	0.0	
999	NOT STATED	2855	587990.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3W: Time spent: Other activity 2

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3363 / 813000.27] [Invalid=121566 / 28522210.69]
Literal question	About how much time did you spend on each occasion? - Other activity (#2)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	109	29611.5	3.6%
2	16 TO 30 MINUTES	392	93735.1	11.5%
3	31 TO 60 MINUTES	828	195574.1	24.1%
4	MORE THAN 1 HOUR	2034	494079.5	60.8%
6	NOT APPLICABLE	118682	27929542.4	
7	DON'T KNOW	7	967.7	
8	REFUSAL	0	0.0	
9	NOT STATED	2877	591700.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2X: # of times: Other activity 3

Information	[Type= continuous] [Format=numeric] [Range= 1-122] [Missing=*]			
Statistics [NW/ W]	[Valid=659 / 145708.66] [Invalid=124270 / 29189502.3] [Mean=12.684 / 11.637] [StdDev=18.888 / 17.92]			
Literal question	In the past 3 months, how many times [did you participate in identified activity]? - Other activity (#3)			

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	121408	28600731.5	
997	DON'T KNOW	2	115.2	
998	REFUSAL	2	180.1	
999	NOT STATED	2858	588475.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3X: Time spent: Other activity 3

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=657 / 145501.36] [Invalid=124272 / 29189709.6]
Literal question	About how much time did you spend on each occasion? - Other activity (#3)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	26	6519.3	4.5%
2	16 TO 30 MINUTES	81	19962.6	13.7%
3	31 TO 60 MINUTES	186	42728.7	29.4%
4	MORE THAN 1 HOUR	364	76290.8	52.4%
6	NOT APPLICABLE	121408	28600731.5	
7	DON'T KNOW	2	207.3	
8	REFUSAL	0	0.0	
9	NOT STATED	2862	588770.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_7: Past 3 mths, walked to/from work/school

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=121979 / 28728921.78] [Invalid=2950 / 606289.18]
Literal question	^DT_TIMEWE in the past 3 months when you walked to and from work or school?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17856	5066592.3	17.6%
2	NO	62918	16573101.2	57.7%
3	NO WORK/NO SCHOOL	41205	7089228.3	24.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	95	19456.6	
8	REFUSAL	8	2356.1	
9	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_7A: # of times, walked to/from work/school

Information	[Type= continuous] [Format=numeric] [Range= 1-270] [Missing=*]
Statistics [NW/ W]	[Valid=17642 / 5012441.2] [Invalid=107287 / 24322769.76] [Mean=45.768 / 47.706] [StdDev=40.999 / 40.465]
Literal question	About how much time did you spend on each occasion?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	104123	23662329.5	
997	DON'T KNOW	210	53766.4	

PAC_7A: # of times, walked to/from work/school

Value	Label	Cases	Weighted	Percentage (Weighted)
998	REFUSAL	4	384.7	
999	NOT STATED	2950	606289.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_7B: Time spent walking to/from work/school

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=17610 / 5005464.79] [Invalid=107319 / 24329746.17]
Literal question	About how much time did you spend on each occasion?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	7437	1949333.9	38.9%
2	16 TO 30 MINUTES	6199	1885147.4	37.7%
3	31 TO 60 MINUTES	3033	896397.7	17.9%
4	MORE THAN 1 HOUR	941	274585.7	5.5%
6	NOT APPLICABLE	104123	23662329.5	
7	DON'T KNOW	31	6511.3	
8	REFUSAL	1	465.1	
9	NOT STATED	3164	660440.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_8: Past 3 mth,bicycled to/from work/school

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=122025 / 28737192.92] [Invalid=2904 / 598018.04]
Literal question	^DT_TIMEBIKEE in the past 3 months when you bicycled to and from work or school?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3476	1014855.7	3.5%
2	NO	76933	20506177.8	71.4%
3	NO WORK/NO SCHOOL	41616	7216159.4	25.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	48	10731.0	
8	REFUSAL	9	2810.6	
9	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_8A: # of times, bicycled to/from work/school

Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]
Statistics [NW/ W]	[Valid=3439 / 1008277.04] [Invalid=121490 / 28326933.92] [Mean=22.266 / 23.834] [StdDev=26.615 / 27.415]
Literal question	How many times?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	118549	27722337.2	
997	DON'T KNOW	37	6578.7	
998	REFUSAL	0	0.0	
999	NOT STATED	2904	598018.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_8B: Time spent bicycled to/from work/school

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3435 / 1005098.19] [Invalid=121494 / 28330112.77]
Literal question	How many times?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	1415	368466.2	36.7%
2	16 TO 30 MINUTES	1070	332687.3	33.1%
3	31 TO 60 MINUTES	673	210116.6	20.9%
4	MORE THAN 1 HOUR	277	93828.0	9.3%
6	NOT APPLICABLE	118549	27722337.2	
7	DON'T KNOW	4	3178.8	
8	REFUSAL	0	0.0	
9	NOT STATED	2941	604596.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACDEE: Daily energy expenditure - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-36.5] [Missing=*]
Statistics [NW/ W]	[Valid=122055 / 28741908.09] [Invalid=2874 / 593302.87] [Mean=2.319 / 2.324] [StdDev=2.492 / 2.485]

Value	Label	Cases	Weighted	Percentage (Weighted)
99.6	NOT APPLICABLE	0	0.0	
99.7	DON'T KNOW	0	0.0	
99.8	REFUSAL	0	0.0	
99.9	NOT STATED	2874	593302.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACFLEI: Participant - leisure phys. activity-(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	112813	26527323.0	92.3%
2	NO	9269	2223411.5	7.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2847	584476.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACDFM: Monthly freq/physical actvty > 15 min -D

Information	[Type= continuous] [Format=numeric] [Range= 0-325] [Missing=*]
Statistics [NW/ W]	[Valid=122055 / 28741908.09] [Invalid=2874 / 593302.87] [Mean=27.414 / 26.775] [StdDev=25.69 / 25.115]

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	0	0.0	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	2874	593302.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACDFR: Frequency of all physical activity - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=122055 / 28741908.09] [Invalid=2874 / 593302.87]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	REGULAR	83506	19532137.4		68.0%
2	OCCASIONAL	17378	4346326.9	15.1%	
3	INFREQUENT	21171	4863443.8	16.9%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	2874	593302.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACFD: Partic. daily phys. act. > 15 min. - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122055 / 28741908.09] [Invalid=2874 / 593302.87]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	49713	11218707.1	39.0%	
2	NO	72342	17523201.0		61.0%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	2874	593302.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACDPAI: Physical activity index - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=122082 / 28750734.52] [Invalid=2847 / 584476.44]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ACTIVE	35100	8207895.1	28.5%	
2	MODERATE ACTIVE	30555	7267777.1	25.3%	
3	INACTIVE	56427	13275062.4		46.2%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	2847	584476.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACDLTI: Leisure and transp. phys. activity index

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=121226 / 28547723.25] [Invalid=3703 / 787487.71]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ACTIVE	36240	8625180.7	30.2%	
2	MODERATE ACTIVE	30985	7421452.5	26.0%	
3	INACTIVE	54001	12501090.1		43.8%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		

PACDLTI: Leisure and transp. phys. activity index

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	3703	787487.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACDTLE: Dai. ener. expen. - Tran. and leis. act.

Information	[Type= continuous] [Format=numeric] [Range= 0-36.7] [Missing=*]
Statistics [NW/ W]	[Valid=121199 / 28538896.82] [Invalid=3730 / 796314.14]

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	NO PHYSICAL ACTIVITY	10813	2437986.2		100.0%
99.6	NOT APPLICABLE	0	0.0		
99.7	DON'T KNOW	0	0.0		
99.8	REFUSAL	0	0.0		
99.9	NOT STATED	3730	796314.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACFLTI: Particip. - Leis. or trans. phys. activ.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=122074 / 28749599.29] [Invalid=2855 / 585611.67]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	113546	26779503.2		93.1%
2	NO	8528	1970096.1	6.9%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	2855	585611.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSCP: Module: Stages of change - SCP - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124929 / 29335210.96] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	124929	29335211.0		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCP_01: Level of physical activity every week

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=45359 / 11630575.54] [Invalid=79570 / 17704635.42]
Literal question	Thinking about the level of physical activity you do every week, do youc onsider yourself to be...?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	VERY PHYS ACTIVE	8056	2160816.4	18.6%	
2	MODERATE PHYS ACTVTY	20757	5119940.0		44.0%

SCP_01: Level of physical activity every week

Value	Label	Cases	Weighted	Percentage (Weighted)
3	A BIT PHYS ACTIVITY	11973	3146392.3	27.1%
4	NOT PHYSICALLY ACTIVE	4573	1203426.9	10.3%
6	NOT APPLICABLE	78373	17424767.8	
7	DON'T KNOW	115	21332.0	
8	REFUSAL	20	10071.2	
9	NOT STATED	1062	248464.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCP_02: Increased physical activity last 6 mths

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28772 / 7270936.18] [Invalid=96157 / 22064274.78]
Literal question	Did you increase your physical activity level in the last 6 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11174	3001406.2	41.3%
2	NO	17598	4269530.0	58.7%
6	NOT APPLICABLE	94919	21774587.0	
7	DON'T KNOW	41	9820.1	
8	REFUSAL	0	0.0	
9	NOT STATED	1197	279867.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCP_03: Will increase physical activity next mth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16183 / 4281626.45] [Invalid=108746 / 25053584.51]
Literal question	Do you intend to increase your physical activity level in the next 30 days?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9161	2568171.2	60.0%
2	NO	7022	1713455.3	40.0%
6	NOT APPLICABLE	107186	24705524.1	
7	DON'T KNOW	358	66997.3	
8	REFUSAL	5	1195.5	
9	NOT STATED	1197	279867.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCP_04: Will increase phys activity next 6 mths

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6809 / 1669418.58] [Invalid=118120 / 27665792.38]
Literal question	Do you intend to increase your physical activity level in the next 6 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3068	794678.1	47.6%
2	NO	3741	874740.5	52.4%
6	NOT APPLICABLE	116347	27273695.2	
7	DON'T KNOW	212	43689.1	
8	REFUSAL	1	347.6	
9	NOT STATED	1560	348060.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCPDSTG: Stages of changes - physical activity

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=44742 / 11508525.92] [Invalid=80187 / 17826685.04]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	PRE-CONTEMPLATION	3741	874740.5	7.6%
2	CONTEMPLATION	3068	794678.1	6.9%
3	PREPARATION	9161	2568171.2	22.3%
4	ACTION	11174	3001406.2	26.1%
5	MAINTENANCE	17598	4269530.0	37.1%
6	NOT APPLICABLE	78373	17424767.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1814	401917.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSAC: Module: Sedentary activities (SAC)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124929 / 29335210.96] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	124929	29335211.0	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SACG1: Typical week, # of hrs on computer

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=121543 / 28638035.18] [Invalid=3386 / 697175.78]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OR < 1 HR	31192	5621986.1	19.6%
2	1 TO 2 HOURS	20456	5119808.7	17.9%
3	3 TO 5 HOURS	18760	4835664.2	16.9%
4	6 TO 10 HOURS	24227	6052774.9	21.1%
5	11 TO 14 HOURS	10146	2414501.5	8.4%
6	15 TO 20 HOURS	5630	1591798.8	5.6%
7	MORE THAN 20 HRS	11132	3001501.0	10.5%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	3386	697175.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SACG2: Typical wk# hrs console/handhld vid games

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=121381 / 28607769.07] [Invalid=3548 / 727441.89]

SACG2: Typical wk# hrs console/handhld vid games

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OR < 1 HR	97670	22297540.0	77.9%
2	1 TO 2 HOURS	10483	2832958.4	9.9%
3	3 TO 5 HOURS	5436	1433675.1	5.0%
4	6 TO 10 HOURS	4245	1105140.5	3.9%
5	11 TO 14 HOURS	1209	306239.8	1.1%
6	15 TO 20 HOURS	1027	283633.2	1.0%
7	MORE THAN 20 HRS	1311	348582.0	1.2%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	3548	727441.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SACG3: Typical week, # hrs watching TV/videos

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=120453 / 28484131.87] [Invalid=4476 / 851079.09]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OR < 1 HR	5340	1445248.4	5.1%
2	1 TO 2 HOURS	8267	2336094.3	8.2%
3	3 TO 5 HOURS	15531	4349937.7	15.3%
4	6 TO 10 HOURS	27538	7182735.3	25.2%
5	11 TO 14 HOURS	21442	4783016.0	16.8%
6	15 TO 20 HOURS	11612	2819354.3	9.9%
7	21 TO 25 HOURS	13650	2605162.6	9.1%
8	26 TO 30 HOURS	8414	1553613.6	5.5%
9	MORE THAN 30 HRS	8659	1408969.7	4.9%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	4476	851079.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SACG4: Typical week, # of hrs reading

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=120081 / 28446898.87] [Invalid=4848 / 888312.09]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OR < 1 HR	20788	5013205.2	17.6%
2	1 TO 2 HOURS	23777	6087273.6	21.4%
3	3 TO 5 HOURS	25029	6444000.6	22.7%
4	6 TO 10 HOURS	29292	6688451.0	23.5%
5	11 TO 14 HOURS	9797	1889474.6	6.6%
6	15 TO 20 HOURS	4848	1147667.1	4.0%
7	MORE THAN 20 HRS	6550	1176826.8	4.1%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	

SACG4: Typical week, # of hrs reading

Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	0	0.0	
99	NOT STATED	4848	888312.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SACDTOT: Past 3 mth,total hrs sedentary activity-D

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=119193 / 28308299.87] [Invalid=5736 / 1026911.09]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 5 HOURS	2659	696150.0	2.5%
2	5 TO 9 HOURS	8761	2426574.4	8.6%
3	10 TO 14 HOURS	13408	3526506.3	12.5%
4	15 TO 19 HOURS	15300	3912842.1	13.8%
5	20 TO 24 HOURS	16951	4046776.7	14.3%
6	25 TO 29 HOURS	14726	3308747.8	11.7%
7	30 TO 34 HOURS	10111	2380417.2	8.4%
8	35 TO 39 HOURS	10446	2291023.7	8.1%
9	40 TO 44 HOURS	7707	1615017.4	5.7%
10	45 OR MORE HOURS	19124	4104244.3	14.5%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	5736	1026911.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SACDTER: # hrs wk in sedentary activity(excl read)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=120310 / 28455840.54] [Invalid=4619 / 879370.42]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 5 HOURS	7248	1815734.9	6.4%
2	5 TO 9 HOURS	15382	4005040.3	14.1%
3	10 TO 14 HOURS	20483	5044374.3	17.7%
4	15 TO 19 HOURS	15299	3822357.3	13.4%
5	20 TO 24 HOURS	19096	4236207.5	14.9%
6	25 TO 29 HOURS	13072	2886936.0	10.1%
7	30 TO 34 HOURS	6597	1589921.5	5.6%
8	35 TO 39 HOURS	7654	1658491.5	5.8%
9	40 TO 44 HOURS	5443	1175441.2	4.1%
10	45 OR MORE HOURS	10036	2221336.0	7.8%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	4619	879370.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOUPE: Module:Use of protective equipment(UPE)-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

DOUPE: Module:Use of protective equipment(UPE)-F

Statistics [NW/ W]	[Valid=59635 / 15189725.82] [Invalid=65294 / 14145485.14]			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	59635	15189725.8	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	65294	14145485.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_01A: Past year, have you bicycled

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=46118 / 11472421.92] [Invalid=78811 / 17862789.04]
Literal question	In the past 12 months, have you done any bicycling?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7778	2141320.2	18.7%
2	NO	38340	9331101.7	81.3%
6	NOT APPLICABLE	77344	17562202.9	
7	DON'T KNOW	81	13309.8	
8	REFUSAL	21	3554.0	
9	NOT STATED	1365	283722.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_01: When bicycling,how often wear helmet

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=19768 / 5545101.18] [Invalid=105161 / 23790109.78]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	7522	2177938.8	39.3%
2	MOST OF THE TIME	1914	530482.2	9.6%
3	RARELY	1739	521847.1	9.4%
4	NEVER	8593	2314833.1	41.7%
6	NOT APPLICABLE	103634	23476586.8	
7	DON'T KNOW	51	11205.6	
8	REFUSAL	9	1731.2	
9	NOT STATED	1467	300586.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_02: Past year, have you gone inline skating

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=56584 / 14419847.89] [Invalid=68345 / 14915363.07]
Literal question	In the past 12 months, have you done any in-line skating or rollerblading?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1926	626451.4	4.3%
2	NO	54658	13793396.5	95.7%
6	NOT APPLICABLE	66859	14610290.1	
7	DON'T KNOW	95	16576.8	

UPE_02: Past year, have you gone inline skating

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	5	1219.8	
9	NOT STATED	1386	287276.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_02A: Inline skating: Frequency of helmet wear

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3488 / 1089848.43] [Invalid=121441 / 28245362.53]
Literal question	When in-line skating or rollerblading, how often do you wear a helmet?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	1147	339447.0	31.1%
2	MOST OF THE TIME	250	80194.0	7.4%
3	RARELY	284	77229.8	7.1%
4	NEVER	1807	592977.6	54.4%
6	NOT APPLICABLE	119952	27938881.6	
7	DON'T KNOW	3	1407.9	
8	REFUSAL	0	0.0	
9	NOT STATED	1486	305073.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_02B: Inline skating: Frequency of wrist guards

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3487 / 1090602.84] [Invalid=121442 / 28244608.12]
Literal question	How often do you wear wrist guards or wrist protectors?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	694	209089.6	19.2%
2	MOST OF THE TIME	146	41418.4	3.8%
3	RARELY	198	63624.1	5.8%
4	NEVER	2449	776470.8	71.2%
6	NOT APPLICABLE	119952	27938881.6	
7	DON'T KNOW	4	653.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1486	305073.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_02C: Inline skating: Frequency of elbow pads

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3487 / 1090768.96] [Invalid=121442 / 28244442]
Literal question	How often do you wear elbow pads?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	411	114709.2	10.5%
2	MOST OF THE TIME	98	29315.4	2.7%
3	RARELY	195	59678.0	5.5%
4	NEVER	2783	887066.4	81.3%
6	NOT APPLICABLE	119952	27938881.6	
7	DON'T KNOW	4	487.4	

UPE_02C: Inline skating: Frequency of elbow pads

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	1486	305073.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_02D: Inline skating: Frequency of knee pads

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3487 / 1090768.96] [Invalid=121442 / 28244442]
Literal question	How often do you wear knee pads?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	473	132526.6	12.1%
2	MOST OF THE TIME	138	37258.9	3.4%
3	RARELY	192	58003.5	5.3%
4	NEVER	2684	862979.9	79.1%
6	NOT APPLICABLE	119952	27938881.6	
7	DON'T KNOW	4	487.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1486	305073.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_03A: Past 3 mths, skiing or snowboarding

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=2272 / 668876.15] [Invalid=122657 / 28666334.81]
Literal question	Earlier, you mentioned going downhill skiing or snowboarding in the past 3 months. Was that:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOWNHILL SKIING	1306	388276.4	58.0%
2	SNOWBOARDING	810	238361.1	35.6%
3	BOTH	156	42238.6	6.3%
4	NEITHER	0	0.0	
6	NOT APPLICABLE	121205	28365395.5	
7	DON'T KNOW	8	1286.9	
8	REFUSAL	1	51.6	
9	NOT STATED	1443	299600.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_03B: Past year, skiing or snowboarding

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=55870 / 14212774.97] [Invalid=69059 / 15122435.99]
Literal question	In the past 12 months, did you do any downhill skiing or snowboarding?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOWNHILL SKIING	2286	705185.9	5.0%
2	SNOWBOARDING	1101	378840.9	2.7%
3	BOTH	237	79223.5	0.6%
4	NEITHER	52246	13049524.7	91.8%
6	NOT APPLICABLE	67575	14815699.8	
7	DON'T KNOW	94	18380.3	

UPE_03B: Past year, skiing or snowboarding

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	4	1079.6	
9	NOT STATED	1386	287276.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_04A: Skiiing: Freq wear a helmet

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3982 / 1214696.26] [Invalid=120947 / 28120514.7]
Literal question	When downhill skiing, how often do you wear a helmet?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	2386	748764.2	61.6%
2	MOST OF THE TIME	143	35939.8	3.0%
3	RARELY	122	31022.7	2.6%
4	NEVER	1331	398969.5	32.8%
6	NOT APPLICABLE	119451	27812211.8	
7	DON'T KNOW	3	228.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1493	308074.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_05A: Snowboarding: Frequency wear a helmet

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=2301 / 735963.83] [Invalid=122628 / 28599247.13]
Literal question	When snowboarding, how often do you wear a helmet?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	1414	443800.6	60.3%
2	MOST OF THE TIME	161	40278.8	5.5%
3	RARELY	142	45422.8	6.2%
4	NEVER	584	206461.6	28.1%
6	NOT APPLICABLE	121132	28288472.1	
7	DON'T KNOW	2	387.8	
8	REFUSAL	1	2312.5	
9	NOT STATED	1493	308074.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_05B: Snowboarding: Frequency wrist guards

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=2302 / 736236.69] [Invalid=122627 / 28598974.27]
Literal question	How often do you wear wrist guards or wrist protectors?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	152	51151.6	6.9%
2	MOST OF THE TIME	64	17023.0	2.3%
3	RARELY	92	30212.0	4.1%
4	NEVER	1994	637850.1	86.6%
6	NOT APPLICABLE	121132	28288472.1	
7	DON'T KNOW	1	114.9	

UPE_05B: Snowboarding: Frequency wrist guards

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	1	2312.5	
9	NOT STATED	1493	308074.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_06: Past year, have you skateboarded

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6630 / 1690417.68] [Invalid=118299 / 27644793.28]
Literal question	In the past 12 months, have you done any skateboarding?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	996	239538.7	14.2%
2	NO	5634	1450878.9	85.8%
6	NOT APPLICABLE	118115	27604223.9	
7	DON'T KNOW	7	2470.8	
8	REFUSAL	0	0.0	
9	NOT STATED	177	38098.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_06A: Skateboarding: Frequency wear a helmet

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=996 / 239538.74] [Invalid=123933 / 29095672.22]
Literal question	How often do you wear a helmet?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	260	57985.0	24.2%
2	MOST OF THE TIME	119	30661.5	12.8%
3	RARELY	127	27123.9	11.3%
4	NEVER	490	123768.4	51.7%
6	NOT APPLICABLE	123749	29055102.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	184	40569.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_06B: Skateboarding: Frequency wrist guards

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=995 / 239304.51] [Invalid=123934 / 29095906.45]
Literal question	How often do you wear wrist guards or wrist protectors?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	56	10763.4	4.5%
2	MOST OF THE TIME	47	9908.8	4.1%
3	RARELY	69	18944.6	7.9%
4	NEVER	823	199687.7	83.4%
6	NOT APPLICABLE	123749	29055102.8	
7	DON'T KNOW	1	234.2	
8	REFUSAL	0	0.0	
9	NOT STATED	184	40569.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_06C: Skateboarding: Frequency elbow pads

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=995 / 239304.51] [Invalid=123934 / 29095906.45]
Literal question	How often do you wear elbow pads?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	53	11597.0	4.8%
2	MOST OF THE TIME	37	10660.8	4.5%
3	RARELY	67	14793.1	6.2%
4	NEVER	838	202253.7	84.5%
6	NOT APPLICABLE	123749	29055102.8	
7	DON'T KNOW	1	234.2	
8	REFUSAL	0	0.0	
9	NOT STATED	184	40569.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_07: Past year, have you played ice hockey

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=55053 / 13994027.79] [Invalid=69876 / 15341183.17]
Literal question	In the past 12 months, have you played any ice hockey?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1803	519646.4	3.7%
2	NO	53250	13474381.4	96.3%
6	NOT APPLICABLE	68388	15033263.8	
7	DON'T KNOW	95	16876.2	
8	REFUSAL	7	3766.9	
9	NOT STATED	1386	287276.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_07A: Ice hockey: wear a mouth guard

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=4892 / 1406911.37] [Invalid=120037 / 27928299.59]
Literal question	When playing ice hockey, how often do you wear a mouth guard?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	1236	351700.7	25.0%
2	MOST OF THE TIME	328	90107.2	6.4%
3	RARELY	278	72529.1	5.2%
4	NEVER	3050	892574.4	63.4%
6	NOT APPLICABLE	118544	27619866.5	
7	DON'T KNOW	5	513.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1488	307919.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPEFILS: Wear all protective equip inline skating

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3485 / 1090272.82] [Invalid=121444 / 28244938.14]

UPEFILS: Wear all protective equip inline skating

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	321	87264.7	8.0%
2	NO	3164	1003008.1	92.0%
6	NOT APPLICABLE	119952	27938881.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1492	306056.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPEFSKB: Wear all protective equip skateboarding-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=995 / 239304.51] [Invalid=123934 / 29095906.45]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	61	13960.4	5.8%
2	NO	934	225344.1	94.2%
6	NOT APPLICABLE	123749	29055102.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	185	40803.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPEFSNB: Wear all protective equip snowboarding-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2302 / 736236.69] [Invalid=122627 / 28598974.27]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	190	60970.4	8.3%
2	NO	2112	675266.3	91.7%
6	NOT APPLICABLE	121132	28288472.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1495	310502.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSSB: Module: Sun safety behaviours (SSB) -F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4786 / 643801.55] [Invalid=120143 / 28691409.41]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4786	643801.6	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	120143	28691409.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_01: Past year, any part of body been sunburnt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

SSB_01: Past year, any part of body been sunburnt

Statistics [NW/ W]	[Valid=4672 / 631398.62] [Invalid=120257 / 28703812.34]			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1552	250556.3	39.7%
2	NO	3120	380842.3	60.3%
6	NOT APPLICABLE	120143	28691409.4	
7	DON'T KNOW	2	96.4	
8	REFUSAL	0	0.0	
9	NOT STATED	112	12306.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_02: Any sunburns involve blistering

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1550 / 250419.82] [Invalid=123379 / 29084791.14]			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	147	20788.3	8.3%
2	NO	1403	229631.5	91.7%
6	NOT APPLICABLE	123263	29072251.7	
7	DON'T KNOW	2	136.5	
8	REFUSAL	0	0.0	
9	NOT STATED	114	12402.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_03: Any sunburn involve pain/discomfort >1day

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1552 / 250556.32] [Invalid=123377 / 29084654.64]			
Literal question	Did any of your sunburns involve blistering?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	502	82324.4	32.9%
2	NO	1050	168231.9	67.1%
6	NOT APPLICABLE	123263	29072251.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	114	12402.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_06: Time each day in sun between 11am-4pm

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]	[Valid=4650 / 628354.05] [Invalid=120279 / 28706856.91]			
Literal question	Did any of your sunburns involve pain or discomfort that lasted for more than 1 day?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE	710	72246.0	11.5%
2	< 30 MIN.	462	52519.3	8.4%
3	30 TO 59 MINUTES	535	67905.8	10.8%
4	1 TO < 2 HOURS	799	107149.3	17.1%
5	2 TO < 3 HOURS	793	124691.2	19.8%
6	3 TO < 4 HOURS	484	70133.3	11.2%

SSB_06: Time each day in sun betwen 11am-4pm

Value	Label	Cases	Weighted	Percentage (Weighted)
7	4 TO < 5 HOURS	279	45732.4	7.3%
8	5 HOURS	588	87976.7	14.0%
96	NOT APPLICABLE	120143	28691409.4	
97	DON'T KNOW	22	3044.6	
98	REFUSAL	0	0.0	
99	NOT STATED	114	12402.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_07: After 30 min, do you seek shade

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3468 / 502351.98] [Invalid=121461 / 28832858.98]
Literal question	About how much time each day do you spend in the sun between 11 am and 4 pm?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	502	58087.5		11.6%
2	OFTEN	1056	153077.7		30.5%
3	SOMETIMES	1033	154502.3		30.8%
4	RARELY	567	88019.9		17.5%
5	NEVER	310	48664.6		9.7%
6	NOT APPLICABLE	121315	28816174.7		
7	DON'T KNOW	10	1236.8		
8	REFUSAL	0	0.0		
9	NOT STATED	136	15447.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_08: After 30 min, do you wear a hat

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3473 / 503126.34] [Invalid=121456 / 28832084.62]
Literal question	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: ...seek shade?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	948	120623.9		24.0%
2	OFTEN	462	69023.1		13.7%
3	SOMETIMES	409	64887.9		12.9%
4	RARELY	363	58180.8		11.6%
5	NEVER	1291	190410.7		37.8%
6	NOT APPLICABLE	121315	28816174.7		
7	DON'T KNOW	5	462.4		
8	REFUSAL	0	0.0		
9	NOT STATED	136	15447.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_09A: After 30 min,do you wear pants/long skirt

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3475 / 503204.31] [Invalid=121454 / 28832006.65]
Literal question	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you:) ...wear long pants or a long skirt to protect your skin from the sun?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	766	92784.2		18.4%
2	OFTEN	414	62990.2		12.5%
3	SOMETIMES	453	68108.0		13.5%
4	RARELY	485	75333.8		15.0%
5	NEVER	1357	203988.1		40.5%
6	NOT APPLICABLE	121315	28816174.7		
7	DON'T KNOW	3	384.5		
8	REFUSAL	0	0.0		

SSB_09A: After 30 min,do you wear pants/long skirt

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	136	15447.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_09B: After 30 min, do you use sunscreen:face

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3473 / 502911.68] [Invalid=121456 / 28832299.28]
Literal question	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you:) ...use sunscreen on your face?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	1055	147028.5	29.2%
2	OFTEN	581	91660.6	18.2%
3	SOMETIMES	471	69833.3	13.9%
4	RARELY	340	54629.2	10.9%
5	NEVER	1026	139760.0	27.8%
6	NOT APPLICABLE	121315	28816174.7	
7	DON'T KNOW	5	677.1	
8	REFUSAL	0	0.0	
9	NOT STATED	136	15447.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_10: What Sun Protection Factor (SPF) use:face

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=2012 / 295082.16] [Invalid=122917 / 29040128.8]
Literal question	What Sun Protection factor (SPF) do you usually use?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 15	63	9615.2	3.3%
2	15 TO 25	494	70060.4	23.7%
3	MORE THAN 25	1455	215406.5	73.0%
6	NOT APPLICABLE	122681	29010564.0	
7	DON'T KNOW	94	13354.4	
8	REFUSAL	1	85.8	
9	NOT STATED	141	16124.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_11: After 30 min, do you use sunscreen:body

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3474 / 503129.26] [Invalid=121455 / 28832081.7]
Literal question	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: ...use sunscreen on your body?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	725	102958.9	20.5%
2	OFTEN	644	103945.6	20.7%
3	SOMETIMES	566	84010.1	16.7%
4	RARELY	455	69808.8	13.9%
5	NEVER	1084	142405.8	28.3%
6	NOT APPLICABLE	121315	28816174.7	

SSB_11: After 30 min, do you use sunscreen:body

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	4	459.5	
8	REFUSAL	0	0.0	
9	NOT STATED	136	15447.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_12: What Sun Protection Factor (SPF) use:body

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=1853 / 277086] [Invalid=123076 / 29058124.96]
Literal question	What Sun Protection factor (SPF) do you usually use?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 15	78	10017.6	3.6%
2	15 TO 25	399	57299.7	20.7%
3	MORE THAN 25	1376	209768.8	75.7%
6	NOT APPLICABLE	122854	29028389.3	
7	DON'T KNOW	81	13742.8	
8	REFUSAL	1	85.8	
9	NOT STATED	140	15907.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOINJ: Module: Injuries (INJ) - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11321 / 3166820.79] [Invalid=113608 / 26168390.17]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11321	3166820.8	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	113608	26168390.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_1A: Past year, injury from repetitive strain

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11275 / 3158251.8] [Invalid=113654 / 26176959.16]
Literal question	In the past 12 months, did ^YOU2 have any injuries due to repetitive strain?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1598	442859.8	14.0%
2	NO	9677	2715392.0	86.0%
6	NOT APPLICABLE	113608	26168390.2	
7	DON'T KNOW	41	7697.7	
8	REFUSAL	5	871.2	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_2: Repetitive strain injury limit activity

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

REP_2: Repetitive strain injury limit activity

Statistics [NW/ W]	[Valid=1594 / 442035.07] [Invalid=123335 / 28893175.89]			
Literal question	Were these injuries serious enough to limit ^YOUR1 normal activities?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	881	247357.4	56.0%
2	NO	713	194677.6	44.0%
6	NOT APPLICABLE	123285	28883782.1	
7	DON'T KNOW	4	824.8	
8	REFUSAL	0	0.0	
9	NOT STATED	46	8569.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REPG3: Body part affected by repetitive strain-G

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=878 / 247060.05] [Invalid=124051 / 29088150.91]
Literal question	Thinking about the most serious repetitive strain, what part of the body was affected?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NECK	19	6379.7	2.6%
2	SHOULDER/UPPER ARM	177	55808.8	22.6%
3	ELBOW, LOWER ARM	133	40257.7	16.3%
4	WRIST / HAND	196	46071.0	18.6%
5	KNEE / LOWER LEG	109	31220.8	12.6%
6	ANKLE / FOOT	59	18260.7	7.4%
7	UPPER BACK	24	7422.0	3.0%
8	LOWER BACK	110	32275.4	13.1%
9	OTHER	51	9364.0	3.8%
96	NOT APPLICABLE	123998	29078459.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	53	9691.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_3A: Know type:strain caused repetitive strain

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=873 / 245671.89] [Invalid=124056 / 29089539.07]
Literal question	Do you know what type of activity caused this repetitive strain injury?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	777	221439.6	90.1%
2	NO	96	24232.3	9.9%
6	NOT APPLICABLE	123998	29078459.8	
7	DON'T KNOW	8	1685.5	
8	REFUSAL	0	0.0	
9	NOT STATED	50	9393.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_4: Activity done while work at job/business

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

REP_4: Activity done while work at job/business

Statistics [NW/ W]			[Valid=772 / 220734.67] [Invalid=124157 / 29114476.29]	
Literal question			Was the activity something ^YOU1 did while working at a job or business (excluding travel to or from work)?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	385	117759.3	53.3%
2	NO	387	102975.4	46.7%
6	NOT APPLICABLE	124094	29102692.1	
7	DON'T KNOW	1	187.4	
8	REFUSAL	0	0.0	
9	NOT STATED	62	11596.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5A: Type of activity: Walking

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=774 / 221115.13] [Invalid=124155 / 29114095.83]
Literal question	What type of activity was this? Walking

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	39	13618.0	6.2%
2	NO	735	207497.1	93.8%
6	NOT APPLICABLE	124094	29102692.1	
7	DON'T KNOW	3	324.5	
8	REFUSAL	0	0.0	
9	NOT STATED	58	11079.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5B: Type of activity:Sports/physical exercise

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=774 / 221115.13] [Invalid=124155 / 29114095.83]
Literal question	What type of activity was this? Sports or physical exercise (including school activities and running)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	203	62215.8	28.1%
2	NO	571	158899.4	71.9%
6	NOT APPLICABLE	124094	29102692.1	
7	DON'T KNOW	3	324.5	
8	REFUSAL	0	0.0	
9	NOT STATED	58	11079.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5C: Type of activity: Leisure or hobby

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=774 / 221115.13] [Invalid=124155 / 29114095.83]
Literal question	What type of activity was this? Leisure or hobby (include volunteering)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	32	6757.7	3.1%
2	NO	742	214357.4	96.9%
6	NOT APPLICABLE	124094	29102692.1	
7	DON'T KNOW	3	324.5	

REP_5C: Type of activity: Leisure or hobby

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	58	11079.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5D: Type of activity: Household/outdoor chore

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=774 / 221115.13] [Invalid=124155 / 29114095.83]
Literal question	What type of activity was this? Household chores, outdoor yard maintenanceh, ome renovations or other unpaid work

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	71	18231.8	8.2%
2	NO	703	202883.3	91.8%
6	NOT APPLICABLE	124094	29102692.1	
7	DON'T KNOW	3	324.5	
8	REFUSAL	0	0.0	
9	NOT STATED	58	11079.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5F: Type of activity: Computer/typing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=774 / 221115.13] [Invalid=124155 / 29114095.83]
Literal question	What type of activity was this? Computer use or typing

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	88	21284.3	9.6%
2	NO	686	199830.8	90.4%
6	NOT APPLICABLE	124094	29102692.1	
7	DON'T KNOW	3	324.5	
8	REFUSAL	0	0.0	
9	NOT STATED	58	11079.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5G: Type of activity: Driving motor vehicle

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=774 / 221115.13] [Invalid=124155 / 29114095.83]
Literal question	What type of activity was this? Driving a motor vehicle

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	1659.0	0.8%
2	NO	762	219456.2	99.2%
6	NOT APPLICABLE	124094	29102692.1	
7	DON'T KNOW	3	324.5	
8	REFUSAL	0	0.0	
9	NOT STATED	58	11079.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5H: Type of activity:Lift/carry object/person

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=774 / 221115.13] [Invalid=124155 / 29114095.83]

REP_5H: Type of activity:Lift/carry object/person

Literal question	What type of activity was this? Lifting or carrying an object or person

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	168	47353.8		21.4%
2	NO	606	173761.3		78.6%
6	NOT APPLICABLE	124094	29102692.1		
7	DON'T KNOW	3	324.5		
8	REFUSAL	0	0.0		
9	NOT STATED	58	11079.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5I: Type of activity: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=774 / 221115.13] [Invalid=124155 / 29114095.83]
Literal question	What type of activity was this? Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	204	59374.6		26.9%
2	NO	570	161740.5		73.1%
6	NOT APPLICABLE	124094	29102692.1		
7	DON'T KNOW	3	324.5		
8	REFUSAL	0	0.0		
9	NOT STATED	58	11079.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_01: Past year, were you injured

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11300 / 3163150.47] [Invalid=113629 / 26172060.49]
Literal question	^DT_INJURIES1 in the past 12 months, that is, from ^DATEONEYEARAGOE to yesterday, ^WERE ^YOU1 injured?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1952	576913.7		18.2%
2	NO	9348	2586236.8		81.8%
6	NOT APPLICABLE	113608	26168390.2		
7	DON'T KNOW	13	2271.5		
8	REFUSAL	8	1398.8		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG02: Past year, # of injuries-G

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1943 / 574030.34] [Invalid=122986 / 28761180.62]
Literal question	How many times were you injured?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ONE INJURY	1375	407875.4		71.1%
2	TWO INJURIES	325	89904.4		15.7%
3	3 TO 5 INJURIES	184	50314.0		8.8%
4	6+ INJURIES	59	25936.4		4.5%
6	NOT APPLICABLE	122956	28754626.9		

INJG02: Past year, # of injuries-G

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	30	6553.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG05: Most serious type of injury-G

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=1931 / 571142.66] [Invalid=122998 / 28764068.3]
Literal question	What type of injury did you have? For example, a broken bone or burn.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MULTIPLE INJURIES	25	12124.0	2.1%
2	BROKEN BONES	352	90826.6	15.9%
3	BURN, SCALD, CHEMICAL	54	20129.0	3.5%
4	DISLOCATION	63	15670.8	2.7%
5	SPRAIN OR STRAIN	979	298421.7	52.2%
6	CUT, PUNCTURE, BITE	173	53515.2	9.4%
7	SCRAPE,BRUISE,BLISTER	129	32310.6	5.7%
8	CONCUSSION/OTHR BRAIN	66	18805.2	3.3%
9	OTHER	90	29339.7	5.1%
96	NOT APPLICABLE	122956	28754626.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	42	9441.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG06: Most serious injury: Body part injured-G

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=1870 / 555229.09] [Invalid=123059 / 28779981.87]
Literal question	What part of the body was injured?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MULTIPLE SITES	40	15209.3	2.7%
2	EYES/HEAD/NECK	109	38402.2	6.9%
3	SHOULDER, UPPER ARM	187	52944.8	9.5%
4	ELBOW,LOWER ARM	74	17007.9	3.1%
5	WRIST OR HAND	315	101453.7	18.3%
6	HIP OR THIGH	97	29674.4	5.3%
7	KNEE, LOWER LEG	264	75737.5	13.6%
8	ANKLE, FOOT	427	123260.5	22.2%
9	UPPER OR LOWER BACK	262	81418.0	14.7%
10	CHEST OR ABDOMEN	95	20120.7	3.6%
96	NOT APPLICABLE	123021	28771244.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	38	8737.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG08: Most serious injury: Location-G

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=1924 / 571515.34] [Invalid=123005 / 28763695.62]
Literal question	Where did the injury happen ?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	IN A HOME	647	161222.6	28.2%
2	RESIDENTIAL/SCHOOL	120	42964.5	7.5%
3	SPORTS/ATHLETICS	142	52293.6	9.1%
4	OTHER SPORTS	244	84606.9	14.8%
5	STREET, HIGHWAY	196	57764.3	10.1%
6	COMMERCIAL AREA	161	46413.1	8.1%
7	INDUSTRIAL AREA	142	39560.1	6.9%
8	OTHER	272	86690.2	15.2%
96	NOT APPLICABLE	122956	28754626.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	49	9068.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG092: Most serious injury: Activity-G

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=1914 / 566587.51] [Invalid=123015 / 28768623.45]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SPORTS/EXERCISE	599	209426.1	37.0%
2	LEISURE	145	41434.8	7.3%
3	WORKING AT A JOB	296	89756.3	15.8%
4	DRIVER/BOAT.,ATV	137	44807.6	7.9%
5	HOUSEHOLD CHORES	283	72503.3	12.8%
6	GOING UP/DOWN STAIRS	340	81953.3	14.5%
7	OTHER	114	26706.1	4.7%
96	NOT APPLICABLE	122956	28754626.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	59	13996.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INW_01: Injury occurred in current job

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=277 / 85334.9] [Invalid=124652 / 29249876.06]
Literal question	Did this injury occur in your current main job?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	229	67826.3	79.5%
2	NO	48	17508.6	20.5%
6	NOT APPLICABLE	124609	29238762.0	
7	DON'T KNOW	1	110.9	
8	REFUSAL	0	0.0	
9	NOT STATED	42	11003.2	

INW_01: Injury occurred in current job

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INWGSOC: Occup. group (SOC) where inj. occ. -G

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=257 / 79221.35] [Invalid=124672 / 29255989.61]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MANAG./ART, EDUC	39	10646.0	13.4%
2	BUSINESS/FINANCIAL	13	3374.7	4.3%
3	SALES, SERVICES	53	21074.5	26.6%
4	TRADES/TRANSPORTATION	104	31461.1	39.7%
5	PRIM. IND./PROC.	48	12665.0	16.0%
6	NOT APPLICABLE	124668	29255451.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	4	538.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_10: Most serious injury: Result of a fall

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1936 / 573343.22] [Invalid=122993 / 28761867.74]
Literal question	Was the injury the result of a fall?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	833	221423.7	38.6%
2	NO	1103	351919.5	61.4%
6	NOT APPLICABLE	122956	28754626.9	
7	DON'T KNOW	6	617.2	
8	REFUSAL	1	70.0	
9	NOT STATED	30	6553.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG11A: How did you fall - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=828 / 220754.1] [Invalid=124101 / 29114456.86]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SKATE/SKI/SNOWBOARD	77	28297.4	12.8%
2	OTHER SPORTS	150	47154.2	21.4%
3	STAIRS/FURNITURE	160	35232.4	16.0%
4	SLIP/TRIP ON SNOW	148	35893.7	16.3%
5	SLIP/TRIP OTHR SURFACE	232	54204.7	24.6%
6	HEALTH PROBLEMS	61	19971.7	9.0%
96	NOT APPLICABLE	124059	29106546.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	42	7910.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_13: Most serious injury:Treatment w/in 48 hrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

INJ_13: Most serious injury:Treatment w/in 48 hrs

Statistics [NW/ W]	[Valid=1936 / 572157.06] [Invalid=122993 / 28763053.9]			
Literal question	Did ^YOU2 receive any medical attention for the injury from a health professional in the 48 hours following the injury?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1070	291556.4	51.0%
2	NO	866	280600.6	49.0%
6	NOT APPLICABLE	122956	28754626.9	
7	DON'T KNOW	6	1803.3	
8	REFUSAL	1	70.0	
9	NOT STATED	30	6553.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_14A: Treatment in 48 hours: Doctor's office

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1069 / 291528.73] [Invalid=123860 / 29043682.23]			
Literal question	Where did you receive treatment in the 48 hours? Doctor's office			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	186	58712.4	20.1%
2	NO	883	232816.3	79.9%
6	NOT APPLICABLE	123822	29035227.5	
7	DON'T KNOW	1	27.7	
8	REFUSAL	0	0.0	
9	NOT STATED	37	8427.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_14B: Treatment in 48 hours: Hospital emergency

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1069 / 291528.73] [Invalid=123860 / 29043682.23]			
Literal question	Where did you receive treatment in the 48 hours? Hospital emergency room			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	610	146722.7	50.3%
2	NO	459	144806.0	49.7%
6	NOT APPLICABLE	123822	29035227.5	
7	DON'T KNOW	1	27.7	
8	REFUSAL	0	0.0	
9	NOT STATED	37	8427.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG14C: Treatment in 48 hours: Clinic-G

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1069 / 291528.73] [Invalid=123860 / 29043682.23]			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	152	50817.3	17.4%
2	NO	917	240711.4	82.6%
6	NOT APPLICABLE	123822	29035227.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

INJG14C: Treatment in 48 hours: Clinic-G

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	38	8454.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG14J2: Treatment in 48 hr:Physio/massage/chiro-G

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1069 / 291528.73] [Invalid=123860 / 29043682.23]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	126	35636.6	12.2%
2	NO	943	255892.1	87.8%
6	NOT APPLICABLE	123822	29035227.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	38	8454.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_14O: Treatment in 48 hrs: On-site

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1069 / 291528.73] [Invalid=123860 / 29043682.23]
Literal question	Where did you receive treatment in the 48 hours? Where the injury happened/on-site (workplace, school, sports fieldh, otel, ski hill)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	37	14508.1	5.0%
2	NO	1032	277020.6	95.0%
6	NOT APPLICABLE	123822	29035227.5	
7	DON'T KNOW	1	27.7	
8	REFUSAL	0	0.0	
9	NOT STATED	37	8427.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_15: Admitted to hospital overnight

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1068 / 290803.03] [Invalid=123861 / 29044407.93]
Literal question	Were you admitted to a hospital overnight?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	90	22954.0	7.9%
2	NO	978	267849.0	92.1%
6	NOT APPLICABLE	123822	29035227.5	
7	DON'T KNOW	2	753.4	
8	REFUSAL	0	0.0	
9	NOT STATED	37	8427.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_15A: Follow-up care from health professional

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1941 / 573833.49] [Invalid=122988 / 28761377.47]
Literal question	At the present time, are you getting follow-up care from a health professional because of this injury?

INJ_15A: Follow-up care from health professional

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	376	105525.6	18.4%
2	NO	1565	468307.9	81.6%
6	NOT APPLICABLE	122956	28754626.9	
7	DON'T KNOW	1	126.9	
8	REFUSAL	1	70.0	
9	NOT STATED	30	6553.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_16: Past yr,treated injury not limit activity

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11263 / 3155031.21] [Invalid=113666 / 26180179.75]
Literal question	In the past 12 months, did ^YOU2 have any other injuries that were treated by a health professional, but did not limit ^YOUR1 normal activities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	635	194483.6	6.2%
2	NO	10628	2960547.7	93.8%
6	NOT APPLICABLE	113608	26168390.2	
7	DON'T KNOW	26	4952.0	
8	REFUSAL	2	283.8	
9	NOT STATED	30	6553.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG17: How many injuries (INJ_16)-G

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=630 / 193286.74] [Invalid=124299 / 29141924.22]
Literal question	How many injuries?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONE INJURY	506	159494.2	82.5%
2	2 TO 5 INJURIES	107	27476.0	14.2%
3	6 OR MORE INJURIES	17	6316.5	3.3%
6	NOT APPLICABLE	124236	29128937.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	63	12986.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJGCAU: Cause of injury - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=1906 / 564265.93] [Invalid=123023 / 28770945.03]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FALL	833	221423.7	39.2%
2	TRANSPORT ACCIDENT	80	23387.2	4.1%
3	ACCIDENTAL BUMP	122	37596.2	6.7%
4	ACCIDENTAL STRUCK	155	49336.7	8.7%
5	ACCIDENTL SHARP OBJCT	122	41341.5	7.3%
6	OVEREXERTION	394	131275.5	23.3%

INJGCAU: Cause of injury - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
7	OTHER	200	59905.1	10.6%
96	NOT APPLICABLE	122956	28754626.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	67	16318.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJDSTT: Injury Status - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=11263 / 3155031.21] [Invalid=113666 / 26180179.75]

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NO INJURIES	8874	2443762.2	77.5%
1	ACTIVITY-LIMIT.	1754	516785.4	16.4%
2	NON-ACTIVITY LIMIT	452	138706.9	4.4%
3	LIMIT AND NON-LIMIT	183	55776.7	1.8%
6	NOT APPLICABLE	113608	26168390.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	58	11789.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSWL: Module: Satisfaction with life (SWL) -(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26734 / 7104204.06] [Invalid=98195 / 22231006.9]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26734	7104204.1	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	98195	22231006.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_02: Satisfaction with job/main activity

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=25779 / 6905206.26] [Invalid=99150 / 22430004.7]
Literal question	How satisfied are you with your job or main activity?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	9288	2391337.5	34.6%
2	SATISFIED	12799	3430821.6	49.7%
3	NEITHER (DIS)SATISFIED	1802	561311.6	8.1%
4	DISSATISFIED	1523	418277.2	6.1%
5	VERY DISSATISFIED	367	103458.4	1.5%
6	NOT APPLICABLE	98195	22231006.9	
7	DON'T KNOW	214	37881.7	
8	REFUSAL	134	33920.8	

SWL_02: Satisfaction with job/main activity

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	607	127195.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_03: Satisfaction with leisure activities

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=25805 / 6907998.34] [Invalid=99124 / 22427212.62]
Literal question	How satisfied are you with your leisure activities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	8304	2104536.4	30.5%
2	SATISFIED	13228	3557185.1	51.5%
3	NEITHER (DIS)SATISFIED	2029	609324.0	8.8%
4	DISSATISFIED	1984	561926.7	8.1%
5	VERY DISSATISFIED	260	75026.2	1.1%
6	NOT APPLICABLE	98195	22231006.9	
7	DON'T KNOW	181	34466.2	
8	REFUSAL	7	623.4	
9	NOT STATED	741	161116.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_04: Satisfaction with financial situation

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=25729 / 6889073.45] [Invalid=99200 / 22446137.51]
Literal question	(How satisfied are you) with your financial situation?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	4770	1143388.9	16.6%
2	SATISFIED	13468	3456910.8	50.2%
3	NEITHER (DIS)SATISFIED	2922	926688.0	13.5%
4	DISSATISFIED	3491	1045030.3	15.2%
5	VERY DISSATISFIED	1078	317055.3	4.6%
6	NOT APPLICABLE	98195	22231006.9	
7	DON'T KNOW	227	44734.8	
8	REFUSAL	37	9279.7	
9	NOT STATED	741	161116.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_05: Satisfaction with yourself

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=25824 / 6916751.71] [Invalid=99105 / 22418459.25]
Literal question	How satisfied are you with yourself?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	8069	2103828.3	30.4%
2	SATISFIED	14828	3980773.1	57.6%
3	NEITHER (DIS)SATISFIED	1675	497019.5	7.2%
4	DISSATISFIED	1081	296542.6	4.3%
5	VERY DISSATISFIED	171	38588.3	0.6%

SWL_05: Satisfaction with yourself

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	98195	22231006.9	
7	DON'T KNOW	154	24626.9	
8	REFUSAL	15	1709.3	
9	NOT STATED	741	161116.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_06: Satisfaction with way your body looks

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=25727 / 6899376.17] [Invalid=99202 / 22435834.79]
Literal question	How satisfied are you with the way your body looks?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	3893	1072077.8	15.5%
2	SATISFIED	14284	3800361.8	55.1%
3	NEITHER (DIS)SATISFIED	3154	912515.0	13.2%
4	DISSATISFIED	3871	986447.8	14.3%
5	VERY DISSATISFIED	525	127973.8	1.9%
6	NOT APPLICABLE	98195	22231006.9	
7	DON'T KNOW	233	38165.6	
8	REFUSAL	33	5546.2	
9	NOT STATED	741	161116.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_07: Satisfaction with relationship w/family

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=25820 / 6917182.01] [Invalid=99109 / 22418028.95]
Literal question	How satisfied are you with your relationships with family members?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	12459	3313610.5	47.9%
2	SATISFIED	11247	3035762.9	43.9%
3	NEITHER (DIS)SATISFIED	1047	290246.6	4.2%
4	DISSATISFIED	884	237713.6	3.4%
5	VERY DISSATISFIED	183	39848.4	0.6%
6	NOT APPLICABLE	98195	22231006.9	
7	DON'T KNOW	141	21064.0	
8	REFUSAL	32	4842.0	
9	NOT STATED	741	161116.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_08: Satisfaction with relationship w/friends

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=25860 / 6921326.12] [Invalid=99069 / 22413884.84]
Literal question	(How satisfied are you) with your relationships with friends?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	11254	2874525.3	41.5%
2	SATISFIED	12975	3543962.6	51.2%
3	NEITHER (DIS)SATISFIED	959	301261.9	4.4%
4	DISSATISFIED	575	179558.3	2.6%
5	VERY DISSATISFIED	97	22018.0	0.3%
6	NOT APPLICABLE	98195	22231006.9	
7	DON'T KNOW	115	19499.4	
8	REFUSAL	18	2262.4	
9	NOT STATED	741	161116.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_09: Satisfaction with your housing

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=25913 / 6929052.77] [Invalid=99016 / 22406158.19]
Literal question	(How satisfied are you) with your housing?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	11501	2890286.5	41.7%
2	SATISFIED	12048	3308606.1	47.7%
3	NEITHER (DIS)SATISFIED	1075	352505.7	5.1%
4	DISSATISFIED	1076	315773.5	4.6%
5	VERY DISSATISFIED	213	61881.0	0.9%
6	NOT APPLICABLE	98195	22231006.9	
7	DON'T KNOW	68	12569.8	
8	REFUSAL	12	1465.4	
9	NOT STATED	741	161116.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_10: Satisfaction with your neighbourhood

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=25819 / 6904823.78] [Invalid=99110 / 22430387.18]
Literal question	(How satisfied are you) with your neighbourhood?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	10627	2664287.0	38.6%
2	SATISFIED	12500	3420374.3	49.5%
3	NEITHER (DIS)SATISFIED	1565	511434.4	7.4%
4	DISSATISFIED	952	267127.4	3.9%
5	VERY DISSATISFIED	175	41600.8	0.6%
6	NOT APPLICABLE	98195	22231006.9	
7	DON'T KNOW	162	34930.7	
8	REFUSAL	12	3333.5	
9	NOT STATED	741	161116.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOCST: Opt module:Childhood&adult stressors-CST-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15413 / 3937383.27] [Invalid=109516 / 25397827.69]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	15413	3937383.3		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	109516	25397827.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CST_1: Did you spend 2 or more weeks in hospital

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13692 / 3497954.02] [Invalid=111237 / 25837256.94]
Literal question	Did you spend 2 weeks or more in the hospital?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2161	475968.8	13.6%	
2	NO	11531	3021985.3		86.4%
6	NOT APPLICABLE	110679	25708889.5		
7	DON'T KNOW	140	27904.9		
8	REFUSAL	68	25871.4		
9	NOT STATED	350	74591.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CST_2: Did your parents get a divorce

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13777 / 3514086.54] [Invalid=111152 / 25821124.42]
Literal question	Did your parents get a divorce?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2367	648046.4	18.4%	
2	NO	11410	2866040.1		81.6%
6	NOT APPLICABLE	110679	25708889.5		
7	DON'T KNOW	44	10149.5		
8	REFUSAL	11	1623.0		
9	NOT STATED	418	100462.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CST_3: Father/mother not have job for long time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13605 / 3476956.44] [Invalid=111324 / 25858254.52]
Literal question	Did your father or mother not have a job for a long time when they wanted to be working?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1663	444479.3	12.8%	
2	NO	11942	3032477.1		87.2%
6	NOT APPLICABLE	110679	25708889.5		
7	DON'T KNOW	211	45125.6		

CST_3: Father/mother not have job for long time

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	16	3776.9	
9	NOT STATED	418	100462.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CST_4: Something scare you,thought of long time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13714 / 3502408.17] [Invalid=111215 / 25832802.79]
Literal question	Did something happen that scared you so much you thought about it for years after?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3200	795291.2	22.7%
2	NO	10514	2707117.0	77.3%
6	NOT APPLICABLE	110679	25708889.5	
7	DON'T KNOW	93	18045.0	
8	REFUSAL	25	5405.8	
9	NOT STATED	418	100462.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CST_5: Sent from home b/c did something wrong

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13775 / 3509251.04] [Invalid=111154 / 25825959.92]
Literal question	Were you sent away from home because you did something wrong?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	418	114078.0	3.3%
2	NO	13357	3395173.1	96.7%
6	NOT APPLICABLE	110679	25708889.5	
7	DON'T KNOW	38	12342.7	
8	REFUSAL	19	4265.2	
9	NOT STATED	418	100462.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CST_6: Problem for family from parental drug use

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13741 / 3503096.19] [Invalid=111188 / 25832114.77]
Literal question	Did either of your parents drink or use drugs so often that it caused problems for the family?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2153	521761.9	14.9%
2	NO	11588	2981334.3	85.1%
6	NOT APPLICABLE	110679	25708889.5	
7	DON'T KNOW	63	17111.1	
8	REFUSAL	28	5651.6	
9	NOT STATED	418	100462.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CST_7: Physically abused by someone close to you

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13725 / 3501950.98] [Invalid=111204 / 25833259.98]

CST_7: Physically abused by someone close to you

	Literal question	Were you ever physically abused by someone close to you?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1416	343169.4		9.8%
2	NO	12309	3158781.6		90.2%
6	NOT APPLICABLE	110679	25708889.5		
7	DON'T KNOW	55	13780.1		
8	REFUSAL	52	10127.9		
9	NOT STATED	418	100462.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSFE: Module: Self-esteem (SFE) - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23260 / 6828260.12] [Invalid=101669 / 22506950.84]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	23260	6828260.1		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	101669	22506950.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFE_501: You have a number of good qualities

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=22550 / 6596000.54] [Invalid=102379 / 22739210.42]
Literal question	You feel that you have a number of good qualities.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	10162	3091539.1		46.9%
2	AGREE	12071	3413335.0		51.7%
3	NEITHER	239	66972.0		1.0%
4	DISAGREE	70	21875.3		0.3%
5	STRONG DISAGREE	8	2279.2		0.0%
6	NOT APPLICABLE	101669	22506950.8		
7	DON'T KNOW	172	62211.5		
8	REFUSAL	89	33757.7		
9	NOT STATED	449	136290.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFE_502: Person of worth at least equal to others

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=22542 / 6586986.14] [Invalid=102387 / 22748224.82]
Literal question	You feel that you're a person of worth at least equal to others.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	11605	3495945.7		53.1%
2	AGREE	10273	2879092.1		43.7%
3	NEITHER	385	115090.4		1.7%

SFE_502: Person of worth at least equal to others

Value	Label	Cases	Weighted	Percentage (Weighted)
4	DISAGREE	261	93161.4	1.4%
5	STRONG DISAGREE	18	3696.6	0.1%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	177	70899.7	
8	REFUSAL	3	326.1	
9	NOT STATED	538	170048.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFE_503: Able to do things as well as most others

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=22536 / 6592509.15] [Invalid=102393 / 22742701.81]
Literal question	You are able to do things as well as most other people.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	10230	3141188.8	47.6%
2	AGREE	10954	3048935.8	46.2%
3	NEITHER	824	257023.1	3.9%
4	DISAGREE	480	129864.4	2.0%
5	STRONG DISAGREE	48	15497.0	0.2%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	182	63511.4	
8	REFUSAL	4	2191.5	
9	NOT STATED	538	170048.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFE_504: You take a positive attitude toward self

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=22561 / 6607008.92] [Invalid=102368 / 22728202.04]
Literal question	You take a positive attitude toward yourself.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	9506	2830524.1	42.8%
2	AGREE	11290	3282243.4	49.7%
3	NEITHER	1154	335684.0	5.1%
4	DISAGREE	554	145374.4	2.2%
5	STRONG DISAGREE	57	13183.0	0.2%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	158	50855.8	
8	REFUSAL	3	347.3	
9	NOT STATED	538	170048.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFE_505: You are satisfied with yourself

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=22579 / 6610687.79] [Invalid=102350 / 22724523.17]
Literal question	On the whole you are satisfied with yourself.

SFE_505: You are satisfied with yourself

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	9017	2645429.6	40.0%
2	AGREE	12190	3549740.1	53.7%
3	NEITHER	871	264147.9	4.0%
4	DISAGREE	456	141729.2	2.1%
5	STRONG DISAGREE	45	9641.1	0.1%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	139	46965.3	
8	REFUSAL	4	559.0	
9	NOT STATED	538	170048.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFE_506: You're inclined to feel you're a failure

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=22519 / 6593049.01] [Invalid=102410 / 22742161.95]
Literal question	All in all, you're inclined to feel you're a failure.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	61	18717.2	0.3%
2	AGREE	425	139043.5	2.1%
3	NEITHER	490	148182.2	2.2%
4	DISAGREE	5948	1672077.9	25.4%
5	STRONG DISAGREE	15595	4615028.2	70.0%
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	188	60718.5	
8	REFUSAL	15	4444.5	
9	NOT STATED	538	170048.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFEDE1: Self-esteem scale - (D)

Information	[Type= discrete] [Format=numeric] [Range= 3-24] [Missing=*]
Statistics [NW/ W]	[Valid=22294 / 6526696.97] [Invalid=102635 / 22808513.99]

Value	Label	Cases	Weighted	Percentage (Weighted)
3		1	187.4	0.0%
4		5	381.0	0.0%
5		9	1791.8	0.0%
6		8	1464.9	0.0%
7		15	6676.4	0.1%
8		22	4684.9	0.1%
9		14	3356.6	0.1%
10		43	17064.0	0.3%
11		51	12510.2	0.2%
12		89	25137.0	0.4%
13		105	34212.9	0.5%
14		192	58232.2	0.9%
15		254	68937.4	1.1%
16		534	156703.8	2.4%

SFEDE1: Self-esteem scale - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
17		757	238390.7	3.7%
18		3281	902247.0	13.8%
19		4223	1179676.9	18.1%
20		1679	492039.9	7.5%
21		1631	494769.4	7.6%
22		1835	581029.8	8.9%
23		2333	686105.8	10.5%
24		5213	1561097.1	23.9%
96	NOT APPLICABLE	101669	22506950.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	966	301563.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOMAS: Module: Mastery (MAS) - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4786 / 643801.55] [Invalid=120143 / 28691409.41]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4786	643801.6	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	120143	28691409.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAS_601: You have little control over things

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=4579 / 622801] [Invalid=120350 / 28712409.96]
Literal question	You have little control over the things that happen to you.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	271	32802.3	5.3%
2	AGREE	1172	139801.0	22.4%
3	NEITHER	382	58519.7	9.4%
4	DISAGREE	2040	285322.2	45.8%
5	STRONG DISAGREE	714	106355.9	17.1%
6	NOT APPLICABLE	120143	28691409.4	
7	DON'T KNOW	82	7680.9	
8	REFUSAL	13	1013.2	
9	NOT STATED	112	12306.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAS_602: You can't solve some problems you have

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=4575 / 623092.25] [Invalid=120354 / 28712118.71]
Literal question	There is really no way you can solve some of the problems you have.

MAS_602: You can't solve some problems you have

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	171	24282.8	3.9%
2	AGREE	1014	129928.3	20.9%
3	NEITHER	257	34168.7	5.5%
4	DISAGREE	2477	343344.3	55.1%
5	STRONG DISAGREE	656	91368.2	14.7%
6	NOT APPLICABLE	120143	28691409.4	
7	DON'T KNOW	81	7102.2	
8	REFUSAL	5	287.4	
9	NOT STATED	125	13319.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAS_603: You can't change important things in life

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=4575 / 622331.29] [Invalid=120354 / 28712879.67]
Literal question	There is little you can do to change many of the important things in your life.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	115	16542.8	2.7%
2	AGREE	938	99024.3	15.9%
3	NEITHER	255	30478.2	4.9%
4	DISAGREE	2596	369952.7	59.4%
5	STRONG DISAGREE	671	106333.3	17.1%
6	NOT APPLICABLE	120143	28691409.4	
7	DON'T KNOW	80	7784.0	
8	REFUSAL	6	366.6	
9	NOT STATED	125	13319.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAS_604: Often feel helpless w/problems in life

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=4606 / 625884.74] [Invalid=120323 / 28709326.22]
Literal question	You often feel helpless in dealing with problems of life.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	97	10484.9	1.7%
2	AGREE	778	89091.4	14.2%
3	NEITHER	306	38540.2	6.2%
4	DISAGREE	2725	377578.0	60.3%
5	STRONG DISAGREE	700	110190.2	17.6%
6	NOT APPLICABLE	120143	28691409.4	
7	DON'T KNOW	50	4248.5	
8	REFUSAL	5	348.7	
9	NOT STATED	125	13319.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAS_605: You feel pushed around in life

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=4628 / 627773.54] [Invalid=120301 / 28707437.42]

MAS_605: You feel pushed around in life

	Literal question	Sometimes you feel that you are being pushed around in life.			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	85	9880.5	1.6%	
2	AGREE	757	101692.5	16.2%	
3	NEITHER	269	41064.0	6.5%	
4	DISAGREE	2776	361383.6		57.6%
5	STRONG DISAGREE	741	113753.0	18.1%	
6	NOT APPLICABLE	120143	28691409.4		
7	DON'T KNOW	30	2543.1		
8	REFUSAL	3	165.2		
9	NOT STATED	125	13319.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAS_606: Your future depends mostly on you

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=4600 / 626160.25] [Invalid=120329 / 28709050.71]
Literal question	What happens to you in the future mostly depends on you.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	1021	161908.4	25.9%	
2	AGREE	3059	398814.4		63.7%
3	NEITHER	199	26848.0	4.3%	
4	DISAGREE	280	33944.3	5.4%	
5	STRONG DISAGREE	41	4645.3	0.7%	
6	NOT APPLICABLE	120143	28691409.4		
7	DON'T KNOW	58	4096.9		
8	REFUSAL	3	224.8		
9	NOT STATED	125	13319.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAS_607: You can do anything you set your mind to

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=4634 / 628669.2] [Invalid=120295 / 28706541.76]
Literal question	You can do just about anything you really set your mind to.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	936	147429.5	23.5%	
2	AGREE	3023	404729.2		64.4%
3	NEITHER	223	28223.3	4.5%	
4	DISAGREE	411	44565.7	7.1%	
5	STRONG DISAGREE	41	3721.5	0.6%	
6	NOT APPLICABLE	120143	28691409.4		
7	DON'T KNOW	24	1625.6		
8	REFUSAL	3	187.1		
9	NOT STATED	125	13319.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MASDM1: Mastery scale - (D)

Information	[Type= continuous] [Format=numeric] [Range= 1-28] [Missing=*]

MASDM1: Mastery scale - (D)

Statistics [NW/ W]	[Valid=4425 / 608344.77] [Invalid=120504 / 28726866.19] [Mean=18.975 / 19.443] [StdDev=4.306 / 4.279]			

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	120143	28691409.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	361	35456.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_01A: In lifetime,smoked 100 or more cigarettes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124626 / 29268979.68] [Invalid=303 / 66231.28]
Literal question	In ^YOUR1 lifetime, ^HAVE ^YOU2 smoked a total of 100 or more cigarettes (about 4 packs)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	60377	12931829.0	44.2%
2	NO	64249	16337150.7	55.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	192	33926.2	
8	REFUSAL	111	32305.1	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_01B: Ever smoked a whole cigarette

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=64138 / 16301973.93] [Invalid=60791 / 13033237.03]
Literal question	^HAVE_C ^YOU1 ever smoked a whole cigarette?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15933	3819447.1	23.4%
2	NO	48205	12482526.9	76.6%
6	NOT APPLICABLE	60377	12931829.0	
7	DON'T KNOW	137	24294.7	
8	REFUSAL	82	26424.4	
9	NOT STATED	195	50688.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG01C: Age smoked first whole cigarette-G

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=74546 / 16457765.12] [Invalid=50383 / 12877445.84]
Literal question	At what age did you smoke your first whole cigarette?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	5 TO 11 YEARS	5347	1132115.4	6.9%
2	12 TO 14 YEARS	21654	4665895.0	28.4%
3	15 TO 17 YEARS	26849	5979029.9	36.3%
4	18 TO 19 YEARS	9992	2318564.6	14.1%
5	20 TO 24 YEARS	7641	1699782.6	10.3%
6	25 TO 29 YEARS	1663	405019.8	2.5%
7	30 TO 34 YEARS	748	142297.0	0.9%

SMKG01C: Age smoked first whole cigarette-G

Value	Label	Cases	Weighted	Percentage (Weighted)
8	35 TO 39 YEARS	288	55276.6	0.3%
9	40 TO 44 YEARS	196	33045.4	0.2%
10	45 TO 49 YEARS	84	14458.2	0.1%
11	50 YEARS OR MORE	84	12280.4	0.1%
96	NOT APPLICABLE	48205	12482526.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2178	394919.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_202: Daily/occasional/not at all type of smokr

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=124382 / 29193646.04] [Invalid=547 / 141564.92]
Literal question	At the present time, ^DOVERB ^YOU2 smoke cigarettes daily, occasionally or not at all?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	19519	4451289.2	15.2%
2	OCCASIONALLY	5207	1396194.4	4.8%
3	NOT AT ALL	99656	23346162.5	80.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	26	7914.7	
8	REFUSAL	19	3535.2	
9	NOT STATED	502	130115.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG203: Age started to smoke daily-G

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=19136 / 4387064.37] [Invalid=105793 / 24948146.59]
Literal question	At what age did you begin to smoke cigarettes daily?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	5 TO 11 YEARS	549	124214.3	2.8%
2	12 TO 14 YEARS	3467	772443.4	17.6%
3	15 TO 17 YEARS	7194	1615029.7	36.8%
4	18 TO 19 YEARS	3342	813524.6	18.5%
5	20 TO 24 YEARS	2940	698469.0	15.9%
6	25 TO 29 YEARS	878	199206.8	4.5%
7	30 TO 34 YEARS	364	74575.8	1.7%
8	35 TO 39 YEARS	140	31113.6	0.7%
9	40 TO 44 YEARS	92	21137.0	0.5%
10	45 TO 49 YEARS	60	13395.2	0.3%
11	50 YEARS OR MORE	110	23955.0	0.5%
96	NOT APPLICABLE	104863	24742356.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	930	205789.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_204: # of cigarettes smoked daily-daily smoker

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=19373 / 4431036.6] [Invalid=105556 / 24904174.36] [Mean=15.268 / 14.883] [StdDev=8.879 / 8.982]
Literal question	How many cigarettes ^DOVERB ^YOU1 smoke each day now?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	104863	24742356.8	
997	DON'T KNOW	124	17852.7	
998	REFUSAL	17	1925.1	
999	NOT STATED	552	142039.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_05B: # of cigs smoked daily-occasional smoker

Information	[Type= continuous] [Format=numeric] [Range= 1-41] [Missing=*]
Statistics [NW/ W]	[Valid=5121 / 1374451.61] [Invalid=119808 / 27960759.35] [Mean=3.55 / 3.209] [StdDev=3.469 / 3.066]
Literal question	On the days that ^YOU2 ^DOVERB smoke, how many cigarettes ^DOVERB ^YOU1 usually smoke?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	119175	27797451.7	
997	DON'T KNOW	83	21515.0	
998	REFUSAL	3	227.7	
999	NOT STATED	547	141564.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_05C: Past mth,smoked 1 + cigarettes daily-occ

Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=5024 / 1362178.31] [Invalid=119905 / 27973032.65] [Mean=9.218 / 8.559] [StdDev=8.571 / 8.055]
Literal question	In the past month, on how many days ^HAVE ^YOU1 smoked 1 or more cigarettes?

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	119175	27797451.7	
97	DON'T KNOW	174	29567.4	
98	REFUSAL	7	3871.5	
99	NOT STATED	549	142142.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_05D: Ever smoked cigarettes daily-occ

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=40663 / 8440488.24] [Invalid=84266 / 20894722.72]
Literal question	^HAVE_C ^YOU1 ever smoked cigarettes daily?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	36310	7389835.4	87.6%
2	NO	4353	1050652.9	12.4%
6	NOT APPLICABLE	83697	20773727.3	
7	DON'T KNOW	72	14260.6	
8	REFUSAL	3	440.8	
9	NOT STATED	494	106294.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_06A: When did you stop smoking-non-smoker

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

SMK_06A: When did you stop smoking-non-smoker

Statistics [NW/ W]	[Valid=3136 / 700263.17] [Invalid=121793 / 28634947.79]			
Literal question	When did ^YOU1 stop smoking? Was it...?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	143	43516.8	6.2%
2	1 TO < 2 YEARS	89	29990.7	4.3%
3	2 TO < 3 YEARS	123	40670.1	5.8%
4	3 OR MORE YEARS	2781	586085.5	83.7%
6	NOT APPLICABLE	121201	28512198.9	
7	DON'T KNOW	38	4120.4	
8	REFUSAL	3	285.1	
9	NOT STATED	551	118343.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG06C: # years stopped smoking-non-smoker-G

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=2675 / 565592.06] [Invalid=122254 / 28769618.9]
Literal question	How many years ago was it?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	3 TO 5 YEARS	179	55660.7	9.8%
2	6 TO YEARS	335	89087.6	15.8%
3	11 OR MORE YEARS	2161	420843.8	74.4%
6	NOT APPLICABLE	121556	28626376.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	698	143242.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG207: Age you started smoking daily-occ-G

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=35381 / 7242964.69] [Invalid=89548 / 22092246.27]
Literal question	At what age did you begin to smoke cigarettes daily?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	5 TO 11 YEARS	575	119550.4	1.7%
2	12 TO 14 YEARS	4931	1046595.2	14.4%
3	15 TO 17 YEARS	12860	2636452.9	36.4%
4	18 TO 19 YEARS	7664	1575502.1	21.8%
5	20 TO 24 YEARS	6718	1346643.9	18.6%
6	25 TO 29 YEARS	1440	323355.6	4.5%
7	30 TO 34 YEARS	668	119797.7	1.7%
8	35 TO 39 YEARS	222	33705.3	0.5%
9	40 TO 44 YEARS	164	23048.3	0.3%
10	45 TO 49 YEARS	63	8688.1	0.1%
11	50 YEARS OR MORE	76	9625.2	0.1%
96	NOT APPLICABLE	88050	21824380.1	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	

SMKG207: Age you started smoking daily-occ-G

Value	Label	Cases	Weighted	Percentage (Weighted)
99	NOT STATED	1498	267866.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_208: # of cigarettes smoke each day-occ

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=34759 / 7148895.31] [Invalid=90170 / 22186315.65] [Mean=17.321 / 16.495] [StdDev=12.856 / 12.424]
Literal question	How many cigarettes did ^YOU1 usually smoke each day?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	88050	21824380.1	
997	DON'T KNOW	1514	234622.4	
998	REFUSAL	28	5160.4	
999	NOT STATED	578	122152.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_09A: When did you stop smoking daily-occ-G

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=36165 / 7364942.42] [Invalid=88764 / 21970268.54]
Literal question	When did ^YOU1 stop smoking daily? Was it...?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	2782	649539.6	8.8%
2	1 TO < 2 YEARS	1517	375291.5	5.1%
3	2 TO < 3 YEARS	1617	387400.6	5.3%
4	3 OR MORE YEARS	30249	5952710.6	80.8%
6	NOT APPLICABLE	88050	21824380.1	
7	DON'T KNOW	120	19981.5	
8	REFUSAL	11	2860.9	
9	NOT STATED	583	123046.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG09C: Years since stopped smoking daily-occ-G

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=29957 / 5904142.58] [Invalid=94972 / 23431068.38]
Literal question	How many years ago was it?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	3 TO 5 YEARS	2824	675644.9	11.4%
2	6 TO YEARS	5080	1141691.0	19.3%
3	11 OR MORE YEARS	22053	4086806.7	69.2%
6	NOT APPLICABLE	93966	23236611.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1006	194456.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_10: Was when stopped smoking -nonsmoker

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=33054 / 6555967.13] [Invalid=91875 / 22779243.83]

SMK_10: Was when stopped smoking -nonsmoker

Literal question	Was that when you completely quit smoking?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	32128	6324748.6	96.5%
2	NO	926	231218.5	3.5%
6	NOT APPLICABLE	91268	22651790.4	
7	DON'T KNOW	22	2844.8	
8	REFUSAL	3	285.0	
9	NOT STATED	582	124323.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_10A: Stopped smoking completely-nonsmoker

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=904 / 224148.28] [Invalid=124025 / 29111062.68]
Literal question	When did ^YOU1 stop smoking completely? Was it...?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	157	42796.3	19.1%
2	1 TO < 2 YEARS	88	23149.4	10.3%
3	2 TO < 3 YEARS	84	24526.4	10.9%
4	3 OR MORE YEARS	575	133676.2	59.6%
6	NOT APPLICABLE	123396	28976539.0	
7	DON'T KNOW	20	6923.9	
8	REFUSAL	2	146.4	
9	NOT STATED	607	127453.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG10C: # years stopped smoking-nonsmoker-G

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=559 / 129567.26] [Invalid=124370 / 29205643.7]
Literal question	How many years ago was it?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	3 TO 5 YEARS	98	28896.2	22.3%
2	6 TO YEARS	125	33917.1	26.2%
3	11 OR MORE YEARS	336	66754.0	51.5%
6	NOT APPLICABLE	123725	29067011.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	645	138632.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKDSTY: Type of smoker - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=124029 / 29135895.51] [Invalid=900 / 199315.45]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	19519	4451289.2	15.3%
2	OCCASIONAL	3198	824156.3	2.8%
3	ALWAYS OCCASIONALLY	1989	568784.0	2.0%

SMKDSTY: Type of smoker - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
4	FORMER DAILY	33112	6565679.0	22.5%
5	FORMER OCCASIONAL	18132	4276954.0	14.7%
6	NEVER SMOKED	48079	12449032.9	42.7%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	900	199315.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKGSTP: # of years stop smoking completely-D,G

Information	[Type= discrete] [Format=numeric] [Range=1-5] [Missing=*]
Statistics [NW/ W]	[Valid=35833 / 7190243.07] [Invalid=89096 / 22144967.89]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	2236	529357.3	7.4%
2	1 TO 2 YEARS	2717	651759.5	9.1%
3	3 TO 5 YEARS	2552	608718.9	8.5%
4	6 TO 10 YEARS	4852	1069585.5	14.9%
5	11 OR MORE YEARS	23476	4330821.8	60.2%
6	NOT APPLICABLE	87738	21864945.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1358	280022.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKDYCS: Number of years smoked - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-78] [Missing=*]
Statistics [NW/ W]	[Valid=19136 / 4387064.37] [Invalid=105793 / 24948146.59] [Mean=29.262 / 25.805] [StdDev=16.175 / 15.212]

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	104863	24742356.8	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	930	205789.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSCH: Module: Stages of Change (SCH) - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=38673 / 10765643.39] [Invalid=86256 / 18569567.57]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	38673	10765643.4	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	86256	18569567.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCH_1: Next 6 mths, considering quitting smoking

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=7235 / 2055335.15] [Invalid=117694 / 27279875.81]				
Literal question	Are you seriously considering quitting smoking within the next 6 months?				

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4389	1247999.2		60.7%
2	NO	2846	807336.0		39.3%
6	NOT APPLICABLE	117376	27185981.2		
7	DON'T KNOW	159	42464.0		
8	REFUSAL	3	593.4		
9	NOT STATED	156	50837.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCH_2: Next month, considering quitting smoking

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=4246 / 1213743.42] [Invalid=120683 / 28121467.54]				
Literal question	Are you seriously considering quitting within the next 30 days?				

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1944	541038.4		44.6%
2	NO	2302	672705.0		55.4%
6	NOT APPLICABLE	120222	27993317.2		
7	DON'T KNOW	141	34086.1		
8	REFUSAL	2	169.6		
9	NOT STATED	318	93894.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCH_3: Past year, stop smoking 24 hours to quit

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=7365 / 2083999.1] [Invalid=117564 / 27251211.86]				
Literal question	In the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit?				

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3404	959200.8		46.0%
2	NO	3961	1124798.3		54.0%
6	NOT APPLICABLE	117376	27185981.2		
7	DON'T KNOW	27	12272.3		
8	REFUSAL	3	2035.2		
9	NOT STATED	158	50923.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCH_4: # of times stop smoking 24 hours to quit

Information	[Type= continuous] [Format=numeric] [Range= 1-95] [Missing=*]		
Statistics [NW/ W]	[Valid=3225 / 914840.78] [Invalid=121704 / 28420370.18] [Mean=5.219 / 4.858] [StdDev=10.555 / 9.721]		
Literal question	How many times? (in the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit)		

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	121337	28310779.6	
97	DON'T KNOW	172	42506.0	
98	REFUSAL	7	1854.0	

SCH_4: # of times stop smoking 24 hours to quit

Value	Label	Cases	Weighted	Percentage (Weighted)
99	NOT STATED	188	65230.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCHDSTG: Smoking stage of change - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=18781 / 4861042.26] [Invalid=106148 / 24474168.7]
Literal question	Respondents with DOSCH = 1 who answered SMK_202 = (1, 2, 7 or 8) or SMK_01A <> 2

Value	Label	Cases	Weighted	Percentage (Weighted)
1	PRE-CONTEMPLATION	2846	807336.0	16.6%
2	CONTEMPLATION	2876	846689.9	17.4%
3	PREPARATION	1259	338764.7	7.0%
4	ACTION	512	147078.5	3.0%
5	MAINTENANCE	11288	2721173.3	56.0%
6	NOT APPLICABLE	105217	24235915.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	931	238253.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSCA: Module: Smoking cessation methods(SCA)-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=20042 / 4746403.3] [Invalid=104887 / 24588807.66]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20042	4746403.3	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	104887	24588807.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_10: Past year, tried nicotine patch

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=314 / 77026.15] [Invalid=124615 / 29258184.81]
Literal question	In the past 12 months, did you try a nicotine patch to quit smoking?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	62	13857.0	18.0%
2	NO	252	63169.1	82.0%
6	NOT APPLICABLE	124549	29244437.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	66	13747.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_10A: How useful was nicotine patch to quit

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

SCA_10A: How useful was nicotine patch to quit

Statistics [NW/ W]	[Valid=61 / 13567.38] [Invalid=124868 / 29321643.58]
Literal question	How useful was that in helping you quit?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	VERY USEFUL	32	6080.5		44.8%
2	SOMEWHAT USEFUL	16	4965.7		36.6%
3	NOT VERY USEFUL	4	789.4		5.8%
4	NOT AT ALL USEFUL	9	1731.8		12.8%
6	NOT APPLICABLE	124801	29307606.5		
7	DON'T KNOW	1	289.6		
8	REFUSAL	0	0.0		
9	NOT STATED	66	13747.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_11: Past year,try Nicorettes/othr gum to quit

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=314 / 77026.15] [Invalid=124615 / 29258184.81]
Literal question	(In the past 12 months) did you try Nicorettes or other nicotine gum or candy to quit smoking?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	VERY USEFUL	42	11354.8		14.7%
2	SOMEWHAT USEFUL	272	65671.4		85.3%
3	NOT VERY USEFUL	0	0.0		
4	NOT AT ALL USEFUL	0	0.0		
6	NOT APPLICABLE	124549	29244437.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	66	13747.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_11A: How useful Nicorettes/othr gum to quit

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=42 / 11354.8] [Invalid=124887 / 29323856.16]
Literal question	How useful was that in helping you quit?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	VERY USEFUL	18	5822.0		51.3%
2	SOMEWHAT USEFUL	7	1368.7		12.1%
3	NOT VERY USEFUL	6	1085.8		9.6%
4	NOT AT ALL USEFUL	11	3078.4		27.1%
6	NOT APPLICABLE	124821	29310108.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	66	13747.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_12: Past year, try medication to quit

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=314 / 77026.15] [Invalid=124615 / 29258184.81]

SCA_12: Past year, try medication to quit

Literal question	In the past 12 months, did you try medication such as Zyban, Prolev or Wellbutrin to quit smoking?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	63	11134.2	14.5%
2	NO	251	65892.0	85.5%
6	NOT APPLICABLE	124549	29244437.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	66	13747.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_12A: How useful medication to quit

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=63 / 11134.2] [Invalid=124866 / 29324076.76]
Literal question	How useful was that in helping you quit?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY USEFUL	43	7569.4	68.0%
2	SOMEWHAT USEFUL	10	2139.0	19.2%
3	NOT VERY USEFUL	4	767.8	6.9%
4	NOT AT ALL USEFUL	6	658.1	5.9%
6	NOT APPLICABLE	124800	29310329.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	66	13747.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_50: Past year,stop smoking for at least 24 hr

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3324 / 762878.64] [Invalid=121605 / 28572332.32]
Literal question	In the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1621	383956.2	50.3%
2	NO	1703	378922.4	49.7%
6	NOT APPLICABLE	121521	28549181.4	
7	DON'T KNOW	1	54.5	
8	REFUSAL	0	0.0	
9	NOT STATED	83	23096.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_60: Past year, try nicotine patch to quit

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1618 / 383560.4] [Invalid=123311 / 28951650.56]
Literal question	In the past 12 months, did you try any of the following to quit smoking: ...a nicotine patch?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	442	91234.9	23.8%
2	NO	1176	292325.5	76.2%
6	NOT APPLICABLE	123224	28928103.7	

SCA_60: Past year, try nicotine patch to quit

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	2	359.5	
8	REFUSAL	1	36.3	
9	NOT STATED	84	23151.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_61: Past year, try Nicorettes/othr gum to quit

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1618 / 383490.62] [Invalid=123311 / 28951720.34]
Literal question	(In the past 12 months, did you try any of the following to quit smoking:) ...Nicorettes or other nicotine gum or candy?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	392	86107.1	22.5%
2	NO	1226	297383.6	77.5%
6	NOT APPLICABLE	123224	28928103.7	
7	DON'T KNOW	1	255.9	
8	REFUSAL	2	209.7	
9	NOT STATED	84	23151.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_62: Past year, try medications to quit

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1618 / 383423.34] [Invalid=123311 / 28951787.62]
Literal question	(In the past 12 months, did you try any of the following to quit smoking:) ...medication such as Zyban, Prolev or Wellbutrin?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	275	58786.8	15.3%
2	NO	1343	324636.6	84.7%
6	NOT APPLICABLE	123224	28928103.7	
7	DON'T KNOW	1	255.9	
8	REFUSAL	1	173.4	
9	NOT STATED	85	23254.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCADQUI: Attempted to stop smoking - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=9467 / 1989065.3] [Invalid=115462 / 27346145.66]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DIDN'T TRY	1703	378922.4	19.1%
2	TRIED TO QUIT	1621	383956.2	19.3%
3	QUIT LAST YR	331	81606.7	4.1%
4	QUIT > 1 YR AGO	5812	1144580.0	57.5%
6	NOT APPLICABLE	115174	27290018.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	288	56127.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSPC: Module: Physician counselling (SPC) - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17187 / 4062407.55] [Invalid=107742 / 25272803.41]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	17187	4062407.6		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	107742	25272803.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_10: Past year, visited regular medical doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2493 / 529003.29] [Invalid=122436 / 28806207.67]
Literal question	Earlier, you mentioned having a regular medical doctor. In the past 12 months, did you go see this doctor?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2071	416744.6		78.8%
2	NO	422	112258.7	21.2%	
6	NOT APPLICABLE	122343	28786676.2		
7	DON'T KNOW	3	486.3		
8	REFUSAL	1	36.3		
9	NOT STATED	89	19008.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_11: Doctor know you smoke(d) cigarettes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2033 / 404551.94] [Invalid=122896 / 28930659.02]
Literal question	Does your doctor know that you ^DT_SMOKING cigarettes?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1887	369666.9		91.4%
2	NO	146	34885.0	8.6%	
6	NOT APPLICABLE	122765	28898934.9		
7	DON'T KNOW	37	12120.2		
8	REFUSAL	1	72.5		
9	NOT STATED	93	19531.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_12: Past year, has doctor advised you to quit

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1878 / 366706.78] [Invalid=123051 / 28968504.18]
Literal question	In the past 12 months, did your doctor advise you to quit smoking?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1306	252791.6		68.9%
2	NO	572	113915.2	31.1%	
6	NOT APPLICABLE	122911	28933819.9		
7	DON'T KNOW	7	2132.6		

SPC_12: Past year, has doctor advised you to quit

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	2	827.5	
9	NOT STATED	131	31724.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_13: Past year, doctor give help/info to quit

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1868 / 363643.91] [Invalid=123061 / 28971567.05]
Literal question	(In the past 12 months,) did your doctor give you any specific help or information to quit smoking?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	823	153787.9	42.3%
2	NO	1045	209856.0	57.7%
6	NOT APPLICABLE	122911	28933819.9	
7	DON'T KNOW	9	2889.5	
8	REFUSAL	1	173.4	
9	NOT STATED	140	34684.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_14A: Dr help type: 1-on-1 cessation program

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=811 / 152523.64] [Invalid=124118 / 29182687.32]
Literal question	What type of help did the doctor give? - Referral to a one-on-one cessation program

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	51	8837.6	5.8%
2	NO	760	143686.0	94.2%
6	NOT APPLICABLE	123956	29143675.9	
7	DON'T KNOW	12	1264.2	
8	REFUSAL	0	0.0	
9	NOT STATED	150	37747.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_14B: Dr help type: Group cessation program

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=811 / 152523.64] [Invalid=124118 / 29182687.32]
Literal question	What type of help did the doctor give? - Referral to a group cessation program

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	36	8846.7	5.8%
2	NO	775	143677.0	94.2%
6	NOT APPLICABLE	123956	29143675.9	
7	DON'T KNOW	12	1264.2	
8	REFUSAL	0	0.0	
9	NOT STATED	150	37747.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_14C: Dr help type: Nicotine patch/gum

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=811 / 152523.64] [Invalid=124118 / 29182687.32]

SPC_14C: Dr help type: Nicotine patch/gum

	Literal question	What type of help did the doctor give? - Recommended use of nicotine patch or nicotine gum

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	252	49599.2	32.5%	
2	NO	559	102924.5		67.5%
6	NOT APPLICABLE	123956	29143675.9		
7	DON'T KNOW	12	1264.2		
8	REFUSAL	0	0.0		
9	NOT STATED	150	37747.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_14D: Dr help type: Zyban or other medication

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=811 / 152523.64] [Invalid=124118 / 29182687.32]
Literal question	What type of help did the doctor give? - Recommended Zyban or other medication

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	393	69749.8	45.7%	
2	NO	418	82773.9		54.3%
6	NOT APPLICABLE	123956	29143675.9		
7	DON'T KNOW	12	1264.2		
8	REFUSAL	0	0.0		
9	NOT STATED	150	37747.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_14E: Dr help[type: Provided self-help info

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=811 / 152523.64] [Invalid=124118 / 29182687.32]
Literal question	What type of help did the doctor give? - Provided self-help information (e.g., pamphlet, referral to website)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	288	50780.3	33.3%	
2	NO	523	101743.4		66.7%
6	NOT APPLICABLE	123956	29143675.9		
7	DON'T KNOW	12	1264.2		
8	REFUSAL	0	0.0		
9	NOT STATED	150	37747.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_14F: Dr help type: Doctor offered counselling

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=811 / 152523.64] [Invalid=124118 / 29182687.32]
Literal question	What type of help did the doctor give? - Own doctor offered counselling

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	129	25626.4	16.8%	
2	NO	682	126897.3		83.2%
6	NOT APPLICABLE	123956	29143675.9		
7	DON'T KNOW	12	1264.2		
8	REFUSAL	0	0.0		

SPC_14F: Dr help type: Doctor offered counselling

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	150	37747.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_14G: Dr help type: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=811 / 152523.64] [Invalid=124118 / 29182687.32]
Literal question	What type of help did the doctor give? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	90	19320.5	12.7%
2	NO	721	133203.1	87.3%
6	NOT APPLICABLE	123956	29143675.9	
7	DON'T KNOW	12	1264.2	
8	REFUSAL	0	0.0	
9	NOT STATED	150	37747.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_20: Past year, have you gone to dentist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=725 / 161346.28] [Invalid=124204 / 29173864.68]
Literal question	Earlier, you mentioned having "seen or talked to" a dentist in the past 12 months. Did you actually go to the dentist?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	717	160311.1	99.4%
2	NO	8	1035.2	0.6%
6	NOT APPLICABLE	124168	29164206.0	
7	DON'T KNOW	1	63.8	
8	REFUSAL	0	0.0	
9	NOT STATED	35	9595.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_21: Dentist know you smoke(d) cigarettes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=682 / 154389.87] [Invalid=124247 / 29180821.09]
Literal question	Does your dentist or dental hygienist know that you ^DT_SMOKING cigarettes?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	564	127207.7	82.4%
2	NO	118	27182.2	17.6%
6	NOT APPLICABLE	124176	29165241.1	
7	DON'T KNOW	35	5921.2	
8	REFUSAL	0	0.0	
9	NOT STATED	36	9658.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_22: Past year, dentist advise quit smoking

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=557 / 125545.58] [Invalid=124372 / 29209665.38]
Literal question	In the past 12 months, did the dentist or hygienist advise you to quit smoking?

SPC_22: Past year, dentist advise quit smoking

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	283	66354.5		52.9%
2	NO	274	59191.1		47.1%
6	NOT APPLICABLE	124294	29192423.3		
7	DON'T KNOW	5	789.6		
8	REFUSAL	2	872.4		
9	NOT STATED	71	15580.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_10: Does anyone smoke inside your home

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=116160 / 28023428.3] [Invalid=8769 / 1311782.66]
Literal question	Including both household members and regular visitors, does anyone smoke inside your home, every day or almost every day?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	10493	2657401.6	9.5%	
2	NO	105667	25366026.7		90.5%
6	NOT APPLICABLE	7861	1078078.0		
7	DON'T KNOW	70	16577.6		
8	REFUSAL	57	14154.0		
9	NOT STATED	781	202973.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETSG11: # of people who smoke inside your home-G

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=10465 / 2652644.14] [Invalid=114464 / 26682566.82]
Literal question	How many people smoke inside your home every day or almost every day?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 PERSON	5967	1429333.3		53.9%
2	2 PERSONS	3746	970907.4		36.6%
3	3 PERSONS	554	182700.1	6.9%	
4	4 OR + PERSONS	198	69703.4	2.6%	
6	NOT APPLICABLE	113528	26444104.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	936	238462.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_20: Past mth, in 2nd-hand smoke in a car

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=99249 / 23247163.31] [Invalid=25680 / 6088047.65]
Literal question	In the past month, were you exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6325	1499117.3	6.4%	
2	NO	92924	21748046.0		93.6%
6	NOT APPLICABLE	24726	5847483.6		
7	DON'T KNOW	70	15705.7		

ETS_20: Past mth, in 2nd-hand smoke in a car

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	11	1421.0	
9	NOT STATED	873	223437.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_20B: Past mth, in 2nd-hand smoke in public

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=99168 / 23232880.77] [Invalid=25761 / 6102330.19]
Literal question	(In the past month,) were you exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11119	2944409.7	12.7%
2	NO	88049	20288471.1	87.3%
6	NOT APPLICABLE	24726	5847483.6	
7	DON'T KNOW	136	27647.3	
8	REFUSAL	16	2240.0	
9	NOT STATED	883	224959.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_35: Is smoking allowed inside your home

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=113234 / 26397076.82] [Invalid=11695 / 2938134.14]
Literal question	Is smoking allowed inside your home?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12067	2104369.2	8.0%
2	NO	101167	24292707.6	92.0%
6	NOT APPLICABLE	10493	2657401.6	
7	DON'T KNOW	222	37585.3	
8	REFUSAL	17	1453.5	
9	NOT STATED	963	241693.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_36: Is smoking restricted in your home

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22474 / 4748788.1] [Invalid=102455 / 24586422.86]
Literal question	Is smoking inside your home restricted in anyway?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8172	1817523.3	38.3%
2	NO	14302	2931264.8	61.7%
6	NOT APPLICABLE	101167	24292707.6	
7	DON'T KNOW	73	9949.2	
8	REFUSAL	5	604.6	
9	NOT STATED	1210	283161.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_37A: Smoking restricted: Certain rooms only

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

ETS_37A: Smoking restricted: Certain rooms only

Statistics [NW/ W]	[Valid=8138 / 1812073.85] [Invalid=116791 / 27523137.11]			
Literal question	How is smoking restricted inside your home? - Allowed in certain rooms only			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4368	979117.7	54.0%
2	NO	3770	832956.2	46.0%
6	NOT APPLICABLE	115469	27223972.4	
7	DON'T KNOW	34	5449.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1288	293715.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_37B: Smoking restricted: By young children

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8138 / 1812073.85] [Invalid=116791 / 27523137.11]			
Literal question	How is smoking restricted inside your home? - Restricted in the presence of young children			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2222	411392.0	22.7%
2	NO	5916	1400681.8	77.3%
6	NOT APPLICABLE	115469	27223972.4	
7	DON'T KNOW	34	5449.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1288	293715.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_37C: Smoking restricted: With ventilation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8138 / 1812073.85] [Invalid=116791 / 27523137.11]			
Literal question	How is smoking restricted inside your home? - Allowed only if windows are open or with another type of ventilation			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2714	615607.5	34.0%
2	NO	5424	1196466.4	66.0%
6	NOT APPLICABLE	115469	27223972.4	
7	DON'T KNOW	34	5449.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1288	293715.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_37D: Smoking restricted: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8138 / 1812073.85] [Invalid=116791 / 27523137.11]			
Literal question	How is smoking restricted inside your home? - Other restriction (s)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1535	365439.3	20.2%
2	NO	6603	1446634.5	79.8%
6	NOT APPLICABLE	115469	27223972.4	
7	DON'T KNOW	34	5449.4	

ETS_37D: Smoking restricted: Other

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	1288	293715.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOTAL: Module: Other tobacco products (TAL)-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=54236 / 14620203.02] [Invalid=70693 / 14715007.94]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	54236	14620203.0	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	70693	14715007.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TAL_1: Past month, have you smoked cigars

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=53534 / 14455385.18] [Invalid=71395 / 14879825.78]
Pre-question	Now I'd like to ask about ^YOUR1 use of tobacco other than cigarettes.
Literal question	In the past month, ^HAVE ^YOU1 smoked cigars?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2210	696664.3	4.8%
2	NO	51324	13758720.9	95.2%
6	NOT APPLICABLE	70693	14715007.9	
7	DON'T KNOW	15	2321.8	
8	REFUSAL	29	4069.7	
9	NOT STATED	658	158426.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TAL_2: Past month, have you smoked pipe

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=53520 / 14450796.2] [Invalid=71409 / 14884414.76]
Literal question	(In the past month,) ^HAVE ^YOU1 smoked a pipe?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	397	110654.5	0.8%
2	NO	53123	14340141.7	99.2%
6	NOT APPLICABLE	70693	14715007.9	
7	DON'T KNOW	9	1160.1	
8	REFUSAL	0	0.0	
9	NOT STATED	707	168246.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TAL_3: Past month, have you used snuff

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=53509 / 14446997.95] [Invalid=71420 / 14888213.01]

TAL_3: Past month, have you used snuff

Literal question	(In the past month,) ^HAVE ^YOU1 used snuff?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	137	26985.4	0.2%	
2	NO	53372	14420012.5		99.8%
6	NOT APPLICABLE	70693	14715007.9		
7	DON'T KNOW	15	3295.1		
8	REFUSAL	1	259.6		
9	NOT STATED	711	169650.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TAL_4: Past month, have you chewed tobacco

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=53512 / 14448503.84] [Invalid=71417 / 14886707.12]
Literal question	(In the past month,) ^HAVE ^YOU1 used chewing tobacco?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	378	96731.8	0.7%	
2	NO	53134	14351772.1		99.3%
6	NOT APPLICABLE	70693	14715007.9		
7	DON'T KNOW	10	1656.7		
8	REFUSAL	3	392.1		
9	NOT STATED	711	169650.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALC_1: Past year, have you drank alcohol

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=123201 / 28916547.59] [Invalid=1728 / 418663.37]
Literal question	During the past 12 months, that is, from [date one year ago] to yesterday, ^HAVE ^YOU2 had a drink of beer, wine, liquor or any other alcoholic beverage?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	92533	22088481.5		76.4%
2	NO	30668	6828066.1	23.6%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	54	6510.2		
8	REFUSAL	116	26094.7		
9	NOT STATED	1558	386058.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALC_2: Past year, frequency of drinking alcohol

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=92085 / 22020792.96] [Invalid=32844 / 7314418]
Literal question	During the past 12 months, how often did ^YOU1 drink alcoholic beverages?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< ONCE A MONTH	20876	4614020.5		21.0%
2	ONCE A MONTH	9681	2206960.2	10.0%	
3	2 TO 3 TIMES A MONTH	12159	2980473.4	13.5%	
4	ONCE A WEEK	14868	3780635.7		17.2%

ALC_2: Past year, frequency of drinking alcohol

Value	Label	Cases	Weighted	Percentage (Weighted)	
5	2 TO 3 TIMES A WEEK	18682	4806278.9		21.8%
6	4 TO 6 TIMES A WEEK	6186	1607308.5		7.3%
7	EVERY DAY	9633	2025115.7		9.2%
96	NOT APPLICABLE	30668	6828066.1		
97	DON'T KNOW	385	56569.8		
98	REFUSAL	48	8155.8		
99	NOT STATED	1743	421626.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALC_3: Past yr, frequency 5+ drinks 1 occasion

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=91855 / 21961551.57] [Invalid=33074 / 7373659.39]
Literal question	How often in the past 12 months ^HAVE ^YOU1 had 5 or more drinks on one occasion?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NEVER	49305	10978491.2		50.0%
2	LESS ONCE A MONTH	22863	5748469.6		26.2%
3	ONCE A MONTH	6728	1822932.6		8.3%
4	2 TO 3 TIMES A MONTH	5500	1481824.2		6.7%
5	ONCE A WEEK	4461	1187831.8		5.4%
6	> ONCE A WEEK	2998	742002.2		3.4%
96	NOT APPLICABLE	30668	6828066.1		
97	DON'T KNOW	584	110760.6		
98	REFUSAL	64	10292.3		
99	NOT STATED	1758	424540.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCDTTM: Type of drinker (12 months)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=122753 / 28848859.02] [Invalid=2176 / 486351.94]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	REGULAR DRINKER	71209	17406772.4	60.3%
2	OCCASIONAL DRINKER	20876	4614020.5	16.0%
3	NO DRINK LAST 12 MTH	30668	6828066.1	23.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2176	486351.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOALW: Module:Alcohol use during past week-ALW-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=83923 / 20570515.61] [Invalid=41006 / 8764695.35]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	83923	20570515.6	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	41006	8764695.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_1: Past week, had any alcohol

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=62366 / 15464605.03] [Invalid=62563 / 13870605.93]
Literal question	Thinking back over the past week, that is, from [date last week] to yesterday, did ^YOU2 have a drink of beer, wine, liquor or any other alcoholic beverage?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	39240	9997016.6	64.6%
2	NO	23126	5467588.4	35.4%
6	NOT APPLICABLE	61019	13492764.1	
7	DON'T KNOW	54	6610.9	
8	REFUSAL	23	4429.0	
9	NOT STATED	1467	366801.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_2A1: # of drinks on Sunday

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=39087 / 9971573.41] [Invalid=85842 / 19363637.55] [Mean=1.156 / 1.204] [StdDev=2.002 / 1.92]
Literal question	Starting with yesterday, that is ^DayE[1], how many drinks did ^YOU2 have?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	84145	18960352.5	
997	DON'T KNOW	120	18870.8	
998	REFUSAL	28	3962.2	

ALW_2A1: # of drinks on Sunday

Value	Label	Cases	Weighted	Percentage (Weighted)
999	NOT STATED	1549	380452.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_2A2: # of drinks on Monday

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=38952 / 9942606.78] [Invalid=85977 / 19392604.18] [Mean=1.091 / 1.109] [StdDev=2.105 / 2.062]
Literal question	(How many drinks did ^YOU1 have:) ...on ^DayE[2]?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	84145	18960352.5	
997	DON'T KNOW	240	44922.9	
998	REFUSAL	11	2386.6	
999	NOT STATED	1581	384942.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_2A3: # of drinks on Tuesday

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=38810 / 9918793.34] [Invalid=86119 / 19416417.62] [Mean=1.144 / 1.127] [StdDev=2.175 / 2.13]
Literal question	(How many drinks did ^YOU1 have:) ...on ^DayE[3]?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	84145	18960352.5	
997	DON'T KNOW	378	66051.6	
998	REFUSAL	14	2801.6	
999	NOT STATED	1582	387212.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_2A4: # of drinks on Wednesday

Information	[Type= continuous] [Format=numeric] [Range= 0-60] [Missing=*]
Statistics [NW/ W]	[Valid=38604 / 9868337.79] [Invalid=86325 / 19466873.17] [Mean=1.1 / 1.068] [StdDev=2.12 / 2.055]
Literal question	(How many drinks did ^YOU1 have:) ...on ^DayE[4]?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	84145	18960352.5	
997	DON'T KNOW	577	114097.9	
998	REFUSAL	21	5210.8	
999	NOT STATED	1582	387212.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_2A5: # of drinks on Thursday

Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
Statistics [NW/ W]	[Valid=38368 / 9824703.64] [Invalid=86561 / 19510507.32] [Mean=1.014 / 0.991] [StdDev=2.037 / 1.974]
Literal question	(How many drinks did ^YOU1 have:) ...on ^DayE[5]?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	84145	18960352.5	
997	DON'T KNOW	811	158061.7	
998	REFUSAL	23	4881.2	
999	NOT STATED	1582	387212.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_2A6: # of drinks on Friday

Information	[Type= continuous] [Format=numeric] [Range= 0-87] [Missing=*]
Statistics [NW/ W]	[Valid=38074 / 9754475.95] [Invalid=86855 / 19580735.01] [Mean=0.888 / 0.889] [StdDev=1.914 / 1.864]
Literal question	(How many drinks did ^YOU1 have:) ...on ^DayE[6]?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	84145	18960352.5	
997	DON'T KNOW	1101	226762.3	
998	REFUSAL	26	6244.8	
999	NOT STATED	1583	387375.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_2A7: # of drinks on Saturday

Information	[Type= continuous] [Format=numeric] [Range= 0-65] [Missing=*]
Statistics [NW/ W]	[Valid=37878 / 9713928.27] [Invalid=87051 / 19621282.69] [Mean=0.806 / 0.819] [StdDev=1.816 / 1.792]
Literal question	(How many drinks did ^YOU1 have:) ...on ^DayE[7]?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	84145	18960352.5	
997	DON'T KNOW	1289	266202.4	
998	REFUSAL	33	6646.3	
999	NOT STATED	1584	388081.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALWDWKY: Weekly consumption

Information	[Type= continuous] [Format=numeric] [Range= 0-449] [Missing=*]
Statistics [NW/ W]	[Valid=60432 / 15065999.6] [Invalid=64497 / 14269211.36]

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	NO DRINKS LAST WEEK	23126	5467588.4		100.0%
996	NOT APPLICABLE	61019	13492764.1		
997	DON'T KNOW	0	0.0		
998	REFUSAL	0	0.0		
999	NOT STATED	3478	776447.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALWDDLY: Average daily alcohol consumption

Information	[Type= continuous] [Format=numeric] [Range= 0-64] [Missing=*]
Statistics [NW/ W]	[Valid=60432 / 15065999.6] [Invalid=64497 / 14269211.36] [Mean=0.593 / 0.614] [StdDev=1.142 / 1.098]

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	61019	13492764.1	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	3478	776447.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DODRV: Module: Driving and safety (DRV) - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=20057 / 4293941.29] [Invalid=104872 / 25041269.67]

DODRV: Module: Driving and safety (DRV) - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	20057	4293941.3		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	104872	25041269.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_01A: Past year, driven a motor vehicle

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19593 / 4216608.78] [Invalid=105336 / 25118602.18]
Literal question	In the past 12 months, have you driven a motor vehicle?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	16392	3515441.4		83.4%
2	NO	3201	701167.4	16.6%	
6	NOT APPLICABLE	104872	25041269.7		
7	DON'T KNOW	4	1325.0		
8	REFUSAL	11	1354.0		
9	NOT STATED	449	74653.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_01B: Past year, driven a motorcycle

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19587 / 4216093.91] [Invalid=105342 / 25119117.05]
Literal question	In the past 12 months, have you driven a motorcycle?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1182	285362.6	6.8%	
2	NO	18405	3930731.3		93.2%
6	NOT APPLICABLE	104872	25041269.7		
7	DON'T KNOW	3	324.4		
8	REFUSAL	2	173.0		
9	NOT STATED	465	77350.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_02: Freq fasten seat belt in motor vehicle

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=16378 / 3512977.1] [Invalid=108551 / 25822233.86]
Literal question	How often do you fasten your seat belt when you drive a motor vehicle?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	14848	3194282.3		90.9%
2	MOST OF THE TIME	1206	247952.9	7.1%	
3	RARELY	225	47926.9	1.4%	
4	NEVER	99	22815.0	0.6%	
6	NOT APPLICABLE	108073	25742437.1		
7	DON'T KNOW	10	2215.2		

DRV_02: Freq fasten seat belt in motor vehicle

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	2	152.3	
9	NOT STATED	466	77429.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_03A: Frequency use cell phone while driving

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=16360 / 3508551.82] [Invalid=108569 / 25826659.14]
Literal question	Excluding hands-free use, how often do you use a cell phone while you are driving a motor vehicle?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN	742	208913.3	6.0%
2	SOMETIMES	1410	421786.3	12.0%
3	RARELY	3076	758147.3	21.6%
4	NEVER	11132	2119705.0	60.4%
6	NOT APPLICABLE	108073	25742437.1	
7	DON'T KNOW	25	5325.0	
8	REFUSAL	4	1148.4	
9	NOT STATED	467	77748.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_03B: Frequency use hands free while driving

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=16353 / 3507736.3] [Invalid=108576 / 25827474.66]
Literal question	How often do you use a hands-free when talking on the cell phone while you are driving a motor vehicle?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN	2021	570717.0	16.3%
2	SOMETIMES	1153	307921.2	8.8%
3	RARELY	1213	310588.6	8.9%
4	NEVER	11966	2318509.5	66.1%
6	NOT APPLICABLE	108073	25742437.1	
7	DON'T KNOW	31	6120.7	
8	REFUSAL	5	1168.2	
9	NOT STATED	467	77748.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_04: Frequency drive when tired

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=16325 / 3510199.86] [Invalid=108604 / 25825011.1]
Literal question	How often do you drive when you are feeling tired?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN	1219	321296.1	9.2%
2	SOMETIMES	3888	970465.5	27.6%
3	RARELY	6071	1290534.5	36.8%
4	NEVER	5147	927903.8	26.4%
6	NOT APPLICABLE	108025	25732000.4	
7	DON'T KNOW	102	13895.4	

DRV_04: Frequency drive when tired

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	6	991.9	
9	NOT STATED	471	78123.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_05: Driving speed compared to others

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=16233 / 3492669.08] [Invalid=108696 / 25842541.88]
Literal question	Compared to other drivers, would you say you usually drive:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MUCH FASTER	245	59635.4	1.7%
2	A LITTLE FASTER	3090	811430.8	23.2%
3	ABOUT THE SAME	9624	1996915.9	57.2%
4	A LITTLE SLOWER	3038	590601.3	16.9%
5	MUCH SLOWER	236	34085.7	1.0%
6	NOT APPLICABLE	108025	25732000.4	
7	DON'T KNOW	188	30920.6	
8	REFUSAL	11	1430.1	
9	NOT STATED	472	78190.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_06: Driving aggression compared to others

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=16092 / 3479526.23] [Invalid=108837 / 25855684.73]
Literal question	(Compared to other drivers,) would you say you usually drive:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MUCH MORE	168	43436.7	1.2%
2	A LITTLE MORE	2110	572826.0	16.5%
3	ABOUT THE SAME	6563	1439580.7	41.4%
4	A LITTLE LESS	4873	985125.4	28.3%
5	MUCH LESS	2378	438557.4	12.6%
6	NOT APPLICABLE	108025	25732000.4	
7	DON'T KNOW	319	42849.0	
8	REFUSAL	20	2549.6	
9	NOT STATED	473	78285.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_07: Past year, driven after 2+ drinks

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13013 / 2876071.11] [Invalid=111916 / 26459139.85]
Literal question	In the past 12 months, have you driven a motor vehicle after having 2 or more drinks in the hour before you drove?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	969	274942.8	9.6%
2	NO	12044	2601128.3	90.4%
6	NOT APPLICABLE	111629	26405883.2	
7	DON'T KNOW	9	1063.5	

DRV_07: Past year, driven after 2+ drinks

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	7	2247.1	
9	NOT STATED	271	49946.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_07A: Past year, # times driven after 2+ drinks

Information	[Type= continuous] [Format=numeric] [Range= 1-95] [Missing=*]
Statistics [NW/ W]	[Valid=910 / 254313.71] [Invalid=124019 / 29080897.25] [Mean=6.276 / 7.291] [StdDev=11.866 / 14.127]
Literal question	How many times (in the past 12 months)?

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	123673	29007011.5	
97	DON'T KNOW	59	20629.1	
98	REFUSAL	0	0.0	
99	NOT STATED	287	53256.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_08A: Front seat: Fasten seat belt

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=19559 / 4211632.88] [Invalid=105370 / 25123578.08]
Literal question	When you are a front seat passenger, how often do you fasten your seat belt?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	17853	3838045.6	91.1%
2	MOST OF THE TIME	1194	260794.4	6.2%
3	RARELY	226	43829.9	1.0%
4	NEVER	118	34323.9	0.8%
5	NOT RIDE FRONT SEAT	168	34639.1	0.8%
6	NOT APPLICABLE	104872	25041269.7	
7	DON'T KNOW	15	2592.4	
8	REFUSAL	7	931.7	
9	NOT STATED	476	78784.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_08B: Back seat: Fasten seat belt

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=19533 / 4207808.98] [Invalid=105396 / 25127401.98]
Literal question	When you are a back seat passenger, how often do you fasten your seat belt?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	14907	3116843.3	74.1%
2	MOST OF THE TIME	1802	432985.8	10.3%
3	RARELY	687	204081.8	4.9%
4	NEVER	558	159758.9	3.8%
5	NOT RIDE BACK SEAT	1579	294139.2	7.0%
6	NOT APPLICABLE	104872	25041269.7	
7	DON'T KNOW	32	4934.8	
8	REFUSAL	13	2135.5	
9	NOT STATED	479	79062.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_09: Taxi passenger: Fasten seat belt

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=19425 / 4192339.18] [Invalid=105504 / 25142871.78]
Literal question	Respondents with DODRV = 1

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	7637	1798762.4	42.9%
2	MOST OF THE TIME	962	299841.6	7.2%
3	RARELY	742	188861.6	4.5%
4	NEVER	2060	515217.4	12.3%
5	NOT TAKE TAXIS	8024	1389656.2	33.1%
6	NOT APPLICABLE	104872	25041269.7	
7	DON'T KNOW	142	21152.7	
8	REFUSAL	11	1387.4	
9	NOT STATED	479	79062.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_10: Past yr,been w/driver 2+ drink w/in 1hr

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19399 / 4186953.7] [Invalid=105530 / 25148257.26]
Literal question	In the past 12 months, have you been a passenger with a driver who had 2 or more drinks in the hour before driving?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2012	487778.0	11.6%
2	NO	17387	3699175.7	88.4%
6	NOT APPLICABLE	104872	25041269.7	
7	DON'T KNOW	161	24658.7	
8	REFUSAL	16	3103.1	
9	NOT STATED	481	79225.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_10A: # times been w/driver 2+ drink w/in 1hr

Information	[Type= continuous] [Format=numeric] [Range= 1-95] [Missing=*]
Statistics [NW/ W]	[Valid=1899 / 462661.53] [Invalid=123030 / 28872549.43] [Mean=4.226 / 5.179] [StdDev=6.724 / 8.823]
Literal question	How many times (in the past 12 months)?

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	122259	28740445.4	
97	DON'T KNOW	112	24182.1	
98	REFUSAL	1	934.3	
99	NOT STATED	658	106987.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_11A: Past yr,driver/passenger snowmobile/boat

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19551 / 4208783.57] [Invalid=105378 / 25126427.39]
Literal question	In the past 12 months, have you been the driver of, or a passenger in, a snowmobile, motor boat or seadoo?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4631	956398.2	22.7%
2	NO	14920	3252385.4	77.3%

DRV_11A: Past yr,driver/passenger snowmobile/boat

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	104872	25041269.7	
7	DON'T KNOW	12	3510.4	
8	REFUSAL	11	2289.6	
9	NOT STATED	483	79357.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_11B: Past year, driver/passenger in/on ATV

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19542 / 4205460.22] [Invalid=105387 / 25129750.74]
Literal question	In the past 12 months, have you been the driver of, or a passenger in, an ATV (all terrain vehicle)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4234	803100.7	19.1%
2	NO	15308	3402359.5	80.9%
6	NOT APPLICABLE	104872	25041269.7	
7	DON'T KNOW	7	3103.4	
8	REFUSAL	2	219.9	
9	NOT STATED	506	85157.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_12: Frequency wear helmet on an ATV

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=4218 / 800131.42] [Invalid=120711 / 28535079.54]
Literal question	How often do you wear a helmet when on an ATV?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	1745	364240.0	45.5%
2	MOST OF THE TIME	599	107738.2	13.5%
3	RARELY	483	78642.4	9.8%
4	NEVER	1391	249510.8	31.2%
6	NOT APPLICABLE	120180	28443629.2	
7	DON'T KNOW	15	2880.1	
8	REFUSAL	1	89.2	
9	NOT STATED	515	88481.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_13: Past yr,been w/driver 2+ drink ATV-cbk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6500 / 1318356.32] [Invalid=118429 / 28016854.64]
Literal question	In the past 12 months, have you been a passenger on ^DT_ATV with a driver who had 2 or more drinks in the hour before driving?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	419	101622.4	7.7%
2	NO	6081	1216733.9	92.3%
6	NOT APPLICABLE	117888	27919932.3	
7	DON'T KNOW	24	7344.9	
8	REFUSAL	1	53.2	
9	NOT STATED	516	89524.3	

DRV_13: Past yr,been w/driver 2+ drink ATV-cbk

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_13A: # times been w/driver 2+ drink ATV-cbk

Information	[Type= discrete] [Format=numeric] [Range= 1-60] [Missing=*]
Statistics [NW/ W]	[Valid=405 / 99212.7] [Invalid=124524 / 29235998.26]
Literal question	How many times (in the past 12 months)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1		122	27775.8	28.0%
2		108	24872.2	25.1%
3		47	8251.3	8.3%
4		27	9819.5	9.9%
5		27	6830.0	6.9%
6		23	3862.5	3.9%
7		3	456.0	0.5%
8		2	320.6	0.3%
10		16	6619.2	6.7%
12		10	2319.3	2.3%
13		1	28.9	0.0%
14		1	80.8	0.1%
15		6	5286.2	5.3%
16		1	810.9	0.8%
20		1	591.8	0.6%
25		1	69.6	0.1%
26		1	34.7	0.0%
30		5	934.6	0.9%
32		1	66.1	0.1%
50		1	64.5	0.1%
60		1	118.2	0.1%
96	NOT APPLICABLE	123969	29136666.2	
97	DON'T KNOW	14	2409.7	
98	REFUSAL	0	0.0	
99	NOT STATED	541	96922.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_14: Past yr,driven snowmobile/boat 2+ drink

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5301 / 1102695.98] [Invalid=119628 / 28232514.98]
Literal question	In the past 12 months, have you driven ^DT_ATV after having 2 or more drinks in the hour before you drove?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	325	78181.7	7.1%
2	NO	4976	1024514.3	92.9%
6	NOT APPLICABLE	119333	28173313.1	
7	DON'T KNOW	5	4179.1	
8	REFUSAL	0	0.0	
9	NOT STATED	290	55022.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_14A: # times driven snowmobile/boat 2+ drink

Information	[Type= discrete] [Format=numeric] [Range= 1-50] [Missing=*]
Statistics [NW/ W]	[Valid=310 / 75199] [Invalid=124619 / 29260011.96]
Literal question	How many times (in the past 12 months)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1		87	18806.1		25.0%
2		82	18804.5		25.0%
3		34	7933.9		10.6%
4		19	4509.2		6.0%
5		21	5963.4		7.9%
6		31	6654.4		8.8%
7		1	114.1		0.2%
10		12	4237.7		5.6%
12		9	1240.3		1.6%
15		5	4967.8		6.6%
20		4	825.1		1.1%
24		1	191.4		0.3%
26		1	34.7		0.0%
40		1	588.6		0.8%
48		1	131.7		0.2%
50		1	196.3		0.3%
96	NOT APPLICABLE	124309	29197827.5		
97	DON'T KNOW	14	2851.4		
98	REFUSAL	1	131.3		
99	NOT STATED	295	59201.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRVFSBU: Passenger seat belt use - motor vehicle

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19393 / 4179718.31] [Invalid=105536 / 25155492.65]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	16021	3320670.9		79.4%
2	NOT ALWAYS	3372	859047.4		20.6%
6	NOT APPLICABLE	105011	25069164.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	525	86328.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOMEX: Module flag: Breastfeeding-MEX-(F)-cbk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124929 / 29335210.96] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	124929	29335211.0		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		

DOMEX: Module flag: Breastfeeding-MEX-(F)-cbk

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_01: Year last baby born

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30652 / 8541652.59] [Invalid=94277 / 20793558.37]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6503	1559617.7	18.3%
2	NO	24149	6982034.9	81.7%
6	NOT APPLICABLE	85945	18789120.7	
7	DON'T KNOW	7653	1800987.0	
8	REFUSAL	28	6636.2	
9	NOT STATED	651	196814.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_02: Take folic before knew you were pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6447 / 1544657.13] [Invalid=118482 / 27790553.83]
Literal question	Did you take a vitamin supplement containing folic acid before your (last) pregnancy, that is, before you found out that you were pregnant?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3881	922407.0	59.7%
2	NO	2566	622250.1	40.3%
6	NOT APPLICABLE	117732	27567254.6	
7	DON'T KNOW	52	13114.7	
8	REFUSAL	4	1845.9	
9	NOT STATED	694	208338.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_03: Last child, try to breastfeed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6492 / 1554507.14] [Invalid=118437 / 27780703.82]
Literal question	For your last baby, did you breastfeed or try to breastfeed your baby, even if only for a short time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5727	1391932.0	89.5%
2	NO	765	162575.1	10.5%
6	NOT APPLICABLE	117732	27567254.6	
7	DON'T KNOW	4	818.4	
8	REFUSAL	6	4185.2	
9	NOT STATED	695	208445.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEXG04: Reason you did not breastfeed-G

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=758 / 161622.41] [Invalid=124171 / 29173588.55]

MEXG04: Reason you did not breastfeed-G

Value	Label	Cases	Weighted	Percentage (Weighted)
1	BOTTLE FEED EASIER	162	39292.9	24.3%
2	FORMULA AS GOOD	74	17668.7	10.9%
3	UNAPPEALING	177	28088.0	17.4%
4	FATHER NOT WANT IT	2	289.0	0.2%
5	RETURNED TO WORK	9	1925.2	1.2%
6	C-SECTION	219	45591.9	28.2%
7	ALCOHOL/SMOKING	20	3018.2	1.9%
8	OTHER	95	25748.6	15.9%
96	NOT APPLICABLE	123459	28959186.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	712	214402.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_05: Are you still breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5727 / 1391932.01] [Invalid=119202 / 27943278.95]
Literal question	Are you still breastfeeding?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1048	255327.5	18.3%
2	NO	4679	1136604.5	81.7%
6	NOT APPLICABLE	118497	27729829.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	705	213449.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_06: Length of time you breastfed

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=4672 / 1135510.73] [Invalid=120257 / 28199700.23]
Literal question	How long did you breastfeed (your last baby)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 WEEK	299	63174.5	5.6%
2	1 TO 2 WEEKS	306	71655.3	6.3%
3	3 TO 4 WEEKS	326	71524.5	6.3%
4	5 TO 8 WEEKS	265	56939.3	5.0%
5	9 TO < 12 WEEKS	180	47991.6	4.2%
6	3 MONTHS	338	79816.8	7.0%
7	4 MONTHS	220	54691.0	4.8%
8	5 MONTHS	167	45184.3	4.0%
9	6 MONTHS	495	120773.4	10.6%
10	7 TO 9 MONTHS	635	142081.7	12.5%
11	10 TO 12 MONTHS	730	171052.2	15.1%
12	> 1 YEAR	711	210626.2	18.5%
13	NOT ADDED S. FO.	0	0.0	

MEX_06: Length of time you breastfed

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	119545	27985157.2	
97	DON'T KNOW	6	951.2	
98	REFUSAL	1	142.6	
99	NOT STATED	705	213449.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_06A: Other liquids introduced to baby's feeds

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1048 / 255327.5] [Invalid=123881 / 29079883.46]
Literal question	Have other liquids such as milk, formula, water, juice, tea or herbal mixture been introduced to the baby's feeds?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	649	166047.5	65.0%
2	NO	399	89280.0	35.0%
6	NOT APPLICABLE	123176	28866434.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	705	213449.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_06B: Age of last baby when other liquids added

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=5254 / 1282748.05] [Invalid=119675 / 28052462.91]
Literal question	How old was your (last) baby when other liquids ^DT_LIQUIDS were first added to the baby's feeds?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 WEEK	744	184715.7	14.4%
2	1 TO 2 WEEKS	393	94761.4	7.4%
3	3 TO 4 WEEKS	347	78427.6	6.1%
4	5 TO 8 WEEKS	301	69564.0	5.4%
5	9 TO < 12 WEEKS	192	46567.4	3.6%
6	3 MONTHS	385	101499.1	7.9%
7	4 MONTHS	335	82193.4	6.4%
8	5 MONTHS	292	86458.7	6.7%
9	6 MONTHS	967	238162.8	18.6%
10	7 TO 9 MONTHS	655	151391.4	11.8%
11	10 TO 12 MONTHS	498	112031.0	8.7%
12	> 1 YEAR	117	28502.0	2.2%
13	NOT ADD/LIQUIDS	28	8473.6	0.7%
96	NOT APPLICABLE	118896	27819109.7	
97	DON'T KNOW	59	14641.3	
98	REFUSAL	5	3244.5	
99	NOT STATED	715	215467.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_08A: Age last baby when solid food added

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=5582 / 1353587.29] [Invalid=119347 / 27981623.67]

MEX_08A: Age last baby when solid food added

Literal question	How old was your (last) baby when solid foods such as cereals, mashed up or pureed meat vegetables or fruits were first added to the baby's feeds?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 WEEK	14	2219.6	0.2%
2	1 TO 2 WEEKS	4	2567.3	0.2%
3	3 TO 4 WEEKS	35	8498.2	0.6%
4	5 TO 8 WEEKS	95	28345.8	2.1%
5	9 TO < 12 WEEKS	96	23844.1	1.8%
6	3 MONTHS	321	74496.7	5.5%
7	4 MONTHS	731	183102.8	13.5%
8	5 MONTHS	907	206528.0	15.3%
9	6 MONTHS	2010	466518.6	34.5%
10	7 TO 9 MONTHS	617	156345.1	11.6%
11	10 TO 12 MONTHS	216	63330.8	4.7%
12	> 1 YEAR	55	18933.6	1.4%
13	NOT ADDED S. FO.	481	118856.7	8.8%
96	NOT APPLICABLE	118497	27729829.7	
97	DON'T KNOW	68	15414.7	
98	REFUSAL	2	3000.0	
99	NOT STATED	780	233379.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_08B: Reason liquid/solid added to baby's feed

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=5447 / 1321032.23] [Invalid=119482 / 28014178.73]
Literal question	What is the main reason ^DT_ LIQUIDSOLID were first added to the baby's feeds?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LACK BREAST MILK	1164	304812.6	23.1%
2	READY FOR SOLIDS	2382	582257.2	44.1%
3	INCONVENIENCE	227	45930.6	3.5%
4	DIFFICULTY W/BF	347	72087.3	5.5%
5	MEDICAL COND-MOTHER	95	20959.9	1.6%
6	MEDICAL COND-BABY	173	40201.4	3.0%
7	ADVICE OF DOCTOR	430	113522.6	8.6%
8	RETURNED TO WORK	75	24524.4	1.9%
9	ADVICE OF OTHERS	44	8835.4	0.7%
10	FORMULA HEALTHY	60	11703.6	0.9%
11	WANTED TO DRINK	14	2857.1	0.2%
12	WANTED TO SMOKE	5	1623.4	0.1%
13	OTHER	431	91716.8	6.9%
96	NOT APPLICABLE	118509	27731755.9	
97	DON'T KNOW	107	25904.2	
98	REFUSAL	15	2744.9	
99	NOT STATED	851	253773.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_09: Give Vitamin D to baby <yr old&breastfed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=4929 / 1191390.12] [Invalid=120000 / 28143820.84]		
Literal question	During the time when your (last) baby was less than one year old and fedb reast milk, did you give the baby a vitamin supplement containing Vitamin D?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3907	939036.0	78.8%
2	NO	1022	252354.2	21.2%
6	NOT APPLICABLE	119252	27915541.6	
7	DON'T KNOW	29	7750.9	
8	REFUSAL	2	2996.8	
9	NOT STATED	717	217531.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_09B: Frequency give Vitamin D to baby

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=3831 / 920085.27] [Invalid=121098 / 28415125.69]		
Literal question	Overall, how often did you give the baby a supplement containing Vitamin D?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	2508	611018.0	66.4%
2	ALMOST EVERY DAY	849	199671.2	21.7%
3	ONCE OR TWICE A WEEK	368	83637.4	9.1%
4	< ONCE A WEEK	106	25758.7	2.8%
6	NOT APPLICABLE	120274	28167895.7	
7	DON'T KNOW	73	17014.5	
8	REFUSAL	2	1204.0	
9	NOT STATED	749	229011.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_10: Main reason stopped breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=4638 / 1121038.76] [Invalid=120291 / 28214172.2]		
Literal question	What is the main reason that you stopped breastfeeding?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT ENOUGH MILK	1165	291008.5	26.0%
2	READY FOR SOLIDS	771	205202.4	18.3%
3	INCONVENIENCE	325	66792.8	6.0%
4	DIFFICULTY	481	109148.6	9.7%
5	MEDICAL COND-MOM	182	37989.7	3.4%
6	MEDICAL COND-BABY	109	22514.0	2.0%
7	PLANNED TO STOP	372	100642.7	9.0%
8	BABY WEANED SELF	598	135927.7	12.1%
9	ADVICE OF DOCTOR	34	7112.2	0.6%
10	RETURNED TO WORK	452	114964.9	10.3%
11	ADVICE OF OTHERS	10	3034.9	0.3%
12	FORMULA HEALTHY	26	4260.1	0.4%
13	WANTED TO DRINK	7	630.6	0.1%

MEX_10: Main reason stopped breastfeeding

Value	Label	Cases	Weighted	Percentage (Weighted)
14	WANTED TO SMOKE	2	203.9	0.0%
15	OTHER	104	21606.0	1.9%
96	NOT APPLICABLE	119545	27985157.2	
97	DON'T KNOW	21	5441.5	
98	REFUSAL	4	5384.3	
99	NOT STATED	721	218189.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEXDEBF2: Length of exclusive breastfeeding (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6087 / 1457271.34] [Invalid=118842 / 27877939.62]

Value	Label	Cases	Weighted	Percentage (Weighted)
0	DID NOT BREASTFEED	765	162575.1	11.2%
1	< I WEEK	793	191723.0	13.2%
2	1 TO < 5 WEEKS	785	185717.7	12.7%
3	5 TO < 12 WEEKS	546	134854.1	9.3%
4	12 TO < 16 WEEKS	488	117706.2	8.1%
5	16 TO < 20 WEEKS	534	138885.5	9.5%
6	20 TO < 24 WEEKS	563	145618.3	10.0%
7	24 TO < 28 WEEKS	1256	295102.2	20.3%
8	7 MONTHS OR MORE	357	85089.2	5.8%
96	NOT APPLICABLE	117992	27626145.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	850	251794.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEXFEB6: Exclusive breastfeed for at least 6 mths

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6087 / 1457271.34] [Invalid=118842 / 27877939.62]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1613	380191.5	26.1%
2	NO	4474	1077079.9	73.9%
6	NOT APPLICABLE	117992	27626145.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	850	251794.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOMXS: Module:Alcohol use during pregnancy-MXS-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23260 / 6828260.12] [Invalid=101669 / 22506950.84]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23260	6828260.1	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MXS_01: Module: Smoking during pregnancy-MXS-F

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=734 / 212768.84] [Invalid=124195 / 29122442.12]
Literal question	During your last pregnancy, did you smoke daily, occasionally or not at all?

MXS_01: Module: Smoking during pregnancy-MXS-F

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	103	29466.6	13.8%
2	OCCASIONALLY	74	17355.1	8.2%
3	NOT AT ALL	557	165947.2	78.0%
6	NOT APPLICABLE	124047	29071829.0	
7	DON'T KNOW	1	156.6	
8	REFUSAL	0	0.0	
9	NOT STATED	147	50456.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MXSG02: # cigarettes smoked each day-daily

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=102 / 29344.35] [Invalid=124827 / 29305866.61]
Literal question	How many cigarettes did you usually smoke each day?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	4	1696.4	5.8%
2	2 CIGARETTES	4	2276.4	7.8%
3	3 CIGARETTES	7	1682.1	5.7%
4	4 CIGARETTES	9	1987.5	6.8%
5	5 CIGARETTES	15	4494.2	15.3%
6	6 TO 10 CIGARETTES	39	9930.2	33.8%
7	11 TO 15 CIGARETTES	14	3832.5	13.1%
8	16+ CIGARETTES	10	3445.0	11.7%
96	NOT APPLICABLE	124678	29255131.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	149	50735.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MXSG03: # cigarettes smoked each day-occasional

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=72 / 16904.08] [Invalid=124857 / 29318306.88]
Literal question	On the days that you smoked, how many cigarettes did you usually smoke?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	15	3738.6	22.1%
2	2 CIGARETTES	20	5840.4	34.6%
3	3 CIGARETTES	16	2418.6	14.3%
4	4 CIGARETTES	7	1277.7	7.6%
5	5 CIGARETTES	5	1084.4	6.4%
6	6+ CIGARETTES	9	2544.5	15.1%
96	NOT APPLICABLE	124707	29267242.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	150	51064.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MXS_04: How often smoked when breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=614 / 185199.67] [Invalid=124315 / 29150011.29]		
Literal question	When you were breastfeeding (your last baby), did you smoke daily, occasionally or not at all?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	68	22468.6	12.1%
2	OCCASIONALLY	37	12121.9	6.5%
3	NOT AT ALL	509	150609.1	81.3%
6	NOT APPLICABLE	124167	29099185.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	148	50825.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MXSG05: Breastfeed:# cigs smoked-daily

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=67 / 22227.81] [Invalid=124862 / 29312983.15]		
Literal question	How many cigarettes did you usually smoke each day?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	3	1501.0	6.8%
2	2 CIGARETTES	5	2544.0	11.4%
3	3 CIGARETTES	4	569.4	2.6%
4	4 CIGARETTES	7	2285.0	10.3%
5	5 CIGARETTES	8	3301.1	14.9%
6	6 TO 10 CIGARETTES	26	7719.9	34.7%
7	11 TO 15 CIGARETTES	6	2173.2	9.8%
8	16+ CIGARETTES	8	2134.2	9.6%
96	NOT APPLICABLE	124713	29261916.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	149	51066.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MXSG06: Breastfeed:# cigs smoked-occasional

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=37 / 12121.91] [Invalid=124892 / 29323089.05]		
Literal question	On the days that you smoked, how many cigarettes did you usually smoke?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	9	3344.6	27.6%
2	2 CIGARETTES	13	5778.0	47.7%
3	3 CIGARETTES	8	2208.8	18.2%
4	4 CIGARETTES	2	283.3	2.3%
5	5 CIGARETTES	2	184.9	1.5%
6	6+ CIGARETTES	3	322.4	2.7%
96	NOT APPLICABLE	124744	29272263.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	

MXSG06: Breastfeed:# cigs smoked-occasional

Value	Label	Cases	Weighted	Percentage (Weighted)
99	NOT STATED	148	50825.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MXS_07: During/after pregnancy,second hand smoke

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=735 / 212925.41] [Invalid=124194 / 29122285.55]
Literal question	Did anyone regularly smoke in your presence during or after the pregnancy (about 6 months after)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	142	37068.7	17.4%
2	NO	593	175856.7	82.6%
6	NOT APPLICABLE	124047	29071829.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	147	50456.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOPMH: Module: Positive mental health-PMH-(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124929 / 29335210.96] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	124929	29335211.0	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_01: Past month, felt happy

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=117587 / 27896707.34] [Invalid=7342 / 1438503.62]
Literal question	In the past month, how often did you feel …happy?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	40759	9321388.3	33.4%
2	ALMOST EVERY DAY	54691	13090778.2	46.9%
3	2 OR 3 TIMES\WK	15746	4013919.5	14.4%
4	ONCE A WEEK	3151	750314.1	2.7%
5	ONCE OR TWICE	2139	500726.6	1.8%
6	NEVER	1101	219580.7	0.8%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	2942	488194.9	
98	REFUSAL	735	144377.5	
99	NOT STATED	3665	805931.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_02: Past month, felt interested in life

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=116318 / 27687377.22] [Invalid=8611 / 1647833.74]
Literal question	(In the past month, how often did you feel:) …interested in life?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	73199	17014285.0	61.5%
2	ALMOST EVERY DAY	30796	7565779.9	27.3%
3	2 OR 3 TIMES\WK	7860	2007068.0	7.2%
4	ONCE A WEEK	2028	524246.2	1.9%
5	ONCE OR TWICE	1452	359070.1	1.3%
6	NEVER	983	216928.1	0.8%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	1139	189511.9	
98	REFUSAL	115	17601.0	
99	NOT STATED	7357	1440720.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_03: Past month, felt satisfied with life

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=116490 / 27695538.12] [Invalid=8439 / 1639672.84]
Literal question	(In the past month, how often did you feel:) …satisfied with your life?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	60162	13648011.8	49.3%
2	ALMOST EVERY DAY	38965	9588669.4	34.6%
3	2 OR 3 TIMES\WK	10387	2748077.1	9.9%
4	ONCE A WEEK	2770	700227.9	2.5%
5	ONCE OR TWICE	2123	543217.4	2.0%
6	NEVER	2083	467334.5	1.7%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	962	174093.8	
98	REFUSAL	110	22621.7	
99	NOT STATED	7367	1442957.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_04: Past mth,felt were contributing to society

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=112774 / 26999134.69] [Invalid=12155 / 2336076.27]
Literal question	In the past month, how often did you feel…that you had something important to contribute to society?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	34626	8339800.1	30.9%
2	ALMOST EVERY DAY	31302	7609006.7	28.2%
3	2 OR 3 TIMES\WK	20223	4888730.9	18.1%
4	ONCE A WEEK	10327	2479592.4	9.2%
5	ONCE OR TWICE	7111	1701076.3	6.3%
6	NEVER	9185	1980928.4	7.3%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	4507	837836.6	

PMH_04: Past mth,felt were contributing to society

Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	272	52599.5	
99	NOT STATED	7376	1445640.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_05: Past month, felt belonged to a community

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=115141 / 27418245.76] [Invalid=9788 / 1916965.2]
Literal question	(In the past month, how often did you feel:) …that you belonged to a community (like a social group, your neighborhood, your city, your school)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	47446	10397315.8	37.9%
2	ALMOST EVERY DAY	24912	6102250.1	22.3%
3	2 OR 3 TIMES\WK	13520	3450796.2	12.6%
4	ONCE A WEEK	8339	2209724.8	8.1%
5	ONCE OR TWICE	6890	1767312.3	6.4%
6	NEVER	14034	3490846.5	12.7%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	2235	434508.3	
98	REFUSAL	165	33344.6	
99	NOT STATED	7388	1449112.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_06: Past mth,felt society becoming better place

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=107291 / 25982088.34] [Invalid=17638 / 3353122.62]
Literal question	(In the past month, how often did you feel:)…that our society is becoming a better place for people like you?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	23707	5465798.6	21.0%
2	ALMOST EVERY DAY	27034	6501061.9	25.0%
3	2 OR 3 TIMES\WK	18659	4738640.9	18.2%
4	ONCE A WEEK	10413	2627184.7	10.1%
5	ONCE OR TWICE	10541	2684809.9	10.3%
6	NEVER	16937	3964592.2	15.3%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	9727	1817845.8	
98	REFUSAL	503	83243.3	
99	NOT STATED	7408	1452033.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_07: Past month, felt people are good

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=115024 / 27397063.31] [Invalid=9905 / 1938147.65]
Literal question	In the past month, how often did you feel …that people are basically good?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	42977	9252654.7	33.8%
2	ALMOST EVERY DAY	42255	10175976.5	37.1%

PMH_07: Past month, felt people are good

Value	Label	Cases	Weighted	Percentage (Weighted)
3	2 OR 3 TIMES\WK	17355	4636213.1	16.9%
4	ONCE A WEEK	5778	1596912.7	5.8%
5	ONCE OR TWICE	4280	1131819.1	4.1%
6	NEVER	2379	603487.2	2.2%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	2237	436221.6	
98	REFUSAL	239	46649.9	
99	NOT STATED	7429	1455276.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_08: Past month, felt society makes sense

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=110687 / 26682823.28] [Invalid=14242 / 2652387.68]
Literal question	(In the past month, how often did you feel:) …that the way our society works makes sense to you?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	23494	5515961.0	20.7%
2	ALMOST EVERY DAY	31769	7721077.2	28.9%
3	2 OR 3 TIMES\WK	22236	5597892.9	21.0%
4	ONCE A WEEK	10463	2543541.1	9.5%
5	ONCE OR TWICE	10020	2424355.2	9.1%
6	NEVER	12705	2879995.9	10.8%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	6336	1109515.0	
98	REFUSAL	462	85268.5	
99	NOT STATED	7444	1457604.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_09: Past mth, felt liked most of personality

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=115043 / 27446116.25] [Invalid=9886 / 1889094.71]
Literal question	(In the past month, how often did you feel:) …that you liked most parts of your personality?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	60450	13985343.9	51.0%
2	ALMOST EVERY DAY	39230	9613217.2	35.0%
3	2 OR 3 TIMES\WK	10018	2522612.3	9.2%
4	ONCE A WEEK	2617	655841.5	2.4%
5	ONCE OR TWICE	1686	431256.3	1.6%
6	NEVER	1042	237845.0	0.9%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	2137	366895.0	
98	REFUSAL	292	59425.4	
99	NOT STATED	7457	1462774.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_10: Past mth,felt good@managing responsibilies

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

PMH_10: Past mth,felt good@managing responsibilies

Statistics [NW/ W]	[Valid=116390 / 27671781.7] [Invalid=8539 / 1663429.26]	
Literal question	In the past month, how often did you feel …good at managing the responsibilities of your daily life?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	64209	14614196.6	52.8%
2	ALMOST EVERY DAY	37728	9271961.2	33.5%
3	2 OR 3 TIMES\WK	9689	2616792.8	9.5%
4	ONCE A WEEK	2464	619801.3	2.2%
5	ONCE OR TWICE	1413	364991.5	1.3%
6	NEVER	887	184038.4	0.7%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	870	163798.4	
98	REFUSAL	200	31289.8	
99	NOT STATED	7469	1468341.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_11: Past mth,felt had trusting relationships

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=116179 / 27621634.9] [Invalid=8750 / 1713576.06]
Literal question	(In the past month, how often did you feel:)…that you had warm and trusting relationships with others?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	73595	17385031.3	62.9%
2	ALMOST EVERY DAY	29318	7148116.9	25.9%
3	2 OR 3 TIMES\WK	7855	1881300.4	6.8%
4	ONCE A WEEK	2412	570136.8	2.1%
5	ONCE OR TWICE	1629	363840.6	1.3%
6	NEVER	1370	273208.8	1.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	1027	195430.2	
98	REFUSAL	240	47495.0	
99	NOT STATED	7483	1470650.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_12: Past mth, felt challenge make you better

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=113448 / 27203680.98] [Invalid=11481 / 2131529.98]
Literal question	(In the past month, how often did you feel:)…that you had experiences that challenge you to grow and become a better person?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	50324	12163829.8	44.7%
2	ALMOST EVERY DAY	31311	7678662.7	28.2%
3	2 OR 3 TIMES\WK	16593	3997076.4	14.7%
4	ONCE A WEEK	6891	1619874.7	6.0%
5	ONCE OR TWICE	4525	1012535.2	3.7%
6	NEVER	3804	731702.2	2.7%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	3624	589661.0	

PMH_12: Past mth, felt challenge make you better

Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	362	66940.6	
99	NOT STATED	7495	1474928.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_13: Past month, felt confident express self

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=115847 / 27578517.09] [Invalid=9082 / 1756693.87]
Literal question	In the past month, how often did you feel …confident to think or express your own ideas and opinions?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	64907	15309717.0	55.5%
2	ALMOST EVERY DAY	30709	7549925.5	27.4%
3	2 OR 3 TIMES\WK	12234	2952991.5	10.7%
4	ONCE A WEEK	4142	946565.0	3.4%
5	ONCE OR TWICE	2369	525158.7	1.9%
6	NEVER	1486	294159.4	1.1%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	1322	227022.9	
98	REFUSAL	253	53352.2	
99	NOT STATED	7507	1476318.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_14: Past mth,felt life had sense of direction

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=114315 / 27316872.67] [Invalid=10614 / 2018338.29]
Literal question	(In the past month, how often did you feel:) …that your life has a sense of direction or meaning to it?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	63208	14844056.9	54.3%
2	ALMOST EVERY DAY	29765	7323387.5	26.8%
3	2 OR 3 TIMES\WK	10611	2613900.8	9.6%
4	ONCE A WEEK	4240	1041650.4	3.8%
5	ONCE OR TWICE	3359	824338.0	3.0%
6	NEVER	3132	669539.0	2.5%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	2770	475342.6	
98	REFUSAL	329	65431.1	
99	NOT STATED	7515	1477564.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMHDCLA: Positive Mental Health Classification

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=117587 / 27896707.34] [Invalid=7342 / 1438503.62]
Literal question	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FLOURISHING	91221	21504351.2	77.1%
2	LANGUISHING	1658	389461.7	1.4%

PMHDCLA: Positive Mental Health Classification

Value	Label	Cases	Weighted	Percentage (Weighted)
3	MODERATE MENTAL HLTH	24708	6002894.4	21.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	7342	1438503.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMHDSCR: Positive Mental Health Continuous Score

Information	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]
Statistics [NW/ W]	[Valid=96443 / 24025096.59] [Invalid=28486 / 5310114.37] [Mean=55.342 / 55.041] [StdDev=10.389 / 10.348]

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	28486	5310114.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOIDG: Illicit drugs use - Inclusion Flag - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=50076 / 12295660.75] [Invalid=74853 / 17039550.21]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	50076	12295660.8	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFLCA: Cannabis drug use/incl.1 time only - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=47515 / 11706968.89] [Invalid=77414 / 17628242.07]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17797	4644925.3	39.7%
2	NO	29718	7062043.6	60.3%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2561	588691.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFLCM: Cannabis drug use/excl.1 time only - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=47515 / 11706968.89] [Invalid=77414 / 17628242.07]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13809	3690459.6	31.5%

IDGFLCM: Cannabis drug use/excl.1 time only - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	33706	8016509.3	68.5%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2561	588691.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFYCM: Can.drg use/excl.1 time only -12 mo -(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=47497 / 11699874.84] [Invalid=77432 / 17635336.12]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4255	1251058.6	10.7%
2	NO	43242	10448816.2	89.3%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2579	595785.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFLA: Illicit drg use/incl. 1 time cann. - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=47428 / 11685862.36] [Invalid=77501 / 17649348.6]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18025	4712146.3	40.3%
2	NO	29403	6973716.0	59.7%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2648	609798.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFLAC: Illicit drug use/excl.1 time cann. - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=47418 / 11684116.5] [Invalid=77511 / 17651094.46]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14253	3822142.2	32.7%
2	NO	33165	7861974.3	67.3%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2658	611544.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFYA: Illicit drg /incl.1 time can.-12 mo -(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=47371 / 11669366.9] [Invalid=77558 / 17665844.06]

IDGFYA: Illicit drg /incl.1 time can.-12 mo -(F)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4638	1376297.7	11.8%
2	NO	42733	10293069.2	88.2%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2705	626293.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFYAC: Illi.drg use/excl.1 time can.-12 mo -(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=47370 / 11669351.61] [Invalid=77559 / 17665859.35]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4372	1297189.0	11.1%
2	NO	42998	10372162.6	88.9%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2706	626309.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGDINT: Illicit drug interference mean - 12 mo

Information	[Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=2483 / 703703.45] [Invalid=122446 / 28631507.51] [Mean=0.612 / 0.553] [StdDev=1.384 / 1.306]

Value	Label	Cases	Weighted	Percentage (Weighted)
99.6	NOT APPLICABLE	119652	27988580.8	
99.7	DON'T KNOW	0	0.0	
99.8	REFUSAL	0	0.0	
99.9	NOT STATED	2794	642926.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFINT: Illicit drug interference - 12 mo - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2489 / 704566.91] [Invalid=122440 / 28630644.05]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	388	95892.8	13.6%
2	NO	2101	608674.1	86.4%
6	NOT APPLICABLE	119652	27988580.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2788	642063.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSXB: Module: Sexual behaviours-SXB - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=42915 / 11453382.23] [Invalid=82014 / 17881828.73]

DOSXB: Module: Sexual behaviours-SXB - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	42915	11453382.2		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	82014	17881828.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_1: Ever had sexual intercourse

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16186 / 5729352.42] [Invalid=108743 / 23605858.54]
Literal question	Have you ever had sexual intercourse?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	13590	4845175.2		84.6%
2	NO	2596	884177.2	15.4%	
6	NOT APPLICABLE	107666	23214716.8		
7	DON'T KNOW	77	26881.2		
8	REFUSAL	365	169030.9		
9	NOT STATED	635	195229.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_3: Past year, had sexual intercourse

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13962 / 4856696.4] [Invalid=110967 / 24478514.56]
Literal question	In the past 12 months, have you had sexual intercourse?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	12568	4476163.7		92.2%
2	NO	1394	380532.7	7.8%	
6	NOT APPLICABLE	109297	23810032.8		
7	DON'T KNOW	5	657.6		
8	REFUSAL	17	9125.9		
9	NOT STATED	1648	658698.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_07: Ever diagnosed with STD

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13931 / 4849348.49] [Invalid=110998 / 24485862.47]
Literal question	Have you ever been diagnosed with a sexually transmitted infection?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	905	305750.6	6.3%	
2	NO	13026	4543597.8		93.7%
6	NOT APPLICABLE	109297	23810032.8		
7	DON'T KNOW	16	3325.4		
8	REFUSAL	5	1317.2		
9	NOT STATED	1680	671187.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_7A: Use condom last time had sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5301 / 1723002.43] [Invalid=119628 / 27612208.53]
Literal question	Did you use a condom the last time you had sexual intercourse?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3012	995832.3	57.8%
2	NO	2289	727170.1	42.2%
6	NOT APPLICABLE	117930	26937509.0	
7	DON'T KNOW	3	445.7	
8	REFUSAL	15	3066.8	
9	NOT STATED	1680	671187.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_09: Currently imp to avoid getting pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=1322 / 431704.12] [Invalid=123607 / 28903506.84]
Literal question	It is important to me to avoid getting pregnant right now.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	1081	356640.1	82.6%
2	AGREE	158	47324.8	11.0%
3	NEITHER	38	16015.1	3.7%
4	DISAGREE	24	4340.4	1.0%
5	STRONGLY DISAGREE	21	7383.7	1.7%
6	NOT APPLICABLE	123445	28846626.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	3	1108.0	
9	NOT STATED	159	55772.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_10: Important avoid getting partner pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=1339 / 466989.57] [Invalid=123590 / 28868221.39]
Literal question	It is important to me to avoid getting my partner pregnant right now.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	1026	354077.6	75.8%
2	AGREE	197	70008.0	15.0%
3	NEITHER	31	12545.5	2.7%
4	DISAGREE	18	4019.9	0.9%
5	STRONGLY DISAGREE	17	4880.0	1.0%
6	NO PARTNER	42	19001.6	4.1%
7	PARTNER PREGNANT	8	2457.0	0.5%
96	NOT APPLICABLE	123394	28805694.0	
97	DON'T KNOW	3	393.0	
98	REFUSAL	3	1454.8	
99	NOT STATED	190	60679.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_11: Past year, used birth control

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2678 / 904913.82] [Invalid=122251 / 28430297.14]
Literal question	In the past 12 months, did you and your partner usually use birth control?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2219	736364.9		81.4%
2	NO	459	168548.9		18.6%
6	NOT APPLICABLE	121871	28305279.0		
7	DON'T KNOW	23	5425.9		
8	REFUSAL	1	119.5		
9	NOT STATED	356	119472.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_12A: Birth control: Condom (male or female)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2163 / 717019.18] [Invalid=122766 / 28618191.78]
Literal question	What kind of birth control did you and your partner usually use? - Condom (male or female condom)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1426	465526.2		64.9%
2	NO	737	251493.0		35.1%
6	NOT APPLICABLE	122330	28473827.9		
7	DON'T KNOW	53	18009.7		
8	REFUSAL	3	1336.0		
9	NOT STATED	380	125018.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_12B: Birth control: The pill

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2163 / 717019.18] [Invalid=122766 / 28618191.78]
Literal question	What kind of birth control did you and your partner usually use? - Birth control pill

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1509	495753.7		69.1%
2	NO	654	221265.5		30.9%
6	NOT APPLICABLE	122330	28473827.9		
7	DON'T KNOW	53	18009.7		
8	REFUSAL	3	1336.0		
9	NOT STATED	380	125018.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_12C: Birth control: Diaphragm

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2163 / 717019.18] [Invalid=122766 / 28618191.78]
Literal question	What kind of birth control did you and your partner usually use? - Diaphragm

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	23	6153.9	0.9%	
2	NO	2140	710865.3		99.1%
6	NOT APPLICABLE	122330	28473827.9		

SXB_12C: Birth control: Diaphragm

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	53	18009.7	
8	REFUSAL	3	1336.0	
9	NOT STATED	380	125018.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_12D: Birth control: Spermicide

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2163 / 717019.18] [Invalid=122766 / 28618191.78]
Literal question	What kind of birth control did you and your partner usually use? - Spermicide (e.g., foam, jelly, film)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	20	5271.5	0.7%	
2	NO	2143	711747.7		99.3%
6	NOT APPLICABLE	122330	28473827.9		
7	DON'T KNOW	53	18009.7		
8	REFUSAL	3	1336.0		
9	NOT STATED	380	125018.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_12F: Birth control: Injection (e.g. Deprovera)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2163 / 717019.18] [Invalid=122766 / 28618191.78]
Literal question	What kind of birth control did you and your partner usually use? - Birth control injection (Deprovera)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	39	9948.2	1.4%	
2	NO	2124	707071.0		98.6%
6	NOT APPLICABLE	122330	28473827.9		
7	DON'T KNOW	53	18009.7		
8	REFUSAL	3	1336.0		
9	NOT STATED	380	125018.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_12E: Birth control: Other (specify)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2163 / 717019.18] [Invalid=122766 / 28618191.78]
Literal question	What kind of birth control did you and your partner usually use? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	118	33506.2	4.7%
2	NO	2045	683513.0	95.3%
6	NOT APPLICABLE	122330	28473827.9	
7	DON'T KNOW	53	18009.7	
8	REFUSAL	3	1336.0	
9	NOT STATED	380	125018.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_13A: Birth control last had sex: Condom

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2127 / 709189.32] [Invalid=122802 / 28626021.64]
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Condom (male of female condom)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1370	449021.1	63.3%
2	NO	757	260168.2	36.7%
6	NOT APPLICABLE	122350	28478550.2	
7	DON'T KNOW	16	3499.3	
8	REFUSAL	1	66.1	
9	NOT STATED	435	143906.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_13B: Birth control last had sex: The pill

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2127 / 709189.32] [Invalid=122802 / 28626021.64]
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Birth control pill

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1343	442083.7	62.3%
2	NO	784	267105.6	37.7%
6	NOT APPLICABLE	122350	28478550.2	
7	DON'T KNOW	16	3499.3	
8	REFUSAL	1	66.1	
9	NOT STATED	435	143906.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_13C: Birth control last had sex: Diaphragm

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2127 / 709189.32] [Invalid=122802 / 28626021.64]
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Diaphragm

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16	3609.8	0.5%
2	NO	2111	705579.5	99.5%
6	NOT APPLICABLE	122350	28478550.2	

SXB_13C: Birth control last had sex: Diaphragm

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	16	3499.3	
8	REFUSAL	1	66.1	
9	NOT STATED	435	143906.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_13D: Birth control last had sex: Spermicide

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2127 / 709189.32] [Invalid=122802 / 28626021.64]
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Spermicide (e.g., foam, jelly, film)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	12	3303.8	0.5%	
2	NO	2115	705885.5		99.5%
6	NOT APPLICABLE	122350	28478550.2		
7	DON'T KNOW	16	3499.3		
8	REFUSAL	1	66.1		
9	NOT STATED	435	143906.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_13F: Birth control last had sex: Injection

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2127 / 709189.32] [Invalid=122802 / 28626021.64]
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Birth control injection (Deprovera)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	29	7436.2	1.0%	
2	NO	2098	701753.2		99.0%
6	NOT APPLICABLE	122350	28478550.2		
7	DON'T KNOW	16	3499.3		
8	REFUSAL	1	66.1		
9	NOT STATED	435	143906.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_13G: Birth control last had sex: Nothing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2127 / 709189.32] [Invalid=122802 / 28626021.64]
Literal question	What kind of birth control did you and your partner use the last time you had sex? - nothing

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	43	17381.7	2.5%	
2	NO	2084	691807.7		97.5%
6	NOT APPLICABLE	122350	28478550.2		
7	DON'T KNOW	16	3499.3		
8	REFUSAL	1	66.1		
9	NOT STATED	435	143906.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_13E: Birth control last had sex: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

SXB_13E: Birth control last had sex: Other

Statistics [NW/ W]	[Valid=2127 / 709189.32] [Invalid=122802 / 28626021.64]			

Literal question	What kind of birth control did you and your partner use the last time you had sex? - Other			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	102	25421.9	3.6%
2	NO	2025	683767.5	96.4%
6	NOT APPLICABLE	122350	28478550.2	
7	DON'T KNOW	16	3499.3	
8	REFUSAL	1	66.1	
9	NOT STATED	435	143906.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSPS: Module: Social Provisions-SPS - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			

Statistics [NW/ W]	[Valid=41756 / 10848288.82] [Invalid=83173 / 18486922.14]			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	41756	10848288.8	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	83173	18486922.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_01: There are people I can depend on

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			

Statistics [NW/ W]	[Valid=39531 / 10271595.38] [Invalid=85398 / 19063615.58]			

Literal question	There are people I can depend on to help me if I really need it.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	26266	6913536.7	67.3%
2	AGREE	12450	3163442.2	30.8%
3	DISAGREE	636	146050.4	1.4%
4	STRONG DISAGREE	179	48566.0	0.5%
6	NOT APPLICABLE	83173	18486922.1	
7	DON'T KNOW	204	48151.1	
8	REFUSAL	159	50559.6	
9	NOT STATED	1862	477982.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_02: There are ppl who enjoy same sc activities

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			

Statistics [NW/ W]	[Valid=39221 / 10201803.84] [Invalid=85708 / 19133407.12]			

Literal question	There are people who enjoy the same social activities I do.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	21031	5656470.5	55.4%
2	AGREE	16121	4060692.2	39.8%
3	DISAGREE	1633	380374.1	3.7%

SPS_02: There are ppl who enjoy same sc activities

Value	Label	Cases	Weighted	Percentage (Weighted)
4	STRONG DISAGREE	436	104267.0	1.0%
6	NOT APPLICABLE	83173	18486922.1	
7	DON'T KNOW	280	64609.8	
8	REFUSAL	22	3764.2	
9	NOT STATED	2233	578110.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_03: Have relationships to provide wellbeing

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=39329 / 10226732.11] [Invalid=85600 / 19108478.85]
Literal question	I have close relationships that provide me with a sense of emotional security and wellbeing.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	23233	6296630.1	61.6%
2	AGREE	14713	3645181.2	35.6%
3	DISAGREE	1120	226613.0	2.2%
4	STRONG DISAGREE	263	58307.8	0.6%
6	NOT APPLICABLE	83173	18486922.1	
7	DON'T KNOW	164	36735.1	
8	REFUSAL	19	4988.8	
9	NOT STATED	2244	579832.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_04: Have someone to talk about imp decisions

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=39387 / 10240470.31] [Invalid=85542 / 19094740.65]
Literal question	There is someone I could talk to about important decisions in my life.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	24580	6686848.9	65.3%
2	AGREE	13403	3245991.2	31.7%
3	DISAGREE	1113	242018.7	2.4%
4	STRONG DISAGREE	291	65611.5	0.6%
6	NOT APPLICABLE	83173	18486922.1	
7	DON'T KNOW	105	23044.6	
8	REFUSAL	16	4011.5	
9	NOT STATED	2248	580762.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_05: My competence&skill recognized by rela.s

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=38983 / 10156379.52] [Invalid=85946 / 19178831.44]
Literal question	I have relationships where my competence and skill are recognized.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	19358	5281600.7	52.0%
2	AGREE	18048	4511752.4	44.4%
3	DISAGREE	1331	311962.1	3.1%

SPS_05: My competence&skill recognized by rela.s

Value	Label	Cases	Weighted	Percentage (Weighted)
4	STRONG DISAGREE	246	51064.3	0.5%
6	NOT APPLICABLE	83173	18486922.1	
7	DON'T KNOW	489	103905.9	
8	REFUSAL	28	6315.5	
9	NOT STATED	2256	581687.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_06: Have trustworthy person for advice

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=39371 / 10232275.38] [Invalid=85558 / 19102935.58]
Literal question	There is a trustworthy person I could turn to for advice if I were having problems.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	24667	6660251.4	65.1%
2	AGREE	13693	3344291.6	32.7%
3	DISAGREE	827	189531.5	1.9%
4	STRONG DISAGREE	184	38200.9	0.4%
6	NOT APPLICABLE	83173	18486922.1	
7	DON'T KNOW	104	28706.8	
8	REFUSAL	18	4671.0	
9	NOT STATED	2263	582635.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_07: Have group to share attitudes&beliefs

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=39126 / 10191291.87] [Invalid=85803 / 19143919.09]
Literal question	I feel part of a group of people who share my attitudes and beliefs.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	18479	4955279.4	48.6%
2	AGREE	17495	4459117.4	43.8%
3	DISAGREE	2636	653363.6	6.4%
4	STRONG DISAGREE	516	123531.4	1.2%
6	NOT APPLICABLE	83173	18486922.1	
7	DON'T KNOW	333	66017.5	
8	REFUSAL	30	7939.5	
9	NOT STATED	2267	583040.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_08: Have strong emotional bond w/one other

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=39333 / 10237792.15] [Invalid=85596 / 19097418.81]
Literal question	I feel a strong emotional bond with at least one other person.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	24750	6740405.4	65.8%
2	AGREE	13168	3184500.0	31.1%
3	DISAGREE	1178	268168.1	2.6%

SPS_08: Have strong emotional bond w/one other

Value	Label	Cases	Weighted	Percentage (Weighted)
4	STRONG DISAGREE	237	44718.7	0.4%
6	NOT APPLICABLE	83173	18486922.1	
7	DON'T KNOW	125	19176.8	
8	REFUSAL	24	5656.3	
9	NOT STATED	2274	585663.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_09: Have people to admire talents/abilities

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=38618 / 10093907.83] [Invalid=86311 / 19241303.13]
Literal question	There are people who admire my talents and abilities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	17992	4951290.7	49.1%
2	AGREE	19397	4873327.2	48.3%
3	DISAGREE	1069	239878.8	2.4%
4	STRONG DISAGREE	160	29411.2	0.3%
6	NOT APPLICABLE	83173	18486922.1	
7	DON'T KNOW	819	158512.5	
8	REFUSAL	38	8555.5	
9	NOT STATED	2281	587313.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_10: Have people to count on in emergency

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=39382 / 10232759.41] [Invalid=85547 / 19102451.55]
Literal question	There are people I can count on in an emergency.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	25566	6899721.8	67.4%
2	AGREE	13302	3205905.5	31.3%
3	DISAGREE	399	94219.6	0.9%
4	STRONG DISAGREE	115	32912.6	0.3%
6	NOT APPLICABLE	83173	18486922.1	
7	DON'T KNOW	74	23010.5	
8	REFUSAL	16	4859.5	
9	NOT STATED	2284	587659.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPSDCON: Soc.Prov.Scale-

Information	[Type= continuous] [Format=numeric] [Range= 10-40] [Missing=*]
Statistics [NW/ W]	[Valid=37682 / 9908092.56] [Invalid=87247 / 19427118.4] [Mean=35.442 / 35.68] [StdDev=4.475 / 4.38]

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	83173	18486922.1	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	4074	940196.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPSDATT: Soc.Prov.Scale-Attachment

Information	[Type= discrete] [Format=numeric] [Range= 2-9] [Missing=*]
Statistics [NW/ W]	[Valid=40867 / 10624389.38] [Invalid=84062 / 18710821.58]

Value	Label	Cases	Weighted	Percentage (Weighted)
2		89	16060.6	0.2%
3		84	18424.0	0.2%
4		464	100851.7	0.9%
5		1243	261053.9	2.5%
6		10584	2587388.0	24.4%
7		6023	1532711.0	14.4%
8		20707	5687231.1	53.5%
9		1673	420669.1	4.0%
96	NOT APPLICABLE	83173	18486922.1	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	889	223899.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPSDGUI: Soc.Prov.Scale-Guidance

Information	[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]
Statistics [NW/ W]	[Valid=39290 / 10220272.47] [Invalid=85639 / 19114938.49]

Value	Label	Cases	Weighted	Percentage (Weighted)
2		111	23809.0	0.2%
3		68	10610.9	0.1%
4		517	125569.7	1.2%
5		896	194310.6	1.9%
6		10947	2663254.2	26.1%
7		4565	1127288.5	11.0%
8		22186	6075429.6	59.4%
96	NOT APPLICABLE	83173	18486922.1	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2466	628016.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPSDALL: Soc.Prov.Scale-Reliable alliance

Information	[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]
Statistics [NW/ W]	[Valid=39382 / 10232759.41] [Invalid=85547 / 19102451.55]

Value	Label	Cases	Weighted	Percentage (Weighted)
2		62	17148.7	0.2%
3		61	16515.5	0.2%
4		222	53866.3	0.5%
5		550	133412.4	1.3%
6		9278	2278073.0	22.3%
7		6814	1707975.6	16.7%
8		22395	6025768.1	58.9%
96	NOT APPLICABLE	83173	18486922.1	

SPSDALL: Soc.Prov.Scale-Reliable alliance

Value	Label	Cases	Weighted	Percentage (Weighted)
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2374	615529.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPSDINT: Soc.Prov.Scale-Social integration

Information	[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]
Statistics [NW/ W]	[Valid=38880 / 10133301.19] [Invalid=86049 / 19201909.77]

Value	Label	Cases	Weighted	Percentage (Weighted)
2		143	38879.7	0.4%
3		205	52925.7	0.5%
4		883	189140.6	1.9%
5		2274	570652.8	5.6%
6		12290	3092644.7	30.5%
7		7615	1996755.6	19.7%
8		15470	4192302.1	41.4%
96	NOT APPLICABLE	83173	18486922.1	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2876	714987.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPSDWOR: Soc.Prov.Scale-Reassurance of worth

Information	[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]
Statistics [NW/ W]	[Valid=38292 / 10022509.62] [Invalid=86637 / 19312701.34]

Value	Label	Cases	Weighted	Percentage (Weighted)
2		79	14191.1	0.1%
3		58	7796.4	0.1%
4		555	121550.4	1.2%
5		1175	276803.8	2.8%
6		14486	3611785.4	36.0%
7		7062	1876793.6	18.7%
8		14877	4113589.0	41.0%
96	NOT APPLICABLE	83173	18486922.1	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	3464	825779.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSSA: Module:Social support-Availability-SSA-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7161 / 842278.52] [Invalid=117768 / 28492932.44]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7161	842278.5	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	117768	28492932.4	

DOSSA: Module:Social support-Availability-SSA-F

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_01: # close friends/relatives to talk to

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=6274 / 763577.95] [Invalid=118655 / 28571633.01] [Mean=10.792 / 10.407] [StdDev=11.772 / 11.537]
Literal question	Starting with a question on friendship, about how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	117768	28492932.4	
997	DON'T KNOW	664	56896.6	
998	REFUSAL	53	4726.2	
999	NOT STATED	170	17077.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_02: Has someone to help if confined bed

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6118 / 750705.26] [Invalid=118811 / 28584505.7]
Literal question	How often is each of the following kinds of support available to you if you need it: ... someone to help you if you were confined to bed?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	278	24158.4	3.2%
2	LITTLE OF THE TIME	315	30078.7	4.0%
3	SOME OF THE TIME	880	94533.2	12.6%
4	MOST OF THE TIME	1781	209915.4	28.0%
5	ALL OF THE TIME	2864	392019.5	52.2%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	145	11609.4	
8	REFUSAL	8	1108.5	
9	NOT STATED	890	78855.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_03: Has someone to listen

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6100 / 749532.84] [Invalid=118829 / 28585678.12]
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone you can count on to listen to you when you need to talk?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	58	5136.4	0.7%
2	LITTLE OF THE TIME	130	11640.2	1.6%
3	SOME OF THE TIME	388	44353.5	5.9%
4	MOST OF THE TIME	1448	161604.8	21.6%
5	ALL OF THE TIME	4076	526797.9	70.3%
6	NOT APPLICABLE	117768	28492932.4	

SSA_03: Has someone to listen

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	15	636.8	
8	REFUSAL	1	205.2	
9	NOT STATED	1045	91903.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_04: Has someone to get advice about crisis

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6062 / 746427.45] [Invalid=118867 / 28588783.51]
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to give you advice about a crisis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	128	13748.3	1.8%
2	LITTLE OF THE TIME	151	14621.6	2.0%
3	SOME OF THE TIME	505	58571.7	7.8%
4	MOST OF THE TIME	1452	169408.3	22.7%
5	ALL OF THE TIME	3826	490077.6	65.7%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	51	3425.0	
8	REFUSAL	1	205.2	
9	NOT STATED	1047	92220.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_05: Has someone to take to doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6097 / 749206.56] [Invalid=118832 / 28586004.4]
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to take you to the doctor if you needed it?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	96	11189.8	1.5%
2	LITTLE OF THE TIME	91	9544.5	1.3%
3	SOME OF THE TIME	366	40582.4	5.4%
4	MOST OF THE TIME	1218	145048.0	19.4%
5	ALL OF THE TIME	4326	542841.8	72.5%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	15	608.6	
8	REFUSAL	2	242.5	
9	NOT STATED	1047	92220.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_06: Has someone who shows love and affection

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6087 / 748336] [Invalid=118842 / 28586874.96]
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone who shows you love and affection?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	84	6273.6	0.8%

SSA_06: Has someone who shows love and affection

Value	Label	Cases	Weighted	Percentage (Weighted)
2	LITTLE OF THE TIME	102	10141.1	1.4%
3	SOME OF THE TIME	305	35201.3	4.7%
4	MOST OF THE TIME	950	112534.2	15.0%
5	ALL OF THE TIME	4646	584185.8	78.1%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	24	1385.1	
8	REFUSAL	3	336.6	
9	NOT STATED	1047	92220.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_07: Has someone to have a good time with

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6081 / 746887.07] [Invalid=118848 / 28588323.89]
Literal question	Again, how often is each of the following kinds of support available to you if you need it:) ... someone to have a good time with?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	81	5307.9	0.7%
2	LITTLE OF THE TIME	142	12860.4	1.7%
3	SOME OF THE TIME	509	62905.8	8.4%
4	MOST OF THE TIME	1332	151745.3	20.3%
5	ALL OF THE TIME	4017	514067.6	68.8%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	28	2712.6	
8	REFUSAL	5	458.1	
9	NOT STATED	1047	92220.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_08: Has someone to give info about situation

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6061 / 745632.72] [Invalid=118868 / 28589578.24]
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to give you information in order to help you understand a situation?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	67	3984.7	0.5%
2	LITTLE OF THE TIME	113	11978.8	1.6%
3	SOME OF THE TIME	611	73507.6	9.9%
4	MOST OF THE TIME	1722	204468.9	27.4%
5	ALL OF THE TIME	3548	451692.7	60.6%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	49	4015.8	
8	REFUSAL	4	409.2	
9	NOT STATED	1047	92220.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_09: Has someone to confide in

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6088 / 747804.44] [Invalid=118841 / 28587406.52]

SSA_09: Has someone to confide in

	Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to confide in or talk to about yourself or your problems?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	97	7845.5	1.0%
2	LITTLE OF THE TIME	126	14132.9	1.9%
3	SOME OF THE TIME	488	55044.1	7.4%
4	MOST OF THE TIME	1371	155980.0	20.9%
5	ALL OF THE TIME	4006	514801.9	68.8%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	19	1555.0	
8	REFUSAL	7	698.3	
9	NOT STATED	1047	92220.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_10: Has someone who gives hugs

	Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
	Statistics [NW/ W]	[Valid=6076 / 747427.93] [Invalid=118853 / 28587783.03]
	Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone who hugs you?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	222	18245.5	2.4%
2	LITTLE OF THE TIME	211	20855.0	2.8%
3	SOME OF THE TIME	554	62922.5	8.4%
4	MOST OF THE TIME	1069	127941.8	17.1%
5	ALL OF THE TIME	4020	517463.2	69.2%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	29	2025.5	
8	REFUSAL	9	604.3	
9	NOT STATED	1047	92220.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_11: Has someone to get together w/to relax

	Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
	Statistics [NW/ W]	[Valid=6074 / 747954.27] [Invalid=118855 / 28587256.69]
	Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to get together with for relaxation?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	116	11243.6	1.5%
2	LITTLE OF THE TIME	155	15564.4	2.1%
3	SOME OF THE TIME	705	78331.1	10.5%
4	MOST OF THE TIME	1535	185928.2	24.9%
5	ALL OF THE TIME	3563	456886.9	61.1%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	30	1441.7	
8	REFUSAL	7	485.8	
9	NOT STATED	1050	92396.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_12: Has someone to prepare meals

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6037 / 746059.43] [Invalid=118892 / 28589151.53]
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to prepare your meals if you were unable to do it yourself?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	279	23331.9	3.1%
2	LITTLE OF THE TIME	218	21630.4	2.9%
3	SOME OF THE TIME	783	85113.2	11.4%
4	MOST OF THE TIME	1313	159328.6	21.4%
5	ALL OF THE TIME	3444	456655.4	61.2%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	67	3095.3	
8	REFUSAL	6	509.3	
9	NOT STATED	1051	92614.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_13: Has someone to give advice

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6028 / 744710.87] [Invalid=118901 / 28590500.09]
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone whose advice you really want?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	145	14011.7	1.9%
2	LITTLE OF THE TIME	175	17758.1	2.4%
3	SOME OF THE TIME	820	95466.0	12.8%
4	MOST OF THE TIME	1542	183160.6	24.6%
5	ALL OF THE TIME	3346	434314.5	58.3%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	74	4358.9	
8	REFUSAL	8	594.2	
9	NOT STATED	1051	92614.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_14: Has someone to do things to get mind off

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6054 / 745513.02] [Invalid=118875 / 28589697.94]
Literal question	Again, how often is each of the following kinds of support available to you if you need it:) ... someone to do things with to help you get your mind off things?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	133	11984.3	1.6%
2	LITTLE OF THE TIME	174	18525.1	2.5%
3	SOME OF THE TIME	860	96554.6	13.0%
4	MOST OF THE TIME	1615	189513.3	25.4%
5	ALL OF THE TIME	3272	428935.7	57.5%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	51	3736.3	
8	REFUSAL	5	414.7	

SSA_14: Has someone to do things to get mind off

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1051	92614.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_15: Has someone to help with daily chores

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6053 / 746779.7] [Invalid=118876 / 28588431.26]
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to help with daily chores if you were sick?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	232	22283.2	3.0%
2	LITTLE OF THE TIME	251	26042.7	3.5%
3	SOME OF THE TIME	835	89391.6	12.0%
4	MOST OF THE TIME	1452	173302.6	23.2%
5	ALL OF THE TIME	3283	435759.5	58.4%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	49	2215.0	
8	REFUSAL	8	669.3	
9	NOT STATED	1051	92614.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_16: Has someone to share worries&fears

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6056 / 746323.52] [Invalid=118873 / 28588887.44]
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to share your most private worries and fears with?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	207	18762.7	2.5%
2	LITTLE OF THE TIME	188	21064.7	2.8%
3	SOME OF THE TIME	687	76278.0	10.2%
4	MOST OF THE TIME	1296	149569.2	20.0%
5	ALL OF THE TIME	3678	480648.9	64.4%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	43	2634.0	
8	REFUSAL	10	666.2	
9	NOT STATED	1052	92654.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_17: Has someone to turn to for suggestions

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6060 / 746334.36] [Invalid=118869 / 28588876.6]
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to turn to for suggestions about how to deal with a personal problem?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	123	9876.3	1.3%
2	LITTLE OF THE TIME	151	16304.0	2.2%
3	SOME OF THE TIME	673	73676.4	9.9%

SSA_17: Has someone to turn to for suggestions

Value	Label	Cases	Weighted	Percentage (Weighted)
4	MOST OF THE TIME	1434	169876.6	22.8%
5	ALL OF THE TIME	3679	476601.0	63.9%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	41	2706.0	
8	REFUSAL	8	583.4	
9	NOT STATED	1052	92654.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_18: Has someone to do something enjoyable

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6076 / 747317.76] [Invalid=118853 / 28587893.2]
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to do something enjoyable with?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	69	4530.8	0.6%
2	LITTLE OF THE TIME	141	14540.2	1.9%
3	SOME OF THE TIME	656	69914.0	9.4%
4	MOST OF THE TIME	1526	184707.0	24.7%
5	ALL OF THE TIME	3684	473625.7	63.4%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	23	1580.8	
8	REFUSAL	8	578.1	
9	NOT STATED	1054	92801.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_19: Has someone who understands problems

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6035 / 744707.17] [Invalid=118894 / 28590503.79]
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone who understands your problems?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	113	8679.2	1.2%
2	LITTLE OF THE TIME	143	17263.4	2.3%
3	SOME OF THE TIME	756	91358.8	12.3%
4	MOST OF THE TIME	1681	199068.0	26.7%
5	ALL OF THE TIME	3342	428337.8	57.5%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	63	4135.8	
8	REFUSAL	8	578.1	
9	NOT STATED	1055	92857.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_20: Has someone who loves/makes feel wanted

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6053 / 745600.02] [Invalid=118876 / 28589610.94]
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to love you and make you feel wanted?

SSA_20: Has someone who loves/makes feel wanted

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	102	8310.2	1.1%
2	LITTLE OF THE TIME	120	16492.6	2.2%
3	SOME OF THE TIME	406	42431.4	5.7%
4	MOST OF THE TIME	1145	145141.6	19.5%
5	ALL OF THE TIME	4280	533224.2	71.5%
6	NOT APPLICABLE	117768	28492932.4	
7	DON'T KNOW	44	3179.4	
8	REFUSAL	9	641.6	
9	NOT STATED	1055	92857.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSADTNG: Tangible social support - MOS - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=5998 / 744130.57] [Invalid=118931 / 28591080.39]

Value	Label	Cases	Weighted	Percentage (Weighted)
0		46	4633.8	0.6%
1		14	1427.1	0.2%
2		41	4346.9	0.6%
3		19	1550.3	0.2%
4		65	4678.0	0.6%
5		55	5573.5	0.7%
6		86	8476.0	1.1%
7		107	10475.6	1.4%
8		172	17552.2	2.4%
9		190	19624.4	2.6%
10		287	33261.8	4.5%
11		322	35956.5	4.8%
12		665	84680.4	11.4%
13		517	56506.5	7.6%
14		647	76736.9	10.3%
15		681	79123.4	10.6%
16		2084	299527.3	40.3%
96	NOT APPLICABLE	117768	28492932.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1163	98148.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSADAFF: Affection - MOS subscale - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=6022 / 744015.45] [Invalid=118907 / 28591195.51]

Value	Label	Cases	Weighted	Percentage (Weighted)
0		41	3116.0	0.4%
1		17	1625.9	0.2%
2		41	3390.9	0.5%

SSADAFF: Affection - MOS subscale - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
3		49	4475.7	0.6%
4		67	6175.2	0.8%
5		66	9303.3	1.3%
6		162	19161.2	2.6%
7		130	12540.8	1.7%
8		256	25831.8	3.5%
9		580	75462.9	10.1%
10		493	59649.5	8.0%
11		524	56728.2	7.6%
12		3596	466554.0	62.7%
96	NOT APPLICABLE	117768	28492932.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1139	98263.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSADSOC: Positive social interaction - MOS - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=6003 / 741493.61] [Invalid=118926 / 28593717.35]

Value	Label	Cases	Weighted	Percentage (Weighted)
0		19	1536.8	0.2%
1		15	807.4	0.1%
2		16	1055.0	0.1%
3		21	1043.4	0.1%
4		56	6574.4	0.9%
5		36	2907.5	0.4%
6		55	5948.0	0.8%
7		66	8210.3	1.1%
8		212	23434.5	3.2%
9		167	20018.0	2.7%
10		215	22435.6	3.0%
11		277	30433.8	4.1%
12		805	100166.8	13.5%
13		388	44192.5	6.0%
14		455	50386.1	6.8%
15		463	55905.5	7.5%
16		2737	366438.0	49.4%
96	NOT APPLICABLE	117768	28492932.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1158	100784.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSADEMO: Emot./info. support - MOS subscale - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]
Statistics [NW/ W]	[Valid=5883 / 733461.1] [Invalid=119046 / 28601749.86] [Mean=27.298 / 27.73] [StdDev=5.87 / 5.582]

SSADEMO: Emot./info. support - MOS subscale - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	117768	28492932.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1278	108817.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSPR: Opt. module flag: Spiritual values-SPV-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11748 / 1645897.77] [Invalid=113181 / 27689313.19]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	11748	1645897.8		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	113181	27689313.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPV_1: Spiritual values play an imp role in life

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11187 / 1575573.33] [Invalid=113742 / 27759637.63]
Literal question	Do spiritual values play an important role in your life?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	7408	1000766.0		63.5%
2	NO	3779	574807.4		36.5%
6	NOT APPLICABLE	113181	27689313.2		
7	DON'T KNOW	155	20205.0		
8	REFUSAL	52	3751.7		
9	NOT STATED	354	46367.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPV_2: Spiritual values help find meaning in life

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=7353 / 996148.43] [Invalid=117576 / 28339062.53]
Literal question	To what extent do your spiritual values help you to find meaning in your life?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	A LOT	4087	537799.4		54.0%
2	SOME	2419	348063.2		34.9%
3	A LITTLE	778	102900.6		10.3%
4	NOT AT ALL	69	7385.2		0.7%
6	NOT APPLICABLE	116960	28264120.6		
7	DON'T KNOW	46	3758.6		
8	REFUSAL	6	562.2		
9	NOT STATED	564	70621.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPV_3: Spiritual values:strength for difficulty

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=7313 / 992386.2] [Invalid=117616 / 28342824.76]
Literal question	To what extent do your spiritual values give you the strength to face everyday difficulties?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	A LOT	4004	522186.6		52.6%
2	SOME	2322	321699.9		32.4%

SPV_3: Spiritual values:strength for difficulty

Value	Label	Cases	Weighted	Percentage (Weighted)
3	A LITTLE	789	122295.4	12.3%
4	NOT AT ALL	198	26204.3	2.6%
6	NOT APPLICABLE	116960	28264120.6	
7	DON'T KNOW	86	7511.0	
8	REFUSAL	5	477.5	
9	NOT STATED	565	70715.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPV_4: Spiritual values help w/difficulty of life

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=7264 / 986647.24] [Invalid=117665 / 28348563.72]
Literal question	To what extent do your spiritual values help you to understand the difficulties of life?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	3750	497204.5	50.4%
2	SOME	2396	326635.0	33.1%
3	A LITTLE	884	131080.3	13.3%
4	NOT AT ALL	234	31727.4	3.2%
6	NOT APPLICABLE	116960	28264120.6	
7	DON'T KNOW	126	12586.6	
8	REFUSAL	13	1066.6	
9	NOT STATED	566	70789.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPVGRL: Religion - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=10851 / 1530405.94] [Invalid=114078 / 27804805.02]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	CHRISTIAN	9234	1253825.4	81.9%
2	OTHER RELIGIONS	395	81500.8	5.3%
3	NO RELIGIOUS AFFILIATN	1222	195079.8	12.7%
6	NOT APPLICABLE	113181	27689313.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	897	115491.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPV_6: Past yr,freq at religious service/meeting

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=10812 / 1526059.43] [Invalid=114117 / 27809151.53]
Literal question	Not counting events such as weddings or funerals, during the past 12 months, how often did you participate in religious activities or attend religious services or meetings?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	AT LEAST ONCE/WEEK	2781	369296.0	24.2%
2	ONCE A MONTH	1304	165203.3	10.8%
3	AT LEAST 3 TIMES/YEAR	1213	171250.1	11.2%
4	ONCE A YEAR	1535	239995.6	15.7%

SPV_6: Past yr,freq at religious service/meeting

Value	Label	Cases	Weighted	Percentage (Weighted)
5	NOT AT ALL	3979	580314.3	38.0%
6	NOT APPLICABLE	113181	27689313.2	
7	DON'T KNOW	24	2770.7	
8	REFUSAL	12	1290.0	
9	NOT STATED	900	115777.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPV_6B: Past yr,engage religious/spiritual actvty

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=10765 / 1522027.69] [Invalid=114164 / 27813183.27]
Literal question	In the past 12 months, how often did you engage in religious or spirituala ctivities on your own, including prayer, meditation and other forms of worship taking place at home or in any other location?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONCE A DAY	3680	466978.1	30.7%
2	ONCE A WEEK	1769	255223.7	16.8%
3	ONCE A MONTH	904	124704.7	8.2%
4	ONCE A YEAR	475	76955.9	5.1%
5	ONCE OR TWICE A YEAR	620	95309.1	6.3%
6	NOT AT ALL	3317	502856.3	33.0%
96	NOT APPLICABLE	113181	27689313.2	
97	REFUSAL	57	5572.5	
98	REFUSAL	25	2474.1	
99	NOT STATED	901	115823.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPV_7: In general, would you say you are:

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=10597 / 1502346.7] [Invalid=114332 / 27832864.26]
Literal question	In general, would you say that you are: (very religious, religious, not very religious, not very religious at all)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY RELIGIOUS	1016	132631.0	8.8%
2	RELIGIOUS	4357	564045.1	37.5%
3	NOT VERY RELIGIOUS	3179	467938.9	31.1%
4	NOT RELIGIOUS AT ALL	2045	337731.6	22.5%
6	NOT APPLICABLE	113181	27689313.2	
7	DON'T KNOW	208	22866.4	
8	REFUSAL	41	4644.7	
9	NOT STATED	902	116039.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOCMH: Module:Consultatns about mentl hlth-CMH-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124929 / 29335210.96] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	124929	29335211.0	100.0%
2	NO	0	0.0	

DOCMH: Module:Consultatns about mentl hlth-CMH-F

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMH_01K: Past yr,seen professional re:mental hlth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=119356 / 28098887.98] [Invalid=5573 / 1236322.98]
Literal question	In the past 12 months, that is, from ^DATEONEYEARAGO to yesterday, have you seen or talked to a health professional about your emotional or mental health?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15400	3592685.8	12.8%
2	NO	103956	24506202.2	87.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	123	18938.4	
8	REFUSAL	148	26267.6	
9	NOT STATED	5302	1191116.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMHG01L: #times seen professional re:mental hlth-G

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=15210 / 3563336.42] [Invalid=109719 / 25771874.54]
Literal question	How many times (in the past 12 months)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CONSULTATION	4096	948398.3	26.6%
2	2 CONSULTATIONS	2823	657153.6	18.4%
3	3 CONSULTATIONS	1618	373743.9	10.5%
4	4 CONSULTATIONS	1365	304919.3	8.6%
5	5 CONSULTATIONS	706	158426.8	4.4%
6	6 CONSULTATIONS	917	213337.3	6.0%
7	7 CONSULTATIONS	174	49811.0	1.4%
8	8 CONSULTATIONS	354	93489.6	2.6%
9	9 CONSULTATIONS	68	12034.5	0.3%
10	10 CONSULTATIONS	443	109492.0	3.1%
11	11 CONSULTATIONS	21	3239.8	0.1%
12	12+ CONSULTATIONS	2625	639290.4	17.9%
96	NOT APPLICABLE	103956	24506202.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	5763	1265672.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMH_1MA: Saw mental hlth professional:Family doc

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15354 / 3584773.8] [Invalid=109575 / 25750437.16]

CMH_1MA: Saw mental hlth professional:Family doc

Literal question	Whom did you see or talk to? - Family doctor or general practitioner			

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
1	YES	8614	1981547.7	55.3%
2	NO	6740	1603226.1	44.7%
6	NOT APPLICABLE	103956	24506202.2	
7	DON'T KNOW	33	6577.7	
8	REFUSAL	6	505.2	
9	NOT STATED	5580	1237152.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMH_1MB: Saw mental hlth professional:Psychiatrist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=15354 / 3584773.8] [Invalid=109575 / 25750437.16]			
Literal question	Whom did you see or talk to? - Psychiatrist			

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
1	YES	2772	642696.5	17.9%
2	NO	12582	2942077.3	82.1%
6	NOT APPLICABLE	103956	24506202.2	
7	DON'T KNOW	33	6577.7	
8	REFUSAL	6	505.2	
9	NOT STATED	5580	1237152.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMH_1MC: Saw mental hlth professional:Psychologist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=15354 / 3584773.8] [Invalid=109575 / 25750437.16]			
Literal question	Whom did you see or talk to? - Psychologist			

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
1	YES	2795	790965.4	22.1%
2	NO	12559	2793808.4	77.9%
6	NOT APPLICABLE	103956	24506202.2	
7	DON'T KNOW	33	6577.7	
8	REFUSAL	6	505.2	
9	NOT STATED	5580	1237152.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMH_1MD: Saw mental hlth professional: Nurse

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=15354 / 3584773.8] [Invalid=109575 / 25750437.16]			
Literal question	Whom did you see or talk to? - Nurse			

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
1	YES	860	155579.1	4.3%
2	NO	14494	3429194.7	95.7%
6	NOT APPLICABLE	103956	24506202.2	
7	DON'T KNOW	33	6577.7	
8	REFUSAL	6	505.2	

CMH_1MD: Saw mental hlth professional: Nurse

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	5580	1237152.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMH_1ME: Saw mental hlth professionl:Social worker

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15354 / 3584773.8] [Invalid=109575 / 25750437.16]
Literal question	Whom did you see or talk to? - Social worker or counsellor

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3505	756023.2	21.1%
2	NO	11849	2828750.6	78.9%
6	NOT APPLICABLE	103956	24506202.2	
7	DON'T KNOW	33	6577.7	
8	REFUSAL	6	505.2	
9	NOT STATED	5580	1237152.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMH_1MF: Saw mental hlth professional: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15354 / 3584773.8] [Invalid=109575 / 25750437.16]
Literal question	Whom did you see or talk to? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	993	221206.2	6.2%
2	NO	14361	3363567.6	93.8%
6	NOT APPLICABLE	103956	24506202.2	
7	DON'T KNOW	33	6577.7	
8	REFUSAL	6	505.2	
9	NOT STATED	5580	1237152.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DODIS: Module: Distress-DIS - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=50076 / 12295660.75] [Invalid=74853 / 17039550.21]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	50076	12295660.8	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10A: Past month, felt tired out

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=47235 / 11658514.49] [Invalid=77694 / 17676696.47]
Literal question	During the past month, that is, from [date one month ago] to yesterday, about how often did you feel: ... tired out for no good reason?

DIS_10A: Past month, felt tired out

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	1412	298198.6	2.6%
2	MOST OF THE TIME	2655	601074.8	5.2%
3	SOME OF THE TIME	9862	2345081.7	20.1%
4	LITTLE OF TIME	13668	3305496.6	28.4%
5	NONE OF THE TIME	19638	5108662.9	43.8%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	323	60844.4	
8	REFUSAL	187	39650.5	
9	NOT STATED	2331	536651.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10B: Past month, felt nervous

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=47057 / 11614847.47] [Invalid=77872 / 17720363.49]
Literal question	During the past month, that is, from [date one month ago] to yesterday, about how often did you feel: ... nervous?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	585	143545.8	1.2%
2	MOST OF THE TIME	1286	351926.1	3.0%
3	SOME OF THE TIME	6926	1822552.3	15.7%
4	LITTLE OF TIME	12386	3196997.7	27.5%
5	NONE OF THE TIME	25874	6099825.5	52.5%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	158	35130.1	
8	REFUSAL	14	6823.0	
9	NOT STATED	2847	638860.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10C: Past month, felt so nervous couldn't calm

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=46956 / 11592685.33] [Invalid=77973 / 17742525.63]
Literal question	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... so nervous that nothing could calm you down?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	111	27302.4	0.2%
2	MOST OF THE TIME	262	69700.4	0.6%
3	SOME OF THE TIME	1015	287740.3	2.5%
4	LITTLE OF TIME	1851	540448.4	4.7%
5	NONE OF THE TIME	43717	10667493.9	92.0%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	95	21139.8	
8	REFUSAL	4	613.6	
9	NOT STATED	3021	681222.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10D: Past month, felt hopeless

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

DIS_10D: Past month, felt hopeless

Statistics [NW/ W]	[Valid=47063 / 11632039.62] [Invalid=77866 / 17703171.34]
Literal question	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... hopeless?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	253	58139.8	0.5%
2	MOST OF THE TIME	551	138975.8	1.2%
3	SOME OF THE TIME	2279	570271.6	4.9%
4	LITTLE OF TIME	3490	923420.8	7.9%
5	NONE OF THE TIME	40490	9941231.6	85.5%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	135	16449.1	
8	REFUSAL	26	7335.1	
9	NOT STATED	2852	639837.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10E: Past month, felt restless

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=46992 / 11617691.57] [Invalid=77937 / 17717519.39]
Literal question	During the past month, that is, from [date one month ago] to yesterday, about how often did you feel: ... restless or fidgety?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	1030	229803.3	2.0%
2	MOST OF THE TIME	1509	389728.9	3.4%
3	SOME OF THE TIME	7562	1917223.1	16.5%
4	LITTLE OF TIME	9376	2306904.3	19.9%
5	NONE OF THE TIME	27515	6774032.0	58.3%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	206	31995.6	
8	REFUSAL	23	5714.5	
9	NOT STATED	2855	640259.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10F: Past month, could not sit still

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=46887 / 11597608.41] [Invalid=78042 / 17737602.55]
Literal question	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... so restless you could not sit still?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	474	113367.1	1.0%
2	MOST OF THE TIME	707	166441.7	1.4%
3	SOME OF THE TIME	2566	646293.0	5.6%
4	LITTLE OF TIME	3096	847166.4	7.3%
5	NONE OF THE TIME	40044	9824340.2	84.7%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	97	17810.0	
8	REFUSAL	6	1910.7	
9	NOT STATED	3086	678331.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10G: Past month, felt sad or depressed

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=47016 / 11625468.2] [Invalid=77913 / 17709742.76]			
Literal question	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... sad or depressed?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	521	116559.2	1.0%
2	MOST OF THE TIME	1276	331492.7	2.9%
3	SOME OF THE TIME	6037	1437915.1	12.4%
4	LITTLE OF TIME	10102	2489115.9	21.4%
5	NONE OF THE TIME	29080	7250385.3	62.4%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	159	20566.0	
8	REFUSAL	40	8714.5	
9	NOT STATED	2861	640912.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10H: Past mth,depressed&nothing could cheer up

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=46914 / 11609504.46] [Invalid=78015 / 17725706.5]			
Literal question	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... so depressed that nothing could cheer you up?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	205	43836.2	0.4%
2	MOST OF THE TIME	480	118832.3	1.0%
3	SOME OF THE TIME	1497	372053.2	3.2%
4	LITTLE OF TIME	1882	541331.7	4.7%
5	NONE OF THE TIME	42850	10533451.1	90.7%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	96	15065.4	
8	REFUSAL	6	898.4	
9	NOT STATED	3060	670192.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10I: Past month, everything was an effort

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=46843 / 11577088.59] [Invalid=78086 / 17758122.37]			
Literal question	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... that everything was an effort?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	1132	266206.2	2.3%
2	MOST OF THE TIME	1719	418398.4	3.6%
3	SOME OF THE TIME	5227	1263383.9	10.9%
4	LITTLE OF TIME	5774	1590429.1	13.7%
5	NONE OF THE TIME	32991	8038671.0	69.4%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	329	64510.3	
8	REFUSAL	40	12321.4	

DIS_10I: Past month, everything was an effort

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	2864	641740.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10J: Past month, felt worthless

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=46997 / 11611105.71] [Invalid=77932 / 17724105.25]
Literal question	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... worthless?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	260	52523.9	0.5%
2	MOST OF THE TIME	555	129401.4	1.1%
3	SOME OF THE TIME	1880	452993.0	3.9%
4	LITTLE OF TIME	2339	624143.7	5.4%
5	NONE OF THE TIME	41963	10352043.7	89.2%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	166	30280.5	
8	REFUSAL	47	11729.3	
9	NOT STATED	2866	642545.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10K: Past mth,frequency of distressed feelings

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=46669 / 11560116.86] [Invalid=78260 / 17775094.1]
Literal question	We just talked about feelings that occurred to different degrees during the past month. Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MORE OFTEN	5393	1318113.4	11.4%
2	LESS OFTEN	4328	1090484.3	9.4%
3	ABOUT THE SAME	27636	6924801.2	59.9%
4	NEVER HAD ANY	9312	2226718.1	19.3%
6	NOT APPLICABLE	74853	17039550.2	
7	DON'T KNOW	446	71286.1	
8	REFUSAL	64	13342.2	
9	NOT STATED	2897	650915.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10L: Freq of distressed feelings(a lot more)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=5364 / 1314660.66] [Invalid=119565 / 28020550.3]
Literal question	Is that a lot more, somewhat more or only a little more often than usual?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	1883	465899.8	35.4%
2	SOMEWHAT	1676	416116.2	31.7%
3	A LITTLE	1805	432644.7	32.9%
6	NOT APPLICABLE	116129	27281553.7	
7	DON'T KNOW	27	3310.2	
8	REFUSAL	2	142.5	

DIS_10L: Freq of distressed feelings(a lot more)

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	3407	735543.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10M: Freq of distressed feelings(a lot less)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=4245 / 1079373] [Invalid=120684 / 28255837.96]
Literal question	Is that a lot less, somewhat less or only a little less often than usual?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	A LOT	1616	371193.8		34.4%
2	SOMEWHAT	1177	328241.6		30.4%
3	A LITTLE	1452	379937.6		35.2%
6	NOT APPLICABLE	117194	27509182.8		
7	DON'T KNOW	76	10015.0		
8	REFUSAL	7	1096.2		
9	NOT STATED	3407	735543.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10N: Past month, feelings interfere w/life

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=37213 / 9306264.88] [Invalid=87716 / 20028946.08]
Literal question	During the past month, how much did these feelings usually interfere with your life or activities?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	A LOT	1808	447490.9	4.8%	
2	SOME	3771	969268.0	10.4%	
3	A LITTLE	8808	2233598.3	24.0%	
4	NOT AT ALL	22826	5655907.7		60.8%
6	NOT APPLICABLE	84165	19266268.3		
7	DON'T KNOW	118	16620.5		
8	REFUSAL	17	7556.0		
9	NOT STATED	3416	738501.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DISDK6: Distress scale - K6 - past month - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=46219 / 11472327.12] [Invalid=78710 / 17862883.84] [Mean=2.494 / 2.55] [StdDev=3.28 / 3.277]

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	74853	17039550.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	3857	823333.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DISDCHR: Chronicity of distress/impair. scale (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=46557 / 11545552.89] [Invalid=78372 / 17789658.07]

DISDCHR: Chronicity of distress/impair. scale (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT MORE	1883	465899.8	4.0%
2	SOMEWHAT MORE	1676	416116.2	3.6%
3	LITTLE MORE	1805	432644.7	3.7%
4	ABOUT THE SAME	27636	6924801.2	60.0%
5	LITTLE LESS	1452	379937.6	3.3%
6	SOMEWHAT LESS	1177	328241.6	2.8%
7	A LOT LESS	1616	371193.8	3.2%
8	NEVER HAD ANY	9312	2226718.1	19.3%
96	NOT APPLICABLE	74853	17039550.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	3519	750107.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DISDDSX: Distress scale - K10 - past month - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
Statistics [NW/ W]	[Valid=46095 / 11446264.86] [Invalid=78834 / 17888946.1] [Mean=4.428 / 4.445] [StdDev=5.193 / 5.212]
Literal question	Respondents with DODIS = 1

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	74853	17039550.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	3981	849395.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DODEP: Module: Depression-DPS - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21975 / 2864622.9] [Invalid=102954 / 26470588.06]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21975	2864622.9	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	102954	26470588.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_02: Past year, felt depressed > 2 wks+

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21156 / 2767831.15] [Invalid=103773 / 26567379.81]
Literal question	During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2706	383708.6	13.9%
2	NO	18450	2384122.5	86.1%
6	NOT APPLICABLE	102954	26470588.1	

DPS_02: Past year, felt depressed > 2 wks+

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	49	4846.9	
8	REFUSAL	37	3763.4	
9	NOT STATED	733	88181.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_03: 2 wk period: Length feelings lasted

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=2667 / 379813.11] [Invalid=122262 / 28955397.85]
Literal question	For the next few questions, please think of the 2-week period during the past 12 months when these feelings were the worst. During that time, did these feelings usually last:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL DAY LONG	647	96024.5	25.3%
2	MOST OF THE DAY	890	132437.7	34.9%
3	ABOUT HALF DAY	575	82124.1	21.6%
4	LESS THAN HALF DAY	555	69226.8	18.2%
6	NOT APPLICABLE	121404	28854710.6	
7	DON'T KNOW	32	3582.0	
8	REFUSAL	6	281.2	
9	NOT STATED	820	96824.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_04: 2 wk period: Freq of depression

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=1531 / 227899.19] [Invalid=123398 / 29107311.77]
Literal question	How often did you feel this way during those 2 weeks?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	779	111097.6	48.7%
2	ALMOST EVERY DAY	654	105503.4	46.3%
3	LESS OFTEN	98	11298.2	5.0%
6	NOT APPLICABLE	122534	29006061.5	
7	DON'T KNOW	6	563.0	
8	REFUSAL	0	0.0	
9	NOT STATED	858	100687.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_05: 2 wk period: Lost interest in most things

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1428 / 216018.38] [Invalid=123501 / 29119192.58]
Literal question	During those 2 weeks did you lose interest in most things?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1185	177964.5	82.4%
2	NO	243	38053.9	17.6%
6	NOT APPLICABLE	122632	29017359.8	
7	DON'T KNOW	5	582.6	
8	REFUSAL	0	0.0	
9	NOT STATED	864	101250.2	

DPS_05: 2 wk period: Lost interest in most things

DPS_06: 2 wk period: Felt tired all of the time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1424 / 215825.57] [Invalid=123505 / 29119385.39]
Literal question	Did you feel tired out or low on energy all of the time?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1246	189463.6		87.8%
2	NO	178	26362.0	12.2%	
6	NOT APPLICABLE	122632	29017359.8		
7	DON'T KNOW	4	192.8		
8	REFUSAL	0	0.0		
9	NOT STATED	869	101832.8		

DPS_07: 2 wk period: Weight change

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1406 / 214528.96] [Invalid=123523 / 29120682]
Literal question	Did you gain weight, lose weight or stay about the same?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	GAINED WEIGHT	281	42039.8	19.6%	
2	LOST WEIGHT	392	57967.7	27.0%	
3	STAYED SAME	731	113883.1		53.1%
4	WAS ON A DIET	2	638.4	0.3%	
6	NOT APPLICABLE	122632	29017359.8		
7	DON'T KNOW	18	1296.6		
8	REFUSAL	0	0.0		
9	NOT STATED	873	102025.6		

DPS_08A: 2 wk period: Amount weight changed

Information	[Type= continuous] [Format=numeric] [Range= 1-90] [Missing=*]
Statistics [NW/ W]	[Valid=613 / 92895.21] [Invalid=124316 / 29242315.75] [Mean=13.698 / 13.24] [StdDev=11.548 / 11.195]
Literal question	About how much did you ^DT_GAINLOST?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	123365	29131881.3	
997	DON'T KNOW	57	6999.0	
998	REFUSAL	3	113.2	
999	NOT STATED	891	103322.2	

DPS_08B: 2 wk period: Amount weight changed(lb/kg)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=613 / 92895.21] [Invalid=124316 / 29242315.75]
Interviewer's instructions	Interviewer: Was that in pounds or in kilograms?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	POUNDS	609	92210.1		99.3%

DPS_08B: 2 wk period: Amount weight changed(lb/kg)

Value	Label	Cases	Weighted	Percentage (Weighted)
2	KILOGRAMS	4	685.2	0.7%
6	NOT APPLICABLE	123365	29131881.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	951	110434.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_09: 2 wk period: Trouble falling asleep

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1394 / 213681.41] [Invalid=123535 / 29121529.55]
Literal question	Did you have more trouble falling asleep than you usually do?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1004	151863.4	71.1%
2	NO	390	61818.0	28.9%
6	NOT APPLICABLE	122632	29017359.8	
7	DON'T KNOW	8	685.0	
8	REFUSAL	4	162.6	
9	NOT STATED	891	103322.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_10: 2 wk period: Freq trouble falling asleep

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=998 / 151263.66] [Invalid=123931 / 29183947.3]
Literal question	How often did that happen?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY NIGHT	437	63034.7	41.7%
2	NEARLY EVERY	462	76432.5	50.5%
3	LESS OFTEN	99	11796.4	7.8%
6	NOT APPLICABLE	123022	29079177.8	
7	DON'T KNOW	6	599.7	
8	REFUSAL	0	0.0	
9	NOT STATED	903	104169.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_11: 2 wk period: Trouble concentrating

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1378 / 212369.4] [Invalid=123551 / 29122841.56]
Literal question	Did you have a lot more trouble concentrating than usual?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1143	177969.6	83.8%
2	NO	235	34399.8	16.2%
6	NOT APPLICABLE	122632	29017359.8	
7	DON'T KNOW	10	712.3	
8	REFUSAL	0	0.0	
9	NOT STATED	909	104769.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_12: 2 wk period: Felt down on self

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1374 / 211825.33] [Invalid=123555 / 29123385.63]
Literal question	At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	925	144617.6		68.3%
2	NO	449	67207.8		31.7%
6	NOT APPLICABLE	122632	29017359.8		
7	DON'T KNOW	4	544.1		
8	REFUSAL	0	0.0		
9	NOT STATED	919	105481.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_13: 2 wk period: Thought a lot about death

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1365 / 211058.82] [Invalid=123564 / 29124152.14]
Literal question	Did you think a lot about death - either your own, someone else's or death in general?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	831	116335.4		55.1%
2	NO	534	94723.4		44.9%
6	NOT APPLICABLE	122632	29017359.8		
7	DON'T KNOW	5	670.6		
8	REFUSAL	4	95.9		
9	NOT STATED	923	106025.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_14: Past year, # of weeks felt depressed

Information	[Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]
Statistics [NW/ W]	[Valid=1286 / 201801.55] [Invalid=123643 / 29133409.41] [Mean=13.928 / 13.065] [StdDev=14.423 / 13.458]
Literal question	About how many weeks altogether did you feel this way during the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	122641	29019180.5	
97	DON'T KNOW	69	7426.0	
98	REFUSAL	1	10.6	
99	NOT STATED	932	106792.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_15: Most recent month felt depressed

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=1159 / 187280.99] [Invalid=123770 / 29147929.97]
Literal question	Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	142	24199.7	12.9%
2	FEBRUARY	117	19697.6	10.5%
3	MARCH	106	17994.7	9.6%
4	APRIL	85	14849.8	7.9%
5	MAY	83	14168.2	7.6%
6	JUNE	85	13022.1	7.0%
7	JULY	92	18119.6	9.7%
8	AUGUST	66	11406.9	6.1%
9	SEPTEMBER	102	13309.6	7.1%
10	OCTOBER	77	9134.9	4.9%
11	NOVEMBER	95	14439.8	7.7%
12	DECEMBER	109	16938.2	9.0%
96	NOT APPLICABLE	122724	29028520.7	
97	DON'T KNOW	42	5021.9	
98	REFUSAL	2	158.4	
99	NOT STATED	1002	114228.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_16: Past yr,lost interest most things 2 wks+

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19613 / 2542414.21] [Invalid=105316 / 26792796.75]
Literal question	During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work or activities that usually give you pleasure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1392	186152.2	7.3%
2	NO	18221	2356262.0	92.7%
6	NOT APPLICABLE	104387	26687189.0	
7	DON'T KNOW	59	3724.9	
8	REFUSAL	5	540.5	
9	NOT STATED	865	101342.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_17: Past yr, length interest loss 2 wk period

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1373 / 184779.79] [Invalid=123556 / 29150431.17]
Literal question	For the next few questions, please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL DAY LONG	228	29446.4	15.9%
2	MOST OF THE DAY	334	48964.7	26.5%
3	ABOUT HALF DAY	450	58141.4	31.5%
4	LESS HALF DAY	361	48227.2	26.1%
6	NOT APPLICABLE	122608	29043451.0	
7	DON'T KNOW	18	1243.0	
8	REFUSAL	1	129.4	
9	NOT STATED	929	105607.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_18: Length of interest loss 2 wk period

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=556 / 78151.6] [Invalid=124373 / 29257059.36]
Literal question	How often did you feel this way during those 2 weeks?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	139	18400.5	23.5%
2	ALMOST EVERY DAY	279	42200.3	54.0%
3	LESS OFTEN	138	17550.8	22.5%
6	NOT APPLICABLE	123419	29149819.6	
7	DON'T KNOW	4	169.4	
8	REFUSAL	2	90.1	
9	NOT STATED	948	106980.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_19: 2 wk period: felt tired all the time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=418 / 60600.8] [Invalid=124511 / 29274610.16]
Literal question	During those 2 weeks did you feel tired out or low on energy all the time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	366	52333.5	86.4%
2	NO	52	8267.3	13.6%
6	NOT APPLICABLE	123557	29167370.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	954	107239.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_20: Loss interest weight change 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=414 / 60261.47] [Invalid=124515 / 29274949.49]
Literal question	Did you gain weight, lose weight, or stay about the same?

DPS_20: Loss interest weight change 2 wk

Value	Label	Cases	Weighted	Percentage (Weighted)
1	GAINED WEIGHT	84	14002.0	23.2%
2	LOST WEIGHT	89	10928.5	18.1%
3	STAYED SAME	241	35331.0	58.6%
4	WAS ON A DIET	0	0.0	
6	NOT APPLICABLE	123557	29167370.4	
7	DON'T KNOW	4	339.3	
8	REFUSAL	0	0.0	
9	NOT STATED	954	107239.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_21A: Loss interest weight change amount 2 wk

Information	[Type= continuous] [Format=numeric] [Range= 1-60] [Missing=*]
Statistics [NW/ W]	[Valid=162 / 23883.84] [Invalid=124767 / 29311327.12] [Mean=12.16 / 12.619] [StdDev=10.197 / 10.894]
Literal question	About how much did you ^DT_WEIGHT?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	123798	29202701.4	
997	DON'T KNOW	11	1046.7	
998	REFUSAL	0	0.0	
999	NOT STATED	958	107579.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_21B: Loss interest weight change (lb/kg) 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=162 / 23883.84] [Invalid=124767 / 29311327.12]
Interviewer's instructions	Interviewer: Was that in pounds or in kilograms?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	POUNDS	162	23883.8	100.0%
2	KILOGRAMS	0	0.0	
6	NOT APPLICABLE	123798	29202701.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	969	108625.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_22: Loss interest trouble fall asleep 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=412 / 60148.41] [Invalid=124517 / 29275062.55]
Literal question	Did you have more trouble falling asleep than you usually do?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	250	33582.3	55.8%
2	NO	162	26566.1	44.2%
6	NOT APPLICABLE	123557	29167370.4	
7	DON'T KNOW	2	113.1	
8	REFUSAL	0	0.0	
9	NOT STATED	958	107579.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_23: Loss interest freq trouble to sleep 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=246 / 33409.06] [Invalid=124683 / 29301801.9]
Literal question	How often did that happen?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	EVERY NIGHT	90	13280.7		39.8%
2	NEARLY EVERY	120	15636.7		46.8%
3	LESS OFTEN	36	4491.7	13.4%	
6	NOT APPLICABLE	123719	29193936.6		
7	DON'T KNOW	4	173.2		
8	REFUSAL	0	0.0		
9	NOT STATED	960	107692.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_24: Loss interest trouble concentrating 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=408 / 59975.17] [Invalid=124521 / 29275235.79]
Literal question	Did you have a lot more trouble concentrating than usual?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	304	43399.7		72.4%
2	NO	104	16575.4	27.6%	
6	NOT APPLICABLE	123557	29167370.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	964	107865.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_25: Loss interest felt down on self 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=405 / 59858.4] [Invalid=124524 / 29275352.56]
Literal question	At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	249	37797.5		63.1%
2	NO	156	22060.9	36.9%	
6	NOT APPLICABLE	123557	29167370.4		
7	DON'T KNOW	2	54.1		
8	REFUSAL	0	0.0		
9	NOT STATED	965	107928.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_26: Loss interest thought a lot/death 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=405 / 59858.4] [Invalid=124524 / 29275352.56]
Literal question	Did you think a lot about death - either your own, someone else's, or death in general?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	201	27211.4		45.5%
2	NO	204	32647.0		54.5%

DPS_26: Loss interest thought a lot/death 2 wk

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	123557	29167370.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	967	107982.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_27: Past yr,loss interest # of weeks

Information	[Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]
Statistics [NW/ W]	[Valid=365 / 53115.09] [Invalid=124564 / 29282095.87] [Mean=10.989 / 9.276] [StdDev=13.653 / 11.256]
Literal question	About how many weeks did you feel this way during the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	123569	29169632.1	
97	DON'T KNOW	27	4454.4	
98	REFUSAL	1	27.3	
99	NOT STATED	967	107982.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_28: Loss interest most recent month 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=337 / 50159.63] [Invalid=124592 / 29285051.33]
Literal question	Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	33	3863.0	7.7%
2	FEBRUARY	46	7584.3	15.1%
3	MARCH	28	4444.1	8.9%
4	APRIL	31	2674.6	5.3%
5	MAY	29	4443.2	8.9%
6	JUNE	20	3635.1	7.2%
7	JULY	24	3141.6	6.3%
8	AUGUST	21	2647.9	5.3%
9	SEPTEMBER	24	2892.2	5.8%
10	OCTOBER	18	3250.5	6.5%
11	NOVEMBER	30	5651.1	11.3%
12	DECEMBER	33	5932.0	11.8%
96	NOT APPLICABLE	123588	29171289.9	
97	DON'T KNOW	8	1235.1	
98	REFUSAL	1	62.6	
99	NOT STATED	995	112463.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPSDSF: Depr. scale - short form score - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=20940 / 2751098.66] [Invalid=103989 / 26584112.3]

Value	Label	Cases	Weighted	Percentage (Weighted)
0		19170	2480181.4	90.2%
1		27	4925.5	0.2%

DPSDSF: Depr. scale - short form score - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
2		63	10555.7	0.4%
3		130	23116.0	0.8%
4		230	31122.8	1.1%
5		382	58677.2	2.1%
6		429	69343.0	2.5%
7		370	51459.0	1.9%
8		139	21717.9	0.8%
96	NOT APPLICABLE	102954	26470588.1	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1035	113524.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPSDPP: Depr. scale - predicted prob. - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-0.9] [Missing=*]
Statistics [NW/ W]	[Valid=20940 / 2751098.66] [Invalid=103989 / 26584112.3]

Value	Label	Cases	Weighted	Percentage (Weighted)
0	0.00	19170	2480181.4	90.2%
0.05	0.05	27	4925.5	0.2%
0.25	0.25	63	10555.7	0.4%
0.5	0.50	130	23116.0	0.8%
0.8	0.80	230	31122.8	1.1%
0.9	0.90	1320	201197.2	7.3%
9.96	NOT APPLICABLE	102954	26470588.1	
9.97	DON'T KNOW	0	0.0	
9.98	REFUSAL	0	0.0	
9.99	NOT STATED	1035	113524.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPSDWK: No. of weeks felt depressed - (D)

Information	[Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]
Statistics [NW/ W]	[Valid=1596 / 248938.56] [Invalid=123333 / 29086272.4] [Mean=13.226 / 12.294] [StdDev=14.305 / 13.151]

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	122145	28954851.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1188	131420.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPSDMT: Month last felt depressed 2 wk in a row-D

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=1451 / 232359.76] [Invalid=123478 / 29102851.2]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	173	27891.7	12.0%
2	FEBRUARY	160	27151.9	11.7%
3	MARCH	127	21709.8	9.3%

DPSDMT: Month last felt depressed 2 wk in a row-D

Value	Label	Cases	Weighted	Percentage (Weighted)
4	APRIL	111	17069.3	7.3%
5	MAY	109	17834.4	7.7%
6	JUNE	104	16625.5	7.2%
7	JULY	113	21104.3	9.1%
8	AUGUST	85	13863.1	6.0%
9	SEPTEMBER	123	16075.7	6.9%
10	OCTOBER	90	11378.4	4.9%
11	NOVEMBER	120	19422.7	8.4%
12	DECEMBER	136	22233.0	9.6%
96	NOT APPLICABLE	122247	28965849.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1231	137001.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSUI: Module: Suicidal thoughts&attempts-SUI-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22107 / 4453597.83] [Invalid=102822 / 24881613.13]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22107	4453597.8	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	102822	24881613.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SUI_1: Lifetime: Has considered suicide

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=20432 / 4155665.64] [Invalid=104497 / 25179545.32]
Literal question	Have you ever seriously considered committing suicide or taking your own life?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1866	409586.0	9.9%
2	NO	18566	3746079.7	90.1%
6	NOT APPLICABLE	103759	25057699.1	
7	DON'T KNOW	46	6598.1	
8	REFUSAL	81	11618.7	
9	NOT STATED	611	103629.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SUI_2: Past year, has considered suicide

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1864 / 408920.21] [Invalid=123065 / 28926290.75]
Literal question	Has this happened in the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	413	87578.7	21.4%

SUI_2: Past year, has considered suicide

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	1451	321341.5		78.6%
6	NOT APPLICABLE	122325	28803778.8		
7	DON'T KNOW	1	649.7		
8	REFUSAL	1	16.0		
9	NOT STATED	738	121846.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOACC: Module:Access to hlth care services-ACC-F

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15413 / 3937383.27] [Invalid=109516 / 25397827.69]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	15413	3937383.3		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	109516	25397827.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_10: Past yr,need visit to medical specialist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14099 / 3631160.87] [Invalid=110830 / 25704050.09]
Literal question	In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5107	1211206.5		33.4%
2	NO	8992	2419954.4		66.6%
6	NOT APPLICABLE	110076	25547557.1		
7	DON'T KNOW	15	2426.6		
8	REFUSAL	29	5191.8		
9	NOT STATED	710	148874.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_11: Past yr,difficulty getting specialist care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5106 / 1210961.36] [Invalid=119823 / 28124249.6]
Literal question	In the past 12 months, did you ever experience any difficulties getting the specialist care you needed for a diagnosis or consultation?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1240	299678.6		24.7%
2	NO	3866	911282.8		75.3%
6	NOT APPLICABLE	119068	27967511.5		
7	DON'T KNOW	1	245.1		
8	REFUSAL	0	0.0		
9	NOT STATED	754	156493.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12A: Care difficulty: Getting a referral

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1239 / 299597.44] [Invalid=123690 / 29035613.52]
Literal question	What type of difficulties did you experience? - Difficulty getting a referral

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	139	34669.1	11.6%
2	NO	1100	264928.3	88.4%
6	NOT APPLICABLE	122934	28878794.3	
7	DON'T KNOW	1	81.1	
8	REFUSAL	0	0.0	
9	NOT STATED	755	156738.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12B: Care difficulty: Getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1239 / 299597.44] [Invalid=123690 / 29035613.52]
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	424	113016.7	37.7%
2	NO	815	186580.8	62.3%
6	NOT APPLICABLE	122934	28878794.3	
7	DON'T KNOW	1	81.1	
8	REFUSAL	0	0.0	
9	NOT STATED	755	156738.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12C: Care difficulty: No specialists in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1239 / 299597.44] [Invalid=123690 / 29035613.52]
Literal question	What type of difficulties did you experience? - No specialists in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	119	27316.5	9.1%
2	NO	1120	272281.0	90.9%
6	NOT APPLICABLE	122934	28878794.3	
7	DON'T KNOW	1	81.1	
8	REFUSAL	0	0.0	
9	NOT STATED	755	156738.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12D: Care difficulty: Wait too long for appt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1239 / 299597.44] [Invalid=123690 / 29035613.52]
Literal question	What type of difficulties did you experience? - Waited too long between booking appointment and visit

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	718	176654.8	59.0%
2	NO	521	122942.7	41.0%
6	NOT APPLICABLE	122934	28878794.3	

ACC_12D: Care difficulty: Wait too long for appt

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	1	81.1	
8	REFUSAL	0	0.0	
9	NOT STATED	755	156738.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12E: Care difficulty: Wait long in office

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1239 / 299597.44] [Invalid=123690 / 29035613.52]
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	157	37959.2	12.7%
2	NO	1082	261638.2	87.3%
6	NOT APPLICABLE	122934	28878794.3	
7	DON'T KNOW	1	81.1	
8	REFUSAL	0	0.0	
9	NOT STATED	755	156738.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12F: Care difficulty: Transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1239 / 299597.44] [Invalid=123690 / 29035613.52]
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	52	9730.1	3.2%
2	NO	1187	289867.3	96.8%
6	NOT APPLICABLE	122934	28878794.3	
7	DON'T KNOW	1	81.1	
8	REFUSAL	0	0.0	
9	NOT STATED	755	156738.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12G: Care difficulty: Language problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1239 / 299597.44] [Invalid=123690 / 29035613.52]
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	4191.9	1.4%
2	NO	1230	295405.5	98.6%
6	NOT APPLICABLE	122934	28878794.3	
7	DON'T KNOW	1	81.1	
8	REFUSAL	0	0.0	
9	NOT STATED	755	156738.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12H: Care difficulty: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

ACC_12H: Care difficulty: Cost

Statistics [NW/ W]	[Valid=1239 / 299597.44] [Invalid=123690 / 29035613.52]
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	46	9248.8	3.1%	
2	NO	1193	290348.6		96.9%
6	NOT APPLICABLE	122934	28878794.3		
7	DON'T KNOW	1	81.1		
8	REFUSAL	0	0.0		
9	NOT STATED	755	156738.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12I: Care difficulty: Personal responsibility

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1239 / 299597.44] [Invalid=123690 / 29035613.52]
Literal question	What type of difficulties did you experience? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	7	1228.8	0.4%	
2	NO	1232	298368.7		99.6%
6	NOT APPLICABLE	122934	28878794.3		
7	DON'T KNOW	1	81.1		
8	REFUSAL	0	0.0		
9	NOT STATED	755	156738.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12J: Care difficulty: Deterioration of health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1239 / 299597.44] [Invalid=123690 / 29035613.52]
Literal question	What type of difficulties did you experience? - General deterioration of health

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	44	8794.8	2.9%	
2	NO	1195	290802.7		97.1%
6	NOT APPLICABLE	122934	28878794.3		
7	DON'T KNOW	1	81.1		
8	REFUSAL	0	0.0		
9	NOT STATED	755	156738.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12K: Care difficulty: Appt cancelled/deferred

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1239 / 299597.44] [Invalid=123690 / 29035613.52]
Literal question	What type of difficulties did you experience? - Appointment cancelled or deferred by specialist

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	42	10432.4	3.5%	
2	NO	1197	289165.0		96.5%
6	NOT APPLICABLE	122934	28878794.3		
7	DON'T KNOW	1	81.1		

ACC_12K: Care difficulty: Appt cancelled/deferred

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	755	156738.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12L: Care difficulty: Still waiting for visit

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1239 / 299597.44] [Invalid=123690 / 29035613.52]
Literal question	What type of difficulties did you experience? - Still waiting for visit

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	99	27221.8	9.1%	
2	NO	1140	272375.6		90.9%
6	NOT APPLICABLE	122934	28878794.3		
7	DON'T KNOW	1	81.1		
8	REFUSAL	0	0.0		
9	NOT STATED	755	156738.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12M: Care difficulty: Unable leave house/hlth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1239 / 299597.44] [Invalid=123690 / 29035613.52]
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	11	2549.9	0.9%	
2	NO	1228	297047.6		99.1%
6	NOT APPLICABLE	122934	28878794.3		
7	DON'T KNOW	1	81.1		
8	REFUSAL	0	0.0		
9	NOT STATED	755	156738.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12N: Care difficulty: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1239 / 299597.44] [Invalid=123690 / 29035613.52]
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	178	36330.2	12.1%	
2	NO	1061	263267.2		87.9%
6	NOT APPLICABLE	122934	28878794.3		
7	DON'T KNOW	1	81.1		
8	REFUSAL	0	0.0		
9	NOT STATED	755	156738.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_20: Past year, require non-emergency surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14102 / 3630251.5] [Invalid=110827 / 25704959.46]

ACC_20: Past year, require non-emergency surgery

Literal question	In the past 12 months, did you require any non-emergency surgery?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1451	307468.1	8.5%
2	NO	12651	3322783.4	91.5%
6	NOT APPLICABLE	110076	25547557.1	
7	DON'T KNOW	10	1523.9	
8	REFUSAL	26	6367.4	
9	NOT STATED	715	149511.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_21: Past year, difficulty getting surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1449 / 307373.57] [Invalid=123480 / 29027837.39]
Literal question	In the past 12 months, did you ever experience any difficulties getting the surgery you needed?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	311	63255.6	20.6%
2	NO	1138	244118.0	79.4%
6	NOT APPLICABLE	122727	28870340.5	
7	DON'T KNOW	2	94.5	
8	REFUSAL	0	0.0	
9	NOT STATED	751	157402.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22A: Surgery difficulty: Getting an appt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=311 / 63255.55] [Invalid=124618 / 29271955.41]
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	82	14648.1	23.2%
2	NO	229	48607.4	76.8%
6	NOT APPLICABLE	123865	29114458.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	753	157496.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22B: Surgery difficulty: Getting a diagnosis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=311 / 63255.55] [Invalid=124618 / 29271955.41]
Literal question	What type of difficulties did you experience? - Difficulty getting a diagnosis

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29	6956.0	11.0%
2	NO	282	56299.5	89.0%
6	NOT APPLICABLE	123865	29114458.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

ACC_22B: Surgery difficulty: Getting a diagnosis

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	753	157496.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22C: Surgery difficulty: Wait long diag test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=311 / 63255.55] [Invalid=124618 / 29271955.41]
Literal question	What type of difficulties did you experience? - Waited too long for a diagnostic test

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	40	7487.0	11.8%
2	NO	271	55768.5	88.2%
6	NOT APPLICABLE	123865	29114458.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	753	157496.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22D: Surgery difficulty: No hospital bed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=311 / 63255.55] [Invalid=124618 / 29271955.41]
Literal question	What type of difficulties did you experience? - Waited too long for a hospital bed to become available

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	32	8046.2	12.7%
2	NO	279	55209.4	87.3%
6	NOT APPLICABLE	123865	29114458.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	753	157496.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22E: Surgery difficulty: Wait long for surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=311 / 63255.55] [Invalid=124618 / 29271955.41]
Literal question	What type of difficulties did you experience? - Waited too long for surgery

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	186	37455.7	59.2%
2	NO	125	25799.9	40.8%
6	NOT APPLICABLE	123865	29114458.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	753	157496.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22F: Surgery difficulty:Service not avail area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=311 / 63255.55] [Invalid=124618 / 29271955.41]
Literal question	What type of difficulties did you experience? - Service not available in the area

ACC_22F: Surgery difficulty:Service not avail area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	18	2801.4	4.4%	
2	NO	293	60454.2		95.6%
6	NOT APPLICABLE	123865	29114458.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	753	157496.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22G: Surgery difficulty: Transportation probs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=311 / 63255.55] [Invalid=124618 / 29271955.41]
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	11	1773.7	2.8%	
2	NO	300	61481.8		97.2%
6	NOT APPLICABLE	123865	29114458.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	753	157496.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22H: Surgery difficulty: Language problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=311 / 63255.55] [Invalid=124618 / 29271955.41]
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	311	63255.6		100.0%
6	NOT APPLICABLE	123865	29114458.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	753	157496.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22I: Surgery difficulty: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=311 / 63255.55] [Invalid=124618 / 29271955.41]
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	9	1198.9		1.9%
2	NO	302	62056.6		98.1%
6	NOT APPLICABLE	123865	29114458.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	753	157496.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22J: Surgery difficulty:Personl responsibility

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=311 / 63255.55] [Invalid=124618 / 29271955.41]
Literal question	What type of difficulties did you experience? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3	455.1		0.7%
2	NO	308	62800.4		99.3%
6	NOT APPLICABLE	123865	29114458.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	753	157496.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22K: Surgery difficulty:Deterioration of hlth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=311 / 63255.55] [Invalid=124618 / 29271955.41]
Literal question	What type of difficulties did you experience? - General deterioration of health

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	19	3543.0		5.6%
2	NO	292	59712.6		94.4%
6	NOT APPLICABLE	123865	29114458.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	753	157496.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22L: Surgery difficulty: Appt canceld/deferrd

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=311 / 63255.55] [Invalid=124618 / 29271955.41]
Literal question	What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	17	5442.9		8.6%
2	NO	294	57812.7		91.4%
6	NOT APPLICABLE	123865	29114458.6		

ACC_22L: Surgery difficulty: Appt canceld/deferrd

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	753	157496.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22M: Surgery difficulty:Still wait for surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=311 / 63255.55] [Invalid=124618 / 29271955.41]
Literal question	What type of difficulties did you experience? - Still waiting for surgery

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	50	9845.1	15.6%
2	NO	261	53410.5	84.4%
6	NOT APPLICABLE	123865	29114458.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	753	157496.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22N: Surgery difficulty:Unable leave house/hlth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=311 / 63255.55] [Invalid=124618 / 29271955.41]
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	587.2	0.9%
2	NO	308	62668.3	99.1%
6	NOT APPLICABLE	123865	29114458.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	753	157496.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22O: Surgery difficulty: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=311 / 63255.55] [Invalid=124618 / 29271955.41]
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	36	5920.8	9.4%
2	NO	275	57334.8	90.6%
6	NOT APPLICABLE	123865	29114458.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	753	157496.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_30: Past yr, required MRI/CAT/angiographies

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

ACC_30: Past yr, required MRI/CAT/angiographies

Statistics [NW/ W]	[Valid=14063 / 3622779.04] [Invalid=110866 / 25712431.92]			
Literal question	In the past 12 months, did you require one of these tests?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2234	504795.1	13.9%
2	NO	11829	3117984.0	86.1%
6	NOT APPLICABLE	110076	25547557.1	
7	DON'T KNOW	46	7048.4	
8	REFUSAL	26	7242.0	
9	NOT STATED	718	150584.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_31: Difficulty getting MRI/CAT/angiography

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2233 / 504747.68] [Invalid=122696 / 28830463.28]
Literal question	In the past 12 months, did you ever experience any difficulties getting the tests you needed?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	435	116804.2	23.1%
2	NO	1798	387943.5	76.9%
6	NOT APPLICABLE	121905	28665541.1	
7	DON'T KNOW	1	47.4	
8	REFUSAL	0	0.0	
9	NOT STATED	790	164874.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32A: Scan difficulty: Getting a referral

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=434 / 116565.7] [Invalid=124495 / 29218645.26]
Literal question	What type of difficulties did you experience? - Difficulty getting a referral

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	39	9399.3	8.1%
2	NO	395	107166.4	91.9%
6	NOT APPLICABLE	123703	29053484.6	
7	DON'T KNOW	1	238.5	
8	REFUSAL	0	0.0	
9	NOT STATED	791	164922.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32B: Scan difficulty: Getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=434 / 116565.7] [Invalid=124495 / 29218645.26]
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	77	25148.8	21.6%
2	NO	357	91416.9	78.4%
6	NOT APPLICABLE	123703	29053484.6	
7	DON'T KNOW	1	238.5	

ACC_32B: Scan difficulty: Getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	791	164922.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32C: Scan difficulty: Waited too long for appt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=434 / 116565.7] [Invalid=124495 / 29218645.26]
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	259	58778.2		50.4%
2	NO	175	57787.4		49.6%
6	NOT APPLICABLE	123703	29053484.6		
7	DON'T KNOW	1	238.5		
8	REFUSAL	0	0.0		
9	NOT STATED	791	164922.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32D: Scan difficulty: Waited too long get test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=434 / 116565.7] [Invalid=124495 / 29218645.26]
Literal question	What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	116	36690.4	31.5%	
2	NO	318	79875.3		68.5%
6	NOT APPLICABLE	123703	29053484.6		
7	DON'T KNOW	1	238.5		
8	REFUSAL	0	0.0		
9	NOT STATED	791	164922.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32E: Scan difficulty:Not avail at time requird

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=434 / 116565.7] [Invalid=124495 / 29218645.26]
Literal question	What type of difficulties did you experience? - Service not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	14	2657.8	2.3%	
2	NO	420	113907.9		97.7%
6	NOT APPLICABLE	123703	29053484.6		
7	DON'T KNOW	1	238.5		
8	REFUSAL	0	0.0		
9	NOT STATED	791	164922.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32F: Scan difficulty: Not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=434 / 116565.7] [Invalid=124495 / 29218645.26]

ACC_32F: Scan difficulty: Not available in area

Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29	4405.2	3.8%
2	NO	405	112160.5	96.2%
6	NOT APPLICABLE	123703	29053484.6	
7	DON'T KNOW	1	238.5	
8	REFUSAL	0	0.0	
9	NOT STATED	791	164922.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32G: Scan difficulty: Transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=434 / 116565.7] [Invalid=124495 / 29218645.26]
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	2585.4	2.2%
2	NO	417	113980.3	97.8%
6	NOT APPLICABLE	123703	29053484.6	
7	DON'T KNOW	1	238.5	
8	REFUSAL	0	0.0	
9	NOT STATED	791	164922.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32H: Scan difficulty: Language problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=434 / 116565.7] [Invalid=124495 / 29218645.26]
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	434	116565.7	100.0%
6	NOT APPLICABLE	123703	29053484.6	
7	DON'T KNOW	1	238.5	
8	REFUSAL	0	0.0	
9	NOT STATED	791	164922.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32I: Scan difficulty: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=434 / 116565.7] [Invalid=124495 / 29218645.26]
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16	2827.3	2.4%
2	NO	418	113738.4	97.6%
6	NOT APPLICABLE	123703	29053484.6	
7	DON'T KNOW	1	238.5	
8	REFUSAL	0	0.0	

ACC_32I: Scan difficulty: Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	791	164922.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32J: Scan difficulty: Deterioration of health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=434 / 116565.7] [Invalid=124495 / 29218645.26]
Literal question	What type of difficulties did you experience? - General deterioration of health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	1051.8	0.9%
2	NO	428	115513.9	99.1%
6	NOT APPLICABLE	123703	29053484.6	
7	DON'T KNOW	1	238.5	
8	REFUSAL	0	0.0	
9	NOT STATED	791	164922.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32K: Scan difficulty: Didn't know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=434 / 116565.7] [Invalid=124495 / 29218645.26]
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	45.3	0.0%
2	NO	433	116520.4	100.0%
6	NOT APPLICABLE	123703	29053484.6	
7	DON'T KNOW	1	238.5	
8	REFUSAL	0	0.0	
9	NOT STATED	791	164922.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32L: Scan difficulty: Still waiting for test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=434 / 116565.7] [Invalid=124495 / 29218645.26]
Literal question	What type of difficulties did you experience? - Still waiting for test

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	32	8903.4	7.6%
2	NO	402	107662.3	92.4%
6	NOT APPLICABLE	123703	29053484.6	
7	DON'T KNOW	1	238.5	
8	REFUSAL	0	0.0	
9	NOT STATED	791	164922.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32M: Scan difficulty:Unable leave house /hlth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=434 / 116565.7] [Invalid=124495 / 29218645.26]
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

ACC_32M: Scan difficulty:Unable leave house /hlth

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1	45.3	0.0%	
2	NO	433	116520.4		100.0%
6	NOT APPLICABLE	123703	29053484.6		
7	DON'T KNOW	1	238.5		
8	REFUSAL	0	0.0		
9	NOT STATED	791	164922.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32N: Scan difficulty: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=434 / 116565.7] [Invalid=124495 / 29218645.26]
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	42	10647.1	9.1%	
2	NO	392	105918.6		90.9%
6	NOT APPLICABLE	123703	29053484.6		
7	DON'T KNOW	1	238.5		
8	REFUSAL	0	0.0		
9	NOT STATED	791	164922.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40: Past yr,need hlth info/advice from family

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14051 / 3617787.39] [Invalid=110878 / 25717423.57]
Literal question	In the past 12 months, have you required health information or advice ^DT_YourFamily?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	7801	2022953.5		55.9%
2	NO	6250	1594833.9		44.1%
6	NOT APPLICABLE	110076	25547557.1		
7	DON'T KNOW	45	12727.3		
8	REFUSAL	30	5533.0		
9	NOT STATED	727	151606.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40A: Contact health info: Doctor office

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7790 / 2021209.41] [Invalid=117139 / 27314001.55]
Literal question	Who did you contact when you needed health information or advice ^DT_YourFamily? - Doctor's office

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6175	1555022.2		76.9%
2	NO	1615	466187.2	23.1%	
6	NOT APPLICABLE	116326	27142391.0		
7	DON'T KNOW	7	849.9		
8	REFUSAL	3	308.7		
9	NOT STATED	803	170451.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40B: Contact health info: Community hlth ctr

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7790 / 2021209.41] [Invalid=117139 / 27314001.55]
Literal question	Who did you contact when you needed health information or advice ^DT_YourFamily? - Community health centre / CLSC

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	528	139172.6		6.9%
2	NO	7262	1882036.8		93.1%
6	NOT APPLICABLE	116326	27142391.0		
7	DON'T KNOW	7	849.9		
8	REFUSAL	3	308.7		
9	NOT STATED	803	170451.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40C: Contact health info: Walk-in clinic

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7790 / 2021209.41] [Invalid=117139 / 27314001.55]
Literal question	Who did you contact when you needed health information or advice ^DT_YourFamily? - Walk-in clinic

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1516	507448.5		25.1%
2	NO	6274	1513760.9		74.9%
6	NOT APPLICABLE	116326	27142391.0		
7	DON'T KNOW	7	849.9		
8	REFUSAL	3	308.7		
9	NOT STATED	803	170451.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40D: Contact health info: Health line

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7790 / 2021209.41] [Invalid=117139 / 27314001.55]
Literal question	Who did you contact when you needed health information or advice ^DT_YourFamily? - Telephone health line (e.g., HealthLinks, Telehealth Ontario, HealthLink, Health-Line, Telecare, Info-Santé)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	828	214112.8		10.6%
2	NO	6962	1807096.6		89.4%
6	NOT APPLICABLE	116326	27142391.0		
7	DON'T KNOW	7	849.9		
8	REFUSAL	3	308.7		
9	NOT STATED	803	170451.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40E: Contact health info: Emergency room

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7790 / 2021209.41] [Invalid=117139 / 27314001.55]
Literal question	Who did you contact when you needed health information or advice ^DT_YourFamily? - Hospital emergency room

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1123	312769.7		15.5%
2	NO	6667	1708439.7		84.5%

ACC_40E: Contact health info: Emergency room

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	116326	27142391.0	
7	DON'T KNOW	7	849.9	
8	REFUSAL	3	308.7	
9	NOT STATED	803	170451.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40F: Contact health info: Other hosp services

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7790 / 2021209.41] [Invalid=117139 / 27314001.55]
Literal question	Who did you contact when you needed health information or advice ^DT_YourFamily? - Other hospital service

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	530	133167.1	6.6%
2	NO	7260	1888042.3	93.4%
6	NOT APPLICABLE	116326	27142391.0	
7	DON'T KNOW	7	849.9	
8	REFUSAL	3	308.7	
9	NOT STATED	803	170451.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40G: Contact health info: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7790 / 2021209.41] [Invalid=117139 / 27314001.55]
Literal question	Who did you contact when you needed health information or advice ^DT_YourFamily? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1252	326785.5	16.2%
2	NO	6538	1694423.9	83.8%
6	NOT APPLICABLE	116326	27142391.0	
7	DON'T KNOW	7	849.9	
8	REFUSAL	3	308.7	
9	NOT STATED	803	170451.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_41: Past year, difficulty getting hlth info

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7783 / 2018468.06] [Invalid=117146 / 27316742.9]
Literal question	In the past 12 months, did you ever experience any difficulties getting the health information or advice you needed ^DT_YourFamily?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1082	295776.5	14.7%
2	NO	6701	1722691.6	85.3%
6	NOT APPLICABLE	116326	27142391.0	
7	DON'T KNOW	14	3320.2	
8	REFUSAL	0	0.0	
9	NOT STATED	806	171031.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_42: Difficulty get hlth info during office hrs

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=1070 / 293727.42] [Invalid=123859 / 29041483.54]
Literal question	Did you experience difficulties during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	863	222575.5		75.8%
2	NO	159	47394.8		16.1%
3	NOT REQUIRED	48	23757.1		8.1%
6	NOT APPLICABLE	123027	28865082.6		
7	DON'T KNOW	12	2049.0		
8	REFUSAL	0	0.0		
9	NOT STATED	820	174351.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43A: Difficulty reg hr:Contact physician/nurse

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=860 / 222301.45] [Invalid=124069 / 29112909.51]
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician or nurse

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	255	62696.7		28.2%
2	NO	605	159604.8		71.8%
6	NOT APPLICABLE	123234	28936234.5		
7	DON'T KNOW	3	274.1		
8	REFUSAL	0	0.0		
9	NOT STATED	832	176400.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43B: Difficulty reg hrs: No phone number

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=860 / 222301.45] [Invalid=124069 / 29112909.51]
Literal question	What type of difficulties did you experience? - Did not have a phone number

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	9	6334.5		2.8%
2	NO	851	215966.9		97.2%
6	NOT APPLICABLE	123234	28936234.5		
7	DON'T KNOW	3	274.1		
8	REFUSAL	0	0.0		
9	NOT STATED	832	176400.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43C: Difficulty reg hrs: Couldn't get through

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=860 / 222301.45] [Invalid=124069 / 29112909.51]
Literal question	What type of difficulties did you experience? - Could not get through (i.e. no answer)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	64	17858.9		8.0%
2	NO	796	204442.5		92.0%

ACC_43C: Difficulty reg hrs: Couldn't get through

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	123234	28936234.5	
7	DON'T KNOW	3	274.1	
8	REFUSAL	0	0.0	
9	NOT STATED	832	176400.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43D: Difficulty reg hrs: Waited too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=860 / 222301.45] [Invalid=124069 / 29112909.51]
Literal question	What type of difficulties did you experience? - Waited too long to speak to someone

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	252	71133.4	32.0%
2	NO	608	151168.0	68.0%
6	NOT APPLICABLE	123234	28936234.5	
7	DON'T KNOW	3	274.1	
8	REFUSAL	0	0.0	
9	NOT STATED	832	176400.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43E: Difficulty reg hr:Inadequate information

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=860 / 222301.45] [Invalid=124069 / 29112909.51]
Literal question	What type of difficulties did you experience? - Did not get adequate info or advice

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	331	80813.1	36.4%
2	NO	529	141488.4	63.6%
6	NOT APPLICABLE	123234	28936234.5	
7	DON'T KNOW	3	274.1	
8	REFUSAL	0	0.0	
9	NOT STATED	832	176400.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43F: Difficulty reg hrs: Language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=860 / 222301.45] [Invalid=124069 / 29112909.51]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	11955.8	5.4%
2	NO	847	210345.6	94.6%
6	NOT APPLICABLE	123234	28936234.5	
7	DON'T KNOW	3	274.1	
8	REFUSAL	0	0.0	
9	NOT STATED	832	176400.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43G: Difficulty reg hr:Not know where go/call

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

ACC_43G: Difficulty reg hr:Not know where go/call

Statistics [NW/ W]		[Valid=860 / 222301.45] [Invalid=124069 / 29112909.51]		
Literal question		What type of difficulties did you experience? - Language problem		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	46	14861.7	6.7%
2	NO	814	207439.8	93.3%
6	NOT APPLICABLE	123234	28936234.5	
7	DON'T KNOW	3	274.1	
8	REFUSAL	0	0.0	
9	NOT STATED	832	176400.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43H: Difficulty reg hr: Unable leave house

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=860 / 222301.45] [Invalid=124069 / 29112909.51]		
Literal question		What type of difficulties did you experience? - Did not know where to go / call / uninformed		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	1551.1	0.7%
2	NO	851	220750.3	99.3%
6	NOT APPLICABLE	123234	28936234.5	
7	DON'T KNOW	3	274.1	
8	REFUSAL	0	0.0	
9	NOT STATED	832	176400.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43I: Difficulty reg hr: Other

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=860 / 222301.45] [Invalid=124069 / 29112909.51]		
Literal question		What type of difficulties did you experience? - Unable to leave the house because of a health problem		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	267	72873.3	32.8%
2	NO	593	149428.2	67.2%
6	NOT APPLICABLE	123234	28936234.5	
7	DON'T KNOW	3	274.1	
8	REFUSAL	0	0.0	
9	NOT STATED	832	176400.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_44: Difficulty hlth info evenings/weekends

Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]		[Valid=1071 / 293476.18] [Invalid=123858 / 29041734.78]		
Literal question		What type of difficulties did you experience? - Other		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	302	87195.7	29.7%
2	NO	398	107458.1	36.6%
3	NOT REQUIRED	371	98822.4	33.7%
6	NOT APPLICABLE	123027	28865082.6	

ACC_44: Difficulty hlth info evenings/weekends

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	10	2181.2	
8	REFUSAL	1	119.1	
9	NOT STATED	820	174351.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45A: Difficulty non-reg hrs:Contact physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=301 / 87123.34] [Invalid=124628 / 29248087.62]
Literal question	Did you experience difficulties getting health information or advice during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	119	34871.2	40.0%
2	NO	182	52252.2	60.0%
6	NOT APPLICABLE	123796	29071363.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	832	176724.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45B: Difficulty non-reg hrs: No phone number

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=301 / 87123.34] [Invalid=124628 / 29248087.62]
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician or nurse

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	2988.5	3.4%
2	NO	299	84134.8	96.6%
6	NOT APPLICABLE	123796	29071363.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	832	176724.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45C: Difficulty non-reg hrs: Not get through

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=301 / 87123.34] [Invalid=124628 / 29248087.62]
Literal question	What type of difficulties did you experience? - Did not have a phone number

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	4355.5	5.0%
2	NO	284	82767.8	95.0%
6	NOT APPLICABLE	123796	29071363.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	832	176724.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45D: Difficulty non-reg hrs: Waited too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

ACC_45D: Difficulty non-reg hrs: Waited too long

Statistics [NW/ W]	[Valid=301 / 87123.34] [Invalid=124628 / 29248087.62]
Literal question	What type of difficulties did you experience? - Could not get through (i.e. no answer)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	109	30422.4	34.9%
2	NO	192	56700.9	65.1%
6	NOT APPLICABLE	123796	29071363.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	832	176724.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45E: Difficulty non-reg hrs:Inadequate info

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=301 / 87123.34] [Invalid=124628 / 29248087.62]
Literal question	What type of difficulties did you experience? - Waited too long to speak to someone

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	94	29579.4	34.0%
2	NO	207	57543.9	66.0%
6	NOT APPLICABLE	123796	29071363.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	832	176724.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45F: Difficulty non-reg hrs: Language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=301 / 87123.34] [Invalid=124628 / 29248087.62]
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	2003.8	2.3%
2	NO	297	85119.6	97.7%
6	NOT APPLICABLE	123796	29071363.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	832	176724.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45G: Difficulty non-reg hrs: Not know go/call

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=301 / 87123.34] [Invalid=124628 / 29248087.62]
Literal question	What type of difficulties did you experience? - Did not know where to go / call / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	4911.7	5.6%
2	NO	287	82211.6	94.4%
6	NOT APPLICABLE	123796	29071363.1	
7	DON'T KNOW	0	0.0	

ACC_45G: Difficulty non-reg hrs: Not know go/call

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	832	176724.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45H: Difficulty non-reg hrs: Unable to leave

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=301 / 87123.34] [Invalid=124628 / 29248087.62]
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	7	1972.0		2.3%
2	NO	294	85151.3		97.7%
6	NOT APPLICABLE	123796	29071363.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	832	176724.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45I: Difficulty non-reg hrs: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=301 / 87123.34] [Invalid=124628 / 29248087.62]
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	81	18060.7		20.7%
2	NO	220	69062.6		79.3%
6	NOT APPLICABLE	123796	29071363.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	832	176724.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_46: Difficulty getting hlth info at night

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=1072 / 293894.05] [Invalid=123857 / 29041316.91]
Literal question	Did you experience difficulties getting health information or advice during the middle of the night?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	102	33099.0		11.3%
2	NO	456	121171.9		41.2%
3	NOT REQUIRED	514	139623.2		47.5%
6	NOT APPLICABLE	123027	28865082.6		
7	DON'T KNOW	8	1691.0		
8	REFUSAL	1	119.1		
9	NOT STATED	821	174424.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47A: Difficulty@night: Contact physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=102 / 33098.95] [Invalid=124827 / 29302112.01]
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician or nurse

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	46	13319.2		40.2%
2	NO	56	19779.8		59.8%

ACC_47A: Difficulty@night: Contact physician

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	123997	29125877.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	830	176234.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47B: Difficulty@night: No phone number

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=102 / 33098.95] [Invalid=124827 / 29302112.01]
Literal question	What type of difficulties did you experience? - Did not have a phone number

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	2741.2	8.3%
2	NO	99	30357.8	91.7%
6	NOT APPLICABLE	123997	29125877.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	830	176234.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47C: Difficulty@night: Not get through

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=102 / 33098.95] [Invalid=124827 / 29302112.01]
Literal question	What type of difficulties did you experience? - Could not get through (i.e. no answer)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	1648.2	5.0%
2	NO	94	31450.8	95.0%
6	NOT APPLICABLE	123997	29125877.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	830	176234.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47D: Difficulty@night: Waited too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=102 / 33098.95] [Invalid=124827 / 29302112.01]
Literal question	What type of difficulties did you experience? - Waited too long to speak to someone

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	38	12430.9	37.6%
2	NO	64	20668.1	62.4%
6	NOT APPLICABLE	123997	29125877.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	830	176234.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47E: Difficulty@night: Inadequate info

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=102 / 33098.95] [Invalid=124827 / 29302112.01]
Literal question	What type of difficulties did you experience? - Did not get adequate info or advice

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30	9470.8	28.6%
2	NO	72	23628.1	71.4%
6	NOT APPLICABLE	123997	29125877.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	830	176234.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47F: Difficulty@night: Language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=102 / 33098.95] [Invalid=124827 / 29302112.01]
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	1085.2	3.3%
2	NO	100	32013.7	96.7%
6	NOT APPLICABLE	123997	29125877.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	830	176234.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47G: Difficulty@night: Not know go/call

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=102 / 33098.95] [Invalid=124827 / 29302112.01]
Literal question	What type of difficulties did you experience? - Did not know where to go / call / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	2779.1	8.4%
2	NO	94	30319.8	91.6%
6	NOT APPLICABLE	123997	29125877.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	830	176234.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47H: Difficulty@night: Unable to leave

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=102 / 33098.95] [Invalid=124827 / 29302112.01]
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	985.4	3.0%
2	NO	97	32113.6	97.0%
6	NOT APPLICABLE	123997	29125877.7	

ACC_47H: Difficulty@night: Unable to leave

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	830	176234.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47I: Difficulty@night: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=102 / 33098.95] [Invalid=124827 / 29302112.01]
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21	7675.4	23.2%
2	NO	81	25423.6	76.8%
6	NOT APPLICABLE	123997	29125877.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	830	176234.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_50A: Do you have a regular family doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14080 / 3626976.69] [Invalid=110849 / 25708234.27]
Literal question	Do you have a regular family doctor?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12537	3111436.4	85.8%
2	NO	1543	515540.3	14.2%
6	NOT APPLICABLE	110076	25547557.1	
7	DON'T KNOW	17	3796.8	
8	REFUSAL	22	3864.0	
9	NOT STATED	734	153016.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_50: Past year, require routine care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14056 / 3612155.44] [Invalid=110873 / 25723055.52]
Literal question	In the past 12 months, did you require any routine or on-going care ^DT_YourFamily?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8353	1995401.8	55.2%
2	NO	5703	1616753.6	44.8%
6	NOT APPLICABLE	110076	25547557.1	
7	DON'T KNOW	31	13771.5	
8	REFUSAL	30	8228.2	
9	NOT STATED	736	153498.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_51: Past year, difficulty w/routine care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

ACC_51: Past year, difficulty w/routine care

Statistics [NW/ W]	[Valid=8344 / 1993628.63] [Invalid=116585 / 27341582.33]
Literal question	In the past 12 months, did you ever experience any difficulties getting the routine or on-going care ^DT_Family needed?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	992	250585.3	12.6%	
2	NO	7352	1743043.3		87.4%
6	NOT APPLICABLE	115779	27164310.8		
7	DON'T KNOW	4	1144.1		
8	REFUSAL	4	556.4		
9	NOT STATED	798	175571.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_52: Past yr,difficulty w/routine care reg hrs

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=989 / 249919] [Invalid=123940 / 29085291.96]
Literal question	Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	836	207097.0		82.9%
2	NO	128	29984.6	12.0%	
3	NOT REQUIRED	25	12837.4	5.1%	
6	NOT APPLICABLE	123131	28907354.1		
7	DON'T KNOW	3	666.3		
8	REFUSAL	0	0.0		
9	NOT STATED	806	177271.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53A: Diff w/routine,reg: Contact physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=835 / 207049.33] [Invalid=124094 / 29128161.63]
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	142	31009.5	15.0%	
2	NO	693	176039.8		85.0%
6	NOT APPLICABLE	123284	28950176.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	1	47.7		
9	NOT STATED	809	177937.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53B: Diff w/routine,reg: Getting appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=835 / 207049.33] [Invalid=124094 / 29128161.63]
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	345	85913.4	41.5%	
2	NO	490	121136.0		58.5%

ACC_53B: Diff w/routine,reg: Getting appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	123284	28950176.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	809	177937.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53C: Diff w/routine,reg: No family physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=835 / 207049.33] [Invalid=124094 / 29128161.63]
Literal question	What type of difficulties did you experience? - Do not have personal / family physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	66	17625.4	8.5%
2	NO	769	189423.9	91.5%
6	NOT APPLICABLE	123284	28950176.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	809	177937.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53D: Diff w/routine,reg: Wait too long appt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=835 / 207049.33] [Invalid=124094 / 29128161.63]
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	327	71987.5	34.8%
2	NO	508	135061.9	65.2%
6	NOT APPLICABLE	123284	28950176.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	809	177937.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53E: Diff w/routine,reg:Wait too long see doc

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=835 / 207049.33] [Invalid=124094 / 29128161.63]
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	170	40233.5	19.4%
2	NO	665	166815.8	80.6%
6	NOT APPLICABLE	123284	28950176.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	809	177937.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53F: Diff w/routine,reg:Not avail when needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=835 / 207049.33] [Invalid=124094 / 29128161.63]
Literal question	What type of difficulties did you experience? - Service not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	59	14028.8		6.8%
2	NO	776	193020.5		93.2%
6	NOT APPLICABLE	123284	28950176.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	1	47.7		
9	NOT STATED	809	177937.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53G: Difficulty w/routine,reg:Not avail in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=835 / 207049.33] [Invalid=124094 / 29128161.63]
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	51	13185.9		6.4%
2	NO	784	193863.4		93.6%
6	NOT APPLICABLE	123284	28950176.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	1	47.7		
9	NOT STATED	809	177937.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53H: Difficulty w/routine,reg: Transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=835 / 207049.33] [Invalid=124094 / 29128161.63]
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	25	6386.7		3.1%
2	NO	810	200662.6		96.9%
6	NOT APPLICABLE	123284	28950176.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	1	47.7		
9	NOT STATED	809	177937.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53I: Difficulty w/routine,reg: Language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=835 / 207049.33] [Invalid=124094 / 29128161.63]
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	9	6393.0		3.1%
2	NO	826	200656.3		96.9%
6	NOT APPLICABLE	123284	28950176.1		

ACC_53I: Difficulty w/routine,reg: Language

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	809	177937.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53J: Difficulty w/routine,reg: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=835 / 207049.33] [Invalid=124094 / 29128161.63]
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29	8780.5	4.2%
2	NO	806	198268.9	95.8%
6	NOT APPLICABLE	123284	28950176.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	809	177937.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53K: Difficulty w/routine,reg: Unsure location

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=835 / 207049.33] [Invalid=124094 / 29128161.63]
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18	6658.9	3.2%
2	NO	817	200390.4	96.8%
6	NOT APPLICABLE	123284	28950176.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	809	177937.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53L: Difficulty w/routine,reg:Cant leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=835 / 207049.33] [Invalid=124094 / 29128161.63]
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	2031.1	1.0%
2	NO	827	205018.2	99.0%
6	NOT APPLICABLE	123284	28950176.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	809	177937.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53M: Difficulty w/routine,reg: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

ACC_53M: Difficulty w/routine,reg: Other

Statistics [NW/ W]	[Valid=835 / 207049.33] [Invalid=124094 / 29128161.63]
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	181	45867.9	22.2%	
2	NO	654	161181.4		77.8%
6	NOT APPLICABLE	123284	28950176.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	1	47.7		
9	NOT STATED	809	177937.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_54: Difficulty getting care non-reg hrs

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=982 / 249195.72] [Invalid=123947 / 29086015.24]
Literal question	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	198	55469.0	22.3%	
2	NO	382	88073.8		35.3%
3	NOT REQUIRED	402	105652.9		42.4%
6	NOT APPLICABLE	123131	28907354.1		
7	DON'T KNOW	8	1155.5		
8	REFUSAL	1	20.0		
9	NOT STATED	807	177485.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55A: Diff w/routine,nonreg: Contact physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=197 / 55421.36] [Invalid=124732 / 29279789.6]
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	60	18896.3	34.1%	
2	NO	137	36525.0		65.9%
6	NOT APPLICABLE	123915	29101080.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	1	47.7		
9	NOT STATED	816	178661.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55B: Diff w/routine,non-reg: Getting appt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=197 / 55421.36] [Invalid=124732 / 29279789.6]
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	60	19117.5	34.5%	
2	NO	137	36303.9		65.5%

ACC_55B: Diff w/routine,non-reg: Getting appt

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	123915	29101080.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	816	178661.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55C: Diff w/routine,reg-reg: No family doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=197 / 55421.36] [Invalid=124732 / 29279789.6]
Literal question	What type of difficulties did you experience? - Do not have personal / family physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16	3754.9	6.8%
2	NO	181	51666.5	93.2%
6	NOT APPLICABLE	123915	29101080.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	816	178661.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55D: Diff w/routine,non-reg:Wait too long appt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=197 / 55421.36] [Invalid=124732 / 29279789.6]
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	48	13170.2	23.8%
2	NO	149	42251.2	76.2%
6	NOT APPLICABLE	123915	29101080.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	816	178661.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55E: Diff w/routine,non-reg:Wait long see doc

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=197 / 55421.36] [Invalid=124732 / 29279789.6]
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	61	17268.1	31.2%
2	NO	136	38153.3	68.8%
6	NOT APPLICABLE	123915	29101080.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	816	178661.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55F: Diff w/routine,nonreg:Not avail as needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=197 / 55421.36] [Invalid=124732 / 29279789.6]
Literal question	What type of difficulties did you experience? - Service not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	58	14784.5	26.7%	
2	NO	139	40636.8		73.3%
6	NOT APPLICABLE	123915	29101080.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	1	47.7		
9	NOT STATED	816	178661.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55G: Diff w/routine,non-reg:Not avail in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=197 / 55421.36] [Invalid=124732 / 29279789.6]
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	24	4867.5	8.8%	
2	NO	173	50553.9		91.2%
6	NOT APPLICABLE	123915	29101080.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	1	47.7		
9	NOT STATED	816	178661.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55H: Diff w/routine,non-reg: Transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=197 / 55421.36] [Invalid=124732 / 29279789.6]
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	10	2455.4	4.4%	
2	NO	187	52965.9		95.6%
6	NOT APPLICABLE	123915	29101080.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	1	47.7		
9	NOT STATED	816	178661.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55I: Difficulty w/routine,non-reg: Language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=197 / 55421.36] [Invalid=124732 / 29279789.6]
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2	1021.6	1.8%	
2	NO	195	54399.7		98.2%
6	NOT APPLICABLE	123915	29101080.8		

ACC_55I: Difficulty w/routine,non-reg: Language

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	816	178661.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55J: Difficulty w/routine,non-reg: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=197 / 55421.36] [Invalid=124732 / 29279789.6]
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	2123.2	3.8%
2	NO	189	53298.2	96.2%
6	NOT APPLICABLE	123915	29101080.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	816	178661.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55K: Diff w/routine,non-reg: Unsure location

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=197 / 55421.36] [Invalid=124732 / 29279789.6]
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	1524.7	2.8%
2	NO	193	53896.6	97.2%
6	NOT APPLICABLE	123915	29101080.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	816	178661.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55L: Diff w/routine,non-reg:Can't leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=197 / 55421.36] [Invalid=124732 / 29279789.6]
Literal question	What type of difficulties did you experience? - Unable to leave house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	391.2	0.7%
2	NO	196	55030.2	99.3%
6	NOT APPLICABLE	123915	29101080.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	816	178661.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55M: Difficulty w/routine,non-reg: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

ACC_55M: Difficulty w/routine,non-reg: Other

Statistics [NW/ W]	[Valid=197 / 55421.36] [Invalid=124732 / 29279789.6]
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	33	11585.6	20.9%
2	NO	164	43835.8	79.1%
6	NOT APPLICABLE	123915	29101080.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	47.7	
9	NOT STATED	816	178661.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_60: Past yr,family need care minor hlth prob

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14043 / 3614450.37] [Invalid=110886 / 25720760.59]
Literal question	In the past 12 months, did ^DT_Famiily require immediate health care services for a minor health problem?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4853	1357148.8	37.5%
2	NO	9190	2257301.5	62.5%
6	NOT APPLICABLE	110076	25547557.1	
7	DON'T KNOW	32	10358.6	
8	REFUSAL	34	7953.9	
9	NOT STATED	744	154891.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_61: Past year, diff get care minor hlth prob

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4852 / 1357106.71] [Invalid=120077 / 27978104.25]
Literal question	In the past 12 months, did you ever experience any difficulties getting the immediate care needed for a minor health problem for yourself or a family member?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	783	237835.5	17.5%
2	NO	4069	1119271.2	82.5%
6	NOT APPLICABLE	119266	27804858.6	
7	DON'T KNOW	1	42.1	
8	REFUSAL	0	0.0	
9	NOT STATED	810	173203.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_62: Difficulty getting care reg hrs

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=783 / 237835.47] [Invalid=124146 / 29097375.49]
Literal question	Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	488	132699.2	55.8%
2	NO	204	69625.3	29.3%
3	NOT REQUIRED	91	35510.9	14.9%

ACC_62: Difficulty getting care reg hrs

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	123335	28924129.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	811	173245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63A: Diff minor reg hrs: Contact physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=487 / 132589.87] [Invalid=124442 / 29202621.09]
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	75	22636.4	17.1%
2	NO	412	109953.5	82.9%
6	NOT APPLICABLE	123630	29029266.1	
7	DON'T KNOW	1	109.4	
8	REFUSAL	0	0.0	
9	NOT STATED	811	173245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63B: Difficulty minor reg hrs: Getting appt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=487 / 132589.87] [Invalid=124442 / 29202621.09]
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	148	41282.9	31.1%
2	NO	339	91307.0	68.9%
6	NOT APPLICABLE	123630	29029266.1	
7	DON'T KNOW	1	109.4	
8	REFUSAL	0	0.0	
9	NOT STATED	811	173245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63C: Difficulty minor reg hrs: No doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=487 / 132589.87] [Invalid=124442 / 29202621.09]
Literal question	What type of difficulties did you experience? - Do not have personal / family physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	9647.1	7.3%
2	NO	470	122942.8	92.7%
6	NOT APPLICABLE	123630	29029266.1	
7	DON'T KNOW	1	109.4	
8	REFUSAL	0	0.0	
9	NOT STATED	811	173245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63D: Diff minor reg hrs: Wait too long appt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=487 / 132589.87] [Invalid=124442 / 29202621.09]
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	125	37596.5	28.4%
2	NO	362	94993.3	71.6%
6	NOT APPLICABLE	123630	29029266.1	
7	DON'T KNOW	1	109.4	
8	REFUSAL	0	0.0	
9	NOT STATED	811	173245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63E: Diff minor reg hrs: Wait too long see dr

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=487 / 132589.87] [Invalid=124442 / 29202621.09]			
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	180	49074.8	37.0%
2	NO	307	83515.0	63.0%
6	NOT APPLICABLE	123630	29029266.1	
7	DON'T KNOW	1	109.4	
8	REFUSAL	0	0.0	
9	NOT STATED	811	173245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63F: Diff minor reg hrs: Not avail time needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=487 / 132589.87] [Invalid=124442 / 29202621.09]			
Literal question	What type of difficulties did you experience? - Service not available at time required			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	37	7716.1	5.8%
2	NO	450	124873.8	94.2%
6	NOT APPLICABLE	123630	29029266.1	
7	DON'T KNOW	1	109.4	
8	REFUSAL	0	0.0	
9	NOT STATED	811	173245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63G: Difficulty minor reg hrs: Not avail area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=487 / 132589.87] [Invalid=124442 / 29202621.09]			
Literal question	What type of difficulties did you experience? - Service not available in the area			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20	3354.3	2.5%
2	NO	467	129235.6	97.5%
6	NOT APPLICABLE	123630	29029266.1	
7	DON'T KNOW	1	109.4	
8	REFUSAL	0	0.0	
9	NOT STATED	811	173245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63H: Difficulty minor reg hrs: Transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=487 / 132589.87] [Invalid=124442 / 29202621.09]			
Literal question	What type of difficulties did you experience? - Transportation problems			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	3779.4	2.9%
2	NO	476	128810.4	97.1%
6	NOT APPLICABLE	123630	29029266.1	

ACC_63H: Difficulty minor reg hrs: Transportation

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	1	109.4	
8	REFUSAL	0	0.0	
9	NOT STATED	811	173245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63I: Difficulty minor reg hrs: Language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=487 / 132589.87] [Invalid=124442 / 29202621.09]
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	284.5	0.2%
2	NO	485	132305.4	99.8%
6	NOT APPLICABLE	123630	29029266.1	
7	DON'T KNOW	1	109.4	
8	REFUSAL	0	0.0	
9	NOT STATED	811	173245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63J: Difficulty minor reg hrs: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=487 / 132589.87] [Invalid=124442 / 29202621.09]
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	3077.3	2.3%
2	NO	481	129512.6	97.7%
6	NOT APPLICABLE	123630	29029266.1	
7	DON'T KNOW	1	109.4	
8	REFUSAL	0	0.0	
9	NOT STATED	811	173245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63K: Difficulty minor reg hrs:Unsure location

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=487 / 132589.87] [Invalid=124442 / 29202621.09]
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	3047.1	2.3%
2	NO	481	129542.7	97.7%
6	NOT APPLICABLE	123630	29029266.1	
7	DON'T KNOW	1	109.4	
8	REFUSAL	0	0.0	
9	NOT STATED	811	173245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63L: Difficulty minor reg hrs:Cant leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

ACC_63L: Difficulty minor reg hrs:Cant leave house

Statistics [NW/ W]	[Valid=487 / 132589.87] [Invalid=124442 / 29202621.09]
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	495.0	0.4%
2	NO	485	132094.8	99.6%
6	NOT APPLICABLE	123630	29029266.1	
7	DON'T KNOW	1	109.4	
8	REFUSAL	0	0.0	
9	NOT STATED	811	173245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63M: Difficulty minor reg hrs: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=487 / 132589.87] [Invalid=124442 / 29202621.09]
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	95	27046.8	20.4%
2	NO	392	105543.0	79.6%
6	NOT APPLICABLE	123630	29029266.1	
7	DON'T KNOW	1	109.4	
8	REFUSAL	0	0.0	
9	NOT STATED	811	173245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_64: Difficulty getting care non-reg hrs

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=779 / 236210.26] [Invalid=124150 / 29099000.7]
Literal question	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm, Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	365	108430.4	45.9%
2	NO	218	73386.0	31.1%
3	NOT REQUIRED	196	54393.8	23.0%
6	NOT APPLICABLE	123335	28924129.9	
7	DON'T KNOW	4	1625.2	
8	REFUSAL	0	0.0	
9	NOT STATED	811	173245.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65A: Diff minor non-reg hrs: Contact physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=363 / 108269.76] [Invalid=124566 / 29226941.2]
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	61	18369.5	17.0%
2	NO	302	89900.2	83.0%

ACC_65A: Diff minor non-reg hrs: Contact physician

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	123749	29051909.7	
7	DON'T KNOW	2	160.7	
8	REFUSAL	0	0.0	
9	NOT STATED	815	174870.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65B: Difficulty minor non-reg hrs:Getting appt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=363 / 108269.76] [Invalid=124566 / 29226941.2]
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	58	21896.2	20.2%
2	NO	305	86373.6	79.8%
6	NOT APPLICABLE	123749	29051909.7	
7	DON'T KNOW	2	160.7	
8	REFUSAL	0	0.0	
9	NOT STATED	815	174870.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65C: Difficulty minor non-reg hrs: No doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=363 / 108269.76] [Invalid=124566 / 29226941.2]
Literal question	What type of difficulties did you experience? - Do not have personal / family physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	1097.8	1.0%
2	NO	356	107171.9	99.0%
6	NOT APPLICABLE	123749	29051909.7	
7	DON'T KNOW	2	160.7	
8	REFUSAL	0	0.0	
9	NOT STATED	815	174870.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65D: Diff minor non-reg hrs:Wait too long appt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=363 / 108269.76] [Invalid=124566 / 29226941.2]
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	37	12808.8	11.8%
2	NO	326	95461.0	88.2%
6	NOT APPLICABLE	123749	29051909.7	
7	DON'T KNOW	2	160.7	
8	REFUSAL	0	0.0	
9	NOT STATED	815	174870.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65E: Diff minor non-reg hrs: Wait too long dr

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=363 / 108269.76] [Invalid=124566 / 29226941.2]
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	188	49310.3	45.5%
2	NO	175	58959.4	54.5%
6	NOT APPLICABLE	123749	29051909.7	
7	DON'T KNOW	2	160.7	
8	REFUSAL	0	0.0	
9	NOT STATED	815	174870.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65F: Diff minor non-reg hrs: Not avail needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=363 / 108269.76] [Invalid=124566 / 29226941.2]
Literal question	What type of difficulties did you experience? - Service not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	54	17607.5	16.3%
2	NO	309	90662.3	83.7%
6	NOT APPLICABLE	123749	29051909.7	
7	DON'T KNOW	2	160.7	
8	REFUSAL	0	0.0	
9	NOT STATED	815	174870.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65G: Diff minor non-reg hrs: Not avail area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=363 / 108269.76] [Invalid=124566 / 29226941.2]
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29	9047.5	8.4%
2	NO	334	99222.3	91.6%
6	NOT APPLICABLE	123749	29051909.7	
7	DON'T KNOW	2	160.7	
8	REFUSAL	0	0.0	
9	NOT STATED	815	174870.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65H: Difficulty minor non-reg hrs:Transportatn

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=363 / 108269.76] [Invalid=124566 / 29226941.2]
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	1869.5	1.7%
2	NO	352	106400.3	98.3%
6	NOT APPLICABLE	123749	29051909.7	

ACC_65H: Difficulty minor non-reg hrs:Transportatn

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	2	160.7	
8	REFUSAL	0	0.0	
9	NOT STATED	815	174870.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65I: Difficulty minor non-reg hrs: Language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=363 / 108269.76] [Invalid=124566 / 29226941.2]
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	665.1	0.6%
2	NO	362	107604.7	99.4%
6	NOT APPLICABLE	123749	29051909.7	
7	DON'T KNOW	2	160.7	
8	REFUSAL	0	0.0	
9	NOT STATED	815	174870.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65J: Difficulty minor non-reg hrs: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=363 / 108269.76] [Invalid=124566 / 29226941.2]
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	971.2	0.9%
2	NO	358	107298.5	99.1%
6	NOT APPLICABLE	123749	29051909.7	
7	DON'T KNOW	2	160.7	
8	REFUSAL	0	0.0	
9	NOT STATED	815	174870.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65K: Diff minor non-reg hrs: Unsure location

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=363 / 108269.76] [Invalid=124566 / 29226941.2]
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	2391.3	2.2%
2	NO	357	105878.5	97.8%
6	NOT APPLICABLE	123749	29051909.7	
7	DON'T KNOW	2	160.7	
8	REFUSAL	0	0.0	
9	NOT STATED	815	174870.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65L: Diff minor non-reg hrs: Cant leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

ACC_65L: Diff minor non-reg hrs: Cant leave house

Statistics [NW/ W]	[Valid=363 / 108269.76] [Invalid=124566 / 29226941.2]
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	391.2	0.4%
2	NO	362	107878.6	99.6%
6	NOT APPLICABLE	123749	29051909.7	
7	DON'T KNOW	2	160.7	
8	REFUSAL	0	0.0	
9	NOT STATED	815	174870.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65M: Difficulty minor non-reg hrs: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=363 / 108269.76] [Invalid=124566 / 29226941.2]
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	73	20658.9	19.1%
2	NO	290	87610.9	80.9%
6	NOT APPLICABLE	123749	29051909.7	
7	DON'T KNOW	2	160.7	
8	REFUSAL	0	0.0	
9	NOT STATED	815	174870.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_66: Difficulty getting care middle of night

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=780 / 237529.29] [Invalid=124149 / 29097681.67]
Literal question	Did you experience difficulties getting such care during the middle of the night?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	143	56847.7	23.9%
2	NO	296	87835.3	37.0%
3	NOT REQUIRED	341	92846.2	39.1%
6	NOT APPLICABLE	123335	28924129.9	
7	DON'T KNOW	2	108.7	
8	REFUSAL	0	0.0	
9	NOT STATED	812	173443.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67A: Difficulty minor@night:Contact physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=143 / 56847.73] [Invalid=124786 / 29278363.23]
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27	10611.3	18.7%
2	NO	116	46236.4	81.3%
6	NOT APPLICABLE	123972	29104811.4	

ACC_67A: Difficulty minor@night:Contact physician

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	814	173551.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67B: Difficulty minor@night: Getting appt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=143 / 56847.73] [Invalid=124786 / 29278363.23]
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	5620.2	9.9%
2	NO	129	51227.5	90.1%
6	NOT APPLICABLE	123972	29104811.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	814	173551.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67C: Difficulty minor@night: No doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=143 / 56847.73] [Invalid=124786 / 29278363.23]
Literal question	What type of difficulties did you experience? - Do not have personal / family physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	81.7	0.1%
2	NO	142	56766.0	99.9%
6	NOT APPLICABLE	123972	29104811.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	814	173551.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67D: Difficulty minor@night:Wait too long appt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=143 / 56847.73] [Invalid=124786 / 29278363.23]
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15	10196.6	17.9%
2	NO	128	46651.1	82.1%
6	NOT APPLICABLE	123972	29104811.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	814	173551.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67E: Difficulty minor@night: Wait too long dr

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

ACC_67E: Difficulty minor@night: Wait too long dr

Statistics [NW/ W]	[Valid=143 / 56847.73] [Invalid=124786 / 29278363.23]			
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	79	31784.0	55.9%
2	NO	64	25063.8	44.1%
6	NOT APPLICABLE	123972	29104811.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	814	173551.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67F: Difficulty minor@night: Not avail needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=143 / 56847.73] [Invalid=124786 / 29278363.23]			
Literal question	What type of difficulties did you experience? - Service not available at time required			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20	6390.0	11.2%
2	NO	123	50457.8	88.8%
6	NOT APPLICABLE	123972	29104811.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	814	173551.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67G: Difficulty minor@night: Not avail area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=143 / 56847.73] [Invalid=124786 / 29278363.23]			
Literal question	What type of difficulties did you experience? - Service not available in the area			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	4501.6	7.9%
2	NO	135	52346.2	92.1%
6	NOT APPLICABLE	123972	29104811.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	814	173551.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67H: Difficulty minor@night: Transportatn

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=143 / 56847.73] [Invalid=124786 / 29278363.23]			
Literal question	What type of difficulties did you experience? - Transportation problems			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	5085.3	8.9%
2	NO	134	51762.4	91.1%
6	NOT APPLICABLE	123972	29104811.4	
7	DON'T KNOW	0	0.0	

ACC_67H: Difficulty minor@night: Transportatn

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	814	173551.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67I: Difficulty minor@night: Language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=143 / 56847.73] [Invalid=124786 / 29278363.23]
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	1788.0	3.1%
2	NO	140	55059.8	96.9%
6	NOT APPLICABLE	123972	29104811.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	814	173551.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67J: Difficulty minor@night: Cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=143 / 56847.73] [Invalid=124786 / 29278363.23]
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	3237.5	5.7%
2	NO	140	53610.3	94.3%
6	NOT APPLICABLE	123972	29104811.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	814	173551.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67K: Difficulty minor@night: Unsure location

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=143 / 56847.73] [Invalid=124786 / 29278363.23]
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	4402.7	7.7%
2	NO	139	52445.0	92.3%
6	NOT APPLICABLE	123972	29104811.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	814	173551.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67L: Difficulty minor@night: Can't leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=143 / 56847.73] [Invalid=124786 / 29278363.23]

ACC_67L: Difficulty minor@night: Can't leave house

Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	715.0	1.3%
2	NO	141	56132.7	98.7%
6	NOT APPLICABLE	123972	29104811.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	814	173551.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67M: Difficulty minor@night: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=143 / 56847.73] [Invalid=124786 / 29278363.23]
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30	17868.1	31.4%
2	NO	113	38979.7	68.6%
6	NOT APPLICABLE	123972	29104811.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	814	173551.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBSG31: Employment status - 12 mo - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=63082 / 17421353.71] [Invalid=61847 / 11913857.25]
Literal question	Are you an employee or self-employed?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EMPLOYEE	52284	14478584.5	83.1%
2	SELF-EMPLOYED	10798	2942769.2	16.9%
6	NOT APPLICABLE	59182	11199094.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2665	714763.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBSGHPW: Total usual hrs. worked current - (D, G)

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=62272 / 17256986.9] [Invalid=62657 / 12078224.06]

Value	Label	Cases	Weighted	Percentage (Weighted)
99	99 HRS OR MORE	284	54188.8	100.0%
996	NOT APPLICABLE	59182	11199094.0	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	3475	879130.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBSDPFT: Full/part-time - current jobs - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=62272 / 17256986.9] [Invalid=62657 / 12078224.06]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	FULL-TIME	50046	14262684.8		82.6%
2	PART-TIME	12226	2994302.1		17.4%
6	NOT APPLICABLE	59182	11199094.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	3475	879130.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBSDWSS: Working status last week - 4 grps - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=102409 / 25602591.42] [Invalid=22520 / 3732619.54]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	AT WORK LAST WK	58104	16209355.4		63.3%
2	ABSENT LAST WK	5196	1272146.0		5.0%
3	NO JOB LAST WK	35260	7394732.1		28.9%
4	UNABLE/PERMANENT	3849	726358.0		2.8%
6	NOT APPLICABLE	20073	3078004.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	2447	654615.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBSGSOC: Occupation group - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=62686 / 17308758.28] [Invalid=62243 / 12026452.68]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	MANAG./ART, EDUC	21843	6244028.2		36.1%
2	BUSIN./FINANC.	11115	3126664.0		18.1%
3	SALES, SERVICES	15092	4156843.9		24.0%
4	TRADES/TRANSP.	9292	2545952.4		14.7%
5	PRIM. IND./PROC.	5344	1235269.8		7.1%
6	NOT APPLICABLE	59182	11199094.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	3061	827358.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOLOP: Module: LOP - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23260 / 6828260.12] [Invalid=101669 / 22506950.84]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	23260	6828260.1		100.0%
2	NO	0	0.0		

DOLOP: Module: LOP - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	101669	22506950.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_015: Employed in past 3 months

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12941 / 4358391.78] [Invalid=111988 / 24976819.18]
Literal question	Did you work at a job or a business at any time in the past three months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11733	3988824.2	91.5%
2	NO	1208	369567.6	8.5%
6	NOT APPLICABLE	111315	24747204.8	
7	DON'T KNOW	3	1421.6	
8	REFUSAL	2	411.4	
9	NOT STATED	668	227781.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG020: Reason for not working - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=7436 / 1874480.58] [Invalid=117493 / 27460730.38]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	CHRONIC CONDITION	836	202221.4	10.8%
2	OWN INJURY	90	26010.5	1.4%
3	INFECTIOUS DISEASE	107	24190.3	1.3%
4	CARING FOR CHILDREN	496	157048.5	8.4%
5	EDUCATION/TRAINING	761	288167.9	15.4%
6	CARING/ELDERLY	140	37799.4	2.0%
7	RETIRED	4202	857349.7	45.7%
8	OTHER	804	281692.9	15.0%
96	NOT APPLICABLE	116533	27162164.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	960	298565.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_030: Couldn't work due to chronic condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11723 / 3982177.8] [Invalid=113206 / 25353033.16]
Literal question	In the past three months, that is from ^DATETHREEMONTHSAGO to yesterday, have you missed any days at work because of a chronic health condition?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	573	204274.8	5.1%
2	NO	11150	3777903.0	94.9%
6	NOT APPLICABLE	112248	25051335.3	

LOP_030: Couldn't work due to chronic condition

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	3	495.8	
8	REFUSAL	2	694.7	
9	NOT STATED	953	300507.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG040: Work days lost due to chronic cond. (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=565 / 202393.07] [Invalid=124364 / 29132817.89]

Value	Label	Cases	Weighted	Percentage (Weighted)
1		156	57658.4	28.5%
2		95	35637.2	17.6%
3		64	28446.7	14.1%
4		23	13928.8	6.9%
5		20	4454.0	2.2%
6		11	2371.6	1.2%
7		15	9178.3	4.5%
8		6	1052.2	0.5%
9		3	1308.6	0.6%
10		16	4734.2	2.3%
12		16	3072.0	1.5%
14		11	3248.7	1.6%
15		12	2104.4	1.0%
16		1	86.7	0.0%
18		1	139.0	0.1%
20		5	3962.8	2.0%
21		7	2093.0	1.0%
24		4	2449.5	1.2%
25		5	2042.6	1.0%
29		1	122.4	0.1%
30		22	5689.4	2.8%
31	31 DAYS OR MORE	71	18612.5	9.2%
96	NOT APPLICABLE	123398	28829238.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	966	303579.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG050: Chronic condition - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=1274 / 374704.49] [Invalid=123655 / 28960506.47]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ARTHRITIS	103	26873.4	7.2%
2	CARDIOV. DISEASE	69	16731.8	4.5%
3	ASTHMA	10	1694.1	0.5%
4	CHRONIC BRONCHITIS	30	7935.9	2.1%
5	DIABETES	33	11393.3	3.0%

LOPG050: Chronic condition - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
6	MIGRAINE	48	17030.2	4.5%
7	BACK PROBLEMS	133	47658.2	12.7%
8	CANCER	60	29972.4	8.0%
9	DIGESTIVE DISEASE	28	9592.6	2.6%
10	FIBROMY, CHRO	41	9516.8	2.5%
11	OTHER	719	196305.9	52.4%
96	NOT APPLICABLE	122550	28623502.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1105	337003.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_060: Missed work due to injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11315 / 3885255.91] [Invalid=113614 / 25449955.05]
Literal question	In the past three months, have you missed any days at work because of an injury such as a broken bone, a bad cut, a burn or a sprain?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	392	131132.6	3.4%
2	NO	10923	3754123.3	96.6%
6	NOT APPLICABLE	112236	25047821.2	
7	DON'T KNOW	4	550.0	
8	REFUSAL	1	332.3	
9	NOT STATED	1373	401251.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG070: Work days missed due to injury - (G)

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=388 / 129866.85] [Invalid=124541 / 29205344.11]

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31 DAYS OR MORE	40	14367.2	100.0%
96	NOT APPLICABLE	123159	28801944.5	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1382	403399.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_080: Missed work due to infectious disease

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11311 / 3884527.98] [Invalid=113618 / 25450682.98]
Literal question	In the past three months, have you missed any days at work because of an infectious disease such as a cold, a stomach flu or a respiratory infection?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1341	495293.7	12.8%
2	NO	9970	3389234.3	87.2%
6	NOT APPLICABLE	112236	25047821.2	
7	DON'T KNOW	6	787.4	
8	REFUSAL	2	694.7	
9	NOT STATED	1374	401379.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_81A: Missed work for cold

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1340 / 495071.1] [Invalid=123589 / 28840139.86]
Literal question	Which infectious disease was this? - Cold

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	493	190347.2	38.4%
2	NO	847	304723.9	61.6%
6	NOT APPLICABLE	122206	28437055.5	
7	DON'T KNOW	1	222.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1382	402861.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_81B: Missed work for flu/influenza

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1340 / 495071.1] [Invalid=123589 / 28840139.86]
Literal question	Which infectious disease was this? - Flu or influenza

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	270	106624.8	21.5%
2	NO	1070	388446.2	78.5%
6	NOT APPLICABLE	122206	28437055.5	
7	DON'T KNOW	1	222.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1382	402861.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_81C: Missed work for stomach flu

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1340 / 495071.1] [Invalid=123589 / 28840139.86]
Literal question	Which infectious disease was this? - Stomach flu

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	397	140116.2	28.3%
2	NO	943	354954.9	71.7%

LOP_81C: Missed work for stomach flu

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	122206	28437055.5	
7	DON'T KNOW	1	222.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1382	402861.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_81D: Missed work for respiratory flu

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1340 / 495071.1] [Invalid=123589 / 28840139.86]
Literal question	Which infectious disease was this? - Respiratory infection

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	114	34748.7	7.0%
2	NO	1226	460322.4	93.0%
6	NOT APPLICABLE	122206	28437055.5	
7	DON'T KNOW	1	222.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1382	402861.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_81E: Missed work for other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1340 / 495071.1] [Invalid=123589 / 28840139.86]
Literal question	Which infectious disease was this? - other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	129	50537.7	10.2%
2	NO	1211	444533.4	89.8%
6	NOT APPLICABLE	122206	28437055.5	
7	DON'T KNOW	1	222.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1382	402861.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG082: Work days missed due to cold - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=493 / 190347.2] [Invalid=124436 / 29144863.76]

Value	Label	Cases	Weighted	Percentage (Weighted)
1		301	110479.2	58.0%
2		118	51220.7	26.9%
3		48	21340.2	11.2%
4		14	4436.8	2.3%
5		7	1988.3	1.0%
7		2	313.2	0.2%
10		1	165.0	0.1%
11	11 DAYS OR MORE	2	403.7	0.2%
96	NOT APPLICABLE	123053	28741779.4	
97	DON'T KNOW	0	0.0	

LOPG082: Work days missed due to cold - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	0	0.0	
99	NOT STATED	1383	403084.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG083: Work days missed due/ flu/influenza (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=270 / 106624.85] [Invalid=124659 / 29228586.11]

Value	Label	Cases	Weighted	Percentage (Weighted)
1		136	51942.3	48.7%
2		74	29009.0	27.2%
3		33	14510.5	13.6%
4		11	5012.6	4.7%
5		9	2814.8	2.6%
6		2	551.0	0.5%
7		2	238.8	0.2%
10		3	2545.8	2.4%
11	11 DAYS OR MORE	0	0.0	
96	NOT APPLICABLE	123276	28825501.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1383	403084.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG084: Work days missed due to stomach flu (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=397 / 140116.21] [Invalid=124532 / 29195094.75]

Value	Label	Cases	Weighted	Percentage (Weighted)
1		212	80656.0	57.6%
2		124	43312.6	30.9%
3		46	11264.8	8.0%
4		5	1595.7	1.1%
5		3	2055.3	1.5%
6		1	139.4	0.1%
7		4	706.2	0.5%
10		1	130.2	0.1%
11	11 DAYS OR MORE	1	256.1	0.2%
96	NOT APPLICABLE	123149	28792010.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1383	403084.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG085: Work days missed due/ respir.infect. (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=114 / 34748.67] [Invalid=124815 / 29300462.29]

LOPG085: Work days missed due/ respir.infect. (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1		48	16154.8	46.5%
2		26	6817.4	19.6%
3		9	3594.5	10.3%
4		7	1559.0	4.5%
5		7	2101.3	6.0%
7		5	1665.4	4.8%
8		3	287.9	0.8%
10		4	596.1	1.7%
11	11 DAYS OR MORE	5	1972.3	5.7%
96	NOT APPLICABLE	123432	28897377.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1383	403084.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG086: Wrk days missed due/other infect.dis.(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=129 / 50537.66] [Invalid=124800 / 29284673.3]

Value	Label	Cases	Weighted	Percentage (Weighted)
1		59	23847.6	47.2%
2		33	14330.7	28.4%
3		13	4009.7	7.9%
4		5	751.1	1.5%
5		5	3892.7	7.7%
6		1	556.6	1.1%
7		5	704.5	1.4%
10		3	1101.3	2.2%
11	11 DAYS OR MORE	5	1343.4	2.7%
96	NOT APPLICABLE	123417	28881588.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1383	403084.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_090: Missed work for physical/mental hlth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11311 / 3880721.19] [Invalid=113618 / 25454489.77]
Literal question	In the past three months, have you been absent from work because of any other reason related to your physical or mental health?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1202	407739.4	10.5%
2	NO	10109	3472981.8	89.5%
6	NOT APPLICABLE	112236	25047821.2	
7	DON'T KNOW	6	4594.1	
8	REFUSAL	2	694.7	
9	NOT STATED	1374	401379.7	

LOP_090: Missed work for physical/mental hlth

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG100: Work days missed physical/mental hlth-G

Information	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]
Statistics [NW/ W]	[Valid=1199 / 406671.5] [Invalid=123730 / 28928539.46]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1		581	204061.2		50.2%
2		246	93174.0		22.9%
3		93	27402.3		6.7%
4		51	15407.2		3.8%
5		57	16395.9		4.0%
6		20	4865.6		1.2%
7		17	3243.6		0.8%
8		3	858.1		0.2%
9		4	810.5		0.2%
10		19	6373.1		1.6%
11		1	139.2		0.0%
12		2	769.4		0.2%
14		8	2350.1		0.6%
15		7	995.7		0.2%
16		1	86.7		0.0%
20		12	3530.2		0.9%
21	21 DAYS OR MORE	77	26208.7		6.4%
96	NOT APPLICABLE	122345	28520803.0		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	1385	407736.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCGCB12: Country of birth - Canada/other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=121371 / 28403539.99] [Invalid=3558 / 931670.97]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	CANADA	102912	21584704.9		76.0%
2	OTHER	18459	6818835.1		24.0%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	3558	931671.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDC_5A_1: Knowledge of official languages

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=121601 / 28533049.06] [Invalid=3328 / 802161.9]
Literal question	Of English or French, which language(s) do you speak well enougtho conduct a conversation? Is it…?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ENGLISH ONLY	87087	19401097.3		68.0%

SDC_5A_1: Knowledge of official languages

Value	Label	Cases	Weighted	Percentage (Weighted)
2	FRENCH ONLY	12685	3036417.7	10.6%
3	BOTH	21156	5728255.9	20.1%
4	NEITHER	673	367278.2	1.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	22	8867.0	
8	REFUSAL	71	18550.3	
9	NOT STATED	3235	774744.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCDFOLS: First official language spoken - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=121585 / 28551729.11] [Invalid=3344 / 783481.85]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ENGLISH	94591	21503927.5	75.3%
2	FRENCH	24684	6187309.3	21.7%
3	ENGLISH & FRENCH	1680	508890.2	1.8%
4	NEITHER	630	351602.2	1.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3344	783481.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHH_OWN: Is this owned or rented

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=121326 / 28479259.81] [Invalid=3603 / 855951.15]
Literal question	Is this dwelling… ?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OWNER	92865	20937828.4	73.5%
2	RENTED	28461	7541431.4	26.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	265	49052.3	
8	REFUSAL	236	44513.7	
9	NOT STATED	3102	762385.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCGLHM: Language(s) spoken at home

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=121587 / 28506323.27] [Invalid=3342 / 828887.69]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ENG. W-W/O OTHER	90887	19710322.5	69.1%
2	FRE. W-W/O OTHER	21859	5503444.3	19.3%
3	ENG./FRE. W-W/O	3772	916604.1	3.2%
4	NOT ENGL. / FRE.	5069	2375952.4	8.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	

SDCGLHM: Language(s) spoken at home

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	3342	828887.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCFIMM: Immigrant - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=121195 / 28341976.9] [Invalid=3734 / 993234.06]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17574	6559938.7	23.1%
2	NO	103621	21782038.2	76.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3734	993234.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCGRES: Length/time in Canada since imm. - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17276 / 6514177.17] [Invalid=107653 / 22821033.79]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	0 TO 9 YEARS	3464	1819560.7	27.9%
2	10 OR MORE YEARS	13812	4694616.4	72.1%
6	NOT APPLICABLE	103621	21782038.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	4032	1038995.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCGCGT: Cultural or racial origin - (D, G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=120633 / 28337739.31] [Invalid=4296 / 997471.65]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	WHITE	103567	22038203.6	77.8%
2	VISIBLE MINORITY	17066	6299535.7	22.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	4296	997471.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMKPROXY: Person most knowledgeable

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6661 / 1526104.97] [Invalid=118268 / 27809105.99]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	RESP<16,PARTICI.	6442	1455440.9	95.4%
2	RESP<16,REFUSES	219	70664.1	4.6%

PMKPROXY: Person most knowledgeable

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	118038	27753322.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	230	55783.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDC_8: Current student

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=116113 / 27302550.3] [Invalid=8816 / 2032660.66]
Literal question	^ARE_C ^YOU1 currently attending a school, college or university?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12979	3903386.6	14.3%
2	NO	103134	23399163.8	85.7%
6	NOT APPLICABLE	5093	1129649.2	
7	DON'T KNOW	176	22750.2	
8	REFUSAL	158	34533.2	
9	NOT STATED	3389	845728.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCG9: Full-time student or part-time student

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12722 / 3871999.87] [Invalid=112207 / 25463211.09]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FULL-TIME	10114	3044185.3	78.6%
2	PART-TIME	2608	827814.6	21.4%
6	NOT APPLICABLE	108227	24528813.0	
7	DON'T KNOW	234	26414.8	
8	REFUSAL	0	0.0	
9	NOT STATED	3746	907983.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

EDUDH04: Highest level/edu. - HH 4 levels - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=114678 / 26649827.58] [Invalid=10251 / 2685383.38]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< THAN SECONDARY	13027	1737795.8	6.5%
2	SECONDARY GRAD.	15009	2899837.0	10.9%
3	OTHER POST-SEC.	4269	1093367.1	4.1%
4	POST-SEC. GRAD.	82373	20918827.6	78.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	10251	2685383.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

EDUDR04: Highest level/edu. - respond. 4 levels -

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

EDUDR04: Highest level/edu. - respond. 4 levels -

Statistics [NW/ W]	[Valid=120179 / 28208044.58] [Invalid=4750 / 1127166.38]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< SEC. SCHOOL GR	29636	5680134.5		20.1%
2	SEC. SCHOOL. GR.	20912	4714315.3		16.7%
3	SOME POST-SEC ED	6122	1796965.0		6.4%
4	POST-SEC CERT	63509	16016629.8		56.8%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	4750	1127166.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOFSC: Module: Food security

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=124929 / 29335210.96] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	124929	29335211.0		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_010: Past year, food situation in household

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=121046 / 28366892.12] [Invalid=3883 / 968318.84]
Literal question	Which of the following statements best describes the food eaten in your household in the past 12 months, that is, since [current month] of last year?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS ENOUGH	108111	25092696.2		88.5%
2	ENOUGH-NOT FAVES	11294	2883124.2		10.2%
3	SOMETIMES NOT	1241	301016.0		1.1%
4	OFTEN NOT	400	90055.8		0.3%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	241	46936.9		
8	REFUSAL	270	71841.8		
9	NOT STATED	3372	849540.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_020: Past year, worried food would run out

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=120868 / 28332818.13] [Invalid=4061 / 1002392.83]
Literal question	The first statement is: ...^DT_YouAndOthers_C worried that food would run out before you got money to buy more. Was that often true, sometimes true, or never true in the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	OFTEN TRUE	2189	510551.1		1.8%

FSC_020: Past year, worried food would run out

Value	Label	Cases	Weighted	Percentage (Weighted)
2	SOMETIMES TRUE	7456	1978567.6	7.0%
3	NEVER TRUE	111223	25843699.4	91.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	103	21582.0	
8	REFUSAL	52	8354.9	
9	NOT STATED	3906	972456.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_030: Past year, no food or money for more

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=120821 / 28323775.77] [Invalid=4108 / 1011435.19]
Literal question	The food that ^DT_YouAndOthers bought just didn't last, and there wasn't any money to get more. Was that often true, sometimes true, or never true in the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	1611	342446.0	1.2%
2	SOMETIMES TRUE	5914	1521604.7	5.4%
3	NEVER TRUE	113296	26459725.1	93.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	136	27483.3	
8	REFUSAL	56	8229.4	
9	NOT STATED	3916	975722.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_040: Past yr, could not afford balanced meals

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=120767 / 28314926.9] [Invalid=4162 / 1020284.06]
Literal question	^DT_YouAndOthers_C couldn't afford to eat balanced meals. In the past 12 months was that often true, sometimes true, or never true?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	2123	472436.0	1.7%
2	SOMETIMES TRUE	6133	1536573.6	5.4%
3	NEVER TRUE	112511	26305917.2	92.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	182	34448.0	
8	REFUSAL	60	8461.2	
9	NOT STATED	3920	977374.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_050: Past yr,few kinds low-cost food for kids

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=32463 / 10357459.09] [Invalid=92466 / 18977751.87]
Literal question	^DT_YouOtherAdults_C relied on only a few kinds of low-cost food to feed ^DT_ChildFName because you were running out of money to buy food. Was that often true, sometimes true, or never true in the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	427	131238.4	1.3%
2	SOMETIMES TRUE	2208	685724.1	6.6%

FSC_050: Past yr,few kinds low-cost food for kids

Value	Label	Cases	Weighted	Percentage (Weighted)
3	NEVER TRUE	29828	9540496.7	92.1%
6	NOT APPLICABLE	91187	18518273.4	
7	DON'T KNOW	135	39376.8	
8	REFUSAL	49	14017.4	
9	NOT STATED	1095	406084.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_060: Past yr,couldnt feed kids balanced meal

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=32462 / 10358254.56] [Invalid=92467 / 18976956.4]
Literal question	^DT_YouOtherAdults_C couldn't feed ^DT_ChildFName a balanced meal, because you couldn't afford it. Was that often true, sometimes true, or never true in the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	256	72278.0	0.7%
2	SOMETIMES TRUE	1444	458858.1	4.4%
3	NEVER TRUE	30762	9827118.5	94.9%
6	NOT APPLICABLE	91187	18518273.4	
7	DON'T KNOW	133	37531.4	
8	REFUSAL	50	14071.8	
9	NOT STATED	1097	407079.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_070: Past year,children weren't eating enough

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=5156 / 1587401.27] [Invalid=119773 / 27747809.69]
Literal question	^DT_ChildWas not eating enough because ^DT_YouOtherAdults just couldn't afford enough food. Was that often, sometimes, or never true in the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	130	34426.4	2.2%
2	SOMETIMES TRUE	575	200154.0	12.6%
3	NEVER TRUE	4451	1352820.9	85.2%
6	NOT APPLICABLE	118468	27279434.6	
7	DON'T KNOW	28	8399.6	
8	REFUSAL	11	2622.1	
9	NOT STATED	1266	457353.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_080: Past year, adults cut or skipped meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13483 / 3430352.19] [Invalid=111446 / 25904858.77]
Literal question	In the past 12 months, since last [current month] did ^DT_YouOtherAdults ever cut the size of your meals or skip meals because there wasn't enough money for food?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4055	1001886.2	29.2%
2	NO	9428	2428466.0	70.8%
6	NOT APPLICABLE	107073	24822203.7	

FSC_080: Past year, adults cut or skipped meals

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	33	8313.9	
8	REFUSAL	16	4107.4	
9	NOT STATED	4324	1070233.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_081: Past yr, adults skipped meals freq

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=4036 / 996440.93] [Invalid=120893 / 28338770.03]
Literal question	How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST EVERY MONTH	1586	332769.8	33.4%
2	SOME MONTHS	1393	373822.0	37.5%
3	ONLY 1 OR 2 MONTHS	1057	289849.2	29.1%
6	NOT APPLICABLE	116501	27250669.7	
7	DON'T KNOW	19	5445.3	
8	REFUSAL	0	0.0	
9	NOT STATED	4373	1082655.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_090: Past year, ate less than felt should

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13461 / 3427127.19] [Invalid=111468 / 25908083.77]
Literal question	In the past 12 months, did you ^Personallyever eat less than you felt you should because there wasn't enough money to buy food?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4327	1058920.1	30.9%
2	NO	9134	2368207.1	69.1%
6	NOT APPLICABLE	107073	24822203.7	
7	DON'T KNOW	52	11263.1	
8	REFUSAL	18	4350.4	
9	NOT STATED	4325	1070266.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_100: Past year, was hungry but couldn't eat

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13474 / 3429652.78] [Invalid=111455 / 25905558.18]
Literal question	In the past 12 months, were you ^Personallyever hungry but didn't eat because you couldn't afford enough food?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2519	578717.6	16.9%
2	NO	10955	2850935.1	83.1%
6	NOT APPLICABLE	107073	24822203.7	
7	DON'T KNOW	38	8124.3	
8	REFUSAL	18	4924.7	
9	NOT STATED	4326	1070305.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_110: Past year, lost weight,no money for food

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13382 / 3410747.93] [Invalid=111547 / 25924463.03]
Literal question	In the past 12 months, did you ^Personallylose weight because you didn't have enough money for food?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1641	354831.7		10.4%
2	NO	11741	3055916.2		89.6%
6	NOT APPLICABLE	107073	24822203.7		
7	DON'T KNOW	125	26592.2		
8	REFUSAL	21	5060.0		
9	NOT STATED	4328	1070607.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_120: Past year, adults did not eat whole day

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5482 / 1390146.81] [Invalid=119447 / 27945064.15]
Literal question	In the past 12 months, did ^DT_YouOtherAdults ever not eat for a whole day because there wasn't enough money for food?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1064	223041.5		16.0%
2	NO	4418	1167105.3		84.0%
6	NOT APPLICABLE	115018	26851158.8		
7	DON'T KNOW	11	1856.1		
8	REFUSAL	3	977.5		
9	NOT STATED	4415	1091071.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_121: Past year, adults not eat whole day freq

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=1055 / 221819.33] [Invalid=123874 / 29113391.63]
Literal question	How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALMOST EVERY MONTH	458	100092.1		45.1%
2	SOME MONTHS	350	71432.3		32.2%
3	ONLY 1 OR 2 MONTHS	247	50294.9		22.7%
6	NOT APPLICABLE	119436	28018264.1		
7	DON'T KNOW	8	724.1		
8	REFUSAL	1	498.1		
9	NOT STATED	4429	1093905.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_130: Past year, cut size of children's meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1996 / 602665.19] [Invalid=122933 / 28732545.77]
Literal question	In the past 12 months, did ^DT_YouOtherAdults ever cut the size of ^DT_AnyChilds meals because there wasn't enough money for food?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	208	59601.5		9.9%

FSC_130: Past year, cut size of children's meals

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	1788	543063.6		90.1%
6	NOT APPLICABLE	121610	28259587.3		
7	DON'T KNOW	9	3584.3		
8	REFUSAL	8	2282.0		
9	NOT STATED	1306	467092.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_140: Past year, children skipped meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2000 / 604541.83] [Invalid=122929 / 28730669.13]
Literal question	In the past 12 months, did ^DT_AnyChild ever skip meals because there wasn't enough money for food?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	138	36788.2	6.1%	
2	NO	1862	567753.6		93.9%
6	NOT APPLICABLE	121610	28259587.3		
7	DON'T KNOW	7	1924.3		
8	REFUSAL	6	2065.3		
9	NOT STATED	1306	467092.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_141: Past year, freq child(ren) skipped meals

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=136 / 35819.47] [Invalid=124793 / 29299391.49]
Literal question	How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALMOST EVERY MONTH	44	10157.2	28.4%	
2	SOME MONTHS	56	17611.7		49.2%
3	ONLY 1 OR 2 MONTHS	36	8050.6	22.5%	
6	NOT APPLICABLE	123472	28827340.9		
7	DON'T KNOW	2	968.7		
8	REFUSAL	0	0.0		
9	NOT STATED	1319	471081.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_150: Past year, children were hungry

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1996 / 602551.72] [Invalid=122933 / 28732659.24]
Literal question	In the past 12 months, ^DT_WasAnyChild ever hungry but you just couldn't afford more food?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	231	55325.7	9.2%	
2	NO	1765	547226.0		90.8%
6	NOT APPLICABLE	121610	28259587.3		
7	DON'T KNOW	9	3839.5		
8	REFUSAL	8	2140.2		
9	NOT STATED	1306	467092.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_160: Past year, children not eat whole day

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1998 / 603321.49] [Invalid=122931 / 28731889.47]
Literal question	In the past 12 months, did ^DT_AnyChild ever not eat for a whole day because there wasn't enough money for food?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	47	7801.1	1.3%
2	NO	1951	595520.4	98.7%
6	NOT APPLICABLE	121610	28259587.3	
7	DON'T KNOW	8	3097.0	
8	REFUSAL	7	2113.0	
9	NOT STATED	1306	467092.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSCDHFS2: Household Food Security Status (HC)

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=120242 / 28186486.8] [Invalid=4687 / 1148724.16]

Value	Label	Cases	Weighted	Percentage (Weighted)
0	FOOD SECURE	111723	25998247.6	92.2%
1	MOD. FOOD INSEC.	5890	1597053.5	5.7%
2	SEV. FOOD INSEC.	2629	591185.8	2.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	4687	1148724.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSCDAFS2: Food Security - Adult Status

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=120283 / 28198611.69] [Invalid=4646 / 1136599.27]

Value	Label	Cases	Weighted	Percentage (Weighted)
0	FOOD SECURE	111893	26045816.8	92.4%
1	MOD. FOOD INSEC.	5756	1560985.2	5.5%
2	SEV. FOOD INSEC.	2634	591809.7	2.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	4646	1136599.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSCDCFS2: Food Security - Child Status

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=32386 / 10335162.51] [Invalid=92543 / 19000048.45]

Value	Label	Cases	Weighted	Percentage (Weighted)
0	FOOD SECURE	30827	9840881.6	95.2%
1	MOD. FOOD INSEC.	1423	461017.9	4.5%
2	SEV. FOOD INSEC.	136	33263.0	0.3%
6	NOT APPLICABLE	91186	18518243.4	

FSCDCFS2: Food Security - Child Status

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1357	481805.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCG2: Total hhld inc. - main source - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=113052 / 26823712.1] [Invalid=11877 / 2511498.86]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EMPLOYMENT INC.	74474	20694758.4	77.2%
2	EI/WORKER'S COMP	4203	897222.6	3.3%
3	SENIOR BENEFITS	30138	4297360.7	16.0%
4	OTHER	4237	934370.5	3.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	11877	2511498.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCG7: Main source of personal income - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=70315 / 19951955.76] [Invalid=54614 / 9383255.2]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	EMPLOYMENT INC.	45102	14237795.2		71.4%
2	EI/WORKER'S COMP	2944	793254.5	4.0%	
3	SENIOR BENEFITS	15695	3000910.9	15.0%	
4	OTHER	6574	1919995.1	9.6%	
6	NOT APPLICABLE	38686	5338056.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	15928	4045198.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCGHH: Total hhld inc. from all sources - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=124818 / 29323506.98] [Invalid=111 / 11703.98]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NO OR <$20,000	13815	2343041.1	8.0%	
2	$20,000-$39,999	27998	5345558.1	18.2%	
3	$40,000-$59,999	23630	5308858.1	18.1%	
4	$60,000-$79,999	18442	4565626.3	15.6%	
5	$80,000 OR MORE	40933	11760423.5		40.1%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	111	11704.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCGPER: Total pers. inc. from all sources (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=100791 / 23332809.7] [Invalid=24138 / 6002401.26]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NO INCOME	2810	912969.4	3.9%	
2	LESS THAN 20,000	28893	6105690.2		26.2%
3	$20,000-$39,999	29932	6417377.1		27.5%
4	$40,000-$59,999	18265	4328151.4	18.5%	
5	$60,000-$79,999	10075	2547508.4	10.9%	
6	$80,000 OR MORE	10816	3021113.3	12.9%	
96	NOT APPLICABLE	6889	1582233.9		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	17249	4420167.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCDRCA: Household income distribution - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=121741 / 29242187.59] [Invalid=3188 / 93023.37]

INCDRCA: Household income distribution - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DECILE 1	10769	2922293.6	10.0%
2	DECILE 2	12807	2927706.5	10.0%
3	DECILE 3	12745	2998185.6	10.3%
4	DECILE 4	12243	2923135.6	10.0%
5	DECILE 5	12674	2867074.5	9.8%
6	DECILE 6	13217	3026009.5	10.3%
7	DECILE 7	10969	2868210.3	9.8%
8	DECILE 8	11930	2873724.2	9.8%
9	DECILE 9	11865	2913728.0	10.0%
10	DECILE 10	12522	2922120.0	10.0%
96	NOT APPLICABLE	3083	82645.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	105	10377.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCDRPR: Hhld inc. distribution-prov. level - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=121741 / 29242187.59] [Invalid=3188 / 93023.37]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DECILE 1	11089	2942250.6	10.1%
2	DECILE 2	13221	2923625.7	10.0%
3	DECILE 3	12836	2922174.2	10.0%
4	DECILE 4	12536	3051266.1	10.4%
5	DECILE 5	12318	2879051.2	9.8%
6	DECILE 6	12299	2891409.1	9.9%
7	DECILE 7	11440	2888716.2	9.9%
8	DECILE 8	12026	2932664.8	10.0%
9	DECILE 9	11859	2913234.3	10.0%
10	DECILE 10	12117	2897795.4	9.9%
96	NOT APPLICABLE	3083	82645.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	105	10377.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCDRRS: Hhld inc. distribution- hr level - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=111161 / 28369232.14] [Invalid=13768 / 965978.82]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DECILE 1	11688	2893873.6	10.2%
2	DECILE 2	12534	2834066.1	10.0%
3	DECILE 3	11817	2853942.4	10.1%
4	DECILE 4	11586	2886907.2	10.2%
5	DECILE 5	11114	2797438.5	9.9%

INCDRRS: Hhld inc. distribution- hr level - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)	
6	DECILE 6	11020	2842945.0		10.0%
7	DECILE 7	10717	2903750.5		10.2%
8	DECILE 8	10266	2771402.4		9.8%
9	DECILE 9	10147	2823998.8		10.0%
10	DECILE 10	10272	2760907.8		9.7%
96	NOT APPLICABLE	3083	82645.4		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	10685	883333.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTS_M: Weights - Master

Information	[Type= continuous] [Format=numeric] [Range= 3.28-12006.25] [Missing=*]
Statistics [NW/ W]	[Valid=124929 /-] [Invalid=0 /-] [Mean=234.815 /-] [StdDev=388.819 /-]