## Canada

## **Health Statistics Division, Statistics Canada**

Canadian Community Health Survey, 2005: Cycle 3.1 Sub-sample 1: Health Utility Index (HUI), Fruit and Vegetable Consumption and Labour Force (long form)

**Study Documentation** 

# **Metadata Production**

Metadata Producer(s)	Data Centre (DC), Carleton University Data Resource Centre (DRC), University of Guelph
Production Date April 5, 2006	
Version SP XML Version 2 Version: 1	
Identification cchs-82M0013-E-2005-ss1	

# **Table of Contents**

<u>Overview</u>	<u>4</u>
Scope & Coverage	<u>5</u>
Producers & Sponsors.	<u>5</u>
Sampling	
Data Collection.	<u>6</u>
Data Processing & Appraisal.	<u>6</u>
<u>Accessibility</u>	
Rights & Disclaimer.	<u>6</u>
Files Description.	<u>7</u>
<u>cchs 82M0013 E 2005 ss1 F1</u>	<u>7</u>
<u>Variables Group(s)</u>	<u>8</u>
Administration	<u>8</u>
Alcohol Use.	<u>8</u>
<u>Chronic Conditions</u> .	
Demographic and Household Variables.	<u>12</u>
Education.	
Exposure to Second-Hand Smoke.	
Flu Shots.	<u>13</u>
Fruit and Vegetable Consumption.	
Geographic Identifiers.	<u>14</u>
General Health.	<u>14</u>
Health Care Utilization.	<u>15</u>
Health Utility Index (HUI)	<u>19</u>
Height and Weight	
Home Care Services	
<u>Income</u>	<u>23</u>
<u>Injuries</u> .	<u>23</u>
<u>Labour Force</u>	<u>25</u>
Mammography	<u>25</u>
Maternal Experiences.	<u>27</u>
Pap Smear Test.	
Physical Activities	<u>29</u>
Restriction of Activities.	
Sample Identifiers.	
Sexual Behaviours	<u>35</u>
Smoking	
Socio-demographic Characteristics.	
Two-Week Disability	
Weights.	
Youth Smoking.	<u>38</u>
<u>Variables Description</u> .	<u>39</u>
cchs 82M0013 E 2005 ss1 E1	40

# Canadian Community Health Survey, 2005: Cycle 3.1 Sub-sample 1: Health Utility Index (HUI), Fruit and Vegetable Consumption and Labour Force (long form) (CCHS-Cycle 3.1 2005: Sub-sample 1)

Enquête sur la santé dans les collectivités canadiennes, 2005: Cycle 3.1 Sous-échantillon 1: L'indice de l'état de santé (HUI), Consommation de fruits et de légumes, Population active

Overview	Overview					
Туре	Canadian Community Health Survey					
Identification	cchs-82M0013-E-2005-ss1					
Version	Production Date: 2014-03-05  Version: 1  Notes  Updated variable documentation.					
Series	In 1991, the National Task Force on Health Information cited a number of issues and problems with the health information system. These problems were that: data was fragmented; data was incomplete; data could not be easily shared; data was not being analysed to the fullest extent; and the results of research were not consistently reaching Canadians1.  In responding to these needs, the Canadian Institute for Health Information (CIHI), Statistics Canada and Health Canada joined forces to create a Health Information Roadmap. From this mandate, the Canadian Community Health Survey (CCHS) was conceived. The format, content and objectives of the CCHS evolved through extensive consultation with key experts, federal, provincial and community health region stakeholders to determine their data requirements2. The purpose of this publication, the PUMF, is to follow through on the mandate of collecting reliable, relevant information on health services, health status, and health issues important to Canadians - at the regional, provincial and national level - and disseminating this information to the public.  1 1999. Health Information Roadmap Responding to Needs, Health Canada, Statistics Canada. p.3. 2 1999. Roadmap Initiative Launching the Process. Canadian Institute for Health Information / Statistics Canada. ISBN 1-895581-70-2. p.19.					

#### **Abstract**

The Canadian Community Health Survey (CCHS) is a cross-sectional survey that collects information related to health status, health care utilization and health determinants for the Canadian population. The CCHS operates on a two-year collection cycle. The first year of the survey cycle ".1" is a large sample, general population health survey, designed to provide reliable estimates at the health region level. The second year of the survey cycle ".2" has a smaller sample and is designed to provide provincial level results on specific focused health topics.

This Microdata File contains data collected for CCHS Cycle 3.1 between January 2005 and December 2005. The CCHS Cycle 3.1 collects responses from persons aged 12 or older, living in private occupied dwellings in 122 health regions covering all provinces and territories. Excluded from the sampling frame are individuals living on Indian Reserves and on Crown Lands, institutional residents, full-time members of the Canadian Forces, and residents of certain remote regions. The CCHS covers approximately 98% of the Canadian population aged 12 and over.

CCHS 3.1 Survey consists of the main survey files and 3 sub-sample files

Sub-sample 1: Health Utility Index (HUI), Fruit and Vegetable Consumption and Labour Force (long form)

Sub-sample 2: Measured Height and Weight

Sub-sample 3: Access to Health Care Services, Waiting Times and Patient Satisfaction (replaces the Health Services Access Survey (HSAS))

Kind of Data	Survey
Unit of Analysis	Individual

Scope & Coverage	
Keywords	Administration, Alcohol, Blood pressure check, Breast examinations, Breast self examination, Canadian Problem Gambling Index, Changes made to improve health, Childhood and adult stressors, Chronic conditions, Colorectal cancer exams, Contacts with mental health professions, Dental visits, Depression, Diabetes care, Distress, Exposure to second-hand smoke, Eye examination, Flu shots, Food choices, Food security, Fruit and vegetable consumption, General health, Health care system satisfaction, Health care utilization, Health status - SF-36, Health Utility Index (HUI), Height and weight, Home care, Illicit drugs, Income, Injuries, Insurance coverage, Labour force (long form), Labour force (short form), Mammography, Maternal experiences, Medication use, Nicotine dependence, Oral health 2, PAP smear test, Physical activities, Physical check-up, Prostate cancer screening, Restriction of activities, Satisfaction with life, Sedentary activities, Self-esteem, Sexual behaviour, Sleep, Smoking, Smoking cessation aids, Smoking - physician counselling, Smoking - stages of change, Social support - availability, Social support - utilization, Socio-demographic characteristics, Stress - coping, Stress - sources, Suicidal thoughts and attempts, Sun safety, Two-week disability, Use of protective equipment, Voluntary organizations, Work stress, Youth smoking
Time Period(s)	2005
Countries	Canada

#### Geographic Coverage

Canada, Provinces, Territories, Health Regions

#### Universe

Included: Persons aged 12 years and older who are living in private dwellings in the ten provinces and three territories. Excluded: Individuals living on Indian Reserves and on Crown Lands, institutional residents, full-time members of the Canadian Forces, and residents of certain remote regions.

Producers & Sponsors			
Primary Investigator(s)	Health Statistics Division, Statistics Canada		
Other Producer(s)	Health Statistics Division , Statistics Canada		

## Sampling

#### Sampling Procedure

Stratified random sample

#### Response Rate

See section 9. http://odesi.scholarsportal.info/documentation/HEALTH/CCHS/2005/DOCS/guide\_e.pdf

#### Weighting

WTSE\_S1M = Weights - Sub-sample 1 Master

The principle behind estimation in a probability sample such as the CCHS Cycle 3.1 is that each person in the sample "represents", besides himself or herself, several other persons not in the sample. For example, in a simple random 2% sample of the population, each person in the sample represents 50 persons in the population. In the terminology used here, it can be said that each person has a weight of 50.

The weighting phase is a step that calculates, for each person, his or her associated sampling weight. This weight appears on the PUMF, and must be used to derive meaningful estimates from the survey. For example, if the number of individuals who smoke daily is to be estimated, it is done by selecting the records referring to those individuals in the sample having that characteristic and summing the weights entered on those records.

Details of the method used to calculate sampling weights are presented in Section 8. http://odesi.scholarsportal.info/documentation/HEALTH/CCHS/2005/DOCS/guide\_e.pdf

<b>Data Collection</b>	Data Collection			
<b>Data Collection Dates</b>	start 2005-01-01 end 2005-12-31			
Time Period(s)	start 2005-01-01 end 2005-12-31			
<b>Data Collection Mode</b>	Varied			

### **Data Processing & Appraisal**

#### **Estimates of Sampling Error**

Since it is an unavoidable fact that estimates from a sample survey are subject to sampling error, sound statistical practice calls for researchers to provide users with some indication of the magnitude of this sampling error. The basis for measuring the potential size of sampling errors is the standard deviation of the estimates derived from survey results. However, because of the large variety of estimates that can be produced from a survey, the standard deviation of an estimate is usually expressed relative to the estimate to which it pertains. This resulting measure, known as the coefficient of variation (CV) of an estimate, is obtained by dividing the standard deviation of the estimate by the estimate itself and is expressed as a percentage of the estimate.

For example, suppose hypothetically that it is estimated that 25% of Canadians aged 12 and over are regular smokers and that this estimate is found to have a standard deviation of 0.003. Then the CV of the estimate is calculated as:  $(0.003/0.25) \times 100\% = 1.20\%$ 

Statistics Canada commonly uses CV results when analyzing data and urges users producing estimates from the CCHS Cycle 3.1 data files to also do so. For details on how to determine CVs, see Section 11. For guidelines on how to interpret CV results, see the table at the end of Subsection 10.4.

http://odesi.scholarsportal.info/documentation/HEALTH/CCHS/2005/DOCS/guide\_e.pdf

Accessibility					
Access Authority	Data Liberation Initiative (Statistics Canada) , <a href="http://www.statcan.gc.ca/dli-ild/dli-idd-eng.htm">http://www.statcan.gc.ca/dli-ild/dli-idd-eng.htm</a>				
Contact(s)	Data Liberation Initiative (Statistics Canada) , http://www.statcan.gc.ca/dli-ild/dli-idd-eng.htm				
Distributor(s)	Data Liberation Initiative				
Access Conditions Data Liberation Initia	tivo				

**Data Liberation Initiative** 

#### **Citation Requirements**

The publishing of analysis and results from research using any of the data products is permitted in research communications such as scholarly papers, journals and the like. The authors of these communications are required to cite Statistics Canada as the source of the data, and to indicate that the results or views expressed are those of the author/authorized user and are not those of Statistics Canada. Permission to include extracts of these data in textbooks must be obtained from the Licencing Section of Statistics Canada's Marketing Division.

Rights & Disclaimer	
Copyright © Statistics Canada, 2014	

# **Files Description**

Dataset contains 1 file(s)

cchs_82M0013_E_2005_ss1_F1		
# Cases	32133	
# Variable(s)	571	

# **Variables Group(s)**

## Dataset contains 29 group(s)

Gro	Group Administration							
#	Name	Label	Туре	Format	Valid	Invalid	Question	
1	ADME_RNO	Sequential record number	continuous	numeric-6.0	32133	0	Sequential record number	
2	ADME_PRX	Health Component completed by proxy	discrete	numeric-1.0	32133	0	Health Component completed by proxy	
3	ADME_N09	Interview by telephone/in person	discrete	numeric-1.0	17130	15003	Interviewer: Was this interview conducted on the telephone or in person?	
4	ADME_N10	Respondent alone during interview	discrete	numeric-1.0	31610	523	Interviewer: Was the respondent alone when you asked this health questionnaire?	
5	ADME_N11	Answers aff./presence of another person	discrete	numeric-1.0	4252	27881	Interviewer: Do you think that the answers of the respondent were affected by someone else being there?	

Group Alcohol Use							
#	Name	Label	Туре	Format	Valid	Invalid	Question
1	ALCE_1	Drank alcohol - past 12 months	discrete	numeric-1.0	31870	263	During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?
2	ALCE_2	Frequency of drinking alcohol	discrete	numeric-2.0	23846	8287	During the past 12 months, how often did you drink alcoholic beverages?
3	ALCE_3	Frequency of having 5 or more drinks	discrete	numeric-2.0	23794	8339	How often in the past 12 months have you had 5 or more drinks on one occasion?
4	ALCE_5	Drank alcohol in past week	discrete	numeric-1.0	23878	8255	Thinking back over the past week, did you have a drink of beer, wine, liquor or any other alcoholic beverage?
5	ALCE_5A1	No. of drinks - Sunday	continuous	numeric-3.0	14439	17694	Starting with yesterday, that is [day name], how many drinks did you have? - Sunday
6	ALCE_5A2	No. of drinks - Monday	continuous	numeric-3.0	14418	17715	Starting with yesterday, that is [day name], how many drinks did you have? - Monday
7	ALCE_5A3	No. of drinks - Tuesday	continuous	numeric-3.0	14371	17762	Starting with yesterday, that is [day name], how many drinks did you have? - Tuesday
8	ALCE_5A4	No. of drinks - Wednesday	continuous	numeric-3.0	14344	17789	Starting with yesterday, that is [day name], how many drinks did you have? - Wednesday
9	ALCE_5A5	No. of drinks - Thursday	continuous	numeric-3.0	14329	17804	Starting with yesterday, that is [day name], how many drinks did you have? - Thursday
10	ALCE_5A6	No. of drinks - Friday	continuous	numeric-3.0	14363	17770	Starting with yesterday, that is [day name], how many drinks did you have? - Friday
11	ALCE_5A7	No. of drinks - Saturday	continuous	numeric-3.0	14400	17733	Starting with yesterday, that is [day name], how many drinks did you have? - Saturday

#	Name	Label	Туре	Format	Valid	Invalid	Question
12	ALCE_5B	Ever had a drink	discrete	numeric-1.0	7939	24194	Have you ever had a drink?
13	ALCE_6	Regularly drank > 12 drinks a week	discrete	numeric-1.0	4493	27640	Did you ever regularly drink more than 12 drinks a week?
14	ALCE_7A	Reason reduced drinking - dieting	discrete	numeric-1.0	1021	31112	Why did you reduce or quit drinking altogether? - Dieting
15	ALCE_7B	Reason red. drink athletic training	discrete	numeric-1.0	1021	31112	Why did you reduce or quit drinking altogether? - Athletic training
16	ALCE_7C	Reason reduced drinking - pregnancy	discrete	numeric-1.0	1021	31112	Why did you reduce or quit drinking altogether? - Pregnancy
17	ALCE_7D	Reason reduced drinking - getting older	discrete	numeric-1.0	1021	31112	Why did you reduce or quit drinking altogether? - Getting older
18	ALCE_7E	Reason reduced drink drink too much	discrete	numeric-1.0	1021	31112	Why did you reduce or quit drinking altogether? - Drinking too much / drinking problem
19	ALCE_7F	Reason red. drink aff. work/studies	discrete	numeric-1.0	1021	31112	Why did you reduce or quit drinking altogether? - Affected work, studies, employment opportunities
20	ALCE_7G	Reason red. drink interfered w/life	discrete	numeric-1.0	1021	31112	Why did you reduce or quit drinking altogether? - Interfered with family or home life
21	ALCE_7H	Reason red. drink affect phys. health	discrete	numeric-1.0	1021	31112	Why did you reduce or quit drinking altogether? - Affected physical health
22	ALCE_7I	Reason red. drink affect social rel.	discrete	numeric-1.0	1021	31112	Why did you reduce or quit drinking altogether? - Affected friendships or social relationships
23	ALCE_7J	Reason red. drink affected finances	discrete	numeric-1.0	1021	31112	Why did you reduce or quit drinking altogether? - Affected financial position
24	ALCE_7K	Reason red. drink affect happiness	discrete	numeric-1.0	1021	31112	Why did you reduce or quit drinking altogether? - Affected outlook on life, happiness
25	ALCE_7L	Reason red. drink influence of family	discrete	numeric-1.0	1021	31112	Why did you reduce or quit drinking altogether? - Influence of family or friends
26	ALCE_7M	Reason reduced drinking - other	discrete	numeric-1.0	1021	31112	Why did you reduce or quit drinking altogether? - Other
27	ALCE_7N	Reason red. drink life change	discrete	numeric-1.0	1021	31112	Why did you reduce or quit drinking altogether? - Life change
28	ALCE_8	Age-started drinking alcoholic beverages	continuous	numeric-3.0	2279	29854	Not counting small sips, how old were you when you started drinking alcoholic beverages?
29	ALCEDTYP	Type of drinker - (D)	discrete	numeric-1.0	31785	348	Type of drinker - (D)
30	ALCEDDLY	Average daily alcohol consumption - (D)	continuous	numeric-3.0	23347	8786	Average daily alcohol consumption - (D)
31	ALCEDWKY	No. of drinks - past week - (D)	continuous	numeric-3.0	23347	8786	No. of drinks - past week - (D)

Group Chronic Conditions										
#	Name	Label	Type	Format	Valid	Invalid	Question			
1	CCCE_011	Has food allergies	discrete	numeric-1.0	32101	32	Do you have food allergies?			
2	CCCE_021	Has allergies other than food allergies	discrete	numeric-1.0	32103	30	(Do you have) any other allergies?			

#	Name	Label	Туре	Format	Valid	Invalid	Question
3	CCCE_031	Has asthma	discrete	numeric-1.0	32115	18	(Do you have) asthma?
4	CCCE_035	Asthma - had symptoms/ attacks	discrete	numeric-1.0	2743	29390	Have you had any asthma symptoms or asthma attacks in the past 12 months?
5	CCCE_036	Asthma - took medication	discrete	numeric-1.0	2746	29387	In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?
6	CCCE_041	Has fibromyalgia	discrete	numeric-1.0	32090	43	Do you have fibromyalgia?
7	CCCE_051	Has arthritis or rheumatism	discrete	numeric-1.0	32090	43	Remember, we are interested in conditions diagnosed by a health professional. Do you have arthritis or rheumatism, excluding fibromyalgia?
8	CCCE_05A	Kind of arthritis / rheumatism	discrete	numeric-1.0	5462	26671	What kind of arthritis do you have?
9	CCCE_061	Has back problems/excl. fibro/arthritis	discrete	numeric-1.0	32100	33	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have back problems, excluding fibromyalgia and arthritis?
10	CCCE_071	Has high blood pressure	discrete	numeric-1.0	32057	76	Do you have high blood pressure?
11	CCCE_072	Ever diagnosed with high blood pressure	discrete	numeric-1.0	26389	5744	Have you ever been diagnosed with high blood pressure?
12	CCCE_073	Medication - high blood pressure	discrete	numeric-1.0	7364	24769	In the past month, have you taken any medicine for high blood pressure?
13	CCCE_074	Did something - reduce blood pressure	discrete	numeric-1.0	7358	24775	In the past month, did you do anything else, recommended by a health professional, to reduce or control your blood pressure?
14	CCCE_75A	Recommendation - eating habits	discrete	numeric-1.0	2469	29664	What did you do? - Changed diet (e.g., reduced salt intake)
15	CCCE_75B	Recommendation - exercised more	discrete	numeric-1.0	2469	29664	What did you do? - Exercised more
16	CCCE_75C	Recommendation - reduced alcohol intake	discrete	numeric-1.0	2469	29664	What did you do? - Reduced alcohol intake
17	CCCE_75D	Recommendation - other	discrete	numeric-1.0	2469	29664	What did you do? - Other
18	CCCE_081	Has migraine headaches	discrete	numeric-1.0	32108	25	Remember, we are interested in conditions diagnosed by a health professional. Do you have migraine headaches?
19	CCCE_91A	Has chronic bronchitis	discrete	numeric-1.0	32103	30	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have chronic bronchitis?
20	CCCE_91E	Has emphysema	discrete	numeric-1.0	23767	8366	(Do you have) emphysema?
21	CCCE_91F	Has COPD	discrete	numeric-1.0	23748	8385	(Do you have) chronic obstructive pulmonary disease (COPD)?
22	CCCE_101	Has diabetes	discrete	numeric-1.0	32108	25	(Do you have) diabetes?
23	CCCEG102	Diabetes - age first diagnosed - (G)	discrete	numeric-2.0	1871	30262	How old were you when this was first diagnosed?
24	CCCE_10A	Diabetes diagnosed when pregnant	discrete	numeric-1.0	311	31822	Were you pregnant when you were first diagnosed with diabetes?
25	CCCE_10B	Diabetes diagnosed - other than pregnant	discrete	numeric-1.0	46	32087	Other than during pregnancy, has a health professional ever told you that you have diabetes?

#	Name	Label	Type	Format	Valid	Invalid	Question
26	CCCE_10C	Diabetes diag when started w/insulin	discrete	numeric-2.0	1876	30257	When you were first diagnosed with diabetes, how long was it before you were started on insulin?
27	CCCE_105	Diabetes - currently takes insulin	discrete	numeric-1.0	1884	30249	Do you currently take insulin for your diabetes?
28	CCCE_106	Diabetes - pills to control blood sugar	discrete	numeric-1.0	1883	30250	In the past month, did you take pills to control your blood sugar?
29	CCCE_111	Has epilepsy	discrete	numeric-1.0	32116	17	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have epilepsy?
30	CCCE_121	Has heart disease	discrete	numeric-1.0	32087	46	(Do you have) heart disease?
31	CCCE_131	Has cancer	discrete	numeric-1.0	32114	19	(Do you have) cancer?
32	CCCE_31A	Ever had cancer	discrete	numeric-1.0	31613	520	Have you ever been diagnosed with cancer?
33	CCCE_141	Has stomach or intestinal ulcers	discrete	numeric-1.0	32077	56	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have intestinal or stomach ulcers?
34	CCCE_151	Suffers from the effects of a stroke	discrete	numeric-1.0	32106	27	Do you suffer from the effects of a stroke?
35	CCCE_161	Has urinary incontinence	discrete	numeric-1.0	32099	34	(Do you suffer) from urinary incontinence?
36	CCCE_171	Has bowel disorder	discrete	numeric-1.0	32100	33	Do you suffer from a bowel disorder such as Crohn's Disease, ulcerative colitis, irritable bowel syndrome or bowel incontinence?
37	CCCE_17A	Type of bowel disease	discrete	numeric-1.0	1390	30743	What kind of bowel disease do you have?
38	CCCE_191	Has cataracts	discrete	numeric-1.0	29055	3078	(Do you have) cataracts?
39	CCCE_201	Has glaucoma	discrete	numeric-1.0	29052	3081	(Do you have) glaucoma?
40	CCCE_211	Has a thyroid condition	discrete	numeric-1.0	32089	44	(Do you have) a thyroid condition?
41	CCCE_251	Has chronic fatigue syndrome	discrete	numeric-1.0	32090	43	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have chronic fatigue syndrome?
42	CCCE_261	Suffers/multiple chemical sensitivities	discrete	numeric-1.0	32086	47	Do you suffer from multiple chemical sensitivities?
43	CCCE_280	Has a mood disorder	discrete	numeric-1.0	32096	37	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?
44	CCCE_290	Has an anxiety disorder	discrete	numeric-1.0	32096	37	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?
45	CCCE_331	Has a learning disability	discrete	numeric-1.0	32095	38	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have a learning disability?
46	CCCEF1	Has a chronic condition - (F)	discrete	numeric-1.0	32053	80	Has a chronic condition - (F)
47	CCCEG901	Other long-term physical/ mental hlth-(G)	discrete	numeric-1.0	32075	58	Do you have any other long-term physical or mental health condition

#	Name	Label	Туре	Format	Valid	Invalid	Question
							that has been diagnosed by a health
							professional?

Gro	up Demogra	aphic and Household	Variable	es			
#	Name	Label	Type	Format	Valid	Invalid	Question
1	DHHEGAGE	Age - (G)	discrete	numeric-2.0	32133	0	What is your age?
2	DHHE_SEX	Sex	discrete	numeric-1.0	32133	0	Interviewer: Enter the respondent's sex. If necessary, ask: Is respondent male or female?
3	DHHEGMS	Marital status - (G)	discrete	numeric-1.0	32082	51	What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single, never married?
4	DHHEGHSZ	Household size - (D, G)	discrete	numeric-1.0	32130	3	Household size - (D, G)
5	DHHEGL12	No. pers. < 12 years old in hhld - (D,G)	discrete	numeric-1.0	32133	0	No. pers. < 12 years old in hhld - (D,G)
6	DHHEGLE5	No. pers. <= 5 years old in hhld - (D,G)	discrete	numeric-1.0	32133	0	No. pers. <= 5 years old in hhld - (D,G)
7	DHHEG611	No. persons 6-11 years/in hhld - (D,G)	discrete	numeric-1.0	32133	0	No. persons 6-11 years/in hhld - (D,G)
8	DHHEGLVG	Living arrangements/selected resp -(D,G)	discrete	numeric-2.0	31939	194	Living arrangements/selected resp - (D,G)
9	DHHE_OWN	Dwelling - owned by a member of hhld	discrete	numeric-1.0	31400	733	Is this dwelling owned by a member of this household?
10	DHHEGBED	Dwelling - number of bedrooms - (G)	discrete	numeric-1.0	31319	814	How many bedrooms are there in this dwelling?

Gro	Group Education										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	EDUEDH04	Highest level/edu HH 4 levels - (D)	discrete	numeric-1.0	29518	2615	Highest level/edu HH 4 levels - (D)				
2	EDUEDR04	Highest level/edu HH 4 levels - (D)	discrete	numeric-1.0	31438	695	Highest level/edu HH 4 levels - (D)				

Gro	Group Exposure to Second-Hand Smoke										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	ETSE_10	Someone smokes inside home	discrete	numeric-1.0	29776	2357	Including both household members and regular visitors, does anyone smoke inside your home, every day or almost every day?				
2	ETSEG11	No. of people who smoke inside home -(G)	discrete	numeric-1.0	4554	27579	How many people smoke inside your home every day or almost every day?				
3	ETSE_20	Exposed to 2nd-hand smoke - private veh.	discrete	numeric-1.0	24279	7854	In the past month, were you exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle?				
4	ETSE_20B	Exposed to 2nd-hand smoke - public places	discrete	numeric-1.0	24256	7877	(In the past month,) were you exposed to second-hand smoke, every day or almost every day, in public places (such as bars,				

#	Name	Label	Туре	Format	Valid	Invalid	Question
							restaurants, shopping malls, arenas, bingo halls, bowling alleys)?
5	ETSE_5	Restrictions - smoking in home	discrete	numeric-1.0	31970	163	Are there any restrictions against smoking cigarettes in your home?
6	ETSE_6A	Smoking restrict not permitted home	discrete	numeric-1.0	21555	10578	How is smoking restricted in your home? - Smokers are asked to refrain from smoking in the house
7	ETSE_6B	Smoking restrict certain rooms only	discrete	numeric-1.0	21555	10578	How is smoking restricted in your home? - Smoking is allowed in certain rooms only
8	ETSE_6C	Smoking restrict not presence/child.	discrete	numeric-1.0	21555	10578	How is smoking restricted in your home? - Smoking is restricted in the presence of young children
9	ETSE_6D	Smoking restrict other	discrete	numeric-1.0	21555	10578	How is smoking restricted in your home? - Other restriction
10	ETSZ_7	Smoking restrictions at place of work	discrete	numeric-1.0	20077	12056	Smoking restrictions at place of work

Gro	Group Flu Shots											
#	Name	Label	Туре	Format	Valid	Invalid	Question					
1	FLUE_160	Ever had a flu shot	discrete	numeric-1.0	31405	728	Have you ever had a flu shot?					
2	FLUE_162	Had flu shot - last time	discrete	numeric-1.0	16645	15488	When did you have your last flu shot: (less than 1 year ago, 1 year to less than 2 years ago, or 2 years ago or more)?					
3	FLUE_66A	No flu shot - have not gotten around it	discrete	numeric-1.0	19937	12196	What are the reasons that you have not had a flu shot in the past year? - Have not gotten around to it					
4	FLUE_66B	No flu shot - resp. didn't think nec.	discrete	numeric-1.0	19937	12196	What are the reasons that you have not had a flu shot in the past year? - Respondent did not think it was necessary					
5	FLUE_66C	No flu shot - doctor didn't think nec.	discrete	numeric-1.0	19937	12196	What are the reasons that you have not had a flu shot in the past year? - Doctor did not think it was necessary					
6	FLUE_66D	No flu shot - personal/family resp.	discrete	numeric-1.0	19937	12196	What are the reasons that you have not had a flu shot in the past year? - Personal or family responsibilities					
7	FLUE_66E	No flu shot - not available when req'd	discrete	numeric-1.0	19937	12196	What are the reasons that you have not had a flu shot in the past year? - Not available at time required					
8	FLUE_66F	No flu shot - not available in area	discrete	numeric-1.0	19937	12196	What are the reasons that you have not had a flu shot in the past year? - Not available at all in the area					
9	FLUE_66G	No flu shot - waiting time was too long	discrete	numeric-1.0	19937	12196	What are the reasons that you have not had a flu shot in the past year? - Waiting time was too long					
10	FLUE_66H	No flu shot - transportation problems	discrete	numeric-1.0	19937	12196	What are the reasons that you have not had a flu shot in the past year? - Transportation problems					
11	FLUE_66I	No flu shot - language problem	discrete	numeric-1.0	19937	12196	What are the reasons that you have not had a flu shot in the past year? - Language problem					

#	Name	Label	Туре	Format	Valid	Invalid	Question
12	FLUE_66J	No flu shot - cost	discrete	numeric-1.0	19937	12196	What are the reasons that you have not had a flu shot in the past year? - Cost
13	FLUE_66K	No flu shot - did not know where to go	discrete	numeric-1.0	19937	12196	What are the reasons that you have not had a flu shot in the past year? - Did not know where to go / uninformed
14	FLUE_66L	No flu shot - fear	discrete	numeric-1.0	19937	12196	What are the reasons that you have not had a flu shot in the past year? - Fear (e.g., painful, embarrassing, find something wrong)
15	FLUE_66M	No flu shot - bad reaction to prev. shot	discrete	numeric-1.0	19937	12196	What are the reasons that you have not had a flu shot in the past year? - Bad reaction to previous shot
16	FLUE_66O	No flu shot - unable leave house/hlth	discrete	numeric-1.0	19937	12196	What are the reasons that you have not had a flu shot in the past year? - Unable to leave the house because of a health problem
17	FLUE_66N	No flu shot - other	discrete	numeric-1.0	19937	12196	What are the reasons that you have not had a flu shot in the past year? - Other

Gro	Group Fruit and Vegetable Consumption										
#	Name	Label	Type	Format	Valid	Invalid	Question				
1	FVCZDJUI	Daily consumption - fruit juice - (D)	continuous	numeric-6.1	31317	816	Daily consumption - fruit juice - (D)				
2	FVCZDFRU	Daily consumption - fruit - (D)	continuous	numeric-6.1	31231	902	Daily consumption - fruit - (D)				
3	FVCZDSAL	Daily consumption - green salad - (D)	continuous	numeric-6.1	31192	941	Daily consumption - green salad - (D)				
4	FVCZDPOT	Daily consumption - potatoes - (D)	continuous	numeric-6.1	31234	899	Daily consumption - potatoes - (D)				
5	FVCZDCAR	Daily consumption - carrots - (D)	continuous	numeric-6.1	31092	1041	Daily consumption - carrots - (D)				
6	FVCZDVEG	Daily consumption other vegetables - (D)	continuous	numeric-6.1	30977	1156	Daily consumption other vegetables - (D)				
7	FVCZDTOT	Daily cons total fruits and veg D)	continuous	numeric-6.1	30510	1623	Daily cons total fruits and veg D)				
8	FVCZGTOT	Daily cons. total fruits/veg (D, G)	discrete	numeric-1.0	30510	1623	Daily cons. total fruits/veg (D, G)				

Gro	Group Geographic Identifiers										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	GEOEGPRV	Province of residence of respondent-(G)	discrete	numeric-2.0	32133	0	Province of residence of respondent-(G)				
2	GEOEDPMF	Health Region (5) - (G)	discrete	numeric-5.0	32133	0	Health Region (5) - (G)				
3	GEOEGSHR	Sub-Health Region (Québec only) - (D,G)	discrete	numeric-7.0	1756	30377	Sub-Health Region (Québec only) - (D,G)				

Gro	up General l	Health					
#	Name	Label	Туре	Format	Valid	Invalid	Question

#	Name	Label	Туре	Format	Valid	Invalid	Question
1	GENE_01	Self-perceived health	discrete	numeric-1.0	32087	46	In general, would you say your health is: (excellent, very good, good, fair, or poor)?
2	GENE_02	Self-perceived hlth - compared 1 yr ago	discrete	numeric-1.0	32091	42	Compared to one year ago, how would you say your health is now? Is it: (much better now than 1 year ago, somewhat better now than 1 year ago, about the same as 1 year ago, somewhat worse now, or much worse now than 1 year ago)?
3	GENE_02A	Satisfaction with life in general	discrete	numeric-1.0	31509	624	How satisfied are you with your life in general: (very satisfied, satisfied, neither satisfied nor dissatisfied, dissatisfied, or very dissatisfied)?
4	GENE_02B	Self-perceived mental health	discrete	numeric-1.0	31552	581	In general, would you say your mental health is: (excellent, very good, good, fair, or poor)?
5	GENE_07	Self-perceived stress	discrete	numeric-1.0	30424	1709	Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?
6	GENE_08	Worked at job	discrete	numeric-1.0	27264	4869	Have you worked at a job or business at any time in the past 12 months?
7	GENE_09	Self perceived work stress	discrete	numeric-1.0	20096	12037	The next question is about your main job or business in the past 12 months. Would you say that most days were: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?
8	GENE_10	Sense of belonging - local community	discrete	numeric-1.0	31206	927	How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?
9	GENEDHDI	Self-rated health - (D)	discrete	numeric-1.0	32087	46	Self-rated health - (D)
10	GENEDMHI	Self-rated mental health - (D)	discrete	numeric-1.0	31552	581	Self-rated mental health - (D)

Gro	Group Health Care Utilization										
#	Name	Label	Type	Format	Valid	Invalid	Question				
1	HCUE_1AA	Has regular medical doctor	discrete	numeric-1.0	32100	33	Do you have a regular medical doctor?				
2	HCUE_1BA	Reason no dr - no one available in area	discrete	numeric-1.0	5554	26579	Why do you not have a regular medical doctor? - No medical doctors available in the area				
3	HCUE_1BB	Reason no dr - none taking new patients	discrete	numeric-1.0	5554	26579	Why do you not have a regular medical doctor? - Medical doctors in the area are not taking new patients				
4	HCUE_1BC	Reason no dr - not tried to contact one	discrete	numeric-1.0	5554	26579	Why do you not have a regular medical doctor? - Have not tried to contact one				
5	HCUE_1BD	Reason no dr - has left/retired	discrete	numeric-1.0	5554	26579	Why do you not have a regular medical doctor? - Had a medical doctor who left or retired				
6	HCUE_1BE	Reason no dr - other	discrete	numeric-1.0	5554	26579	Why do you not have a regular medical doctor? - Other				

#	Name	Label	Type	Format	Valid	Invalid	Question
7	HCUE_01	Overnight patient	discrete	numeric-1.0	32118	15	In the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?
8	HCUEG01A	No. of nights as patient - (G)	continuous	numeric-2.0	2935	29198	For how many nights in the past 12 months?
9	HCUEG02A	No. of consult family doctor - (G)	continuous	numeric-2.0	31985	148	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a family doctor (pediatrician) or general practitioner?
10	HCUEG02B	No. of consult eye specialist - (G)	continuous	numeric-2.0	32089	44	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with an eye specialist (such as an ophthalmologist or optometrist)?
11	HCUEG02C	No. of consult other doctor - (G)	continuous	numeric-2.0	32076	57	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with any other medical doctor (such as surgeon, allergist, orthopedist, gynaecologist, or psychiatrist)?
12	HCUEG02D	No. of consult nurse - (G)	continuous	numeric-2.0	32058	75	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a nurse for care or advice?
13	HCUEG02E	No. of consult dentist/ ortho (G)	continuous	numeric-2.0	32088	45	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a dentist or orthodontist?
14	HCUEG02F	No. of consult chiropractor - (G)	continuous	numeric-2.0	32105	28	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a chiropractor?
15	HCUEG02G	No. of consult physiotherapist - (G)	continuous	numeric-2.0	32098	35	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a physiotherapist?
16	HCUEG02H	No. of consult social worker - (G)	continuous	numeric-2.0	32098	35	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a social worker or counsellor?
17	HCUEG02I	No. of consult psychologist - (G)	continuous	numeric-2.0	32111	22	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a psychologist?
18	HCUEG02J	No. of cons speech/aud./ occ. ther(G)	continuous	numeric-2.0	32110	23	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a speech, audiology or occupational therapist?

#	Name	Label	Туре	Format	Valid	Invalid	Question
19	HCUEG03A	Loc. most recent cont family dr - (G)	discrete	numeric-2.0	25104	7029	Where did the most recent contact take place? - family doctor
20	HCUEG03C	Loc. most recent cont other M.D(G)	discrete	numeric-2.0	8401	23732	Where did the most recent contact take place? - other medical doctor
21	HCUEG03D	Location most recent cont nurse - (G)	discrete	numeric-2.0	4447	27686	Where did the most recent contact take place? - nurse
22	HCUEG3D1	Method most recent contact - nurse	discrete	numeric-1.0	1726	30407	Did this most recent contact occur: (in-person (face to face), through a videoconference or through another method)?
23	HCUE_04A	Attended self-help group	discrete	numeric-1.0	32113	20	In the past 12 months, have you attended a meeting of a self-help group such as AA or a cancer support group?
24	HCUE_04	Consulted altern. health care provider	discrete	numeric-1.0	32116	17	In the past 12 months, have you seen or talked to an alternative health care provider such as an acupuncturist, homeopath or massage therapist about your physical, emotional or mental health?
25	HCUE_05A	Alt. hlth care - massage therapist	discrete	numeric-1.0	4224	27909	Who did you see or talk to? - Massage therapist
26	HCUE_05B	Alt. hlth care - acupuncturist	discrete	numeric-1.0	4224	27909	Who did you see or talk to? - Acupuncturist
27	HCUE_05C	Alt. hlth care - homeopath/ naturopath	discrete	numeric-1.0	4224	27909	Who did you see or talk to? - Homeopath or naturopath
28	HCUEG05L	Alt. hlth care - other - (G)	discrete	numeric-1.0	4224	27909	Who did you see or talk to? - Other
29	HCUE_06	Unmet health care needs - self-perceived	discrete	numeric-1.0	32089	44	During the past 12 months, was there ever a time when you felt that you needed health care but you didn't receive it?
30	HCUE_07A	Care not rec'd - not avail. in area	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Not available in the area
31	HCUE_07B	Care not rec'd - not avail. time req'd	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Not available at time required (e.g., doctor on holidays, inconvenient hours)
32	HCUE_07C	Care not rec'd - wait too long	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Waiting time too long
33	HCUE_07D	Care not rec'd - felt be inadequate	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Felt would be inadequate
34	HCUE_07E	Care not rec'd - cost	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Cost
35	HCUE_07F	Care not rec'd - too busy	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Too busy
36	HCUE_07G	Care not rec'd - didn't get around it	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Didn't get around to it / didn't bother
37	HCUE_07H	Care not rec'd - didn't know where to go	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Didn't know where to go

#	Name	Label	Type	Format	Valid	Invalid	Question
38	HCUE_07I	Care not rec'd - transportation problems	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Transportation problems
39	HCUE_07J	Care not rec'd - language problems	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Language problems
40	HCUE_07K	Care not rec'd - pers./family resp.	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Personal or family responsibilities
41	HCUE_07L	Care not rec'd - dislikes doctor/afraid	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Dislikes doctors / afraid
42	HCUE_07M	Care not rec'd - decided not seek care	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Decided not to seek care
43	HCUE_07O	Care not rec'd - doctor think not nec.	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Doctor didn't think it was necessary
44	HCUE_07P	Care not rec'd - unable to leave house	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Unable to leave the house because of health problem
45	HCUE_07N	Care not rec'd - other	discrete	numeric-1.0	3749	28384	Thinking of the most recent time, why didn't you get care? - Other
46	HCUE_08A	Type care not rec'd - physical hlth prob	discrete	numeric-1.0	3742	28391	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of a physical health problem
47	HCUE_08B	Type care not rec'd - emotional problem	discrete	numeric-1.0	3742	28391	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of an emotional or mental health problem
48	HCUE_08C	Type care not rec'd - regular check-up	discrete	numeric-1.0	3742	28391	Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including regular pre-natal care)
49	HCUE_08D	Type care not rec'd - care of injury	discrete	numeric-1.0	3742	28391	Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury
50	HCUE_08E	Type care not rec'd - other	discrete	numeric-1.0	3742	28391	Again, thinking of the most recent time, what was the type of care that was needed? - Other
51	HCUE_09A	Tried get serv doctor's office	discrete	numeric-1.0	3686	28447	Where did you try to get the service you were seeking? - Doctor's office
52	HCUE_09B	Tried get serv hospital emergency	discrete	numeric-1.0	3686	28447	Where did you try to get the service you were seeking? - Hospital emergency room
53	HCUE_09C	Tried get serv hsp. overnight patient	discrete	numeric-1.0	3686	28447	Where did you try to get the service you were seeking? - Hospital overnight patient
54	HCUE_09D	Tried get serv hsp. outpatient clinic	discrete	numeric-1.0	3686	28447	Where did you try to get the service you were seeking? - Hospital outpatient clinic (e.g., day surgery, cancer)
55	HCUE_09E	Tried get serv walk-in clinic	discrete	numeric-1.0	3686	28447	Where did you try to get the service you were seeking? - Walk-in clinic

#	Name	Label	Туре	Format	Valid	Invalid	Question
56	HCUE_09F	Tried get serv appointment clinic	discrete	numeric-1.0	3686	28447	Where did you try to get the service you were seeking? - Appointment clinic
57	HCUE_09G	Tried get serv comm. hlth centre/CLSC	discrete	numeric-1.0	3686	28447	Where did you try to get the service you were seeking? - Community health centre / CLSC
58	HCUE_09H	Tried get serv other	discrete	numeric-1.0	3686	28447	Where did you try to get the service you were seeking? - Other
59	HCUEGMDC	No. of consultations w/ medical dr -(D,G)	continuous	numeric-2.0	31946	187	No. of consultations w/medical dr - (D,G)
60	HCUEFCOP	Consultations - hlth professionals - (F)	discrete	numeric-1.0	32090	43	Consultations - hlth professionals - (F)

Gro	up Health <b>U</b>	Utility Index (HUI)					
#	Name	Label	Туре	Format	Valid	Invalid	Question
1	HUIZGVIS	Vision trouble - function code - (D,G)	discrete	numeric-1.0	31382	751	Vision trouble - function code - (D,G)
2	HUIZGHER	Hearing problems - function code - (D,G)	discrete	numeric-1.0	31196	937	Hearing problems - function code - (D,G)
3	HUIZGSPE	Speech trouble - function code - (D,G)	discrete	numeric-1.0	31527	606	Speech trouble - function code - (D,G)
4	HUIZGMOB	Mobility trouble - function code - (D,G)	discrete	numeric-1.0	31527	606	Mobility trouble - function code - (D,G)
5	HUIZGDEX	Dexterity trouble - function code -(D,G)	discrete	numeric-1.0	31539	594	Dexterity trouble - function code -(D,G)
6	HUIZDEMO	Emotional problems - function code - (D)	discrete	numeric-1.0	31435	698	Emotional problems - function code - (D)
7	HUIZDCOG	Cognition prob function code - (D)	discrete	numeric-2.0	31434	699	Cognition prob function code - (D)
8	HUIZDPAD	Act. prevent/pain - function code - (D)	discrete	numeric-1.0	31477	656	Act. prevent/pain - function code - (D)
9	HUIZDHSI	Health Utility Index (HUI3) - (D)	continuous	numeric-7.3	30791	1342	Health Utility Index (HUI3) - (D)

Gro	Group Height and Weight										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	HWTE_4	Opinion of own weight - self-reported	discrete	numeric-1.0	30892	1241	Do you consider yourself: (overweight, underweight, or just about right)?				
2	HWTEGHTM	Height (metres) / self-reported - (D,G)	continuous	numeric-5.3	31831	302	Height (metres) / self-reported - (D,G)				
3	HWTEGWTK	Weight (kilograms)/self- reported - (D,G)	continuous	numeric-6.2	31104	1029	Weight (kilograms)/self-reported - (D,G)				
4	HWTEGBMI	BMI / self-report - (D,G)	continuous	numeric-6.2	30843	1290	BMI / self-report - (D,G)				
5	HWTEGISW	BMI class. (18 +) / self-report - (D,G)	discrete	numeric-1.0	28050	4083	BMI class. (18 +) / self-report - (D,G)				
6	HWTEDCOL	BMI class. (12-17) / self-report (D)	discrete	numeric-1.0	2770	29363	BMI class. (12-17) / self-report (D)				

# **Group Home Care Services**

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HMCE_09	Rec'd home care services by govt.	discrete	numeric-1.0	29073	3060	Have you received any home care services in the past 12 months, with the cost being entirely or partially covered by government?
2	HMCE_10A	Type govt. care rec'd - nursing care	discrete	numeric-1.0	1078	31055	What type of services have you received? - Nursing care (e.g., dressing changes, preparing medications, V.O.N. visits)
3	HMCE_10B	Type govt. care rec'd - health services	discrete	numeric-1.0	1078	31055	What type of services have you received? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling)
4	HMCE_10C	Type govt. care rec'd - personal care	discrete	numeric-1.0	1078	31055	What type of services have you received? - Personal care (e.g., bathing, foot care)
5	HMCE_10D	Type govt. care rec'd - housework	discrete	numeric-1.0	1078	31055	What type of services have you received? - Housework (e.g., cleaning, laundry)
6	HMCE_10E	Type govt. care rec'd - meals	discrete	numeric-1.0	1078	31055	What type of services have you received? - Meal preparation or delivery
7	HMCE_10F	Type govt. care rec'd - shopping	discrete	numeric-1.0	1078	31055	What type of services have you received? - Shopping
8	HMCE_10G	Type govt. care rec'd - respite care	discrete	numeric-1.0	1078	31055	What type of services have you received? - Respite care (i.e., caregiver relief program)
9	HMCE_10H	Type govt. care rec'd - other	discrete	numeric-1.0	1078	31055	What type of services have you received? - Other
10	HMCE_10I	Type govt. care rec'd - med. equipment	discrete	numeric-1.0	1078	31055	What type of services have you received? - Medical equipment or supplies
11	HMCE_11	Rec'd home care not covered by govt.	discrete	numeric-1.0	29074	3059	Have you received any [other] home care services in the past 12 months, with the cost not covered by government (for example: care provided by a private agency or by a spouse or friends)?
12	HMCEG12A	Non govt provided by private agency -(G)	discrete	numeric-1.0	1254	30879	Non govt provided by private agency - (G)
13	HMCEG12C	Non govt. provided by neigh/ fam/vol(G)	discrete	numeric-1.0	1254	30879	Non govt. provided by neigh/fam/vol(G)
14	HMCE_12F	Non govt. provided by other	discrete	numeric-1.0	1254	30879	Who provided these [other] home care services? - Other
15	HMCEG3AA	Private agency - nursing care - (G)	discrete	numeric-1.0	327	31806	Private agency - nursing care - (G)
16	HMCEG3AB	Private agency - hlth serv (G)	discrete	numeric-1.0	327	31806	Private agency - hlth serv (G)
17	HMCEG3AI	Private agency - med. equip (G)	discrete	numeric-1.0	327	31806	Private agency - med. equip (G)
18	HMCEG3AC	Private agency - pers. Care - (G)	discrete	numeric-1.0	327	31806	Private agency - pers. Care - (G)
19	HMCEG3AD	Private agency - housework - (G)	discrete	numeric-1.0	327	31806	Private agency - housework - (G)
20	HMCEG3AE	Private agency - meals - (G)	discrete	numeric-1.0	327	31806	Private agency - meals - (G)
21	HMCEG3AF	Private agency - shopping - (G)	discrete	numeric-1.0	327	31806	Private agency - shopping - (G)

#	Name	Label	Type	Format	Valid	Invalid	Question
22	HMCEG3AG	Private agency - respite care - (G)	discrete	numeric-1.0	327	31806	Private agency - respite care - (G)
23	HMCEG3AH	Private agency - other - (G)	discrete	numeric-1.0	327	31806	Private agency - other - (G)
24	HMCEG3CA	Neigh/fam/vol - nursing care - (G)	discrete	numeric-1.0	912	31221	Neigh/fam/vol - nursing care - (G)
25	HMCEG3CB	Neigh/fam/vol - health services - (G)	discrete	numeric-1.0	912	31221	Neigh/fam/vol - health services - (G)
26	HMCEG3CI	Neigh/fam/vol - med. equip. - (G)	discrete	numeric-1.0	912	31221	Neigh/fam/vol - med. equip (G)
27	HMCEG3CC	Neigh/fam/vol - personal - (G)	discrete	numeric-1.0	912	31221	Neigh/fam/vol - personal - (G)
28	HMCEG3CD	Neigh/fam/vol - housework - (G)	discrete	numeric-1.0	912	31221	Neigh/fam/vol - housework - (G)
29	HMCEG3CE	Neigh/fam/vol - meals - (G)	discrete	numeric-1.0	912	31221	Neigh/fam/vol - meals - (G)
30	HMCEG3CF	Neigh/fam/vol - shopping - (G)	discrete	numeric-1.0	912	31221	Neigh/fam/vol - shopping - (G)
31	HMCEG3CG	Neigh/fam/vol - respite - (G)	discrete	numeric-1.0	912	31221	Neigh/fam/vol - respite - (G)
32	HMCEG3CH	Neigh/fam/vol - other - (G)	discrete	numeric-1.0	912	31221	Neigh/fam/vol - other - (G)
33	HMCE_3FA	Home care provided by other - nursing	discrete	numeric-1.0	102	32031	What type of services have you received from [person specified]? - Nursing care (e.g., dressing changes, preparing medications, V.O.N. visits)
34	HMCE_3FB	Home care provided by other - health	discrete	numeric-1.0	102	32031	What type of services have you received from [person specified]? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling)
35	HMCE_3FI	Home care provided by other - med.equip.	discrete	numeric-1.0	102	32031	What type of services have you received from [person specified]? - Medical equipment or supplies
36	HMCE_3FC	Home care provided by other - personal	discrete	numeric-1.0	102	32031	What type of services have you received from [person specified]? - Personal care (e.g., bathing, foot care)
37	HMCE_3FD	Care provided by other - housework	discrete	numeric-1.0	102	32031	What type of services have you received from [person specified]? - Housework (e.g., cleaning, laundry)
38	HMCE_3FE	Home care provided by other - meals	discrete	numeric-1.0	102	32031	What type of services have you received from [person specified]? - Meal preparation or delivery
39	HMCE_3FF	Home care provided by other - shopping	discrete	numeric-1.0	102	32031	What type of services have you received from [person specified]? - Shopping
40	HMCE_3FG	Home care provided by other - respite	discrete	numeric-1.0	102	32031	What type of services have you received from [person specified]? - Respite care (i.e., caregiver relief program)
41	HMCE_3FH	Home care provided by other - other	discrete	numeric-1.0	102	32031	What type of services have you received from [person specified]? - Other
42	HMCE_14	Self-perceived unmet home care needs	discrete	numeric-1.0	29062	3071	During the past 12 months, was there ever a time when you felt that you needed home care services but you didn't receive them?
43	HMCE_15A	Care not rec'd - not avail./	discrete	numeric-1.0	622	31511	Thinking of the most recent time, why didn't you get these services? - Not available in the area

#	Name	Label	Type	Format	Valid	Invalid	Question
44	HMCE_15B	Care not rec'd - not avail./ time req'd	discrete	numeric-1.0	622	31511	Thinking of the most recent time, why didn't you get these services? - Not available at time required (e.g., inconvenient hours)
45	HMCE_15C	Care not rec'd - waiting time too long	discrete	numeric-1.0	622	31511	Thinking of the most recent time, why didn't you get these services? - Waiting time too long
46	HMCE_15D	Care not rec'd - would be inadequate	discrete	numeric-1.0	622	31511	Thinking of the most recent time, why didn't you get these services? - Felt would be inadequate
47	HMCE_15E	Care not rec'd - cost	discrete	numeric-1.0	622	31511	Thinking of the most recent time, why didn't you get these services? - Cost
48	HMCE_15F	Care not rec'd - too busy	discrete	numeric-1.0	622	31511	Thinking of the most recent time, why didn't you get these services? - Too busy
49	HMCE_15G	Care not rec'd - didn't get around to it	discrete	numeric-1.0	622	31511	Thinking of the most recent time, why didn't you get these services? - Didn't get around to it / didn't bother
50	HMCE_15H	Care not rec'd - didn't know where to go	discrete	numeric-1.0	622	31511	Thinking of the most recent time, why didn't you get these services? - Didn't know where to go / call
51	HMCE_15I	Care not rec'd - language problems	discrete	numeric-1.0	622	31511	Thinking of the most recent time, why didn't you get these services? - Language problems
52	HMCE_15J	Care not rec'd - family responsibilities	discrete	numeric-1.0	622	31511	Thinking of the most recent time, why didn't you get these services? - Personal or family responsibilities
53	HMCE_15K	Care not rec'd - decided not seek serv.	discrete	numeric-1.0	622	31511	Thinking of the most recent time, why didn't you get these services? - Decided not to seek services
54	HMCE_15L	Care not rec'd - doctor think not nec.	discrete	numeric-1.0	622	31511	Thinking of the most recent time, why didn't you get these services? - Doctor didn't think it was necessary
55	HMCE_15M	Care not rec'd - other	discrete	numeric-1.0	622	31511	Thinking of the most recent time, why didn't you get these services? - Other
56	HMCE_15N	Care not rec'd - Did not qualify	discrete	numeric-1.0	622	31511	Thinking of the most recent time, why didn't you get these services? - Did not qualify / Not eligible for homecare
57	HMCE_15O	Care not rec'd - Still waiting/ homecare	discrete	numeric-1.0	622	31511	Thinking of the most recent time, why didn't you get these services? - Still waiting for homecare
58	HMCE_16A	Type care needed - nursing care	discrete	numeric-1.0	623	31510	Again, thinking of the most recent time, what was the type of home care that was needed? - Nursing care (e.g., dressing changes, preparing medications, V.O.N. visits)
59	HMCE_16B	Type care needed - health services	discrete	numeric-1.0	623	31510	Again, thinking of the most recent time, what was the type of home care that was needed? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling)
60	HMCE_16C	Type care needed - personal care	discrete	numeric-1.0	623	31510	Again, thinking of the most recent time, what was the type of home care that was needed? - Personal care (e.g., bathing, foot care)
61	HMCE_16D	Type care needed - housework	discrete	numeric-1.0	623	31510	Again, thinking of the most recent time, what was the type of home care that was

#	Name	Label	Type	Format	Valid	Invalid	Question
							needed? - Housework (e.g., cleaning, laundry)
62	HMCE_16E	Type care needed - meals	discrete	numeric-1.0	623	31510	Again, thinking of the most recent time, what was the type of home care that was needed? - Meal preparation or delivery
63	HMCE_16F	Type care needed - shopping	discrete	numeric-1.0	623	31510	Again, thinking of the most recent time, what was the type of home care that was needed? - Shopping
64	HMCE_16G	Type care needed - respite care	discrete	numeric-1.0	623	31510	Again, thinking of the most recent time, what was the type of home care that was needed? - Respite care (i.e., caregiver relief)
65	HMCE_16H	Type care needed - other	discrete	numeric-1.0	623	31510	Again, thinking of the most recent time, what was the type of home care that was needed? - Other
66	HMCE_16I	Type care needed - Med. equip./supplies	discrete	numeric-1.0	623	31510	Again, thinking of the most recent time, what was the type of home care that was needed? - Medical equipment or supplies
67	HMCE_17A	Who contacted - govt. spons. prog.	discrete	numeric-1.0	577	31556	Where did you try to get this home care service? - A government sponsored program
68	HMCE_17B	Who contacted - private agency	discrete	numeric-1.0	577	31556	Where did you try to get this home care service? - A private agency
69	HMCE_17C	Who contacted - family/ friend	discrete	numeric-1.0	577	31556	Where did you try to get this home care service? - A family member, friend or neighbour
70	HMCE_17D	Who contacted - volunteer org.	discrete	numeric-1.0	577	31556	Where did you try to get this home care service? - A volunteer organization
71	HMCE_17E	Who contacted - other	discrete	numeric-1.0	577	31556	Where did you try to get this home care service? - Other
72	HMCEFRHC	Flag: Received home care - (F)	discrete	numeric-1.0	29074	3059	Flag: Received home care - (F)

Gro	Group Income										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	INCEG2	Total hhld inc main source - (G)	discrete	numeric-1.0	30059	2074	What was the main source of income?				
2	INCEGHH	Total hhld inc. from all sources - (D,G)	continuous	numeric-1.0	27255	4878	Total hhld inc. from all sources - (D,G)				
3	INCEGPER	Total pers. inc. from all sources -(D,G)	discrete	numeric-2.0	26022	6111	Total pers. inc. from all sources -(D,G)				
4	INCEDRCA	Household income distribution - (D)	discrete	numeric-2.0	24976	7157	Household income distribution - (D)				
5	INCEDRPR	Hhld inc. distribution-prov. level - (D)	discrete	numeric-2.0	24976	7157	Hhld inc. distribution-prov. level - (D)				
6	INCEDRRS	Hhld inc. distribution- hr level - (D)	discrete	numeric-2.0	24976	7157	Hhld inc. distribution- hr level - (D)				

Gro	up Injuries						
#	Name	Label	Type	Format	Valid	Invalid	Question

#	Name	Label	Type	Format	Valid	Invalid	Question
1	REPE_1	Repetitive strain injury	discrete	numeric-1.0	31617	516	In the past 12 months, did you have any injuries due to repetitive strain which were serious enough to limit your normal activities?
2	REPEG3	Rep. strain - body part affected - (G)	discrete	numeric-2.0	3246	28887	Thinking about the most serious repetitive strain, what part of the body was affected?
3	REPE_4A	Rep. strain - sports / exercise	discrete	numeric-1.0	3178	28955	What type of activity were you doing when you got this repetitive strain? - Sports or physical exercise (including school activities)
4	REPE_4B	Rep. strain - leisure/hobby	discrete	numeric-1.0	3178	28955	What type of activity were you doing when you got this repetitive strain? - Leisure or hobby (include volunteering)
5	REPE_4C	Rep. strain - job/business	discrete	numeric-1.0	3178	28955	What type of activity were you doing when you got this repetitive strain? - Working at a job or business (exclude travel to or from work)
6	REPE_4G	Rep. strain - travel to/from work	discrete	numeric-1.0	3178	28955	What type of activity were you doing when you got this repetitive strain? - Travel to or from work
7	REPE_4D	Rep. strain - chores, unpaid work, ed.	discrete	numeric-1.0	3178	28955	What type of activity were you doing when you got this repetitive strain? - Household chores, other unpaid work or education
8	REPE_4E	Rep. strain - sleeping, eating, care	discrete	numeric-1.0	3178	28955	What type of activity were you doing when you got this repetitive strain? - Sleeping, eating, personal care
9	REPE_4F	Rep. strain - other	discrete	numeric-1.0	3178	28955	What type of activity were you doing when you got this repetitive strain? - Other
10	INJE_01	Injured in past 12 mo	discrete	numeric-1.0	31643	490	(Not counting repetitive strain injuries,) in the past 12 months, were you injured?
11	INJEG02	No. of injuries in past 12 mo - (G)	discrete	numeric-1.0	4308	27825	How many times were you injured?
12	INJEG05	Most serious injury - type - (G)	discrete	numeric-2.0	4300	27833	What type of injury did you have? For example, a broken bone or burn.
13	INJEG06	Most serious inj body part aff (G)	discrete	numeric-2.0	4175	27958	What part of the body was injured?
14	INJEG08	Most serious injury - place - (G)	discrete	numeric-2.0	4268	27865	Where did the injury happen ?
15	INJEG09	Most serious injury - act. when inj(G)	discrete	numeric-2.0	4270	27863	What type of activity were you doing when you were injured?
16	INJE_10	Most serious injury - result of a fall	discrete	numeric-1.0	4293	27840	Was the injury the result of a fall?
17	INJEG11	Most serious injury - how fell - (G)	discrete	numeric-1.0	1838	30295	How did you fall?
18	INJE_13	Most serious inj rec'd treat./48 hrs.	discrete	numeric-1.0	4300	27833	Did you receive any medical attention for the injury from a health professional in the 48 hours following the injury?
19	INJE_14A	Most ser. inj treated/ doctor's office	discrete	numeric-1.0	2640	29493	Where did you receive treatment? - Doctor's office
20	INJE_14B	Most serious inj emerg.	discrete	numeric-1.0	2640	29493	Where did you receive treatment? - Hospital emergency room

#	Name	Label	Туре	Format	Valid	Invalid	Question
21	INJEG14C	Treatment site - clinic - (G)	discrete	numeric-1.0	2640	29493	Treatment site - clinic - (G)
22	INJEG14G	Most ser. inj treat. W/S/H - (G)	discrete	numeric-1.0	2640	29493	Most ser. inj treat. W/S/H - (G)
23	INJEG14J	Most ser. inj telephone/ other - (G)	discrete	numeric-1.0	2640	29493	Most ser. inj telephone/other - (G)
24	INJE_15	Most serious injury - hospital admission	discrete	numeric-1.0	2644	29489	Were you admitted to a hospital overnight?
25	INJE_16	Other injuries - treated / not limiting	discrete	numeric-1.0	31605	528	Did you have any other injuries in the past 12 months that were treated by a health professional, but did not limit your normal activities?
26	INJEG17	Other injuries - number - (G)	discrete	numeric-1.0	1602	30531	How many injuries?
27	INJEGCAU	Cause of injury - (D,G)	discrete	numeric-2.0	4256	27877	Cause of injury - (D,G)
28	INJEDSTT	Injury Status - (D)	discrete	numeric-1.0	31605	528	Injury Status - (D)

Gro	Group Labour Force										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	LBSEDHPW	Total usual hrs. worked current - (D)	continuous	numeric-3.0	17809	14324	Total usual hrs. worked current - (D)				
2	LBSEDPFT	Full/part-time - current jobs - (D)	discrete	numeric-1.0	17809	14324	Full/part-time - current jobs - (D)				
3	LBSEDWSS	Working status last week - 4 grps - (D)	discrete	numeric-1.0	27108	5025	Working status last week - 4 grps - (D)				
4	LBFZG31	Employment status - 12 mo - (G)	discrete	numeric-1.0	20217	11916	Employment status - 12 mo - (G)				
5	LBFZF35	Response entered - kind of work	discrete	numeric-1.0	19801	12332	Response entered - kind of work				
6	LBFZGSOC	NOCS 2001 - (C, G)	discrete	numeric-1.0	20075	12058	NOCS 2001 - (C, G)				
7	LBFZDWSS	Working status last week - 4 grps - (D)	discrete	numeric-1.0	27103	5030	Working status last week - 4 grps - (D)				
8	LBFZGRNW	Main reason/not working last week -(D,G)	discrete	numeric-2.0	10596	21537	Main reason/not working last week - (D,G)				
9	LBFZDMJS	Multiple job status - (D)	discrete	numeric-1.0	27003	5130	Multiple job status - (D)				
10	LBFZDHPW	Total usual hrs. worked current - (D)	continuous	numeric-3.0	20049	12084	Total usual hrs. worked current - (D)				
11	LBFZDPFT	Full/part-time - current jobs - (D)	discrete	numeric-1.0	20049	12084	Full/part-time - current jobs - (D)				
12	LBFZGJST	Job status - 12 mo - (D, G)	discrete	numeric-1.0	26720	5413	Job status - 12 mo - (D, G)				
13	LBFZDSTU	Student working status - (D)	discrete	numeric-1.0	3626	28507	Student working status - (D)				

Gro	Group Mammography									
#	Name	Label	Туре	Format	Valid	Invalid	Question			
1	MAME_030	Ever had mammogram	discrete	numeric-1.0	11458	20675	Have you ever had a mammogram, that is, a breast x-ray?			
2	MAME_31A	Had mammogram - family history	discrete	numeric-1.0	7931	24202	Why did you have it? - Family history of breast cancer			

#	Name	Label	Type	Format	Valid	Invalid	Question
3	MAME_31B	Had mammogram - regular check-up	discrete	numeric-1.0	7931	24202	Why did you have it? - Part of regular check-up / routine screening
4	MAME_31C	Had mammogram - age	discrete	numeric-1.0	7931	24202	Why did you have it? - Age
5	MAME_31D	Had mammogram - previously detected lump	discrete	numeric-1.0	7931	24202	Why did you have it? - Previously detected lump
6	MAME_31E	Had mammogram - follow- up treatment	discrete	numeric-1.0	7931	24202	Why did you have it? - Follow-up of breast cancer treatment
7	MAME_31F	Had mammogram - hormone replac. therapy	discrete	numeric-1.0	7931	24202	Why did you have it? - On hormone replacement therapy
8	MAME_31G	Had mammogram - breast problem	discrete	numeric-1.0	7931	24202	Why did you have it? - Breast problem
9	MAME_31H	Had mammogram - other	discrete	numeric-1.0	7931	24202	Why did you have it? - Other
10	MAME_032	Last time mammogram was done	discrete	numeric-1.0	7903	24230	When was the last time?
11	MAME_36A	No mamhave not gotten ar.to it -2 yrs	discrete	numeric-1.0	1416	30717	What are the reasons you have not had one in the past 2 years? - Have not gotten around to it
12	MAME_36B	No mam. resp didn't think nec 2 yrs	discrete	numeric-1.0	1416	30717	What are the reasons you have not had one in the past 2 years? - Respondent did not think it was necessary
13	MAME_36C	No mamdoctor didn't think nec2 yrs	discrete	numeric-1.0	1416	30717	What are the reasons you have not had one in the past 2 years? - Doctor did not think it was necessary
14	MAME_36D	No mam personal/family resp 2 yrs	discrete	numeric-1.0	1416	30717	What are the reasons you have not had one in the past 2 years? - Personal or family responsibilities
15	MAME_36E	No mam not ava. when required - 2 yrs	discrete	numeric-1.0	1416	30717	What are the reasons you have not had one in the past 2 years? - Not available at time required
16	MAME_36F	No mam not avai. in the area - 2 yrs	discrete	numeric-1.0	1416	30717	What are the reasons you have not had one in the past 2 years? - Not available at all in the area
17	MAME_36G	No mamwait. time was too long - 2 yrs	discrete	numeric-1.0	1416	30717	What are the reasons you have not had one in the past 2 years? - Waiting time was too long
18	MAME_36H	No mamtransportation problems - 2 yrs	discrete	numeric-1.0	1416	30717	What are the reasons you have not had one in the past 2 years? - Transportation problems
19	MAME_36I	No mam language problem - 2 yrs	discrete	numeric-1.0	1416	30717	What are the reasons you have not had one in the past 2 years? - Language problem
20	MAME_36J	No mam cost - 2 yrs	discrete	numeric-1.0	1416	30717	What are the reasons you have not had one in the past 2 years? - Cost
21	MAME_36K	No mamdid not know where to go -2 yrs	discrete	numeric-1.0	1416	30717	What are the reasons you have not had one in the past 2 years? - Did not know where to go / uninformed
22	MAME_36L	No mam fear - 2 yrs	discrete	numeric-1.0	1416	30717	What are the reasons you have not had one in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)
23	MAME_36M	No mam other - 2 yrs	discrete	numeric-1.0	1416	30717	What are the reasons you have not had one in the past 2 years? - Other
24	MAME_36N	No mamun. leave house/ hlth pro -2 yrs	discrete	numeric-1.0	1416	30717	What are the reasons you have not had one in the past 2 years? - Unable to

#	Name	Label	Туре	Format	Valid	Invalid	Question
							leave the house because of a health problem
25	MAME_36O	No mamBreasts removed/ Mastec2 yrs	discrete	numeric-1.0	1416	30717	What are the reasons you have not had one in the past 2 years? - Breasts removed / Mastectomy
26	MAME_038	Had a hysterectomy	discrete	numeric-1.0	9040	23093	Have you had a hysterectomy? (In other words, has your uterus been removed)?

#	Name	Label	Type	Format	Valid	Invalid	Question
1	MEXE_01	Has given birth in the past 5 years	discrete	numeric-1.0	9487	22646	Have you given birth in the past 5 years?
2	MEXE_02	Took folic acid - before last pregnancy	discrete	numeric-1.0	1874	30259	Did you take a vitamin supplement containing folic acid before your (last) pregnancy, that is, before you found out that you were pregnant?
3	MEXE_03	Breastfed/tried breastfeed/ last child	discrete	numeric-1.0	1882	30251	(For your last baby,) did you breastfeed or try to breastfeed your baby, even if only for a short time?
4	MEXEG04	Reason did not breastfeed - (G)	discrete	numeric-2.0	297	31836	Reason did not breastfeed - (G)
5	MEXE_05	Still breastfeeding last child	discrete	numeric-1.0	1582	30551	Are you still breastfeeding?
6	MEXE_07	Age of last baby - other foods added	discrete	numeric-2.0	1565	30568	How old was your (last) baby when you first added any other liquids (e.g., milk, formula, water, teas, herbal mixtures) or solid foods to the baby's feeds?
7	MEXE_08	Main reason other foods added	discrete	numeric-2.0	1463	30670	What is the main reason that you first added other liquids or solid foods?
8	MEXE_09	Gave vitamin D - breast milk only	discrete	numeric-1.0	1408	30725	During the time when your (last) baby was only fed breast milk, did you give the baby a vitamin supplement containing Vitamin D?
9	MEXE_10	Main reason stopped breastfeeding	discrete	numeric-2.0	1280	30853	What is the main reason that you stopped breastfeeding?
10	MEXE_20	Type of smoker - last pregnancy	discrete	numeric-1.0	1167	30966	During your last pregnancy, did you smoke daily, occasionally or not at all?
11	MEXEG21	No. daily - last preg. (daily smk) - (G)	discrete	numeric-2.0	195	31938	How many cigarettes did you usually smoke each day?
12	MEXEG22	No. daily - last preg. (occ. smk) - (G)	discrete	numeric-2.0	169	31964	On the days that you smoked, how many cigarettes did you usually smoke?
13	MEXE_23	Smoked while breastfeeding (occ. smoker)	discrete	numeric-1.0	950	31183	When you were breastfeeding (your last baby), did you smoke daily, occasionally or not at all?
14	MEXEG24	No/day - breastfeeding (daily smk)-(G)	discrete	numeric-2.0	134	31999	How many cigarettes did you usually smoke each day?
15	MEXEG25	No. daily - breastfeeding (occ. smk)-(G)	discrete	numeric-2.0	104	32029	On the days that you smoked, how many cigarettes did you usually smoke?
16	MEXE_26	2nd-hand smoke - during/ after last preg.	discrete	numeric-1.0	1882	30251	Did anyone regularly smoke in your presence during or after the pregnancy (about 6 months after)?
17	MEXE_30	Drank alcohol - last pregnancy	discrete	numeric-1.0	1729	30404	Did you drink any alcohol during your last pregnancy?

#	Name	Label	Туре	Format	Valid	Invalid	Question
18	MEXE_31	Freq. of drinking - last pregnancy	discrete	numeric-2.0	172	31961	How often did you drink?
19	MEXE_32	Drank alcohol - breastfeeding last baby	discrete	numeric-1.0	1441	30692	Did you drink any alcohol while you were breastfeeding (your last baby)?
20	MEXE_33	Freq. drinking - breastfeeding last baby	discrete	numeric-2.0	301	31832	How often did you drink?
21	MEXEDEBF	Duration of exclusive breastfeeding- (D)	discrete	numeric-2.0	1775	30358	Duration of exclusive breastfeeding- (D)
22	MEXEFEB4	Exclusive breastfeeding 4 mo - (F)	discrete	numeric-1.0	1775	30358	Exclusive breastfeeding 4 mo - (F)

Gro	oup Pap Sm	near Test					
#	Name	Label	Type	Format	Valid	Invalid	Question
1	PAPE_020	Ever had PAP smear test	discrete	numeric-1.0	15628	16505	Have you ever had a PAP smear test?
2	PAPE_022	Last time had PAP smear test	discrete	numeric-1.0	13860	18273	When was the last time?
3	PAPE_26A	No PAP - have not gotten around to it	discrete	numeric-1.0	4903	27230	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have not gotten around to it
4	PAPE_26B	No PAP - resp. didn't think necessary	discrete	numeric-1.0	4903	27230	What are the reasons that you have you not had a PAP smear test in the past 3 years? - Respondent did not think it was necessary
5	PAPE_26C	No PAP - doctor didn't think necessary	discrete	numeric-1.0	4903	27230	What are the reasons that you have not had a PAP smear test in the past 3 years? - Doctor did not think it was necessary
6	PAPE_26D	No PAP - personal/fam. responsibilities	discrete	numeric-1.0	4903	27230	What are the reasons that you have not had a PAP smear test in the past 3 years? - Personal or family responsibilities
7	PAPE_26E	No PAP - not available when required	discrete	numeric-1.0	4903	27230	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at time required
8	PAPE_26F	No PAP - not available in area	discrete	numeric-1.0	4903	27230	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at all in the area
9	PAPE_26G	No PAP - waiting time too long	discrete	numeric-1.0	4903	27230	What are the reasons that you have not had a PAP smear test in the past 3 years? - Waiting time was too long
10	PAPE_26H	No PAP - transportation problems	discrete	numeric-1.0	4903	27230	What are the reasons that you have not had a PAP smear test in the past 3 years? - Transportation problems
11	PAPE_26I	No PAP - language problem	discrete	numeric-1.0	4903	27230	What are the reasons that you have not had a PAP smear test in the past 3 years? - Language problem
12	PAPE_26J	No PAP - cost	discrete	numeric-1.0	4903	27230	What are the reasons that you have not had a PAP smear test in the past 3 years? - Cost
13	PAPE_26K	No PAP - did not know where to go	discrete	numeric-1.0	4903	27230	What are the reasons that you have not had a PAP smear test in the past 3 years? - Did not know where to go / uninformed
14	PAPE_26L	No PAP - fear	discrete	numeric-1.0	4903	27230	What are the reasons that you have not had a PAP smear test in the past 3 years?

#	Name	Label	Туре	Format	Valid	Invalid	Question
							- Fear (e.g. painful, embarrassing, find something wrong)
15	PAPE_26M	No PAP - hysterectomy	discrete	numeric-1.0	4903	27230	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have had a hysterectomy
16	PAPE_26N	No PAP - hate/dislike having one done	discrete	numeric-1.0	4903	27230	What are the reasons that you have not had a PAP smear test in the past 3 years? - Hate / dislike having one done
17	PAPE_26P	No PAP - unable leave house/hlth prob.	discrete	numeric-1.0	4903	27230	What are the reasons that you have not had a PAP smear test in the past 3 years? - Unable to leave the house because of a health problem
18	PAPE_26O	No PAP - other	discrete	numeric-1.0	4903	27230	What are the reasons that you have not had a PAP smear test in the past 3 years? - Other

#	Name	Label	Type	Format	Valid	Invalid	Question
1	PACE_1A	Act./last 3 mo - walking	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Walking for exercise
2	PACE_1B	Act./last 3 mo - gardening/ yard work	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Gardening or yard work
3	PACE_1C	Act./last 3 mo - swimming	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Swimming
4	PACE_1D	Act./last 3 mo - bicycling	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Bicycling
5	PACE_1E	Act./last 3 mo - popular/ social dance	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Popular or social dance
6	PACE_1F	Act./last 3 mo - home exercises	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Home exercises
7	PACE_1G	Act./last 3 mo - ice hockey	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Ice hockey
8	PACE_1H	Act./last 3 mo - ice skating	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Ice skating
9	PACE_1I	Act./last 3 mo - in-line skating/roll.	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - In-line skating or rollerblading
10	PACE_1J	Act./last 3 mo - jogging or running	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Jogging or running
11	PACE_1K	Act./last 3 mo - golfing	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Golfing
12	PACE_1L	Act./last 3 mo - exer. class/ aerobics	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Exercise class or aerobics
13	PACE_1M	Act./last 3 mo - skiing/ snowboarding	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Downhill skiing or snowboarding
14	PACE_1N	Act./last 3 mo - bowling	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Bowling

#	Name	Label	Type	Format	Valid	Invalid	Question
15	PACE_1O	Act./last 3 mo - baseball or softball	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Baseball or softball
16	PACE_1P	Act./last 3 mo - tennis	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Tennis
17	PACE_1Q	Act./last 3 mo - weight-training	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Weight-training
18	PACE_1R	Act./last 3 mo - fishing	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Fishing
19	PACE_1S	Act./last 3 mo - volleyball	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Volleyball
20	PACE_1T	Act./last 3 mo - basketball	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Basketball
21	PACE_1Z	Act./last 3 mo - soccer	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Soccer
22	PACE_1U	Act./last 3 mo - other (#1)	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - Other activity #1
23	PACE_1V	Act./last 3 mo - no physical activity	discrete	numeric-1.0	31547	586	Have you done any of the following in the past 3 months? - No physical activity
24	PACE_1W	Act./last 3 mo - other (#2)	discrete	numeric-1.0	4349	27784	In the past 3 months, did you do any other physical activity for leisure? - Other activity #2
25	PACE_1X	Act./last 3 mo - other (#3)	discrete	numeric-1.0	737	31396	In the past 3 months, did you do any other physical activity for leisure? - Other activity #3
26	PACE_2A	No. of times - walking for exercise	continuous	numeric-3.0	21545	10588	In the past 3 months, how many times did you [participate in identified activity]? - Walking for exercise
27	PACE_3A	Time spent - walking for exercise	discrete	numeric-1.0	21490	10643	About how much time did you spend on each occasion? - Walking for exercise
28	PACE_2B	No. of times - gardening/yard work	continuous	numeric-3.0	13953	18180	In the past 3 months, how many times did you [participate in identified activity]? - Gardening or yard work
29	PACE_3B	Time spent - gardening/yard work	discrete	numeric-1.0	13911	18222	About how much time did you spend on each occasion? - Gardening or yard work
30	PACE_2C	No. of times - swimming	continuous	numeric-3.0	6793	25340	In the past 3 months, how many times did you [participate in identified activity]? - Swimming
31	PACE_3C	Time spent - swimming	discrete	numeric-1.0	6785	25348	About how much time did you spend on each occasion? - Swimming
32	PACE_2D	No. of times - bicycling	continuous	numeric-3.0	6646	25487	In the past 3 months, how many times did you [participate in identified activity]? - Bicycling
33	PACE_3D	Time spent - bicycling	discrete	numeric-1.0	6636	25497	About how much time did you spend on each occasion? - Bicycling
34	PACE_2E	No. of times - popular/social dance	continuous	numeric-3.0	5557	26576	In the past 3 months, how many times did you [participate in identified activity]? - Popular or social dance
35	PACE_3E	Time spent - popular/social dance	discrete	numeric-1.0	5543	26590	About how much time did you spend on each occasion? - Popular / social dance
36	PACE_2F	No. of times - home exercises	continuous	numeric-3.0	9555	22578	In the past 3 months, how many times did you [participate in identified activity]? - Home exercises

#	Name	Label	Туре	Format	Valid	Invalid	Question
37	PACE_3F	Time spent - home exercises	discrete	numeric-1.0	9545	22588	About how much time did you spend on each occasion? - Home exercises
38	PACE_2G	No. of times - ice hockey	continuous	numeric-3.0	1391	30742	In the past 3 months, how many times did you [participate in identified activity]? - Ice hockey
39	PACE_3G	Time spent - ice hockey	discrete	numeric-1.0	1391	30742	About how much time did you spend on each occasion? - Ice hockey
40	PACE_2H	No. of times - ice skating	continuous	numeric-3.0	1620	30513	In the past 3 months, how many times did you [participate in identified activity]? - Ice skating
41	PACE_3H	Time spent - ice skating	discrete	numeric-1.0	1619	30514	About how much time did you spend on each occasion? - Ice skating
42	PACE_2I	No. of times - in-line skating/roller b.	continuous	numeric-3.0	1554	30579	In the past 3 months, how many times did you [participate in identified activity]? - In-line skating or roller blading
43	PACE_3I	Time spent - in-line skating/roller b.	discrete	numeric-1.0	1552	30581	About how much time did you spend on each occasion? - In-line skating or roller blading
44	PACE_2J	No. of times - jogging or running	continuous	numeric-3.0	5392	26741	In the past 3 months, how many times did you [participate in identified activity]? - Jogging or running
45	PACE_3J	Time spent - jogging or running	discrete	numeric-1.0	5388	26745	About how much time did you spend on each occasion? - Jogging or running
46	PACE_2K	No. of times - golfing	continuous	numeric-3.0	3276	28857	In the past 3 months, how many times did you [participate in identified activity]? - Golfing
47	PACE_3K	Time spent - golfing	discrete	numeric-1.0	3275	28858	About how much time did you spend on each occasion? - Golfing
48	PACE_2L	No. of times- exercise class/ aerobics	continuous	numeric-3.0	2883	29250	In the past 3 months, how many times did you [participate in identified activity]? - Exercise class or aerobics
49	PACE_3L	Time spent - exercise class/ aerobics	discrete	numeric-1.0	2879	29254	About how much time did you spend on each occasion? - Exercise class or aerobics
50	PACE_2M	No. of times - skiing/ snowboarding	continuous	numeric-3.0	1275	30858	In the past 3 months, how many times did you [participate in identified activity]? - Downhill ski / snowboarding
51	PACE_3M	Time spent - skiing/ snowboarding	discrete	numeric-1.0	1274	30859	About how much time did you spend on each occasion? - Downhill skiing or snowboarding
52	PACE_2N	No. of times - bowling	continuous	numeric-3.0	2659	29474	In the past 3 months, how many times did you [participate in identified activity]? - Bowling
53	PACE_3N	Time spent - bowling	discrete	numeric-1.0	2658	29475	About how much time did you spend on each occasion? - Bowling
54	PACE_2O	No. of times - baseball/ softball	continuous	numeric-3.0	1820	30313	In the past 3 months, how many times did you [participate in identified activity]? - Baseball or softball
55	PACE_3O	Time spent - baseball/softball	discrete	numeric-1.0	1818	30315	About how much time did you spend on each occasion? - Baseball or softball
56	PACE_2P	No. of times - tennis	continuous	numeric-3.0	1136	30997	In the past 3 months, how many times did you [participate in identified activity]? - Tennis

#	Name	Label	Type	Format	Valid	Invalid	Question
57	PACE_3P	Time spent - tennis	discrete	numeric-1.0	1135	30998	About how much time did you spend on each occasion? - Tennis
58	PACE_2Q	No. of times - weight-training	continuous	numeric-3.0	4786	27347	In the past 3 months, how many times did you [participate in identified activity]? - Weight-training
59	PACE_3Q	Time spent - weight-training	discrete	numeric-1.0	4785	27348	About how much time did you spend on each occasion? - Weight-training
60	PACE_2R	No. of times - fishing	continuous	numeric-3.0	3212	28921	In the past 3 months, how many times did you [participate in identified activity]? - Fishing
61	PACE_3R	Time spent - fishing	discrete	numeric-1.0	3210	28923	About how much time did you spend on each occasion? - Fishing
62	PACE_2S	No. of times - volleyball	continuous	numeric-3.0	1927	30206	In the past 3 months, how many times did you [participate in identified activity]? - Volleyball
63	PACE_3S	Time spent - volleyball	discrete	numeric-1.0	1926	30207	About how much time did you spend on each occasion? - Volleyball
64	PACE_2T	No. of times - basketball	continuous	numeric-3.0	2423	29710	In the past 3 months, how many times did you [participate in identified activity]? - Basketball
65	PACE_3T	Time spent - basketball	discrete	numeric-1.0	2421	29712	About how much time did you spend on each occasion? - Basketball
66	PACE_2Z	No. of times - soccer	continuous	numeric-3.0	2310	29823	In the past 3 months, how many times did you [participate in identified activity]? - Soccer
67	PACE_3Z	Time spent - soccer	discrete	numeric-1.0	2309	29824	About how much time did you spend on each occasion? - Soccer
68	PACE_2U	No. of times - other activity (#1)	continuous	numeric-3.0	4328	27805	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#1)
69	PACE_3U	Time spent - other activity (#1)	discrete	numeric-1.0	4324	27809	About how much time did you spend on each occasion? - Other activity (#1)
70	PACE_2W	No. of times - other activity (#2)	continuous	numeric-3.0	730	31403	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#2)
71	PACE_3W	Time spent - other activity (#2)	discrete	numeric-1.0	729	31404	About how much time did you spend on each occasion? - Other activity (#2)
72	PACE_2X	No. of times - other activity (#3)	continuous	numeric-3.0	137	31996	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#3)
73	PACE_3X	Time spent - other activity (#3)	discrete	numeric-1.0	137	31996	About how much time did you spend on each occasion? - Other activity (#3)
74	PACE_4A	No. of hrs. walking - to work/ school	discrete	numeric-2.0	31212	921	In a typical week in the past 3 months, how many hours did you usually spend walking to work or to school or while doing errands?
75	PACE_4B	No. of hrs. biking - to work/school	discrete	numeric-2.0	31495	638	(In a typical week in the past 3 months,) how much time did you usually spend bicycling to work or to school or while doing errands?
76	PACE_6	Level of physical activity for usual day	discrete	numeric-1.0	31396	737	Thinking back over the past 3 months, which of the following best describes your usual daily activities or work habits: (usually sit during the day and

#	Name	Label	Туре	Format	Valid	Invalid	Question
							don't walk around very much,, or do heavy work or carry very heavy loads)?
77	PACEDEE	Daily energy expenditure - (D)	continuous	numeric-4.1	31547	586	Daily energy expenditure - (D)
78	PACEFLEI	Participant - leisure phys. activity-(F)	discrete	numeric-1.0	31547	586	Participant - leisure phys. activity-(F)
79	PACEDFM	Monthly freq./phys. act. >15 min (D)	continuous	numeric-3.0	31547	586	Monthly freq./phys. act. >15 min (D)
80	PACEDFR	Freq. of all physical activity - (D)	discrete	numeric-1.0	31547	586	Freq. of all physical activity - (D)
81	PACEFD	Partic. daily phys. act. > 15 min (F)	discrete	numeric-1.0	31547	586	Partic. daily phys. act. > 15 min (F)
82	PACEDPAI	Physical activity index - (D)	discrete	numeric-1.0	31547	586	Physical activity index - (D)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	RACE_1	Has difficulty with activities	discrete	numeric-1.0	32101	32	Do you have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities: (sometimes, often, or never)?
2	RACE_2A	Reduction kind/amount activities - home	discrete	numeric-1.0	32097	36	Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do at home: (sometimes, often, or never)?
3	RACE_2B1	Reduction kind/amount activities- school	discrete	numeric-1.0	32111	22	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) at school?
4	RACE_2B2	Reduction kind/amount act at work	discrete	numeric-1.0	32103	30	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) at work?
5	RACE_2C	Reduction kind/amount act other	discrete	numeric-1.0	32081	52	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) in other activities, for example, transportation or leisure?
6	RACEG5	Cause of health problem - (G)	discrete	numeric-2.0	10343	21790	Which one of the following is the best description of the cause of this condition: (accident at home, motor vehicle accident, accident at work, other type of accident, existed from birth or genetic,, or use of alcohol or drugs)?
7	RACE_5B1	Discri. due condition/hlth prob life	discrete	numeric-1.0	10447	21686	Because of your condition or health problem, have you ever experienced discrimination or unfair treatment?
8	RACE_5B2	Discri. due condition/hlth prob.	discrete	numeric-1.0	1124	31009	In the past 12 months, how much discrimination or unfair treatment did you experience?
9	RACE_6A	Needs help - preparing meals	discrete	numeric-1.0	32105	28	Because of any physical condition or mental condition or health problem, do you need the help of another person with preparing meals?

#	Name	Label	Туре	Format	Valid	Invalid	Question
10	RACE_6B1	Needs help - getting to appointments	discrete	numeric-1.0	32102	31	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with getting to appointments and running errands such as shopping for groceries?
11	RACE_6C	Needs help - doing housework	discrete	numeric-1.0	32099	34	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with doing normal everyday housework
12	RACE_6D	Needs help - heavy household chores	discrete	numeric-1.0	32077	56	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with doing heavy household chores suc as spring cleaning or yard work?
13	RACE_6E	Needs help - personal care	discrete	numeric-1.0	32104	29	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with personal care such as washing, dressing, eating or taking medication?
14	RACE_6F	Needs help - moving about inside house	discrete	numeric-1.0	32101	32	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with moving about inside the house?
15	RACE_6G	Needs help - looking after finances	discrete	numeric-1.0	32056	77	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with looking after your personal finances such as making bank transactions or paying bills?
16	RACE_7A	Difficulty - making new friends	discrete	numeric-1.0	32066	67	Because of any physical condition or mental condition or health problem, do you have difficulty making new friend or maintaining friendships?
17	RACE_7B	Difficulty - dealing w/ unknown people	discrete	numeric-1.0	32061	72	(Because of any physical condition or mental condition or health problem, do you have difficulty) dealing with peop you do not know well?
18	RACE_7C	Difficulty - starting/maintain. convers.	discrete	numeric-1.0	32069	64	(Because of any physical condition or mental condition or health problem, do you have difficulty) starting and maintaining a conversation?
19	RACE_8A	Cause of diff physical health	discrete	numeric-1.0	5675	26458	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason? - Physical health
20	RACE_8B	Cause of diff emot./mental health	discrete	numeric-1.0	5675	26458	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol o drugs, or to another reason? - Emotion or mental health
21	RACE_8C	Cause of diff use of alcohol/drugs	discrete	numeric-1.0	5675	26458	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason? - Use o alcohol or drugs
22	RACE_8D	Cause of diff other	discrete	numeric-1.0	5675	26458	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol or

#	Name	Label	Туре	Format	Valid	Invalid	Question
							drugs, or to another reason? - Another reason
23	RACEDIMP	Impact of health problems - (D)	discrete	numeric-1.0	32061	72	Impact of health problems - (D)
24	RACEDPAL	Participation and activity limit (D)	discrete	numeric-1.0	32040	93	Participation and activity limit (D)
25	RACEF6R	Help needed for tasks - (F)	discrete	numeric-1.0	32040	93	Help needed for tasks - (F)
26	RACEF7	Difficulty with social situations - (F)	discrete	numeric-1.0	32040	93	Difficulty with social situations - (F)

Gro	Group Sample Identifiers									
#	Name	Label	Туре	Format	Valid	Invalid	Question			
1	SAME_TYP	Sample type	discrete	numeric-1.0	32133	0	Sample type			

Gro	oup Sexual	Behaviours					
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SXBE_1	Ever had sexual intercourse	discrete	numeric-1.0	16252	15881	Have you ever had sexual intercourse?
2	SXBE_3	Had sexual intercourse - past 12 mo	discrete	numeric-1.0	13938	18195	In the past 12 months, have you had sexual intercourse?
3	SXBE_07	Ever diagnosed with STD	discrete	numeric-1.0	13904	18229	Have you ever been diagnosed with a sexually transmitted disease?
4	SXBE_7A	Condom use - last time	discrete	numeric-1.0	5362	26771	Did you use a condom the last time you had sexual intercourse?
5	SXBE_09	Important to avoid getting pregnant	discrete	numeric-1.0	1304	30829	It is important to me to avoid getting pregnant right now.
6	SXBE_10	Important avoid getting partner pregnant	discrete	numeric-2.0	1134	30999	It is important to me to avoid getting my partner pregnant right now.
7	SXBE_11	Usually use birth control - past 12 mo	discrete	numeric-1.0	2501	29632	In the past 12 months, did you and your partner usually use birth control?
8	SXBE_12A	Usual birth control method - condom	discrete	numeric-1.0	2130	30003	What kind of birth control did you and your partner usually use? - Condom (male or female condom)
9	SXBE_12B	Usual birth control method - the pill	discrete	numeric-1.0	2130	30003	What kind of birth control did you and your partner usually use? - Birth control pill
10	SXBE_12C	Usual birth control method - diaphragm	discrete	numeric-1.0	2130	30003	What kind of birth control did you and your partner usually use? - Diaphragm
11	SXBE_12D	Usual birth control method - spermicide	discrete	numeric-1.0	2130	30003	What kind of birth control did you and your partner usually use? - Spermicide (e.g., foam, jelly, film)
12	SXBE_12F	Usual birth control method - injection	discrete	numeric-1.0	2130	30003	What kind of birth control did you and your partner usually use? - Birth control injection (Deprovera)
13	SXBE_12E	Usual birth control method - other	discrete	numeric-1.0	2130	30003	What kind of birth control did you and your partner usually use? - Other
14	SXBE_13A	B.c. method used last time - condom	discrete	numeric-1.0	2091	30042	What kind of birth control did you and your partner use the last time you had sex? - Condom (male or female condom)

#	Name	Label	Туре	Format	Valid	Invalid	Question
15	SXBE_13B	B.c. method used last time - the pill	discrete	numeric-1.0	2091	30042	What kind of birth control did you and your partner use the last time you had sex? - Birth control pill
16	SXBE_13C	B.c. method used last time - diaphragm	discrete	numeric-1.0	2091	30042	What kind of birth control did you and your partner use the last time you had sex? - Diaphragm
17	SXBE_13D	B.c. method used last time - spermicide	discrete	numeric-1.0	2091	30042	What kind of birth control did you and your partner use the last time you had sex? - Spermicide (e.g., foam, jelly, film)
18	SXBE_13E	B.c. method used last time - other	discrete	numeric-1.0	2091	30042	What kind of birth control did you and your partner use the last time you had sex? - Other
19	SXBE_13F	B.c. method used last time - injection	discrete	numeric-1.0	2091	30042	What kind of birth control did you and your partner use the last time you had sex? - Birth control injection (Deprovera)
20	SXBE_13G	Method used last time - nothing	discrete	numeric-1.0	2091	30042	What kind of birth control did you and your partner use the last time you had sex? - nothing

Group Smoking											
#	Name	Label	Type	Format	Valid	Invalid	Question				
1	SMKE_01A	Smoked 100 or more cigarettes - life	discrete	numeric-1.0	32044	89	In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)?				
2	SMKE_01B	Ever smoked whole cigarette	discrete	numeric-1.0	15723	16410	Have you ever smoked a whole cigarette?				
3	SMKEG01C	Age - smoked first whole cigarette - (G)	discrete	numeric-2.0	19972	12161	At what age did you smoke your first whole cigarette?				
4	SMKE_202	Type of smoker	discrete	numeric-1.0	32057	76	At the present time, do you smoke cigarettes daily, occasionally or not at all?				
5	SMKEG203	Age start smok daily (daily smoker)-(G)	discrete	numeric-2.0	6050	26083	At what age did you begin to smoke cigarettes daily?				
6	SMKE_204	No. of cig. smoked/day (daily smoker)	continuous	numeric-3.0	6141	25992	How many cigarettes do you smoke each day now?				
7	SMKE_05B	No. of cig. per day (occasional smoker)	continuous	numeric-3.0	1570	30563	On the days that you do smoke, how many cigarettes do you usually smoke?				
8	SMKE_05C	No. of days-1 cig. or more (occ. smoker)	continuous	numeric-2.0	1536	30597	In the past month, on how many days have you smoked 1 or more cigarettes?				
9	SMKE_05D	Ever smoked cigarettes daily	discrete	numeric-1.0	10174	21959	Have you ever smoked cigarettes daily?				
10	SMKE_06A	Stopped smoking-when (never daily smok.)	discrete	numeric-1.0	817	31316	When did you stop smoking? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?				
11	SMKEG06C	No. of years since stopped smoking - (G)	discrete	numeric-1.0	698	31435	How many years ago was it?				
12	SMKEG207	Age - started smoking daily - (G)	discrete	numeric-2.0	8800	23333	At what age did you begin to smoke cigarettes daily?				
13	SMKE_208	No. of cig. smoked/day (former daily)	continuous	numeric-3.0	8719	23414	How many cigarettes did you usually smoke each day?				

#	Name	Label	Туре	Format	Valid	Invalid	Question	
14	SMKE_09A	Stopped smoking daily - when	discrete	numeric-1.0	8930	23203	When did you stop smoking daily? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?	
15	SMKEG09C	Years since stopped smoking daily - (G)	discrete	numeric-1.0	6914	25219	How many years ago was it?	
16	SMKE_10	Quit smoking completely	discrete	numeric-1.0	7979	24154	Was that when you completely quit smoking?	
17	SMKE_10A	Stopped smoking completely - when	discrete	numeric-1.0	220	31913	When did you stop smoking completely? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, or 3 or more years ago)?	
18	SMKEG10C	No. of years since stopped smoking - (G)	discrete	numeric-1.0	124	32009	How many years ago was it?	
19	SMKEDSTY	Type of smoker - (D)	discrete	numeric-2.0	32025	108	Type of smoker - (D)	
20	SMKEGSTP	No. years stopping smoking compl. (D,G)	discrete	numeric-1.0	8716	23417	No. years stopping smoking compl. (D,G)	
21	SMKEDYCS	Number of years smoked - (D)	continuous	numeric-3.0	6050	26083	Number of years smoked - (D)	

Gro	Group Socio-demographic Characteristics									
#	Name	Label	Туре	Format	Valid	Invalid	Question			
1	SDCE_8	Current student	discrete	numeric-1.0	30017	2116	Are you currently attending a school, college or university?			
2	SDCE_9	Full-time student/part-time student	discrete	numeric-1.0	3583	28550	Are you enrolled as a full-time student or a part-time student?			
3	SDCEGCBG	Country of birth - Canada/ other - (G)	discrete	numeric-1.0	30719	1414	Country of birth - Canada/other - (G)			
4	SDCEFIMM	Immigrant - (F)	discrete	numeric-1.0	31517	616	Immigrant - (F)			
5	SDCEGRES	Length/time in Canada since imm (D,G)	continuous	numeric-1.0	4225	27908	Length/time in Canada since imm (D,G)			
6	SDCEGCGT	Cultural or racial origin - (D, G)	discrete	numeric-1.0	31500	633	Cultural or racial origin - (D, G)			
7	SDCEGLNG	Languages - can converse - (D,G)	discrete	numeric-1.0	31584	549	Languages - can converse - (D,G)			

Gro	Group Two-Week Disability										
#	Name	Label	Туре	Format	Valid	Invalid	Question				
1	TWDE_1	Stayed in bed - b/c illness/injury	discrete	numeric-1.0	32114	19	During that period, did you stay in bed at all because of illness or injury, including any nights spent as a patient in a hospital?				
2	TWDE_3	Reduced activities - illness/ injury	discrete	numeric-1.0	31946	187	Not counting days spent in bed during those 14 days, were there any days that you cut down on things you normally do because of illness or injury?				
3	TWDEDDDY	Total nb. of disability past 14 days	discrete	numeric-2.0	32053	80	Total nb. of disability past 14 days				
4	TWDEDDDM	No. days - memt.hlth/alc/ drugs	discrete	numeric-2.0	32044	89	No. days - memt.hlth/alc/drugs				

#	Name	Label	Туре	Format	Valid	Invalid	Question
5	TWDEDDDP	No. disability days - ill./ phys.injury	discrete	numeric-2.0	32044	89	No. disability days - ill./phys.injury

Gro	up Weights						
#	Name	Label	Туре	Format	Valid	Invalid	Question
1	WTSE_S1M	Weights - Master	continuous	numeric-9.2	32133	0	Weights - Master

Gro	Group Youth Smoking							
#	Name	Label	Type	Format	Valid	Invalid	Question	
1	YSMEG1	Source of cigarettes - (G)	discrete	numeric-1.0	619	31514	Where do you usually get your cigarettes?	
2	YSME_2	Bought cigarettes for self/ others	discrete	numeric-1.0	168	31965	In the past 12 months, have you bought cigarettes for yourself or for someone else?	
3	YSME_3	Age asked when buying cig. in store	discrete	numeric-1.0	503	31630	In the past 12 months, have you been asked your age when buying cigarettes in a store?	
4	YSME_4	Someone refused to sell cigarettes	discrete	numeric-1.0	503	31630	In the past 12 months, has anyone in a store refused to sell you cigarettes?	
5	YSME_5	Asked a stranger to buy cigarettes	discrete	numeric-1.0	618	31515	In the past 12 months, have you asked a stranger to buy you cigarettes?	

# **Variables Description**

Dataset contains 571 variable(s)

File:	cchs	82M0013	$\mathbf{E}$	2005	ss1	$\mathbf{F}1$
1110 .			_			

ADME	RNO:	Sec	uential	record	number
	ADME	ADME RNO:	ADME RNO: Sec	ADME RNO: Sequential	ADME RNO: Sequential record

Information [Type= continuous] [Format=numeric] [Range= 1-132221] [Missing=*]			
Statistics [NW/W]	[Valid=32133 / 27121563.51 ] [Invalid=0 / 0 ] [Mean=16067 / 16240.508 ] [StdDev=9276.142 / 9263.119 ]		
Universe	All respondents		
Literal question	Sequential record number		

## # GEOEGPRV: Province of residence of respondent-(G)

Information [Type= discrete] [Format=numeric] [Range= 10-60] [Missing=*]	
Statistics [NW/ W] [Valid=32133 / 27121563.51 ] [Invalid=0 / 0 ]	
Universe	All respondents
Literal question	Province of residence of respondent-(G)

Value	Label	Cases	Weighted	Percentage (Weighted)	
10	NFLD & LAB.	1571	448813.0	1.7%	
11	PEI	1008	117478.1	0.4%	
12	NOVA SCOTIA	1960	795982.9	2.9%	
13	NEW BRUNSWICK	1736	638232.3	2.4%	
24	QUEBEC	5426	6463012.8	23.8%	
35	ONTARIO	6622	10570075.9	39.0%	Ď
46	MANITOBA	2104	935339.6	3.4%	
47	SASKATCHEWAN	2075	787765.0	2.9%	
48	ALBERTA	3225	2686119.7	9.9%	
59	BRITISH COLUMBIA	3748	3601944.7	13.3%	
60	YUKON/NWT/NUNA.	2658	76799.6	0.3%	
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GEOEDPMF: Health Region (5) - (G)

Information	Type= discrete] [Format=numeric] [Range= 10911-60901] [Missing=*]			
Statistics [NW/W]	[Valid=32133 / 27121563.51 ] [Invalid=0 / 0 ]			
Universe	All respondents			
Literal question Health Region (5) - (G)				
Notes Based on GEOEDHR4, GEOEFPMF. See documentation on derived variables.				

Value	Label	Cases	Weighted	Percentage (Weighted)
10911	EASTERN REGIONAL	787	262426.1	1.0%
10912	CENTRAL REGIONAL	250	81271.6	0.3%
10913	WEST/LABR/GREN	534	105115.3	0.4%
11901	WEST/EAST/KINGS	537	61006.2	0.2%
11903	QUEENS	471	56471.9	0.2%
12901	ZONE 1 (DHA 1&2)	285	101977.5	0.4%
12902	ZONE 2 (DHA 3)	243	72545.3	0.3%
12903	ZONE 3 (DHA 4&5)	264	82336.0	0.3%
12904	ZONE 4 (DHA 6&7)	254	74505.7	0.3%

## # GEOEDPMF: Health Region (5) - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
12905	ZONE 5 (DHA 8)	321	109968.3	0.4%
12906	ZONE 6 (DHA 9)	593	354650.1	1.3%
13901	REGION 1	328	168906.5	0.6%
13902	REGION 2	341	137378.2	0.5%
13903	REGION 3	342	152647.2	0.6%
13904	REGIONS 4 AND 5	316	70125.3	0.3%
13906	REGIONS 6 AND 7	409	109175.1	0.4%
24901	BAS-ST-LAURENT	181	205822.5	0.8%
24902	SAG./LAC ST-JEAN	221	270927.0	1.0%
24903	CAPITALE-NAT'L	472	591979.8	2.2%
24904	MAUR. CTR QUEBEC	376	428414.8	1.6%
24905	L'ESTRIE	239	296198.6	1.1%
24906	MONTRÉAL	1278	1579824.3	5.8%
24907	OUTAOUAIS	234	246554.1	0.9%
24908	ABITIBI-TÉMISC.	125	114481.1	0.4%
24909	CÔTE-NORD	81	71491.5	0.3%
24911	GASP. ÎLES MADE.	78	98827.3	0.4%
24912	CHAU. APPALACHES	310	363340.6	1.3%
24913	LAVAL	297	315650.7	1.2%
24914	LANAUDIÈRE	303	352919.2	1.3%
24915	LAURENTIDES	374	414179.5	1.5%
24916	MONTÉRÉGIE	857	1112402.0	4.1%
35926	DISTR. ALGOMA HU	88	88787.6	0.3%
35927	BRANT COUNTY HU	94	106598.5	0.4%
35930	DURHAM REG HU	271	482713.6	1.8%
35931	ELGIN-ST THOMAS	66	83405.1	0.3%
35933	GREY BRUCE HU	121	148010.0	0.5%
35934	HALDIMAND-NORF.	83	92817.2	0.3%
35935	HAL/KAWPINE DHU	121	155418.5	0.6%
35936	HALTON REG. HU	240	398474.7	1.5%
35937	CITY HAMILTON HU	277	424765.9	1.6%
35938	HASTINGS/P.E CNT	116	147073.4	0.5%
35939	HURON/PERTH HU	110	120595.0	0.4%
35940	CHATHAM-KENT HU	86	98955.8	0.4%
35941	KING/FRO/LEN/ADD	131	162067.4	0.6%
35942	LAMBTON HU	98	140000.8	0.5%
35943	LEEDS-GREN-LAN.	122	159380.6	0.6%
35944	MIDDLESEX-LONDON	237	366849.0	1.4%
35946	NIAGARA REG. HU	266	425742.7	1.6%
35947	N.BAY/TIMIS. HU	129	163684.8	0.6%
35949	NORTHWESTERN HU	51	57552.7	0.2%
35951	CITY OTTAWA HU	397	711797.7	2.6%
35952	OXFORD COUNTY HU	74	109377.0	0.4%

## # GEOEDPMF: Health Region (5) - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)	
35953	PEEL REGIONAL HU	475	912530.5	3.4%	
35955	PETERBOROUGH HU	95	116023.0	0.4%	
35956	PORCUPINE HU	64	72908.3	0.3%	
35957	RENFREW HU	73	93622.8	0.3%	
35958	EAST ONTARIO HU	139	206177.3	0.8%	
35960	SIMCOE MUSKOKA	281	437579.2	1.6%	
35961	SUDBURY DHU	123	165864.8	0.6%	
35962	THUNDER BAY DHU	121	147394.4	0.5%	
35965	WATERLOO HU	261	425342.0	1.6%	
35966	WELLDUFGUEL.	150	229579.5	0.8%	
35968	WINDSOR-ESSEX	257	359232.1	1.3%	
35970	YORK REGIONAL HU	393	798880.3	2.9%	
35995	CITY OF TORONTO	1012	1960873.5	7.2%	
46910	WINNIPEG	734	553943.2	2.0%	
46915	BRANDON/ASSINIB.	356	102174.0	0.4%	
46920	N. & S. EASTMAN	312	83354.9	0.3%	
46930	INTERLAKE	187	60374.8	0.2%	
46940	CENTRAL	209	70713.8	0.3%	
46960	PRK/NRM/BRNT/CHR	306	64778.9	0.2%	
47901	SUN/5 HILL/CYPR	400	110474.3	0.4%	
47904	REGINA QU'APPEL.	453	204517.6	0.8%	
47905	SUNRISE/KELSEY T	275	89717.0	0.3%	
47906	SASKATOON	483	233211.1	0.9%	
47907	HEART./PRAIRIE N	257	79393.1	0.3%	
47909	P.AL./MAM/KEE/AT	207	70452.0	0.3%	
48920	CHINOOK RHA	187	119264.6	0.4%	
48921	PALLISER HR	124	103228.2	0.4%	
48922	CALGARY HR	1050	994448.3	3.7%	
48923	DAVID THOMPSON	288	195584.1	0.7%	
48924	EAST CENTRAL HLT	136	90174.3	0.3%	
48925	CAPITAL HEALTH	1007	898836.0	3.3%	
48926	ASPEN RHA	196	122176.7	0.5%	
48927	PEACE CTY/NRTH L	237	162407.5	0.6%	
59911	EAST KOOTENAY	86	68938.5	0.3%	
59912	KOOTENAY-BOUND.	84	73432.3	0.3%	
59913	OKANAGAN	269	282545.4	1.0%	
59914	THOMPSON/CARIBOO	167	165772.2	0.6%	
59921	FRASER EAST	234	221757.7	0.8%	
59922	FRASER NORTH	489	523581.9	1.9%	
59923	FRASER SOUTH	507	550576.7	2.0%	
59931	RICHMOND	152	171971.6	0.6%	
59932	VANCOUVER	501	453334.9	1.7%	
59933	NORTH SHORE/COAS	244	228705.1	0.8%	

## #GEOEDPMF: Health Region (5) - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
59941	S. VANCOUVER ISL	303	289912.3	1.1%
59942	C. VANCOUVER ISL	259	229396.4	0.8%
59943	N. VANCOUVER ISL	115	99395.4	0.4%
59951	NORTH WEST/EAST	172	118310.9	0.4%
59952	NORTH. INTERIOR	166	124313.4	0.5%
60901	YUKON/NWT/NUNA.	2658	76799.6	0.3%
99996	NOT APPLICABLE	0	0.0	
99997	DON'T KNOW	0	0.0	
99998	REFUSAL	0	0.0	
99999	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GEOEGSHR: Sub-Health Region (Québec only) - (D,G)

Information [Type= discrete] [Format=numeric] [Range= 2490101-2491302] [Missing=*]	
Statistics [NW/W] [Valid=1756 / 2101297.48 ] [Invalid=30377 / 25020266.03 ]	
Universe e Respondents with GEOEDHR4 in 2401, 2406 or 2413	
Literal question Sub-Health Region (Québec only) - (D,G)	
Notes	Based on GEOEDPC. See documentation on derived variables

Value	Label	Cases	Weighted	Percentage (Weighted)
2490101	BAS-ST-LAURENT/E	93	114503.1	5.4%
2490102	BAS-ST-LAURENT/O	88	91319.3	4.3%
2490601	PIERREFONDS	112	164647.5	7.8%
2490602	LASALLE/LACHINE	121	130802.4	6.2%
2490603	VERDUN,ST-HENRI	102	100210.2	4.8%
2490604	RENÉ-CASSIN/NDG	95	102945.5	4.9%
2490605	CÔTE-DES-NEIGES	96	159752.9	7.6%
2490606	NORD DE L'ÎLE	109	132506.8	6.3%
2490607	AHUNSTIC/MTL N.	99	136662.3	6.5%
2490608	LA PETITE PATRIE	105	107370.1	5.1%
2490609	FAUBOURGS	119	137164.1	6.5%
2490610	SAINT-MICHEL	105	109120.0	5.2%
2490611	HOCHELAGA-MAISON	108	137125.8	6.5%
2490612	RIV-DES-PRAIRIES	107	161516.6	7.7%
2491301	LAVAL - EST	150	153610.9	7.3%
2491302	LAVAL - OUEST	147	162039.8	7.7%
9999996	NOT APPLICABLE	30377	25020266.0	
9999997	DON'T KNOW	0	0.0	
9999998	REFUSAL	0	0.0	
9999999	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#SAME\_TYP: Sample type**

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=32133 / 27121563.51 ] [Invalid=0 / 0 ]

## **# SAME\_TYP: Sample type**

**Literal question** Sample type

Value	Label	Cases	Weighted	Percentage (Weighted)
1	AREA FRAME	17391	12315551.6	45.4%
2	PHONE FRAME LIST	14507	14781190.0	54.5%
3	PHONE FRAME RDD	235	24821.9	0.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ADME\_PRX: Health Component completed by proxy

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=32133 / 27121563.51 ] [Invalid=0 / 0 ]	
Universe	All respondents
Literal question	Health Component completed by proxy
Notes	See documentation on data collection in User Guide.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	509	499634.5	1.8%
2	NO	31624	26621929.0	98.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ADME\_N09: Interview by telephone/in person

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=17130 / 12104342.12 ] [Invalid=15003 / 15017221.39 ]
Universe	Respondents with SAME_TYP = 1 (area frame)
Literal question	Interviewer: Was this interview conducted on the telephone or in person?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ON TELEPHONE	3817	2790516.7	23.1%
2	IN PERSON	12659	8715596.1	72.0%
3	ВОТН	654	598229.3	4.9%
6	NOT APPLICABLE	14742	14806012.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	261	211209.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ADME\_N10: Respondent alone during interview

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=31610 / 26498507.7 ] [Invalid=523 / 623055.81 ]

## # ADME\_N10: Respondent alone during interview

Universe	All respondents
Literal question	Interviewer: Was the respondent alone when you asked this health questionnaire?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	27314	22896213.4	86.4%	
2	NO	4296	3602294.4	13.6%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	119	116552.3		
8	REFUSAL	15	11368.8		
9	NOT STATED	389	495134.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **# ADME\_N11: Answers aff./presence of another person**

Information	<b>Information</b> [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=4252 / 3555600.55 ] [Invalid=27881 / 23565962.96 ]		
Literal question	Interviewer: Do you think that the answers of the respondent were affected by someone else being there?	
Notes	Respondents with ADME_N10 = (2, 7 or 8)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	318	291491.7	8.2%
2	NO	3934	3264108.8	91.8%
6	NOT APPLICABLE	27314	22896213.4	
7	DON'T KNOW	43	45579.3	
8	REFUSAL	1	1114.5	
9	NOT STATED	523	623055.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #DHHEGAGE: Age - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]			
<b>Statistics [NW/ W]</b> [Valid=32133 / 27121563.51 ] [Invalid=0 / 0 ]				
Universe	All respondents			
Literal question What is your age?				
Notes	Derived from DHHE_DOB, DHHE_MOB and DHHE_YOB during interview and confirmed with respondent.			

Value         Label         Cases         Weighted         Percentage (Weighted)           1         12 TO 14 YEARS         1562         1311849.9         4.8%           2         15 TO 17 YEARS         1481         1254976.7         4.6%           3         18 TO 19 YEARS         978         785923.7         2.9%           4         20 TO 24 YEARS         1950         2258850.2         8.3%           5         25 TO 29 YEARS         2374         2080748.0         7.7%           6         30 TO 34 YEARS         2654         2066955.5         7.6%           7         35 TO 39 YEARS         2558         2259720.9         8.3%           8         40 TO 44 YEARS         2850         2840178.4         10.59           9         45 TO 49 YEARS         2249         2518867.9         9.3%           10         50 TO 54 YEARS         2475         2280354.9         8.4%           11         55 TO 59 YEARS         2472         1922505.4         7.1%           12         60 TO 64 YEARS         2133         1613379.9         5.9%						
2       15 TO 17 YEARS       1481       1254976.7       4.6%         3       18 TO 19 YEARS       978       785923.7       2.9%         4       20 TO 24 YEARS       1950       2258850.2       8.3%         5       25 TO 29 YEARS       2374       2080748.0       7.7%         6       30 TO 34 YEARS       2654       2066955.5       7.6%         7       35 TO 39 YEARS       2558       2259720.9       8.3%         8       40 TO 44 YEARS       2850       2840178.4       10.5%         9       45 TO 49 YEARS       2249       2518867.9       9.3%         10       50 TO 54 YEARS       2475       2280354.9       8.4%         11       55 TO 59 YEARS       2472       1922505.4       7.1%	Value	Label	Cases	Weighted	Percentage (Weighted)	
3       18 TO 19 YEARS       978       785923.7       2.9%         4       20 TO 24 YEARS       1950       2258850.2       8.3%         5       25 TO 29 YEARS       2374       2080748.0       7.7%         6       30 TO 34 YEARS       2654       2066955.5       7.6%         7       35 TO 39 YEARS       2558       2259720.9       8.3%         8       40 TO 44 YEARS       2850       2840178.4       10.5%         9       45 TO 49 YEARS       2249       2518867.9       9.3%         10       50 TO 54 YEARS       2475       2280354.9       8.4%         11       55 TO 59 YEARS       2472       1922505.4       7.1%	1	12 TO 14 YEARS	1562	1311849.9	4.8%	
4       20 TO 24 YEARS       1950       2258850.2       8.3%         5       25 TO 29 YEARS       2374       2080748.0       7.7%         6       30 TO 34 YEARS       2654       2066955.5       7.6%         7       35 TO 39 YEARS       2558       2259720.9       8.3%         8       40 TO 44 YEARS       2850       2840178.4       10.5%         9       45 TO 49 YEARS       2249       2518867.9       9.3%         10       50 TO 54 YEARS       2475       2280354.9       8.4%         11       55 TO 59 YEARS       2472       1922505.4       7.1%	2	15 TO 17 YEARS	1481	1254976.7	4.6%	
5       25 TO 29 YEARS       2374       2080748.0       7.7%         6       30 TO 34 YEARS       2654       2066955.5       7.6%         7       35 TO 39 YEARS       2558       2259720.9       8.3%         8       40 TO 44 YEARS       2850       2840178.4       10.5%         9       45 TO 49 YEARS       2249       2518867.9       9.3%         10       50 TO 54 YEARS       2475       2280354.9       8.4%         11       55 TO 59 YEARS       2472       1922505.4       7.1%	3	18 TO 19 YEARS	978	785923.7	2.9%	
6 30 TO 34 YEARS 2654 2066955.5 7.6% 7 35 TO 39 YEARS 2558 2259720.9 8.3% 8 40 TO 44 YEARS 2850 2840178.4 10.59 9 45 TO 49 YEARS 2249 2518867.9 9.3% 10 50 TO 54 YEARS 2475 2280354.9 8.4% 11 55 TO 59 YEARS 2472 1922505.4 7.1%	4	20 TO 24 YEARS	1950	2258850.2	8.3%	
7 35 TO 39 YEARS 2558 2259720.9 8.3% 8 40 TO 44 YEARS 2850 2840178.4 10.59 9 45 TO 49 YEARS 2249 2518867.9 9.3% 10 50 TO 54 YEARS 2475 2280354.9 8.4% 11 55 TO 59 YEARS 2472 1922505.4 7.1%	5	25 TO 29 YEARS	2374	2080748.0	7.7%	
8       40 TO 44 YEARS       2850       2840178.4       10.5%         9       45 TO 49 YEARS       2249       2518867.9       9.3%         10       50 TO 54 YEARS       2475       2280354.9       8.4%         11       55 TO 59 YEARS       2472       1922505.4       7.1%	6	30 TO 34 YEARS	2654	2066955.5	7.6%	
9 45 TO 49 YEARS 2249 2518867.9 9.3% 10 50 TO 54 YEARS 2475 2280354.9 8.4% 11 55 TO 59 YEARS 2472 1922505.4 7.1%	7	35 TO 39 YEARS	2558	2259720.9	8.3%	
10       50 TO 54 YEARS       2475       2280354.9       8.4%         11       55 TO 59 YEARS       2472       1922505.4       7.1%	8	40 TO 44 YEARS	2850	2840178.4	10.5%	
11 55 TO 59 YEARS 2472 1922505.4 7.1%	9	45 TO 49 YEARS	2249	2518867.9	9.3%	
	10	50 TO 54 YEARS	2475	2280354.9	8.4%	
12 60 TO 64 YEARS 2133 1613379.9 5.9%	11	55 TO 59 YEARS	2472	1922505.4	7.1%	
	12	60 TO 64 YEARS	2133	1613379.9	5.9%	

## #DHHEGAGE: Age - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
13	65 TO 69 YEARS	1777	1226892.8	4.5%
14	70 TO 74 YEARS	1626	1041869.0	3.8%
15	75 TO 79 YEARS	1328	786252.6	2.9%
16	80 YEARS OR MORE	1666	872237.5	3.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DHHE\_SEX: Sex

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/W]	<b>W</b> ] [Valid=32133 / 27121563.51 ] [Invalid=0 / 0 ]			
Universe All respondents				
Literal question Interviewer: Enter the respondent's sex. If necessary, ask: Is respondent male or female?				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MALE	14749	13363982.9	49.3%
2	FEMALE	17384	13757580.6	50.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # DHHEGMS: Marital status - (G)

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/W] [Valid=32082 / 27089855.89 ] [Invalid=51 / 31707.62 ]			
Universe	All respondents		
Literal question	What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single, never married?		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	MARRIED	13087	13245849.0		48.9%
2	COMMON-LAW	2816	2654337.5	9.8%	
3	WIDOW/SEP/DIV	6018	3076531.3	11.4%	
4	SINGLE/NEVER MAR	10161	8113138.1		29.9%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	51	31707.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GENE\_01: Self-perceived health

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=32087 / 27091852.89 ] [Invalid=46 / 29710.62 ]
Universe	All respondents
Literal question	In general, would you say your health is: (excellent, very good, good, fair, or poor)?
Notes	By health, we mean not only the absence of disease or injury but also physical, mental and social wellbeing.

## #GENE\_01: Self-perceived health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	6329	5936324.2	21.9%
2	VERY GOOD	12007	10376882.2	38.3%
3	GOOD	9489	7849863.1	29.0%
4	FAIR	3204	2201748.6	8.1%
5	POOR	1058	727034.7	2.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	44	28997.6	
8	REFUSAL	2	713.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GENE\_02: Self-perceived hlth - compared 1 yr ago

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=32091 / 27092125.46 ] [Invalid=42 / 29438.05 ]
Universe	All respondents
Literal question	Compared to one year ago, how would you say your health is now? Is it: (much better now than 1 year ago, somewhat better now than 1 year ago, about the same as 1 year ago, somewhat worse now, or much worse now than 1 year ago)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MUCH BETTER	2347	2051513.3	7.6%
2	SOMEWHAT BETTER	4053	3414700.8	12.6%
3	ABOUT THE SAME	21978	18745297.0	69.2%
4	SOMEWHAT WORSE	3182	2473580.2	9.1%
5	MUCH WORSE	531	407034.2	1.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	40	28551.2	
8	REFUSAL	2	886.8	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GENE\_02A: Satisfaction with life in general

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=31509 / 26545058.68 ] [Invalid=624 / 576504.83 ]
Universe	All respondents
Literal question	How satisfied are you with your life in general: (very satisfied, satisfied, neither satisfied nor dissatisfied, dissatisfied, or very dissatisfied)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	11972	10364200.2	39.0%
2	SATISFIED	16809	13987571.3	52.7%
3	NEITHER NOR	1695	1392273.8	5.2%
4	DISSATISFIED	865	689199.2	2.6%
5	VERY DISSATIS.	168	111814.1	0.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	90	65182.4	
8	REFUSAL	24	11667.9	

## #GENE\_02A: Satisfaction with life in general

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #GENE\_02B: Self-perceived mental health

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	V/W] [Valid=31552 / 26573563.04 ] [Invalid=581 / 548000.47 ]	
Universe	All respondents	
Literal question	In general, would you say your mental health is: (excellent, very good, good, fair, or poor)?	
Notes	The "not stated" category includes people who did the interview by proxy.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	11269	10038561.5	37.8%
2	VERY GOOD	11645	9768786.2	36.8%
3	GOOD	6964	5441533.9	20.5%
4	FAIR	1380	1091599.5	4.1%
5	POOR	294	233082.0	0.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	57	39106.8	
8	REFUSAL	14	9239.1	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **#GENE\_07: Self-perceived stress**

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=30424 / 25672738.49 ] [Invalid=1709 / 1448825.02 ]
Universe	Respondents aged 15 and over
Literal question	Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT AT ALL	4222	3004144.4	11.7%
2	NOT VERY	7708	6049003.9	23.6%
3	A BIT	12103	10734086.9	41.8%
4	QUITE A BIT	5365	4919274.9	19.2%
5	EXTREMELY	1026	966228.4	3.8%
6	NOT APPLICABLE	1562	1311849.9	
7	DON'T KNOW	138	126577.5	
8	REFUSAL	9	10397.6	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #GENE\_08: Worked at job

Information	nformation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=27264 / 23813231.72 ] [Invalid=4869 / 3308331.79 ]	
Universe	Respondents aged 15 to 75	
Literal question	Have you worked at a job or business at any time in the past 12 months?	

## #GENE\_08: Worked at job

Notes The "not stated" category includes people who did the interview by proxy.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20397	18631022.0	78.2%
2	NO	6867	5182209.8	21.8%
6	NOT APPLICABLE	4556	2970340.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	313	337991.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GENE\_09: Self perceived work stress

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=20096 / 18325660.42 ] [Invalid=12037 / 8795903.09 ]	
Universe	Respondents who answered GENE_08 = (1, 7 or 8)	
Literal question	The next question is about your main job or business in the past 12 months. Would you say that most days were: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?	
Notes	The "not stated" category includes people who did the interview by proxy. The "not stated" category also includes respondents who answered they did not work at a job or business in the last 12 months at GENE_08 (General health module) and that they did work at a job or business in the last 12 months in the Labour Force module (LBF).	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT AT ALL	2226	1812092.4	9.9%
2	NOT VERY	3881	3344557.3	18.3%
3	A BIT	8235	7613494.5	41.5%
4	QUITE A BIT	4714	4592081.5	25.1%
5	EXTREMELY	1040	963434.6	5.3%
6	NOT APPLICABLE	11423	8152549.9	
7	DON'T KNOW	56	68516.0	
8	REFUSAL	3	4556.2	
9	NOT STATED	555	570281.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GENE\_10: Sense of belonging - local community

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=31206 / 26262155.2 ] [Invalid=927 / 859408.31 ]	
Universe	All respondents	
Literal question	How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?	
Notes	The "not stated" category includes people who did the interview by proxy	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY STRONG	6433	4487553.0	17.1%
2	SOMEWHAT STRONG	14593	12464579.2	47.5%
3	SOMEWHAT WEAK	7278	6807949.7	25.9%
4	VERY WEAK	2902	2502073.2	9.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	392	340637.6	

## # GENE\_10: Sense of belonging - local community

	Value	Label	Cases	Weighted	Percentage (Weighted)
	8	REFUSAL	25	19116.2	
1	9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # GENEDHDI: Self-rated health - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
Statistics [NW/W] [Valid=32087 / 27091852.89 ] [Invalid=46 / 29710.62 ]		
Universe	All respondents	
Literal question	Self-rated health - (D)	
Notes	Based on GENE_01. Higher scores indicate positive self-reported health status. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percent	age (Weighted)	
0	POOR	1058	727034.7	2.7%		
1	FAIR	3204	2201748.6	8.1%		
2	GOOD	9489	7849863.1		29.0%	
3	VERY GOOD	12007	10376882.2			38.3%
4	EXCELLENT	6329	5936324.2		21.9%	
6	NOT APPLICABLE	0	0.0			
7	DON'T KNOW	0	0.0			
8	REFUSAL	0	0.0			
9	NOT STATED	46	29710.6			

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GENEDMHI: Self-rated mental health - (D)

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
Statistics [NW/W]	[Valid=31552 / 26573563.04 ] [Invalid=581 / 548000.47 ]
Universe	All respondents
Literal question	Self-rated mental health - (D)
Notes	Based on GENE_02B. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	POOR	294	233082.0	0.9%
1	FAIR	1380	1091599.5	4.1%
2	GOOD	6964	5441533.9	20.5%
3	VERY GOOD	11645	9768786.2	3
4	EXCELLENT	11269	10038561.5	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	581	548000.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HWTE\_4: Opinion of own weight - self-reported

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=30892 / 26154738.8 ] [Invalid=1241 / 966824.71 ]
Universe	All respondents

## #HWTE\_4: Opinion of own weight - self-reported

Literal question	Do you consider yourself: (overweight, underweight, or just about right)?
Notes	The "not stated" category includes people who did the interview by proxy

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OVERWEIGHT	12367	10125703.8	38.7%
2	UNDERWEIGHT	1306	1048517.9	4.0%
3	JUST ABOUT RIGHT	17219	14980517.2	57.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	51	39939.9	
8	REFUSAL	10	4973.4	
9	NOT STATED	1180	921911.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HWTEGHTM: Height (metres) / self-reported - (D,G)

Information [Type= continuous] [Format=numeric] [Range= 0.914-2.134] [Missing=*]	
Statistics [NW/W]	[Valid=31831 / 26904353.4 ] [Invalid=302 / 217210.11 ]
Universe	All respondents
Literal question	Height (metres) / self-reported - (D,G)
Notes	Based on HWTE_2, HWTE_2C, HWTE_2D, HWTE_2E, HWTE_2F. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0.914	0.926 M OR LESS	0	0.0	
0.94	0.927 TO 0.952 M	0	0.0	
0.965	0.953 TO 0.977 M	0	0.0	
0.991	0.978 TO 1.002 M	0	0.0	
1.016	1.003 TO 1.028 M	0	0.0	
1.041	1.029 TO 1.053 M	0	0.0	
1.067	1.054 TO 1.079 M	0	0.0	
1.092	1.080 TO 1.104 M	0	0.0	
1.118	1.105 TO 1.129 M	0	0.0	
1.143	1.130 TO 1.155 M	0	0.0	
1.168	1.156 TO 1.180 M	0	0.0	
1.194	1.181 TO 1.206 M	0	0.0	
1.219	1.207 TO 1.231 M	0	0.0	
1.245	1.232 TO 1.256 M	0	0.0	
1.27	1.257 TO 1.282 M	7	5558.0	0.0%
1.295	1.283 TO 1.307 M	2	205.0	0.0%
1.321	1.308 TO 1.333 M	12	10182.8	0.0%
1.346	1.334 TO 1.358 M	6	3103.5	0.0%
1.372	1.359 TO 1.383 M	9	7666.1	0.0%
1.397	1.384 TO 1.409 M	23	21542.2	0.1%
1.422	1.410 TO 1.434 M	36	23166.6	0.1%
1.448	1.435 TO 1.460 M	54	47332.0	0.2%
1.473	1.461 TO 1.485 M	188	140644.7	0.5%
1.499	1.486 TO 1.510 M	440	338180.4	1.3%
1.524	1.511 TO 1.536 M	1052	817512.5	3.0%

## # HWTEGHTM: Height (metres) / self-reported - (D,G)

Value	Label	Cases	Weighted	Percentage (We	eighted)
1.549	1.537 TO 1.561 M	1362	1068819.1	4.0%	
1.575	1.562 TO 1.587 M	2567	2051053.5		7.6%
1.6	1.588 TO 1.612 M	2479	2027846.9		7.5%
1.626	1.613 TO 1.637 M	2991	2297344.0		8.5%
1.651	1.638 TO 1.663 M	2506	2083350.4		7.7%
1.676	1.664 TO 1.688 M	2839	2357199.6		8.8%
1.702	1.689 TO 1.714 M	2651	2392430.6		8.9%
1.727	1.715 TO 1.739 M	2723	2385865.2		8.9%
1.753	1.740 TO 1.764 M	2019	1756912.2		6.5%
1.778	1.765 TO 1.790 M	2315	2044516.0		7.6%
1.803	1.791 TO 1.815 M	2025	1768363.9		6.6%
1.829	1.816 TO 1.841 M	1479	1355687.3	5.0%	
1.854	1.842 TO 1.866 M	821	787571.4	2.9%	
1.88	1.867 TO 1.891 M	649	571019.9	2.1%	
1.905	1.892 TO 1.917 M	298	269891.7	1.0%	
1.93	1.918 TO 1.942 M	220	200171.7	0.7%	
1.956	1.943 TO 1.968 M	58	71216.0	0.3%	
1.981	1.969 TO 1.993 M	0	0.0		
2.007	1.994 TO 2.018 M	0	0.0		
2.032	2.019 TO 2.044 M	0	0.0		
2.057	2.045 TO 2.069 M	0	0.0		
2.083	2.070 TO 2.095 M	0	0.0		
2.108	2.096 TO 2.120 M	0	0.0		
2.134	2.121M OR TALLER	0	0.0		
9.996	NOT APPLICABLE	0	0.0		
9.997	DON'T KNOW	0	0.0		
9.998	REFUSAL	0	0.0		
9.999	NOT STATED	302	217210.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HWTEGWTK: Weight (kilograms)/self-reported - (D,G)

Information [Type= continuous] [Format=numeric] [Range= 30.6-135] [Missing=*]	
Statistics [NW/W]	[Valid=31104 / 26386550.63 ] [Invalid=1029 / 735012.88 ] [Mean=73.289 / 72.888 ] [StdDev=17.057 / 16.836 ]
Universe	All respondents
Literal question	Weight (kilograms)/self-reported - (D,G)
Notes	Based on HWTE_3, HWTE_N4. See documentation on derived variables

Value	Label	Cases	Weighted	Percentage (Weighted)		
999.96	NOT APPLICABLE	0	0.0			
999.97	DON'T KNOW	0	0.0			
999.98	REFUSAL	0	0.0			
999.99 NOT STATED 1029 735012.9						
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.						

## # HWTEGBMI: BMI / self-report - (D,G)

Information [Type= continuous] [Format=numeric] [Range= 11.91-54.96] [Missing=*]		
Statistics [NW/W] [Valid=30843 / 26158515.37 ] [Invalid=1290 / 963048.14 ] [Mean=25.634 / 25.328 ] [StdDev=5.087 / 4.88]		
Universe	All respondents excluding pregnant women (MAME_037 = 1)	
Literal question	BMI / self-report - (D,G)	
Notes	Based on HWTEGHTM, HWTEGWTK. See documentation on derived variables	

Value	Label	Cases	Weighted	Percentage (Weighted)
999.96	NOT APPLICABLE	0	0.0	
999.97	DON'T KNOW	0	0.0	
999.98	REFUSAL	0	0.0	
999.99	NOT STATED	1290	963048.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HWTEGISW: BMI class. (18 +) / self-report - (D,G)

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/W] [Valid=28050 / 23778499.94 ] [Invalid=4083 / 3343063.57 ]			
Universe	Respondents aged 18 and over excluding pregnant women (MAME_037 = 1)		
Literal question	BMI class. (18 +) / self-report - (D,G)		
Notes	Based on DHHE_AGE, HWTEDBMI. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)			
1	UNDERWEIGHT	694	636712.3	2.7%			
2	NORMAL WEIGHT	12685	11202470.6				47.1%
3	OVERWEIGHT	9605	8150587.2			34.3%	
4	OBESE	5066	3788729.8		15.9%		
6	NOT APPLICABLE	3043	2566826.7				
7	DON'T KNOW	0	0.0				
8	REFUSAL	0	0.0				
9	NOT STATED	1040	776236.9				

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HWTEDCOL: BMI class. (12-17) / self-report. - (D)

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]					
Statistics [NW/W] [Valid=2770 / 2359648.96 ] [Invalid=29363 / 24761914.55 ]					
Universe	Respndents aged 12 to 17				
Literal question	BMI class. (12-17) / self-report (D)				
Notes	Based on HWTEDBMI, DHHE_YOB, DHHE_MOB, DHHE_DOB, ADME_YOI, ADME_MOI, ADME_DOI, DHHD_SEX et MAME_037. See documentation on derived variables.				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEITHER NOR	2176	1915689.1	81.2%
2	OVERWEIGHT	444	330103.0	14.0%
3	OBESE	150	113856.9	4.8%
6	NOT APPLICABLE	29090	24554736.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	273	207177.7	
		E2		

#### # HWTEDCOL: BMI class. (12-17) / self-report. - (D)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_011: Has food allergies

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32101 / 27099163.2 ] [Invalid=32 / 22400.31 ]
Universe	All respondents
Literal question	Do you have food allergies?
Notes	We are interested in "long-term conditions" which are expected to last or have already lasted 6 months or more and that have been diagnosed by a health professional.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2460	1963035.3	7.2%
2	NO	29641	25136127.9	92.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	20556.2	
8	REFUSAL	4	1844.1	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_021: Has allergies other than food allergies

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32103 / 27098520.78 ] [Invalid=30 / 23042.73 ]
Universe	All respondents
Literal question	(Do you have) any other allergies?

Value	Label	Cases	Weighted
1	YES	8406	7155575.8
2	NO	23697	19942945.0
6	NOT APPLICABLE	0	0.0
7	DON'T KNOW	25	20914.7
8	REFUSAL	1	283.9
9	NOT STATED	4	1844.1

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_031: Has asthma

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32115 / 27106044.34 ] [Invalid=18 / 15519.17 ]
Universe	All respondents
Literal question	(Do you have) asthma?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2747	2285956.7	8.4%
2	NO	29368	24820087.7	91.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	13	13391.2	
8	REFUSAL	1	283.9	
9	NOT STATED	4	1844.1	
Warning: these figure	s indicate the number of cases found in the data file. They cannot be	interpreted as su	ımmary statistics of the p	population of interest.

## # CCCE\_035: Asthma - had symptoms/attacks

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2743 / 2275763.8 ] [Invalid=29390 / 24845799.71 ]
Universe	Respondents who answered CCCE_031 = (1, 7 or 8) or CCCE_011 = 8
Literal question	Have you had any asthma symptoms or asthma attacks in the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1439	1165985.5	51.2%
2	NO	1304	1109778.3	48.8%
6	NOT APPLICABLE	29368	24820087.7	
7	DON'T KNOW	4	10192.9	
8	REFUSAL	0	0.0	
9	NOT STATED	18	15519.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_036: Asthma - took medication

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2746 / 2285741.04 ] [Invalid=29387 / 24835822.47 ]
Universe	Respondents who answered CCCE_031 = (1, 7 or 8) or CCCE_011 = 8
Literal question	In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2042	1667789.7	73.0%
2	NO	704	617951.4	27.0%
6	NOT APPLICABLE	29368	24820087.7	
7	DON'T KNOW	1	215.6	
8	REFUSAL	0	0.0	
9	NOT STATED	18	15519.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_041: Has fibromyalgia

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32090 / 27089428.55 ] [Invalid=43 / 32134.96 ]
Universe	All respondents
Literal question	Do you have fibromyalgia?

Value	Label	Cases	Weighted	Percentage (Weighted
1	YES	504	403088.3	1.5%
2	NO	31586	26686340.2	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	38	24582.8	
8	REFUSAL	1	5708.0	
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_051: Has arthritis or rheumatism

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=32090 / 27091492.14 ] [Invalid=43 / 30071.37 ]	

## # CCCE\_051: Has arthritis or rheumatism

	Universe	All respondents
Literal question Remember, we are interested in contact excluding fibromyalgia?		Remember, we are interested in conditions diagnosed by a health professional. Do you have arthritis or rheumatism, excluding fibromyalgia?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6528	4515380.9	16.7%
2	NO	25562	22576111.3	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	37	27515.5	
8	REFUSAL	2	711.8	
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_05A: Kind of arthritis / rheumatism

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	tatistics [NW/W] [Valid=5462 / 3812906.84 ] [Invalid=26671 / 23308656.67 ]	
Universe	Respondents who answered CCCE_051 = (1, 7 or 8) or CCCE_011 = 8	
Literal question What kind of arthritis do you have?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	RHEUMATOID ARTH	1236	819146.4	21.5%
2	OSTEOARTHRITIS	3217	2200711.0	57.7%
3	RHEUMATISM	482	384038.4	10.1%
4	OTHER	527	409011.0	10.7%
6	NOT APPLICABLE	25562	22576111.3	
7	DON'T KNOW	1057	693267.6	
8	REFUSAL	9	9206.5	
9	NOT STATED	43	30071.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_061: Has back problems/excl. fibro/arthritis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/W]</b> [Valid=32100 / 27105171.46 ] [Invalid=33 / 16392.05 ]			
Universe	All respondents		
Literal question	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have back problems, excluding fibromyalgia and arthritis?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6228	4964463.6	18.3%
2	NO	25872	22140707.8	81.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	25	12949.6	
8	REFUSAL	4	1598.3	
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_071: Has high blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

## # CCCE\_071: Has high blood pressure

**Statistics [NW/W]** [Valid=32057 / 27063340.08 ] [Invalid=76 / 58223.43 ]

Universe All respondents

**Literal question** Do you have high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5702	3972520.0	14.7%
2	NO	26355	23090820.0	85.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	68	54653.6	
8	REFUSAL	4	1725.6	
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_072: Ever diagnosed with high blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	tatistics [NW/W] [Valid=26389 / 23110331.82 ] [Invalid=5744 / 4011231.69 ]	
Universe	Respondents who answered CCCE_071 = (2, 7 or 8) or CCCE_011 = 8	
Literal question Have you ever been diagnosed with high blood pressure?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1675	1240366.6	5.4%
2	NO	24714	21869965.3	94.6%
6	NOT APPLICABLE	5702	3972520.0	
7	DON'T KNOW	34	35141.9	
8	REFUSAL	0	0.0	
9	NOT STATED	8	3569.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_073: Medication - high blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=7364 / 5201046.62 ] [Invalid=24769 / 21920516.89 ]		
Universe Respondents who answered CCCE_071 = (1 or 8) or CCCE_072 = (1, 7 or 8) or CCCE_011 = 8		
Literal question In the past month, have you taken any medicine for high blood pressure?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5485	3701539.6	71.2%
2	NO	1879	1499507.0	28.8%
6	NOT APPLICABLE	24714	21869965.3	
7	DON'T KNOW	12	10966.9	
8	REFUSAL	1	873.1	
9	NOT STATED	42	38711.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_074: Did something - reduce blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=7358 / 5197609.53 ] [Invalid=24775 / 21923953.98 ]
Universe	Respondents who answered CCCE_071 = (1 or 8) or CCCE_072 = (1, 7 or 8) or CCCE_011 = 8

## # CCCE\_074: Did something - reduce blood pressure

Literal question In the past month, did you do anything else, recommended by a health professional, to reduce or control your blood pressure?

Value	Label	Cases	Weighted	Percentage (Weig
	YES	2471	1757842.1	33.8%
	NO	4887	3439767.5	
	NOT APPLICABLE	24714	21869965.3	
	DON'T KNOW	17	14108.4	
	REFUSAL	2	1168.6	
	NOT STATED	42	38711.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_75A: Recommendation - eating habits

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=2469 / 1757693.25 ] [Invalid=29664 / 25363870.26 ]	
Universe	Respondents who answered CCCE_074 = (1, 7 or 8) or CCCE_072 = (7 or 8) or CCCE_071 = 8 or CCCE_011 = 8
Literal question	What did you do? - Changed diet (e.g., reduced salt intake)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1523	1068876.2	60.8%
2	NO	946	688817.1	39.2%
6	NOT APPLICABLE	29601	25309732.7	
7	DON'T KNOW	2	148.8	
8	REFUSAL	0	0.0	
9	NOT STATED	61	53988.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_75B: Recommendation - exercised more

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=2469 / 1757693.25 ] [Invalid=29664 / 25363870.26 ]	
Universe	Respondents who answered CCCE_074 = (1, 7 or 8) or CCCE_072 = (7 or 8) or CCCE_071 = 8 or CCCE_011 = 8
Literal question	What did you do? - Exercised more

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1390	974560.2	55.
2	NO	1079	783133.1	44.6%
6	NOT APPLICABLE	29601	25309732.7	
7	DON'T KNOW	2	148.8	
8	REFUSAL	0	0.0	
9	NOT STATED	61	53988.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_75C: Recommendation - reduced alcohol intake

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=2469 / 1757693.25 ] [Invalid=29664 / 25363870.26 ]	
Universe	Respondents who answered CCCE_074 = (1, 7 or 8) or CCCE_072 = (7 or 8) or CCCE_071 = 8 or CCCE_011 = 8
Literal question	What did you do? - Reduced alcohol intake

#### # CCCE\_75C: Recommendation - reduced alcohol intake

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	88	64604.8	3.7%
2	NO	2381	1693088.5	96.3%
6	NOT APPLICABLE	29601	25309732.7	
7	DON'T KNOW	2	148.8	
8	REFUSAL	0	0.0	
9	NOT STATED	61	53988.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_75D: Recommendation - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=2469 / 1757693.25 ] [Invalid=29664 / 25363870.26 ]	
Universe	Respondents who answered CCCE_074 = (1, 7 or 8) or CCCE_072 = (7 or 8) or CCCE_071 = 8 or CCCE_011 = 8
Literal question	What did you do? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	291	238558.5	13.6%
2	NO	2178	1519134.8	86.4%
6	NOT APPLICABLE	29601	25309732.7	
7	DON'T KNOW	2	148.8	
8	REFUSAL	0	0.0	
9	NOT STATED	61	53988.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_081: Has migraine headaches

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=32108 / 27097518.19 ] [Invalid=25 / 24045.32 ]	
Universe	All respondents
Literal question	Remember, we are interested in conditions diagnosed by a health professional. Do you have migraine headaches?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3242	2853613.3	10.5%
2	NO	28866	24243904.9	89.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	17	18793.6	
8	REFUSAL	4	3407.6	
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_91A: Has chronic bronchitis

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=32103 / 27095315.68 ] [Invalid=30 / 26247.83 ]
Universe	All respondents
Literal question	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have chronic bronchitis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	954	695479.0	2.6%

#### # CCCE\_91A: Has chronic bronchitis

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	31149	26399836.7	97.
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	22	20996.1	
8	REFUSAL	4	3407.6	
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_91E: Has emphysema

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=23767 / 19407576.25 ] [Invalid=8366 / 7713987.26 ]	
Universe	Respondents aged 30 and over
Literal question	(Do you have) emphysema?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	263	173656.1	0.9%
2	NO	23504	19233920.2	99.1%
6	NOT APPLICABLE	8345	7692348.6	
7	DON'T KNOW	15	17139.3	
8	REFUSAL	3	2840.5	
9	NOT STATED	3	1658.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_91F: Has COPD

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=23748 / 19393331.86 ] [Invalid=8385 / 7728231.65 ]		
Universe	Respondents aged 30 and over	
Literal question	(Do you have) chronic obstructive pulmonary disease (COPD)?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	296	198573.1	1.0%
2	NO	23452	19194758.7	99.0%
6	NOT APPLICABLE	8345	7692348.6	
7	DON'T KNOW	34	31383.7	
8	REFUSAL	3	2840.5	
9	NOT STATED	3	1658.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_101: Has diabetes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32108 / 27103044.51 ] [Invalid=25 / 18519 ]
Universe	All respondents
Literal question	(Do you have) diabetes?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1896	1295476.4	4.8%	
2	NO	30212	25807568.1		95.2%

## # CCCE\_101: Has diabetes

Value	Label	Cases	Weighted
6	NOT APPLICABLE	0	0.0
7	DON'T KNOW	18	15360.4
8	REFUSAL	3	1314.5
9	NOT STATED	4	1844.1
Warning: these figures	indicate the number of cases found in the data file. They cannot be	e interpreted as su	ummary statistics of the

# CCCEG102: Diabetes - age first diagnosed - (G)		
Information [Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W] [Valid=1871 / 1273486.58 ] [Invalid=30262 / 25848076.93 ]		
Universe Respondents who answered CCCE_101 = (1, 7 or 8) or CCCE_011 = 8		
Literal question How old were you when this was first diagnosed?		

Value	Label	Cases	Weighted	Percentage (Weighter	d)
1	0 TO 11 YEARS	42	26952.7	2.1%	
2	12 TO 17 YEARS	32	33387.5	2.6%	
3	18 TO 24 YEARS	48	48714.0	3.8%	
4	25 TO 29 YEARS	58	52787.7	4.1%	
5	30 TO 34 YEARS	65	50167.9	3.9%	
6	35 TO 39 YEARS	89	56960.6	4.5%	
7	40 TO 44 YEARS	141	103016.8	8.1%	
8	45 TO 49 YEARS	174	107704.4	8.5%	
9	50 TO 54 YEARS	251	175818.8		13.8%
10	55 TO 59 YEARS	234	175308.5		13.8%
11	60 TO 64 YEARS	244	169043.7		13.3%
12	65 TO 69 YEARS	183	118982.3	9.3%	
13	70 TO 74 YEARS	163	87397.8	6.9%	
14	75 TO 79 YEARS	91	46928.8	3.7%	
15	80 YEARS OR MORE	56	20315.0	1.6%	
96	NOT APPLICABLE	30212	25807568.1		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	50	40508.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_10A: Diabetes diagnosed when pregnant

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=311 / 210189.89 ] [Invalid=31822 / 26911373.62 ]	
Universe	Females aged 15 and over who answered (15 <= CCCE_102 <= 49) or CCCE_102 = (997 or 998) or CCCE_101 = (7 or 8) or CCCE_011 = 8
Literal question	Were you pregnant when you were first diagnosed with diabetes?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	46	46304.2	22.0%
2	NO	265	163885.7	78.0%
6	NOT APPLICABLE	31795	26897101.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	405.1	
9	NOT STATED	26	13867.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_10B: Diabetes diagnosed - other than pregnant

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=46 / 46304.19 ] [Invalid=32087 / 27075259.32 ]
Universe	Females aged 15 and over who answered CCCE_10A = (1, 7 or 8) or CCCE_102 = (997 or 998) or CCCE_101 = (7 or 8) or CCCE_011 = 8

## # CCCE\_10B: Diabetes diagnosed - other than pregnant

**Literal question** Other than during pregnancy, has a health professional ever told you that you have diabetes?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	35	34341.5	74
2	NO	11	11962.7	25.8%
6	NOT APPLICABLE	32060	27060987.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	27	14272.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_10C: Diabetes diag. - when started w/insulin

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/W] [Valid=1876 / 1280215.03 ] [Invalid=30257 / 25841348.48 ]	
Universe	Respondents who answered CCCE_101 = (1, 7 or 8) or CCCE_011 = 8 excluding females aged 15 and over who answered CCCE_10B = 2
Literal question	When you were first diagnosed with diabetes, how long was it before you were started on insulin?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 MONTH	183	150996.9	11.8%
2	1 TO < 2 MONTHS	21	14583.7	1.1%
3	2 TO < 6 MONTHS	25	19383.4	1.5%
4	6 MONTH - < 1 YR	16	10509.2	0.8%
5	>= 1 YR	208	129550.1	10.1%
6	NEVER	1423	955191.8	74.6%
96	NOT APPLICABLE	30223	25819530.8	
97	DON'T KNOW	9	3298.7	
98	REFUSAL	0	0.0	
99	NOT STATED	25	18519.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_105: Diabetes - currently takes insulin

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=1884 / 1283329.67 ] [Invalid=30249 / 25838233.84 ]	
Universe	Respondents who answered CCCE_101 = (1, 7 or 8) or CCCE_011 = 8 excluding females aged 15 and over who answered CCCE_10B = 2
Literal question	Do you currently take insulin for your diabetes?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	387	271554.4	21.2%
2	NO	1497	1011775.3	78.8%
6	NOT APPLICABLE	30223	25819530.8	
7	DON'T KNOW	1	184.1	
8	REFUSAL	0	0.0	
9	NOT STATED	25	18519.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_106: Diabetes - pills to control blood sugar

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1883 / 1282427.97 ] [Invalid=30250 / 25839135.54 ]

## # CCCE\_106: Diabetes - pills to control blood sugar

**Literal question** In the past month, did you take pills to control your blood sugar?

Value	Label	Cases	Weighted
1	YES	1267	843894.0
2	NO	616	438534.0
6	NOT APPLICABLE	30223	25819530.8
7	DON'T KNOW	2	1085.8
8	REFUSAL	0	0.0
9	NOT STATED	25	18519.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_111: Has epilepsy

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=32116 / 27098927.8 ] [Invalid=17 / 22635.71 ]	
Universe	All respondents
Literal question	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have epilepsy?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	202	168019.6	0.6%
2	NO	31914	26930908.2	99.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	10	19477.1	
8	REFUSAL	3	1314.5	
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_121: Has heart disease

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=32087 / 27095820.94 ] [Invalid=46 / 25742.57 ]	
Universe	All respondents
Literal question	(Do you have) heart disease?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1954	1254057.1	4.6%
2	NO	30133	25841763.8	95.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	38	22474.6	
8	REFUSAL	4	1423.9	
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_131: Has cancer

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=32114 / 27110174.18 ] [Invalid=19 / 11389.33 ]
Universe	All respondents
Literal question	(Do you have) cancer?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	505	353962.8	1.3%
2	NO	31609	26756211.4	98.7%

## # CCCE\_131: Has cancer

Value	Label	Cases	Weighted
6	NOT APPLICABLE	0	0.0
7	DON'T KNOW	10	7354.1
8	REFUSAL	5	2191.1
9	NOT STATED	4	1844.1

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_31A: Ever had cancer

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=31613 / 26749574.88 ] [Invalid=520 / 371988.63 ]	
Universe	Respondents who answered CCCE_131 = (2, 7 or 8) or CCCE_011 = 8
Literal question	Have you ever been diagnosed with cancer?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1549	1043915.8	3.9%
2	NO	30064	25705659.1	96.1%
6	NOT APPLICABLE	505	353962.8	
7	DON'T KNOW	6	13990.6	
8	REFUSAL	0	0.0	
9	NOT STATED	9	4035.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_141: Has stomach or intestinal ulcers

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=32077 / 27073509.59 ] [Invalid=56 / 48053.92 ]	
Universe	All respondents
Literal question	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have intestinal or stomach ulcers?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1061	855951.9	3.2%
2	NO	31016	26217557.7	96.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	48	44627.1	
8	REFUSAL	4	1582.6	
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_151: Suffers from the effects of a stroke

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32106 / 27104412.13 ] [Invalid=27 / 17151.38 ]
Universe	All respondents
Literal question	Do you suffer from the effects of a stroke?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	477	311040.4	1.1%
2	NO	31629	26793371.7	98.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	19	13724.6	
8	REFUSAL	4	1582.6	

## # CCCE\_151: Suffers from the effects of a stroke

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_161: Has urinary incontinence

Information	formation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=32099 / 27091524.11 ] [Invalid=34 / 30039.4 ]	
Universe	All respondents	
Literal question	(Do you suffer) from urinary incontinence?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1214	816425.4	3.0%
2	NO	30885	26275098.7	97.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	24	25762.9	
8	REFUSAL	6	2432.3	
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_171: Has bowel disorder

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32100 / 27092472.35 ] [Invalid=33 / 29091.16 ]
Universe	All respondents
Literal question	Do you suffer from a bowel disorder such as Crohn's Disease, ulcerative colitis, irritable bowel syndrome or bowel incontinence?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1412	1088195.2	4.0%
2	NO	30688	26004277.1	96.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	24	25418.2	
8	REFUSAL	5	1828.8	
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_17A: Type of bowel disease

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=1390 / 1068636.53 ] [Invalid=30743 / 26052926.98 ]	
Universe	Respondents who answered CCCE_171 = (1, 7 or 8) or CCCE_011 = 8	
Literal question	What kind of bowel disease do you have?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	CROHN'S DISEASE	127	92455.3	8.7%
2	ULCER. COLITIS	149	115730.5	10.8%
3	IRRITABLE BOWEL	749	611276.3	57.2%
4	INCONTINENCE	86	55957.8	5.2%
5	OTHER	279	193216.6	18.1%
6	NOT APPLICABLE	30688	26004277.1	
7	DON'T KNOW	22	19558.7	

## # CCCE\_17A: Type of bowel disease

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	33	29091.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_191: Has cataracts

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=29055 / 24529729.36 ] [Invalid=3078 / 2591834.15 ]	
Universe	Respondents aged 18 and over	
Literal question	(Do you have) cataracts?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1768	1157409.0	4.7%
2	NO	27287	23372320.4	95.3%
6	NOT APPLICABLE	3043	2566826.7	
7	DON'T KNOW	28	21766.0	
8	REFUSAL	4	1582.6	
9	NOT STATED	3	1658.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_201: Has glaucoma

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=29052 / 24523844.06 ] [Invalid=3081 / 2597719.45 ]	
Universe	Respondents aged 18 and over
Literal question	(Do you have) glaucoma?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	637	435567.8	1.8%
2	NO	28415	24088276.3	98.2%
6	NOT APPLICABLE	3043	2566826.7	
7	DON'T KNOW	31	27651.3	
8	REFUSAL	4	1582.6	
9	NOT STATED	3	1658.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_211: Has a thyroid condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=32089 / 27071956.88 ] [Invalid=44 / 49606.63 ]	
Universe	All respondents	
Literal question	(Do you have) a thyroid condition?	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2087	1522464.0	5.6%	
2	NO	30002	25549492.9	94.4%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	36	46179.8		
8	REFUSAL	4	1582.6		
9	NOT STATED	4	1844.1		
Warning: these figur	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# CCCE_251: Has chronic fatigue syndrome		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=32090 / 27091669.29 ] [Invalid=43 / 29894.22 ]	
Universe	All respondents	
Literal question	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have chronic fatigue syndrome?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	360	313421.4	1.2%
2	NO	31730	26778247.8	98.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	35	26467.4	
8	REFUSAL	4	1582.6	
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_261: Suffers/multiple chemical sensitivities

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=32086 / 27078373.19 ] [Invalid=47 / 43190.32 ]	
Universe	All respondents	
Literal question	Do you suffer from multiple chemical sensitivities?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	764	571488.7	2.1%
2	NO	31322	26506884.5	97.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	39	39763.5	
8	REFUSAL	4	1582.6	
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_280: Has a mood disorder

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32096 / 27091117.01 ] [Invalid=37 / 30446.5 ]
Universe	All respondents
Literal question	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1941	1512809.2	5.6%
2	NO	30155	25578307.8	94.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	25505.9	
8	REFUSAL	5	3096.5	
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCCE\_290: Has an anxiety disorder

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=32096 / 27088267.16 ] [Invalid=37 / 33296.35 ]	
Universe	All respondents	

## # CCCE\_290: Has an anxiety disorder

Literal question (Remember, we

(Remember, we are interested in conditions diagnosed by a health professional.) Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1464	1191289.0	4.4%
2	NO	30632	25896978.2	95.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	29038.1	
8	REFUSAL	5	2414.1	
9	NOT STATED	4	1844.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCE\_331: Has a learning disability

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=32095 / 27095721.03 ] [Invalid=38 / 25842.48 ]			
Universe	All respondents			
Literal question	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have a learning disability?			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	828	688797.0	2.5%	
2	NO	31267	26406924.0	9	7.5%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	28	21037.9		
8	REFUSAL	6	2960.4		
9	NOT STATED	4	1844.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCEF1: Has a chronic condition - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32053 / 27042821.55 ] [Invalid=80 / 78741.96 ]
Universe	All respondents
Literal question	Has a chronic condition - (F)
Notes	Based on CCCE_011, CCCE_021, CCCE_031, CCCE_041, CCCE_051, CCCE_061, CCCE_071, CCCE_081, CCCE_91A, CCCE_91E, CCCE_91F, CCCE_101, CCCE_111, CCCE_121, CCCE_131, CCCE_141, CCCE_151, CCCE_161, CCCE_171, CCCE_181, CCCE_191, CCCE_201, CCCE_211, CCCE_251, CCCE_261, CCCE_271, CCCE_280, CCCE_290, CCCE_321, CCCE_331, CCCE_341, CCCE_901. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22714	18617554.1	
2	NO	9339	8425267.4	31.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	80	78742.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # CCCEG901: Other long-term physical/mental hlth-(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=32075 / 27070282.72 ] [Invalid=58 / 51280.79 ]		
Universe	All respondents	

## # CCCEG901: Other long-term physical/mental hlth-(G)

**Literal question**Do you have any other long-term physical or mental health condition that has been diagnosed by a health professional?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4543	3641747.3	13.5%
2	NO	27532	23428535.4	86
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	58	51280.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HCUE\_1AA: Has regular medical doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=32100 / 27100159.17 ] [Invalid=33 / 21404.34 ]	
Universe	All respondents	
Literal question	Do you have a regular medical doctor?	
Notes	Formerly TWDA_5 in cycle 1.1	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26480	23198249.3	85.6%
2	NO	5620	3901909.8	14.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	32	20095.5	
8	REFUSAL	1	1308.8	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #HCUE\_1BA: Reason no dr - no one available in area

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=5554 / 3821771.51 ] [Invalid=26579 / 23299792 ]	
Universe	Respondents who answered HCUE_1AA = (2, 7 or 8)	
Literal question	Why do you not have a regular medical doctor? - No medical doctors available in the area	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1195	518005.0	13.6%	
2	NO	4359	3303766.5	8	6.4%
6	NOT APPLICABLE	26480	23198249.3		
7	DON'T KNOW	66	80138.3		
8	REFUSAL	0	0.0		
9	NOT STATED	33	21404.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HCUE\_1BB: Reason no dr - none taking new patients

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=5554 / 3821771.51 ] [Invalid=26579 / 23299792 ]	
Universe	Respondents who answered HCUE_1AA = (2, 7 or 8)	
Literal question	Why do you not have a regular medical doctor? - Medical doctors in the area are not taking new patients	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	735	580792.6	15.2%

## #HCUE\_1BB: Reason no dr - none taking new patients

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	4819	3240978.9	
6	NOT APPLICABLE	26480	23198249.3	
7	DON'T KNOW	66	80138.3	
8	REFUSAL	0	0.0	
9	NOT STATED	33	21404.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #HCUE\_1BC: Reason no dr - not tried to contact one

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=5554 / 3821771.51 ] [Invalid=26579 / 23299792 ]	
Universe	Respondents who answered HCUE_1AA = (2, 7 or 8)	
Literal question	Why do you not have a regular medical doctor? - Have not tried to contact one	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1975	1565514.2	41.0%
2	NO	3579	2256257.3	59.0%
6	NOT APPLICABLE	26480	23198249.3	
7	DON'T KNOW	66	80138.3	
8	REFUSAL	0	0.0	
9	NOT STATED	33	21404.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HCUE\_1BD: Reason no dr - has left/retired

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=5554 / 3821771.51 ] [Invalid=26579 / 23299792 ]		
Universe	Respondents who answered HCUE_1AA = (2, 7 or 8)	
Literal question	Why do you not have a regular medical doctor? - Had a medical doctor who left or retired	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	936	630745.0	16.5%
2	NO	4618	3191026.5	83.5%
6	NOT APPLICABLE	26480	23198249.3	
7	DON'T KNOW	66	80138.3	
8	REFUSAL	0	0.0	
9	NOT STATED	33	21404.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HCUE\_1BE: Reason no dr - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=5554 / 3821771.51 ] [Invalid=26579 / 23299792 ]	
Universe	Respondents who answered HCUE_1AA = (2, 7 or 8)	
Literal question	Why do you not have a regular medical doctor? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1374	972218.3	25.4%
2	NO	4180	2849553.2	74.6%
6	NOT APPLICABLE	26480	23198249.3	
7	DON'T KNOW	66	80138.3	

## # HCUE\_1BE: Reason no dr - other

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	33	21404.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **# HCUE\_01: Overnight patient**

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	W/W] [Valid=32118 / 27088075.18 ] [Invalid=15 / 33488.33 ]	
Universe	All respondents	
Literal question	In the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?	
Notes	All respondents who answered Tamil (22) in HCUE_1AC were not asked HCUE_01. This was unintentional and due to an application error. These cases were coded to "Not stated".	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2963	2058462.6	7.6%
2	NO	29155	25029612.6	92.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	4	2101.8	
8	REFUSAL	1	1308.8	
9	NOT STATED	10	30077.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HCUEG01A: No. of nights as patient - (G)

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]	
Statistics [NW/W]	[Valid=2935 / 2029794.49 ] [Invalid=29198 / 25091769.02 ]	
Universe	Respondents who answered HCUE_01 = (1, 7 or 8)	
Literal question	For how many nights in the past 12 months?	
Notes	The "not stated" category includes respondents who reported in HCU module not having been a patient overnight in a hospital, nursing home or convalescent home in the past 12 months and who reported in INJ module having been admitted to a hospital for one night following an injury that occured in the past 12 months.	

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31 NIGHTS OR +	158	92967.7	100.0%
96	NOT APPLICABLE	29155	25029612.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	43	62156.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HCUEG02A: No. of consult. - family doctor - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]	
Statistics [NW/W]	[Valid=31985 / 26997783.52 ] [Invalid=148 / 123779.99 ]	
Universe	All respondents	
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a family doctor (pediatrician) or general practitioner?	
Notes	For respondents aged less than 18, includes consultations with pediatricians.	

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31+ CONSULTATION	118	98655.1	100.0%
96	NOT APPLICABLE	0	0.0	

#### # HCUEG02A: No. of consult. - family doctor - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	148	123780.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HCUEG02B: No. of consult. - eye specialist - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/W]	stics [NW/ W] [Valid=32089 / 27080754.69 ] [Invalid=44 / 40808.82 ]	
Universe	All respondents	
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with an eye specialist (such as an ophthalmologist or optometrist)?	

Value	Label	Cases	Weighted	Percentage (Weighted)
12	12+ CONSULTATION	38	33167.4	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	44	40808.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HCUEG02C: No. of consult. - other doctor - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/W]	[Valid=32076 / 27067964.18 ] [Invalid=57 / 53599.33 ]	
Universe	All respondents	
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with any other medical doctor (such as surgeon, allergist, orthopedist, gynaecologist, or psychiatrist)?	

Value	Label	Cases	Weighted	Percentage (Weighted)
12	12+ CONSULTATION	348	299792.5	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	57	53599.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HCUEG02D: No. of consult. - nurse - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/W]	[Valid=32058 / 27060491.07 ] [Invalid=75 / 61072.44 ]
Universe	All respondents
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a nurse for care or advice?

Value	Label	Cases	Weighted	Percentage (Weighted)
12	12+ CONSULTATION	508	304173.1	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	75	61072.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

#HCUEG02E: No. of consult dentist/ortho (G)		
Information [Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	tics [NW/ W] [Valid=32088 / 27078987 ] [Invalid=45 / 42576.51 ]	
Universe All respondents		
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a dentist or orthodontist?	

Value	Label	Cases	Weighted	Percentage (Weighted)
12	12+ CONSULTATION	282	265836.9	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	45	42576.5	

# # HCUEG02F: No. of consult. - chiropractor - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/W]	[Valid=32105 / 27099573.53 ] [Invalid=28 / 21989.98 ]
Universe	All respondents
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a chiropractor?

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31+ CONSULTATION	137	139067.0	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	28	21990.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# # HCUEG02G: No. of consult. - physiotherapist - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/W]	[Valid=32098 / 27083033.46 ] [Invalid=35 / 38530.05 ]
Universe	All respondents
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a physiotherapist?

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31+ CONSULTATION	215	181424.6	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	35	38530.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HCUEG02H: No. of consult. - social worker - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]			
Statistics [NW/W] [Valid=32098 / 27091387.91 ] [Invalid=35 / 30175.6 ]				
Universe	All respondents			
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a social worker or counsellor?			

# # HCUEG02H: No. of consult. - social worker - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
12	12+ CONSULTATION	368	231077.3	100
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	35	30175.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HCUEG02I: No. of consult. - psychologist - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/W]	[Valid=32111 / 27097955.84 ] [Invalid=22 / 23607.67 ]	
Universe	All respondents	
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a psychologist?	

Value	Label	Cases	Weighted	Percentage (Weighted)
12	12+ CONSULTATION	182	167832.4	100.09
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	22	23607.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HCUEG02J: No. of cons.- speech/aud./occ. ther.-(G)

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/W]	[Valid=32110 / 27103810.28 ] [Invalid=23 / 17753.23 ]	
Universe	All respondents	
Literal question	[Not counting] In the past 12 months, how many times have you seen, or talked on the telephone, about your physical, emotional or mental health with a speech, audiology or occupational therapist?	

Value	Label	Cases	Weighted	Percentage (Weighted)
12	12+ CONSULTATION	43	33618.2	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	23	17753.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HCUEG03A: Loc. most recent cont. - family dr - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/W] [Valid=25104 / 20808300.84 ] [Invalid=7029 / 6313262.67 ]		
Universe Respondents who answered HCUEG02A > 0 or HCUE_01 = 8		
Literal question Where did the most recent contact take place? - family doctor		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	19979	16647580.3	80.0%
2	HOSP EMERG ROOM	786	565728.9	2.7%
3	HOSP OUTPAT CLIN	522	325762.0	1.6%
4	WALK-IN CLINIC	1715	1693799.2	8.1%

# # HCUEG03A: Loc. most recent cont. - family dr - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
5	APPOINT CLINIC	1089	920559.2	4.4%
6	COMM HLTH CENTRE	598	282478.0	1.4%
7	WORK/SCHOOL/OTH	111	93766.1	0.5%
8	AT HOME	108	82932.5	0.4%
9	TEL CONSULT ONLY	196	195694.7	0.9%
96	NOT APPLICABLE	6867	6176050.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	162	137211.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HCUEG03C: Loc. most recent cont. - other M.D. -(G)

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/W]	[Valid=8401 / 7124943.77 ] [Invalid=23732 / 19996619.74 ]
Universe	Respondents who answered HCUEG02C > 0 or HCUE_01 = 8
Literal question Where did the most recent contact take place? - other medical doctor	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	5016	4358388.6	61.2%
2	HOSP EMERG ROOM	355	300166.2	4.2%
3	HOSP OUTPAT CLIN	1966	1498961.3	21.0%
4	WALK-IN CLINIC	137	140499.0	2.0%
5	APPOINT CLINIC	645	581743.3	8.2%
6	COMM HLTH CENTRE	94	64884.7	0.9%
7	WORK/SCHOOL/OTH	133	123739.5	1.7%
8	AT HOME	11	8563.4	0.1%
9	TEL CONSULT ONLY	44	47997.6	0.7%
96	NOT APPLICABLE	23668	19937344.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	64	59275.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HCUEG03D: Location most recent cont. - nurse - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/W]	[Valid=4447 / 3179475.74 ] [Invalid=27686 / 23942087.77 ]	
Universe	Respondents who answered HCUEG02D > 0 or HCUE_01 = 8	
Literal question	Where did the most recent contact take place? - nurse	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	472	386097.4	12.1%
2	HOSP EMERG ROOM	342	280225.5	8.8%
3	HOSP OUTPAT CLIN	487	378984.2	11.9%
4	WALK-IN CLINIC	205	162820.7	5.1%
5	APPOINT CLINIC	274	157935.0	5.0%
6	COMM HLTH CENTRE	966	423770.6	13.3%
7	WORK/SCHOOL/OTH	475	385333.4	12.1%

#### # HCUEG03D: Location most recent cont. - nurse - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	AT HOME	563	383974.0	12.1%
9	TEL CONSULT ONLY	663	620334.8	19.5%
96	NOT APPLICABLE	27607	23880758.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	79	61329.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HCUEG3D1: Method most recent contact - nurse

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1726 / 960658.66 ] [Invalid=30407 / 26160904.85 ]	
Universe	Respondents who answered HCUE_03D = (3, 5, 6, 97 or 98) or HCUE_02D = (997 or 998) or HCUE_01 = 8	
Literal question	Did this most recent contact occur: (in-person (face to face), through a videoconference or through another method)?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	IN PERSON	1657	903998.9	94.1%
2	VIDEOCONF/OTHER	69	56659.7	5.9%
6	NOT APPLICABLE	30327	26099544.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	80	61360.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HCUE\_04A: Attended self-help group

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=32113 / 27097599.61 ] [Invalid=20 / 23963.9 ]	
Universe	All respondents	
Literal question	In the past 12 months, have you attended a meeting of a self-help group such as AA or a cancer support group?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	953	635180.5	2.3%
2	NO	31160	26462419.1	97.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	12	14795.8	
8	REFUSAL	7	7859.3	
9	NOT STATED	1	1308.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #HCUE\_04: Consulted altern. health care provider

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32116 / 27108429.98 ] [Invalid=17 / 13133.53 ]
Universe	All respondents
Literal question	In the past 12 months, have you seen or talked to an alternative health care provider such as an acupuncturist, homeopath or massage therapist about your physical, emotional or mental health?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4228	3667214.4	13.5%	
2	NO	27888	23441215.6	86.5%	

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	14	11233.3	
8	REFUSAL	2	591.4	
9	NOT STATED	1	1308.8	

#### $\mbox{\#}\,HCUE\_05A\mbox{:}\,Alt.\,hlth$ care - massage the rapist

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4224 / 3662225.43 ] [Invalid=27909 / 23459338.08 ]	
Universe	Respondents who answered HCUE_04 = (1, 7 or 8) or HCUE_01 = 8	
Literal question	Who did you see or talk to? - Massage therapist	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2814	2412336.3	65.9%
2	NO	1410	1249889.2	34.1%
6	NOT APPLICABLE	27888	23441215.6	
7	DON'T KNOW	4	4989.0	
8	REFUSAL	0	0.0	
9	NOT STATED	17	13133.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# HCUE_05B: Alt. hlth care - acupuncturist		
Information	Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=4224 / 3662225.43 ] [Invalid=27909 / 23459338.08 ]		
Universe Respondents who answered HCUE_04 = (1, 7 or 8) or HCUE_01 = 8		
Literal question Who did you see or talk to? - Acupuncturist		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	826	669089.6	18.3%	
2	NO	3398	2993135.8		81.7%
6	NOT APPLICABLE	27888	23441215.6		
7	DON'T KNOW	4	4989.0		
8	REFUSAL	0	0.0		
9	NOT STATED	17	13133.5		

# #HCUE\_05C: Alt. hlth care - homeopath/naturopath

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=4224 / 3662225.43 ] [Invalid=27909 / 23459338.08 ]	
Universe Respondents who answered HCUE_04 = (1, 7 or 8) or HCUE_01 = 8	
Literal question	Who did you see or talk to? - Homeopath or naturopath

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	717	643662.3	17.6%
2	NO	3507	3018563.1	82.4%
6	NOT APPLICABLE	27888	23441215.6	
7	DON'T KNOW	4	4989.0	
8	REFUSAL	0	0.0	
9	NOT STATED	17	13133.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HCUEG05L: Alt. hlth care - other - (G)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=4224 / 3662225.43 ] [Invalid=27909 / 23459338.08 ]	
Universe Respondents who answered HCUE_04 = (1, 7 or 8) or HCUE_01 = 8	
Literal question Who did you see or talk to? - Other	
Notes	Based on HCUE_05D, HCUE_05E, HCUE_05F, HCUE_05G, HCUE_05H, HCUE_05I, HCUE_05J, HCUE_05L. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	689	608193.0	16.6%
2	NO	3535	3054032.4	83.4%
6	NOT APPLICABLE	27888	23441215.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	21	18122.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HCUE\_06: Unmet health care needs - self-perceived

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32089 / 27081622.67 ] [Invalid=44 / 39940.84 ]

# # HCUE\_06: Unmet health care needs - self-perceived Universe All respondents Literal question During the past 12 months, was there ever a time when you felt that you needed health care but you didn't receive it?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3758	3108054.7	11.5%	
2	NO	28331	23973567.9	88.5%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	40	37880.8		
8	REFUSAL	3	751.2		
9	NOT STATED	1	1308.8		
Warning: these figure	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

#### #HCUE\_07A: Care not rec'd - not avail. in area

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Thinking of the most recent time, why didn't you get care? - Not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	444	262841.4	8.5%
2	NO	3305	2838064.4	91.5%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	8	6718.2	
8	REFUSAL	1	430.8	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HCUE\_07B: Care not rec'd - not avail. time req'd

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Thinking of the most recent time, why didn't you get care? - Not available at time required (e.g., doctor on holidays, inconvenient hours)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	535	379833.7	12.2%
2	NO	3214	2721072.0	87.8%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	8	6718.2	
8	REFUSAL	1	430.8	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HCUE\_07C: Care not rec'd - wait too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]		
Universe Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8		
Literal question Thinking of the most recent time, why didn't you get care? - Waiting time too long		

# **#HCUE\_07C:** Care not rec'd - wait too long

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1399	1221031.1	39.4%
2	NO	2350	1879874.6	60.6%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	8	6718.2	
8	REFUSAL	1	430.8	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **# HCUE\_07D:** Care not rec'd - felt be inadequate

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Thinking of the most recent time, why didn't you get care? - Felt would be inadequate

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	169	136204.5	4.4%
2	NO	3580	2964701.2	95.6%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	8	6718.2	
8	REFUSAL	1	430.8	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HCUE\_07E: Care not rec'd - cost

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Thinking of the most recent time, why didn't you get care? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	263	242381.5	7.8%
2	NO	3486	2858524.2	92.2%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	8	6718.2	
8	REFUSAL	1	430.8	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #HCUE\_07F: Care not rec'd - too busy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Thinking of the most recent time, why didn't you get care? - Too busy

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	207	182138.4	5.9%
2	NO	3542	2918767.2	94.1%
6	NOT APPLICABLE	28331	23973567.9	

# #HCUE\_07F: Care not rec'd - too busy

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	8	6718.2	
8	REFUSAL	1	430.8	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #HCUE\_07G: Care not rec'd - didn't get around it

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Thinking of the most recent time, why didn't you get care? - Didn't get around to it / didn't bother

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	289	283446.5	9.1%
2	NO	3460	2817459.2	90.9%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	8	6718.2	
8	REFUSAL	1	430.8	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HCUE\_07H: Care not rec'd - didn't know where to go

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]			
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8			
Literal question	Thinking of the most recent time, why didn't you get care? - Didn't know where to go			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	103	102197.1	3.3%
2	NO	3646	2998708.6	96.7%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	8	6718.2	
8	REFUSAL	1	430.8	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HCUE\_07I: Care not rec'd - transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]			
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8			
Literal question	Thinking of the most recent time, why didn't you get care? - Transportation problems			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	79	41670.1	1.3%
2	NO	3670	3059235.6	98.7%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	8	6718.2	
8	REFUSAL	1	430.8	
9	NOT STATED	44	39940.8	

#### #HCUE\_07I: Care not rec'd - transportation problems

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HCUE\_07J: Care not rec'd - language problems

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]			
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8			
Literal question	Thinking of the most recent time, why didn't you get care? - Language problems			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16	7583.6	0.2%
2	NO	3733	3093322.0	99.8%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	8	6718.2	
8	REFUSAL	1	430.8	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #HCUE\_07K: Care not rec'd - pers./family resp.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]		
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8		
Literal question	Thinking of the most recent time, why didn't you get care? - Personal or family responsibilities		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	37	35132.6	1.1%
2	NO	3712	3065773.1	98.9%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	8	6718.2	
8	REFUSAL	1	430.8	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HCUE\_07L: Care not rec'd - dislikes doctor/afraid

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]			
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8			
Literal question	Thinking of the most recent time, why didn't you get care? - Dislikes doctors / afraid			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	85	50503.4	1.6%
2	NO	3664	3050402.3	98.4%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	8	6718.2	
8	REFUSAL	1	430.8	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HCUE\_07M: Care not rec'd - decided not seek care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]

#### #HCUE\_07M: Care not rec'd - decided not seek care

Universe Respondents who answered HCUE\_06 = (1, 7 or 8) or HCUE\_01 = 8

**Literal question** Thinking of the most recent time, why didn't you get care? - Decided not to seek care

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	298	199515.7	6.4%	
2	NO	3451	2901390.0	93.6	i%
6	NOT APPLICABLE	28331	23973567.9		
7	DON'T KNOW	8	6718.2		
8	REFUSAL	1	430.8		
9	NOT STATED	44	39940.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HCUE\_07O: Care not rec'd - doctor think not nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]	
Universe Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8	
Literal question Thinking of the most recent time, why didn't you get care? - Doctor didn't think it was necessary	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	209	156729.0	5.1%
2	NO	3540	2944176.7	94.9%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	8	6718.2	
8	REFUSAL	1	430.8	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HCUE\_07P: Care not rec'd - unable to leave house

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W] [Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]		[Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]		
Universe Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8		Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8		
	Literal question	Thinking of the most recent time, why didn't you get care? - Unable to leave the house because of health problem		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	39	25402.7	0.8%
2	NO	3710	3075503.0	99.2%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	8	6718.2	
8	REFUSAL	1	430.8	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HCUE\_07N: Care not rec'd - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	tatistics [NW/ W] [Valid=3749 / 3100905.7 ] [Invalid=28384 / 24020657.81 ]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8	
Literal question Thinking of the most recent time, why didn't you get care? - Other		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	811	656939.0	21.2%

# HCUE	07N·	Care not	rec'd -	other

Value	Label	Cases	Weighted
2	NO	2938	2443966.6
6	NOT APPLICABLE	28331	23973567.9
7	DON'T KNOW	8	6718.2
8	REFUSAL	1	430.8
9	NOT STATED	44	39940.8

# # HCUE\_08A: Type care not rec'd - physical hlth prob

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=3742 / 3092894.47 ] [Invalid=28391 / 24028669.04 ]				
Universe Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8				
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of a physical health problem			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2726	2278948.5	73.7%
2	NO	1016	813945.9	26.3%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	14	13590.8	
8	REFUSAL	2	1569.5	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HCUE\_08B: Type care not rec'd - emotional problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=3742 / 3092894.47 ] [Invalid=28391 / 24028669.04 ]		
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8		
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of an emotional or mental health problem		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	366	286224.6	9.3%
2	NO	3376	2806669.9	90.7%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	14	13590.8	
8	REFUSAL	2	1569.5	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HCUE\_08C: Type care not rec'd - regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3742 / 3092894.47 ] [Invalid=28391 / 24028669.04 ]
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including regular pre-natal care)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	302	253199.3	8.2%
2	NO	3440	2839695.2	91.8%
6	NOT APPLICABLE	28331	23973567.9	

# #HCUE\_08C: Type care not rec'd - regular check-up

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	14	13590.8	
8	REFUSAL	2	1569.5	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HCUE\_08D: Type care not rec'd - care of injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=3742 / 3092894.47 ] [Invalid=28391 / 24028669.04 ]			
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8		
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	265	227189.7	7.3%
2	NO	3477	2865704.8	92.7%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	14	13590.8	
8	REFUSAL	2	1569.5	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HCUE\_08E: Type care not rec'd - other

Information	formation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=3742 / 3092894.47 ] [Invalid=28391 / 24028669.04 ]		
Universe Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8		
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	293	228515.0	7.4%
2	NO	3449	2864379.5	92.6%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	14	13590.8	
8	REFUSAL	2	1569.5	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #HCUE\_09A: Tried get serv. - doctor's office

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=3686 / 3041658.1 ] [Invalid=28447 / 24079905.41 ]		
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8	
Literal question	Where did you try to get the service you were seeking? - Doctor's office	

Value	Label	Cases	Weighted	Percen
1	YES	1640	1290820.0	
2	NO	2046	1750838.1	
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	61	46774.3	
8	REFUSAL	11	19622.3	
9	NOT STATED	44	39940.8	

#### #HCUE\_09A: Tried get serv. - doctor's office

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HCUE\_09B: Tried get serv. - hospital emergency

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	atistics [NW/W] [Valid=3686 / 3041658.1 ] [Invalid=28447 / 24079905.41 ]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8	
Literal question Where did you try to get the service you were seeking? - Hospital emergency room		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	545	471688.1	15.5%	
2	NO	3141	2569970.0		84.5%
6	NOT APPLICABLE	28331	23973567.9		
7	DON'T KNOW	61	46774.3		
8	REFUSAL	11	19622.3		
9	NOT STATED	44	39940.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #HCUE\_09C: Tried get serv. - hsp. overnight patient

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	NW/ W] [Valid=3686 / 3041658.1 ] [Invalid=28447 / 24079905.41 ]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8	
Literal question	Where did you try to get the service you were seeking? - Hospital overnight patient	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	46	23570.9	0.8%
2	NO	3640	3018087.2	99.2%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	61	46774.3	
8	REFUSAL	11	19622.3	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HCUE\_09D: Tried get serv. - hsp. outpatient clinic

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W] [Valid=3686 / 3041658.1 ] [Invalid=28447 / 24079905.41 ]			
Universe Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8			
Literal question	Where did you try to get the service you were seeking? - Hospital outpatient clinic (e.g., day surgery, cancer)		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	257	234650.1	7.7%
2	NO	3429	2807008.0	92.3%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	61	46774.3	
8	REFUSAL	11	19622.3	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HCUE\_09E: Tried get serv. - walk-in clinic

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3686 / 3041658.1 ] [Invalid=28447 / 24079905.41 ]

# # HCUE\_09E: Tried get serv. - walk-in clinic

**Literal question** Where did you try to get the service you were seeking? - Walk-in clinic

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	388	385606.6	12.7%	
2	NO	3298	2656051.5		87.3%
6	NOT APPLICABLE	28331	23973567.9		
7	DON'T KNOW	61	46774.3		
8	REFUSAL	11	19622.3		
9	NOT STATED	44	39940.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HCUE\_09F: Tried get serv. - appointment clinic

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3686 / 3041658.1 ] [Invalid=28447 / 24079905.41 ]
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Where did you try to get the service you were seeking? - Appointment clinic

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	218	215847.2	7.1%
2	NO	3468	2825810.9	92.9%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	61	46774.3	
8	REFUSAL	11	19622.3	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HCUE\_09G: Tried get serv. - comm. hlth centre/CLSC

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=3686 / 3041658.1 ] [Invalid=28447 / 24079905.41 ]	
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Where did you try to get the service you were seeking? - Community health centre / CLSC

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	223	102382.2	3.4%
2	NO	3463	2939275.9	96.6%
6	NOT APPLICABLE	28331	23973567.9	
7	DON'T KNOW	61	46774.3	
8	REFUSAL	11	19622.3	
9	NOT STATED	44	39940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HCUE\_09H: Tried get serv. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3686 / 3041658.1 ] [Invalid=28447 / 24079905.41 ]
Universe	Respondents who answered HCUE_06 = (1, 7 or 8) or HCUE_01 = 8
Literal question	Where did you try to get the service you were seeking? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	782	677903.3	22.3%

# # HCUE\_09H: Tried get serv. - other

Value	Label	Cases	Weighted
2	NO	2904	2363754.8
6	NOT APPLICABLE	28331	23973567.9
7	DON'T KNOW	61	46774.3
8	REFUSAL	11	19622.3
9	NOT STATED	44	39940.8

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HCUEGMDC: No. of consultations w/medical dr -(D,G)

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]	
Statistics [NW/ W] [Valid=31946 / 26957692.27 ] [Invalid=187 / 163871.24 ]		
Universe	All respondents	
Literal question	No. of consultations w/medical dr -(D,G)	
Notes	Based on HCUEG02A, HCUG02C. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31+ CONSULTATION	279	236398.6	100.0
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	187	163871.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HCUEFCOP: Consultations - hlth professionals - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32090 / 27088494.79 ] [Invalid=43 / 33068.72 ]
Universe	All respondents
Literal question	Consultations - hlth professionals - (F)
Notes	Based on HCUE_02A, HCUE_02B, HCUE_02C, HCUE_02D, HCUE_02E, HCUE_02F, HCUE_02G, HCUE_02H, HCUE_02I, HCUE_02J. This variable is not comparable to HCUAFHPC (CCHS 1.1) nor to HCCnDHPC (NPHS cycles 1-5) since it does not use CMHA_01K. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30276	25563324.4	94.4%
2	NO	1814	1525170.4	5.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	43	33068.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_09: Rec'd home care services by govt.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=29073 / 24540970.2 ] [Invalid=3060 / 2580593.31 ]	
Universe	Respondents aged 18 and over	
Literal question	Have you received any home care services in the past 12 months, with the cost being entirely or partially covered by government?	
Notes	Home care services includes health care, home maker or other support services received at home. Examples include: nursing care, personal care or help with bathing, housework, meal preparation, meal delivery and respite care.	

# #HMCE\_09: Rec'd home care services by govt.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1080	692378.0	2.8%
2	NO	27993	23848592.2	97.2%
6	NOT APPLICABLE	3043	2566826.7	
7	DON'T KNOW	11	6800.6	
8	REFUSAL	6	6966.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_10A: Type govt. care rec'd - nursing care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	NW/ W] [Valid=1078 / 686194.62 ] [Invalid=31055 / 26435368.89 ]	
Universe	Respondents who answered HMCE_09 = (1, 7 or 8)	
Literal question	What type of services have you received? - Nursing care (e.g., dressing changes, preparing medications, V.O.N. visits)	
Notes	Cost must be entirely or partially covered by government.	

Value	Label	Cases	Weighted
1	YES	486	349904.6
2	NO	592	336290.1
6	NOT APPLICABLE	31036	26415418.8
7	DON'T KNOW	2	6183.4
8	REFUSAL	0	0.0
9	NOT STATED	17	13766.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCE\_10B: Type govt. care rec'd - health services

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1078 / 686194.62 ] [Invalid=31055 / 26435368.89 ]
Universe	Respondents who answered HMCE_09 = (1, 7 or 8)
Literal question	What type of services have you received? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling)
Notes	Cost must be entirely or partially covered by government.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	97	74822.1	10.9%
2	NO	981	611372.5	89.1%
6	NOT APPLICABLE	31036	26415418.8	
7	DON'T KNOW	2	6183.4	
8	REFUSAL	0	0.0	
9	NOT STATED	17	13766.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #HMCE\_10C: Type govt. care rec'd - personal care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=1078 / 686194.62 ] [Invalid=31055 / 26435368.89 ]		
Universe	Respondents who answered HMCE_09 = (1, 7 or 8)	
Literal question What type of services have you received? - Personal care (e.g., bathing, foot care)		
Notes	Cost must be entirely or partially covered by government.	

# #HMCE\_10C: Type govt. care rec'd - personal care

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	105	82532.2	12.0%
2	NO	973	603662.4	88.0%
6	NOT APPLICABLE	31036	26415418.8	
7	DON'T KNOW	2	6183.4	
8	REFUSAL	0	0.0	
9	NOT STATED	17	13766.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCE\_10D: Type govt. care rec'd - housework

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
<b>Statistics [NW/ W]</b> [Valid=1078 / 686194.62 ] [Invalid=31055 / 26435368.89 ]	
Universe Respondents who answered HMCE_09 = (1, 7 or 8)	
Literal question What type of services have you received? - Housework (e.g., cleaning, laundry)	
Notes	Cost must be entirely or partially covered by government.

Value	Label	Cases	Weighted
1	YES	302	182717.0
2	NO	776	503477.6
6	NOT APPLICABLE	31036	26415418.8
7	DON'T KNOW	2	6183.4
8	REFUSAL	0	0.0
9	NOT STATED	17	13766.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCE\_10E: Type govt. care rec'd - meals

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=1078 / 686194.62 ] [Invalid=31055 / 26435368.89 ]	
Universe Respondents who answered HMCE_09 = (1, 7 or 8)	
Literal question What type of services have you received? - Meal preparation or delivery	
Notes Cost must be entirely or partially covered by government.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	427	192629.8	28.1%
2	NO	651	493564.8	71.9%
6	NOT APPLICABLE	31036	26415418.8	
7	DON'T KNOW	2	6183.4	
8	REFUSAL	0	0.0	
9	NOT STATED	17	13766.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_10F: Type govt. care rec'd - shopping

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=1078 / 686194.62 ] [Invalid=31055 / 26435368.89 ]	
Universe	Respondents who answered HMCE_09 = (1, 7 or 8)
Literal question What type of services have you received? - Shopping	
Notes Cost must be entirely or partially covered by government.	

# # HMCE\_10F: Type govt. care rec'd - shopping

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	165	75591.7	11.0%
2	NO	913	610602.9	89.0%
6	NOT APPLICABLE	31036	26415418.8	
7	DON'T KNOW	2	6183.4	
8	REFUSAL	0	0.0	
9	NOT STATED	17	13766.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_10G: Type govt. care rec'd - respite care

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W] [Valid=1078 / 686194.62 ] [Invalid=31055 / 26435368.89 ]			
Universe Respondents who answered HMCE_09 = (1, 7 or 8)			
Literal question What type of services have you received? - Respite care (i.e., caregiver relief program)			
Notes	Cost must be entirely or partially covered by government.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	66	25712.7	3.7%
2	NO	1012	660482.0	96.3
6	NOT APPLICABLE	31036	26415418.8	
7	DON'T KNOW	2	6183.4	
8	REFUSAL	0	0.0	
9	NOT STATED	17	13766.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCE\_10H: Type govt. care rec'd - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=1078 / 686194.62 ] [Invalid=31055 / 26435368.89 ]	
Universe Respondents who answered HMCE_09 = (1, 7 or 8)	
Literal question What type of services have you received? - Other	
Notes Cost must be entirely or partially covered by government.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	49	39506.0	5.8%
2	NO	1029	646688.6	94.2%
6	NOT APPLICABLE	31036	26415418.8	
7	DON'T KNOW	2	6183.4	
8	REFUSAL	0	0.0	
9	NOT STATED	17	13766.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCE\_10I: Type govt. care rec'd - med. equipment

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=1078 / 686194.62 ] [Invalid=31055 / 26435368.89 ]	
Universe	Respondents who answered HMCE_09 = (1, 7 or 8)
Literal question What type of services have you received? - Medical equipment or supplies	
Notes Cost must be entirely or partially covered by government.	

# #HMCE\_10I: Type govt. care rec'd - med. equipment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	85	56327.8	8.2%
2	NO	993	629866.8	91.8%
6	NOT APPLICABLE	31036	26415418.8	
7	DON'T KNOW	2	6183.4	
8	REFUSAL	0	0.0	
9	NOT STATED	17	13766.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_11: Rec'd home care not covered by govt.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=29074 / 24542884.73 ] [Invalid=3059 / 2578678.78 ]	
Universe	Respondents aged 18 and over
Literal question	Have you received any [other] home care services in the past 12 months, with the cost not covered by government (for example: care provided by a private agency or by a spouse or friends)?
Notes	Includes only health care, homemaker or other support services (e.g., housework) that are provided because of a respondent's health problem or condition.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1258	789123.7	3.2%
2	NO	27816	23753761.0	96.8%
6	NOT APPLICABLE	3043	2566826.7	
7	DON'T KNOW	10	4886.1	
8	REFUSAL	0	0.0	
9	NOT STATED	6	6966.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCEG12A: Non govt provided by private agency -(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1254 / 788269.62 ] [Invalid=30879 / 26333293.89 ]
Universe	Respondents who answered HMCE_11 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Non govt provided by private agency -(G)
Notes	Based on HMCE_12A, HMCE_12B, HMCE_12G. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	328	221235.4	28.1%
2	NO	926	567034.2	71.9%
6	NOT APPLICABLE	30859	26320587.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	12706.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCEG12C: Non govt. provided by neigh/fam/vol.-(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1254 / 788269.62 ] [Invalid=30879 / 26333293.89 ]
Universe	Respondents who answered HMCE_11 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Non govt. provided by neigh/fam/vol(G)

#### # HMCEG12C: Non govt. provided by neigh/fam/vol.-(G)

Notes Based on HMCE\_12C, HMCE\_12D, HMCE\_12E. See documentation on derived variables.

Value	Label	Cases	Weighted
1	YES	912	565385.1
2	NO	342	222884.5
6	NOT APPLICABLE	30859	26320587.6
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	20	12706.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_12F: Non govt. provided by other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1254 / 788269.62 ] [Invalid=30879 / 26333293.89 ]
Universe	Respondents who answered HMCE_11 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Who provided these [other] home care services? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	102	59985.4	7.6%
2	NO	1152	728284.2	92.4%
6	NOT APPLICABLE	30859	26320587.6	
7	DON'T KNOW	4	854.1	
8	REFUSAL	0	0.0	
9	NOT STATED	16	11852.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCEG3AA: Private agency - nursing care - (G)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=327 / 220648.43 ] [Invalid=31806 / 26900915.08 ]	
Universe	Respondents who answered HMCEG12A = (1 or 9)
Literal question	Private agency - nursing care - (G)
Notes	Based on HMCE_3AA, HMCE_3BA, HMCE_3GA. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	41	44206.7	20.0%
2	NO	286	176441.8	80.0%
6	NOT APPLICABLE	31785	26887621.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	21	13293.3	

# HMCEG3AB: Private agency - hlth serv (G)		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=327 / 220648.43 ] [Invalid=31806 / 26900915.08 ]	
Universe	Respondents who answered HMCEG12A = (1 or 9)	
Literal question	Private agency - hlth serv (G)	
Notes	Based on HMCE_3AB, HMCE_3BB, HMCE_3GB. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	12403.7	5.6%
2	NO	313	208244.7	94.4%
6	NOT APPLICABLE	31785	26887621.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	21	13293.3	

# # HMCEG3AI: Private agency - med. equip. - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=327 / 220648.43 ] [Invalid=31806 / 26900915.08 ]	
Universe Respondents who answered HMCEG12A = (1 or 9)	
Literal question Private agency - med. equip (G)	
Notes	Based on HMCE_3AI, HMCE_3BI, HMCE_3GI. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	8613.3	3.9%
2	NO	316	212035.1	96.1%
6	NOT APPLICABLE	31785	26887621.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	21	13293.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCEG3AC: Private agency - pers. Care - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=327 / 220648.43 ] [Invalid=31806 / 26900915.08 ]	
Universe Respondents who answered HMCEG12A = (1 or 9)	
Literal question Private agency - pers. Care - (G)	
Notes Based on HMCE_3AC, HMCE_3BC, HMCE_3GC. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	65	55893.1	25.3%
2	NO	262	164755.3	74.7%
6	NOT APPLICABLE	31785	26887621.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	21	13293.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCEG3AD: Private agency - housework - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

# HMCEG3AD: Privat	# HMCEG3AD: Private agency - housework - (G)			
Statistics [NW/W]	Statistics [NW/ W] [Valid=327 / 220648.43 ] [Invalid=31806 / 26900915.08 ]			
Universe	Respondents who answered HMCEG12A = (1 or 9)			
Literal question	Literal question Private agency - housework - (G)			
Notes Based on HMCE_3AD, HMCE_3BD, HMCE_3GD. See documentation on derived variables.				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	263	163411.4	74.1%
2	NO	64	57237.1	25.9%
6	NOT APPLICABLE	31785	26887621.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	21	13293.3	

# # HMCEG3AE: Private agency - meals - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=327 / 220648.43 ] [Invalid=31806 / 26900915.08 ]	
Universe Respondents who answered HMCEG12A = (1 or 9)	
Literal question Private agency - meals - (G)	
Notes Based on HMCE_3AD, HMCE_3BD, HMCE_3GD. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	52	34644.9	15.7%	
2	NO	275	186003.5		84.3%
6	NOT APPLICABLE	31785	26887621.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	21	13293.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCEG3AF: Private agency - shopping - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/W]</b> [Valid=327 / 220648.43 ] [Invalid=31806 / 26900915.08 ]	
Universe Respondents who answered HMCEG12A = (1 or 9)	
Literal question Private agency - shopping - (G)	
Notes Based on HMCE_3AF, HMCE_3BF, HMCE_3GF. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26	19358.4	8.8%
2	NO	301	201290.1	91.2
6	NOT APPLICABLE	31785	26887621.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	21	13293.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCEG3AG: Private agency - respite care - (G)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=327 / 220648.43 ] [Invalid=31806 / 26900915.08 ]

# # HMCEG3AG: Private agency - respite care - (G) Universe Respondents who answered HMCEG12A = (1 or 9) Literal question Private agency - respite care - (G) Notes Based on HMCE\_3AG, HMCE\_3BG, HMCE\_3GG. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	6239.4	2.8%
2	NO	317	214409.1	97.2%
6	NOT APPLICABLE	31785	26887621.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	21	13293.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCEG3AH: Private agency - other - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	W/W] [Valid=327 / 220648.43 ] [Invalid=31806 / 26900915.08 ]		
Universe	Respondents who answered HMCEG12A = (1 or 9)		
Literal question	Private agency - other - (G)		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16	8633.2	3.9%
2	NO	311	212015.3	96.1%
6	NOT APPLICABLE	31785	26887621.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	21	13293.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCEG3CA: Neigh/fam/vol - nursing care - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	Valid=912 / 565385.13 ] [Invalid=31221 / 26556178.38 ]			
Universe	Respondents who answered HMCEG12A = (1 or 9)			
Literal question	Neigh/fam/vol - nursing care - (G)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	129	99153.2	17.5%
2	NO	783	466232.0	82.
6	NOT APPLICABLE	31201	26543472.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	12706.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCEG3CB: Neigh/fam/vol - health services - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=912 / 565385.13 ] [Invalid=31221 / 26556178.38 ]			
Universe	Respondents who answered HMCEG12A = (1 or 9)			
Literal question	Neigh/fam/vol - health services - (G)			

# # HMCEG3CB: Neigh/fam/vol - health services - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23	17501.2	3.1%
2	NO	889	547884.0	96.9%
6	NOT APPLICABLE	31201	26543472.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	12706.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCEG3CI: Neigh/fam/vol - med. equip. - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=912 / 565385.13 ] [Invalid=31221 / 26556178.38 ]		
Universe	Respondents who answered HMCEG12A = (1 or 9)		
Literal question	Neigh/fam/vol - med. equip (G)		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	36	20569.0	3.6%
2	NO	876	544816.1	96.4%
6	NOT APPLICABLE	31201	26543472.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	12706.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCEG3CC: Neigh/fam/vol - personal - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	W/W] [Valid=912 / 565385.13 ] [Invalid=31221 / 26556178.38 ]		
Universe	Respondents who answered HMCEG12A = (1 or 9)		
Literal question	Neigh/fam/vol - personal - (G)		
Notes	Based on HMCE_3CA, HMCE_3DA, HMCE_3EA. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	215	157637.8	27.9%
2	NO	697	407747.3	72.1%
6	NOT APPLICABLE	31201	26543472.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	12706.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCEG3CD: Neigh/fam/vol - housework - (G)

_				
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/W]	[Valid=912 / 565385.13 ] [Invalid=31221 / 26556178.38 ]			
Universe	Respondents who answered HMCEG12A = (1 or 9)			
Literal question	nuestion Neigh/fam/vol - housework - (G)			
Notes	Based on HMCE_3CB, HMCE_3DB, HMCE_3EB. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	647	390300.8	69.0%	

# # HMCEG3CD: Neigh/fam/vol - housework - (G)

Value	Label	Cases	Weighted
2	NO	265	175084.3
6	NOT APPLICABLE	31201	26543472.1
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	20	12706.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCEG3CE: Neigh/fam/vol - meals - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=912 / 565385.13 ] [Invalid=31221 / 26556178.38 ]	
Universe Respondents who answered HMCEG12A = (1 or 9)	
Literal question Neigh/fam/vol - meals - (G)	
Notes Based on HMCE_3CI, HMCE_3DI, HMCE_3EI. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	492	341971.7	60.5
2	NO	420	223413.4	39.5%
6	NOT APPLICABLE	31201	26543472.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	12706.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCEG3CF: Neigh/fam/vol - shopping - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=912 / 565385.13 ] [Invalid=31221 / 26556178.38 ]		
Universe Respondents who answered HMCEG12A = (1 or 9)		
Literal question Neigh/fam/vol - shopping - (G)		
Notes	Based on HMCE_3CC, HMCE_3DC, HMCE_3EC. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	460	270015.8	47.8%
2	NO	452	295369.4	52.2%
6	NOT APPLICABLE	31201	26543472.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	12706.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCEG3CG: Neigh/fam/vol - respite - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	tistics [NW/ W] [Valid=912 / 565385.13 ] [Invalid=31221 / 26556178.38 ]		
Universe	Respondents who answered HMCEG12A = (1 or 9)		
Literal question	Literal question Neigh/fam/vol - respite - (G)		
Notes Based on HMCE_3CD, HMCE_3DD, HMCE_3ED. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	61	59845.1	10.6%

# # HMCEG3CG: Neigh/fam/vol - respite - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	851	505540.0	
6	NOT APPLICABLE	31201	26543472.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	12706.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCEG3CH: Neigh/fam/vol - other - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=912 / 565385.13 ] [Invalid=31221 / 26556178.38 ]	
Universe Respondents who answered HMCEG12A = (1 or 9)	
Literal question Neigh/fam/vol - other - (G)	
Notes Based on HMCE_3CE, HMCE_3DE, HMCE_3EE. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	174	93368.9	16.5%
2	NO	738	472016.2	83.5%
6	NOT APPLICABLE	31201	26543472.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	12706.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_3FA: Home care provided by other - nursing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=102 / 59985.39 ] [Invalid=32031 / 27061578.12 ]
Universe	Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8
Literal question	What type of services have you received from [person specified]? - Nursing care (e.g., dressing changes, preparing medications, V.O.N. visits)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	9222.8	15.4%
2	NO	85	50762.6	84.6%
6	NOT APPLICABLE	32011	27048871.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	12706.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_3FB: Home care provided by other - health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=102 / 59985.39 ] [Invalid=32031 / 27061578.12 ]
Universe	Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8
Literal question	What type of services have you received from [person specified]? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	3352.6	5.6%
2	NO	98	56632.8	94.4%

# #HMCE\_3FB: Home care provided by other - health

Value	Label	Cases	Weighted
6	NOT APPLICABLE	32011	27048871.9
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	20	12706.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCE\_3FI: Home care provided by other - med.equip.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=102 / 59985.39 ] [Invalid=32031 / 27061578.12 ]				
Universe Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8				
Literal question	What type of services have you received from [person specified]? - Medical equipment or supplies			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	20.4	0.0%
2	NO	101	59964.9	100.0%
6	NOT APPLICABLE	32011	27048871.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	12706.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCE\_3FC: Home care provided by other - personal

Information	IType= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W] [Valid=102 / 59985.39 ] [Invalid=32031 / 27061578.12 ]			
Universe Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8			
Literal question What type of services have you received from [person specified]? - Personal care (e.g., bathing, foot care)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	6406.8	10.7%
2	NO	91	53578.6	89.3%
6	NOT APPLICABLE	32011	27048871.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	12706.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_3FD: Care provided by other - housework

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	tistics [NW/ W] [Valid=102 / 59985.39 ] [Invalid=32031 / 27061578.12 ]			
Universe	Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8			
Literal question	What type of services have you received from [person specified]? - Housework (e.g., cleaning, laundry)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	59	36599.6	61.0%
2	NO	43	23385.8	39.0%
6	NOT APPLICABLE	32011	27048871.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

#### #HMCE\_3FD: Care provided by other - housework

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	20	12706.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCE\_3FE: Home care provided by other - meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=102 / 59985.39 ] [Invalid=32031 / 27061578.12 ]			
Universe	Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8			
Literal question	What type of services have you received from [person specified]? - Meal preparation or delivery			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22	10447.0	17.4%
2	NO	80	49538.3	82.6%
6	NOT APPLICABLE	32011	27048871.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	12706.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCE\_3FF: Home care provided by other - shopping

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=102 / 59985.39 ] [Invalid=32031 / 27061578.12 ]			
Universe	Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8			
Literal question	What type of services have you received from [person specified]? - Shopping			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	4564.4	7.6%
2	NO	97	55420.9	92.4%
6	NOT APPLICABLE	32011	27048871.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	12706.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_3FG: Home care provided by other - respite

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=102 / 59985.39 ] [Invalid=32031 / 27061578.12 ]			
Universe	Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8			
Literal question	What type of services have you received from [person specified]? - Respite care (i.e., caregiver relief program)			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2	1448.0	2.4%	
2	NO	100	58537.4	97.6%	
6	NOT APPLICABLE	32011	27048871.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	20	12706.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

#HMCE_3FH: Home care provided by other - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	Valid=102 / 59985.39 ] [Invalid=32031 / 27061578.12 ]			
Universe	Respondents who answered HMCE_12F = (1, 7 or 8) or HMCE_11 = (7 or 8) or HMCE_09 = 8			
Literal question	What type of services have you received from [person specified]? - Other			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	8894.7	14.8%
2	NO	85	51090.7	85.2%
6	NOT APPLICABLE	32011	27048871.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	12706.2	

#### # HMCE\_14: Self-perceived unmet home care needs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=29062 / 24532235.9 ] [Invalid=3071 / 2589327.61 ]			
Universe	Respondents aged 18 and over			
Literal question	During the past 12 months, was there ever a time when you felt that you needed home care services but you didn't receive them?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	624	436876.3	1.8%
2	NO	28438	24095359.6	98.2%
6	NOT APPLICABLE	3043	2566826.7	
7	DON'T KNOW	22	15534.9	
8	REFUSAL	0	0.0	
9	NOT STATED	6	6966.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCE\_15A: Care not rec'd - not avail./area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=622 / 434001.09 ] [Invalid=31511 / 26687562.42 ]			
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8			
Literal question	Thinking of the most recent time, why didn't you get these services? - Not available in the area			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	48	25996.9	6.0%
2	NO	574	408004.2	94.0%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	2	2875.2	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #HMCE\_15B: Care not rec'd - not avail./time req'd

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=622 / 434001.09 ] [Invalid=31511 / 26687562.42 ]			
Universe Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8			

#### #HMCE\_15B: Care not rec'd - not avail./time req'd

Literal question Thinking of the most recent time, why didn't you get these services? - Not available at time required (e.g., inconvenient hours)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	38	17717.4	4.1%
2	NO	584	416283.7	95.9%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	2	2875.2	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_15C: Care not rec'd - waiting time too long

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	tatistics [NW/ W] [Valid=622 / 434001.09 ] [Invalid=31511 / 26687562.42 ]	
Universe Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8		
Literal question Thinking of the most recent time, why didn't you get these services? - Waiting time too long		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	28	17081.4	3.9%
2	NO	594	416919.7	96.1%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	2	2875.2	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCE\_15D: Care not rec'd - would be inadequate

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=622 / 434001.09 ] [Invalid=31511 / 26687562.42 ]	
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Thinking of the most recent time, why didn't you get these services? - Felt would be inadequate	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	10558.3	2.4%
2	NO	609	423442.8	97.6%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	2	2875.2	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCE\_15E: Care not rec'd - cost

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=622 / 434001.09 ] [Invalid=31511 / 26687562.42 ]	
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Thinking of the most recent time, why didn't you get these services? - Cost	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	120	102149.6	23.5%

# HMCE	15E.	Care not	rec'd -	cost

Value	Label	Cases	Weighted
2	NO	502	331851.5
6	NOT APPLICABLE	31481	26662186.3
7	DON'T KNOW	2	2875.2
8	REFUSAL	0	0.0
9	NOT STATED	28	22501.0

# # HMCE\_15F: Care not rec'd - too busy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=622 / 434001.09 ] [Invalid=31511 / 26687562.42 ]		
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question Thinking of the most recent time, why didn't you get these services? - Too busy		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	3208.7	0.7%
2	NO	615	430792.4	99.3%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	2	2875.2	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_15G: Care not rec'd - didn't get around to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=622 / 434001.09 ] [Invalid=31511 / 26687562.42 ]	
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Thinking of the most recent time, why didn't you get these services? - Didn't get around to it / didn't bother	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	65	40815.0	9.4%
2	NO	557	393186.1	90.6%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	2	2875.2	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_15H: Care not rec'd - didn't know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=622 / 434001.09 ] [Invalid=31511 / 26687562.42 ]	
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Thinking of the most recent time, why didn't you get these services? - Didn't know where to go / call	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	82	74750.9	17.2%
2	NO	540	359250.2	82.8%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	2	2875.2	

# #HMCE\_15H: Care not rec'd - didn't know where to go

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCE\_15I: Care not rec'd - language problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=622 / 434001.09 ] [Invalid=31511 / 26687562.42 ]		
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8		
Literal question	Thinking of the most recent time, why didn't you get these services? - Language problems		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	645.3	0.1%
2	NO	620	433355.8	99.9%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	2	2875.2	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCE\_15J: Care not rec'd - family responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=622 / 434001.09 ] [Invalid=31511 / 26687562.42 ]			
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8			
Literal question	Thinking of the most recent time, why didn't you get these services? - Personal or family responsibilities			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	4326.8	1.0%
2	NO	617	429674.3	99.0%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	2	2875.2	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_15K: Care not rec'd - decided not seek serv.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=622 / 434001.09 ] [Invalid=31511 / 26687562.42 ]		
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8		
Literal question	Thinking of the most recent time, why didn't you get these services? - Decided not to seek services		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	55	34416.4	7.9%
2	NO	567	399584.7	92.1%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	2	2875.2	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# HMCE_15L: Care not rec'd - doctor think not nec.		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=622 / 434001.09 ] [Invalid=31511 / 26687562.42 ]	
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Thinking of the most recent time, why didn't you get these services? - Doctor didn't think it was necessary	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20	13121.1	3.0%
2	NO	602	420880.0	97.0%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	2	2875.2	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

# # HMCE\_15M: Care not rec'd - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=622 / 434001.09 ] [Invalid=31511 / 26687562.42 ]	
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question Thinking of the most recent time, why didn't you get these services? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	100	69651.2	16.0%	
2	NO	522	364349.9		84.0%
6	NOT APPLICABLE	31481	26662186.3		
7	DON'T KNOW	2	2875.2		
8	REFUSAL	0	0.0		
9	NOT STATED	28	22501.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCE\_15N: Care not rec'd - Did not qualify

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=622 / 434001.09 ] [Invalid=31511 / 26687562.42 ]	
Universe Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question Thinking of the most recent time, why didn't you get these services? - Did not qualify / Not eligible for homecard	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	33	19234.6	4.4%
2	NO	589	414766.5	95.6%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	2	2875.2	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCE\_15O: Care not rec'd - Still waiting/homecare

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=622 / 434001.09 ] [Invalid=31511 / 26687562.42 ]	
Universe Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question Thinking of the most recent time, why didn't you get these services? - Still waiting for homecare	

# #HMCE\_150: Care not rec'd - Still waiting/homecare

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	173	107685.1	24.8%
2	NO	449	326316.0	7:
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	2	2875.2	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_16A: Type care needed - nursing care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=623 / 431795.98 ] [Invalid=31510 / 26689767.53 ]	
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Again, thinking of the most recent time, what was the type of home care that was needed? - Nursing care (e.g., dressing changes, preparing medications, V.O.N. visits)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	94	75405.4	17.5%
2	NO	529	356390.6	82.5%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	1	5080.3	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCE\_16B: Type care needed - health services

Information	ormation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=623 / 431795.98 ] [Invalid=31510 / 26689767.53 ]		
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Again, thinking of the most recent time, what was the type of home care that was needed? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	49	50394.8	11.7%
2	NO	574	381401.1	88.3%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	1	5080.3	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_16C: Type care needed - personal care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=623 / 431795.98 ] [Invalid=31510 / 26689767.53 ]
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Again, thinking of the most recent time, what was the type of home care that was needed? - Personal care (e.g., bathing, foot care)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20	18331.6	4.2%

# HMCE	16C•	Type (	are r	needed -	nersonal	care
" 11171	100.	INDE	aiti	iccucu -	Deisonai	Carc

Value	Label	Cases	Weighted
2	NO	603	413464.4
6	NOT APPLICABLE	31481	26662186.3
7	DON'T KNOW	1	5080.3
8	REFUSAL	0	0.0
9	NOT STATED	28	22501.0

# # HMCE\_16D: Type care needed - housework

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	V] [Valid=623 / 431795.98 ] [Invalid=31510 / 26689767.53 ]	
Universe Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8		
Literal question Again, thinking of the most recent time, what was the type of home care that was needed? - Housework (e.g., cleaning laundry)		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	139	101043.4	23.4%
2	NO	484	330752.6	76.6%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	1	5080.3	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCE\_16E: Type care needed - meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=623 / 431795.98 ] [Invalid=31510 / 26689767.53 ]	
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question Again, thinking of the most recent time, what was the type of home care that was needed? - Meal preparation	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	402	259167.6	60.0%
2	NO	221	172628.4	40.0%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	1	5080.3	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCE\_16F: Type care needed - shopping

Information	mation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=623 / 431795.98 ] [Invalid=31510 / 26689767.53 ]		
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Again, thinking of the most recent time, what was the type of home care that was needed? - Shopping	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	173	123340.3	28.6%
2	NO	450	308455.7	71.4%
6	NOT APPLICABLE	31481	26662186.3	

# # HMCE\_16F: Type care needed - shopping

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	1	5080.3	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# $\#\,HMCE\_16G\colon Type$ care needed - respite care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	V/W] [Valid=623 / 431795.98 ] [Invalid=31510 / 26689767.53 ]	
Universe Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8		
Literal question Again, thinking of the most recent time, what was the type of home care that was needed? - Respite care (i.e., careging relief)		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	91	57252.0	13.3%
2	NO	532	374544.0	86.7%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	1	5080.3	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCE\_16H: Type care needed - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=623 / 431795.98 ] [Invalid=31510 / 26689767.53 ]
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Again, thinking of the most recent time, what was the type of home care that was needed? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	63	55879.8	12.9%	
2	NO	560	375916.1		87.1%
6	NOT APPLICABLE	31481	26662186.3		
7	DON'T KNOW	1	5080.3		
8	REFUSAL	0	0.0		
9	NOT STATED	28	22501.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# HMCE_16I: Type care needed - Med. equip./supplies		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=623 / 431795.98 ] [Invalid=31510 / 26689767.53 ]	
Universe Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8		
Literal question	Again, thinking of the most recent time, what was the type of home care that was needed? - Medical equipment or supplies	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	65	51303.8	11.9%
2	NO	558	380492.2	88.1%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	1	5080.3	
8	REFUSAL	0	0.0	
9	NOT STATED	28	22501.0	

# #HMCE\_17A: Who contacted - govt. spons. prog.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=577 / 397287.51 ] [Invalid=31556 / 26724276 ]	
Universe Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Where did you try to get this home care service? - A government sponsored program

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	286	171122.2	43.1%
2	NO	291	226165.3	
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	42	36617.9	
8	REFUSAL	5	2970.8	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCE\_17B: Who contacted - private agency

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=577 / 397287.51 ] [Invalid=31556 / 26724276 ]	
Universe Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question Where did you try to get this home care service? - A private agency	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	48	34822.7	8.8%
2	NO	529	362464.8	91.2%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	42	36617.9	
8	REFUSAL	5	2970.8	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCE\_17C: Who contacted - family/friend

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=577 / 397287.51 ] [Invalid=31556 / 26724276 ]	
Universe Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Where did you try to get this home care service? - A family member, friend or neighbour

# # HMCE\_17C: Who contacted - family/friend

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	78	67267.5	16.9%
2	NO	499	330020.0	83.19
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	42	36617.9	
8	REFUSAL	5	2970.8	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #HMCE\_17D: Who contacted - volunteer org.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=577 / 397287.51 ] [Invalid=31556 / 26724276 ]	
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8
Literal question	Where did you try to get this home care service? - A volunteer organization

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20	12014.4	3.0%
2	NO	557	385273.1	97.0%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	42	36617.9	
8	REFUSAL	5	2970.8	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HMCE\_17E: Who contacted - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=577 / 397287.51 ] [Invalid=31556 / 26724276 ]	
Universe	Respondents who answered HMCE_14 = (1, 7 or 8) or HMCE_09 = 8	
Literal question	Where did you try to get this home care service? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	207	147899.4	37.2%
2	NO	370	249388.2	62.8%
6	NOT APPLICABLE	31481	26662186.3	
7	DON'T KNOW	42	36617.9	
8	REFUSAL	5	2970.8	
9	NOT STATED	28	22501.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HMCEFRHC: Flag: Received home care - (F)

Information	Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=29074 / 24541071.04 ] [Invalid=3059 / 2580492.47 ]		
Universe Respondents aged 18 and over		
Literal question Flag: Received home care - (F)		
Notes	Based on HMCE_09, HMCE_11. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2020	1303285.6	5.3%
2	NO	27054	23237785.5	94.7%

# # HMCEFRHC: Flag: Received home care - (F)

Value	Label	Cases	Weighted
6	NOT APPLICABLE	3043	2566826.7
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	16	13665.8

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # RACE\_1: Has difficulty with activities

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W] [Valid=32101 / 27093636.82 ] [Invalid=32 / 27926.69 ]		
Universe	All respondents	
Literal question	Do you have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities: (sometimes, often, or never)?	
Notes	Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more.	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	SOMETIMES	4545	3313669.5	12.2%	
2	OFTEN	4077	2829004.2	10.4%	
3	NEVER	23479	20950963.2	77.3	3%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	26	23161.8		
8	REFUSAL	6	4764.8		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #RACE\_2A: Reduction kind/amount activities - home

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W] [Valid=32097 / 27091064.24 ] [Invalid=36 / 30499.27 ]		
Universe	All respondents	
Literal question	Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do at home: (sometimes, often, or never)?	
Notes	Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	3519	2628823.9	9.7%
2	OFTEN	2610	1790009.3	6.6%
3	NEVER	25968	22672231.1	83.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	26	22894.6	
8	REFUSAL	4	2839.8	
9	NOT STATED	6	4764.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #RACE\_2B1: Reduction kind/amount activities- school

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=32111 / 27103078.81 ] [Invalid=22 / 18484.7 ]
Universe	All respondents

#RACE_2B1: Reduction kind/amount activities- school		
Literal question	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) at school?	
Notes	Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a	

condition that is expected to last or has already lasted 6 months or more.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	371	338509.5	1.2%
2	OFTEN	180	153766.5	0.6%
3	NEVER	6847	7005490.3	25.8%
4	NOT AT SCHOOL	24713	19605312.5	72.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	11	10105.5	
8	REFUSAL	1	774.6	
9	NOT STATED	10	7604.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #RACE\_2B2: Reduction kind/amount act. - at work

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=32103 / 27098228.44 ] [Invalid=30 / 23335.07 ]		
Universe	All respondents	
Literal question	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) at work?	
Notes	Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	1859	1547993.4	5.7%
2	OFTEN	855	676109.4	2.5%
3	NEVER	17806	16704050.2	61.6%
4	HAS NO JOB	11583	8170075.3	30.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	19	14955.9	
8	REFUSAL	0	0.0	
9	NOT STATED	11	8379.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # RACE\_2C: Reduction kind/amount act. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=32081 / 27078923.3 ] [Invalid=52 / 42640.21 ]	
Universe	All respondents	
Literal question	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) in other activities, for example, transportation or leisure?	
Notes	Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	3341	2487499.4	9.2%
2	OFTEN	2679	1888035.3	7.0%
3	NEVER	26061	22703388.5	83.8%
6	NOT APPLICABLE	0	0.0	

# #RACE\_2C: Reduction kind/amount act. - other

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	41	34261.0	
8	REFUSAL	0	0.0	
9	NOT STATED	11	8379.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # RACEG5: Cause of health problem - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/W]	[Valid=10343 / 7635930.62 ] [Invalid=21790 / 19485632.89 ]	
Universe	Respondents who answered RACE_1 = (1, 2, 7 or 8) or RACE_2A = (1, 2, 7 or 8) or RACE_2B1 = (1, 2, 7 or 8) or RACE_2B2 = (1, 2, 7 or 8) or RACE_2C = (1, 2, 7 or 8)	
Literal question	Which one of the following is the best description of the cause of this condition: (accident at home, motor vehicle accident, accident at work, other type of accident, existed from birth or genetic,, or use of alcohol or drugs)?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	INJURY	1679	1314657.3	17.2%
2	DISEASE OR ILLNE	3365	2227764.0	29.2%
3	AGEING	2048	1447127.3	19.0%
4	EXISTED AT BIRTH	965	766886.0	10.0%
5	WORK CONDITIONS	854	677414.2	8.9%
6	OTHER	1432	1202081.8	15.7%
96	NOT APPLICABLE	21577	19316424.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	213	169208.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #RACE\_5B1: Discri. due condition/hlth prob. - life

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=10447 / 7730805.44 ] [Invalid=21686 / 19390758.07 ]	
Universe	Respondents who answered RACE_1 = (1, 2, 7 or 8) or RACE_2A = (1, 2, 7 or 8) or RACE_2B1 = (1, 2, 7 or 8) or RACE_2B2 = (1, 2, 7 or 8) or RACE_2C = (1, 2, 7 or 8)	
Literal question	Because of your condition or health problem, have you ever experienced discrimination or unfair treatment?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1136	910270.6	11.8%
2	NO	9311	6820534.9	88.2%
6	NOT APPLICABLE	21577	19316424.7	
7	DON'T KNOW	58	36511.6	
8	REFUSAL	7	2558.2	
9	NOT STATED	44	35263.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #RACE\_5B2: Discri. due condition/hlth prob.

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=1124 / 900745.45 ] [Invalid=31009 / 26220818.06 ]
Universe	Respondents who answered RACE_5B1 = (1, 7 or 8) or at least one of RACE_1, RACE_2A, RACE_2B1, RACE_2B2, RACE_2C = 7 and RACE_1 = (3 or 7) and RACE_2A = (3 or 7) and RACE_2B1 = (3, 4 or 7) and RACE_2B2 = (3, 4 or 7) and RACE_2C = (3 or 7) or one of RACE_1, RACE_2A, RACE_2B1, RACE_2B2, RACE_2C = 8
Literal question	In the past 12 months, how much discrimination or unfair treatment did you experience?

# #RACE\_5B2: Discri. due condition/hlth prob.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	241	204053.8	22.7%
2	SOME	331	250066.2	27.8%
3	A LITTLE	300	248654.0	27.6%
4	NOT AT ALL	252	197971.4	22.0%
6	NOT APPLICABLE	30888	26136959.6	
7	DON'T KNOW	10	7973.7	
8	REFUSAL	2	1551.4	
9	NOT STATED	109	74333.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # RACE\_6A: Needs help - preparing meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32105 / 27101552.43 ] [Invalid=28 / 20011.08 ]
Universe	All respondents
Literal question	Because of any physical condition or mental condition or health problem, do you need the help of another person with preparing meals?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	936	712672.1	2.6%
2	NO	31169	26388880.3	97.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	14	10152.4	
8	REFUSAL	3	1479.4	
9	NOT STATED	11	8379.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # RACE\_6B1: Needs help - getting to appointments

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32102 / 27100992.46 ] [Invalid=31 / 20571.05 ]
Universe	All respondents
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with getting to appointments and running errands such as shopping for groceries?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1951	1373573.6	5.1%
2	NO	30151	25727418.8	94.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	17	10712.4	
8	REFUSAL	3	1479.4	
9	NOT STATED	11	8379.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # RACE\_6C: Needs help - doing housework

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32099 / 27099935.78 ] [Invalid=34 / 21627.73 ]
Universe	All respondents
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with doing normal everyday housework?

# #RACE\_6C: Needs help - doing housework

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2008	1439528.5	5.3%
2	NO	30091	25660407.3	94.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	20	11769.1	
8	REFUSAL	3	1479.4	
9	NOT STATED	11	8379.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # RACE\_6D: Needs help - heavy household chores

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32077 / 27088827.79 ] [Invalid=56 / 32735.72 ]
Universe	All respondents
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with doing heavy household chores such as spring cleaning or yard work?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4554	3137495.0	11.6%
2	NO	27523	23951332.8	88.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	39	21255.7	
8	REFUSAL	6	3100.8	
9	NOT STATED	11	8379.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # RACE\_6E: Needs help - personal care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32104 / 27102379.34 ] [Invalid=29 / 19184.17 ]
Universe	All respondents
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with personal care such as washing, dressing, eating or taking medication?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	629	481339.5	1.8%
2	NO	31475	26621039.9	98.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	15	9325.5	
8	REFUSAL	3	1479.4	
9	NOT STATED	11	8379.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # RACE\_6F: Needs help - moving about inside house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=32101 / 27098915.69 ] [Invalid=32 / 22647.82 ]
Universe	All respondents
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with moving about inside the house?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	382	306318.5	1.1%

# RACE_6F: Needs he	p - moving al	bout inside house
---------------------	---------------	-------------------

Value	Label	Cases	Weighted
2	NO	31719	26792597.2
6	NOT APPLICABLE	0	0.0
7	DON'T KNOW	18	12789.2
8	REFUSAL	3	1479.4
9	NOT STATED	11	8379.2

# # RACE\_6G: Needs help - looking after finances

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=32056 / 27060092.38 ] [Invalid=77 / 61471.13 ]			
Universe	All respondents			
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with looking after your personal finances such as making bank transactions or paying bills?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	920	672657.1	2.5%
2	NO	31136	26387435.3	97.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	57	46515.4	
8	REFUSAL	9	6576.6	
9	NOT STATED	11	8379.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # RACE\_7A: Difficulty - making new friends

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=32066 / 27066512.35 ] [Invalid=67 / 55051.16 ]			
Universe	All respondents			
Literal question	Because of any physical condition or mental condition or health problem, do you have difficulty making new friends or maintaining friendships?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	889	723231.3	2.7%
2	NO	31177	26343281.0	97.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	44	36642.3	
8	REFUSAL	12	10029.7	
9	NOT STATED	11	8379.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #RACE\_7B: Difficulty - dealing w/unknown people

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=32061 / 27060717.79 ] [Invalid=72 / 60845.72 ]			
Universe	All respondents			
Literal question	(Because of any physical condition or mental condition or health problem, do you have difficulty) dealing with people you do not know well?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	985	807042.8	3.0%
2	NO	31076	26253675.0	97.0%

# RACE_7B: Difficult	ty - dealing	g w/unknown	people
----------------------	--------------	-------------	--------

Value	Label	Cases	Weighted
6	NOT APPLICABLE	0	0.0
7	DON'T KNOW	51	44413.4
8	REFUSAL	10	8053.1
9	NOT STATED	11	8379.2

#### # RACE\_7C: Difficulty - starting/maintain. convers.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=32069 / 27068522.63 ] [Invalid=64 / 53040.88 ]			
Universe	All respondents			
Literal question	(Because of any physical condition or mental condition or health problem, do you have difficulty) starting and maintaining a conversation?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	938	734779.7	2.7%
2	NO	31131	26333742.9	97.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	42	35506.0	
8	REFUSAL	11	9155.7	
9	NOT STATED	11	8379.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # RACE\_8A: Cause of diff. - physical health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=5675 / 3950901.55 ] [Invalid=26458 / 23170661.96 ]			
Universe	Respondents who answered RACE_6A = (1, 7 or 8) or RACE_6B1 = (1, 7 or 8) or RACE_6C = (1, 7 or 8) or RACE_6D = (1, 7 or 8) or RACE_6E = (1, 7 or 8) or RACE_6F = (1, 7 or 8) or RACE_6G = (1, 7 or 8) or RACE_7A = (1, 7 or 8) or RACE_7B = (1, 7 or 8) or RACE_7C = (1, 7 or 8)			
Literal question	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason? - Physical health			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4463	2967203.4	75.1%
2	NO	1212	983698.2	24.9%
6	NOT APPLICABLE	26292	23029755.0	
7	DON'T KNOW	46	40315.2	
8	REFUSAL	4	3435.0	
9	NOT STATED	116	97156.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # RACE\_8B: Cause of diff. - emot./mental health

Information	nation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=5675 / 3950901.55 ] [Invalid=26458 / 23170661.96 ]		
Universe	Respondents who answered RACE_6A = (1, 7 or 8) or RACE_6B1 = (1, 7 or 8) or RACE_6C = (1, 7 or 8) or RACE_6D = (1, 7 or 8) or RACE_6E = (1, 7 or 8) or RACE_6F = (1, 7 or 8) or RACE_6G = (1, 7 or 8) or RACE_7A = (1, 7 or 8) or RACE_7B = (1, 7 or 8) or RACE_7C = (1, 7 or 8)	
Literal question	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason? - Emotional or mental health	

# RACE	&R. Car	ise of diff.	- emot./mental	health
# KACE	op: Cau	ise or ann. •	- emot./mental	пеани

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	866	701751.0	17.8%
2	NO	4809	3249150.6	82.2%
6	NOT APPLICABLE	26292	23029755.0	
7	DON'T KNOW	46	40315.2	
8	REFUSAL	4	3435.0	
9	NOT STATED	116	97156.9	

#### #RACE\_8C: Cause of diff. - use of alcohol/drugs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=5675 / 3950901.55 ] [Invalid=26458 / 23170661.96 ]	
Universe	Respondents who answered RACE_6A = (1, 7 or 8) or RACE_6B1 = (1, 7 or 8) or RACE_6C = (1, 7 or 8) or RACE_6D = (1, 7 or 8) or RACE_6E = (1, 7 or 8) or RACE_6F = (1, 7 or 8) or RACE_6G = (1, 7 or 8) or RACE_7A = (1, 7 or 8) or RACE_7B = (1, 7 or 8) or RACE_7C = (1, 7 or 8)
Literal question	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason? - Use of alcohol or drugs

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	45	38332.8	1.0%
2	NO	5630	3912568.7	99.0%
6	NOT APPLICABLE	26292	23029755.0	
7	DON'T KNOW	46	40315.2	
8	REFUSAL	4	3435.0	
9	NOT STATED	116	97156.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #RACE\_8D: Cause of diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=5675 / 3950901.55 ] [Invalid=26458 / 23170661.96 ]
Universe	Respondents who answered RACE_6A = (1, 7 or 8) or RACE_6B1 = (1, 7 or 8) or RACE_6C = (1, 7 or 8) or RACE_6D = (1, 7 or 8) or RACE_6E = (1, 7 or 8) or RACE_6F = (1, 7 or 8) or RACE_6G = (1, 7 or 8) or RACE_7A = (1, 7 or 8) or RACE_7B = (1, 7 or 8) or RACE_7C = (1, 7 or 8)
Literal question	Are these difficulties due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason? - Another reason

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	534	432854.6	11.0%
2	NO	5141	3518047.0	89.0%
6	NOT APPLICABLE	26292	23029755.0	
7	DON'T KNOW	46	40315.2	
8	REFUSAL	4	3435.0	
9	NOT STATED	116	97156.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # RACEDIMP: Impact of health problems - (D)

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W] [Valid=32061 / 27065800.43 ] [Invalid=72 / 55763.08 ]	
Literal question Impact of health problems - (D)	

# # RACEDIMP: Impact of health problems - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	SOMETIMES	4333	3330596.3	12.3%	
2	OFTEN	3627	2562246.4	9.5%	
3	NEVER	24101	21172957.8		78.2%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	72	55763.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # RACEDPAL: Participation and activity limit. - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W] [Valid=32040 / 27047949.72 ] [Invalid=93 / 73613.79 ]	
Literal question Participation and activity limit (D)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	5332	4049904.3	15.0%
2	OFTEN	5131	3681620.7	13.6%
3	NEVER	21577	19316424.7	71.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	93	73613.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # RACEF6R: Help needed for tasks - (F)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=32040 / 27050880.32 ] [Invalid=93 / 70683.19 ]	
Literal question Help needed for tasks - (F)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5044	3459801.0	12.8%
2	NO	26996	23591079.4	87.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	93	70683.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # RACEF7: Difficulty with social situations - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=32040 / 27044547.16 ] [Invalid=93 / 77016.35 ]		
Universe	All respondents	
Literal question	Difficulty with social situations - (F)	
Notes	Based on RACE_7A, RACE_7B, RACE_7C. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1572	1258657.6	4.7%
2	NO	30468	25785889.6	95.3%

# # RACEF7: Difficulty with social situations - (F)

Value	Label	Cases	Weighted	Percentage (W
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	93	77016.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #TWDE\_1: Stayed in bed - b/c illness/injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=32114 / 27098780.25 ] [Invalid=19 / 22783.26 ]		
Universe	All respondents	
Literal question	During that period, did you stay in bed at all because of illness or injury, including any nights spent as a patient in a hospital?	
Notes	Reference period is past 14 days.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2624	2079620.0	7.7%
2	NO	29490	25019160.2	92.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	13	16296.3	
8	REFUSAL	6	6487.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #TWDE\_3: Reduced activities - illness/injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=31946 / 26971981.65 ] [Invalid=187 / 149581.86 ]		
Universe	All respondents excluding those who answered TWDE_2 = 14	
Literal question	Not counting days spent in bed during those 14 days, were there any days that you cut down on things you normally do because of illness or injury?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4629	3779089.9	14.0%
2	NO	27317	23192891.8	86.0%
6	NOT APPLICABLE	134	95829.2	
7	DON'T KNOW	23	19556.2	
8	REFUSAL	0	0.0	
9	NOT STATED	30	34196.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #TWDEDDDY: Total nb. of disability past 14 days

Information	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]	
Statistics [NW/W]	[Valid=32053 / 27048086.05 ] [Invalid=80 / 73477.46 ]	
Universe	All respondents	
Literal question Total nb. of disability past 14 days		
Notes Based on TWDE_2, TWDE_4. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	0 DAYS	26467	22517721.3		83.3%
1	1 DAY	1178	1000049.6	3.7%	

Value	Label	Cases	Weighted	Percentage (Weighted)
2	2 DAYS	1074	936045.1	3.5%
3	3 DAYS	680	532805.1	2.0%
4	4 DAYS	443	342817.5	1.3%
5	5 DAYS	279	246962.0	0.9%
6	6 DAYS	180	143264.4	0.5%
7	7 DAYS	317	230058.2	0.9%
8	8 DAYS	99	81487.3	0.3%
9	9 DAYS	71	57538.0	0.2%
10	10 DAYS	124	83667.6	0.3%
11	11 DAYS	39	31532.5	0.1%
12	12 DAYS	61	47533.3	0.2%
13	13 DAYS	23	15386.4	0.1%
14	14 DAYS	1018	781217.8	2.9%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	80	73477.5	

# #TWDEDDDM: No. days - memt.hlth/alc/drugs

Information [Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]		
Statistics [NW/ W] [Valid=32044 / 27042785.41 ] [Invalid=89 / 78778.1 ]		
Universe All respondents		
Literal question No. days - memt.hlth/alc/drugs		
Notes Based on TWDE_2B, TWDE_4B. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	0 DAYS	31530	26633714.7		98.5%
1	1 DAY	113	81293.1	0.3%	
2	2 DAYS	103	84365.2	0.3%	
3	3 DAYS	58	43525.8	0.2%	
4	4 DAYS	42	44689.3	0.2%	
5	5 DAYS	26	16873.6	0.1%	
6	6 DAYS	18	16872.2	0.1%	
7	7 DAYS	34	24826.5	0.1%	
8	8 DAYS	8	4474.7	0.0%	
9	9 DAYS	3	782.9	0.0%	
10	10 DAYS	17	12483.2	0.0%	
11	11 DAYS	5	5637.2	0.0%	
12	12 DAYS	5	3557.8	0.0%	
13	13 DAYS	2	535.5	0.0%	
14	14 DAYS	80	69153.5	0.3%	
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	89	78778.1		

# #TWDEDDDM: No. days - memt.hlth/alc/drugs

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #TWDEDDDP: No. disability days - ill./phys.injury

Information	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]		
Statistics [NW/W]	[Valid=32044 / 27042785.41 ] [Invalid=89 / 78778.1 ]		
Universe All respondents			
Literal question No. disability days - ill./phys.injury			
Notes Based on TWDEDDDY, TWDEDDDM. See documentation on derived variables.			

Label	Cases	Weighted	Percentage (Weighted)
0 DAYS	26854	22821100.2	84.4%
1 DAY	1132	967448.0	3.6%
2 DAYS	1009	892123.4	3.3%
3 DAYS	632	502672.3	1.9%
4 DAYS	421	317555.7	1.2%
5 DAYS	256	229264.7	0.8%
6 DAYS	166	125946.1	0.5%
7 DAYS	291	211633.5	0.8%
8 DAYS	87	70259.3	0.3%
9 DAYS	63	54503.9	0.2%
10 DAYS	115	76946.1	0.3%
11 DAYS	30	22253.5	0.1%
12 DAYS	59	43483.6	0.2%
13 DAYS	23	15971.2	0.1%
14 DAYS	906	691623.9	2.6%
NOT APPLICABLE	0	0.0	
DON'T KNOW	0	0.0	
REFUSAL	0	0.0	
NOT STATED	89	78778.1	
	0 DAYS 1 DAY 2 DAYS 3 DAYS 4 DAYS 5 DAYS 6 DAYS 7 DAYS 8 DAYS 9 DAYS 10 DAYS 11 DAYS 12 DAYS 13 DAYS 14 DAYS NOT APPLICABLE DON'T KNOW REFUSAL	0 DAYS       26854         1 DAY       1132         2 DAYS       1009         3 DAYS       632         4 DAYS       421         5 DAYS       256         6 DAYS       166         7 DAYS       291         8 DAYS       63         10 DAYS       115         11 DAYS       30         12 DAYS       59         13 DAYS       23         14 DAYS       906         NOT APPLICABLE       0         DON'T KNOW       0         REFUSAL       0	0 DAYS       26854       22821100.2         1 DAY       1132       967448.0         2 DAYS       1009       892123.4         3 DAYS       632       502672.3         4 DAYS       421       317555.7         5 DAYS       256       229264.7         6 DAYS       166       125946.1         7 DAYS       291       211633.5         8 DAYS       87       70259.3         9 DAYS       63       54503.9         10 DAYS       115       76946.1         11 DAYS       30       22253.5         12 DAYS       59       43483.6         13 DAYS       23       15971.2         14 DAYS       906       691623.9         NOT APPLICABLE       0       0.0         DON'T KNOW       0       0.0         REFUSAL       0       0.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #FLUE\_160: Ever had a flu shot

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=31405 / 26450260.02 ] [Invalid=728 / 671303.49 ]		
Universe	All respondents		
Literal question	eral question Have you ever had a flu shot?		
Notes	otes The "not stated" category includes people who did the interview by proxy.		

Value	Label	Cases	Weighted
1	YES	16773	13799212.5
2	NO	14632	12651047.5
6	NOT APPLICABLE	0	0.0
7	DON'T KNOW	212	166949.8
8	REFUSAL	6	4699.1
9	NOT STATED	510	499654.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #FLUE\_162: Had flu shot - last time

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

#FLUE_162: Had flu shot - last time			
Statistics [NW/W] [Valid=16645 / 13691970.08 ] [Invalid=15488 / 13429593.43 ]			
Universe	Respondents who answered FLUE_160 = (1, 7 or 8)		
<b>Literal question</b> When did you have your last flu shot: (less than 1 year ago, 1 year to less than 2 years ago, or 2 years ago or more)?			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< 1 YEAR	11023	8698975.9		63.5%
2	1 TO < 2 YEARS	1801	1654308.6	12.1%	
3	2 YEARS OR MORE	3821	3338685.6	24.4%	
6	NOT APPLICABLE	14632	12651047.5		
7	DON'T KNOW	127	107131.3		
8	REFUSAL	1	111.2		
9	NOT STATED	728	671303.5		

# #FLUE\_66A: No flu shot - have not gotten around it

Information	ormation [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W] [Valid=19937 / 17340449.45 ] [Invalid=12196 / 9781114.06 ]			
Universe Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)			
Literal question What are the reasons that you have not had a flu shot in the past year? - Have not gotten around to it			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3065	2580629.9	14.9%
2	NO	16872	14759819.5	85.1%
6	NOT APPLICABLE	11023	8698975.9	
7	DON'T KNOW	315	297659.8	
8	REFUSAL	2	5932.4	
9	NOT STATED	856	778545.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #FLUE\_66B: No flu shot - resp. didn't think nec.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/W] [Valid=19937 / 17340449.45 ] [Invalid=12196 / 9781114.06 ]				
Universe Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)				
Literal question	What are the reasons that you have not had a flu shot in the past year? - Respondent did not think it was necessary			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13522	11765661.8	67.9%
2	NO	6415	5574787.6	32.1%
6	NOT APPLICABLE	11023	8698975.9	
7	DON'T KNOW	315	297659.8	
8	REFUSAL	2	5932.4	
9	NOT STATED	856	778545.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #FLUE\_66C: No flu shot - doctor didn't think nec.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=19937 / 17340449.45 ] [Invalid=12196 / 9781114.06 ]	
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Doctor did not think it was necessary

# #FLUE\_66C: No flu shot - doctor didn't think nec.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	470	378814.1	2.2%
2	NO	19467	16961635.4	97.8%
6	NOT APPLICABLE	11023	8698975.9	
7	DON'T KNOW	315	297659.8	
8	REFUSAL	2	5932.4	
9	NOT STATED	856	778545.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #FLUE\_66D: No flu shot - personal/family resp.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=19937 / 17340449.45 ] [Invalid=12196 / 9781114.06 ]
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30	28036.0	0.2%
2	NO	19907	17312413.5	99.8%
6	NOT APPLICABLE	11023	8698975.9	
7	DON'T KNOW	315	297659.8	
8	REFUSAL	2	5932.4	
9	NOT STATED	856	778545.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #FLUE\_66E: No flu shot - not available when req'd

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=19937 / 17340449.45 ] [Invalid=12196 / 9781114.06 ]	
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	144	103293.2	0.6%
2	NO	19793	17237156.2	99.4%
6	NOT APPLICABLE	11023	8698975.9	
7	DON'T KNOW	315	297659.8	
8	REFUSAL	2	5932.4	
9	NOT STATED	856	778545.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #FLUE\_66F: No flu shot - not available in area

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=19937 / 17340449.45 ] [Invalid=12196 / 9781114.06 ]	
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Not available at all in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	44	40102.8	0.2%
2	NO	19893	17300346.7	99.8%
6	NOT APPLICABLE	11023	8698975.9	

# #FLUE\_66F: No flu shot - not available in area

Value	Label	Cases	Weighted
7	DON'T KNOW	315	297659.8
8	REFUSAL	2	5932.4
9	NOT STATED	856	778545.9

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #FLUE\_66G: No flu shot - waiting time was too long

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=19937 / 17340449.45 ] [Invalid=12196 / 9781114.06 ]
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	50	54530.2	0.3%
2	NO	19887	17285919.2	99.7%
6	NOT APPLICABLE	11023	8698975.9	
7	DON'T KNOW	315	297659.8	
8	REFUSAL	2	5932.4	
9	NOT STATED	856	778545.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #FLUE\_66H: No flu shot - transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=19937 / 17340449.45 ] [Invalid=12196 / 9781114.06 ]			
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)			
Literal question	What are the reasons that you have not had a flu shot in the past year? - Transportation problems			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23	19908.7	0.1%
2	NO	19914	17320540.7	99.9%
6	NOT APPLICABLE	11023	8698975.9	
7	DON'T KNOW	315	297659.8	
8	REFUSAL	2	5932.4	
9	NOT STATED	856	778545.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # FLUE\_66I: No flu shot - language problem

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=19937 / 17340449.45 ] [Invalid=12196 / 9781114.06 ]		
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)		
Literal question	What are the reasons that you have not had a flu shot in the past year? - Language problem		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	3286.8	0.0%
2	NO	19935	17337162.7	100.0%
6	NOT APPLICABLE	11023	8698975.9	
7	DON'T KNOW	315	297659.8	
8	REFUSAL	2	5932.4	
9	NOT STATED	856	778545.9	

# #FLUE\_66I: No flu shot - language problem

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #FLUE\_66J: No flu shot - cost

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=19937 / 17340449.45 ] [Invalid=12196 / 9781114.06 ]		
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)		
Literal question	What are the reasons that you have not had a flu shot in the past year? - Cost		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	123	115021.4	0.7%
2	NO	19814	17225428.0	99.3%
6	NOT APPLICABLE	11023	8698975.9	
7	DON'T KNOW	315	297659.8	
8	REFUSAL	2	5932.4	
9	NOT STATED	856	778545.9	

#FLUE_66K: No flu shot - did not know where to go				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=19937 / 17340449.45 ] [Invalid=12196 / 9781114.06 ]			
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)			
Literal question	What are the reasons that you have not had a flu shot in the past year? - Did not know where to go / uninformed			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	142	137561.3	0.8%
2	NO	19795	17202888.1	99.2%
6	NOT APPLICABLE	11023	8698975.9	
7	DON'T KNOW	315	297659.8	
8	REFUSAL	2	5932.4	
9	NOT STATED	856	778545.9	

# #FLUE\_66L: No flu shot - fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=19937 / 17340449.45 ] [Invalid=12196 / 9781114.06 ]
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Fear (e.g., painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	646	583574.4	3.4%
2	NO	19291	16756875.1	96.6%
6	NOT APPLICABLE	11023	8698975.9	
7	DON'T KNOW	315	297659.8	
8	REFUSAL	2	5932.4	
9	NOT STATED	856	778545.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #FLUE\_66M: No flu shot - bad reaction to prev. shot

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=19937 / 17340449.45 ] [Invalid=12196 / 9781114.06 ]			
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)			
Literal question	What are the reasons that you have not had a flu shot in the past year? - Bad reaction to previous shot			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	860	697513.6	4.0%
2	NO	19077	16642935.8	96.0%
6	NOT APPLICABLE	11023	8698975.9	
7	DON'T KNOW	315	297659.8	
8	REFUSAL	2	5932.4	
9	NOT STATED	856	778545.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# $\#\,FLUE\_66O\colon No$ flu shot - unable leave house/hlth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=19937 / 17340449.45 ] [Invalid=12196 / 9781114.06 ]			
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)			

# #FLUE\_66O: No flu shot - unable leave house/hlth

**Literal question**What are the reasons that you have not had a flu shot in the past year? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	8900.1	0.1%
2	NO	19923	17331549.4	99.9%
6	NOT APPLICABLE	11023	8698975.9	
7	DON'T KNOW	315	297659.8	
8	REFUSAL	2	5932.4	
9	NOT STATED	856	778545.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #FLUE\_66N: No flu shot - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=19937 / 17340449.45 ] [Invalid=12196 / 9781114.06 ]			
Universe	Respondents who answered FLUE_160 = (2, 7 or 8) or FLUE_162 = (2, 3, 7 or 8)			
Literal question	What are the reasons that you have not had a flu shot in the past year? - Other			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2277	2142230.6	12.4%
2	NO	17660	15198218.8	87.6%
6	NOT APPLICABLE	11023	8698975.9	
7	DON'T KNOW	315	297659.8	
8	REFUSAL	2	5932.4	
9	NOT STATED	856	778545.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #PAPE\_020: Ever had PAP smear test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	Valid=15628 / 12240515.11 ] [Invalid=16505 / 14881048.4 ]		
Universe	Females aged 18 and over		
Literal question	Have you ever had a PAP smear test?		
Notes	The "not stated" category includes people who did the interview by proxy.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13954	10639225.6	86.9%
2	NO	1674	1601289.5	13.1%
6	NOT APPLICABLE	16223	14577363.5	
7	DON'T KNOW	94	86978.9	
8	REFUSAL	19	14196.7	
9	NOT STATED	169	202509.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **#PAPE\_022:** Last time had PAP smear test

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/W]	Valid=13860 / 10580714.16 ] [Invalid=18273 / 16540849.35 ]		
Universe	Respondents who answer ed PAPE _020 = (1, 7 or 8)		
Literal question	When was the last time?		

# #PAPE\_022: Last time had PAP smear test

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	3044	2400204.6	22.7%
2	6 MTHS TO < 1 YR	4044	3342683.2	31.6%
3	1 TO < 3 YEARS	3432	2650125.0	25.0%
4	3 TO < 5 YEARS	925	661924.6	6.3%
5	5 OR MORE YEARS	2415	1525776.7	14.4%
6	NOT APPLICABLE	17897	16178653.0	
7	DON'T KNOW	89	56186.0	
8	REFUSAL	5	2325.4	
9	NOT STATED	282	303684.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #PAPE\_26A: No PAP - have not gotten around to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	Valid=4903 / 3694117.01 ] [Invalid=27230 / 23427446.5 ]			
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have not gotten around to it			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	936	710275.1	19.2%
2	NO	3967	2983841.9	80.8%
6	NOT APPLICABLE	26743	22970376.3	
7	DON'T KNOW	108	90209.8	
8	REFUSAL	3	4664.0	
9	NOT STATED	376	362196.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #PAPE\_26B: No PAP - resp. didn't think necessary

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=4903 / 3694117.01 ] [Invalid=27230 / 23427446.5 ]		
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)		
Literal question	What are the reasons that you have you not had a PAP smear test in the past 3 years? - Respondent did not think it was necessary		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1748	1374056.5	37.2%
2	NO	3155	2320060.5	62.8%
6	NOT APPLICABLE	26743	22970376.3	
7	DON'T KNOW	108	90209.8	
8	REFUSAL	3	4664.0	
9	NOT STATED	376	362196.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #PAPE\_26C: No PAP - doctor didn't think necessary

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=4903 / 3694117.01 ] [Invalid=27230 / 23427446.5 ]		
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)		
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Doctor did not think it was necessary		

# #PAPE\_26C: No PAP - doctor didn't think necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	855	582366.5	15.8%
2	NO	4048	3111750.5	84.2%
6	NOT APPLICABLE	26743	22970376.3	
7	DON'T KNOW	108	90209.8	
8	REFUSAL	3	4664.0	
9	NOT STATED	376	362196.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #PAPE\_26D: No PAP - personal/fam. responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=4903 / 3694117.01 ] [Invalid=27230 / 23427446.5 ]		
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)		
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Personal or family responsibilities		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	12191.2	0.3%
2	NO	4886	3681925.8	99.7%
6	NOT APPLICABLE	26743	22970376.3	
7	DON'T KNOW	108	90209.8	
8	REFUSAL	3	4664.0	
9	NOT STATED	376	362196.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #PAPE\_26E: No PAP - not available when required

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4903 / 3694117.01 ] [Invalid=27230 / 23427446.5 ]	
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)	
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at time required	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	32	22536.5	0.6%
2	NO	4871	3671580.5	99.4%
6	NOT APPLICABLE	26743	22970376.3	
7	DON'T KNOW	108	90209.8	
8	REFUSAL	3	4664.0	
9	NOT STATED	376	362196.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #PAPE\_26F: No PAP - not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4903 / 3694117.01 ] [Invalid=27230 / 23427446.5 ]	
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)	
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at all in the area	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30	20654.5	0.6%
2	NO	4873	3673462.5	99.4%
6	NOT APPLICABLE	26743	22970376.3	

# #PAPE\_26F: No PAP - not available in area

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	108	90209.8	
8	REFUSAL	3	4664.0	
9	NOT STATED	376	362196.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **#PAPE\_26G:** No PAP - waiting time too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4903 / 3694117.01 ] [Invalid=27230 / 23427446.5 ]	
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)	
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Waiting time was too long	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22	17879.9	0.5%
2	NO	4881	3676237.2	99.5%
6	NOT APPLICABLE	26743	22970376.3	
7	DON'T KNOW	108	90209.8	
8	REFUSAL	3	4664.0	
9	NOT STATED	376	362196.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **#PAPE\_26H:** No PAP - transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=4903 / 3694117.01 ] [Invalid=27230 / 23427446.5 ]		
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)		
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Transportation problems		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	14666.0	0.4%
2	NO	4893	3679451.0	99.6%
6	NOT APPLICABLE	26743	22970376.3	
7	DON'T KNOW	108	90209.8	
8	REFUSAL	3	4664.0	
9	NOT STATED	376	362196.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #PAPE\_26I: No PAP - language problem

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=4903 / 3694117.01 ] [Invalid=27230 / 23427446.5 ]	
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	2308.5	0.1%
2	NO	4902	3691808.5	99.9%
6	NOT APPLICABLE	26743	22970376.3	
7	DON'T KNOW	108	90209.8	
8	REFUSAL	3	4664.0	
9	NOT STATED	376	362196.3	

#### #PAPE\_26I: No PAP - language problem

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #PAPE\_26J: No PAP - cost

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=4903 / 3694117.01 ] [Invalid=27230 / 23427446.5 ]	
Universe Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)	
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	5563.5	0.2%
2	NO	4901	3688553.5	99.8%
6	NOT APPLICABLE	26743	22970376.3	
7	DON'T KNOW	108	90209.8	
8	REFUSAL	3	4664.0	
9	NOT STATED	376	362196.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #PAPE\_26K: No PAP - did not know where to go

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=4903 / 3694117.01 ] [Invalid=27230 / 23427446.5 ]	
Universe Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)	
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	44	56637.8	1.5%
2	NO	4859	3637479.3	98.5%
6	NOT APPLICABLE	26743	22970376.3	
7	DON'T KNOW	108	90209.8	
8	REFUSAL	3	4664.0	
9	NOT STATED	376	362196.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #PAPE\_26L: No PAP - fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=4903 / 3694117.01 ] [Invalid=27230 / 23427446.5 ]	
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Fear (e.g. painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	118	93828.4	2.5%
2	NO	4785	3600288.6	97.5%
6	NOT APPLICABLE	26743	22970376.3	
7	DON'T KNOW	108	90209.8	
8	REFUSAL	3	4664.0	
9	NOT STATED	376	362196.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #PAPE\_26M: No PAP - hysterectomy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

# #PAPE\_26M: No PAP - hysterectomy Statistics [NW/W] [Valid=4903 / 3694117.01] [Invalid=27230 / 23427446.5] Universe Respondents who answered PAPE\_020 = (2, 7 or 8) or PAPE\_022 = (4, 5, 7 or 8) Literal question What are the reasons that you have not had a PAP smear test in the past 3 years? - Have had a hysterectomy

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	978	621205.9	16.8%	
2	NO	3925	3072911.1		83.2%
6	NOT APPLICABLE	26743	22970376.3		
7	DON'T KNOW	108	90209.8		
8	REFUSAL	3	4664.0		
9	NOT STATED	376	362196.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # PAPE\_26N: No PAP - hate/dislike having one done

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=4903 / 3694117.01 ] [Invalid=27230 / 23427446.5 ]	
Universe Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)	
Literal question What are the reasons that you have not had a PAP smear test in the past 3 years? - Hate / dislike having on	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	188	124358.8	3.4%
2	NO	4715	3569758.2	96.6%
6	NOT APPLICABLE	26743	22970376.3	
7	DON'T KNOW	108	90209.8	
8	REFUSAL	3	4664.0	
9	NOT STATED	376	362196.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #PAPE\_26P: No PAP - unable leave house/hlth prob.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=4903 / 3694117.01 ] [Invalid=27230 / 23427446.5 ]
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	10229.8	0.3%
2	NO	4893	3683887.2	99.7%
6	NOT APPLICABLE	26743	22970376.3	
7	DON'T KNOW	108	90209.8	
8	REFUSAL	3	4664.0	
9	NOT STATED	376	362196.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #PAPE\_26O: No PAP - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=4903 / 3694117.01 ] [Invalid=27230 / 23427446.5 ]
Universe	Respondents who answ ered PAPE _020 = (2, 7 or 8) or PAPE _022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Other

# #PAPE\_26O: No PAP - other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	456	414999.3	11.2%
2	NO	4447	3279117.7	88.
6	NOT APPLICABLE	26743	22970376.3	
7	DON'T KNOW	108	90209.8	
8	REFUSAL	3	4664.0	
9	NOT STATED	376	362196.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **# MAME\_030: Ever had mammogram**

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=11458 / 8713632.67 ] [Invalid=20675 / 18407930.84 ]
Universe	Females aged 35 and over
Literal question	Have you ever had a mammogram, that is, a breast x-ray?
Notes	The "not stated" category includes people who did the interview by proxy.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7957	5893180.6	67
2	NO	3501	2820452.1	32.4%
6	NOT APPLICABLE	20490	18216223.2	
7	DON'T KNOW	28	18315.9	
8	REFUSAL	16	11213.3	
9	NOT STATED	141	162178.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #MAME\_31A: Had mammogram - family history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=7931 / 5875918.86 ] [Invalid=24202 / 21245644.65 ]
Universe	Respondents who answered MAME_030 = (1, 7 or 8)
Literal question	Why did you have it? - Family history of breast cancer

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	988	742068.7	12.6%
2	NO	6943	5133850.1	87.4%
6	NOT APPLICABLE	23991	21036675.3	
7	DON'T KNOW	25	17058.4	
8	REFUSAL	1	203.3	
9	NOT STATED	185	191707.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #MAME\_31B: Had mammogram - regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=7931 / 5875918.86 ] [Invalid=24202 / 21245644.65 ]
Universe	Respondents who answered MAME_030 = (1, 7 or 8)
Literal question	Why did you have it? - Part of regular check-up / routine screening

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5326	3894801.3	66.3%
2	NO	2605	1981117.6	33.7%

# #MAME\_31B: Had mammogram - regular check-up

Value	Label	Cases	Weighted
6	NOT APPLICABLE	23991	21036675.3
7	DON'T KNOW	25	17058.4
8	REFUSAL	1	203.3
9	NOT STATED	185	191707.7

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #MAME\_31C: Had mammogram - age

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	V/W] [Valid=7931 / 5875918.86 ] [Invalid=24202 / 21245644.65 ]	
Universe	Respondents who answered MAME_030 = (1, 7 or 8)	
Literal question	Why did you have it? - Age	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1238	940636.6	16.0%	
2	NO	6693	4935282.3		84.0%
6	NOT APPLICABLE	23991	21036675.3		
7	DON'T KNOW	25	17058.4		
8	REFUSAL	1	203.3		
9	NOT STATED	185	191707.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# $\#MAME\_31D$ : Had mammogram - previously detected lump

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=7931 / 5875918.86 ] [Invalid=24202 / 21245644.65 ]	
Universe	espondents who answered MAME_030 = (1, 7 or 8)	
Literal question Why did you have it? - Previously detected lump		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	911	655685.6	11.2%
2	NO	7020	5220233.2	88.8%
6	NOT APPLICABLE	23991	21036675.3	
7	DON'T KNOW	25	17058.4	
8	REFUSAL	1	203.3	
9	NOT STATED	185	191707.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #MAME\_31E: Had mammogram - follow-up treatment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=7931 / 5875918.86 ] [Invalid=24202 / 21245644.65 ]	
Universe	Respondents who answered MAME_030 = (1, 7 or 8)	
Literal question	Why did you have it? - Follow-up of breast cancer treatment	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	235	156817.6	2.7%
2	NO	7696	5719101.3	97.3%
6	NOT APPLICABLE	23991	21036675.3	
7	DON'T KNOW	25	17058.4	
8	REFUSAL	1	203.3	

# #MAME\_31E: Had mammogram - follow-up treatment

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	185	191707.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # MAME\_31F: Had mammogram - hormone replac. therapy

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=7931 / 5875918.86 ] [Invalid=24202 / 21245644.65 ]	
Universe	espondents who answered MAME_030 = (1, 7 or 8)	
Literal question	Why did you have it? - On hormone replacement therapy	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	64	41651.9	0.7%
2	NO	7867	5834267.0	99.3%
6	NOT APPLICABLE	23991	21036675.3	
7	DON'T KNOW	25	17058.4	
8	REFUSAL	1	203.3	
9	NOT STATED	185	191707.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **#MAME\_31G: Had mammogram - breast problem**

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=7931 / 5875918.86 ] [Invalid=24202 / 21245644.65 ]	
Universe	Respondents who answered MAME_030 = (1, 7 or 8)	
Literal question	Why did you have it? - Breast problem	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	279	201819.2	3.4%
2	NO	7652	5674099.6	96.6%
6	NOT APPLICABLE	23991	21036675.3	
7	DON'T KNOW	25	17058.4	
8	REFUSAL	1	203.3	
9	NOT STATED	185	191707.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # MAME\_31H: Had mammogram - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=7931 / 5875918.86 ] [Invalid=24202 / 21245644.65 ]	
Universe	Respondents who answered MAME_030 = (1, 7 or 8)	
Literal question	Why did you have it? - Other	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	273	228448.7	3.9%	
2	NO	7658	5647470.1	96.1%	
6	NOT APPLICABLE	23991	21036675.3		
7	DON'T KNOW	25	17058.4		
8	REFUSAL	1	203.3		
9	NOT STATED	185	191707.7		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

#MAME_032: Last time mammogram was done			
Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/W]	[Valid=7903 / 5856268.24 ] [Invalid=24230 / 21265295.27 ]		
Universe	Respondents who answered MAME_030 = (1, 7 or 8)		
Literal question When was the last time?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	1522	1155850.8	19.7%
2	6 MTHS TO < 1 YR	2006	1539335.7	26.3%
3	1 TO < 2 YEARS	1926	1431414.7	24.4%
4	2 TO < 5 YEARS	1310	971570.9	16.6%
5	5 YEARS OR MORE	1139	758096.2	12.9%
6	NOT APPLICABLE	23991	21036675.3	
7	DON'T KNOW	52	36546.6	
8	REFUSAL	2	365.8	
9	NOT STATED	185	191707.7	

#### #MAME\_36A: No mam. -have not gotten ar.to it -2 yrs

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=1416 / 1006172.36] [Invalid=30717 / 26115391.15]	
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	430	269389.5	26.8%
2	NO	986	736782.9	73.2%
6	NOT APPLICABLE	30646	26032824.5	
7	DON'T KNOW	14	7875.3	
8	REFUSAL	1	566.7	
9	NOT STATED	56	74124.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# **#MAME\_36B:** No mam. resp.- didn't think nec. - 2 yrs

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=1416 / 1006172.36 ] [Invalid=30717 / 26115391.15 ]		
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)	
Literal question	What are the reasons you have not had one in the past 2 years? - Respondent did not think it was necessary	

Value	Label	Cases	Weighted
1	YES	540	373808.9
2	NO	876	632363.5
6	NOT APPLICABLE	30646	26032824.5
7	DON'T KNOW	14	7875.3
8	REFUSAL	1	566.7
9	NOT STATED	56	74124.7

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # MAME\_36C: No mam. -doctor didn't think nec. -2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

#MAME_36C: No mamdoctor didn't think nec2 yrs				
Statistics [NW/W]	Statistics [NW/ W] [Valid=1416 / 1006172.36 ] [Invalid=30717 / 26115391.15 ]			
Universe Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)				
<b>Literal question</b> What are the reasons you have not had one in the past 2 years? - Doctor did not think it was necessary				

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	182	156919.5	15.6%
2	NO	1234	849252.9	84.4%
6	NOT APPLICABLE	30646	26032824.5	
7	DON'T KNOW	14	7875.3	
8	REFUSAL	1	566.7	
9	NOT STATED	56	74124.7	

# #MAME\_36D: No mam. - personal/family resp. - 2 yrs

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=1416 / 1006172.36 ] [Invalid=30717 / 26115391.15 ]	
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	4424.0	0.4%
2	NO	1406	1001748.3	99.6%
6	NOT APPLICABLE	30646	26032824.5	
7	DON'T KNOW	14	7875.3	
8	REFUSAL	1	566.7	
9	NOT STATED	56	74124.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #MAME\_36E: No mam. - not ava. when required - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=1416 / 1006172.36 ] [Invalid=30717 / 26115391.15 ]		
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)		
Literal question	What are the reasons you have not had one in the past 2 years? - Not available at time required		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	4338.7	0.4%
2	NO	1403	1001833.7	99
6	NOT APPLICABLE	30646	26032824.5	
7	DON'T KNOW	14	7875.3	
8	REFUSAL	1	566.7	
9	NOT STATED	56	74124.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# $\#\,MAME\_36F\colon No$ mam. - not avai. in the area - 2~yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1416 / 1006172.36 ] [Invalid=30717 / 26115391.15 ]
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Not available at all in the area

# #MAME\_36F: No mam. - not avai. in the area - 2 yrs

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29	7368.4	0.7%
2	NO	1387	998804.0	99.3%
6	NOT APPLICABLE	30646	26032824.5	
7	DON'T KNOW	14	7875.3	
8	REFUSAL	1	566.7	
9	NOT STATED	56	74124.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #MAME\_36G: No mam. -wait. time was too long - 2 yrs

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=1416 / 1006172.36 ] [Invalid=30717 / 26115391.15 ]		
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)		
Literal question	What are the reasons you have not had one in the past 2 years? - Waiting time was too long		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	4936.2	0.5%
2	NO	1403	1001236.1	99
6	NOT APPLICABLE	30646	26032824.5	
7	DON'T KNOW	14	7875.3	
8	REFUSAL	1	566.7	
9	NOT STATED	56	74124.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # MAME\_36H: No mam. -transportation problems - 2 yrs

Information	Гуре= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=1416 / 1006172.36 ] [Invalid=30717 / 26115391.15 ]		
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)		
Literal question	What are the reasons you have not had one in the past 2 years? - Transportation problems		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	3327.3	0.3%
2	NO	1408	1002845.0	99.7%
6	NOT APPLICABLE	30646	26032824.5	
7	DON'T KNOW	14	7875.3	
8	REFUSAL	1	566.7	
9	NOT STATED	56	74124.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #MAME\_36I: No mam. - language problem - 2 yrs

Literal question	What are the reasons you have not had one in the past 2 years? - Language problem
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Statistics [NW/W]	[Valid=1416 / 1006172.36 ] [Invalid=30717 / 26115391.15 ]
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	1416	1006172.4	100.0%
6	NOT APPLICABLE	30646	26032824.5	

# #MAME\_36I: No mam. - language problem - 2 yrs

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	14	7875.3	
8	REFUSAL	1	566.7	
9	NOT STATED	56	74124.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # MAME\_36J: No mam. - cost - 2 yrs

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=1416 / 1006172.36 ] [Invalid=30717 / 26115391.15 ]		
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)		
Literal question	What are the reasons you have not had one in the past 2 years? - Cost		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	30.1	0.0%
2	NO	1414	1006142.3	100.0%
6	NOT APPLICABLE	30646	26032824.5	
7	DON'T KNOW	14	7875.3	
8	REFUSAL	1	566.7	
9	NOT STATED	56	74124.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #MAME\_36K: No mam. -did not know where to go -2 yrs

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=1416 / 1006172.36 ] [Invalid=30717 / 26115391.15 ]	
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	14070.6	1.4%
2	NO	1405	992101.8	98.6%
6	NOT APPLICABLE	30646	26032824.5	
7	DON'T KNOW	14	7875.3	
8	REFUSAL	1	566.7	
9	NOT STATED	56	74124.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # MAME\_36L: No mam. - fear - 2 yrs

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=1416 / 1006172.36 ] [Invalid=30717 / 26115391.15 ]	
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)	
Literal question	What are the reasons you have not had one in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	93	58383.9	5.8%
2	NO	1323	947788.5	94.2%
6	NOT APPLICABLE	30646	26032824.5	
7	DON'T KNOW	14	7875.3	
8	REFUSAL	1	566.7	
9	NOT STATED	56	74124.7	

# # MAME\_36L: No mam. - fear - 2 yrs

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # MAME\_36M: No mam. - other - 2 yrs

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=1416 / 1006172.36 ] [Invalid=30717 / 26115391.15 ]	
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	1692.3	0.2%
2	NO	1413	1004480.1	99.8%
6	NOT APPLICABLE	30646	26032824.5	
7	DON'T KNOW	14	7875.3	
8	REFUSAL	1	566.7	
9	NOT STATED	56	74124.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # MAME\_36N: No mam. -un. leave house/hlth pro -2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W] [Valid=1416 / 1006172.36 ] [Invalid=30717 / 26115391.15 ]	
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	4456.8	0.4%
2	NO	1408	1001715.5	99.6%
6	NOT APPLICABLE	30646	26032824.5	
7	DON'T KNOW	14	7875.3	
8	REFUSAL	1	566.7	
9	NOT STATED	56	74124.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # MAME\_36O: No mam. -Breasts removed/Mastec. -2 yrs

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=1416 / 1006172.36 ] [Invalid=30717 / 26115391.15 ]	
Universe	Respondents aged 50 to 69 who answered MAME_030 = (2, 7 or 8) or MAME_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Breasts removed / Mastectomy

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	245	206936.6	20.6%
2	NO	1171	799235.8	79.4%
6	NOT APPLICABLE	30646	26032824.5	
7	DON'T KNOW	14	7875.3	
8	REFUSAL	1	566.7	
9	NOT STATED	56	74124.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # MAME\_038: Had a hysterectomy

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=9040 / 7844735.2 ] [Invalid=23093 / 19276828.31 ]

# # MAME\_038: Had a hysterectomy Universe Respondents aged 50 to 69 who answered MAME\_030 = (2, 7 or 8) or MAME\_032 = (4, 5, 7 or 8) Literal question Have you had a hysterectomy? (In other words, has your uterus been removed)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1346	914752.4	11.7%
2	NO	7694	6929982.8	88.3%
6	NOT APPLICABLE	16223	14577363.5	
7	DON'T KNOW	11	10804.0	
8	REFUSAL	9	6690.4	
9	NOT STATED	6850	4681970.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #PACE\_1A: Act./last 3 mo - walking

Information	tion [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]				
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Walking for exercise			
Notes	Includes only leisure time activities. The "not stated" category includes people who did the interview by proxy			

Value	Label	Cases	Weighted	Percentage (Weighted)			
1	YES	21747	18330859.0	69.1%			
2	NO	9800	8193249.0	30.9%			
6	NOT APPLICABLE	0	0.0				
7	DON'T KNOW	52	81111.6				
8	REFUSAL	24	16689.3				
9	NOT STATED	510	499654.6				
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.							

#PACE_1B: Act./last 3 mo - gardening/yard work				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	alid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Gardening or yard work			
Notes	Includes only leisure time activities.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14180	12339430.2	46.5%
2	NO	17367	14184677.9	53.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

## #PACE\_1C: Act./last 3 mo - swimming

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	NW/ W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe	All respondents	
Literal question Have you done any of the following in the past 3 months? - Swimming		
Notes Includes only leisure time activities.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6836	6406645.7	24.2%
2	NO	24711	20117462.3	75.8
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #PACE\_1D: Act./last 3 mo - bicycling

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	rs [NW/W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe	All respondents	
Literal question Have you done any of the following in the past 3 months? - Bicycling		
Notes	Includes only leisure time activities.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6691	6225997.0	23.5%
2	NO	24856	20298111.1	76.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1E: Act./last 3 mo - popular/social dance

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Illioi mation	[Type=discrete] [Toffmat=numeric] [Range= 1-2] [Wissing= ]

#PACE_1E: Act./last 3 mo - popular/social dance		
Statistics [NW/W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]		
Universe	All respondents	
Literal question Have you done any of the following in the past 3 months? - Popular or social dance		
Notes Includes only leisure time activities.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5594	4959096.7	18.7%
2	NO	25953	21565011.3	81.
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

## #PACE\_1F: Act./last 3 mo - home exercises

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe	All respondents	
Literal question Have you done any of the following in the past 3 months? - Home exercises		
Notes Includes only leisure time activities.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9660	8850110.4	33.4%
2	NO	21887	17673997.7	66.6
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1G: Act./last 3 mo - ice hockey

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]		
Universe	All respondents	
Literal question Have you done any of the following in the past 3 months? - Ice hockey		
Notes	Includes only leisure time activities.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1396	1533042.4	5.8%
2	NO	30151	24991065.7	94.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1H: Act./last 3 mo - ice skating

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]

# # PACE\_1H: Act./last 3 mo - ice skating Universe All respondents Literal question Have you done any of the following in the past 3 months? - Ice skating Notes Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1636	1795051.6	6.8%
2	NO	29911	24729056.5	93.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1I: Act./last 3 mo - in-line skating/roll.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - In-line skating or rollerblading
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1566	1650403.3	6.2%
2	NO	29981	24873704.8	93.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1J: Act./last 3 mo - jogging or running

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe	All respondents
Literal question Have you done any of the following in the past 3 months? - Jogging or running	
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5442	5556080.9	20.9%
2	NO	26105	20968027.2	79.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1K: Act./last 3 mo - golfing

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]
Universe	All respondents

## #PACE\_1K: Act./last 3 mo - golfing

**Literal question** Have you done any of the following in the past 3 months? - Golfing

**Notes** Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3290	3033597.9	11.4%
2	NO	28257	23490510.1	88.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1L: Act./last 3 mo - exer. class/aerobics

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe	All respondents
Literal question Have you done any of the following in the past 3 months? - Exercise class or aerobics	
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2901	2678924.8	10.1%
2	NO	28646	23845183.2	89.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1M: Act./last 3 mo - skiing/snowboarding

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Downhill skiing or snowboarding
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1282	1454245.9	5.5%
2	NO	30265	25069862.2	94.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #PACE\_1N: Act./last 3 mo - bowling

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe	All respondents
Literal question Have you done any of the following in the past 3 months? - Bowling	

## #PACE\_1N: Act./last 3 mo - bowling

**Notes** Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2674	2560591.3	9.7%
2	NO	28873	23963516.8	90.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_10: Act./last 3 mo - baseball or softball

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe All respondents	
Literal question Have you done any of the following in the past 3 months? - Baseball or softball	
Notes Includes only leisure time activities.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1830	1613483.8	6.1%
2	NO	29717	24910624.3	93.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1P: Act./last 3 mo - tennis

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe All respondents	
Literal question Have you done any of the following in the past 3 months? - Tennis	
Notes Includes only leisure time activities.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1138	1287091.5	4.9%
2	NO	30409	25237016.5	95.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1Q: Act./last 3 mo - weight-training

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe All respondents	
Literal question Have you done any of the following in the past 3 months? - Weight-training	
Notes	Includes only leisure time activities.

## #PACE\_1Q: Act./last 3 mo - weight-training

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4818	4856012.6	18.3%
2	NO	26729	21668095.5	81.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1R: Act./last 3 mo - fishing

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe All respondents	
Literal question Have you done any of the following in the past 3 months? - Fishing	
Notes Includes only leisure time activities.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3233	2496999.2	9.4%
2	NO	28314	24027108.9	90.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1S: Act./last 3 mo - volleyball

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
<b>Statistics [NW/W]</b> [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe All respondents	
Literal question Have you done any of the following in the past 3 months? - Volleyball	
Notes Includes only leisure time activities.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1945	1909059.0	7.2%
2	NO	29602	24615049.0	92.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #PACE\_1T: Act./last 3 mo - basketball

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe	All respondents
Literal question Have you done any of the following in the past 3 months? - Basketball	
Notes	Includes only leisure time activities.

## #PACE\_1T: Act./last 3 mo - basketball

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2444	2450297.6	9.2%
2	NO	29103	24073810.4	90.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1Z: Act./last 3 mo - soccer

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe	All respondents
Literal question Have you done any of the following in the past 3 months? - Soccer	
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2326	2345377.0	8.8%
2	NO	29221	24178731.1	91.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1U: Act./last 3 mo - other (#1)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe All respondents	
Literal question Have you done any of the following in the past 3 months? - Other activity #1	
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4352	3806489.0	14.4%
2	NO	27195	22717619.0	85.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1V: Act./last 3 mo - no physical activity

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W] [Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]		
Universe All respondents		
Literal question Have you done any of the following in the past 3 months? - No physical activity		
Notes Includes only leisure time activities.		

## # PACE\_1V: Act./last 3 mo - no physical activity

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2871	2050215.4	7.7%
2	NO	28676	24473892.7	92.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	52	81111.6	
8	REFUSAL	24	16689.3	
9	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_1W: Act./last 3 mo - other (#2)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=4349 / 3802611.79 ] [Invalid=27784 / 23318951.72 ]		
Universe Respondents who answered PACE_1U = (1, 7 or 8)		
Literal question In the past 3 months, did you do any other physical activity for leisure? - Other activity #2		
Notes	Includes only leisure time activities.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	737	641558.7	16.9%
2	NO	3612	3161053.1	83
6	NOT APPLICABLE	27195	22717619.0	
7	DON'T KNOW	2	2683.0	
8	REFUSAL	0	0.0	
9	NOT STATED	587	598649.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **# PACE\_1X: Act./last 3 mo - other (#3)**

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=737 / 641558.71 ] [Invalid=31396 / 26480004.8 ]	
Universe	Respondents who answered PACE_1W = (1, 7 or 8) or PACE_1U = (7 or 8)
Literal question	In the past 3 months, did you do any other physical activity for leisure? - Other activity #3
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	139	124453.7	19.4%
2	NO	598	517105.0	80.6%
6	NOT APPLICABLE	30807	25878672.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	589	601332.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_2A: No. of times - walking for exercise

Information [Type= continuous] [Format=numeric] [Range= 1-270] [Missing=*]	
Statistics [NW/W]	[Valid=21545 / 18147283.34 ] [Invalid=10588 / 8974280.17 ] [Mean=47.496 / 45.513 ] [StdDev=38.105 / 36.86 ]
Universe	Respondents who answered PACE_1A = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Walking for exercise

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	9800	8193249.0	

## #PACE\_2A: No. of times - walking for exercise

Value	Label	Cases	Weighted	Percentage (Weighted)
997	DON'T KNOW	185	170909.7	
998	REFUSAL	17	12665.9	
999	NOT STATED	586	597455.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # PACE\_3A: Time spent - walking for exercise

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=21490 / 18100449.12 ] [Invalid=10643 / 9021114.39 ]
Universe	Respondents who answered PACE_1A = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Walking for exercise

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	1962	1577486.4	8.7%
2	16 TO 30 MINUTES	8224	7073295.3	39.1%
3	31 TO 60 MINUTES	8384	7151679.5	39.5%
4	MORE THAN 1 HOUR	2920	2297987.9	12.7%
6	NOT APPLICABLE	9800	8193249.0	
7	DON'T KNOW	55	46834.2	
8	REFUSAL	0	0.0	
9	NOT STATED	788	781031.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_2B: No. of times - gardening/yard work

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W]	[Valid=13953 / 12142792 ] [Invalid=18180 / 14978771.51 ] [Mean=22.638 / 21.137 ] [StdDev=24.759 / 23.803 ]
Universe	Respondents who answered PACE_1B = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Gardening or yard work

Value	Label	Cases	Weighted
996	NOT APPLICABLE	17367	14184677.9
997	DON'T KNOW	215	189905.7
998	REFUSAL	12	6732.5
999	NOT STATED	586	597455.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_3B: Time spent - gardening/yard work

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=13911 / 12109646.85 ] [Invalid=18222 / 15011916.66 ]	
Universe	Respondents who answered PACE_1B = (1, 7 or 8)	
Literal question	About how much time did you spend on each occasion? - Gardening or yard work	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	704	588728.5	4.9%
2	16 TO 30 MINUTES	2751	2393901.7	19.8%
3	31 TO 60 MINUTES	4086	3559452.6	29.4%
4	MORE THAN 1 HOUR	6370	5567564.0	46.0%
6	NOT APPLICABLE	17367	14184677.9	
7	DON'T KNOW	42	33145.2	

## # PACE\_3B: Time spent - gardening/yard work

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	813	794093.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_2C:** No. of times - swimming

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W]	[Valid=6793 / 6357547.79 ] [Invalid=25340 / 20764015.72 ] [Mean=14.714 / 15.045 ] [StdDev=18.746 / 19.167 ]
Universe	Respondents who answered PACE_1C = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Swimming

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	24711	20117462.3	
997	DON'T KNOW	38	45529.8	
998	REFUSAL	5	3568.2	
999	NOT STATED	586	597455.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_3C: Time spent - swimming**

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=6785 / 6351124.17 ] [Invalid=25348 / 20770439.34 ]	
Universe Respondents who answered PACE_1C = (1, 7 or 8)	
Literal question About how much time did you spend on each occasion? - Swimming	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	415	464366.2	7.3%
2	16 TO 30 MINUTES	1574	1584019.5	24.9%
3	31 TO 60 MINUTES	2452	2241917.7	35.3%
4	MORE THAN 1 HOUR	2344	2060820.8	32.4%
6	NOT APPLICABLE	24711	20117462.3	
7	DON'T KNOW	8	6423.6	
8	REFUSAL	0	0.0	
9	NOT STATED	629	646553.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_2D: No. of times - bicycling

Information [Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]	
Statistics [NW/W]	[Valid=6646 / 6170391.59 ] [Invalid=25487 / 20951171.92 ] [Mean=22.6 / 20.827 ] [StdDev=27.164 / 25.694 ]
Universe	Respondents who answered PACE_1D = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Bicycling

Value	Label	Cases	Weighted
996	NOT APPLICABLE	24856	20298111.1
997	DON'T KNOW	43	53930.1
998	REFUSAL	2	1675.3
999	NOT STATED	586	597455.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_3D: Time spent - bicycling**

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

#PACE_3D: Time spent - bicycling			
Statistics [NW/ W]	[Valid=6636 / 6161771.11 ] [Invalid=25497 / 20959792.4 ]		
Universe Respondents who answered PACE_1D = (1, 7 or 8)			
Literal question About how much time did you spend on each occasion? - Bicycling			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	590	506894.1	8.2%
2	16 TO 30 MINUTES	1970	1856863.2	30.1%
3	31 TO 60 MINUTES	2175	2078268.3	33.7%
4	MORE THAN 1 HOUR	1901	1719745.5	27.9%
6	NOT APPLICABLE	24856	20298111.1	
7	DON'T KNOW	10	8620.5	
8	REFUSAL	0	0.0	
9	NOT STATED	631	653060.9	

## #PACE\_2E: No. of times - popular/social dance

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W] [Valid=5557 / 4926851.32 ] [Invalid=26576 / 22194712.19 ] [Mean=8.461 / 8.846 ] [StdDev=13.042 / 13.937	
Universe	Respondents who answered PACE_1E = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Popular or social dance

Value	Label	Cases	Weighted
996	NOT APPLICABLE	25953	21565011.3
997	DON'T KNOW	30	28594.2
998	REFUSAL	7	3651.2
999	NOT STATED	586	597455.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_3E:** Time spent - popular/social dance

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W] [Valid=5543 / 4916970.02 ] [Invalid=26590 / 22204593.49 ]	
Universe Respondents who answered PACE_1E = (1, 7 or 8)	
Literal question About how much time did you spend on each occasion? - Popular / social dance	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	235	198838.2	4.0%
2	16 TO 30 MINUTES	472	423516.6	8.6%
3	31 TO 60 MINUTES	864	803264.8	16.3%
4	MORE THAN 1 HOUR	3972	3491350.4	71.0%
6	NOT APPLICABLE	25953	21565011.3	
7	DON'T KNOW	14	9881.3	
8	REFUSAL	0	0.0	
9	NOT STATED	623	629700.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_2F: No. of times - home exercises

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/W]	[Valid=9555 / 8745703.72 ] [Invalid=22578 / 18375859.79 ] [Mean=39.072 / 38.163 ] [StdDev=30.617 / 30.138 ]		
Universe	Respondents who answered PACE_1F = (1, 7 or 8)		

## #PACE\_2F: No. of times - home exercises

Literal question In the past 3 months, how many times did you [participate in identified activity]? - Home exercises

Value	Label	Cases	Weighted
996	NOT APPLICABLE	21887	17673997.7
997	DON'T KNOW	94	97223.6
998	REFUSAL	11	7183.1
999	NOT STATED	586	597455.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_3F:** Time spent - home exercises

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=9545 / 8735392.68 ] [Invalid=22588 / 18386170.83 ]
Universe	Respondents who answered PACE_1F = $(1, 7 \text{ or } 8)$
Literal question	About how much time did you spend on each occasion? - Home exercises

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	2248	1989643.1	22.8%	
2	16 TO 30 MINUTES	4354	3911949.7	44.8%	
3	31 TO 60 MINUTES	2379	2269986.4	26.0%	
4	MORE THAN 1 HOUR	564	563813.5	6.5%	
6	NOT APPLICABLE	21887	17673997.7		
7	DON'T KNOW	10	10311.0		
8	REFUSAL	0	0.0		
9	NOT STATED	691	701862.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_2G: No. of times - ice hockey

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/W]	[Valid=1391 / 1529154.5 ] [Invalid=30742 / 25592409.01 ] [Mean=16.336 / 15.775 ] [StdDev=16.868 / 16.235 ]		
Universe	Respondents who answered PACE_1G = (1, 7 or 8)		
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Ice hockey		

Value	Label	Cases	Weighted	I	Percentage
996	NOT APPLICABLE	30151	24991065.7		
997	DON'T KNOW	4	3069.2		
998	REFUSAL	1	818.7		
999	NOT STATED	586	597455.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_3G: Time spent - ice hockey

Information	Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=1391 / 1529154.5 ] [Invalid=30742 / 25592409.01 ]	
Universe	Respondents who answered PACE_1G = (1, 7 or 8)	
Literal question	About how much time did you spend on each occasion? - Ice hockey	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	5	4415.5	0.3%
2	16 TO 30 MINUTES	31	30506.5	2.0%
3	31 TO 60 MINUTES	365	445415.5	29.1%
4	MORE THAN 1 HOUR	990	1048817.0	68.6%

# #PACE\_3G: Time spent - ice hockey

Value	Label	Cases	Weighted
6	NOT APPLICABLE	30151	24991065.7
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	591	601343.3

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_2H: No. of times - ice skating

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/W]	[Valid=1620 / 1776726.97 ] [Invalid=30513 / 25344836.54 ] [Mean=6.623 / 6.234 ] [StdDev=10.174 / 9.094 ]			
Universe	Respondents who answered PACE_1H = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Ice skating			

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	29911	24729056.5	
997	DON'T KNOW	15	17506.0	
998	REFUSAL	1	818.7	
999	NOT STATED	586	597455.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_3H: Time spent - ice skating

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	/alid=1619 / 1776429.25 ] [Invalid=30514 / 25345134.26 ]	
Universe	espondents who answered PACE_1H = (1, 7 or 8)	
Literal question	About how much time did you spend on each occasion? - Ice skating	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	36	45838.3	2.6%
2	16 TO 30 MINUTES	181	194436.0	10.9%
3	31 TO 60 MINUTES	750	837851.0	47.2%
4	MORE THAN 1 HOUR	652	698303.9	39.3%
6	NOT APPLICABLE	29911	24729056.5	
7	DON'T KNOW	1	297.7	
8	REFUSAL	0	0.0	
9	NOT STATED	602	615780.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_2I: No. of times - in-line skating/roller b.

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W]	[Valid=1554 / 1634944.42 ] [Invalid=30579 / 25486619.09 ] [Mean=11.296 / 10.192 ] [StdDev=16.428 / 15.277 ]
Universe	Respondents who answered PACE_1I = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - In-line skating or roller blading

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	29981	24873704.8	
997	DON'T KNOW	12	15458.9	
998	REFUSAL	0	0.0	
999	NOT STATED	586	597455.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# PACE_3I: Time spent - in-line skating/roller b.		
Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W] [Valid=1552 / 1631625.64 ] [Invalid=30581 / 25489937.87 ]		
Universe Respondents who answered PACE_1I = (1, 7 or 8)		
Literal question About how much time did you spend on each occasion? - In-line skating or roller blading		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	84	91911.0	5.6%
2	16 TO 30 MINUTES	379	375749.3	23.0%
3	31 TO 60 MINUTES	607	658261.6	40.3%
4	MORE THAN 1 HOUR	482	505703.8	31.0%
6	NOT APPLICABLE	29981	24873704.8	
7	DON'T KNOW	2	3318.8	
8	REFUSAL	0	0.0	
9	NOT STATED	598	612914.3	

## #PACE\_2J: No. of times - jogging or running

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W]	[Valid=5392 / 5498093.67 ] [Invalid=26741 / 21623469.84 ] [Mean=24.078 / 24.146 ] [StdDev=23.279 / 23.038 ]
Universe	Respondents who answered PACE_1J = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Jogging or running

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	26105	20968027.2	
997	DON'T KNOW	42	47604.2	
998	REFUSAL	8	10383.0	
999	NOT STATED	586	597455.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# #PACE\_3J: Time spent - jogging or running

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W] [Valid=5388 / 5488636.89 ] [Invalid=26745 / 21632926.62 ]			
Universe Respondents who answered PACE_1J = (1, 7 or 8)			
Literal question About how much time did you spend on each occasion? - Jogging or running			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	913	889229.7	16.2%
2	16 TO 30 MINUTES	2356	2455841.6	44.7%
3	31 TO 60 MINUTES	1673	1702236.9	31.0%
4	MORE THAN 1 HOUR	446	441328.6	8.0%
6	NOT APPLICABLE	26105	20968027.2	
7	DON'T KNOW	4	9456.8	
8	REFUSAL	0	0.0	
9	NOT STATED	636	655442.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_2K: No. of times - golfing

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/W]	[Valid=3276 / 3015714.58 ] [Invalid=28857 / 24105848.93 ] [Mean=9.352 / 8.408 ] [StdDev=13.051 / 11.797 ]

## #PACE\_2K: No. of times - golfing

Universe Respondents who answered PACE\_1K = (1, 7 or 8)

Literal question In the past 3 months, how many times did you [participate in identified activity]? - Golfing

Value	Label	Cases	Weighted
996	NOT APPLICABLE	28257	23490510.1
997	DON'T KNOW	10	10239.1
998	REFUSAL	4	7644.2
999	NOT STATED	586	597455.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_3K: Time spent - golfing

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W] [Valid=3275 / 3014735.65 ] [Invalid=28858 / 24106827.86 ]	
Universe Respondents who answered PACE_1K = (1, 7 or 8)	
Literal question	About how much time did you spend on each occasion? - Golfing

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	11	13116.0	0.4%
2	16 TO 30 MINUTES	33	25709.4	0.9%
3	31 TO 60 MINUTES	98	104640.0	3.5%
4	MORE THAN 1 HOUR	3133	2871270.3	95.2%
6	NOT APPLICABLE	28257	23490510.1	
7	DON'T KNOW	1	978.9	
8	REFUSAL	0	0.0	
9	NOT STATED	600	615338.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_2L:** No. of times- exercise class/aerobics

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/W] [Valid=2883 / 2663301.27 ] [Invalid=29250 / 24458262.24 ] [Mean=23.448 / 22.176 ] [StdDev=19.602 / 19.48		
Universe	Respondents who answered PACE_1L = (1, 7 or 8)	
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Exercise class or aerobics	

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	28646	23845183.2	
997	DON'T KNOW	14	13764.1	
998	REFUSAL	4	1859.4	
999	NOT STATED	586	597455.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_3L:** Time spent - exercise class/aerobics

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W] [Valid=2879 / 2660041.44 ] [Invalid=29254 / 24461522.07 ]		
Universe	Respondents who answered PACE_1L = (1, 7 or 8)	
Literal question	About how much time did you spend on each occasion? - Exercise class or aerobics	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	72	58366.1	2.2%
2	16 TO 30 MINUTES	495	408479.5	15.4%
3	31 TO 60 MINUTES	1556	1423281.8	53.5%

# # PACE\_3L: Time spent - exercise class/aerobics

Value	Label	Cases	Weighted	Percentage (Weighted)
4	MORE THAN 1 HOUR	756	769914.0	28.9%
6	NOT APPLICABLE	28646	23845183.2	
7	DON'T KNOW	4	3259.8	
8	REFUSAL	0	0.0	
9	NOT STATED	604	613079.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # PACE\_2M: No. of times - skiing/snowboarding

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/W] [Valid=1275 / 1445612.12 ] [Invalid=30858 / 25675951.39 ] [Mean=6.107 / 6.108 ] [StdDev=10.028 / 10.70		
Universe	Respondents who answered PACE_1M = (1, 7 or 8)	
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Downhill ski / snowboarding	

Value	Label	Cases	Weighted	Percentage (Weighter
996	NOT APPLICABLE	30265	25069862.2	
997	DON'T KNOW	6	7758.0	
998	REFUSAL	1	875.8	
999	NOT STATED	586	597455.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_3M:** Time spent - skiing/snowboarding

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=1274 / 1440398.04 ] [Invalid=30859 / 25681165.47 ]
Universe	Respondents who answered PACE_1M = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Downhill skiing or snowboarding

Value	Label	Cases	Weighted	Percentage (Weighted)		
1	1 TO 15 MINUTES	10	6873.3	0.5%		
2	16 TO 30 MINUTES	10	9263.7	0.6%		
3	31 TO 60 MINUTES	37	33202.5	2.3%		
4	MORE THAN 1 HOUR	1217	1391058.5	96.6%		
6	NOT APPLICABLE	30265	25069862.2			
7	DON'T KNOW	1	5214.1			
8	REFUSAL	0	0.0			
9	NOT STATED	593	606089.2			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.						

#PACE_2N: No. of times - bowling				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/W] [Valid=2659 / 2548685.27 ] [Invalid=29474 / 24572878.24 ] [Mean=4.786 / 4.462 ] [StdDev=7.106 / 6.892 ]				
Universe	Respondents who answered PACE_1N = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Bowling			

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	28873	23963516.8	
997	DON'T KNOW	12	10493.9	
998	REFUSAL	3	1412.1	
999	NOT STATED	586	597455.4	

## #PACE\_3N: Time spent - bowling

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=2658 / 2548373.28 ] [Invalid=29475 / 24573190.23 ]	
Universe	Respondents who answered PACE_1N = (1, 7 or 8)	
Literal question	About how much time did you spend on each occasion? - Bowling	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	8	7073.3	0.3%
2	16 TO 30 MINUTES	53	53627.5	2.1%
3	31 TO 60 MINUTES	503	460769.2	18.1%
4	MORE THAN 1 HOUR	2094	2026903.3	79.5%
6	NOT APPLICABLE	28873	23963516.8	
7	DON'T KNOW	1	312.0	
8	REFUSAL	0	0.0	
9	NOT STATED	601	609361.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_2O: No. of times - baseball/softball

Information	formation [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/W]	[Valid=1820 / 1602989.63 ] [Invalid=30313 / 25518573.88 ] [Mean=10.519 / 9.71 ] [StdDev=13.518 / 12.167 ]			
Universe	Respondents who answered PACE_1O = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Baseball or softball			

Value	Label	Cases	Weighted
996	NOT APPLICABLE	29717	24910624.3
997	DON'T KNOW	10	10494.2
998	REFUSAL	0	0.0
999	NOT STATED	586	597455.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_30: Time spent - baseball/softball

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/W]	[Valid=1818 / 1602220.14 ] [Invalid=30315 / 25519343.37 ]		
Universe	Respondents who answered PACE_1O = (1, 7 or 8)		
Literal question	About how much time did you spend on each occasion? - Baseball or softball		

## **#PACE\_30:** Time spent - baseball/softball

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	20	12979.7	0.8%
2	16 TO 30 MINUTES	133	112602.8	7.0%
3	31 TO 60 MINUTES	340	311887.5	19.5%
4	MORE THAN 1 HOUR	1325	1164750.1	72.7%
6	NOT APPLICABLE	29717	24910624.3	
7	DON'T KNOW	2	769.5	
8	REFUSAL	0	0.0	
9	NOT STATED	596	607949.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_2P: No. of times - tennis

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/W]	[Valid=1136 / 1284155.94 ] [Invalid=30997 / 25837407.57 ] [Mean=9.13 / 9.55 ] [StdDev=13.176 / 13.292 ]			
Universe	Respondents who answered PACE_1P = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Tennis			

Value	Label	Cases	Weighted	Percentage (Weighted
996	NOT APPLICABLE	30409	25237016.5	
997	DON'T KNOW	2	2935.6	
998	REFUSAL	0	0.0	
999	NOT STATED	586	597455.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_3P: Time spent - tennis

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]	[Valid=1135 / 1282487.12 ] [Invalid=30998 / 25839076.39 ]	
Universe	Respondents who answered PACE_1P = (1, 7 or 8)	
Literal question	About how much time did you spend on each occasion? - Tennis	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	24	21029.8	1.6%
2	16 TO 30 MINUTES	113	126529.9	9.9%
3	31 TO 60 MINUTES	405	447944.7	34.9%
4	MORE THAN 1 HOUR	593	686982.6	53.6%
6	NOT APPLICABLE	30409	25237016.5	
7	DON'T KNOW	1	1668.8	
8	REFUSAL	0	0.0	
9	NOT STATED	588	600391.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_2Q: No. of times - weight-training

Information	Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/W]	[Valid=4786 / 4819274.72 ] [Invalid=27347 / 22302288.79 ] [Mean=29.628 / 29.088 ] [StdDev=22.968 / 22.615 ]			
Universe	Respondents who answered PACE_1Q = (1, 7 or 8)			
Literal question In the past 3 months, how many times did you [participate in identified activity]? - Weight-training				

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	26729	21668095.5	

## **#PACE\_2Q:** No. of times - weight-training

Value	Label	Cases	Weighted	Percentage (We
997	DON'T KNOW	25	31409.2	
998	REFUSAL	7	5328.6	
999	NOT STATED	586	597455.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_3Q:** Time spent - weight-training

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=4785 / 4819201.73 ] [Invalid=27348 / 22302361.78 ]	
Universe Respondents who answered PACE_1Q = (1, 7 or 8)	
Literal question About how much time did you spend on each occasion? - Weight-training	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	622	618725.7	12.8%
2	16 TO 30 MINUTES	1528	1501537.4	31.2%
3	31 TO 60 MINUTES	1699	1689374.6	35.1%
4	MORE THAN 1 HOUR	936	1009564.0	20.9%
6	NOT APPLICABLE	26729	21668095.5	
7	DON'T KNOW	1	73.0	
8	REFUSAL	0	0.0	
9	NOT STATED	618	634193.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_2R: No. of times - fishing

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W] [Valid=3212 / 2478464.18 ] [Invalid=28921 / 24643099.33 ] [Mean=7.618 / 6.698 ] [StdDev=11.563 / 9.832 ]	
Universe Respondents who answered PACE_1R = (1, 7 or 8)	
Literal question In the past 3 months, how many times did you [participate in identified activity]? - Fishing	

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	28314	24027108.9	
997	DON'T KNOW	17	15911.0	
998	REFUSAL	4	2624.0	
999	NOT STATED	586	597455.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_3R: Time spent - fishing**

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W] [Valid=3210 / 2475984.38 ] [Invalid=28923 / 24645579.13 ]		
Universe Respondents who answered PACE_1R = (1, 7 or 8)		
Literal question About how much time did you spend on each occasion? - Fishing		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	13	14456.1	0.6%
2	16 TO 30 MINUTES	75	59547.4	2.4%
3	31 TO 60 MINUTES	197	171935.6	6.9%
4	MORE THAN 1 HOUR	2925	2230045.2	90.1%
6	NOT APPLICABLE	28314	24027108.9	
7	DON'T KNOW	2	2479.8	

## **#PACE\_3R: Time spent - fishing**

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	607	615990.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_2S:** No. of times - volleyball

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W] [Valid=1927 / 1886923.48 ] [Invalid=30206 / 25234640.03 ] [Mean=9.854 / 8.966 ] [StdDev=12.24 / 10.312 ]	
Universe Respondents who answered PACE_1S = (1, 7 or 8)	
Literal question In the past 3 months, how many times did you [participate in identified activity]? - Volleyball	

Value	Label	Cases	Weighted
996	NOT APPLICABLE	29602	24615049.0
997	DON'T KNOW	16	16783.2
998	REFUSAL	2	5352.4
999	NOT STATED	586	597455.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_3S:** Time spent - volleyball

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=1926 / 1885879.05 ] [Invalid=30207 / 25235684.46 ]	
Universe	Respondents who answered PACE_1S = (1, 7 or 8)	
Literal question About how much time did you spend on each occasion? - Volleyball		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	38	26785.9	1.4%
2	16 TO 30 MINUTES	241	240250.9	12.7%
3	31 TO 60 MINUTES	642	652001.1	34.6%
4	MORE THAN 1 HOUR	1005	966841.2	51.3%
6	NOT APPLICABLE	29602	24615049.0	
7	DON'T KNOW	1	1044.4	
8	REFUSAL	0	0.0	
9	NOT STATED	604	619591.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # PACE\_2T: No. of times - basketball

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/W]	[Valid=2423 / 2427248.67 ] [Invalid=29710 / 24694314.84 ] [Mean=15.613 / 14.871 ] [StdDev=20.071 / 18.991 ]
Universe	Respondents who answered PACE_1T = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Basketball

Value	Label	Cases	Weighted	Per	centage (W
996	NOT APPLICABLE	29103	24073810.4		
997	DON'T KNOW	19	17696.6		
998	REFUSAL	2	5352.4		
999	NOT STATED	586	597455.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_3T: Time spent - basketball

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

#### 

**Literal question** About how much time did you spend on each occasion? - Basketball

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	100	105822.5	4.4%	
2	16 TO 30 MINUTES	483	465900.7	19.2%	
3	31 TO 60 MINUTES	813	803029.6	33.1%	
4	MORE THAN 1 HOUR	1025	1050799.1	43.3%	
6	NOT APPLICABLE	29103	24073810.4		
7	DON'T KNOW	1	1346.8		
8	REFUSAL	1	350.0		
9	NOT STATED	607	620504.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_2Z: No. of times - soccer

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/W]	id=2310 / 2327892.54 ] [Invalid=29823 / 24793670.97 ] [Mean=13.28 / 12.318 ] [StdDev=16.679 / 15.693 ]		
Universe	Respondents who answered PACE_1Z = (1, 7 or 8)		
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Soccer		

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	29221	24178731.1	
997	DON'T KNOW	15	16665.8	
998	REFUSAL	1	818.7	
999	NOT STATED	586	597455.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_3Z: Time spent - soccer

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=2309 / 2325163.92 ] [Invalid=29824 / 24796399.59 ]	
Universe	Respondents who answered PACE_1Z = (1, 7 or 8)	
Literal question	About how much time did you spend on each occasion? - Soccer	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	54	47132.0	2.0%	
2	16 TO 30 MINUTES	369	351376.9	15.1%	
3	31 TO 60 MINUTES	744	709112.8	30.5%	
4	MORE THAN 1 HOUR	1142	1217542.3	52.4%	
6	NOT APPLICABLE	29221	24178731.1		
7	DON'T KNOW	1	2728.6		
8	REFUSAL	0	0.0		
9	NOT STATED	602	614939.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_2U: No. of times - other activity (#1)

Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]
Statistics [NW/W]	[Valid=4328 / 3783306.22 ] [Invalid=27805 / 23338257.29 ] [Mean=20.703 / 20.383 ] [StdDev=23.823 / 23.263 ]
Universe	Respondents who answered PACE_1U = (1, 7 or 8)

## **#PACE\_2U: No. of times - other activity (#1)**

**Literal question** In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#1)

Value	Label	Cases	Weighted
996	NOT APPLICABLE	27195	22717619.0
997	DON'T KNOW	20	19657.8
998	REFUSAL	3	2330.8
999	NOT STATED	587	598649.7

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_3U:** Time spent - other activity (#1)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=4324 / 3780730.17 ] [Invalid=27809 / 23340833.34 ]
Universe	Respondents who answered PACE_1U = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Other activity (#1)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	145	117422.1	3.1%	
2	16 TO 30 MINUTES	437	416284.8	11.0%	
3	31 TO 60 MINUTES	947	868233.8	23.0%	
4	MORE THAN 1 HOUR	2795	2378789.5		62.9%
6	NOT APPLICABLE	27195	22717619.0		
7	DON'T KNOW	3	1798.6		
8	REFUSAL	1	777.4		
9	NOT STATED	610	620638.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_2W:** No. of times - other activity (#2)

Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]	
Statistics [NW/W]	[Valid=730 / 634196.52 ] [Invalid=31403 / 26487366.99 ] [Mean=16.699 / 15.934 ] [StdDev=21.544 / 21.256 ]	
Universe	Respondents who answered PACE_1W = (1, 7 or 8) or PACE_10 = (7 or 8)	
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#2)	

Value	Label	Cases	Weighted
996	NOT APPLICABLE	30807	25878672.1
997	DON'T KNOW	6	6606.3
998	REFUSAL	1	755.9
999	NOT STATED	589	601332.7

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **#PACE\_3W:** Time spent - other activity (#2)

Literal question	About how much time did you spend on each occasion? - Other activity (#2)
Universe Respondents who answered PACE_1W = (1, 7 or 8) or PACE_10 = (7 or 8)	
Statistics [NW/W] [Valid=729 / 634182.02 ] [Invalid=31404 / 26487381.49 ]	
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	33	24081.7	3.8%
2	16 TO 30 MINUTES	79	71468.3	11.3%
3	31 TO 60 MINUTES	186	162311.7	25.6%
4	MORE THAN 1 HOUR	431	376320.3	59.3%

## **#PACE\_3W:** Time spent - other activity (#2)

Value	Label	Cases	Weighted
6	NOT APPLICABLE	30807	25878672.1
7	DON'T KNOW	1	14.5
8	REFUSAL	0	0.0
9	NOT STATED	596	608694.9

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_2X:** No. of times - other activity (#3)

Information	[Type= continuous] [Format=numeric] [Range= 1-180] [Missing=*]			
Statistics [NW/W] [Valid=137 / 122491.15 ] [Invalid=31996 / 26999072.36 ] [Mean=14.058 / 12.223 ] [StdDev=20.666 / 17.228 ]				
Universe	Respondents who answered PACE_1X = (1, 7 or 8) or PACE_1U (7 or 8) or PACE_10 = (7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#3)			

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	31405	26395777.1	
997	DON'T KNOW	1	811.4	
998	REFUSAL	0	0.0	
999	NOT STATED	590	602483.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#PACE\_3X:** Time spent - other activity (#3)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W] [Valid=137 / 122491.15 ] [Invalid=31996 / 26999072.36 ]	
Universe Respondents who answered PACE_1X = (1, 7 or 8) or PACE_1U (7 or 8) or PACE_10 = (7 or 8)	
Literal question About how much time did you spend on each occasion? - Other activity (#3)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	8	6418.5	5.2%
2	16 TO 30 MINUTES	15	19354.7	15.8%
3	31 TO 60 MINUTES	25	20787.9	17.0%
4	MORE THAN 1 HOUR	89	75930.1	62.0%
6	NOT APPLICABLE	31405	26395777.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	591	603295.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_4A: No. of hrs. walking - to work/school

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/W]	[Valid=31212 / 26265398.07 ] [Invalid=921 / 856165.44 ]
Universe	All respondents
Literal question	In a typical week in the past 3 months, how many hours did you usually spend walking to work or to school or while doing errands?
Notes	Includes physical activity at work or while doing daily chores around the house, but not leisure time activity. The "not stated" category includes people who did the interview by proxy.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE	8936	7683284.1	29.3%
2	< 1 HOUR	3825	3221866.9	12.3%
3	1 TO 5 HOURS	10533	9216265.6	35.1%

# # PACE\_4A: No. of hrs. walking - to work/school

Value	Label	Cases	Weighted	Percentage (Weighted)
4	6 TO 10 HOURS	3391	2816454.5	10.7%
5	11 TO 20 HOURS	1572	1196714.1	4.6%
6	> 20 HOURS	2955	2130812.8	8.1%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	378	326562.9	
98	REFUSAL	33	29948.0	
99	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_4B: No. of hrs. biking - to work/school

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/W]	[Valid=31495 / 26475229.26 ] [Invalid=638 / 646334.25 ]	
Universe	All respondents	
Literal question	(In a typical week in the past 3 months,) how much time did you usually spend bicycling to work or to school or while doing errands?	
Notes	Includes physical activity at work or while doing daily chores around the house, but not leisure time activity. The "not stated" category includes people who did the interview by proxy.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE	29114	24297493.2	91.8%
2	< 1 HOUR	787	688158.5	2.6%
3	1 TO 5 HOURS	1185	1136554.3	4.3%
4	6 TO 10 HOURS	262	235871.7	0.9%
5	11 TO 20 HOURS	73	58918.2	0.2%
6	> 20 HOURS	74	58233.3	0.2%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	99	123702.7	
98	REFUSAL	29	22977.0	
99	NOT STATED	510	499654.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACE\_6: Level of physical activity for usual day

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=31396 / 26400222.15 ] [Invalid=737 / 721341.36 ]
Universe	All respondents
Literal question	Thinking back over the past 3 months, which of the following best describes your usual daily activities or work habits: (usually sit during the day and don't walk around very much,, or do heavy work or carry very heavy loads)?
Notes	The "not stated" category includes people who did the interview by proxy.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	USUALLY SIT	7699	6566400.9	24.9%
2	STAND OR WALK	13371	11088228.6	42.0%
3	LIFT LIGHT LOADS	7999	6765870.6	25.6%
4	LIFT HEAVY LOADS	2327	1979722.1	7.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	183	184467.0	
8	REFUSAL	44	37219.8	
9	NOT STATED	510	499654.6	

## #PACE\_6: Level of physical activity for usual day

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # PACEDEE: Daily energy expenditure - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-38.5] [Missing=*]	
Statistics [NW/ W]	[Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ] [Mean=2.172 / 2.27 ] [StdDev=2.395 / 2.467 ]	
Universe	All respondents	
Literal question	Daily energy expenditure - (D)	
Notes	Based on PACE_1V, PACE_2A, PACE_2B, PACE_2C, PACE_2D, PACE_2E, PACE_2F, PACE_2G, PACE_2H, PACE_2I, PACE_2J, PACE_2K, PACE_2L, PACE_2M, PACE_2N, PACE_2O, PACE_2P, PACE_2Q, PACE_2R, PACE_2S, PACE_3C, PACE_2V, PACE_3C, PACE_3C, PACE_3D, PACE_3F, PACE_3G, PACE_3H, PACE_3I, PACE_3I, PACE_3K, PACE_3L, PACE_3M, PACE_3N, PACE_3O, PACE_3P, PACE_3Q, PACE_3R, PACE_3C, PACE_3V, PAC	

Value	Label	Cases	Weighted
99.6	NOT APPLICABLE	0	0.0
99.7	DON'T KNOW	0	0.0
99.8	REFUSAL	0	0.0
99.9	NOT STATED	586	597455.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # PACEFLEI: Participant - leisure phys. activity-(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe	All respondents	
Literal question	Participant - leisure phys. activity-(F)	
Notes	Based on PACE_1V. See documentation on derived variables	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	28676	24473892.7	92.3%
2	NO	2871	2050215.4	7.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	586	597455.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # PACEDFM: Monthly freq./phys. act. >15 min. - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-276] [Missing=*]
Statistics [NW/W]	[Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ] [Mean=25.407 / 26.121 ] [StdDev=24.534 / 24.907 ]
Universe	All respondents
Literal question	Monthly freq./phys. act. >15 min (D)
Notes	Based on PACE_1V, PACE_2A, PACE_2B, PACE_2C, PACE_2D, PACE_2E, PACE_2F, PACE_2G, PACE_2H, PACE_2I, PACE_2J, PACE_2K, PACE_2L, PACE_2M, PACE_2N, PACE_2O, PACE_2P, PACE_2Q, PACE_2R, PACE_2S, PACE_3T, PACE_2Z, PACE_2U, PACE_2W, PACE_2X, PACE_3A, PACE_3B, PACE_3C, PACE_3D, PACE_3E, PACE_3F, PACE_3G, PACE_3H, PACE_3I, PACE_3I, PACE_3K, PACE_3L, PACE_3M, PACE_3N, PACE_3O, PACE_3P, PACE_3Q, PACE_3R, PACE_3R, PACE_3T, PACE_3Z, PACE_3U, PACE_3W, PACE_3X. See documentation on derived variables

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	0	0.0	
997	DON'T KNOW	0	0.0	

## #PACEDFM: Monthly freq./phys. act. >15 min. - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
998	REFUSAL	0	0.0	
999	NOT STATED	586	597455.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #PACEDFR: Freq. of all physical activity - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]
Universe	All respondents
Literal question	Freq. of all physical activity - (D)
Notes	Based on PACEDFM. The variable uses values for the derived variable Monthly Frequency of Physical Activity (PACEDFM). The values for PACEDFM reflect a one-month average based on data reported for a three-month period. See documentation on derived variables

Value	Label	Cases	Weighted	Percentage (Weighted)
1	REGULAR	20768	17741901.3	66.9%
2	OCCASIONAL	4707	4128855.6	15.6%
3	INFREQUENT	6072	4653351.1	17.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	586	597455.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # PACEFD: Partic. daily phys. act. > 15 min. - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe	All respondents	
Literal question	Partic. daily phys. act. > 15 min (F)	
Notes	Based on PACEDFM. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11800	10023283.7	37.8%
2	NO	19747	16500824.4	62.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	586	597455.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # PACEDPAI: Physical activity index - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/W]	[Valid=31547 / 26524108.07 ] [Invalid=586 / 597455.44 ]	
Universe	All respondents	
Literal question	Physical activity index - (D)	
Notes	Based on PACEDEE. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ACTIVE	8238	7321016.5	27.6%

## # PACEDPAI: Physical activity index - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
2	MODERATE	7831	6715159.6	25.3%
3	INACTIVE	15478	12487932.0	47.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	586	597455.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# $\#\,SMKE\_01A\colon Smoked\,\,100$ or more cigarettes - life

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=32044 / 27011597.09 ] [Invalid=89 / 109966.42 ]
Universe	All respondents
Literal question	In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16324	12732784.4	47.1%
2	NO	15720	14278812.7	52.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	57	80815.0	
8	REFUSAL	32	29151.4	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #SMKE\_01B: Ever smoked whole cigarette

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=15723 / 14285492.98 ] [Invalid=16410 / 12836070.53 ]	
Universe	Respondents who answered SMKE_01A = (2, 7 or 8)	
Literal question	Have you ever smoked a whole cigarette?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3993	3618663.5	25.3%
2	NO	11730	10666829.5	74.7%
6	NOT APPLICABLE	16324	12732784.4	
7	DON'T KNOW	56	76073.8	
8	REFUSAL	30	27212.4	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #SMKEG01C: Age - smoked first whole cigarette - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]	
Statistics [NW/W]	[Valid=19972 / 16120447.25 ] [Invalid=12161 / 11001116.26 ]	
Universe	Respondents who answered SMKE_01A = 1 or SMKE_01B = 1 or SMKE_01A = 8 and SMKE_01B = 8	
Literal question	At what age did you smoke your first whole cigarette?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	5 TO 11 YEARS	1676	1157883.6	7.2%
2	12 TO 14 YEARS	6130	4962312.4	30.8%
3	15 TO 17 YEARS	6990	5782518.9	35.9%

## # SMKEG01C: Age - smoked first whole cigarette - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
4	18 TO 19 YEARS	2418	2048774.4	12.7%
5	20 TO 24 YEARS	1908	1552984.8	9.6%
6	25 TO 29 YEARS	485	373201.1	2.3%
7	30 TO 34 YEARS	192	138287.0	0.9%
8	35 TO 39 YEARS	72	39634.1	0.2%
9	40 TO 44 YEARS	55	37243.5	0.2%
10	45 TO 49 YEARS	19	8851.1	0.1%
11	50 YEARS OR MORE	27	18756.4	0.1%
96	NOT APPLICABLE	11730	10666829.5	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	431	334286.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# **#SMKE\_202: Type of smoker**

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=32057 / 27024041.58 ] [Invalid=76 / 97521.93 ]
Universe	All respondents
Literal question	At the present time, do you smoke cigarettes daily, occasionally or not at all?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DAILY	6169	4568624.6	16.9%	
2	OCCASIONALLY	1577	1415105.4	5.2%	
3	NOT AT ALL	24311	21040311.6		77.9%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	38	65121.2		
8	REFUSAL	6	2606.7		
9	NOT STATED	32	29794.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #SMKEG203: Age start smok daily (daily smoker)-(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/W]	[Valid=6050 / 4491735.28 ] [Invalid=26083 / 22629828.23 ]
Universe	Respondents who answered SMKE_202 = (1, 7 or 8) or SMKE_01A = 8 and SMKE_01B = 8
Literal question	At what age did you begin to smoke cigarettes daily?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	5 TO 11 YEARS	193	112115.2	2.5%
2	12 TO 14 YEARS	1196	841252.4	18.7%
3	15 TO 17 YEARS	2308	1730671.6	38.5%
4	18 TO 19 YEARS	1030	813123.4	18.1%
5	20 TO 24 YEARS	888	672614.1	15.0%
6	25 TO 29 YEARS	254	168659.2	3.8%
7	30 TO 34 YEARS	83	58280.2	1.3%
8	35 TO 39 YEARS	39	41305.4	0.9%
9	40 TO 44 YEARS	23	18077.8	0.4%
10	45 TO 49 YEARS	14	13175.9	0.3%

## # SMKEG203: Age start smok daily (daily smoker)-(G)

Value	Label	Cases	Weighted	Percentage (Weighted)
11	50 YEARS OR MORE	22	22460.0	0.5%
96	NOT APPLICABLE	25888	22455416.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	195	174411.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # SMKE\_204: No. of cig. smoked/day (daily smoker)

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/W]	[Valid=6141 / 4550175 ] [Invalid=25992 / 22571388.51 ] [Mean=15.479 / 15.583 ] [StdDev=9.037 / 8.721 ]
Universe	Respondents who answered SMKE_202 = (1, 7 or 8) or SMKE_01A = 8 and SMKE_01B = 8
Literal question	How many cigarettes do you smoke each day now?

Value	Label	Cases	Weighted
996	NOT APPLICABLE	25888	22455416.9
997	DON'T KNOW	25	17462.4
998	REFUSAL	3	987.3
999	NOT STATED	76	97521.9

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #SMKE\_05B: No. of cig. per day (occasional smoker)

Information	[Type= continuous] [Format=numeric] [Range= 1-50] [Missing=*]
Statistics [NW/W]	[Valid=1570 / 1411475.38 ] [Invalid=30563 / 25710088.13 ] [Mean=3.864 / 3.552 ] [StdDev=3.958 / 3.372 ]
Universe	Respondents who answered SMKE_202 = (2, 7 or 8) or SMKE_01A = 8 and SMKE_01B = 8
Literal question	On the days that you do smoke, how many cigarettes do you usually smoke?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	30480	25608936.2	
997	DON'T KNOW	7	3630.0	
998	REFUSAL	0	0.0	
999	NOT STATED	76	97521.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #SMKE\_05C: No. of days-1 cig. or more (occ. smoker)

Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/W]	[Valid=1536 / 1388975.73 ] [Invalid=30597 / 25732587.78 ] [Mean=10.629 / 10.008 ] [StdDev=9.339 / 9.162 ]
Literal question	In the past month, on how many days have you smoked 1 or more cigarettes?

Value	Label	Cases	Weighted
96	NOT APPLICABLE	30480	25608936.2
97	DON'T KNOW	41	26129.7
98	REFUSAL	0	0.0
99	NOT STATED	76	97521.9

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #SMKE\_05D: Ever smoked cigarettes daily

Information	Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W] [Valid=10174 / 8169236.59 ] [Invalid=21959 / 18952326.92 ]				
Universe	Respondents who answered SMKE_202 = (2, 7 or 8) or SMKE_01A = 8 and SMKE_01B = 8			

## #SMKE\_05D: Ever smoked cigarettes daily

**Literal question** Have you ever smoked cigarettes daily?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8963	7165275.1	87.7%
2	NO	1211	1003961.5	12.3%
6	NOT APPLICABLE	21856	18833710.4	
7	DON'T KNOW	4	1334.4	
8	REFUSAL	2	2613.7	
9	NOT STATED	97	114668.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #SMKE\_06A: Stopped smoking-when (never daily smok.)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=817 / 635309.85 ] [Invalid=31316 / 26486253.66 ]
Universe	Respondents who answered SMKE_01A = (1, 7 or 8) and SMKE_202 = (2, 3, 7 or 8) or SMKE_01A = 8 and SMKE_01B = 8
Literal question	When did you stop smoking? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	30	20469.5	3.2%
2	1 TO < 2 YEARS	23	12645.1	2.0%
3	2 TO < 3 YEARS	40	31481.6	5.0%
4	3 OR MORE YEARS	724	570713.6	89.8%
6	NOT APPLICABLE	31212	26368887.6	
7	DON'T KNOW	2	707.3	
8	REFUSAL	2	1154.8	
9	NOT STATED	100	115504.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #SMKEG06C: No. of years since stopped smoking - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/W]	[Valid=698 / 553841.63 ] [Invalid=31435 / 26567721.88 ]		
Universe	Respondents who answered SMKE_06A = (4, 7 or 8) or (SMKE_01A = (7 or 8) or SMKE_05D = (7 or 8)) and SMKE_202 = 3 or SMKE_01A = (1, 7 or 8) and SMKE_202 = (7 or 8) or SMKE_01A = 8 and SMKE_01B = 8		
Literal question	How many years ago was it?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	3 TO 5 YEARS	66	54597.6	9.9%
2	6 TO YEARS	124	109198.5	19.7%
3	11 OR MORE YEARS	508	390045.5	70.4%
6	NOT APPLICABLE	31305	26433483.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	130	134238.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #SMKEG207: Age - started smoking daily - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]	
Statistics [NW/W]	[Valid=8800 / 7063569.13 ] [Invalid=23333 / 20057994.38 ]	

#SMKEG207: Age - started smoking daily - (G)		
Universe	Respondents who answered SMKE_05D = (1, 7 or 8) or SMKE_01A = (7 or 8) and SMKE_202 = (2 or 3) or SMKE_01A = (1, 7 or 8) and SMKE_202 = (7 or 8) or SMKE_01A = 8 and SMKE_01B = 8	
Literal question	At what age did you begin to smoke cigarettes daily?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	5 TO 11 YEARS	141	100891.8	1.4%
2	12 TO 14 YEARS	1173	945588.5	13.4%
3	15 TO 17 YEARS	3266	2694234.9	38.1%
4	18 TO 19 YEARS	1848	1447991.0	20.5%
5	20 TO 24 YEARS	1681	1354117.4	19.2%
6	25 TO 29 YEARS	388	300400.5	4.3%
7	30 TO 34 YEARS	163	126368.7	1.8%
8	35 TO 39 YEARS	55	42448.5	0.6%
9	40 TO 44 YEARS	51	32571.8	0.5%
10	45 TO 49 YEARS	17	8281.0	0.1%
11	50 YEARS OR MORE	17	10675.0	0.2%
96	NOT APPLICABLE	23067	19837671.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	266	220322.5	

## # SMKE\_208: No. of cig. smoked/day (former daily)

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/W]	[Valid=8719 / 7000505.11 ] [Invalid=23414 / 20121058.4 ] [Mean=18.006 / 17.641 ] [StdDev=13.284 / 13.084 ]	
Universe	Respondents who answered SMKE_05D = (1, 7 or 8) or SMKE_01A = (7 or 8) and SMKE_202 = (2 or 3) or SMKE_01A = (1, 7 or 8) and SMKE_202 = (7 or 8) or SMKE_01A = 8 and SMKE_01B = 8	
Literal question	How many cigarettes did you usually smoke each day?	

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	23067	19837671.9	
997	DON'T KNOW	233	159311.4	
998	REFUSAL	11	5458.5	
999	NOT STATED	103	118616.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# $\#\,SMKE\_09A\colon Stopped\ smoking\ daily$ - when

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=8930 / 7131932.48 ] [Invalid=23203 / 19989631.03 ]
Universe	Respondents who answered SMKE_05D = (1, 7 or 8) or SMKE_01A = (7 or 8) and SMKE_202 = (2 or 3) or SMKE_01A = (1, 7 or 8) and SMKE_202 = (7 or 8) or SMKE_01A = 8 and SMKE_01B = 8
Literal question	When did you stop smoking daily? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	877	721443.9	10.1%
2	1 TO < 2 YEARS	484	411279.5	5.8%
3	2 TO < 3 YEARS	590	488681.5	6.9%
4	3 OR MORE YEARS	6979	5510527.5	77.3%
6	NOT APPLICABLE	23067	19837671.9	

## #SMKE\_09A: Stopped smoking daily - when

Value	Label	Cases	Weighted
7	DON'T KNOW	28	25653.2
8	REFUSAL	4	7558.3
9	NOT STATED	104	118747.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #SMKEG09C: Years since stopped smoking daily - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=6914 / 5477370.83 ] [Invalid=25219 / 21644192.68 ]
Universe	Respondents who answered SMKE_09A = (4, 7 or 8) or SMKE_05D = (7 or 8) or SMKE_01A = (7 or 8) and SMKE_202 = (2 or 3) or SMKE_01A = (1, 7 or 8) and SMKE_202 = (7 or 8) or SMKE_01A = 8 and SMKE_01B = 8
Literal question	How many years ago was it?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	3 TO 5 YEARS	1098	903834.2	16.5%
2	6 TO YEARS	1257	1012463.1	18.5%
3	11 OR MORE YEARS	4559	3561073.6	65.0%
6	NOT APPLICABLE	25018	21459076.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	201	185115.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #SMKE\_10: Quit smoking completely

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=7979 / 6309527.44 ] [Invalid=24154 / 20812036.07 ]	
Universe	This question determines if respondent completely stopped smoking at the same time that stopped smoking daily (see SMKE_09A).
Literal question	Was that when you completely quit smoking?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7753	6128081.1	97.1%
2	NO	226	181446.3	2.9%
6	NOT APPLICABLE	24044	20689487.4	
7	DON'T KNOW	3	2261.6	
8	REFUSAL	0	0.0	
9	NOT STATED	107	120287.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #SMKE\_10A: Stopped smoking completely - when

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W] [Valid=220 / 170664.43 ] [Invalid=31913 / 26950899.08 ]	
Universe	Respondents who answered SMKE_10 = (2, 7 or 8) or (SMKE_01A = (7 or 8) or SMKE_05D = (7 or 8) or SMKE_09A = (7 or 8)) and SMKE_202 = 3 or SMKE_01A = (1, 7 or 8) and SMKE_202 = (7 or 8) or SMKE_01A = 8 and SMKE_01B = 8
Literal question	When did you stop smoking completely? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, or 3 or more years ago)?
Notes	Former daily smokers who completely quit smoking later than when they quit daily smoking.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	51	34488.3	20.2%

# SMKE	104 .	Stonned	<b>smaking</b>	completely	- when
	TUA:	Stopped	SIHOKIHY	combietery	- wnen

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	1 TO < 2 YEARS	26	23414.0	13.7%	
3	2 TO < 3 YEARS	17	10481.6	6.1%	
4	3 OR MORE YEARS	126	102280.5		59.9%
6	NOT APPLICABLE	31797	26817568.5		
7	DON'T KNOW	6	10781.9		
8	REFUSAL	0	0.0		
9	NOT STATED	110	122548.7		

## #SMKEG10C: No. of years since stopped smoking - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W] [Valid=124 / 101489.12 ] [Invalid=32009 / 27020074.39 ]	
Universe	Respondents who answered SMKE_10A = (4, 7 or 8) or SMKE_10 = (7 or 8) or (SMKE_01A = (7 or 8) or SMKE_05D = (7 or 8) or SMKE_09A = (7 or 8)) and SMKE_202 = 3 or SMKE_01A = (1, 7 or 8) and SMKE_202 = (7 or 8) or SMKE_01A = 8 and SMKE_01B = 8
Literal question	How many years ago was it?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	3 TO 5 YEARS	38	42431.8	41.8%
2	6 TO YEARS	26	16086.4	15.9%
3	11 OR MORE YEARS	60	42970.9	42.3%
6	NOT APPLICABLE	31891	26885952.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	118	134121.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # SMKEDSTY: Type of smoker - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/W]	[Valid=32025 / 27003580.07 ] [Invalid=108 / 117983.44 ]	
Universe	All respondents	
Literal question	Type of smoker - (D)	
Notes	Based on SMKE_01A, SMKE_01B, SMKE_202, SMKE_05D. See documentation on derived variables.	

Value	Label	Cases	Weighted	Pe	ercentage (Weighte	ed)
1	DAILY	6169	4568624.6		16.9%	
2	OCCASIONAL	974	848702.9	3.1%		
3	ALWAYS OCCASION.	600	563289.9	2.1%		
4	FORMER DAILY	7989	6316572.2		23.4%	
5	FORMER OCCASION.	4585	4056577.3		15.0%	
6	NEVER SMOKED	11708	10649813.2			39.4%
96	NOT APPLICABLE	0	0.0			
97	DON'T KNOW	0	0.0			
98	REFUSAL	0	0.0			
99	NOT STATED	108	117983.4			

# SMKEGSTP: No. year	#SMKEGSTP: No. years stopping smoking compl. (D,G)		
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/W]	[Valid=8716 / 6894042.21 ] [Invalid=23417 / 20227521.3 ]		
Universe	Respondents with SMKEDSTY = (4 or 5) and who answered SMKE_01A = (1, 7 or 8) or with SMKEDSTY = 99		
Literal question	No. years stopping smoking compl. (D,G)		
Notes	Based on SMKE_06A, SMKE_06C, SMKE_09A, SMKE_09C, SMKE_10, SMKE_10A, SMKE_10C, SMKEDSTY.  Current smokers and respondents who have never smoked a whole cigarette and respondents who did not smoked a total of 100 cigarettes or more lifetime were excluded from the population. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< 1 YEAR	687	542816.0	7.9%	
2	1 TO 2 YEARS	896	742803.2	10.8%	
3	3 TO 5 YEARS	998	816686.7	11.8%	
4	6 TO 10 YEARS	1239	1007565.9	14.6%	
5	11 OR MORE YEARS	4896	3784170.4	-	54.9%
6	NOT APPLICABLE	23201	20038970.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	216	188550.7		

## # SMKEDYCS: Number of years smoked - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-92] [Missing=*]	
Statistics [NW/W]	V/W] [Valid=6050 / 4491735.28 ] [Invalid=26083 / 22629828.23 ] [Mean=25.333 / 24.201 ] [StdDev=15.617 / 14.704 ]	
Universe	SCHEFOPT	
Literal question Number of years smoked - (D)		
Notes	Based on SMKE_202, SMKE_203, DHHE_AGE. See documentation on derived variables.	

Value	Label	Cases	Weighted
996	NOT APPLICABLE	25888	22455416.9
997	DON'T KNOW	0	0.0
998	REFUSAL	0	0.0
999	NOT STATED	195	174411.3

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # YSMEG1: Source of cigarettes - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W] [Valid=619 / 395127.23 ] [Invalid=31514 / 26726436.28 ]		
Universe	SCAE_11	
Literal question Where do you usually get your cigarettes?		
Notes The "not stated" category includes people who did the interview by proxy		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	BUY - GROCERY	214	169580.8	42.9%
2	BUY - OTHER GROC	237	133925.7	33.9%
3	OTHER	168	91620.7	23.2%
6	NOT APPLICABLE	31489	26705049.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

## **#YSMEG1: Source of cigarettes - (G)**

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	25	21386.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # YSME\_2: Bought cigarettes for self/others

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	stics [NW/W] [Valid=168 / 91620.73 ] [Invalid=31965 / 27029942.78 ]	
Universe SCAE_11A		
<b>Literal question</b> In the past 12 months, have you bought cigarettes for yourself or for someone else?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	57	33434.0	36.5%
2	NO	111	58186.8	63.5%
6	NOT APPLICABLE	31940	27008556.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	25	21386.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## **#YSME\_3:** Age asked when buying cig. in store

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=503 / 333021.34 ] [Invalid=31630 / 26788542.17 ]	
Universe SCAE_12	
Literal question In the past 12 months, have you been asked your age when buying cigarettes in a store?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	270	174087.6	52.3%
2	NO	233	158933.7	47.7%
6	NOT APPLICABLE	31600	26763236.4	
7	DON'T KNOW	3	2801.4	
8	REFUSAL	2	1117.7	
9	NOT STATED	25	21386.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **#YSME\_4: Someone refused to sell cigarettes**

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=503 / 332386.25 ] [Invalid=31630 / 26789177.26 ]			
Universe	SCAE_12A			
Literal question	In the past 12 months, has anyone in a store refused to sell you cigarettes?			

alue	Label	Cases	Weighted	
1	YES	171	116871.8	
2	NO	332	215514.5	
6	NOT APPLICABLE	31600	26763236.4	
7	DON'T KNOW	3	2801.4	
8	REFUSAL	2	1752.8	
9	NOT STATED	25	21386.7	
Warning: these f	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# YSME_5: Asked a stranger to buy cigarettes		
Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=618 / 394696.45 ] [Invalid=31515 / 26726867.06 ]		
Universe SCAE_50		
Literal question In the past 12 months, have you asked a stranger to buy you cigarettes?		
Notes The "not stated" category includes people who did the interview by proxy.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	106	57281.7	14.5%
2	NO	512	337414.7	85.5%
6	NOT APPLICABLE	31489	26705049.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	430.8	
9	NOT STATED	25	21386.7	

## # ETSE\_10: Someone smokes inside home

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=29776 / 26153656.52 ] [Invalid=2357 / 967906.99 ]
Universe	SCAE_60
Literal question	Including both household members and regular visitors, does anyone smoke inside your home, every day or almost every day?
Notes	Includes cigarettes, cigars and pipes.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4560	4081619.1	15.6%
2	NO	25216	22072037.4	84.4%
6	NOT APPLICABLE	2210	787024.2	
7	DON'T KNOW	35	59285.6	
8	REFUSAL	31	26988.6	
9	NOT STATED	81	94608.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ETSEG11: No. of people who smoke inside home -(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=4554 / 4078699.96 ] [Invalid=27579 / 23042863.55 ]
Universe	SCAE_61
Literal question	How many people smoke inside your home every day or almost every day?
Notes	Includes household members and regular visitors.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 PERSON	2526	2281393.5	55	5.9%
2	2 PERSONS	1622	1417596.9	34.8%	
3	3 PERSONS	280	256614.7	6.3%	
4	4 OR + PERSONS	126	123094.8	3.0%	
6	NOT APPLICABLE	27426	22859061.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	153	183802.0		

#### #ETSEG11: No. of people who smoke inside home -(G)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #ETSE\_20: Exposed to 2nd-hand smoke - private veh.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=24279 / 21013014.25 ] [Invalid=7854 / 6108549.26 ]		
Universe	SCAE_62		
Literal question	In the past month, were you exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1911	1662663.2	7.9%
2	NO	22368	19350351.0	92.1%
6	NOT APPLICABLE	7746	5983730.0	
7	DON'T KNOW	13	8092.3	
8	REFUSAL	0	0.0	
9	NOT STATED	95	116727.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #ETSE\_20B: Exposed to 2nd-hand smoke -public places

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=24256 / 20979084.56 ] [Invalid=7877 / 6142478.95 ]
Universe	SCAEDQUI
Literal question	(In the past month,) were you exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2889	3014706.4	14.4%
2	NO	21367	17964378.1	85.6%
6	NOT APPLICABLE	7746	5983730.0	
7	DON'T KNOW	34	40318.4	
8	REFUSAL	2	1703.6	
9	NOT STATED	95	116727.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ETSE\_5: Restrictions - smoking in home

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=31970 / 26944885.08 ] [Invalid=163 / 176678.43 ]		
Universe	All respondents		
Literal question	Are there any restrictions against smoking cigarettes in your home?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21572	18716080.5	69.5%
2	NO	10398	8228804.6	30.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	64	52420.8	
8	REFUSAL	2	1118.7	
9	NOT STATED	97	123139.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #ETSE\_6A: Smoking restrict. - not permitted home

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

# # ETSE\_6A: Smoking restrict. - not permitted home Statistics [NW/W] [Valid=21555 / 18703470.89 ] [Invalid=10578 / 8418092.62 ] Universe Respondents who answered ETSE\_5 = (1, 7 or 8) or ETSE\_10 = (7 or 8) Literal question How is smoking restricted in your home? - Smokers are asked to refrain from smoking in the house

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19757	17092276.8	91.4%
2	NO	1798	1611194.0	8.6%
6	NOT APPLICABLE	10398	8228804.6	
7	DON'T KNOW	17	12609.6	
8	REFUSAL	0	0.0	
9	NOT STATED	163	176678.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #ETSE\_6B: Smoking restrict. - certain rooms only

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=21555 / 18703470.89 ] [Invalid=10578 / 8418092.62 ]			
Universe	Respondents who answered ETSE_5 = (1, 7 or 8) or ETSE_10 = (7 or 8)			
Literal question	How is smoking restricted in your home? - Smoking is allowed in certain rooms only			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1222	1103251.6	5.9%
2	NO	20333	17600219.2	94.1%
6	NOT APPLICABLE	10398	8228804.6	
7	DON'T KNOW	17	12609.6	
8	REFUSAL	0	0.0	
9	NOT STATED	163	176678.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #ETSE\_6C: Smoking restrict. - not presence/child.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=21555 / 18703470.89 ] [Invalid=10578 / 8418092.62 ]			
Universe	Respondents who answered ETSE_5 = (1, 7 or 8) or ETSE_10 = (7 or 8)			
Literal question	How is smoking restricted in your home? - Smoking is restricted in the presence of young children			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	650	565889.2	3.0%
2	NO	20905	18137581.7	97.0%
6	NOT APPLICABLE	10398	8228804.6	
7	DON'T KNOW	17	12609.6	
8	REFUSAL	0	0.0	
9	NOT STATED	163	176678.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **#ETSE\_6D: Smoking restrict. - other**

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=21555 / 18703470.89 ] [Invalid=10578 / 8418092.62 ]	
Universe	Respondents who answered ETSE_5 = (1, 7 or 8) or ETSE_10 = (7 or 8)	
Literal question	How is smoking restricted in your home? - Other restriction	

## #ETSE\_6D: Smoking restrict. - other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	429	384505.3	2.1%
2	NO	21126	18318965.6	97.9%
6	NOT APPLICABLE	10398	8228804.6	
7	DON'T KNOW	17	12609.6	
8	REFUSAL	0	0.0	
9	NOT STATED	163	176678.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ALCE\_1: Drank alcohol - past 12 months

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	/alid=31870 / 26801441.29 ] [Invalid=263 / 320122.22 ]	
Universe	ll respondents	
Literal question	During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?	
Notes	The word drink means: one bottle or can of beer or a glass of draft, one glass of wine or a wine cooler, or one drink or cocktail with 1 and a 1/2 ounces of liquor.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23918	20784349.7	77.5%
2	NO	7952	6017091.6	22.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	31	19717.8	
8	REFUSAL	64	49862.3	
9	NOT STATED	168	250542.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ALCE\_2: Frequency of drinking alcohol

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/W]	[Valid=23846 / 20722430.78 ] [Invalid=8287 / 6399132.73 ]	
Universe	Respondents who answered ALCE_1 = (1, 7 or 8)	
Literal question	During the past 12 months, how often did you drink alcoholic beverages?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< ONCE A MONTH	5767	4475313.1	21.6%
2	ONCE A MONTH	2690	2233291.2	10.8%
3	2 TO 3 TIMES/MO	3468	2932362.1	14.2%
4	ONCE/WEEK	4040	3633141.3	17.5%
5	2 TO 3 TIMES/WK	4538	4371812.6	21.1%
6	4 TO 6 TIMES/WK	1315	1234820.4	6.0%
7	EVERY DAY	2028	1841690.1	8.9%
96	NOT APPLICABLE	7952	6017091.6	
97	DON'T KNOW	63	53151.9	
98	REFUSAL	7	5959.4	
99	NOT STATED	265	322929.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ALCE\_3: Frequency of having 5 or more drinks

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/W]	[Valid=23794 / 20673291.22 ] [Invalid=8339 / 6448272.29 ]

## #ALCE\_3: Frequency of having 5 or more drinks

Universe	Respondents who answered ALCE_1 = $($	(1, 7 or 8)
----------	---------------------------------------	-------------

**Literal question** How often in the past 12 months have you had 5 or more drinks on one occasion?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEVER	12356	10735553.5	51.9%
2	LESS ONCE/MONTH	5916	5314063.3	25.7%
3	ONCE/MONTH	1754	1458475.7	7.1%
4	2-3 TIMES/MONTH	1560	1337466.7	6.5%
5	ONCE/WEEK	1350	1132818.0	5.5%
6	MORE ONCE/WEEK	858	694914.0	3.4%
96	NOT APPLICABLE	7952	6017091.6	
97	DON'T KNOW	104	84338.8	
98	REFUSAL	15	18472.8	
99	NOT STATED	268	328369.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ALCE\_5: Drank alcohol in past week

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	V/W] [Valid=23878 / 20748166.29 ] [Invalid=8255 / 6373397.22 ]	
Universe	Respondents who answered ALCE_1 = (1, 7 or 8)	
Literal question	Thinking back over the past week, did you have a drink of beer, wine, liquor or any other alcoholic beverage?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14568	13251317.3	63.9%
2	NO	9310	7496849.0	36.1%
6	NOT APPLICABLE	7952	6017091.6	
7	DON'T KNOW	23	14686.6	
8	REFUSAL	12	13250.0	
9	NOT STATED	268	328369.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ALCE\_5A1: No. of drinks - Sunday

Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]		
Statistics [NW/W]	[Valid=14439 / 13133537.57 ] [Invalid=17694 / 13988025.94 ] [Mean=1.018 / 1.035 ] [StdDev=1.911 / 1.811 ]		
Universe	Respondents who answered ALCE_5 = (1, 7 or 8) or ALCE_1 = (7 or 8)		
Literal question	Starting with yesterday, that is [day name], how many drinks did you have? - Sunday		

Value	Label	Cases	Weighted
996	NOT APPLICABLE	17262	13513940.6
997	DON'T KNOW	117	112071.1
998	REFUSAL	5	2403.3
999	NOT STATED	310	359611.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ALCE\_5A2: No. of drinks - Monday

Information [Type= continuous] [Format=numeric] [Range= 0-48] [Missing=*]		
Statistics [NW/W] [Valid=14418 / 13127222.18 ] [Invalid=17715 / 13994341.33 ] [Mean=0.629 / 0.595 ] [StdDev=1.501 / 1.34 ]		
Universe	Respondents who answered ALCE_5 = (1, 7 or 8) or ALCE_1 = (7 or 8)	
Literal question Starting with yesterday, that is [day name], how many drinks did you have? - Monday		

# # ALCE\_5A2: No. of drinks - Monday

Value	Label	Cases	Weighted	Percentage (Weighted)	
996	NOT APPLICABLE	17262	13513940.6		
997	DON'T KNOW	136	111572.0		
998	REFUSAL	6	8377.2		
999	NOT STATED	311	360451.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

#### # ALCE\_5A3: No. of drinks - Tuesday

Information [Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]		
Statistics [NW/W] [Valid=14371 / 13087159.99 ] [Invalid=17762 / 14034403.52 ] [Mean=0.642 / 0.608 ] [StdDev=1.554 / 1.416 ]		
Universe	Priverse Respondents who answered ALCE_5 = (1, 7 or 8) or ALCE_1 = (7 or 8)	
Literal question Starting with yesterday, that is [day name], how many drinks did you have? - Tuesday		

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	17262	13513940.6	
997	DON'T KNOW	181	150674.7	
998	REFUSAL	11	10629.7	
999	NOT STATED	308	359158.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ALCE\_5A4: No. of drinks - Wednesday

Information [Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]	
Statistics [NW/W] [Valid=14344 / 13055127.58 ] [Invalid=17789 / 14066435.93 ] [Mean=0.681 / 0.659 ] [StdDev=1.617 / 1.56 ]	
Universe Respondents who answered ALCE_5 = (1, 7 or 8) or ALCE_1 = (7 or 8)	
Literal question Starting with yesterday, that is [day name], how many drinks did you have? - Wednesday	

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	17262	13513940.6	
997	DON'T KNOW	211	185823.3	
998	REFUSAL	5	6916.6	
999	NOT STATED	311	359755.5	

## # ALCE\_5A5: No. of drinks - Thursday

Information [Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]	
Statistics [NW/W] [Valid=14329 / 13044493.42 ] [Invalid=17804 / 14077070.09 ] [Mean=0.76 / 0.735 ] [StdDev=1.875 / 1.767 ]	
Universe Respondents who answered ALCE_5 = (1, 7 or 8) or ALCE_1 = (7 or 8)	
Literal question Starting with yesterday, that is [day name], how many drinks did you have? - Thursday	

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	17262	13513940.6	
997	DON'T KNOW	225	199095.8	
998	REFUSAL	7	4510.7	
999	NOT STATED	310	359523.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # ALCE\_5A6: No. of drinks - Friday

Information	[Type= continuous] [Format=numeric] [Range= 0-48] [Missing=*]
Statistics [NW/W]	[Valid=14363 / 13069956.98] [Invalid=17770 / 14051606.53] [Mean=1.607 / 1.555] [StdDev=2.852 / 2.791]

## # ALCE\_5A6: No. of drinks - Friday

Universe	Respondents who answered ALCE_5 = $(1, 7 \text{ or } 8)$ or ALCE_1 = $(7 \text{ or } 8)$	3)
Ulliveise	Respondents who answered ALCL_3 = (1, 7 of 6) of ALCL_1 = (7 of 6)	"

**Literal question** Starting with yesterday, that is [day name], how many drinks did you have? - Friday

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	17262	13513940.6	
997	DON'T KNOW	193	175648.0	
998	REFUSAL	4	2148.5	
999	NOT STATED	311	359869.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ALCE\_5A7: No. of drinks - Saturday

Information	Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]		
Statistics [NW/W]	[Valid=14400 / 13117335.53 ] [Invalid=17733 / 14004227.98 ] [Mean=2.118 / 2.059 ] [StdDev=3.092 / 2.969 ]		
Universe	Respondents who answered ALCE_5 = (1, 7 or 8) or ALCE_1 = (7 or 8)		
Literal question	Starting with yesterday, that is [day name], how many drinks did you have? - Saturday		

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	17262	13513940.6	
997	DON'T KNOW	157	128851.5	
998	REFUSAL	3	1566.4	
999	NOT STATED	311	359869.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ALCE\_5B: Ever had a drink

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=7939 / 6008848.16 ] [Invalid=24194 / 21112715.35 ]
Universe	Respondents who answered ALCE_1 = (2, 7 or 8)
Literal question	Have you ever had a drink?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4512	3082868.4	51.3%
2	NO	3427	2925979.7	48.7%
6	NOT APPLICABLE	23918	20784349.7	
7	DON'T KNOW	9	5238.0	
8	REFUSAL	4	3005.4	
9	NOT STATED	263	320122.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ALCE\_6: Regularly drank > 12 drinks a week

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4493 / 3073052.04 ] [Invalid=27640 / 24048511.47 ]	
Universe	Respondents who answered ALCE_5B = (1, 7 or 8) or ALCE_1 = (7 or 8)	
Literal question	Did you ever regularly drink more than 12 drinks a week?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1025	617690.7	20.1%
2	NO	3468	2455361.3	79.9%
6	NOT APPLICABLE	27345	23710329.4	
7	DON'T KNOW	16	8353.6	
8	REFUSAL	2	880.7	

## # ALCE\_6: Regularly drank > 12 drinks a week

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	277	328947.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ALCE\_7A: Reason reduced drinking - dieting

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1021 / 612043.51 ] [Invalid=31112 / 26509520 ]	
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)	
Literal question	Why did you reduce or quit drinking altogether? - Dieting	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	10074.4	1.6%
2	NO	1012	601969.1	98.4%
6	NOT APPLICABLE	30813	26165690.8	
7	DON'T KNOW	2	4494.2	
8	REFUSAL	2	1153.0	
9	NOT STATED	295	338182.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ALCE\_7B: Reason red. drink. - athletic training

Information	Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1021 / 612043.51 ] [Invalid=31112 / 26509520 ]	
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)	
Literal question	Why did you reduce or quit drinking altogether? - Athletic training	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	8216.3	1.3%
2	NO	1016	603827.2	98.7%
6	NOT APPLICABLE	30813	26165690.8	
7	DON'T KNOW	2	4494.2	
8	REFUSAL	2	1153.0	
9	NOT STATED	295	338182.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ALCE\_7C: Reason reduced drinking - pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1021 / 612043.51 ] [Invalid=31112 / 26509520 ]	
Literal question	Why did you reduce or quit drinking altogether? - Pregnancy	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18	8741.6	1.4%
2	NO	1003	603301.9	98.6%
6	NOT APPLICABLE	30813	26165690.8	
7	DON'T KNOW	2	4494.2	
8	REFUSAL	2	1153.0	
9	NOT STATED	295	338182.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ALCE\_7D: Reason reduced drinking - getting older

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

# # ALCE\_7D: Reason reduced drinking - getting older Statistics [NW/W] [Valid=1021 / 612043.51 ] [Invalid=31112 / 26509520 ] Universe Respondents who answered ALCE\_6 = (1, 7 or 8) or ALCE\_5B = (7 or 8) or ALCE\_1 = (7 or 8) Literal question Why did you reduce or quit drinking altogether? - Getting older

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	60	32333.8	5.3%
2	NO	961	579709.7	94
6	NOT APPLICABLE	30813	26165690.8	
7	DON'T KNOW	2	4494.2	
8	REFUSAL	2	1153.0	
9	NOT STATED	295	338182.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #ALCE\_7E: Reason reduced drink. - drink too much

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=1021 / 612043.51 ] [Invalid=31112 / 26509520 ]	
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Drinking too much / drinking problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	400	224880.0	36.7%
2	NO	621	387163.5	6.
6	NOT APPLICABLE	30813	26165690.8	
7	DON'T KNOW	2	4494.2	
8	REFUSAL	2	1153.0	
9	NOT STATED	295	338182.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ALCE\_7F: Reason red. drink. - aff. work/studies

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=1021 / 612043.51 ] [Invalid=31112 / 26509520 ]	
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Affected work, studies, employment opportunities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	70	34038.0	5.6%
2	NO	951	578005.5	94.4%
6	NOT APPLICABLE	30813	26165690.8	
7	DON'T KNOW	2	4494.2	
8	REFUSAL	2	1153.0	
9	NOT STATED	295	338182.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ALCE\_7G: Reason red. drink. - interfered w/life

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=1021 / 612043.51 ] [Invalid=31112 / 26509520 ]	
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Interfered with family or home life

## # ALCE\_7G: Reason red. drink. - interfered w/life

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	162	70541.2	11.5%
2	NO	859	541502.3	88.5%
6	NOT APPLICABLE	30813	26165690.8	
7	DON'T KNOW	2	4494.2	
8	REFUSAL	2	1153.0	
9	NOT STATED	295	338182.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ALCE\_7H: Reason red. drink. - affect phys. health

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=1021 / 612043.51 ] [Invalid=31112 / 26509520 ]	
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Affected physical health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	237	142476.5	23.3%
2	NO	784	469567.0	76.7%
6	NOT APPLICABLE	30813	26165690.8	
7	DON'T KNOW	2	4494.2	
8	REFUSAL	2	1153.0	
9	NOT STATED	295	338182.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # ALCE\_7I: Reason red. drink. - affect social rel.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=1021 / 612043.51 ] [Invalid=31112 / 26509520 ]	
Universe Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)	
Literal question	Why did you reduce or quit drinking altogether? - Affected friendships or social relationships

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	87	38994.1	6.4%
2	NO	934	573049.4	93.6%
6	NOT APPLICABLE	30813	26165690.8	
7	DON'T KNOW	2	4494.2	
8	REFUSAL	2	1153.0	
9	NOT STATED	295	338182.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #ALCE\_7J: Reason red. drink. - affected finances

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1021 / 612043.51 ] [Invalid=31112 / 26509520 ]
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Affected financial position

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	93	50758.9	8.3%
2	NO	928	561284.6	91.7%
6	NOT APPLICABLE	30813	26165690.8	

# # ALCE\_7J: Reason red. drink. - affected finances

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	2	4494.2	
8	REFUSAL	2	1153.0	
9	NOT STATED	295	338182.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ALCE\_7K: Reason red. drink. - affect happiness

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1021 / 612043.51 ] [Invalid=31112 / 26509520 ]
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Affected outlook on life, happiness

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	101	53326.8	8.7%
2	NO	920	558716.7	91.3%
6	NOT APPLICABLE	30813	26165690.8	
7	DON'T KNOW	2	4494.2	
8	REFUSAL	2	1153.0	
9	NOT STATED	295	338182.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ALCE\_7L: Reason red. drink. - influence of family

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1021 / 612043.51 ] [Invalid=31112 / 26509520 ]
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Influence of family or friends

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	65	31660.0	5.2%
2	NO	956	580383.5	94.8%
6	NOT APPLICABLE	30813	26165690.8	
7	DON'T KNOW	2	4494.2	
8	REFUSAL	2	1153.0	
9	NOT STATED	295	338182.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ALCE\_7M: Reason reduced drinking - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1021 / 612043.51 ] [Invalid=31112 / 26509520 ]
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	203	118827.0	19.4%
2	NO	818	493216.5	80.6%
6	NOT APPLICABLE	30813	26165690.8	
7	DON'T KNOW	2	4494.2	
8	REFUSAL	2	1153.0	
9	NOT STATED	295	338182.0	

# # ALCE\_7M: Reason reduced drinking - other

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ALCE\_7N: Reason red. drink. - life change

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1021 / 612043.51 ] [Invalid=31112 / 26509520 ]
Universe	Respondents who answered ALCE_6 = (1, 7 or 8) or ALCE_5B = (7 or 8) or ALCE_1 = (7 or 8)
Literal question	Why did you reduce or quit drinking altogether? - Life change

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	220	150498.0	24.6%	
2	NO	801	461545.5	75.49	%
6	NOT APPLICABLE	30813	26165690.8		
7	DON'T KNOW	2	4494.2		
8	REFUSAL	2	1153.0		
9	NOT STATED	295	338182.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # ALCE\_8: Age-started drinking alcoholic beverages

Information	[Type= continuous] [Format=numeric] [Range= 5-19] [Missing=*]	
Statistics [NW/W]	[Valid=2279 / 1843230.44 ] [Invalid=29854 / 25278333.07 ] [Mean=14.742 / 14.727 ] [StdDev=1.909 / 1.958 ]	
Universe	Respondents aged less than 20 who answered ALCE_1 = (1, 7 or 8) or ALCE_5B = (1, 7 or 8)	
Literal question	Not counting small sips, how old were you when you started drinking alcoholic beverages?	
Notes	Drinking does not include having a few sips of wine for religious purposes	

Value	Label	Cases	Weighted
996	NOT APPLICABLE	29770	25189533.3
997	DON'T KNOW	44	49731.4
998	REFUSAL	5	3368.0
999	NOT STATED	35	35700.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # ALCEDTYP: Type of drinker - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=31785 / 26731278.94 ] [Invalid=348 / 390284.57 ]	
Universe	All respondents	
Literal question	Type of drinker - (D)	
Notes	Based on ALCE_2, ALCE_5B. See documentation on derived variables.	

Label	Cases	Weighted	Percentage (Weighted)	
REGULAR DRINKER	18079	16247117.7		60.8%
OCC. DRINKER	5767	4475313.1	16.7%	
FORMER DRINKER	4512	3082868.4	11.5%	
NEVER DRANK	3427	2925979.7	10.9%	
NOT APPLICABLE	0	0.0		
DON'T KNOW	0	0.0		
REFUSAL	0	0.0		
NOT STATED	348	390284.6		
	OCC. DRINKER FORMER DRINKER NEVER DRANK NOT APPLICABLE DON'T KNOW REFUSAL NOT STATED	OCC. DRINKER 5767 FORMER DRINKER 4512 NEVER DRANK 3427 NOT APPLICABLE 0 DON'T KNOW 0 REFUSAL 0 NOT STATED 348	OCC. DRINKER       5767       4475313.1         FORMER DRINKER       4512       3082868.4         NEVER DRANK       3427       2925979.7         NOT APPLICABLE       0       0.0         DON'T KNOW       0       0.0         REFUSAL       0       0.0	OCC. DRINKER       5767       4475313.1       16.7%         FORMER DRINKER       4512       3082868.4       11.5%         NEVER DRANK       3427       2925979.7       10.9%         NOT APPLICABLE       0       0.0         DON'T KNOW       0       0.0         REFUSAL       0       0.0         NOT STATED       348       390284.6

# ALCEDDLY: Average daily alcohol consumption - (D)		
Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]	
Statistics [NW/W]	[Valid=23347 / 20281798.96 ] [Invalid=8786 / 6839764.55 ] [Mean=0.599 / 0.61 ] [StdDev=1.178 / 1.124 ]	
Universe	Respondents who answered ALCE_1 = $(1, 7 \text{ or } 8)$	
Literal question	Average daily alcohol consumption - (D)	
Notes	Based on ALCEDWKY. Respondents who had not at least one drink in the last 12 months were excluded from the population. See documentation on derived variables.	

Value	Label	Cases	Weighted
996	NOT APPLICABLE	7952	6017091.6
997	DON'T KNOW	0	0.0
998	REFUSAL	0	0.0
999	NOT STATED	834	822673.0

## # ALCEDWKY: No. of drinks - past week - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-280] [Missing=*]
Statistics [NW/W]	[Valid=23347 / 20281798.96 ] [Invalid=8786 / 6839764.55 ] [Mean=4.448 / 4.534 ] [StdDev=8.008 / 7.603 ]
Universe	Respondents who answered ALCE_1 = (1, 7 or 8)
Literal question	No. of drinks - past week - (D)
Notes	Based on ALCE_1, ALCE_5A1, ALCE_5A2, ALCE_5A3, ALCE_5A4, ALCE_5A5, ALCE_5A6, ALCE_5A7. Respondents who did not have at least one drink in the past 12 months were excluded from the population. See documentation on derived variables.

Value	Label	Cases	Weighted
996	NOT APPLICABLE	7952	6017091.6
997	DON'T KNOW	0	0.0
998	REFUSAL	0	0.0
999	NOT STATED	834	822673.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #MEXE\_01: Has given birth in the past 5 years

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=9487 / 8414366.2 ] [Invalid=22646 / 18707197.31 ]	
Universe	Females aged 15 to 55	
Literal question	Have you given birth in the past 5 years?	
Notes	Does not include stillbirths. Formerly BRFA_01 in cycle 1.1. The "not stated" category includes people who did the interview by proxy.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1884	1446624.2	17.2%
2	NO	7603	6967742.0	82.8%
6	NOT APPLICABLE	22498	18515312.3	
7	DON'T KNOW	6	8812.8	
8	REFUSAL	25	17745.8	
9	NOT STATED	117	165326.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #MEXE\_02: Took folic acid - before last pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1874 / 1436203.1 ] [Invalid=30259 / 25685360.41 ]	

#MEXE_02: Took folic acid - before last pregnancy		
Universe	Respondents who answered MEXE_01 = (1, 7 or 8)	
Literal question	Did you take a vitamin supplement containing folic acid before your (last) pregnancy, that is, before you found out that you were pregnant?	
Notes	Formerly BRFA_01B in cycle 1.1.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1062	833172.3	
2	NO	812	603030.8	42.0%
6	NOT APPLICABLE	30101	25483054.3	
7	DON'T KNOW	10	10421.1	
8	REFUSAL	0	0.0	
9	NOT STATED	148	191885.0	

## #MEXE\_03: Breastfed/tried breastfeed/last child

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=1882 / 1444709.27 ] [Invalid=30251 / 25676854.24 ]	
Universe	Respondents who answered MEXE_01 = (1, 7 or 8)
Literal question (For your last baby,) did you breastfeed or try to breastfeed your baby, even if only for a short time?	
Notes	Formerly BRFA_02 in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1582	1244943.2	86.2%	
2	NO	300	199766.1	13.8%	
6	NOT APPLICABLE	30101	25483054.3		
7	DON'T KNOW	0	0.0		
8	REFUSAL	2	1914.9		
9	NOT STATED	148	191885.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# MEXEG04: Reason did not breastfeed - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W] [Valid=297 / 197744 ] [Invalid=31836 / 26923819.51 ]			
Universe Respondents who answered MEXE_03 = (2, 7 or 8) or MEXE_01 = (7 or 8)			
Literal question Reason did not breastfeed - (G)			

Value	Label	Cases	Weighted	Percentage (Weighted)			
1	BOTTLE FEED.EASY	63	38589.3	19.5%			
2	FORMULA AS GOOD	5	3099.2	1.6%			
3	UNAPPEALING	52	30920.5	15.6%			
4	FATHER DN'T WANT	3	2213.8	1.1%			
5	RETURNED TO WORK	12	5634.5	2.8%			
6	C-SECTION	31	16499.4	8.3%			
7	ALCOHOL/SMOKE	9	6057.6	3.1%			
8	OTHER	122	94729.8	47.9%			
96	NOT APPLICABLE	31683	26727997.5				
97	DON'T KNOW	0	0.0				
98	REFUSAL	0	0.0				
99	NOT STATED	153	195822.0				
Warning: these fi	Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.						

# MEXE\_05: Still breastfeeding last child

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W] [Valid=1582 / 1244943.2 ] [Invalid=30551 / 25876620.31 ]	
Universe Respondents who answered MEXE_03 = (1, 7 or 8) or MEXE_01 = (7 or 8)	
Literal question Are you still breastfeeding?	
Notes	Formerly BRFA_03 in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	283	209218.2	16.8%
2	NO	1299	1035725.0	83.2%
6	NOT APPLICABLE	30401	25682820.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	150	193799.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #MEXE\_07: Age of last baby - other foods added

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/W]	[Valid=1565 / 1232599.85 ] [Invalid=30568 / 25888963.66 ]
Universe	Respondents who answered MEXE_03 = (1, 7 or 8) or MEXE_01 = (7 or 8)
Literal question	How old was your (last) baby when you first added any other liquids (e.g., milk, formula, water, teas, herbal mixtures) or solid foods to the baby's feeds?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 WEEK	144	121885.6	9.9%
2	1 TO 2 WEEKS	96	63549.5	5.2%
3	3 TO 4 WEEKS	90	63099.8	5.1%
4	5 TO 8 WEEKS	95	79377.1	6.4%

## #MEXE\_07: Age of last baby - other foods added

Value	Label	Cases	Weighted	Percentage (Weighted)
5	9 TO < 12 WEEKS	62	53069.4	4.3%
6	3 MONTHS	154	119344.7	9.7%
7	4 MONTHS	264	224242.9	18.2%
8	5 MONTHS	152	119476.3	9.7%
9	6 MONTHS	237	187815.3	15.2%
10	7 TO 9 MONTHS	112	79548.8	6.5%
11	10 TO 12 MONTHS	45	32865.2	2.7%
12	>1 YEAR	18	11701.0	0.9%
13	NOT ADD/LIQUIDS	96	76624.3	6.2%
96	NOT APPLICABLE	30401	25682820.4	
97	DON'T KNOW	14	11896.8	
98	REFUSAL	1	395.7	
99	NOT STATED	152	193850.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #MEXE\_08: Main reason other foods added

Information [Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]	
Statistics [NW/W]	[Valid=1463 / 1151049.65 ] [Invalid=30670 / 25970513.86 ]
Universe	Respondents who answered MEXE_07 < 13 or MEXE_07 = (97 or 98) or MEXE_06 = (97 or 98) or MEXE_05 = (7 or 8) or MEXE_03 = (7 or 8) or MEXE_01 = (7 or 8)
Literal question	What is the main reason that you first added other liquids or solid foods?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT ENOUGH BREAS	293	234578.4	20.4%
2	READY FOR SOLIDS	612	480652.0	41.8%
3	INCONVENIENCE	55	40403.7	3.5%
4	DIFFICULTY	74	40527.7	3.5%
5	MED. COND.MOTHER	27	23873.5	2.1%
6	MED. COND. BABY	26	16756.3	1.5%
7	ADVICE OF DOCTOR	91	79013.7	6.9%
8	RETURNED TO WORK	47	29747.7	2.6%
9	ADVICE OF OTHERS	12	7156.6	0.6%
10	FORMULA HEALTHY	8	10238.4	0.9%
11	WANTED TO DRINK	1	14.0	0.0%
12	WANTED TO SMOKE	0	0.0	
13	OTHER	217	188087.7	16.3%
96	NOT APPLICABLE	30497	25759444.7	
97	DON'T KNOW	6	4925.9	
98	REFUSAL	0	0.0	
99	NOT STATED	167	206143.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #MEXE\_09: Gave vitamin D - breast milk only

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1408 / 1100518.17 ] [Invalid=30725 / 26021045.34 ]
Universe	Respondents who answered MEXE_07 = (2 to 13) or MEXE_07 = (97 or 98) or MEXE_06 = (97 or 98) or MEXE_05 = (7 or 8) or MEXE_03 = (7 or 8) or MEXE_01 = (7 or 8)

## **#MEXE\_09:** Gave vitamin D - breast milk only

Literal question

During the time when your (last) baby was only fed breast milk, did you give the baby a vitamin supplement containing Vitamin D?

Value	Label	Cases	Weighted	Percentage (Weighted
1	YES	857	673031.3	
2	NO	551	427486.9	38.8%
6	NOT APPLICABLE	30545	25804706.0	
7	DON'T KNOW	12	8999.8	
8	REFUSAL	1	1196.3	
9	NOT STATED	167	206143.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # MEXE\_10: Main reason stopped breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/W]	[Valid=1280 / 1023715.11 ] [Invalid=30853 / 26097848.4 ]
Universe	Respondents who answered MEXE_05 = (2, 7 or 8) or MEXE_03 = (7 or 8) or MEXE_01 (7 or 8)
Literal question	What is the main reason that you stopped breastfeeding?
Notes	Formerly BRFA_05 in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT ENOUGH MILK	269	218757.0	21.4%
2	READY FOR SOLIDS	180	144882.9	14.2%
3	INCONVENIENCE	93	74154.0	7.2%
4	DIFFICULTY	100	56143.3	5.5%
5	MED.COND.MOTHER	49	36162.5	3.5%
6	MED. COND. BABY	22	13111.0	1.3%
7	PLANNED TO STOP	91	78358.7	7.7%
8	WEANED SELF	153	124457.0	12.2%
9	ADVICE OF DOCTOR	15	17578.7	1.7%
10	RETURNED TO WORK	127	107888.6	10.5%
11	ADVICE OF OTHERS	1	1063.1	0.1%
12	FORMULA HEALTHY	3	2466.6	0.2%
13	WANTED TO DRINK	1	14.0	0.0%
14	WANTED TO SMOKE	1	92.4	0.0%
15	OTHER	175	148585.4	14.5%
96	NOT APPLICABLE	30684	25892038.5	
97	DON'T KNOW	1	286.1	
98	REFUSAL	1	979.8	
99	NOT STATED	167	204544.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #MEXE\_20: Type of smoker - last pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=1167 / 816196.25 ] [Invalid=30966 / 26305367.26 ]
Universe	Respondents who answered MEXE_01 = (1, 7 or 8) and (SMKE_202 = (1, 2, 7 or 8) or SMKE_01A = (1, 7 or 8) or SMKE_01B = (1, 7 or 8)
Literal question	During your last pregnancy, did you smoke daily, occasionally or not at all?

# **#MEXE\_20: Type of smoker - last pregnancy**

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	198	101848.2	12.5%
2	OCCASIONALLY	171	103551.2	12.7%
3	NOT AT ALL	798	610796.9	74.8%
6	NOT APPLICABLE	30894	26222058.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	72	83308.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #MEXEG21: No. daily - last preg. (daily smk) - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/W]	[Valid=195 / 100597.34 ] [Invalid=31938 / 27020966.17 ]
Universe	Respondents who answered MEXE_20 = (1, 7 or 8) or MEXE_01 = (1, 7 or 8) and [SMKE_202 = (3, 7 or 8) and (SMKE_01A = (2, 7 or 8) and SMKE_01B = (7 or 8) or SMKE_01A = (7 or 8) and SMKE_01B = (2, 7 or 8)) or SMKE_01A = 8 and SMKE_01B = 8] or MEXE_01 = (7 or 8) and (SMKE_202 = (1 or 2) or SMKE_01A = 1 or SMKE_01B = 1)
Literal question	How many cigarettes did you usually smoke each day?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	5	3605.6	3.6%
2	2 CIGARETTES	4	1261.5	1.3%
3	3 CIGARETTES	9	2109.9	2.1%
4	4 CIGARETTES	15	5643.5	5.6%
5	5 CIGARETTES	35	14470.9	14.4%
6	6 TO 10 CIG.	78	47468.6	47.2%
7	11 TO 15 CIG.	34	17985.3	17.9%
8	16+ CIGARETTES	15	8052.1	8.0%
96	NOT APPLICABLE	31863	26936406.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	75	84559.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # MEXEG22: No. daily - last preg. (occ. smk) - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/W]	[Valid=169 / 100683.56 ] [Invalid=31964 / 27020879.95 ]
Universe	Respondents who answered MEXE_20 = (2, 7 or 8) or MEXE_01 = (1, 7 or 8) and [SMKE_202 = (3, 7 or 8) and (SMKE_01A = (2, 7 or 8) and SMKE_01B = (7 or 8) or SMKE_01A = (7 or 8) and SMKE_01B = (2, 7 or 8)) or SMKE_01A = 8 and SMKE_01B = 8] or MEXE_01 = (7 or 8) and (SMKE_202 = (1 or 2) or SMKE_01A = 1 or SMKE_01B = 1)
Literal question	On the days that you smoked, how many cigarettes did you usually smoke?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	47	27627.4	27.4%
2	2 CIGARETTES	41	29014.2	28.8%
3	3 CIGARETTES	27	18466.9	18.3%
4	4 CIGARETTES	13	4252.3	4.2%
5	5 CIGARETTES	24	11474.6	11.4%
6	6+ CIGARETTES	17	9848.3	9.8%

# MEXEG22: No. daily - last pr	reg. (occ. smk) - (G	)
--------------------------------	----------------------	---

Value	Label	Cases	Weighted
96	NOT APPLICABLE	31890	26934703.9
97	DON'T KNOW	0	0.0
98	REFUSAL	0	0.0
99	NOT STATED	74	86176.1

## **#MEXE\_23: Smoked while breastfeeding (occ. smoker)**

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=950 / 672120.89 ] [Invalid=31183 / 26449442.62 ]
Universe	Respondents who answered (MEXE_03 = (1, 7 or 8) or MEXE_01 = (7 or 8)) and (SMKE_202 = (3, 7 or 8) and (SMKE_01A = (2, 7 or 8) and SMKE_01B = (7 or 8) or SMKE_01A = (7 or 8) and SMKE_01B = (2, 7 or 8)) or SMKE_01A = 8 and SMKE_01B = 8 or SMKE_202 = (1 or 2) or SMKE_01A = 1 or SMKE_01B = 1)
Literal question	When you were breastfeeding (your last baby), did you smoke daily, occasionally or not at all?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	134	61614.5	9.2%
2	OCCASIONALLY	106	60581.6	9.0%
3	NOT AT ALL	710	549924.8	81.8%
6	NOT APPLICABLE	31110	26365864.0	
7	DON'T KNOW	1	270.1	
8	REFUSAL	0	0.0	
9	NOT STATED	72	83308.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# $\mbox{\#}\,\mbox{MEXEG24:}\,\mbox{No/day}$ - breastfeeding (daily smk)-(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/W]	[Valid=134 / 61614.51 ] [Invalid=31999 / 27059949 ]
Universe	Respondents who answered MEXE_23 = (1, 7 or 8) or (MEXE_03 = (1, 7 or 8) or MEXE_01 = (7 or 8)) and [SMKE_202 = (3, 7 or 8) and (SMKE_01A = (2, 7 or 8) and SMKE_01B = (7 or 8) or SMKE_01A = (7 or 8) and SMKE_01B = (2, 7 or 8)) or SMKE_01A = 8 and SMKE_01B = 8] or (MEXE_20 = (7 or 8) or MEXE_03 = (7 or 8) or MEXE_01 = (7 or 8)) and (SMKE_202 = (1 or 2) or SMKE_01A = 1 or SMKE_01B = 1)
Literal question	How many cigarettes did you usually smoke each day?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	4	2516.7	4.1%
2	2 CIGARETTES	1	436.7	0.7%
3	3 CIGARETTES	5	904.9	1.5%
4	4 CIGARETTES	10	2925.6	4.7%
5	5 CIGARETTES	27	10589.9	17.2%
6	6 TO 10 CIG.	46	28835.8	46.8%
7	11 TO 15 CIG.	29	10480.4	17.0%
8	16+ CIGARETTES	12	4924.5	8.0%
96	NOT APPLICABLE	31926	26976370.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	73	83578.6	
Warning: these f	Varning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# MEXEG25: No. daily	*MEXEG25: No. daily - breastfeeding (occ. smk)-(G)		
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/W]	[Valid=104 / 59955.67 ] [Invalid=32029 / 27061607.84 ]		
Universe	Respondents who answered MEXE_23 = (2, 7 or 8) or (MEXE_03 = (1, 7 or 8) or MEXE_01 = (7 or 8)) and [SMKE_202 = (3, 7 or 8) and (SMKE_01A = (2, 7 or 8) and SMKE_01B = (7 or 8) or SMKE_01A = (7 or 8) and SMKE_01B = (2, 7 or 8)) or SMKE_01A = 8 and SMKE_01B = 8] or (MEXE_20 = (7 or 8) or MEXE_03 = (7 or 8) or MEXE_01 = (7 or 8)) and (SMKE_202 = (1 or 2) or SMKE_01A = 1 or SMKE_01B = 1)		
Literal question	On the days that you smoked, how many cigarettes did you usually smoke?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	36	22914.0	38.2%
2	2 CIGARETTES	31	18433.4	30.7%
3	3 CIGARETTES	13	6587.6	11.0%
4	4 CIGARETTES	7	2931.6	4.9%
5	5 CIGARETTES	10	6649.6	11.1%
6	6+ CIGARETTES	7	2439.4	4.1%
96	NOT APPLICABLE	31954	26977403.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	75	84204.5	

## $\#\,MEXE\_26\colon 2nd\text{-}hand\ smoke\ -\ during/after\ last\ preg.$

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=1882 / 1445894.02 ] [Invalid=30251 / 25675669.49 ]
Universe	Respondents who answered MEXE_01 = (1, 7 or 8)
Literal question	Did anyone regularly smoke in your presence during or after the pregnancy (about 6 months after)?
Notes	Formerly BRFA_14 in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	354	219515.2	15.2%
2	NO	1528	1226378.8	84.8%
6	NOT APPLICABLE	30101	25483054.3	
7	DON'T KNOW	1	270.1	
8	REFUSAL	0	0.0	
9	NOT STATED	149	192345.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# **#MEXE\_30: Drank alcohol - last pregnancy**

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=1729 / 1287141.72 ] [Invalid=30404 / 25834421.79 ]	
Universe	Respondents who answered MEXE_01 = (1, 7 or 8) and (ALCE_1 = (1, 7 or 8) or ALCE_5B = (1, 7 or 8))	
Literal question	Did you drink any alcohol during your last pregnancy?	
Notes	Formerly BRFA_20 in cycle 1.1.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	172	159052.0	12.4%
2	NO	1557	1128089.7	87.6%
6	NOT APPLICABLE	30276	25671615.6	
7	DON'T KNOW	1	270.1	

## #MEXE\_30: Drank alcohol - last pregnancy

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	127	162536.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #MEXE\_31: Freq. of drinking - last pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/W]	[Valid=172 / 159052.01 ] [Invalid=31961 / 26962511.5 ]
Universe	Respondents who answered MEXE_30 = (1, 7 or 8) or MEXE_01 = (1, 7 or 8) and (ALCE_1 = (7 or 8) or ALCE_5B = (7 or 8)) or MEXE_01 = (7 or 8) and (ALCE_1 = 1 or ALCE_5B = 1)
Literal question	How often did you drink?
Notes	Formerly BRFA_21 in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighter	d)
1	< ONCE A MONTH	125	113659.5		71.5%
2	ONCE A MONTH	21	20980.8	13.2%	
3	2 TO 3 TIMES/MO	7	6463.7	4.1%	
4	ONCE/WEEK	13	12753.3	8.0%	
5	2 TO 3 TIMES/WK	5	4115.0	2.6%	
6	4 TO 6 TIMES/WK	0	0.0		
7	EVERY DAY	1	1079.7	0.7%	
96	NOT APPLICABLE	31833	26799705.3		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	128	162806.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #MEXE\_32: Drank alcohol - breastfeeding last baby

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=1441 / 1092752.59] [Invalid=30692 / 26028810.92]	
Universe	Respondents who answered (MEXE_03 = (1, 7 or 8) or MEXE_01 = (7 or 8)) and (ALCE_1 = (1, or 8) or ALCE_5B = (1, 7 or 8)
Literal question	Did you drink any alcohol while you were breastfeeding (your last baby)?
Notes	Formerly BRFA_22 in cycle 1.1.

Value	Label	Cases	Weighted
1	YES	301	251852.9
2	NO	1140	840899.7
6	NOT APPLICABLE	30562	25863251.4
7	DON'T KNOW	1	1040.0
8	REFUSAL	0	0.0
9	NOT STATED	129	164519.5

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **#MEXE\_33:** Freq. drinking - breastfeeding last baby

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/W]	[Valid=301 / 251852.93 ] [Invalid=31832 / 26869710.58 ]
Universe	Respondents who answered MEXE_32 = (1, 7 or 8) or MEXE_03 = 1 and MEXE_30 = (7 or 8) or (MEXE_03 = (1, 7 or 8) or MEXE_01 = (7 or 8)) and (ALCE_1 = (7 or 8) or ALCE_5B = (7 or 8)) or (MEXE_03 = (7 or 8) or MEXE_01 = (7 or 8)) and (ALCE_1 = 1 or ALCE_5D = 1)

# **#MEXE\_33:** Freq. drinking - breastfeeding last baby

Literal question	How often did you drink?
Notes	Formerly BRFA_23 in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< ONCE A MONTH	178	133829.9	53.1%
2	ONCE A MONTH	44	45742.5	18.2%
3	2 TO 3 TIMES/MO	23	22005.5	8.7%
4	ONCE/WEEK	37	35161.9	14.0%
5	2 TO 3 TIMES/WK	14	12546.2	5.0%
6	4 TO 6 TIMES/WK	0	0.0	
7	EVERY DAY	5	2566.9	1.0%
96	NOT APPLICABLE	31702	26704151.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	130	165559.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #MEXEDEBF: Duration of exclusive breastfeeding- (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/W]	[Valid=1775 / 1362965.94 ] [Invalid=30358 / 25758597.57 ]
Universe Respondents who answered MEXE_03 = (2, 7 or 8) or MEXE_05 = (2, 7 or 8) or MEXE_07 < 13 or MEXE_07 = or MEXE_01 = (7 or 8)	
Literal question	Duration of exclusive breastfeeding- (D)
Notes	Based on MEXE_03, MEXE_06, MEXE_07. Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old are excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who still breastfeed and who have not yet added any other liquid or solid foods to the baby's feeds are also excluded. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	DID NOT BF/LAST	300	199766.1	14.7%
1	< I WEEK	145	123233.1	9.0%
2	1 TO < 5 WEEKS	190	131104.5	9.6%
3	5 TO < 12 WEEKS	157	132446.5	9.7%
4	12 TO < 20 WEEKS	418	343587.6	25.2%
5	20 TO < 28 WEEKS	389	307291.7	22.5%
6	28 WKS TO < 1 YR	158	113835.6	8.4%
7	> 1 YEAR	18	11701.0	0.9%
96	NOT APPLICABLE	30191	25552454.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	167	206143.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # MEXEFEB4: Exclusive breastfeeding 4 mo - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=1775 / 1362965.94 ] [Invalid=30358 / 25758597.57 ]	
Universe	Respondents who answered MEXE_03 = (2, 7 or 8) or MEXE_05 = (2, 7 or 8) or MEXE_07 < 13 or MEXE_07 = (97 or 98) or MEXE_01 = (7 or 8)
Literal question	Exclusive breastfeeding 4 mo - (F)

## #MEXEFEB4: Exclusive breastfeeding 4 mo - (F)

Notes

Based on MEXE\_03, MEXE\_06, MEXE\_07. Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old are excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who still breastfeed and who have not yet added any other liquid or solid foods to the baby's feeds are also excluded. See documentation on derived variables.

Value	Label	Cases	Weighted
1	YES	829	657071.1
2	NO	946	705894.8
6	NOT APPLICABLE	30191	25552454.3
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	167	206143.3

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # REPE\_1: Repetitive strain injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=31617 / 26550511.92 ] [Invalid=516 / 571051.59 ]			
Universe	All respondents		
Literal question	In the past 12 months, did you have any injuries due to repetitive strain which were serious enough to limit your normal activities?		
Notes	Repetitive strain injuries mean injuries caused by overuse or by repeating the same movement frequently.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3247	2733274.6	10.3%
2	NO	28370	23817237.3	89.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	92	77036.5	
8	REFUSAL	131	99525.4	
9	NOT STATED	293	394489.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # REPEG3: Rep. strain - body part affected - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/W]	[Valid=3246 / 2731570.4 ] [Invalid=28887 / 24389993.11 ]		
Universe	Respondents who answered REPE_1 = (1, 7 or 8)		
Literal question	Thinking about the most serious repetitive strain, what part of the body was affected?		

¥7-1	Tabal	Cases	Weighted	Percentage (Weighted)
Value	Label	Cases	weighted	rercemage (weighted)
1	NECK	108	79580.9	2.9%
2	SHOULDER /UP ARM	636	562736.2	20.6%
3	ELBOW, LOWER ARM	476	389024.7	14.2%
4	WRIST / HAND	805	587709.7	21.5%
5	KNEE / LOWER LEG	298	305119.8	11.2%
6	ANKLE / FOOT	198	176529.1	6.5%
7	UPPER BACK	111	101489.6	3.7%
8	LOWER BACK	472	399769.8	14.6%
9	OTHER	142	129610.6	4.7%
96	NOT APPLICABLE	28370	23817237.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	

## #REPEG3: Rep. strain - body part affected - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
99	NOT STATED	517	572755.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # REPE\_4A: Rep. strain - sports / exercise

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3178 / 2687491.8 ] [Invalid=28955 / 24434071.71 ]
Universe	Respondents who answered REPE_1 = (1, 7 or 8)
Literal question	What type of activity were you doing when you got this repetitive strain? - Sports or physical exercise (including school activities)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	723	663179.2	24.7%
2	NO	2455	2024312.6	75.3%
6	NOT APPLICABLE	28370	23817237.3	
7	DON'T KNOW	68	44078.6	
8	REFUSAL	1	1704.2	
9	NOT STATED	516	571051.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # REPE\_4B: Rep. strain - leisure/hobby

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W]	[Valid=3178 / 2687491.8 ] [Invalid=28955 / 24434071.71 ]		
Universe	Respondents who answered REPE_1 = (1, 7 or 8)		
Literal question	What type of activity were you doing when you got this repetitive strain? - Leisure or hobby (include volunteering)		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	286	213226.0	7.9%
2	NO	2892	2474265.8	92.1%
6	NOT APPLICABLE	28370	23817237.3	
7	DON'T KNOW	68	44078.6	
8	REFUSAL	1	1704.2	
9	NOT STATED	516	571051.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # REPE\_4C: Rep. strain - job/business

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3178 / 2687491.8 ] [Invalid=28955 / 24434071.71 ]
Universe	Respondents who answered REPE_1 = (1, 7 or 8)
Literal question	What type of activity were you doing when you got this repetitive strain? - Working at a job or business (exclude travel to or from work)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1544	1310310.9	48.8%
2	NO	1634	1377180.9	51.2%
6	NOT APPLICABLE	28370	23817237.3	
7	DON'T KNOW	68	44078.6	
8	REFUSAL	1	1704.2	
9	NOT STATED	516	571051.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# REPE_4G: Rep. strain - travel to/from work		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3178 / 2687491.8 ] [Invalid=28955 / 24434071.71 ]	
Universe Respondents who answered REPE $_1 = (1, 7 \text{ or } 8)$		
Literal question	What type of activity were you doing when you got this repetitive strain? - Travel to or from work	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25	23126.6	0.9%
2	NO	3153	2664365.2	99.1%
6	NOT APPLICABLE	28370	23817237.3	
7	DON'T KNOW	68	44078.6	
8	REFUSAL	1	1704.2	
9	NOT STATED	516	571051.6	

## #REPE\_4D: Rep. strain - chores, unpaid work, ed.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3178 / 2687491.8 ] [Invalid=28955 / 24434071.71 ]
Universe	Respondents who answered REPE_1 = (1, 7 or 8)
Literal question	What type of activity were you doing when you got this repetitive strain? - Household chores, other unpaid work or education

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	426	334817.5	12.5%
2	NO	2752	2352674.3	87.5%
6	NOT APPLICABLE	28370	23817237.3	
7	DON'T KNOW	68	44078.6	
8	REFUSAL	1	1704.2	
9	NOT STATED	516	571051.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #REPE\_4E: Rep. strain - sleeping, eating, care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3178 / 2687491.8 ] [Invalid=28955 / 24434071.71 ]	
Universe Respondents who answered REPE_1 = (1, 7 or 8)		
Literal question	What type of activity were you doing when you got this repetitive strain? - Sleeping, eating, personal care	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	48	40876.8	1.5%
2	NO	3130	2646615.0	98.5%
6	NOT APPLICABLE	28370	23817237.3	
7	DON'T KNOW	68	44078.6	
8	REFUSAL	1	1704.2	
9	NOT STATED	516	571051.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # REPE\_4F: Rep. strain - other

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=3178 / 2687491.8 ] [Invalid=28955 / 24434071.71 ]
Universe Respondents who answered REPE_1 = (1, 7 or 8)	

## #REPE\_4F: Rep. strain - other

**Literal question** What type of activity were you doing when you got this repetitive strain? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	305	235364.7	8.8%
2	NO	2873	2452127.1	91.2%
6	NOT APPLICABLE	28370	23817237.3	
7	DON'T KNOW	68	44078.6	
8	REFUSAL	1	1704.2	
9	NOT STATED	516	571051.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #INJE\_01: Injured in past 12 mo

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=31643 / 26568606.27 ] [Invalid=490 / 552957.24 ]	
Universe	All respondents
Literal question	(Not counting repetitive strain injuries,) in the past 12 months, were you injured?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4319	3720271.3	14.0%
2	NO	27324	22848335.0	86.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	63	58945.5	
8	REFUSAL	130	96825.0	
9	NOT STATED	297	397186.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # INJEG02: No. of injuries in past 12 mo - (G)

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=4308 / 3708326.51 ] [Invalid=27825 / 23413237 ]	
Universe Respondents who answered INJE_01 = (1, 7 or 8)	
Literal question	How many times were you injured?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONE INJURY	3368	2880910.8	77.7%
2	TWO INJURIES	572	520420.2	14.0%
3	3 TO 5 INJURIES	290	252096.8	6.8%
4	6+ INJURIES	78	54898.6	1.5%
6	NOT APPLICABLE	27324	22848335.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	501	564902.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # INJEG05: Most serious injury - type - (G)

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W] [Valid=4300 / 3704012.81 ] [Invalid=27833 / 23417550.7 ]	
Universe Respondents who answered INJE_01 = (1, 7 or 8)	
Literal question What type of injury did you have? For example, a broken bone or burn.	

## # INJEG05: Most serious injury - type - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MULT INJURIES	75	67506.2	1.8%
2	BROKEN BONES	902	729651.3	19.7%
3	BURN, SCALD, CHE	141	111750.6	3.0%
4	DISLOCATION	124	102370.2	2.8%
5	SPRAIN OR STRAIN	1682	1499537.5	40.5%
6	CUT, PUNCTURE	461	419937.0	11.3%
7	SCRAP, BRUISE	294	231906.8	6.3%
8	CONCUSSION OR IN	82	69444.3	1.9%
9	OTHER	539	471908.8	12.7%
96	NOT APPLICABLE	27324	22848335.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	509	569215.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #INJEG06: Most serious inj. - body part aff. - (G)

Information [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/ W] [Valid=4175 / 3599572.24 ] [Invalid=27958 / 23521991.27 ]	
Universe Respondents who answered INJE_01 = (1, 7 or 8)	
Literal question What part of the body was injured?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MULTIPLE SITES	81	57948.7	1.6%
2	EYES/HEAD/NECK	296	261200.7	7.3%
3	SHOULDER, UPPER	344	290475.3	8.1%
4	ELBOW,LOWER ARM	173	139732.3	3.9%
5	WRIST OR HAND	808	707865.7	19.7%
6	HIP OR THIGH	157	117325.2	3.3%
7	KNEE, LOWER LEG	540	467828.5	13.0%
8	ANKLE, FOOT	995	880347.4	24.5%
9	UPPER OR LOWER B	579	519840.8	14.4%
10	CHEST OR ABDOMEN	202	157007.6	4.4%
96	NOT APPLICABLE	27447	22947932.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	511	574058.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # INJEG08: Most serious injury - place - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/W]	[Valid=4268 / 3665478.89 ] [Invalid=27865 / 23456084.62 ]
Universe	Respondents who answered INJE_01 = (1, 7 or 8)
Literal question	Where did the injury happen ?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	HOME/SURRROUNDNG	1587	1283284.1	35.0%
2	RESIDENT./SCHOOL	284	234360.1	6.4%

## # INJEG08: Most serious injury - place - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
3	SPORTS/ATHLETICS	329	307732.3	8.4%
4	OTHER SPORTS	541	492732.9	13.4%
5	STREET, HIGHWAY	481	384833.8	10.5%
6	COMMERCIAL AREA	281	232225.7	6.3%
7	INDUSTRIAL AREA	267	247647.0	6.8%
8	OTHER	498	482663.0	13.2%
96	NOT APPLICABLE	27324	22848335.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	541	607749.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # INJEG09: Most serious injury - act. when inj.-(G)

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/W] [Valid=4270 / 3665530.98 ] [Invalid=27863 / 23456032.53 ]	
Universe	Respondents who answered INJE_01 = (1, 7 or 8)
Literal question	What type of activity were you doing when you were injured?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SPORTS OR PHYSIC	1267	1165643.8	31.8%
2	LEISURE OR HOBBY	539	414555.0	11.3%
3	WORKING AT A JOB	699	618529.1	16.9%
4	TRAVEL TO AND FR	185	166036.8	4.5%
5	HOUSEHOLD CHORES	688	536346.6	14.6%
6	OTHER	892	764419.8	20.9%
96	NOT APPLICABLE	27324	22848335.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	539	607697.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #INJE\_10: Most serious injury - result of a fall

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=4293 / 3690294.13 ] [Invalid=27840 / 23431269.38 ]	
Universe	Respondents who answered INJE_01 = (1, 7 or 8)
Literal question	Was the injury the result of a fall?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1844	1520242.8	41.2%
2	NO	2449	2170051.3	58.8%
6	NOT APPLICABLE	27324	22848335.0	
7	DON'T KNOW	12	16558.7	
8	REFUSAL	2	679.1	
9	NOT STATED	502	565696.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # INJEG11: Most serious injury - how fell - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

# # INJEG11: Most serious injury - how fell - (G) Statistics [NW/W] [Valid=1838 / 1515857.55] [Invalid=30295 / 25605705.96] Universe Respondents who answered INJE\_10 = (1, 7 or 8) or INJE\_01 = (7 or 8) or INJE\_02 = (97 or 98) Literal question How did you fall?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	WHILE SKATING,SK	247	237723.2	15.7%
2	GOING UP/DOWN	346	262159.7	17.3%
3	ON ICE	252	190030.3	12.5%
4	SLIP, TRIP, STUM	617	497160.4	32.8%
5	OTHER	376	328784.0	21.7%
6	NOT APPLICABLE	29773	25018386.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	522	587319.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #INJE\_13: Most serious inj. - rec'd treat./48 hrs.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=4300 / 3702315.87 ] [Invalid=27833 / 23419247.64 ]	
Universe Respondents who answered INJE_01 = (1, 7 or 8)	
Literal question	Did you receive any medical attention for the injury from a health professional in the 48 hours following the injury?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2647	2259947.6	61.0%
2	NO	1653	1442368.2	39.0%
6	NOT APPLICABLE	27324	22848335.0	
7	DON'T KNOW	6	4580.4	
8	REFUSAL	1	635.7	
9	NOT STATED	502	565696.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # INJE\_14A: Most ser. inj. - treated/doctor's office

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/W]</b> [Valid=2640 / 2255379.05 ] [Invalid=29493 / 24866184.46 ]	
Universe	Respondents who answered INJE_13 = (1, 7 or 8) or INJE_01 = (7 or 8) or INJE_02 = (97 or 98)
Literal question	Where did you receive treatment? - Doctor's office

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	475	402623.6	17.9%	
2	NO	2165	1852755.4		82.1%
6	NOT APPLICABLE	28977	24290703.3		
7	DON'T KNOW	7	4568.6		
8	REFUSAL	0	0.0		
9	NOT STATED	509	570912.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #INJE\_14B: Most serious inj. - emerg. room

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=2640 / 2255379.05 ] [Invalid=29493 / 24866184.46 ]	

## #INJE\_14B: Most serious inj. - emerg. room

Universe Respondents who answered INJE $_13 = (1, 7 \text{ or } 8) \text{ or INJE}_01 = (7 \text{ or } 8) \text{ or INJE}_02 = (97 \text{ or } 98)$ 

**Literal question** Where did you receive treatment? - Hospital emergency room

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1524	1296290.4	57.5%
2	NO	1116	959088.7	42.5%
6	NOT APPLICABLE	28977	24290703.3	
7	DON'T KNOW	7	4568.6	
8	REFUSAL	0	0.0	
9	NOT STATED	509	570912.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # INJEG14C: Treatment site - clinic - (G)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W] [Valid=2640 / 2255379.05 ] [Invalid=29493 / 24866184.46 ]			
Universe	Respondents who answered INJE_13 = (1, 7 or 8) or INJE_01 = (7 or 8) or INJE_02 = (97 or 98)		
Literal question	Literal question Treatment site - clinic - (G)		
Notes	Based on INJE_14C, INJE_14D, INJE_14E, INJE_14F. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	538	443464.0	19.7%
2	NO	2102	1811915.0	80.3
6	NOT APPLICABLE	28977	24290703.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	516	575481.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # INJEG14G: Most ser. inj. - treat. W/S/H - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/W] [Valid=2640 / 2255379.05 ] [Invalid=29493 / 24866184.46 ]			
Universe	espondents who answered INJE_13 = (1, 7 or 8) or INJE_01 = (7 or 8) or INJE_02 = (97 or 98)		
Literal question	Most ser. inj treat. W/S/H - (G)		
Notes	Based on INJE_14G, INJE_14H, INJE_14I. See documentation on derived variables.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	66	64019.1	2.8%
2	NO	2574	2191359.9	97.2%
6	NOT APPLICABLE	28977	24290703.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	516	575481.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # INJEG14J: Most ser. inj. - telephone/other - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
<b>Statistics [NW/ W]</b> [Valid=2640 / 2255379.05 ] [Invalid=29493 / 24866184.46 ]		
Universe Respondents who answered INJE_13 = (1, 7 or 8) or INJE_01 = (7 or 8) or INJE_02 = (97 or 98)		
Literal question Most ser. inj telephone/other - (G)		

# # INJEG14J: Most ser. inj. - telephone/other - (G)

Notes Based on INJE\_14J, INJE\_14K. See documentation on derived variables.

Value	Label	Cases	Weighted		Percenta
1	YES	118	121047.4	5.4%	
2	NO	2522	2134331.6		
6	NOT APPLICABLE	28977	24290703.3		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	516	575481.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #INJE\_15: Most serious injury - hospital admission

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
<b>Statistics [NW/W]</b> [Valid=2644 / 2259251.58 ] [Invalid=29489 / 24862311.93 ]		
Universe Respondents who answered INJE_13 = (1, 7 or 8) or INJE_01 = (7 or 8) or INJE_02 = (97 or 98)		
Literal question	Were you admitted to a hospital overnight?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	218	175857.1	7.8%
2	NO	2426	2083394.5	92.2%
6	NOT APPLICABLE	28977	24290703.3	
7	DON'T KNOW	1	189.5	
8	REFUSAL	1	493.6	
9	NOT STATED	510	570925.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #INJE\_16: Other injuries - treated / not limiting

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=31605 / 26532151.56 ] [Invalid=528 / 589411.95 ]	
Universe	All respondents	
Literal question	Did you have any other injuries in the past 12 months that were treated by a health professional, but did not limit your normal activities?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1610	1414053.1	5.3%
2	NO	29995	25118098.4	94.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	15	15380.6	
8	REFUSAL	7	6484.3	
9	NOT STATED	506	567547.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # INJEG17: Other injuries - number - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=1602 / 1409696.97 ] [Invalid=30531 / 25711866.54 ]
Universe	Respondents who answered INJE_16 = (1, 7 or 8) or INJE_01 = (7 or 8) or INJE_02 = (97 or 98)
Literal question	How many injuries?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONE INJURY	1335	1147994.1	81.4%

# # INJEG17: Other injuries - number - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
2	2 TO 5 INJURIES	234	229605.9	16.3%
3	6 OR MORE INJ.	33	32097.0	2.3%
6	NOT APPLICABLE	29995	25118098.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	536	593768.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # INJEGCAU: Cause of injury - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/W]	[Valid=4256 / 3668393.07 ] [Invalid=27877 / 23453170.44 ]	
Universe	Respondents who answered INJE_ $01 = (1, 7 \text{ or } 8)$	
Literal question	iteral question Cause of injury - (D,G)	
Notes	Based on INJE_10, INJE_12. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FALL	1844	1520242.8	41.4%
2	TRANSPORT ACC	194	168679.9	4.6%
3	ACC. BUMPED	218	173759.7	4.7%
4	ACC. STRUCK	289	246235.8	6.7%
5	ACC. SHARP OBJCT	299	273354.7	7.5%
6	OVEREXERTION	623	566013.3	15.4%
7	OTHER	789	720107.0	19.6%
96	NOT APPLICABLE	27324	22848335.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	553	604835.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # INJEDSTT: Injury Status - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/W]	Valid=31605 / 26532151.56 ] [Invalid=528 / 589411.95 ]	
Universe	All respondents	
Literal question	Injury Status - (D)	
Notes	Based on INJE_01, INJE_16. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NO INJURIES	26029	21695851.0	81.8%
1	ACTIVITY-LIMIT.	3966	3422247.4	12.9%
2	NON-ACT-LIMIT.	1278	1135163.2	4.3%
3	LIM AND NON-LIM	332	278889.9	1.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	528	589412.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# SXBE_1: Ever had sexual intercourse		
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	Valid=16252 / 15181793.56 ] [Invalid=15881 / 11939769.95 ]	
Universe	Respondents aged 15 to 49	
Literal question	Have you ever had sexual intercourse?	
Notes	The "not stated" category includes people who did the interview by proxy.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14545	13523257.8	89.1%
2	NO	1707	1658535.8	10.9%
6	NOT APPLICABLE	15039	11055342.2	
7	DON'T KNOW	115	113157.8	
8	REFUSAL	404	346093.0	
9	NOT STATED	323	425176.9	

# #SXBE\_3: Had sexual intercourse - past 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=13938 / 13044491.65 ] [Invalid=18195 / 14077071.86 ]	
Universe	Respondents who answered SXBE_1 = (1, 7 or 8) or SXBE_2 = (997 or 998)	
Literal question	In the past 12 months, have you had sexual intercourse?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12626	12080688.6	92.6%
2	NO	1312	963803.1	7.4%
6	NOT APPLICABLE	16746	12713878.0	
7	DON'T KNOW	3	1585.5	
8	REFUSAL	16	13470.2	
9	NOT STATED	1430	1348138.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #SXBE\_07: Ever diagnosed with STD

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=13904 / 13010600.77 ] [Invalid=18229 / 14110962.74 ]
Universe	Respondents who answered SXBE_1 = (1, 7 or 8)
Literal question	Have you ever been diagnosed with a sexually transmitted disease?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1331	949369.2	7.3%	
2	NO	12573	12061231.6	92.7%	
6	NOT APPLICABLE	16746	12713878.0		
7	DON'T KNOW	7	6139.2		
8	REFUSAL	6	9736.1		
9	NOT STATED	1470	1381209.4		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# SXBE_7A: Condom use - last time				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	NW/ W] [Valid=5362 / 4340151.15 ] [Invalid=26771 / 22781412.36 ]			
Universe Respondents who answered (SXBE_3 = (1, 7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)) excluding those with DHHE_MS = (1 or 2) who answered SXBE_4 = 1				
Literal question	Did you use a condom the last time you had sexual intercourse?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2845	2413599.3	55
2	NO	2517	1926551.9	44.4%
6	NOT APPLICABLE	25288	21387469.2	
7	DON'T KNOW	8	5269.4	
8	REFUSAL	3	876.4	
9	NOT STATED	1472	1387797.2	

#### **#SXBE\_09: Important to avoid getting pregnant**

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=1304 / 1153106.06 ] [Invalid=30829 / 25968457.45 ]	
Universe	Females aged 24 or less who answered (SXBE_3 = (1, 7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)) and (MAME_037 = (2, 7 or 8) or MAME_030 = (7 or 8))	
Literal question	It is important to me to avoid getting pregnant right now.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	956	841737.0	73.0%
2	AGREE	250	235054.5	20.4%
3	NEITHER NOR	41	30909.3	2.7%
4	DISAGREE	37	27738.4	2.4%
5	STRONG DISAGREE	20	17666.9	1.5%
6	NOT APPLICABLE	30732	25872826.9	
7	DON'T KNOW	1	232.2	
8	REFUSAL	1	208.2	
9	NOT STATED	95	95190.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# $\#SXBE\_10$ : Important avoid getting partner pregnant

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/ W] [Valid=1134 / 1232702.36 ] [Invalid=30999 / 25888861.15 ]	
Universe Males aged 24 or less who answered SXBE_3 = (1, 7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)	
Literal question	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	789	858272.3	69.6%
2	AGREE	214	251862.5	20.4%
3	NEITHER NOR	33	30186.4	2.4%
4	DISAGREE	30	24782.0	2.0%
5	STRONG DISAGREE	17	19630.5	1.6%
6	NO PARTNER	51	47968.6	3.9%
96	NOT APPLICABLE	30840	25727142.8	
97	DON'T KNOW	4	7724.7	

## #SXBE\_10: Important avoid getting partner pregnant

Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	5	3396.7	
99	NOT STATED	150	150596.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #SXBE\_11: Usually use birth control - past 12 mo

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=2501 / 2425845.69 ] [Invalid=29632 / 24695717.82 ]
Universe	Respondents aged 24 or less who answered SXBE_3 = (1, 7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)
Literal question	In the past 12 months, did you and your partner usually use birth control?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2146	2110179.1	87.0%
2	NO	355	315666.6	13.0%
6	NOT APPLICABLE	29372	24443831.3	
7	DON'T KNOW	13	11994.0	
8	REFUSAL	0	0.0	
9	NOT STATED	247	239892.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #SXBE\_12A: Usual birth control method - condom

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=2130 / 2095462.07 ] [Invalid=30003 / 25026101.44 ]			
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)			
Literal question	What kind of birth control did you and your partner usually use? - Condom (male or female condom)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1245	1273783.4	60.8%
2	NO	885	821678.6	39.2%
6	NOT APPLICABLE	29727	24759497.9	
7	DON'T KNOW	16	14717.0	
8	REFUSAL	0	0.0	
9	NOT STATED	260	251886.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## $\#SXBE\_12B$ : Usual birth control method - the pill

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=2130 / 2095462.07 ] [Invalid=30003 / 25026101.44 ]			
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)			
Literal question	What kind of birth control did you and your partner usually use? - Birth control pill			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1423	1402439.8	66.9%
2	NO	707	693022.2	33.1%
6	NOT APPLICABLE	29727	24759497.9	
7	DON'T KNOW	16	14717.0	
8	REFUSAL	0	0.0	
9	NOT STATED	260	251886.5	

## #SXBE\_12B: Usual birth control method - the pill

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #SXBE\_12C: Usual birth control method - diaphragm

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=2130 / 2095462.07 ] [Invalid=30003 / 25026101.44 ]			
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)			
Literal question	What kind of birth control did you and your partner usually use? - Diaphragm			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	7505.8	0.4%
2	NO	2121	2087956.3	99.6%
6	NOT APPLICABLE	29727	24759497.9	
7	DON'T KNOW	16	14717.0	
8	REFUSAL	0	0.0	
9	NOT STATED	260	251886.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #SXBE\_12D: Usual birth control method - spermicide

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2130 / 2095462.07 ] [Invalid=30003 / 25026101.44 ]
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)
Literal question	What kind of birth control did you and your partner usually use? - Spermicide (e.g., foam, jelly, film)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	8564.7	0.4%
2	NO	2116	2086897.4	99.6%
6	NOT APPLICABLE	29727	24759497.9	
7	DON'T KNOW	16	14717.0	
8	REFUSAL	0	0.0	
9	NOT STATED	260	251886.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **#SXBE\_12F:** Usual birth control method - injection

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2130 / 2095462.07 ] [Invalid=30003 / 25026101.44 ]
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)
Literal question	What kind of birth control did you and your partner usually use? - Birth control injection (Deprovera)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	115	67062.0	3.2%	
2	NO	2015	2028400.1	96.8%	
6	NOT APPLICABLE	29727	24759497.9		
7	DON'T KNOW	16	14717.0		
8	REFUSAL	0	0.0		
9	NOT STATED	260	251886.5		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

#SXBE_12E: Usual birth control method - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/W]	[Valid=2130 / 2095462.07 ] [Invalid=30003 / 25026101.44 ]			
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8)			
Literal question	What kind of birth control did you and your partner usually use? - Other			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	70	64254.1	3.1%
2	NO	2060	2031208.0	96.9%
6	NOT APPLICABLE	29727	24759497.9	
7	DON'T KNOW	16	14717.0	
8	REFUSAL	0	0.0	
9	NOT STATED	260	251886.5	

#### #SXBE\_13A: B.c. method used last time - condom

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=2091 / 2065820.2 ] [Invalid=30042 / 25055743.31 ]	
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Condom (male or female condom)	

Value	Label	Cases	Weighted	Percentage (Weighte
1	YES	1168	1176938.7	
2	NO	923	888881.5	43.0
6	NOT APPLICABLE	29762	24781685.0	
7	DON'T KNOW	6	7503.2	
8	REFUSAL	0	0.0	
9	NOT STATED	274	266555.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## $\#\,SXBE\_13B\colon B.c.$ method used last time - the pill

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2091 / 2065820.2 ] [Invalid=30042 / 25055743.31 ]
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8) excluding females who answered MAME_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Birth control pill

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1266	1249093.5	60.5%
2	NO	825	816726.7	39.5%
6	NOT APPLICABLE	29762	24781685.0	
7	DON'T KNOW	6	7503.2	
8	REFUSAL	0	0.0	
9	NOT STATED	274	266555.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # SXBE\_13C: B.c. method used last time - diaphragm

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2091 / 2065820.2 ] [Invalid=30042 / 25055743.31 ]
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8) excluding females who answered MAME_037 = 1

# #SXBE\_13C: B.c. method used last time - diaphragm

**Literal question** What kind of birth control did you and your partner use the last time you had sex? - Diaphragm

Value	Label	Cases	Weighted	
1	YES	10	8341.2	0.4%
2	NO	2081	2057479.0	
6	NOT APPLICABLE	29762	24781685.0	
7	DON'T KNOW	6	7503.2	
8	REFUSAL	0	0.0	
9	NOT STATED	274	266555.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### **#SXBE\_13D: B.c. method used last time - spermicide**

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2091 / 2065820.2 ] [Invalid=30042 / 25055743.31 ]
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8) excluding females who answered MAME_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Spermicide (e.g., foam, jelly, film)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	10738.7	0.5%
2	NO	2080	2055081.5	99.5%
6	NOT APPLICABLE	29762	24781685.0	
7	DON'T KNOW	6	7503.2	
8	REFUSAL	0	0.0	
9	NOT STATED	274	266555.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #SXBE\_13E: B.c. method used last time - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2091 / 2065820.2 ] [Invalid=30042 / 25055743.31 ]
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8) excluding females who answered MAME_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	91	54630.9	2.6%
2	NO	2000	2011189.3	97.4%
6	NOT APPLICABLE	29762	24781685.0	
7	DON'T KNOW	6	7503.2	
8	REFUSAL	0	0.0	
9	NOT STATED	274	266555.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #SXBE\_13F: B.c. method used last time - injection

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=2091 / 2065820.2 ] [Invalid=30042 / 25055743.31 ]
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8) excluding females who answered MAME_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Birth control injection (Deprovera)

### #SXBE\_13F: B.c. method used last time - injection

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	66	67322.2	3.3%
2	NO	2025	1998498.0	96.7%
6	NOT APPLICABLE	29762	24781685.0	
7	DON'T KNOW	6	7503.2	
8	REFUSAL	0	0.0	
9	NOT STATED	274	266555.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **#SXBE\_13G:** Method used last time - nothing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=2091 / 2065820.2 ] [Invalid=30042 / 25055743.31 ]	
Universe	Respondents aged 24 or less who answered SXBE_11 = (1, 7 or 8) or SXBE_09 = 8 or SXBE_10 = 98 or SXBE_4 = 8 or SXBE_3 = (7 or 8) or SXBE_2 = (997 or 998) or SXBE_1 = (7 or 8) excluding females who answered MAME_037 = 1	
Literal question	What kind of birth control did you and your partner use the last time you had sex? - nothing	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	53	42514.3	2.1%
2	NO	2038	2023305.9	97.9%
6	NOT APPLICABLE	29762	24781685.0	
7	DON'T KNOW	6	7503.2	
8	REFUSAL	0	0.0	
9	NOT STATED	274	266555.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #LBSEDHPW: Total usual hrs. worked current - (D)

Information [Type= continuous] [Format=numeric] [Range= 1-169] [Missing=*]	
Statistics [NW/W] [Valid=17809 / 16295240.65 ] [Invalid=14324 / 10826322.86 ] [Mean=40.859 / 40.472 ] [StdDev=16.254 / 15.708 ]	
Universe Respondents who answered LBSE_01 = (1, 7 or 8) or LBSE_02 = (1, 7 or 8)	
Literal question Total usual hrs. worked current - (D)	
Notes Based on LBSE_42, LBSE_53. See documentation on derived variables.	

Value	Label	Cases	Weighted
996	NOT APPLICABLE	13663	10096708.9
997	DON'T KNOW	0	0.0
998	REFUSAL	0	0.0
999	NOT STATED	661	729614.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # LBSEDPFT: Full/part-time - current jobs - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=17809 / 16295240.65 ] [Invalid=14324 / 10826322.86 ]	
Universe	Respondents who answered LBSE_01 = (1, 7 or 8) or LBSE_02 = (1, 7 or 8)	
Literal question Full/part-time - current jobs - (D)		
Notes	Based on LBSEDHPW. Usual hours currently worked. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FULL-TIME	14898	13596066.3	83.4%
2	PART-TIME	2911	2699174.3	16.6%

# #LBSEDPFT: Full/part-time - current jobs - (D)

Value	Label	Cases	Weighted
6	NOT APPLICABLE	13663	10096708.9
7	DON'T KNOW	0	0.0
8	REFUSAL	0	0.0
9	NOT STATED	661	729614.0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # LBSEDWSS: Working status last week - 4 grps - (D)

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=27108 / 23594781.14 ] [Invalid=5025 / 3526782.37 ]	
Universe	Respondents aged 15 to 75
Literal question Working status last week - 4 grps - (D)	
Notes Based on LBSE_01, LBSE_02. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	AT WORK LAST WK	16487	15162598.0	64.3%
2	ABSENT LAST WK	1514	1305814.4	5.5%
3	NO JOB LAST WK	8406	6670316.6	28.3%
4	UNABLE/PERMANENT	701	456052.2	1.9%
6	NOT APPLICABLE	4556	2970340.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	469	556442.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **#SDCE\_8: Current student**

Information	ion [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W] [Valid=30017 / 25193719.5 ] [Invalid=2116 / 1927844.01 ]		
Universe	Respondents aged 14 or older	
Literal question Are you currently attending a school, college or university?		
Notes For educational attainment variables, see EDUE_01 - EDUEDR10.		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3630	3699261.4	14.7%
2	NO	26387	21494458.2	85.3%
6	NOT APPLICABLE	1562	1311849.9	
7	DON'T KNOW	77	56284.2	
8	REFUSAL	123	96602.7	
9	NOT STATED	354	463107.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #SDCE\_9: Full-time student/part-time student

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=3583 / 3659341.05 ] [Invalid=28550 / 23462222.46 ]
Universe	Respondents who answered SDCE_8 =( 1, 7 or 8)
Literal question	Are you enrolled as a full-time student or a part-time student?
Notes	For educational attainment variables, see EDUE_01 - EDUEDR10.

# **#SDCE\_9: Full-time student/part-time student**

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FULL-TIME	2712	2800897.1	76.5%
2	PART-TIME	871	858444.0	23.5%
6	NOT APPLICABLE	27949	22806308.1	
7	DON'T KNOW	46	39859.4	
8	REFUSAL	1	60.9	
9	NOT STATED	554	615994.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #SDCEGCBG: Country of birth - Canada/other - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=30719 / 25351800.25 ] [Invalid=1414 / 1769763.26 ]	
Universe	All respondents	
Literal question	Country of birth - Canada/other - (G)	
Notes	Based on SDCECCB. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	CANADA	27133	20934557.3	82.6%
2	OTHER	3586	4417243.0	17.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1414	1769763.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **#SDCEFIMM: Immigrant - (F)**

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=31517 / 26456687.41 ] [Invalid=616 / 664876.1 ]
Universe	All respondents
Literal question	Immigrant - (F)
Notes	Based on SDCE_3. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4225	5373649.1	20.3%
2	NO	27292	21083038.3	79.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	616	664876.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # SDCEGRES: Length/time in Canada since imm. - (D,G)

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/W]	[Valid=4225 / 5373649.11 ] [Invalid=27908 / 21747914.4 ]	
Universe	Respondents who answered SDCE_2 = (2, 7 or 8) or SDCE_1 = (97 or 98)	
Literal question	Length/time in Canada since imm (D,G)	
Notes	Based on SDCE_3 and ADME_YOI. See documentation on derived variables.	

# #SDCEGRES: Length/time in Canada since imm. - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	0 TO 9 YEARS	994	1471149.2	27.4%
2	10 OR MORE YEARS	3231	3902499.9	72.6%
6	NOT APPLICABLE	27292	21083038.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	616	664876.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #SDCEGCGT: Cultural or racial origin - (D, G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=31500 / 26436419.12 ] [Invalid=633 / 685144.39 ]
Universe	All respondents
Literal question	Cultural or racial origin - (D, G)
Notes	Based on SDCE_7A, SDCE_7B, SDCE_7C, SDCE_7D, SDCE_7E, SDCE_7F, SDCE_7G, SDCE_7H, SDCE_7I, SDCE_7J, SDCE_7J, SDCE_7K, SDCE_7M, SDCE_43A, SDCE_43B, SDCE_43C, SDCE_43D, SDCE_43E, SDCE_43G, SDCE_43H, SDCE_43I, SDCE_43J, SDCE_43K, SDCE_43L, SDCE_43M. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	WHITE	26892	22033226.7	83	3.3%
2	VISIBLE MINORITY	4608	4403192.4	16.7%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	633	685144.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #SDCEGLNG: Languages - can converse - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=31584 / 26513550.16 ] [Invalid=549 / 608013.35 ]	
Universe	All respondents	
Literal question	Languages - can converse - (D,G)	
Notes	Based on SDCE_5A, SDCE_5B, SDCE_5C, SDCE_5D, SDCE_5E, SDCE_5F, SDCE_5G, SDCE_5H, SDCE_5I, SDCE_5J, SDCE_5K, SDCE_5L, SDCE_5M, SDCE_5N, SDCE_5O, SDCE_5P, SDCE_5Q, SDCE_5R, SDCE_5S, SDCE_5T, SDCE_5U, SDCE_5V, SDCE_5W. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ENG. W-W/O OTHER	22118	16923842.1	63.8%
2	FRE. W-W/O OTHER	2881	3171634.7	12.0%
3	ENG./FRE. W-W/O	6332	6065359.6	22.9%
4	NOT ENGL. / FRE.	253	352713.8	1.3%
6	NOT APPLICABLE	0	0.0	
9	NOT STATED	549	608013.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # EDUEDH04: Highest level/edu. - HH 4 levels - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W] [Valid=29518 / 24175656.81 ] [Invalid=2615 / 2945906.7 ]		
Universe	All respondents	

# # EDUEDH04: Highest level/edu. - HH 4 levels - (D) Literal question Highest level/edu. - HH 4 levels - (D) Notes Based on EDUEDR04 for each member of the household. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< THAN SECONDARY	4195	1962163.3	8.1%	
2	SECONDARY GRAD.	3483	2491905.7	10.3%	
3	OTHER POST-SEC.	1831	1400696.6	5.8%	
4	POST-SEC. GRAD.	20009	18320891.2		75
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	2615	2945906.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # EDUEDR04: Highest level/edu. - HH 4 levels - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=31438 / 26355952.13 ] [Invalid=695 / 765611.38 ]	
Universe	All respondents	
Literal question	Highest level/edu HH 4 levels - (D)	
Notes	Based on EDUE_1, EDUE_2, EDUE_3, EDUE_4. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< THAN SECONDARY	9035	6309160.5	23.9%
2	SECONDARY GRAD.	4495	3968394.0	15.1%
3	OTHER POST-SEC.	2535	2312153.2	8.8%
4	POST-SEC. GRAD.	15373	13766244.5	52.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	695	765611.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # DHHEGHSZ: Household size - (D, G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=32130 / 27120191.48 ] [Invalid=3 / 1372.03 ]	
Universe	All respondents	
Literal question	eral question Household size - (D, G)	
Notes	Based on household roster, SAMPLEID, PERSONID. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 PERSON	8379	3173901.3	11.7%
2	2 PERSONS	11317	8669890.2	32.0%
3	3 PERSONS	5058	5217182.8	19.2%
4	4 PERSONS	4842	6126791.3	22.6%
5	5 OR + PERSONS	2534	3932425.9	14.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

# # DHHEGHSZ: Household size - (D, G)

ĺ	Value	Label	Cases	Weighted	Percentage (Weighted)
	9	NOT STATED	3	1372.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DHHEGL12: No. pers. < 12 years old in hhld - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/W] [Valid=32133 / 27121563.51 ] [Invalid=0 / 0 ]	
Universe	All respondents
Literal question No. pers. < 12 years old in hhld - (D,G)	
Notes	Based on SAMPLEID, PERSONID, DHHE_AGE. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NONE	25081	20468459.8	75.5%
1	1 OR MORE	7052	6653103.8	24.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #DHHEGLE5: No. pers. <= 5 years old in hhld - (D,G)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/W] [Valid=32133 / 27121563.51 ] [Invalid=0 / 0 ]	
Universe	All respondents
Literal question	No. pers. <= 5 years old in hhld - (D,G)
Notes Based on SAMPLEID, PERSONID, DHHE_AGE. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NONE	28200	23670362.9	87.3%
1	1 OR MORE	3933	3451200.6	12.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #DHHEG611: No. persons 6-11 years/in hhld - (D,G)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/W]	[Valid=32133 / 27121563.51 ] [Invalid=0 / 0 ]
Universe All respondents	
Literal question	No. persons 6-11 years/in hhld - (D,G)
Notes	Based on SAMPLEID, PERSONID, DHHE_AGE. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NONE	27576	22740966.8	83.8%
1	1 OR MORE	4557	4380596.7	16.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

# # DHHEG611: No. persons 6-11 years/in hhld - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DHHEGLVG: Living arrangements/selected resp -(D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/W] [Valid=31939 / 26896633.27 ] [Invalid=194 / 224930.24 ]	
Universe	All respondents
Literal question	Living arrangements/selected resp -(D,G)
Notes	Based on relationship matrix, DHHEDHSZ. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	UNATTACHED ALONE	8380	3174546.1	11.8%
2	UNATTACHED OTH	1347	1394097.4	5.2%
3	SPOUSE / PARTER	8865	6774678.0	25.2%
4	PAR SPOUSE CHILD	5746	7580708.2	28.2%
5	PARENT CHILD	1262	1001621.9	3.7%
6	CHILD PARENT SIB	1301	980362.6	3.6%
7	CHILD 2 PAR SIB	3594	3873555.7	14.4%
8	OTHER	1444	2117063.5	7.9%
96	NOT APPLICABLE	0	0.0	
99	NOT STATED	194	224930.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #DHHE\_OWN: Dwelling - owned by a member of hhld

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W] [Valid=31400 / 26322729.15 ] [Invalid=733 / 798834.36 ]	
Universe	Respondents with DHHEDDWE <> 7 (not living in institution)
Literal question	Is this dwelling owned by a member of this household?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22547	20249860.4	76.9%
2	NO	8853	6072868.7	23.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	136	125338.8	
8	REFUSAL	217	183904.0	
9	NOT STATED	380	489591.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # DHHEGBED: Dwelling - number of bedrooms - (G)

Information	formation [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
Statistics [NW/W]	[Valid=31319 / 26286446.38 ] [Invalid=814 / 835117.13 ]	
Universe	All respondents	
Literal question	How many bedrooms are there in this dwelling?	

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NO BEDROOMS	230	102992.4	0.4%
1	1 BEDROOM	3231	1750117.7	6.7%
2	2 BEDROOMS	7462	5139092.3	19.6%

# # DHHEGBED: Dwelling - number of bedrooms - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
3	3 BEDROOMS	12995	11013755.0	41.9%
4	4 OR + BEDROOMS	7401	8280488.9	31.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	814	835117.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # INCEG2: Total hhld inc. - main source - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	tatistics [NW/ W] [Valid=30059 / 25214489.78 ] [Invalid=2074 / 1907073.73 ]	
Universe	All respondents	
Literal question	What was the main source of income?	
Notes	In processing, if respondent reported only one source of income in INCE_1A through INCE_1N, the variable INCE_2 is given its value. The value 14 (none) is created during processing.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EMPLOYMENT INC.	21320	19855988.2	78.7%
2	EI/WORKER'S COMP	1246	717926.5	2.8%
3	SENIOR BENEFITS	6417	3848101.6	15.3%
4	OTHER	1076	792473.5	3.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2074	1907073.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # INCEGHH: Total hhld inc. from all sources - (D,G)

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=27255 / 22771295.06 ] [Invalid=4878 / 4350268.45 ]
Universe	All respondents
Literal question	Total hhld inc. from all sources - (D,G)
Notes	Based on INCE_3A, INCE_3B, INCE_3C, INCE_3D, INCE_3E, INCE_3F, INCE_3G. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO OR <\$15,000	2626	1259380.6	5.5%
2	\$15,000-\$29,999	4922	2903175.7	12.7%
3	\$30,000-\$49,999	6025	4605538.4	20.2%
4	\$50,000-\$79,999	6713	6243968.7	27.4%
5	\$80,000 OR MORE	6969	7759231.6	34.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	4878	4350268.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# INCEGPER: Total pers. inc. from all sources -(D,G)		
Information	pe= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/W]	lid=26022 / 21753197.5 ] [Invalid=6111 / 5368366.01 ]	
Universe	espondents aged 15 and over	
Literal question	Total pers. inc. from all sources -(D,G)	
Notes	Based on INCE_4A, INCE_4C, INCE_4D, INCE_4F, INCE_4G. See documentation on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO INCOME	1177	1203108.6	5.5%
2	LESS THAN 15,000	6737	5067044.6	23.3%
3	\$15,000-\$29,999	6457	4905988.1	22.6%
4	\$30,000-\$49,999	5960	5212779.7	24.0%
5	\$50,000-\$79,999	4000	3683197.1	16.9%
6	\$80,000 OR MORE	1691	1681079.5	7.7%
96	NOT APPLICABLE	1562	1311849.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	4549	4056516.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # INCEDRCA: Household income distribution - (D)

Information	formation [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/W]	[Valid=24976 / 22704835.79 ] [Invalid=7157 / 4416727.72 ]	
Universe	Respondents with GEOE_PRV < 60	
Literal question	Household income distribution - (D)	
Notes	Based on INCEDADR. See document on derived variables.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DECILE 1	3011	2242482.0	9.9%
2	DECILE 2	2975	2260600.0	10.0%
3	DECILE 3	2721	2286789.8	10.1%
4	DECILE 4	2568	2354998.8	10.4%
5	DECILE 5	2310	2251433.4	9.9%
6	DECILE 6	2482	2268967.9	10.0%
7	DECILE 7	2330	2307598.0	10.2%
8	DECILE 8	2212	2315636.7	10.2%
9	DECILE 9	2079	2181079.4	9.6%
10	DECILE 10	2288	2235249.9	9.8%
96	NOT APPLICABLE	2655	76768.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	4502	4339959.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # INCEDRPR: Hhld inc. distribution-prov. level - (D)

Information [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/W] [Valid=24976 / 22704835.79 ] [Invalid=7157 / 4416727.72 ]	
Literal question Hhld inc. distribution-prov. level - (D)	

# # INCEDRPR: Hhld inc. distribution-prov. level - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DECILE 1	3046	2227776.9	9.8%
2	DECILE 2	2805	2255037.0	9.9%
3	DECILE 3	2651	2374314.7	10.5%
4	DECILE 4	2482	2261030.1	10.0%
5	DECILE 5	2432	2328151.6	10.3%
6	DECILE 6	2304	2213389.6	9.7%
7	DECILE 7	2332	2268219.3	10.0%
8	DECILE 8	2298	2313876.1	10.2%
9	DECILE 9	2238	2267262.1	10.0%
10	DECILE 10	2388	2195778.4	9.7%
96	NOT APPLICABLE	2655	76768.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	4502	4339959.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# $\mbox{\#}$ INCEDRRS: Hhld inc. distribution- hr level - (D)

Information [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/W] [Valid=24976 / 22704835.79 ] [Invalid=7157 / 4416727.72 ]	
Universe	Respondents with GEOE_PRV < 60
Literal question Hhld inc. distribution- hr level - (D)	
Notes	Based on INCEDADR, GEOE_PRV. See document on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DECILE 1	3118	2277456.9	10.0%
2	DECILE 2	2847	2308912.2	10.2%
3	DECILE 3	2553	2213212.7	9.7%
4	DECILE 4	2605	2397548.0	10.6%
5	DECILE 5	2379	2218148.8	9.8%
6	DECILE 6	2352	2365969.6	10.4%
7	DECILE 7	2321	2232802.3	9.8%
8	DECILE 8	2258	2270609.4	10.0%
9	DECILE 9	2215	2239925.7	9.9%
10	DECILE 10	2328	2180250.1	9.6%
96	NOT APPLICABLE	2655	76768.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	4502	4339959.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# $\mbox{\tt\#}\,HUIZGVIS\mbox{\tt:}\,$ Vision trouble - function code - (D,G)

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=31382 / 26388137.89 ] [Invalid=751 / 733425.62 ]
Literal question	Vision trouble - function code - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NO VISUAL PROBL.	14103	12716899.5	48.2%	

### # HUIZGVIS: Vision trouble - function code - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
2	CORR. BY LENSES	16705	13246044.9	50.2%
3	HYPERMET/N CORR	181	137848.5	0.5%
4	MYOPIA/N CORR	215	173849.5	0.7%
5	MYOPIA&HYPERMET	178	113495.4	0.4%
6	NOT APPLICABLE	0	0.0	
9	NOT STATED	751	733425.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HUIZGHER: Hearing problems - function code - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=31196 / 26288002.28 ] [Invalid=937 / 833561.23 ]
Literal question	Hearing problems - function code - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	29820	25458847.1	96.8%
2	CORRECTED	853	515778.0	2.0%
3	NOT CORRECTED	523	313377.1	1.2%
6	NOT APPLICABLE	0	0.0	
9	NOT STATED	937	833561.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HUIZGSPE: Speech trouble - function code - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=31527 / 26483881.99 ] [Invalid=606 / 637681.52 ]
Literal question	Speech trouble - function code - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	31255	26250953.5	99.1%
2	PART/NOT UNDERST	272	232928.5	0.9%
6	NOT APPLICABLE	0	0.0	
9	NOT STATED	606	637681.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HUIZGMOB: Mobility trouble - function code - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=31527 / 26482291.79 ] [Invalid=606 / 639271.72 ]
Literal question	Mobility trouble - function code - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	30039	25516777.9	96.4%
2	NO AID REQUIRED	264	191639.5	0.7%
3	NEED MECH. SUPP	901	553825.0	2.1%
4	HELP/CAN'T WALK	323	220049.4	0.8%
6	NOT APPLICABLE	0	0.0	
9	NOT STATED	606	639271.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HUIZGDEX: Dexterity trouble - function code -(D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

# # HUIZGDEX: Dexterity trouble - function code -(D,G)

**Statistics [NW/W]** [Valid=31539 / 26491996.48 ] [Invalid=594 / 629567.03 ]

**Literal question** Dexterity trouble - function code -(D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	31291	26298203.7	99.3%
2	NO HELP REQ'D	128	99028.0	0.4%
3	NEEDS HELP	120	94764.8	0.4%
6	NOT APPLICABLE	0	0.0	
9	NOT STATED	594	629567.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HUIZDEMO: Emotional problems - function code - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/W]	[Valid=31435 / 26430745.78 ] [Invalid=698 / 690817.73 ]
Literal question	Emotional problems - function code - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	HAPPY IN LIFE	24255	20492937.9	77.5%
2	SOMEWHAT HAPPY	6110	5084579.6	19.2%
3	SOMEWHAT UNHAPPY	804	627107.3	2.4%
4	VERY UNHAPPY	197	177918.3	0.7%
5	LIFE NOT WORTH	69	48202.6	0.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	698	690817.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # HUIZDCOG: Cognition prob. - function code - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/W]	[Valid=31434 / 26395588.86 ] [Invalid=699 / 725974.65 ]
Literal question	Cognition prob function code - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	21736	18513597.8	70.1%
2	LITTLE DIFFICUL.	1190	1022938.3	3.9%
3	SOME FORGETFUL	5774	4770372.7	18.1%
4	FORGET/DIF THINK	1880	1381997.8	5.2%
5	VERY FORGETFUL	807	648471.0	2.5%
6	CAN'T REMEMBER	47	58211.3	0.2%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	699	725974.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HUIZDPAD: Act. prevent/pain - function code - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=31477 / 26440636.2 ] [Invalid=656 / 680927.31 ]	

# # HUIZDPAD: Act. prevent/pain - function code - (D)

Literal question Act. prevent/pain - function code - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)	)
1	NO PAIN	25877	22259760.1		84.2%
2	DOESN'T PREVENT	1587	1259559.7	4.8%	
3	PREVENTS A FEW	1714	1311032.3	5.0%	
4	PREVENTS SOME	1250	875501.9	3.3%	
5	PREVENTS MOST	1049	734782.2	2.8%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	656	680927.3		

# HUIZDHSI: Health U	Jtility Index (HUI3) - (D)
Information	[Type= continuous] [Format=numeric] [Range= -0.293-1] [Missing=*]
Statistics [NW/W]	[Valid=30791 / 25976623.98 ] [Invalid=1342 / 1144939.53 ] [Mean=0.865 / 0.878 ] [StdDev=0.202 / 0.191 ]
Literal question	Health Utility Index (HUI3) - (D)

Value	Label	Cases	Weighted	Percentage
99.996	NOT APPLICABLE	0	0.0	
99.997	DON'T KNOW	0	0.0	
99.998	REFUSAL	0	0.0	
99.999	NOT STATED	1342	1144939.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #FVCZDJUI: Daily consumption - fruit juice - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/W]	[Valid=31317 / 26332478.66 ] [Invalid=816 / 789084.85 ] [Mean=0.943 / 0.975 ] [StdDev=1.107 / 1.124 ]
Literal question	Daily consumption - fruit juice - (D)

Value	Label	Cases	Weighted	Percentage (
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	816	789084.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #FVCZDFRU: Daily consumption - fruit - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-15] [Missing=*]
Statistics [NW/W]	[Valid=31231 / 26252641.31 ] [Invalid=902 / 868922.2 ] [Mean=1.306 / 1.374 ] [StdDev=1.197 / 1.215 ]
Literal question	Daily consumption - fruit - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	902	868922.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# $\mbox{\#}\,FVCZDSAL\mbox{:}\,Daily\mbox{ consumption}$ - green salad - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-13] [Missing=*]
Statistics [NW/W]	[Valid=31192 / 26257809.26 ] [Invalid=941 / 863754.25 ] [Mean=0.507 / 0.551 ] [StdDev=0.529 / 0.537 ]
Literal question	Daily consumption - green salad - (D)

Value	Label	Cases	Weighted
999.6	NOT APPLICABLE	0	0.0
999.7	DON'T KNOW	0	0.0
999.8	REFUSAL	0	0.0
999.9	NOT STATED	941	863754.2

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### **# FVCZDPOT: Daily consumption - potatoes - (D)**

Information	[Type= continuous] [Format=numeric] [Range= 0-14] [Missing=*]
Statistics [NW/W]	[Valid=31234 / 26232394.39 ] [Invalid=899 / 889169.12 ] [Mean=0.409 / 0.376 ] [StdDev=0.469 / 0.425 ]

# # FVCZDPOT: Daily consumption - potatoes - (D)

**Literal question** Daily consumption - potatoes - (D)

Value	Label	Cases	Weighted
999.6	NOT APPLICABLE	0	0.0
999.7	DON'T KNOW	0	0.0
999.8	REFUSAL	0	0.0
999.9	NOT STATED	899	889169.1

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #FVCZDCAR: Daily consumption - carrots - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-13] [Missing=*]
Statistics [NW/W]	[Valid=31092 / 26118692.85 ] [Invalid=1041 / 1002870.66 ] [Mean=0.397 / 0.391 ] [StdDev=0.475 / 0.478 ]
Literal question	Daily consumption - carrots - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	1041	1002870.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # FVCZDVEG: Daily consumption other vegetables - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/W]	[Valid=30977 / 26030819.18 ] [Invalid=1156 / 1090744.33 ] [Mean=1.233 / 1.298 ] [StdDev=1.114 / 1.159 ]
Literal question	Daily consumption other vegetables - (D)

Value	Label	Cases	Weighted	
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	1156	1090744.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #FVCZDTOT: Daily cons. - total fruits and veg. - D)

Information	[Type= continuous] [Format=numeric] [Range= 0-37] [Missing=*]
Statistics [NW/W]	[Valid=30510 / 25628310.15 ] [Invalid=1623 / 1493253.36 ] [Mean=4.825 / 5.002 ] [StdDev=2.676 / 2.731 ]
Literal question	Daily cons total fruits and veg D)

/alue	Label	Cases	Weighted
999.6	NOT APPLICABLE	0	0.0
999.7	DON'T KNOW	0	0.0
999.8	REFUSAL	0	0.0
999.9	NOT STATED	1623	1493253.4

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # FVCZGTOT: Daily cons. total fruits/veg. - (D, G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=30510 / 25628310.15 ] [Invalid=1623 / 1493253.36 ]
Literal question	Daily cons. total fruits/veg (D, G)

# #FVCZGTOT: Daily cons. total fruits/veg. - (D, G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 5 PER DAY	18025	14448677.6	56.4%
2	5 À 10 TIMES/DAY	11239	10000300.4	39.0%
3	MORE 10 TIMES/DA	1246	1179332.1	4.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1623	1493253.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #LBFZG31: Employment status - 12 mo - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=20217 / 18392183.95 ] [Invalid=11916 / 8729379.56 ]
Literal question	Employment status - 12 mo - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EMPLOYEE	16906	15413791.4	83.8%
2	SELF-EMPLOYED	3311	2978392.6	16.2%
6	NOT APPLICABLE	11344	8072241.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	572	657138.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #LBFZF35: Response entered - kind of work

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=19801 / 17980980.69 ] [Invalid=12332 / 9140582.82 ]
Literal question	Response entered - kind of work

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19801	17980980.7	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	11344	8072241.1	
7	DON'T KNOW	322	318190.0	
8	REFUSAL	169	167923.4	
9	NOT STATED	497	582228.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # LBFZGSOC: NOCS 2001 - (C, G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/W]	[Valid=20075 / 18228719.1 ] [Invalid=12058 / 8892844.41 ]
Literal question	NOCS 2001 - (C, G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	GROUP 1	10153	9452907.4	51.9%
2	GROUP 2	5054	4478088.6	24.6%
3	GROUP 3	4868	4297723.2	23.6%
6	NOT APPLICABLE	11344	8072241.1	
7	DON'T KNOW	0	0.0	

# # LBFZGSOC: NOCS 2001 - (C, G)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	714	820603.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #ETSZ\_7: Smoking restrictions at place of work

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=20077 / 18259439.04 ] [Invalid=12056 / 8862124.47 ]
Literal question	Smoking restrictions at place of work

Value	Label	Cases	Weighted	Percentage (Weighted)
1	RESTRICTED	13962	12637761.4	69.2%
2	DESIGNATED AREAS	3698	3516306.4	19.3%
3	SOME RESTRICTION	674	644483.1	3.5%
4	NO RESTRICTIONS	1743	1460888.1	8.0%
6	NOT APPLICABLE	11344	8072241.1	
7	DON'T KNOW	179	173901.1	
8	REFUSAL	35	32772.4	
9	NOT STATED	498	583209.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### **# LBFZDWSS: Working status last week - 4 grps - (D)**

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/W]	[Valid=27103 / 23589677.33 ] [Invalid=5030 / 3531886.18 ]
Literal question	Working status last week - 4 grps - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	AT WORK LAST WK	16485	15161764.6	64.3%
2	ABSENT LAST WK	1514	1305814.4	5.5%
3	NO JOB LAST WK	8403	6666046.2	28.3%
4	UNABLE/PERMANENT	701	456052.2	1.9%
6	NOT APPLICABLE	4556	2970340.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	474	561546.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # LBFZGRNW: Main reason/not working last week -(D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/W]	[Valid=10596 / 8407792.2 ] [Invalid=21537 / 18713771.31 ]
Literal question	Main reason/not working last week -(D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	PERMANENTLY UNAB	1664	1209097.2	14.4%
2	FAMILY RESP.	841	691284.2	8.2%
3	SCHOOL OR EDUCAT	1066	1058548.3	12.6%
4	LABOUR DISPUTE	285	203070.0	2.4%
5	RETIRED	3892	2685087.7	31.9%
6	LOOKING FOR WORK	1164	1064917.2	12.7%

### #LBFZGRNW: Main reason/not working last week -(D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
7	OTHER REASONS	1684	1495787.6	17.8%
96	NOT APPLICABLE	21041	18132104.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	496	581666.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # LBFZDMJS: Multiple job status - (D)

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/W]	[Valid=27003 / 23502534.32 ] [Invalid=5130 / 3619029.19 ]
Literal question	Multiple job status - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MULT ALL YR	862	742546.0	3.2%
2	MULT NOT ALL YR	810	783365.1	3.3%
3	ONE JOB	16261	14883028.0	63.3%
4	NO JOB - MULT LY	222	194984.2	0.8%
5	NO JOB - NO MULT	8848	6898611.0	29.4%
6	NOT APPLICABLE	4556	2970340.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	574	648689.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### #LBFZDHPW: Total usual hrs. worked current - (D)

Information [Type= continuous] [Format=numeric] [Range= 1-168] [Missing=*]	
Statistics [NW/W]	[Valid=20049 / 18255030.81 ] [Invalid=12084 / 8866532.7 ] [Mean=40.327 / 39.951 ] [StdDev=16.811 / 16.178 ]
Literal question	Total usual hrs. worked current - (D)

Value	Label	Cas	ses	Weighted
996	NOT APPLICABLE	113	344	8072241.1
997	DON'T KNOW	0	)	0.0
998	REFUSAL	0	)	0.0
999	NOT STATED	74	10	794291.6

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # LBFZDPFT: Full/part-time - current jobs - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/W]	[Valid=20049 / 18255030.81 ] [Invalid=12084 / 8866532.7 ]
Literal question	Full/part-time - current jobs - (D)

Label	Cases	Weighted	Percentage (Weighted)
FULL-TIME	16417	14939333.9	81.8%
PART-TIME	3632	3315696.9	18.2%
NOT APPLICABLE	11344	8072241.1	
DON'T KNOW	0	0.0	
REFUSAL	0	0.0	
NOT STATED	740	794291.6	
	FULL-TIME PART-TIME NOT APPLICABLE DON'T KNOW REFUSAL	FULL-TIME 16417 PART-TIME 3632 NOT APPLICABLE 11344 DON'T KNOW 0 REFUSAL 0	FULL-TIME       16417       14939333.9         PART-TIME       3632       3315696.9         NOT APPLICABLE       11344       8072241.1         DON'T KNOW       0       0.0         REFUSAL       0       0.0

#LBFZGJST: Job status - 12 mo - (D, G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/W]	[Valid=26720 / 23230434 ] [Invalid=5413 / 3891129.51 ]		
Literal question	Job status - 12 mo - (D, G)		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JOB ALL PAST YR	13355	12181322.1	52.4%
2	W/O - LOOK (NOT)	6788	5112576.1	22.0%
3	HAD JOB - LOOK	6577	5936535.8	25.6%
6	NOT APPLICABLE	4556	2970340.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	857	920789.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# # LBFZDSTU: Student working status - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/W]	[Valid=3626 / 3686243.3 ] [Invalid=28507 / 23435320.21 ]	
Literal question	Student working status - (D)	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	WORK/SCH FULL	2087	2136270.6	58.0%
2	WORK/SCH PART	819	802741.8	21.8%
3	NO WORK/SCH FULL	644	666585.1	18.1%
4	NO WORK/SCH PART	76	80645.9	2.2%
6	NOT APPLICABLE	28035	22868069.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	472	567250.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# #WTSE\_S1M: Weights - Master

Information	[Type= continuous] [Format=numeric] [Range= 2.82-14174.91] [Missing=*]		
Statistics [NW/W] [Valid=32133 /-] [Invalid=0 /-] [Mean=844.041 /-] [StdDev=983.949 /-]			
Literal question	Weights - Master		