Canada

Health Statistics Division, Statistics Canada

Canadian Community Health Survey, 2008-2009: Healthy Aging

Study Documentation

April 30, 2019

Metadata Production

Metadata Producer(s)	Data Centre (DC) , Carleton University Data Resource Centre (DRC) , University of Guelph
Production Date	April 15, 2014
Version	Version April 15, 2014 edited from Carleton University Data Centre, Carleton University Version 3 - add errata February 2, 2012- Carleton University SP XML Version 2 DRC XML Version 1
Identification	cchs-5146-E-2008-2009-HealthyAging

Table of Contents

Canadian Community Health Survey, 2008-2009: Healthy Aging (CCHS 2008-2009: Healthy Aging)
Enquête sur la santé dans les collectivités canadiennes - Vieillissement en santé

Overview

Type	Canadian Community Health Survey
Identification	cchs-5146-E-2008-2009-HealthyAging
Version	Production Date: 2013-11 2013 November 2008-2009 <u>Notes</u> 2013 November: Accompanying documentation includes Errata, Patch for CAG and CR2 modules, and revised variability tables Errata reports: • Error corrected in Caregiving and Care Receiving 2 - modified caregiver/care recipient relationship variables • Variable missing from linkage ID files • Error in the approximate sampling variability tables for the CCHS - Healthy Aging Public Use Microdata File (PUMF) • Minor typographical errors in data dictionaries, labels and formats • Incomplete data dictionary The affected variables are CAG_06A and CAGDRMC in the Caregiving module (CAG) and CR2_15 and CR2DRMC in the Care receiving 2 (CR2) module on the Master and Share files. Derived variables CAGG06A and CR2G15 on the Public Use Microdata file are also affected.
Series	The purpose of the Canadian Community Health Survey - Healthy Aging is to collect new information about the factors, influences and processes that contribute to healthy aging. The survey focuses on the health of Canadians aged 45 and over.

Abstract
The Canadian Community Health Survey - Healthy Aging is part of the Canadian Community Health Survey program, but is a unique survey in that the target population, objectives, and many of the questions differ from those of earlier surveys administered under the umbrella of CCHS. The survey collects new information about the factors, influences and processes that contribute to healthy aging through a multidisciplinary approach focusing on health, social and economic determinants. The survey focuses on the health of Canadians aged 45 and over by examining the various factors that impact healthy aging, such as general health and well-being, physical activity, use of health care services, social participation, as well as work and retirement transitions.

Kind of Data	Survey Data
Unit of Analysis	Individuals

Scope & Coverage

Keywords	Health problems, Disability, Lifestyle and social conditions, Population aging, Population and demography, Seniors, Mental health, Health indicators, Cancer, Conditions, Activities, Physical activity, Barriers, Diet, Weight, Dental, Doctor, Prescriptions, Medication, Smoking, Drinking, Assistance
Topics	Health
Time Period(s)	2008-2009

Countries	Canada

Geographic Coverage
Canada, Provinces, Territories

Universe
The CCHS targets persons aged 12 years and older who are living in private dwellings in the ten provinces and three territories. Persons living on Indian Reserves or Crown lands, those residing in institutions, full-time members of the Canadian Forces and residents of certain remote regions are excluded from this survey. The CCHS covers approximately 98% of the Canadian population aged 12 and older.

Producers & Sponsors

Primary Investigator(s)	Health Statistics Division, Statistics Canada
Other Producer(s)	Statistics Canada (STC)

Sampling

Sampling Procedure
The original target population was 55 and older. The additional 5,000 respondents aged 45-54 were funded by the Canadian Longitudinal Study on Aging. To meet the survey objectives of estimating healthy aging among Canadians aged 45 and older for specific domains of interest for each province, and given the budget allocated to the survey, a sample of 32,000 responding units was desired over a period of one year. Of this total, 5,000 respondents would be between ages 45-54 and 27,000 would be of age 55 or older. The goal was to produce reliable estimates by province for five age groups (45-54, 55-64, 65-74, 75-84 and 85+) and by sex. A two-step strategy was used to allocate the sample to the provinces.

Response Rate
In total, 41,496 of the selected units in the CCHS -- Healthy Aging were in-scope for the survey. Out of these, 33,517 households agreed to participate in the survey, resulting in an overall household-level response rate of 80.8%. Among these responding households, 33,517 individuals (one per household) were selected to participate in the survey, out of which a response was obtained for 30,865 individuals, resulting in an overall person-level response rate of 92.1%. At the Canada level, this yields a combined (household and person) response rate of 74.4% for the CCHS -- Healthy Aging.

Weighting
Sample weighting In order for estimates produced from survey data to be representative of the covered population and not just the sample itself, users must incorporate the survey weights into their calculations. A survey weight is given to each person included in the final sample, that is, the sample of persons having responded to the survey. This weight corresponds to the number of persons in the entire population that the respondent represents. Seven separate adjustments are part of the weighting strategy. 1. Initial weight 2. Removal of out-of-scope units 3. Household non-response 4. Creation of person level weight 5. Person non-response 6. Winsorization 7. Calibration The final CCHS -- Healthy Aging weight can be found on the data file with the variable name WTS_M.

Data Collection

Data Collection Dates	start 2008-12-01 end 2009-11-30
Time Period(s)	start 2008 end 2009
Data Collection Mode	Data are collected directly from survey respondents. Over the collection period, a total of 30,865 valid interviews were conducted using a type of computer-assisted interviewing (CAI) called computer assisted personal interviewing (CAPI). Before the start of each collection period, introductory letters and brochures explaining the purpose of the survey were sent to the sampled

households. These explained the importance of the survey and provided examples of how the CCHS - Healthy Aging data would be used.

Every effort was made to conduct the interviews face-to-face, and 94% of interviews were conducted exclusively in person. Collection by telephone was authorized only when a respondent requested an interview in the other official language but no bilingual interviewer was available in the area, or when the respondent spoke neither official language but another interviewer was available to translate for the respondent. Interviewers were instructed to make all reasonable attempts to obtain interviews. Numerous repeat visits to the dwelling were made at different times on different days. Every effort was taken to keep proxy interviews to a minimum.

Data Collection Notes

The CCHS - Healthy Aging sample was divided into six non-overlapping two-month collection periods. Regional collection offices were instructed to use the first 4 weeks of each collection period to resolve the majority of the sample, with the next 4 weeks being used to finalise the remaining sample and to follow up on outstanding non-response cases. Cases initially coded to "No contact" or "Absent for duration of survey" were resent in two additional collection periods: 1) August 15 to November 30, 2009 and 2) October 15 to November 30, 2009.

Data Collector(s)	Health Statistics Division

Data Processing & Appraisal

Estimates of Sampling Error

NoteL: Coefficients of variation for provincial estimates derived using the previous set of tables should be updated using the new tables. This only applies to provincial estimates. The basis for measuring the potential size of sampling errors is the standard deviation of the estimates derived from survey results. However, due to the large variety of estimates that can be produced from a survey, the standard deviation of an estimate is usually expressed relative to the estimate to which it pertains. This resulting measure, known as the coefficient of variation (CV) of an estimate, is obtained by dividing the standard deviation of the estimate by the estimate itself and is expressed as a percentage of the estimate.

Accessibility

Access Authority	Statistics Canada , http://www.statcan.gc.ca/ Data Liberation Initiative (DLI) , http://www.statcan.gc.ca/dli-idd/dli-idd-eng.htm
Distributor(s)	Data Liberation Initiative

Access Conditions

Data Liberation Initiative Community

Citation Requirements

The publishing of analysis and results from research using any of the data products is permitted in research communications such as scholarly papers, journals and the like. The authors of these communications are required to cite Statistics Canada as the source of the data, and to indicate that the results or views expressed are those of the author/authorized user and are not those of Statistics Canada. Permission to include extracts of these data in textbooks must be obtained from the Licencing Section of Statistics Canada's Marketing Division.

Rights & Disclaimer

Copyright	Copyright (c) Statistics Canada, 2010

Files Description

Dataset contains 1 file(s)

cchs_5146_E_2008-2009_HealthyAging_F1	
# Cases	30865
# Variable(s)	605
Processing Checks Quality checks were done at Carleton University Data Centre.	

Variables Group(s)

Dataset contains 40 group(s)

Group Activities of Daily Living

#	Name	Label	Type	Format	Valid	Invalid	Question
1	ADL_04A	Able to walk without help	discrete	numeric-1.0	30860	5	Can you walk without help?
2	ADL_06A	Able to bath or shower without help	discrete	numeric-1.0	30858	7	Can you take a bath or shower without help?
3	ADLDTOI	Trouble getting to bathroom - (G)	discrete	numeric-1.0	30819	46	-
4	ADLDCLS	Inst/Bsc Activity of Daily Living Class	discrete	numeric-1.0	30757	108	-

Group Administration information

#	Name	Label	Type	Format	Valid	Invalid	Question
1	ADM_RNO	Sequential record number	continuous	numeric-5.0	30865	0	-
2	ADM_N09	Interview by telephone or in person	discrete	numeric-1.0	30598	267	Was this interview conducted on the telephone or in person
3	ADM_N10	Respondent alone during interview	discrete	numeric-1.0	30585	280	Was the respondent alone when you asked this health questionnaire
4	ADM_N11	Answers affected by an another person	discrete	numeric-1.0	6175	24690	Do you think that the answers of the respondent were affected by someone else being there?
5	ADM_PRX	Health Component completed by proxy	discrete	numeric-1.0	30865	0	-

Group Alcohol use

#	Name	Label	Type	Format	Valid	Invalid	Question
1	ALC_1	Drank alcohol - past 12 months	discrete	numeric-1.0	30851	14	During the past 12 months, that is, from [date one year ago] to yesterday, have you had a drink of beer, wine, liquor or any other alcoholic beverage?
2	ALC_2	Frequency of drinking alcohol	discrete	numeric-2.0	21855	9010	During the past 12 months, how often did you drink alcoholic beverages?
3	ALC_3	Frequency of having 5 or more drinks	discrete	numeric-2.0	21846	9019	How often in the past 12 months, have you had 5 or more drinks on one occasion?
4	ALC_5B	Ever had a drink	discrete	numeric-1.0	8964	21901	Have you ever had a drink?
5	ALCDTTM	Type of drinker (12 months) - (D)	discrete	numeric-1.0	30826	39	-

Group Care giving

#	Name	Label	Type	Format	Valid	Invalid	Question
1	CAG_01A	Provided assistance - personal care needs	discrete	numeric-1.0	30085	780	During the past 12 months, have you provided have you provided any of the following types of assistance to another person because of a health condition or limitation? - Personal care such as

#	Name	Label	Type	Format	Valid	Invalid	Question
							assistance with eating, dressing, bathing, or toileting
2	CAG_01B	Provided assistance - medical needs	discrete	numeric-1.0	30085	780	During the past 12 months, have you provided...? - Medical care such as help taking medicine or help with nursing care (for example, dressing changes or foot care)
3	CAG_01C	Provided assistance - managing care needs	discrete	numeric-1.0	30085	780	During the past 12 months, have you provided...? - Managing care such as making appointments
4	CAG_01D	Provided assistance - house activities	discrete	numeric-1.0	30085	780	During the past 12 months, have you provided...? - Help with activities such as housework, home maintenance and outdoor work
5	CAG_01E	Provided assistance - transportation	discrete	numeric-1.0	30085	780	During the past 12 months, have you provided...? - Transportation, such as trips to the doctor or for shopping
6	CAG_01F	Provided assistance - meals	discrete	numeric-1.0	30085	780	During the past 12 months, have you provided...? - Meal preparation or delivery
7	CAG_01G	Provided assistance - none	discrete	numeric-1.0	30085	780	During the past 12 months, have you provided...? - Did not provide any assistance
8	CAG_01H	Provided assistance - other	discrete	numeric-1.0	30085	780	-
9	CAG_02A	Activity provided most assistance	discrete	numeric-2.0	12037	18828	For which type of activity did you provide the most assistance?
10	CAG_02E	Provided respite care	discrete	numeric-1.0	11910	18955	During the past 12 months, did you provide respite care (meaning planned relief or assistance)?
11	CAG_02F	Provided palliative care	discrete	numeric-1.0	11918	18947	During the past 12 months, did you provide palliative care (meaning care given to a person nearing end of life)?
12	CAG_02G	Provided financial assistance	discrete	numeric-1.0	29836	1029	During the past 12 months, have you provided financial assistance to anyone because of a health condition or limitation? (For example: paying for medications or a private nurse.)
13	CAGG03A	Assistance - # beneficiaries - (G)	discrete	numeric-2.0	12059	18806	-
14	CAG_03B	Main care recipient - situation	discrete	numeric-1.0	12096	18769	Is the person to whom you provided [most] assistance: (living in this household, living in another household, living in a health care institution, deceased)?
15	CAG_03C	Main care recipient - comfortable answering (if deceased)	discrete	numeric-1.0	761	30104	It is important to gather information on people that receive assistance. Would you feel comfortable answering a few questions about this person?
16	CAGG06A	Main care recipient - relationship - (G)	discrete	numeric-1.0	11242	19623	-
17	CAG_06BA	Assistance provided - personal care	discrete	numeric-1.0	11321	19544	Please tell me which type of assistance you provided to [person to whom you provided assistance] during the past 12 months - Personal care such as assistance with eating, dressing, bathing, or toileting

#	Name	Label	Type	Format	Valid	Invalid	Question
18	CAG_06BB	Assistance provided - medical care	discrete	numeric-1.0	11321	19544	Please tell me which type of assistance you provided to [person to whom you provided assistance] during the past 12 months - Medical care such as help taking medicine or help with nursing care (for example, dressing changes or foot care)
19	CAG_06BC	Assistance provided - managing care	discrete	numeric-1.0	11321	19544	Please tell me which type of assistance you provided to [person to whom you provided assistance] during the past 12 months - Managing care such as making appointments
20	CAG_06BD	Assistance provided - household activitie	discrete	numeric-1.0	11321	19544	Please tell me which type of assistance you provided to [person to whom you provided assistance] during the past 12 months - Help with activities such as housework, home maintenance and outdoor work
21	CAG_06BE	Assistance provided - transportation	discrete	numeric-1.0	11321	19544	Please tell me which type of assistance you provided to [person to whom you provided assistance] during the past 12 months - Transportation, such as trips to the doctor or for shopping
22	CAG_06BF	Assistance provided - meals	discrete	numeric-1.0	11321	19544	Please tell me which type of assistance you provided to [person to whom you provided assistance] during the past 12 months - Meal preparation or delivery
23	CAG_06BG	Assistance provided - other	discrete	numeric-1.0	11321	19544	Please tell me which type of assistance you provided to [person to whom you provided assistance] during the past 12 months - Other
24	CAG_07A	Main care recipient - time	discrete	numeric-1.0	11334	19531	How long have you been providing assistance to [person to whom you provided assistance]?
25	CAG_07C	Main care recipient - freq. regular	discrete	numeric-1.0	11345	19520	During the past 12 months, did you provide assistance to [person to whom you provided assistance]: (on a regular basis, occasionally or rarely)?
26	CAG_07D	Main care recipient - daily/ weekly/monthly	discrete	numeric-1.0	6200	24665	(During the past 12 months,) how often did you provide assistance to [person to whom you provided assistance]? Was it: (daily, at least once a week, at least once a month, less than once a month)?
27	CAG_07E	Main care recipient - average time with	discrete	numeric-1.0	6168	24697	(During the past 12 months,) how much time in an average [day/week/month/ occasion] did you spend assisting...? Was it: (less than 1 hour, 1 hour to less than 3 hours,… 10 hours or more)?
28	CAG_08	Main care recipient - main reason for care	discrete	numeric-1.0	6192	24673	What is the main reason why [person to whom you provided assistance] needed your assistance?
29	CAG_20	Rewarding aspect of giving assistance	discrete	numeric-2.0	11928	18937	During the past 12 months, what would you say was the most positive or rewarding aspect to providing assistance?
30	CAG_21	Most difficult aspect - providing assistance	discrete	numeric-2.0	11942	18923	(During the past 12 months,) what would you say was the most difficult or challenging aspect to providing assistance?

#	Name	Label	Type	Format	Valid	Invalid	Question
31	CAG_23A	Assistance Caused/worsened health condition	discrete	numeric-1.0	11962	18903	During the past 12 months, has providing assistance caused or worsened any health condition or limitation you may have?
32	CAG_23B	Alternate assistance provider available	discrete	numeric-1.0	11662	19203	(During the past 12 months,) if you had not been able to fulfill your caregiving responsibilities, was there another person or organization who could have provided this assistance in your place?
33	CAG_24	Received respite care past 12 months	discrete	numeric-1.0	11977	18888	During the past 12 months, while you were providing assistance, did you receive respite care (meaning planned relief or assistance) from any person or organization?
34	CAG_25A	Impact to work-related activities	discrete	numeric-1.0	11973	18892	Because of providing assistance to others, have you ever experienced any impact on work-related activities?
35	CAG_25BA	Type of impact on work - stop/retire	discrete	numeric-1.0	1175	29690	Did you stop working or retire earlier than planned?
36	CAG_25BB	Type impact - reduce/modify hours	discrete	numeric-1.0	1175	29690	Did you reduce or modify your working hours?
37	CAG_25BC	Type impact - take less demanding job	discrete	numeric-1.0	1175	29690	Did you take a less demanding job?
38	CAG_25BD	Type impact - increase hours/ work more	discrete	numeric-1.0	1175	29690	Did you increase work hours or take on additional paid work to help with added expenses?
39	CAG_25BE	Type impact - use vacation/ sick leave	discrete	numeric-1.0	1175	29690	Did you use your vacation leave, sick leave or personal time to provide assistance?
40	CAG_25BF	Type impact - take unpaid leave	discrete	numeric-1.0	1175	29690	Did you take a leave of absence without pay to provide assistance?
41	CAG_25BG	Type impact - turn down job/ promotion	discrete	numeric-1.0	1175	29690	Did you turn down a job offer or a promotion?
42	CAG_25BH	Type impact - other	discrete	numeric-1.0	1175	29690	Did you: - Other
43	CAGFPAS	Flag for providing assistance - (F)	discrete	numeric-1.0	30068	797	-
44	CAGDFAP	Main care recipient - freq. - (D)	discrete	numeric-1.0	11344	19521	-
45	CAGDIAR	Main care recipient - intensity (D)	continuous	numeric-3.0	6168	24697	-

Group Chronic conditions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	CCC_031	Has asthma	discrete	numeric-1.0	30851	14	Do you have asthma?
2	CCC_051	Has arthritis	discrete	numeric-1.0	30834	31	Do you have have arthritis, excluding fibromyalgia?
3	CCC_053	Has osteoporosis	discrete	numeric-1.0	30800	65	Do you have osteoporosis?
4	CCC_061	Has back problems/excluding fibro/arthritis	discrete	numeric-1.0	30859	6	Do you have back problems, excluding fibromyalgia and arthritis?
5	CCC_071	Has high blood pressure	discrete	numeric-1.0	30830	35	Do you have high blood pressure?
6	CCC_072	Ever diagnosed with high blood pressure	discrete	numeric-1.0	18242	12623	Have you ever been diagnosed with high blood pressure?

#	Name	Label	Type	Format	Valid	Invalid	Question
7	CCC_073	Medication - high blood pressure	discrete	numeric-1.0	14391	16474	In the past month, have you taken any medication for high blood pressure?
8	CCC_073A	Pregnant with high blood pressure	discrete	numeric-1.0	8514	22351	Were you pregnant when you were diagnosed with high blood pressure?
9	CCC_073B	Diag. high blood pressure - not pregnant	discrete	numeric-1.0	431	30434	Other than when you were pregnant, was there any other time when you were diagnosed with high blood pressure?
10	CCC_081	Has migraine headaches	discrete	numeric-1.0	30856	9	Remember, we are interested in "long-term conditions" that have been diagnosed by a health professional. Do you have migraine headaches?
11	CCC_91A	Has chronic bronchitis	discrete	numeric-1.0	30844	21	Do you have chronic bronchitis?
12	CCC_91E	Has emphysema	discrete	numeric-1.0	30843	22	Do you have emphysema?
13	CCC_91F	Has COPD	discrete	numeric-1.0	30825	40	Do you have chronic obstructive pulmonary disease (COPD)?
14	CCC_101	Has diabetes	discrete	numeric-1.0	30852	13	Do you have diabetes?
15	CCC_119	Has angina	discrete	numeric-1.0	30823	42	Do you have angina?
16	CCC_120	Had a heart attack	discrete	numeric-1.0	30823	42	Have you ever had a heart attack?
17	CCC_121	Has heart disease	discrete	numeric-1.0	30814	51	Do you have heart disease?
18	CCC_131	Has cancer	discrete	numeric-1.0	30842	23	Remember, we are interested in "long-term conditions" that have been diagnosed by a health professional.) Do you have cancer?
19	CCC_132	Ever had cancer	discrete	numeric-1.0	29635	1230	Have you ever been diagnosed with cancer?
20	CCC_141	Has stomach or intestinal ulcers	discrete	numeric-1.0	30843	22	Do you have intestinal or stomach ulcers?
21	CCC_151	Suffers from the effects of a stroke	discrete	numeric-1.0	30838	27	Do you have suffer from the effects of a stroke?
22	CCC_161	Has urinary incontinence	discrete	numeric-1.0	30850	15	Do you suffer from urinary incontinence?
23	CCC_171	Has bowel disorder	discrete	numeric-1.0	30839	26	Do you have suffer from a bowel disorder such as Crohn's Disease, ulcerative colitis, Irritable Bowel Syndrome or bowel incontinence?
24	CCC_191	Has cataracts	discrete	numeric-1.0	30849	16	Do you have cataracts?
25	CCC_201	Has glaucoma	discrete	numeric-1.0	30830	35	Do you have glaucoma?
26	CCC_211	Has a thyroid condition	discrete	numeric-1.0	30839	26	Do you have a thyroid condition?
27	CCC_280	Has a mood disorder	discrete	numeric-1.0	30847	18	Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?
28	CCC_290	Has an anxiety disorder	discrete	numeric-1.0	30851	14	Do you have an anxiety disorder such as a phobia, obsessive- compulsive disorder or a panic disorder?
29	CCCD901	Other phys or mental condition - (G)	discrete	numeric-1.0	30852	13	-
30	CCCF1	Has a chronic condition	discrete	numeric-1.0	30401	464	-
31	CCCDCPD	Has chronic obstruct. pulmonary disease	discrete	numeric-1.0	30795	70	-

Group Caregiving expenses

#	Name	Label	Type	Format	Valid	Invalid	Question
1	CGE_01	Assistance - out-of-pocket exp.	discrete	numeric-1.0	12923	17942	During the past 12 months, as a result of providing assistance, did you incur any out-of-pocket expenses for which you do not expect to be fully reimbursed?
2	CGE_02	Assistance - amount spent per month	discrete	numeric-1.0	5245	25620	During the past 12 months, on average, how much did you spend per month on these out-of-pocket expenses? Was it:
3	CGE_03A	Assistance - expenses - purchasing items	discrete	numeric-1.0	5343	25522	Were these expenses incurred as a result of: - Purchasing items (such as medications or medical supplies)?
4	CGE_03B	Assistance - expenses - pay for services.	discrete	numeric-1.0	5343	25522	Were these expenses incurred as a result of: - Paying for services (such as housekeeping or daycare)?
5	CGE_03C	Assistance - expenses - increase in expexnses	discrete	numeric-1.0	5343	25522	Were these expenses incurred as a result of: - Increases in your expenses (such as additional houseing costs or food)?
6	CGE_03D	Assistance - expenses - transportation	discrete	numeric-1.0	5343	25522	Were these expenses incurred as a result of: - Transportation (such as gas or parking)?
7	CGE_03E	Assistance - expenses - other	discrete	numeric-1.0	5343	25522	Were these expenses incurred as a result of: - Other
8	CGE_04	Received financial assistance	discrete	numeric-1.0	5361	25504	During the past 12 months, have you received any financial assistance to help cover these expenses?

Group Changes made to improve health

#	Name	Label	Type	Format	Valid	Invalid	Question
1	CIH_1	Did something to improve health	discrete	numeric-1.0	30147	718	In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking, increased exercise)
2	CIH_2	Most important change to improve health	discrete	numeric-2.0	12971	17894	What is the single most important change you have made?
3	CIH_3	Thinks should do smthg to improve health	discrete	numeric-1.0	30034	831	Do you think there is anything (else) you should do to improve your physical health?
4	CIH_4	Most important thing to improve health	discrete	numeric-2.0	17139	13726	What is the most important thing?
5	CIH_5	Barrier to improving health	discrete	numeric-1.0	17146	13719	Is there anything stopping you from making this improvement?
6	CIH_6A	Barrier improve health - lack will power	discrete	numeric-1.0	9064	21801	What is that? - Lack of will power / self-discipline
7	CIH_6I	Barrier improve health - family respons.	discrete	numeric-1.0	9064	21801	What is that? - Family responsibilities
8	CIH_6B	Barrier improve health - work schedule	discrete	numeric-1.0	9064	21801	What is that? - Work schedule
9	CIH_6J	Barrier improve health - addiction drugs/alcohol	discrete	numeric-1.0	9064	21801	What is that? - Addiction to drugs / alcohol
10	CIH_6K	Barrier improve health - physical condition	discrete	numeric-1.0	9064	21801	What is that? - Physical condition

#	Name	Label	Type	Format	Valid	Invalid	Question
11	CIH_6G	Barrier improve health - disability	discrete	numeric-1.0	9064	21801	What is that? - Disability / health problem
12	CIH_6F	Barrier improve health - too stressed	discrete	numeric-1.0	9064	21801	What is that? - Too stressed
13	CIH_6E	Barrier improve health - too costly	discrete	numeric-1.0	9064	21801	What is that? - Too costly / financial constraints
14	CIH_6L	Barrier improve health - not available/area	discrete	numeric-1.0	9064	21801	What is that? - Not available - in area
15	CIH_6M	Barrier improve health - transportation problems	discrete	numeric-1.0	9064	21801	What is that? - Transportation problem
16	CIH_6N	Barrier improve health - weather problems	discrete	numeric-1.0	9064	21801	What is that? - Weather problems
17	CIH_6H	Barrier improve health - other	discrete	numeric-1.0	9064	21801	What is that? - Other
18	CIH_7	Intending to improve health over next year	discrete	numeric-1.0	16967	13898	Is there anything you intend to do to improve your physical health in the next year?
19	CIH_8A	Health improvement - more exercise	discrete	numeric-1.0	12407	18458	What is that? - Start / Increase exercise, sports / physical activity
20	CIH_8B	Health improvement - lose weight	discrete	numeric-1.0	12407	18458	What is that? - Lose weight
21	CIH_8C	Health improvement - eating habits	discrete	numeric-1.0	12407	18458	What is that? - Change diet / improve eating habits
22	CIH_8J	Health improvement - quit smoking	discrete	numeric-1.0	12407	18458	What is that? - Quit smoking / reduce amount smoked
23	CIH_8K	Health improvement - drink less alcohol	discrete	numeric-1.0	12407	18458	What is that? - Drink less alcohol
24	CIH_8G	Health improvement - reduce stress	discrete	numeric-1.0	12407	18458	What is that? - Reduce stress level
25	CIH_8L	Health improvement - receive med. treatment	discrete	numeric-1.0	12407	18458	What is that? - Receive medical treatment
26	CIH_8H	Health improvement - take vitamins	discrete	numeric-1.0	12407	18458	What is that? - Take vitamins
27	CIH_8I	Health improvement - other	discrete	numeric-1.0	12407	18458	What is that? - Other

Group Care receiving 1

#	Name	Label	Type	Format	Valid	Invalid	Question
1	CR1_01A	Received professional assistance- personal care	discrete	numeric-1.0	30857	8	During the past 12 months, did you receive short-term or long-term professional assistance at home ...? - Personal care such as assistance with eating, dressing, bathing, or toileting
2	CR1_01B	Received professional assistance- medical care	discrete	numeric-1.0	30857	8	During the past 12 months, did you receive short-term or long-term professional assistance at home …? - Medical care such as help taking medicine or help with nursing care (for example,dressing changes or foot care)
3	CR1_01C	Received professional assistance- managing care	discrete	numeric-1.0	30857	8	During the past 12 months, did you receive short-term or long-term professional assistance at home …?

#	Name	Label	Type	Format	Valid	Invalid	Question
							- Managing care such as making appointments
4	CR1_01D	Received professional assistance- house activities	discrete	numeric-1.0	30857	8	During the past 12 months, did you receive short-term or long-term professional assistance at home …? - Help with activities such as housework, home maintenance or outdoor work
5	CR1_01E	Received professional assistance- transportation	discrete	numeric-1.0	30857	8	During the past 12 months, did you receive short-term or long-term professional assistance at home …? - Transportation, including trips to the doctor or shopping
6	CR1_01F	Received professional assistance- meals	discrete	numeric-1.0	30857	8	During the past 12 months, did you receive short-term or long-term professional assistance at home …? - Meal preparation delivery
7	CR1_01G	Received professional assistance- none	discrete	numeric-1.0	30857	8	During the past 12 months, did you receive short-term or long-term professional assistance at home …? - None
8	CR1_01H	Received professional assistance- other	discrete	numeric-1.0	30857	8	During the past 12 months, did you receive short-term or long-term professional assistance at home …? - Other
9	CR1_02	Activity requiring most professional assistance	discrete	numeric-2.0	3160	27705	For which type of activity did you receive the most assistance?
10	CR1_03	Did not receive professional services needed	discrete	numeric-1.0	30844	21	During the past 12 months, was there ever a time when you felt that you needed professional home care services but you didn't receive them?
11	CR1_04A	No services - not available area	discrete	numeric-1.0	1176	29689	Why was that (most recent time)? - Not available in the area
12	CR1_04B	No services - not available time	discrete	numeric-1.0	1176	29689	Why was that (most recent time)? - Not available at time required (e.g., conventional hours)
13	CR1_04C	No services - wait time too long	discrete	numeric-1.0	1176	29689	Why was that (most recent time)? - Waiting time too long
14	CR1_04D	No services - inadequate	discrete	numeric-1.0	1176	29689	Why was that (most recent time)? - Felt would be inadequate
15	CR1_04E	No services - cost	discrete	numeric-1.0	1176	29689	Why was that (most recent time)? - Cost
16	CR1_04F	No services - too busy	discrete	numeric-1.0	1176	29689	Why was that (most recent time)? - Too busy
17	CR1_04G	No services - did not bother	discrete	numeric-1.0	1176	29689	Why was that (most recent time)? - Didn't get around to it / didn't bother
18	CR1_04H	No services - did not know where to go	discrete	numeric-1.0	1176	29689	Why was that (most recent time)? - Didn't know where to go / call
19	CR1_04I	No services - language problem	discrete	numeric-1.0	1176	29689	Why was that (most recent time)? - Language problems
20	CR1_04J	No services - personal/family Responsibilities	discrete	numeric-1.0	1176	29689	Why was that (most recent time)? - Personal or family responsibilities
21	CR1_04K	No services - decided not to seek	discrete	numeric-1.0	1176	29689	Why was that (most recent time)? - decided not to seek services
22	CR1_04L	No services - Not necessary - Doctor	discrete	numeric-1.0	1176	29689	Why was that (most recent time)? - doctor - did not think it was necessary

#	Name	Label	Type	Format	Valid	Invalid	Question
23	CR1_04M	No services - did not qualify home care	discrete	numeric-1.0	1176	29689	Why was that (most recent time)? - Did not qualify / not eligible for home care
24	CR1_04N	No services - still waiting home care	discrete	numeric-1.0	1176	29689	Why was that (most recent time)? - still waiting for home care
25	CR1_04O	No services - other	discrete	numeric-1.0	1176	29689	Why was that (most recent time)? - Other - Specify
26	CR1_05A	Recent home care - personal care	discrete	numeric-1.0	1179	29686	Again, thinking of the most recent time, what type of home care was needed? - Personal care such as assistance with eating, dressing, bathing or toileting
27	CR1_05B	Recent home care - medical care	discrete	numeric-1.0	1179	29686	Again, thinking of the most recent time, what type of home care was needed? - Medical care such as help taking medicine or help with nursing care (for example, dressing changes or foot care)
28	CR1_05C	Recent home care - managing care	discrete	numeric-1.0	1179	29686	Again, thinking of the most recent time, what type of home care was needed? - Managing care such as making appointments
29	CR1_05D	Recent home care - house activities	discrete	numeric-1.0	1179	29686	Again, thinking of the most recent time, what type of home care was needed? - Help with activities such as housework, home maintenance or outdoor work
30	CR1_05E	Recent home care - transportation	discrete	numeric-1.0	1179	29686	Again, thinking of the most recent time, what type of home care was needed? - Transportation, including trips to the doctor or for shopping
31	CR1_05F	Recent home care - meals	discrete	numeric-1.0	1179	29686	Again, thinking of the most recent time, what type of home care was needed? - Meal preparation or delivery
32	CR1_05G	Recent home care - other	discrete	numeric-1.0	1179	29686	Again, thinking of the most recent time, what type of home care was needed? - Other
33	CR1FRHC	Flag for recipient formal home care service-(F)	discrete	numeric-1.0	30857	8	-
34	CR1DTRE	Type reason -unmet home care needs -(D)	discrete	numeric-1.0	1176	29689	-

Group Care receiving 2

#	Name	Label	Type	Format	Valid	Invalid	Question
1	CR2_01AA	Received assistance - personal care	discrete	numeric-1.0	30853	12	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or neighbours? - Personal care such as assistance with eating, dressing, bathing or toileting
2	CR2_01AB	Received assistance - medical care	discrete	numeric-1.0	30853	12	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or neighbours? - Medical care such as help taking medicine or help with nursing care (for example, dressing changes or foot care)
3	CR2_01AC	Received assistance - managing care	discrete	numeric-1.0	30853	12	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or

#	Name	Label	Type	Format	Valid	Invalid	Question
							neighbours? - Managing care such as making appointments
4	CR2_01AD	Received assistance - house activities	discrete	numeric-1.0	30853	12	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or neighbours? - Help with activities such as housework, home maintenance or outdoor work
5	CR2_01AE	Received assistance - transportation	discrete	numeric-1.0	30853	12	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or neighbours? - Transportation, including trips to the doctor or for shopping
6	CR2_01AF	Received assistance - meals	discrete	numeric-1.0	30853	12	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or neighbours? - Meal preparation or delivery
7	CR2_01AG	Received assistance - none	discrete	numeric-1.0	30853	12	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or neighbours? - None
8	CR2_01AH	Received assistance - other	discrete	numeric-1.0	30853	12	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or neighbours? - Other
9	CR2_01B	Activity requiring most assistance	discrete	numeric-2.0	5668	25197	For which type of activity did you receive the most assistance?
10	CR2_04	Main care giver - situation	discrete	numeric-1.0	5658	25207	Is the person from whom you received the most assistance: (living in this household, living outside of this household)?
11	CR2G15	Main care giver - relationship - (G)	discrete	numeric-1.0	5413	25452	-
12	CR2_16	Main care giver - time	discrete	numeric-1.0	5446	25419	How long have you been receiving assistance from [name of the person providing most assistance] for [activity received most assistance for]?
13	CR2_17A	Main care giver - freq. regular	discrete	numeric-1.0	5484	25381	During the past 12 months, did you receive assistance from [name of the person providing most assistance] with [activity received most assistance for]:
14	CR2_17B	Main care giver - daily/ weekly/monthly	discrete	numeric-1.0	3300	27565	{During the past 12 months,) how often did you receive assistance from [name of the person providing most assistance] with [activity received most assistance for]? Was it:
15	CR2_18	Main care giver - average time with	discrete	numeric-1.0	3246	27619	(During the past 12 months,) how much time in an average [day/week/ month/occasion] did [name of the person providing most assistance] spend assisting you with [activity received most assistance for]? Was it:
16	CR2FRHC	Flag -receiving informal home care -(F)	discrete	numeric-1.0	30853	12	-
17	CR2DTHC	Receipt of Formal/Informal Home Care-(D)	discrete	numeric-1.0	30852	13	-
18	CR2DFAR	Main care giver - freq. - (D)	discrete	numeric-2.0	5480	25385	-

#	Name	Label	Type	Format	Valid	Invalid	Question
19	CR2DIAR	Main care giver - intensity (D)	continuous	numeric-3.0	3246	27619	-

Group Depression

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DPS_02	Depressed >= 2 weeks - 12 month	discrete	numeric-1.0	30007	858	During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?
2	DPS_03	Depressed - length/time feelings lasted - 2 week	discrete	numeric-1.0	4203	26662	For the next few questions, please think of the 2-week period during the past 12 months when these feelings were the worst. During that time, did these feelings usually last:
3	DPS_04	Depressed - frequence - 2 week	discrete	numeric-1.0	2328	28537	How often did you feel this way during those 2 weeks?
4	DPS_05	Depressed - lost interest in most things - 2 week	discrete	numeric-1.0	2149	28716	During those 2 weeks did you lose interest in most things?
5	DPS_06	Depressed - felt tired all of the time - 2 week	discrete	numeric-1.0	2144	28721	Did you feel tired out or low on energy all of the time?
6	DPS_07	Depressed - weight change - 2 week	discrete	numeric-1.0	2132	28733	Did you gain weight, lose weight or stay about the same?
7	DPS_08A	Depressed - weight change (amount) - 2 week	continuous	numeric-3.0	863	30002	About how much did you [gain/lose]?
8	DPS_08B	Depressed - weight change (lb/kg) - 2 week	discrete	numeric-1.0	863	30002	INTERVIEWER: Was that in pounds or kilograms?
9	DPS_09	Depressed - trouble fall asleep - 2 week	discrete	numeric-1.0	2124	28741	Did you have more trouble falling asleep than you usually do?
10	DPS_10	Depressed - fall asleep (freq.) - 2 week	discrete	numeric-1.0	1472	29393	How often did that happen?
11	DPS_11	Depressed - trouble concentrating - 2 week	discrete	numeric-1.0	2114	28751	Did you have a lot more trouble concentrating than usual?
12	DPS_12	Depressed - felt down on self - 2 week	discrete	numeric-1.0	2108	28757	At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?
13	DPS_13	Depressed - thought a lot about death - 2 week	discrete	numeric-1.0	2100	28765	Did you think a lot about death - either your own, someone else's or death in general?
14	DPS_14	Depressed - number of weeks - 12 month	continuous	numeric-2.0	1924	28941	About how many weeks altogether did you feel this way during the past 12 months?
15	DPS_15	Depressed - most recent month - 2 week	discrete	numeric-2.0	1701	29164	Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?
16	DPS_16	Loss interest - things give pleasure - 12 month	discrete	numeric-1.0	27784	3081	During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work or activities that usually give you pleasure?
17	DPS_17	Loss interest - frequency - 12 month	discrete	numeric-1.0	1592	29273	For the next few questions, please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last?

#	Name	Label	Type	Format	Valid	Invalid	Question
18	DPS_18	Loss interest - frequency - 2 week	discrete	numeric-1.0	661	30204	How often did you feel this way during those 2 weeks?
19	DPS_19	Loss interest - felt tired all the time -2 week	discrete	numeric-1.0	478	30387	During those 2 weeks did you feel tired out or low on energy all the time?
20	DPS_20	Loss interest - weight change - 2 week	discrete	numeric-1.0	474	30391	Did you gain weight, lose weight, or stay about the same?
21	DPS_21A	Loss interest - weight change (amount)	discrete	numeric-3.0	171	30694	About how much did you [gain/lose]?
22	DPS_21B	Loss interest - weight change (lb/kg) - 2 week	discrete	numeric-1.0	171	30694	INTERVIEWER: Was that in pounds or kilograms?
23	DPS_22	Loss interest - trouble fall asleep -2 week	discrete	numeric-1.0	474	30391	Did you have more trouble falling asleep than you usually do?
24	DPS_23	Loss interest - trouble to sleep (freq) -2 week	discrete	numeric-1.0	279	30586	How often did that happen?
25	DPS_24	Loss interest- trouble concentrating - 2 week	discrete	numeric-1.0	472	30393	Did you have a lot more trouble concentrating than usual?
26	DPS_25	Loss interest - felt down on self - 2 week	discrete	numeric-1.0	471	30394	At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?
27	DPS_26	Loss interest - thought a lot/ death - 2 week	discrete	numeric-1.0	468	30397	Did you think a lot about death - either your own, someone else's, or death in general?
28	DPS_27	Loss interest - nombre of weeks - 12 month	continuous	numeric-2.0	441	30424	About how many weeks did you feel this way during the past 12 months?
29	DPS_28	Loss interest - most recent month - 2 week	discrete	numeric-2.0	397	30468	Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?
30	DPSDMT	Month last felt depressed- 2 weeks in a row -(D)	discrete	numeric-2.0	2059	28806	-
31	DPSDPP	Depression scale - predicted prob. - (D)	continuous	numeric-4.2	29679	1186	-
32	DPSDSF	Depression scale - short form score - (D)	discrete	numeric-2.0	29679	1186	-
33	DPSDWK	Number of weeks felt depressed - (D)	continuous	numeric-2.0	2277	28588	-

Group Dwelling and household variables

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DHHGAGE	Age - grouped	discrete	numeric-2.0	30865	0	-
2	DHH_SEX	Sex	discrete	numeric-1.0	30865	0	Is respondent male or female?
3	DHHGMS	Marital Status - (G)	discrete	numeric-1.0	30853	12	-
4	DHHGYKD	Number Persons In Household Less Than 16 Years	discrete	numeric-1.0	30856	9	-
5	DHHG45P	Number persons 45+ yrs in Household - (G)	discrete	numeric-1.0	30865	0	-
6	DHHG65P	Number persons 65+ years in Household - (G)	discrete	numeric-1.0	30865	0	-
7	DHHGHSZ	Household Size - (G)	discrete	numeric-1.0	30846	19	-

#	Name	Label	Type	Format	Valid	Invalid	Question
8	DHHGLVG	Family Arrangement of Resp. - (G)	discrete	numeric-1.0	30762	103	-
9	DHHGDWE	Dwelling Type - (G)	discrete	numeric-1.0	30852	13	-

Group Dietary supplement use - Vitamins and mierals

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DS2_01	Past month - frequency taking multivitamin supplement	discrete	numeric-1.0	30836	29	In the past month, how often did you take multivitamin supplements?
2	DS2_02	Past month - frequency taking calcium supplement	discrete	numeric-1.0	30819	46	In the past month, how often did you take calcium supplements?
3	DS2_03	Past month - frequency taking vitamin D supplement	discrete	numeric-1.0	30790	75	In the past month, how often did you take vitamin D supplements?
4	DS2_04	Past month - frequency taking vitamin B12 supplement	discrete	numeric-1.0	30770	95	In the past month, how often did you take vitamin B12 supplements?

Group Education

#	Name	Label	Type	Format	Valid	Invalid	Question
1	EDUDH04	Highest level/education - household 4 levels - (D)	discrete	numeric-1.0	30265	600	-
2	EDUDR04	Highest level/education - respondent 4 levels - (D)	discrete	numeric-1.0	30566	299	-

Group Falls

#	Name	Label	Type	Format	Valid	Invalid	Question
1	FAL_01	Past 12 months - Had any falls	discrete	numeric-1.0	16357	14508	In the past 12 months, did you have any falls?
2	FALG02	Number falls - past 12 months - (G)	discrete	numeric-2.0	3564	27301	-
3	FALG03	Fall - most serious injury - (G)	discrete	numeric-2.0	3586	27279	-
4	FAL_04A	Medical attention after injury - 48 hours	discrete	numeric-1.0	2332	28533	Did you receive any medical attention from a health professional within 48 hours following this injury?
5	FAL_04B	Hospitalized after injury	discrete	numeric-1.0	1140	29725	Were you hospitalized for this injury?
6	FALG06	Reason for fall - (G)	discrete	numeric-2.0	2331	28534	-
7	FAL_07	Location of fall	discrete	numeric-1.0	2332	28533	Where did this fall happen?
8	FAL_08	Factor - snow or ice	discrete	numeric-1.0	939	29926	Was snow or ice a factor in your fall?
9	FAL_09	Time of fall - using assistive device	discrete	numeric-1.0	3584	27281	Were you using an assistive device (for example, walker, wheelchair, cane or leg brace) at the time of your fall?
10	FAL_10	Getting follow-up care - presently	discrete	numeric-1.0	16364	14501	At the present time, are you getting follow-up care from a health professional because of an injury caused by a fall (that occurred more than a year ago)?

#	Name	Label	Type	Format	Valid	Invalid	Question
11	FAL_11	Worried or concerned might fall	discrete	numeric-1.0	16307	14558	Are you worried or concerned that in the future you might fall?
12	FAL_12	Stopped doing things used to do	discrete	numeric-1.0	6239	24626	As a result of this concern, have you stopped doing some things you used to do or liked to do?
13	FALDFOF	Fear of falling - (D)	discrete	numeric-1.0	16296	14569	-
14	FALGCBP	Circumstance fall -12 month - (G)	continuous	numeric-3.0	2330	28535	-
15	FALDSTA	Fall status - 12 month - (D)	discrete	numeric-1.0	16352	14513	-

Group General health

#	Name	Label	Type	Format	Valid	Invalid	Question
1	GEN_01	Self-perceived health	discrete	numeric-1.0	30849	16	In general, would you say your health is: (excellent, very good, good, fair, or poor)?
2	GEN_02	Self-perceived hlth - compared 1 yr ago	discrete	numeric-1.0	30858	7	Compared to one year ago, how would you say your health is now? Is it: (much better now than 1 year ago, somewhat better now than 1 year ago, about the same as 1 year ago, somewhat worse now, or much worse now than 1 year ago)?
3	GEN_02AA	Satisfaction with life in general	discrete	numeric-2.0	29988	877	Using a scale of 0 to 10 where 0 means "Very dissatisfied" and 10 means "Very satisfied", how do you feel about your life as a whole right now?
4	GEN_02B	Self-perceived mental health	discrete	numeric-1.0	30146	719	In general, would you say your mental health is: (excellent, very good, good, fair, or poor)?
5	GEN_07	Perceived life stress	discrete	numeric-1.0	30825	40	Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?
6	GEND08	Worked at a job or business - (D)	discrete	numeric-1.0	21162	9703	-
7	GEND09	Self-perceived work stress - (D)	discrete	numeric-1.0	11919	18946	-
8	GEN_10	Sense of belonging to local community	discrete	numeric-1.0	30031	834	How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?
9	GENDHDI	Perceived Health - (D)	discrete	numeric-1.0	30849	16	-
10	GENDMHI	Perceived Mental Health - (D)	discrete	numeric-1.0	30146	719	-

Group Geography variables

#	Name	Label	Type	Format	Valid	Invalid	Question
1	GEO_PRV	Province of residence of respondent	discrete	numeric-2.0	30865	0	-

#	Name	Label	Type	Format	Valid	Invalid	Question
2	GEOGCMA2	2006 Census Metro. Area (CMA) - 2 groups	discrete	numeric-1.0	30865	0	-

Group Health care utilization 2

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HC2_01	Has regular medical doctor	discrete	numeric-1.0	30855	10	Do you have a regular medical doctor?
2	HC2_02	Place goes to when sick or need advice	discrete	numeric-1.0	1950	28915	Is there a place that you usually go to when you are sick or need advice about your health?
3	HC2_03	Kind of place	discrete	numeric-2.0	1598	29267	What kind of place is it?
4	HC2_04	Past 12 month - patient overnight hospital	discrete	numeric-1.0	30849	16	In the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?
5	HC2G05	Number of nights - 12 month - (G)	continuous	numeric-3.0	30865	0	-
6	HC2_06A	Professional - family doctor/ general practitioner	discrete	numeric-1.0	30850	15	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - A family doctor or general practitioner
7	HC2_06B	Professional - Eye specialist	discrete	numeric-1.0	30850	15	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - An eye specialist, such as an ophthalmologist or optometrist
8	HC2_06C	Professional - Any other medical doctor	discrete	numeric-1.0	30850	15	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to... or mental health? - Any other medical doctor or specialist such as a surgeon, allergist, orthopaedist, [gynaecologist/ urologist] or psychiatrist
9	HC2_06D	Professional - A nurse for care or advice	discrete	numeric-1.0	30850	15	{Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - A nurse for care or advice
10	HC2_06E	Professional - A dentist, dental hygienist	discrete	numeric-1.0	30850	15	Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - A dentist, dental hygienist or orthodontist
11	HC2_06F	Professional - A chiropractor	discrete	numeric-1.0	30850	15	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - A chiropractor

#	Name	Label	Type	Format	Valid	Invalid	Question
12	HC2_06G	Professional - A physiotherapist	discrete	numeric-1.0	30850	15	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - A physiotherapist
13	HC2_06H	Professional - A psychologist	discrete	numeric-1.0	30850	15	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - A psychologist
14	HC2_06I	Professional - A social worker or counsellor	discrete	numeric-1.0	30850	15	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - A social worker or counsellor
15	HC2_06J	Professional - speech, audiology	discrete	numeric-1.0	30850	15	Have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - An audiologist, speech, or occupational therapist
16	HC2_06K	Professional - Other	discrete	numeric-1.0	30850	15	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - Other
17	HC2_06L	Professional - Did not see any health prof.	discrete	numeric-1.0	30850	15	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - Did not see any health professional
18	HC2_07	Used alternative or complementary med.	discrete	numeric-1.0	30847	18	People may also use alternative or complementary medicine. In the past 12 months, have you seen or talked to an alternative health care provider such as an acupuncturist, homeopath or massage therapist about your physical, emotional or mental health?
19	HC2FCOP	Consultations - health professionals - (F)	discrete	numeric-1.0	30850	15	-

Group Health utilities index

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HUIDCOG	Cognition problems - function code - (D)	discrete	numeric-2.0	30829	36	-
2	HUIGDEX	Dexterity - (Function Code) - (G)	discrete	numeric-1.0	30851	14	-
3	HUIDEMO	Emotion (function code) - (D)	discrete	numeric-1.0	30787	78	-
4	HUIGHER	Hearing - (Function Code) - (G)	discrete	numeric-1.0	30417	448	-

#	Name	Label	Type	Format	Valid	Invalid	Question
5	HUIDHSI	Health utilities index - (D)	continuous	numeric-6.3	30106	759	-
6	HUIGMOB	Mobility - (Function Code) - (G)	discrete	numeric-1.0	30839	26	-
7	HUIGSPE	Speech - (Function Code) - (G)	discrete	numeric-1.0	30849	16	-
8	HUIGVIS	Vision - (Function Code) - (G)	discrete	numeric-1.0	30637	228	-

Group Health utilities index - Pain and discomfort

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HUPDPAD	Pain (function code) - (D)	discrete	numeric-1.0	30844	21	-

Group Height and weight - Self-reported

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HWT_4	Opinion of own weight - self-reported	discrete	numeric-1.0	29486	1379	Do you consider yourself: (overweight, underweight, or just about right)?
2	HWTGBMI	Body mass index - (G)	continuous	numeric-6.2	29348	1517	-
3	HWTGHTM	Height (Metres) - Self-Rep. - (G)	continuous	numeric-5.3	29948	917	-
4	HWTGISW	BMI classification (self rep.) - (G)	discrete	numeric-1.0	29348	1517	-
5	HWTGWTK	Weight (kilograms) - (G)	continuous	numeric-6.2	29514	1351	-

Group Home ownership

#	Name	Label	Type	Format	Valid	Invalid	Question
1	OWNGHEQ	Approximate Home Equity - (G)	discrete	numeric-1.0	17894	12971	-
2	OWNFTEN	Flag for tenure of dwelling - (F)	discrete	numeric-1.0	30640	225	-

Group Instrumental activities of daily living

#	Name	Label	Type	Format	Valid	Invalid	Question
1	IAL_01A	Use telephone without help	discrete	numeric-1.0	30859	6	Can you use the telephone without help, including looking up numbers and dialling?
2	IAL_02A	Get to places without help	discrete	numeric-1.0	30855	10	Can you get to places out of walking distance without help (you drive your own car, or travel alone on buses, or taxis)?
3	IAL_03A	Go shopping without help with transport.	discrete	numeric-1.0	30850	15	Can you go shopping for groceries or clothes without help (taking care of all shopping needs yourself)?
4	IAL_04A	Prepare own meals without help	discrete	numeric-1.0	30853	12	Can you prepare your own meals without help (you plan and cook full meals yourself)?
5	IAL_05A	Do housework without help	discrete	numeric-1.0	30848	17	Can you do your housework without help (you can clean floors, etc.)?

#	Name	Label	Type	Format	Valid	Invalid	Question
6	IAL_06A	Able to take medicine without help	discrete	numeric-1.0	30850	15	Can you take your own medicine without help (in the right doses at the right time)?

Group Income

#	Name	Label	Type	Format	Valid	Invalid	Question
1	IN2G02	Main source household income - (G)	discrete	numeric-1.0	29178	1687	-
2	IN2G05	Main source of personal income - (G)	discrete	numeric-1.0	27560	3305	-
3	IN2_12	Current household income - difficult meeting basic expenses	discrete	numeric-1.0	30557	308	With your current household income, do you have any difficulty meeting basic expenses such as food, shelter and clothing?
4	IN2G13	Approx. savings/investments	discrete	numeric-1.0	23987	6878	-
5	IN2GHH	Total household income - all sources - (G)	discrete	numeric-1.0	25501	5364	-
6	IN2GPER	Personal Income - All Sources - (G)	discrete	numeric-2.0	23987	6878	-
7	IN2DRCA	Household income distribution - (D)	discrete	numeric-2.0	25501	5364	-
8	IN2DRPR	Household income distribution-prov. level - (D)	discrete	numeric-2.0	25501	5364	-

Group Labour force - Extended version

#	Name	Label	Type	Format	Valid	Invalid	Question
1	LBFG31	Type of employment - (G)	discrete	numeric-1.0	12021	18844	-
2	LBF_31B	Has employees	discrete	numeric-1.0	2744	28121	[Do/Did] you have any employees?
3	LBF_37A	Job permanency status	discrete	numeric-1.0	12076	18789	[Is/Was] your job permanent, or is there some way that it [is/was] not permanent? (For example: seasonal, temporary, term, casual.)
4	LBFG38	Job not permanent - reason - (G)	discrete	numeric-1.0	1982	28883	-
5	LBFG44	Usual work schedule - main job - (G)	discrete	numeric-1.0	12077	18788	-
6	LBFG45	Usual work schedule - reason - (G)	discrete	numeric-1.0	3154	27711	-
7	LBF_46	Work on weekends - main job/business	discrete	numeric-1.0	12075	18790	[Do/Did] you usually work on weekends at this [job/business]?
8	LBF_46B	Work after official retirement age	discrete	numeric-1.0	11062	19803	In your [current/last] [job/business], [are/were] there opportunities to work, either full time or part time after age 65?
9	LBF_52	More than one job/business - reason	discrete	numeric-2.0	1023	29842	What is the main reason that you [work/worked] at more than one job?
10	LBF_54	Work on weekends - other job/business	discrete	numeric-1.0	1024	29841	[Do/did] you usually work on weekends at your other job(s)?
11	LBFG73	Didn't look for work - main reason -(G)	discrete	numeric-2.0	2369	28496	-

#	Name	Label	Type	Format	Valid	Invalid	Question
12	LBFGWSL	Working status last week - (G)	discrete	numeric-1.0	21329	9536	-
13	LBFGRNW	Main reason - not working last week - (G)	discrete	numeric-1.0	11519	19346	-
14	LBFDMJS	Multiple job status - (D)	discrete	numeric-2.0	21351	9514	-
15	LBFGHPW	Total usual hours worked per week	continuous	numeric-3.0	11948	18917	-
16	LBFDPFT	Full/part-time - current jobs - (D)	discrete	numeric-1.0	11948	18917	-
17	LBFGJST	Job status over past year - (G)	discrete	numeric-1.0	21274	9591	-
18	LBFFHNW	Never worked in labour force -(F)	discrete	numeric-1.0	21373	9492	-
19	LBFGOCG	Occupational group - (G)	discrete	numeric-1.0	10590	20275	-

Group Loneliness

#	Name	Label	Type	Format	Valid	Invalid	Question
1	LON_01	Lack companionship	discrete	numeric-1.0	29951	914	How often do you feel that you lack companionship?
2	LON_02	Felt left out	discrete	numeric-1.0	29936	929	How often do you feel left out?
3	LON_03	Felt isolated from others	discrete	numeric-1.0	29946	919	How often do you feel isolated from others?
4	LONDSCR	Three Item Loneliness Scale-Scr -(D)	discrete	numeric-2.0	29888	977	-

Group Medication use

#	Name	Label	Type	Format	Valid	Invalid	Question
1	MED_1A	Medication - pain relievers - past month	discrete	numeric-1.0	30843	22	In the past month, that is, from month ago to yesterday, did you take:... pain relievers such as Aspirin or Tylenol (including arthritis medicine and anti-inflammatories)?
2	MED_1AA	Medication - pain relievers - daily basis	discrete	numeric-1.0	21064	9801	Did you take any of these on a daily basis?
3	MED_1B	Medication - tranquilizers - past month	discrete	numeric-1.0	30821	44	In the past month, that is, from [date one month ago] to yesterday, did you take:... tranquilizers such as Valium or Ativan?
4	MED_1BB	Medication - tranquilizers - daily basis	discrete	numeric-1.0	1643	29222	Did you take any of these on a daily basis?
5	MED_1C	Medication - diet pills - past month	discrete	numeric-1.0	30838	27	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... diet pills such as Dexatrim, Ponderal or Fastin?
6	MED_1CC	Medication - diet pills - daily basis	discrete	numeric-1.0	75	30790	Did you take any of these on a daily basis?
7	MED_1D	Medication - antidepressants - past month	discrete	numeric-1.0	30819	46	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... anti-depressants such as Prozac, Paxil or Effexor?

#	Name	Label	Type	Format	Valid	Invalid	Question
8	MED_1DD	Medication - anti-depressants - daily basis	discrete	numeric-1.0	2435	28430	Did you take any of these on a daily basis?
9	MED_1E	Medication - codeine/ Demerol/morphine - past month	discrete	numeric-1.0	30824	41	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... codeine, Demerol or morphine?
10	MED_1EE	Medication - codeine/ Demerol/morphine - daily	discrete	numeric-1.0	1469	29396	Did you take any of these on a daily basis?
11	MED_1G	Medication - asthma medications - past month	discrete	numeric-1.0	30839	26	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... asthma medications such as inhalers or nebulizers?
12	MED_1GG	Medication - asthma medications - daily basis	discrete	numeric-1.0	2523	28342	Did you take any of these on a daily basis?
13	MED_1I	Medication - penic./other antibiotics -past month	discrete	numeric-1.0	30827	38	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... penicillin or other antibiotics?
14	MED_1II	Medication - penicillin - daily basis	discrete	numeric-1.0	2023	28842	Did you take any of these on a daily basis?
15	MED_1J	Medication - medicine for the heart - past month	discrete	numeric-1.0	30799	66	In the past month, that is, from [date one month ago] to yesterday, did you take:)... medicine for the heart?
16	MED_1JJ	Medication - medicine for the heart - daily basis	discrete	numeric-1.0	6711	24154	Did you take any of these on a daily basis?
17	MED_1L	Medication - diuretics - past month	discrete	numeric-1.0	30770	95	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... diuretics or water pills?
18	MED_1LL	Medication - diuretics - daily basis	discrete	numeric-1.0	5760	25105	Did you take any of these on a daily basis?
19	MED_1M	Medication - steroids - past month	discrete	numeric-1.0	30817	48	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... steroids?
20	MED_1MM	Medication - steroids - daily basis	discrete	numeric-1.0	603	30262	Did you take any of these on a daily basis?
21	MED_1P	Medication - sleeping pills - past month	discrete	numeric-1.0	30826	39	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... sleeping pills such as Imovane, Nytol or Starnoc?
22	MED_1PP	Medication - sleeping pills - daily basis	discrete	numeric-1.0	3156	27709	Did you take any of these on a daily basis?
23	MED_1Q	Medication - stomach remedies - past month	discrete	numeric-1.0	30820	45	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... stomach remedies?
24	MED_1QQ	Medication - stomach remedies - daily basis	discrete	numeric-1.0	6446	24419	Did you take any of these on a daily basis?
25	MED_1R	Medication - laxatives - past month	discrete	numeric-1.0	30837	28	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... laxatives?
26	MED_1RR	Medication - laxatives - daily basis	discrete	numeric-1.0	2543	28322	Did you take any of these on a daily basis?
27	MED_1T	Medication - hormones for menopause - past month	discrete	numeric-1.0	17543	13322	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... hormones for menopause or aging symptoms?

#	Name	Label	Type	Format	Valid	Invalid	Question
28	MED_1TT	Medication - hormones menopause - daily basis	discrete	numeric-1.0	1160	29705	Did you take any of these on a daily basis?
29	MED_1U	Medication - thyroid - past month	discrete	numeric-1.0	30828	37	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... thyroid medication such as Synthroid or Levothyroxine?
30	MED_1UU	Medication - thyroid medication - daily basis	discrete	numeric-1.0	3910	26955	Did you take any of these on a daily basis?
31	MED_1V	Medication - other - past month	discrete	numeric-1.0	30797	68	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... any other medication?
32	MED_1VV	Medication - other - daily basis	discrete	numeric-1.0	14238	16627	Did you take it on a daily basis?
33	MEDDNM	Number of types of medicine used (past mo)-(D)	discrete	numeric-2.0	30612	253	-
34	MEDDNMD	Number types of medicine used daily (past mo)-(D)	discrete	numeric-2.0	30594	271	-
35	MEDF1	Medication use (past month) - (F)	discrete	numeric-1.0	30576	289	-

Group Nutritional risk

#	Name	Label	Type	Format	Valid	Invalid	Question
1	NUR_01	Gained, lost or stayed same weight -6month	discrete	numeric-1.0	30128	737	Compared with 6 months ago, have you gained weight, lost weight or stayed about the same?
2	NUR_02	Amount of weight change	discrete	numeric-1.0	9434	21431	How much weight did you [lose/gain] in the past 6 months?
3	NUR_03	Frequency of skipping meals	discrete	numeric-1.0	30156	709	In general, how often do you skip meals?
4	NUR_04	Describe appetite	discrete	numeric-1.0	30161	704	In general, how would you describe your appetite?
5	NUR_05	Frequency of pain swallowing food or fluid	discrete	numeric-1.0	30162	703	In general, how often do you cough, choke or have pain when swallowing food or fluid?
6	NUR_06	Servings fruits and vegetables in a day	discrete	numeric-2.0	30079	786	In general, how many servings of fruits and vegetables do you eat in a day?
7	NUR_07	Amount of fluid consumed in a day	discrete	numeric-1.0	30124	741	How much fluid do you drink in a day?
8	NUR_08	Frequency - eat one or + meals/day w/someone	discrete	numeric-1.0	30161	704	How often do you eat at least one meal each day with someone?
9	NUR_09	Usually cook own meals	discrete	numeric-1.0	30155	710	Do you usually cook your own meals?
10	NUR_10	Describe meal preparation - self	discrete	numeric-1.0	22075	8790	Which of the following statements best describes meal preparation for you?
11	NUR_11	Describe meal preparation - other	discrete	numeric-1.0	8037	22828	Which of the following statements best describes the meals prepared for you?
12	NURDHNR	High Nutritional Risk - (D)	discrete	numeric-2.0	29897	968	-
13	NURDSCR	Nutritional risk - Score - (D)	continuous	numeric-2.0	29897	968	-

Group Oral health 3

#	Name	Label	Type	Format	Valid	Invalid	Question
1	OH3_01	Health of your mouth	discrete	numeric-1.0	30847	18	In general, would you say the health of your mouth is:
2	OH3_02	Has one or more of own teeth	discrete	numeric-1.0	30859	6	Do you have one or more of your own teeth?
3	OH3_03	Wear dentures or false teeth	discrete	numeric-1.0	30828	37	Do you wear dentures or false teeth?
4	OH3_04	Frequency - uncomfortable to eat any food	discrete	numeric-1.0	30847	18	In the past 12 months, that is, from one year ago to yesterday, how often have you found it uncomfortable to eat any food because of problems with your mouth?
5	OH3_05	Frequency-avoid eating foods-problem w/mouth	discrete	numeric-1.0	30849	16	In the past 12 months, that is, from one year ago to yesterday, how often have you avoided eating particular foods because of problems with your mouth?
6	OH3_09A	Last saw dental professional	discrete	numeric-2.0	30769	96	When was the last time you saw a dental professional?
7	OH3_09BA	Reason not seen dentist - time	discrete	numeric-1.0	7614	23251	What are the reasons you have not seen a dental professional in the last 3 years? - Have not gotten around to it
8	OH3_09BB	Reason not seen dentist - respondent-unnecessary	discrete	numeric-1.0	7614	23251	What are the reasons you have not seen a dental professional in the last 3 years? - Respondent did not think it was necessary
9	OH3_09BC	Reason not seen dentist - dentist-unnessary	discrete	numeric-1.0	7614	23251	What are the reasons you have not seen a dental professional in the last 3 years? - Dental professional did not think it was necessary
10	OH3_09BD	Reason not seen dentist - personal/famaily responsibilities	discrete	numeric-1.0	7614	23251	What are the reasons you have not seen a dental professional in the last 3 years? - Personal or family responsibilities
11	OH3_09BE	Reason not seen dentist - not available at time	discrete	numeric-1.0	7614	23251	What are the reasons you have not seen a dental professional in the last 3 years? - Not available at time required
12	OH3_09BF	Reason not seen dentist - not available in area	discrete	numeric-1.0	7614	23251	What are the reasons you have not seen a dental professional in the last 3 years? - Not available at all in the area
13	OH3_09BG	Reason not seen dentist - wait too long	discrete	numeric-1.0	7614	23251	What are the reasons you have not seen a dental professional in the last 3 years? - Waiting time was too long
14	OH3_09BH	Reason not seen dentist - transportation	discrete	numeric-1.0	7614	23251	What are the reasons you have not seen a dental professional in the last 3 years? - Transportation problems
15	OH3_09BI	Reason not seen dentist - language prob.	discrete	numeric-1.0	7614	23251	What are the reasons you have not seen a dental professional in the last 3 years? - Language problem
16	OH3_09BJ	Reason not seen dentist - cost	discrete	numeric-1.0	7614	23251	What are the reasons you have not seen a dental professional in the last 3 years? - Cost
17	OH3_09BK	Reason not seen dentist - uninformed	discrete	numeric-1.0	7614	23251	What are the reasons you have not seen a dental professional in the last 3 years? - Did not know where to go /uninformed
18	OH3_09BL	Reason not seen dentist - fear	discrete	numeric-1.0	7614	23251	What are the reasons you have not seen a dental professional in the last 3 years? - Fear (E.g pain, embarassing, find something other)

#	Name	Label	Type	Format	Valid	Invalid	Question
19	OH3_09BM	Reason not seen dentist - wears dentures	discrete	numeric-1.0	7614	23251	What are the reasons you have not seen a dental professional in the last 3 years? - Wear dentures
20	OH3_09BN	Reason not seen dentist - can't leave house	discrete	numeric-1.0	7614	23251	What are the reasons you have not seen a dental professional in the last 3 years? - Unable to leave house because of health problem
21	OH3_09BO	Reason not seen dentist - other	discrete	numeric-1.0	7614	23251	What are the reasons you have not seen a dental professional in the last 3 years? - Other
22	OH3_10A	Has insurance to cover dental expenses	discrete	numeric-1.0	30759	106	Do you have insurance or a government program that covers all or part of your dental expenses?
23	OH3_10BA	Dental plan - employer-sponsored	discrete	numeric-1.0	14042	16823	Is it an employer-sponsored plan?
24	OH3_10BC	Dental plan - private	discrete	numeric-1.0	14042	16823	Is it a private plan?
25	OH3G10B	Dental plan - government sponsored	discrete	numeric-1.0	14042	16823	-
26	OH3GFLO	Daily Flossing - (G)	discrete	numeric-2.0	30405	460	-
27	OH3GBRU	Daily Brushing - (G)	discrete	numeric-2.0	30494	371	-

Group Physical activities 2

#	Name	Label	Type	Format	Valid	Invalid	Question
1	PA2_01A	Frequency of participating - sitting activity	discrete	numeric-1.0	30855	10	Over the past 7 days, how often did you participate in sitting activities such as reading, watching TV, computer activities or doing handicrafts?
2	PA2_01BA	Sitting activities - bingo, cards, etc.	discrete	numeric-1.0	30626	239	What were these activities? - Bingo, cards or other games
3	PA2_01BB	Sitting activities - computer activities	discrete	numeric-1.0	30626	239	What were these activities? - Computer activities
4	PA2_01BC	Sitting activities - crossword, puzzles, etc	discrete	numeric-1.0	30626	239	What were these activities? - Crosswords, puzzles, etc
5	PA2_01BD	Sitting activities - handicrafts	discrete	numeric-1.0	30626	239	What were these activities? - Handicrafts
6	PA2_01BE	Sitting activities - listening to radio/music	discrete	numeric-1.0	30626	239	What were these activities? - Listening to radio/music
7	PA2_01BF	Sitting activities - playing musical instrument	discrete	numeric-1.0	30626	239	What were these activities? - Playing musical instruments
8	PA2_01BG	Sitting activities - reading	discrete	numeric-1.0	30626	239	What were these activities? - Reading
9	PA2_01BH	Sitting activities - visiting others	discrete	numeric-1.0	30626	239	What were these activities? - Visiting with others
10	PA2_01BI	Sitting activities - watching TV	discrete	numeric-1.0	30626	239	What were these activities? - Watching TV
11	PA2_01BJ	Sitting activities - other	discrete	numeric-1.0	30626	239	What were these activities? - Other
12	PA2_01C	Number hours per day - sitting activities	discrete	numeric-1.0	30596	269	On average, how many hours per day did you engage in these sitting activities?
13	PA2_02A	Frequency of participating - walking	discrete	numeric-1.0	30849	16	Over the past 7 days, how often did you take a walk outside your home or yard for any reason? For example, for

#	Name	Label	Type	Format	Valid	Invalid	Question
							pleasure or exercise, walking to work, walking the dog, etc.
14	PA2G02B	Number of hours per day - walking - (G)	discrete	numeric-1.0	23999	6866	-
15	PA2_03A	Frequency engaged - light sports/recreational	discrete	numeric-1.0	30850	15	Over the past 7 days, how often did you engage in light sports or recreational activities such as bowling, golf with a cart, shuffleboard, badminton, fishing or other similar activities?
16	PA2G03C	Number hours per day - light sport or recreational activity	discrete	numeric-1.0	4434	26431	-
17	PA2_04A	Frequency engaged - moderate sports/recreation	discrete	numeric-1.0	30851	14	Over the past 7 days, how often did you engage in moderate sports or recreational activities such as ballroom dancing, hunting, skating, golf without a cart, softball or other similar activities?
18	PA2G04C	Number hours/day - moderate sport or recreational activity	discrete	numeric-1.0	3026	27839	-
19	PA2_05A	Frequency engaged - strenuous sports/recreation	discrete	numeric-1.0	30852	13	Over the past 7 days, how often did you engage in strenuous sports or recreational activities such as jogging, swimming, snowshoeing, cycling, aerobics, skiing, or other similar activities?
20	PA2G05C	Number hours/day - stren. sport or recreational activity	discrete	numeric-1.0	5069	25796	-
21	PA2_06A	Frequency exercise - muscle/ endurance	discrete	numeric-1.0	30851	14	Over the past 7 days, how often did you do any exercises specifically to increase muscle strength and endurance, such as lifting weights or push-ups, etc.?
22	PA2G06C	Number hours/day - exercise to increase strength	discrete	numeric-1.0	5575	25290	-
23	PA2_07	Past 7 days - done light housework	discrete	numeric-1.0	30853	12	During the past 7 days, have you done any light housework, such as dusting or washing dishes?
24	PA2_08	Past 7 days - done heavy housework	discrete	numeric-1.0	30854	11	During the past 7 days, have you done any heavy housework or chores such as vacuuming, scrubbing floors, washing windows or carrying wood?
25	PA2_09A	Past 7 days - done home repairs	discrete	numeric-1.0	30852	13	During the past 7 days, did you engage in any of the following activities:... Home repairs like painting, wallpapering, electrical work, etc.?
26	PA2_09B	Past 7 days - done lawn work	discrete	numeric-1.0	30852	13	During the past 7 days, did you engage in any of the following activities:)... Lawn work or yard care, including snow or leaf removal, wood chopping, etc. (excluding outdoor gardening)?
27	PA2_09C	Past 7 days - outdoor gardening	discrete	numeric-1.0	30854	11	(During the past 7 days, did you engage in any of the following activities:)... Outdoor gardening, sweeping the balcony or the stairs?
28	PA2_09D	Past 7 days - caring for another person	discrete	numeric-1.0	30853	12	(During the past 7 days, did you engage in any of the following activities:)… Caring for another person, such as children, a dependent spouse or other adult?

#	Name	Label	Type	Format	Valid	Invalid	Question
29	PA2_10A	Past 7 days - work for pay/ volunteer	discrete	numeric-1.0	30853	12	During the past 7 days, did you work for pay or as a volunteer?
30	PA2_10B	Number hours per week - work for pay/volunteer	continuous	numeric-3.0	12340	18525	During the past 7 days, how many hours did you work for pay or as a volunteer?
31	PA2_10C	Amount of physical act for job/volunteer	discrete	numeric-1.0	12367	18498	Which of the following categories best describes the amount of physical activity required on your job or as a volunteer?
32	PA2_11A	Representative of activity level - 12months	discrete	numeric-1.0	30841	24	We just talked about your activities during the last 7 days. Taking them altogether, would you say they represent the level of your routine activity over the last 12 months?
33	PA2_11B	Past 7 days - activity level lower/higher	discrete	numeric-1.0	7642	23223	During the past 7 days, would you say that your physical activity level was: (a lot lower than usual, a little lower than usual, a little higher than usual, a lot higher than usual)?
34	PA2_12	Past 12 months - wanted to do more physical	discrete	numeric-1.0	30141	724	In the past 12 months, have you felt like you wanted to participate more in physical activities?
35	PA2_13A	Barriers to physical activity - cost	discrete	numeric-1.0	14041	16824	What prevented you from doing more physical activities? - Cost
36	PA2_13B	Barriers to physical activity - transportation	discrete	numeric-1.0	14041	16824	What prevented you from doing more physical activities? - Transportation problem
37	PA2_13C	Barriers to physical activity - not available area	discrete	numeric-1.0	14041	16824	What prevented you from doing more physical activities? - Activities not available in the area
38	PA2_13D	Barriers to physical activity - not accessible	discrete	numeric-1.0	14041	16824	What prevented you from doing more physical activities? - Location not physically accessible
39	PA2_13E	Barriers to physical activity - too far	discrete	numeric-1.0	14041	16824	What prevented you from doing more physical activities? - Location is too far
40	PA2_13F	Barriers to physical activity - health condition	discrete	numeric-1.0	14041	16824	What prevented you from doing more physical activities? - Health condition limitation
41	PA2_13G	Barriers to physical activity - illness/injury	discrete	numeric-1.0	14041	16824	What prevented you from doing more physical activities? - Illness/injury
42	PA2_13H	Barriers to physical activity - fear of injury	discrete	numeric-1.0	14041	16824	What prevented you from doing more physical activities? - Fear of injury
43	PA2_13I	Barriers to physical activity - lack of time	discrete	numeric-1.0	14041	16824	What prevented you from doing more physical activities? - Lack of time
44	PA2_13J	Barriers to physical activity - lack of energy	discrete	numeric-1.0	14041	16824	What prevented you from doing more physical activities? - Lack of energy
45	PA2_13K	Barriers to physical activity - lack of motiv.	discrete	numeric-1.0	14041	16824	What prevented you from doing more physical activities? - Lack of motivation
46	PA2_13L	Barriers to physical activity - lack of skills	discrete	numeric-1.0	14041	16824	What prevented you from doing more physical activities? - Lack of skills or knowledge
47	PA2_13M	Barriers to physical activity - other	discrete	numeric-1.0	14041	16824	What prevented you from doing more physical activities? - Other
48	PA2DSCR	PASE Score - (D)	continuous	numeric-3.0	30788	77	-
49	PA2FLEI	Participant leisure phys. activity - (F)	discrete	numeric-1.0	30843	22	-

Group Reasons for retirement

#	Name	Label	Type	Format	Valid	Invalid	Question
1	RET_02	Has retired from a job	discrete	numeric-1.0	12930	17935	Have you ever retired from a job?
2	RET_03	Retired more than one time	discrete	numeric-1.0	14538	16327	After retirement, some people return to work and later retire again. Have you retired more than one time?
3	RET_05AA	Reason retired - completed required years	discrete	numeric-1.0	14441	16424	Which of the following reasons contributed to your decision to retire (the first time)? - You had completed the required years of service to qualify for a pension
4	RET_05AB	Reason retired - financially possible	discrete	numeric-1.0	14441	16424	Which of the following reasons contributed to your decision to retire (the first time)? - Retirement was financially possible
5	RET_05AC	Reason retired - health/ disability	discrete	numeric-1.0	14441	16424	Which of the following reasons contributed to your decision to retire (the first time)? - Health/disability/stress reasons
6	RET_05AD	Reason retired - employer incentives	discrete	numeric-1.0	14441	16424	Which of the following reasons contributed to your decision to retire (the first time)? - Employer offered special incentives to retire
7	RET_05AE	Reason retired - organization restructur/job eliminated	discrete	numeric-1.0	14441	16424	Which of the following reasons contributed to your decision to retire (the first time)? - Organizational restructuring or job eliminated
8	RET_05AF	Reason retired - caregiving family/friend	discrete	numeric-1.0	14441	16424	Which of the following reasons contributed to your decision to retire (the first time)? - Providing care to family member or friend
9	RET_05AG	Reason retired - mandatory retirement	discrete	numeric-1.0	14441	16424	Which of the following reasons contributed to your decision to retire (the first time)? - Employer had a mandatory retirement policy
10	RET_05AH	Reason retired - pursue other activity	discrete	numeric-1.0	14441	16424	Which of the following reasons contributed to your decision to retire (the first time)? - Wished to pursie hobbies or other activities of personal interest
11	RET_05AI	Reason retired - wanted to stop work	discrete	numeric-1.0	14441	16424	Which of the following reasons contributed to your decision to retire (the first time)? - Wanted to stop work
12	RET_05AJ	Reason retired - spouse/ partner	discrete	numeric-1.0	14441	16424	Which of the following reasons contributed to your decision to retire (the first time)? - An arangement with your spouse or partner
13	RET_05AK	Reason retired - other	discrete	numeric-1.0	14441	16424	Which of the following reasons contributed to your decision to retire (the first time)? - Other
14	RET_08	Voluntary retirement	discrete	numeric-1.0	10433	20432	Would you say your (first) retirement was voluntary, that is, you retired when you wanted to?
15	RET_09	Ability to work - score	discrete	numeric-2.0	14994	15871	Assume that your ability to work for pay at your lifetime best has a value of 10 points. How many points would you give your current ability to work for pay?

#	Name	Label	Type	Format	Valid	Invalid	Question
16	RET_10	Went back to work after retirement	discrete	numeric-1.0	12646	18219	After your retirement, did you ever go back to work at any job or employment?
17	RET_11	Looked for paid work after retirement	discrete	numeric-1.0	10909	19956	Did you look for paid work at any time after your (first) retirement?
18	RET_12A	Reasons - financial considerations	discrete	numeric-1.0	3571	27294	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Financial considerations
19	RET_12B	Reasons - caregaver duties no longer required	discrete	numeric-1.0	3571	27294	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Caregiving duties were no longer required
20	RET_12C	Reasons - improvement in health	discrete	numeric-1.0	3571	27294	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Improvement in your health
21	RET_12D	Reasons - liked working/ being active	discrete	numeric-1.0	3571	27294	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Liked working/being active
22	RET_12E	Reasons - interesting work opportunity	discrete	numeric-1.0	3571	27294	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Interesting work opportunity
23	RET_12F	Reasons - preferred gradual retirement	discrete	numeric-1.0	3571	27294	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Preferred gradual retirement
24	RET_12G	Reasons - wanted to make contribution	discrete	numeric-1.0	3571	27294	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Wanted to make a contribution
25	RET_12H	Reasons - wanted challenge	discrete	numeric-1.0	3571	27294	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Wanted a challenge
26	RET_12I	Reasons - did not like retirement	discrete	numeric-1.0	3571	27294	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Did not like retirement or not ready to retire
27	RET_12J	Reasons - other	discrete	numeric-1.0	3571	27294	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Other
28	RETFSRS	Subjective retirement status - (F)	discrete	numeric-1.0	26597	4268	-
29	RETGARE	Age at First Retirement - (G)	discrete	numeric-2.0	13953	16912	-
30	RETGAPR	Age at Partial Retirement - (G)	discrete	numeric-2.0	945	29920	-
31	RETDRS	Retirement status - objective - (D)	discrete	numeric-1.0	27897	2968	-
32	RETDWAR	Work after retirement - (D)	discrete	numeric-1.0	14491	16374	-

Group Retirement planning

#	Name	Label	Type	Format	Valid	Invalid	Question
1	RPLG01A	Age plan to retire - (G)	discrete	numeric-2.0	9112	21753	-
2	RPL_01B	Reason for no plans to retire	discrete	numeric-1.0	3067	27798	Is that because: (you have not thought about or planned for retirement, you plan to continue working for as long as you are able to, you can't afford to retire)?
3	RPL_02A	Prep. - decrease number of work hours	discrete	numeric-1.0	12819	18046	Have you done any of the following in preparation for your retirement - Decreased your number of work hours
4	RPL_02B	Prep. - increase your number of work hours	discrete	numeric-1.0	12819	18046	Have you done any of the following in preparation for your retirement - Increased your number of work hours
5	RPL_02C	Prep. - change jobs	discrete	numeric-1.0	12819	18046	Have you done any of the following in preparation for your retirement - Changed jobs
6	RPL_02D	Prep. - develop physical activities	discrete	numeric-1.0	12819	18046	Have you done any of the following in preparation for your retirement - Increased physical activities
7	RPL_02E	Prep. - leisure activities & hobbies	discrete	numeric-1.0	12819	18046	Have you done any of the following in preparation for your retirement - Increased other leisure activities and hobbies
8	RPL_02F	Prep. - educational or training program	discrete	numeric-1.0	12819	18046	Have you done any of the following in preparation for your retirement - Enrolled in an educational or training program
9	RPL_02G	Prep. - gather retirement information	discrete	numeric-1.0	12819	18046	Have you done any of the following in preparation for your retirement - Gathered retirement information
10	RPL_02H	Prep. - contribute to an RRSP	discrete	numeric-1.0	12819	18046	Have you done any of the following in preparation for your retirement - Contributed to an RRSP
11	RPL_02I	Prep. - savings or other investments	discrete	numeric-1.0	12819	18046	Have you done any of the following in preparation for your retirement - Built up savings or made other investments
12	RPL_02J	Prep. - pay-off mortgage or debts	discrete	numeric-1.0	12819	18046	Have you done any of the following in preparation for your retirement - Paid-off mortgage or debts
13	RPL_02K	Prep. - downsize living arrangements	discrete	numeric-1.0	12819	18046	Have you done any of the following in preparation for your retirement - Downsized living arrangements
14	RPL_02L	Prep. - none	discrete	numeric-1.0	12819	18046	Have you done any of the following in preparation for your retirement - None
15	RPL_02M	Prep. - other	discrete	numeric-1.0	12819	18046	Have you done any of the following in preparation for your retirement - Other
16	RPL_03	Ability to work for pay	discrete	numeric-2.0	9917	20948	Assume that your ability to work for pay at your lifetime best has a value of 10 points. How many points would you give your current ability to work for pay?
17	RPL_04	Belonged to an employer pension plan	discrete	numeric-1.0	12808	18057	Have you ever contributed to an employer pension plan, other than the Canada Pension Plan or Quebec Pension Plan?

#	Name	Label	Type	Format	Valid	Invalid	Question
18	RPL_08	Prepared financially for your retirement	discrete	numeric-1.0	10617	20248	When you retire, how adequate do you think your household income and investments will be to maintain your standard of living? Will they be:
19	RPLFPRE	Flag for preparation for retirement -(F)	discrete	numeric-1.0	11057	19808	-

Group Sample variables

#	Name	Label	Type	Format	Valid	Invalid	Question
1	VERDATE	Date of file creation	discrete	character-8	30865	0	-

Group Socio-demographic characteristics

#	Name	Label	Type	Format	Valid	Invalid	Question
1	SDCGCGT	Culture / Race Flag - (G)	discrete	numeric-1.0	30568	297	-
2	SDCGLHM	Language(s) spoken at home - (G)	discrete	numeric-1.0	30647	218	-
3	SDCGLNG	Language(s) - can converse - (G)	discrete	numeric-1.0	30551	314	-
4	SDCGRES	Time in Canada since immigration - (G)	discrete	numeric-1.0	5788	25077	-
5	SDCFIMM	Immigrant - (F)	discrete	numeric-1.0	30366	499	-
6	SDCGCBG	Country of Birth - (G)	discrete	numeric-1.0	30445	420	-

Group Sleep 2

#	Name	Label	Type	Format	Valid	Invalid	Question
1	SLP_02	Frequency - trouble sleeping	discrete	numeric-1.0	30167	698	How often do you have trouble going to sleep or staying asleep?

Group Satisfaction With Life Scale

#	Name	Label	Type	Format	Valid	Invalid	Question
1	SLS_01	Life close to ideal	discrete	numeric-2.0	29959	906	In most ways, my life is close to my ideal.
2	SLS_02	Conditions of life excellent	discrete	numeric-2.0	30039	826	The conditions of my life are excellent.
3	SLS_03	Satisfied with life	discrete	numeric-2.0	30059	806	I am satisfied with my life.
4	SLS_04	Gotten important things wanted in life	discrete	numeric-2.0	30028	837	So far, I have gotten the important things I want in life.
5	SLS_05	Live life over would change nothing	discrete	numeric-2.0	29926	939	If I could live my life over, I would change almost nothing.
6	SLSDCLS	Satisfaction with Life Scale - class.-(D)	discrete	numeric-2.0	29739	1126	-
7	SLSDSCR	Satisfaction with Life Scale - scr. - (D)	continuous	numeric-2.0	29739	1126	-

Group Smoking

#	Name	Label	Type	Format	Valid	Invalid	Question

#	Name	Label	Type	Format	Valid	Invalid	Question
1	SMK_01A	Smoked 100 or more cigarettes - life	discrete	numeric-1.0	30840	25	In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)?
2	SMK_01B	Ever smoked whole cigarette	discrete	numeric-1.0	13437	17428	Have you ever smoked a whole cigarette?
3	SMKG01C	Age - smoked first whole cigarette - (G)	continuous	numeric-2.0	20088	10777	-
4	SMK_202	Type of smoker	discrete	numeric-1.0	30850	15	At the present time, do you smoke cigarettes daily, occasionally or not at all?
5	SMKG203	Age - started daily (daily smoker) - (G)	continuous	numeric-2.0	4349	26516	-
6	SMK_204	Number of cigarettes smoked/day (daily smoker)	continuous	numeric-3.0	4396	26469	How many cigarettes do you smoke each day now?
7	SMK_05B	Number of cigarettes per day (occasional smoker)	discrete	numeric-3.0	643	30222	On the days that you do smoke, how many cigarettes do you usually smoke?
8	SMK_05C	Number of days-1 cigarette or more (occasional smoker)	continuous	numeric-2.0	630	30235	In the past month, on how many days have you smoked 1 or more cigarettes?
9	SMK_05D	Ever smoked cigarettes daily	discrete	numeric-1.0	12986	17879	Have you ever smoked cigarettes daily?
10	SMK_06A	Stopped smoking-when (never daily smoked)	discrete	numeric-1.0	992	29873	When did you stop smoking? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?
11	SMKG06C	Number years since stopped smoking - (G)	discrete	numeric-2.0	960	29905	-
12	SMKG207	Age -started daily (former daily smoker) - (G)	continuous	numeric-2.0	11581	19284	-
13	SMK_208	Number of cigarettes smoked/day (former daily)	continuous	numeric-3.0	11534	19331	How many cigarettes did you usually smoke each day?
14	SMK_09A	Stopped smoking daily - when	discrete	numeric-1.0	11821	19044	When did you stop smoking daily? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?
15	SMKG09C	Number years since stopped (former daily)	discrete	numeric-2.0	10632	20233	-
16	SMK_10	Quit smoking completely	discrete	numeric-1.0	11370	19495	Was that when you completely quit smoking?
17	SMK_10A	Stopped smoking completely - when	discrete	numeric-1.0	219	30646	When did you stop smoking completely? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, or 3 or more years ago)?
18	SMKG10C	Number years since stopped (daily) - (G)	discrete	numeric-2.0	158	30707	-
19	SMKGSTP	Number years since stopping completely - (G)	discrete	numeric-2.0	12274	18591	-
20	SMKDSTY	Type of smoker - (D)	discrete	numeric-2.0	30827	38	-
21	SMKDYCS	Number of years smoked - (D)	continuous	numeric-3.0	4349	26516	-

Group Social participation

#	Name	Label	Type	Format	Valid	Invalid	Question

#	Name	Label	Type	Format	Valid	Invalid	Question
1	SPAG01	Frequency participation - family/friend activities	discrete	numeric-1.0	30792	73	-
2	SPAG02	Frequency participation - church/religious activities	discrete	numeric-1.0	30761	104	-
3	SPAG03	Frequency participation - sports or physical activity	discrete	numeric-1.0	30772	93	-
4	SPAG04	Frequency participation - educaiton/cultural activities	discrete	numeric-1.0	30767	98	-
5	SPAG05	Frequency participation - service club/ fraternal organization	discrete	numeric-1.0	30765	100	-
6	SPAG06	Frequency participation - community/professional	discrete	numeric-1.0	30761	104	-
7	SPAG07	Frequency participation - volunteer or charity work	discrete	numeric-1.0	30761	104	-
8	SPAG08	Frequency participation - any other recreational activity	discrete	numeric-1.0	30753	112	-
9	SPA_09	Felt wanted to participate more	discrete	numeric-1.0	30031	834	In the past 12 months, have you felt like you wanted to participate in more social, recreational or group activities?
10	SPA_10A	Prevent - cost	discrete	numeric-1.0	9114	21751	What prevented you from participating in (more) activities? - Cost
11	SPA_10B	Prevent - transportation problems	discrete	numeric-1.0	9114	21751	What prevented you from participating in (more) activities? - Transportation problems
12	SPA_10C	Prevent - activity not available in the area	discrete	numeric-1.0	9114	21751	What prevented you from participating in (more) activities? - Activities not available in the area
13	SPA_10D	Prevent - location not physical accessible	discrete	numeric-1.0	9114	21751	What prevented you from participating in (more) activities? - Location not physically accessible
14	SPA_10E	Prevent - location is too far	discrete	numeric-1.0	9114	21751	What prevented you from participating in (more) activities? - Location is too far
15	SPA_10F	Prevent - health condition limitation	discrete	numeric-1.0	9114	21751	What prevented you from participating in (more) activities? - Health condition limitation
16	SPA_10G	Prevent - time of activity not suitable	discrete	numeric-1.0	9114	21751	What prevented you from participating in (more) activities? - Time of the activities not suitable
17	SPA_10H	Prevent - don't want to go alone	discrete	numeric-1.0	9114	21751	What prevented you from participating in (more) activities? - Don't want to go alone
18	SPA_10I	Prevent - personal/family responsibilities	discrete	numeric-1.0	9114	21751	What prevented you from participating in (more) activities? - Personal or family responsibilities
19	SPA_10J	Prevent - language related reasons	discrete	numeric-1.0	9114	21751	What prevented you from participating in (more) activities? - Language related reasons
20	SPA_10K	Prevent - too busy	discrete	numeric-1.0	9114	21751	What prevented you from participating in (more) activities? - Too busy
21	SPA_10L	Prevent - afraid/concerns about safety	discrete	numeric-1.0	9114	21751	What prevented you from participating in (more) activities? - Afraid or concerns about safety

#	Name	Label	Type	Format	Valid	Invalid	Question
22	SPA_10M	Prevent - other	discrete	numeric-1.0	9114	21751	What prevented you from participating in (more) activities? - Other
23	SPAGFRE	Frequency part - activity - (G)	discrete	numeric-1.0	30714	151	-
24	SPAFPAR	Flag participation in community activity (F)	discrete	numeric-1.0	30714	151	-

Group Social support - Availability

#	Name	Label	Type	Format	Valid	Invalid	Question
1	SSA_01	Number of close friends and relatives	continuous	numeric-3.0	29621	1244	Starting with a question on friendship, about how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?
2	SSA_02	Has someone to give help if confined bed	discrete	numeric-1.0	29195	1670	How often is each of the following kinds of support available to you if you need it? - Someone to help you if you were confined to bed?
3	SSA_03	Has someone to listen	discrete	numeric-1.0	29149	1716	How often is each of the following kinds of support available to you if you need it?) - Someone you can count on to listen to you when you need to talk?
4	SSA_04	Has someone to receive advice about crisis	discrete	numeric-1.0	29033	1832	(How often is each of the following kinds of support available to you if you need it:) - Someone to give you advice about a crisis?
5	SSA_05	Has someone to take them to a doctor	discrete	numeric-1.0	29163	1702	(How often is each of the following kinds of support available to you if you need it:) - Someone to take you to the doctor if you needed it?
6	SSA_06	Has someone who shows love and affection	discrete	numeric-1.0	29137	1728	(How often is each of the following kinds of support available to you if you need it:) - Someone who shows you love and affection?
7	SSA_07	Has someone to have a good time with	discrete	numeric-1.0	29135	1730	Again, how often is each of the following kinds of support available to you if you need it:) - Someone to have a good time with?
8	SSA_08	Has someone to help understand situation	discrete	numeric-1.0	29076	1789	(How often is each of the following kinds of support available to you if you need it:) - Someone to give you information in order to help you understand a situation?
9	SSA_09	Has someone to confide in	discrete	numeric-1.0	29124	1741	(How often is each of the following kinds of support available to you if you need it:) - Someone to confide in or talk to about yourself or your problems?
10	SSA_10	Has someone who gives hugs	discrete	numeric-1.0	29133	1732	(How often is each of the following kinds of support available to you if you need it:) - Someone who hugs you?
11	SSA_11	Has someone to get together w/for relax.	discrete	numeric-1.0	29135	1730	(How often is each of the following kinds of support available to you if you need it:) - Someone to get together with for relaxation?
12	SSA_12	Has someone to prepare meals	discrete	numeric-1.0	29040	1825	(How often is each of the following kinds of support available to you if

#	Name	Label	Type	Format	Valid	Invalid	Question
							you need it:) - Someone to prepare your meals if you were unable to do it yourself?
13	SSA_13	Has someone to give advice	discrete	numeric-1.0	29031	1834	(How often is each of the following kinds of support available to you if you need it:) - Someone whose advice you really want?
14	SSA_14	Has someone to do things to get mind off	discrete	numeric-1.0	29074	1791	Again, how often is each of the following kinds of support available to you if you need it: - Someone to do things with to help you get your mind off things?
15	SSA_15	Has someone to help with daily chores	discrete	numeric-1.0	29076	1789	(How often is each of the following kinds of support available to you if you need it:) - Someone to help with daily chores if you were sick?
16	SSA_16	Has someone to share most private worries	discrete	numeric-1.0	29056	1809	(How often is each of the following kinds of support available to you if you need it:) - Someone to share your most private worries and fears with?
17	SSA_17	Has someone to turn to for suggestions	discrete	numeric-1.0	29055	1810	(How often is each of the following kinds of support available to you if you need it:) - Someone to turn to for suggestions about how to deal with a personal problem?
18	SSA_18	Has someone to do something enjoyable	discrete	numeric-1.0	29116	1749	(How often is each of the following kinds of support available to you if you need it:) - Someone to do something enjoyable with?
19	SSA_19	Has someone who understands problems	discrete	numeric-1.0	29053	1812	(How often is each of the following kinds of support available to you if you need it:) - Someone who understands your problems?
20	SSA_20	Has someone who loves/ makes feel wanted	discrete	numeric-1.0	29081	1784	(How often is each of the following kinds of support available to you if you need it:) - Someone to love you and make you feel wanted?
21	SSA_21	Has a household pet	discrete	numeric-1.0	29188	1677	Do you have a household pet that provides you with companionship?
22	SSADAFF	Affection - MOS subscale - (D)	discrete	numeric-2.0	29027	1838	-
23	SSADEMO	Emotional/informational support - MOS subscale - (D)	continuous	numeric-2.0	28686	2179	-
24	SSADSOC	Positive social interaction - MOS - (D)	discrete	numeric-2.0	28995	1870	-
25	SSADTNG	Tangible social support - MOS - (D)	discrete	numeric-2.0	28961	1904	-

Group Transportation

#	Name	Label	Type	Format	Valid	Invalid	Question
1	TRA_01	Has a valid driver's license	discrete	numeric-1.0	30728	137	Do you have a valid driver's license? (Include cars, vans, trucks and motorcycles.)
2	TRA_02	Frequency of driving - past month	discrete	numeric-1.0	24196	6669	In the past month, how often did you drive? Was it: (6 or 7 days a week, 4 or 5 days a week, 1 to 3 days a week, 1 to 3

#	Name	Label	Type	Format	Valid	Invalid	Question
							days in the past month, Not at all in the past month)?
3	TRA_03C	Used - public transportation	discrete	numeric-1.0	30708	157	In the past month, which of the following (other) forms of transportation have you used? - Public transit such as a bus, rapid transit, subway or train
4	TRA_03D	Used - accessible transit	discrete	numeric-1.0	30708	157	In the past month, which of the following (other) forms of transportation have you used? - Accessible transit
5	TRA_03AA	Public transportation -not needed	discrete	numeric-1.0	25353	5512	Why did you not use public transportation? - Service not needed
6	TRA_03AB	Public transportation - prefer not to use	discrete	numeric-1.0	25353	5512	Why did you not use public transportation? - Prefer not to use
7	TRA_03AC	Public transportation - unavailable in area	discrete	numeric-1.0	25353	5512	Why did you not use public transportation? - Service unavailable in your area
8	TRA_03AD	Public transportation - limitation/health condition	discrete	numeric-1.0	25353	5512	Why did you not use public transportation? - Limitation due to health condition
9	TRA_03AE	Public transportation - inconvenient schedule	discrete	numeric-1.0	25353	5512	Why did you not use public transportation? - Inconvenient service schedule or route
10	TRA_03AF	Public transportation - too costly	discrete	numeric-1.0	25353	5512	Why did you not use public transportation? - Too costly
11	TRA_03AG	Public transportation - other	discrete	numeric-1.0	25353	5512	Why did you not use public transportation? - Other
12	TRA_03BA	Accessible transportation- not needed	discrete	numeric-1.0	30017	848	Why did you not use accessible transit? - Service not needed
13	TRA_03BB	Accessible transportation- prefer not to use	discrete	numeric-1.0	30017	848	Why did you not use accessible transit? - Prefer not to use
14	TRA_03BC	Accessible transportation- unavailable in area	discrete	numeric-1.0	30017	848	Why did you not use accessible transit? - Service unavailable in your area
15	TRA_03BD	Accessible transportation- limitation/health condition	discrete	numeric-1.0	30017	848	Why did you not use accessible transit? - Limitation due to a health condition
16	TRA_03BE	Accessible transportation- inconvenient schedule	discrete	numeric-1.0	30017	848	Why did you not use accessible transit? - Inconvenient service schedule or route
17	TRA_03BF	Accessible transportation- too costly	discrete	numeric-1.0	30017	848	Why did you not use accessible transit? - Too costly
18	TRA_03BG	Accessible transportation- other	discrete	numeric-1.0	30017	848	Why did you not use accessible transit? - Other
19	TRAG04	Most common form of transportation in past month	discrete	numeric-1.0	30274	591	-

Group Weights

#	Name	Label	Type	Format	Valid	Invalid	Question
1	WTS_M	Weights - Master	continuous	numeric-8.2	30865	0	-

Variables Description

Dataset contains 605 variable(s)

File : cchs_5146_E_2008-2009_HealthyAging_F1

VERDATE: Date of file creation

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=30865 / 13635505.69] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
20110125		30865	13635505.7		100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_RNO: Sequential record number

Information	[Type= continuous] [Format=numeric] [Range= 1-30865] [Missing=*]
Statistics [NW/ W]	[Valid=30865 / 13635505.69] [Invalid=0 / 0] [Mean=15433 / 15300.964] [StdDev=8910.102 / 8928.128]

GEO_PRV: Province of residence of respondent

Information	[Type= discrete] [Format=numeric] [Range= 10-88] [Missing=*]
Statistics [NW/ W]	[Valid=30865 / 13635505.69] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
10	NFLD & LAB.	2010	232600.4		1.7%
11	PEI	1650	62326.7		0.5%
12	NS	2282	417656.9		3.1%
13	NB	2225	333844.7		2.4%
24	QUE	5217	3357091.3		24.6%
35	ONT	6525	5224429.9		38.3%
46	MB	2177	460061.6		3.4%
47	SASK	2184	395426.7		2.9%
48	AB	2735	1264065.3		9.3%
59	BC	3860	1888002.2		13.8%
60	YUKON	0	0.0		
61	NWT	0	0.0		
62	NUNAVUT	0	0.0		
88	NO HEALTN NO	0	0.0		
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEOGCMA2: 2006 Census Metro. Area (CMA) - 2 groups

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30865 / 13635505.69] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	CMA	17335	8810835.4		64.6%
2	NON - CMA	13530	4824670.3		35.4%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : cchs_5146_E_2008-2009_HealthyAging_F1

ADM_N09: Interview by telephone or in person

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=30598 / 13498918.23] [Invalid=267 / 136587.46]
Literal question	Was this interview conducted on the telephone or in person

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ON TELEPHONE	1081	662093.4	4.9%	
2	IN PERSON	29024	12523534.1		92.8%
3	BOTH	493	313290.8	2.3%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	267	136587.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_N10: Respondent alone during interview

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30585 / 13494613.78] [Invalid=280 / 140891.91]
Literal question	Was the respondent alone when you asked this health questionnaire

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	24385	10758247.9		79.7%
2	NO	6200	2736365.8	20.3%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	13	4304.4		
8	REFUSAL	0	0.0		
9	NOT STATED	267	136587.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_N11: Answers affected by an another person

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6175 / 2720884.04] [Invalid=24690 / 10914621.65]
Literal question	Do you think that the answers of the respondent were affected by someone else being there?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	423	163575.8	6.0%	
2	NO	5752	2557308.3		94.0%
6	NOT APPLICABLE	24385	10758247.9		
7	DON'T KNOW	25	15481.8		
8	REFUSAL	0	0.0		
9	NOT STATED	280	140891.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_PRX: Health Component completed by proxy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30865 / 13635505.69] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	689	300846.8	2.2%	

File : cchs_5146_E_2008-2009_HealthyAging_F1

ADM_PRX: Health Component completed by proxy

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	30176	13334658.9	97.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGAGE: Age - grouped

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=30865 / 13635505.69] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	45 TO 49 YEARS	2459	2484047.6	18.2%
2	50 TO 54 YEARS	2707	2763584.9	20.3%
3	55 TO 59 YEARS	4788	2131111.4	15.6%
4	60 TO 64 YEARS	4542	1889322.5	13.9%
5	65 TO 69 YEARS	3958	1320361.2	9.7%
6	70 TO 74 YEARS	3017	1087027.6	8.0%
7	75 TO 79 YEARS	2967	868184.7	6.4%
8	80 TO 84 YEARS	2353	600179.2	4.4%
9	85 AND OLDER	4074	491686.6	3.6%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHH_SEX: Sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30865 / 13635505.69] [Invalid=0 / 0]
Literal question	Is respondent male or female?
Interviewer's instructions	Enter the respondent's sex. If necessary, ask: Is respondent male or female?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MALE	13297	6557587.1	48.1%
2	FEMALE	17568	7077918.6	51.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGMS: Marital Status - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30853 / 13634255.29] [Invalid=12 / 1250.4]

File : cchs_5146_E_2008-2009_HealthyAging_F1

DHHGMS: Marital Status - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	MARRIED/COM.LAW	17356	10051901.0		73.7%
2	WIDOWED	7373	1353035.2	9.9%	
3	DIV./SEP.	3831	1356906.3	10.0%	
4	SINGLE	2293	872412.8	6.4%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	12	1250.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGYKD: Number Persons In Household Less Than 16 Years

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=30856 / 13633888.13] [Invalid=9 / 1617.56]

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	NO PERS.<16YRS	28813	11833755.4		86.8%
1	1 PERS.<16 YRS	2043	1800132.7	13.2%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	9	1617.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHG45P: Number persons 45+ yrs in Household - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=30865 / 13635505.69] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 PERSON 45+	13423	3816622.2	28.0%	
2	2 PERSONS 45+	16405	9284331.9		68.1%
3	3 OR MORE 45+	1037	534551.5	3.9%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHG65P: Number persons 65+ years in Household - (G)

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=30865 / 13635505.69] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	NO PERSON 65+	13477	8398982.4		61.6%
1	1 PERSON 65+	11216	2826421.8	20.7%	
2	2 PERSONS 65+	6172	2410101.5	17.7%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		

File : cchs_5146_E_2008-2009_HealthyAging_F1

DHHG65P: Number persons 65+ years in Household - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGHSZ: Household Size - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30846 / 13632919.08] [Invalid=19 / 2586.61]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 PERSON IN HHLD	10906	2574065.9	18.9%
2	2 PERS. IN HHLD	13888	6535061.6	47.9%
3	3 PERS. IN HHLD	3272	2100287.6	15.4%
4	4 PERS. IN HHLD	1736	1507798.8	11.1%
5	5 PERS. IN HHLD	1044	915705.3	6.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	19	2586.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGLVG: Family Arrangement of Resp. - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=30762 / 13569087.97] [Invalid=103 / 66417.72]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	UNATTACHED ALONE	10901	2573614.8	19.0%
2	SPOUSE / PARTER	11848	5816692.6	42.9%
3	OTHER	8013	5178780.6	38.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	103	66417.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGDWE: Dwelling Type - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=30852 / 13631670.75] [Invalid=13 / 3834.94]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SINGLE DETACHED	20939	9712832.6	71.3%
2	APARTMENT	5774	2115205.8	15.5%
3	OTHER	4139	1803632.4	13.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	13	3834.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : cchs_5146_E_2008-2009_HealthyAging_F1

GEN_01: Self-perceived health

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30849 / 13630092.36] [Invalid=16 / 5413.33]
Pre-question	By health, we mean not only the absence of disease or injury but also physical, mental and social wellbeing.
Literal question	In general, would you say your health is: (excellent, very good, good, fair, or poor)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	4894	2770629.1	20.3%
2	VERY GOOD	9745	4571735.6	33.5%
3	GOOD	9792	4119978.5	30.2%
4	FAIR	4744	1607430.1	11.8%
5	POOR	1674	560319.0	4.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	16	5413.3	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_02: Self-perceived hlth - compared 1 yr ago

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30858 / 13633001.49] [Invalid=7 / 2504.2]
Literal question	Compared to one year ago, how would you say your health is now? Is it: (much better now than 1 year ago, somewhat better now than 1 year ago, about the same as 1 year ago, somewhat worse now, or much worse now than 1 year ago)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MUCH BETTER	1354	621491.8	4.6%
2	SOMEWHAT BETTER	2763	1290538.9	9.5%
3	ABOUT THE SAME	21263	9745171.8	71.5%
4	SOMEWHAT WORSE	4611	1677768.4	12.3%
5	MUCH WORSE	867	298030.6	2.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	7	2504.2	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_02AA: Satisfaction with life in general

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=29988 / 13272325.34] [Invalid=877 / 363180.35]
Literal question	Using a scale of 0 to 10 where 0 means "Very dissatisfied" and 10 means "Very satisfied", how do you feel about your life as a whole right now?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	VERY DISSATISFIE	245	74644.5	0.6%
1	1	79	25125.7	0.2%
2	2	170	78138.7	0.6%
3	3	295	100342.7	0.8%
4	4	397	167269.0	1.3%
5	5	2351	815263.5	6.1%

File : cchs_5146_E_2008-2009_HealthyAging_F1

GEN_02AA: Satisfaction with life in general

Value	Label	Cases	Weighted	Percentage (Weighted)
6	6	1935	799256.6	6.0%
7	7	4038	1937049.9	14.6%
8	8	8656	4121778.2	31.1%
9	9	4652	2295547.5	17.3%
10	VERY SATISFIED	7170	2857908.9	21.5%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	171	54676.0	
98	REFUSAL	14	6666.4	
99	NOT STATED	692	301838.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_02B: Self-perceived mental health

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30146 / 13326338.76] [Invalid=719 / 309166.93]
Literal question	In general, would you say your mental health is: (excellent, very good, good, fair, or poor)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	10140	4970232.0	37.3%
2	VERY GOOD	10998	4821160.3	36.2%
3	GOOD	7130	2773457.1	20.8%
4	FAIR	1575	643415.0	4.8%
5	POOR	303	118074.3	0.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	21	4832.2	
8	REFUSAL	6	2496.7	
9	NOT STATED	692	301838.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_07: Perceived life stress

| Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30825 / 13625649.58] [Invalid=40 / 9856.11]
Literal question	Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT AT ALL	6705	2294389.2	16.8%
2	NOT VERY	8135	3291732.7	24.2%
3	A BIT	11053	5195231.4	38.1%
4	QUITE A BIT	4107	2381107.3	17.5%
5	EXTREMELY	825	463189.0	3.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	33	7751.5	
8	REFUSAL	7	2104.6	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : cchs_5146_E_2008-2009_HealthyAging_F1

## # GEND08: Worked at a job or business - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21162 / 11457402.11] [Invalid=9703 / 2178103.58]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11968	7781269.2	67.9%
2	NO	9194	3676132.9	32.1%
6	NOT APPLICABLE	9394	1960050.5	
7	DON'T KNOW	1	185.3	
8	REFUSAL	1	219.7	
9	NOT STATED	307	217648.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEND09: Self-perceived work stress - (D)

| Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=11919 / 7759319.81] [Invalid=18946 / 5876185.88]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT AT ALL	1618	826517.6	10.7%
2	NOT VERY	2362	1397991.2	18.0%
3	A BIT	4661	3151867.0	40.6%
4	QUITE A BIT	2620	1903770.6	24.5%
5	EXTREMELY	658	479173.5	6.2%
6	NOT APPLICABLE	18588	5636183.4	
7	DON'T KNOW	4	1027.2	
8	REFUSAL	1	91.9	
9	NOT STATED	353	238883.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_10: Sense of belonging to local community

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30031 / 13284786.51] [Invalid=834 / 350719.18]
Literal question	How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY STRONG	7730	2948169.1	22.2%
2	SOMEWHAT STRONG	12897	5864057.3	44.1%
3	SOMEWHAT WEAK	6469	3123859.9	23.5%
4	VERY WEAK	2935	1348700.3	10.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	132	47379.7	
8	REFUSAL	10	1501.4	
9	NOT STATED	692	301838.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENDHDI: Perceived Health - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=30849 / 13630092.36] [Invalid=16 / 5413.33]

File : cchs_5146_E_2008-2009_HealthyAging_F1

GENDHDI: Perceived Health - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
0	POOR	1674	560319.0	4.1%
1	FAIR	4744	1607430.1	11.8%
2	GOOD	9792	4119978.5	30.2%
3	VERY GOOD	9745	4571735.6	33.5%
4	EXCELLENT	4894	2770629.1	20.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	16	5413.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENDMHI: Perceived Mental Health - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=30146 / 13326338.76] [Invalid=719 / 309166.93]

Value	Label	Cases	Weighted	Percentage (Weighted)
0	POOR	303	118074.3	0.9%
1	FAIR	1575	643415.0	4.8%
2	GOOD	7130	2773457.1	20.8%
3	VERY GOOD	10998	4821160.3	36.2%
4	EXCELLENT	10140	4970232.0	37.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	719	309166.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLP_02: Frequency - trouble sleeping

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30167 / 13330918.52] [Invalid=698 / 304587.17]
Literal question	How often do you have trouble going to sleep or staying asleep?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	9931	4377586.1	32.8%
2	LITTLE/TIME	6196	2849246.6	21.4%
3	SOME OF THE TIME	7199	3218704.4	24.1%
4	MOST OF THE TIME	4209	1783080.6	13.4%
5	ALL OF THE TIME	2632	1102300.9	8.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	8	3419.7	
8	REFUSAL	1	320.7	
9	NOT STATED	689	300846.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWT_4: Opinion of own weight - self-reported

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

File : cchs_5146_E_2008-2009_HealthyAging_F1

HWT_4: Opinion of own weight - self-reported

Statistics [NW/ W]	[Valid=29486 / 13083901.52] [Invalid=1379 / 551604.17]
Literal question	Do you consider yourself: (overweight, underweight, or just about right)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	OVERWEIGHT	13425	6299781.6		48.1%
2	UNDERWEIGHT	1224	408822.2	3.1%	
3	JUST ABOUT RIGHT	14837	6375297.7		48.7%
6	NOT APPLICABLE	5	1875.8		
7	DON'T KNOW	26	4320.3		
8	REFUSAL	0	0.0		
9	NOT STATED	1348	545408.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTGBMI: Body mass index - (G)

Information	[Type= continuous] [Format=numeric] [Range= 14.15-54.42] [Missing=*]
Statistics [NW/ W]	[Valid=29348 / 13060407.25] [Invalid=1517 / 575098.44] [Mean=26.601 / 26.741] [StdDev=4.854 / 4.838]

Value	Label	Cases	Weighted	Percentage (Weighted)
999.96	NOT APPLICABLE	0	0.0	
999.97	DON'T KNOW	0	0.0	
999.98	REFUSAL	0	0.0	
999.99	NOT STATED	1517	575098.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTGHTM: Height (Metres) - Self-Rep. - (G)

Information	[Type= continuous] [Format=numeric] [Range= 1.422-1.981] [Missing=*]
Statistics [NW/ W]	[Valid=29948 / 13295547.59] [Invalid=917 / 339958.1] [Mean=1.669 / 1.681] [StdDev=0.0982 / 0.098]

Value	Label	Cases	Weighted	Percentage (Weighted)
9.996	NOT APPLICABLE	0	0.0	
9.997	DON'T KNOW	0	0.0	
9.998	REFUSAL	0	0.0	
9.999	NOT STATED	917	339958.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTGISW: BMI classification (self rep.) - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=29348 / 13060407.25] [Invalid=1517 / 575098.44]

| Value	Label	Cases	Weighted	Percentage (Weighted)	
1	UNDERWEIGHT	538	155904.5	1.2%	
2	NORMAL WEIGHT	11678	5156651.3		39.5%
3	OVERWEIGHT	10960	4898914.9		37.5%
4	OBESE	6172	2848936.4	21.8%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1517	575098.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : cchs_5146_E_2008-2009_HealthyAging_F1

HWTGWTK: Weight (kilograms) - (G)

Information	[Type= continuous] [Format=numeric] [Range= 41-135] [Missing=*]
Statistics [NW/ W]	[Valid=29514 / 13087105.7] [Invalid=1351 / 548399.99] [Mean=74.399 / 75.969] [StdDev=16.334 / 16.6]

Value	Label	Cases	Weighted	Percentage (Weighted)
999.96	NOT APPLICABLE	0	0.0	
999.97	DON'T KNOW	0	0.0	
999.98	REFUSAL	0	0.0	
999.99	NOT STATED	1351	548400.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_031: Has asthma

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30851 / 13629355.51] [Invalid=14 / 6150.18]
Literal question	Do you have asthma?

| Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2349	1017569.1	7.5%
2	NO	28502	12611786.4	92.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	12	2687.3	
8	REFUSAL	2	3462.9	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_051: Has arthritis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30834 / 13619917.96] [Invalid=31 / 15587.73]
Literal question	Do you have have arthritis, excluding fibromyalgia?

| Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11549	3778683.0	27.7%
2	NO	19285	9841235.0	72.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	11768.1	
8	REFUSAL	1	356.8	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_053: Has osteoporosis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30800 / 13617599.21] [Invalid=65 / 17906.48]
Literal question	Do you have osteoporosis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4202	1356533.0	10.0%
2	NO	26598	12261066.2	90.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	63	14443.6	

File : cchs_5146_E_2008-2009_HealthyAging_F1

CCC_053: Has osteoporosis

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_061: Has back problems/excluding fibro/arthritis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30859 / 13630897.48] [Invalid=6 / 4608.21]
Literal question	Do you have back problems, excluding fibromyalgia and arthritis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8637	3569920.8	26.2%
2	NO	22222	10060976.7	73.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	4	1145.3	
8	REFUSAL	0	0.0	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_071: Has high blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30830 / 13624201] [Invalid=35 / 11304.69]
Literal question	Do you have high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12595	4360057.8	32.0%
2	NO	18235	9264143.2	68.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	33	7841.8	
8	REFUSAL	0	0.0	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_072: Ever diagnosed with high blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18242 / 9265126.66] [Invalid=12623 / 4370379.03]
Literal question	Have you ever been diagnosed with high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1811	667332.3	7.2%
2	NO	16431	8597794.4	92.8%
6	NOT APPLICABLE	12595	4360057.8	
7	DON'T KNOW	26	6858.3	
8	REFUSAL	0	0.0	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC_073: Medication - high blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

File : cchs_5146_E_2008-2009_HealthyAging_F1

CCC_073: Medication - high blood pressure

Statistics [NW/ W]	[Valid=14391 / 5023557.9] [Invalid=16474 / 8611947.79]
Literal question	In the past month, have you taken any medication for high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	12589	4247355.2		84.5%
2	NO	1802	776202.8	15.5%	
6	NOT APPLICABLE	16431	8597794.4		
7	DON'T KNOW	15	3832.2		
8	REFUSAL	0	0.0		
9	NOT STATED	28	10321.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_073A: Pregnant with high blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8514 / 2676780.17] [Invalid=22351 / 10958725.52]
Literal question	Were you pregnant when you were diagnosed with high blood pressure?

| Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	431	187413.9	7.0%	
2	NO	8083	2489366.3		93.0%
6	NOT APPLICABLE	22277	10938811.6		
7	DON'T KNOW	54	12177.1		
8	REFUSAL	0	0.0		
9	NOT STATED	20	7736.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_073B: Diag. high blood pressure - not pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=431 / 187413.91] [Invalid=30434 / 13448091.78]
Literal question	Other than when you were pregnant, was there any other time when you were diagnosed with high blood pressure?

| Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	276	101392.7		54.1%
2	NO	155	86021.2		45.9%
6	NOT APPLICABLE	30360	13428177.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	74	19913.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_081: Has migraine headaches

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30856 / 13630905.3] [Invalid=9 / 4600.39]
Literal question	Remember, we are interested in "long-term conditions" that have been diagnosed by a health professional. Do you have migraine headaches?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2249	1176490.2	8.6%	
2	NO	28607	12454415.1		91.4%

File : cchs_5146_E_2008-2009_HealthyAging_F1

CCC_081: Has migraine headaches

| Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	7	1137.5	
8	REFUSAL	0	0.0	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_91A: Has chronic bronchitis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30844 / 13627572.62] [Invalid=21 / 7933.07]
Literal question	Do you have chronic bronchitis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1459	535471.1	3.9%
2	NO	29385	13092101.6	96.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	19	4470.2	
8	REFUSAL	0	0.0	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_91E: Has emphysema

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30843 / 13625972.65] [Invalid=22 / 9533.04]
Literal question	Do you have emphysema?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	659	193808.9	1.4%
2	NO	30184	13432163.8	98.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	19	5693.5	
8	REFUSAL	1	376.7	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_91F: Has COPD

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30825 / 13622633.66] [Invalid=40 / 12872.03]
Literal question	Do you have chronic obstructive pulmonary disease (COPD)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	939	294218.4	2.2%
2	NO	29886	13328415.2	97.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	38	9409.2	
8	REFUSAL	0	0.0	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : cchs_5146_E_2008-2009_HealthyAging_F1

CCC_101: Has diabetes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30852 / 13625371.53] [Invalid=13 / 10134.16]
Literal question	Do you have diabetes?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4384	1550475.6	11.4%
2	NO	26468	12074895.9	88.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	10	6578.1	
8	REFUSAL	1	93.2	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_119: Has angina

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30823 / 13619047.07] [Invalid=42 / 16458.62]
Literal question	Do you have angina?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2009	556789.4	4.1%
2	NO	28814	13062257.6	95.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	40	12995.7	
8	REFUSAL	0	0.0	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_120: Had a heart attack

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30823 / 13619732.1] [Invalid=42 / 15773.59]
Literal question	Have you ever had a heart attack?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2819	806099.7	5.9%
2	NO	28004	12813632.4	94.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	39	11721.9	
8	REFUSAL	1	588.8	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_121: Has heart disease

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30814 / 13617332.85] [Invalid=51 / 18172.84]
Literal question	Do you have heart disease?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5411	1624037.6	11.9%

File : cchs_5146_E_2008-2009_HealthyAging_F1

CCC_121: Has heart disease

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	25403	11993295.2		88.1%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	48	14044.3		
8	REFUSAL	1	665.7		
9	NOT STATED	2	3462.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_131: Has cancer

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30842 / 13624638.77] [Invalid=23 / 10866.92]
Literal question	Remember, we are interested in "long-term conditions" that have been diagnosed by a health professional.) Do you have cancer?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1218	425256.6	3.1%	
2	NO	29624	13199382.2		96.9%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	20	5593.2		
8	REFUSAL	1	1810.8		
9	NOT STATED	2	3462.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_132: Ever had cancer

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=29635 / 13203249.54] [Invalid=1230 / 432256.15]
Literal question	Have you ever been diagnosed with cancer?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3268	1057196.0	8.0%	
2	NO	26367	12146053.5		92.0%
6	NOT APPLICABLE	1218	425256.6		
7	DON'T KNOW	9	1725.8		
8	REFUSAL	1	1810.8		
9	NOT STATED	2	3462.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_141: Has stomach or intestinal ulcers

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30843 / 13624658.68] [Invalid=22 / 10847.01]
Literal question	Do you have intestinal or stomach ulcers?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1587	566346.4	4.2%	
2	NO	29256	13058312.3		95.8%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	20	7384.1		
8	REFUSAL	0	0.0		
9	NOT STATED	2	3462.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_151: Suffers from the effects of a stroke

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30838 / 13625015.23] [Invalid=27 / 10490.46]
Literal question	Do you have suffer from the effects of a stroke?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1061	283644.6	2.1%	
2	NO	29777	13341370.6		97.9%

CCC_151: Suffers from the effects of a stroke

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	24	6934.8	
8	REFUSAL	1	92.8	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_161: Has urinary incontinence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13628701.31] [Invalid=15 / 6804.38]
Literal question	Do you suffer from urinary incontinence?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2920	813716.9	6.0%
2	NO	27930	12814984.4	94.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	13	3341.5	
8	REFUSAL	0	0.0	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_171: Has bowel disorder

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30839 / 13621458.15] [Invalid=26 / 14047.54]
Literal question	Do you have suffer from a bowel disorder such as Crohn's Disease, ulcerative colitis, Irritable Bowel Syndrome or bowel incontinence?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2098	756850.5	5.6%
2	NO	28741	12864607.7	94.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	24	10584.7	
8	REFUSAL	0	0.0	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_191: Has cataracts

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30849 / 13626908.36] [Invalid=16 / 8597.33]
Literal question	Do you have cataracts?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4917	1341564.6	9.8%
2	NO	25932	12285343.8	90.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	14	5134.4	
8	REFUSAL	0	0.0	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_201: Has glaucoma

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30830 / 13621695.6] [Invalid=35 / 13810.09]
Literal question	Do you have glaucoma?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1602	456715.1	3.4%
2	NO	29228	13164980.5	96.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	33	10347.2	
8	REFUSAL	0	0.0	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_211: Has a thyroid condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30839 / 13626492.07] [Invalid=26 / 9013.62]
Literal question	Do you have a thyroid condition?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3943	1417985.1	10.4%
2	NO	26896	12208507.0	89.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	24	5550.7	
8	REFUSAL	0	0.0	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_280: Has a mood disorder

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30847 / 13627479.54] [Invalid=18 / 8026.15]
Literal question	Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2205	951520.4	7.0%
2	NO	28642	12675959.1	93.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	14	3169.5	
8	REFUSAL	2	1393.7	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_290: Has an anxiety disorder

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30851 / 13629522.88] [Invalid=14 / 5982.81]
Literal question	Do you have an anxiety disorder such as a phobia, obsessive- compulsive disorder or a panic disorder?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1650	755747.6	5.5%
2	NO	29201	12873775.3	94.5%
6	NOT APPLICABLE	0	0.0	

CCC_290: Has an anxiety disorder

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	12	2519.9	
8	REFUSAL	0	0.0	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCD901: Other phys or mental condition - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30852 / 13628503.23] [Invalid=13 / 7002.46]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5896	2495145.5	18.3%
2	NO	24956	11133357.7	81.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	10	2631.4	
8	REFUSAL	1	908.2	
9	NOT STATED	2	3462.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCF1: Has a chronic condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30401 / 13507723.61] [Invalid=464 / 127782.08]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	HAS CHRON CONDIT	25842	10508636.7	77.8%
2	HAS NO CHRON CON	4559	2999086.9	22.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	464	127782.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCDCPD: Has chronic obstruct. pulmonary disease

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30795 / 13616634.93] [Invalid=70 / 18870.76]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	HAS COPD	2359	812262.5	6.0%
2	NOT HAVE COPD	28436	12804372.4	94.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	70	18870.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIDCOG: Cognition problems - function code - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=30829 / 13623694.54] [Invalid=36 / 11811.15]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	COG. ATT. LEVE 1	21495	10074290.8	73.9%

HUIDCOG: Cognition problems - function code - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
2	COG. ATT. LEVE 2	765	301748.8	2.2%
3	COG. ATT. LEVE 3	5896	2341047.7	17.2%
4	COG. ATT. LEVE 4	1938	687581.6	5.0%
5	COG. ATT. LEVE 5	641	191953.5	1.4%
6	COG. ATT. LEVE 6	94	27072.2	0.2%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	36	11811.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIGDEX: Dexterity - (Function Code) - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30851 / 13630569.98] [Invalid=14 / 4935.71]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	USE OF HANDS/F.	30446	13508692.6	99.1%
2	LIM. HANDS/F	405	121877.4	0.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	14	4935.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIDEMO: Emotion (function code) - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30787 / 13600693.14] [Invalid=78 / 34812.55]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EMOT. ATT. LEV.1	22980	10346561.1	76.1%
2	EMOT. ATT. LEV.2	6342	2703410.8	19.9%
3	EMOT. ATT. LEV.3	1136	442272.2	3.3%
4	EMOT. ATT. LEV.4	263	91134.4	0.7%
5	EMOT. ATT. LEV.5	66	17314.6	0.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	78	34812.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIGHER: Hearing - (Function Code) - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=30417 / 13507027.38] [Invalid=448 / 128478.31]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	26706	12590921.9	93.2%
2	PROB./CORR.	2490	626378.1	4.6%
3	PROB./NOT CORR.	1221	289727.4	2.1%
6	NOT APPLICABLE	0	0.0	

HUIGHER: Hearing - (Function Code) - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	448	128478.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIDHSI: Health utilities index - (D)

Information	[Type= continuous] [Format=numeric] [Range= -0.317-1] [Missing=*]
Statistics [NW/ W]	[Valid=30106 / 13407539.19] [Invalid=759 / 227966.5] [Mean=0.806 / 0.847] [StdDev=0.245 / 0.213]

Value	Label	Cases	Weighted	Percentage (Weighted)
99.996	NOT APPLICABLE	0	0.0	
99.997	DON'T KNOW	0	0.0	
99.998	REFUSAL	0	0.0	
99.999	NOT STATED	759	227966.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIGMOB: Mobility - (Function Code) - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30839 / 13627747.66] [Invalid=26 / 7758.03]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	27007	12726808.9	93.4%
2	NO AID REQUIRED	487	167337.9	1.2%
3	NEED MECH. SUPP	2454	542648.5	4.0%
4	REQUIRES HELP	891	190952.3	1.4%
6	NOT APPLICABLE	0	0.0	
9	NOT STATED	26	7758.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIGSPE: Speech - (Function Code) - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30849 / 13630221.66] [Invalid=16 / 5284.03]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	30605	13558481.9	99.5%
2	PARTIAL/NOT UND.	244	71739.8	0.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	16	5284.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIGVIS: Vision - (Function Code) - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=30637 / 13572715.18] [Invalid=228 / 62790.51]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	6473	3127059.7	23.0%
2	VISUAL PROB. COR	23144	10194109.5	75.1%
3	VISUAL P. UNCOR.	1020	251546.0	1.9%

HUIGVIS: Vision - (Function Code) - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	228	62790.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUPDPAD: Pain (function code) - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30844 / 13625962.98] [Invalid=21 / 9542.71]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	PAIN ATT. LEV.1	22428	10222907.2	75.0%
2	PAIN ATT. LEV.2	2164	961069.5	7.1%
3	PAIN ATT. LEV.3	2461	1033190.3	7.6%
4	PAIN ATT. LEV.4	2058	796399.4	5.8%
5	PAIN ATT. LEV.5	1733	612396.6	4.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	21	9542.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLS_01: Life close to ideal

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=29959 / 13277828.26] [Invalid=906 / 357677.43]
Literal question	In most ways, my life is close to my ideal.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY DISAGRE	714	279569.6	2.1%
2	DISAGREE	1729	694694.9	5.2%
3	SLIG. DISAGREE	2053	833842.7	6.3%
4	NEI. AGREE/DISAG	1299	535071.7	4.0%
5	SLIG. AGREE	3664	1576217.1	11.9%
6	AGREE	16073	7185342.3	54.1%
7	STRONGLY AGREE	4427	2173090.1	16.4%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	169	38946.9	
98	REFUSAL	45	16892.5	
99	NOT STATED	692	301838.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLS_02: Conditions of life excellent

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=30039 / 13291536.69] [Invalid=826 / 343969]
Literal question	The conditions of my life are excellent.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY DISAGRE	622	234277.2	1.8%
2	DISAGREE	2146	787388.6	5.9%

SLS_02: Conditions of life excellent

Value	Label	Cases	Weighted	Percentage (Weighted)
3	SLIG. DISAGREE	2249	926546.3	7.0%
4	NEI. AGREE/DISAG	1209	484318.7	3.6%
5	SLIG. AGREE	4516	1826057.5	13.7%
6	AGREE	14770	6708704.4	50.5%
7	STRONGLY AGREE	4527	2324244.0	17.5%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	84	22674.0	
98	REFUSAL	5	2564.5	
99	NOT STATED	737	318730.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLS_03: Satisfied with life

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=30059 / 13291700.75] [Invalid=806 / 343804.94]
Literal question	I am satisfied with my life.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY DISAGRE	418	165679.0	1.2%
2	DISAGREE	1213	468299.3	3.5%
3	SLIG. DISAGREE	1293	545941.2	4.1%
4	NEI. AGREE/DISAG	842	399696.2	3.0%
5	SLIG. AGREE	2980	1314850.0	9.9%
6	AGREE	17774	7769687.9	58.5%
7	STRONGLY AGREE	5539	2627547.2	19.8%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	63	23054.6	
98	REFUSAL	6	2019.8	
99	NOT STATED	737	318730.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLS_04: Gotten important things wanted in life

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=30028 / 13290840.65] [Invalid=837 / 344665.04]
Literal question	So far, I have gotten the important things I want in life.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY DISAGRE	350	148807.2	1.1%
2	DISAGREE	1205	509446.8	3.8%
3	SLIG. DISAGREE	1094	482255.5	3.6%
4	NEI. AGREE/DISAG	811	399159.7	3.0%
5	SLIG. AGREE	3297	1549213.1	11.7%
6	AGREE	17700	7528012.9	56.6%
7	STRONGLY AGREE	5571	2673945.5	20.1%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	92	24061.6	
98	REFUSAL	8	1873.0	
99	NOT STATED	737	318730.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLS_05: Live life over would change nothing

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=29926 / 13258684.3] [Invalid=939 / 376821.39]
Literal question	If I could live my life over, I would change almost nothing.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY DISAGRE	1229	512801.7	3.9%
2	DISAGREE	3661	1482446.4	11.2%
3	SLIG. DISAGREE	3053	1405988.7	10.6%
4	NEI. AGREE/DISAG	1138	504958.9	3.8%
5	SLIG. AGREE	3984	1897837.4	14.3%
6	AGREE	12795	5600856.0	42.2%
7	STRONGLY AGREE	4066	1853795.2	14.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	178	49226.3	
98	REFUSAL	24	8864.6	
99	NOT STATED	737	318730.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLSDCLS: Satisfaction with Life Scale -class.-(D)

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=29739 / 13211099.63] [Invalid=1126 / 424406.06]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXT DISSATISFIED	369	160827.8	1.2%
2	DISSATISFIED	1110	432758.1	3.3%
3	SL DISSATISFIED	1997	868051.5	6.6%
4	NEUTRAL	614	244255.7	1.8%
5	SL SATISFIED	4420	1819338.2	13.8%
6	SATISFIED	14752	6476992.1	49.0%
7	EXT SATISFIED	6477	3208876.2	24.3%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1126	424406.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLSDSCR: Satisfaction with Life Scale -scr. - (D)

Information	[Type= continuous] [Format=numeric] [Range= 5-35] [Missing=*]
Statistics [NW/ W]	[Valid=29739 / 13211099.63] [Invalid=1126 / 424406.06] [Mean=26.998 / 27.294] [StdDev=5.814 / 5.758]

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1126	424406.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_01A: Frequency of participating - sitting activity

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30855 / 13630542.3] [Invalid=10 / 4963.39]

PA2_01A: Frequency of participating - sitting activity

Literal question	Over the past 7 days, how often did you participate in sitting activities such as reading, watching TV, computer activities or doing handicrafts?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEVER	229	91889.9	0.7%
2	SELDOM 1/2 DYS	1047	578127.8	4.2%
3	SOMETIMES 2/3 DS	2538	1317089.3	9.7%
4	OFTEN 5/7 DYS	27041	11643435.4	85.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	7	4355.0	
8	REFUSAL	3	608.4	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_01BA: Sitting activities - bingo, cards, etc.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30626 / 13538652.42] [Invalid=239 / 96853.27]
Literal question	What were these activities? - Bingo, cards or other games

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4363	1495192.6	11.0%
2	NO	26263	12043459.8	89.0%
6	NOT APPLICABLE	229	91889.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_01BB: Sitting activities - computer activities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30626 / 13538652.42] [Invalid=239 / 96853.27]
Literal question	What were these activities? - Computer activities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13199	7510759.1	55.5%
2	NO	17427	6027893.4	44.5%
6	NOT APPLICABLE	229	91889.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_01BC: Sitting activities - crossword, puzzles, etc

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30626 / 13538652.42] [Invalid=239 / 96853.27]
Literal question	What were these activities? - Crosswords, puzzles, etc

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7701	2734355.3	20.2%
2	NO	22925	10804297.2	79.8%

PA2_01BC: Sitting activities - crossword, puzzles, etc

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	229	91889.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_01BD: Sitting activities - handicrafts

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30626 / 13538652.42] [Invalid=239 / 96853.27]
Literal question	What were these activities? - Handicrafts

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5201	1778351.0	13.1%
2	NO	25425	11760301.5	86.9%
6	NOT APPLICABLE	229	91889.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_01BE: Sitting activities - listening to radio/music

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30626 / 13538652.42] [Invalid=239 / 96853.27]
Literal question	What were these activities? - Listening to radio/music

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12054	5017684.4	37.1%
2	NO	18572	8520968.1	62.9%
6	NOT APPLICABLE	229	91889.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_01BF: Sitting activities - playing musical instrument

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30626 / 13538652.42] [Invalid=239 / 96853.27]
Literal question	What were these activities? - Playing musical instruments

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1390	609738.4	4.5%
2	NO	29236	12928914.1	95.5%
6	NOT APPLICABLE	229	91889.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_01BG: Sitting activities - reading

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30626 / 13538652.42] [Invalid=239 / 96853.27]
Literal question	What were these activities? - Reading

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23222	10205941.3	75.4%
2	NO	7404	3332711.1	24.6%
6	NOT APPLICABLE	229	91889.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_01BH: Sitting activities - visiting others

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30626 / 13538652.42] [Invalid=239 / 96853.27]
Literal question	What were these activities? - Visiting with others

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14016	5805759.3	42.9%
2	NO	16610	7732893.1	57.1%
6	NOT APPLICABLE	229	91889.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_01BI: Sitting activities - watching TV

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30626 / 13538652.42] [Invalid=239 / 96853.27]
Literal question	What were these activities? - Watching TV

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	28571	12592842.0	93.0%
2	NO	2055	945810.4	7.0%
6	NOT APPLICABLE	229	91889.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_01BJ: Sitting activities - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30626 / 13538652.42] [Invalid=239 / 96853.27]
Literal question	What were these activities? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2441	1111329.9	8.2%
2	NO	28185	12427322.6	91.8%
6	NOT APPLICABLE	229	91889.9	

PA2_01BJ: Sitting activities - other

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_01C: Number hours per day - sitting activities

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30596 / 13530959.44] [Invalid=269 / 104546.25]
Literal question	On average, how many hours per day did you engage in these sitting activities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 30 MINUTES	346	173119.3	1.3%
2	30 M AND < 1 HR	1362	733267.8	5.4%
3	1 HR AND <2 HRS	4284	2164608.6	16.0%
4	2 HRS AND < 4HRS	10119	4614570.2	34.1%
5	4 HRS OR MORE	14485	5845393.5	43.2%
6	NOT APPLICABLE	229	91889.9	
7	DON'T KNOW	29	5238.7	
8	REFUSAL	1	2454.2	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_02A: Frequency of participating - walking

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30849 / 13628594.17] [Invalid=16 / 6911.52]
Literal question	Over the past 7 days, how often did you take a walk outside your home or yard for any reason? For example, for pleasure or exercise, walking to work, walking the dog, etc.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEVER	6841	2624013.1	19.3%
2	SELDOM 1/2 DYS	5354	2351175.5	17.3%
3	SOMETIMES 2/3 DS	5422	2531436.2	18.6%
4	OFTEN 5/7 DYS	13232	6121969.4	44.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	6	1948.1	
8	REFUSAL	0	0.0	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2G02B: Number of hours per day - walking - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=23999 / 11002204.72] [Invalid=6866 / 2633300.97]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 30 MINUTES	6449	2616625.0	23.8%
2	30 M AND < 1 HR	8905	4179250.3	38.0%
3	1 HR AND < 2 HRS	5463	2609418.7	23.7%
4	2 HRS OR MORE	3182	1596910.7	14.5%
6	NOT APPLICABLE	6841	2624013.1	

PA2G02B: Number of hours per day - walking - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	8	1950.7	
8	REFUSAL	1	425.6	
9	NOT STATED	16	6911.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_03A: Frequency engaged - light sports/recreational

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13629055.44] [Invalid=15 / 6450.25]
Literal question	Over the past 7 days, how often did you engage in light sports or recreational activities such as bowling, golf with a cart, shuffleboard, badminton, fishing or other similar activities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEVER	26415	11379163.9	83.5%
2	SELDOM 1/2 DYS	2593	1317316.7	9.7%
3	SOMETIMES 2/3 DS	973	524345.7	3.8%
4	OFTEN 5/7 DYS	869	408229.1	3.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	4	1447.5	
8	REFUSAL	1	39.3	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2G03C: Number hours per day - light sport or recreational activity

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=4434 / 2247748.92] [Invalid=26431 / 11387756.77]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 30 MINUTES	958	489098.4	21.8%
2	30 M AND < 1 HR	926	491203.9	21.9%
3	1 HR AND < 2 HRS	1032	481377.6	21.4%
4	2 HRS OR MORE	1518	786069.0	35.0%
6	NOT APPLICABLE	26415	11379163.9	
7	DON'T KNOW	1	2142.6	
8	REFUSAL	0	0.0	
9	NOT STATED	15	6450.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_04A: Frequency engaged - moderate sports/recreation

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30851 / 13629065.69] [Invalid=14 / 6440]
Literal question	Over the past 7 days, how often did you engage in moderate sports or recreational activities such as ballroom dancing, hunting, skating, golf without a cart, softball or other similar activities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEVER	27825	11917052.8	87.4%
2	SELDOM 1/2 DYS	1891	1067669.2	7.8%
3	SOMETIMES 2/3 DS	708	405626.3	3.0%
4	OFTEN 5/7 DYS	427	238717.3	1.8%
6	NOT APPLICABLE	0	0.0	

PA2_04A: Frequency engaged - moderate sports/recreation

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	3	1437.3	
8	REFUSAL	1	39.3	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2G04C: Number hours/day - moderate sport or recreational activity

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3026 / 1712012.91] [Invalid=27839 / 11923492.78]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 30 MINUTES	402	215003.9	12.6%
2	30 M AND < 1 HR	533	330534.8	19.3%
3	1 HR AND < 2 HRS	731	419412.4	24.5%
4	2 HRS OR MORE	1360	747061.9	43.6%
6	NOT APPLICABLE	27825	11917052.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	14	6440.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_05A: Frequency engaged - strenuous sports/recreation

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30852 / 13629475.2] [Invalid=13 / 6030.49]
Literal question	Over the past 7 days, how often did you engage in strenuous sports or recreational activities such as jogging, swimming, snowshoeing, cycling, aerobics, skiing, or other similar activities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEVER	25782	10654308.8	78.2%
2	SELDOM 1/2 DYS	1992	1258695.5	9.2%
3	SOMETIMES 2/3 DS	1614	916554.0	6.7%
4	OFTEN 5/7 DYS	1464	799916.8	5.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	2	1027.8	
8	REFUSAL	1	39.3	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2G05C: Number hours/day - stren. sport or recreational activity

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=5069 / 2974756.84] [Invalid=25796 / 10660748.85]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 30 MINUTES	1101	547039.0	18.4%
2	30 M AND < 1 HR	1956	1128887.4	37.9%
3	1 HR AND < 2 HRS	1403	891619.5	30.0%
4	2 HRS OR MORE	609	407211.0	13.7%
6	NOT APPLICABLE	25782	10654308.8	
7	DON'T KNOW	1	409.5	
8	REFUSAL	0	0.0	

PA2G05C: Number hours/day - stren. sport or recreational activity

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	13	6030.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_06A: Frequency exercise - muscle/endurance

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30851 / 13629121.3] [Invalid=14 / 6384.39]
Literal question	Over the past 7 days, how often did you do any exercises specifically to increase muscle strength and endurance, such as lifting weights or push-ups, etc.?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEVER	25272	10904992.9	80.0%
2	SELDOM 1/2 DYS	1836	979779.9	7.2%
3	SOMETIMES 2/3 DS	1837	945908.2	6.9%
4	OFTEN 5/7 DYS	1906	798440.3	5.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	4	1421.0	
8	REFUSAL	0	0.0	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2G06C: Number hours/day - exercise to increase strength

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=5575 / 2723059.88] [Invalid=25290 / 10912445.81]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 30 MINUTES	2842	1259225.3	46.2%
2	30 M AND < 1 HR	1787	909864.5	33.4%
3	1 HR AND < 2 HRS	763	440373.7	16.2%
4	2 HRS OR MORE	183	113596.4	4.2%
6	NOT APPLICABLE	25272	10904992.9	
7	DON'T KNOW	4	1068.5	
8	REFUSAL	0	0.0	
9	NOT STATED	14	6384.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_07: Past 7 days - done light housework

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30853 / 13629364.06] [Invalid=12 / 6141.63]
Literal question	During the past 7 days, have you done any light housework, such as dusting or washing dishes?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27943	12350494.2	90.6%
2	NO	2910	1278869.9	9.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	1	998.0	
8	REFUSAL	1	180.2	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_08: Past 7 days - done heavy housework

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30854 / 13630362.1] [Invalid=11 / 5143.59]
Literal question	During the past 7 days, have you done any heavy housework or chores such as vacuuming, scrubbing floors, washing windows or carrying wood?

PA2_08: Past 7 days - done heavy housework

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20408	9488907.5	69.6%
2	NO	10446	4141454.6	30.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	180.2	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_09A: Past 7 days - done home repairs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30852 / 13629940.6] [Invalid=13 / 5565.09]
Literal question	During the past 7 days, did you engage in any of the following activities:... Home repairs like painting, wallpapering, electrical work, etc.?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5665	3123172.7	22.9%
2	NO	25187	10506767.9	77.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	2	421.5	
8	REFUSAL	1	180.2	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_09B: Past 7 days - done lawn work

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30852 / 13630254.51] [Invalid=13 / 5251.18]
Literal question	During the past 7 days, did you engage in any of the following activities:)... Lawn work or yard care, including snow or leaf removal, wood chopping, etc. (excluding outdoor gardening)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13508	6732843.0	49.4%
2	NO	17344	6897411.5	50.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	2	107.6	
8	REFUSAL	1	180.2	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_09C: Past 7 days - outdoor gardening

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30854 / 13630532.05] [Invalid=11 / 4973.64]
Literal question	(During the past 7 days, did you engage in any of the following activities:)... Outdoor gardening, sweeping the balcony or the stairs?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13735	6749926.4	49.5%
2	NO	17119	6880605.7	50.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	1	10.2	

PA2_09C: Past 7 days - outdoor gardening

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_09D: Past 7 days - caring for another person

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30853 / 13630361.8] [Invalid=12 / 5143.89]
Literal question	(During the past 7 days, did you engage in any of the following activities:)… Caring for another person, such as children, a dependent spouse or other adult?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8086	4221141.3	31.0%
2	NO	22767	9409220.5	69.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	1	10.2	
8	REFUSAL	1	170.2	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_10A: Past 7 days - work for pay/volunteer

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30853 / 13629620.79] [Invalid=12 / 5884.9]
Literal question	During the past 7 days, did you work for pay or as a volunteer?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12378	7478034.2	54.9%
2	NO	18475	6151586.6	45.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	2	921.5	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_10B: Number hours per week -work for pay/volunteer

Information	[Type= continuous] [Format=numeric] [Range= 1-120] [Missing=*]
Statistics [NW/ W]	[Valid=12340 / 7455604.94] [Invalid=18525 / 6179900.75] [Mean=29.884 / 34.28] [StdDev=19.566 / 18.581]
Literal question	During the past 7 days, how many hours did you work for pay or as a volunteer?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	18475	6151586.6	
997	DON'T KNOW	32	17902.8	
998	REFUSAL	6	4526.6	
999	NOT STATED	12	5884.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_10C: Amount of physical act for job/volunteer

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=12367 / 7474253.44] [Invalid=18498 / 6161252.25]
Literal question	Which of the following categories best describes the amount of physical activity required on your job or as a volunteer?

PA2_10C: Amount of physical act for job/volunteer

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SITTING/SLIGHT M	3297	2127261.3	28.5%
2	SIT/STAND/WALK	3902	2155096.5	28.8%
3	WALK W. MAT<50L	4085	2417599.7	32.3%
4	WALK W. MAT>50L	1083	774295.9	10.4%
6	NOT APPLICABLE	18475	6151586.6	
7	DON'T KNOW	8	2453.3	
8	REFUSAL	3	1327.5	
9	NOT STATED	12	5884.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_11A: Representative of activity level - 12months

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30841 / 13625401.69] [Invalid=24 / 10104]
Literal question	We just talked about your activities during the last 7 days. Taking them altogether, would you say they represent the level of your routine activity over the last 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	10023	4408593.6	32.4%
2	AGREE	12077	5119347.0	37.6%
3	NEITHER NOR	1078	530760.4	3.9%
4	DISAGREE	5908	2748411.3	20.2%
5	STRONG DISAGREE	1755	818289.4	6.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	14	5140.6	
8	REFUSAL	0	0.0	
9	NOT STATED	10	4963.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_11B: Past 7 days - activity level lower/higher

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=7642 / 3559994.47] [Invalid=23223 / 10075511.22]
Literal question	During the past 7 days, would you say that your physical activity level was: (a lot lower than usual, a little lower than usual, a little higher than usual, a lot higher than usual)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT LOWER	3596	1693784.1	47.6%
2	A LITTLE LOWER	2945	1341565.0	37.7%
3	A LITTLE HIGHER	727	345027.4	9.7%
4	A LOT HIGHER	374	179618.0	5.0%
6	NOT APPLICABLE	23178	10058701.0	
7	DON'T KNOW	20	6545.5	
8	REFUSAL	1	160.7	
9	NOT STATED	24	10104.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_12: Past 12 months - wanted to do more physical

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30141 / 13323639.71] [Invalid=724 / 311865.98]

PA2_12: Past 12 months - wanted to do more physical

Literal question	In the past 12 months, have you felt like you wanted to participate more in physical activities?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	14057	6846633.9		51.4%
2	NO	16084	6477005.8		48.6%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	21	5825.5		
8	REFUSAL	3	822.0		
9	NOT STATED	700	305218.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_13A: Barriers to physical activity - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14041 / 6833622.4] [Invalid=16824 / 6801883.29]
Literal question	What prevented you from doing more physical activities? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	753	394766.2	5.8%	
2	NO	13288	6438856.2		94.2%
6	NOT APPLICABLE	16084	6477005.8		
7	DON'T KNOW	16	13011.5		
8	REFUSAL	0	0.0		
9	NOT STATED	724	311866.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_13B: Barriers to physical activity - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14041 / 6833622.4] [Invalid=16824 / 6801883.29]
Literal question	What prevented you from doing more physical activities? - Transportation problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	387	111934.0	1.6%	
2	NO	13654	6721688.4		98.4%
6	NOT APPLICABLE	16084	6477005.8		
7	DON'T KNOW	16	13011.5		
8	REFUSAL	0	0.0		
9	NOT STATED	724	311866.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_13C: Barriers to physical activity - not available area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14041 / 6833622.4] [Invalid=16824 / 6801883.29]
Literal question	What prevented you from doing more physical activities? - Activities not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	590	219937.6	3.2%	
2	NO	13451	6613684.8		96.8%
6	NOT APPLICABLE	16084	6477005.8		
7	DON'T KNOW	16	13011.5		
8	REFUSAL	0	0.0		

PA2_13C: Barriers to physical activity - not available area

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	724	311866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_13D: Barriers to physical activity - not accessible

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14041 / 6833622.4] [Invalid=16824 / 6801883.29]
Literal question	What prevented you from doing more physical activities? - Location not physically accessible

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	133	45277.1	0.7%
2	NO	13908	6788345.3	99.3%
6	NOT APPLICABLE	16084	6477005.8	
7	DON'T KNOW	16	13011.5	
8	REFUSAL	0	0.0	
9	NOT STATED	724	311866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_13E: Barriers to physical activity - too far

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14041 / 6833622.4] [Invalid=16824 / 6801883.29]
Literal question	What prevented you from doing more physical activities? - Location is too far

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	304	133076.2	1.9%
2	NO	13737	6700546.2	98.1%
6	NOT APPLICABLE	16084	6477005.8	
7	DON'T KNOW	16	13011.5	
8	REFUSAL	0	0.0	
9	NOT STATED	724	311866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_13F: Barriers to physical activity - health condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14041 / 6833622.4] [Invalid=16824 / 6801883.29]
Literal question	What prevented you from doing more physical activities? - Health condition limitation

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4076	1339816.1	19.6%
2	NO	9965	5493806.3	80.4%
6	NOT APPLICABLE	16084	6477005.8	
7	DON'T KNOW	16	13011.5	
8	REFUSAL	0	0.0	
9	NOT STATED	724	311866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_13G: Barriers to physical activity - illness/injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14041 / 6833622.4] [Invalid=16824 / 6801883.29]
Literal question	What prevented you from doing more physical activities? - Illness/injury

PA2_13G: Barriers to physical activity - illness/injury

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1721	733643.8	10.7%
2	NO	12320	6099978.6	89.3%
6	NOT APPLICABLE	16084	6477005.8	
7	DON'T KNOW	16	13011.5	
8	REFUSAL	0	0.0	
9	NOT STATED	724	311866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_13H: Barriers to physical activity - fear of injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14041 / 6833622.4] [Invalid=16824 / 6801883.29]
Literal question	What prevented you from doing more physical activities? - Fear of injury

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	319	134283.3	2.0%
2	NO	13722	6699339.1	98.0%
6	NOT APPLICABLE	16084	6477005.8	
7	DON'T KNOW	16	13011.5	
8	REFUSAL	0	0.0	
9	NOT STATED	724	311866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_13I: Barriers to physical activity - lack of time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14041 / 6833622.4] [Invalid=16824 / 6801883.29]
Literal question	What prevented you from doing more physical activities? - Lack of time

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4660	3223674.0	47.2%
2	NO	9381	3609948.4	52.8%
6	NOT APPLICABLE	16084	6477005.8	
7	DON'T KNOW	16	13011.5	
8	REFUSAL	0	0.0	
9	NOT STATED	724	311866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_13J: Barriers to physical activity - lack of energy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14041 / 6833622.4] [Invalid=16824 / 6801883.29]
Literal question	What prevented you from doing more physical activities? - Lack of energy

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1356	746262.4	10.9%
2	NO	12685	6087360.0	89.1%
6	NOT APPLICABLE	16084	6477005.8	
7	DON'T KNOW	16	13011.5	
8	REFUSAL	0	0.0	
9	NOT STATED	724	311866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_13K: Barriers to physical activity - lack of motiv.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14041 / 6833622.4] [Invalid=16824 / 6801883.29]
Literal question	What prevented you from doing more physical activities? - Lack of motivation

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2581	1347074.3	19.7%
2	NO	11460	5486548.1	80.3%
6	NOT APPLICABLE	16084	6477005.8	
7	DON'T KNOW	16	13011.5	
8	REFUSAL	0	0.0	
9	NOT STATED	724	311866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_13L: Barriers to physical activity - lack of skills

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14041 / 6833622.4] [Invalid=16824 / 6801883.29]
Literal question	What prevented you from doing more physical activities? - Lack of skills or knowledge

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	92	44679.1	0.7%
2	NO	13949	6788943.3	99.3%
6	NOT APPLICABLE	16084	6477005.8	
7	DON'T KNOW	16	13011.5	
8	REFUSAL	0	0.0	
9	NOT STATED	724	311866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2_13M: Barriers to physical activity - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14041 / 6833622.4] [Invalid=16824 / 6801883.29]
Literal question	What prevented you from doing more physical activities? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1709	794511.3	11.6%
2	NO	12332	6039111.1	88.4%
6	NOT APPLICABLE	16084	6477005.8	
7	DON'T KNOW	16	13011.5	
8	REFUSAL	0	0.0	
9	NOT STATED	724	311866.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2DSCR: PASE Score - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-605] [Missing=*]
Statistics [NW/ W]	[Valid=30788 / 13599637.6] [Invalid=77 / 35868.09] [Mean=125.938 / 149.539] [StdDev=82.463 / 88.415]

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	0	0.0	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	77	35868.1	

PA2DSCR: PASE Score - (D)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PA2FLEI: Participant leisure phys. activity - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30843 / 13627123.59] [Invalid=22 / 8382.1]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25807	11854357.2	87.0%
2	NO	5036	1772766.3	13.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	22	8382.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NUR_01: Gained, lost or stayed same weight -6month

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30128 / 13320726.83] [Invalid=737 / 314778.86]
Literal question	Compared with 6 months ago, have you gained weight, lost weight or stayed about the same?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	GAINED WEIGHT	4029	1913043.1	14.4%
2	LOST WEIGHT	5495	2431313.1	18.3%
3	STAYED SAME	20604	8976370.6	67.4%
4	WAS ON A DIET	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	43	12761.4	
8	REFUSAL	2	179.4	
9	NOT STATED	692	301838.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NUR_02: Amount of weight change

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=9434 / 4321336.94] [Invalid=21431 / 9314168.75]
Literal question	How much weight did you [lose/gain] in the past 6 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	> 10 POUNDS	3157	1461850.2	33.8%
2	6 TO 10 POUNDS	2980	1352477.5	31.3%
3	ABOUT 5 POUNDS	1730	828375.3	19.2%
4	< 5 POUNDS	1567	678634.0	15.7%
6	NOT APPLICABLE	20604	8976370.6	
7	DON'T KNOW	83	20268.4	
8	REFUSAL	7	2750.9	
9	NOT STATED	737	314778.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NUR_03: Frequency of skipping meals

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30156 / 13328520.63] [Invalid=709 / 306985.06]

NUR_03: Frequency of skipping meals

Literal question	In general, how often do you skip meals?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST EVERY DAY	2755	1283860.6	9.6%
2	OFTEN	1736	848269.6	6.4%
3	SOMETIMES	4960	2497683.9	18.7%
4	NEVER OR RARELY	20705	8698706.6	65.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	12	3998.9	
8	REFUSAL	5	1148.2	
9	NOT STATED	692	301838.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NUR_04: Describe appetite

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30161 / 13331229.15] [Invalid=704 / 304276.54]
Literal question	In general, how would you describe your appetite?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY GOOD	12634	5975771.2	44.8%
2	GOOD	13826	6003562.1	45.0%
3	FAIR	2935	1060774.6	8.0%
4	POOR	766	291121.2	2.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	7	1211.4	
8	REFUSAL	2	346.1	
9	NOT STATED	695	302719.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NUR_05: Frequency of pain swallowing food or fluid

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30162 / 13331475.58] [Invalid=703 / 304030.11]
Literal question	In general, how often do you cough, choke or have pain when swallowing food or fluid?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN/ALWAYS	703	250035.5	1.9%
2	SOMETIMES	2411	843410.1	6.3%
3	RARELY	4596	2166628.1	16.3%
4	NEVER	22452	10071401.8	75.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	6	971.0	
8	REFUSAL	2	340.0	
9	NOT STATED	695	302719.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NUR_06: Servings fruits and vegetables in a day

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=30079 / 13298293.29] [Invalid=786 / 337212.4]
Literal question	In general, how many servings of fruits and vegetables do you eat in a day?

NUR_06: Servings fruits and vegetables in a day

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SEVEN OR MORE	3073	1534064.0	11.5%
2	SIX	2862	1239119.9	9.3%
3	FIVE	4887	2183128.7	16.4%
4	FOUR	6030	2577036.8	19.4%
5	THREE	5513	2371590.2	17.8%
6	TWO	4453	1962834.0	14.8%
7	< 2	3261	1430519.6	10.8%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	86	33215.4	
98	REFUSAL	5	1278.0	
99	NOT STATED	695	302719.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NUR_07: Amount of fluid consumed in a day

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30124 / 13321967.61] [Invalid=741 / 313538.08]
Literal question	How much fluid do you drink in a day?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	= > 8 CUPS	12183	5788235.4	43.4%
2	5 TO 7 CUPS	12318	5252756.5	39.4%
3	3 TO 4 CUPS	4919	1987642.0	14.9%
4	ABOUT 2 CUPS	530	230756.9	1.7%
5	LESS THAN TWO	174	62576.7	0.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	43	10315.2	
8	REFUSAL	3	503.8	
9	NOT STATED	695	302719.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NUR_08: Frequency - eat one or + meals/day w/someone

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30161 / 13330444.25] [Invalid=704 / 305061.44]
Literal question	How often do you eat at least one meal each day with someone?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	18681	9884169.2	74.1%
2	OFTEN	2233	960469.7	7.2%
3	SOMETIMES	4830	1430903.8	10.7%
4	NEVER OR RARELY	4417	1054901.6	7.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	7	2013.1	
8	REFUSAL	2	329.3	
9	NOT STATED	695	302719.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NUR_09: Usually cook own meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

NUR_09: Usually cook own meals

Statistics [NW/ W]	[Valid=30155 / 13321407.4] [Invalid=710 / 314098.29]
Literal question	Do you usually cook your own meals?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	22103	9414838.9		70.7%
2	NO	8052	3906568.5		29.3%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	13	10178.0		
8	REFUSAL	2	1201.2		
9	NOT STATED	695	302719.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NUR_10: Describe meal preparation - self

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=22075 / 9405364.21] [Invalid=8790 / 4230141.48]
Literal question	Which of the following statements best describes meal preparation for you?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ENJOY COOK.MEALS	13763	6029361.3		64.1%
2	FIND COOK/CORE	5954	2519723.5		26.8%
3	USA./COOK/CORE	2358	856279.4		9.1%
6	NOT APPLICABLE	8052	3906568.5		
7	DON'T KNOW	26	8385.6		
8	REFUSAL	2	1089.2		
9	NOT STATED	710	314098.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NUR_11: Describe meal preparation - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8037 / 3904040.81] [Invalid=22828 / 9731464.88]
Literal question	Which of the following statements best describes the meals prepared for you?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	SAT.FOOD QUAL.	7877	3813508.7		97.7%
2	NOT SAT. FOOD QU	160	90532.1	2.3%	
6	NOT APPLICABLE	22103	9414838.9		
7	DON'T KNOW	14	2517.7		
8	REFUSAL	1	10.0		
9	NOT STATED	710	314098.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NURDHNR: High Nutritional Risk - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=29897 / 13244398.77] [Invalid=968 / 391106.92]

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	NOT AT HIGH N R	17879	8347989.6		63.0%
1	HIGH NUT RISK	12018	4896409.2		37.0%
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	0	0.0		

NURDHNR: High Nutritional Risk - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	0	0.0	
99	NOT STATED	968	391106.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NURDSCR: Nutritional risk - Score - (D)

Information	[Type= continuous] [Format=numeric] [Range= 4-48] [Missing=*]
Statistics [NW/ W]	[Valid=29897 / 13244398.77] [Invalid=968 / 391106.92] [Mean=38.164 / 38.668] [StdDev=6.495 / 6.288]

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	968	391106.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_01: Health of your mouth

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30847 / 13627701.17] [Invalid=18 / 7804.52]
Literal question	In general, would you say the health of your mouth is:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	6994	3519818.7	25.8%
2	VERY GOOD	9853	4277169.0	31.4%
3	GOOD	10059	4185796.7	30.7%
4	FAIR	2832	1188980.0	8.7%
5	POOR	1109	455936.7	3.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	15	7225.4	
8	REFUSAL	3	579.1	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_02: Has one or more of own teeth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30859 / 13633371.22] [Invalid=6 / 2134.47]
Literal question	Do you have one or more of your own teeth?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23401	11503364.6	84.4%
2	NO	7458	2130006.7	15.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	4	1608.0	
8	REFUSAL	2	526.4	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_03: Wear dentures or false teeth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30828 / 13629596.86] [Invalid=37 / 5908.83]

OH3_03: Wear dentures or false teeth

Literal question	Do you wear dentures or false teeth?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15985	5348223.2	39.2%
2	NO	14843	8281373.7	60.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	5	1712.2	
8	REFUSAL	5	1654.0	
9	NOT STATED	27	2542.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_04: Frequency - uncomfortable to eat any food

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30847 / 13629970.76] [Invalid=18 / 5534.93]
Literal question	In the past 12 months, that is, from one year ago to yesterday, how often have you found it uncomfortable to eat any food because of problems with your mouth?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN	1152	451158.3	3.3%
2	SOMETIMES	3002	1322815.8	9.7%
3	RARELY	4073	1837516.0	13.5%
4	NEVER	22620	10018480.6	73.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	15	4828.3	
8	REFUSAL	3	706.6	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_05: Frequency-avoid eating foods-problem w/mouth

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30849 / 13632297.49] [Invalid=16 / 3208.2]
Literal question	In the past 12 months, that is, from one year ago to yesterday, how often have you avoided eating particular foods because of problems with your mouth?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN	1034	399505.6	2.9%
2	SOMETIMES	2355	902792.2	6.6%
3	RARELY	2810	1231789.6	9.0%
4	NEVER	24650	11098210.0	81.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	13	2501.6	
8	REFUSAL	3	706.6	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09A: Last saw dental professional

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=30769 / 13607317.89] [Invalid=96 / 28187.8]
Literal question	When was the last time you saw a dental professional?

OH3_09A: Last saw dental professional

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	17857	9145728.8	67.2%
2	1 TO <2 YEARS	3547	1469867.7	10.8%
3	2 TO < 3 YEARS	1745	721632.6	5.3%
4	3 TO < 4 YEARS	990	344117.4	2.5%
5	4 TO < 5 YEARS	878	304001.6	2.2%
6	5 YEARS OR MORE	5474	1527807.5	11.2%
7	NEVER	278	94162.3	0.7%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	89	25799.0	
98	REFUSAL	7	2388.8	
99	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09BA: Reason not seen dentist - time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7614 / 2268928.74] [Invalid=23251 / 11366576.95]
Literal question	What are the reasons you have not seen a dental professional in the last 3 years? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	528	194958.6	8.6%
2	NO	7086	2073970.1	91.4%
6	NOT APPLICABLE	23149	11337229.1	
7	DON'T KNOW	6	1160.1	
8	REFUSAL	0	0.0	
9	NOT STATED	96	28187.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09BB: Reason not seen dentist - respondent-unnecessary

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7614 / 2268928.74] [Invalid=23251 / 11366576.95]
Literal question	What are the reasons you have not seen a dental professional in the last 3 years? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3447	1037642.1	45.7%
2	NO	4167	1231286.6	54.3%
6	NOT APPLICABLE	23149	11337229.1	
7	DON'T KNOW	6	1160.1	
8	REFUSAL	0	0.0	
9	NOT STATED	96	28187.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09BC: Reason not seen dentist - dentist-unnessary

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7614 / 2268928.74] [Invalid=23251 / 11366576.95]
Literal question	What are the reasons you have not seen a dental professional in the last 3 years? - Dental professional did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	170	42057.0	1.9%	
2	NO	7444	2226871.8		98.1%
6	NOT APPLICABLE	23149	11337229.1		
7	DON'T KNOW	6	1160.1		
8	REFUSAL	0	0.0		
9	NOT STATED	96	28187.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09BD: Reason not seen dentist - personal/famaily responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7614 / 2268928.74] [Invalid=23251 / 11366576.95]
Literal question	What are the reasons you have not seen a dental professional in the last 3 years? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	19	6335.7	0.3%	
2	NO	7595	2262593.0		99.7%
6	NOT APPLICABLE	23149	11337229.1		
7	DON'T KNOW	6	1160.1		
8	REFUSAL	0	0.0		
9	NOT STATED	96	28187.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09BE: Reason not seen dentist - not available at time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7614 / 2268928.74] [Invalid=23251 / 11366576.95]
Literal question	What are the reasons you have not seen a dental professional in the last 3 years? - Not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	20	11000.7	0.5%	
2	NO	7594	2257928.0		99.5%
6	NOT APPLICABLE	23149	11337229.1		
7	DON'T KNOW	6	1160.1		
8	REFUSAL	0	0.0		
9	NOT STATED	96	28187.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09BF: Reason not seen dentist - not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7614 / 2268928.74] [Invalid=23251 / 11366576.95]
Literal question	What are the reasons you have not seen a dental professional in the last 3 years? - Not available at all in the area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	26	4747.6	0.2%	
2	NO	7588	2264181.1		99.8%

OH3_09BF: Reason not seen dentist - not available in area

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	23149	11337229.1	
7	DON'T KNOW	6	1160.1	
8	REFUSAL	0	0.0	
9	NOT STATED	96	28187.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09BG: Reason not seen dentist - wait too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7614 / 2268928.74] [Invalid=23251 / 11366576.95]
Literal question	What are the reasons you have not seen a dental professional in the last 3 years? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25	10787.3	0.5%
2	NO	7589	2258141.4	99.5%
6	NOT APPLICABLE	23149	11337229.1	
7	DON'T KNOW	6	1160.1	
8	REFUSAL	0	0.0	
9	NOT STATED	96	28187.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09BH: Reason not seen dentist - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7614 / 2268928.74] [Invalid=23251 / 11366576.95]
Literal question	What are the reasons you have not seen a dental professional in the last 3 years? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	36	5874.2	0.3%
2	NO	7578	2263054.6	99.7%
6	NOT APPLICABLE	23149	11337229.1	
7	DON'T KNOW	6	1160.1	
8	REFUSAL	0	0.0	
9	NOT STATED	96	28187.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09BI: Reason not seen dentist - language prob.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7614 / 2268928.74] [Invalid=23251 / 11366576.95]
Literal question	What are the reasons you have not seen a dental professional in the last 3 years? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	2337.4	0.1%
2	NO	7606	2266591.4	99.9%
6	NOT APPLICABLE	23149	11337229.1	
7	DON'T KNOW	6	1160.1	
8	REFUSAL	0	0.0	
9	NOT STATED	96	28187.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09BJ: Reason not seen dentist - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7614 / 2268928.74] [Invalid=23251 / 11366576.95]			
Literal question	What are the reasons you have not seen a dental professional in the last 3 years? - Cost			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	872	371647.3	16.4%
2	NO	6742	1897281.5	83.6%
6	NOT APPLICABLE	23149	11337229.1	
7	DON'T KNOW	6	1160.1	
8	REFUSAL	0	0.0	
9	NOT STATED	96	28187.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09BK: Reason not seen dentist - uninformed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7614 / 2268928.74] [Invalid=23251 / 11366576.95]			
Literal question	What are the reasons you have not seen a dental professional in the last 3 years? - Did not know where to go /uninformed			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22	5607.8	0.2%
2	NO	7592	2263321.0	99.8%
6	NOT APPLICABLE	23149	11337229.1	
7	DON'T KNOW	6	1160.1	
8	REFUSAL	0	0.0	
9	NOT STATED	96	28187.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09BL: Reason not seen dentist - fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7614 / 2268928.74] [Invalid=23251 / 11366576.95]			
Literal question	What are the reasons you have not seen a dental professional in the last 3 years? - Fear (E.g pain, embarassing, find something other)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	306	115485.6	5.1%
2	NO	7308	2153443.1	94.9%
6	NOT APPLICABLE	23149	11337229.1	
7	DON'T KNOW	6	1160.1	
8	REFUSAL	0	0.0	
9	NOT STATED	96	28187.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09BM: Reason not seen dentist - wears dentures

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7614 / 2268928.74] [Invalid=23251 / 11366576.95]			
Literal question	What are the reasons you have not seen a dental professional in the last 3 years? - Wear dentures			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2806	682909.8	30.1%
2	NO	4808	1586018.9	69.9%

OH3_09BM: Reason not seen dentist - wears dentures

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	23149	11337229.1	
7	DON'T KNOW	6	1160.1	
8	REFUSAL	0	0.0	
9	NOT STATED	96	28187.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09BN: Reason not seen dentist - can't leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7614 / 2268928.74] [Invalid=23251 / 11366576.95]
Literal question	What are the reasons you have not seen a dental professional in the last 3 years? - Unable to leave house because of health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	35	5473.4	0.2%
2	NO	7579	2263455.4	99.8%
6	NOT APPLICABLE	23149	11337229.1	
7	DON'T KNOW	6	1160.1	
8	REFUSAL	0	0.0	
9	NOT STATED	96	28187.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_09BO: Reason not seen dentist - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7614 / 2268928.74] [Invalid=23251 / 11366576.95]
Literal question	What are the reasons you have not seen a dental professional in the last 3 years? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	142	44429.2	2.0%
2	NO	7472	2224499.5	98.0%
6	NOT APPLICABLE	23149	11337229.1	
7	DON'T KNOW	6	1160.1	
8	REFUSAL	0	0.0	
9	NOT STATED	96	28187.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_10A: Has insurance to cover dental expenses

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30759 / 13613532.51] [Invalid=106 / 21973.18]
Literal question	Do you have insurance or a government program that covers all or part of your dental expenses?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14180	7575743.3	55.6%
2	NO	16579	6037789.2	44.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	98	18960.7	
8	REFUSAL	8	3012.5	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_10BA: Dental plan - employer-sponsored

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14042 / 7528127.3] [Invalid=16823 / 6107378.39]
Literal question	Is it an employer-sponsored plan?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10674	6425421.4	85.4%
2	NO	3368	1102706.0	14.6%
6	NOT APPLICABLE	16579	6037789.2	
7	DON'T KNOW	34	7875.7	
8	REFUSAL	4	1233.3	
9	NOT STATED	206	60480.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3_10BC: Dental plan - private

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14042 / 7528127.3] [Invalid=16823 / 6107378.39]
Literal question	Is it a private plan?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1662	594779.2	7.9%
2	NO	12380	6933348.1	92.1%
6	NOT APPLICABLE	16579	6037789.2	
7	DON'T KNOW	34	7875.7	
8	REFUSAL	4	1233.3	
9	NOT STATED	206	60480.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3G10B: Dental plan - government sponsored

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14042 / 7528127.3] [Invalid=16823 / 6107378.39]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1852	564117.8	7.5%
2	NO	12190	6964009.5	92.5%
6	NOT APPLICABLE	16579	6037789.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	244	69589.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3GFLO: Daily Flossing - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=30405 / 13450891.21] [Invalid=460 / 184614.48]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	> TWICE/DAY	875	389952.4	2.9%
2	TWICE/DAY	1922	1001183.5	7.4%
3	ONCE/DAY	7164	3628724.7	27.0%
4	< ONCE/DAY	3121	1751151.4	13.0%
5	ONCE/WEEK	3073	1760106.9	13.1%

OH3GFLO: Daily Flossing - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)	
6	NEVER	14250	4919772.4		36.6%
96	NOT APPLICABLE	289	114438.8		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	171	70175.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH3GBRU: Daily Brushing - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=30494 / 13499622.06] [Invalid=371 / 135883.63]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	> TWICE/DAY	6528	2663064.7	19.7%	
2	TWICE/DAY	14351	7067852.4		52.4%
3	ONCE/DAY	8479	3321065.7	24.6%	
4	< ONCE/DAY	641	262574.4	1.9%	
5	ONCE/WEEK	265	97704.6	0.7%	
6	NEVER	230	87360.2	0.6%	
96	NOT APPLICABLE	289	114438.8		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	82	21444.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1A: Medication - pain relievers - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30843 / 13623887.75] [Invalid=22 / 11617.94]
Literal question	In the past month, that is, from month ago to yesterday, did you take:.. pain relievers such as Aspirin or Tylenol (including arthritis medicine and anti-inflammatories)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	21069	9294890.1		68.2%
2	NO	9774	4328997.6	31.8%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	14	3889.7		
8	REFUSAL	8	7728.3		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1AA: Medication - pain relievers - daily basis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21064 / 9293837.52] [Invalid=9801 / 4341668.17]
Literal question	Did you take any of these on a daily basis?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	8578	2968888.2	31.9%	
2	NO	12486	6324949.4		68.1%
6	NOT APPLICABLE	9774	4328997.6		
7	DON'T KNOW	4	868.2		

MED_1AA: Medication - pain relievers - daily basis

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	1	184.4	
9	NOT STATED	22	11617.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1B: Medication - tranquilizers - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30821 / 13617997.69] [Invalid=44 / 17508]
Literal question	In the past month, that is, from [date one month ago] to yesterday, did you take:... tranquilizers such as Valium or Ativan?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1643	597836.7	4.4%
2	NO	29178	13020161.0	95.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	21	5764.0	
8	REFUSAL	1	126.1	
9	NOT STATED	22	11617.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1BB: Medication - tranquilizers - daily basis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1643 / 597836.72] [Invalid=29222 / 13037668.97]
Literal question	Did you take any of these on a daily basis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1033	348931.9	58.4%
2	NO	610	248904.8	41.6%
6	NOT APPLICABLE	29178	13020161.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	44	17508.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1C: Medication - diet pills - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30838 / 13622971.38] [Invalid=27 / 12534.31]
Literal question	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... diet pills such as Dexatrim, Ponderal or Fastin?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	75	33681.3	0.2%
2	NO	30763	13589290.1	99.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	5	916.4	
8	REFUSAL	0	0.0	
9	NOT STATED	22	11617.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1CC: Medication - diet pills - daily basis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

MED_1CC: Medication - diet pills - daily basis

Statistics [NW/ W]	[Valid=75 / 33681.26] [Invalid=30790 / 13601824.43]			
Literal question	Did you take any of these on a daily basis?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	57	25632.3	76.1%
2	NO	18	8049.0	23.9%
6	NOT APPLICABLE	30763	13589290.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	27	12534.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1D: Medication - antidepressants - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30819 / 13618129.11] [Invalid=46 / 17376.58]			
Literal question	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... anti-depressants such as Prozac, Paxil or Effexor?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2435	988611.1	7.3%
2	NO	28384	12629518.0	92.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	24	5758.6	
8	REFUSAL	0	0.0	
9	NOT STATED	22	11617.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1DD: Medication - anti-depressants - daily basis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=2435 / 988611.06] [Invalid=28430 / 12646894.63]			
Literal question	Did you take any of these on a daily basis?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2304	939569.5	95.0%
2	NO	131	49041.5	5.0%
6	NOT APPLICABLE	28384	12629518.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	46	17376.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1E: Medication - codeine/Demerol/morphine - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30824 / 13619025.8] [Invalid=41 / 16479.89]			
Literal question	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... codeine, Demerol or morphine?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1469	668488.4	4.9%
2	NO	29355	12950537.4	95.1%
6	NOT APPLICABLE	0	0.0	

MED_1E: Medication - codeine/Demerol/morphine - past month

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	19	4862.0	
8	REFUSAL	0	0.0	
9	NOT STATED	22	11617.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1EE: Medication - codeine/Demerol/morphine - daily

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1469 / 668488.37] [Invalid=29396 / 12967017.32]
Literal question	Did you take any of these on a daily basis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	651	294641.6	44.1%
2	NO	818	373846.8	55.9%
6	NOT APPLICABLE	29355	12950537.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	41	16479.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1G: Medication - asthma medications - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30839 / 13623512.46] [Invalid=26 / 11993.23]
Literal question	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... asthma medications such as inhalers or nebulizers?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2523	977532.0	7.2%
2	NO	28316	12645980.4	92.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	4	375.3	
8	REFUSAL	0	0.0	
9	NOT STATED	22	11617.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1GG: Medication - asthma medications - daily basis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2523 / 977532.04] [Invalid=28342 / 12657973.65]
Literal question	Did you take any of these on a daily basis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1727	613319.7	62.7%
2	NO	796	364212.3	37.3%
6	NOT APPLICABLE	28316	12645980.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	26	11993.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1I: Medication - penic./other antibiotics -past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

MED_1I: Medication - penic./other antibiotics -past month

	Statistics [NW/ W]	[Valid=30827 / 13621566.59] [Invalid=38 / 13939.1]
	Literal question	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... penicillin or other antibiotics?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2024	898635.0	6.6%
2	NO	28803	12722931.6	93.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	16	2321.2	
8	REFUSAL	0	0.0	
9	NOT STATED	22	11617.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1II: Medication - penicillin - daily basis

	Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
	Statistics [NW/ W]	[Valid=2023 / 898557.1] [Invalid=28842 / 12736948.59]
	Literal question	Did you take any of these on a daily basis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1186	538297.2	59.9%
2	NO	837	360259.9	40.1%
6	NOT APPLICABLE	28803	12722931.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	77.9	
9	NOT STATED	38	13939.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1J: Medication - medicine for the heart - past month

	Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
	Statistics [NW/ W]	[Valid=30799 / 13614789.71] [Invalid=66 / 20715.98]
	Literal question	In the past month, that is, from [date one month ago] to yesterday, did you take:)... medicine for the heart?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6714	2069459.2	15.2%
2	NO	24085	11545330.5	84.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	44	9098.0	
8	REFUSAL	0	0.0	
9	NOT STATED	22	11617.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1JJ: Medication - medicine for the heart - daily basis

	Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
	Statistics [NW/ W]	[Valid=6711 / 2069029.05] [Invalid=24154 / 11566476.64]
	Literal question	Did you take any of these on a daily basis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6596	2030870.4	98.2%
2	NO	115	38158.7	1.8%
6	NOT APPLICABLE	24085	11545330.5	
7	DON'T KNOW	2	319.4	

MED_1JJ: Medication - medicine for the heart - daily basis

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	1	110.7	
9	NOT STATED	66	20716.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1L: Medication - diuretics - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30770 / 13606706.54] [Invalid=95 / 28799.15]
Literal question	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... diuretics or water pills?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5761	1697220.2	12.5%	
2	NO	25009	11909486.3		87.5%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	73	17181.2		
8	REFUSAL	0	0.0		
9	NOT STATED	22	11617.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1LL: Medication - diuretics - daily basis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5760 / 1697185.19] [Invalid=25105 / 11938320.5]
Literal question	Did you take any of these on a daily basis?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5510	1609845.8		94.9%
2	NO	250	87339.4	5.1%	
6	NOT APPLICABLE	25009	11909486.3		
7	DON'T KNOW	1	35.0		
8	REFUSAL	0	0.0		
9	NOT STATED	95	28799.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1M: Medication - steroids - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30817 / 13619914.47] [Invalid=48 / 15591.22]
Literal question	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... steroids?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	604	192024.7	1.4%	
2	NO	30213	13427889.8		98.6%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	26	3973.3		
8	REFUSAL	0	0.0		
9	NOT STATED	22	11617.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1MM: Medication - steroids - daily basis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=603 / 190781.61] [Invalid=30262 / 13444724.08]

MED_1MM: Medication - steroids - daily basis

Literal question	Did you take any of these on a daily basis?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	440	138205.3		72.4%
2	NO	163	52576.3	27.6%	
6	NOT APPLICABLE	30213	13427889.8		
7	DON'T KNOW	1	1243.1		
8	REFUSAL	0	0.0		
9	NOT STATED	48	15591.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1P: Medication - sleeping pills - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30826 / 13620163.18] [Invalid=39 / 15342.51]
Literal question	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... sleeping pills such as Imovane, Nytol or Starnoc?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3156	1141279.4	8.4%	
2	NO	27670	12478883.8		91.6%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	17	3724.6		
8	REFUSAL	0	0.0		
9	NOT STATED	22	11617.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1PP: Medication - sleeping pills - daily basis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3156 / 1141279.42] [Invalid=27709 / 12494226.27]
Literal question	Did you take any of these on a daily basis?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1914	643736.4		56.4%
2	NO	1242	497543.0	43.6%	
6	NOT APPLICABLE	27670	12478883.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	39	15342.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1Q: Medication - stomach remedies - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30820 / 13619110.46] [Invalid=45 / 16395.23]
Literal question	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... stomach remedies?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6449	2443211.4	17.9%	
2	NO	24371	11175899.1		82.1%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	23	4777.3		

MED_1Q: Medication - stomach remedies - past month

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	22	11617.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1QQ: Medication - stomach remedies - daily basis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6446 / 2443064.66] [Invalid=24419 / 11192441.03]
Literal question	Did you take any of these on a daily basis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3821	1390214.0	56.9%
2	NO	2625	1052850.6	43.1%
6	NOT APPLICABLE	24371	11175899.1	
7	DON'T KNOW	3	146.7	
8	REFUSAL	0	0.0	
9	NOT STATED	45	16395.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1R: Medication - laxatives - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30837 / 13622688.55] [Invalid=28 / 12817.14]
Literal question	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... laxatives?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2543	769359.0	5.6%
2	NO	28294	12853329.5	94.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	6	1199.2	
8	REFUSAL	0	0.0	
9	NOT STATED	22	11617.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1RR: Medication - laxatives - daily basis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2543 / 769359.01] [Invalid=28322 / 12866146.68]
Literal question	Did you take any of these on a daily basis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1021	300283.7	39.0%
2	NO	1522	469075.3	61.0%
6	NOT APPLICABLE	28294	12853329.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	28	12817.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1T: Medication - hormones for menopause - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17543 / 7060000.41] [Invalid=13322 / 6575505.28]

MED_1T: Medication - hormones for menopause - past month

Literal question		(In the past month, that is, from [date one month ago] to yesterday, did you take:)... hormones for menopause or aging symptoms?			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1160	614755.2	8.7%	
2	NO	16383	6445245.3		91.3%
6	NOT APPLICABLE	13297	6557587.1		
7	DON'T KNOW	7	3453.2		
8	REFUSAL	0	0.0		
9	NOT STATED	18	14465.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1TT: Medication - hormones menopause - daily basis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1160 / 614755.15] [Invalid=29705 / 13020750.54]
Literal question	Did you take any of these on a daily basis?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	943	506292.8		82.4%
2	NO	217	108462.4	17.6%	
6	NOT APPLICABLE	29680	13002832.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	25	17918.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1U: Medication - thyroid - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30828 / 13621355.32] [Invalid=37 / 14150.37]
Literal question	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... thyroid medication such as Synthroid or Levothyroxine?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3911	1346283.6	9.9%	
2	NO	26917	12275071.8		90.1%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	15	2532.4		
8	REFUSAL	0	0.0		
9	NOT STATED	22	11617.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1UU: Medication - thyroid medication - daily basis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3910 / 1346208.08] [Invalid=26955 / 12289297.61]
Literal question	Did you take any of these on a daily basis?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3880	1332376.4		99.0%
2	NO	30	13831.7	1.0%	
6	NOT APPLICABLE	26917	12275071.8		
7	DON'T KNOW	1	75.5		

MED_1UU: Medication - thyroid medication - daily basis

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	37	14150.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1V: Medication - other - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30797 / 13616497.93] [Invalid=68 / 19007.76]
Literal question	(In the past month, that is, from [date one month ago] to yesterday, did you take:)... any other medication?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14250	5529937.0	40.6%
2	NO	16547	8086561.0	59.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	43	6865.3	
8	REFUSAL	3	524.6	
9	NOT STATED	22	11617.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1VV: Medication - other - daily basis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14238 / 5524890.75] [Invalid=16627 / 8110614.94]
Literal question	Did you take it on a daily basis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13020	4911599.2	88.9%
2	NO	1218	613291.6	11.1%
6	NOT APPLICABLE	16547	8086561.0	
7	DON'T KNOW	12	5046.2	
8	REFUSAL	0	0.0	
9	NOT STATED	68	19007.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEDDNM: Number of types of medicine used (past mo)-(D)

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=30612 / 13569285.6] [Invalid=253 / 66220.09]

Value	Label	Cases	Weighted	Percentage (Weighted)
0		3066	1787564.0	13.2%
1		7057	3732397.3	27.5%
2		7343	3316168.8	24.4%
3		5801	2219432.4	16.4%
4		3671	1375306.1	10.1%
5		2010	631649.3	4.7%
6		954	269812.3	2.0%
7		431	156098.2	1.2%
8		166	46722.1	0.3%
9		76	23406.2	0.2%
10		25	7339.8	0.1%
11		10	2587.8	0.0%
12		2	801.4	0.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	253	66220.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEDDNMD: Number types of medicine used daily (past mo)-(D)

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=30594 / 13563529.64] [Invalid=271 / 71976.05]

Value	Label	Cases	Weighted	Percentage (Weighted)
0		8056	4830026.3	35.6%
1		7972	3689727.5	27.2%
2		6394	2409524.2	17.8%
3		4234	1433473.9	10.6%
4		2240	699113.6	5.2%
5		985	297237.7	2.2%
6		436	113080.2	0.8%

MEDDNMD: Number types of medicine used daily (past mo)-(D)

Value	Label	Cases	Weighted	Percentage (Weighted)
7		185	65165.6	0.5%
8		59	17786.4	0.1%
9		21	6276.6	0.0%
10		5	489.1	0.0%
11		6	1006.9	0.0%
12		1	621.4	0.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	271	71976.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEDF1: Medication use (past month) - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30576 / 13558564.92] [Invalid=289 / 76940.77]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27731	11862321.2	87.5%
2	NO	2845	1696243.8	12.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	289	76940.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DS2_01: Past month - frequency taking multivitamin supplement

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30836 / 13628111.9] [Invalid=29 / 7393.79]
Literal question	In the past month, how often did you take multivitamin supplements?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	9698	4152858.7	30.5%
2	FEW TIME A WEEK	1271	756255.0	5.5%
3	ONCE/WEEK	269	148281.2	1.1%
4	< ONCE/WEEK	550	281595.6	2.1%
5	NEVER	19048	8289121.4	60.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	20	4108.1	
8	REFUSAL	9	3285.7	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DS2_02: Past month - frequency taking calcium supplement

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30819 / 13623585.06] [Invalid=46 / 11920.63]
Literal question	In the past month, how often did you take calcium supplements?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	9366	3656574.2	26.8%

DS2_02: Past month - frequency taking calcium supplement

Value	Label	Cases	Weighted	Percentage (Weighted)
2	FEW TIME A WEEK	868	432040.1	3.2%
3	ONCE/WEEK	345	183858.6	1.3%
4	< ONCE/WEEK	375	168811.4	1.2%
5	NEVER	19865	9182300.7	67.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	16	4164.7	
8	REFUSAL	1	362.1	
9	NOT STATED	29	7393.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DS2_03: Past month - frequency taking vitamin D supplement

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30790 / 13616632.14] [Invalid=75 / 18873.55]
Literal question	In the past month, how often did you take vitamin D supplements?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	9341	3640777.6	26.7%
2	FEW TIME A WEEK	802	345830.7	2.5%
3	ONCE/WEEK	218	146193.4	1.1%
4	< ONCE/WEEK	324	159940.6	1.2%
5	NEVER	20105	9323889.8	68.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	44	11358.6	
8	REFUSAL	2	121.1	
9	NOT STATED	29	7393.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DS2_04: Past month - frequency taking vitamin B12 supplement

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30770 / 13610858.06] [Invalid=95 / 24647.63]
Literal question	In the past month, how often did you take vitamin B12 supplements?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	3182	1323737.6	9.7%
2	FEW TIME A WEEK	451	242366.5	1.8%
3	ONCE/WEEK	156	73149.7	0.5%
4	< ONCE/WEEK	716	239400.6	1.8%
5	NEVER	26265	11732203.6	86.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	65	16924.5	
8	REFUSAL	1	329.4	
9	NOT STATED	29	7393.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_01A: Smoked 100 or more cigarettes - life

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30840 / 13619695.7] [Invalid=25 / 15809.99]
Literal question	In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)?

SMK_01A: Smoked 100 or more cigarettes - life

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17403	7658240.5	56.2%
2	NO	13437	5961455.2	43.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	16	5058.2	
8	REFUSAL	9	10751.8	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_01B: Ever smoked whole cigarette

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13437 / 5962072.73] [Invalid=17428 / 7673432.96]
Literal question	Have you ever smoked a whole cigarette?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3080	1441349.9	24.2%
2	NO	10357	4520722.8	75.8%
6	NOT APPLICABLE	17403	7658240.5	
7	DON'T KNOW	16	4440.6	
8	REFUSAL	9	10751.8	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG01C: Age - smoked first whole cigarette - (G)

Information	[Type= continuous] [Format=numeric] [Range= 9-45] [Missing=*]
Statistics [NW/ W]	[Valid=20088 / 8988624.17] [Invalid=10777 / 4646881.52] [Mean=16.631 / 16.14] [StdDev=5.193 / 4.61]

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	10357	4520722.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	420	126158.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_202: Type of smoker

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13623144.5] [Invalid=15 / 12361.19]
Literal question	At the present time, do you smoke cigarettes daily, occasionally or not at all?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	4416	2216918.5	16.3%
2	OCCASIONALLY	647	321223.9	2.4%
3	NOT AT ALL	25787	11085002.1	81.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	5	1524.2	
8	REFUSAL	1	85.2	
9	NOT STATED	9	10751.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG203: Age - started daily (daily smoker) - (G)

Information	[Type= continuous] [Format=numeric] [Range= 9-45] [Missing=*]
Statistics [NW/ W]	[Valid=4349 / 2184367.84] [Invalid=26516 / 11451137.85] [Mean=18.495 / 18.146] [StdDev=6.005 / 5.555]

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	26434	11406226.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	82	44911.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_204: Number of cigarettes smoked/day (daily smoker)

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=4396 / 2207802.1] [Invalid=26469 / 11427703.59] [Mean=16.23 / 16.339] [StdDev=9.491 / 9.118]
Literal question	How many cigarettes do you smoke each day now?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	26434	11406226.0	
997	DON'T KNOW	12	7882.7	
998	REFUSAL	8	1233.7	
999	NOT STATED	15	12361.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_05B: Number of cigarettes per day (occasional smoker)

Information	[Type= discrete] [Format=numeric] [Range= 1-40] [Missing=*]
Statistics [NW/ W]	[Valid=643 / 320081.4] [Invalid=30222 / 13315424.29]
Literal question	On the days that you do smoke, how many cigarettes do you usually smoke?

Value	Label	Cases	Weighted	Percentage (Weighted)
1		163	84427.1	26.4%
2		151	91680.1	28.6%
3		86	31899.4	10.0%
4		64	31684.7	9.9%
5		66	30354.2	9.5%
6		36	19951.1	6.2%
7		10	4061.0	1.3%
8		11	4285.3	1.3%
9		2	696.6	0.2%
10		30	12331.7	3.9%
12		5	607.0	0.2%
14		1	123.8	0.0%
15		5	3304.0	1.0%
16		1	166.2	0.1%
20		6	3384.4	1.1%
25		4	964.4	0.3%
40		2	160.6	0.1%
996	NOT APPLICABLE	30203	13301920.6	
997	DON'T KNOW	4	1142.5	
998	REFUSAL	0	0.0	
999	NOT STATED	15	12361.2	

SMK_05B: Number of cigarettes per day (occasional smoker)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_05C: Number of days-1 cigarette or more (occasional smoker)

Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=630 / 317170.71] [Invalid=30235 / 13318334.98] [Mean=10.167 / 9.608] [StdDev=8.711 / 8.188]
Literal question	In the past month, on how many days have you smoked 1 or more cigarettes?

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	30203	13301920.6	
97	DON'T KNOW	16	3959.0	
98	REFUSAL	1	94.1	
99	NOT STATED	15	12361.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_05D: Ever smoked cigarettes daily

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12986 / 5446941.15] [Invalid=17879 / 8188564.54]
Literal question	Have you ever smoked cigarettes daily?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11831	4926417.9	90.4%
2	NO	1155	520523.2	9.6%
6	NOT APPLICABLE	17842	8170582.5	
7	DON'T KNOW	8	1276.3	
8	REFUSAL	0	0.0	
9	NOT STATED	29	16705.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_06A: Stopped smoking-when (never daily smoked)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=992 / 426445.32] [Invalid=29873 / 13209060.37]
Literal question	When did you stop smoking? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	9	6341.3	1.5%
2	1 TO < 2 YEARS	5	2077.7	0.5%
3	2 TO < 3 YEARS	18	9020.4	2.1%
4	3 OR MORE YEARS	960	409006.0	95.9%
6	NOT APPLICABLE	29832	13190343.4	
7	DON'T KNOW	2	334.4	
8	REFUSAL	2	400.5	
9	NOT STATED	37	17982.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG06C: Number years since stopped smoking - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=960 / 409005.95] [Invalid=29905 / 13226499.74]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STOP/ 3 AND 5	31	28800.5	7.0%

SMKG06C: Number years since stopped smoking - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
2	STOP/ 6 AND 10	60	21290.9	5.2%
3	STOP/ 11 AND 20	152	90650.4	22.2%
4	STOP/ 21 AND 30	246	111342.0	27.2%
5	STOP/ 31 AND 40	232	88062.7	21.5%
6	STOP/ 41 AND +	239	68859.4	16.8%
96	NOT APPLICABLE	29864	13207782.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	41	18717.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG207: Age -started daily (former daily smoker) - (G)

Information	[Type= continuous] [Format=numeric] [Range= 9-45] [Missing=*]
Statistics [NW/ W]	[Valid=11581 / 4871651.39] [Invalid=19284 / 8763854.3] [Mean=18.507 / 17.985] [StdDev=5.111 / 4.609]

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	18993	8690370.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	291	73483.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_208: Number of cigarettes smoked/day (former daily)

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=11534 / 4846656.87] [Invalid=19331 / 8788848.82] [Mean=18.902 / 18.91] [StdDev=13.872 / 13.523]
Literal question	How many cigarettes did you usually smoke each day?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	18993	8690370.7	
997	DON'T KNOW	290	76077.2	
998	REFUSAL	7	3683.8	
999	NOT STATED	41	18717.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_09A: Stopped smoking daily - when

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=11821 / 4924183.52] [Invalid=19044 / 8711322.17]
Literal question	When did you stop smoking daily? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	449	215324.1	4.4%
2	1 TO < 2 YEARS	252	116346.4	2.4%
3	2 TO < 3 YEARS	396	188650.2	3.8%
4	3 OR MORE YEARS	10724	4403862.8	89.4%
6	NOT APPLICABLE	18993	8690370.7	
7	DON'T KNOW	10	2234.4	
8	REFUSAL	0	0.0	
9	NOT STATED	41	18717.0	

SMK_09A: Stopped smoking daily - when

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG09C: Number years since stopped (former daily)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=10632 / 4387511.01] [Invalid=20233 / 9247994.68]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STOP/ 3 AND 5	623	324488.6	7.4%
2	STOP/ 6 AND 10	1374	667229.2	15.2%
3	STOP/ 11 AND 20	2522	1137712.1	25.9%
4	STOP/ 21 AND 30	3049	1298491.4	29.6%
5	STOP/ 31 AND 40	1985	682071.3	15.5%
6	STOP/ 41 AND +	1079	277518.4	6.3%
96	NOT APPLICABLE	20090	9210691.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	143	37303.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_10: Quit smoking completely

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11370 / 4713376.81] [Invalid=19495 / 8922128.88]
Literal question	Was that when you completely quit smoking?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11148	4603394.0	97.7%
2	NO	222	109982.8	2.3%
6	NOT APPLICABLE	19440	8900507.1	
7	DON'T KNOW	4	670.3	
8	REFUSAL	0	0.0	
9	NOT STATED	51	20951.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_10A: Stopped smoking completely - when

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=219 / 103350.83] [Invalid=30646 / 13532154.86]
Literal question	When did you stop smoking completely? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, or 3 or more years ago)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	33	19454.2	18.8%
2	1 TO < 2 YEARS	11	3580.6	3.5%
3	2 TO < 3 YEARS	15	6621.0	6.4%
4	3 OR MORE YEARS	160	73695.1	71.3%
6	NOT APPLICABLE	30588	13503901.1	
7	DON'T KNOW	3	6632.0	
8	REFUSAL	0	0.0	
9	NOT STATED	55	21621.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG10C: Number years since stopped (daily) - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=158 / 73583.58] [Invalid=30707 / 13561922.11]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STOP/ 3 AND 5	21	9326.6	12.7%
2	STOP/ 6 AND 10	33	12636.2	17.2%
3	STOP/ 11 AND 20	39	19199.3	26.1%
4	STOP/ 21 AND 30	42	26592.6	36.1%
5	STOP/ 31 AND 40	18	5228.9	7.1%
6	STOP/ 41 AND +	5	600.0	0.8%
96	NOT APPLICABLE	30647	13533556.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	60	28365.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKGSTP: Number years since stopping completely - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=12274 / 5118341.18] [Invalid=18591 / 8517164.51]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< A YEAR AGO	388	191366.8	3.7%
2	1 OR 2 YEARS AGO	600	269089.3	5.3%
3	3 AND 5 YRS	594	328349.8	6.4%
4	6 AND 10 YRS	1365	665022.7	13.0%
5	11 AND 20YRS	2598	1190466.7	23.3%
6	21 AND 30YRS	3233	1376334.6	26.9%
7	31 AND 40YRS	2194	758233.0	14.8%
8	41 YRS AND +	1302	339478.3	6.6%
96	NOT APPLICABLE	18444	8473331.5	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	147	43833.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKDSTY: Type of smoker - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=30827 / 13617715.38] [Invalid=38 / 17790.31]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	4416	2216918.5	16.3%
2	OCCASIONAL	453	211560.5	1.6%
3	ALWAYS OCCASION.	194	109663.4	0.8%
4	FORMER DAILY	11378	4714857.4	34.6%
5	FORMER OCCASION.	4041	1849884.6	13.6%
6	NEVER SMOKED	10345	4514831.0	33.2%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	

SMKDSTY: Type of smoker - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
99	NOT STATED	38	17790.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKDYCS: Number of years smoked - (D)

Information	[Type= continuous] [Format=numeric] [Range= 1-83] [Missing=*]
Statistics [NW/ W]	[Valid=4349 / 2184367.84] [Invalid=26516 / 11451137.85] [Mean=42.542 / 38.25] [StdDev=11.299 / 10.023]

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	26434	11406226.0	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	82	44911.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALC_1: Drank alcohol - past 12 months

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30851 / 13629204.53] [Invalid=14 / 6301.16]
Literal question	During the past 12 months, that is, from [date one year ago] to yesterday, have you had a drink of beer, wine, liquor or any other alcoholic beverage?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21880	10675188.8	78.3%
2	NO	8971	2954015.7	21.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	8	1866.9	
8	REFUSAL	6	4434.3	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALC_2: Frequency of drinking alcohol

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=21855 / 10663437.13] [Invalid=9010 / 2972068.56]
Literal question	During the past 12 months, how often did you drink alcoholic beverages?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< ONCE A MONTH	5955	2358370.0	22.1%
2	ONCE A MONTH	2047	922770.7	8.7%
3	2 TO 3 TIMES/MO	2418	1238506.4	11.6%
4	ONCE/WEEK	2961	1494907.1	14.0%
5	2 TO 3 TIMES/WK	3604	2227791.2	20.9%
6	4 TO 6 TIMES/WK	1455	817934.2	7.7%
7	EVERY DAY	3415	1603157.5	15.0%
96	NOT APPLICABLE	8971	2954015.7	
97	DON'T KNOW	16	3764.4	
98	REFUSAL	9	7987.4	
99	NOT STATED	14	6301.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALC_3: Frequency of having 5 or more drinks

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

ALC_3: Frequency of having 5 or more drinks

Statistics [NW/ W]	[Valid=21846 / 10647278.98] [Invalid=9019 / 2988226.71]			
Literal question	How often in the past 12 months, have you had 5 or more drinks on one occasion?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEVER	15862	6982073.1	65.6%
2	LESS ONCE/MONTH	3103	2001062.2	18.8%
3	ONCE/MONTH	975	587861.4	5.5%
4	2-3 TIMES/MONTH	731	448208.9	4.2%
5	ONCE/WEEK	692	389452.3	3.7%
6	MORE ONCE/WEEK	483	238621.1	2.2%
96	NOT APPLICABLE	8971	2954015.7	
97	DON'T KNOW	23	21269.6	
98	REFUSAL	11	6640.3	
99	NOT STATED	14	6301.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALC_5B: Ever had a drink

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8964 / 2952202.58] [Invalid=21901 / 10683303.11]
Literal question	Have you ever had a drink?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6123	1967982.3	66.7%
2	NO	2841	984220.3	33.3%
6	NOT APPLICABLE	21880	10675188.8	
7	DON'T KNOW	6	867.4	
8	REFUSAL	1	945.8	
9	NOT STATED	14	6301.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCDTTM: Type of drinker (12 months) - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=30826 / 13617452.82] [Invalid=39 / 18052.87]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	REGULAR DRINKER	15900	8305067.1	61.0%
2	OCCASIO. DRINKER	5955	2358370.0	17.3%
3	NO DRINK LAST12M	8971	2954015.7	21.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	39	18052.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_1: Did something to improve health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30147 / 13327608.03] [Invalid=718 / 307897.66]
Literal question	In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking, increased exercise)

CIH_1: Did something to improve health

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	12980	6478040.7		48.6%
2	NO	17167	6849567.3		51.4%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	20	3936.5		
8	REFUSAL	6	2123.2		
9	NOT STATED	692	301838.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_2: Most important change to improve health

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=12971 / 6475537.82] [Invalid=17894 / 7159967.87]
Literal question	What is the single most important change you have made?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	MORE EXERCISE	5704	2940166.5		45.4%
2	LOST WEIGHT	2075	985497.7	15.2%	
3	EATING HABITS	2442	1273067.2	19.7%	
4	SMOKE LESS/STOP	745	387387.8	6.0%	
5	LESS ALCOHOL	141	82907.5	1.3%	
6	REDUCE STRESS LE	204	96649.8	1.5%	
7	MEDICAL TREAT	853	351799.4	5.4%	
8	TOOK VITAMINS	317	141200.9	2.2%	
9	OTHER	490	216861.0	3.3%	
96	NOT APPLICABLE	17167	6849567.3		
97	DON'T KNOW	9	2502.9		
98	REFUSAL	0	0.0		
99	NOT STATED	718	307897.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_3: Thinks should do smthg to improve health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30034 / 13288831.62] [Invalid=831 / 346674.07]
Literal question	Do you think there is anything (else) you should do to improve your physical health?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	17165	8509356.5		64.0%
2	NO	12869	4779475.1	36.0%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	111	37941.8		
8	REFUSAL	2	834.6		
9	NOT STATED	718	307897.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_4: Most important thing to improve health

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=17139 / 8501286.24] [Invalid=13726 / 5134219.45]
Literal question	What is the most important thing?

CIH_4: Most important thing to improve health

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	MORE EXERCISE	9804	4760603.1		56.0%
2	LOST WEIGHT	2622	1295909.3		15.2%
3	EATING HABITS	1651	922278.0		10.8%
4	SMOKE LESS/STOP	1617	849408.1		10.0%
5	LESS ALCOHOL	159	81360.5		1.0%
6	REDUCE STRESS LE	334	181361.2		2.1%
7	MEDICAL TREAT	272	108115.4		1.3%
8	TOOK VITAMINS	106	49696.0		0.6%
9	OTHER	574	252554.6		3.0%
96	NOT APPLICABLE	12869	4779475.1		
97	DON'T KNOW	24	7429.7		
98	REFUSAL	2	640.6		
99	NOT STATED	831	346674.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_5: Barrier to improving health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17146 / 8500147.62] [Invalid=13719 / 5135358.07]
Literal question	Is there anything stopping you from making this improvement?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	9067	4674600.3		55.0%
2	NO	8079	3825547.4		45.0%
6	NOT APPLICABLE	12869	4779475.1		
7	DON'T KNOW	19	9208.9		
8	REFUSAL	0	0.0		
9	NOT STATED	831	346674.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6A: Barrier improve health - lack will power

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9064 / 4674105.25] [Invalid=21801 / 8961400.44]
Literal question	What is that? - Lack of will power / self-discipline

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3511	1944857.8		41.6%
2	NO	5553	2729247.5		58.4%
6	NOT APPLICABLE	20948	8605022.5		
7	DON'T KNOW	2	410.4		
8	REFUSAL	1	84.6		
9	NOT STATED	850	355883.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6I: Barrier improve health - family respons.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9064 / 4674105.25] [Invalid=21801 / 8961400.44]
Literal question	What is that? - Family responsibilities

CIH_6I: Barrier improve health - family respons.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	603	467065.2	10.0%
2	NO	8461	4207040.1	90.0%
6	NOT APPLICABLE	20948	8605022.5	
7	DON'T KNOW	2	410.4	
8	REFUSAL	1	84.6	
9	NOT STATED	850	355883.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6B: Barrier improve health - work schedule

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9064 / 4674105.25] [Invalid=21801 / 8961400.44]
Literal question	What is that? - Work schedule

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1429	1063165.2	22.7%
2	NO	7635	3610940.0	77.3%
6	NOT APPLICABLE	20948	8605022.5	
7	DON'T KNOW	2	410.4	
8	REFUSAL	1	84.6	
9	NOT STATED	850	355883.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6J: Barrier improve health - addiction drugs/alcohol

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9064 / 4674105.25] [Invalid=21801 / 8961400.44]
Literal question	What is that? - Addiction to drugs / alcohol

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	94	52634.2	1.1%
2	NO	8970	4621471.0	98.9%
6	NOT APPLICABLE	20948	8605022.5	
7	DON'T KNOW	2	410.4	
8	REFUSAL	1	84.6	
9	NOT STATED	850	355883.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6K: Barrier improve health - physical condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9064 / 4674105.25] [Invalid=21801 / 8961400.44]
Literal question	What is that? - Physical condition

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1018	383806.8	8.2%
2	NO	8046	4290298.4	91.8%
6	NOT APPLICABLE	20948	8605022.5	
7	DON'T KNOW	2	410.4	
8	REFUSAL	1	84.6	
9	NOT STATED	850	355883.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6G: Barrier improve health - disability

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9064 / 4674105.25] [Invalid=21801 / 8961400.44]
Literal question	What is that? - Disability / health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1361	495475.1	10.6%
2	NO	7703	4178630.2	89.4%
6	NOT APPLICABLE	20948	8605022.5	
7	DON'T KNOW	2	410.4	
8	REFUSAL	1	84.6	
9	NOT STATED	850	355883.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6F: Barrier improve health - too stressed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9064 / 4674105.25] [Invalid=21801 / 8961400.44]
Literal question	What is that? - Too stressed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	293	178656.3	3.8%
2	NO	8771	4495449.0	96.2%
6	NOT APPLICABLE	20948	8605022.5	
7	DON'T KNOW	2	410.4	
8	REFUSAL	1	84.6	
9	NOT STATED	850	355883.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6E: Barrier improve health - too costly

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9064 / 4674105.25] [Invalid=21801 / 8961400.44]
Literal question	What is that? - Too costly / financial constraints

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	457	205040.3	4.4%
2	NO	8607	4469064.9	95.6%
6	NOT APPLICABLE	20948	8605022.5	
7	DON'T KNOW	2	410.4	
8	REFUSAL	1	84.6	
9	NOT STATED	850	355883.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6L: Barrier improve health - not available/area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9064 / 4674105.25] [Invalid=21801 / 8961400.44]
Literal question	What is that? - Not available - in area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	152	70583.3	1.5%
2	NO	8912	4603522.0	98.5%
6	NOT APPLICABLE	20948	8605022.5	

CIH_6L: Barrier improve health - not available/area

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	2	410.4	
8	REFUSAL	1	84.6	
9	NOT STATED	850	355883.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6M: Barrier improve health - transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9064 / 4674105.25] [Invalid=21801 / 8961400.44]
Literal question	What is that? - Transportation problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	89	26250.3	0.6%
2	NO	8975	4647854.9	99.4%
6	NOT APPLICABLE	20948	8605022.5	
7	DON'T KNOW	2	410.4	
8	REFUSAL	1	84.6	
9	NOT STATED	850	355883.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6N: Barrier improve health - weather problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9064 / 4674105.25] [Invalid=21801 / 8961400.44]
Literal question	What is that? - Weather problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	564	190905.4	4.1%
2	NO	8500	4483199.9	95.9%
6	NOT APPLICABLE	20948	8605022.5	
7	DON'T KNOW	2	410.4	
8	REFUSAL	1	84.6	
9	NOT STATED	850	355883.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6H: Barrier improve health - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9064 / 4674105.25] [Invalid=21801 / 8961400.44]
Literal question	What is that? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1175	578559.8		12.4%
2	NO	7889	4095545.5		87.6%
6	NOT APPLICABLE	20948	8605022.5		
7	DON'T KNOW	2	410.4		
8	REFUSAL	1	84.6		
9	NOT STATED	850	355883.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_7: Intending to improve health over next year

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16967 / 8439184.59] [Invalid=13898 / 5196321.1]
Literal question	Is there anything you intend to do to improve your physical health in the next year?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	12421	6440672.1		76.3%
2	NO	4546	1998512.5	23.7%	
6	NOT APPLICABLE	12869	4779475.1		
7	DON'T KNOW	196	70114.9		
8	REFUSAL	2	57.0		
9	NOT STATED	831	346674.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8A: Health improvement - more exercise

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12407 / 6435600.44] [Invalid=18458 / 7199905.25]
Literal question	What is that? - Start / Increase exercise, sports / physical activity

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	8707	4613188.3		71.7%
2	NO	3700	1822412.2	28.3%	
6	NOT APPLICABLE	17415	6777987.6		
7	DON'T KNOW	14	5071.6		
8	REFUSAL	0	0.0		
9	NOT STATED	1029	416846.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8B: Health improvement - lose weight

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12407 / 6435600.44] [Invalid=18458 / 7199905.25]
Literal question	What is that? - Lose weight

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2667	1419753.5	22.1%	
2	NO	9740	5015847.0		77.9%
6	NOT APPLICABLE	17415	6777987.6		

CIH_8B: Health improvement - lose weight

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	14	5071.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1029	416846.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8C: Health improvement - eating habits

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12407 / 6435600.44] [Invalid=18458 / 7199905.25]
Literal question	What is that? - Change diet / improve eating habits

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1953	1166723.9	18.1%
2	NO	10454	5268876.5	81.9%
6	NOT APPLICABLE	17415	6777987.6	
7	DON'T KNOW	14	5071.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1029	416846.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8J: Health improvement - quit smoking

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12407 / 6435600.44] [Invalid=18458 / 7199905.25]
Literal question	What is that? - Quit smoking / reduce amount smoked

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1112	642624.2	10.0%
2	NO	11295	5792976.2	90.0%
6	NOT APPLICABLE	17415	6777987.6	
7	DON'T KNOW	14	5071.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1029	416846.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8K: Health improvement - drink less alcohol

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12407 / 6435600.44] [Invalid=18458 / 7199905.25]
Literal question	What is that? - Drink less alcohol

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	180	122339.0	1.9%
2	NO	12227	6313261.5	98.1%
6	NOT APPLICABLE	17415	6777987.6	
7	DON'T KNOW	14	5071.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1029	416846.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8G: Health improvement - reduce stress

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

CIH_8G: Health improvement - reduce stress

Statistics [NW/ W]		[Valid=12407 / 6435600.44] [Invalid=18458 / 7199905.25]			
Literal question		What is that? - Reduce stress level			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	533	320640.7	5.0%	
2	NO	11874	6114959.7		95.0%
6	NOT APPLICABLE	17415	6777987.6		
7	DON'T KNOW	14	5071.6		
8	REFUSAL	0	0.0		
9	NOT STATED	1029	416846.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8L: Health improvement - receive med. treatment

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=12407 / 6435600.44] [Invalid=18458 / 7199905.25]			
Literal question		What is that? - Receive medical treatment			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	416	169994.3	2.6%	
2	NO	11991	6265606.1		97.4%
6	NOT APPLICABLE	17415	6777987.6		
7	DON'T KNOW	14	5071.6		
8	REFUSAL	0	0.0		
9	NOT STATED	1029	416846.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8H: Health improvement - take vitamins

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=12407 / 6435600.44] [Invalid=18458 / 7199905.25]			
Literal question		What is that? - Take vitamins			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	238	165277.5	2.6%	
2	NO	12169	6270322.9		97.4%
6	NOT APPLICABLE	17415	6777987.6		
7	DON'T KNOW	14	5071.6		
8	REFUSAL	0	0.0		
9	NOT STATED	1029	416846.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8I: Health improvement - other

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=12407 / 6435600.44] [Invalid=18458 / 7199905.25]			
Literal question		What is that? - Other			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	507	221743.3	3.4%	
2	NO	11900	6213857.1		96.6%
6	NOT APPLICABLE	17415	6777987.6		
7	DON'T KNOW	14	5071.6		

CIH_8I: Health improvement - other

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	1029	416846.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FAL_01: Past 12 months - Had any falls

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16357 / 4364981.81] [Invalid=14508 / 9270523.88]
Literal question	In the past 12 months, did you have any falls?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3590	865788.8	19.8%
2	NO	12767	3499193.0	80.2%
6	NOT APPLICABLE	14496	9268066.4	
7	DON'T KNOW	7	942.2	
8	REFUSAL	5	1515.2	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FALG02: Number falls - past 12 months - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=3564 / 862144.17] [Invalid=27301 / 12773361.52]

Value	Label	Cases	Weighted	Percentage (Weighted)
1		2183	548004.3	63.6%
2		730	164649.8	19.1%
3		311	70079.0	8.1%
4		127	32428.6	3.8%
5		75	17819.2	2.1%
6		50	10217.1	1.2%
7		88	18946.2	2.2%
96	NOT APPLICABLE	27263	12767259.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	38	6102.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FALG03: Fall - most serious injury - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=3586 / 865539.7] [Invalid=27279 / 12769965.99]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO SERIOUS INJ.	1253	304208.0	35.1%
2	SPRAIN /STRAIN	326	85877.8	9.9%
3	BRUISES	800	183185.6	21.2%
4	CUTS	186	48893.7	5.6%
5	DISCOMFORT	262	74720.7	8.6%
6	FRACTURE OF BONE	353	72685.0	8.4%
7	HEAD INJURY	123	26025.1	3.0%
8	OTHER	283	69943.8	8.1%

FALG03: Fall - most serious injury - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	27263	12767259.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	16	2706.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FAL_04A: Medical attention after injury - 48 hours

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2332 / 561024.6] [Invalid=28533 / 13074481.09]
Literal question	Did you receive any medical attention from a health professional within 48 hours following this injury?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1140	253300.0	45.1%
2	NO	1192	307724.6	54.9%
6	NOT APPLICABLE	28516	13071467.4	
7	DON'T KNOW	1	307.1	
8	REFUSAL	0	0.0	
9	NOT STATED	16	2706.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FAL_04B: Hospitalized after injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1140 / 253299.99] [Invalid=29725 / 13382205.7]
Literal question	Were you hospitalized for this injury?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	330	67288.4	26.6%
2	NO	810	186011.6	73.4%
6	NOT APPLICABLE	29708	13379192.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	17	3013.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FALG06: Reason for fall - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=2331 / 561243.1] [Invalid=28534 / 13074262.59]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	TRIPPED, STUMBLE	1896	449468.7	80.1%
6	OTHER	435	111774.4	19.9%
96	NOT APPLICABLE	28516	13071467.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	18	2795.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FAL_07: Location of fall

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

FAL_07: Location of fall

Statistics [NW/ W]	[Valid=2332 / 561124.59] [Invalid=28533 / 13074381.1]

Literal question	Where did this fall happen?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	INSIDE HOME	954	196231.0	35.0%
2	OUTSIDE HOME	438	110457.4	19.7%
3	OUTDOORS	940	254436.2	45.3%
6	NOT APPLICABLE	28516	13071467.4	
7	DON'T KNOW	1	207.1	
8	REFUSAL	0	0.0	
9	NOT STATED	16	2706.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FAL_08: Factor - snow or ice

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]	[Valid=939 / 254411.11] [Invalid=29926 / 13381094.58]

Literal question	Was snow or ice a factor in your fall?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	339	95021.5	37.3%
2	NO	600	159389.6	62.7%
6	NOT APPLICABLE	29908	13378155.8	
7	DON'T KNOW	1	25.0	
8	REFUSAL	0	0.0	
9	NOT STATED	17	2913.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FAL_09: Time of fall - using assistive device

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]	[Valid=3584 / 865501.64] [Invalid=27281 / 12770004.05]

Literal question	Were you using an assistive device (for example, walker, wheelchair, cane or leg brace) at the time of your fall?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	375	69755.3	8.1%
2	NO	3209	795746.3	91.9%
6	NOT APPLICABLE	27263	12767259.4	
7	DON'T KNOW	2	38.1	
8	REFUSAL	0	0.0	
9	NOT STATED	16	2706.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FAL_10: Getting follow-up care - presently

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]	[Valid=16364 / 4366605.97] [Invalid=14501 / 9268899.72]

Literal question	At the present time, are you getting follow-up care from a health professional because of an injury caused by a fall (that occurred more than a year ago)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	822	203432.0	4.7%
2	NO	15542	4163174.0	95.3%

FAL_10: Getting follow-up care - presently

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	14496	9268066.4	
7	DON'T KNOW	2	278.5	
8	REFUSAL	3	554.8	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FAL_11: Worried or concerned might fall

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16307 / 4349017.06] [Invalid=14558 / 9286488.63]
Literal question	Are you worried or concerned that in the future you might fall?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6250	1463387.1	33.6%
2	NO	10057	2885629.9	66.4%
6	NOT APPLICABLE	14496	9268066.4	
7	DON'T KNOW	57	16981.2	
8	REFUSAL	5	1441.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FAL_12: Stopped doing things used to do

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6239 / 1461778.76] [Invalid=24626 / 12173726.93]
Literal question	As a result of this concern, have you stopped doing some things you used to do or liked to do?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2907	647173.5	44.3%
2	NO	3332	814605.3	55.7%
6	NOT APPLICABLE	24553	12153696.4	
7	DON'T KNOW	11	1608.4	
8	REFUSAL	0	0.0	
9	NOT STATED	62	18422.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FALDFOF: Fear of falling - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=16296 / 4347408.7] [Invalid=14569 / 9288096.99]

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NOT WOR ABT FALL	10057	2885629.9	66.4%
1	WOR FALL N ST AC	3332	814605.3	18.7%
2	WOR FALL STP ACT	2907	647173.5	14.9%
6	NOT APPLICABLE	14496	9268066.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	73	20030.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FALGCBP: Circumstance fall -12 month - (G)

Information	[Type= continuous] [Format=numeric] [Range= 110-630] [Missing=*]
Statistics [NW/ W]	[Valid=2330 / 561035.97] [Invalid=28535 / 13074469.72]

Value	Label	Cases	Weighted	Percentage (Weighted)
110	TRIPPED IN HOME	712	144900.0	25.8%
120	TRIPPED OUT HOME	367	88535.1	15.8%
130	TRIPPED OUTDOOR	817	216033.6	38.5%
610	OTHER IN HOME	241	51266.3	9.1%
620	OTHER OUT HOME	71	21922.3	3.9%
630	OTHER OUTDOORS	122	38378.6	6.8%
996	NOT APPLICABLE	28516	13071467.4	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	19	3002.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FALDSTA: Fall status - 12 month - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=16352 / 4364425.57] [Invalid=14513 / 9271080.12]

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NO FALL REPORTED	12767	3499193.0	80.2%
1	NO SER INJ FALL	2445	611932.6	14.0%
2	INJ REQ MED NO H	810	186011.6	4.3%
3	INJ REQ MED HOSP	330	67288.4	1.5%
6	NOT APPLICABLE	14496	9268066.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	17	3013.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IAL_01A: Use telephone without help

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30859 / 13632078.24] [Invalid=6 / 3427.45]
Literal question	Can you use the telephone without help, including looking up numbers and dialling?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30242	13469304.9	98.8%
2	NO	617	162773.4	1.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	3	1730.3	
8	REFUSAL	3	1697.2	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IAL_02A: Get to places without help

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30855 / 13631584.79] [Invalid=10 / 3920.9]
Literal question	Can you get to places out of walking distance without help (you drive your own car, or travel alone on buses, or taxis)?

IAL_02A: Get to places without help

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	28127	13094116.2		96.1%
2	NO	2728	537468.5	3.9%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	3	449.3		
8	REFUSAL	1	44.1		
9	NOT STATED	6	3427.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IAL_03A: Go shopping without help with transport.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13630414.28] [Invalid=15 / 5091.41]
Literal question	Can you go shopping for groceries or clothes without help (taking care of all shopping needs yourself)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	28120	13041233.4		95.7%
2	NO	2730	589180.9	4.3%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	8	1396.9		
8	REFUSAL	1	267.0		
9	NOT STATED	6	3427.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IAL_04A: Prepare own meals without help

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30853 / 13630845.31] [Invalid=12 / 4660.38]
Literal question	Can you prepare your own meals without help (you plan and cook full meals yourself)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	29630	13342289.4		97.9%
2	NO	1223	288555.9	2.1%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	6	1232.9		
8	REFUSAL	0	0.0		
9	NOT STATED	6	3427.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IAL_05A: Do housework without help

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30848 / 13629009.49] [Invalid=17 / 6496.2]
Literal question	Can you do your housework without help (you can clean floors, etc.)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	27205	12746935.1		93.5%
2	NO	3643	882074.4	6.5%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	11	3068.8		
8	REFUSAL	0	0.0		
9	NOT STATED	6	3427.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IAL_06A: Able to take medicine without help

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13630253.77] [Invalid=15 / 5251.92]
Literal question	Can you take your own medicine without help (in the right doses at the right time)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	30205	13498195.8		99.0%
2	NO	645	132058.0	1.0%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	8	1696.4		
8	REFUSAL	1	128.1		
9	NOT STATED	6	3427.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADL_04A: Able to walk without help

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30860 / 13633135.56] [Invalid=5 / 2370.13]
Literal question	Can you walk without help?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	29919	13414029.3		98.4%
2	NO	941	219106.3	1.6%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	1	110.7		
8	REFUSAL	0	0.0		
9	NOT STATED	4	2259.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADL_06A: Able to bath or shower without help

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30858 / 13632656.2] [Invalid=7 / 2849.49]
Literal question	Can you take a bath or shower without help?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	29602	13367841.4		98.1%
2	NO	1256	264814.8	1.9%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	3	590.1		
8	REFUSAL	0	0.0		
9	NOT STATED	4	2259.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADLDTOI: Trouble getting to bathroom - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30819 / 13625707.64] [Invalid=46 / 9798.05]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	WITHOUT HELP	29600	13276308.1		97.4%
2	NEEDS SOME HELP	1219	349399.5	2.6%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		

ADLDTOI: Trouble getting to bathroom - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	46	9798.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADLDCLS: Inst/Bsc Activity of Daily Living Class

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30757 / 13612236.14] [Invalid=108 / 23269.55]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO FUNC IMPAIR	24855	12123361.9	89.1%
2	MILD IMPAIRMENT	4074	1072695.4	7.9%
3	MOD IMPAIRMENT	1199	279668.9	2.1%
4	SEV IMPAIRMENT	347	73491.0	0.5%
5	TOTAL IMPAIRMENT	282	63019.0	0.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	108	23269.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_01: Has regular medical doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30855 / 13630464.24] [Invalid=10 / 5041.45]
Literal question	Do you have a regular medical doctor?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	28894	12623723.3	92.6%
2	NO	1961	1006741.0	7.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	8	3564.0	
8	REFUSAL	2	1477.5	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_02: Place goes to when sick or need advice

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1950 / 1000608.27] [Invalid=28915 / 12634897.42]
Literal question	Is there a place that you usually go to when you are sick or need advice about your health?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1601	832725.5	83.2%
2	NO	349	167882.8	16.8%
6	NOT APPLICABLE	28894	12623723.3	
7	DON'T KNOW	11	6132.7	
8	REFUSAL	0	0.0	
9	NOT STATED	10	5041.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_03: Kind of place

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=1598 / 829172.72] [Invalid=29267 / 12806332.97]
Literal question	What kind of place is it?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	124	53265.0	6.4%
2	COMM HLTH CENTRE	164	74461.4	9.0%
3	WALK-IN CLINIC	805	452963.0	54.6%
4	APPOINT CLINIC	96	39303.0	4.7%
5	TELEPHO H. LINE	10	14435.9	1.7%
6	EMERGENCY ROOM	217	122484.0	14.8%
7	HOSP OUTPAT CLIN	121	45481.1	5.5%
8	OTHER	61	26779.4	3.2%
96	NOT APPLICABLE	29243	12791606.0	
97	DON'T KNOW	3	3552.8	
98	REFUSAL	0	0.0	
99	NOT STATED	21	11174.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_04: Past 12 month - patient overnight hospital

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30849 / 13627621.44] [Invalid=16 / 7884.25]
Literal question	In the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3517	1192519.7	8.8%
2	NO	27332	12435101.8	91.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	10	5264.5	
8	REFUSAL	6	2619.7	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2G05: Number of nights - 12 month - (G)

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=30865 / 13635505.69] [Invalid=0 / 0] [Mean=86.083 / 88.279] [StdDev=27.929 / 25.126]

Value	Label	Cases	Percentage
996	NOT APPLICABLE		
997	DON'T KNOW		
998	REFUSAL		
999	NOT STATED		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_06A: Professional - family doctor/general practitioner

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13629538.75] [Invalid=15 / 5966.94]
Literal question	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - A family doctor or general practitioner

HC2_06A: Professional - family doctor/general practitioner

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	27709	11933466.3		87.6%
2	NO	3141	1696072.4	12.4%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	8	3088.4		
8	REFUSAL	7	2878.5		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_06B: Professional - Eye specialist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13629538.75] [Invalid=15 / 5966.94]
Literal question	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - An eye specialist, such as an ophthalmologist or optometrist

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	15396	6424950.8		47.1%
2	NO	15454	7204588.0		52.9%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	8	3088.4		
8	REFUSAL	7	2878.5		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_06C: Professional - Any other medical doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13629538.75] [Invalid=15 / 5966.94]
Literal question	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to... or mental health? - Any other medical doctor or specialist such as a surgeon, allergist, orthopaedist, [gynaecologist/urologist] or psychiatrist

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	10741	4717315.7	34.6%	
2	NO	20109	8912223.0		65.4%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	8	3088.4		
8	REFUSAL	7	2878.5		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_06D: Professional - A nurse for care or advice

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13629538.75] [Invalid=15 / 5966.94]
Literal question	{Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - A nurse for care or advice

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3480	1369019.6	10.0%	
2	NO	27370	12260519.2		90.0%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	8	3088.4		

HC2_06D: Professional - A nurse for care or advice

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	7	2878.5	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_06E: Professional - A dentist, dental hygienist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13629538.75] [Invalid=15 / 5966.94]
Literal question	Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - A dentist, dental hygienist or orthodontist

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18435	9380124.2	68.8%
2	NO	12415	4249414.6	31.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	8	3088.4	
8	REFUSAL	7	2878.5	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_06F: Professional - A chiropractor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13629538.75] [Invalid=15 / 5966.94]
Literal question	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - A chiropractor

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2998	1669126.0	12.2%
2	NO	27852	11960412.8	87.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	8	3088.4	
8	REFUSAL	7	2878.5	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_06G: Professional - A physiotherapist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13629538.75] [Invalid=15 / 5966.94]
Literal question	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - A physiotherapist

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2968	1341204.0	9.8%
2	NO	27882	12288334.8	90.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	8	3088.4	
8	REFUSAL	7	2878.5	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_06H: Professional - A psychologist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13629538.75] [Invalid=15 / 5966.94]
Literal question	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - A psychologist

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	561	329974.3	2.4%	
2	NO	30289	13299564.4		97.6%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	8	3088.4		
8	REFUSAL	7	2878.5		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_06I: Professional - A social worker or counsellor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13629538.75] [Invalid=15 / 5966.94]
Literal question	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - A social worker or counsellor

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	832	333061.2	2.4%	
2	NO	30018	13296477.5		97.6%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	8	3088.4		
8	REFUSAL	7	2878.5		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_06J: Professional - speech, audiology

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13629538.75] [Invalid=15 / 5966.94]
Literal question	Have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - An audiologist, speech, or occupational therapist

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1626	566555.4	4.2%
2	NO	29224	13062983.4	95.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	8	3088.4	
8	REFUSAL	7	2878.5	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_06K: Professional - Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13629538.75] [Invalid=15 / 5966.94]
Literal question	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	384	165289.4	1.2%
2	NO	30466	13464249.4	98.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	8	3088.4	
8	REFUSAL	7	2878.5	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_06L: Professional - Did not see any health prof.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13629538.75] [Invalid=15 / 5966.94]
Literal question	[Not counting when you were an overnight patient], in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health? - Did not see any health professional

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	930	422799.0	3.1%
2	NO	29920	13206739.7	96.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	8	3088.4	
8	REFUSAL	7	2878.5	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2_07: Used alternative or complementary med.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30847 / 13629125.48] [Invalid=18 / 6380.21]
Literal question	People may also use alternative or complementary medicine. In the past 12 months, have you seen or talked to an alternative health care provider such as an acupuncturist, homeopath or massage therapist about your physical, emotional or mental health?

HC2_07: Used alternative or complementary med.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4040	2214344.8	16.2%
2	NO	26807	11414780.7	83.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	3	413.3	
8	REFUSAL	0	0.0	
9	NOT STATED	15	5966.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HC2FCOP: Consultations - health professionals - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30850 / 13629538.75] [Invalid=15 / 5966.94]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	CONS. HEALTH PRO	29920	13206739.7	96.9%
2	CONS. HLTH PRO.	930	422799.0	3.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	15	5966.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_01A: Received professional assistance- personal care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30857 / 13631815.27] [Invalid=8 / 3690.42]
Literal question	During the past 12 months, did you receive short-term or long-term professional assistance at home ...? - Personal care such as assistance with eating, dressing, bathing, or toileting

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	945	187426.3	1.4%
2	NO	29912	13444388.9	98.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	4	1807.1	
8	REFUSAL	4	1883.3	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_01B: Received professional assistance- medical care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30857 / 13631815.27] [Invalid=8 / 3690.42]
Literal question	During the past 12 months, did you receive short-term or long-term professional assistance at home …? - Medical care such as help taking medicine or help with nursing care (for example,dressing changes or foot care)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1058	265437.0	1.9%
2	NO	29799	13366378.3	98.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	4	1807.1	
8	REFUSAL	4	1883.3	
9	NOT STATED	0	0.0	

CR1_01B: Received professional assistance- medical care

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_01C: Received professional assistance- managing care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30857 / 13631815.27] [Invalid=8 / 3690.42]
Literal question	During the past 12 months, did you receive short-term or long-term professional assistance at home …? - Managing care such as making appointments

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	221	44687.7	0.3%	
2	NO	30636	13587127.6		99.7%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	4	1807.1		
8	REFUSAL	4	1883.3		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_01D: Received professional assistance- house activities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30857 / 13631815.27] [Invalid=8 / 3690.42]
Literal question	During the past 12 months, did you receive short-term or long-term professional assistance at home …? - Help with activities such as housework, home maintenance or outdoor work

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2045	384048.8	2.8%	
2	NO	28812	13247766.4		97.2%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	4	1807.1		
8	REFUSAL	4	1883.3		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_01E: Received professional assistance- transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30857 / 13631815.27] [Invalid=8 / 3690.42]
Literal question	During the past 12 months, did you receive short-term or long-term professional assistance at home …? - Transportation, including trips to the doctor or shopping

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	640	122513.4	0.9%	
2	NO	30217	13509301.9		99.1%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	4	1807.1		
8	REFUSAL	4	1883.3		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_01F: Received professional assistance- meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30857 / 13631815.27] [Invalid=8 / 3690.42]

CR1_01F: Received professional assistance- meals

Literal question	During the past 12 months, did you receive short-term or long-term professional assistance at home …? - Meal preparation delivery

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	697	123755.0	0.9%
2	NO	30160	13508060.3	99.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	4	1807.1	
8	REFUSAL	4	1883.3	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_01G: Received professional assistance- none

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30857 / 13631815.27] [Invalid=8 / 3690.42]
Literal question	During the past 12 months, did you receive short-term or long-term professional assistance at home …? - None

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27674	12922427.1	94.8%
2	NO	3183	709388.2	5.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	4	1807.1	
8	REFUSAL	4	1883.3	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_01H: Received professional assistance- other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30857 / 13631815.27] [Invalid=8 / 3690.42]
Literal question	During the past 12 months, did you receive short-term or long-term professional assistance at home …? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	83	35580.7	0.3%
2	NO	30774	13596234.6	99.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	4	1807.1	
8	REFUSAL	4	1883.3	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_02: Activity requiring most professional assistance

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=3160 / 706128.24] [Invalid=27705 / 12929377.45]
Literal question	For which type of activity did you receive the most assistance?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	PERSONAL CARE	626	135310.8	19.2%
2	MEDICALE CARE	648	191088.9	27.1%
3	MANAGING CARE	13	2717.9	0.4%
4	HOUSEWORK	1395	266463.9	37.7%

CR1_02: Activity requiring most professional assistance

Value	Label	Cases	Weighted	Percentage (Weighted)
5	TRANSPORTATION	152	41450.4	5.9%
6	MEAL PREPARATION	258	38903.2	5.5%
7	OTHER	68	30193.1	4.3%
96	NOT APPLICABLE	27674	12922427.1	
97	DON'T KNOW	23	3260.0	
98	REFUSAL	0	0.0	
99	NOT STATED	8	3690.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_03: Did not receive professional services needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30844 / 13625356.8] [Invalid=21 / 10148.89]
Literal question	During the past 12 months, was there ever a time when you felt that you needed professional home care services but you didn't receive them?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1181	343005.5	2.5%
2	NO	29663	13282351.3	97.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	11	3456.3	
8	REFUSAL	2	3002.2	
9	NOT STATED	8	3690.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_04A: No services - not available area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]
Literal question	Why was that (most recent time)? - Not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	105	40589.0	11.9%
2	NO	1071	301167.8	88.1%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	5	1248.6	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_04B: No services - not available time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]
Literal question	Why was that (most recent time)? - Not available at time required (e.g., conventional hours)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	83	20882.6	6.1%
2	NO	1093	320874.2	93.9%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	5	1248.6	
8	REFUSAL	0	0.0	

CR1_04B: No services - not available time

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_04C: No services - wait time too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]
Literal question	Why was that (most recent time)? - Waiting time too long

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	101	30670.0	9.0%
2	NO	1075	311086.8	91.0%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	5	1248.6	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_04D: No services - inadequate

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]
Literal question	Why was that (most recent time)? - Felt would be inadequate

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	42	11345.4	3.3%
2	NO	1134	330411.4	96.7%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	5	1248.6	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_04E: No services - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]
Literal question	Why was that (most recent time)? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	263	81018.6	23.7%
2	NO	913	260738.2	76.3%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	5	1248.6	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_04F: No services - too busy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]
Literal question	Why was that (most recent time)? - Too busy

CR1_04F: No services - too busy

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	5776.8	1.7%
2	NO	1163	335980.0	98.3%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	5	1248.6	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_04G: No services - did not bother

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]
Literal question	Why was that (most recent time)? - Didn't get around to it / didn't bother

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	176	39631.8	11.6%
2	NO	1000	302125.0	88.4%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	5	1248.6	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_04H: No services - did not know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]
Literal question	Why was that (most recent time)? - Didn't know where to go / call

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	158	49018.8	14.3%
2	NO	1018	292738.0	85.7%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	5	1248.6	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_04I: No services - language problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]
Literal question	Why was that (most recent time)? - Language problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	6884.8	2.0%
2	NO	1163	334872.0	98.0%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	5	1248.6	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_04J: No services - personal/family Responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]
Literal question	Why was that (most recent time)? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	1918.4	0.6%
2	NO	1163	339838.4	99.4%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	5	1248.6	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_04K: No services - decided not to seek

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]
Literal question	Why was that (most recent time)? - decided not to seek services

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	166	38312.2	11.2%
2	NO	1010	303444.6	88.8%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	5	1248.6	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_04L: No services - Not necessary - Doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]
Literal question	Why was that (most recent time)? - doctor - did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	33	9048.5	2.6%
2	NO	1143	332708.3	97.4%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	5	1248.6	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_04M: No services - did not qualify home care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]
Literal question	Why was that (most recent time)? - Did not qualify / not eligible for home care

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	149	43486.8	12.7%
2	NO	1027	298270.0	87.3%
6	NOT APPLICABLE	29663	13282351.3	

CR1_04M: No services - did not qualify home care

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	5	1248.6	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_04N: No services - still waiting home care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]
Literal question	Why was that (most recent time)? - still waiting for home care

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	89	25491.0	7.5%
2	NO	1087	316265.8	92.5%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	5	1248.6	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_04O: No services - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]
Literal question	Why was that (most recent time)? - Other - Specify

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	133	41146.8	12.0%
2	NO	1043	300610.0	88.0%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	5	1248.6	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_05A: Recent home care - personal care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1179 / 342346.23] [Invalid=29686 / 13293159.46]
Literal question	Again, thinking of the most recent time, what type of home care was needed? - Personal care such as assistance with eating, dressing, bathing or toileting

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	315	89882.8	26.3%
2	NO	864	252463.4	73.7%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	2	659.2	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_05B: Recent home care - medical care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

CR1_05B: Recent home care - medical care

Statistics [NW/ W]	[Valid=1179 / 342346.23] [Invalid=29686 / 13293159.46]			
Literal question	Again, thinking of the most recent time, what type of home care was needed? - Medical care such as help taking medicine or help with nursing care (for example, dressing changes or foot care)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	190	51618.2	15.1%
2	NO	989	290728.0	84.9%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	2	659.2	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_05C: Recent home care - managing care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1179 / 342346.23] [Invalid=29686 / 13293159.46]
Literal question	Again, thinking of the most recent time, what type of home care was needed? - Managing care such as making appointments

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	68	23540.0	6.9%
2	NO	1111	318806.3	93.1%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	2	659.2	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_05D: Recent home care - house activities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1179 / 342346.23] [Invalid=29686 / 13293159.46]
Literal question	Again, thinking of the most recent time, what type of home care was needed? - Help with activities such as housework, home maintenance or outdoor work

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	816	237174.2	69.3%
2	NO	363	105172.0	30.7%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	2	659.2	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_05E: Recent home care - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1179 / 342346.23] [Invalid=29686 / 13293159.46]
Literal question	Again, thinking of the most recent time, what type of home care was needed? - Transportation, including trips to the doctor or for shopping

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	233	70504.4	20.6%
2	NO	946	271841.9	79.4%

CR1_05E: Recent home care - transportation

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	2	659.2	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_05F: Recent home care - meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1179 / 342346.23] [Invalid=29686 / 13293159.46]
Literal question	Again, thinking of the most recent time, what type of home care was needed? - Meal preparation or delivery

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	265	74621.9	21.8%
2	NO	914	267724.3	78.2%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	2	659.2	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1_05G: Recent home care - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1179 / 342346.23] [Invalid=29686 / 13293159.46]
Literal question	Again, thinking of the most recent time, what type of home care was needed? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	56	15312.1	4.5%
2	NO	1123	327034.1	95.5%
6	NOT APPLICABLE	29663	13282351.3	
7	DON'T KNOW	2	659.2	
8	REFUSAL	0	0.0	
9	NOT STATED	21	10148.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1FRHC: Flag for recipient formal home care service-(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30857 / 13631815.27] [Invalid=8 / 3690.42]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	REC FORMAL H C	3183	709388.2	5.2%
2	DID NOT R FORMAL	27674	12922427.1	94.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	8	3690.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR1DTRE: Type reason -unmet home care needs -(D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

CR1DTRE: Type reason -unmet home care needs -(D)

Statistics [NW/ W]	[Valid=1176 / 341756.82] [Invalid=29689 / 13293748.87]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	PERSONAL CIRCUM	858	241456.4		70.7%
2	FEAT OF H C SYS	214	67354.8		19.7%
3	BOTH	104	32945.6		9.6%
6	NOT APPLICABLE	29663	13282351.3		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	26	11397.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2_01AA: Received assistance - personal care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30853 / 13632179.16] [Invalid=12 / 3326.53]
Literal question	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or neighbours? - Personal care such as assistance with eating, dressing, bathing or toileting

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1272	407684.8	3.0%	
2	NO	29581	13224494.4		97.0%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	7	1358.7		
8	REFUSAL	5	1967.8		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2_01AB: Received assistance - medical care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30853 / 13632179.16] [Invalid=12 / 3326.53]
Literal question	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or neighbours? - Medical care such as help taking medicine or help with nursing care (for example, dressing changes or foot care)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1097	317643.5	2.3%	
2	NO	29756	13314535.7		97.7%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	7	1358.7		
8	REFUSAL	5	1967.8		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2_01AC: Received assistance - managing care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30853 / 13632179.16] [Invalid=12 / 3326.53]
Literal question	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or neighbours? - Managing care such as making appointments

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1487	364508.1	2.7%	
2	NO	29366	13267671.1		97.3%

CR2_01AC: Received assistance - managing care

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	7	1358.7	
8	REFUSAL	5	1967.8	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2_01AD: Received assistance - house activities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30853 / 13632179.16] [Invalid=12 / 3326.53]
Literal question	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or neighbours? - Help with activities such as housework, home maintenance or outdoor work

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3727	1079564.5	7.9%
2	NO	27126	12552614.7	92.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	7	1358.7	
8	REFUSAL	5	1967.8	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2_01AE: Received assistance - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30853 / 13632179.16] [Invalid=12 / 3326.53]
Literal question	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or neighbours? - Transportation, including trips to the doctor or for shopping

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4033	1059108.0	7.8%
2	NO	26820	12573071.2	92.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	7	1358.7	
8	REFUSAL	5	1967.8	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2_01AF: Received assistance - meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30853 / 13632179.16] [Invalid=12 / 3326.53]
Literal question	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or neighbours? - Meal preparation or delivery

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2416	709750.6	5.2%
2	NO	28437	12922428.5	94.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	7	1358.7	
8	REFUSAL	5	1967.8	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2_01AG: Received assistance - none

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30853 / 13632179.16] [Invalid=12 / 3326.53]
Literal question	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or neighbours? - None

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	25126	12041240.0		88.3%
2	NO	5727	1590939.2		11.7%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	7	1358.7		
8	REFUSAL	5	1967.8		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2_01AH: Received assistance - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30853 / 13632179.16] [Invalid=12 / 3326.53]
Literal question	During the past 12 months, did you receive short-term or long-term assistance…from family, friends, or neighbours? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	118	36252.7	0.3%	
2	NO	30735	13595926.4		99.7%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	7	1358.7		
8	REFUSAL	5	1967.8		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2_01B: Activity requiring most assistance

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=5668 / 1579191.25] [Invalid=25197 / 12056314.44]
Literal question	For which type of activity did you receive the most assistance?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	PERSONAL CARE	518	172206.4		10.9%
2	MEDICALE CARE	224	75664.4		4.8%
3	MANAGING CARE	110	31714.3		2.0%
4	HOUSEWORK	1870	559370.6		35.4%
5	TRANSPORTATION	2008	453793.6		28.7%
6	MEAL PREPARATION	849	258482.7		16.4%
7	OTHER	89	27959.2		1.8%
96	NOT APPLICABLE	25126	12041240.0		
97	DON'T KNOW	59	11748.0		
98	REFUSAL	0	0.0		
99	NOT STATED	12	3326.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2_04: Main care giver - situation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5658 / 1577382.35] [Invalid=25207 / 12058123.34]

CR2_04: Main care giver - situation

| Literal question | Is the person from whom you received the most assistance: (living in this household, living outside of this household)? |

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LIVING IN HHLD	1987	811344.7	51.4%
2	LIV OUTSIDE HHLD	3671	766037.6	48.6%
6	NOT APPLICABLE	25126	12041240.0	
7	DON'T KNOW	1	182.4	
8	REFUSAL	1	585.3	
9	NOT STATED	79	16115.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2G15: Main care giver - relationship - (G)

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| Statistics [NW/ W] | [Valid=5413 / 1515606.75] [Invalid=25452 / 12119898.94] |

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SPOUSE/PARTNER	1223	573644.5	37.8%
2	PARENT	75	55086.9	3.6%
3	CHILD	2260	450604.0	29.7%
4	OTHER RELATIVE	899	194700.6	12.8%
5	FRIEND/OTHER	956	241570.7	15.9%
6	NOT APPLICABLE	25126	12041240.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	326	78659.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2_16: Main care giver - time

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=5446 / 1522477.95] [Invalid=25419 / 12113027.74]
Literal question	How long have you been receiving assistance from [name of the person providing most assistance] for [activity received most assistance for]?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MTHS	1413	554440.4	36.4%
2	6 MTHS < I YR	566	153318.5	10.1%
3	1 YR < 3YRS	964	235685.4	15.5%
4	3 YRS < 5 YRS	653	154393.7	10.1%
5	= >5 YEARS	1850	424640.0	27.9%
6	NOT APPLICABLE	25126	12041240.0	
7	DON'T KNOW	36	6559.2	
8	REFUSAL	4	636.2	
9	NOT STATED	253	64592.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2_17A: Main care giver - freq. regular

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5484 / 1529234.16] [Invalid=25381 / 12106271.53]
Literal question	During the past 12 months, did you receive assistance from [name of the person providing most assistance] with [activity received most assistance for]:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	REGULAR BASIS	3304	869987.3	56.9%
2	OCCASIONALLY	2180	659246.9	43.1%
6	NOT APPLICABLE	25126	12041240.0	
7	DON'T KNOW	1	97.3	
8	REFUSAL	1	341.8	
9	NOT STATED	253	64592.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2_17B: Main care giver - daily/weekly/monthly

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3300 / 868938.34] [Invalid=27565 / 12766567.35]
Literal question	{During the past 12 months,) how often did you receive assistance from [name of the person providing most assistance] with [activity received most assistance for]? Was it:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	1656	528737.0	60.8%
2	ONCE A WEEK	1289	272449.6	31.4%
3	ONCE A MONTH	306	53944.2	6.2%
4	>ONCE A MONTH	49	13807.4	1.6%
6	NOT APPLICABLE	27306	12700486.8	
7	DON'T KNOW	5	1146.3	
8	REFUSAL	1	341.8	
9	NOT STATED	253	64592.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2_18: Main care giver - average time with

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3246 / 859599.96] [Invalid=27619 / 12775905.73]
Literal question	(During the past 12 months,) how much time in an average [day/week/month/occasion] did [name of the person providing most assistance] spend assisting you with [activity received most assistance for]? Was it:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 HR	479	148986.6	17.3%
2	1 HR < 3 HRS	1622	421223.0	49.0%
3	3 HRS < 5 HRS	614	157325.9	18.3%
4	5 HRS < 10 HRS	303	72433.0	8.4%
5	10 HOURS OR MORE	228	59631.5	6.9%
6	NOT APPLICABLE	27306	12700486.8	
7	DON'T KNOW	53	9261.0	
8	REFUSAL	1	77.4	
9	NOT STATED	259	66080.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2FRHC: Flag -receiving informal home care -(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30853 / 13632179.16] [Invalid=12 / 3326.53]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	REC INFORMAL CAR	5727	1590939.2	11.7%
2	DID NOT R INFORM	25126	12041240.0	88.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	12	3326.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2DTHC: Receipt of Formal/Informal Home Care-(D)

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=30852 / 13631441.98] [Invalid=13 / 4063.71]

Value	Label	Cases	Weighted	Percentage (Weighted)
0	DID NOT REC H C	24006	11765878.2	86.3%
1	FORMAL H C ONLY	1120	275361.8	2.0%
2	INFORMAL H C ONL	3666	1156422.0	8.5%
3	BOTH INF AND FOR	2060	433780.0	3.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	13	4063.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2DFAR: Main care giver - freq. - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=5480 / 1528185.21] [Invalid=25385 / 12107320.48]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	REG BASIS DLY	1656	528737.0	34.6%

CR2DFAR: Main care giver - freq. - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
2	REG BASIS WK	1289	272449.6	17.8%
3	REG BASIS MNTH	306	53944.2	3.5%
4	REG BASIS LESS	49	13807.4	0.9%
5	OCC OR RARELY	2180	659246.9	43.1%
96	NOT APPLICABLE	25126	12041240.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	259	66080.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CR2DIAR: Main care giver - intensity (D)

Information	[Type= continuous] [Format=numeric] [Range= 110-450] [Missing=*]
Statistics [NW/ W]	[Valid=3246 / 859599.96] [Invalid=27619 / 12775905.73]

Value	Label	Cases	Weighted	Percentage (Weighted)
110	DAILY LESS 1 HR	299	100757.1	11.7%
120	DAILY 1 HR 3 HRS	735	252437.3	29.4%
130	DAILY 3 HRS 5 HR	277	87835.1	10.2%
140	DAILY 5 HRS 10 H	163	43838.1	5.1%
150	DAILY 10 HRS MOR	163	40671.2	4.7%
210	ONCE WEEK <1HR	136	39430.6	4.6%
220	ONCE WEEK 1-3 HR	714	139935.4	16.3%
230	ONCE WEEK 3-5 HR	266	50767.2	5.9%
240	ONCE WEEK 5-10 H	106	21691.0	2.5%
250	ONCE WEEK 10+	45	16542.4	1.9%
310	ONCE MNTH <1HR	28	4783.1	0.6%
320	ONCE MNTH 1-3 HR	156	25437.7	3.0%
330	ONCE MNTH 3-5 HR	63	16313.6	1.9%
340	ONCE MNTH 5-10 H	30	4035.5	0.5%
350	ONCE MNTH 10+ HR	17	1539.1	0.2%
410	LESS MNTH <1 HR	16	4015.8	0.5%
420	LESS MNTH 1-3 HR	17	3412.6	0.4%
430	LESS MNTH 3-5 HR	8	2410.0	0.3%
440	LESS MNTH 5-10 H	4	2868.5	0.3%
450	LESS MNTH 10+ HR	3	878.7	0.1%
996	NOT APPLICABLE	27306	12700486.8	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	313	75418.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_01: Number of close friends and relatives

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=29621 / 13154504.01] [Invalid=1244 / 481001.68] [Mean=8.057 / 8.289] [StdDev=8.219 / 8.035]
Literal question	Starting with a question on friendship, about how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?

SSA_01: Number of close friends and relatives

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	0	0.0	
997	DON'T KNOW	466	152072.8	
998	REFUSAL	86	27090.9	
999	NOT STATED	692	301838.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_02: Has someone to give help if confined bed

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29195 / 13029158.04] [Invalid=1670 / 606347.65]
Literal question	How often is each of the following kinds of support available to you if you need it? - Someone to help you if you were confined to bed?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	2120	638480.4	4.9%
2	LITTLE/TIME	1905	686002.5	5.3%
3	SOME OF THE TIME	4568	1766059.2	13.6%
4	MOST OF THE TIME	6355	3063488.8	23.5%
5	ALL OF THE TIME	14247	6875127.1	52.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	390	116554.8	
8	REFUSAL	36	8791.1	
9	NOT STATED	1244	481001.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_03: Has someone to listen

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29149 / 13014023.29] [Invalid=1716 / 621482.4]
Literal question	How often is each of the following kinds of support available to you if you need it?) - Someone you can count on to listen to you when you need to talk?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	545	185055.7	1.4%
2	LITTLE/TIME	918	325604.2	2.5%
3	SOME OF THE TIME	2615	1001494.4	7.7%
4	MOST OF THE TIME	7235	3261706.2	25.1%
5	ALL OF THE TIME	17836	8240162.8	63.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	43	14780.4	
8	REFUSAL	3	354.3	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_04: Has someone to receive advice about crisis

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29033 / 12970861.01] [Invalid=1832 / 664644.68]
Literal question	(How often is each of the following kinds of support available to you if you need it:) - Someone to give you advice about a crisis?

SSA_04: Has someone to receive advice about crisis

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1037	365417.0	2.8%
2	LITTLE/TIME	1153	472077.0	3.6%
3	SOME OF THE TIME	2984	1225632.6	9.4%
4	MOST OF THE TIME	7265	3229276.2	24.9%
5	ALL OF THE TIME	16594	7678458.3	59.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	155	57296.7	
8	REFUSAL	7	1000.3	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_05: Has someone to take them to a doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29163 / 13016509.96] [Invalid=1702 / 618995.73]
Literal question	(How often is each of the following kinds of support available to you if you need it:) - Someone to take you to the doctor if you needed it?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	744	264872.6	2.0%
2	LITTLE/TIME	674	283237.7	2.2%
3	SOME OF THE TIME	1989	826331.4	6.3%
4	MOST OF THE TIME	5678	2619844.6	20.1%
5	ALL OF THE TIME	20078	9022223.5	69.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	30	11852.5	
8	REFUSAL	2	795.6	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_06: Has someone who shows love and affection

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29137 / 13002107.27] [Invalid=1728 / 633398.42]
Literal question	(How often is each of the following kinds of support available to you if you need it:) - Someone who shows you love and affection?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	609	166244.3	1.3%
2	LITTLE/TIME	765	258215.6	2.0%
3	SOME OF THE TIME	1841	667665.9	5.1%
4	MOST OF THE TIME	5125	2162669.3	16.6%
5	ALL OF THE TIME	20797	9747312.2	75.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	50	21956.1	
8	REFUSAL	8	5094.6	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_07: Has someone to have a good time with

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

SSA_07: Has someone to have a good time with

Statistics [NW/ W]	[Valid=29135 / 13011825.51] [Invalid=1730 / 623680.18]			
Literal question	Again, how often is each of the following kinds of support available to you if you need it:) - Someone to have a good time with?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	663	177052.4	1.4%
2	LITTLE/TIME	1062	319158.0	2.5%
3	SOME OF THE TIME	2903	991613.0	7.6%
4	MOST OF THE TIME	6292	2668602.9	20.5%
5	ALL OF THE TIME	18215	8855399.2	68.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	54	14570.8	
8	REFUSAL	6	2761.7	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_08: Has someone to help understand situation

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=29076 / 12994290.26] [Invalid=1789 / 641215.43]			
Literal question	(How often is each of the following kinds of support available to you if you need it:) - Someone to give you information in order to help you understand a situation?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	667	213795.3	1.6%
2	LITTLE/TIME	916	344786.1	2.7%
3	SOME OF THE TIME	2981	1198822.6	9.2%
4	MOST OF THE TIME	7660	3382789.8	26.0%
5	ALL OF THE TIME	16852	7854096.5	60.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	103	30678.5	
8	REFUSAL	16	4189.3	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_09: Has someone to confide in

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=29124 / 13005257.9] [Invalid=1741 / 630247.79]			
Literal question	(How often is each of the following kinds of support available to you if you need it:) - Someone to confide in or talk to about yourself or your problems?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	746	252447.5	1.9%
2	LITTLE/TIME	1005	388028.6	3.0%
3	SOME OF THE TIME	2682	1047353.2	8.1%
4	MOST OF THE TIME	6955	3041255.6	23.4%
5	ALL OF THE TIME	17736	8276173.0	63.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	61	20188.1	
8	REFUSAL	10	3712.0	
9	NOT STATED	1670	606347.6	

SSA_09: Has someone to confide in

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_10: Has someone who gives hugs

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29133 / 13008182.51] [Invalid=1732 / 627323.18]
Literal question	(How often is each of the following kinds of support available to you if you need it:) - Someone who hugs you?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1209	334630.1	2.6%
2	LITTLE/TIME	1481	496382.5	3.8%
3	SOME OF THE TIME	2981	1006354.6	7.7%
4	MOST OF THE TIME	5382	2345508.8	18.0%
5	ALL OF THE TIME	18080	8825306.5	67.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	47	16728.8	
8	REFUSAL	15	4246.7	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_11: Has someone to get together w/for relax.

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29135 / 13012341.56] [Invalid=1730 / 623164.13]
Literal question	(How often is each of the following kinds of support available to you if you need it:) - Someone to get together with for relaxation?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	810	222626.5	1.7%
2	LITTLE/TIME	1232	419890.3	3.2%
3	SOME OF THE TIME	3544	1219697.7	9.4%
4	MOST OF THE TIME	6812	3025197.2	23.2%
5	ALL OF THE TIME	16737	8124929.9	62.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	49	13614.9	
8	REFUSAL	11	3201.6	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_12: Has someone to prepare meals

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29040 / 12985043.73] [Invalid=1825 / 650461.96]
Literal question	(How often is each of the following kinds of support available to you if you need it:) - Someone to prepare your meals if you were unable to do it yourself?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1650	479869.1	3.7%
2	LITTLE/TIME	1538	549400.8	4.2%
3	SOME OF THE TIME	3305	1173397.5	9.0%
4	MOST OF THE TIME	5544	2584917.9	19.9%
5	ALL OF THE TIME	17003	8197458.4	63.1%
6	NOT APPLICABLE	0	0.0	

SSA_12: Has someone to prepare meals

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	137	39134.0	
8	REFUSAL	18	4980.3	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_13: Has someone to give advice

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29031 / 12979402.79] [Invalid=1834 / 656102.9]
Literal question	(How often is each of the following kinds of support available to you if you need it:) - Someone whose advice you really want?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1185	384111.7	3.0%
2	LITTLE/TIME	1431	543755.7	4.2%
3	SOME OF THE TIME	3701	1465483.8	11.3%
4	MOST OF THE TIME	7090	3197300.2	24.6%
5	ALL OF THE TIME	15624	7388751.4	56.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	140	43654.9	
8	REFUSAL	24	6100.4	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_14: Has someone to do things to get mind off

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29074 / 12993780.05] [Invalid=1791 / 641725.64]
Literal question	Again, how often is each of the following kinds of support available to you if you need it: - Someone to do things with to help you get your mind off things?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	937	295576.9	2.3%
2	LITTLE/TIME	1424	498591.9	3.8%
3	SOME OF THE TIME	4027	1559381.2	12.0%
4	MOST OF THE TIME	7323	3294776.9	25.4%
5	ALL OF THE TIME	15363	7345453.1	56.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	99	28776.8	
8	REFUSAL	22	6601.2	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_15: Has someone to help with daily chores

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29076 / 12992303.84] [Invalid=1789 / 643201.85]
Literal question	(How often is each of the following kinds of support available to you if you need it:) - Someone to help with daily chores if you were sick?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1458	421569.4	3.2%

SSA_15: Has someone to help with daily chores

Value	Label	Cases	Weighted	Percentage (Weighted)
2	LITTLE/TIME	1559	561003.1	4.3%
3	SOME OF THE TIME	3668	1347989.5	10.4%
4	MOST OF THE TIME	6211	2858807.0	22.0%
5	ALL OF THE TIME	16180	7802934.9	60.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	101	31578.4	
8	REFUSAL	18	5275.8	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_16: Has someone to share most private worries

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29056 / 12986595.86] [Invalid=1809 / 648909.83]
Literal question	(How often is each of the following kinds of support available to you if you need it:) - Someone to share your most private worries and fears with?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1349	426943.2	3.3%
2	LITTLE/TIME	1503	557530.0	4.3%
3	SOME OF THE TIME	3154	1188572.1	9.2%
4	MOST OF THE TIME	6386	2874964.0	22.1%
5	ALL OF THE TIME	16664	7938586.6	61.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	109	33904.2	
8	REFUSAL	30	8658.0	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_17: Has someone to turn to for suggestions

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29055 / 12991099.72] [Invalid=1810 / 644405.97]
Literal question	(How often is each of the following kinds of support available to you if you need it:) - Someone to turn to for suggestions about how to deal with a personal problem?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	925	306580.5	2.4%
2	LITTLE/TIME	1333	495848.9	3.8%
3	SOME OF THE TIME	3340	1289098.6	9.9%
4	MOST OF THE TIME	7060	3152597.1	24.3%
5	ALL OF THE TIME	16397	7746974.7	59.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	110	27530.6	
8	REFUSAL	30	10527.7	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_18: Has someone to do something enjoyable

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29116 / 12999895.98] [Invalid=1749 / 635609.71]

SSA_18: Has someone to do something enjoyable

	Literal question	(How often is each of the following kinds of support available to you if you need it:) - Someone to do something enjoyable with?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	597	167363.3	1.3%
2	LITTLE/TIME	1109	379147.7	2.9%
3	SOME OF THE TIME	3383	1174559.1	9.0%
4	MOST OF THE TIME	7242	3212793.4	24.7%
5	ALL OF THE TIME	16785	8066032.5	62.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	56	18006.8	
8	REFUSAL	23	11255.2	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_19: Has someone who understands problems

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29053 / 12987646.01] [Invalid=1812 / 647859.68]
Literal question	(How often is each of the following kinds of support available to you if you need it:) - Someone who understands your problems?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	768	238537.7	1.8%
2	LITTLE/TIME	1169	435567.4	3.4%
3	SOME OF THE TIME	3254	1259219.1	9.7%
4	MOST OF THE TIME	7567	3360109.1	25.9%
5	ALL OF THE TIME	16295	7694212.7	59.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	117	29833.3	
8	REFUSAL	25	11678.8	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_20: Has someone who loves/makes feel wanted

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29081 / 12984399.49] [Invalid=1784 / 651106.2]
Literal question	(How often is each of the following kinds of support available to you if you need it:) - Someone to love you and make you feel wanted?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	816	229226.2	1.8%
2	LITTLE/TIME	997	338195.2	2.6%
3	SOME OF THE TIME	2304	843602.8	6.5%
4	MOST OF THE TIME	5838	2545372.4	19.6%
5	ALL OF THE TIME	19126	9028002.9	69.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	83	32216.0	
8	REFUSAL	31	12542.5	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_21: Has a household pet

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=29188 / 13026536.06] [Invalid=1677 / 608969.63]
Literal question	Do you have a household pet that provides you with companionship?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10645	5596505.9	43.0%
2	NO	18543	7430030.2	57.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	4	1931.8	
8	REFUSAL	3	690.2	
9	NOT STATED	1670	606347.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSADAFF: Affection - MOS subscale - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=29027 / 12961108.16] [Invalid=1838 / 674397.53]

Value	Label	Cases	Weighted	Percentage (Weighted)
0		338	103523.8	0.8%
1		148	29952.3	0.2%
2		228	62288.2	0.5%
3		407	142508.2	1.1%
4		414	146582.3	1.1%
5		519	168338.7	1.3%
6		1045	362554.6	2.8%
7		932	343214.3	2.6%
8		1287	433268.4	3.3%
9		3106	1361520.5	10.5%
10		2078	796127.7	6.1%
11		2307	996498.0	7.7%
12		16218	8014731.3	61.8%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1838	674397.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSADEMO: Emotional/informational support - MOS subscale - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]
Statistics [NW/ W]	[Valid=28686 / 12872004.22] [Invalid=2179 / 763501.47] [Mean=26.42 / 27.035] [StdDev=6.952 / 6.511]

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2179	763501.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSADSOC: Positive social interaction - MOS - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]

SSADSOC: Positive social interaction - MOS - (D)

Statistics [NW/ W]	[Valid=28995 / 12971179.67] [Invalid=1870 / 664326.02]

Value	Label	Cases	Weighted	Percentage (Weighted)
0		263	71278.1	0.5%
1		112	26206.3	0.2%
2		141	42127.6	0.3%
3		163	59189.0	0.5%
4		437	156684.5	1.2%
5		303	103195.4	0.8%
6		437	112136.7	0.9%
7		508	160183.2	1.2%
8		1270	443204.4	3.4%
9		880	311830.2	2.4%
10		1072	403305.2	3.1%
11		1271	467081.2	3.6%
12		3597	1645545.5	12.7%
13		1649	762261.0	5.9%
14		1708	774153.6	6.0%
15		1841	829873.6	6.4%
16		13343	6602924.1	50.9%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1870	664326.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSADTNG: Tangible social support - MOS - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=28961 / 12957052.69] [Invalid=1904 / 678453]

Value	Label	Cases	Weighted	Percentage (Weighted)
0		320	102910.5	0.8%
1		157	57667.6	0.4%
2		230	75022.6	0.6%
3		290	95030.9	0.7%
4		503	151396.1	1.2%
5		429	126750.5	1.0%
6		538	175094.5	1.4%
7		574	213804.4	1.7%
8		1068	399108.7	3.1%
9		1007	336467.7	2.6%
10		1267	494077.0	3.8%
11		1440	552088.2	4.3%
12		2911	1414718.9	10.9%
13		1884	832955.5	6.4%
14		2375	1076835.5	8.3%
15		2625	1285052.0	9.9%
16		11343	5568072.2	43.0%

SSADTNG: Tangible social support - MOS - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1904	678453.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPAG01: Frequency participation - family/friend activities

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30792 / 13611969.53] [Invalid=73 / 23536.16]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONCE A WEEK	15371	6918245.2	50.8%
2	ONCE A MONTH	10717	4996913.9	36.7%
3	ONCE A YEAR	3164	1231615.0	9.0%
4	NEVER	1540	465195.4	3.4%
6	NOT APPLICABLE	0	0.0	
7	REFUSAL	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	73	23536.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPAG02: Frequency participation - church/religious activities

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30761 / 13600093.28] [Invalid=104 / 35412.41]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONCE A WEEK	9040	3254913.9	23.9%
2	ONCE A MONTH	3437	1494176.2	11.0%
3	ONCE A YEAR	4048	2210829.8	16.3%
4	NEVER	14236	6640173.4	48.8%
6	NOT APPLICABLE	0	0.0	
7	REFUSAL	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	104	35412.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPAG03: Frequency participation - sports or physical activity

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30772 / 13603960.16] [Invalid=93 / 31545.53]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONCE A WEEK	8033	4211903.7	31.0%
2	ONCE A MONTH	3149	1745109.9	12.8%
3	ONCE A YEAR	1843	1068834.4	7.9%
4	NEVER	17747	6578112.2	48.4%
6	NOT APPLICABLE	0	0.0	
7	REFUSAL	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	93	31545.5	

SPAG03: Frequency participation - sports or physical activity

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPAG04: Frequency participation - educaiton/cultural activities

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30767 / 13604036.89] [Invalid=98 / 31468.8]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ONCE A WEEK	1801	1028884.6		7.6%
2	ONCE A MONTH	6587	3415179.6		25.1%
3	ONCE A YEAR	7716	3803407.6		28.0%
4	NEVER	14663	5356565.0		39.4%
6	NOT APPLICABLE	0	0.0		
7	REFUSAL	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	98	31468.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPAG05: Frequency participation - service club/ fraternal organization

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30765 / 13597563.84] [Invalid=100 / 37941.85]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ONCE A WEEK	1810	652059.4		4.8%
2	ONCE A MONTH	2813	1153554.5		8.5%
3	ONCE A YEAR	1639	863079.8		6.3%
4	NEVER	24503	10928870.2		80.4%
6	NOT APPLICABLE	0	0.0		
7	REFUSAL	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	100	37941.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPAG06: Frequency participation - community/professional

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30761 / 13601373.31] [Invalid=104 / 34132.38]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ONCE A WEEK	1989	810024.5		6.0%
2	ONCE A MONTH	3484	1546468.1		11.4%
3	ONCE A YEAR	3700	1959773.9		14.4%
4	NEVER	21588	9285106.8		68.3%
6	NOT APPLICABLE	0	0.0		
7	REFUSAL	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	104	34132.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPAG07: Frequency participation - volunteer or charity work

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30761 / 13603203.98] [Invalid=104 / 32301.71]

SPAG07: Frequency participation - volunteer or charity work

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONCE A WEEK	3971	1700700.9	12.5%
2	ONCE A MONTH	3553	1574425.4	11.6%
3	ONCE A YEAR	3170	1788220.2	13.1%
4	NEVER	20067	8539857.4	62.8%
6	NOT APPLICABLE	0	0.0	
7	REFUSAL	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	104	32301.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPAG08: Frequency participation - any other recreational activity

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30753 / 13597130.17] [Invalid=112 / 38375.52]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONCE A WEEK	5354	2063245.1	15.2%
2	ONCE A MONTH	4388	2103667.0	15.5%
3	ONCE A YEAR	2470	1448072.8	10.6%
4	NEVER	18541	7982145.3	58.7%
6	NOT APPLICABLE	0	0.0	
7	REFUSAL	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	112	38375.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPA_09: Felt wanted to participate more

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30031 / 13294629.24] [Invalid=834 / 340876.45]
Literal question	In the past 12 months, have you felt like you wanted to participate in more social, recreational or group activities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9146	4347205.3	32.7%
2	NO	20885	8947423.9	67.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	47	10213.4	
8	REFUSAL	1	454.1	
9	NOT STATED	786	330209.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPA_10A: Prevent - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9114 / 4331821.11] [Invalid=21751 / 9303684.58]
Literal question	What prevented you from participating in (more) activities? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	859	441139.1	10.2%
2	NO	8255	3890682.0	89.8%
6	NOT APPLICABLE	20885	8947423.9	

SPA_10A: Prevent - cost

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	32	15384.2	
8	REFUSAL	0	0.0	
9	NOT STATED	834	340876.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPA_10B: Prevent - transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9114 / 4331821.11] [Invalid=21751 / 9303684.58]
Literal question	What prevented you from participating in (more) activities? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	631	182234.8	4.2%
2	NO	8483	4149586.4	95.8%
6	NOT APPLICABLE	20885	8947423.9	
7	DON'T KNOW	32	15384.2	
8	REFUSAL	0	0.0	
9	NOT STATED	834	340876.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPA_10C: Prevent - activity not available in the area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9114 / 4331821.11] [Invalid=21751 / 9303684.58]
Literal question	What prevented you from participating in (more) activities? - Activities not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	684	254604.5	5.9%
2	NO	8430	4077216.6	94.1%
6	NOT APPLICABLE	20885	8947423.9	
7	DON'T KNOW	32	15384.2	
8	REFUSAL	0	0.0	
9	NOT STATED	834	340876.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPA_10D: Prevent - location not physical accessible

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9114 / 4331821.11] [Invalid=21751 / 9303684.58]
Literal question	What prevented you from participating in (more) activities? - Location not physically accessible

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	110	34174.5	0.8%
2	NO	9004	4297646.6	99.2%
6	NOT APPLICABLE	20885	8947423.9	
7	DON'T KNOW	32	15384.2	
8	REFUSAL	0	0.0	
9	NOT STATED	834	340876.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPA_10E: Prevent - location is too far

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

SPA_10E: Prevent - location is too far

Statistics [NW/ W]	[Valid=9114 / 4331821.11] [Invalid=21751 / 9303684.58]			
Literal question	What prevented you from participating in (more) activities? - Location is too far			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	399	175466.7	4.1%
2	NO	8715	4156354.4	95.9%
6	NOT APPLICABLE	20885	8947423.9	
7	DON'T KNOW	32	15384.2	
8	REFUSAL	0	0.0	
9	NOT STATED	834	340876.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPA_10F: Prevent - health condition limitation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=9114 / 4331821.11] [Invalid=21751 / 9303684.58]			
Literal question	What prevented you from participating in (more) activities? - Health condition limitation			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2440	792386.8	18.3%
2	NO	6674	3539434.3	81.7%
6	NOT APPLICABLE	20885	8947423.9	
7	DON'T KNOW	32	15384.2	
8	REFUSAL	0	0.0	
9	NOT STATED	834	340876.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPA_10G: Prevent - time of activity not suitable

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=9114 / 4331821.11] [Invalid=21751 / 9303684.58]			
Literal question	What prevented you from participating in (more) activities? - Time of the activities not suitable			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1098	587819.4	13.6%
2	NO	8016	3744001.7	86.4%
6	NOT APPLICABLE	20885	8947423.9	
7	DON'T KNOW	32	15384.2	
8	REFUSAL	0	0.0	
9	NOT STATED	834	340876.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPA_10H: Prevent - don't want to go alone

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=9114 / 4331821.11] [Invalid=21751 / 9303684.58]			
Literal question	What prevented you from participating in (more) activities? - Don't want to go alone			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1149	465953.2	10.8%
2	NO	7965	3865867.9	89.2%
6	NOT APPLICABLE	20885	8947423.9	
7	DON'T KNOW	32	15384.2	

SPA_10H: Prevent - don't want to go alone

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	834	340876.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPA_10I: Prevent - personal/family responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9114 / 4331821.11] [Invalid=21751 / 9303684.58]
Literal question	What prevented you from participating in (more) activities? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1030	587921.4		13.6%
2	NO	8084	3743899.7		86.4%
6	NOT APPLICABLE	20885	8947423.9		
7	DON'T KNOW	32	15384.2		
8	REFUSAL	0	0.0		
9	NOT STATED	834	340876.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPA_10J: Prevent - language related reasons

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9114 / 4331821.11] [Invalid=21751 / 9303684.58]
Literal question	What prevented you from participating in (more) activities? - Language related reasons

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	94	44654.0	1.0%	
2	NO	9020	4287167.2		99.0%
6	NOT APPLICABLE	20885	8947423.9		
7	DON'T KNOW	32	15384.2		
8	REFUSAL	0	0.0		
9	NOT STATED	834	340876.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPA_10K: Prevent - too busy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9114 / 4331821.11] [Invalid=21751 / 9303684.58]
Literal question	What prevented you from participating in (more) activities? - Too busy

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2954	1974039.9		45.6%
2	NO	6160	2357781.2		54.4%
6	NOT APPLICABLE	20885	8947423.9		
7	DON'T KNOW	32	15384.2		
8	REFUSAL	0	0.0		
9	NOT STATED	834	340876.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPA_10L: Prevent - afraid/concerns about safety

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9114 / 4331821.11] [Invalid=21751 / 9303684.58]
Literal question	What prevented you from participating in (more) activities? - Afraid or concerns about safety

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	143	45919.2	1.1%	
2	NO	8971	4285901.9		98.9%
6	NOT APPLICABLE	20885	8947423.9		

SPA_10L: Prevent - afraid/concerns about safety

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	32	15384.2	
8	REFUSAL	0	0.0	
9	NOT STATED	834	340876.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPA_10M: Prevent - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9114 / 4331821.11] [Invalid=21751 / 9303684.58]
Literal question	What prevented you from participating in (more) activities? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	968	426950.5	9.9%
2	NO	8146	3904870.6	90.1%
6	NOT APPLICABLE	20885	8947423.9	
7	DON'T KNOW	32	15384.2	
8	REFUSAL	0	0.0	
9	NOT STATED	834	340876.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPAGFRE: Frequency part - activity - (G)

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=30714 / 13572486.96] [Invalid=151 / 63018.73]

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NOT PARTICIPATE	912	258449.2	1.9%
1	PART. YEARLY	1607	609385.9	4.5%
2	PART. MONTHY	5780	2821343.8	20.8%
3	PART. WEEKLY	22415	9883308.0	72.8%
4	PART. DAYLY	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	151	63018.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPAFPAR: Flag participation in community activity (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30714 / 13572486.96] [Invalid=151 / 63018.73]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	PARTICIPANT	29802	13314037.8	98.1%
2	NON-PARTICIPANT	912	258449.2	1.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	151	63018.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_01A: Provided assistance - personal care needs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

CAG_01A: Provided assistance - personal care needs

Statistics [NW/ W]	[Valid=30085 / 13295308.24] [Invalid=780 / 340197.45]			

Literal question	During the past 12 months, have you provided have you provided any of the following types of assistance to another person because of a health condition or limitation? - Personal care such as assistance with eating, dressing, bathing, or toileting			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3854	1853643.8	13.9%
2	NO	26231	11441664.4	86.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	14	7065.7	
8	REFUSAL	10	3360.8	
9	NOT STATED	756	329771.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_01B: Provided assistance - medical needs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]	[Valid=30085 / 13295308.24] [Invalid=780 / 340197.45]

Literal question	During the past 12 months, have you provided...? - Medical care such as help taking medicine or help with nursing care (for example, dressing changes or foot care)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3303	1588474.0	11.9%
2	NO	26782	11706834.3	88.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	14	7065.7	
8	REFUSAL	10	3360.8	
9	NOT STATED	756	329771.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_01C: Provided assistance - managing care needs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]	[Valid=30085 / 13295308.24] [Invalid=780 / 340197.45]

Literal question	During the past 12 months, have you provided...? - Managing care such as making appointments

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4189	2049804.8	15.4%
2	NO	25896	11245503.4	84.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	14	7065.7	
8	REFUSAL	10	3360.8	
9	NOT STATED	756	329771.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_01D: Provided assistance - house activities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]	[Valid=30085 / 13295308.24] [Invalid=780 / 340197.45]

Literal question	During the past 12 months, have you provided...? - Help with activities such as housework, home maintenance and outdoor work

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5787	3006864.9	22.6%
2	NO	24298	10288443.4	77.4%

CAG_01D: Provided assistance - house activities

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	14	7065.7	
8	REFUSAL	10	3360.8	
9	NOT STATED	756	329771.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_01E: Provided assistance - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30085 / 13295308.24] [Invalid=780 / 340197.45]
Literal question	During the past 12 months, have you provided...? - Transportation, such as trips to the doctor or for shopping

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8446	4170683.1	31.4%
2	NO	21639	9124625.1	68.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	14	7065.7	
8	REFUSAL	10	3360.8	
9	NOT STATED	756	329771.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_01F: Provided assistance - meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30085 / 13295308.24] [Invalid=780 / 340197.45]
Literal question	During the past 12 months, have you provided...? - Meal preparation or delivery

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4996	2270834.8	17.1%
2	NO	25089	11024473.4	82.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	14	7065.7	
8	REFUSAL	10	3360.8	
9	NOT STATED	756	329771.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_01G: Provided assistance - none

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30085 / 13295308.24] [Invalid=780 / 340197.45]
Literal question	During the past 12 months, have you provided...? - Did not provide any assistance

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17938	7406899.2	55.7%
2	NO	12147	5888409.0	44.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	14	7065.7	
8	REFUSAL	10	3360.8	
9	NOT STATED	756	329771.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_01H: Provided assistance - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30085 / 13295308.24] [Invalid=780 / 340197.45]
Post-question	During the past 12 months, have you provided...? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	857	397534.1	3.0%
2	NO	29228	12897774.2	97.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	14	7065.7	
8	REFUSAL	10	3360.8	
9	NOT STATED	756	329771.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_02A: Activity provided most assistance

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=12037 / 5846790.88] [Invalid=18828 / 7788714.81]
Literal question	For which type of activity did you provide the most assistance?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	PERSONAL CARE	1852	838966.2	14.3%
2	MEDICALE CARE	580	266805.5	4.6%
3	MANAGING CARE	553	302365.6	5.2%
4	HOUSEWORK	2298	1219690.4	20.9%
5	TRANSPORTATION	4512	2211714.6	37.8%
6	MEAL PREPARATION	1546	693245.9	11.9%
7	OTHER	696	314002.7	5.4%
96	NOT APPLICABLE	17938	7406899.2	
97	DON'T KNOW	79	35223.5	
98	REFUSAL	3	249.0	
99	NOT STATED	808	346343.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_02E: Provided respite care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11910 / 5780120.86] [Invalid=18955 / 7855384.83]
Literal question	During the past 12 months, did you provide respite care (meaning planned relief or assistance)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1362	745650.7	12.9%
2	NO	10548	5034470.1	87.1%
6	NOT APPLICABLE	17938	7406899.2	
7	DON'T KNOW	12	4202.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1005	444282.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_02F: Provided palliative care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11918 / 5782828.95] [Invalid=18947 / 7852676.74]

CAG_02F: Provided palliative care

Literal question	During the past 12 months, did you provide palliative care (meaning care given to a person nearing end of life)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1068	451553.9	7.8%
2	NO	10850	5331275.0	92.2%
6	NOT APPLICABLE	17938	7406899.2	
7	DON'T KNOW	3	1451.8	
8	REFUSAL	0	0.0	
9	NOT STATED	1006	444325.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_02G: Provided financial assistance

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=29836 / 13180146.73] [Invalid=1029 / 455358.96]
Literal question	During the past 12 months, have you provided financial assistance to anyone because of a health condition or limitation? (For example: paying for medications or a private nurse.)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3101	1483745.9	11.3%
2	NO	26735	11696400.9	88.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	5	2418.2	
8	REFUSAL	13	4914.2	
9	NOT STATED	1011	448026.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAGG03A: Assistance - # beneficiaries - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-20] [Missing=*]
Statistics [NW/ W]	[Valid=12059 / 5854362.55] [Invalid=18806 / 7781143.14]

Value	Label	Cases	Weighted	Percentage (Weighted)
1		6486	2981714.6	50.9%
2		2941	1495412.5	25.5%
3		1307	721330.7	12.3%
4		533	250633.1	4.3%
5		262	147989.7	2.5%
6		210	99552.3	1.7%
7		40	25296.8	0.4%
8		38	16373.3	0.3%
9		8	2900.3	0.0%
10		99	52103.1	0.9%
11		3	1737.5	0.0%
12		35	14371.1	0.2%
13		1	611.8	0.0%
14		1	230.2	0.0%
15		16	6432.9	0.1%
18		2	731.9	0.0%
20		77	36940.6	0.6%
96	NOT APPLICABLE	17921	7397152.0	

CAGG03A: Assistance - # beneficiaries - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	885	383991.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_03B: Main care recipient - situation

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=12096 / 5868289.17] [Invalid=18769 / 7767216.52]
Literal question	Is the person to whom you provided [most] assistance: (living in this household, living in another household, living in a health care institution, deceased)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LIVING IN HHOLD	2208	1099146.1	18.7%
2	LIVING OUTSIDE	7938	4021805.6	68.5%
3	LIVING IN A H.C.	1189	503231.7	8.6%
4	DECEASED	761	244105.8	4.2%
6	NOT APPLICABLE	17921	7397152.0	
7	DON'T KNOW	16	4074.8	
8	REFUSAL	10	5186.8	
9	NOT STATED	822	360802.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_03C: Main care recipient - comfortable answering (if deceased)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=761 / 244105.76] [Invalid=30104 / 13391399.93]
Literal question	It is important to gather information on people that receive assistance. Would you feel comfortable answering a few questions about this person?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	688	223218.6	91.4%
2	NO	73	20887.2	8.6%
6	NOT APPLICABLE	29231	13012337.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	873	379062.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAGG06A: Main care recipient - relationship - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=11242 / 5498408.94] [Invalid=19623 / 8137096.75]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SPOUSE/PARTNER	1856	796030.4	14.5%
2	PARENT	2924	1791410.9	32.6%
3	CHILD	952	417086.6	7.6%
4	OTHER RELATIVE	2547	1252179.1	22.8%
5	FRIEND/OTHER	2963	1241702.0	22.6%
6	NOT APPLICABLE	17994	7418039.2	
7	DON'T KNOW	0	0.0	

CAGG06A: Main care recipient - relationship - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	1629	719057.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_06BA: Assistance provided - personal care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11321 / 5541699.6] [Invalid=19544 / 8093806.09]
Literal question	Please tell me which type of assistance you provided to [person to whom you provided assistance] during the past 12 months - Personal care such as assistance with eating, dressing, bathing, or toileting

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3312	1573986.2	28.4%
2	NO	8009	3967713.4	71.6%
6	NOT APPLICABLE	17994	7418039.2	
7	DON'T KNOW	10	4384.8	
8	REFUSAL	6	3828.0	
9	NOT STATED	1534	667554.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_06BB: Assistance provided - medical care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11321 / 5541699.6] [Invalid=19544 / 8093806.09]
Literal question	Please tell me which type of assistance you provided to [person to whom you provided assistance] during the past 12 months - Medical care such as help taking medicine or help with nursing care (for example, dressing changes or foot care)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2818	1324905.6	23.9%
2	NO	8503	4216794.0	76.1%
6	NOT APPLICABLE	17994	7418039.2	
7	DON'T KNOW	10	4384.8	
8	REFUSAL	6	3828.0	
9	NOT STATED	1534	667554.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_06BC: Assistance provided - managing care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11321 / 5541699.6] [Invalid=19544 / 8093806.09]
Literal question	Please tell me which type of assistance you provided to [person to whom you provided assistance] during the past 12 months - Managing care such as making appointments

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3505	1702175.0	30.7%
2	NO	7816	3839524.6	69.3%
6	NOT APPLICABLE	17994	7418039.2	
7	DON'T KNOW	10	4384.8	
8	REFUSAL	6	3828.0	
9	NOT STATED	1534	667554.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_06BD: Assistance provided - household activitie

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11321 / 5541699.6] [Invalid=19544 / 8093806.09]
Literal question	Please tell me which type of assistance you provided to [person to whom you provided assistance] during the past 12 months - Help with activities such as housework, home maintenance and outdoor work

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4896	2529345.0	45.6%
2	NO	6425	3012354.6	54.4%
6	NOT APPLICABLE	17994	7418039.2	
7	DON'T KNOW	10	4384.8	
8	REFUSAL	6	3828.0	
9	NOT STATED	1534	667554.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_06BE: Assistance provided - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11321 / 5541699.6] [Invalid=19544 / 8093806.09]
Literal question	Please tell me which type of assistance you provided to [person to whom you provided assistance] during the past 12 months - Transportation, such as trips to the doctor or for shopping

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7343	3602638.5	65.0%
2	NO	3978	1939061.1	35.0%
6	NOT APPLICABLE	17994	7418039.2	
7	DON'T KNOW	10	4384.8	
8	REFUSAL	6	3828.0	
9	NOT STATED	1534	667554.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_06BF: Assistance provided - meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11321 / 5541699.6] [Invalid=19544 / 8093806.09]
Literal question	Please tell me which type of assistance you provided to [person to whom you provided assistance] during the past 12 months - Meal preparation or delivery

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4174	1928682.7	34.8%
2	NO	7147	3613016.9	65.2%
6	NOT APPLICABLE	17994	7418039.2	
7	DON'T KNOW	10	4384.8	
8	REFUSAL	6	3828.0	
9	NOT STATED	1534	667554.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_06BG: Assistance provided - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11321 / 5541699.6] [Invalid=19544 / 8093806.09]
Literal question	Please tell me which type of assistance you provided to [person to whom you provided assistance] during the past 12 months - Other

CAG_06BG: Assistance provided - other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	722	329960.3	6.0%
2	NO	10599	5211739.3	94.0%
6	NOT APPLICABLE	17994	7418039.2	
7	DON'T KNOW	10	4384.8	
8	REFUSAL	6	3828.0	
9	NOT STATED	1534	667554.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_07A: Main care recipient - time

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=11334 / 5548620.09] [Invalid=19531 / 8086885.6]
Literal question	How long have you been providing assistance to [person to whom you provided assistance]?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MTHS	2529	1279404.9	23.1%
2	6 MTHS < I YR	1421	764077.9	13.8%
3	1 YR < 3YRS	2191	1085796.1	19.6%
4	3 YRS < 5 YRS	1364	660775.8	11.9%
5	= >5 YEARS	3829	1758565.4	31.7%
6	NOT APPLICABLE	17994	7418039.2	
7	DON'T KNOW	14	4372.2	
8	REFUSAL	1	443.9	
9	NOT STATED	1522	664030.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_07C: Main care recipient - freq. regular

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11345 / 5550742.21] [Invalid=19520 / 8084763.48]
Literal question	During the past 12 months, did you provide assistance to [person to whom you provided assistance]: (on a regular basis, occasionally or rarely)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	REGULAR BASIS	6201	2948639.6	53.1%
2	OCCASIONALLY	5144	2602102.6	46.9%
6	NOT APPLICABLE	17994	7418039.2	
7	DON'T KNOW	3	2250.1	
8	REFUSAL	0	0.0	
9	NOT STATED	1523	664474.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_07D: Main care recipient - daily/weekly/monthly

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=6200 / 2947682.36] [Invalid=24665 / 10687823.33]
Literal question	(During the past 12 months,) how often did you provide assistance to [person to whom you provided assistance]? Was it: (daily, at least once a week, at least once a month, less than once a month)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	2988	1217296.1	41.3%
2	ONCE A WEEK	2466	1329009.5	45.1%

CAG_07D: Main care recipient - daily/weekly/monthly

Value	Label	Cases	Weighted	Percentage (Weighted)
3	ONCE A MONTH	655	360244.5	12.2%
4	>ONCE A MONTH	91	41132.2	1.4%
6	NOT APPLICABLE	23138	10020141.7	
7	DON'T KNOW	1	957.3	
8	REFUSAL	0	0.0	
9	NOT STATED	1526	666724.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_07E: Main care recipient - average time with

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6168 / 2933636.61] [Invalid=24697 / 10701869.08]
Literal question	(During the past 12 months,) how much time in an average [day/week/month/occasion] did you spend assisting...? Was it: (less than 1 hour, 1 hour to less than 3 hours,… 10 hours or more)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 HR	729	355730.5	12.1%
2	1 HR < 3 HRS	2472	1193093.4	40.7%
3	3 HRS < 5 HRS	1339	685395.2	23.4%
4	5 HRS < 10 HRS	822	389318.4	13.3%
5	10 HOURS OR MORE	806	310099.1	10.6%
6	NOT APPLICABLE	23138	10020141.7	
7	DON'T KNOW	30	12984.1	
8	REFUSAL	2	1061.7	
9	NOT STATED	1527	667681.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_08: Main care recipient - main reason for care

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=6192 / 2946033.91] [Invalid=24673 / 10689471.78]
Literal question	What is the main reason why [person to whom you provided assistance] needed your assistance?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SHORT-TERM HLTH	909	510680.9	17.3%
2	LONG-TERM HLTH	5046	2331888.3	79.2%
3	OTHER	237	103464.8	3.5%
6	NOT APPLICABLE	23138	10020141.7	
7	DON'T KNOW	7	1544.1	
8	REFUSAL	0	0.0	
9	NOT STATED	1528	667786.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_20: Rewarding aspect of giving assistance

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=11928 / 5804083.79] [Invalid=18937 / 7831421.9]
Literal question	During the past 12 months, what would you say was the most positive or rewarding aspect to providing assistance?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	CLOSER TO PERSON	2143	1092086.8	18.8%
2	PERSONAL SATISF.	3465	1734821.2	29.9%

CAG_20: Rewarding aspect of giving assistance

Value	Label	Cases	Weighted	Percentage (Weighted)
3	NEEDED BY C. REC	1950	974896.2	16.8%
4	ENJOY PROV. ASS	3423	1499171.6	25.8%
5	NO EXP. REWARD.	558	291187.9	5.0%
6	OTHER	389	211920.1	3.7%
96	NOT APPLICABLE	17994	7418039.2	
97	DON'T KNOW	47	19299.4	
98	REFUSAL	8	4006.0	
99	NOT STATED	888	390077.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_21: Most difficult aspect - providing assistance

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=11942 / 5809007.74] [Invalid=18923 / 7826497.95]
Literal question	(During the past 12 months,) what would you say was the most difficult or challenging aspect to providing assistance?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	CREATES STRESS	1179	592909.0	10.2%
2	FATIGUE/PHYSICAL	904	391059.8	6.7%
3	EMOTIONALLY DEM.	2122	1036002.5	17.8%
4	NOT ENOUGH TIME	956	658707.4	11.3%
5	CONF. W.SOC LIFE	117	46312.8	0.8%
6	FINANCIAL BURDEN	146	78715.4	1.4%
7	IMPACTS ON FAM.	203	130985.0	2.3%
8	INTERFERES W. WO	196	129365.9	2.2%
9	NO DIFFICULTIES	5646	2516360.1	43.3%
10	OTHER	473	228589.9	3.9%
96	NOT APPLICABLE	17994	7418039.2	
97	DON'T KNOW	32	12266.3	
98	REFUSAL	9	6115.2	
99	NOT STATED	888	390077.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_23A: Assistance Caused/worsened health condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11962 / 5821756.61] [Invalid=18903 / 7813749.08]
Literal question	During the past 12 months, has providing assistance caused or worsened any health condition or limitation you may have?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1012	471952.2	8.1%
2	NO	10950	5349804.4	91.9%
6	NOT APPLICABLE	17994	7418039.2	
7	DON'T KNOW	19	5365.8	
8	REFUSAL	1	141.1	
9	NOT STATED	889	390203.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_23B: Alternate assistance provider available

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

CAG_23B: Alternate assistance provider available

Statistics [NW/ W]	[Valid=11662 / 5711719.53] [Invalid=19203 / 7923786.16]				
Literal question	(During the past 12 months,) if you had not been able to fulfill your caregiving responsibilities, was there another person or organization who could have provided this assistance in your place?				

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	8638	4352815.2		76.2%
2	NO	3024	1358904.3	23.8%	
6	NOT APPLICABLE	17994	7418039.2		
7	DON'T KNOW	313	113971.2		
8	REFUSAL	7	1572.7		
9	NOT STATED	889	390203.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_24: Received respite care past 12 months

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11977 / 5825657.19] [Invalid=18888 / 7809848.5]
Literal question	During the past 12 months, while you were providing assistance, did you receive respite care (meaning planned relief or assistance) from any person or organization?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1164	557871.1	9.6%	
2	NO	10813	5267786.1		90.4%
6	NOT APPLICABLE	17994	7418039.2		
7	DON'T KNOW	5	1606.3		
8	REFUSAL	0	0.0		
9	NOT STATED	889	390203.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_25A: Impact to work-related activities

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=11973 / 5824520.61] [Invalid=18892 / 7810985.08]
Literal question	Because of providing assistance to others, have you ever experienced any impact on work-related activities?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1176	727054.6	12.5%	
2	NO	9867	4761401.8		81.7%
3	NEVER ENTER WF	930	336064.2	5.8%	
6	NOT APPLICABLE	17994	7418039.2		
7	DON'T KNOW	6	2325.6		
8	REFUSAL	3	417.2		
9	NOT STATED	889	390203.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_25BA: Type of impact on work - stop/retire

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1175 / 725955.26] [Invalid=29690 / 12909550.43]
Literal question	Did you stop working or retire earlier than planned?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	160	73976.8	10.2%	
2	NO	1015	651978.4		89.8%

CAG_25BA: Type of impact on work - stop/retire

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	28791	12515505.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	1099.3	
9	NOT STATED	898	392945.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_25BB: Type impact - reduce/modify hours

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1175 / 725955.26] [Invalid=29690 / 12909550.43]
Literal question	Did you reduce or modify your working hours?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	596	375212.2	51.7%
2	NO	579	350743.0	48.3%
6	NOT APPLICABLE	28791	12515505.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	1099.3	
9	NOT STATED	898	392945.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_25BC: Type impact - take less demanding job

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1175 / 725955.26] [Invalid=29690 / 12909550.43]
Literal question	Did you take a less demanding job?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	46	22789.0	3.1%
2	NO	1129	703166.3	96.9%
6	NOT APPLICABLE	28791	12515505.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	1099.3	
9	NOT STATED	898	392945.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_25BD: Type impact - increase hours/work more

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1175 / 725955.26] [Invalid=29690 / 12909550.43]
Literal question	Did you increase work hours or take on additional paid work to help with added expenses?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	54	43287.8	6.0%
2	NO	1121	682667.5	94.0%
6	NOT APPLICABLE	28791	12515505.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	1099.3	
9	NOT STATED	898	392945.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_25BE: Type impact - use vacation/sick leave

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1175 / 725955.26] [Invalid=29690 / 12909550.43]
Literal question	Did you use your vacation leave, sick leave or personal time to provide assistance?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	407	232398.5	32.0%	
2	NO	768	493556.7		68.0%
6	NOT APPLICABLE	28791	12515505.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	1	1099.3		
9	NOT STATED	898	392945.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_25BF: Type impact - take unpaid leave

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1175 / 725955.26] [Invalid=29690 / 12909550.43]
Literal question	Did you take a leave of absence without pay to provide assistance?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	138	107997.7	14.9%	
2	NO	1037	617957.6		85.1%
6	NOT APPLICABLE	28791	12515505.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	1	1099.3		
9	NOT STATED	898	392945.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_25BG: Type impact - turn down job/promotion

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1175 / 725955.26] [Invalid=29690 / 12909550.43]
Literal question	Did you turn down a job offer or a promotion?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	52	32590.0	4.5%	
2	NO	1123	693365.2		95.5%
6	NOT APPLICABLE	28791	12515505.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	1	1099.3		
9	NOT STATED	898	392945.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAG_25BH: Type impact - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1175 / 725955.26] [Invalid=29690 / 12909550.43]
Literal question	Did you: - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	78	43668.0	6.0%	
2	NO	1097	682287.3		94.0%
6	NOT APPLICABLE	28791	12515505.2		

CAG_25BH: Type impact - other

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	1099.3	
9	NOT STATED	898	392945.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAGFPAS: Flag for providing assistance - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30068 / 13285560.99] [Invalid=797 / 349944.7]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DID PROV ASSIST	13114	6284346.6	47.3%
2	DID NOT P ASSIST	16954	7001214.4	52.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	797	349944.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAGDFAP: Main care recipient - freq. - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=11344 / 5549784.93] [Invalid=19521 / 8085720.76]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	REG BASIS DLY	2988	1217296.1	21.9%
2	REG BASIS WK	2466	1329009.5	23.9%
3	REG BASIS MNTH	655	360244.5	6.5%
4	REG BASIS LESS	91	41132.2	0.7%
5	OCC OR RARELY	5144	2602102.6	46.9%
6	NOT APPLICABLE	17921	7397152.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1600	688568.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAGDIAR: Main care recipient - intensity (D)

Information	[Type= continuous] [Format=numeric] [Range= 110-450] [Missing=*]
Statistics [NW/ W]	[Valid=6168 / 2933636.61] [Invalid=24697 / 10701869.08]

Value	Label	Cases	Weighted	Percentage (Weighted)
110	DAILY LESS 1 HR	443	197837.8	6.7%
120	DAILY 1 HR 3 HRS	1113	510485.0	17.4%
130	DAILY 3 HRS 5 HR	513	209634.9	7.1%
140	DAILY 5 HRS 10 H	406	142706.9	4.9%
150	DAILY 10 HRS MOR	497	150648.2	5.1%
210	ONCE WEEK <1HR	200	107536.4	3.7%
220	ONCE WEEK 1-3 HR	1118	573522.6	19.5%
230	ONCE WEEK 3-5 HR	647	357866.7	12.2%
240	ONCE WEEK 5-10 H	303	191411.0	6.5%
250	ONCE WEEK 10+	187	93424.7	3.2%
310	ONCE MNTH <1HR	66	43465.2	1.5%
320	ONCE MNTH 1-3 HR	209	95351.1	3.3%
330	ONCE MNTH 3-5 HR	161	112521.8	3.8%
340	ONCE MNTH 5-10 H	104	52968.6	1.8%
350	ONCE MNTH 10+ HR	110	53123.4	1.8%
410	LESS MNTH <1 HR	20	6891.2	0.2%
420	LESS MNTH 1-3 HR	32	13734.7	0.5%
430	LESS MNTH 3-5 HR	18	5371.7	0.2%
440	LESS MNTH 5-10 H	9	2231.9	0.1%
450	LESS MNTH 10+ HR	12	12902.8	0.4%
996	NOT APPLICABLE	23065	9999254.6	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	1632	702614.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CGE_01: Assistance - out-of-pocket exp.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

CGE_01: Assistance - out-of-pocket exp.

Statistics [NW/ W]	[Valid=12923 / 6206831.62] [Invalid=17942 / 7428674.07]			
Literal question	During the past 12 months, as a result of providing assistance, did you incur any out-of-pocket expenses for which you do not expect to be fully reimbursed?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5365	2737270.8	44.1%
2	NO	7558	3469560.9	55.9%
6	NOT APPLICABLE	17027	7022101.6	
7	DON'T KNOW	21	14068.4	
8	REFUSAL	5	2301.0	
9	NOT STATED	889	390203.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CGE_02: Assistance - amount spent per month

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=5245 / 2678915.75] [Invalid=25620 / 10956589.94]
Literal question	During the past 12 months, on average, how much did you spend per month on these out-of-pocket expenses? Was it:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 50	2073	1079803.0	40.3%
2	50 < 100	1233	596115.3	22.3%
3	100 < 300	908	459494.6	17.2%
4	> 300	1031	543502.9	20.3%
6	NOT APPLICABLE	24585	10491662.5	
7	DON'T KNOW	92	45765.5	
8	REFUSAL	28	12589.5	
9	NOT STATED	915	406572.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CGE_03A: Assistance - expenses - purchasing items

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5343 / 2726244.22] [Invalid=25522 / 10909261.47]
Literal question	Were these expenses incurred as a result of: - Purchasing items (such as medications or medical supplies)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1884	959158.1	35.2%
2	NO	3459	1767086.1	64.8%
6	NOT APPLICABLE	24585	10491662.5	
7	DON'T KNOW	14	8597.6	
8	REFUSAL	8	2428.9	
9	NOT STATED	915	406572.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CGE_03B: Assistance - expenses - pay for services.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5343 / 2726244.22] [Invalid=25522 / 10909261.47]
Literal question	Were these expenses incurred as a result of: - Paying for services (such as housekeeping or daycare)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	799	419707.2	15.4%

CGE_03B: Assistance - expenses - pay for services.

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	4544	2306537.0		84.6%
6	NOT APPLICABLE	24585	10491662.5		
7	DON'T KNOW	14	8597.6		
8	REFUSAL	8	2428.9		
9	NOT STATED	915	406572.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CGE_03C: Assistance - expenses - increase in expexnses

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5343 / 2726244.22] [Invalid=25522 / 10909261.47]
Literal question	Were these expenses incurred as a result of: - Increases in your expenses (such as additional houseing costs or food)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1717	882233.4	32.4%	
2	NO	3626	1844010.8		67.6%
6	NOT APPLICABLE	24585	10491662.5		
7	DON'T KNOW	14	8597.6		
8	REFUSAL	8	2428.9		
9	NOT STATED	915	406572.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CGE_03D: Assistance - expenses - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5343 / 2726244.22] [Invalid=25522 / 10909261.47]
Literal question	Were these expenses incurred as a result of: - Transportation (such as gas or parking)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3403	1761713.5		64.6%
2	NO	1940	964530.8	35.4%	
6	NOT APPLICABLE	24585	10491662.5		
7	DON'T KNOW	14	8597.6		
8	REFUSAL	8	2428.9		
9	NOT STATED	915	406572.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CGE_03E: Assistance - expenses - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5343 / 2726244.22] [Invalid=25522 / 10909261.47]
Literal question	Were these expenses incurred as a result of: - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	281	142518.3	5.2%	
2	NO	5062	2583725.9		94.8%
6	NOT APPLICABLE	24585	10491662.5		
7	DON'T KNOW	14	8597.6		
8	REFUSAL	8	2428.9		
9	NOT STATED	915	406572.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CGE_04: Received financial assistance

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5361 / 2734845.12] [Invalid=25504 / 10900660.57]
Literal question	During the past 12 months, have you received any financial assistance to help cover these expenses?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	263	134597.6	4.9%	
2	NO	5098	2600247.6		95.1%
6	NOT APPLICABLE	24585	10491662.5		
7	DON'T KNOW	3	2083.7		
8	REFUSAL	1	341.9		
9	NOT STATED	915	406572.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_02: Depressed >= 2 weeks - 12 month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30007 / 13271750.16] [Invalid=858 / 363755.53]
Literal question	During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4243	1931884.8	14.6%	
2	NO	25764	11339865.4		85.4%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	39	9977.2		
8	REFUSAL	31	13053.6		
9	NOT STATED	788	340724.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_03: Depressed - length/time feelings lasted - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=4203 / 1922521.91] [Invalid=26662 / 11712983.78]
Literal question	For the next few questions, please think of the 2-week period during the past 12 months when these feelings were the worst. During that time, did these feelings usually last:

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALL DAY LONG	1159	501206.2		26.1%
2	MOST OF THE DAY	1174	507756.5		26.4%
3	ABOUT HALF/DAY	847	438699.3		22.8%
4	LESS HALF/DAY	1023	474860.0		24.7%
6	NOT APPLICABLE	25764	11339865.4		
7	DON'T KNOW	30	7564.4		
8	REFUSAL	9	1777.3		
9	NOT STATED	859	363776.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_04: Depressed - frequence - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=2328 / 1007736.04] [Invalid=28537 / 12627769.65]
Literal question	How often did you feel this way during those 2 weeks?

DPS_04: Depressed - frequence - 2 week

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	EVERY DAY	1444	619162.0		61.4%
2	ALMOST EVERY DAY	714	317658.7		31.5%
3	LESS OFTEN	170	70915.3		7.0%
6	NOT APPLICABLE	27634	12253424.6		
7	DON'T KNOW	3	726.6		
8	REFUSAL	2	500.0		
9	NOT STATED	898	373118.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_05: Depressed - lost interest in most things - 2 week

Information	[Type= discrete] [Format=numeric] [Range=1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2149 / 935274.17] [Invalid=28716 / 12700231.52]
Literal question	During those 2 weeks did you lose interest in most things?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1663	715142.5		76.5%
2	NO	486	220131.7		23.5%
6	NOT APPLICABLE	27804	12324339.9		
7	DON'T KNOW	8	1507.2		
8	REFUSAL	1	39.3		
9	NOT STATED	903	374345.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_06: Depressed - felt tired all of the time - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2144 / 932892.52] [Invalid=28721 / 12702613.17]
Literal question	Did you feel tired out or low on energy all of the time?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1814	802813.4		86.1%
2	NO	330	130079.1		13.9%
6	NOT APPLICABLE	27804	12324339.9		
7	DON'T KNOW	3	1133.5		
8	REFUSAL	2	1248.2		
9	NOT STATED	912	375891.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_07: Depressed - weight change - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=2132 / 929204.04] [Invalid=28733 / 12706301.65]
Literal question	Did you gain weight, lose weight or stay about the same?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	GAINED WEIGHT	329	140837.5		15.2%
2	LOST WEIGHT	591	227909.9		24.5%
3	STAYED SAME	1205	556084.5		59.8%
4	WAS ON A DIET	7	4372.1		0.5%
6	NOT APPLICABLE	27804	12324339.9		

DPS_07: Depressed - weight change - 2 week

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	12	3688.5	
8	REFUSAL	0	0.0	
9	NOT STATED	917	378273.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_08A: Depressed - weight change (amount) - 2 week

Information	[Type= continuous] [Format=numeric] [Range= 1-95] [Missing=*]
Statistics [NW/ W]	[Valid=863 / 347363.32] [Invalid=30002 / 13288142.37] [Mean=12.802 / 12.062] [StdDev=11.775 / 10.718]
Literal question	About how much did you [gain/lose]?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	29016	12884796.6	
997	DON'T KNOW	56	21036.1	
998	REFUSAL	1	348.0	
999	NOT STATED	929	381961.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_08B: Depressed - weight change (lb/kg) - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=863 / 347363.32] [Invalid=30002 / 13288142.37]
Literal question	INTERVIEWER: Was that in pounds or kilograms?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	POUNDS	853	339408.4	97.7%
2	KILOGRAMS	10	7954.9	2.3%
6	NOT APPLICABLE	29016	12884796.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	986	403345.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_09: Depressed - trouble fall asleep - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2124 / 927035.42] [Invalid=28741 / 12708470.27]
Literal question	Did you have more trouble falling asleep than you usually do?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1474	665522.8	71.8%
2	NO	650	261512.6	28.2%
6	NOT APPLICABLE	27804	12324339.9	
7	DON'T KNOW	8	2168.6	
8	REFUSAL	0	0.0	
9	NOT STATED	929	381961.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_10: Depressed - fall asleep (freq.) - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=1472 / 664772.74] [Invalid=29393 / 12970732.95]
Literal question	How often did that happen?

DPS_10: Depressed - fall asleep (freq.) - 2 week

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	EVERY NIGHT	741	306961.2		46.2%
2	NEARLY EVERY	590	289888.0		43.6%
3	LESS OFTEN	141	67923.5		10.2%
6	NOT APPLICABLE	28454	12585852.5		
7	DON'T KNOW	2	750.1		
8	REFUSAL	0	0.0		
9	NOT STATED	937	384130.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_11: Depressed - trouble concentrating - 2 week

Information	[Type= discrete] [Format=numeric] [Range=1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2114 / 924909.7] [Invalid=28751 / 12710595.99]
Literal question	Did you have a lot more trouble concentrating than usual?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1648	734523.7		79.4%
2	NO	466	190386.0		20.6%
6	NOT APPLICABLE	27804	12324339.9		
7	DON'T KNOW	5	576.0		
8	REFUSAL	2	155.6		
9	NOT STATED	940	385524.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_12: Depressed - felt down on self - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2108 / 924604.05] [Invalid=28757 / 12710901.64]
Literal question	At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1225	567440.6		61.4%
2	NO	883	357163.4		38.6%
6	NOT APPLICABLE	27804	12324339.9		
7	DON'T KNOW	5	205.7		
8	REFUSAL	1	100.0		
9	NOT STATED	947	386256.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_13: Depressed - thought a lot about death - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2100 / 918116.94] [Invalid=28765 / 12717388.75]
Literal question	Did you think a lot about death - either your own, someone else's or death in general?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1216	517450.5		56.4%
2	NO	884	400666.5		43.6%
6	NOT APPLICABLE	27804	12324339.9		
7	DON'T KNOW	5	1290.9		
8	REFUSAL	3	5196.2		

DPS_13: Depressed - thought a lot about death - 2 week

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	953	386561.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_14: Depressed - number of weeks - 12 month

Information	[Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]
Statistics [NW/ W]	[Valid=1924 / 847554.47] [Invalid=28941 / 12787951.22] [Mean=15.117 / 14.071] [StdDev=15.858 / 14.886]
Literal question	About how many weeks altogether did you feel this way during the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	27837	12334660.7	
97	DON'T KNOW	136	57422.2	
98	REFUSAL	6	2673.1	
99	NOT STATED	962	393195.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_15: Depressed - most recent month - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=1701 / 761070.91] [Invalid=29164 / 12874434.78]
Literal question	Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	223	107357.2	14.1%
2	FEBRUARY	160	77538.3	10.2%
3	MARCH	158	65072.4	8.6%
4	APRIL	143	57741.4	7.6%
5	MAY	114	50202.7	6.6%
6	JUNE	129	63482.3	8.3%
7	JULY	110	44873.7	5.9%
8	AUGUST	123	39908.4	5.2%
9	SEPTEMBER	131	57436.6	7.5%
10	OCTOBER	123	55133.2	7.2%
11	NOVEMBER	117	77182.5	10.1%
12	DECEMBER	170	65142.3	8.6%
96	NOT APPLICABLE	28020	12400899.4	
97	DON'T KNOW	38	19437.9	
98	REFUSAL	2	806.9	
99	NOT STATED	1104	453290.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_16: Loss interest - things give pleasure - 12 month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=27784 / 12320143.49] [Invalid=3081 / 1315362.2]
Literal question	During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work or activities that usually give you pleasure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1599	732200.6	5.9%
2	NO	26185	11587942.9	94.1%
6	NOT APPLICABLE	1917	837630.4	

DPS_16: Loss interest - things give pleasure - 12 month

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	15	3413.6	
8	REFUSAL	4	603.8	
9	NOT STATED	1145	473714.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_17: Loss interest - frequency - 12 month

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1592 / 730396.22] [Invalid=29273 / 12905109.47]
Literal question	For the next few questions, please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL DAY LONG	280	102248.6	14.0%
2	MOST OF THE DAY	386	184662.2	25.3%
3	ABOUT HALF/DAY	476	198807.7	27.2%
4	LESS HALF/DAY	450	244677.8	33.5%
6	NOT APPLICABLE	28102	12425573.3	
7	DON'T KNOW	7	1804.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1164	477731.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_18: Loss interest - frequency - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=661 / 285758.72] [Invalid=30204 / 13349746.97]
Literal question	How often did you feel this way during those 2 weeks?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	211	77841.8	27.2%
2	ALMOST EVERY DAY	267	125213.2	43.8%
3	LESS OFTEN	183	82703.6	28.9%
6	NOT APPLICABLE	29028	12869058.8	
7	DON'T KNOW	2	486.9	
8	REFUSAL	3	665.1	
9	NOT STATED	1171	479536.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_19: Loss interest - felt tired all the time -2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=478 / 203055.07] [Invalid=30387 / 13432450.62]
Literal question	During those 2 weeks did you feel tired out or low on energy all the time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	411	175199.7	86.3%
2	NO	67	27855.4	13.7%
6	NOT APPLICABLE	29211	12951762.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1176	480688.1	

DPS_19: Loss interest - felt tired all the time -2 week

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_20: Loss interest - weight change - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=474 / 200132.97] [Invalid=30391 / 13435372.72]
Literal question	Did you gain weight, lose weight, or stay about the same?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	GAINED WEIGHT	81	39247.1	19.6%
2	LOST WEIGHT	102	38873.0	19.4%
3	STAYED SAME	290	121144.0	60.5%
4	WAS ON A DIET	1	868.9	0.4%
6	NOT APPLICABLE	29211	12951762.5	
7	DON'T KNOW	4	2922.1	
8	REFUSAL	0	0.0	
9	NOT STATED	1176	480688.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_21A: Loss interest - weight change (amount)

Information	[Type= discrete] [Format=numeric] [Range= 1-50] [Missing=*]
Statistics [NW/ W]	[Valid=171 / 74306.49] [Invalid=30694 / 13561199.2]
Literal question	About how much did you [gain/lose]?

Value	Label	Cases	Weighted	Percentage (Weighted)
1		4	2338.4	3.1%
2		6	1366.9	1.8%
3		13	9763.6	13.1%
4		7	2547.4	3.4%
5		38	16256.0	21.9%
6		6	1713.7	2.3%
7		5	4753.0	6.4%
8		4	3229.1	4.3%
10		34	11593.3	15.6%
12		1	158.3	0.2%
15		18	3853.5	5.2%
19		1	151.0	0.2%
20		14	7895.6	10.6%
22		1	1217.5	1.6%
25		4	1232.6	1.7%
27		1	1240.3	1.7%
30		5	2062.9	2.8%
35		1	27.7	0.0%
40		5	1519.6	2.0%
42		1	702.0	0.9%
50		2	684.1	0.9%
996	NOT APPLICABLE	29502	13073775.4	
997	DON'T KNOW	12	3813.6	
998	REFUSAL	0	0.0	

DPS_21A: Loss interest - weight change (amount)

Value	Label	Cases	Weighted	Percentage (Weighted)
999	NOT STATED	1180	483610.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_21B: Loss interest - weight change (lb/kg) - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=171 / 74306.49] [Invalid=30694 / 13561199.2]
Literal question	INTERVIEWER: Was that in pounds or kilograms?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	POUNDS	170	73288.2		98.6%
2	KILOGRAMS	1	1018.2	1.4%	
6	NOT APPLICABLE	29502	13073775.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1192	487423.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_22: Loss interest - trouble fall asleep -2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=474 / 200132.97] [Invalid=30391 / 13435372.72]
Literal question	Did you have more trouble falling asleep than you usually do?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	280	126339.3		63.1%
2	NO	194	73793.7	36.9%	
6	NOT APPLICABLE	29211	12951762.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1180	483610.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_23: Loss interest - trouble to sleep (freq) -2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=279 / 126310.64] [Invalid=30586 / 13509195.05]
Literal question	How often did that happen?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	EVERY NIGHT	93	47126.4	37.3%	
2	NEARLY EVERY	137	59121.2		46.8%
3	LESS OFTEN	49	20063.0	15.9%	
6	NOT APPLICABLE	29405	13025556.2		
7	DON'T KNOW	1	28.6		
8	REFUSAL	0	0.0		
9	NOT STATED	1180	483610.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_24: Loss interest- trouble concentrating - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=472 / 200025.44] [Invalid=30393 / 13435480.25]

DPS_24: Loss interest- trouble concentrating - 2 week

	Literal question	Did you have a lot more trouble concentrating than usual?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	342	153397.0	76.7%
2	NO	130	46628.4	23.3%
6	NOT APPLICABLE	29211	12951762.5	
7	DON'T KNOW	1	78.9	
8	REFUSAL	0	0.0	
9	NOT STATED	1181	483638.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_25: Loss interest - felt down on self - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=471 / 199859.64] [Invalid=30394 / 13435646.05]
Literal question	At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	244	109622.8	54.8%
2	NO	227	90236.9	45.2%
6	NOT APPLICABLE	29211	12951762.5	
7	DON'T KNOW	1	165.8	
8	REFUSAL	0	0.0	
9	NOT STATED	1182	483717.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_26: Loss interest - thought a lot/death - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=468 / 199545.54] [Invalid=30397 / 13435960.15]
Literal question	Did you think a lot about death - either your own, someone else's, or death in general?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	212	87126.2	43.7%
2	NO	256	112419.3	56.3%
6	NOT APPLICABLE	29211	12951762.5	
7	DON'T KNOW	1	116.9	
8	REFUSAL	2	197.2	
9	NOT STATED	1183	483883.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_27: Loss interest - nombre of weeks - 12 month

Information	[Type= continuous] [Format=numeric] [Range= 2-52] [Missing=*]
Statistics [NW/ W]	[Valid=441 / 191303.32] [Invalid=30424 / 13444202.37] [Mean=10.497 / 11.798] [StdDev=13.686 / 14.823]
Literal question	About how many weeks did you feel this way during the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	29219	12954646.5	
97	DON'T KNOW	18	5016.3	
98	REFUSAL	1	341.9	
99	NOT STATED	1186	484197.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_28: Loss interest - most recent month - 2 week

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=397 / 167841.4] [Invalid=30468 / 13467664.29]
Literal question	Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	49	15421.0	9.2%
2	FEBRUARY	55	25272.6	15.1%
3	MARCH	25	15031.0	9.0%
4	APRIL	20	5259.9	3.1%
5	MAY	30	10252.1	6.1%
6	JUNE	21	7943.0	4.7%
7	JULY	27	10581.2	6.3%
8	AUGUST	18	9393.2	5.6%
9	SEPTEMBER	31	14993.2	8.9%
10	OCTOBER	33	15128.6	9.0%
11	NOVEMBER	47	21751.0	13.0%
12	DECEMBER	41	16814.4	10.0%
96	NOT APPLICABLE	29248	12972209.9	
97	DON'T KNOW	13	4422.6	
98	REFUSAL	2	1475.8	
99	NOT STATED	1205	489555.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPSDMT: Month last felt depressed- 2 weeks in a row -(D)

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=2059 / 915716.77] [Invalid=28806 / 12719788.92]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	270	122187.8	13.3%
2	FEBRUARY	209	99325.6	10.8%
3	MARCH	180	79577.6	8.7%
4	APRIL	157	60295.2	6.6%
5	MAY	139	58661.3	6.4%
6	JUNE	147	70337.0	7.7%
7	JULY	132	54913.0	6.0%
8	AUGUST	140	48040.3	5.2%
9	SEPTEMBER	160	72283.4	7.9%
10	OCTOBER	155	70049.7	7.6%
11	NOVEMBER	164	98933.5	10.8%
12	DECEMBER	206	81112.4	8.9%
96	NOT APPLICABLE	27547	12211139.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1259	508649.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPSDPP: Depression scale - predicted prob. - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-0.9] [Missing=*]

DPSDPP: Depression scale - predicted prob. - (D)

Statistics [NW/ W]	[Valid=29679 / 13151308.02] [Invalid=1186 / 484197.67]			

Value	Label	Cases	Weighted	Percentage (Weighted)
0	0.00	27294	12114132.0	92.1%
0.05	0.05	50	18283.6	0.1%
0.25	0.25	117	43118.9	0.3%
0.5	0.50	230	95877.3	0.7%
0.8	0.80	371	164013.8	1.2%
0.9	0.90	1617	715882.4	5.4%
9.96	NOT APPLICABLE	0	0.0	
9.97	DON'T KNOW	0	0.0	
9.98	REFUSAL	0	0.0	
9.99	NOT STATED	1186	484197.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPSDSF: Depression scale - short form score - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]			
Statistics [NW/ W]	[Valid=29679 / 13151308.02] [Invalid=1186 / 484197.67]			

Value	Label	Cases	Weighted	Percentage (Weighted)
0		27294	12114132.0	92.1%
1		50	18283.6	0.1%
2		117	43118.9	0.3%
3		230	95877.3	0.7%
4		371	164013.8	1.2%
5		459	209552.2	1.6%
6		596	268202.3	2.0%
7		417	174326.3	1.3%
8		145	63801.6	0.5%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1186	484197.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPSDWK: Number of weeks felt depressed - (D)

Information	[Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]			
Statistics [NW/ W]	[Valid=2277 / 1002697.8] [Invalid=28588 / 12632807.89] [Mean=14.233 / 13.742] [StdDev=15.583 / 14.931]			

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	27335	12127336.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1253	505471.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LON_01: Lack companionship

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=29951 / 13257338.36] [Invalid=914 / 378167.33]
Literal question	How often do you feel that you lack companionship?

LON_01: Lack companionship

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	HARDLY EVER	20464	9609937.7		72.5%
2	SOME OF THE TIME	7057	2806157.2		21.2%
3	OFTEN	2430	841243.5		6.3%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	58	10975.8		
8	REFUSAL	48	19199.0		
9	NOT STATED	808	347992.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LON_02: Felt left out

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=29936 / 13247304.42] [Invalid=929 / 388201.27]
Literal question	How often do you feel left out?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	HARDLY EVER	23749	10748889.1		81.1%
2	SOME OF THE TIME	4940	2044759.8		15.4%
3	OFTEN	1247	453655.5		3.4%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	74	21467.5		
8	REFUSAL	44	17814.0		
9	NOT STATED	811	348919.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LON_03: Felt isolated from others

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=29946 / 13258123.43] [Invalid=919 / 377382.26]
Literal question	How often do you feel isolated from others?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	HARDLY EVER	24181	10956211.7		82.6%
2	SOME OF THE TIME	4405	1798604.8		13.6%
3	OFTEN	1360	503306.9		3.8%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	65	12751.7		
8	REFUSAL	43	15710.8		
9	NOT STATED	811	348919.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LONDSCR: Three Item Loneliness Scale- Scr -(D)

Information	[Type= discrete] [Format=numeric] [Range= 3-9] [Missing=*]
Statistics [NW/ W]	[Valid=29888 / 13236479.22] [Invalid=977 / 399026.47]

Value	Label	Cases	Weighted	Percentage (Weighted)	
3		18404	8687756.5		65.6%
4		4511	1818923.4		13.7%
5		2761	1122469.9		8.5%
6		2270	915874.4		6.9%

LONDSCR: Three Item Loneliness Scale- Scr -(D)

Value	Label	Cases	Weighted	Percentage (Weighted)
7		851	299567.7	2.3%
8		420	147591.7	1.1%
9		671	244295.6	1.8%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	977	399026.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_01: Has a valid driver's license

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30728 / 13582431.37] [Invalid=137 / 53074.32]
Literal question	Do you have a valid driver's license? (Include cars, vans, trucks and motorcycles.)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24209	11771856.9	86.7%
2	NO	6519	1810574.5	13.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	6	2244.5	
8	REFUSAL	7	2968.1	
9	NOT STATED	124	47861.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_02: Frequency of driving - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=24196 / 11768323.65] [Invalid=6669 / 1867182.04]
Literal question	In the past month, how often did you drive? Was it: (6 or 7 days a week, 4 or 5 days a week, 1 to 3 days a week, 1 to 3 days in the past month, Not at all in the past month)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	6/7DAYS A WK	15828	8379882.2	71.2%
2	4/5DAYS A WK	3008	1302687.2	11.1%
3	1/3DAYS A WK	3205	1256106.8	10.7%
4	1/3DAYS PAST MTH	729	331757.0	2.8%
5	NOT IN PAST MTH	1426	497890.5	4.2%
6	NOT APPLICABLE	6519	1810574.5	
7	DON'T KNOW	7	2295.9	
8	REFUSAL	3	690.7	
9	NOT STATED	140	53621.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03C: Used - public transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30708 / 13574620.72] [Invalid=157 / 60884.97]
Literal question	In the past month, which of the following (other) forms of transportation have you used? - Public transit such as a bus, rapid transit, subway or train

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5346	2889305.5	21.3%

TRA_03C: Used - public transportation

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	25362	10685315.3		78.7%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	12	4868.9		
8	REFUSAL	2	854.9		
9	NOT STATED	143	55161.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03D: Used - accessible transit

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30708 / 13574620.72] [Invalid=157 / 60884.97]
Literal question	In the past month, which of the following (other) forms of transportation have you used? - Accessible transit

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	673	159401.2	1.2%	
2	NO	30035	13415219.6		98.8%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	12	4868.9		
8	REFUSAL	2	854.9		
9	NOT STATED	143	55161.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03AA: Public transportation -not needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=25353 / 10682016.65] [Invalid=5512 / 2953489.04]
Literal question	Why did you not use public transportation? - Service not needed

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	13922	6305203.8		59.0%
2	NO	11431	4376812.8	41.0%	
6	NOT APPLICABLE	5346	2889305.5		
7	DON'T KNOW	7	2910.6		
8	REFUSAL	1	180.2		
9	NOT STATED	158	61092.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03AB: Public transportation - prefer not to use

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=25353 / 10682016.65] [Invalid=5512 / 2953489.04]
Literal question	Why did you not use public transportation? - Prefer not to use

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2982	1280937.1	12.0%	
2	NO	22371	9401079.6		88.0%
6	NOT APPLICABLE	5346	2889305.5		
7	DON'T KNOW	7	2910.6		
8	REFUSAL	1	180.2		
9	NOT STATED	158	61092.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03AC: Public transportation - unavailable in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=25353 / 10682016.65] [Invalid=5512 / 2953489.04]
Literal question	Why did you not use public transportation? - Service unavailable in your area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	7831	3031151.4	28.4%	
2	NO	17522	7650865.3		71.6%
6	NOT APPLICABLE	5346	2889305.5		

TRA_03AC: Public transportation - unavailable in area

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	7	2910.6	
8	REFUSAL	1	180.2	
9	NOT STATED	158	61092.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03AD: Public transportation - limitation/health condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=25353 / 10682016.65] [Invalid=5512 / 2953489.04]
Literal question	Why did you not use public transportation? - Limitation due to health condition

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1161	274101.9	2.6%
2	NO	24192	10407914.7	97.4%
6	NOT APPLICABLE	5346	2889305.5	
7	DON'T KNOW	7	2910.6	
8	REFUSAL	1	180.2	
9	NOT STATED	158	61092.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03AE: Public transportation - inconvenient schedule

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=25353 / 10682016.65] [Invalid=5512 / 2953489.04]
Literal question	Why did you not use public transportation? - Inconvenient service schedule or route

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1372	721827.5	6.8%
2	NO	23981	9960189.1	93.2%
6	NOT APPLICABLE	5346	2889305.5	
7	DON'T KNOW	7	2910.6	
8	REFUSAL	1	180.2	
9	NOT STATED	158	61092.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03AF: Public transportation - too costly

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=25353 / 10682016.65] [Invalid=5512 / 2953489.04]
Literal question	Why did you not use public transportation? - Too costly

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	182	84117.6	0.8%
2	NO	25171	10597899.0	99.2%
6	NOT APPLICABLE	5346	2889305.5	
7	DON'T KNOW	7	2910.6	
8	REFUSAL	1	180.2	
9	NOT STATED	158	61092.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03AG: Public transportation - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

TRA_03AG: Public transportation - other

Statistics [NW/ W]	[Valid=25353 / 10682016.65] [Invalid=5512 / 2953489.04]			
Literal question	Why did you not use public transportation? - Other			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	132	38814.1	0.4%
2	NO	25221	10643202.6	99.6%
6	NOT APPLICABLE	5346	2889305.5	
7	DON'T KNOW	7	2910.6	
8	REFUSAL	1	180.2	
9	NOT STATED	158	61092.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03BA: Accessible transportation- not needed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30017 / 13411471.2] [Invalid=848 / 224034.49]			
Literal question	Why did you not use accessible transit? - Service not needed			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23648	11509289.8	85.8%
2	NO	6369	1902181.4	14.2%
6	NOT APPLICABLE	673	159401.2	
7	DON'T KNOW	13	2921.4	
8	REFUSAL	3	582.0	
9	NOT STATED	159	61129.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03BB: Accessible transportation- prefer not to use

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30017 / 13411471.2] [Invalid=848 / 224034.49]			
Literal question	Why did you not use accessible transit? - Prefer not to use			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1820	716034.2	5.3%
2	NO	28197	12695437.0	94.7%
6	NOT APPLICABLE	673	159401.2	
7	DON'T KNOW	13	2921.4	
8	REFUSAL	3	582.0	
9	NOT STATED	159	61129.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03BC: Accessible transportation- unavailable in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30017 / 13411471.2] [Invalid=848 / 224034.49]			
Literal question	Why did you not use accessible transit? - Service unavailable in your area			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4796	1405623.1	10.5%
2	NO	25221	12005848.1	89.5%
6	NOT APPLICABLE	673	159401.2	
7	DON'T KNOW	13	2921.4	

TRA_03BC: Accessible transportation- unavailable in area

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	3	582.0	
9	NOT STATED	159	61129.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03BD: Accessible transportation- limitation/health condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30017 / 13411471.2] [Invalid=848 / 224034.49]
Literal question	Why did you not use accessible transit? - Limitation due to a health condition

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	312	62939.8	0.5%
2	NO	29705	13348531.4	99.5%
6	NOT APPLICABLE	673	159401.2	
7	DON'T KNOW	13	2921.4	
8	REFUSAL	3	582.0	
9	NOT STATED	159	61129.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03BE: Accessible transportation- inconvenient schedule

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30017 / 13411471.2] [Invalid=848 / 224034.49]
Literal question	Why did you not use accessible transit? - Inconvenient service schedule or route

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	348	119017.4	0.9%
2	NO	29669	13292453.8	99.1%
6	NOT APPLICABLE	673	159401.2	
7	DON'T KNOW	13	2921.4	
8	REFUSAL	3	582.0	
9	NOT STATED	159	61129.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03BF: Accessible transportation- too costly

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30017 / 13411471.2] [Invalid=848 / 224034.49]
Literal question	Why did you not use accessible transit? - Too costly

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	119	44903.7	0.3%
2	NO	29898	13366567.5	99.7%
6	NOT APPLICABLE	673	159401.2	
7	DON'T KNOW	13	2921.4	
8	REFUSAL	3	582.0	
9	NOT STATED	159	61129.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRA_03BG: Accessible transportation- other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30017 / 13411471.2] [Invalid=848 / 224034.49]

TRA_03BG: Accessible transportation- other

Literal question	Why did you not use accessible transit? - Other			

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
1	YES	194	56602.6	0.4%
2	NO	29823	13354868.6	99.6%
6	NOT APPLICABLE	673	159401.2	
7	DON'T KNOW	13	2921.4	
8	REFUSAL	3	582.0	
9	NOT STATED	159	61129.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TRAG04: Most common form of transportation in past month

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30274 / 13469754.95] [Invalid=591 / 165750.74]

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
1	PASS. IN MOT. V.	7577	2409353.9	17.9%
2	PUBLIC TRANSPO.	1930	885018.6	6.6%
3	WALKING,CYCLING	1194	476594.3	3.5%
4	DRIVE MOT. VE.	19573	9698788.2	72.0%
6	NOT APPLICABLE	116	27862.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	475	137888.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBFG31: Type of employment - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12021 / 7858773.02] [Invalid=18844 / 5776732.67]

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
1	EMPLOYEE	9277	6051450.7	77.0%
2	SELF-EMPLOYED	2744	1807322.4	23.0%
6	NOT APPLICABLE	18672	5688936.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	172	87796.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBF_31B: Has employees

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2744 / 1807322.36] [Invalid=28121 / 11828183.33]
Literal question	[Do/Did] you have any employees?

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
1	YES	909	675431.8	37.4%
2	NO	1835	1131890.6	62.6%
6	NOT APPLICABLE	28021	11773892.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

LBF_31B: Has employees

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	100	54291.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBF_37A: Job permanency status

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12076 / 7874226.19] [Invalid=18789 / 5761279.5]
Literal question	[Is/Was] your job permanent, or is there some way that it [is/was] not permanent? (For example: seasonal, temporary, term, casual.)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	PERMANENT	10093	6996212.2	88.8%
2	NOT PERMANENT	1983	878014.0	11.2%
6	NOT APPLICABLE	18672	5688936.4	
7	DON'T KNOW	5	1856.7	
8	REFUSAL	11	11498.6	
9	NOT STATED	101	58987.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBFG38: Job not permanent - reason - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1982 / 877067.25] [Invalid=28883 / 12758438.44]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SEASONAL	612	229621.4	26.2%
2	TEMP/TERM/CONTRA	705	347397.6	39.6%
3	CASUAL JOB	579	235627.9	26.9%
4	OTHER	86	64420.3	7.3%
6	NOT APPLICABLE	28765	12685148.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	118	73289.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBFG44: Usual work schedule - main job - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12077 / 7877128.36] [Invalid=18788 / 5758377.33]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	REG-DAYTIME	8922	5992380.0	76.1%
2	OTHER	3155	1884748.3	23.9%
6	NOT APPLICABLE	18672	5688936.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	116	69440.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBFG45: Usual work schedule - reason - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=3154 / 1884501.05] [Invalid=27711 / 11751004.64]

LBFG45: Usual work schedule - reason - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	JOB REQUIREMENT	2478	1489550.5		79.0%
2	LIKES SCHEDULE	529	312995.1	16.6%	
3	OTHER	147	81955.4	4.3%	
6	NOT APPLICABLE	27594	11681316.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	117	69688.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBF_46: Work on weekends - main job/business

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12075 / 7875203.42] [Invalid=18790 / 5760302.27]
Literal question	[Do/Did] you usually work on weekends at this [job/business]?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4865	2974353.0	37.8%	
2	NO	7210	4900850.4		62.2%
6	NOT APPLICABLE	18672	5688936.4		
7	DON'T KNOW	7	3616.8		
8	REFUSAL	10	8761.3		
9	NOT STATED	101	58987.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBF_46B: Work after official retirement age

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11062 / 7175234.31] [Invalid=19803 / 6460271.38]
Literal question	In your [current/last] [job/business], [are/were] there opportunities to work, either full time or part time after age 65?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	9443	6028805.6		84.0%
2	NO	1619	1146428.7	16.0%	
6	NOT APPLICABLE	18672	5688936.4		
7	DON'T KNOW	1006	694190.2		
8	REFUSAL	23	18086.2		
9	NOT STATED	102	59058.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBF_52: More than one job/business - reason

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=1023 / 661417.71] [Invalid=29842 / 12974087.98]
Literal question	What is the main reason that you [work/worked] at more than one job?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	REG HHLD EXPENSE	286	182680.2		27.6%
2	PAY DEBTS	65	47127.5	7.1%	
3	BUY SOMETHING	29	14515.9	2.2%	
4	SAVE FOR FUTURE	62	41380.7	6.3%	
5	GAIN EXPERIENCE	12	14959.2	2.3%	

LBF_52: More than one job/business - reason

Value	Label	Cases	Weighted	Percentage (Weighted)
6	BUILD BUSINESS	98	77678.6	11.7%
7	ENJOY WORK/2 JOB	355	207491.5	31.4%
8	OTHER	116	75584.0	11.4%
96	NOT APPLICABLE	29740	12914139.6	
97	DON'T KNOW	3	1058.0	
98	REFUSAL	2	5946.5	
99	NOT STATED	97	52943.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBF_54: Work on weekends - other job/business

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1024 / 662105.13] [Invalid=29841 / 12973400.56]
Literal question	[Do/did] you usually work on weekends at your other job(s)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	599	391810.8	59.2%
2	NO	425	270294.4	40.8%
6	NOT APPLICABLE	29740	12914139.6	
7	DON'T KNOW	1	203.5	
8	REFUSAL	3	6113.6	
9	NOT STATED	97	52943.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBFG73: Didn't look for work - main reason -(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=2369 / 1422528.8] [Invalid=28496 / 12212976.89]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ILLNESS/DISABLE	321	200088.4	14.1%
2	FAMILY RESP.	186	102952.4	7.2%
3	VACATION	777	548052.0	38.5%
4	LABOUR MARKET	439	263004.7	18.5%
5	RETIRED	374	162820.5	11.4%
6	OTHER	272	145610.9	10.2%
96	NOT APPLICABLE	28318	12108535.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	178	104441.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBFGWSL: Working status last week - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=21329 / 11580549.22] [Invalid=9536 / 2054956.47]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	WORKED AT JOB	9808	6719670.0	58.0%
2	HAS JOB ABS L.W.	859	537469.1	4.6%
3	NO JOB LAST WK	8896	3575922.8	30.9%
4	PERM. UNABLE	869	365739.8	3.2%

LBFGWSL: Working status last week - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
5	NEVER ENTER WF	897	381747.6	3.3%
6	NOT APPLICABLE	9394	1960050.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	142	94906.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBFGRNW: Main reason - not working last week - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=11519 / 4859717.33] [Invalid=19346 / 8775788.36]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEVER ENT. L.F.	897	381747.6	7.9%
2	PERM. UNABLE	868	365285.7	7.5%
3	ILLNESS/DISABLE	1106	503536.5	10.4%
4	RETIRED	6689	2494116.2	51.3%
5	OTHER	1959	1115031.3	22.9%
6	NOT APPLICABLE	19202	8679720.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	144	96067.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBFDMJS: Multiple job status - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=21351 / 11602893.96] [Invalid=9514 / 2032611.73]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MULT ALL YR	536	356646.1	3.1%
2	MULT NOT ALL YR	381	248479.2	2.1%
3	ONE JOB	9733	6638566.3	57.2%
4	NO JOB - MULT LY	88	43679.6	0.4%
5	NO JOB - NO MULT	9716	3933775.2	33.9%
6	NO JOB - NO MULT	897	381747.6	3.3%
96	NOT APPLICABLE	9394	1960050.5	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	120	72561.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBFGHPW: Total usual hours worked per week

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=11948 / 7801101.98] [Invalid=18917 / 5834403.71] [Mean=38.75 / 39.777] [StdDev=16.118 / 14.834]

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	18672	5688936.4	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	245	145467.3	

LBFGHPW: Total usual hours worked per week

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBFDPFT: Full/part-time - current jobs - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11948 / 7801101.98] [Invalid=18917 / 5834403.71]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	FULL-TIME	9535	6538452.3		83.8%
2	PART-TIME	2413	1262649.6		16.2%
6	NOT APPLICABLE	18672	5688936.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	245	145467.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBFGJST: Job status over past year - (G)

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=21274 / 11564681.77] [Invalid=9591 / 2070823.92]

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	NO JOB NEV WORK	897	381747.6		3.3%
1	HAS JOB	8119	5713791.4		49.4%
2	NO JOB LOOK WORK	203	106771.8		0.9%
3	NO JOB NOT LOOK	8173	3237197.6		28.0%
4	HAD JOB LOOK WOR	942	523395.4		4.5%
5	HAS JOB NOT LOOK	2940	1601778.0		13.9%
6	NOT APPLICABLE	9394	1960050.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	197	110773.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBFFHNW: Never worked in labour force -(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21373 / 11617056.25] [Invalid=9492 / 2018449.44]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	HAS NEV WORK LBF	897	381747.6		3.3%
2	HAS WORK IN LBF	20476	11235308.7		96.7%
6	NOT APPLICABLE	9394	1960050.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	98	58398.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBFGOCG: Occupational group - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=10590 / 7198850.19] [Invalid=20275 / 6436655.5]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	MANAGEMENT OCCU.	3542	2508554.4		34.8%

LBFGOCG: Occupational group - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
2	BUSINESS, FIN.	2291	1582839.1	22.0%
3	SALES AND SERVI.	2361	1472686.8	20.5%
4	TRADES/TRANS/EQ	1496	998388.0	13.9%
5	OCC. PRIM. IND.	900	636381.9	8.8%
6	NOT APPLICABLE	20056	6283460.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	219	153194.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_02: Has retired from a job

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12930 / 8389679.07] [Invalid=17935 / 5245826.62]
Literal question	Have you ever retired from a job?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1773	752979.5	9.0%
2	NO	11157	7636699.6	91.0%
6	NOT APPLICABLE	17744	5160068.4	
7	DON'T KNOW	2	637.4	
8	REFUSAL	1	847.1	
9	NOT STATED	188	84273.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_03: Retired more than one time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14538 / 5036312.86] [Invalid=16327 / 8599192.83]
Literal question	After retirement, some people return to work and later retire again. Have you retired more than one time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1441	517802.0	10.3%
2	NO	13097	4518510.9	89.7%
6	NOT APPLICABLE	16128	8510133.7	
7	DON'T KNOW	5	2084.5	
8	REFUSAL	2	354.6	
9	NOT STATED	192	86619.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_05AA: Reason retired - completed required years

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14441 / 5010447.16] [Invalid=16424 / 8625058.53]
Literal question	Which of the following reasons contributed to your decision to retire (the first time)? - You had completed the required years of service to qualify for a pension

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3994	1390734.4	27.8%
2	NO	10447	3619712.7	72.2%
6	NOT APPLICABLE	16128	8510133.7	
7	DON'T KNOW	67	17497.1	

RET_05AA: Reason retired - completed required years

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	28	8297.0	
9	NOT STATED	201	89130.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_05AB: Reason retired - financially possible

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14441 / 5010447.16] [Invalid=16424 / 8625058.53]
Literal question	Which of the following reasons contributed to your decision to retire (the first time)? - Retirement was financially possible

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4464	1650131.7	32.9%
2	NO	9977	3360315.4	67.1%
6	NOT APPLICABLE	16128	8510133.7	
7	DON'T KNOW	67	17497.1	
8	REFUSAL	28	8297.0	
9	NOT STATED	201	89130.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_05AC: Reason retired - health/disability

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14441 / 5010447.16] [Invalid=16424 / 8625058.53]
Literal question	Which of the following reasons contributed to your decision to retire (the first time)? - Health/disability/stress reasons

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3490	1202263.2	24.0%
2	NO	10951	3808184.0	76.0%
6	NOT APPLICABLE	16128	8510133.7	
7	DON'T KNOW	67	17497.1	
8	REFUSAL	28	8297.0	
9	NOT STATED	201	89130.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_05AD: Reason retired - employer incentives

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14441 / 5010447.16] [Invalid=16424 / 8625058.53]
Literal question	Which of the following reasons contributed to your decision to retire (the first time)? - Employer offered special incentives to retire

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1215	468340.0	9.3%
2	NO	13226	4542107.2	90.7%
6	NOT APPLICABLE	16128	8510133.7	
7	DON'T KNOW	67	17497.1	
8	REFUSAL	28	8297.0	
9	NOT STATED	201	89130.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_05AE: Reason retired - organization restructur/job eliminated

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

RET_05AE: Reason retired - organization restructur/job eliminated

Statistics [NW/ W]	[Valid=14441 / 5010447.16] [Invalid=16424 / 8625058.53]			

Literal question	Which of the following reasons contributed to your decision to retire (the first time)? - Organizational restructuring or job eliminated			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1290	496924.3	9.9%
2	NO	13151	4513522.8	90.1%
6	NOT APPLICABLE	16128	8510133.7	
7	DON'T KNOW	67	17497.1	
8	REFUSAL	28	8297.0	
9	NOT STATED	201	89130.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_05AF: Reason retired - caregiving family/friend

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			

Statistics [NW/ W]	[Valid=14441 / 5010447.16] [Invalid=16424 / 8625058.53]			

Literal question	Which of the following reasons contributed to your decision to retire (the first time)? - Providing care to family member or friend			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1137	360551.2	7.2%
2	NO	13304	4649896.0	92.8%
6	NOT APPLICABLE	16128	8510133.7	
7	DON'T KNOW	67	17497.1	
8	REFUSAL	28	8297.0	
9	NOT STATED	201	89130.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_05AG: Reason retired - mandatory retirement

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			

Statistics [NW/ W]	[Valid=14441 / 5010447.16] [Invalid=16424 / 8625058.53]			

Literal question	Which of the following reasons contributed to your decision to retire (the first time)? - Employer had a mandatory retirement policy			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	538	187208.7	3.7%
2	NO	13903	4823238.4	96.3%
6	NOT APPLICABLE	16128	8510133.7	
7	DON'T KNOW	67	17497.1	
8	REFUSAL	28	8297.0	
9	NOT STATED	201	89130.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_05AH: Reason retired - pursue other activity

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			

Statistics [NW/ W]	[Valid=14441 / 5010447.16] [Invalid=16424 / 8625058.53]			

Literal question	Which of the following reasons contributed to your decision to retire (the first time)? - Wished to pursie hobbies or other activities of personal interest			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1807	710485.0	14.2%

RET_05AH: Reason retired - pursue other activity

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	12634	4299962.2		85.8%
6	NOT APPLICABLE	16128	8510133.7		
7	DON'T KNOW	67	17497.1		
8	REFUSAL	28	8297.0		
9	NOT STATED	201	89130.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_05AI: Reason retired - wanted to stop work

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14441 / 5010447.16] [Invalid=16424 / 8625058.53]
Literal question	Which of the following reasons contributed to your decision to retire (the first time)? - Wanted to stop work

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4421	1544011.5	30.8%	
2	NO	10020	3466435.7		69.2%
6	NOT APPLICABLE	16128	8510133.7		
7	DON'T KNOW	67	17497.1		
8	REFUSAL	28	8297.0		
9	NOT STATED	201	89130.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_05AJ: Reason retired - spouse/partner

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14441 / 5010447.16] [Invalid=16424 / 8625058.53]
Literal question	Which of the following reasons contributed to your decision to retire (the first time)? - An arangement with your spouse or partner

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2024	756797.2	15.1%	
2	NO	12417	4253649.9		84.9%
6	NOT APPLICABLE	16128	8510133.7		
7	DON'T KNOW	67	17497.1		
8	REFUSAL	28	8297.0		
9	NOT STATED	201	89130.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_05AK: Reason retired - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14441 / 5010447.16] [Invalid=16424 / 8625058.53]
Literal question	Which of the following reasons contributed to your decision to retire (the first time)? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1044	381823.8	7.6%	
2	NO	13397	4628623.4		92.4%
6	NOT APPLICABLE	16128	8510133.7		
7	DON'T KNOW	67	17497.1		
8	REFUSAL	28	8297.0		
9	NOT STATED	201	89130.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_08: Voluntary retirement

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10433 / 3627649.18] [Invalid=20432 / 10007856.51]
Literal question	Would you say your (first) retirement was voluntary, that is, you retired when you wanted to?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8987	3085166.5	85.0%
2	NO	1446	542482.7	15.0%
6	NOT APPLICABLE	20122	9884350.7	
7	DON'T KNOW	88	29187.1	
8	REFUSAL	20	5383.0	
9	NOT STATED	202	88935.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_09: Ability to work - score

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=14994 / 5301159.05] [Invalid=15871 / 8334346.64]
Literal question	Assume that your ability to work for pay at your lifetime best has a value of 10 points. How many points would you give your current ability to work for pay?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	UNABLE TO WORK	3096	909888.9	17.2%
1	1	492	147823.0	2.8%
2	2	584	190084.2	3.6%
3	3	685	236482.4	4.5%
4	4	623	214557.1	4.0%
5	5	1745	586649.0	11.1%
6	6	785	279190.4	5.3%
7	7	1134	411689.4	7.8%
8	5	1322	500970.4	9.5%
9	6	473	188663.6	3.6%
10	FUL. ABLE TO WK	4055	1635160.5	30.8%
96	NOT APPLICABLE	14956	7901979.2	
97	DON'T KNOW	228	67715.0	
98	REFUSAL	35	11379.3	
99	NOT STATED	652	353273.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_10: Went back to work after retirement

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12646 / 4292681.92] [Invalid=18219 / 9342823.77]
Literal question	After your retirement, did you ever go back to work at any job or employment?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1732	610049.3	14.2%	
2	NO	10914	3682632.6		85.8%
6	NOT APPLICABLE	17982	9242710.4		
7	DON'T KNOW	28	9552.4		
8	REFUSAL	7	1530.7		
9	NOT STATED	202	89030.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_11: Looked for paid work after retirement

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10909 / 3680737.15] [Invalid=19956 / 9954768.54]
Literal question	Did you look for paid work at any time after your (first) retirement?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	342	127399.2	3.5%	
2	NO	10567	3553338.0		96.5%
6	NOT APPLICABLE	19714	9852759.7		
7	DON'T KNOW	4	1470.8		
8	REFUSAL	1	424.6		
9	NOT STATED	237	100113.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_12A: Reasons - financial considerations

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3571 / 1337660.01] [Invalid=27294 / 12297845.68]
Literal question	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Financial considerations

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1303	502053.5	37.5%	
2	NO	2268	835606.5		62.5%
6	NOT APPLICABLE	27042	12192766.4		
7	DON'T KNOW	10	2944.7		
8	REFUSAL	4	1709.2		
9	NOT STATED	238	100425.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_12B: Reasons - caregaver duties no longer required

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3571 / 1337660.01] [Invalid=27294 / 12297845.68]
Literal question	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Caregiving duties were no longer required

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	95	31081.2	2.3%	

RET_12B: Reasons - caregaver duties no longer required

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	3476	1306578.8		97.7%
6	NOT APPLICABLE	27042	12192766.4		
7	DON'T KNOW	10	2944.7		
8	REFUSAL	4	1709.2		
9	NOT STATED	238	100425.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_12C: Reasons - improvement in health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3571 / 1337660.01] [Invalid=27294 / 12297845.68]
Literal question	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Improvement in your health

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	159	69902.3	5.2%	
2	NO	3412	1267757.7		94.8%
6	NOT APPLICABLE	27042	12192766.4		
7	DON'T KNOW	10	2944.7		
8	REFUSAL	4	1709.2		
9	NOT STATED	238	100425.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_12D: Reasons - liked working/being active

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3571 / 1337660.01] [Invalid=27294 / 12297845.68]
Literal question	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Liked working/being active

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1969	725274.4		54.2%
2	NO	1602	612385.6		45.8%
6	NOT APPLICABLE	27042	12192766.4		
7	DON'T KNOW	10	2944.7		
8	REFUSAL	4	1709.2		
9	NOT STATED	238	100425.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_12E: Reasons - interesting work opportunity

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3571 / 1337660.01] [Invalid=27294 / 12297845.68]
Literal question	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Interesting work opportunity

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1216	479633.4	35.9%	
2	NO	2355	858026.6		64.1%
6	NOT APPLICABLE	27042	12192766.4		
7	DON'T KNOW	10	2944.7		
8	REFUSAL	4	1709.2		

RET_12E: Reasons - interesting work opportunity

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	238	100425.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_12F: Reasons - preferred gradual retirement

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3571 / 1337660.01] [Invalid=27294 / 12297845.68]
Literal question	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Preferred gradual retirement

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	358	140226.6	10.5%
2	NO	3213	1197433.4	89.5%
6	NOT APPLICABLE	27042	12192766.4	
7	DON'T KNOW	10	2944.7	
8	REFUSAL	4	1709.2	
9	NOT STATED	238	100425.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_12G: Reasons - wanted to make contribution

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3571 / 1337660.01] [Invalid=27294 / 12297845.68]
Literal question	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Wanted to make a contribution

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	575	219876.4	16.4%
2	NO	2996	1117783.6	83.6%
6	NOT APPLICABLE	27042	12192766.4	
7	DON'T KNOW	10	2944.7	
8	REFUSAL	4	1709.2	
9	NOT STATED	238	100425.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_12H: Reasons - wanted challenge

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3571 / 1337660.01] [Invalid=27294 / 12297845.68]
Literal question	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Wanted a challenge

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	779	304439.0	22.8%
2	NO	2792	1033221.0	77.2%
6	NOT APPLICABLE	27042	12192766.4	
7	DON'T KNOW	10	2944.7	
8	REFUSAL	4	1709.2	
9	NOT STATED	238	100425.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_12I: Reasons - did not like retirement

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

RET_12I: Reasons - did not like retirement

Statistics [NW/ W]	[Valid=3571 / 1337660.01] [Invalid=27294 / 12297845.68]
Literal question	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Did not like retirement or not ready to retire

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	707	275102.5	20.6%
2	NO	2864	1062557.5	79.4%
6	NOT APPLICABLE	27042	12192766.4	
7	DON'T KNOW	10	2944.7	
8	REFUSAL	4	1709.2	
9	NOT STATED	238	100425.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RET_12J: Reasons - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3571 / 1337660.01] [Invalid=27294 / 12297845.68]
Literal question	Which of the following reasons contributed to your decision to go back to work at any job or employment after you retired - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	214	69454.8	5.2%
2	NO	3357	1268205.2	94.8%
6	NOT APPLICABLE	27042	12192766.4	
7	DON'T KNOW	10	2944.7	
8	REFUSAL	4	1709.2	
9	NOT STATED	238	100425.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RETFSRS: Subjective retirement status - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=26597 / 13057542.8] [Invalid=4268 / 577962.89]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	COMPL. RETIRED	13475	4558813.3	34.9%
2	PART. RETIRED	2310	983892.8	7.5%
3	NOT RETIRED	10812	7514836.7	57.6%
6	NOT APPLICABLE	4074	491686.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	194	86276.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RETGARE: Age at First Retirement - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=13953 / 4850568.78] [Invalid=16912 / 8784936.91]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 45 YEARS	1068	440287.5	9.1%
2	45 TO 49 YEARS	763	323582.0	6.7%
3	50 TO 54 YEARS	1883	713537.3	14.7%
4	55 TO 59 YEARS	3705	1305479.6	26.9%

RETGARE: Age at First Retirement - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
5	60 TO 64 YEARS	3649	1187924.3	24.5%
6	65 TO 69 YEARS	2464	759885.2	15.7%
7	70 TO 84 YEARS	421	119872.9	2.5%
96	NOT APPLICABLE	16131	8511618.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	781	273318.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RETGAPR: Age at Partial Retirement - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=945 / 426343.22] [Invalid=29920 / 13209162.47]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 45 YEARS	80	52726.8	12.4%
2	45 TO 49 YEARS	91	59790.3	14.0%
3	50 TO 54 YEARS	153	71829.0	16.8%
4	55 TO 59 YEARS	194	79751.7	18.7%
5	60 TO 64 YEARS	219	85329.4	20.0%
6	65 TO 69 YEARS	147	52669.0	12.4%
7	70 TO 84 YEARS	61	24247.0	5.7%
96	NOT APPLICABLE	29628	13066035.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	292	143126.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RETDRS: Retirement status - objective - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=27897 / 12082673.04] [Invalid=2968 / 1552832.65]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	COMP RETIRED	15745	4262844.0	35.3%
2	NOT COMP RETIRED	12152	7819829.0	64.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2968	1552832.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RETDWAR: Work after retirement - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14491 / 5022167.54] [Invalid=16374 / 8613338.15]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	WENT BACK TO WRK	3927	1469759.3	29.3%
2	NOT BACK TO WORK	10564	3552408.3	70.7%
6	NOT APPLICABLE	16131	8511618.2	
7	DON'T KNOW	0	0.0	

RETDWAR: Work after retirement - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	243	101719.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPLG01A: Age plan to retire - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-95] [Missing=*]
Statistics [NW/ W]	[Valid=9112 / 6310590.43] [Invalid=21753 / 7324915.26]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 45 YEARS	0	0.0	
2	45 TO 49 YEARS	16	8516.3	0.1%
3	50 TO 54 YEARS	87	98935.2	1.6%
4	55 TO 59 YEARS	1038	1003639.4	15.9%
5	60 TO 64 YEARS	2216	1684511.3	26.7%
6	65 TO 69 YEARS	3552	2215862.3	35.1%
7	70 TO 84 YEARS	1087	565438.1	9.0%
95	NO RETIREMENT	1116	733687.7	11.6%
96	NOT APPLICABLE	19517	5913047.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2236	1411867.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_01B: Reason for no plans to retire

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3067 / 1988738] [Invalid=27798 / 11646767.69]
Literal question	Is that because: (you have not thought about or planned for retirement, you plan to continue working for as long as you are able to, you can't afford to retire)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT PLAN FOR RET	699	505349.1	25.4%
2	PLAN TO CONT. W.	1660	1053415.4	53.0%
3	CAN'T AFFORD RET	532	324704.6	16.3%
4	OTHER	176	105268.9	5.3%
6	NOT APPLICABLE	27513	11489950.6	
7	DON'T KNOW	30	16183.6	
8	REFUSAL	4	7946.3	
9	NOT STATED	251	132687.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_02A: Prep. - decrease number of work hours

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12819 / 8310560.04] [Invalid=18046 / 5324945.65]
Literal question	Have you done any of the following in preparation for your retirement - Decreased your number of work hours

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1885	941955.7	11.3%
2	NO	10934	7368604.4	88.7%
6	NOT APPLICABLE	17744	5160068.4	

RPL_02A: Prep. - decrease number of work hours

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	32	14997.7	
8	REFUSAL	15	15249.3	
9	NOT STATED	255	134630.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_02B: Prep. - increase your number of work hours

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12819 / 8310560.04] [Invalid=18046 / 5324945.65]
Literal question	Have you done any of the following in preparation for your retirement - Increased your number of work hours

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	592	391718.1	4.7%
2	NO	12227	7918841.9	95.3%
6	NOT APPLICABLE	17744	5160068.4	
7	DON'T KNOW	32	14997.7	
8	REFUSAL	15	15249.3	
9	NOT STATED	255	134630.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_02C: Prep. - change jobs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12819 / 8310560.04] [Invalid=18046 / 5324945.65]
Literal question	Have you done any of the following in preparation for your retirement - Changed jobs

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1090	653095.8	7.9%
2	NO	11729	7657464.3	92.1%
6	NOT APPLICABLE	17744	5160068.4	
7	DON'T KNOW	32	14997.7	
8	REFUSAL	15	15249.3	
9	NOT STATED	255	134630.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_02D: Prep. - develop physical activities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12819 / 8310560.04] [Invalid=18046 / 5324945.65]
Literal question	Have you done any of the following in preparation for your retirement - Increased physical activities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1290	831300.6	10.0%
2	NO	11529	7479259.4	90.0%
6	NOT APPLICABLE	17744	5160068.4	
7	DON'T KNOW	32	14997.7	
8	REFUSAL	15	15249.3	
9	NOT STATED	255	134630.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_02E: Prep. - leisure activities & hobbies

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

RPL_02E: Prep. - leisure activities & hobbies

Statistics [NW/ W]	[Valid=12819 / 8310560.04] [Invalid=18046 / 5324945.65]			
Literal question	Have you done any of the following in preparation for your retirement - Increased other leisure activities and hobbies			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1307	785803.8	9.5%
2	NO	11512	7524756.2	90.5%
6	NOT APPLICABLE	17744	5160068.4	
7	DON'T KNOW	32	14997.7	
8	REFUSAL	15	15249.3	
9	NOT STATED	255	134630.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_02F: Prep. - educational or training program

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=12819 / 8310560.04] [Invalid=18046 / 5324945.65]			
Literal question	Have you done any of the following in preparation for your retirement - Enrolled in an educational or training program			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	642	402942.6	4.8%
2	NO	12177	7907617.4	95.2%
6	NOT APPLICABLE	17744	5160068.4	
7	DON'T KNOW	32	14997.7	
8	REFUSAL	15	15249.3	
9	NOT STATED	255	134630.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_02G: Prep. - gather retirement information

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=12819 / 8310560.04] [Invalid=18046 / 5324945.65]			
Literal question	Have you done any of the following in preparation for your retirement - Gathered retirement information			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3251	1935396.4	23.3%
2	NO	9568	6375163.6	76.7%
6	NOT APPLICABLE	17744	5160068.4	
7	DON'T KNOW	32	14997.7	
8	REFUSAL	15	15249.3	
9	NOT STATED	255	134630.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_02H: Prep. - contribute to an RRSP

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=12819 / 8310560.04] [Invalid=18046 / 5324945.65]			
Literal question	Have you done any of the following in preparation for your retirement - Contributed to an RRSP			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6998	4794617.5	57.7%
2	NO	5821	3515942.6	42.3%
6	NOT APPLICABLE	17744	5160068.4	
7	DON'T KNOW	32	14997.7	

RPL_02H: Prep. - contribute to an RRSP

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	15	15249.3	
9	NOT STATED	255	134630.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_02I: Prep. - savings or other investments

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12819 / 8310560.04] [Invalid=18046 / 5324945.65]
Literal question	Have you done any of the following in preparation for your retirement - Built up savings or made other investments

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5382	3569531.8	43.0%
2	NO	7437	4741028.3	57.0%
6	NOT APPLICABLE	17744	5160068.4	
7	DON'T KNOW	32	14997.7	
8	REFUSAL	15	15249.3	
9	NOT STATED	255	134630.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_02J: Prep. - pay-off mortgage or debts

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12819 / 8310560.04] [Invalid=18046 / 5324945.65]
Literal question	Have you done any of the following in preparation for your retirement - Paid-off mortgage or debts

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4427	2896860.0	34.9%
2	NO	8392	5413700.1	65.1%
6	NOT APPLICABLE	17744	5160068.4	
7	DON'T KNOW	32	14997.7	
8	REFUSAL	15	15249.3	
9	NOT STATED	255	134630.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_02K: Prep. - downsize living arrangements

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12819 / 8310560.04] [Invalid=18046 / 5324945.65]
Literal question	Have you done any of the following in preparation for your retirement - Downsized living arrangements

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1187	618790.2	7.4%
2	NO	11632	7691769.8	92.6%
6	NOT APPLICABLE	17744	5160068.4	
7	DON'T KNOW	32	14997.7	
8	REFUSAL	15	15249.3	
9	NOT STATED	255	134630.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_02L: Prep. - none

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12819 / 8310560.04] [Invalid=18046 / 5324945.65]

RPL_02L: Prep. - none

Literal question	Have you done any of the following in preparation for your retirement - None

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3124	1952949.3	23.5%	
2	NO	9695	6357610.8		76.5%
6	NOT APPLICABLE	17744	5160068.4		
7	DON'T KNOW	32	14997.7		
8	REFUSAL	15	15249.3		
9	NOT STATED	255	134630.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_02M: Prep. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12819 / 8310560.04] [Invalid=18046 / 5324945.65]
Literal question	Have you done any of the following in preparation for your retirement - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	84	62314.1	0.7%	
2	NO	12735	8248245.9		99.3%
6	NOT APPLICABLE	17744	5160068.4		
7	DON'T KNOW	32	14997.7		
8	REFUSAL	15	15249.3		
9	NOT STATED	255	134630.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_03: Ability to work for pay

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=9917 / 6961497.74] [Invalid=20948 / 6674007.95]
Literal question	Assume that your ability to work for pay at your lifetime best has a value of 10 points. How many points would you give your current ability to work for pay?

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	UNABLE TO WORK	302	152774.2	2.2%	
1	1	44	22124.2	0.3%	
2	2	44	20238.6	0.3%	
3	3	56	21887.0	0.3%	
4	4	69	39550.9	0.6%	
5	5	228	121030.6	1.7%	
6	6	168	105978.8	1.5%	
7	7	347	244323.3	3.5%	
8	8	713	476275.7	6.8%	
9	9	478	326614.8	4.7%	
10	FUL. ABLE TO WK	7468	5430699.7		78.0%
96	NOT APPLICABLE	20214	6240974.2		
97	DON'T KNOW	30	28493.6		
98	REFUSAL	6	9868.7		
99	NOT STATED	698	394671.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_04: Belonged to an employer pension plan

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12808 / 8282394.31] [Invalid=18057 / 5353111.38]
Literal question	Have you ever contributed to an employer pension plan, other than the Canada Pension Plan or Quebec Pension Plan?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7660	5043944.3	60.9%
2	NO	5148	3238450.0	39.1%
6	NOT APPLICABLE	17744	5160068.4	
7	DON'T KNOW	44	40052.2	
8	REFUSAL	13	17999.9	
9	NOT STATED	256	134990.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPL_08: Prepared financially for your retirement

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=10617 / 7208386.61] [Invalid=20248 / 6427119.08]
Literal question	When you retire, how adequate do you think your household income and investments will be to maintain your standard of living? Will they be:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MORE THAN ADEQUA	846	638807.4	8.9%
2	ADEQUATE	5620	3961002.0	54.9%
3	BARELY ADEQUATE	2471	1575017.3	21.8%
4	INADEQUATE	1074	668698.4	9.3%
5	VERY INADEQUATE	606	364861.4	5.1%
6	NOT APPLICABLE	19517	5913047.9	
7	DON'T KNOW	435	342818.6	
8	REFUSAL	37	34109.5	
9	NOT STATED	259	137143.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RPLFPRE: Flag for preparation for retirement -(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11057 / 7562529.54] [Invalid=19808 / 6072976.15]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOME PREP FOR RE	8221	5729636.7	75.8%
2	NO PREP FOR RET	2836	1832892.8	24.2%
6	NOT APPLICABLE	19517	5913047.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	291	159928.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OWNGHEQ: Approximate Home Equity - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17894 / 8721752.37] [Invalid=12971 / 4913753.32]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< $200,000	8277	3462544.0	39.7%

OWNGHEQ: Approximate Home Equity - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	$200,000 +	9617	5259208.4		60.3%
6	NOT APPLICABLE	7144	2502982.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	5827	2410770.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OWNFTEN: Flag for tenure of dwelling - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30640 / 13533095.84] [Invalid=225 / 102409.85]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NOT OWNED BY RES	7144	2502982.6	18.5%	
2	OWNED BY RESP	23496	11030113.3		81.5%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	225	102409.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IN2G02: Main source household income - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=29178 / 12962412.43] [Invalid=1687 / 673093.26]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	WAGES & SALARIES	12183	7988337.6		61.6%
2	CPP OR QPP	3350	982534.1	7.6%	
3	JOB REL/RETIREM	6773	2213579.9	17.1%	
4	OLD AGE SECURITY	4519	911180.4	7.0%	
5	OTHER	2353	866780.4	6.7%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1687	673093.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IN2G05: Main source of personal income - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=27560 / 12053627.28] [Invalid=3305 / 1581878.41]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	WAGES & SALARIES	9761	6567756.0		54.5%
2	CPP OR QPP	3750	1177183.8	9.8%	
3	JOB REL/RETIREM	5789	1823246.1	15.1%	
4	OLD AGE SECURITY	5243	1143793.6	9.5%	
5	OTHER	3017	1341647.7	11.1%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		

IN2G05: Main source of personal income - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	3305	1581878.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IN2_12: Current household income - difficult meeting basic expenses

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30557 / 13495711.01] [Invalid=308 / 139794.68]
Literal question	With your current household income, do you have any difficulty meeting basic expenses such as food, shelter and clothing?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4190	1719448.7	12.7%
2	NO	26367	11776262.3	87.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	32	10958.6	
8	REFUSAL	74	32887.9	
9	NOT STATED	202	95948.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IN2G13: Approx. savings/investments

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23987 / 10596051.04] [Invalid=6878 / 3039454.65]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS $25,000	11343	4382355.7	41.4%
2	$25,000 OR MORE	12644	6213695.3	58.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	6878	3039454.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IN2GHH: Total household income - all sources - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=25501 / 11283118.02] [Invalid=5364 / 2352387.67]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< $20,000	4631	1111196.7	9.8%
2	$20,000-$39,999	7157	2308985.7	20.5%
3	$40,000-$59,999	4835	2078531.9	18.4%
4	$60,000-$79,999	3245	1827909.6	16.2%
5	$80,000 OR MORE	5633	3956494.1	35.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	5364	2352387.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IN2GPER: Personal Income - All Sources - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=23987 / 11034993.75] [Invalid=6878 / 2600511.94]

IN2GPER: Personal Income - All Sources - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< $10,000	2551	1218771.8		11.0%
2	$10,000-$19,999	6188	1984947.0		18.0%
3	$20,000-$29,999	4244	1643474.5		14.9%
4	$30,000-$39,999	3275	1494111.2		13.5%
5	$40,000-$49,999	2210	1129152.9		10.2%
6	$50,000 OR MORE	5519	3564536.3		32.3%
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	6878	2600511.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IN2DRCA: Household income distribution - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=25501 / 11283118.02] [Invalid=5364 / 2352387.67]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DECILE 1	4022	1140817.2		10.1%
2	DECILE 2	3739	1120195.3		9.9%
3	DECILE 3	2991	1097800.4		9.7%
4	DECILE 4	2706	1139464.9		10.1%
5	DECILE 5	2473	1131352.6		10.0%
6	DECILE 6	2184	1135343.1		10.1%
7	DECILE 7	2124	1123268.9		10.0%
8	DECILE 8	1770	1135994.4		10.1%
9	DECILE 9	1829	1138505.0		10.1%
10	DECILE 10	1663	1120376.2		9.9%
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	5364	2352387.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IN2DRPR: Household income distribution-prov. level - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=25501 / 11283118.02] [Invalid=5364 / 2352387.67]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DECILE 1	3953	1132642.6		10.0%
2	DECILE 2	3607	1114858.2		9.9%
3	DECILE 3	3114	1130658.7		10.0%
4	DECILE 4	2728	1116601.5		9.9%
5	DECILE 5	2456	1138813.4		10.1%
6	DECILE 6	2150	1136618.3		10.1%
7	DECILE 7	2152	1121385.6		9.9%
8	DECILE 8	1841	1144683.4		10.1%
9	DECILE 9	1763	1121759.6		9.9%

IN2DRPR: Household income distribution-prov. level - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)	
10	DECILE 10	1737	1125096.7		10.0%
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	5364	2352387.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCGCGT: Culture / Race Flag - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30568 / 13504225.2] [Invalid=297 / 131280.49]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	WHITE	27375	11551147.0		85.5%
2	NON-WHITE	3193	1953078.2		14.5%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	297	131280.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCGLHM: Language(s) spoken at home - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30647 / 13528425.83] [Invalid=218 / 107079.86]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ENG. W-W/O OTHER	22645	8821146.9		65.2%
2	FRE. W-W/O OTHER	5313	3072279.6		22.7%
3	ENG./FRE. W-W/O	189	81199.8		0.6%
4	NOT ENGL. / FRE.	2500	1553799.4		11.5%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	218	107079.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCGLNG: Language(s) - can converse - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30551 / 13502323.43] [Invalid=314 / 133182.26]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ENG. W-W/O OTHER	22189	8853199.0		65.6%
2	FRE. W-W/O OTHER	3081	1861652.9		13.8%
3	ENG./FRE. W-W/O	4508	2362507.1		17.5%
4	NOT ENGL. / FRE.	773	424964.4		3.1%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	314	133182.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

	# SDCGRES: Time in Canada since immigration - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=5788 / 3279361.02] [Invalid=25077 / 10356144.67]				

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	0 - 19 YEARS	1070	920706.9		28.1%
2	20 TO 29 YEARS	761	513036.0		15.6%
3	30 TO 39 YEARS	1033	579382.7		17.7%
4	40 TO 49 YEARS	1039	580686.2		17.7%
5	50 YEARS OR MORE	1885	685549.3		20.9%
6	NOT APPLICABLE	24349	10145770.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	728	210374.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCFIMM: Immigrant - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30366 / 13453375.78] [Invalid=499 / 182129.91]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6017	3307605.6		24.6%
2	NO	24349	10145770.2		75.4%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	499	182129.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCGCBG: Country of Birth - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30445 / 13497631.86] [Invalid=420 / 137873.83]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	CANADA	24204	10081113.2		74.7%
2	OTHER	6241	3416518.7		25.3%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	420	137873.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

EDUDH04: Highest level/education - household 4 levels - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30265 / 13305056.35] [Invalid=600 / 330449.34]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< THAN SECONDARY	6794	1761670.4		13.2%
2	SECONDARY GRAD.	4011	1784895.2		13.4%
3	OTHER POST-SEC.	1487	645693.8		4.9%
4	POST-SEC. GRAD.	17973	9112796.9		68.5%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	600	330449.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

EDUDR04: Highest level/education -respondent 4 levels - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30566 / 13454975.61] [Invalid=299 / 180530.08]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< THAN SECONDARY	9861	3038332.1		22.6%
2	SECONDARY GRAD.	5024	2664486.6		19.8%
3	OTHER POST-SEC.	1537	670113.9		5.0%
4	POST-SEC. GRAD.	14144	7082043.0		52.6%
6	NOT APPLICABLE	0	0.0		

EDUDR04: Highest level/education -respondent 4 levels - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	299	180530.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTS_M: Weights - Master

Information	[Type= continuous] [Format=numeric] [Range= 10-23740.26] [Missing=*]
Statistics [NW/ W]	[Valid=30865 /-] [Invalid=0 /-] [Mean=441.779 /-] [StdDev=773.96 /-]