Canada

Health Statistics Division, Statistics Canada

Canadian Community Health Survey, 2012: Annual Component

Study Documentation

May 14, 2019

Metadata Production

Metadata Producer(s)	Data Centre (DC) , Carleton University
Production Date	May 14, 2013
Version	2015-02-23 Carleton University Data Centre 2015-09-10 Carleton University Data Services
Identification	cchs-82M0013-E-2012-Annual-component

Table of Contents

Canadian Community Health Survey, 2012: Annual Component (CCHS 2012: Annual Component)

Overview

Type	Canadian Community Health Survey
Identification	cchs-82M0013-E-2012-Annual-component
Series	The Canadian Community Health Survey (CCHS) is a cross-sectional survey that collects information related to health status, health care utilization and health determinants for the Canadian population. The survey's objectives were to: - support health surveillance programs by providing health data at the national, provincial and intra-provincial levels; - provide a single data source for health research on small populations and rare characteristics; - timely release of information easily accessible to a diverse community of users; and - create a flexible survey instrument that includes a rapid response option to address emerging issues related to the health of the population.

Abstract

The Canadian Community Health Survey (CCHS) is a cross-sectional survey that collects information related to health status, health care utilization and health determinants for the Canadian population. It surveys a large sample of respondents and is designed to provide reliable estimates at the health region level. In 2007, major changes were made to the CCHS design. Data is now collected on an ongoing basis with annual releases, rather than every two years as was the case prior to 2007. The survey's objectives were also revised and are as follows:
• support health surveillance programs by providing health data at the national, provincial and intra-provincial levels;
• provide a single data source for health research on small populations and rare characteristics;
• timely release of information easily accessible to a diverse community of users; and
• create a flexible survey instrument that includes a rapid response option to address emerging issues related to the health of the population.
The CCHS data is always collected from persons aged 12 and over living in private dwellings in the 115 health regions covering all provinces and territories. Excluded from the sampling frame are individuals living on Indian Reserves and on Crown Lands, institutional residents, full-time members of the Canadian Forces, and residents of certain remote regions. The CCHS covers approximately 98% of the Canadian population aged 12 and over.
The CCHS produces three types of microdata files: master files; share files; and public use microdata files (PUMF). The characteristics of each of these files are presented in the User Guide. The PUMF is released every two years and contains two years of data.

Kind of Data	Survey Data
Unit of Analysis	Individuals

Scope & Coverage

Keywords	Alcohol, Cancer, Chronic Conditions, Depression, Diabetes, Driving, Drug use, Education, Food Security, Health Care, Health Professionals, Income, Labour Force, Mental Health, Smoking, Stressors
Topics	Health
Countries	Canada

Geographic Coverage
Canada, Provinces, Territories

Universe
The CCHS targets persons aged 12 years and older who are living in private dwellings in the ten provinces and three territories. Persons living on Indian Reserves or Crown lands, those residing in institutions, full-time members of the

Canadian Forces and residents of certain remote regions are excluded from this survey. The CCHS covers approximately 98% of the Canadian population aged 12 and older.

Producers & Sponsors

Primary Investigator(s)	Health Statistics Division, Statistics Canada
Other Producer(s)	Health Statistics Division , Statistics Canada

Data Collection

Data Collector(s)	Statistics Canada

Accessibility

Access Authority	Data Liberation Initiative (DLI) , http://www.statcan.gc.ca/eng/dli/dli , dli-idd@statcan.gc.ca
Contact(s)	Data Liberation Initiative (Statistics Canada) , http://www.statcan.gc.ca/eng/dli/dli , dli-idd@statcan.gc.ca
Distributor(s)	Data Liberation Initiative

Access Conditions
Data Liberation Initiative Community.

Citation Requirements
The publishing of analysis and results from research using any of the data products is permitted in research communications such as scholarly papers, journals and the like. The authors of these communications are required to cite Statistics Canada as the source of the data, and to indicate that the results or views expressed are those of the author/authorized user and are not those of Statistics Canada.

Rights & Disclaimer

Copyright	Copyright © Statistics Canada, 2013

Files Description

Dataset contains 1 file(s)

cchs_2012 Annual Component	
# Cases	61707
# Variable(s)	1381

Variables Group(s)

Dataset contains 82 group(s)

Group Access to Health Care Services							
Universe Optional content selection only asked in: Newfoundland and Labrador, New Brunswick, British Columbia							
#	**Name**	**Label**	**Type**	**Format**	**Valid**	**Invalid**	**Question**
1	DOACC	Module: ACC - (F)	discrete	numeric-1.0	11739	49968	-
2	ACC_10	Required visit to medical specialist	discrete	numeric-1.0	10716	50991	In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation?
3	ACC_11	Diff. getting specialist care	discrete	numeric-1.0	3707	58000	In the past 12 months, did you ever experience any difficulties getting the specialist care you needed for a diagnosis or consultation?
4	ACC_12A	Diff. - getting a referral	discrete	numeric-1.0	908	60799	What type of difficulties did you experience? - Difficulty getting a referral
5	ACC_12B	Diff. - getting an appointment	discrete	numeric-1.0	908	60799	What type of difficulties did you experience? - Difficulty getting an appointment
6	ACC_12C	Diff. - no specalists in area	discrete	numeric-1.0	908	60799	What type of difficulties did you experience? - No specialists in the area
7	ACC_12D	Diff. - waited too long for appointment	discrete	numeric-1.0	908	60799	What type of difficulties did you experience? - Waited too long between booking appointment and visit
8	ACC_12E	Diff. - waited too long /see doc.	discrete	numeric-1.0	908	60799	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
9	ACC_12F	Diff. - transportation	discrete	numeric-1.0	908	60799	What type of difficulties did you experience? - Transportation problems
10	ACC_12G	Diff. - language	discrete	numeric-1.0	908	60799	What type of difficulties did you experience? - Language problem
11	ACC_12H	Diff. - cost	discrete	numeric-1.0	908	60799	What type of difficulties did you experience? - Cost
12	ACC_12I	Diff. - pers./family responsibilities	discrete	numeric-1.0	908	60799	What type of difficulties did you experience? - Personal or family responsibilities
13	ACC_12J	Diff. - deterioration of health	discrete	numeric-1.0	908	60799	What type of difficulties did you experience? - General deterioration of health
14	ACC_12K	Diff. - appointment cancelled/deferred	discrete	numeric-1.0	908	60799	What type of difficulties did you experience? - Appointment cancelled or deferred by specialist
15	ACC_12L	Diff. - still waiting for visit	discrete	numeric-1.0	908	60799	What type of difficulties did you experience? - Still waiting for visit
16	ACC_12M	Diff. - unable leave house/ health	discrete	numeric-1.0	908	60799	What type of difficulties did you experience? - Unable to leave the house because of a health problem
17	ACC_12N	Diff. - other	discrete	numeric-1.0	908	60799	What type of difficulties did you experience? - Other

#	Name	Label	Type	Format	Valid	Invalid	Question
18	ACC_20	Required non-emergency surgery	discrete	numeric-1.0	10723	50984	In the past 12 months, did you require any non-emergency surgery?
19	ACC_21	Diff. getting non-emerg. surg.	discrete	numeric-1.0	1013	60694	In the past 12 months, did you ever experience any difficulties getting the surgery you needed?
20	ACC_22A	Diff. - getting an appointment	discrete	numeric-1.0	206	61501	What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon
21	ACC_22B	Diff. - getting a diagnosis	discrete	numeric-1.0	206	61501	What type of difficulties did you experience? - Difficulty getting a diagnosis
22	ACC_22C	Diff. - wait too long/diag. test	discrete	numeric-1.0	206	61501	What type of difficulties did you experience? - Waited too long for a diagnostic test
23	ACC_22D	Diff. - waited too long/hosp. bed	discrete	numeric-1.0	206	61501	What type of difficulties did you experience? - Waited too long for a hospital bed to become available
24	ACC_22E	Diff. - waited too long/ surgery	discrete	numeric-1.0	206	61501	What type of difficulties did you experience? - Waited too long for surgery
25	ACC_22F	Diff. - service not available/ area	discrete	numeric-1.0	206	61501	What type of difficulties did you experience? - Service not available in the area
26	ACC_22G	Diff. - transportation	discrete	numeric-1.0	206	61501	What type of difficulties did you experience? - Transportation problems
27	ACC_22H	Diff. - language	discrete	numeric-1.0	206	61501	What type of difficulties did you experience? - Language problem
28	ACC_22I	Diff. - cost	discrete	numeric-1.0	206	61501	What type of difficulties did you experience? - Cost
29	ACC_22J	Diff. - pers./family responsibilities	discrete	numeric-1.0	206	61501	What type of difficulties did you experience? - Personal or family responsibilities
30	ACC_22K	Diff. - deterioration of health	discrete	numeric-1.0	206	61501	What type of difficulties did you experience? - General deterioration of health
31	ACC_22L	Diff. - appointment cancelled/deferred	discrete	numeric-1.0	206	61501	What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital
32	ACC_22M	Diff. - still waiting for surgery	discrete	numeric-1.0	206	61501	What type of difficulties did you experience? - Still waiting for surgery
33	ACC_22N	Diff. - unable leave house/ health	discrete	numeric-1.0	206	61501	What type of difficulties did you experience? - Unable to leave the house because of a health problem
34	ACC_22O	Diff. - other	discrete	numeric-1.0	206	61501	What type of difficulties did you experience? - Other
35	ACC_30	Required MRI, CT Scan, angiography	discrete	numeric-1.0	10694	51013	In the past 12 months, did you require one of these tests?
36	ACC_31	Difficulties getting test	discrete	numeric-1.0	1710	59997	Respondents aged 15 and over with ACCFOPT = 1
37	ACC_32A	Diff. - getting a referral	discrete	numeric-1.0	289	61418	-
38	ACC_32B	Diff. - getting an appointment	discrete	numeric-1.0	289	61418	What type of difficulties did you experience? - Difficulty getting an appointment

#	Name	Label	Type	Format	Valid	Invalid	Question
39	ACC_32C	Diff. - waited too long for appt.	discrete	numeric-1.0	289	61418	What type of difficulties did you experience? - Waited too long to get an appointment
40	ACC_32D	Diff. - waited too long/get test	discrete	numeric-1.0	289	61418	What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)
41	ACC_32E	Diff. - not available at time required	discrete	numeric-1.0	289	61418	What type of difficulties did you experience? - Service not available at time required
42	ACC_32F	Diff. - not available/area	discrete	numeric-1.0	289	61418	What type of difficulties did you experience? - Service not available in the area
43	ACC_32G	Diff. - transportation	discrete	numeric-1.0	289	61418	What type of difficulties did you experience? - Transportation problems
44	ACC_32H	Diff. - language	discrete	numeric-1.0	289	61418	What type of difficulties did you experience? - Language problem
45	ACC_32I	Diff. - cost	discrete	numeric-1.0	289	61418	What type of difficulties did you experience? - Cost
46	ACC_32J	Diff. - deterioration of health	discrete	numeric-1.0	289	61418	What type of difficulties did you experience? - General deterioration of health
47	ACC_32K	Diff. - did not know where to go	discrete	numeric-1.0	289	61418	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
48	ACC_32L	Diff. - still waiting for test	discrete	numeric-1.0	289	61418	What type of difficulties did you experience? - Still waiting for test
49	ACC_32M	Diff. - unable leave house / health	discrete	numeric-1.0	289	61418	What type of difficulties did you experience? - Unable to leave the house because of a health problem
50	ACC_32N	Diff. - other	discrete	numeric-1.0	289	61418	What type of difficulties did you experience? - Other
51	ACC_40	Required health information	discrete	numeric-1.0	10678	51029	In the past 12 months, have you required health information or advice for yourself or your family?
52	ACC_40A	Contact/health info - doctor	discrete	numeric-1.0	5388	56319	Who did you contact when you needed health information or advice for yourself or your family? - Doctor's office
53	ACC_40B	Contact/health info - community hlth ctr	discrete	numeric-1.0	5388	56319	Who did you contact when you needed health information or advice for yourself or your family? - Community health centre / CLSC
54	ACC_40C	Contact/health info - walk-in clinic	discrete	numeric-1.0	5388	56319	Who did you contact when you needed health information or advice for yourself or your family? - Walk-in clinic
55	ACC_40D	Contact/health info - health line	discrete	numeric-1.0	5388	56319	Who did you contact when you needed health information or advice for yourself or your family? - Telephone health line (e.g., HealthLinks, Telehealth Ontario, HealthLink, Health-Line, Telecare, Info-Santé)
56	ACC_40E	Contact/health info - emergency room	discrete	numeric-1.0	5388	56319	Who did you contact when you needed health information or advice for yourself or your family? - Hospital emergency room

#	Name	Label	Type	Format	Valid	Invalid	Question
57	ACC_40F	Contact/health info - other hosp. serv.	discrete	numeric-1.0	5388	56319	Who did you contact when you needed health information or advice for yourself or your family? - Other hospital service
58	ACC_40G	Contact/health info - other	discrete	numeric-1.0	5388	56319	Who did you contact when you needed health information or advice for yourself or your family? - Other
59	ACC_41	Diff. getting health information	discrete	numeric-1.0	5385	56322	In the past 12 months, did you ever experience any difficulties getting the health information or advice you needed?
60	ACC_42	Exp. diff. during regular hrs.	discrete	numeric-1.0	761	60946	Did you experience difficulties during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?
61	ACC_43A	Diff. - contact a physician/ nurse	discrete	numeric-1.0	614	61093	What type of difficulties did you experience? - Difficulty contacting a physician or nurse
62	ACC_43B	Diff. - did not have a phone number	discrete	numeric-1.0	614	61093	What type of difficulties did you experience? - Did not have a phone number
63	ACC_43C	Diff. - could not get through	discrete	numeric-1.0	614	61093	What type of difficulties did you experience? - Could not get through (i.e. no answer)
64	ACC_43D	Diff. - waited too long to speak	discrete	numeric-1.0	614	61093	What type of difficulties did you experience? - Waited too long to speak to someone
65	ACC_43E	Diff. - inadequate information	discrete	numeric-1.0	614	61093	What type of difficulties did you experience? - Did not get adequate info or advice
66	ACC_43F	Diff. - language	discrete	numeric-1.0	614	61093	What type of difficulties did you experience? - Language problem
67	ACC_43G	Diff. - did not know where to go/call	discrete	numeric-1.0	614	61093	What type of difficulties did you experience? - Did not know where to go / call / uninformed
68	ACC_43H	Diff. - unable to leave house/ health	discrete	numeric-1.0	614	61093	What type of difficulties did you experience? - Unable to leave the house because of a health problem
69	ACC_43I	Diff. - other	discrete	numeric-1.0	614	61093	What type of difficulties did you experience? - Other
70	ACC_44	Exp. diff. during evening/ weekends	discrete	numeric-1.0	756	60951	Did you experience difficulties getting health information or advice during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?
71	ACC_45A	Diff. - contact a physician/ nurse	discrete	numeric-1.0	221	61486	What type of difficulties did you experience? - Difficulty contacting a physician or nurse
72	ACC_45B	Diff. - did not have a phone number	discrete	numeric-1.0	221	61486	What type of difficulties did you experience? - Did not have a phone number
73	ACC_45C	Diff. - could not get through	discrete	numeric-1.0	221	61486	What type of difficulties did you experience? - Could not get through (i.e. no answer)
74	ACC_45D	Diff. - waited too long to speak	discrete	numeric-1.0	221	61486	What type of difficulties did you experience? - Waited too long to speak to someone

#	Name	Label	Type	Format	Valid	Invalid	Question
75	ACC_45E	Diff. - inadequate information	discrete	numeric-1.0	221	61486	What type of difficulties did you experience? - Did not get adequate info or advice
76	ACC_45F	Diff. - language	discrete	numeric-1.0	221	61486	What type of difficulties did you experience? - Language problem
77	ACC_45G	Diff. - did not know where to go/call	discrete	numeric-1.0	221	61486	What type of difficulties did you experience? - Did not know where to go / call / uninformed
78	ACC_45H	Diff. - unable to leave/health	discrete	numeric-1.0	221	61486	What type of difficulties did you experience? - Unable to leave the house because of a health problem
79	ACC_45I	Diff. - other	discrete	numeric-1.0	221	61486	What type of difficulties did you experience? - Other
80	ACC_46	Exp. diff. during middle of night	discrete	numeric-1.0	760	60947	Did you experience difficulties getting health information or advice during the middle of the night?
81	ACC_47A	Diff. - contact a physician/ nurse	discrete	numeric-1.0	67	61640	What type of difficulties did you experience? - Difficulty contacting a physician or nurse
82	ACC_47B	Diff. - did not have a phone number	discrete	numeric-1.0	67	61640	What type of difficulties did you experience? - Did not have a phone number
83	ACC_47C	Diff. - could not get through	discrete	numeric-1.0	67	61640	What type of difficulties did you experience? - Could not get through (i.e. no answer)
84	ACC_47D	Diff. - waited too long/to speak	discrete	numeric-1.0	67	61640	What type of difficulties did you experience? - Waited too long to speak to someone
85	ACC_47E	Diff. - inadequate information	discrete	numeric-1.0	67	61640	What type of difficulties did you experience? - Did not get adequate info or advice
86	ACC_47F	Diff. - language	discrete	numeric-1.0	67	61640	What type of difficulties did you experience? - Language problem
87	ACC_47G	Diff. - did not know where to go/call	discrete	numeric-1.0	67	61640	What type of difficulties did you experience? - Did not know where to go / call / uninformed
88	ACC_47H	Diff. - unable to leave/health	discrete	numeric-1.0	67	61640	What type of difficulties did you experience? - Unable to leave the house because of a health problem
89	ACC_47I	Diff. - other	discrete	numeric-1.0	67	61640	What type of difficulties did you experience? - Other
90	ACC_50A	Has a regular family doctor	discrete	numeric-1.0	10698	51009	Do you have a regular family doctor?
91	ACC_50	Required routine care for self/family	discrete	numeric-1.0	10683	51024	In the past 12 months, did you require any routine or on-going care for you or your family?
92	ACC_51	Exp. diff. getting on-going care	discrete	numeric-1.0	6267	55440	In the past 12 months, did you ever experience any difficulties getting the routine or on-going care that your family needed?
93	ACC_52	Experienced diff. during regular hours	discrete	numeric-1.0	745	60962	Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?

#	Name	Label	Type	Format	Valid	Invalid	Question
94	ACC_53A	Diff. - contact a physician	discrete	numeric-1.0	639	61068	What type of difficulties did you experience? - Difficulty contacting a physician
95	ACC_53B	Diff. - getting an appointment	discrete	numeric-1.0	639	61068	What type of difficulties did you experience? - Difficulty getting an appointment
96	ACC_53C	Diff. - do not have family physician	discrete	numeric-1.0	639	61068	What type of difficulties did you experience? - Do not have personal / family physician
97	ACC_53D	Diff. - waited too long for appointment	discrete	numeric-1.0	639	61068	What type of difficulties did you experience? - Waited too long to get an appointment
98	ACC_53E	Diff. - waited too long/see doc.	discrete	numeric-1.0	639	61068	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
99	ACC_53F	Diff. - not available at time required	discrete	numeric-1.0	639	61068	What type of difficulties did you experience? - Service not available at time required
100	ACC_53G	Diff. - not available in the area	discrete	numeric-1.0	639	61068	What type of difficulties did you experience? - Service not available in the area
101	ACC_53H	Diff. - transportation	discrete	numeric-1.0	639	61068	What type of difficulties did you experience? - Transportation problems
102	ACC_53I	Diff. - language	discrete	numeric-1.0	639	61068	What type of difficulties did you experience? - Language problem
103	ACC_53J	Diff. - cost	discrete	numeric-1.0	639	61068	What type of difficulties did you experience? - Cost
104	ACC_53K	Diff. - did not know where to go	discrete	numeric-1.0	639	61068	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
105	ACC_53L	Diff. - unable to leave house/ health	discrete	numeric-1.0	639	61068	What type of difficulties did you experience? - Unable to leave the house because of a health problem
106	ACC_53M	Diff. - other	discrete	numeric-1.0	639	61068	What type of difficulties did you experience? - Other
107	ACC_54	Exp. diff. during evening/ weekends	discrete	numeric-1.0	742	60965	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?
108	ACC_55A	Diff. - contact a physician	discrete	numeric-1.0	156	61551	What type of difficulties did you experience? - Difficulty contacting a physician
109	ACC_55B	Diff. - getting an appointment	discrete	numeric-1.0	156	61551	What type of difficulties did you experience? - Difficulty getting an appointment
110	ACC_55C	Diff. - do not have family physician	discrete	numeric-1.0	156	61551	What type of difficulties did you experience? - Do not have personal / family physician
111	ACC_55D	Diff. - waited too long for appointment	discrete	numeric-1.0	156	61551	What type of difficulties did you experience? - Waited too long to get an appointment
112	ACC_55E	Diff. - waited too long/see doc	discrete	numeric-1.0	156	61551	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

#	Name	Label	Type	Format	Valid	Invalid	Question
113	ACC_55F	Diff. - not available at time required	discrete	numeric-1.0	156	61551	What type of difficulties did you experience? - Service not available at time required
114	ACC_55G	Diff. - not available/area	discrete	numeric-1.0	156	61551	What type of difficulties did you experience? - Service not available in the area
115	ACC_55H	Diff. - transportation	discrete	numeric-1.0	156	61551	What type of difficulties did you experience? - Transportation problems
116	ACC_55I	Diff. - language	discrete	numeric-1.0	156	61551	What type of difficulties did you experience? - Language problem
117	ACC_55J	Diff. - cost	discrete	numeric-1.0	156	61551	What type of difficulties did you experience? - Cost
118	ACC_55K	Diff. - did not know where to go	discrete	numeric-1.0	156	61551	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
119	ACC_55L	Diff. - unable to leave house/ health	discrete	numeric-1.0	156	61551	What type of difficulties did you experience? - Unable to leave house because of a health problem
120	ACC_55M	Diff. - other	discrete	numeric-1.0	156	61551	What type of difficulties did you experience? - Other
121	ACC_60	Required immediate care - self/family	discrete	numeric-1.0	10675	51032	In the past 12 months, did ^DT_Famiily require immediate health care services for a minor health problem?
122	ACC_61	Exp. diff. getting immediate care	discrete	numeric-1.0	3638	58069	In the past 12 months, did you ever experience any difficulties getting the immediate care needed for a minor health problem for yourself or a family member?
123	ACC_62	Experienced diff. during regular hours	discrete	numeric-1.0	639	61068	Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?
124	ACC_63A	Diff. - contact a physician	discrete	numeric-1.0	410	61297	What type of difficulties did you experience? - Difficulty contacting a physician
125	ACC_63B	Diff. - getting an appointment	discrete	numeric-1.0	410	61297	What type of difficulties did you experience? - Difficulty getting an appointment
126	ACC_63C	Diff. - do not have family physician	discrete	numeric-1.0	410	61297	What type of difficulties did you experience? - Do not have personal / family physician
127	ACC_63D	Diff. - waited too long/for appointment	discrete	numeric-1.0	410	61297	What type of difficulties did you experience? - Waited too long to get an appointment
128	ACC_63E	Diff. - waited too long/see doc	discrete	numeric-1.0	410	61297	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
129	ACC_63F	Diff. - not available at time required	discrete	numeric-1.0	410	61297	What type of difficulties did you experience? - Service not available at time required
130	ACC_63G	Diff. - not available/area	discrete	numeric-1.0	410	61297	What type of difficulties did you experience? - Service not available in the area
131	ACC_63H	Diff. - transportation	discrete	numeric-1.0	410	61297	What type of difficulties did you experience? - Transportation problems

#	Name	Label	Type	Format	Valid	Invalid	Question
132	ACC_63I	Diff. - language	discrete	numeric-1.0	410	61297	What type of difficulties did you experience? - Language problem
133	ACC_63J	Diff. - cost	discrete	numeric-1.0	410	61297	What type of difficulties did you experience? - Cost
134	ACC_63K	Diff. - did not know where to go	discrete	numeric-1.0	410	61297	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
135	ACC_63L	Diff. - unable to leave house/ health	discrete	numeric-1.0	410	61297	What type of difficulties did you experience? - Unable to leave the house because of a health problem
136	ACC_63M	Diff. - other	discrete	numeric-1.0	410	61297	What type of difficulties did you experience? - Other
137	ACC_64	Exp. diff. during evening/ weekends	discrete	numeric-1.0	634	61073	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm, Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?
138	ACC_65A	Diff. - contact a physician	discrete	numeric-1.0	295	61412	What type of difficulties did you experience? - Difficulty contacting a physician
139	ACC_65B	Diff. - getting an appointment	discrete	numeric-1.0	295	61412	What type of difficulties did you experience? - Difficulty getting an appointment
140	ACC_65C	Diff. - do not have family physician	discrete	numeric-1.0	295	61412	What type of difficulties did you experience? - Do not have personal / family physician
141	ACC_65D	Diff. - waited too long/for appointment	discrete	numeric-1.0	295	61412	What type of difficulties did you experience? - Waited too long to get an appointment
142	ACC_65E	Diff. - waited too long/see doc	discrete	numeric-1.0	295	61412	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
143	ACC_65F	Diff. - not available at time required	discrete	numeric-1.0	295	61412	What type of difficulties did you experience? - Service not available at time required
144	ACC_65G	Diff. - not available/area	discrete	numeric-1.0	295	61412	What type of difficulties did you experience? - Service not available in the area
145	ACC_65H	Diff. - transportation	discrete	numeric-1.0	295	61412	What type of difficulties did you experience? - Transportation problems
146	ACC_65I	Diff. - language	discrete	numeric-1.0	295	61412	What type of difficulties did you experience? - Language problem
147	ACC_65J	Diff. - cost	discrete	numeric-1.0	295	61412	What type of difficulties did you experience? - Cost
148	ACC_65K	Diff. - did not know where to go	discrete	numeric-1.0	295	61412	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
149	ACC_65L	Diff. - unable to leave house/ health	discrete	numeric-1.0	295	61412	What type of difficulties did you experience? - Unable to leave the house because of a health problem
150	ACC_65M	Diff. - other	discrete	numeric-1.0	295	61412	What type of difficulties did you experience? - Other
151	ACC_66	Exp. diff. during middle of night	discrete	numeric-1.0	638	61069	Did you experience difficulties getting such care during the middle of the night?

#	Name	Label	Type	Format	Valid	Invalid	Question
152	ACC_67A	Diff. - contact a physician	discrete	numeric-1.0	125	61582	What type of difficulties did you experience? - Difficulty contacting a physician
153	ACC_67B	Diff. - getting an appointment	discrete	numeric-1.0	125	61582	What type of difficulties did you experience? - Difficulty getting an appointment
154	ACC_67C	Diff. - do not have family physician	discrete	numeric-1.0	125	61582	What type of difficulties did you experience? - Do not have personal / family physician
155	ACC_67D	Diff. - waited too long/for appointment	discrete	numeric-1.0	125	61582	What type of difficulties did you experience? - Waited too long to get an appointment
156	ACC_67E	Diff. - waited too long/see doc	discrete	numeric-1.0	125	61582	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
157	ACC_67F	Diff. - not available at time required	discrete	numeric-1.0	125	61582	What type of difficulties did you experience? - Service not available at time required
158	ACC_67G	Diff. - not available/area	discrete	numeric-1.0	125	61582	What type of difficulties did you experience? - Service not available in the area
159	ACC_67H	Diff. - transportation	discrete	numeric-1.0	125	61582	What type of difficulties did you experience? - Transportation problems
160	ACC_67I	Diff. - language	discrete	numeric-1.0	125	61582	What type of difficulties did you experience? - Language problem
161	ACC_67J	Diff. - cost	discrete	numeric-1.0	125	61582	What type of difficulties did you experience? - Cost
162	ACC_67K	Diff. - did not know where to go	discrete	numeric-1.0	125	61582	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
163	ACC_67L	Diff. - unable to leave house/health	discrete	numeric-1.0	125	61582	What type of difficulties did you experience? - Unable to leave the house because of a health problem
164	ACC_67M	Diff. - other	discrete	numeric-1.0	125	61582	What type of difficulties did you experience? - Other

Group Activities of Daily Living

Universe
Optional content selection only asked in: Newfoundland and Labrador, Ontario

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOADL	Content module - ADL (F)	discrete	numeric-1.0	23022	38685	-
2	ADL_01	Needs help - preparing meals	discrete	numeric-1.0	23008	38699	Because of any physical condition or mental condition or health problem, do you need the help of another person: ... with preparing meals?
3	ADL_02	Needs help - getting to appointments	discrete	numeric-1.0	23007	38700	Because of any physical condition or mental condition or health problem, do you need the help of another person: ... with getting to appointments and running errands such as shopping for groceries?
4	ADL_03	Needs help - doing housework	discrete	numeric-1.0	23002	38705	Because of any physical condition or mental condition or health problem, do

#	Name	Label	Type	Format	Valid	Invalid	Question
							you need the help of another person: ... with doing everyday housework?
5	ADL_04	Needs help - personal care	discrete	numeric-1.0	23016	38691	Because of any physical condition or mental condition or health problem, do you need the help of another person: ... with personal care such as washing, dressing, eating or taking medication?
6	ADL_05	Needs help - moving about inside house	discrete	numeric-1.0	23014	38693	Because of any physical condition or mental condition or health problem, do you need the help of another person: ... with moving about inside the house?
7	ADL_06	Needs help - looking after finances	discrete	numeric-1.0	22972	38735	Because of any physical condition or mental condition or health problem, do you need the help of another person: ... with looking after YOUR personal finances such as making bank transactions or paying bills?

Group Administrative Information

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	ADM_PRX	Health Component completed by proxy	discrete	numeric-1.0	61707	0	-
2	ADM_N09	Interview by telephone/in person	discrete	numeric-1.0	25922	35785	-
3	ADM_N10	Respondent alone during interview	discrete	numeric-1.0	59921	1786	-
4	ADM_N11	Answers aff./presence of another person	discrete	numeric-1.0	7206	54501	-
5	ADM_RNO	Sequential record number	continuous	numeric-5.0	61707	0	-
6	PMKPROXY	Person most knowledgeable	discrete	numeric-1.0	3257	58450	-

Group Alcohol Use

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	ALC_1	Drank alcohol - past 12 months	discrete	numeric-1.0	60904	803	During the past 12 months, that is, from [date one year ago] to yesterday, HAVE YOU had a drink of beer, wine, liquor or any other alcoholic beverage?
2	ALC_2	Frequency of drinking alcohol	discrete	numeric-2.0	45487	16220	During the past 12 months, how often did YOU drink alcoholic beverages?
3	ALC_3	Frequency of having 5 or more drinks	discrete	numeric-2.0	45384	16323	How often in the past 12 months HAVE YOU had 5 or more drinks on one occasion?
4	ALCDTTM	Type of drinker (12 months)	discrete	numeric-1.0	60625	1082	-

Group Alcohol Use During the Past Week

Universe

Optional content selection only asked in: Newfoundland and Labrador, Quebec, Ontario, Manitoba, Saskatchewan, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOALW	Module: ALW - (F)	discrete	numeric-1.0	41673	20034	-
2	ALW_1	Drank alcohol in past week	discrete	numeric-1.0	31013	30694	Thinking back over the past week, that is, from [date last week] to yesterday, did YOU have a drink of beer, wine, liquor or any other alcoholic beverage?
3	ALW_2A1	No. of drinks - Sunday	continuous	numeric-3.0	19602	42105	Starting with yesterday, that is Day [1], how many drinks did YOU have?
4	ALW_2A2	No. of drinks - Monday	continuous	numeric-3.0	19532	42175	(How many drinks did YOU have:) ...on Day [2]?
5	ALW_2A3	No. of drinks - Tuesday	continuous	numeric-3.0	19450	42257	(How many drinks did YOU have:) ...on Day [3]?
6	ALW_2A4	No. of drinks - Wednesday	continuous	numeric-3.0	19328	42379	(How many drinks did YOU have:) ...on Day [4]?
7	ALW_2A5	No. of drinks - Thursday	discrete	numeric-3.0	19190	42517	(How many drinks did YOU have:) ...on Day [5]?
8	ALW_2A6	No. of drinks - Friday	continuous	numeric-3.0	19027	42680	(How many drinks did YOU have:) ...on Day [6]?
9	ALW_2A7	No. of drinks - Saturday	continuous	numeric-3.0	18937	42770	(How many drinks did YOU have:) ...on Day [7]?
10	ALWDWKY	Weekly consumption	continuous	numeric-3.0	29965	31742	-
11	ALWDDLY	Average daily alcohol consumption	discrete	numeric-3.0	29965	31742	-

Group Blood Pressure Check

Universe
Optional content selection only asked in: Newfoundland and Labrador, Prince Edward Island, Manitoba, Alberta, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOBPC	Module: BPC - (F)	discrete	numeric-1.0	11654	50053	-
2	BPC_010	Ever had blood pressure taken	discrete	numeric-1.0	11400	50307	Have you ever had your blood pressure taken?
3	BPC_012	Last time blood pressure was taken	discrete	numeric-1.0	10783	50924	When was the last time?
4	BPC_013	Pregnant - blood pressure taken	discrete	numeric-1.0	2636	59071	Were you pregnant the last time your blood pressure was taken?
5	BPC_16A	B.p. not taken - not gotten around to it	discrete	numeric-1.0	730	60977	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Have not gotten around to it
6	BPC_16B	B.p. not taken - resp. didn't think nec.	discrete	numeric-1.0	730	60977	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Respondent did not think it was necessary
7	BPC_16C	B.p. not taken - dr. didn't think nec.	discrete	numeric-1.0	730	60977	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Doctor did not think it was necessary
8	BPC_16D	B.p. not taken - personal/ family resp.	discrete	numeric-1.0	730	60977	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Personal or family responsibilities

#	Name	Label	Type	Format	Valid	Invalid	Question
9	BPC_16G	B.p. not taken - waiting time too long	discrete	numeric-1.0	730	60977	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Waiting time was too long
10	BPC_16H	B.p. not taken - transportation problems	discrete	numeric-1.0	730	60977	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Transportation problems
11	BPC_16I	B.p. not taken - language problem	discrete	numeric-1.0	730	60977	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Language problem
12	BPC_16J	B.p. not taken - cost	discrete	numeric-1.0	730	60977	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Cost
13	BPC_16K	B.p. not taken - didn't know where to go	discrete	numeric-1.0	730	60977	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Did not know where to go / uninformed
14	BPC_16L	B.p. not taken - fear	discrete	numeric-1.0	730	60977	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)
15	BPC_16N	B.p. not taken - unable leave house	discrete	numeric-1.0	730	60977	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Unable to leave the house because of a health problem
16	BPC_16M	B.p. not taken - other	discrete	numeric-1.0	730	60977	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Other

Group Blood Test

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOBLT	Theme module: Blood test - (F)	discrete	numeric-1.0	61707	0	-
2	BLT_01	Blood test - ordered by a health profes.	discrete	numeric-1.0	43165	18542	In the past 12 months, did a health professional order a blood test for you?
3	BLT_02A	Blood test - for assessment	discrete	numeric-1.0	30675	31032	Why was your most recent blood test ordered? - For assessment as part of a general physical check-up
4	BLT_02B	Blood test - to monitor existing cond.	discrete	numeric-1.0	30675	31032	Why was your most recent blood test ordered? - To monitor an existing health condition
5	BLT_02C	Blood test - to check health condition	discrete	numeric-1.0	30675	31032	Why was your most recent blood test ordered? - To check for a new specific disease or health condition
6	BLT_02D	Blood test - as the result of emergency	discrete	numeric-1.0	30675	31032	Why was your most recent blood test ordered? - As the result of an emergency (for example, heart attack, food poisoning, car accident)
7	BLT_02E	Blood test - other	discrete	numeric-1.0	30675	31032	Why was your most recent blood test ordered? - Other
8	BLT_03A	Blood test - high chol., heart rel. con.	discrete	numeric-1.0	14382	47325	For which health conditions was your last blood test ordered? - High

#	Name	Label	Type	Format	Valid	Invalid	Question
							cholesterol or other heart-related conditions
9	BLT_03B	Blood test - diabetes	discrete	numeric-1.0	14382	47325	For which health conditions was your last blood test ordered? - Diabetes
10	BLT_03C	Blood test - thyroid	discrete	numeric-1.0	14382	47325	For which health conditions was your last blood test ordered? - Thyroid
11	BLT_03D	Blood test - prostate	discrete	numeric-1.0	14382	47325	For which health conditions was your last blood test ordered? - Prostate
12	BLT_03E	Blood test - infectious disease	discrete	numeric-1.0	14382	47325	For which health conditions was your last blood test ordered? - Infectious disease
13	BLT_03F	Blood test - liver function	discrete	numeric-1.0	14382	47325	For which health conditions was your last blood test ordered? - Liver function
14	BLT_03G	Blood test - hormone-related	discrete	numeric-1.0	14382	47325	For which health conditions was your last blood test ordered? - Hormone-related
15	BLT_03H	Blood test - other	discrete	numeric-1.0	14382	47325	For which health conditions was your last blood test ordered? - Other

Group Breast Examinations

Universe
Optional content selection only asked in: Prince Edward Island, Saskatchewan, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOBRX	Module: BRX - (F)	discrete	numeric-1.0	4475	57232	-
2	BRX_110	Had breasts examined by health prof.	discrete	numeric-1.0	2226	59481	Other than a mammogram, have you ever had your breasts examined for lumps (tumours, cysts) by a doctor or other health professional?
3	BRX_112	Last time breasts examined for lumps	discrete	numeric-1.0	1678	60029	When was the last time?
4	BRX_16A	No breast ex. - havn't gotten around/it	discrete	numeric-1.0	990	60717	What are the reasons that you have not had a breast exam in the past 2 years? - Have not gotten around to it
5	BRX_16B	No breast ex. - resp. didn't think nec.	discrete	numeric-1.0	990	60717	What are the reasons that you have not had a breast exam in the past 2 years? - Respondent did not think it was necessary
6	BRX_16C	No breast ex. - doctor didn't think nec.	discrete	numeric-1.0	990	60717	What are the reasons that you have not had a breast exam in the past 2 years? - Doctor did not think it was necessary
7	BRX_16D	No breast ex. - personal/ family resp.	discrete	numeric-1.0	990	60717	What are the reasons that you have not had a breast exam in the past 2 years? - Personal or family responsibilities
8	BRX_16E	No breast ex. - not avail. when req'd	discrete	numeric-1.0	990	60717	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at time required
9	BRX_16F	No breast ex. - not available in area	discrete	numeric-1.0	990	60717	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at all in the area
10	BRX_16G	No breast ex. - waiting time too long	discrete	numeric-1.0	990	60717	What are the reasons that you have not had a breast exam in the past 2 years? - Waiting time was too long

#	Name	Label	Type	Format	Valid	Invalid	Question
11	BRX_16H	No breast ex. - transportation problems	discrete	numeric-1.0	990	60717	What are the reasons that you have not had a breast exam in the past 2 years? - Transportation problems
12	BRX_16I	No breast ex. - language problem	discrete	numeric-1.0	990	60717	What are the reasons that you have not had a breast exam in the past 2 years? - Language problem
13	BRX_16J	No breast ex. - cost	discrete	numeric-1.0	990	60717	What are the reasons that you have not had a breast exam in the past 2 years? - Cost
14	BRX_16K	No breast ex. - did not know where to go	discrete	numeric-1.0	990	60717	What are the reasons that you have not had a breast exam in the past 2 years? - Did not know where to go / uninformed
15	BRX_16L	No breast ex. - fear	discrete	numeric-1.0	990	60717	What are the reasons that you have not had a breast exam in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)
16	BRX_16N	No breast ex. - unable to leave house	discrete	numeric-1.0	990	60717	What are the reasons that you have not had a breast exam in the past 2 years? - Unable to leave the house because of a health problem
17	BRX_16O	No breast - breast removed/ mastectomy	discrete	numeric-1.0	990	60717	What are the reasons that you have not had a breast exam in the past 2 years? - Breast removed / mastectomy
18	BRX_16M	No breast ex. - other	discrete	numeric-1.0	990	60717	What are the reasons that you have not had a breast exam in the past 2 years? - Other

Group Changes Made to Improve Health

Universe

Optional content selection only asked in: Nerfoundland and Labrador, Prince Edward Island, Nova Scotia, Quebec, Manitoba, Alberta, Yukon, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOCIH	Module.: Changes made to improve hlth	discrete	numeric-1.0	25461	36246	-
2	CIH_1	Did something to improve health	discrete	numeric-1.0	24909	36798	In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking, increased exercise)
3	CIH_2	Most important change to improve health	discrete	numeric-2.0	14365	47342	What is the single most important change you have made?
4	CIH_3	Thinks should do something to improve hl	discrete	numeric-1.0	24630	37077	Do you think there is anything you should do to improve your physical health?
5	CIH_4	Most important thing to improve health	discrete	numeric-2.0	16761	44946	What is the most important thing?
6	CIH_5	Barrier to improving health	discrete	numeric-1.0	16750	44957	Is there anything stopping you from making this improvement?
7	CIH_6A	Barrier improve hlth - lack will power	discrete	numeric-1.0	8637	53070	What is that? - Lack of will power / self-discipline
8	CIH_6I	Barrier improve health - family respons.	discrete	numeric-1.0	8637	53070	What is that? - Family responsabilities
9	CIH_6B	Barrier improve hlth - lwork schedule	discrete	numeric-1.0	8637	53070	What is that? - Work schedule

#	Name	Label	Type	Format	Valid	Invalid	Question
10	CIH_6J	Barrier improve health -add. drugs/alc.	discrete	numeric-1.0	8637	53070	What is that? - Addiction to drugs / alcohol
11	CIH_6K	Barrier improve health - phys. condition	discrete	numeric-1.0	8637	53070	What is that? - Physical condition
12	CIH_6G	Barrier improve hlth - disability	discrete	numeric-1.0	8637	53070	What is that? - Disability / health problem
13	CIH_6F	Barrier improve health - too stressed	discrete	numeric-1.0	8637	53070	What is that? - Too stressed
14	CIH_6E	Barrier improve health - too costly	discrete	numeric-1.0	8637	53070	What is that? - Too costly / financial constraints
15	CIH_6L	Barrier improve health - not avail./area	discrete	numeric-1.0	8637	53070	What is that? - Not available - in area
16	CIH_6M	Barrier improve health - trans. problems	discrete	numeric-1.0	8637	53070	What is that? - Transportation problem
17	CIH_6N	Barrier improve health - weather prob.	discrete	numeric-1.0	8637	53070	What is that? - Weather problems
18	CIH_6H	Barrier improve health - other	discrete	numeric-1.0	8637	53070	What is that? - Other
19	CIH_7	Intending to improve health over next yr	discrete	numeric-1.0	16507	45200	Is there anything you intend to do to improve your physical health in the next year?
20	CIH_8A	Health improvement - more exercise	discrete	numeric-1.0	12990	48717	What is that? - Start / Increase exercise, sports / physical activity
21	CIH_8B	Health improvement - lose weight	discrete	numeric-1.0	12990	48717	What is that? - Lose weight
22	CIH_8C	Health improvement - eating habits	discrete	numeric-1.0	12990	48717	What is that? - Change diet / improve eating habits
23	CIH_8J	Health improvement - quit smoking	discrete	numeric-1.0	12990	48717	What is that? - Quit smoking / reduce amount smoked
24	CIH_8K	Health improvement - drink less alcohol	discrete	numeric-1.0	12990	48717	What is that? - Drink less alcohol
25	CIH_8G	Health improvement - reduce stress	discrete	numeric-1.0	12990	48717	What is that? - Reduce stress level
26	CIH_8L	Health improv.- receive med. treatment	discrete	numeric-1.0	12990	48717	What is that? - Receive medical treatment
27	CIH_8H	Health improvement - take vitamins	discrete	numeric-1.0	12990	48717	What is that? - Take vitamins
28	CIH_8I	Health improvement - other	discrete	numeric-1.0	12990	48717	What is that? - Other

Group Chronic Conditions

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	CCC_031	Has asthma	discrete	numeric-1.0	61630	77	Do you have asthma?
2	CCC_035	Asthma - had symptoms/ attacks	discrete	numeric-1.0	5286	56421	Have you had any asthma symptoms or asthma attacks in the past 12 months?
3	CCC_036	Asthma - took medication	discrete	numeric-1.0	5300	56407	In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?

#	Name	Label	Type	Format	Valid	Invalid	Question
4	CCC_051	Has arthritis	discrete	numeric-1.0	59070	2637	Do you have arthritis, excluding fibromyalgia?
5	CCC_061	Has back problems/excl. fibro/arthritis	discrete	numeric-1.0	61596	111	Do you have back problems, excluding fibromyalgia and arthritis?
6	CCC_071	Has high blood pressure	discrete	numeric-1.0	61450	257	Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more. Do you have high blood pressure?
7	CCC_072	Ever diagnosed with high blood pressure	discrete	numeric-1.0	47180	14527	Have you ever been diagnosed with high blood pressure?
8	CCC_073	Medication - high blood pressure	discrete	numeric-1.0	17737	43970	In the past month, have you taken any medicine for high blood pressure?
9	CCC_073A	Preg. - diag. high blood press. 1st time	discrete	numeric-1.0	8620	53087	In the past month, have you taken any medicine for high blood pressure?
10	CCC_073B	Not pregnant - diagn. high blood press.	discrete	numeric-1.0	451	61256	Other than during pregnancy, has a health professional ever told you that you have high blood pressure?
11	CCC_081	Has migraine headaches	discrete	numeric-1.0	61637	70	Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more.Do you have migraine headaches?
12	CCC_091	Has a COPD	discrete	numeric-1.0	44326	17381	Do you have chronic bronchitis, emphysema or chronic obstructive pulmonary disease or COPD?
13	CCC_101	Has diabetes	discrete	numeric-1.0	61632	75	(Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more.) Do you have diabetes?
14	CCCG102	Diabetes - age first diagnosed - (G)	discrete	numeric-2.0	5078	56629	-
15	CCC_10A	Diabetes diagnosed when pregnant	discrete	numeric-1.0	799	60908	Were you pregnant when you were first diagnosed with diabetes?
16	CCC_10B	Diabetes diagnosed - other than pregnant	discrete	numeric-1.0	110	61597	Other than during pregnancy, has a health professional ever told you that you have diabetes?
17	CCC_10C	Diabetes diag. - when started w/insulin	discrete	numeric-2.0	5041	56666	When you were first diagnosed with diabetes, how long was it before you were started on insulin?
18	CCC_105	Diabetes - currently takes insulin	discrete	numeric-1.0	5064	56643	Do you currently take insulin for your diabetes?
19	CCC_106	Diabetes - pills to control blood sugar	discrete	numeric-1.0	5049	56658	In the past month, did you take pills to control your blood sugar?
20	CCC_121	Has heart disease	discrete	numeric-1.0	61508	199	Do you have heart disease?
21	CCC_131	Has cancer	discrete	numeric-1.0	61599	108	(Do you have:) ... cancer?
22	CCC_31A	Ever had cancer	discrete	numeric-1.0	59424	2283	Have you ever been diagnosed with cancer?
23	CCC_141	Has stomach or intestinal ulcers	discrete	numeric-1.0	61509	198	Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more. Do you have intestinal or stomach ulcers?

#	Name	Label	Type	Format	Valid	Invalid	Question
24	CCC_151	Suffers from the effects of a stroke	discrete	numeric-1.0	61631	76	Do you suffer from the effects of a stroke?
25	CCC_161	Has urinary incontinence	discrete	numeric-1.0	51564	10143	(Do you have:) Urinary incontinence?
26	CCC_171	Has bowel disorder	discrete	numeric-1.0	61573	134	Do you have a bowel disorder such as Crohn's Disease, ulcerative colitis, Irritable Bowel Syndrome or bowel incontinence?
27	CCC_17A	Type of bowel disease	discrete	numeric-1.0	3284	58423	What kind of bowel disease do you have?
28	CCC_280	Has a mood disorder	discrete	numeric-1.0	61580	127	Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more. Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?
29	CCC_290	Has an anxiety disorder	discrete	numeric-1.0	61579	128	Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?
30	CCCDDIA	Diabetes type	discrete	numeric-1.0	5028	56679	-

Group Colorectal Cancer Screening

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOCCS	Module: CCS - (F)	discrete	numeric-1.0	61707	0	-
2	CCS_180	Had an FOBT test	discrete	numeric-1.0	43035	18672	An FOBT is a test to check for blood in your stool, where you have a bowel movement and use a stick to smear a small sample on a special card. Have you ever had this test?
3	CCS_182	Last time FOBT test done	discrete	numeric-2.0	18888	42819	When was the last time?
4	CCS_83A	Had FOBT - family history	discrete	numeric-1.0	18714	42993	Why did you have it? - Family history of colorectal cancer
5	CCS_83B	Had FOBT - regular check-up	discrete	numeric-1.0	18714	42993	Why did you have it? - Part of regular check-up / routine screening
6	CCS_83C	Had FOBT - age	discrete	numeric-1.0	18714	42993	Why did you have it? - Age
7	CCS_83D	Had FOBT - follow-up of problem	discrete	numeric-1.0	18714	42993	Why did you have it? - Follow-up of problem
8	CCS_83E	Had FOBT - follow-up of treatment	discrete	numeric-1.0	18714	42993	Why did you have it? - Follow-up of colorectal cancer treatment
9	CCS_83F	Had FOBT - other	discrete	numeric-1.0	18714	42993	Why did you have it? - Other
10	CCS_184	Had colonoscopy or sigmoidoscopy	discrete	numeric-1.0	43171	18536	A colonoscopy or sigmoidoscopy is when a tube is inserted into the rectum to view the bowel for early signs of cancer and other health problems. Have you ever had either of these exams?
11	CCS_185	Last time had colonoscopy/sigmoidoscopy	discrete	numeric-2.0	15854	45853	When was the last time?

#	Name	Label	Type	Format	Valid	Invalid	Question
12	CCS_86A	Had colonoscopy - family history	discrete	numeric-1.0	15719	45988	Why did you have it? - Family history of colorectal cancer
13	CCS_86B	Had colonoscopy - regular check-up	discrete	numeric-1.0	15719	45988	Why did you have it? - Part of regular check-up / routine screening
14	CCS_86C	Had colonoscopy - age	discrete	numeric-1.0	15719	45988	Why did you have it? - Age
15	CCS_86D	Had colonoscopy - follow-up of problem	discrete	numeric-1.0	15719	45988	Why did you have it? - Follow-up of problem
16	CCS_86E	Had colonoscopy - follow-up of treatment	discrete	numeric-1.0	15719	45988	Why did you have it? - Follow-up of colorectal cancer treatment
17	CCS_86F	Had colonoscopy - other	discrete	numeric-1.0	15719	45988	Why did you have it? - Other
18	CCS_187	Colonoscopy/sigmoidoscopy - FOBT test	discrete	numeric-1.0	9167	52540	Was the colonoscopy or sigmoidoscopy a follow-up of the results of an FOBT?

Group Consultations about Mental Health

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOCMH	Module: CMH - (F)	discrete	numeric-1.0	61707	0	-
2	CMH_01K	Consulted mental health professional	discrete	numeric-1.0	58784	2923	In the past 12 months, that is, from DATE ONE YEAR AGO to yesterday, have you seen or talked to a health professional about your emotional or mental health?
3	CMHG01L	Cons. mental hlth prof. - no. times -(G)	discrete	numeric-2.0	7555	54152	-
4	CMH_1MA	Consulted mental hlth prof. - fam. doc.	discrete	numeric-1.0	7619	54088	Whom did you see or talk to? - Family doctor or general practitioner
5	CMH_1MB	Consulted men. hlth prof. - psychiatrist	discrete	numeric-1.0	7619	54088	Whom did you see or talk to? - Psychiatrist
6	CMH_1MC	Consulted men. hlth prof. - psychologist	discrete	numeric-1.0	7619	54088	Whom did you see or talk to? - Psychologist
7	CMH_1MD	Consulted mental hlth prof. - nurse	discrete	numeric-1.0	7619	54088	Whom did you see or talk to? - Nurse
8	CMH_1ME	Consulted men. hlth prof.- social worker	discrete	numeric-1.0	7619	54088	Whom did you see or talk to? - Social worker or counsellor
9	CMH_1MF	Consulted mental hlth prof. - other	discrete	numeric-1.0	7619	54088	Whom did you see or talk to? - Other

Group Contacts with Health Professionals

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	CHP_01	Overnight patient	discrete	numeric-1.0	61654	53	In the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?
2	CHPG02	No. of nights as patient - (G)	continuous	numeric-2.0	61606	101	-
3	CHP_03	Consulted fam. doctor/gen. practitioner	discrete	numeric-1.0	61607	100	Have you seen, or talked to any of the following health professionals about your physical, emotional or mental

#	Name	Label	Type	Format	Valid	Invalid	Question
							health: ...a family doctor, PED or general practitioner?
4	CHPG04	No. of consult. - family doctor - (G)	continuous	numeric-2.0	61145	562	-
5	CHPG05	Where was most recent contact - (G)	discrete	numeric-2.0	47407	14300	-
6	CHP_06	Consulted with eye specialist	discrete	numeric-1.0	61564	143	(Have you seen, or talked to:) ...an eye specialist, such as an ophthalmologist or optometrist (about your physical, emotional or mental health)?
7	CHPG07	No. of consult. - eye specialist - (G)	discrete	numeric-2.0	61503	204	-
8	CHP_08	Consulted with other medical doctor	discrete	numeric-1.0	61618	89	(Have you seen, or talked to:) ...any other medical doctor or specialist such as a surgeon, allergist, orthopaedist, doctor or psychiatrist (about your physical, emotional or mental health)?
9	CHPG09	No. of consult. - other doctor - (G)	discrete	numeric-2.0	61494	213	-
10	CHPG10	Where was most recent contact - (G)	discrete	numeric-2.0	20101	41606	-
11	CHP_11	Consulted with nurse	discrete	numeric-1.0	61623	84	(Have you seen, or talked to:) ...a nurse for care or advice about your physical, emotional or mental health?
12	CHPG12	No. of consult. - nurse - (G)	discrete	numeric-2.0	61404	303	-
13	CHPG13	Where was most recent contact - (G)	discrete	numeric-2.0	8653	53054	-
14	CHP_14	Consulted with dentist or orthodontist	discrete	numeric-1.0	61635	72	(Have you seen, or talked to:) ...a dentist, dental hygienist or orthodontist (about your physical, emotional or mental health)?
15	CHPG15	No. of consult. - dentist/ orthod. - (G)	discrete	numeric-2.0	61419	288	-
16	CHPGMDC	No. of consult. w/medical doctor (D,G)	continuous	numeric-2.0	60994	713	-

Group Dental Visits

Universe

Optional content selection only asked in: Newfoundland and Labrador, Manitoba, Alberta, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODEN	Module: DEN - (F)	discrete	numeric-1.0	10771	50936	-
2	DEN_130	Visited dentist	discrete	numeric-1.0	6548	55159	It was reported earlier that you have "seen" or "talked to" a dentist in the past 12 months. Did you actually visit one?
3	DEN_132	Last time visited dentist	discrete	numeric-2.0	10484	51223	When was the last time that you went to a dentist?
4	DEN_36A	No dent. vis. - haven't got around to it	discrete	numeric-1.0	1994	59713	What are the reasons that you have not been to a dentist in the past 3 years? - Have not gotten around to it
5	DEN_36B	No dent. vis. - resp. didn't think nec.	discrete	numeric-1.0	1994	59713	What are the reasons that you have not been to a dentist in the past 3 years?

#	Name	Label	Type	Format	Valid	Invalid	Question
							- Respondent did not think it was necessary
6	DEN_36C	No dent. vis. - dent. didn't think nec.	discrete	numeric-1.0	1994	59713	What are the reasons that you have not been to a dentist in the past 3 years? - Dentist did not think it was necessary
7	DEN_36D	No dent. vis. - pers./family respons.	discrete	numeric-1.0	1994	59713	What are the reasons that you have not been to a dentist in the past 3 years? - Personal or family responsibilities
8	DEN_36E	No dent. vis. - not avail. when req'd.	discrete	numeric-1.0	1994	59713	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at time required
9	DEN_36F	No dent. vis. - not available in area	discrete	numeric-1.0	1994	59713	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at all in the area
10	DEN_36G	No dent. vis. - waiting time too long	discrete	numeric-1.0	1994	59713	What are the reasons that you have not been to a dentist in the past 3 years? - Waiting time was too long
11	DEN_36H	No dent. vis. - transportation problems	discrete	numeric-1.0	1994	59713	What are the reasons that you have not been to a dentist in the past 3 years? - Transportation problems
12	DEN_36I	No dent. vis. - language problem	discrete	numeric-1.0	1994	59713	What are the reasons that you have not been to a dentist in the past 3 years? - Language problem
13	DEN_36J	No dent. vis. - cost	discrete	numeric-1.0	1994	59713	What are the reasons that you have not been to a dentist in the past 3 years? - Cost
14	DEN_36K	No dent. vis. - didn't know where to go	discrete	numeric-1.0	1994	59713	What are the reasons that you have not been to a dentist in the past 3 years? - Did not know where to go / uninformed
15	DEN_36L	No dent. vis. - fear	discrete	numeric-1.0	1994	59713	What are the reasons that you have not been to a dentist in the past 3 years? - Fear (e.g., painful, embarrassing, find something wrong)
16	DEN_36M	No dent. vis. - wears dentures	discrete	numeric-1.0	1994	59713	What are the reasons that you have not been to a dentist in the past 3 years? - Wears dentures
17	DEN_36O	No dent. vis. - unable to leave house	discrete	numeric-1.0	1994	59713	What are the reasons that you have not been to a dentist in the past 3 years? - Unable to leave the house because of a health problem
18	DEN_36N	No dent. vis. - other	discrete	numeric-1.0	1994	59713	What are the reasons that you have not been to a dentist in the past 3 years? - Other

Group Depression

Universe
Optional content selection only asked in: Newfoundland and Labrador, Prince Edward Island, Nova Scotia, New Brunswick, Saskatchewan, Alberta, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODEP	Module: DPS - (F)	discrete	numeric-1.0	16451	45256	-
2	DPS_02	Depressed >= 2 weeks - 12 mo	discrete	numeric-1.0	15840	45867	During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?

#	Name	Label	Type	Format	Valid	Invalid	Question
3	DPS_03	Dep. -length/time feelings lasted - 2 wk	discrete	numeric-1.0	2110	59597	For the next few questions, please think of the 2-week period during the past 12 months when these feelings were the worst. During that time, did these feelings usually last:
4	DPS_04	Depressed - frequence - 2 wk	discrete	numeric-1.0	1290	60417	How often did you feel this way during those 2 weeks?
5	DPS_05	Dep.-lost interest in most things - 2 wk	discrete	numeric-1.0	1199	60508	During those 2 weeks did you lose interest in most things?
6	DPS_06	Dep. - felt tired all of the time - 2 wk	discrete	numeric-1.0	1195	60512	Did you feel tired out or low on energy all of the time?
7	DPS_07	Depressed - weight change - 2 wk	discrete	numeric-1.0	1178	60529	Did you gain weight, lose weight or stay about the same?
8	DPS_08A	Depressed -weight change (amount) - 2 wk	continuous	numeric-3.0	508	61199	About how much did you gain/lose?
9	DPS_08B	Depressed - weight change (lb/kg) - 2 wk	discrete	numeric-1.0	508	61199	-
10	DPS_09	Depressed - trouble fall asleep - 2 wk	discrete	numeric-1.0	1169	60538	Did you have more trouble falling asleep than you usually do?
11	DPS_10	Depr. - fall asleep (freq.) - 2 wk	discrete	numeric-1.0	821	60886	How often did that happen?
12	DPS_11	Depressed - trouble concentrating - 2 wk	discrete	numeric-1.0	1151	60556	Did you have a lot more trouble concentrating than usual?
13	DPS_12	Depressed - felt down on self - 2 wk	discrete	numeric-1.0	1148	60559	At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?
14	DPS_13	Depr.- thought a lot about death - 2 wk	discrete	numeric-1.0	1141	60566	Did you think a lot about death - either your own, someone else's or death in general?
15	DPS_14	Depressed - number of weeks - 12 mo	continuous	numeric-2.0	1064	60643	About how many weeks altogether did you feel this way during the past 12 months?
16	DPS_15	Depressed - most recent month - 2 wk	discrete	numeric-2.0	968	60739	Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?
17	DPS_16	Loss int. - things give pleasure - 12 mo	discrete	numeric-1.0	14538	47169	During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work or activities that usually give you pleasure?
18	DPS_17	Loss interest - freq. - 12 mo	discrete	numeric-1.0	1038	60669	For the next few questions, please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last?
19	DPS_18	Loss interest - freq. - 2 wk	discrete	numeric-1.0	470	61237	How often did you feel this way during those 2 weeks?
20	DPS_19	Loss int. -felt tired all the time -2 wk	discrete	numeric-1.0	349	61358	During those 2 weeks did you feel tired out or low on energy all the time?
21	DPS_20	Loss interest - weight change - 2 wk	discrete	numeric-1.0	345	61362	Did you gain weight, lose weight, or stay about the same?
22	DPS_21A	Loss interest - weight change (amount)	discrete	numeric-3.0	120	61587	About how much did you weight?

#	Name	Label	Type	Format	Valid	Invalid	Question
23	DPS_21B	Loss int. - weight change (lb/kg) - 2 wk	discrete	numeric-1.0	120	61587	-
24	DPS_22	Loss interest -trouble fall asleep -2 wk	discrete	numeric-1.0	345	61362	Did you have more trouble falling asleep than you usually do?
25	DPS_23	Loss int. -trouble to sleep (freq) -2 wk	discrete	numeric-1.0	215	61492	How often did that happen?
26	DPS_24	Loss int.- trouble concentrating - 2 wk	discrete	numeric-1.0	342	61365	Did you have a lot more trouble concentrating than usual?
27	DPS_25	Loss interest - felt down on self - 2 wk	discrete	numeric-1.0	340	61367	At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?
28	DPS_26	Loss int.- thought a lot/death - 2 wk	discrete	numeric-1.0	340	61367	Did you think a lot about death - either your own, someone else's, or death in general?
29	DPS_27	Loss interest - nombre of weeks - 12 mo	continuous	numeric-2.0	301	61406	About how many weeks did you feel this way during the past 12 months?
30	DPS_28	Loss interest - most recent month - 2 wk	discrete	numeric-2.0	278	61429	Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?
31	DPSDSF	Depr. scale - short form score - (D)	discrete	numeric-2.0	15646	46061	-
32	DPSDPP	Depr. scale - predicted prob. - (D)	continuous	numeric-4.2	15646	46061	-
33	DPSDWK	No. of weeks felt depressed - (D)	continuous	numeric-2.0	1328	60379	-
34	DPSDMT	Mth last felt depr.- 2 wks in a row -(D)	discrete	numeric-2.0	1215	60492	-

Group Diabetes Care

Universe

Optional content selection only asked in: Newfoundland and Labrador, Nova Scotia, New Brunswick, Ontario

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODIA	Module: DIA - (F)	discrete	numeric-1.0	27713	33994	-
2	DIA_01	Tested for "A-one-C" haemoglobin	discrete	numeric-1.0	2354	59353	In the past 12 months, has a health care professional tested ^YOU2 for haemoglobin "A- one-C"? (An "A-one-C" haemoglobin test measures the average level of blood sugar over a 3-month period.)
3	DIA_02	No. of times - tested for "A-one-C"	discrete	numeric-3.0	1944	59763	How many times? (In the past 12 months, has a health care professional tested you for haemoglobin "A-one-C"?)
4	DIA_03	Feet checked by health professional	discrete	numeric-1.0	2427	59280	In the past 12 months, has a health care professional checked your feet for any sores or irritations?
5	DIA_04	No of times - feet checked by hlth prof.	discrete	numeric-3.0	1336	60371	How many times? (In the past 12 months, has a health care professional checked your feet for any sores or irritations?)
6	DIA_05	Urine tested for protein by health prof.	discrete	numeric-1.0	2304	59403	In the past 12 months, has a health care professional tested your urine for protein (i.e., Microalbumin)?

#	Name	Label	Type	Format	Valid	Invalid	Question
7	DIA_06	Ever had eye exam with pupils dilated	discrete	numeric-1.0	2401	59306	Have you ever had an eye exam where the pupils of your eyes were dilated? (This procedure would have made him/her temporarily sensitive to light.)
8	DIA_07	Eye exam with pupils dilated - last time	discrete	numeric-1.0	1917	59790	When was the last time?
9	DIA_08	Checks glucose level/self-reporting unit	discrete	numeric-1.0	2429	59278	How often do you usually have your blood checked for glucose or sugar by yourself or by a family member or friend?
10	DIA_N8B	Checks glucose level/self-no times day	discrete	numeric-3.0	1309	60398	-
11	DIA_N8C	Checks glucose level - no times per week	discrete	numeric-3.0	645	61062	-
12	DIA_N8D	Checks glucose level -no times per month	discrete	numeric-3.0	183	61524	-
13	DIA_N8E	Checks glucose level -no times per year	discrete	numeric-3.0	46	61661	-
14	DIA_09	Checks feet / self-reporting unit	discrete	numeric-1.0	2380	59327	How often do you usually have your feet checked for any sores or irritations by yourself or by a family member or friend?
15	DIA_N9B	Checks feet/self-number of times per day	discrete	numeric-3.0	902	60805	-
16	DIA_N9C	Checks feet/self-number of times week	discrete	numeric-3.0	539	61168	-
17	DIA_N9D	Checks feet/self-number of times month	discrete	numeric-3.0	191	61516	-
18	DIA_N9E	Checks feet/self-number of times year	discrete	numeric-3.0	147	61560	-
19	DIA_10	Medication - ASA - past month	discrete	numeric-1.0	2378	59329	In the past month, did you take aspirin or other ASA (acetylsalicylic acid) medication every day or every second day?
20	DIA_11	Medication -blood cholesterol-past month	discrete	numeric-1.0	2354	59353	In the past month, did YOU take prescription medications such as Lipitor or Zocor to control YOUR blood cholesterol levels?

Group Distress

Universe
Optional content selection only asked in: Ontario, Saskatchewan

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODIS	Module: DIS - (F)	discrete	numeric-1.0	24849	36858	-
2	DIS_10A	Frequency/distress:tired out-past month	discrete	numeric-1.0	23301	38406	During the past month, that is, from [date one month ago] to yesterday, about how often did you feel: ... tired out for no good reason?
3	DIS_10B	Freq./distress: felt nervous - past mo	discrete	numeric-1.0	23222	38485	During the past month, that is, from [date one month ago] to yesterday, about how often did you feel: ... nervous?

#	Name	Label	Type	Format	Valid	Invalid	Question
4	DIS_10C	Freq./distress:so nervous - past month	discrete	numeric-1.0	23186	38521	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... so nervous that nothing could calm you down?
5	DIS_10D	Freq./distress: felt hopeless - past mo	discrete	numeric-1.0	23218	38489	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... hopeless?
6	DIS_10E	Freq./distress: felt restless - past mo	discrete	numeric-1.0	23193	38514	During the past month, that is, from [date one month ago] to yesterday, about how often did you feel: ... restless or fidgety?
7	DIS_10F	Frequency/distress:could not sit still	discrete	numeric-1.0	23151	38556	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... so restless you could not sit still?
8	DIS_10G	Freq./distress: sad,depressed - past mo	discrete	numeric-1.0	23212	38495	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... sad or depressed?
9	DIS_10H	Freq./d.:dep,nothing cheer up - past mo.	discrete	numeric-1.0	23176	38531	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... so depressed that nothing could cheer you up?
10	DIS_10I	Freq./distr: every. was effort - past mo	discrete	numeric-1.0	23127	38580	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... that everything was an effort?
11	DIS_10J	Freq./distr.: felt worthless - past mo	discrete	numeric-1.0	23197	38510	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... worthless?
12	DIS_10K	Freq. of distress feelings - past mo	discrete	numeric-1.0	23058	38649	We just talked about feelings that occurred to different degrees during the past month. Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?
13	DIS_10L	Freq. of distress feelings (more often)	discrete	numeric-1.0	2667	59040	Is that a lot more, somewhat more or only a little more often than usual?
14	DIS_10M	Freq. of distress feelings (less often)	discrete	numeric-1.0	2140	59567	Is that a lot less, somewhat less or only a little less often than usual?
15	DIS_10N	Freq./distr. feelings int. w/ life-p.m.	discrete	numeric-1.0	18532	43175	During the past month, how much did these feelings usually interfere with your life or activities?
16	DISDK6	Distress scale - K6 - past month - (D)	continuous	numeric-2.0	22842	38865	-
17	DISDCHR	Chronicity of distress/impair. scale (D)	discrete	numeric-2.0	23002	38705	-
18	DISDDSX	Distress scale - K10 - past month - (D)	continuous	numeric-2.0	22788	38919	-

Group Driving and Safety

	Universe						
	Optional content selection only asked in: Prince Edward Island, Manitoba, Alberta, North West Territories						
#	**Name**	**Label**	**Type**	**Format**	**Valid**	**Invalid**	**Question**
1	DODRV	Module: DRV - (F)	discrete	numeric-1.0	9889	51818	-
2	DRV_01A	Drove a motor vehicle	discrete	numeric-1.0	9661	52046	In the past 12 months, have you driven a motor vehicle?
3	DRV_01B	Drove a motorcycle	discrete	numeric-1.0	9659	52048	In the past 12 months, have you driven a motorcycle?
4	DRV_02	Freq. - seat belt when driving	discrete	numeric-1.0	8154	53553	How often do you fasten your seat belt when you drive a motor vehicle?
5	DRV_03A	Use of a cell phone while driving	discrete	numeric-1.0	8142	53565	Excluding hands-free use, how often do you use a cell phone while you are driving a motor vehicle?
6	DRV_03B	Use of a hands-free while driving	discrete	numeric-1.0	8135	53572	How often do you use a hands-free when talking on the cell phone while you are driving a motor vehicle?
7	DRV_04	Freq. - tired when driving	discrete	numeric-1.0	8117	53590	How often do you drive when you are feeling tired?
8	DRV_05	Driving speed compared to others	discrete	numeric-1.0	8056	53651	Compared to other drivers, would you say you usually drive:
9	DRV_06	Driving aggression compared to others	discrete	numeric-1.0	7984	53723	(Compared to other drivers,) would you say you usually drive:
10	DRV_07	No. of times - drove after 2+ drinks	discrete	numeric-1.0	6499	55208	In the past 12 months, have you driven a motor vehicle after having 2 or more drinks in the hour before you drove?
11	DRV_07A	No. of times - drove after 2+ drinks	discrete	numeric-2.0	426	61281	How many times (in the past 12 months)?
12	DRV_08A	Freq. - seat belt - front seat pass.	discrete	numeric-1.0	9648	52059	When you are a front seat passenger, how often do you fasten your seat belt?
13	DRV_08B	Freq. - seat belt - back seat pass.	discrete	numeric-1.0	9632	52075	When you are a back seat passenger, how often do you fasten your seat belt?
14	DRV_09	Freq. - seat belt - in taxi	discrete	numeric-1.0	9573	52134	When you are a passenger in a taxi, how often do you fasten your seat belt?
15	DRV_10	No. times - pass./driver after 2+ drinks	discrete	numeric-1.0	9579	52128	In the past 12 months, have you been a passenger with a driver who had 2 or more drinks in the hour before driving?
16	DRV_10A	No. times - pass./driver after 2+ drinks	discrete	numeric-2.0	931	60776	How many times (in the past 12 months)?
17	DRV_11A	Driver/pass. - snowmobile/ motor boat	discrete	numeric-1.0	9645	52062	In the past 12 months, have you been the driver of, or a passenger in, a snowmobile, motor boat or seadoo?
18	DRV_11B	Driver/pass. - ATV	discrete	numeric-1.0	9638	52069	In the past 12 months, have you been the driver of, or a passenger in, an ATV (all terrain vehicle)?
19	DRV_12	Freq. - wears helmet - ATV	discrete	numeric-1.0	2104	59603	How often do you wear a helmet when on an ATV?
20	DRV_13	No. times - With driver 2+ drinks - ATV	discrete	numeric-1.0	3249	58458	In the past 12 months, have you been a passenger on ^DT_ATV with a driver who had 2 or more drinks in the hour before driving?
21	DRV_13A	No. times - With driver 2+ drinks - ATV	discrete	numeric-2.0	200	61507	How many times (in the past 12 months)?

#	Name	Label	Type	Format	Valid	Invalid	Question
22	DRV_14	No. times - drove snow./ATV aft. 2+ drks	discrete	numeric-1.0	2645	59062	In the past 12 months, have you driven an ATV after having 2 or more drinks in the hour before you drove?
23	DRV_14A	No. times - drove snow./ATV aft. 2+ drks	discrete	numeric-2.0	128	61579	How many times (in the past 12 months)?
24	DRVFSBU	Passenger seat belt use - motor vehicle	discrete	numeric-1.0	9567	52140	-

Group Dwelling and Household Variables

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DHHGAGE	Age - (G)	discrete	numeric-2.0	61707	0	-
2	DHH_SEX	Sex	discrete	numeric-1.0	61707	0	-
3	DHHGMS	Marital status - (G)	discrete	numeric-1.0	61528	179	-
4	DHHGLE5	No. pers. <= 5 years old in hhld - (D,G)	discrete	numeric-1.0	61707	0	-
5	DHHG611	No. persons 6-11 years/in hhld - (D,G)	discrete	numeric-1.0	61707	0	-
6	DHHGL12	No. pers. < 12 years old in hhld - (D,G)	discrete	numeric-1.0	61707	0	-
7	DHHGLVG	Living arrangements/selected resp -(D,G)	discrete	numeric-2.0	61344	363	-
8	DHHGHSZ	Household size - (D, G)	discrete	numeric-1.0	61678	29	-

Group Education

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	SDC_8	Current student	discrete	numeric-1.0	57429	4278	-
2	SDCG9	Full-time student or part-time student	discrete	numeric-1.0	6134	55573	-
3	EDUDH04	Highest level/edu. - HH 4 levels - (D)	discrete	numeric-1.0	56791	4916	-
4	EDUDR04	Highest level/edu. - respond. 4 levels -	discrete	numeric-1.0	59433	2274	-

Group Exposure to Second-Hand Smoke

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	ETS_10	Someone smokes inside home	discrete	numeric-1.0	57347	4360	Including both household members and regular visitors, does anyone smoke inside your home, every day or almost every day?

#	Name	Label	Type	Format	Valid	Invalid	Question
2	ETSG11	No. of people who smoke inside home -(G)	discrete	numeric-1.0	4902	56805	-
3	ETS_20	Exposed to 2nd-hand smoke - private veh.	discrete	numeric-1.0	49105	12602	In the past month, were you exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle?
4	ETS_20B	Exposed to 2nd-hand smoke - public places	discrete	numeric-1.0	49071	12636	(In the past month,) were you exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)?
5	ETS_35	Smoking allowed - House	discrete	numeric-1.0	56161	5546	Is smoking allowed inside your home?
6	ETS_36	Smoking restrictions	discrete	numeric-1.0	10672	51035	Is smoking inside your home restricted in anyway?
7	ETS_37A	Type of restrictions -certain rooms only	discrete	numeric-1.0	3892	57815	How is smoking restricted inside your home? - Allowed in certain rooms only
8	ETS_37B	Type of restrictions - young children	discrete	numeric-1.0	3892	57815	How is smoking restricted inside your home? - Restricted in the presence of young children
9	ETS_37C	Type of restrictions - windows open	discrete	numeric-1.0	3892	57815	How is smoking restricted inside your home? - Allowed only if windows are open or with another type of ventilation
10	ETS_37D	Type of restrictions - Other	discrete	numeric-1.0	3892	57815	How is smoking restricted inside your home? - Other restriction(s)

Group Flu Shots

Universe
Common content andwas asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	FLU_160	Ever had a flu shot	discrete	numeric-1.0	60009	1698	Have you ever had a seasonal flu shot?
2	FLU_162	Had flu shot - last time	discrete	numeric-1.0	38105	23602	When did you have your last seasonal flu shot?
3	FLU_164	Had flu shot - which month	discrete	numeric-2.0	20213	41494	In which month did you have your last seasonal flu shot?
4	FLU_165	Had flu shot - current/last year	discrete	numeric-1.0	2054	59653	Was that this year or last year?
5	FLU_66A	No flu shot - have not gotten around it	discrete	numeric-1.0	37506	24201	What are the reasons that you have not had a flu shot in the past year? - Have not gotten around to it
6	FLU_66B	No flu shot - resp. didn't think nec.	discrete	numeric-1.0	37506	24201	What are the reasons that you have not had a flu shot in the past year? - Respondent did not think it was necessary
7	FLU_66C	No flu shot - doctor didn't think nec.	discrete	numeric-1.0	37506	24201	What are the reasons that you have not had a flu shot in the past year? - Doctor did not think it was necessary
8	FLU_66D	No flu shot - personal/family resp.	discrete	numeric-1.0	37506	24201	What are the reasons that you have not had a flu shot in the past year? - Personal or family responsibilities
9	FLU_66E	No flu shot - not available when req'd	discrete	numeric-1.0	37506	24201	What are the reasons that you have not had a flu shot in the past year? - Not available at time required

#	Name	Label	Type	Format	Valid	Invalid	Question
10	FLU_66F	No flu shot - not available in area	discrete	numeric-1.0	37506	24201	What are the reasons that you have not had a flu shot in the past year? - Not available at all in the area
11	FLU_66G	No flu shot - waiting time was too long	discrete	numeric-1.0	37506	24201	What are the reasons that you have not had a flu shot in the past year? - Waiting time was too long
12	FLU_66H	No flu shot - transportation problems	discrete	numeric-1.0	37506	24201	What are the reasons that you have not had a flu shot in the past year? - Transportation problems
13	FLU_66I	No flu shot - language problem	discrete	numeric-1.0	37506	24201	What are the reasons that you have not had a flu shot in the past year? - Language problem
14	FLU_66J	No flu shot - cost	discrete	numeric-1.0	37506	24201	What are the reasons that you have not had a flu shot in the past year? - Cost
15	FLU_66K	No flu shot - did not know where to go	discrete	numeric-1.0	37506	24201	What are the reasons that you have not had a flu shot in the past year? - Did not know where to go / uninformed
16	FLU_66L	No flu shot - fear	discrete	numeric-1.0	37506	24201	What are the reasons that you have not had a flu shot in the past year? - Fear (e.g., painful, embarrassing, find something wrong)
17	FLU_66M	No flu shot - bad reaction to prev. shot	discrete	numeric-1.0	37506	24201	What are the reasons that you have not had a flu shot in the past year? - Bad reaction to previous shot
18	FLU_66O	No flu shot - unable leave house/hlth	discrete	numeric-1.0	37506	24201	What are the reasons that you have not had a flu shot in the past year? - Unable to leave the house because of a health problem
19	FLU_66N	No flu shot - other	discrete	numeric-1.0	37506	24201	What are the reasons that you have not had a flu shot in the past year? - Other

Group Food Choices

Universe

Optional content selection only asked in: Prince edward Island, Nova Scotia, Saskatchewan, Alberta, British Columbia, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOFDC	Module: FDC - (F)	discrete	numeric-1.0	19746	41961	-
2	FDC_1A	Chooses/avoids foods - weight concern	discrete	numeric-1.0	19132	42575	Do you choose certain foods or avoid others: ...because you are concerned about your body weight?
3	FDC_1B	Chooses/avoids foods - heart disease	discrete	numeric-1.0	19085	42622	Do you choose certain foods or avoid others: ...because you are concerned about heart disease?
4	FDC_1C	Chooses/avoids foods - cancer	discrete	numeric-1.0	19081	42626	Do you choose certain foods or avoid others: ...because you are concerned about cancer?
5	FDC_1D	Chooses/avoids foods - osteoporosis	discrete	numeric-1.0	19053	42654	Do you choose certain foods or avoid others: ...because you are concerned about osteoporosis (brittle bones)?
6	FDC_2A	Reason/choose foods - lower fat content	discrete	numeric-1.0	19084	42623	Do you choose certain foods because of: ...the lower fat content?

#	Name	Label	Type	Format	Valid	Invalid	Question
7	FDC_2B	Reason/choose foods - fibre content	discrete	numeric-1.0	19072	42635	Do you choose certain foods because of: ...the fibre content?
8	FDC_2C	Reason/choose foods - calcium content	discrete	numeric-1.0	19056	42651	Do you choose certain foods because of: ...the calcium content?
9	FDC_3A	Reason/avoid foods - fat content	discrete	numeric-1.0	19090	42617	Do you avoid certain foods because of: ...the fat content?
10	FDC_3B	Reason/avoid foods - type of fat	discrete	numeric-1.0	19004	42703	Do you avoid certain foods because of: ...the type of fat they contain?
11	FDC_3C	Reason/avoid foods - salt content	discrete	numeric-1.0	19090	42617	Do you avoid certain foods because of: ...the salt content?
12	FDC_3D	Reason/avoid foods - cholesterol content	discrete	numeric-1.0	19044	42663	Do you avoid certain foods because of: ...the cholesterol content?
13	FDC_3E	Reason/avoid foods - calorie content	discrete	numeric-1.0	19076	42631	Do you avoid certain foods because of: ...the calorie content?
14	FDCFAVD	Avoids foods for content reasons - (F)	discrete	numeric-1.0	19087	42620	-
15	FDCFCAH	Chooses/avoids foods hlth concerns - (F)	discrete	numeric-1.0	19096	42611	-
16	FDCFCHO	Chooses foods for content reasons - (F)	discrete	numeric-1.0	19084	42623	-

Group Food Security

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOFSC	Module: Food security	discrete	numeric-1.0	61707	0	-
2	FSC_010	Food situation in household - 12 mo	discrete	numeric-1.0	59826	1881	-
3	FSC_020	Worried food would run out - 12 mo	discrete	numeric-1.0	59728	1979	-
4	FSC_030	No food and no money for more - 12 mo	discrete	numeric-1.0	59720	1987	-
5	FSC_040	Could not afford balanced meals - 12 mo	discrete	numeric-1.0	59683	2024	-
6	FSC_050	Few kinds low-cost food for kids -12 mo	discrete	numeric-1.0	15851	45856	-
7	FSC_060	Couldn't feed child. bal. meal - 12 mo	discrete	numeric-1.0	15845	45862	-
8	FSC_070	Children were not eating enough - 12 mo	discrete	numeric-1.0	2473	59234	-
9	FSC_080	Adults cut or skipped meals - 12 mo	discrete	numeric-1.0	6652	55055	-
10	FSC_081	Adults skipped meals (freq) - 12 mo	discrete	numeric-1.0	1961	59746	-
11	FSC_090	Ate less than felt should - 12 mo	discrete	numeric-1.0	6646	55061	-
12	FSC_100	Was hungry but could not eat - 12 mo	discrete	numeric-1.0	6646	55061	-

#	Name	Label	Type	Format	Valid	Invalid	Question
13	FSC_110	Lost weight no money for food- 12 mo	discrete	numeric-1.0	6602	55105	-
14	FSC_120	Adults did not eat whole day - 12 mo	discrete	numeric-1.0	2707	59000	-
15	FSC_121	Adults not eat whole day (freq) - 12 mo	discrete	numeric-1.0	505	61202	-
16	FSC_130	Cut size of children's meals - 12 mo	discrete	numeric-1.0	972	60735	-
17	FSC_140	Children skipped meals - 12 mo	discrete	numeric-1.0	972	60735	-
18	FSC_141	Freq. - child. skipped meals - 12 mo	discrete	numeric-1.0	70	61637	-
19	FSC_150	Children were hungry - 12 mo	discrete	numeric-1.0	970	60737	-
20	FSC_160	Children did not eat whole day - 12 mo	discrete	numeric-1.0	971	60736	-
21	FSCDHFS2	Household Food Security Status (HC)	discrete	numeric-1.0	59428	2279	-
22	FSCDAFS2	Food Security - Adult Status	discrete	numeric-1.0	59452	2255	-
23	FSCDCFS2	Food Security - Child Status	discrete	numeric-1.0	15810	45897	-

Group Fruit and Vegetable Consumption

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	FVCDJUI	Daily consumption - fruit juice - (D)	continuous	numeric-5.1	59292	2415	-
2	FVCDFRU	Daily consumption - fruit - (D)	continuous	numeric-5.1	59009	2698	-
3	FVCDSAL	Daily consumption - green salad - (D)	continuous	numeric-5.1	58877	2830	-
4	FVCDPOT	Daily consumption - potatoes - (D)	continuous	numeric-5.1	59060	2647	-
5	FVCDCAR	Daily consumption - carrots - (D)	continuous	numeric-5.1	58603	3104	-
6	FVCDVEG	Daily consumption other vegetables - (D)	continuous	numeric-5.1	58213	3494	-
7	FVCDTOT	Daily cons. - total fruits and veg. - D)	continuous	numeric-5.1	56546	5161	-
8	FVCGTOT	Daily cons. total fruits/veg. - (D, G)	discrete	numeric-1.0	56546	5161	-

Group General Health

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	GEN_01	Self-perceived health	discrete	numeric-1.0	61581	126	In general, how would you say your health is now? Is it…?

#	Name	Label	Type	Format	Valid	Invalid	Question
2	GEN_02	Self-perceived hlth - compared 1 yr ago	discrete	numeric-1.0	61579	128	Compared to one year ago, how would you say your health is now? Is it…?
3	GEN_02A2	Satisfaction with life in general	discrete	numeric-2.0	59567	2140	Using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfaied", how do you fell about your life as a whole right now?
4	GEN_02B	Self-perceived mental health	discrete	numeric-1.0	60131	1576	In general, would you say your mental health is …?
5	GEN_07	Perceived life stress	discrete	numeric-1.0	61276	431	Thinking about the amount of stress in your life, would you say that most days are…?
6	GEN_08	Worked at job	discrete	numeric-1.0	50908	10799	Have you worked at a job or business at any time in the past 12 months?
7	GEN_09	Self perceived work stress	discrete	numeric-1.0	35138	26569	Would you say that most days at work were...?
8	GEN_10	Sense of belonging - local community	discrete	numeric-1.0	59133	2574	How would you describe your sense of belonging to your local community? Would you say it is...?
9	GENDHDI	Perceived Health - (D)	discrete	numeric-1.0	61581	126	-
10	GENDMHI	Perceived Mental Health - (D)	discrete	numeric-1.0	60131	1576	-
11	GENGSWL	Satisfaction with life in general	discrete	numeric-1.0	59567	2140	-

Group Geography Variables

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	GEOGPRV	Province of residence of respondent-(G)	continuous	numeric-2.0	61707	0	-
2	GEODPMF	Health Region - (G)	continuous	numeric-5.0	61707	0	-
3	GEODBCHA	B.C. Health Authority (BCHA) - (D)	continuous	numeric-4.0	7517	54190	-

Group Health Care Utilization

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HCU_1AA	Has regular medical doctor	discrete	numeric-1.0	61601	106	Do you have a regular medical doctor?
2	HCU_1BA	Reason no dr - no one available in area	discrete	numeric-1.0	7870	53837	Why do you not have a regular medical doctor? - No medical doctors available in the area
3	HCU_1BB	Reason no dr - none taking new patients	discrete	numeric-1.0	7870	53837	Why do you not have a regular medical doctor? - Medical doctors in the area are not taking new patients
4	HCU_1BC	Reason no dr - not tried to contact one	discrete	numeric-1.0	7870	53837	Why do you not have a regular medical doctor? - Have not tried to contact one

#	Name	Label	Type	Format	Valid	Invalid	Question
5	HCU_1BD	Reason no dr - has left/retired	discrete	numeric-1.0	7870	53837	Why do you not have a regular medical doctor? - Had a medical doctor who left or retired
6	HCU_1BE	Reason no dr - other	discrete	numeric-1.0	7870	53837	Why do you not have a regular medical doctor? - Other
7	HCU_1A1	Regular medical doctor	discrete	numeric-1.0	8006	53701	Is there a place that you usually go to when you are sick or need advice about your health?
8	HCU_1A2	Kind of place	discrete	numeric-2.0	6603	55104	What kind of place is it?

Group Health Utilities Index

Universe
Optional content selection only asked in: Manitoba

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HUPDPAD	Pain (function code)	discrete	numeric-1.0	61434	273	-
2	DOHUI	Module: HUI - (F)	discrete	numeric-1.0	3486	58221	-
3	HUIGVIS	Vision trouble - function code - (D,G)	discrete	numeric-1.0	3420	58287	-
4	HUIGHER	Hearing problems - function code - (D,G)	discrete	numeric-1.0	3386	58321	-
5	HUIGSPE	Speech trouble - function code - (D,G)	discrete	numeric-1.0	3470	58237	-
6	HUIGMOB	Mobility trouble - function code - (D,G)	discrete	numeric-1.0	3468	58239	-
7	HUIGDEX	Dexterity trouble - function code -(D,G)	discrete	numeric-1.0	3471	58236	-
8	HUIDEMO	Emotion (function code)	discrete	numeric-1.0	3464	58243	-
9	HUIDCOG	Cognition prob. - function code - (D)	discrete	numeric-2.0	3440	58267	-
10	HUIDHSI	Health utilities index	continuous	numeric-6.3	3265	58442	-

Group Height and Weight - Self Reported

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HWT_4	Opinion of own weight - self-reported	discrete	numeric-1.0	58051	3656	Do you consider yourself:
2	HWTGHTM	Height (metres) / self-reported - (D,G)	continuous	numeric-5.3	59261	2446	-
3	HWTGWTK	Weight (kilograms)/self-reported - (D,G)	continuous	numeric-6.2	58183	3524	-
4	HWTGBMI	BMI / self-report - (D,G)	continuous	numeric-6.2	57802	3905	-
5	HWTGISW	BMI class. (18 +) / self-report - (D,G)	discrete	numeric-1.0	53285	8422	-
6	HWTDCOL	BMI class. (12-17) / self-report. - (D)	discrete	numeric-1.0	4412	57295	-

Group Hormone Replacement Therapy

Universe
Optional content selection only asked in: Prince Edward Island

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOHRT	Module: HRT - (F)	discrete	numeric-1.0	883	60824	-
2	HRT_01	Experienced symptoms of menopause/ageing	discrete	numeric-1.0	361	61346	In the past 12 months, have you experienced any symptoms of menopause or ageing. These symptoms may include hot flashes, night sweats, or an irregularity or the stopping of your periods?
3	HRT_02	Taken a form of Hormone Therapy	discrete	numeric-1.0	361	61346	In the past 12 months, did you take any form of Hormone Replacement Therapy for menopause symptoms or for conditions due to ageing?
4	HRT_03	Currently taking hormones	discrete	numeric-1.0	30	61677	Are you currently taking hormones?
5	HRT_04A	Type of hormones - Estrogen only	discrete	numeric-1.0	28	61679	What type of hormones did you take? - Estrogen only (e.g., Premarin, Estrace, Vivelle)
6	HRT_04B	Type of hormones - Progestin only	discrete	numeric-1.0	28	61679	What type of hormones did you take? - Progestin or progesterone only (e.g., Provera, Prometrium)
7	HRT_04C	Type of hormones - Estrogen/Progestin	discrete	numeric-1.0	28	61679	What type of hormones did you take? - Both estrogen and progesterone only (e.g., Premplus, FemHRT, Estalis)
8	HRT_04D	Type of hormones - Other	discrete	numeric-1.0	28	61679	What type of hormones did you take? - Other
9	HRT_05	Year started homone therapy	continuous	numeric-4.0	29	61678	When did you start this hormone therapy?
10	HRT_07	HRT for menopause symptoms	discrete	numeric-1.0	237	61470	Have you ever taken any form of Hormone Replacement Therapy for menopause symptoms or for conditions due to ageing?
11	HRT_10	Used-health products for menopause	discrete	numeric-1.0	135	61572	Some women use health products such as herbs, minerals or homeopathic supplements to relieve symptoms of menopause or conditions of ageing. In the past 12 months, have you used any of these health products to relieve your symptoms?
12	HRT_11A	Used-vitamins/dietary supplements	discrete	numeric-1.0	9	61698	What have you used? - Vitamins or other dietary supplements (e.g., Melatonin, Calcium)
13	HRT_11B	Used-Herbs	discrete	numeric-1.0	9	61698	What have you used? - Herbs (e.g., Black Cohosh, Oil of Evening Primrose)
14	HRT_11C	Used-Herbal teas	discrete	numeric-1.0	9	61698	What have you used? - Herbal teas
15	HRT_11D	Used-Other	discrete	numeric-1.0	9	61698	What have you used? - Other
16	HRT_12	Used anything else past 12 months	discrete	numeric-1.0	135	61572	Other than taking hormones or health products, in the past 12 months, did you do anything else to relieve your symptoms?
17	HRT_13A	Ate more foods rich in soy flax calcium	discrete	numeric-1.0	22	61685	What did you do? - Ate more foods rich in soy, flax or calcium
18	HRT_13B	Ate more legumes	discrete	numeric-1.0	22	61685	What did you do? - Ate more legumes (i.e., beans, peas)

#	Name	Label	Type	Format	Valid	Invalid	Question
19	HRT_13C	Avoided certain foods or activities	discrete	numeric-1.0	22	61685	What did you do? - Avoided certain foods or activities (e.g., spicy foods, alcohol, hot tubs)
20	HRT_13D	Increased exercice	discrete	numeric-1.0	22	61685	What did you do? - Increased exercise
21	HRT_13E	Did relaxation exercises	discrete	numeric-1.0	22	61685	What did you do? - Did relaxation exercises (e.g., yoga, Tai Chi)
22	HRT_13F	Rec'd massage therapy treatments	discrete	numeric-1.0	22	61685	What did you do? - Received massage therapy treatments
23	HRT_13G	Other	discrete	numeric-1.0	22	61685	What did you do? - Other

Group Illicit Drug Use

Universe
Optional content selection only asked in: Ontario, Saskatchewan, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOIDG	Illicit drugs use - Inclusion Flag - (F)	discrete	numeric-1.0	24849	36858	-
2	IDGFLCA	Cannabis drug use/incl.1 time only - (F)	discrete	numeric-1.0	23468	38239	-
3	IDGFLCM	Cannabis drug use/excl.1 time only - (F)	discrete	numeric-1.0	23468	38239	-
4	IDGFYCM	Can.drg use/excl.1 time only -12 mo -(F)	discrete	numeric-1.0	23459	38248	-
5	IDGFLA	Illicit drg use/incl. 1 time cann. - (F)	discrete	numeric-1.0	23437	38270	-
6	IDGFLAC	Illicit drug use/excl.1 time cann. - (F)	discrete	numeric-1.0	23433	38274	-
7	IDGFYA	Illicit drg /incl.1 time can.-12 mo -(F)	discrete	numeric-1.0	23414	38293	-
8	IDGFYAC	Illi.drg use/excl.1 time can.-12 mo -(F)	discrete	numeric-1.0	23414	38293	-
9	IDGDINT	Illicit drug interference mean - 12 mo	continuous	numeric-4.1	1245	60462	-
10	IDGFINT	Illicit drug interference - 12 mo - (F)	discrete	numeric-1.0	1250	60457	-

Group Income

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	INCG2	Total hhld inc. - main source - (G)	discrete	numeric-1.0	55755	5952	-
2	INCG7	Main source of personal income - (G)	discrete	numeric-1.0	34715	26992	-
3	INCGHH	Total hhld inc. from all sources - (D,G)	discrete	numeric-1.0	61647	60	-
4	INCGPER	Total pers. inc. from all sources (D,G)	discrete	numeric-2.0	49721	11986	-

#	Name	Label	Type	Format	Valid	Invalid	Question
5	INCDRCA	Household income distribution - (D)	discrete	numeric-2.0	60226	1481	-
6	INCDRPR	Hhld inc. distribution-prov. level - (D)	discrete	numeric-2.0	60226	1481	-
7	INCDRRS	Hhld inc. distribution- hr level - (D)	discrete	numeric-2.0	54916	6791	-

Group Injuries

Universe

Optional content selection only asked in: Alberta, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOINJ	Module: INJ - (F)	discrete	numeric-1.0	5520	56187	-
2	REP_1A	Repetitive strain injury	discrete	numeric-1.0	5494	56213	In the past 12 months, did YOU have any injuries due to repetitive strain?
3	REP_2	Limit your normal activities	discrete	numeric-1.0	793	60914	Were these injuries serious enough to limit YOUR normal activities?
4	REPG3	Rep. strain - body part affected - (G)	discrete	numeric-2.0	431	61276	-
5	REP_3A	Rep. strain-activity causing injury	discrete	numeric-1.0	428	61279	Do you know what type of activity caused this repetitive strain injury?
6	REP_4	Rep. strain - working at a job/business	discrete	numeric-1.0	377	61330	Was the activity something YOU did while working at a job or business (excluding travel to or from work)?
7	REP_5A	Activity - Walking	discrete	numeric-1.0	377	61330	What type of activity was this? Walking
8	REP_5B	Activity - Sports	discrete	numeric-1.0	377	61330	What type of activity was this? Sports or physical exercise (including school activities and running)
9	REP_5C	Activity - Leisure	discrete	numeric-1.0	377	61330	What type of activity was this? Leisure or hobby (include volunteering)
10	REP_5D	Activity - Household chores	discrete	numeric-1.0	377	61330	What type of activity was this? Household chores, outdoor yard maintenanceh, ome renovations or other unpaid work
11	REP_5F	Activity - Computer	discrete	numeric-1.0	377	61330	What type of activity was this? Computer use or typing
12	REP_5G	Activity - Driving a motor vehicle	discrete	numeric-1.0	377	61330	What type of activity was this? Driving a motor vehicle
13	REP_5H	Activity - Lifting or carrying	discrete	numeric-1.0	377	61330	What type of activity was this? Lifting or carrying an object or person
14	REP_5I	Activity - Other	discrete	numeric-1.0	377	61330	What type of activity was this? Other
15	INJ_01	Injured in past 12 mo	discrete	numeric-1.0	5507	56200	INJURIES in the past 12 months, that is, from DATE ONE YEAR AGO to yesterday, WERE YOU injured?
16	INJG02	No. of injuries in past 12 mo - (G)	discrete	numeric-1.0	1007	60700	-
17	INJG05	Most serious injury - type - (G)	discrete	numeric-2.0	996	60711	-
18	INJG06	Most serious inj. - body part aff. - (G)	discrete	numeric-2.0	967	60740	-

#	Name	Label	Type	Format	Valid	Invalid	Question
19	INJG08	Most serious injury - place - (G)	discrete	numeric-2.0	1001	60706	-
20	INJG092	Most serious inj.- activity when inj.(G)	discrete	numeric-2.0	994	60713	-
21	INWGSOC	Occup. group (SOC) where inj. occ. - (G)	discrete	numeric-1.0	137	61570	-
22	INJ_10	Most serious injury - result of a fall	discrete	numeric-1.0	1004	60703	Was the injury the result of a fall?
23	INJG11A	How did you fall - (G)	discrete	numeric-2.0	414	61293	-
24	INJ_13	Most serious inj. - rec'd treat./48 hrs.	discrete	numeric-1.0	1002	60705	Did YOU receive any medical attention for the injury from a health professional in the 48 hours following the injury?
25	INJ_14A	Receive treatment in the 48 hours	discrete	numeric-1.0	545	61162	Where did you receive treatment in the 48 hours? Doctor's office
26	INJ_14B	Receive treatment in the 48 hours	discrete	numeric-1.0	545	61162	Where did you receive treatment in the 48 hours? Hospital emergency room
27	INJG14C	Most serious inj.- treated in clinic (G)	discrete	numeric-1.0	545	61162	-
28	INJG14J2	Most ser.inj.-physio/mass/ chiro/other(G)	discrete	numeric-1.0	545	61162	-
29	INJ_14O	Receive treatment in the 48 hours	discrete	numeric-1.0	545	61162	Where did you receive treatment in the 48 hours? Where the injury happened/ on-site (workplace, school, sports field, hotel, ski hill)
30	INJ_15	Follow-up care because of injury	discrete	numeric-1.0	546	61161	Were you admitted to a hospital overnight?
31	INJ_15A	Follow-up care because of injury	discrete	numeric-1.0	1005	60702	At the present time, are you getting follow-up care from a health professional because of this injury?
32	INJ_16	Other injuries - treated / not limiting	discrete	numeric-1.0	5483	56224	In the past 12 months, did YOU have any other injuries that were treated by a health professional, but did not limit YOUR normal activities?
33	INJG17	Other injuries - number - (G)	discrete	numeric-1.0	304	61403	-
34	INJGCAU	Cause of injury - (D,G)	discrete	numeric-2.0	989	60718	-
35	INJDSTT	Injury Status - (D)	discrete	numeric-1.0	5483	56224	-

Group Labour Force

Universe

Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	LBSG31	Employment status - 12 mo - (G)	discrete	numeric-1.0	31044	30663	-
2	LBSGHPW	Total usual hrs. worked current - (D, G)	continuous	numeric-3.0	30664	31043	-
3	LBSDPFT	Full/part-time - current jobs - (D)	discrete	numeric-1.0	30664	31043	-
4	LBSDWSS	Working status last week - 4 grps - (D)	discrete	numeric-1.0	50451	11256	-
5	LBSGSOC	Occupation group - (G)	discrete	numeric-1.0	30948	30759	-

Group Loss of Productivity

Universe
Optional content selection only asked in: Prince Edward Island, Quebec

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOLOP	Module: LOP - (F)	discrete	numeric-1.0	12456	49251	-
2	LOP_015	Employed in past 3 months	discrete	numeric-1.0	6961	54746	-
3	LOPG020	Reason for not working - (G)	discrete	numeric-2.0	3948	57759	-
4	LOP_030	Couldn't work due to chronic condition	discrete	numeric-1.0	6328	55379	-
5	LOPG040	Work days lost due to chronic cond. (G)	discrete	numeric-2.0	324	61383	-
6	LOPG050	Chronic condition - (G)	discrete	numeric-2.0	707	61000	-
7	LOP_060	Missed work due to injury	discrete	numeric-1.0	5872	55835	-
8	LOPG070	Work days missed due to injury - (G)	continuous	numeric-2.0	215	61492	-
9	LOP_080	Missed work due to infectious disease	discrete	numeric-1.0	5871	55836	-
10	LOP_81A	Had a cold	discrete	numeric-1.0	680	61027	-
11	LOP_81B	Had the flu or influenze	discrete	numeric-1.0	680	61027	-
12	LOP_81C	Stomach Flu	discrete	numeric-1.0	680	61027	-
13	LOP_81D	Respiratory Flu	discrete	numeric-1.0	680	61027	-
14	LOP_81E	Other	discrete	numeric-1.0	680	61027	-
15	LOPG082	Work days missed due to cold - (G)	discrete	numeric-2.0	254	61453	-
16	LOPG083	Work days missed due/ flu/ influenza (G)	discrete	numeric-2.0	121	61586	-
17	LOPG084	Work days missed due to stomach flu (G)	discrete	numeric-2.0	187	61520	-
18	LOPG085	Work days missed due/ respir.infect. (G)	discrete	numeric-2.0	64	61643	-
19	LOPG086	Wrk days missed due/other infect.dis.(G)	discrete	numeric-2.0	81	61626	-
20	LOP_090	Missed work for reason /ph. Or m. health	discrete	numeric-1.0	5870	55837	-
21	LOPG100	Work days missed related/ ph/m hlth (G)	discrete	numeric-2.0	605	61102	-

Group Mammorgraphy

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOMAM	Module: Mammography - (F)	discrete	numeric-1.0	61707	0	-
2	MAM_030	Ever had mammogram	discrete	numeric-1.0	24550	37157	Have you ever had a mammogram, that is, a breast x-ray?
3	MAM_31A	Had mammogram - family history	discrete	numeric-1.0	19277	42430	Why did you have it? - Family history of breast cancer

#	Name	Label	Type	Format	Valid	Invalid	Question
4	MAM_31B	Had mammogram - regular check-up	discrete	numeric-1.0	19277	42430	Why did you have it? - Part of regular check-up / routine screening
5	MAM_31C	Had mammogram - age	discrete	numeric-1.0	19277	42430	Why did you have it? - Age
6	MAM_31D	Had mammogram - previously detected lump	discrete	numeric-1.0	19277	42430	Why did you have it? - Previously detected lump
7	MAM_31E	Had mammogram - follow-up treatment	discrete	numeric-1.0	19277	42430	Why did you have it? - Follow-up of breast cancer treatment
8	MAM_31F	Had mammogram - hormone replac. therapy	discrete	numeric-1.0	19277	42430	Why did you have it? - On hormone replacement therapy
9	MAM_31G	Had mammogram - breast problem	discrete	numeric-1.0	19277	42430	Why did you have it? - Breast problem
10	MAM_31H	Had mammogram - other	discrete	numeric-1.0	19277	42430	Why did you have it? - Other
11	MAM_032	Last time mammogram was done	discrete	numeric-1.0	19192	42515	When was the last time?
12	MAM_36A	No mam. -have not gotten ar.to it -2 yrs	discrete	numeric-1.0	3147	58560	What are the reasons you have not had one in the past 2 years? - Have not gotten around to it
13	MAM_36B	No mam. resp.- didn't think nec. - 2 yrs	discrete	numeric-1.0	3147	58560	What are the reasons you have not had one in the past 2 years? - Respondent did not think it was necessary
14	MAM_36C	No mam. -doctor didn't think nec. -2 yrs	discrete	numeric-1.0	3147	58560	What are the reasons you have not had one in the past 2 years? - Doctor did not think it was necessary
15	MAM_36D	No mam. - personal/family resp. - 2 yrs	discrete	numeric-1.0	3147	58560	What are the reasons you have not had one in the past 2 years? - Personal or family responsibilities
16	MAM_36E	No mam. - not ava. when required - 2 yrs	discrete	numeric-1.0	3147	58560	What are the reasons you have not had one in the past 2 years? - Not available at time required
17	MAM_36F	No mam. - not avai. in the area - 2 yrs	discrete	numeric-1.0	3147	58560	What are the reasons you have not had one in the past 2 years? - Not available at all in the area
18	MAM_36G	No mam. -wait. time was too long - 2 yrs	discrete	numeric-1.0	3147	58560	What are the reasons you have not had one in the past 2 years? - Waiting time was too long
19	MAM_36H	No mam. -transportation problems - 2 yrs	discrete	numeric-1.0	3147	58560	What are the reasons you have not had one in the past 2 years? - Transportation problems
20	MAM_36I	No mam. - language problem - 2 yrs	discrete	numeric-1.0	3147	58560	What are the reasons you have not had one in the past 2 years? - Language problem
21	MAM_36J	No mam. - cost - 2 yrs	discrete	numeric-1.0	3147	58560	What are the reasons you have not had one in the past 2 years? - Cost
22	MAM_36K	No mam. -did not know where to go -2 yrs	discrete	numeric-1.0	3147	58560	What are the reasons you have not had one in the past 2 years? - Did not know where to go / uninformed
23	MAM_36L	No mam. - fear - 2 yrs	discrete	numeric-1.0	3147	58560	What are the reasons you have not had one in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)
24	MAM_36N	No mam. -un. leave house/ hlth pro -2 yrs	discrete	numeric-1.0	3147	58560	What are the reasons you have not had one in the past 2 years? - Unable to leave the house because of a health problem

#	Name	Label	Type	Format	Valid	Invalid	Question
25	MAM_36O	No mam. -Breasts removed/ Mastec. -2 yrs	discrete	numeric-1.0	3147	58560	What are the reasons you have not had one in the past 2 years? - Breasts removed / Mastectomy
26	MAM_36M	No mam. - other - 2 yrs	discrete	numeric-1.0	3147	58560	What are the reasons you have not had one in the past 2 years? - Other
27	MAM_038	Had a hysterectomy	discrete	numeric-1.0	31006	30701	Have you had a hysterectomy? (in other words, has your uterus been removed)?

Group Mastery

Universe
Optional content selection only asked in: New Brunswick

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOMAS	Module: MAS - (F)	discrete	numeric-1.0	2457	59250	-
2	MAS_601	Mastery - lack of control	discrete	numeric-1.0	2339	59368	You have little control over the things that happen to you.
3	MAS_602	Mastery - cannot solve problems	discrete	numeric-1.0	2344	59363	There is really no way you can solve some of the problems you have.
4	MAS_603	Mastery - cannot change things	discrete	numeric-1.0	2349	59358	There is little you can do to change many of the important things in your life.
5	MAS_604	Mastery - helpless	discrete	numeric-1.0	2364	59343	You often feel helpless in dealing with problems of life.
6	MAS_605	Mastery - pushed around	discrete	numeric-1.0	2375	59332	Sometimes you feel that you are being pushed around in life.
7	MAS_606	Mastery - fate depends upon self	discrete	numeric-1.0	2362	59345	What happens to you in the future mostly depends on you.
8	MAS_607	Mastery - can do anything	discrete	numeric-1.0	2377	59330	You can do just about anything you really set your mind to.
9	MASDM1	Mastery scale - (D)	continuous	numeric-2.0	2255	59452	-

Group Maternal Experiences

Subgroup(s)	Breastfeeding , Smoking During Pregnancy

Group Medication Use

Universe
Optional content selection only asked in: Quebec

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOMED	Optional module: MED - (F)	discrete	numeric-1.0	11573	50134	-
2	MED_1A	Took pain relievers - In the past month	discrete	numeric-1.0	11555	50152	In the past month, that is, from one month ago to yesterday, did you take: pain relievers such as aspirin or Tylenol (including arthritis medicine and anti-inflammatories)?
3	MED_1B	Took tranquilizers- In the past month	discrete	numeric-1.0	11551	50156	In the past month, that is, from one month ago to yesterday, did you take: pain relievers such as aspirin or Tylenol (including arthritis medicine and anti-inflammatories)?

#	Name	Label	Type	Format	Valid	Invalid	Question
4	MED_1C	Took diet pills- In the past month	discrete	numeric-1.0	11568	50139	(In the past month, that is, from one month ago to yesterday, did you take:) diet pills such as Dexatrim, Ponderal or Fastin?
5	MED_1D	Took anti-depressants- In the past month	discrete	numeric-1.0	11561	50146	(In the past month, that is, from one month ago to yesterday, did you take:) anti-depressants such as Prozac, Paxil or Effexor?
6	MED_1E	Took codeine/morphine-past month	discrete	numeric-1.0	11558	50149	(In the past month, that is, from one month ago to yesterday, did you take:) codeine, Demerol or morphine?
7	MED_1F	Took allergy medicine- In the past month	discrete	numeric-1.0	11562	50145	(In the past month, that is, from one month ago to yesterday, did you take:) allergy medicine such as Reactine or Allegra?
8	MED_1G	Took asthma medications- past month	discrete	numeric-1.0	11565	50142	(In the past month, that is, from one month ago to yesterday, did you take:) asthma medications such as inhalers or nebulizers?
9	MED_1H	Took cough or cold remedies- past month	discrete	numeric-1.0	11559	50148	(In the past month, that is, from one month ago to yesterday, did you take:) cough or cold remedies?
10	MED_1I	Took penicillin/antibiotics-past month	discrete	numeric-1.0	11560	50147	(In the past month, that is, from one month ago to yesterday, did you take:) penicillin or other antibiotics?
11	MED_1J	Took medicine for heart-past month	discrete	numeric-1.0	11551	50156	(In the past month, that is, from one month ago to yesterday, did you take:) medicine for the heart?
12	MED_1L	Took diuretics-in past month	discrete	numeric-1.0	11536	50171	(In the past month, that is, from one month ago to yesterday, did you take:) diuretics or water pills?
13	MED_1M	Took steroids- In the past month	discrete	numeric-1.0	11558	50149	(In the past month, that is, from one month ago to yesterday, did you take:) steroids?
14	MED_1P	Took sleeping pills- In the past month	discrete	numeric-1.0	11556	50151	(In the past month, that is, from one month ago to yesterday, did you take:) sleeping pills such as Imovane, Nytol or Starnoc?
15	MED_1Q	Took stomach remedies- In the past month	discrete	numeric-1.0	11551	50156	(In the past month, that is, from one month ago to yesterday, did you take:) stomach remedies?
16	MED_1R	Took laxatives- In the past month	discrete	numeric-1.0	11555	50152	(In the past month, that is, from one month ago to yesterday, did you take:) laxatives?
17	MED_1S	Took birth control pill-past month	discrete	numeric-1.0	2846	58861	(In the past month, that is, from one month ago to yesterday, did you take:) birth control pills or other kind of prescribed birth control method?
18	MED_1T	Took hormones for menopause-past month	discrete	numeric-1.0	5082	56625	(In the past month, that is, from one month ago to yesterday, did you take:) hormones for menopause or ageing symptoms?
19	MED_1T1	Type of homones taken	discrete	numeric-1.0	464	61243	What type of hormones are you taking?
20	MED_1T2	Year this hormone therapy was started	continuous	numeric-4.0	528	61179	When did you start this hormone therapy?

#	Name	Label	Type	Format	Valid	Invalid	Question
21	MED_1U	Took thyroid medication-in past month	discrete	numeric-1.0	11560	50147	In the past month, that is, from one month ago to yesterday, did you take: thyroid medication such as Synthroid or Levothyroxine?
22	MED_1V	Took any other medication-past month	discrete	numeric-1.0	11555	50152	(In the past month, that is, from one month ago to yesterday, did you take:) any other medication?

Group Oral Health 1

Universe
Optional content selection only asked in: Manitoba

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOOH1	Theme module: Oral health 1	discrete	numeric-1.0	3486	58221	-
2	OH1_20	Self-perceived health of teeth and mouth	discrete	numeric-1.0	3401	58306	In general, would you say the health of your teeth and mouth is:
3	OH1_21A	Ability to chew - firm foods	discrete	numeric-1.0	3391	58316	Now a few questions about your ability to chew different foods, whether you eat them or not. Can you: ...chew firm foods (e.g., meat)?
4	OH1_21B	Ability to chew - fresh apple	discrete	numeric-1.0	3388	58319	(Can you:) ...bite off and chew a piece of fresh apple?
5	OH1_21C	Ability to chew - boiled vegetables	discrete	numeric-1.0	3400	58307	(Can you:) ...chew boiled vegetables?
6	OH1_22	Freq. - pain in teeth/gums - past mo.	discrete	numeric-1.0	3391	58316	In the past month, how often have you had any pain or discomfort in your teeth or gums?

Group Oral Health 2

Universe
Optional content selection only asked in: Manitoba

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOOH2	Module: OH2 - (F)	discrete	numeric-1.0	3486	58221	-
2	OH2_10	Freq. usually visits the dentist	discrete	numeric-1.0	3325	58382	Do you usually visit the dentist:
3	OH2_11	Insurance for dental expenses	discrete	numeric-1.0	3295	58412	Do you have insurance that covers all or part of your dental expenses?
4	OH2_11A	Dental ins. - government-sponsored	discrete	numeric-1.0	1955	59752	Is it a government-sponsored plan?
5	OH2_11B	Type of plan - employer-sponsored	discrete	numeric-1.0	1955	59752	Is it an employer-sponsored plan?
6	OH2_11C	Type of plan - private	discrete	numeric-1.0	1955	59752	Is it a private plan?
7	OH2_12	Teeth removed by dentist - 12 mo	discrete	numeric-1.0	2108	59599	In the past 12 months, have you had any teeth removed by a dentist?
8	OH2_13	Teeth removed -decay/gum disease - 12 mo	discrete	numeric-1.0	285	61422	(In the past 12 months,) were any teeth removed because of decay or gum disease?
9	OH2_20	Has one or more of own teeth	discrete	numeric-1.0	3345	58362	Do you have one or more of your own teeth?
10	OH2_21	Wears dentures	discrete	numeric-1.0	3344	58363	Do you wear dentures or false teeth?

#	Name	Label	Type	Format	Valid	Invalid	Question
11	OH2_22	Mouth cond.- diff. speaking clearly	discrete	numeric-1.0	3344	58363	Because of the condition of your TEETH, do you have difficulty pronouncing any words or speaking clearly?
12	OH2_23	Cond. mouth - avoided conversat. - 12 mo	discrete	numeric-1.0	3347	58360	In the past 12 months, how often have you avoided: ...conversation or contact with other people, because of the condition of your TEETH?
13	OH2_24	Mouth cond. -av. laughing/ smiling -12 mo	discrete	numeric-1.0	3340	58367	In the past 12 months, how often have you avoided: ...laughing or smiling, because of the condition of your TEETH?
14	OH2_25A	Had a toothache - past mo	discrete	numeric-1.0	3033	58674	In the past month, have you had: ...a toothache?
15	OH2_25B	Teeth sensitive to hot/cold - past mo	discrete	numeric-1.0	3034	58673	In the past month, have you had:
16	OH2_25C	Had pain - jaw joints - past mo	discrete	numeric-1.0	3346	58361	In the past month, have you had: ...pain in or around the jaw joints?
17	OH2_25D	Had pain - mouth/face - past mo	discrete	numeric-1.0	3347	58360	In the past month, have you had: ...other pain in the mouth or face?
18	OH2_25E	Had bleeding gums - past mo	discrete	numeric-1.0	3348	58359	In the past month, have you had: ...bleeding gums?
19	OH2_25F	Had dry mouth - past mo	discrete	numeric-1.0	3340	58367	In the past month, have you had: ...dry mouth?
20	OH2_25G	Had bad breath - past mo	discrete	numeric-1.0	3202	58505	In the past month, have you had: ...bad breath?
21	OH2_30	Frequency of brushing teeth	discrete	numeric-2.0	3025	58682	How often do you brush your teeth?
22	OH2FLIM	Ltd soc. due to oral hlth - 12 mo - (F)	discrete	numeric-1.0	3339	58368	-
23	OH2FOFP	Oral/facial pain - past mo - (F)	discrete	numeric-1.0	3272	58435	-

Group PAP Smear Test

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPAP	Module: PAP smear test - (F)	discrete	numeric-1.0	61707	0	-
2	PAP_020	Ever had PAP smear test	discrete	numeric-1.0	30865	30842	Have you ever had a PAP smear test?
3	PAP_022	Last time had PAP smear test	discrete	numeric-1.0	27012	34695	When was the last time?
4	PAP_26A	No PAP - have not gotten around to it	discrete	numeric-1.0	11764	49943	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have not gotten around to it
5	PAP_26B	No PAP - resp. didn't think necessary	discrete	numeric-1.0	11764	49943	What are the reasons that you have you not had a PAP smear test in the past 3 years? - Respondent did not think it was necessary
6	PAP_26C	No PAP - doctor didn't think necessary	discrete	numeric-1.0	11764	49943	What are the reasons that you have not had a PAP smear test in the past 3 years? - Doctor did not think it was necessary

#	Name	Label	Type	Format	Valid	Invalid	Question
7	PAP_26D	No PAP - personal/fam. responsibilities	discrete	numeric-1.0	11764	49943	What are the reasons that you have not had a PAP smear test in the past 3 years? - Personal or family responsibilities
8	PAP_26E	No PAP - not available when required	discrete	numeric-1.0	11764	49943	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at time required
9	PAP_26F	No PAP - not available in area	discrete	numeric-1.0	11764	49943	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at all in the area
10	PAP_26G	No PAP - waiting time too long	discrete	numeric-1.0	11764	49943	What are the reasons that you have not had a PAP smear test in the past 3 years? - Waiting time was too long
11	PAP_26H	No PAP - transportation problems	discrete	numeric-1.0	11764	49943	What are the reasons that you have not had a PAP smear test in the past 3 years? - Transportation problems
12	PAP_26I	No PAP - language problem	discrete	numeric-1.0	11764	49943	What are the reasons that you have not had a PAP smear test in the past 3 years? - Language problem
13	PAP_26J	No PAP - cost	discrete	numeric-1.0	11764	49943	What are the reasons that you have not had a PAP smear test in the past 3 years? - Cost
14	PAP_26K	No PAP - did not know where to go	discrete	numeric-1.0	11764	49943	What are the reasons that you have not had a PAP smear test in the past 3 years? - Did not know where to go / uninformed
15	PAP_26L	No PAP - fear	discrete	numeric-1.0	11764	49943	What are the reasons that you have not had a PAP smear test in the past 3 years? - Fear (e.g. painful, embarrassing, find something wrong)
16	PAP_26M	No PAP - hysterectomy	discrete	numeric-1.0	11767	49940	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have had a hysterectomy
17	PAP_26N	No PAP - hate/dislike having one done	discrete	numeric-1.0	11764	49943	What are the reasons that you have not had a PAP smear test in the past 3 years? - Hate / dislike having one done
18	PAP_26P	No PAP - unable leave house/hlth prob.	discrete	numeric-1.0	11764	49943	What are the reasons that you have not had a PAP smear test in the past 3 years? - Unable to leave the house because of a health problem
19	PAP_26O	No PAP - other	discrete	numeric-1.0	11764	49943	What are the reasons that you have not had a PAP smear test in the past 3 years? - Other

Group Patient Satisfaction

Subgroup(s)	Health Care Services , Community-Based Care

Group Physical Activities

Universe

Common content and was asked to all regions

Subgroup(s)	Stages of Change

#	Name	Label	Type	Format	Valid	Invalid	Question

#	Name	Label	Type	Format	Valid	Invalid	Question
1	PAC_1A	Act./last 3 mo - walking	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Walking for exercise
2	PAC_1B	Act./last 3 mo - gardening/ yard work	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Gardening or yard work
3	PAC_1C	Act./last 3 mo - swimming	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Swimming
4	PAC_1D	Act./last 3 mo - bicycling	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Bicycling
5	PAC_1E	Act./last 3 mo - popular/ social dance	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Popular or social dance
6	PAC_1F	Act./last 3 mo - home exercises	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Home exercises
7	PAC_1G	Act./last 3 mo - ice hockey	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Ice hockey
8	PAC_1H	Act./last 3 mo - ice skating	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Ice skating
9	PAC_1I	Act./last 3 mo - in-line skating/roll.	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - In-line skating or rollerblading
10	PAC_1J	Act./last 3 mo - jogging or running	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Jogging or running
11	PAC_1K	Act./last 3 mo - golfing	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Golfing
12	PAC_1L	Act./last 3 mo - exer. class/ aerobics	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Exercise class or aerobics
13	PAC_1M	Act./last 3 mo - skiing/ snowboarding	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Downhill skiing or snowboarding
14	PAC_1N	Act./last 3 mo - bowling	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Bowling
15	PAC_1O	Act./last 3 mo - baseball or softball	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Baseball or softball
16	PAC_1P	Act./last 3 mo - tennis	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Tennis
17	PAC_1Q	Act./last 3 mo - weight-training	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Weight-training
18	PAC_1R	Act./last 3 mo - fishing	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Fishing
19	PAC_1S	Act./last 3 mo - volleyball	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Volleyball
20	PAC_1T	Act./last 3 mo - basketball	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Basketball
21	PAC_1Z	Act./last 3 mo - Soccer	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Soccer
22	PAC_1U	Act./last 3 mo - Any other	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - Any other
23	PAC_1V	Act./last 3 mo - No physical activity	discrete	numeric-1.0	60239	1468	Have you done any of the following in the past 3 months? - No physical activity

#	Name	Label	Type	Format	Valid	Invalid	Question
24	PAC_1W	Act./last 3 mo - other (#2)	discrete	numeric-1.0	8500	53207	In the past 3 months, did you do any other physical activity for leisure?
25	PAC_1X	Act./last 3 mo - other (#3)	discrete	numeric-1.0	1605	60102	In the past 3 months, did you do any other physical activity for leisure?
26	PAC_2A	No. of times - walking for exercise	continuous	numeric-3.0	43431	18276	In the past 3 months, how many times did you [participate in identified activity]? - Walking for exercise
27	PAC_3A	Time spent - walking for exercise	discrete	numeric-1.0	43253	18454	About how much time did you spend on each occasion? - Walking for exercise
28	PAC_2B	No. of times - gardening/yard work	continuous	numeric-3.0	30155	31552	In the past 3 months, how many times did you [participate in identified activity]? - Gardening or yard work
29	PAC_3B	Time spent - gardening/yard work	discrete	numeric-1.0	30013	31694	About how much time did you spend on each occasion? - Gardening or yard work
30	PAC_2C	No. of times - swimming	continuous	numeric-3.0	13759	47948	In the past 3 months, how many times did you [participate in identified activity]? - Swimming
31	PAC_3C	Time spent - swimming	discrete	numeric-1.0	13717	47990	About how much time did you spend on each occasion? - Swimming
32	PAC_2D	No. of times - bicycling	continuous	numeric-3.0	12728	48979	In the past 3 months, how many times did you [participate in identified activity]? - Bicycling
33	PAC_3D	Time spent - bicycling	discrete	numeric-1.0	12691	49016	About how much time did you spend on each occasion? - Bicycling
34	PAC_2E	No. of times - popular/social dance	continuous	numeric-3.0	9925	51782	In the past 3 months, how many times did you [participate in identified activity]? - Popular or social dance
35	PAC_3E	Time spent - popular/social dance	discrete	numeric-1.0	9872	51835	About how much time did you spend on each occasion? - Popular / social dance
36	PAC_2F	No. of times - home exercises	continuous	numeric-3.0	22367	39340	In the past 3 months, how many times did you [participate in identified activity]? - Home exercises
37	PAC_3F	Time spent - home exercises	discrete	numeric-1.0	22312	39395	About how much time did you spend on each occasion? - Home exercises
38	PACG2G	No. of times - ice hockey - (G	continuous	numeric-4.0	2929	58778	-
39	PAC_3G	Time spent - ice hockey	discrete	numeric-1.0	2927	58780	About how much time did you spend on each occasion? - Ice hockey
40	PAC_2H	No. of times - ice skating	continuous	numeric-3.0	3843	57864	In the past 3 months, how many times did you [participate in identified activity]? - Ice skating
41	PAC_3H	Time spent - ice skating	discrete	numeric-1.0	3839	57868	About how much time did you spend on each occasion? - Ice skating
42	PAC_2I	No. of times - in-line skating/ roller b.	continuous	numeric-3.0	1680	60027	In the past 3 months, how many times did you [participate in identified activity]? - In-line skating or roller blading
43	PAC_3I	Time spent - in-line skating/ roller b.	discrete	numeric-1.0	1673	60034	About how much time did you spend on each occasion? - In-line skating or roller blading
44	PAC_2J	No. of times - jogging or running	continuous	numeric-3.0	12203	49504	In the past 3 months, how many times did you [participate in identified activity]? - Jogging or running

#	Name	Label	Type	Format	Valid	Invalid	Question
45	PAC_3J	Time spent - jogging or running	discrete	numeric-1.0	12178	49529	About how much time did you spend on each occasion? - Jogging or running
46	PAC_2K	No. of times - golfing	continuous	numeric-3.0	5752	55955	In the past 3 months, how many times did you [participate in identified activity]? - Golfing
47	PAC_3K	Time spent - golfing	discrete	numeric-1.0	5749	55958	About how much time did you spend on each occasion? - Golfing
48	PAC_2L	No. of times- exercise class/ aerobics	continuous	numeric-3.0	7015	54692	In the past 3 months, how many times did you [participate in identified activity]? - Exercise class or aerobics
49	PAC_3L	Time spent - exercise class/ aerobics	discrete	numeric-1.0	7007	54700	About how much time did you spend on each occasion? - Exercise class or aerobics
50	PAC_2M	No. of times - skiing/ snowboarding	continuous	numeric-3.0	2373	59334	In the past 3 months, how many times did you [participate in identified activity]? - Downhill ski / snowboarding
51	PAC_3M	Time spent - skiing/ snowboarding	discrete	numeric-1.0	2371	59336	About how much time did you spend on each occasion? - Downhill skiing or snowboarding
52	PAC_2N	No. of times - bowling	continuous	numeric-3.0	5526	56181	In the past 3 months, how many times did you [participate in identified activity]? - Bowling
53	PAC_3N	Time spent - bowling	discrete	numeric-1.0	5521	56186	About how much time did you spend on each occasion? - Bowling
54	PAC_2O	No. of times - baseball/ softball	continuous	numeric-3.0	2924	58783	In the past 3 months, how many times did you [participate in identified activity]? - Baseball or softball
55	PAC_3O	Time spent - baseball/softball	discrete	numeric-1.0	2924	58783	About how much time did you spend on each occasion? - Baseball or softball
56	PAC_2P	No. of times - tennis	continuous	numeric-3.0	2028	59679	In the past 3 months, how many times did you [participate in identified activity]? - Tennis
57	PAC_3P	Time spent - tennis	discrete	numeric-1.0	2027	59680	About how much time did you spend on each occasion? - Tennis
58	PAC_2Q	No. of times - weight- training	continuous	numeric-3.0	9842	51865	In the past 3 months, how many times did you [participate in identified activity]? - Weight-training
59	PAC_3Q	Time spent - weight-training	discrete	numeric-1.0	9822	51885	About how much time did you spend on each occasion? - Weight-training
60	PAC_2R	No. of times - fishing	continuous	numeric-3.0	7406	54301	In the past 3 months, how many times did you [participate in identified activity]? - Fishing
61	PAC_3R	Time spent - fishing	discrete	numeric-1.0	7399	54308	About how much time did you spend on each occasion? - Fishing
62	PAC_2S	No. of times - volleyball	continuous	numeric-3.0	3367	58340	In the past 3 months, how many times did you [participate in identified activity]? - Volleyball
63	PAC_3S	Time spent - volleyball	discrete	numeric-1.0	3360	58347	About how much time did you spend on each occasion? - Volleyball
64	PAC_2T	No. of times - basketball	continuous	numeric-3.0	3869	57838	In the past 3 months, how many times did you [participate in identified activity]? - Basketball
65	PAC_3T	Time spent - basketball	discrete	numeric-1.0	3860	57847	About how much time did you spend on each occasion? - Basketball

#	Name	Label	Type	Format	Valid	Invalid	Question
66	PAC_2Z	No. of times - soccer	continuous	numeric-3.0	4585	57122	In the past 3 months, how many times did you [participate in identified activity]? - Soccer
67	PAC_3Z	Time spent - soccer	discrete	numeric-1.0	4578	57129	About how much time did you spend on each occasion? - Soccer
68	PAC_2U	No. of times - other activity (#1)	continuous	numeric-3.0	8444	53263	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#1)
69	PAC_3U	Time spent - other activity (#1)	discrete	numeric-1.0	8432	53275	About how much time did you spend on each occasion? - Other activity (#1)
70	PAC_2W	No. of times - other activity (#2)	continuous	numeric-3.0	1595	60112	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#2)
71	PAC_3W	Time spent - other activity (#2)	discrete	numeric-1.0	1589	60118	About how much time did you spend on each occasion? - Other activity (#2)
72	PAC_2X	No. of times - other activity (#3)	continuous	numeric-3.0	317	61390	In the past 3 months, how many times [did you participate in identified activity]? - Other activity (#3)
73	PAC_3X	Time spent - other activity (#3)	discrete	numeric-1.0	317	61390	About how much time did you spend on each occasion? - Other activity (#3)
74	PAC_7	No. of times/3 mo./walking work/school	discrete	numeric-1.0	60194	1513	TIME in the past 3 months when you walked to and from work or school?
75	PAC_7A	No. of times/3 mo./walking work/school	continuous	numeric-3.0	8509	53198	About how much time did you spend on each occasion?
76	PAC_7B	Time spent - walking to go work/school	discrete	numeric-1.0	8495	53212	About how much time did you spend on each occasion?
77	PAC_8	No. of times/3 mo./bicycl. work/school	discrete	numeric-1.0	60210	1497	TIME in the past 3 months when you bicycled to and from work or school?
78	PAC_8A	No. of times/3 mo./bicycl. work/school	continuous	numeric-3.0	1765	59942	How many times?
79	PAC_8B	Time spent - bicycl. to go work/school	discrete	numeric-1.0	1762	59945	How many times?
80	PACDEE	Daily energy expenditure - (D)	continuous	numeric-4.1	60226	1481	-
81	PACFLEI	Participant - leisure phys. activity-(F)	discrete	numeric-1.0	60239	1468	-
82	PACDFM	Monthly freq./phys. act. >15 min. - (D)	continuous	numeric-3.0	60226	1481	-
83	PACDFR	Freq. of all physical activity - (D)	discrete	numeric-1.0	60226	1481	-
84	PACFD	Partic. daily phys. act. > 15 min. - (F)	discrete	numeric-1.0	60226	1481	-
85	PACDPAI	Physical activity index - (D)	discrete	numeric-1.0	60239	1468	-
86	PACDLTI	Leisure and transp. phys. activity index	discrete	numeric-1.0	59816	1891	-
87	PACDTLE	Dai. ener. expen. - Tran. and leis. act.	continuous	numeric-4.1	59803	1904	-
88	PACFLTI	Particip. - Leis. or trans. phys. activ.	discrete	numeric-1.0	60238	1469	-

Group Physical Check-Up

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPCU	Theme module: Physical check-up - (F)	discrete	numeric-1.0	61707	0	-
2	PCU_150	Phys. check-up w/o a health problem	discrete	numeric-1.0	59977	1730	Have you ever had a general physical check-up?
3	PCU_153	Frequency - general physical check-up	discrete	numeric-2.0	49178	12529	How often do you usually have a general physical check-up?
4	PCU_152	Physical check up - last time	discrete	numeric-2.0	48583	13124	When was the last time?
5	PCU_154A	No p.check-up -haven't got.around -3 yrs	discrete	numeric-1.0	18662	43045	What are the reasons that you have not had a general physical check-up in the past 3 years? - Have not gotten around to it
6	PCU_154B	No ph. che. -resp.think not nec. -3 yrs	discrete	numeric-1.0	18662	43045	What are the reasons that you have not had a general physical check-up in the past 3 years? - Respondent - did not think it was necessary
7	PCU_154C	No p. check-up -dr.think not nec. -3 yrs	discrete	numeric-1.0	18662	43045	What are the reasons that you have not had a general physical check-up in the past 3 years? - Doctor - did not think it was necessary
8	PCU_154D	No p. check-up -pers./family resp. -3yrs	discrete	numeric-1.0	18662	43045	What are the reasons that you have not had a general physical check-up in the past 3 years? - Personal or family responsabilities
9	PCU_154E	No p. check-up -n.a. when require -3 yrs	discrete	numeric-1.0	18662	43045	What are the reasons that you have not had a general physical check-up in the past 3 years? - Not available - at time required
10	PCU_154F	No phys. check-up - n. a./ area _ 3 yrs	discrete	numeric-1.0	18662	43045	What are the reasons that you have not had a general physical check-up in the past 3 years? - Not available - at all in the area
11	PCU_154G	No p.check-up -wait.time too long -3 yrs	discrete	numeric-1.0	18662	43045	What are the reasons that you have not had a general physical check-up in the past 3 years? - Waiting time was too long
12	PCU_154H	No phys. check-up -transp. prob. - 3 yrs	discrete	numeric-1.0	18662	43045	What are the reasons that you have not had a general physical check-up in the past 3 years? - Transportation - problems
13	PCU_154I	No phys. check-up - lang. problem -3 yrs	discrete	numeric-1.0	18662	43045	What are the reasons that you have not had a general physical check-up in the past 3 years? - Language - problem
14	PCU_154J	No phys. check-up - cost - 3 yrs	discrete	numeric-1.0	18662	43045	What are the reasons that you have not had a general physical check-up in the past 3 years? - Cost
15	PCU_154K	No phys. check-up - DK where/go - 3 yrs	discrete	numeric-1.0	18662	43045	What are the reasons that you have not had a general physical check-up in the past 3 years? - Did not know where to go / uninformed
16	PCU_154L	No phys. check-up - fear - 3 yrs	discrete	numeric-1.0	18662	43045	What are the reasons that you have not had a general physical check-up in the past 3 years? - Fear (e.g., painful, embarrassing, find something wrong)
17	PCU_154M	No p.check-up -unable leave house -3 yrs	discrete	numeric-1.0	18662	43045	What are the reasons that you have not had a general physical check-up in the past 3 years? - Other

#	Name	Label	Type	Format	Valid	Invalid	Question
18	PCU_154N	No phys. check-up - other - 3 yrs	discrete	numeric-1.0	18662	43045	What are the reasons that you have not had a general physical check-up in the past 3 years? - Unable to leave the house because of a health problem
19	PCU_155	Weighted by a health professional	discrete	numeric-1.0	40007	21700	During your last general physical check-up, did a health professional weigh you?
20	PCU_156	Height measured by a health professional	discrete	numeric-1.0	39597	22110	(During your last general physical check-up,) ...did a health professional measure your height?
21	PCU_157	Blood pressure checked by health prof.	discrete	numeric-1.0	40274	21433	During your last general physical check-up, did a health professional check your blood pressure?
22	PCU_158	Risks of weigth discuss. with hea. prof.	discrete	numeric-1.0	40261	21446	(During your last general physical check-up,) ...did a health professional discuss with you any risks that your weight might pose to your health?

Group Positive Mental Health

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPMH	Module: PMH - (F)	discrete	numeric-1.0	61707	0	-
2	PMH_01	Felt happy -in the past	discrete	numeric-2.0	57534	4173	In the past month, how often did you feel …happy?
3	PMH_02	Felt interested in life	discrete	numeric-2.0	56901	4806	(In the past month, how often did you feel:) …interested in life?
4	PMH_03	Felt satisfied with life	discrete	numeric-2.0	56938	4769	(In the past month, how often did you feel:) …satisfied with your life?
5	PMH_04	Felt something imp. contribute society	discrete	numeric-2.0	54901	6806	In the past month, how often did you feel…that you had something important to contribute to society?
6	PMH_05	Felt belonged to a community	discrete	numeric-2.0	56215	5492	(In the past month, how often did you feel:) …that you belonged to a community (like a social group, your neighborhood, your city, your school)?
7	PMH_06	Felt society becoming a better place	discrete	numeric-2.0	51795	9912	(In the past month, how often did you feel:)…that our society is becoming a better place for people like you?
8	PMH_07	Felt people are good	discrete	numeric-2.0	56035	5672	In the past month, how often did you feel …that people are basically good?
9	PMH_08	Felt way society works makes sense	discrete	numeric-2.0	53712	7995	(In the past month, how often did you feel:) …that the way our society works makes sense to you?
10	PMH_09	Felt liked most part of personality	discrete	numeric-2.0	56147	5560	(In the past month, how often did you feel:) …that you liked most parts of your personality?
11	PMH_10	Felt good at managing responsibilities	discrete	numeric-2.0	56897	4810	In the past month, how often did you feel …good at managing the responsibilities of your daily life?
12	PMH_11	Felt had trusting relationships	discrete	numeric-2.0	56792	4915	(In the past month, how often did you feel:)…that you had warm and trusting relationships with others?

#	Name	Label	Type	Format	Valid	Invalid	Question
13	PMH_12	Felt exp. challenge be better person	discrete	numeric-2.0	55266	6441	(In the past month, how often did you feel:)…that you had experiences that challenge you to grow and become a better person?
14	PMH_13	Felt confident express own opinions	discrete	numeric-2.0	56640	5067	In the past month, how often did you feel …confident to think or express your own ideas and opinions?
15	PMH_14	Felt life had a sense of direction	discrete	numeric-2.0	55777	5930	(In the past month, how often did you feel:) …that your life has a sense of direction or meaning to it?
16	PMHDCLA	Positive Mental Health Classification	discrete	numeric-1.0	57534	4173	-
17	PMHDSCR	Positive Mental Health Continuous Score	continuous	numeric-2.0	45986	15721	-

Group Prostate Cancer Screening

Universe
Optional content selection only asked in: Nova Scotia, Ontario, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPSA	Module: PSA - (F)	discrete	numeric-1.0	23491	38216	-
2	PSA_170	Ever had a PSA blood test	discrete	numeric-1.0	6882	54825	Have you ever had a prostate specific antigen test for prostate cancer, that is, a PSA blood test?
3	PSA_172	Last time had PSA blood test	discrete	numeric-1.0	4187	57520	When was the last time?
4	PSA_73A	Had PSA test - family history	discrete	numeric-1.0	4221	57486	Why did you have it? - Family history of prostate cancer
5	PSA_73B	Had PSA test - regular check-up	discrete	numeric-1.0	4221	57486	Why did you have it? - Part of regular check-up / routine screening
6	PSA_73C	Had PSA test - age	discrete	numeric-1.0	4221	57486	Why did you have it? - Age
7	PSA_73D	Had PSA test - follow-up / problem	discrete	numeric-1.0	4221	57486	Why did you have it? - Follow-up of problem
8	PSA_73E	Had PSA test - follow-up/ prostate treat.	discrete	numeric-1.0	4221	57486	Why did you have it? - Follow-up of prostate cancer treatment
9	PSA_73F	Had PSA test - other	discrete	numeric-1.0	4221	57486	Why did you have it? - Other
10	PSA_174	Had a digital rectal exam	discrete	numeric-1.0	7030	54677	A Digital Rectal Exam is an exam in which a gloved finger is inserted into the rectum in order to feel the prostate gland. Have you ever had this exam?
11	PSA_175	Last time had digital rectal exam	discrete	numeric-1.0	4671	57036	When was the last time?

Group Restriction of Activities

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	RAC_1	Has difficulty with activities	discrete	numeric-1.0	61577	130	Do you have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities?

#	Name	Label	Type	Format	Valid	Invalid	Question
2	RAC_2A	Reduction kind/amount activities - home	discrete	numeric-1.0	61547	160	Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do: ... at home?
3	RAC_2B1	Reduction kind/amount activities- school	discrete	numeric-1.0	61662	45	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do:) ... at school?
4	RAC_2B2	Reduction kind/amount act. - at work	discrete	numeric-1.0	61624	83	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do:) ... at work?
5	RAC_2C	Reduction kind/amount act. - other	discrete	numeric-1.0	61445	262	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do:) ... in other activities, for example, transportation or leisure?
6	RACG5	Cause of health problem - (G)	discrete	numeric-2.0	24141	37566	-
7	RACDIMP	Impact of health problems - (D)	discrete	numeric-1.0	61501	206	-
8	RACDPAL	Participation and activity limit. - (D)	discrete	numeric-1.0	61228	479	-
9	ADLF6R	Help needed for tasks - (F)	discrete	numeric-1.0	22968	38739	-

Group Sample Variables

#	Name	Label	Type	Format	Valid	Invalid	Question
1	VERDATE	Date of file creation	discrete	character-8	61707	0	-

Group Satisfaction with Life

Universe
Optional content selection only asked in: Alberta, British Columbia

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSWL	Module: SWL - (F)	discrete	numeric-1.0	13037	48670	-
2	SWL_02	Satisfaction - job	discrete	numeric-1.0	12574	49133	How satisfied are you with your job or main activity?
3	SWL_03	Satisfaction - leisure activities	discrete	numeric-1.0	12594	49113	How satisfied are you with your leisure activities?
4	SWL_04	Satisfaction - financial situation	discrete	numeric-1.0	12531	49176	(How satisfied are you) with your financial situation?
5	SWL_05	Satisfaction - with self	discrete	numeric-1.0	12592	49115	How satisfied are you with yourself?
6	SWL_06	Satisfaction - way body looks	discrete	numeric-1.0	12563	49144	How satisfied are you with the way your body looks?
7	SWL_07	Satisfaction - relationship with family	discrete	numeric-1.0	12587	49120	How satisfied are you with your relationships with family members?
8	SWL_08	Satisfaction - relationship with friends	discrete	numeric-1.0	12618	49089	(How satisfied are you) with your relationships with friends?
9	SWL_09	Satisfaction - housing	discrete	numeric-1.0	12647	49060	(How satisfied are you) with your housing?

#	Name	Label	Type	Format	Valid	Invalid	Question
10	SWL_10	Satisfaction - neighbourhood	discrete	numeric-1.0	12600	49107	(How satisfied are you) with your neighbourhood?

Group Sedentary Activities

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSAC	Module: Sedentary activities	discrete	numeric-1.0	61707	0	-
2	SACG1	No. of hrs.-on a computer - past3mo(G)	discrete	numeric-2.0	59947	1760	-
3	SACG2	No. of hrs.-play video games -past3mo(G)	discrete	numeric-2.0	59871	1836	-
4	SACG3	No. of hrs.-watch tv/videos - past3mo(G)	discrete	numeric-2.0	59399	2308	-
5	SACG4	No. of hrs.-read -past3mo(G)	discrete	numeric-2.0	59182	2525	-
6	SACDTOT	Tot. hrs. -seden. activit. - 3 mo - (D)	discrete	numeric-2.0	58735	2972	-
7	SACDTER	No. hrs / wk. (exc. read.) - seden. act.	discrete	numeric-2.0	59331	2376	-

Group Self-Esteem

Universe
Optional content selection only asked in: Quebec, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSFE	Module: SFE - (F)	discrete	numeric-1.0	11573	50134	-
2	SFE_501	Self-esteem - has good qualities	discrete	numeric-1.0	11227	50480	You feel that you have a number of good qualities.
3	SFE_502	Self-esteem - is person of worth	discrete	numeric-1.0	11225	50482	You feel that you're a person of worth at least equal to others.
4	SFE_503	Self-esteem - is able to do things well	discrete	numeric-1.0	11216	50491	You are able to do things as well as most other people.
5	SFE_504	Self-esteem - takes positive attitude	discrete	numeric-1.0	11232	50475	You take a positive attitude toward yourself.
6	SFE_505	Self-esteem - satisfied with self	discrete	numeric-1.0	11241	50466	On the whole you are satisfied with yourself.
7	SFE_506	Self-esteem - feels is a failure	discrete	numeric-1.0	11214	50493	All in all, you're inclined to feel you're a failure.
8	SFEDE1	Self-esteem scale - (D)	discrete	numeric-2.0	11084	50623	-

Group Sexual Behaviours

Universe
Optional content selection only asked in: Ontario, North West Territories, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSXB	Module: SXB - (F)	discrete	numeric-1.0	21257	40450	-
2	SXB_1	Ever had sexual intercourse	discrete	numeric-1.0	7242	54465	Have you ever had sexual intercourse?

#	Name	Label	Type	Format	Valid	Invalid	Question
3	SXB_3	Had sexual intercourse - past 12 mo	discrete	numeric-1.0	6655	55052	In the past 12 months, have you had sexual intercourse?
4	SXB_07	Ever diagnosed with STD	discrete	numeric-1.0	6641	55066	Have you ever been diagnosed with a sexually transmitted infection?
5	SXB_7A	Condom use - last time	discrete	numeric-1.0	2568	59139	Did you use a condom the last time you had sexual intercourse?
6	SXB_09	Important to avoid getting pregnant	discrete	numeric-1.0	646	61061	It is important to me to avoid getting pregnant right now.
7	SXB_10	Important avoid getting partner pregnant	discrete	numeric-2.0	646	61061	It is important to me to avoid getting my partner pregnant right now.
8	SXB_11	Usually use birth control - past 12 mo	discrete	numeric-1.0	1299	60408	In the past 12 months, did you and your partner usually use birth control?
9	SXB_12A	Usual birth control method - condom	discrete	numeric-1.0	1054	60653	What kind of birth control did you and your partner usually use? - Condom (male or female condom)
10	SXB_12B	Usual birth control method - the pill	discrete	numeric-1.0	1054	60653	What kind of birth control did you and your partner usually use? - Birth control pill
11	SXB_12C	Usual birth control method - diaphragm	discrete	numeric-1.0	1054	60653	What kind of birth control did you and your partner usually use? - Diaphragm
12	SXB_12D	Usual birth control method - spermicide	discrete	numeric-1.0	1054	60653	What kind of birth control did you and your partner usually use? - Spermicide (e.g., foam, jelly, film)
13	SXB_12F	Usual birth control method - injection	discrete	numeric-1.0	1054	60653	What kind of birth control did you and your partner usually use? - Birth control injection (Deprovera)
14	SXB_12E	Usual birth control method - other	discrete	numeric-1.0	1054	60653	What kind of birth control did you and your partner usually use? - Other
15	SXB_13A	B.c. method used last time - condom	discrete	numeric-1.0	1038	60669	What kind of birth control did you and your partner use the last time you had sex? - Condom (male or female condom)
16	SXB_13B	B.c. method used last time - the pill	discrete	numeric-1.0	1038	60669	What kind of birth control did you and your partner use the last time you had sex? - Birth control pill
17	SXB_13C	B.c. method used last time - diaphragm	discrete	numeric-1.0	1038	60669	What kind of birth control did you and your partner use the last time you had sex? - Diaphragm
18	SXB_13D	B.c. method used last time - spermicide	discrete	numeric-1.0	1038	60669	What kind of birth control did you and your partner use the last time you had sex? - Spermicide (e.g., foam, jelly, film)
19	SXB_13F	B.c. method used last time - injection	discrete	numeric-1.0	1038	60669	What kind of birth control did you and your partner use the last time you had sex? - Birth control injection (Deprovera)
20	SXB_13G	Method used last time - nothing	discrete	numeric-1.0	1038	60669	What kind of birth control did you and your partner use the last time you had sex? - Nothing
21	SXB_13E	B.c. method used last time - other	discrete	numeric-1.0	1038	60669	What kind of birth control did you and your partner use the last time you had sex? - Other

Group Sleep

Universe

Optional content selection only asked in: Nova Scotia, Quebec, Manitoba, Alberta, Yukon

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSLP	Optional module: SLP - (F)	discrete	numeric-1.0	22813	38894	-
2	SLPG01	Number of hours spent sleeping per night	discrete	numeric-2.0	22248	39459	-
3	SLP_02	Freq. - trouble sleeping	discrete	numeric-1.0	22256	39451	How often do you have trouble going to sleep or staying asleep: (none of the time, a little of the time, some of the time, most of the time, or all of the time)?
4	SLP_03	Frequency - find sleep refreshing	discrete	numeric-1.0	22182	39525	How often do you find your sleep refreshing?
5	SLP_04	Frequency - difficult to stay awake	discrete	numeric-1.0	22155	39552	How often do you find it difficult to stay awake when you want to?

Group Smoking

Universe

Common content and was asked to all regions

Subgroup(s)		Smoking Cessation Methods , Stages of Change , Physician Counselling , Other Tobacco Products , Youth Smoking					
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SMK_01A	Smoked 100 or more cigarettes - life	discrete	numeric-1.0	61537	170	In YOUR lifetime, HAVE YOU smoked a total of 100 or more cigarettes (about 4 packs)?
2	SMK_01B	Ever smoked whole cigarette	discrete	numeric-1.0	31635	30072	HAVE YOU ever smoked a whole cigarette?
3	SMKG01C	Age - smoked first whole cigarette - (G)	discrete	numeric-2.0	36799	24908	-
4	SMK_202	Type of smoker	discrete	numeric-1.0	61406	301	At the present time, DO YOU smoke cigarettes daily, occasionally or not at all?
5	SMKG203	Age start smok daily (daily smoker)-(G)	discrete	numeric-2.0	9345	52362	-
6	SMK_204	No. of cig. smoked/day (daily smoker)	continuous	numeric-3.0	9474	52233	How many cigarettes DO YOU smoke each day now?
7	SMK_05B	No. of cig. per day (occasional smoker)	discrete	numeric-3.0	2507	59200	On the days that YOU DO smoke, how many cigarettes DO YOU usually smoke?
8	SMK_05C	No. of days-1 cig. or more (occ. smoker)	continuous	numeric-2.0	2460	59247	In the past month, on how many days HAVE YOU smoked 1 or more cigarettes?
9	SMK_05D	Ever smoked cigarettes daily	discrete	numeric-1.0	20206	41501	HAVE YOU ever smoked cigarettes daily?
10	SMK_06A	Stopped smoking-when (never daily smok.)	discrete	numeric-1.0	1555	60152	When did YOU stop smoking? Was it...?
11	SMKG06C	No. of years since stopped smoking - (G)	discrete	numeric-1.0	1327	60380	-
12	SMKG207	Age - started smoking daily - (G)	discrete	numeric-2.0	17618	44089	-

#	Name	Label	Type	Format	Valid	Invalid	Question
13	SMK_208	No. of cig. smoked/day (former daily)	continuous	numeric-3.0	17333	44374	How many cigarettes did YOU usually smoke each day?
14	SMK_09A	Stopped smoking daily - when	discrete	numeric-1.0	18026	43681	When did YOU stop smoking daily? Was it...?
15	SMKG09C	Years since stopped smoking daily - (G)	discrete	numeric-1.0	15029	46678	-
16	SMK_10	Quit smoking completely	discrete	numeric-1.0	16481	45226	Was that when you completely quit smoking?
17	SMK_10A	Stopped smoking completely - when	discrete	numeric-1.0	444	61263	When did YOU stop smoking completely? Was it...?
18	SMKG10C	No. of years since stopped smoking - (G)	discrete	numeric-1.0	275	61432	-
19	SMKDSTY	Type of smoker - (D)	discrete	numeric-2.0	61232	475	-
20	SMKGSTP	No. of years stop smoking compl. (D,G)	discrete	numeric-1.0	17851	43856	-
21	SMKDYCS	Number of years smoked - (D)	continuous	numeric-3.0	9345	52362	-

Group Social Provisions

Universe

Optional content selection only asked in: Quebec, British Columbia, Yukon, North West Territories, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSPS	Module: SPS - (F)	discrete	numeric-1.0	20513	41194	-
2	SPS_01	Relationships - people/help	discrete	numeric-1.0	19390	42317	There are people I can depend on to help me if I really need it.
3	SPS_02	Relationships - social activities	discrete	numeric-1.0	19249	42458	There are people who enjoy the same social activities I do.
4	SPS_03	Relationship-emotional security/wellbein	discrete	numeric-1.0	19309	42398	I have close relationships that provide me with a sense of emotional security and wellbeing.
5	SPS_04	Relationships-important decisions	discrete	numeric-1.0	19323	42384	There is someone I could talk to about important decisions in my life.
6	SPS_05	Relationships - Competence and skill	discrete	numeric-1.0	19117	42590	I have relationships where my competence and skill are recognized.
7	SPS_06	Relationships-trustworthy person/advice	discrete	numeric-1.0	19303	42404	There is a trustworthy person I could turn to for advice if I were having problems.
8	SPS_07	Relationships-share attitudes/ beliefs	discrete	numeric-1.0	19203	42504	I feel part of a group of people who share my attitudes and beliefs.
9	SPS_08	Relationships - strong emotional bond	discrete	numeric-1.0	19305	42402	I feel a strong emotional bond with at least one other person.
10	SPS_09	Relationships-admire talents/ abilities	discrete	numeric-1.0	18941	42766	There are people who admire my talents and abilities.
11	SPS_10	Relationships - people/ emergency	discrete	numeric-1.0	19327	42380	There are people I can count on in an emergency.
12	SPSDCON	Soc.Prov.Scale-	continuous	numeric-2.0	18466	43241	-
13	SPSDATT	Soc.Prov.Scale-Attachment	discrete	numeric-2.0	20067	41640	-
14	SPSDGUI	Soc.Prov.Scale-Guidance	discrete	numeric-2.0	19260	42447	-

#	Name	Label	Type	Format	Valid	Invalid	Question
15	SPSDALL	Soc.Prov.Scale-Reliable alliance	discrete	numeric-2.0	19327	42380	-
16	SPSDINT	Soc.Prov.Scale-Social integration	discrete	numeric-2.0	19090	42617	-
17	SPSDWOR	Soc.Prov.Scale-Reassurance of worth	discrete	numeric-2.0	18771	42936	-

Group Social Support

Subgroup(s)	Availability , Utilization

Group Socio-Demographic Characteristics

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	SDCGCB12	Country of birth - Canada/other	discrete	numeric-1.0	59894	1813	-
2	SDC_5A_1	Knowledge of official languages	discrete	numeric-1.0	60050	1657	-
3	SDCDFOLS	First official language spoken - (D)	discrete	numeric-1.0	60047	1660	-
4	DHH_OWN	Owned, Rented	discrete	numeric-1.0	59923	1784	-
5	SDCGLHM	Language(s) spoken at home	discrete	numeric-1.0	60086	1621	-
6	SDCFIMM	Immigrant - (F)	discrete	numeric-1.0	59811	1896	-
7	SDCGRES	Length/time in Canada since imm. - (D,G)	discrete	numeric-1.0	8601	53106	-
8	SDCGCGT	Cultural or racial origin - (D, G)	discrete	numeric-1.0	59568	2139	-
9	SDCG9	Full-time student or part-time student	discrete	numeric-1.0	6134	55573	-

Group Spiritual Values

Universe
Optional content selection only asked in: New Brunswick, Manitoba

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSPR	Opt. module flag: SPV - (F)	discrete	numeric-1.0	5943	55764	-
2	SPV_1	Spirit. values-playing imp. role in life	discrete	numeric-1.0	5649	56058	Do spiritual values play an important role in your life?
3	SPV_2	Spirit. values-help find meaning to life	discrete	numeric-1.0	3802	57905	To what extent do your spiritual values help you to find meaning in your life?
4	SPV_3	Spirit. values-strength everyday diff.	discrete	numeric-1.0	3776	57931	To what extent do your spiritual values give you the strength to face everyday difficulties?
5	SPV_4	Spirit. values-understanding diff. life	discrete	numeric-1.0	3747	57960	To what extent do your spiritual values help you to understand the difficulties of life?
6	SPVGRL	Religion - (G)	discrete	numeric-1.0	5465	56242	-

#	Name	Label	Type	Format	Valid	Invalid	Question
7	SPV_6	Freq. - attends religious serv./ meetings	discrete	numeric-1.0	5450	56257	Not counting events such as weddings or funerals, during the past 12 months, how often did you participate in religious activities or attend religious services or meetings?
8	SPV_6B	Freq. engages religious act. On own	discrete	numeric-2.0	5416	56291	In the past 12 months, how often did you engage in religious or spirituala ctivities on your own, including prayer, meditation and other forms of worship taking place at home or in any other location?
9	SPV_7	Self-perception - being religious	discrete	numeric-1.0	5323	56384	In general, would you say that you are: (very religious, religious, not very religious, not very religious at all)?

Group Spirometry

Universe
Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSPI	Theme module: Spirometry - (F)	discrete	numeric-1.0	61707	0	-
2	SPI_01	Ever had a spirometry test	discrete	numeric-1.0	59576	2131	Spirometry is a common lung function test that consists of blowing into a small tube attached to a machine. Have you ever had this test?
3	SPI_02	Last time -spriormetry test	discrete	numeric-1.0	15542	46165	When was the last time?

Group Stress - Childhood and Adult Stressors

Universe
Optional content selection only asked in: British Columbia

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOCST	Optional module: CST - (F)	discrete	numeric-1.0	7517	54190	-
2	CST_1	Spent 2 weeks or more in the hospital	discrete	numeric-1.0	6678	55029	Did you spend 2 weeks or more in the hospital?
3	CST_2	Parents divorced	discrete	numeric-1.0	6738	54969	Did your parents get a divorce?
4	CST_3	Parents unemployed for a long time	discrete	numeric-1.0	6660	55047	Did your father or mother not have a job for a long time when they wanted to be working?
5	CST_4	Something happened that scared you	discrete	numeric-1.0	6695	55012	Did something happen that scared you so much you thought about it for years after?
6	CST_5	Sent away from home - something wrong	discrete	numeric-1.0	6732	54975	Were you sent away from home because you did something wrong?
7	CST_6	Family prob./parents abusing alc./drugs	discrete	numeric-1.0	6721	54986	Did either of your parents drink or use drugs so often that it caused problems for the family?
8	CST_7	Physically abused - someone close to you	discrete	numeric-1.0	6707	55000	Were you ever physically abused by someone close to you?

Group Suicidal Thoughts and Attempts

Universe
Optional content selection only asked in: Newfoundland and Labrador, Saskatchewan, Alberta, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSUI	Module: SUI - (F)	discrete	numeric-1.0	10877	50830	-
2	SUI_1	Has considered suicide - lifetime	discrete	numeric-1.0	10023	51684	Have you ever seriously considered committing suicide or taking your own life?
3	SUI_2	Has considered suicide - past 12 mo	discrete	numeric-1.0	966	60741	Has this happened in the past 12 months?

Group Sun Safety Behaviours

Universe
Optional content selection only asked in: New Brunswick

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSSB	Module: SSB - (F)	discrete	numeric-1.0	2457	59250	-
2	SSB_01	Been surnburnt - past 12 months	discrete	numeric-1.0	2396	59311	In the past 12 months, has any part of your body been sunburnt?
3	SSB_02	Sunburn involved blistering	discrete	numeric-1.0	789	60918	Did any of your sunburns involve blistering?
4	SSB_03	Sunburns involved pain - more than 1 day	discrete	numeric-1.0	791	60916	Did any of your sunburns involve pain or discomfort that lasted for more than 1 day?
5	SSB_06	Amount time in the sun - 11 am to 4 pm	discrete	numeric-2.0	2380	59327	About how much time each day do you spend in the sun between 11 am and 4 pm?
6	SSB_07	Frequency - seek shade	discrete	numeric-1.0	1776	59931	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: ...seek shade?
7	SSB_08	Frequency - wear hat in the sun	discrete	numeric-1.0	1779	59928	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you:) ...wear a hat that shades your face, ears and neck?
8	SSB_09A	Frequency - wear long pants or skirt	discrete	numeric-1.0	1779	59928	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you:) ...wear long pants or a long skirt to protect your skin from the sun?
9	SSB_09B	Frequency - use sunscreen on your face	discrete	numeric-1.0	1780	59927	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you:) ...use sunscreen on your face?
10	SSB_10	SPF use - face	discrete	numeric-1.0	1042	60665	What Sun Protection factor (SPF) do you usually use?
11	SSB_11	Frequency - use sunscreen on your body	discrete	numeric-1.0	1779	59928	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: ...use sunscreen on your body?
12	SSB_12	SPF use - body	discrete	numeric-1.0	945	60762	What Sun Protection factor (SPF) do you usually use?

Group Unmet Health Care Needs

Universe

Optional content selection only asked in: Nova Scotia, Ontario, British Columbia, North West Territories, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOUCN	Module: UCN - (F)	discrete	numeric-1.0	31008	30699	-
2	UCN_010	Unmet health care needs - self-perceived	discrete	numeric-1.0	30948	30759	-
3	UCN_020A	Care not rec'd - not avail. in area	discrete	numeric-1.0	3273	58434	Thinking of the most recent time, why didn't you get care? - Not available - in the area
4	UCN_020B	Care not rec'd - not avail. time req'd	discrete	numeric-1.0	3273	58434	Thinking of the most recent time, why didn't you get care? - Not available - at time required (e.g. doctor on holidays, inconvenient hours)
5	UCN_020C	Care not rec'd - wait too long	discrete	numeric-1.0	3273	58434	Thinking of the most recent time, why didn't you get care? - Waiting time too long
6	UCN_020D	Care not rec'd - felt be inadequate	discrete	numeric-1.0	3273	58434	Thinking of the most recent time, why didn't you get care? - Felt would be inadequate
7	UCN_020E	Care not rec'd - cost	discrete	numeric-1.0	3273	58434	Thinking of the most recent time, why didn't you get care? - Cost
8	UCN_020F	Care not rec'd - too busy	discrete	numeric-1.0	3273	58434	Thinking of the most recent time, why didn't you get care? - Too busy
9	UCN_020G	Care not rec'd - didn't get around it	discrete	numeric-1.0	3273	58434	Thinking of the most recent time, why didn't you get care? - Didn't get around to it / didn't bother
10	UCN_020H	Care not rec'd - decided not seek care	discrete	numeric-1.0	3273	58434	Thinking of the most recent time, why didn't you get care? - Decided not to seek care
11	UCN_020I	Care not rec'd - doctor think not nec.	discrete	numeric-1.0	3273	58434	Thinking of the most recent time, why didn't you get care? - Doctor - didn't think it was necessary
12	UCN_020J	Care not rec'd - other	discrete	numeric-1.0	3273	58434	Thinking of the most recent time, why didn't you get care? - Other
13	UCN_030A	Type care not rec'd - physical hlth prob	discrete	numeric-1.0	3265	58442	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - a physical health problem
14	UCN_030B	Type care not rec'd - emotional problem	discrete	numeric-1.0	3265	58442	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - an emotional or mental health problem
15	UCN_030C	Type care not rec'd - regular check-up	discrete	numeric-1.0	3265	58442	Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including regular pre-natal care)
16	UCN_030D	Type care not rec'd - care of injury	discrete	numeric-1.0	3265	58442	Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury
17	UCN_030E	Type care not rec'd - other	discrete	numeric-1.0	3265	58442	Again, thinking of the most recent time, what was the type of care that was needed? - Other
18	UCN_040A	Tried get serv. - doctor's office	discrete	numeric-1.0	3219	58488	Where did you try to get the service you were seeking? - Doctor's office

#	Name	Label	Type	Format	Valid	Invalid	Question
19	UCN_040B	Tried get serv. - comm. hlth centre/CLSC	discrete	numeric-1.0	3219	58488	Where did you try to get the service you were seeking? - Community health centre / CLSC
20	UCN_040C	Tried get serv. - walk-in clinic	discrete	numeric-1.0	3219	58488	Where did you try to get the service you were seeking? - Walk-in clinic
21	UCN_040D	Tried get serv. - appointment clinic	discrete	numeric-1.0	3219	58488	Where did you try to get the service you were seeking? - Appointment clinic
22	UCN_040E	Tried get serv. - hospital emergency	discrete	numeric-1.0	3219	58488	Where did you try to get the service you were seeking? - Hospital - emergency room
23	UCN_040F	Tried get serv. - hsp. outpatient clinic	discrete	numeric-1.0	3219	58488	Where did you try to get the service you were seeking? - Hospital - outpatient clinic
24	UCN_040G	Tried get serv. - other	discrete	numeric-1.0	3219	58488	Where did you try to get the service you were seeking? - Other

Group Use of Protective Equipment

Universe
Optional content selection only asked in: Newfoundland and Labrador, Prince Edward Island, Ontario, Alberta, Yukon

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOUPE	Module: UPE - (F)	discrete	numeric-1.0	29425	32282	-
2	UPE_01A	Done any bicycling in past 12 months	discrete	numeric-1.0	22403	39304	In the past 12 months, have you done any bicycling?
3	UPE_01	Freq. - helmet - bicycling	discrete	numeric-1.0	9705	52002	When riding a bicycle, how often do you wear a helmet?
4	UPE_02	Freq. - helmet - in-line skating	discrete	numeric-1.0	27882	33825	In the past 12 months, have you done any in-line skating or rollerblading?
5	UPE_02A	Freq. - wrist guards - in-line skating	discrete	numeric-1.0	1602	60105	When in-line skating or rollerblading, how often do you wear a helmet?
6	UPE_02B	Freq. - elbow pads - in-line skating	discrete	numeric-1.0	1601	60106	How often do you wear wrist guards or wrist protectors?
7	UPE_02C	Wear knee pads	discrete	numeric-1.0	1601	60106	How often do you wear elbow pads?
8	UPE_02D	Wear knee pads	discrete	numeric-1.0	1601	60106	How often do you wear knee pads?
9	UPE_03A	Downhill skiing/ snowboarding - 3 mo	discrete	numeric-1.0	1035	60672	Earlier, you mentioned going downhill skiing or snowboarding in the past 3 months. Was that:
10	UPE_03B	Downhill skiing/ snowboarding - 12 mo	discrete	numeric-1.0	27619	34088	In the past 12 months, did you do any downhill skiing or snowboarding?
11	UPE_04A	Freq. - helmet - downhill skiing	discrete	numeric-1.0	1859	59848	When downhill skiing, how often do you wear a helmet?
12	UPE_05A	Freq. - helmet - snowboarding	discrete	numeric-1.0	1065	60642	When snowboarding, how often do you wear a helmet?
13	UPE_05B	Freq. - wrist guards - snowboarding	discrete	numeric-1.0	1066	60641	How often do you wear wrist guards or wrist protectors?
14	UPE_06	Freq. - helmet - skateboarding	discrete	numeric-1.0	3224	58483	In the past 12 months, have you done any skateboarding?
15	UPE_06A	Freq. - wrist guards - skateboarding	discrete	numeric-1.0	492	61215	How often do you wear a helmet?
16	UPE_06B	Freq. - elbow pads - skateboarding	discrete	numeric-1.0	492	61215	How often do you wear wrist guards or wrist protectors?

#	Name	Label	Type	Format	Valid	Invalid	Question
17	UPE_06C	Freq. - elbow pads - skateboarding	discrete	numeric-1.0	492	61215	How often do you wear elbow pads?
18	UPE_07	Wear a mouth guard	discrete	numeric-1.0	27190	34517	In the past 12 months, have you played any ice hockey?
19	UPE_07A	Wear a mouth guard	discrete	numeric-1.0	2257	59450	When playing ice hockey, how often do you wear a mouth guard?
20	UPEFILS	Wears all prot. equip. - in-line skating	discrete	numeric-1.0	1601	60106	-
21	UPEFSKB	Wears all prot. equip. - skateb. - (F)	discrete	numeric-1.0	492	61215	-
22	UPEFSNB	Wears all prot. equip. - snowb.- (F)	discrete	numeric-1.0	1066	60641	-

Group Voluntary Organizations - Participation

Universe
Optional content selection only asked in: Prince Edward Island, Quebec, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOORG	Module: ORG - (F)	discrete	numeric-1.0	12456	49251	-
2	ORG_1	Member of a voluntary organization	discrete	numeric-1.0	12201	49506	Are you a member of any voluntary organizations or associations such as school groups, church social groups, community centres, ethnic associations or social, civic or fraternal clubs?
3	ORG_2	Frequency - participate in activities	discrete	numeric-1.0	3252	58455	How often did you participate in meetings or activities of these groups in the past 12 months? If you belong to many, just think of the ones in which you are most active.

Group Waiting Times

Universe
Optional content selection only asked in: Newfoundland and Labrador

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOWTM	Module: WTM - (F)	discrete	numeric-1.0	1765	59942	Are you an employee or self-employed?
2	WTM_01	Required visit to medical specialist	discrete	numeric-1.0	490	61217	In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation for a new illness or condition?
3	WTM_02	Req. vis. med. spec. - type of condition	discrete	numeric-2.0	200	61507	For what type of condition? If you have had more than one such visit, please answer for the most recent visit.
4	WTM_03	Person who referred resp. to med. spec.	discrete	numeric-1.0	202	61505	Were you referred by: (a family doctor, another specialist or another health care provider)?
5	WTM_04	Already visited the medical specialist	discrete	numeric-1.0	202	61505	Have you already visited the medical specialist?
6	WTM_05	Difficulty seeing medical specialist	discrete	numeric-1.0	178	61529	Thinking about this visit, did you experience any difficulties seeing the specialist?

#	Name	Label	Type	Format	Valid	Invalid	Question
7	WTM_06A	Diff. - getting referral	discrete	numeric-1.0	28	61679	What type of difficulties did you experience? - Difficulty getting a referral
8	WTM_06B	Diff. - getting an appointment	discrete	numeric-1.0	28	61679	What type of difficulties did you experience? - Difficulty getting an appointment
9	WTM_06C	Diff. - no specialists in area	discrete	numeric-1.0	28	61679	What type of difficulties did you experience? - No specialists in the area
10	WTM_06D	Diff. - waited too long for appointment	discrete	numeric-1.0	28	61679	What type of difficulties did you experience? - Waited too long between booking appointment and visit
11	WTM_06E	Diff. - waited too long to see doc.	discrete	numeric-1.0	28	61679	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
12	WTM_06F	Diff. - transportation	discrete	numeric-1.0	28	61679	What type of difficulties did you experience? - Transportation problems
13	WTM_06G	Diff. - language	discrete	numeric-1.0	28	61679	What type of difficulties did you experience? - Language problem
14	WTM_06H	Diff. - cost	discrete	numeric-1.0	28	61679	What type of difficulties did you experience? - Cost
15	WTM_06I	Diff. - pers./family responsibilities	discrete	numeric-1.0	28	61679	What type of difficulties did you experience? - Personal or family responsibilities
16	WTM_06J	Diff. - deterioration of health	discrete	numeric-1.0	28	61679	What type of difficulties did you experience? - General deterioration of health
17	WTM_06K	Diff. - appointment cancelled/deferred	discrete	numeric-1.0	28	61679	What type of difficulties did you experience? - Appointment cancelled or deferred by specialist
18	WTM_06L	Diff. - unable leave house/health	discrete	numeric-1.0	28	61679	What type of difficulties did you experience? - Unable to leave the house because of a health problem
19	WTM_06M	Diff. - other	discrete	numeric-1.0	28	61679	What type of difficulties did you experience? - Other
20	WTM_07A	Length of wait to see specialist	discrete	numeric-3.0	173	61534	How long did you have to wait between when [you and your doctor/health care provider] decided that you should see a specialist and when you actually visited the specialist?
21	WTM_07B	Length of wait to see specialist - unit	discrete	numeric-1.0	173	61534	-
22	WTM_08A	Length of time been waiting to see spec.	discrete	numeric-3.0	23	61684	How long have you been waiting since [you and your doctor/health care provider] decided that you should see a specialist?
23	WTM_08B	Length of time waiting/see spec. - unit	discrete	numeric-1.0	23	61684	-
24	WTM_10	Respondent's opinion of waiting time	discrete	numeric-1.0	202	61505	In your view, was the [waiting time/has the waiting time been]: (acceptable or not acceptable)?
25	WTM_11A	Acceptable waiting time	discrete	numeric-3.0	63	61644	In this particular case, what do you think is an acceptable waiting time?
26	WTM_11B	Acceptable waiting time - unit	discrete	numeric-1.0	63	61644	-

#	Name	Label	Type	Format	Valid	Invalid	Question
27	WTM_12	Visit to specialist cancelled/ postponed	discrete	numeric-1.0	202	61505	Was your visit cancelled or postponed at any time?
28	WTM_13A	Visit cancelled/postponed - respondent	discrete	numeric-1.0	32	61675	Was it cancelled or postponed by: (yourself or the specialist)? - Yourself
29	WTM_13B	Visit cancelled/postponed - specialist	discrete	numeric-1.0	32	61675	Was it cancelled or postponed by: (yourself or the specialist)? - The specialist
30	WTM_13C	Visit cancelled/postponed - other	discrete	numeric-1.0	32	61675	Was it cancelled or postponed by: (yourself or the specialist)? - Other
31	WTM_14	Life affected by wait/spec.	discrete	numeric-1.0	201	61506	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this visit?
32	WTM_15A	Life affected by wait - worry	discrete	numeric-1.0	36	61671	How was your life affected as a result of waiting for this visit? - Worry, anxiety, stress
33	WTM_15B	Life affected by wait - worry for family	discrete	numeric-1.0	36	61671	How was your life affected as a result of waiting for this visit? - Worry or stress for family or friends
34	WTM_15C	Life affected by wait - pain	discrete	numeric-1.0	36	61671	How was your life affected as a result of waiting for this visit? - Pain
35	WTM_15D	Life affected by wait - prob. daily act.	discrete	numeric-1.0	36	61671	How was your life affected as a result of waiting for this visit? - Problems with activities of daily living (e.g., dressing, driving)
36	WTM_15E	Life affected by wait - loss of work	discrete	numeric-1.0	36	61671	How was your life affected as a result of waiting for this visit? - Loss of work
37	WTM_15F	Life affected by wait - loss of income	discrete	numeric-1.0	36	61671	How was your life affected as a result of waiting for this visit? - Loss of income
38	WTM_15G	Life affected by wait - incr. dependence	discrete	numeric-1.0	36	61671	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends
39	WTM_15H	Life affected by wait - incr. use med.	discrete	numeric-1.0	36	61671	How was your life affected as a result of waiting for this visit? - Increased use of over-the-counter drugs
40	WTM_15I	Life affected by wait - health deter.	discrete	numeric-1.0	36	61671	How was your life affected as a result of waiting for this visit? - Overal health deteriorated, condition got worse
41	WTM_15J	Life affected by wait - health improved	discrete	numeric-1.0	36	61671	How was your life affected as a result of waiting for this visit? - Health problem improved
42	WTM_15K	Life affected by wait - pers. rel.	discrete	numeric-1.0	36	61671	How was your life affected as a result of waiting for this visit? - Personal relationships suffered
43	WTM_15L	Life affected by wait - other	discrete	numeric-1.0	36	61671	How was your life affected as a result of waiting for this visit? - Other
44	WTM_17	Already had the surgery	discrete	numeric-1.0	115	61592	Did you already have this surgery?
45	WTM_18	Surgery required overnight hospital stay	discrete	numeric-1.0	103	61604	Did the surgery require an overnight hospital stay?
46	WTM_19	Diff. getting this surgery	discrete	numeric-1.0	103	61604	Did you experience any difficulties getting this surgery?
47	WTM_20A	Diff. - getting an appointment	discrete	numeric-1.0	12	61695	What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon

#	Name	Label	Type	Format	Valid	Invalid	Question
48	WTM_20B	Diff. - getting a diagnosis	discrete	numeric-1.0	12	61695	What type of difficulties did you experience? - Difficulty getting a diagnosis
49	WTM_20C	Diff. - wait too long for diag. test	discrete	numeric-1.0	12	61695	What type of difficulties did you experience? - Waited too long for a diagnostic test
50	WTM_20D	Diff. - waited too long for hosp. bed	discrete	numeric-1.0	12	61695	What type of difficulties did you experience? - Waited too long for a hospital bed to become available
51	WTM_20E	Diff. - waited too long/ surgery	discrete	numeric-1.0	12	61695	What type of difficulties did you experience? - Waited too long for surgery
52	WTM_20F	Diff. - service not available/ area	discrete	numeric-1.0	12	61695	What type of difficulties did you experience? - Service not available in the area
53	WTM_20G	Diff. - transportation	discrete	numeric-1.0	12	61695	What type of difficulties did you experience? - Transportation problems
54	WTM_20H	Diff. - language	discrete	numeric-1.0	12	61695	What type of difficulties did you experience? - Language problem
55	WTM_20I	Diff. - cost	discrete	numeric-1.0	12	61695	What type of difficulties did you experience? - Cost
56	WTM_20J	Diff. - pers./family responsibilities	discrete	numeric-1.0	12	61695	What type of difficulties did you experience? - Personal or family responsibilities
57	WTM_20K	Diff. - deterioration of health	discrete	numeric-1.0	12	61695	What type of difficulties did you experience? - General deterioration of health
58	WTM_20L	Diff. - appt. cancelled/ deferred	discrete	numeric-1.0	12	61695	What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital
59	WTM_20M	Diff. - unable leave house/ health	discrete	numeric-1.0	12	61695	What type of difficulties did you experience? - Unable to leave the house because of a health problem
60	WTM_20N	Diff. - other	discrete	numeric-1.0	12	61695	What type of difficulties did you experience? - Other
61	WTM_21A	Length of wait/surgery	discrete	numeric-3.0	101	61606	How long did you have to wait between when you and the surgeon decided to go ahead with surgery and the day of surgery?
62	WTM_21B	Length of wait/surgery - unit	discrete	numeric-1.0	101	61606	-
63	WTM_22	Surg. will require overnight hosp. stay	discrete	numeric-1.0	7	61700	Will the surgery require an overnight hospital stay?
64	WTM_23A	Time since decision/have surgery	discrete	numeric-3.0	9	61698	How long have you been waiting since you and the surgeon decided to go ahead with the surgery?
65	WTM_23B	Time since decision/have surgery - unit	discrete	numeric-1.0	9	61698	-
66	WTM_24	Respondent's opinion of waiting time	discrete	numeric-1.0	115	61592	In your view, [was the waiting time/has the waiting time been]: (acceptable or not acceptable)?
67	WTM_25A	Acceptable waiting time	discrete	numeric-3.0	27	61680	In this particular case, what do you think is an acceptable waiting time?
68	WTM_25B	Acceptable waiting time - unit	discrete	numeric-1.0	27	61680	-

#	Name	Label	Type	Format	Valid	Invalid	Question
69	WTM_26	Surgery cancelled or postponed	discrete	numeric-1.0	114	61593	Was your surgery cancelled or postponed at any time?
70	WTM_27A	Surgery cancelled/postponed - respondent	discrete	numeric-1.0	17	61690	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - Yourself
71	WTM_27B	Surgery cancelled/postponed - surgeon	discrete	numeric-1.0	17	61690	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - The surgeon
72	WTM_27C	Surgery cancelled/postponed - hospital	discrete	numeric-1.0	17	61690	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - The hospital
73	WTM_27D	Surgery cancelled/postponed - other	discrete	numeric-1.0	17	61690	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - Other
74	WTM_28	Life affected by wait for surgery	discrete	numeric-1.0	115	61592	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this surgery?
75	WTM_29A	Life affected by wait - worry	discrete	numeric-1.0	26	61681	How was your life affected as a result of waiting for surgery? - Worry, anxiety, stress
76	WTM_29B	Life affected by wait - worry/ family	discrete	numeric-1.0	26	61681	How was your life affected as a result of waiting for this visit? - Worry or stress for family or friends
77	WTM_29C	Life affected by wait - pain	discrete	numeric-1.0	26	61681	How was your life affected as a result of waiting for this visit? - Pain
78	WTM_29D	Life affected by wait - prob. daily act.	discrete	numeric-1.0	26	61681	How was your life affected as a result of waiting for this visit? - Problems with activities of daily living (e.g., dressing, driving)
79	WTM_29E	Life affected by wait - loss of work	discrete	numeric-1.0	26	61681	How was your life affected as a result of waiting for this visit? - Loss of work
80	WTM_29F	Life affected by wait - loss of income	discrete	numeric-1.0	26	61681	How was your life affected as a result of waiting for this visit? - Loss of income
81	WTM_29G	Life affected by wait - incr. dependence	discrete	numeric-1.0	26	61681	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends
82	WTM_29H	Life affected by wait - incr. use med.	discrete	numeric-1.0	26	61681	How was your life affected as a result of waiting for this visit? - Increased use of over-the-counter drugs
83	WTM_29I	Life affected by wait - health deter.	discrete	numeric-1.0	26	61681	How was your life affected as a result of waiting for this visit? - Overal health deteriorated, condition got worse
84	WTM_29J	Life affected by wait - health improved	discrete	numeric-1.0	26	61681	How was your life affected as a result of waiting for this visit? - Health problem improved
85	WTM_29K	Life affected by wait - pers. rel.	discrete	numeric-1.0	26	61681	How was your life affected as a result of waiting for this visit? - Personal relationships suffered
86	WTM_29L	Life affected by wait - other	discrete	numeric-1.0	26	61681	How was your life affected as a result of waiting for this visit? - Other
87	WTM_30	Type of diagnostic test required	discrete	numeric-1.0	232	61475	What type of test did you require? If you had more than one in the past 12 months, please answer for the

#	Name	Label	Type	Format	Valid	Invalid	Question
							most recent test. (MRI, CAT Scan or angiography)
88	WTM_31	Required diag. test - type of condition	discrete	numeric-1.0	231	61476	For what type of condition: (heart disease or stroke, cancer, joints or fractures, or neurological or brain disorders (e.g., for MS, migraine or headaches))?
89	WTM_32	Already had diagnostic test	discrete	numeric-1.0	233	61474	Did you already have this test?
90	WTM_33	Location of test	discrete	numeric-1.0	224	61483	Where was the test done: (hospital, public clinic or private clinic)?
91	WTM_34	Location of clinic	discrete	numeric-1.0	0	61707	Was the clinic located: (in your province or in another province)?
92	WTM_35	Patient in hospital at time of test	discrete	numeric-1.0	224	61483	Were you a patient in a hospital at the time of the test?
93	WTM_36	Diff. getting diagnostic test	discrete	numeric-1.0	224	61483	Did you experience any difficulties getting this test?
94	WTM_37A	Diff. - getting referral	discrete	numeric-1.0	24	61683	What type of difficulties did you experience? - Difficulty getting a referral
95	WTM_37B	Diff. - getting an appointment	discrete	numeric-1.0	24	61683	What type of difficulties did you experience? - Difficulty getting an appointment
96	WTM_37C	Diff. - waited too long to get an appt.	discrete	numeric-1.0	24	61683	What type of difficulties did you experience? - Waited too long to get an appointment
97	WTM_37D	Diff. - waited too long/get test	discrete	numeric-1.0	24	61683	What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)
98	WTM_37E	Diff. - service not avail./time required	discrete	numeric-1.0	24	61683	What type of difficulties did you experience? - Service not available at time required
99	WTM_37F	Diff. - service not available/ area	discrete	numeric-1.0	24	61683	What type of difficulties did you experience? - Service not available in the area
100	WTM_37G	Diff. - transportation	discrete	numeric-1.0	24	61683	What type of difficulties did you experience? - Transportation problems
101	WTM_37H	Diff. - language	discrete	numeric-1.0	24	61683	What type of difficulties did you experience? - Language problem
102	WTM_37I	Diff. - cost	discrete	numeric-1.0	24	61683	What type of difficulties did you experience? - Cost
103	WTM_37J	Diff. - deterioration of health	discrete	numeric-1.0	24	61683	What type of difficulties did you experience? - General deterioration of health
104	WTM_37K	Diff. - did not know where to go	discrete	numeric-1.0	24	61683	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
105	WTM_37L	Diff. - unable leave house/ health	discrete	numeric-1.0	24	61683	What type of difficulties did you experience? - Unable to leave the house because of a health problem
106	WTM_37M	Diff. - other	discrete	numeric-1.0	24	61683	What type of difficulties did you experience? - Other
107	WTM_38A	Length of wait / test	discrete	numeric-3.0	210	61497	How long did you have to wait between when you and your doctor decided to go

#	Name	Label	Type	Format	Valid	Invalid	Question
							ahead with the test and the day of the test?
108	WTM_38B	Lgth wait decision and test - unit	discrete	numeric-1.0	210	61497	-
109	WTM_39A	Length of time been waiting/ diag. test	discrete	numeric-3.0	7	61700	How long have you been waiting for the test since you and your doctor decided to go ahead with the test?
110	WTM_39B	Lgth time been waiting for test - unit	discrete	numeric-1.0	7	61700	-
111	WTM_40	Respondent's opinion of waiting time	discrete	numeric-1.0	232	61475	In your view, [was the waiting time/has the waiting time been]: (acceptable or not acceptable)?
112	WTM_41A	Acceptable waiting time	discrete	numeric-3.0	40	61667	In this particular case, what do you think is an acceptable waiting time?
113	WTM_41B	Acceptable waiting time - unit	discrete	numeric-1.0	40	61667	-
114	WTM_42	Test cancelled or postponed	discrete	numeric-1.0	232	61475	Was your test cancelled or postponed at any time?
115	WTM_43	Test cancelled or postponed by	discrete	numeric-1.0	14	61693	Was it cancelled or postponed by: (yourself, the specialist, the hospital or the clinic)?
116	WTM_44	Life affected by wait/test	discrete	numeric-1.0	230	61477	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this test?
117	WTM_45A	Life affected by wait - worry	discrete	numeric-1.0	21	61686	How was your life affected as a result of waiting for this test? - Worry, anxiety, stress
118	WTM_45B	Life affected by wait - worry for family	discrete	numeric-1.0	21	61686	How was your life affected as a result of waiting for this test? - Worry or stress for family or friends
119	WTM_45C	Life affected by wait - pain	discrete	numeric-1.0	21	61686	How was your life affected as a result of waiting for this test? - Pain
120	WTM_45D	Life affected by wait - prob. daily act.	discrete	numeric-1.0	21	61686	How was your life affected as a result of waiting for this test? - Problems with activities of daily living (e.g., dressing, driving)
121	WTM_45E	Life affected by wait - loss of work	discrete	numeric-1.0	21	61686	How was your life affected as a result of waiting for this test? - Loss of work
122	WTM_45F	Life affected by wait - loss of income	discrete	numeric-1.0	21	61686	How was your life affected as a result of waiting for this test? - Loss of income
123	WTM_45G	Life affected by wait - incr. dependence	discrete	numeric-1.0	21	61686	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends
124	WTM_45H	Life affected by wait-incr. use med.	discrete	numeric-1.0	21	61686	How was your life affected as a result of waiting for this test? - Increased use of over-the-counter drugs
125	WTM_45I	Life affected by wait - health deter.	discrete	numeric-1.0	21	61686	How was your life affected as a result of waiting for this visit? - Overall health deteriorated, condition got worse
126	WTM_45J	Life affected by wait - health improved	discrete	numeric-1.0	21	61686	How was your life affected as a result of waiting for this visit? - Health problem improved

#	Name	Label	Type	Format	Valid	Invalid	Question
127	WTM_45K	Life affected by wait - pers. rel.	discrete	numeric-1.0	21	61686	How was your life affected as a result of waiting for this test? - Personal relationships suffered
128	WTM_45L	Life affected by wait - other	discrete	numeric-1.0	21	61686	How was your life affected as a result of waiting for this test? - Other
129	WTMDSO	# days wait/med. spec. -seen spec. - (D)	continuous	numeric-4.0	173	61534	-
130	WTMDSN	# days wait/med. spec. - not seen - (D)	discrete	numeric-4.0	23	61684	-
131	WTMDSA	# days accept. wait - med. spec. (D)	discrete	numeric-4.0	194	61513	-
132	WTMDCO	# days wait-non-urg. surg - surg. done(D)	discrete	numeric-4.0	101	61606	-
133	WTMDCN	# days wait - non-urg. surg-not done(D)	discrete	numeric-4.0	9	61698	-
134	WTMDCA	# days accept. wait -n-emer. surg.- (D)	discrete	numeric-4.0	111	61596	-
135	WTMDTO	# days wait - diag. test - done - (D)	discrete	numeric-4.0	210	61497	-
136	WTMDTN	# days wait - diag. test -not done -(D)	continuous	numeric-4.0	7	61700	-
137	WTMDTA	# days accept. wait - diag. test -(D)	discrete	numeric-4.0	219	61488	-

Group Weights

#	Name	Label	Type	Format	Valid	Invalid	Question
1	WTS_M	Weights - Master	continuous	numeric-8.2	61707	0	-

Group Workplace Injury

#	Name	Label	Type	Format	Valid	Invalid	Question
1	INW_01	Injury occured in current job	discrete	numeric-1.0	149	61558	Did this injury occur in your current main job?

Group Smoking Cessation Methods

Universe
Optional content selection only asked in: Nova Scotia, British Columbia, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSCA	Module: SCA - (F)	discrete	numeric-1.0	9751	51956	-
2	SCA_10	Usefulness of nicotine patch	discrete	numeric-1.0	133	61574	In the past 12 months, did you try a nicotine patch to quit smoking?
3	SCA_10A	Usefulness of nicotine patch	discrete	numeric-1.0	36	61671	How useful was that in helping you quit?
4	SCA_11	Usefulness of nicotine gum/ candy	discrete	numeric-1.0	133	61574	(In the past 12 months) did you try Nicorettes or other nicotine gum or candy to quit smoking?
5	SCA_11A	Usefulness of nicotine gum/ candy	discrete	numeric-1.0	18	61689	How useful was that in helping you quit?

#	Name	Label	Type	Format	Valid	Invalid	Question
6	SCA_12	Usefulness of medication such as Zyban	discrete	numeric-1.0	133	61574	In the past 12 months, did you try medication such as Zyban, Prolev or Wellbutrin to quit smoking?
7	SCA_12A	Usefulness of medication such as Zyban	discrete	numeric-1.0	25	61682	How useful was that in helping you quit?
8	SCA_50	Stopped smoking for at least 24 hrs.	discrete	numeric-1.0	1568	60139	In the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit?
9	SCA_60	Tried quit smoking - nicotine patch	discrete	numeric-1.0	776	60931	In the past 12 months, did you try any of the following to quit smoking: ...a nicotine patch?
10	SCA_61	Tried quit smo. -nicot. gum/candy -12 mo	discrete	numeric-1.0	776	60931	(In the past 12 months, did you try any of the following to quit smoking:) ...Nicorettes or other nicotine gum or candy?
11	SCA_62	Tried quit smoking - Zyban	discrete	numeric-1.0	775	60932	(In the past 12 months, did you try any of the following to quit smoking:) ...medication such as Zyban, Prolev or Wellbutrin?
12	SCADQUI	Attempted to stop smoking - (D)	discrete	numeric-1.0	4577	57130	-

Group Stages of Change

Universe

Optional content selection only asked in: Quebec, British Columbia, Yukon

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSCH	Module: SCH - (F)	discrete	numeric-1.0	19090	42617	-
2	SCH_1	Quitting smoking - next 6 mo	discrete	numeric-1.0	3540	58167	Are you seriously considering quitting smoking within the next 6 months?
3	SCH_2	Quitting smoking - next 30 days	discrete	numeric-1.0	2053	59654	Are you seriously considering quitting within the next 30 days?
4	SCH_3	Stopped smok. for at least 24 hrs -12 mo	discrete	numeric-1.0	3617	58090	In the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit?
5	SCH_4	No.times stop.for at least 24 hrs -12 mo	continuous	numeric-2.0	1560	60147	How many times? (in the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit)
6	SCHDSTG	Smoking stage of change - (D)	discrete	numeric-1.0	9307	52400	-

Group Physician Counselling

Universe

Optional content selection only asked in: Prince Edward Island, British Columbia, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSPC	Module: SPC - (F)	discrete	numeric-1.0	8400	53307	-
2	SPC_10	Visited regular medical doctor	discrete	numeric-1.0	1148	60559	Earlier, you mentioned having a regular medical doctor. In the past 12 months, did you go see this doctor?

#	Name	Label	Type	Format	Valid	Invalid	Question
3	SPC_11	Doctor - knows smokes/ smoked	discrete	numeric-1.0	939	60768	Does your doctor know that you SMOKE/SMOKED cigarettes?
4	SPC_12	Doctor - advised to quit	discrete	numeric-1.0	857	60850	In the past 12 months, did your doctor advise you to quit smoking?
5	SPC_13	Doctor - gave specific help	discrete	numeric-1.0	854	60853	(In the past 12 months,) did your doctor give you any specific help or information to quit smoking?
6	SPC_14A	Type help - referral to one-on-one prog.	discrete	numeric-1.0	399	61308	What type of help did the doctor give? - Referral to a one-on-one cessation program
7	SPC_14B	Type help - referral to group prog.	discrete	numeric-1.0	399	61308	What type of help did the doctor give? - Recommended use of nicotine patch or nicotine gum
8	SPC_14C	Type help - recommended nicotine patch	discrete	numeric-1.0	399	61308	What type of help did the doctor give? - Recommended use of nicotine patch or nicotine gum
9	SPC_14D	Type help - recommended Zyban/other med.	discrete	numeric-1.0	399	61308	What type of help did the doctor give? - Recommended Zyban or other medication
10	SPC_14E	Type help - provided self-help info.	discrete	numeric-1.0	399	61308	What type of help did the doctor give? - Provided self-help information (e.g., pamphlet, referral to website)
11	SPC_14F	Type help - doctor offered couns.	discrete	numeric-1.0	399	61308	What type of help did the doctor give? - Own doctor offered counselling
12	SPC_14G	Type help - other	discrete	numeric-1.0	399	61308	What type of help did the doctor give? - Other
13	SPC_20	Visited dentist	discrete	numeric-1.0	725	60982	Earlier, you mentioned having "seen or talked to" a dentist in the past 12 months. Did you actually go to the dentist?
14	SPC_21	Dentist/hygienist - knows smokes/smoked	discrete	numeric-1.0	682	61025	Does your dentist or dental hygienist know that you SMOKE/SMOKED cigarettes?
15	SPC_22	Dentist/hygienist - advised to quit	discrete	numeric-1.0	557	61150	In the past 12 months, did the dentist or hygienist advise you to quit smoking?

Group Other Tobacco Products

Universe
Optional content selection only asked in: Ontario, Alberta

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOTAL	Module: TAL - (F)	discrete	numeric-1.0	26777	34930	-
2	TAL_1	Smoked cigars - last month	discrete	numeric-1.0	26419	35288	Now I'd like to ask about YOUR use of tobacco other than cigarettes. In the past month, HAVE YOU smoked cigars?
3	TAL_2	Smoked a pipe - last month	discrete	numeric-1.0	26414	35293	(In the past month,) HAVE YOU smoked a pipe?
4	TAL_3	Used snuff - last month	discrete	numeric-1.0	26412	35295	(In the past month,) HAVE YOU used snuff?
5	TAL_4	Used chewing tobacco - last month	discrete	numeric-1.0	26413	35294	(In the past month,) HAVE YOU used chewing tobacco?

Group Youth Smoking

<u>**Universe**</u>
Optional content selection only asked in: Saskatchewan, Yukon

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOYSM	Optional module: YSM - (F)	discrete	numeric-1.0	3592	58115	-
2	YSMG1	Source of cigarettes - (G)	discrete	numeric-1.0	44	61663	-
3	YSM_2	Bought cigarettes for self/others	discrete	numeric-1.0	11	61696	In the past 12 months, have you bought cigarettes for yourself or for someone else?
4	YSM_3	Age asked when buying cig. in store	discrete	numeric-1.0	33	61674	In the past 12 months, have you been asked your age when buying cigarettes in a store?
5	YSM_4	Someone refused to sell cigarettes	discrete	numeric-1.0	34	61673	In the past 12 months, has anyone in a store refused to sell you cigarettes?
6	YSM_5	Asked a stranger to buy cigarettes	discrete	numeric-1.0	44	61663	In the past 12 months, have you asked a stranger to buy you cigarettes?

Group Breastfeeding

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOMEX	Module flag: MEX - (F)	discrete	numeric-1.0	61707	0	-
2	MEX_01	Year of birth of last baby	discrete	numeric-1.0	14811	46896	Have you given birth in the past 5 years?
3	MEX_02	Took folic acid - before last pregnancy	discrete	numeric-1.0	3102	58605	Did you take a vitamin supplement containing folic acid before your (last) pregnancy, that is, before you found out that you were pregnant?
4	MEX_03	Breastfed/tried breastfeed/ last child	discrete	numeric-1.0	3124	58583	For your last baby, did you breastfeed or try to breastfeed your baby, even if only for a short time?
5	MEXG04	Reason did not breastfeed - (G)	discrete	numeric-2.0	341	61366	-
6	MEX_05	Still breastfeeding last child	discrete	numeric-1.0	2779	58928	Are you still breastfeeding?
7	MEX_06	Other liquids / baby's feeds	discrete	numeric-2.0	2269	59438	How long did you breastfeed (your last baby)?
8	MEX_06A	Other liquids / baby's feeds	discrete	numeric-1.0	507	61200	Have other liquids such as milk, formula, water, juice, tea or herbal mixture been introduced to the baby's feeds?
9	MEX_06B	Age of last baby/other liquds	discrete	numeric-2.0	2551	59156	How old was your (last) baby when other liquids were first added to the baby's feeds?
10	MEX_08A	Age of last baby/solid food	discrete	numeric-2.0	2712	58995	How old was your (last) baby when solid foods such as cereals, mashed up or pureed meat vegetables or fruits were first added to the baby's feeds?
11	MEX_08B	Main reason/add other liquids,solid food	discrete	numeric-2.0	2646	59061	What is the main reason LIQUIDS/ SOLIDS were first added to the baby's feeds?
12	MEX_09	Give Vitamin D to the baby	discrete	numeric-1.0	2377	59330	During the time when your (last) baby was less than one year old and fedb reast milk, did you give the baby a vitamin supplement containing Vitamin D?

#	Name	Label	Type	Format	Valid	Invalid	Question
13	MEX_09B	Frequency/giving the Vitamin D to baby	discrete	numeric-1.0	1882	59825	Overall, how often did you give the baby a supplement containing Vitamin D?
14	MEX_10	Main reason stopped breastfeeding	discrete	numeric-2.0	2247	59460	What is the main reason that you stopped breastfeeding?
15	MEXDEBF2	Length of exclusive breastfeeding (D)	discrete	numeric-2.0	2932	58775	-
16	MEXFEB6	Exclus. breastfeed for at least 6 months	discrete	numeric-1.0	2932	58775	-

Group Smoking During Pregnancy

Universe
Optional content selection only asked in: Newfoundland and Labrador, Quebec, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOMXS	Module: MXS - (F)	discrete	numeric-1.0	13338	48369	-
2	MXS_01	Type of smoker - last pregnancy	discrete	numeric-1.0	411	61296	During your last pregnancy, did you smoke daily, occasionally or not at all?
3	MXSG02	No. daily - last preg. (daily smk)	discrete	numeric-2.0	54	61653	-
4	MXSG03	No. daily - last preg. (occ. smk)	discrete	numeric-2.0	49	61658	-
5	MXS_04	Smoked while breastfeeding (occ. smoker)	discrete	numeric-1.0	339	61368	When you were breastfeeding (your last baby), did you smoke daily, occasionally or not at all?
6	MXSG05	No. daily - breastfeeding (daily smk)	discrete	numeric-2.0	40	61667	-
7	MXSG06	No. daily - breastfeeding (occ. smk)	discrete	numeric-2.0	19	61688	-
8	MXS_07	2nd-hand smoke - during/ after last preg.	discrete	numeric-1.0	412	61295	Did anyone regularly smoke in your presence during or after the pregnancy (about 6 months after)?

Group Availability

Universe
Optional content selection only asked in: Saskatchewan

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSSA	Module: SSA - (F)	discrete	numeric-1.0	3592	58115	-
2	SSA_01	No. of close friends and relatives	continuous	numeric-3.0	3101	58606	Starting with a question on friendship, about how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?
3	SSA_02	Has someone to give help if confined bed	discrete	numeric-1.0	3022	58685	How often is each of the following kinds of support available to you if you need it: ... someone to help you if you were confined to bed?
4	SSA_03	Has someone to listen	discrete	numeric-1.0	3011	58696	(How often is each of the following kinds of support available to you if you need it:) ... someone you can

#	Name	Label	Type	Format	Valid	Invalid	Question
							count on to listen to you when you need to talk?
5	SSA_04	Has som. to receive advice about crisis	discrete	numeric-1.0	2999	58708	(How often is each of the following kinds of support available to you if you need it:) ... someone to give you advice about a crisis?
6	SSA_05	Has someone to take to doctor	discrete	numeric-1.0	3010	58697	(How often is each of the following kinds of support available to you if you need it:) ... someone to take you to the doctor if you needed it?
7	SSA_06	Has someone who shows love and affection	discrete	numeric-1.0	3007	58700	(How often is each of the following kinds of support available to you if you need it:) ... someone who shows you love and affection?
8	SSA_07	Has someone to have a good time with	discrete	numeric-1.0	3006	58701	Again, how often is each of the following kinds of support available to you if you need it:) ... someone to have a good time with?
9	SSA_08	Has some. to receive info/ help situation	discrete	numeric-1.0	2994	58713	(How often is each of the following kinds of support available to you if you need it:) ... someone to give you information in order to help you understand a situation?
10	SSA_09	Has someone to confide in	discrete	numeric-1.0	3006	58701	(How often is each of the following kinds of support available to you if you need it:) ... someone to confide in or talk to about yourself or your problems?
11	SSA_10	Has someone who gives hugs	discrete	numeric-1.0	3005	58702	(How often is each of the following kinds of support available to you if you need it:) ... someone who hugs you?
12	SSA_11	Has someone to get together w/for relax.	discrete	numeric-1.0	3002	58705	(How often is each of the following kinds of support available to you if you need it:) ... someone to get together with for relaxation?
13	SSA_12	Has someone to prepare meals	discrete	numeric-1.0	2982	58725	(How often is each of the following kinds of support available to you if you need it:) ... someone to prepare your meals if you were unable to do it yourself?
14	SSA_13	Has someone to give advice	discrete	numeric-1.0	2980	58727	(How often is each of the following kinds of support available to you if you need it:) ... someone whose advice you really want?
15	SSA_14	Has someone to do things to get mind off	discrete	numeric-1.0	2992	58715	Again, how often is each of the following kinds of support available to you if you need it:) ... someone to do things with to help you get your mind off things?
16	SSA_15	Has someone to help with daily chores	discrete	numeric-1.0	2993	58714	(How often is each of the following kinds of support available to you if you need it:) ... someone to help with daily chores if you were sick?
17	SSA_16	Has someone to share most priv. worries	discrete	numeric-1.0	2991	58716	(How often is each of the following kinds of support available to you if you need it:) ... someone to share your most private worries and fears with?

#	Name	Label	Type	Format	Valid	Invalid	Question
18	SSA_17	Has someone to turn to for suggestions	discrete	numeric-1.0	2999	58708	(How often is each of the following kinds of support available to you if you need it:) ... someone to turn to for suggestions about how to deal with a personal problem?
19	SSA_18	Has someone to do something enjoyable	discrete	numeric-1.0	3002	58705	(How often is each of the following kinds of support available to you if you need it:) ... someone to do something enjoyable with?
20	SSA_19	Has someone who understands problems	discrete	numeric-1.0	2986	58721	(How often is each of the following kinds of support available to you if you need it:) ... someone who understands your problems?
21	SSA_20	Has someone who loves/ makes feel wanted	discrete	numeric-1.0	2989	58718	(How often is each of the following kinds of support available to you if you need it:) ... someone to love you and make you feel wanted?
22	SSADTNG	Tangible social support - MOS - (D)	discrete	numeric-2.0	2959	58748	-
23	SSADAFF	Affection - MOS subscale - (D)	discrete	numeric-2.0	2972	58735	-
24	SSADSOC	Positive social interaction - MOS - (D)	discrete	numeric-2.0	2963	58744	-
25	SSADEMO	Emot./info. support - MOS subscale - (D)	continuous	numeric-2.0	2901	58806	-

Group Utilization

Universe
Optional content selection only asked in: Saskatchewan

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSSU	Module: SSU - (F)	discrete	numeric-1.0	3592	58115	-
2	SSU_21A	Received tangible social support	discrete	numeric-1.0	2968	58739	In the past 12 months, did you receive the following support: ...tangible social support?
3	SSU_21B	Freq. of tangible social support	discrete	numeric-1.0	1254	60453	When you needed it, how often did you receive this kind of support (in the past 12 months)?
4	SSU_22A	Received affective support	discrete	numeric-1.0	2961	58746	(In the past 12 months, did you receive the following support:) ...affective support?
5	SSU_22B	Freq. of affective support	discrete	numeric-1.0	2814	58893	When you needed it, how often did you receive this kind of support (in the past 12 months)?
6	SSU_23A	Rec'd pos. social interac. supp.	discrete	numeric-1.0	2978	58729	(In the past 12 months, did you receive the following support:) ...positive social interactive support?
7	SSU_23B	Freq. of pos. social interac. supp.	discrete	numeric-1.0	2856	58851	When you needed it, how often did you receive this kind of support (in the past 12 months)?
8	SSU_24A	Received emotional/ informational support	discrete	numeric-1.0	2970	58737	(In the past 12 months, did you receive the following support:) ...emotional/informational support?

#	Name	Label	Type	Format	Valid	Invalid	Question
9	SSU_24B	Freq. of emotional/info. support	discrete	numeric-1.0	2800	58907	When you needed it, how often did you receive this kind of support (in the past 12 months)?

Group Stages of Change

<u>Universe</u>
Optional content selection only asked in: Newfoundland and Labrador, Nova Scotia, Quebec, British Columbia, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSCP	Module: SCP - (F)	discrete	numeric-1.0	61707	0	-
2	SCP_01	level of physical activity/ every week	discrete	numeric-1.0	22318	39389	Thinking about the level of physical activity you do every week, do youc onsider yourself to be...?
3	SCP_02	increase of physical activity level	discrete	numeric-1.0	14044	47663	Did you increase your physical activity level in the last 6 months?
4	SCP_03	increase of physical activity level	discrete	numeric-1.0	8073	53634	Do you intend to increase your physical activity level in the next 30 days?
5	SCP_04	increase of physical activity level	discrete	numeric-1.0	3378	58329	Do you intend to increase your physical activity level in the next 6 months?
6	SCPDSTG	Stages of changes - physical activity	discrete	numeric-1.0	21999	39708	-

Group Health Care Services

<u>Universe</u>
Optional content selection only asked in: Prince Edward Island, Yukon

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPAS	Module: PAS - (F)	discrete	numeric-1.0	883	60824	-
2	PAS_11	Rec'd health care services	discrete	numeric-1.0	826	60881	In the past 12 months, have you received any health care services?
3	PAS_12	Rating of quality of care rec'd	discrete	numeric-1.0	782	60925	Overall, how would you rate the quality of the health care you received? Would you say it was:
4	PAS_13	Satisfaction with way care provided	discrete	numeric-1.0	780	60927	Overall, how satisfied were you with the way health care services were provided? Were you:
5	PAS_21A	Rec'd health care services at hospital	discrete	numeric-1.0	788	60919	In the past 12 months, have you received any health care services at a hospital, for any diagnostic or day surgery service, overnight stay, or as an emergency room patient?
6	PAS_21B	Type of patient - most recent visit	discrete	numeric-1.0	276	61431	Thinking of your most recent hospital visit, were you:
7	PAS_22	Rating quality care rec'd - hospital	discrete	numeric-1.0	275	61432	(Thinking of this most recent hospital visit:) ...how would you rate the quality of the care you received? Would you say it was:
8	PAS_23	Satisfaction w/way care provided - hosp.	discrete	numeric-1.0	276	61431	(Thinking of this most recent hospital visit:) ...how satisfied were you with the way hospital services were provided? Were you:

#	Name	Label	Type	Format	Valid	Invalid	Question
9	PAS_31A	Rec'd physician care	discrete	numeric-1.0	789	60918	In the past 12 months, not counting hospital visits, have you received any health care services from a family doctor or other physician?
10	PAS_31B	Type of physician - most recent care	discrete	numeric-1.0	502	61205	Thinking of the most recent time, was care provided by:
11	PAS_32	Rating of quality of care rec'd - phy.	discrete	numeric-1.0	502	61205	(Thinking of this most recent care from a physician:) ...how would you rate the quality of the care you received? Would you say it was:
12	PAS_33	Satisfaction w/way care provided - phy.	discrete	numeric-1.0	500	61207	(Thinking of this most recent care from a physician:) ...how satisfied were you with the way physician care was provided? Were you:

Group Community-Based Care

Universe

Optional content selection only asked in: Prince Edward Island, Ontario, British Columbia, Yukon

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPSC	Module: PSC - (F)	discrete	numeric-1.0	29657	32050	-
2	PSC_1	Received any community-based care	discrete	numeric-1.0	26899	34808	In the past 12 months, have you received any community-based care?
3	PSC_2	How rate quality of com.-based received	discrete	numeric-1.0	6042	55665	Overall, how would you rate the quality of the community-based care you received? Would you say it was:
4	PSC_3	Satisf.the way com.-based care provided	discrete	numeric-1.0	6035	55672	Overall, how satisfied were you with the way community-based care was provided? Were you:

Variables Description

Dataset contains 1381 variable(s)

File : cchs_2012 Annual Component

VERDATE: Date of file creation

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]
Universe	All respondents
Notes	Format = YYYYMMDD

Value	Label	Cases	Weighted	Percentage (Weighted)	
20130606		61707	29491030.0		100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEOGPRV: Province of residence of respondent-(G)

Information	[Type= continuous] [Format=numeric] [Range= 10-60] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
10	NFLD & LAB.	1765	443816.3	1.5%	
11	PEI	883	125627.4	0.4%	
12	NOVA SCOTIA	2234	809246.7	2.7%	
13	NEW BRUNSWICK	2457	644165.6	2.2%	
24	QUEBEC	11573	6855593.1	23.2%	
35	ONTARIO	21257	11522205.9		39.1%
46	MANITOBA	3486	1006969.2	3.4%	
47	SASKATCHEWAN	3592	847823.3	2.9%	
48	ALBERTA	5520	3199026.6	10.8%	
59	BRITISH COLUMBIA	7517	3953702.6	13.4%	
60	YUKON/NWT/NUNA.	1423	82853.3	0.3%	
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEODPMF: Health Region - (G)

Information	[Type= continuous] [Format=numeric] [Range= 10911-60901] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
10911	EASTERN REGIO HA	682	266567.2	0.9%	
10912	CENTRAL REGIO HA	440	78611.3	0.3%	
10913	WESTERN/LABR	643	98637.8	0.3%	
11901	PEI	883	125627.4	0.4%	
12901	ZONE 1 (DHA 1,2)	0	0.0		
12902	ZONE 2 (DHA 3)	0	0.0		
12903	ZONE 1 (DHA 4,5)	0	0.0		
12904	ZONE 1 (DHA 6,7)	0	0.0		
12905	ZONE 5 (DHA 8)	0	0.0		
12906	ZONE 6 (DHA 9)	0	0.0		
12910	SOUTH WEST NOVA	351	96359.0	0.3%	

File : cchs_2012 Annual Component

GEODPMF: Health Region - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
12923	V. DISTRICT H.	253	68271.0	0.2%
12930	COLCHESTER EAST	316	97615.6	0.3%
12940	PICTOU COUNTY	335	74610.1	0.3%
12958	CAPE BRETON	340	101109.1	0.3%
12969	CAPITAL DISTRICT	639	371281.8	1.3%
13901	ZONE 1	507	176828.8	0.6%
13902	ZONE 2	454	151404.1	0.5%
13903	ZONE 3	435	144226.1	0.5%
13904	ZONES 4 AND 5	502	64567.0	0.2%
13906	ZONES 6 AND 7	559	107139.6	0.4%
24901	RÉG BAS-ST LAUR,	613	172960.6	0.6%
24902	RÉG. SAGUENAY	652	233587.4	0.8%
24903	RÉG. CAP. NAT.	910	611539.1	2.1%
24904	RÉG. MAURICIE	810	426198.8	1.4%
24905	RÉG. ESTRIE	620	271709.9	0.9%
24906	RÉG.MONTREAL	1519	1712732.1	5.8%
24907	RÉG. OUTAOUAIS	598	318460.6	1.1%
24908	RÉG. ABITIBI	555	122148.4	0.4%
24909	RÉG. COTE-NORD	593	74447.0	0.3%
24911	RÉG. GASPÉSIE	543	78740.0	0.3%
24912	RÉG. LA CHAUD.	725	347673.4	1.2%
24913	RÉGION DE LAVAL	661	351100.2	1.2%
24914	RÉG. LANAUDIAIRE	689	406514.0	1.4%
24915	RÉG. DES LAUREN.	802	482358.5	1.6%
24916	RÉG. MONTÉRÉGIE	1283	1245423.1	4.2%
35926	DIST. ALGOMA	391	104950.0	0.4%
35927	BRANT COUNT	407	111515.0	0.4%
35930	DURHAM REG. HLTH	756	545734.6	1.9%
35931	ELGIN-ST THOMAS	314	78162.3	0.3%
35933	GREY B. HLTH UN.	464	142672.6	0.5%
35934	HALDIMAND-NORF H	340	90860.0	0.3%
35935	HALIBURTON-KAW.	497	153716.5	0.5%
35936	HALTON REG. H. U	717	442762.9	1.5%
35937	CITY HAMILTON H.	784	467501.2	1.6%
35938	HASTINGS. PIE H.	443	136375.8	0.5%
35939	HURON, PERTH UN.	633	121506.5	0.4%
35940	CHATHAM-KENT U.	376	95632.3	0.3%
35941	KINGSTON-FRONT.	468	165640.5	0.6%
35942	LAMBTON H. UNIT	460	106921.2	0.4%
35943	LEEDS-GRENVILLE	461	147293.9	0.5%
35944	MIDDLESEX-LON. H	743	397743.8	1.3%
35946	NIAGARA REG. H.	724	388851.2	1.3%
35947	NORTH BAY H.U.	592	132199.4	0.4%

File : cchs_2012 Annual Component

GEODPMF: Health Region - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
35949	NORTHWESTERN H.	390	55678.0	0.2%
35951	CITY OF OTTAWA H	1052	784348.4	2.7%
35952	OXFORD COUNTY H.	379	92649.8	0.3%
35953	PEEL REGION H	1339	1175407.4	4.0%
35955	PETERB. COUNTY H	395	127185.4	0.4%
35956	PORCUPINE H.	337	71496.7	0.2%
35957	RENFREW COUNTY H	335	85137.1	0.3%
35958	EASTERN ONT. H.U	528	170345.8	0.6%
35960	SIMCOE MUSK. H	1066	454437.2	1.5%
35961	SUDBURY,DIST. H.	509	164201.8	0.6%
35962	THUNDER BAY D. H	676	128920.1	0.4%
35965	WATERLOO H.U.	715	455811.8	1.5%
35966	WELLINGTON-DUF-G	584	239850.1	0.8%
35968	WINDSOR-ESSEX H	688	344586.0	1.2%
35970	YORK REGIONAL H.	841	925323.0	3.1%
35995	CITY OF TORO. H.	1853	2416787.8	8.2%
46901	WINNIPEG RHA	1023	615152.8	2.1%
46902	PRAIRIE M. H.	812	127705.0	0.4%
46903	INTERLAKE E. RHA	562	95890.1	0.3%
46904	NORTHEN RHA	431	26517.4	0.1%
46905	SOUTHEN HEALTH	658	141704.0	0.5%
46910	WINNIPEG	0	0.0	
46915	BRANDON AND ASS.	0	0.0	
46920	NORTH AND SO. E	0	0.0	
46931	INTERLAKE/PARLAN	0	0.0	
46940	CENTRAL	0	0.0	
46970	NOR-MAN/BURNTW	0	0.0	
47901	SUN COUNTRY/FIVE	813	125276.0	0.4%
47904	REGINA QU'APPE	567	220178.7	0.7%
47905	SUNRISE/KELSEY	538	79550.9	0.3%
47906	SASKATOON	634	276913.7	0.9%
47907	HEARTLAND/PR. N	546	83548.6	0.3%
47909	PRINCE ALBERT/MA	494	62355.4	0.2%
48931	SOUTH ZONE	791	232180.8	0.8%
48932	CALGARY ZONE	1289	1218843.5	4.1%
48933	CENTRAL ZONE	1070	376108.3	1.3%
48934	EDMONTON ZONE	1182	1033428.8	3.5%
48935	NORTH ZONE	1188	338465.3	1.1%
59911	EAST KOOTENAY	285	71424.0	0.2%
59912	KOOTENAY-BOUND.	301	72875.9	0.2%
59913	OKANAGAN	538	296484.6	1.0%
59914	THOMPSON/CARIB.	457	191378.3	0.6%
59921	FRASER EAST	507	237631.6	0.8%

File : cchs_2012 Annual Component

GEODPMF: Health Region - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
59922	FRASER NORTH	681	544194.9	1.8%
59923	FRASER SOUTH	754	631570.1	2.1%
59931	RICHMOND	436	172729.5	0.6%
59932	VANCOUVER	739	605285.9	2.1%
59933	NORTH SHORE/C. G	559	246109.8	0.8%
59941	SOUTH VANC. ISL	643	320864.6	1.1%
59942	CENTRAL VANC. IS	476	231221.0	0.8%
59943	NORTH VANC. ISL.	231	102950.1	0.3%
59951	NORTHWEST	299	57133.8	0.2%
59952	NORTHERN INTER.	382	116893.8	0.4%
59953	NORTHEAST	229	54954.8	0.2%
60901	YUKON/NORTHWEST	1423	82853.3	0.3%
99996	NOT APPLICABLE	0	0.0	
99997	DON'T KNOW	0	0.0	
99998	REFUSAL	0	0.0	
99999	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEODBCHA: B.C. Health Authority (BCHA) - (D)

Information	[Type= continuous] [Format=numeric] [Range= 5910-5950] [Missing=*]
Statistics [NW/ W]	[Valid=7517 / 3953702.65] [Invalid=54190 / 25537327.32]
Universe	Respondents who reside in British Columbia
Notes	Based on GEODPC. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
5910	INTERIOR	1581	632162.8	16.0%
5920	FRASER	1942	1413396.6	35.7%
5930	VANCOUVER	1734	1024125.2	25.9%
5940	VANCOUVER ISLAND	1350	655035.7	16.6%
5950	NORTHEN	910	228982.3	5.8%
9996	NOT APPLICABLE	54190	25537327.3	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_PRX: Health Component completed by proxy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1409	554492.4	1.9%
2	NO	60298	28936537.6	98.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	

File : cchs_2012 Annual Component

ADM_PRX: Health Component completed by proxy

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_N09: Interview by telephone/in person

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=25922 / 17839910.29] [Invalid=35785 / 11651119.68]
Universe	Respondents with SAM_TYP = 1 (area frame) and (DHH_AGE > 15 or PMKProxy = 1)
Interviewer's instructions	Interviewer : Was this interview conducted on the telephone or in person?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ON TELEPHONE	5461	4648223.6	26.1%
2	IN PERSON	19794	12648528.4	70.9%
3	BOTH	667	543158.3	3.0%
6	NOT APPLICABLE	35553	11489305.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	232	161814.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_N10: Respondent alone during interview

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=59921 / 28582975.13] [Invalid=1786 / 908054.84]
Universe	DHH_AGE > 15 or PMKProxy = 1
Interviewer's instructions	Interviewer: Was the respondent alone when you asked this health questionnaire?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	52655	24137188.8	84.4%
2	NO	7266	4445786.3	15.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	73	40634.4	
8	REFUSAL	4	595.5	
9	NOT STATED	1709	866824.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_N11: Answers aff./presence of another person

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7206 / 4408552.87] [Invalid=54501 / 25082477.1]
Universe	Respondents with ADM_N10 = (2, 7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)
Interviewer's instructions	Interviewer: Do you think that the answers of the respondent were affected by someone else being there?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	741	406354.3	9.2%
2	NO	6465	4002198.6	90.8%
6	NOT APPLICABLE	52655	24137188.8	
7	DON'T KNOW	58	35275.1	

File : cchs_2012 Annual Component

ADM_N11: Answers aff./presence of another person

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	2	1958.4	
9	NOT STATED	1786	908054.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_RNO: Sequential record number

Information	[Type= continuous] [Format=numeric] [Range= 1-61707] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0] [Mean=30854 / 31076.017] [StdDev=17813.421 / 17800.434]

DHHGAGE: Age - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	12 TO 14 YEARS	2478	1110046.4	3.8%
2	15 TO 17 YEARS	2628	1336194.5	4.5%
3	18 TO 19 YEARS	1560	774821.2	2.6%
4	20 TO 24 YEARS	3367	2425397.9	8.2%
5	25 TO 29 YEARS	3633	2320671.8	7.9%
6	30 TO 34 YEARS	3586	2214244.6	7.5%
7	35 TO 39 YEARS	3775	2254890.3	7.6%
8	40 TO 44 YEARS	3798	2460039.8	8.3%
9	45 TO 49 YEARS	3530	2383758.1	8.1%
10	50 TO 54 YEARS	4726	2658571.0	9.0%
11	55 TO 59 YEARS	5760	2435224.5	8.3%
12	60 TO 64 YEARS	6081	2236140.1	7.6%
13	65 TO 69 YEARS	5222	1694855.7	5.7%
14	70 TO 74 YEARS	4013	1196815.4	4.1%
15	75 TO 79 YEARS	3259	896128.4	3.0%
16	80 YEARS OR MORE	4291	1093230.2	3.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHH_SEX: Sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]
Universe	All respondents
Interviewer's instructions	Interviewer: Enter the respondent's sex. If necessary, ask: Is respondent male or female?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MALE	27603	14557704.3	49.4%
2	FEMALE	34104	14933325.6	50.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : cchs_2012 Annual Component

DHHGMS: Marital status - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=61528 / 29415005.74] [Invalid=179 / 76024.23]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	MARRIED	26329	13858009.3		47.1%
2	COMMON-LAW	5184	3117232.1	10.6%	
3	WIDOW/SEP/DIV	12288	3596499.0	12.2%	
4	SINGLE/NEVER MAR	17727	8843265.4	30.1%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	179	76024.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGLE5: No. pers. <= 5 years old in hhld - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	NONE	55114	25591246.1		86.8%
1	1 OR MORE	6593	3899783.8	13.2%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHG611: No. persons 6-11 years/in hhld - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	NONE	54299	25166075.8		85.3%
1	1 OR MORE	7408	4324954.2	14.7%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGL12: No. pers. < 12 years old in hhld - (D,G)

| Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	NONE	50279	22602198.2		76.6%
1	1 OR MORE	11428	6888831.7	23.4%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		

File : cchs_2012 Annual Component

DHHGL12: No. pers. < 12 years old in hhld - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGLVG: Living arrangements/selected resp -(D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=61344 / 29301305.88] [Invalid=363 / 189724.09]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	UNATTACHED ALONE	16505	4159498.6	14.2%
2	UNATTACHED OTH	1952	1568118.0	5.4%
3	SPOUSE / PARTER	20210	7907621.7	27.0%
4	PAR SPOUSE CHILD	9042	7426596.9	25.3%
5	PARENT CHILD	1788	1223024.1	4.2%
6	CHILD PARENT SIB	2340	1156328.8	3.9%
7	CHILD 2 PAR SIB	7019	3657762.8	12.5%
8	OTHER	2488	2202355.0	7.5%
96	NOT APPLICABLE	0	0.0	
99	NOT STATED	363	189724.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGHSZ: Household size - (D, G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=61678 / 29467945.07] [Invalid=29 / 23084.9]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 PERSON	16517	4161299.6	14.1%
2	2 PERSONS	24088	10088506.7	34.2%
3	3 PERSONS	8372	5438919.6	18.5%
4	4 PERSONS	8255	5921491.5	20.1%
5	5 OR + PERSONS	4446	3857727.7	13.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	29	23084.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_01: Self-perceived health

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=61581 / 29436432.7] [Invalid=126 / 54597.27]
Universe	All respondents
Literal question	In general, how would you say your health is now? Is it…?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	11328	6036953.4	20.5%
2	VERY GOOD	23290	11598571.9	39.4%
3	GOOD	18472	8587494.3	29.2%

File : cchs_2012 Annual Component

GEN_01: Self-perceived health

Value	Label	Cases	Weighted	Percentage (Weighted)
4	FAIR	6287	2437205.5	8.3%
5	POOR	2204	776207.6	2.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	116	50209.9	
8	REFUSAL	10	4387.4	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_02: Self-perceived hlth - compared 1 yr ago

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=61579 / 29460989.95] [Invalid=128 / 30040.02]
Universe	All respondents
Literal question	Compared to one year ago, how would you say your health is now? Is it…?

| Value	Label	Cases	Weighted	Percentage (Weighted)
1	MUCH BETTER	4870	2434369.5	8.3%
2	SOMEWHAT BETTER	7475	3810916.3	12.9%
3	ABOUT THE SAME	41665	19871823.7	67.5%
4	SOMEWHAT WORSE	6376	2832330.9	9.6%
5	MUCH WORSE	1193	511549.6	1.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	120	26344.4	
8	REFUSAL	8	3695.6	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_02A2: Satisfaction with life in general

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=59567 / 28722248.93] [Invalid=2140 / 768781.04]
Universe	All respondents
Literal question	Using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfaied", how do you fell about your life as a whole right now?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	VERY DISSATISFIE	292	103053.4	0.4%
1	1	90	41536.0	0.1%
2	2	239	98921.6	0.3%
3	3	420	204284.0	0.7%
4	4	685	268379.0	0.9%
5	5	3408	1463959.2	5.1%
6	6	2957	1553434.6	5.4%
7	7	9046	4675802.2	16.3%
8	8	19119	9475723.5	33.0%
9	9	11256	5400046.9	18.8%
10	VERY SATISFIED	12055	5437108.6	18.9%
96	NOT APPLICABLE	0	0.0	

File : cchs_2012 Annual Component

GEN_02A2: Satisfaction with life in general

Value	Label	Cases	Weighted	Percentage (Weighted)
97	DON'T KNOW	642	181697.2	
98	REFUSAL	89	32591.4	
99	NOT STATED	1409	554492.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_02B: Self-perceived mental health

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=60131 / 28884557.61] [Invalid=1576 / 606472.36]
Universe	All respondents
Literal question	In general, would you say your mental health is …?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	19687	9881716.6	34.2%
2	VERY GOOD	22460	10832454.2	37.5%
3	GOOD	14222	6515982.6	22.6%
4	FAIR	3075	1332725.3	4.6%
5	POOR	687	321678.9	1.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	143	44020.8	
8	REFUSAL	24	7959.2	
9	NOT STATED	1409	554492.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_07: Perceived life stress

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=61276 / 29361129.94] [Invalid=431 / 129900.03]
Universe	Respondents aged 15 and over
Literal question	Thinking about the amount of stress in your life, would you say that most days are…?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT AT ALL	8613	3509046.6	12.0%
2	NOT VERY	16034	6792795.0	23.1%
3	A BIT	24472	12555764.1	42.8%
4	QUITE A BIT	10392	5529471.5	18.8%
5	EXTREMELY	1765	974052.8	3.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	393	120976.0	
8	REFUSAL	38	8924.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_08: Worked at job

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=50908 / 26079478.68] [Invalid=10799 / 3411551.29]
Universe	Respondents aged 15 to 75
Literal question	Have you worked at a job or business at any time in the past 12 months?

# File : cchs_2012 Annual Component

GEN_08: Worked at job

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	35675	19980808.7		76.6%
2	NO	15233	6098670.0	23.4%	
6	NOT APPLICABLE	10028	3099405.0		
7	DON'T KNOW	14	5453.9		
8	REFUSAL	3	1254.5		
9	NOT STATED	754	305437.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_09: Self perceived work stress

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=35138 / 19721040.27] [Invalid=26569 / 9769989.7]
Universe	Respondents who answered GEN_08 = (1, 7 or 8)
Literal question	Would you say that most days at work were...?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NOT AT ALL	3627	1912140.5	9.7%	
2	NOT VERY	7264	3801261.6	19.3%	
3	A BIT	14871	8464778.8		42.9%
4	QUITE A BIT	7839	4598442.2	23.3%	
5	EXTREMELY	1537	944417.2	4.8%	
6	NOT APPLICABLE	25261	9198075.0		
7	DON'T KNOW	112	39909.6		
8	REFUSAL	11	3880.7		
9	NOT STATED	1185	528124.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_10: Sense of belonging - local community

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=59133 / 28528426.76] [Invalid=2574 / 962603.21]
Universe	All respondents
Literal question	How would you describe your sense of belonging to your local community? Would you say it is...?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	VERY STRONG	11249	4765975.5	16.7%	
2	SOMEWHAT STRONG	30198	14081248.1		49.4%
3	SOMEWHAT WEAK	13494	7433564.0	26.1%	
4	VERY WEAK	4192	2247639.1	7.9%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	1099	379488.9		
8	REFUSAL	65	27656.2		
9	NOT STATED	1410	555458.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENDHDI: Perceived Health - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=61581 / 29436432.7] [Invalid=126 / 54597.27]

File : cchs_2012 Annual Component

GENDHDI: Perceived Health - (D)

Universe	All respondents
Notes	Prior to 2007, this variable was named self-rated health.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	POOR	2204	776207.6	2.6%
1	FAIR	6287	2437205.5	8.3%
2	GOOD	18472	8587494.3	29.2%
3	VERY GOOD	23290	11598571.9	39.4%
4	EXCELLENT	11328	6036953.4	20.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	126	54597.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENDMHI: Perceived Mental Health - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=60131 / 28884557.61] [Invalid=1576 / 606472.36]
Universe	All respondents
Notes	Prior to 2007, this variable was named self-rated mental health.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	POOR	687	321678.9	1.1%
1	FAIR	3075	1332725.3	4.6%
2	GOOD	14222	6515982.6	22.6%
3	VERY GOOD	22460	10832454.2	37.5%
4	EXCELLENT	19687	9881716.6	34.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1576	606472.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENGSWL: Satisfaction with life in general

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=59567 / 28722248.93] [Invalid=2140 / 768781.04]
Universe	All respondents
Notes	This variable is available for the purpose of comparing data from question GEN_02A2 introduced in 2009 to GEN_02A. Users should be aware that although a good concordance was determined, GEN_02A was based on a 5-point answer category vs.an 11-point scale for the variable GEN_02A2.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	23311	10837155.4	37.7%
2	SATISFIED	31122	15704960.3	54.7%
3	NEITHER NOR	3408	1463959.2	5.1%
4	DISSATISFIED	1344	571584.6	2.0%
5	VERY DISSATIS.	382	144589.4	0.5%
6	NOT APPLICABLE	0	0.0	

File : cchs_2012 Annual Component

GENGSWL: Satisfaction with life in general

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2140	768781.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOORG: Module: ORG - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12456 / 6981220.47] [Invalid=49251 / 22509809.5]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12456	6981220.5	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	49251	22509809.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ORG_1: Member of a voluntary organization

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12201 / 6855352.47] [Invalid=49506 / 22635677.5]
Universe	Respondents with DOORG = 1
Literal question	Are you a member of any voluntary organizations or associations such as school groups, church social groups, community centres, ethnic associations or social, civic or fraternal clubs?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3260	1653693.2	24.1%
2	NO	8941	5201659.3	75.9%
6	NOT APPLICABLE	49251	22509809.5	
7	DON'T KNOW	9	2501.0	
8	REFUSAL	0	0.0	
9	NOT STATED	246	123367.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ORG_2: Frequency - participate in activities

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3252 / 1651846.7] [Invalid=58455 / 27839183.27]
Universe	Respondents who answered ORG_1 = (1, 7 or 8)
Literal question	How often did you participate in meetings or activities of these groups in the past 12 months? If you belong to many, just think of the ones in which you are most active.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	>= ONCE A WEEK	1176	619359.2	37.5%
2	>= ONCE A MONTH	970	475316.2	28.8%

File : cchs_2012 Annual Component

ORG_2: Frequency - participate in activities

Value	Label	Cases	Weighted	Percentage (Weighted)
3	>= 3 TO 4 T./YR	590	285449.2	17.3%
4	>= ONCE A YEAR	270	137703.9	8.3%
5	NOT AT ALL	246	134018.2	8.1%
6	NOT APPLICABLE	58192	27711468.8	
7	DON'T KNOW	8	1846.4	
8	REFUSAL	0	0.0	
9	NOT STATED	255	125868.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSLP: Optional module: SLP - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22813 / 11870835.56] [Invalid=38894 / 17620194.41]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22813	11870835.6	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	38894	17620194.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLPG01: Number of hours spent sleeping per night

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=22248 / 11648965.9] [Invalid=39459 / 17842064.07]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 2 HOURS	118	47790.0	0.4%
2	3 TO < 4 HOURS	276	117878.6	1.0%
3	4 TO < 5 HOURS	829	419904.2	3.6%
4	5 TO < 6 HOURS	2156	1207666.9	10.4%
5	6 TO < 7 HOURS	4859	2699908.4	23.2%
6	7 TO < 8 HOURS	6720	3635842.4	31.2%
7	8 TO < 9 HOURS	5401	2667580.3	22.9%
8	9 TO < 10 HOURS	1223	559586.2	4.8%
9	10 TO < 11 HOURS	472	216144.2	1.9%
10	11 TO < 12 HOURS	100	41020.4	0.4%
11	>= 12 HOURS	94	35644.2	0.3%
96	NOT APPLICABLE	38894	17620194.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	565	221869.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : cchs_2012 Annual Component

SLP_02: Freq. - trouble sleeping

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=22256 / 11657805.67] [Invalid=39451 / 17833224.3]
Universe	Respondents with SLPFOPT = 1
Literal question	How often do you have trouble going to sleep or staying asleep: (none of the time, a little of the time, some of the time, most of the time, or all of the time)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NONE OF THE TIME	5607	3167268.4		27.2%
2	LITTLE/TIME	6356	3357596.2		28.8%
3	SOME OF THE TIME	6167	3132236.4		26.9%
4	MOST OF THE TIME	2906	1419006.6		12.2%
5	ALL OF THE TIME	1220	581698.0		5.0%
6	NOT APPLICABLE	38894	17620194.4		
7	DON'T KNOW	117	29459.0		
8	REFUSAL	7	3371.2		
9	NOT STATED	433	180199.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLP_03: Frequency - find sleep refreshing

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=22182 / 11619285.96] [Invalid=39525 / 17871744.01]
Universe	Respondents with SLPFOPT = 1
Literal question	How often do you find your sleep refreshing?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NONE OF THE TIME	735	379201.5		3.3%
2	LITTLE/TIME	2252	1201791.3		10.3%
3	SOME OF THE TIME	4988	2669947.1		23.0%
4	MOST OF THE TIME	10324	5309852.6		45.7%
5	ALL OF THE TIME	3883	2058493.4		17.7%
6	NOT APPLICABLE	38894	17620194.4		
7	DON'T KNOW	192	70149.9		
8	REFUSAL	6	1200.1		
9	NOT STATED	433	180199.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLP_04: Frequency - difficult to stay awake

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=22155 / 11613997.51] [Invalid=39552 / 17877032.46]
Universe	Respondents with SLPFOPT = 1
Literal question	How often do you find it difficult to stay awake when you want to?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NONE OF THE TIME	9497	4905675.2		42.2%
2	LITTLE/TIME	6277	3303751.8		28.4%
3	SOME OF THE TIME	4609	2490365.3		21.4%
4	MOST OF THE TIME	1356	704833.3		6.1%

File : cchs_2012 Annual Component

SLP_04: Frequency - difficult to stay awake

Value	Label	Cases	Weighted	Percentage (Weighted)
5	ALL OF THE TIME	416	209372.0	1.8%
6	NOT APPLICABLE	38894	17620194.4	
7	DON'T KNOW	218	74860.8	
8	REFUSAL	7	1777.7	
9	NOT STATED	433	180199.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOCIH: Module.: Changes made to improve hlth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=25461 / 12440279.27] [Invalid=36246 / 17050750.7]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25461	12440279.3	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	36246	17050750.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_1: Did something to improve health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24909 / 12237900.7] [Invalid=36798 / 17253129.27]
Universe	All respondents
Literal question	In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking, increased exercise)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14408	7359661.3	60.1%
2	NO	10501	4878239.4	39.9%
6	NOT APPLICABLE	36246	17050750.7	
7	DON'T KNOW	60	11973.1	
8	REFUSAL	5	365.6	
9	NOT STATED	487	190039.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_2: Most important change to improve health

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=14365 / 7345185.79] [Invalid=47342 / 22145844.18]
Universe	Respondents who answered CIH_1 = (1, 7 or 8)
Literal question	What is the single most important change you have made?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MORE EXERCISE	7297	3882408.0	52.9%
2	LOST WEIGHT	1562	781291.8	10.6%
3	EATING HABITS	2469	1202560.4	16.4%

File : cchs_2012 Annual Component

CIH_2: Most important change to improve health

Value	Label	Cases	Weighted	Percentage (Weighted)
4	SMOKE LESS/STOP	744	385992.1	5.3%
5	LESS ALCOHOL	114	74314.1	1.0%
6	REDUCE STRESS LE	181	109544.9	1.5%
7	MEDICAL TREAT	1070	427836.7	5.8%
8	TOOK VITAMINS	175	102460.0	1.4%
9	OTHER	753	378777.8	5.2%
96	NOT APPLICABLE	46747	21928990.1	
97	DON'T KNOW	38	13830.7	
98	REFUSAL	5	644.8	
99	NOT STATED	552	202378.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_3: Thinks should do something to improve hl

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24630 / 12151753.08] [Invalid=37077 / 17339276.89]
Universe	All respondents
Literal question	Do you think there is anything you should do to improve your physical health?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16825	8695624.0	71.6%
2	NO	7805	3456129.1	28.4%
6	NOT APPLICABLE	36246	17050750.7	
7	DON'T KNOW	273	84169.3	
8	REFUSAL	6	1978.3	
9	NOT STATED	552	202378.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_4: Most important thing to improve health

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=16761 / 8673233.69] [Invalid=44946 / 20817796.28]
Universe	Respondents who answered CIH_3 = (1, 7 or 8) or CIH_1 = (7 or 8)
Literal question	What is the most important thing?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MORE EXERCISE	8804	4486580.9	51.7%
2	LOST WEIGHT	1448	675356.1	7.8%
3	EATING HABITS	3146	1660444.2	19.1%
4	SMOKE LESS/STOP	1943	1106366.1	12.8%
5	LESS ALCOHOL	116	65715.2	0.8%
6	REDUCE STRESS LE	287	212792.1	2.5%
7	MEDICAL TREAT	233	95277.0	1.1%
8	TOOK VITAMINS	43	25778.2	0.3%
9	OTHER	741	344923.8	4.0%
96	NOT APPLICABLE	44051	20506879.8	
97	DON'T KNOW	61	21581.9	

File : cchs_2012 Annual Component

CIH_4: Most important thing to improve health

Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	3	808.4	
99	NOT STATED	831	288526.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_5: Barrier to improving health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16750 / 8670553.83] [Invalid=44957 / 20820476.14]
Universe	Respondents who answered CIH_3 = (1, 7 or 8) or CIH_1 = (7 or 8)
Literal question	Is there anything stopping you from making this improvement?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8650	4675889.9	53.9%
2	NO	8100	3994664.0	46.1%
6	NOT APPLICABLE	44051	20506879.8	
7	DON'T KNOW	75	25070.2	
8	REFUSAL	0	0.0	
9	NOT STATED	831	288526.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6A: Barrier improve hlth - lack will power

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 / 4670418.81] [Invalid=53070 / 24820611.16]
Universe	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Lack of will power / self-discipline

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3011	1520934.8	32.6%
2	NO	5626	3149484.0	67.4%
6	NOT APPLICABLE	52151	24501543.8	
7	DON'T KNOW	12	5153.3	
8	REFUSAL	1	317.7	
9	NOT STATED	906	313596.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6I: Barrier improve health - family respons.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 / 4670418.81] [Invalid=53070 / 24820611.16]
Universe	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Family responsabilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	980	610111.7	13.1%
2	NO	7657	4060307.1	86.9%
6	NOT APPLICABLE	52151	24501543.8	
7	DON'T KNOW	12	5153.3	
8	REFUSAL	1	317.7	

File : cchs_2012 Annual Component

CIH_6I: Barrier improve health - family respons.

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	906	313596.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6B: Barrier improve hlth - lwork schedule

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 / 4670418.81] [Invalid=53070 / 24820611.16]
Universe	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Work schedule

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1575	1014850.4	21.7%
2	NO	7062	3655568.4	78.3%
6	NOT APPLICABLE	52151	24501543.8	
7	DON'T KNOW	12	5153.3	
8	REFUSAL	1	317.7	
9	NOT STATED	906	313596.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6J: Barrier improve health -add. drugs/alc.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 / 4670418.81] [Invalid=53070 / 24820611.16]
Universe	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Addiction to drugs / alcohol

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	86	39169.6	0.8%
2	NO	8551	4631249.2	99.2%
6	NOT APPLICABLE	52151	24501543.8	
7	DON'T KNOW	12	5153.3	
8	REFUSAL	1	317.7	
9	NOT STATED	906	313596.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6K: Barrier improve health - phys. condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 / 4670418.81] [Invalid=53070 / 24820611.16]
Universe	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Physical condition

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	448	165387.4	3.5%
2	NO	8189	4505031.4	96.5%
6	NOT APPLICABLE	52151	24501543.8	
7	DON'T KNOW	12	5153.3	
8	REFUSAL	1	317.7	
9	NOT STATED	906	313596.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : cchs_2012 Annual Component

CIH_6G: Barrier improve hlth - disability

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 / 4670418.81] [Invalid=53070 / 24820611.16]
Universe	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Disability / health problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	761	330428.0		7.1%
2	NO	7876	4339990.8		92.9%
6	NOT APPLICABLE	52151	24501543.8		
7	DON'T KNOW	12	5153.3		
8	REFUSAL	1	317.7		
9	NOT STATED	906	313596.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6F: Barrier improve health - too stressed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 / 4670418.81] [Invalid=53070 / 24820611.16]
Universe	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Too stressed

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	332	204450.5		4.4%
2	NO	8305	4465968.3		95.6%
6	NOT APPLICABLE	52151	24501543.8		
7	DON'T KNOW	12	5153.3		
8	REFUSAL	1	317.7		
9	NOT STATED	906	313596.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6E: Barrier improve health - too costly

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 / 4670418.81] [Invalid=53070 / 24820611.16]
Universe	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Too costly / financial constraints

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	422	224285.8		4.8%
2	NO	8215	4446133.0		95.2%
6	NOT APPLICABLE	52151	24501543.8		
7	DON'T KNOW	12	5153.3		
8	REFUSAL	1	317.7		
9	NOT STATED	906	313596.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6L: Barrier improve health - not avail./area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 / 4670418.81] [Invalid=53070 / 24820611.16]
Universe	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Not available - in area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	98	35147.7	0.8%	
2	NO	8539	4635271.1		99.2%
6	NOT APPLICABLE	52151	24501543.8		
7	DON'T KNOW	12	5153.3		
8	REFUSAL	1	317.7		
9	NOT STATED	906	313596.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6M: Barrier improve health - trans. problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 / 4670418.81] [Invalid=53070 / 24820611.16]
Universe	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Transportation problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	64	30331.5	0.6%	
2	NO	8573	4640087.3		99.4%
6	NOT APPLICABLE	52151	24501543.8		
7	DON'T KNOW	12	5153.3		
8	REFUSAL	1	317.7		
9	NOT STATED	906	313596.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6N: Barrier improve health - weather prob.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 / 4670418.81] [Invalid=53070 / 24820611.16]
Universe	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Weather problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	222	74082.5	1.6%	
2	NO	8415	4596336.3		98.4%
6	NOT APPLICABLE	52151	24501543.8		
7	DON'T KNOW	12	5153.3		
8	REFUSAL	1	317.7		
9	NOT STATED	906	313596.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6H: Barrier improve health - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 / 4670418.81] [Invalid=53070 / 24820611.16]
Universe	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Other

CIH_6H: Barrier improve health - other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1776	1035562.1		22.2%
2	NO	6861	3634856.7		77.8%
6	NOT APPLICABLE	52151	24501543.8		
7	DON'T KNOW	12	5153.3		
8	REFUSAL	1	317.7		
9	NOT STATED	906	313596.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_7: Intending to improve health over next yr

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16507 / 8566862.15] [Invalid=45200 / 20924167.82]
Universe	Respondents who answered CIH_3 = (1, 7 or 8) or CIH_1 = (7 or 8)
Literal question	Is there anything you intend to do to improve your physical health in the next year?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	13048	6957796.6		81.2%
2	NO	3459	1609065.6	18.8%	
6	NOT APPLICABLE	44051	20506879.8		
7	DON'T KNOW	315	127274.3		
8	REFUSAL	3	1487.5		
9	NOT STATED	831	288526.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8A: Health improvement - more exercise

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12990 / 6935288.43] [Invalid=48717 / 22555741.54]
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Start / Increase exercise, sports / physical activity

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	9257	4958422.2		71.5%
2	NO	3733	1976866.2	28.5%	
6	NOT APPLICABLE	47510	22115945.4		
7	DON'T KNOW	57	22457.3		
8	REFUSAL	1	50.9		
9	NOT STATED	1149	417288.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8B: Health improvement - lose weight

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12990 / 6935288.43] [Invalid=48717 / 22555741.54]
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Lose weight

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1255	617689.2	8.9%	
2	NO	11735	6317599.3		91.1%
6	NOT APPLICABLE	47510	22115945.4		

CIH_8B: Health improvement - lose weight

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	57	22457.3	
8	REFUSAL	1	50.9	
9	NOT STATED	1149	417288.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8C: Health improvement - eating habits

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12990 / 6935288.43] [Invalid=48717 / 22555741.54]
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Change diet / improve eating habits

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2650	1361290.4	19.6%
2	NO	10340	5573998.1	80.4%
6	NOT APPLICABLE	47510	22115945.4	
7	DON'T KNOW	57	22457.3	
8	REFUSAL	1	50.9	
9	NOT STATED	1149	417288.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8J: Health improvement - quit smoking

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12990 / 6935288.43] [Invalid=48717 / 22555741.54]
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Quit smoking / reduce amount smoked

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1184	733735.6	10.6%
2	NO	11806	6201552.8	89.4%
6	NOT APPLICABLE	47510	22115945.4	
7	DON'T KNOW	57	22457.3	
8	REFUSAL	1	50.9	
9	NOT STATED	1149	417288.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8K: Health improvement - drink less alcohol

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12990 / 6935288.43] [Invalid=48717 / 22555741.54]
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Drink less alcohol

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	97	60778.7	0.9%
2	NO	12893	6874509.8	99.1%
6	NOT APPLICABLE	47510	22115945.4	
7	DON'T KNOW	57	22457.3	
8	REFUSAL	1	50.9	
9	NOT STATED	1149	417288.0	

CIH_8K: Health improvement - drink less alcohol

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8G: Health improvement - reduce stress

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12990 / 6935288.43] [Invalid=48717 / 22555741.54]
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Reduce stress level

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	394	227400.5	3.3%	
2	NO	12596	6707888.0		96.7%
6	NOT APPLICABLE	47510	22115945.4		
7	DON'T KNOW	57	22457.3		
8	REFUSAL	1	50.9		
9	NOT STATED	1149	417288.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8L: Health improv.- receive med. treatment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12990 / 6935288.43] [Invalid=48717 / 22555741.54]
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Receive medical treatment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	415	196833.0	2.8%	
2	NO	12575	6738455.5		97.2%
6	NOT APPLICABLE	47510	22115945.4		
7	DON'T KNOW	57	22457.3		
8	REFUSAL	1	50.9		
9	NOT STATED	1149	417288.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8H: Health improvement - take vitamins

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12990 / 6935288.43] [Invalid=48717 / 22555741.54]
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
Literal question	What is that? - Take vitamins

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	95	58098.3	0.8%	
2	NO	12895	6877190.2		99.2%
6	NOT APPLICABLE	47510	22115945.4		
7	DON'T KNOW	57	22457.3		
8	REFUSAL	1	50.9		
9	NOT STATED	1149	417288.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_8I: Health improvement - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12990 / 6935288.43] [Invalid=48717 / 22555741.54]

CIH_8I: Health improvement - other

Universe		Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)		
Literal question		What is that? - Other		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	805	425100.3	6.1%
2	NO	12185	6510188.1	93.9%
6	NOT APPLICABLE	47510	22115945.4	
7	DON'T KNOW	57	22457.3	
8	REFUSAL	1	50.9	
9	NOT STATED	1149	417288.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOOH1: Theme module: Oral health 1

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3486 / 1006969.25] [Invalid=58221 / 28484060.72]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3486	1006969.2	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH1_20: Self-perceived health of teeth and mouth

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3401 / 995131.54] [Invalid=58306 / 28495898.43]
Universe	All respondents
Literal question	In general, would you say the health of your teeth and mouth is:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	647	199044.2	20.0%
2	VERY GOOD	1192	354185.3	35.6%
3	GOOD	1076	298971.1	30.0%
4	FAIR	343	103974.8	10.4%
5	POOR	143	38956.2	3.9%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	23	3457.7	
8	REFUSAL	2	228.0	
9	NOT STATED	60	8152.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH1_21A: Ability to chew - firm foods

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3391 / 993438.65] [Invalid=58316 / 28497591.32]

OH1_21A: Ability to chew - firm foods

Universe	All respondents			
Literal question	Now a few questions about your ability to chew different foods, whether you eat them or not. Can you: ...chew firm foods (e.g., meat)?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3299	969484.5	97.6%
2	NO	92	23954.2	2.4%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	10	1692.9	
8	REFUSAL	0	0.0	
9	NOT STATED	85	11837.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH1_21B: Ability to chew - fresh apple

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3388 / 992199.27] [Invalid=58319 / 28498830.7]
Universe	All respondents
Literal question	(Can you:) ...bite off and chew a piece of fresh apple?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3124	935879.2	94.3%
2	NO	264	56320.0	5.7%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	12	2766.3	
8	REFUSAL	1	166.0	
9	NOT STATED	85	11837.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH1_21C: Ability to chew - boiled vegetables

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3400 / 994461.42] [Invalid=58307 / 28496568.55]
Universe	All respondents
Literal question	(Can you:) ...chew boiled vegetables?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3388	988415.6	99.4%
2	NO	12	6045.8	0.6%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	1	670.1	
8	REFUSAL	0	0.0	
9	NOT STATED	85	11837.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH1_22: Freq. - pain in teeth/gums - past mo.

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3391 / 993238.65] [Invalid=58316 / 28497791.32]
Universe	All respondents
Literal question	In the past month, how often have you had any pain or discomfort in your teeth or gums?

OH1_22: Freq. - pain in teeth/gums - past mo.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN	140	53851.3	5.4%
2	SOMETIMES	466	130878.8	13.2%
3	RARELY	868	227573.8	22.9%
4	NEVER	1917	580934.7	58.5%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	10	1892.9	
8	REFUSAL	0	0.0	
9	NOT STATED	85	11837.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWT_4: Opinion of own weight - self-reported

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=58051 / 27965788.89] [Invalid=3656 / 1525241.08]
Universe	All respondents
Literal question	Do you consider yourself:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OVERWEIGHT	24226	10888545.8	38.9%
2	UNDERWEIGHT	2332	1208589.7	4.3%
3	JUST ABOUT RIGHT	31493	15868653.4	56.7%
6	NOT APPLICABLE	469	258451.5	
7	DON'T KNOW	157	56709.2	
8	REFUSAL	10	3860.1	
9	NOT STATED	3020	1206220.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTGHTM: Height (metres) / self-reported - (D,G)

Information	[Type= continuous] [Format=numeric] [Range= 0.914-2.134] [Missing=*]
Statistics [NW/ W]	[Valid=59261 / 28486341.29] [Invalid=2446 / 1004688.68]

Value	Label	Cases	Weighted	Percentage (Weighted)
0.914	0.926 M OR LESS	0	0.0	
0.94	0.927 TO 0.952 M	0	0.0	
0.965	0.953 TO 0.977 M	0	0.0	
0.991	0.978 TO 1.002 M	0	0.0	
1.016	1.003 TO 1.028 M	0	0.0	
1.041	1.029 TO 1.053 M	0	0.0	
1.067	1.054 TO 1.079 M	0	0.0	
1.092	1.080 TO 1.104 M	0	0.0	
1.118	1.105 TO 1.129 M	0	0.0	
1.143	1.130 TO 1.155 M	0	0.0	
1.168	1.156 TO 1.180 M	0	0.0	
1.194	1.181 TO 1.206 M	0	0.0	
1.219	1.207 TO 1.231 M	0	0.0	
1.245	1.232 TO 1.256 M	0	0.0	
1.27	1.257 TO 1.282 M	11	4478.9	0.0%
1.295	1.283 TO 1.307 M	0	0.0	

HWTGHTM: Height (metres) / self-reported - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1.321	1.308 TO 1.333 M	7	2149.2	0.0%
1.346	1.334 TO 1.358 M	9	4477.0	0.0%
1.372	1.359 TO 1.383 M	8	8282.6	0.0%
1.397	1.384 TO 1.409 M	33	8804.3	0.0%
1.422	1.410 TO 1.434 M	51	16440.3	0.1%
1.448	1.435 TO 1.460 M	140	44051.0	0.2%
1.473	1.461 TO 1.485 M	376	159219.1	0.6%
1.499	1.486 TO 1.510 M	811	370849.9	1.3%
1.524	1.511 TO 1.536 M	2196	924762.4	3.2%
1.549	1.537 TO 1.561 M	2569	1050702.5	3.7%
1.575	1.562 TO 1.587 M	4794	1982900.5	7.0%
1.6	1.588 TO 1.612 M	4647	2150179.6	7.5%
1.626	1.613 TO 1.637 M	5494	2354407.5	8.3%
1.651	1.638 TO 1.663 M	4633	2238811.0	7.9%
1.676	1.664 TO 1.688 M	5269	2385534.3	8.4%
1.702	1.689 TO 1.714 M	5028	2609892.2	9.2%
1.727	1.715 TO 1.739 M	4865	2472705.6	8.7%
1.753	1.740 TO 1.764 M	3991	1994167.0	7.0%
1.778	1.765 TO 1.790 M	4271	2260303.6	7.9%
1.803	1.791 TO 1.815 M	3527	1908823.2	6.7%
1.829	1.816 TO 1.841 M	2882	1520796.6	5.3%
1.854	1.842 TO 1.866 M	1544	852574.1	3.0%
1.88	1.867 TO 1.891 M	1074	600954.2	2.1%
1.905	1.892 TO 1.917 M	513	278614.2	1.0%
1.93	1.918 TO 1.942 M	408	224520.2	0.8%
1.956	1.943 TO 1.968 M	110	56940.3	0.2%
1.981	1.969 TO 1.993 M	0	0.0	
2.007	1.994 TO 2.018 M	0	0.0	
2.032	2.019 TO 2.044 M	0	0.0	
2.057	2.045 TO 2.069 M	0	0.0	
2.083	2.070 TO 2.095 M	0	0.0	
2.108	2.096 TO 2.120 M	0	0.0	
2.134	2.121M OR TALLER	0	0.0	
9.996	NOT APPLICABLE	469	258451.5	
9.997	DON'T KNOW	0	0.0	
9.998	REFUSAL	0	0.0	
9.999	NOT STATED	1977	746237.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTGWTK: Weight (kilograms)/self-reported - (D,G)

Information	[Type= continuous] [Format=numeric] [Range= 30.6-135] [Missing=*]
Statistics [NW/ W]	[Valid=58183 / 28010488.93] [Invalid=3524 / 1480541.04] [Mean=74.593 / 74.108] [StdDev=17.513 / 17.204]

Value	Label	Cases	Weighted	Percentage (Weighted)
999.96	NOT APPLICABLE	0	0.0	
999.97	DON'T KNOW	0	0.0	

HWTGWTK: Weight (kilograms)/self-reported - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
999.98	REFUSAL	0	0.0	
999.99	NOT STATED	3524	1480541.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTGBMI: BMI / self-report - (D,G)

Information	[Type= continuous] [Format=numeric] [Range= 11.91-54.96] [Missing=*]
Statistics [NW/ W]	[Valid=57802 / 27875556.48] [Invalid=3905 / 1615473.49] [Mean=26.151 / 25.688] [StdDev=5.38 / 5.128]

Value	Label	Cases	Weighted	Percentage (Weighted)
999.96	NOT APPLICABLE	0	0.0	
999.97	DON'T KNOW	0	0.0	
999.98	REFUSAL	0	0.0	
999.99	NOT STATED	3905	1615473.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTGISW: BMI class. (18 +) / self-report - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=53285 / 25687938.62] [Invalid=8422 / 3803091.35]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	UNDERWEIGHT	1191	655129.6	2.6%
2	NORMAL WEIGHT	22187	11552979.8	45.0%
3	OVERWEIGHT	18465	8765254.5	34.1%
4	OBESE	11442	4714574.8	18.4%
6	NOT APPLICABLE	5106	2446241.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3316	1356850.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWTDCOL: BMI class. (12-17) / self-report. - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=4412 / 2139971.21] [Invalid=57295 / 27351058.76]
Universe	Respondents aged 12 to 17 excluding pregnant women (MAM_037 = 1)
Notes	Based on HWTDBMI, DHH_YOB, DHH_MOB, DHH_DOB, ADM_YOI, ADM_MOI, ADM_DOI, DHH_SEX et MAM_037. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEITHER NOR	3405	1674404.5	78.2%
2	OVERWEIGHT	751	354983.9	16.6%
3	OBESE	256	110582.8	5.2%
6	NOT APPLICABLE	56601	27044789.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	694	306269.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_031: Has asthma

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61630 / 29462159.97] [Invalid=77 / 28870]

CCC_031: Has asthma

Universe	All respondents			
Literal question	Do you have asthma?			
Notes	Based on HWTDHTM, HWTDWTK. See documentation on derived variables			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5305	2384461.6	8.1%
2	NO	56325	27077698.4	91.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	63	23952.2	
8	REFUSAL	14	4917.8	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_035: Asthma - had symptoms/attacks

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5286 / 2379083.27] [Invalid=56421 / 27111946.7]
Universe	Respondents who answered CCC_031 = (1, 7, 8)
Literal question	Have you had any asthma symptoms or asthma attacks in the past 12 months?
Notes	Based on DHH_AGE, HWTDBMI. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2646	1204315.1	50.6%
2	NO	2640	1174768.1	49.4%
6	NOT APPLICABLE	56325	27077698.4	
7	DON'T KNOW	17	4684.8	
8	REFUSAL	2	693.5	
9	NOT STATED	77	28870.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_036: Asthma - took medication

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5300 / 2382693.29] [Invalid=56407 / 27108336.68]
Universe	Respondents who answered CCC_031 = (1, 7, 8)
Literal question	In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4145	1802435.0	75.6%
2	NO	1155	580258.3	24.4%
6	NOT APPLICABLE	56325	27077698.4	
7	DON'T KNOW	5	1768.3	
8	REFUSAL	0	0.0	
9	NOT STATED	77	28870.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_051: Has arthritis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=59070 / 28320190.81] [Invalid=2637 / 1170839.16]
Universe	Respondents aged 14 and over.
Literal question	Do you have arthritis, excluding fibromyalgia?

CCC_051: Has arthritis

Notes	In the 2011 French questionnaire, the word "arthrose" was added to the arthritis question as patients tend to associate the word "arthrite" with rheumatoid arthritis and "arthrose" with degenerative arthritis. However, the word "arthrose" was omitted from the question in 2012. As a result, the arthritis estimates for the province of Quebec and subsequently the Canada level were affected. The data for the arthritis indicator in 2011 should be used with caution

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13293	4372360.1	15.4%
2	NO	45777	23947830.8	84.6%
6	NOT APPLICABLE	2478	1110046.4	
7	DON'T KNOW	141	53741.0	
8	REFUSAL	4	2134.0	
9	NOT STATED	14	4917.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_061: Has back problems/excl. fibro/arthritis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61596 / 29455175.09] [Invalid=111 / 35854.88]
Universe	All respondents
Literal question	Do you have back problems, excluding fibromyalgia and arthritis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12764	5384998.0	18.3%
2	NO	48832	24070177.0	81.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	94	29673.2	
8	REFUSAL	3	1263.9	
9	NOT STATED	14	4917.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_071: Has high blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61450 / 29391677.67] [Invalid=257 / 99352.3]
Universe	All respondents
Literal question	Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more. Do you have high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14364	5110382.1	17.4%
2	NO	47086	24281295.6	82.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	235	90768.2	
8	REFUSAL	8	3666.3	
9	NOT STATED	14	4917.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_072: Ever diagnosed with high blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=47180 / 24322376.49] [Invalid=14527 / 5168653.48]
Universe	Respondents who answered CCC_071 = (2, 7, 8)
Literal question	Have you ever been diagnosed with high blood pressure?

CCC_072: Ever diagnosed with high blood pressure

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3410	1350605.1	5.6%	
2	NO	43770	22971771.4		94.4%
6	NOT APPLICABLE	14364	5110382.1		
7	DON'T KNOW	137	48479.5		
8	REFUSAL	4	1207.8		
9	NOT STATED	22	8584.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_073: Medication - high blood pressure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17737 / 6454208.07] [Invalid=43970 / 23036821.9]
Universe	Respondents who answered CCC_072 = (1, 7, 8) or CCC_071 = (1, 8)
Literal question	In the past month, have you taken any medicine for high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	14252	4888769.6		75.7%
2	NO	3485	1565438.5	24.3%	
6	NOT APPLICABLE	43770	22971771.4		
7	DON'T KNOW	37	6779.1		
8	REFUSAL	0	0.0		
9	NOT STATED	163	58271.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_073A: Preg. - diag. high blood press. 1st time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8620 / 2736231.35] [Invalid=53087 / 26754798.62]
Universe	Females aged 16 and over who answered (CCC_071 = (1 or 8) or (CCC_072 = (1, 7 or 8) and CCC_073 = (1, 7 or 8)))
Literal question	In the past month, have you taken any medicine for high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	451	168082.7	6.1%	
2	NO	8169	2568148.7		93.9%
6	NOT APPLICABLE	52879	26700748.9		
7	DON'T KNOW	120	28424.3		
8	REFUSAL	4	759.8		
9	NOT STATED	84	24865.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_073B: Not pregnant - diagn. high blood press.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=451 / 168082.66] [Invalid=61256 / 29322947.31]
Universe	Respondents who answered CCC_073A = (1, 7 or 8)
Literal question	Other than during pregnancy, has a health professional ever told you that you have high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	399	139359.1		82.9%
2	NO	52	28723.5	17.1%	
6	NOT APPLICABLE	61048	29268897.6		

CCC_073B: Not pregnant - diagn. high blood press.

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	208	54049.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_081: Has migraine headaches

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61637 / 29465572.04] [Invalid=70 / 25457.93]
Universe	All respondents
Literal question	Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more.Do you have migraine headaches?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5766	2844009.0	9.7%
2	NO	55871	26621563.0	90.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	53	18921.0	
8	REFUSAL	3	1619.1	
9	NOT STATED	14	4917.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_091: Has a COPD

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=44326 / 19274071.73] [Invalid=17381 / 10216958.24]
Universe	Respondents aged 35 and over
Literal question	Do you have chronic bronchitis, emphysema or chronic obstructive pulmonary disease or COPD?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2463	806367.7	4.2%
2	NO	41863	18467704.0	95.8%
6	NOT APPLICABLE	17252	10181376.4	
7	DON'T KNOW	110	28771.0	
8	REFUSAL	5	1893.1	
9	NOT STATED	14	4917.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_101: Has diabetes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61632 / 29461898.85] [Invalid=75 / 29131.12]
Universe	All respondents
Literal question	(Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more.) Do you have diabetes?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5094	1923577.0	6.5%
2	NO	56538	27538321.8	93.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	55	21915.4	

CCC_101: Has diabetes

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	6	2297.9	
9	NOT STATED	14	4917.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCG102: Diabetes - age first diagnosed - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=5078 / 1919656.01] [Invalid=56629 / 27571373.96]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	0 TO 11 YEARS	97	49158.8	2.6%
2	12 TO 17 YEARS	78	30852.6	1.6%
3	18 TO 24 YEARS	98	56849.2	3.0%
4	25 TO 29 YEARS	105	44809.6	2.3%
5	30 TO 34 YEARS	172	73384.6	3.8%
6	35 TO 39 YEARS	226	125081.7	6.5%
7	40 TO 44 YEARS	384	142735.6	7.4%
8	45 TO 49 YEARS	503	263189.8	13.7%
9	50 TO 54 YEARS	716	281981.4	14.7%
10	55 TO 59 YEARS	705	231067.5	12.0%
11	60 TO 64 YEARS	736	248636.3	13.0%
12	65 TO 69 YEARS	544	167433.1	8.7%
13	70 TO 74 YEARS	390	118351.7	6.2%
14	75 TO 79 YEARS	189	50936.4	2.7%
15	80 YEARS OR MORE	135	35187.7	1.8%
96	NOT APPLICABLE	56538	27538321.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	91	33052.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_10A: Diabetes diagnosed when pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=799 / 367920.27] [Invalid=60908 / 29123109.7]
Universe	Females aged 15 and over who answered (15 <= CCC_102 <= 49) or CCC_102 = (997, 998) or CCC_101 = (7, 8)
Literal question	Were you pregnant when you were first diagnosed with diabetes?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	110	72764.2	19.8%
2	NO	689	295156.1	80.2%
6	NOT APPLICABLE	60871	29112356.8	
7	DON'T KNOW	3	725.9	
8	REFUSAL	0	0.0	
9	NOT STATED	34	10027.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_10B: Diabetes diagnosed - other than pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=110 / 72764.21] [Invalid=61597 / 29418265.76]

CCC_10B: Diabetes diagnosed - other than pregnant

Universe	Females aged 15 and over who answered CCC_10A = (1, 7, 8) or CCC_102 = (997, 998) or CCC_101 = (7, 8)			
Literal question	Other than during pregnancy, has a health professional ever told you that you have diabetes?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	85	52791.0	72.6%
2	NO	25	19973.2	27.4%
6	NOT APPLICABLE	61560	29407512.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	37	10752.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_10C: Diabetes diag. - when started w/insulin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=5041 / 1895522.37] [Invalid=56666 / 27595507.6]
Universe	Respondents who answered CCC_101 = (1, 7, 8) excluding females aged 15 and over who answered CCC_10B = 2
Literal question	When you were first diagnosed with diabetes, how long was it before you were started on insulin?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 MONTH	436	179648.1	9.5%
2	1 TO < 2 MONTHS	40	13185.5	0.7%
3	2 TO < 6 MONTHS	46	8636.3	0.5%
4	6 MONTH - < 1 YR	61	23247.0	1.2%
5	>= 1 YR	807	299104.2	15.8%
6	NEVER	3651	1371701.2	72.4%
96	NOT APPLICABLE	56563	27558295.1	
97	DON'T KNOW	28	8081.4	
98	REFUSAL	0	0.0	
99	NOT STATED	75	29131.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_105: Diabetes - currently takes insulin

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5064 / 1899210.23] [Invalid=56643 / 27591819.74]
Universe	Respondents who answered CCC_101 = (1, 7, 8) excluding females aged 15 and over who answered CCC_10B = 2
Literal question	Do you currently take insulin for your diabetes?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1271	478974.9	25.2%
2	NO	3793	1420235.3	74.8%
6	NOT APPLICABLE	56563	27558295.1	
7	DON'T KNOW	4	2433.4	
8	REFUSAL	1	1960.2	
9	NOT STATED	75	29131.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_106: Diabetes - pills to control blood sugar

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5049 / 1899276.85] [Invalid=56658 / 27591753.12]

CCC_106: Diabetes - pills to control blood sugar

Universe	Respondents who answered CCC_101 = (1, 7, 8) excluding females aged 15 and over who answered CCC_10B = 2
Literal question	In the past month, did you take pills to control your blood sugar?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3816	1446798.8		76.2%
2	NO	1233	452478.0	23.8%	
6	NOT APPLICABLE	56563	27558295.1		
7	DON'T KNOW	19	4193.5		
8	REFUSAL	1	133.4		
9	NOT STATED	75	29131.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_121: Has heart disease

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61508 / 29434689.49] [Invalid=199 / 56340.48]
Universe	All respondents
Literal question	Do you have heart disease?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4429	1430364.4	4.9%	
2	NO	57079	28004325.1		95.1%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	176	48236.6		
8	REFUSAL	9	3186.1		
9	NOT STATED	14	4917.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_131: Has cancer

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61599 / 29453272.31] [Invalid=108 / 37757.66]
Universe	All respondents
Literal question	(Do you have:) ... cancer?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2197	721429.8	2.4%	
2	NO	59402	28731842.5		97.6%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	84	29548.7		
8	REFUSAL	10	3291.2		
9	NOT STATED	14	4917.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_31A: Ever had cancer

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=59424 / 28737913.32] [Invalid=2283 / 753116.65]
Universe	Respondents who answered CCC_131 = (2, 7, 8)
Literal question	Have you ever been diagnosed with cancer?

CCC_31A: Ever had cancer

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3742	1224452.8	4.3%
2	NO	55682	27513460.5	95.7%
6	NOT APPLICABLE	2199	721839.8	
7	DON'T KNOW	58	22498.2	
8	REFUSAL	2	569.7	
9	NOT STATED	24	8209.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_141: Has stomach or intestinal ulcers

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61509 / 29424548.84] [Invalid=198 / 66481.13]
Universe	All respondents
Literal question	Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more. Do you have intestinal or stomach ulcers?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1677	685900.8	2.3%
2	NO	59832	28738648.0	97.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	172	58123.9	
8	REFUSAL	12	3439.4	
9	NOT STATED	14	4917.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_151: Suffers from the effects of a stroke

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61631 / 29467507.7] [Invalid=76 / 23522.27]
Universe	All respondents
Literal question	Do you suffer from the effects of a stroke?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1053	324747.8	1.1%
2	NO	60578	29142759.9	98.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	55	15881.0	
8	REFUSAL	7	2723.5	
9	NOT STATED	14	4917.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_161: Has urinary incontinence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=51564 / 23812391.71] [Invalid=10143 / 5678638.26]
Universe	Respondents aged 25 and over.
Literal question	(Do you have:) Urinary incontinence?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3310	1035707.3	4.3%	
2	NO	48254	22776684.4		95.7%
6	NOT APPLICABLE	10033	5646460.0		
7	DON'T KNOW	82	19192.9		
8	REFUSAL	13	7520.4		
9	NOT STATED	15	5464.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_171: Has bowel disorder

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61573 / 29443723.32] [Invalid=134 / 47306.65]
Universe	All respondents
Literal question	Do you have a bowel disorder such as Crohn's Disease, ulcerative colitis, Irritable Bowel Syndrome or bowel incontinence?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3342	1276372.8	4.3%	
2	NO	58231	28167350.5		95.7%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	107	35054.0		
8	REFUSAL	13	7334.9		
9	NOT STATED	14	4917.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_17A: Type of bowel disease

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3284 / 1263019.93] [Invalid=58423 / 28228010.04]
Universe	Respondents who answered CCC_171 = (1, 7, 8)
Literal question	What kind of bowel disease do you have?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	CROHN'S DISEASE	264	100694.9	8.0%	
2	ULCER. COLITIS	348	139259.8	11.0%	
3	IRRITABLE BOWEL	1911	774076.1		61.3%
4	INCONTINENCE	168	49790.9	3.9%	
5	OTHER	593	199198.2	15.8%	
6	NOT APPLICABLE	58231	28167350.5		
7	DON'T KNOW	55	12353.7		
8	REFUSAL	3	999.1		
9	NOT STATED	134	47306.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_280: Has a mood disorder

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61580 / 29444543.2] [Invalid=127 / 46486.77]
Universe	All respondents
Literal question	Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more. Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4849	2105188.1	7.1%	
2	NO	56731	27339355.1		92.9%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	98	34095.6		
8	REFUSAL	15	7473.4		
9	NOT STATED	14	4917.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCC_290: Has an anxiety disorder

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61579 / 29447360.23] [Invalid=128 / 43669.74]
Universe	All respondents
Literal question	Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4086	1903927.9	6.5%	
2	NO	57493	27543432.4		93.5%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	97	30276.1		
8	REFUSAL	17	8475.8		
9	NOT STATED	14	4917.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCCDDIA: Diabetes type

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=5028 / 1903665.44] [Invalid=56679 / 27587364.53]
Universe	All respondents
Notes	Based on CCC_10B, CCC_10C, CCC_101, CCC_102, CCC_105, CCC_106, DHH_AGE. See documentation on derived variables

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	TYPE 1 DIABETES	157	84577.4	4.4%	
2	TYPE 2 DIABETES	4785	1783125.2		93.7%
3	GEST. DIABETES	9	3652.7	0.2%	
4	NOT CLASSIFIED	77	32310.1	1.7%	
6	NOT APPLICABLE	56514	27529444.3		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	165	57920.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DODIA: Module: DIA - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=27713 / 13419434.48] [Invalid=33994 / 16071595.49]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	27713	13419434.5		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	33994	16071595.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_01: Tested for "A-one-C" haemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2354 / 851997.06] [Invalid=59353 / 28639032.91]
Universe	Respondents with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or CCC_031 = 8, excluding females aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A = 1
Literal question	In the past 12 months, has a health care professional tested ^YOU2 for haemoglobin "A- one-C"? (An "A-one-C" haemoglobin test measures the average level of blood sugar over a 3-month period.)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1992	736934.5		86.5%
2	NO	362	115062.6	13.5%	
6	NOT APPLICABLE	59218	28588218.0		
7	DON'T KNOW	96	36895.6		
8	REFUSAL	0	0.0		
9	NOT STATED	39	13919.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_02: No. of times - tested for "A-one-C"

Information	[Type= discrete] [Format=numeric] [Range= 1-48] [Missing=*]
Statistics [NW/ W]	[Valid=1944 / 716774.14] [Invalid=59763 / 28774255.83]
Universe	Respondents who answered DIA_01 = (1, 7 or 8)
Literal question	How many times? (In the past 12 months, has a health care professional tested you for haemoglobin "A-one-C"?)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1		285	124447.6	17.4%	
2		503	201935.6	28.2%	
3		263	70306.5	9.8%	
4		775	281916.8		39.3%
5		14	3013.3	0.4%	
6		34	15375.4	2.1%	
7		3	783.3	0.1%	
8		4	1292.6	0.2%	
10		1	185.1	0.0%	
11		2	629.8	0.1%	
12		42	9326.8	1.3%	
14		1	38.8	0.0%	

DIA_02: No. of times - tested for "A-one-C"

Value	Label	Cases	Weighted	Percentage (Weighted)
15		2	329.7	0.0%
18		2	454.3	0.1%
20		1	2682.3	0.4%
23		1	73.2	0.0%
24		4	379.1	0.1%
30		1	136.9	0.0%
36		1	2013.4	0.3%
40		1	525.4	0.1%
45		1	581.6	0.1%
48		3	346.5	0.0%
996	NOT APPLICABLE	59580	28703280.6	
997	DON'T KNOW	45	12082.3	
998	REFUSAL	3	8078.0	
999	NOT STATED	135	50814.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_03: Feet checked by health professional

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=2427 / 882935.8] [Invalid=59280 / 28608094.17]
Universe	Respondents with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or CCC_031 = 8, excluding females aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A = 1
Literal question	In the past 12 months, has a health care professional checked your feet for any sores or irritations?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1366	495039.6	56.1%
2	NO	1061	387896.2	43.9%
3	NO FEET	0	0.0	
6	NOT APPLICABLE	59218	28588218.0	
7	DON'T KNOW	22	5791.3	
8	REFUSAL	1	165.5	
9	NOT STATED	39	13919.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_04: No of times - feet checked by hlth prof.

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=1336 / 486358.01] [Invalid=60371 / 29004671.96]
Universe	Respondents who answered DIA_03 = (1, 7 or 8) or DIA_01 = 8
Literal question	How many times? (In the past 12 months, has a health care professional checked your feet for any sores or irritations?)

Value	Label	Cases	Weighted	Percentage (Weighted)
1		435	160353.7	33.0%
2		310	112285.2	23.1%
3		106	35002.2	7.2%
4		255	106480.0	21.9%
5		18	4246.0	0.9%
6		70	15170.3	3.1%
7		10	1492.1	0.3%

DIA_04: No of times - feet checked by hlth prof.

Value	Label	Cases	Weighted	Percentage (Weighted)
8		26	12286.2	2.5%
9		12	4864.1	1.0%
10		14	3383.0	0.7%
11		2	599.2	0.1%
12		54	24422.2	5.0%
13		1	282.2	0.1%
15		3	2356.7	0.5%
18		1	46.1	0.0%
24		1	492.4	0.1%
30		1	82.6	0.0%
36		2	133.4	0.0%
52		8	1214.4	0.2%
56		1	412.6	0.1%
96		2	371.9	0.1%
99		4	381.4	0.1%
996	NOT APPLICABLE	60288	28978429.4	
997	DON'T KNOW	28	8334.8	
998	REFUSAL	2	346.7	
999	NOT STATED	53	17561.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_05: Urine tested for protein by health prof.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2304 / 824953.63] [Invalid=59403 / 28666076.34]
Universe	Respondents with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or CCC_031 = 8, excluding females aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A = 1
Literal question	In the past 12 months, has a health care professional tested your urine for protein (i.e., Microalbumin)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1791	670918.2	81.3%
2	NO	513	154035.4	18.7%
6	NOT APPLICABLE	59218	28588218.0	
7	DON'T KNOW	145	61439.0	
8	REFUSAL	1	2500.0	
9	NOT STATED	39	13919.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_06: Ever had eye exam with pupils dilated

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2401 / 870909.46] [Invalid=59306 / 28620120.51]
Universe	Respondents with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or CCC_031 = 8, excluding females aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A = 1
Literal question	Have you ever had an eye exam where the pupils of your eyes were dilated? (This procedure would have made him/her temporarily sensitive to light.)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1925	694770.1	79.8%
2	NO	476	176139.3	20.2%

DIA_06: Ever had eye exam with pupils dilated

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	59218	28588218.0	
7	DON'T KNOW	48	17838.5	
8	REFUSAL	1	144.6	
9	NOT STATED	39	13919.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_07: Eye exam with pupils dilated - last time

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1917 / 692800.06] [Invalid=59790 / 28798229.91]
Universe	Respondents who answered DIA_06 = (1, 7 or 8) or DIA_01 = 8
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 1 MONTH	282	97711.9	14.1%
2	1 MO.TO < 1 YEAR	1123	406444.6	58.7%
3	1 TO < 2 YEARS	309	117443.9	17.0%
4	2 OR MORE YEARS	203	71199.6	10.3%
6	NOT APPLICABLE	59694	28764357.4	
7	DON'T KNOW	7	1861.3	
8	REFUSAL	1	108.7	
9	NOT STATED	88	31902.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_08: Checks glucose level/self-reporting unit

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2429 / 884614.96] [Invalid=59278 / 28606415.01]
Universe	Respondents with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or CCC_031 = 8, excluding females aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A = 1
Literal question	How often do you usually have your blood checked for glucose or sugar by yourself or by a family member or friend?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	PER DAY	1315	457239.5	51.7%
2	PER WEEK	646	241047.8	27.2%
3	PER MONTH	185	71304.5	8.1%
4	PER YEAR	46	17388.5	2.0%
5	NEVER	237	97634.8	11.0%
6	NOT APPLICABLE	59218	28588218.0	
7	DON'T KNOW	21	4277.7	
8	REFUSAL	0	0.0	
9	NOT STATED	39	13919.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N8B: Checks glucose level/self-no times day

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=1309 / 456089.28] [Invalid=60398 / 29034940.69]
Universe	Respondents who answered DIA_08 = (1, 7 or 8) or DIA_01 = 8
Interviewer's instructions	Interviewer: Enter the number of times per week.

DIA_N8B: Checks glucose level/self-no times day

Value	Label	Cases	Weighted	Percentage (Weighted)
1		534	179490.6	39.4%
2		385	143758.9	31.5%
3		179	52425.1	11.5%
4		139	54867.9	12.0%
5		35	12415.1	2.7%
6		19	5404.7	1.2%
7		6	1880.5	0.4%
8		5	2677.1	0.6%
9		2	1290.4	0.3%
10		3	647.5	0.1%
11		1	706.2	0.2%
15		1	525.4	0.1%
996	NOT APPLICABLE	60332	29015593.5	
997	DON'T KNOW	6	1150.2	
998	REFUSAL	0	0.0	
999	NOT STATED	60	18197.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N8C: Checks glucose level - no times per week

Information	[Type= discrete] [Format=numeric] [Range= 1-20] [Missing=*]
Statistics [NW/ W]	[Valid=645 / 240930.06] [Invalid=61062 / 29250099.91]
Universe	Respondents who answered DIA_08 = (2, 7 or 8) or DIA_01 = 8
Interviewer's instructions	Interviewer: Enter the number of times per week.

Value	Label	Cases	Weighted	Percentage (Weighted)
1		182	72176.4	30.0%
2		175	66081.9	27.4%
3		167	52895.1	22.0%
4		85	40276.9	16.7%
5		26	7236.3	3.0%
6		4	592.9	0.2%
9		1	230.6	0.1%
10		2	311.2	0.1%
11		1	202.4	0.1%
12		1	610.0	0.3%
20		1	316.4	0.1%
996	NOT APPLICABLE	61001	29231785.2	
997	DON'T KNOW	1	117.7	
998	REFUSAL	0	0.0	
999	NOT STATED	60	18197.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N8D: Checks glucose level -no times per month

Information	[Type= discrete] [Format=numeric] [Range= 1-20] [Missing=*]
Statistics [NW/ W]	[Valid=183 / 70842.71] [Invalid=61524 / 29420187.26]
Universe	Respondents who answered DIA_08 = (3, 7 or 8) or DIA_01 = 8

DIA_N8D: Checks glucose level -no times per month

Interviewer's instructions	Interviewer: Enter the number of times per month.				

Value	Label	Cases	Weighted	Percentage (Weighted)	
1		89	46031.6		65.0%
2		67	18725.9		26.4%
3		10	2459.2	3.5%	
4		5	876.3	1.2%	
5		2	217.2	0.3%	
6		1	234.2	0.3%	
7		1	475.8	0.7%	
10		4	516.2	0.7%	
15		3	1057.6	1.5%	
20		1	248.7	0.4%	
996	NOT APPLICABLE	61462	29401528.5		
997	DON'T KNOW	2	461.8		
998	REFUSAL	0	0.0		
999	NOT STATED	60	18197.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N8E: Checks glucose level -no times per year

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]				
Statistics [NW/ W]	[Valid=46 / 17388.47] [Invalid=61661 / 29473641.5]				
Universe	Respondents who answered DIA_08 = (4, 7 or 8) or DIA_01 = 8				
Interviewer's instructions	Interviewer: Enter the number of times per year.				

Value	Label	Cases	Weighted	Percentage (Weighted)	
1		4	2493.1		14.3%
2		12	3233.9		18.6%
3		6	962.4	5.5%	
4		15	4349.4		25.0%
6		5	1124.1	6.5%	
7		1	4466.1		25.7%
9		1	319.5	1.8%	
15		1	303.0	1.7%	
24		1	137.0	0.8%	
996	NOT APPLICABLE	61601	29455444.5		
997	DON'T KNOW	0	0.0		
998	REFUSAL	0	0.0		
999	NOT STATED	60	18197.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_09: Checks feet / self-reporting unit

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=2380 / 872312.01] [Invalid=59327 / 28618717.96]				
Universe	Respondents who answered DIA_03 = (1, 2, 7 or 8) or DIA_01 = 8				
Literal question	How often do you usually have your feet checked for any sores or irritations by yourself or by a family member or friend?				

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	PER DAY	909	313182.6		35.9%

DIA_09: Checks feet / self-reporting unit

Value	Label	Cases	Weighted	Percentage (Weighted)
2	PER WEEK	542	210098.4	24.1%
3	PER MONTH	192	71677.0	8.2%
4	PER YEAR	147	48626.6	5.6%
5	NEVER	590	228727.2	26.2%
6	NOT APPLICABLE	59218	28588218.0	
7	DON'T KNOW	69	16447.2	
8	REFUSAL	1	133.4	
9	NOT STATED	39	13919.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N9B: Checks feet/self-number of times per day

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=902 / 311982.84] [Invalid=60805 / 29179047.13]
Universe	Respondents who answered DIA_09 = (1, 7 or 8) or DIA_01 = 8
Interviewer's instructions	Interviewer: Enter the number of times per day.

Value	Label	Cases	Weighted	Percentage (Weighted)
1		861	293318.5	94.0%
2		32	15350.0	4.9%
3		5	1887.2	0.6%
4		1	443.7	0.1%
7		1	412.6	0.1%
11		1	459.9	0.1%
12		1	110.9	0.0%
996	NOT APPLICABLE	60689	29147347.4	
997	DON'T KNOW	7	1199.8	
998	REFUSAL	0	0.0	
999	NOT STATED	109	30499.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N9C: Checks feet/self-number of times week

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=539 / 209340.42] [Invalid=61168 / 29281689.55]
Universe	Respondents who answered DIA_09 = (2, 7 or 8) or DIA_01 = 8
Interviewer's instructions	Interviewer: Enter the number of times per week.

Value	Label	Cases	Weighted	Percentage (Weighted)
1		276	124859.8	59.6%
2		96	35936.2	17.2%
3		95	22958.1	11.0%
4		44	17014.6	8.1%
5		24	7102.1	3.4%
6		2	1025.3	0.5%
7		2	444.4	0.2%
996	NOT APPLICABLE	61056	29250431.6	
997	DON'T KNOW	3	758.0	
998	REFUSAL	0	0.0	

DIA_N9C: Checks feet/self-number of times week

Value	Label	Cases	Weighted	Percentage (Weighted)
999	NOT STATED	109	30499.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N9D: Checks feet/self-number of times month

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=191 / 71539.51] [Invalid=61516 / 29419490.46]
Universe	Respondents who answered DIA_09 = (3, 7 or 8) or DIA_01 = 8
Interviewer's instructions	Interviewer: Enter the number of times per month.

Value	Label	Cases	Weighted	Percentage (Weighted)
1		143	54774.0	76.6%
2		41	14964.7	20.9%
3		3	1072.5	1.5%
4		2	517.8	0.7%
6		1	143.3	0.2%
15		1	67.2	0.1%
996	NOT APPLICABLE	61406	29388853.0	
997	DON'T KNOW	1	137.5	
998	REFUSAL	0	0.0	
999	NOT STATED	109	30499.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_N9E: Checks feet/self-number of times year

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=147 / 48626.63] [Invalid=61560 / 29442403.34]
Universe	Respondents who answered DIA_09 = (4, 7 or 8) or DIA_01 = 8
Interviewer's instructions	Interviewer: Enter the number of times per year.

Value	Label	Cases	Weighted	Percentage (Weighted)
1		32	14107.5	29.0%
2		30	12699.7	26.1%
3		15	4328.1	8.9%
4		28	8149.7	16.8%
5		5	623.8	1.3%
6		19	4799.1	9.9%
8		2	306.2	0.6%
9		7	1282.7	2.6%
10		6	1023.6	2.1%
12		1	198.2	0.4%
15		1	1064.5	2.2%
24		1	43.4	0.1%
996	NOT APPLICABLE	61451	29411903.4	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	109	30499.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_10: Medication - ASA - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2378 / 855311.72] [Invalid=59329 / 28635718.25]
Universe	Respondents aged 35 and over with DODIA = 1, who answered CCC_101 = (1, 7 or 8) or CCC_031 = 8, excluding females aged 15 and over who answered CCC_10A = 1
Literal question	In the past month, did you take aspirin or other ASA (acetylsalicylic acid) medication every day or every second day?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1330	415607.7		48.6%
2	NO	1048	439704.0		51.4%
6	NOT APPLICABLE	59281	28618316.0		
7	DON'T KNOW	8	3415.6		
8	REFUSAL	1	67.4		
9	NOT STATED	39	13919.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIA_11: Medication -blood cholesterol-past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2354 / 844120.12] [Invalid=59353 / 28646909.85]
Universe	Respondents aged 35 and over with DODIA = 1, who answered CCC_101 = (1, 7 or 8) or CCC_031 = 8, excluding females aged 15 and over who answered CCC_10A = 1
Literal question	In the past month, did YOU take prescription medications such as Lipitor or Zocor to control YOUR blood cholesterol levels?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1592	553607.6		65.6%
2	NO	762	290512.6	34.4%	
6	NOT APPLICABLE	59281	28618316.0		
7	DON'T KNOW	30	14140.9		
8	REFUSAL	3	533.7		
9	NOT STATED	39	13919.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOMED: Optional module: MED - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11573 / 6855593.06] [Invalid=50134 / 22635436.91]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	11573	6855593.1		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	50134	22635436.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1A: Took pain relievers - In the past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11555 / 6845650.2] [Invalid=50152 / 22645379.77]
Universe	Respondents with DOMED = 1

MED_1A: Took pain relievers - In the past month

Literal question	In the past month, that is, from one month ago to yesterday, did you take: pain relievers such as aspirin or Tylenol (including arthritis medicine and anti-inflammatories)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	7640	4505668.9		65.8%
2	NO	3915	2339981.3		34.2%
6	NOT APPLICABLE	50134	22635436.9		
7	DON'T KNOW	16	7739.4		
8	REFUSAL	2	2203.5		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1B: Took tranquilizers- In the past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11551 / 6845915.9] [Invalid=50156 / 22645114.07]
Universe	Respondents with DOMED = 1
Literal question	In the past month, that is, from one month ago to yesterday, did you take: pain relievers such as aspirin or Tylenol (including arthritis medicine and anti-inflammatories)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	744	344812.7	5.0%	
2	NO	10807	6501103.2		95.0%
6	NOT APPLICABLE	50134	22635436.9		
7	DON'T KNOW	20	7473.7		
8	REFUSAL	0	0.0		
9	NOT STATED	2	2203.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1C: Took diet pills- In the past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11568 / 6852541.08] [Invalid=50139 / 22638488.89]
Universe	Respondents with DOMED = 1
Literal question	(In the past month, that is, from one month ago to yesterday, did you take:) diet pills such as Dexatrim, Ponderal or Fastin?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	30	25423.4	0.4%	
2	NO	11538	6827117.6		99.6%
6	NOT APPLICABLE	50134	22635436.9		
7	DON'T KNOW	3	848.5		
8	REFUSAL	0	0.0		
9	NOT STATED	2	2203.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1D: Took anti-depressants- In the past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11561 / 6850265.08] [Invalid=50146 / 22640764.89]
Universe	Respondents with DOMED = 1
Literal question	(In the past month, that is, from one month ago to yesterday, did you take:) anti-depressants such as Prozac, Paxil or Effexor?

MED_1D: Took anti-depressants- In the past month

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	878	429277.8	6.3%	
2	NO	10683	6420987.3		93.7%
6	NOT APPLICABLE	50134	22635436.9		
7	DON'T KNOW	10	3124.5		
8	REFUSAL	0	0.0		
9	NOT STATED	2	2203.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1E: Took codeine/morphine-past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11558 / 6849384.82] [Invalid=50149 / 22641645.15]
Universe	Respondents with DOMED = 1
Literal question	(In the past month, that is, from one month ago to yesterday, did you take:) codeine, Demerol or morphine?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	394	220522.5	3.2%	
2	NO	11164	6628862.3		96.8%
6	NOT APPLICABLE	50134	22635436.9		
7	DON'T KNOW	13	4004.8		
8	REFUSAL	0	0.0		
9	NOT STATED	2	2203.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1F: Took allergy medicine- In the past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11562 / 6850453.48] [Invalid=50145 / 22640576.49]
Universe	Respondents with DOMED = 1
Literal question	(In the past month, that is, from one month ago to yesterday, did you take:) allergy medicine such as Reactine or Allegra?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1151	754265.2	11.0%	
2	NO	10411	6096188.3		89.0%
6	NOT APPLICABLE	50134	22635436.9		
7	DON'T KNOW	8	2893.2		
8	REFUSAL	1	42.9		
9	NOT STATED	2	2203.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1G: Took asthma medications-past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11565 / 6851390.61] [Invalid=50142 / 22639639.36]
Universe	Respondents with DOMED = 1
Literal question	(In the past month, that is, from one month ago to yesterday, did you take:) asthma medications such as inhalers or nebulizers?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	897	476037.0	6.9%	
2	NO	10668	6375353.6		93.1%

MED_1G: Took asthma medications-past month

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	5	1956.1	
8	REFUSAL	1	42.9	
9	NOT STATED	2	2203.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1H: Took cough or cold remedies- past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11559 / 6846976.8] [Invalid=50148 / 22644053.17]
Universe	Respondents with DOMED = 1
Literal question	(In the past month, that is, from one month ago to yesterday, did you take:) cough or cold remedies?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1886	1105831.1	16.2%
2	NO	9673	5741145.7	83.8%
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	10	5989.0	
8	REFUSAL	2	423.7	
9	NOT STATED	2	2203.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1I: Took penicillin/antibiotics-past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11560 / 6849077.71] [Invalid=50147 / 22641952.26]
Universe	Respondents with DOMED = 1
Literal question	(In the past month, that is, from one month ago to yesterday, did you take:) penicillin or other antibiotics?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	610	379224.5	5.5%
2	NO	10950	6469853.2	94.5%
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	9	3888.1	
8	REFUSAL	2	423.7	
9	NOT STATED	2	2203.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1J: Took medicine for heart-past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11551 / 6842926.59] [Invalid=50156 / 22648103.38]
Universe	Respondents with DOMED = 1
Literal question	(In the past month, that is, from one month ago to yesterday, did you take:) medicine for the heart?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1102	506174.6	7.4%
2	NO	10449	6336752.0	92.6%
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	18	10039.3	
8	REFUSAL	2	423.7	

MED_1J: Took medicine for heart-past month

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	2	2203.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1L: Took diuretics-in past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11536 / 6839264.2] [Invalid=50171 / 22651765.77]
Universe	Respondents with DOMED = 1
Literal question	(In the past month, that is, from one month ago to yesterday, did you take:) diuretics or water pills?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	604	259495.0	3.8%
2	NO	10932	6579769.2	96.2%
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	33	13701.6	
8	REFUSAL	2	423.7	
9	NOT STATED	2	2203.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1M: Took steroids- In the past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11558 / 6849737.01] [Invalid=50149 / 22641292.96]
Universe	Respondents with DOMED = 1
Literal question	(In the past month, that is, from one month ago to yesterday, did you take:) steroids?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	52	37492.7	0.5%
2	NO	11506	6812244.3	99.5%
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	11	3228.8	
8	REFUSAL	2	423.7	
9	NOT STATED	2	2203.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1P: Took sleeping pills- In the past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11556 / 6846503.59] [Invalid=50151 / 22644526.38]
Universe	Respondents with DOMED = 1
Literal question	(In the past month, that is, from one month ago to yesterday, did you take:) sleeping pills such as Imovane, Nytol or Starnoc?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	791	393479.1	5.7%
2	NO	10765	6453024.4	94.3%
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	12	5148.1	
8	REFUSAL	3	1737.8	
9	NOT STATED	2	2203.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1Q: Took stomach remedies- In the past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11551 / 6845739.1] [Invalid=50156 / 22645290.87]
Universe	Respondents with DOMED = 1
Literal question	(In the past month, that is, from one month ago to yesterday, did you take:) stomach remedies?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1846	957483.3	14.0%
2	NO	9705	5888255.8	86.0%
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	18	7226.8	
8	REFUSAL	2	423.7	
9	NOT STATED	2	2203.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1R: Took laxatives- In the past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11555 / 6848833.81] [Invalid=50152 / 22642196.16]
Universe	Respondents with DOMED = 1
Literal question	(In the past month, that is, from one month ago to yesterday, did you take:) laxatives?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	549	256242.0	3.7%
2	NO	11006	6592591.8	96.3%
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	14	4132.0	
8	REFUSAL	2	423.7	
9	NOT STATED	2	2203.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1S: Took birth control pill-past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2846 / 1909728.51] [Invalid=58861 / 27581301.46]
Universe	Females aged 49 and under with DOMED = 1
Literal question	(In the past month, that is, from one month ago to yesterday, did you take:) birth control pills or other kind of prescribed birth control method?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	958	584691.9	30.6%
2	NO	1888	1325036.6	69.4%
6	NOT APPLICABLE	58857	27579279.1	
7	DON'T KNOW	4	2022.3	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1T: Took hormones for menopause-past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5082 / 2611753.1] [Invalid=56625 / 26879276.87]
Universe	Females aged 30 and over with DOMED=1 and DOHRT=2

# MED_1T: Took hormones for menopause-past month				
Literal question		(In the past month, that is, from one month ago to yesterday, did you take:) hormones for menopause or ageing symptoms?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	544	243923.5	9.3%
2	NO	4538	2367829.6	90.7%
6	NOT APPLICABLE	56615	26876568.7	
7	DON'T KNOW	7	1962.4	
8	REFUSAL	2	549.7	
9	NOT STATED	1	196.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# MED_1T1: Type of homones taken	
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=464 / 210792.34] [Invalid=61243 / 29280237.63]
Universe	Females aged 30 and over with DOMED=1 and DOHRT=2 and MED_1T=1
Literal question	What type of hormones are you taking?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ESTROGEN	201	89662.8	42.5%
2	PROGESTERONE	22	6765.7	3.2%
3	BOTH	184	93117.6	44.2%
4	NEITHER	57	21246.2	10.1%
6	NOT APPLICABLE	61153	29244398.3	
7	DON'T KNOW	79	32378.8	
8	REFUSAL	1	752.3	
9	NOT STATED	10	2708.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# MED_1T2: Year this hormone therapy was started	
Information	[Type= continuous] [Format=numeric] [Range= 1964-2012] [Missing=*]
Statistics [NW/ W]	[Valid=528 / 238655.49] [Invalid=61179 / 29252374.48] [Mean=2000.737 / 2002.313] [StdDev=10.025 / 9.487]
Universe	Females aged 30 and over with DOMED=1 and DOHRT=2 and MED_1T=1
Literal question	When did you start this hormone therapy?

Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	61153	29244398.3	
9997	DON'T KNOW	11	3336.3	
9998	REFUSAL	2	1059.8	
9999	NOT STATED	13	3580.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# MED_1U: Took thyroid medication-in past month	
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11560 / 6850741.94] [Invalid=50147 / 22640288.03]
Universe	Respondents with DOMED = 1
Literal question	In the past month, that is, from one month ago to yesterday, did you take: thyroid medication such as Synthroid or Levothyroxine?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1131	527675.6	7.7%

MED_1U: Took thyroid medication-in past month

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	10429	6323066.4		92.3%
6	NOT APPLICABLE	50134	22635436.9		
7	DON'T KNOW	9	2223.9		
8	REFUSAL	2	423.7		
9	NOT STATED	2	2203.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MED_1V: Took any other medication-past month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11555 / 6848622.79] [Invalid=50152 / 22642407.18]
Universe	Respondents with DOMED = 1
Literal question	(In the past month, that is, from one month ago to yesterday, did you take:) any other medication?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3880	2021605.9	29.5%	
2	NO	7675	4827016.9		70.5%
6	NOT APPLICABLE	50134	22635436.9		
7	DON'T KNOW	15	4723.9		
8	REFUSAL	1	42.9		
9	NOT STATED	2	2203.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUPDPAD: Pain (function code)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=61434 / 29423552.23] [Invalid=273 / 67477.74]
Universe	All respondents
Notes	This variable classifies respondents based on activity limitation due to pain or discomfort. Based on HUP_01, HUP_03. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NO PAIN	47157	23304739.3		79.2%
2	DOESN'T PREVENT	3899	1728707.0	5.9%	
3	PREVENTS A FEW	3828	1800882.4	6.1%	
4	PREVENTS SOME	3419	1448774.5	4.9%	
5	PREVENTS MOST	3131	1140449.0	3.9%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	273	67477.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1AA: Has regular medical doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61601 / 29455665.51] [Invalid=106 / 35364.46]
Universe	All respondents
Literal question	Do you have a regular medical doctor?

HCU_1AA: Has regular medical doctor

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	53573	25077467.6		85.1%
2	NO	8028	4378197.9		14.9%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	104	34721.3		
8	REFUSAL	2	643.2		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1BA: Reason no dr - no one available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7870 / 4314678.42] [Invalid=53837 / 25176351.55]		
Universe	Respondents who answered HCU_1AA = (2, 7 or 8)		
Literal question	Why do you not have a regular medical doctor? - No medical doctors available in the area		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1715	692757.1	16.1%
2	NO	6155	3621921.3	83.9%
6	NOT APPLICABLE	53573	25077467.6	
7	DON'T KNOW	157	63258.2	
8	REFUSAL	1	261.2	
9	NOT STATED	106	35364.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1BB: Reason no dr - none taking new patients

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7870 / 4314678.42] [Invalid=53837 / 25176351.55]		
Universe	Respondents who answered HCU_1AA = (2, 7 or 8)		
Literal question	Why do you not have a regular medical doctor? - Medical doctors in the area are not taking new patients		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1534	905026.3	21.0%
2	NO	6336	3409652.2	79.0%
6	NOT APPLICABLE	53573	25077467.6	
7	DON'T KNOW	157	63258.2	
8	REFUSAL	1	261.2	
9	NOT STATED	106	35364.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1BC: Reason no dr - not tried to contact one

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7870 / 4314678.42] [Invalid=53837 / 25176351.55]		
Universe	Respondents who answered HCU_1AA = (2, 7 or 8)		
Literal question	Why do you not have a regular medical doctor? - Have not tried to contact one		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3014	2014542.8	46.7%
2	NO	4856	2300135.6	53.3%
6	NOT APPLICABLE	53573	25077467.6	
7	DON'T KNOW	157	63258.2	
8	REFUSAL	1	261.2	
9	NOT STATED	106	35364.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1BD: Reason no dr - has left/retired

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7870 / 4314678.42] [Invalid=53837 / 25176351.55]		
Universe	Respondents who answered HCU_1AA = (2, 7 or 8)		
Literal question	Why do you not have a regular medical doctor? - Had a medical doctor who left or retired		

HCU_1BD: Reason no dr - has left/retired

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1864	777373.7	18.0%	
2	NO	6006	3537304.8		82.0%
6	NOT APPLICABLE	53573	25077467.6		
7	DON'T KNOW	157	63258.2		
8	REFUSAL	1	261.2		
9	NOT STATED	106	35364.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1BE: Reason no dr - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7870 / 4314678.42] [Invalid=53837 / 25176351.55]
Universe	Respondents who answered HCU_1AA = (2, 7 or 8)
Literal question	Why do you not have a regular medical doctor? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	765	469355.5	10.9%	
2	NO	7105	3845322.9		89.1%
6	NOT APPLICABLE	53573	25077467.6		
7	DON'T KNOW	157	63258.2		
8	REFUSAL	1	261.2		
9	NOT STATED	106	35364.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1A1: Regular medical doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8006 / 4372312.46] [Invalid=53701 / 25118717.51]
Universe	Respondents who answered HCU_1AA = (2, 7, 8)
Literal question	Is there a place that you usually go to when you are sick or need advice about your health?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6613	3464202.8		79.2%
2	NO	1393	908109.6	20.8%	
6	NOT APPLICABLE	53573	25077467.6		
7	DON'T KNOW	22	5885.4		
8	REFUSAL	0	0.0		
9	NOT STATED	106	35364.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HCU_1A2: Kind of place

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=6603 / 3462458.82] [Invalid=55104 / 26028571.15]
Universe	Respondents who answered HCU_1A1 = (1, 7 or 8) or HCU_1AA = (7, 8)
Literal question	What kind of place is it?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DOCTOR'S OFFICE	264	115251.0	3.3%	
2	COMM HLTH CENTRE	954	280092.8	8.1%	
3	WALK-IN CLINIC	2937	2083622.7		60.2%

HCU_1A2: Kind of place

Value	Label	Cases	Weighted	Percentage (Weighted)
4	APPOINT CLINIC	495	146737.0	4.2%
5	TELEPHO H. LINE	66	28899.5	0.8%
6	EMERGENCY ROOM	1170	493431.5	14.3%
7	HOSP OUTPAT CLIN	303	85626.2	2.5%
8	OTHER	414	228798.1	6.6%
96	NOT APPLICABLE	54966	25985577.2	
97	DON'T KNOW	9	1680.5	
98	REFUSAL	1	63.6	
99	NOT STATED	128	41249.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHP_01: Overnight patient

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61654 / 29476372.41] [Invalid=53 / 14657.56]
Universe	All respondents
Literal question	In the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5887	2348916.5	8.0%
2	NO	55767	27127455.9	92.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	42	9409.4	
8	REFUSAL	11	5248.1	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG02: No. of nights as patient - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=61606 / 29464845.55] [Invalid=101 / 26184.42]

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31 NIGHTS OR +	315	100315.9	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	101	26184.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHP_03: Consulted fam. doctor/gen. practitioner

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61607 / 29448467.44] [Invalid=100 / 42562.53]
Universe	All respondents
Literal question	Have you seen, or talked to any of the following health professionals about your physical, emotional or mental health: ...a family doctor, PED or general practitioner?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	47475	22049584.9	74.9%
2	NO	14132	7398882.6	25.1%
6	NOT APPLICABLE	0	0.0	

CHP_03: Consulted fam. doctor/gen. practitioner

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	83	35872.3	
8	REFUSAL	6	1442.1	
9	NOT STATED	11	5248.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG04: No. of consult. - family doctor - (G)

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=61145 / 29293466.63] [Invalid=562 / 197563.34]

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31+ CONSULTATION	152	77480.3	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	562	197563.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG05: Where was most recent contact - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=47407 / 22022655.74] [Invalid=14300 / 7468374.23]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	37472	17363140.8	78.8%
2	HOSP EMERG ROOM	1439	558860.4	2.5%
3	HOSP OUTPAT CLIN	1162	408160.6	1.9%
4	WALK-IN CLINIC	2964	1888851.4	8.6%
5	APPOINT CLINIC	2836	1220650.9	5.5%
6	COMM HLTH CENTRE	889	314777.0	1.4%
7	WORK/SCHOOL/OTH	337	157075.2	0.7%
8	AT HOME	176	60529.6	0.3%
9	TEL CONSULT ONLY	132	50609.8	0.2%
96	NOT APPLICABLE	14132	7398882.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	168	69491.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHP_06: Consulted with eye specialist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61564 / 29427667.79] [Invalid=143 / 63362.18]
Universe	All respondents
Literal question	(Have you seen, or talked to:) ...an eye specialist, such as an ophthalmologist or optometrist (about your physical, emotional or mental health)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27271	11778307.5	40.0%
2	NO	34293	17649360.3	60.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	128	57302.5	

CHP_06: Consulted with eye specialist

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	4	811.6	
9	NOT STATED	11	5248.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG07: No. of consult. - eye specialist - (G)

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=61503 / 29407478.26] [Invalid=204 / 83551.71]

Value	Label	Cases	Weighted	Percentage (Weighted)	
0		34293	17649360.3		60.0%
1		21312	9496665.8		32.3%
2		3597	1411328.6		4.8%
3		992	400006.1		1.4%
4		580	206657.9		0.7%
5		222	73767.7		0.3%
6		206	74469.1		0.3%
7		53	15066.6		0.1%
8		70	21044.1		0.1%
9		20	4591.8		0.0%
10		56	20930.6		0.1%
11		5	1208.1		0.0%
12	12+ CONSULTATION	97	32381.5		0.1%
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	204	83551.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHP_08: Consulted with other medical doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61618 / 29454621.61] [Invalid=89 / 36408.36]
Universe	All respondents
Literal question	(Have you seen, or talked to:) ...any other medical doctor or specialist such as a surgeon, allergist, orthopaedist, doctor or psychiatrist (about your physical, emotional or mental health)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	20143	9100125.4		30.9%
2	NO	41475	20354496.2		69.1%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	69	20543.8		
8	REFUSAL	9	10616.5		
9	NOT STATED	11	5248.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG09: No. of consult. - other doctor - (G)

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=61494 / 29417085.8] [Invalid=213 / 73944.17]

CHPG09: No. of consult. - other doctor - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
0		41475	20354496.2	69.2%
1		7973	3735120.5	12.7%
2		4634	1950956.2	6.6%
3		2278	1071318.0	3.6%
4		1584	681394.4	2.3%
5		716	307754.6	1.0%
6		691	304972.4	1.0%
7		232	107078.5	0.4%
8		263	120048.2	0.4%
9		89	49990.2	0.2%
10		329	151636.0	0.5%
11		41	20141.8	0.1%
12	12+ CONSULTATION	1189	562178.9	1.9%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	213	73944.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG10: Where was most recent contact - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=20101 / 9087758.88] [Invalid=41606 / 20403271.09]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	11399	5317364.2	58.5%
2	HOSP EMERG ROOM	751	349997.6	3.9%
3	HOSP OUTPAT CLIN	5162	2177688.9	24.0%
4	WALK-IN CLINIC	196	108651.6	1.2%
5	APPOINT CLINIC	1685	736364.9	8.1%
6	COMM HLTH CENTRE	269	118218.2	1.3%
7	WORK/SCHOOL/OTH	525	231787.3	2.6%
8	AT HOME	41	16101.2	0.2%
9	TEL CONSULT ONLY	73	31584.9	0.3%
96	NOT APPLICABLE	41475	20354496.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	131	48774.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHP_11: Consulted with nurse

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61623 / 29462843.62] [Invalid=84 / 28186.35]
Universe	All respondents
Literal question	(Have you seen, or talked to:) ...a nurse for care or advice about your physical, emotional or mental health?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8691	3588171.1	12.2%

CHP_11: Consulted with nurse

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	52932	25874672.5	87.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	69	22065.9	
8	REFUSAL	4	872.3	
9	NOT STATED	11	5248.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG12: No. of consult. - nurse - (G)

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=61404 / 29397036.7] [Invalid=303 / 93993.27]

Value	Label	Cases	Weighted	Percentage (Weighted)
0		52932	25874672.5	88.0%
1		3175	1527821.2	5.2%
2		1734	681775.9	2.3%
3		896	347607.5	1.2%
4		643	268972.4	0.9%
5		312	111460.4	0.4%
6		331	105369.6	0.4%
7		70	21041.3	0.1%
8		92	33341.4	0.1%
9		26	9742.5	0.0%
10		198	85198.4	0.3%
11		9	2362.4	0.0%
12	12+ CONSULTATION	986	327671.1	1.1%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	303	93993.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG13: Where was most recent contact - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=8653 / 3577941.26] [Invalid=53054 / 25913088.71]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	1457	607399.8	17.0%
2	HOSP EMERG ROOM	875	386097.8	10.8%
3	HOSP OUTPAT CLIN	1052	414769.0	11.6%
4	WALK-IN CLINIC	402	223305.6	6.2%
5	APPOINT CLINIC	677	245187.3	6.9%
6	COMM HLTH CENTRE	1188	429313.6	12.0%
7	WORK/SCHOOL/OTH	858	395320.3	11.0%
8	AT HOME	1238	437915.9	12.2%
9	TEL CONSULT ONLY	906	438632.0	12.3%
96	NOT APPLICABLE	52932	25874672.5	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	

CHPG13: Where was most recent contact - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
99	NOT STATED	122	38416.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHP_14: Consulted with dentist or orthodontist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61635 / 29465875.65] [Invalid=72 / 25154.32]
Universe	All respondents
Literal question	(Have you seen, or talked to:) ...a dentist, dental hygienist or orthodontist (about your physical, emotional or mental health)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	38899	19350597.2	65.7%
2	NO	22736	10115278.5	34.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	55	14062.6	
8	REFUSAL	6	5843.6	
9	NOT STATED	11	5248.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPG15: No. of consult. - dentist/orthod. - (G)

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=61419 / 29381646.95] [Invalid=288 / 109383.02]

Value	Label	Cases	Weighted	Percentage (Weighted)
0		22736	10115278.5	34.4%
1		15926	7889525.7	26.9%
2		13768	6935925.0	23.6%
3		4249	2111725.4	7.2%
4		2315	1141812.4	3.9%
5		739	372555.4	1.3%
6		574	275336.6	0.9%
7		173	80802.1	0.3%
8		221	108934.7	0.4%
9		52	21310.2	0.1%
10		189	84644.0	0.3%
11		23	13901.0	0.0%
12	12+ CONSULTATION	454	229896.0	0.8%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	288	109383.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CHPGMDC: No. of consult. w/medical doctor (D,G)

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=60994 / 29239513.05] [Invalid=713 / 251516.92]

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31+ CONSULTATION	533	260787.3	100.0%
96	NOT APPLICABLE	0	0.0	

CHPGMDC: No. of consult. w/medical doctor (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	713	251516.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOUCN: Module: UCN - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=31008 / 16285155.2] [Invalid=30699 / 13205874.77]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	31008	16285155.2	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	30699	13205874.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_010: Unmet health care needs - self-perceived

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30948 / 16258902.62] [Invalid=30759 / 13232127.35]
Universe	DOUCN = 1

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3281	1685747.0	10.4%
2	NO	27667	14573155.6	89.6%
6	NOT APPLICABLE	30699	13205874.8	
7	DON'T KNOW	52	24835.0	
8	REFUSAL	8	1417.6	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020A: Care not rec'd - not avail. in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3273 / 1682684.74] [Invalid=58434 / 27808345.23]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Thinking of the most recent time, why didn't you get care? - Not available - in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	288	117179.5	7.0%
2	NO	2985	1565505.2	93.0%
6	NOT APPLICABLE	58366	27779030.4	
7	DON'T KNOW	8	3062.3	
8	REFUSAL	0	0.0	
9	NOT STATED	60	26252.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020B: Care not rec'd - not avail. time req'd

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3273 / 1682684.74] [Invalid=58434 / 27808345.23]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Thinking of the most recent time, why didn't you get care? - Not available - at time required (e.g. doctor on holidays, inconvenient hours)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	490	258587.3	15.4%	
2	NO	2783	1424097.5		84.6%
6	NOT APPLICABLE	58366	27779030.4		
7	DON'T KNOW	8	3062.3		
8	REFUSAL	0	0.0		
9	NOT STATED	60	26252.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020C: Care not rec'd - wait too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3273 / 1682684.74] [Invalid=58434 / 27808345.23]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Thinking of the most recent time, why didn't you get care? - Waiting time too long

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1065	507217.4	30.1%	
2	NO	2208	1175467.4		69.9%
6	NOT APPLICABLE	58366	27779030.4		
7	DON'T KNOW	8	3062.3		
8	REFUSAL	0	0.0		
9	NOT STATED	60	26252.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020D: Care not rec'd - felt be inadequate

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3273 / 1682684.74] [Invalid=58434 / 27808345.23]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Thinking of the most recent time, why didn't you get care? - Felt would be inadequate

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	165	88267.7	5.2%	
2	NO	3108	1594417.0		94.8%
6	NOT APPLICABLE	58366	27779030.4		
7	DON'T KNOW	8	3062.3		
8	REFUSAL	0	0.0		
9	NOT STATED	60	26252.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020E: Care not rec'd - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3273 / 1682684.74] [Invalid=58434 / 27808345.23]
Universe	DOUCN = 1 and UCN_010 = 1

UCN_020E: Care not rec'd - cost

| Literal question | Thinking of the most recent time, why didn't you get care? - Cost | | | |

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	389	225561.2	13.4%
2	NO	2884	1457123.5	86.6%
6	NOT APPLICABLE	58366	27779030.4	
7	DON'T KNOW	8	3062.3	
8	REFUSAL	0	0.0	
9	NOT STATED	60	26252.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020F: Care not rec'd - too busy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3273 / 1682684.74] [Invalid=58434 / 27808345.23]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Thinking of the most recent time, why didn't you get care? - Too busy			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	173	104769.6	6.2%
2	NO	3100	1577915.2	93.8%
6	NOT APPLICABLE	58366	27779030.4	
7	DON'T KNOW	8	3062.3	
8	REFUSAL	0	0.0	
9	NOT STATED	60	26252.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020G: Care not rec'd - didn't get around it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3273 / 1682684.74] [Invalid=58434 / 27808345.23]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Thinking of the most recent time, why didn't you get care? - Didn't get around to it / didn't bother			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	181	123940.1	7.4%
2	NO	3092	1558744.6	92.6%
6	NOT APPLICABLE	58366	27779030.4	
7	DON'T KNOW	8	3062.3	
8	REFUSAL	0	0.0	
9	NOT STATED	60	26252.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020H: Care not rec'd - decided not seek care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3273 / 1682684.74] [Invalid=58434 / 27808345.23]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Thinking of the most recent time, why didn't you get care? - Decided not to seek care			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	236	121121.6	7.2%
2	NO	3037	1561563.1	92.8%

UCN_020H: Care not rec'd - decided not seek care

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	58366	27779030.4	
7	DON'T KNOW	8	3062.3	
8	REFUSAL	0	0.0	
9	NOT STATED	60	26252.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020I: Care not rec'd - doctor think not nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3273 / 1682684.74] [Invalid=58434 / 27808345.23]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Thinking of the most recent time, why didn't you get care? - Doctor - didn't think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	234	115070.3	6.8%
2	NO	3039	1567614.5	93.2%
6	NOT APPLICABLE	58366	27779030.4	
7	DON'T KNOW	8	3062.3	
8	REFUSAL	0	0.0	
9	NOT STATED	60	26252.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_020J: Care not rec'd - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3273 / 1682684.74] [Invalid=58434 / 27808345.23]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Thinking of the most recent time, why didn't you get care? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	914	445091.1	26.5%
2	NO	2359	1237593.6	73.5%
6	NOT APPLICABLE	58366	27779030.4	
7	DON'T KNOW	8	3062.3	
8	REFUSAL	0	0.0	
9	NOT STATED	60	26252.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_030A: Type care not rec'd - physical hlth prob

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3265 / 1679303.39] [Invalid=58442 / 27811726.58]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - a physical health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2166	1108880.1	66.0%
2	NO	1099	570423.3	34.0%
6	NOT APPLICABLE	58366	27779030.4	
7	DON'T KNOW	13	5575.6	

UCN_030A: Type care not rec'd - physical hlth prob

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	3	868.1	
9	NOT STATED	60	26252.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_030B: Type care not rec'd - emotional problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3265 / 1679303.39] [Invalid=58442 / 27811726.58]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - an emotional or mental health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	320	168873.3	10.1%
2	NO	2945	1510430.1	89.9%
6	NOT APPLICABLE	58366	27779030.4	
7	DON'T KNOW	13	5575.6	
8	REFUSAL	3	868.1	
9	NOT STATED	60	26252.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_030C: Type care not rec'd - regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3265 / 1679303.39] [Invalid=58442 / 27811726.58]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including regular pre-natal care)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	245	142831.1	8.5%
2	NO	3020	1536472.3	91.5%
6	NOT APPLICABLE	58366	27779030.4	
7	DON'T KNOW	13	5575.6	
8	REFUSAL	3	868.1	
9	NOT STATED	60	26252.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_030D: Type care not rec'd - care of injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3265 / 1679303.39] [Invalid=58442 / 27811726.58]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	291	172496.4	10.3%
2	NO	2974	1506807.0	89.7%
6	NOT APPLICABLE	58366	27779030.4	
7	DON'T KNOW	13	5575.6	
8	REFUSAL	3	868.1	
9	NOT STATED	60	26252.6	

UCN_030D: Type care not rec'd - care of injury

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_030E: Type care not rec'd - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3265 / 1679303.39] [Invalid=58442 / 27811726.58]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Other
Post-question	Specify.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	522	244334.5		14.5%
2	NO	2743	1434968.9		85.5%
6	NOT APPLICABLE	58366	27779030.4		
7	DON'T KNOW	13	5575.6		
8	REFUSAL	3	868.1		
9	NOT STATED	60	26252.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_040A: Tried get serv. - doctor's office

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3219 / 1647049.1] [Invalid=58488 / 27843980.87]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Where did you try to get the service you were seeking? - Doctor's office

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1544	778963.5		47.3%
2	NO	1675	868085.6		52.7%
6	NOT APPLICABLE	58366	27779030.4		
7	DON'T KNOW	50	32137.7		
8	REFUSAL	12	6560.2		
9	NOT STATED	60	26252.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_040B: Tried get serv. - comm. hlth centre/CLSC

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3219 / 1647049.1] [Invalid=58488 / 27843980.87]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Where did you try to get the service you were seeking? - Community health centre / CLSC

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	113	52228.6		3.2%
2	NO	3106	1594820.5		96.8%
6	NOT APPLICABLE	58366	27779030.4		
7	DON'T KNOW	50	32137.7		
8	REFUSAL	12	6560.2		
9	NOT STATED	60	26252.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_040C: Tried get serv. - walk-in clinic

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

UCN_040C: Tried get serv. - walk-in clinic

Statistics [NW/ W]	[Valid=3219 / 1647049.1] [Invalid=58488 / 27843980.87]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Where did you try to get the service you were seeking? - Walk-in clinic

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	333	199623.7		12.1%
2	NO	2886	1447425.4		87.9%
6	NOT APPLICABLE	58366	27779030.4		
7	DON'T KNOW	50	32137.7		
8	REFUSAL	12	6560.2		
9	NOT STATED	60	26252.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_040D: Tried get serv. - appointment clinic

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3219 / 1647049.1] [Invalid=58488 / 27843980.87]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Where did you try to get the service you were seeking? - Appointment clinic

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	114	49130.8		3.0%
2	NO	3105	1597918.3		97.0%
6	NOT APPLICABLE	58366	27779030.4		
7	DON'T KNOW	50	32137.7		
8	REFUSAL	12	6560.2		
9	NOT STATED	60	26252.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_040E: Tried get serv. - hospital emergency

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3219 / 1647049.1] [Invalid=58488 / 27843980.87]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Where did you try to get the service you were seeking? - Hospital - emergency room

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	521	231652.1		14.1%
2	NO	2698	1415397.0		85.9%
6	NOT APPLICABLE	58366	27779030.4		
7	DON'T KNOW	50	32137.7		
8	REFUSAL	12	6560.2		
9	NOT STATED	60	26252.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_040F: Tried get serv. - hsp. outpatient clinic

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3219 / 1647049.1] [Invalid=58488 / 27843980.87]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Where did you try to get the service you were seeking? - Hospital - outpatient clinic

UCN_040F: Tried get serv. - hsp. outpatient clinic

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	235	108631.4		6.6%
2	NO	2984	1538417.7		93.4%
6	NOT APPLICABLE	58366	27779030.4		
7	DON'T KNOW	50	32137.7		
8	REFUSAL	12	6560.2		
9	NOT STATED	60	26252.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UCN_040G: Tried get serv. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3219 / 1647049.1] [Invalid=58488 / 27843980.87]
Universe	DOUCN = 1 and UCN_010 = 1
Literal question	Where did you try to get the service you were seeking? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	731	422177.2		25.6%
2	NO	2488	1224872.0		74.4%
6	NOT APPLICABLE	58366	27779030.4		
7	DON'T KNOW	50	32137.7		
8	REFUSAL	12	6560.2		
9	NOT STATED	60	26252.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOPAS: Module: PAS - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=883 / 125627.41] [Invalid=60824 / 29365402.56]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	883	125627.4		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	60824	29365402.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_11: Rec'd health care services

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=826 / 118255.56] [Invalid=60881 / 29372774.41]
Universe	Respondents aged 15 and over with DOPAS = 1 who answered chp_01 = (2, 7, 8) and all variables from chp_03 to chp_24 = (2, 7,8)
Literal question	In the past 12 months, have you received any health care services?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	789	111473.5		94.3%
2	NO	37	6782.0		5.7%
6	NOT APPLICABLE	60862	29370437.7		

PAS_11: Rec'd health care services

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	19	2336.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_12: Rating of quality of care rec'd

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=782 / 111158.78] [Invalid=60925 / 29379871.19]
Universe	Respondents with DOPAS = 1 who answered PAS_11 = (1, 7, 8) or chp_01 = (1, 7, 8) or at least one of chp_03 to chp_24 = (1, 7,8)
Literal question	Overall, how would you rate the quality of the health care you received? Would you say it was:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	329	47023.2	42.3%
2	GOOD	372	51332.0	46.2%
3	FAIR	63	10212.8	9.2%
4	POOR	18	2590.8	2.3%
6	NOT APPLICABLE	60899	29377219.8	
7	DON'T KNOW	7	314.7	
8	REFUSAL	0	0.0	
9	NOT STATED	19	2336.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_13: Satisfaction with way care provided

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=780 / 110427.92] [Invalid=60927 / 29380602.05]
Universe	Respondents with DOPAS = 1 who answered PAS_11 = (1, 7, 8) or chp_01 = (1, 7, 8) or at least one of chp_03 to chp_24 = (1, 7,8)
Literal question	Overall, how satisfied were you with the way health care services were provided? Were you:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	387	55852.5	50.6%
2	SOMEWAT SAT.	295	40438.7	36.6%
3	NEITHER	27	3871.5	3.5%
4	SOMEWHAT DISSAT.	44	6133.6	5.6%
5	VERY DISSAT.	27	4131.7	3.7%
6	NOT APPLICABLE	60899	29377219.8	
7	DON'T KNOW	9	1045.6	
8	REFUSAL	0	0.0	
9	NOT STATED	19	2336.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_21A: Rec'd health care services at hospital

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=788 / 111441.98] [Invalid=60919 / 29379587.99]
Universe	Respondents with DOPAS = 1 who answered PAS_11 = (1, 7, 8) or chp_01 = (1, 7, 8) or at least one of chp_03 to chp_24 = (1, 7,8)
Literal question	In the past 12 months, have you received any health care services at a hospital, for any diagnostic or day surgery service, overnight stay, or as an emergency room patient?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	276	40582.1	36.4%
2	NO	512	70859.9	63.6%
6	NOT APPLICABLE	60899	29377219.8	
7	DON'T KNOW	1	31.5	
8	REFUSAL	0	0.0	
9	NOT STATED	19	2336.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_21B: Type of patient - most recent visit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=276 / 40582.09] [Invalid=61431 / 29450447.88]
Universe	Respondents with DOPAS = 1 who answered PAS_21A = (1, 7, 8) or PAS_11 = (7, 8) or chp_01 = 8 or at least one of chp_03 to chp_24 = (1, 7,8)
Literal question	Thinking of your most recent hospital visit, were you:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ADMTED OVERNIGHT	51	7716.0	19.0%
2	OUTPATIENT	145	22039.5	54.3%
3	ER PATIENT	80	10826.6	26.7%
6	NOT APPLICABLE	61411	29448079.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	2368.2	

PAS_21B: Type of patient - most recent visit

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_22: Rating quality care rec'd - hospital

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=275 / 40552.17] [Invalid=61432 / 29450477.8]
Universe	Respondents with DOPAS = 1 who answered PAS_21A = (1, 7, 8) or PAS_11 = (7, 8) or chp_01 = 8 or at least one of chp_03 to chp_24 = (1, 7,8)
Literal question	(Thinking of this most recent hospital visit:) ...how would you rate the quality of the care you received? Would you say it was:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	164	26819.8	66.1%
2	GOOD	83	10991.9	27.1%
3	FAIR	22	2090.6	5.2%
4	POOR	6	649.8	1.6%
6	NOT APPLICABLE	61411	29448079.7	
7	DON'T KNOW	1	29.9	
8	REFUSAL	0	0.0	
9	NOT STATED	20	2368.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_23: Satisfaction w/way care provided - hosp.

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=276 / 40582.09] [Invalid=61431 / 29450447.88]
Universe	Respondents with DOPAS = 1 who answered PAS_21A = (1, 7, 8) or PAS_11 = (7, 8) or chp_01 = 8 or at least one of chp_03 to chp_24 = (1, 7,8)
Literal question	(Thinking of this most recent hospital visit:) ...how satisfied were you with the way hospital services were provided? Were you:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	172	27619.0	68.1%
2	SOMEWAT SAT.	74	8101.1	20.0%
3	NEITHER	4	573.6	1.4%
4	SOMEWHAT DISSAT.	14	2084.0	5.1%
5	VERY DISSAT.	12	2204.4	5.4%
6	NOT APPLICABLE	61411	29448079.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	2368.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_31A: Rec'd physician care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=789 / 111473.52] [Invalid=60918 / 29379556.45]
Universe	Respondents with DOPAS = 1 who answered PAS_11 = (1, 7, 8) or chp_01 = (1, 7, 8) or at least one of chp_03 to chp_24 = (1, 7,8)
Literal question	In the past 12 months, not counting hospital visits, have you received any health care services from a family doctor or other physician?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	503	69797.4	62.6%

PAS_31A: Rec'd physician care

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	286	41676.1	37.4%
6	NOT APPLICABLE	60899	29377219.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	19	2336.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_31B: Type of physician - most recent care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=502 / 69690.57] [Invalid=61205 / 29421339.4]
Universe	Respondents with DOPAS = 1 who answered PAS_31A = (1, 7, 8) or PAS_11 = (7, 8) or chp_01 = 8 or at least one of chp_03 to chp_24 = (1, 7,8)
Literal question	Thinking of the most recent time, was care provided by:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FAMILY DOCTOR	431	58440.6	83.9%
2	SPECIALIST	71	11250.0	16.1%
6	NOT APPLICABLE	61185	29418895.9	
7	DON'T KNOW	1	106.8	
8	REFUSAL	0	0.0	
9	NOT STATED	19	2336.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_32: Rating of quality of care rec'd - phy.

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=502 / 69690.57] [Invalid=61205 / 29421339.4]
Universe	Respondents with DOPAS = 1 who answered PAS_31A = (1, 7, 8) or PAS_11 = (7, 8) or chp_01 = 8 or at least one of chp_03 to chp_24 = (1, 7,8)
Literal question	(Thinking of this most recent care from a physician:) ...how would you rate the quality of the care you received? Would you say it was:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	302	41770.0	59.9%
2	GOOD	170	22771.4	32.7%
3	FAIR	25	3828.9	5.5%
4	POOR	5	1320.3	1.9%
6	NOT APPLICABLE	61185	29418895.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	20	2443.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAS_33: Satisfaction w/way care provided - phy.

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=500 / 69076.45] [Invalid=61207 / 29421953.52]
Universe	Respondents with DOPAS = 1 who answered PAS_31A = (1, 7, 8) or PAS_31B (7, 8) or PAS_11 = (7, 8) or chp_01 = 8 or at least one of chp_03 to chp_24 = (1, 7,8)
Literal question	(Thinking of this most recent care from a physician:) ...how satisfied were you with the way physician care was provided? Were you:

PAS_33: Satisfaction w/way care provided - phy.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	VERY SATISFIED	341	44829.8		64.9%
2	SOMEWAT SAT.	128	19483.4		28.2%
3	NEITHER	12	1128.5		1.6%
4	SOMEWHAT DISSAT.	13	2194.8		3.2%
5	VERY DISSAT.	6	1440.1		2.1%
6	NOT APPLICABLE	61185	29418895.9		
7	DON'T KNOW	2	614.1		
8	REFUSAL	0	0.0		
9	NOT STATED	20	2443.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOPSC: Module: PSC - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=29657 / 15601535.92] [Invalid=32050 / 13889494.05]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	29657	15601535.9		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	32050	13889494.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSC_1: Received any community-based care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26899 / 14178194.21] [Invalid=34808 / 15312835.76]
Universe	Respondents aged 15 and over with DOPSC = 1 who answered PAS_11 = (1, 7, 8) or CHP_01 = (1, 7, 8) or at least one of CHP_03 to CHP_15 in (1, 7, 8) or CP2_16 to CP2_24 = (1, 7, 8) and DOPAS = 1
Literal question	In the past 12 months, have you received any community-based care?
Notes	Due to an error in the interview application used to collect the data, some data were not collected from January 2012 to June 2012. All PSC questions were skipped for some respondents.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6061	3609987.8		25.5%
2	NO	20838	10568206.4		74.5%
6	NOT APPLICABLE	33282	14510442.8		
7	DON'T KNOW	40	15557.7		
8	REFUSAL	9	1841.6		
9	NOT STATED	1477	784993.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSC_2: How rate quality of com.-based received

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=6042 / 3601762.21] [Invalid=55665 / 25889267.76]
Universe	Respondents aged 15 and over with DOPSC = 1 who answered (PSC_1 = (1, 7 or 8) or PAS_11 = (7 or 8) or (chp_01 = 8 and DOPAS = 1)

PSC_2: How rate quality of com.-based received

Literal question	Overall, how would you rate the quality of the community-based care you received? Would you say it was:
Notes	Due to an error in the interview application used to collect the data, some data were not collected from January 2012 to June 2012. All PSC questions were skipped for some respondents.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	2422	1181506.4	32.8%
2	GOOD	2514	1642093.6	45.6%
3	FAIR	793	568544.4	15.8%
4	POOR	313	209617.7	5.8%
6	NOT APPLICABLE	54120	25078649.2	
7	DON'T KNOW	18	8016.5	
8	REFUSAL	1	209.0	
9	NOT STATED	1526	802393.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSC_3: Satisf.the way com.-based care provided

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6035 / 3594122.48] [Invalid=55672 / 25896907.49]
Universe	Respondents aged 15 and over with DOPSC = 1 who answered (PSC_1 = (1, 7 or 8) or PAS_11 = (7 or 8) or (CHP_01 = 8 and DOPAS = 1)
Literal question	Overall, how satisfied were you with the way community-based care was provided? Were you:
Notes	Due to an error in the interview application used to collect the data, some data were not collected from January 2012 to June 2012. All PSC questions were skipped for some respondents.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	3008	1520854.0	42.3%
2	SOMEWAT SAT.	1982	1347248.7	37.5%
3	NEITHER	439	326829.8	9.1%
4	SOMEWHAT DISSAT.	413	293016.1	8.2%
5	VERY DISSAT.	193	106173.8	3.0%
6	NOT APPLICABLE	54120	25078649.2	
7	DON'T KNOW	26	15865.3	
8	REFUSAL	0	0.0	
9	NOT STATED	1526	802393.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RAC_1: Has difficulty with activities

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=61577 / 29461290.45] [Invalid=130 / 29739.52]
Universe	All respondents
Literal question	Do you have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	11180	4616856.7	15.7%
2	OFTEN	9319	3327917.8	11.3%
3	NEVER	41078	21516516.0	73.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	114	25916.5	
8	REFUSAL	16	3823.0	

RAC_1: Has difficulty with activities

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RAC_2A: Reduction kind/amount activities - home

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=61547 / 29451878.3] [Invalid=160 / 39151.67]
Universe	All respondents
Literal question	Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do: ... at home?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	9189	3883523.6	13.2%
2	OFTEN	5939	2143968.3	7.3%
3	NEVER	46419	23424386.4	79.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	141	33139.2	
8	REFUSAL	3	2189.4	
9	NOT STATED	16	3823.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RAC_2B1: Reduction kind/amount activities- school

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=61662 / 29471938.33] [Invalid=45 / 19091.64]
Universe	All respondents
Literal question	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do:) ... at school?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	852	432292.2	1.5%
2	OFTEN	366	180458.7	0.6%
3	NEVER	12048	6598969.1	22.4%
4	NOT AT SCHOOL	48396	22260218.3	75.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	25	12707.6	
8	REFUSAL	1	371.6	
9	NOT STATED	19	6012.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RAC_2B2: Reduction kind/amount act. - at work

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=61624 / 29462345.97] [Invalid=83 / 28684]
Universe	All respondents
Literal question	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do:) ... at work?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	4180	2124099.5	7.2%
2	OFTEN	1603	743703.7	2.5%
3	NEVER	30490	17163848.8	58.3%

RAC_2B2: Reduction kind/amount act. - at work

Value	Label	Cases	Weighted	Percentage (Weighted)
4	HAS NO JOB	25351	9430694.0	32.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	59	21238.4	
8	REFUSAL	4	1061.5	
9	NOT STATED	20	6384.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RAC_2C: Reduction kind/amount act. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=61445 / 29418004.75] [Invalid=262 / 73025.22]
Universe	All respondents
Literal question	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do:) ... in other activities, for example, transportation or leisure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	7704	3449935.6	11.7%
2	OFTEN	5706	2223362.0	7.6%
3	NEVER	48035	23744707.2	80.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	229	64200.1	
8	REFUSAL	9	1379.5	
9	NOT STATED	24	7445.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACG5: Cause of health problem - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=24141 / 9771760.15] [Invalid=37566 / 19719269.82]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	INJURY	4613	2079052.1	21.3%
2	DISEASE OR ILLNE	6792	2631854.5	26.9%
3	AGEING	5962	2057293.7	21.1%
4	EXISTED AT BIRTH	2285	985321.7	10.1%
5	WORK CONDITIONS	2289	945152.5	9.7%
6	OTHER	2200	1073085.8	11.0%
96	NOT APPLICABLE	36852	19472569.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	714	246700.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACDIMP: Impact of health problems - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=61501 / 29439053.38] [Invalid=206 / 51976.59]
Universe	All respondents
Notes	Based on RAC_2A, RAC_2B1, RAC_2B2, RAC_2C. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	10802	4757691.6	16.2%

RACDIMP: Impact of health problems - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
2	OFTEN	8310	3109169.0	10.6%
3	NEVER	42389	21572192.9	73.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	206	51976.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RACDPAL: Participation and activity limit. - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=61228 / 29371239.75] [Invalid=479 / 119790.22]
Universe	All respondents
Notes	Based on RAC_1, RAC_2A, RAC_2B1, RAC_2B2, RAC_2C. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	12701	5585283.2	19.0%
2	OFTEN	11675	4313386.9	14.7%
3	NEVER	36852	19472569.7	66.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	479	119790.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOADL: Content module - ADL (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23022 / 11966022.16] [Invalid=38685 / 17525007.81]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23022	11966022.2	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	38685	17525007.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADL_01: Needs help - preparing meals

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23008 / 11955536.25] [Invalid=38699 / 17535493.72]
Universe	All respondents
Literal question	Because of any physical condition or mental condition or health problem, do you need the help of another person: ... with preparing meals?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	976	439236.4	3.7%
2	NO	22032	11516299.8	96.3%
6	NOT APPLICABLE	38685	17525007.8	
7	DON'T KNOW	12	4378.0	

ADL_01: Needs help - preparing meals

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	2	6108.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADL_02: Needs help - getting to appointments

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23007 / 11958235.46] [Invalid=38700 / 17532794.51]
Universe	All respondents
Literal question	Because of any physical condition or mental condition or health problem, do you need the help of another person: ... with getting to appointments and running errands such as shopping for groceries?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2074	798603.7	6.7%
2	NO	20933	11159631.7	93.3%
6	NOT APPLICABLE	38685	17525007.8	
7	DON'T KNOW	14	5911.6	
8	REFUSAL	1	1875.1	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADL_03: Needs help - doing housework

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23002 / 11957847.6] [Invalid=38705 / 17533182.37]
Universe	All respondents
Literal question	Because of any physical condition or mental condition or health problem, do you need the help of another person: ... with doing everyday housework?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2160	812189.0	6.8%
2	NO	20842	11145658.6	93.2%
6	NOT APPLICABLE	38685	17525007.8	
7	DON'T KNOW	19	6299.4	
8	REFUSAL	1	1875.1	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADL_04: Needs help - personal care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23016 / 11961739.13] [Invalid=38691 / 17529290.84]
Universe	All respondents
Literal question	Because of any physical condition or mental condition or health problem, do you need the help of another person: ... with personal care such as washing, dressing, eating or taking medication?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	735	286535.0	2.4%
2	NO	22281	11675204.1	97.6%
6	NOT APPLICABLE	38685	17525007.8	
7	DON'T KNOW	4	2337.6	
8	REFUSAL	2	1945.4	

ADL_04: Needs help - personal care

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADL_05: Needs help - moving about inside house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23014 / 11961182.35] [Invalid=38693 / 17529847.62]
Universe	All respondents
Literal question	Because of any physical condition or mental condition or health problem, do you need the help of another person: ... with moving about inside the house?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	429	182270.0	1.5%
2	NO	22585	11778912.4	98.5%
6	NOT APPLICABLE	38685	17525007.8	
7	DON'T KNOW	7	2964.7	
8	REFUSAL	1	1875.1	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADL_06: Needs help - looking after finances

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22972 / 11945434.37] [Invalid=38735 / 17545595.6]
Universe	All respondents
Literal question	Because of any physical condition or mental condition or health problem, do you need the help of another person: ... with looking after YOUR personal finances such as making bank transactions or paying bills?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	923	356090.5	3.0%
2	NO	22049	11589343.8	97.0%
6	NOT APPLICABLE	38685	17525007.8	
7	DON'T KNOW	44	15954.7	
8	REFUSAL	6	4633.1	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADLF6R: Help needed for tasks - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22968 / 11943934.66] [Invalid=38739 / 17547095.31]
Universe	All respondents
Notes	Based on ADL_01, ADL_02, ADL_03, ADL_04, ADL_05, ADL_06. Prior to 2009, ADLF6R was called RACF6R and was a part of the Restriction of Activities (RAC) module. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3232	1210427.9	10.1%
2	NO	19736	10733506.8	89.9%
6	NOT APPLICABLE	38685	17525007.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	54	22087.5	

ADLF6R: Help needed for tasks - (F)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_160: Ever had a flu shot

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60009 / 28770818.93] [Invalid=1698 / 720211.04]
Universe	All respondents
Literal question	Have you ever had a seasonal flu shot?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	38356	16836989.2	58.5%
2	NO	21653	11933829.7	41.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	280	161303.6	
8	REFUSAL	8	3449.2	
9	NOT STATED	1410	555458.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_162: Had flu shot - last time

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=38105 / 16742387.21] [Invalid=23602 / 12748642.76]
Universe	Respondents who answered FLU_160 = (1, 7 or 8)
Literal question	When did you have your last seasonal flu shot?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	21492	8288506.4	49.5%
2	1 TO < 2 YEARS	5101	2538365.7	15.2%
3	2 YEARS OR MORE	11512	5915515.0	35.3%
6	NOT APPLICABLE	21653	11933829.7	
7	DON'T KNOW	246	91525.3	
8	REFUSAL	5	3076.7	
9	NOT STATED	1698	720211.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_164: Had flu shot - which month

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=20213 / 7862122.81] [Invalid=41494 / 21628907.16]
Universe	Respondents who answered FLU_162 = (1, 7, 8) or FLU_160 = (7 or 8).
Literal question	In which month did you have your last seasonal flu shot?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	356	186825.4	2.4%
2	FEBRUARY	176	97246.0	1.2%
3	MARCH	141	87590.5	1.1%
4	APRIL	82	33159.2	0.4%
5	MAY	45	20254.8	0.3%
6	JUNE	26	18850.4	0.2%
7	JULY	37	23390.2	0.3%
8	AUGUST	68	34297.6	0.4%
9	SEPTEMBER	678	274984.2	3.5%

FLU_164: Had flu shot - which month

Value	Label	Cases	Weighted	Percentage (Weighted)
10	OCTOBER	8266	2829428.6	36.0%
11	NOVEMBER	9420	3830811.5	48.7%
12	DECEMBER	918	425284.3	5.4%
96	NOT APPLICABLE	38266	20387710.5	
97	DON'T KNOW	1259	420731.3	
98	REFUSAL	20	5652.3	
99	NOT STATED	1949	814813.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_165: Had flu shot - current/last year

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2054 / 830897.75] [Invalid=59653 / 28660132.22]
Universe	Respondents who answered FLU_164 = (current month, 97, 98) or FLU_160 = (7 or 8) or FLU_162 = (7 or 8).
Literal question	Was that this year or last year?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	THIS YEAR	1015	424192.6	51.1%
2	LAST YEAR	1039	406705.2	48.9%
6	NOT APPLICABLE	56413	27417210.2	
7	DON'T KNOW	9	997.5	
8	REFUSAL	0	0.0	
9	NOT STATED	3231	1241924.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66A: No flu shot - have not gotten around it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37506 / 20067781.75] [Invalid=24201 / 9423248.22]
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5672	3101655.4	15.5%
2	NO	31834	16966126.4	84.5%
6	NOT APPLICABLE	21492	8288506.4	
7	DON'T KNOW	738	314354.8	
8	REFUSAL	22	5574.0	
9	NOT STATED	1949	814813.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66B: No flu shot - resp. didn't think nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37506 / 20067781.75] [Invalid=24201 / 9423248.22]
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26720	14670121.7	73.1%
2	NO	10786	5397660.0	26.9%

FLU_66B: No flu shot - resp. didn't think nec.

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	21492	8288506.4	
7	DON'T KNOW	738	314354.8	
8	REFUSAL	22	5574.0	
9	NOT STATED	1949	814813.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66C: No flu shot - doctor didn't think nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37506 / 20067781.75] [Invalid=24201 / 9423248.22]
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Doctor did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	690	329756.2	1.6%
2	NO	36816	19738025.6	98.4%
6	NOT APPLICABLE	21492	8288506.4	
7	DON'T KNOW	738	314354.8	
8	REFUSAL	22	5574.0	
9	NOT STATED	1949	814813.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66D: No flu shot - personal/family resp.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37506 / 20067781.75] [Invalid=24201 / 9423248.22]
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	210	100644.5	0.5%
2	NO	37296	19967137.2	99.5%
6	NOT APPLICABLE	21492	8288506.4	
7	DON'T KNOW	738	314354.8	
8	REFUSAL	22	5574.0	
9	NOT STATED	1949	814813.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66E: No flu shot - not available when req'd

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37506 / 20067781.75] [Invalid=24201 / 9423248.22]
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	402	195488.7	1.0%
2	NO	37104	19872293.0	99.0%
6	NOT APPLICABLE	21492	8288506.4	
7	DON'T KNOW	738	314354.8	
8	REFUSAL	22	5574.0	

FLU_66E: No flu shot - not available when req'd

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1949	814813.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66F: No flu shot - not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37506 / 20067781.75] [Invalid=24201 / 9423248.22]
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Not available at all in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	128	54852.5	0.3%
2	NO	37378	20012929.2	99.7%
6	NOT APPLICABLE	21492	8288506.4	
7	DON'T KNOW	738	314354.8	
8	REFUSAL	22	5574.0	
9	NOT STATED	1949	814813.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66G: No flu shot - waiting time was too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37506 / 20067781.75] [Invalid=24201 / 9423248.22]
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	89	66935.7	0.3%
2	NO	37417	20000846.1	99.7%
6	NOT APPLICABLE	21492	8288506.4	
7	DON'T KNOW	738	314354.8	
8	REFUSAL	22	5574.0	
9	NOT STATED	1949	814813.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66H: No flu shot - transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37506 / 20067781.75] [Invalid=24201 / 9423248.22]
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	72	34544.4	0.2%
2	NO	37434	20033237.3	99.8%
6	NOT APPLICABLE	21492	8288506.4	
7	DON'T KNOW	738	314354.8	
8	REFUSAL	22	5574.0	
9	NOT STATED	1949	814813.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66I: No flu shot - language problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37506 / 20067781.75] [Invalid=24201 / 9423248.22]
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4	3582.2	0.0%	
2	NO	37502	20064199.6		100.0%
6	NOT APPLICABLE	21492	8288506.4		
7	DON'T KNOW	738	314354.8		
8	REFUSAL	22	5574.0		
9	NOT STATED	1949	814813.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66J: No flu shot - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37506 / 20067781.75] [Invalid=24201 / 9423248.22]
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	115	79999.4	0.4%	
2	NO	37391	19987782.3		99.6%
6	NOT APPLICABLE	21492	8288506.4		
7	DON'T KNOW	738	314354.8		
8	REFUSAL	22	5574.0		
9	NOT STATED	1949	814813.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66K: No flu shot - did not know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37506 / 20067781.75] [Invalid=24201 / 9423248.22]
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	339	219576.1	1.1%	
2	NO	37167	19848205.7		98.9%
6	NOT APPLICABLE	21492	8288506.4		
7	DON'T KNOW	738	314354.8		
8	REFUSAL	22	5574.0		
9	NOT STATED	1949	814813.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66L: No flu shot - fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37506 / 20067781.75] [Invalid=24201 / 9423248.22]
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)

FLU_66L: No flu shot - fear

Literal question	What are the reasons that you have not had a flu shot in the past year? - Fear (e.g., painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1731	822064.0	4.1%	
2	NO	35775	19245717.8		95.9%
6	NOT APPLICABLE	21492	8288506.4		
7	DON'T KNOW	738	314354.8		
8	REFUSAL	22	5574.0		
9	NOT STATED	1949	814813.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66M: No flu shot - bad reaction to prev. shot

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37506 / 20067781.75] [Invalid=24201 / 9423248.22]
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Bad reaction to previous shot

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2778	1239947.6	6.2%	
2	NO	34728	18827834.2		93.8%
6	NOT APPLICABLE	21492	8288506.4		
7	DON'T KNOW	738	314354.8		
8	REFUSAL	22	5574.0		
9	NOT STATED	1949	814813.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66O: No flu shot - unable leave house/hlth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37506 / 20067781.75] [Invalid=24201 / 9423248.22]
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	88	31858.4	0.2%	
2	NO	37418	20035923.3		99.8%
6	NOT APPLICABLE	21492	8288506.4		
7	DON'T KNOW	738	314354.8		
8	REFUSAL	22	5574.0		
9	NOT STATED	1949	814813.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FLU_66N: No flu shot - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37506 / 20067781.75] [Invalid=24201 / 9423248.22]
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)
Literal question	What are the reasons that you have not had a flu shot in the past year? - Other

FLU_66N: No flu shot - other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	553	275651.8	1.4%	
2	NO	36953	19792130.0		98.6%
6	NOT APPLICABLE	21492	8288506.4		
7	DON'T KNOW	738	314354.8		
8	REFUSAL	22	5574.0		
9	NOT STATED	1949	814813.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOBLT: Theme module: Blood test - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	61707	29491030.0		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BLT_01: Blood test - ordered by a health profes.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=43165 / 18827928.1] [Invalid=18542 / 10663101.87]
Universe	Respondents aged 35 and over
Literal question	In the past 12 months, did a health professional order a blood test for you?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	30812	13082897.2		69.5%
2	NO	12353	5745030.9	30.5%	
6	NOT APPLICABLE	17252	10181376.4		
7	DON'T KNOW	213	64096.1		
8	REFUSAL	11	3623.9		
9	NOT STATED	1066	414005.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BLT_02A: Blood test - for assessment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30675 / 13050028.97] [Invalid=31032 / 16441001]
Universe	Respondents who answered BLT_01 = (1, 7 or 8)
Literal question	Why was your most recent blood test ordered? - For assessment as part of a general physical check-up

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	17686	8062554.4		61.8%
2	NO	12989	4987474.6		38.2%
6	NOT APPLICABLE	29605	15926407.3		
7	DON'T KNOW	128	29183.7		
8	REFUSAL	9	3684.5		
9	NOT STATED	1290	481725.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BLT_02B: Blood test - to monitor existing cond.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30675 / 13050028.97] [Invalid=31032 / 16441001]
Universe	Respondents who answered BLT_01 = (1, 7 or 8)
Literal question	Why was your most recent blood test ordered? - To monitor an existing health condition

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	12287	4560532.1		34.9%
2	NO	18388	8489496.9		65.1%
6	NOT APPLICABLE	29605	15926407.3		
7	DON'T KNOW	128	29183.7		
8	REFUSAL	9	3684.5		
9	NOT STATED	1290	481725.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BLT_02C: Blood test - to check health condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30675 / 13050028.97] [Invalid=31032 / 16441001]
Universe	Respondents who answered BLT_01 = (1, 7 or 8)
Literal question	Why was your most recent blood test ordered? - To check for a new specific disease or health condition

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3097	1323746.4		10.1%
2	NO	27578	11726282.5		89.9%
6	NOT APPLICABLE	29605	15926407.3		
7	DON'T KNOW	128	29183.7		
8	REFUSAL	9	3684.5		
9	NOT STATED	1290	481725.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BLT_02D: Blood test - as the result of emergency

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30675 / 13050028.97] [Invalid=31032 / 16441001]
Universe	Respondents who answered BLT_01 = (1, 7 or 8)

BLT_02D: Blood test - as the result of emergency

Literal question	Why was your most recent blood test ordered? - As the result of an emergency (for example, heart attack, food poisoning, car accident)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	682	277165.0	2.1%
2	NO	29993	12772864.0	97.9%
6	NOT APPLICABLE	29605	15926407.3	
7	DON'T KNOW	128	29183.7	
8	REFUSAL	9	3684.5	
9	NOT STATED	1290	481725.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BLT_02E: Blood test - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30675 / 13050028.97] [Invalid=31032 / 16441001]
Universe	Respondents who answered BLT_01 = (1, 7 or 8)
Literal question	Why was your most recent blood test ordered? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	813	343080.7	2.6%
2	NO	29862	12706948.3	97.4%
6	NOT APPLICABLE	29605	15926407.3	
7	DON'T KNOW	128	29183.7	
8	REFUSAL	9	3684.5	
9	NOT STATED	1290	481725.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BLT_03A: Blood test - high chol., heart rel. con.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14382 / 5513797.28] [Invalid=47325 / 23977232.69]
Universe	Respondents who answered BLT_02B = (1, 7 or 8) or BLT_02C = (1, 7, 8) or BLT_01 = (7, 8)
Literal question	For which health conditions was your last blood test ordered? - High cholesterol or other heart-related conditions

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4464	1669782.9	30.3%
2	NO	9918	3844014.4	69.7%
6	NOT APPLICABLE	45660	23394715.8	
7	DON'T KNOW	225	64138.0	
8	REFUSAL	13	3785.1	
9	NOT STATED	1427	514593.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BLT_03B: Blood test - diabetes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14382 / 5513797.28] [Invalid=47325 / 23977232.69]
Universe	Respondents who answered BLT_02B = (1, 7 or 8) or BLT_02C = (1, 7, 8) or BLT_01 = (7, 8)
Literal question	For which health conditions was your last blood test ordered? - Diabetes

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3772	1489843.0	27.0%

BLT_03B: Blood test - diabetes

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	10610	4023954.3		73.0%
6	NOT APPLICABLE	45660	23394715.8		
7	DON'T KNOW	225	64138.0		
8	REFUSAL	13	3785.1		
9	NOT STATED	1427	514593.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BLT_03C: Blood test - thyroid

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14382 / 5513797.28] [Invalid=47325 / 23977232.69]
Universe	Respondents who answered BLT_02B = (1, 7 or 8) or BLT_02C = (1, 7, 8) or BLT_01 = (7, 8)
Literal question	For which health conditions was your last blood test ordered? - Thyroid

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2148	837941.0	15.2%	
2	NO	12234	4675856.3		84.8%
6	NOT APPLICABLE	45660	23394715.8		
7	DON'T KNOW	225	64138.0		
8	REFUSAL	13	3785.1		
9	NOT STATED	1427	514593.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BLT_03D: Blood test - prostate

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14382 / 5513797.28] [Invalid=47325 / 23977232.69]
Universe	Respondents who answered BLT_02B = (1, 7 or 8) or BLT_02C = (1, 7, 8) or BLT_01 = (7, 8)
Literal question	For which health conditions was your last blood test ordered? - Prostate

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	732	262050.2	4.8%	
2	NO	13650	5251747.1		95.2%
6	NOT APPLICABLE	45660	23394715.8		
7	DON'T KNOW	225	64138.0		
8	REFUSAL	13	3785.1		
9	NOT STATED	1427	514593.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BLT_03E: Blood test - infectious disease

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14382 / 5513797.28] [Invalid=47325 / 23977232.69]
Universe	Respondents who answered BLT_02B = (1, 7 or 8) or BLT_02C = (1, 7, 8) or BLT_01 = (7, 8)
Literal question	For which health conditions was your last blood test ordered? - Infectious disease

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	229	106838.3	1.9%	
2	NO	14153	5406959.0		98.1%
6	NOT APPLICABLE	45660	23394715.8		
7	DON'T KNOW	225	64138.0		

BLT_03E: Blood test - infectious disease

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	13	3785.1	
9	NOT STATED	1427	514593.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BLT_03F: Blood test - liver function

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14382 / 5513797.28] [Invalid=47325 / 23977232.69]
Universe	Respondents who answered BLT_02B = (1, 7 or 8) or BLT_02C = (1, 7, 8) or BLT_01 = (7, 8)
Literal question	For which health conditions was your last blood test ordered? - Liver function

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	625	230880.4	4.2%
2	NO	13757	5282916.9	95.8%
6	NOT APPLICABLE	45660	23394715.8	
7	DON'T KNOW	225	64138.0	
8	REFUSAL	13	3785.1	
9	NOT STATED	1427	514593.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BLT_03G: Blood test - hormone-related

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14382 / 5513797.28] [Invalid=47325 / 23977232.69]
Universe	Respondents who answered BLT_02B = (1, 7 or 8) or BLT_02C = (1, 7, 8) or BLT_01 = (7, 8)
Literal question	For which health conditions was your last blood test ordered? - Hormone-related

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	277	132030.2	2.4%
2	NO	14105	5381767.1	97.6%
6	NOT APPLICABLE	45660	23394715.8	
7	DON'T KNOW	225	64138.0	
8	REFUSAL	13	3785.1	
9	NOT STATED	1427	514593.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BLT_03H: Blood test - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14382 / 5513797.28] [Invalid=47325 / 23977232.69]
Universe	Respondents who answered BLT_02B = (1, 7 or 8) or BLT_02C = (1, 7, 8) or BLT_01 = (7, 8)
Literal question	For which health conditions was your last blood test ordered? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5982	2287678.5	41.5%
2	NO	8400	3226118.8	58.5%
6	NOT APPLICABLE	45660	23394715.8	
7	DON'T KNOW	225	64138.0	
8	REFUSAL	13	3785.1	
9	NOT STATED	1427	514593.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOBPC: Module: BPC - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11654 / 4775439.52] [Invalid=50053 / 24715590.45]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11654	4775439.5	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	50053	24715590.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_010: Ever had blood pressure taken

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11400 / 4697387.12] [Invalid=50307 / 24793642.85]
Universe	Respondents with DOBPC = 1
Literal question	Have you ever had your blood pressure taken?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10936	4454156.1	94.8%
2	NO	464	243231.1	5.2%
6	NOT APPLICABLE	50053	24715590.4	
7	DON'T KNOW	35	16906.8	
8	REFUSAL	1	1512.0	
9	NOT STATED	218	59633.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_012: Last time blood pressure was taken

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=10783 / 4398255.81] [Invalid=50924 / 25092774.16]
Universe	Respondents who answered BPC_010 = (1, 7 or 8)
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	6888	2540481.9	57.8%
2	6 MTHS TO < 1 YR	1994	939127.9	21.4%
3	1 TO < 2 YEARS	1028	508996.3	11.6%
4	2 TO < 5 YEARS	660	315241.2	7.2%
5	5 YEARS OR MORE	213	94408.4	2.1%
6	NOT APPLICABLE	50517	24958821.5	
7	DON'T KNOW	151	55483.2	
8	REFUSAL	2	417.0	
9	NOT STATED	254	78052.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_013: Pregnant - blood pressure taken

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2636 / 1274667.46] [Invalid=59071 / 28216362.51]
Universe	Females aged 15 to 55 who answered BPC_012 = (1, 2, 3, 7 or 8) or BPC_010 = (7 or 8)
Literal question	Were you pregnant the last time your blood pressure was taken?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	204	88346.0	6.9%
2	NO	2432	1186321.5	93.1%
6	NOT APPLICABLE	59008	28196754.8	
7	DON'T KNOW	6	1348.0	
8	REFUSAL	1	340.8	
9	NOT STATED	56	17918.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16A: B.p. not taken - not gotten around to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=730 / 381697.02] [Invalid=60977 / 29109332.95]
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	168	82692.8	21.7%
2	NO	562	299004.2	78.3%
6	NOT APPLICABLE	60688	29023031.8	
7	DON'T KNOW	17	4855.6	
8	REFUSAL	0	0.0	
9	NOT STATED	272	81445.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16B: B.p. not taken - resp. didn't think nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=730 / 381697.02] [Invalid=60977 / 29109332.95]
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	451	237270.6	62.2%
2	NO	279	144426.4	37.8%
6	NOT APPLICABLE	60688	29023031.8	
7	DON'T KNOW	17	4855.6	
8	REFUSAL	0	0.0	
9	NOT STATED	272	81445.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16C: B.p. not taken - dr. didn't think nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=730 / 381697.02] [Invalid=60977 / 29109332.95]
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)

BPC_16C: B.p. not taken - dr. didn't think nec.

Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Doctor did not think it was necessary			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	38	22009.7	5.8%
2	NO	692	359687.3	94.2%
6	NOT APPLICABLE	60688	29023031.8	
7	DON'T KNOW	17	4855.6	
8	REFUSAL	0	0.0	
9	NOT STATED	272	81445.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16D: B.p. not taken - personal/family resp.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=730 / 381697.02] [Invalid=60977 / 29109332.95]
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	559.9	0.1%
2	NO	728	381137.1	99.9%
6	NOT APPLICABLE	60688	29023031.8	
7	DON'T KNOW	17	4855.6	
8	REFUSAL	0	0.0	
9	NOT STATED	272	81445.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16G: B.p. not taken - waiting time too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=730 / 381697.02] [Invalid=60977 / 29109332.95]
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	8146.3	2.1%
2	NO	726	373550.8	97.9%
6	NOT APPLICABLE	60688	29023031.8	
7	DON'T KNOW	17	4855.6	
8	REFUSAL	0	0.0	
9	NOT STATED	272	81445.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16H: B.p. not taken - transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=730 / 381697.02] [Invalid=60977 / 29109332.95]
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	290.5	0.1%

BPC_16H: B.p. not taken - transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	729	381406.5		99.9%
6	NOT APPLICABLE	60688	29023031.8		
7	DON'T KNOW	17	4855.6		
8	REFUSAL	0	0.0		
9	NOT STATED	272	81445.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16I: B.p. not taken - language problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=730 / 381697.02] [Invalid=60977 / 29109332.95]
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	730	381697.0		100.0%
6	NOT APPLICABLE	60688	29023031.8		
7	DON'T KNOW	17	4855.6		
8	REFUSAL	0	0.0		
9	NOT STATED	272	81445.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16J: B.p. not taken - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=730 / 381697.02] [Invalid=60977 / 29109332.95]
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	730	381697.0		100.0%
6	NOT APPLICABLE	60688	29023031.8		
7	DON'T KNOW	17	4855.6		
8	REFUSAL	0	0.0		
9	NOT STATED	272	81445.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16K: B.p. not taken - didn't know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=730 / 381697.02] [Invalid=60977 / 29109332.95]
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3	930.6	0.2%	
2	NO	727	380766.4		99.8%
6	NOT APPLICABLE	60688	29023031.8		

BPC_16K: B.p. not taken - didn't know where to go

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	17	4855.6	
8	REFUSAL	0	0.0	
9	NOT STATED	272	81445.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16L: B.p. not taken - fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=730 / 381697.02] [Invalid=60977 / 29109332.95]
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	317.2	0.1%
2	NO	729	381379.9	99.9%
6	NOT APPLICABLE	60688	29023031.8	
7	DON'T KNOW	17	4855.6	
8	REFUSAL	0	0.0	
9	NOT STATED	272	81445.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16N: B.p. not taken - unable leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=730 / 381697.02] [Invalid=60977 / 29109332.95]
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	161.8	0.0%
2	NO	729	381535.2	100.0%
6	NOT APPLICABLE	60688	29023031.8	
7	DON'T KNOW	17	4855.6	
8	REFUSAL	0	0.0	
9	NOT STATED	272	81445.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPC_16M: B.p. not taken - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=730 / 381697.02] [Invalid=60977 / 29109332.95]
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	95	39038.6	10.2%
2	NO	635	342658.4	89.8%
6	NOT APPLICABLE	60688	29023031.8	
7	DON'T KNOW	17	4855.6	
8	REFUSAL	0	0.0	

BPC_16M: B.p. not taken - other

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	272	81445.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOPAP: Module: PAP smear test - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	61707	29491030.0	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_020: Ever had PAP smear test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30865 / 13432046.81] [Invalid=30842 / 16058983.16]
Universe	Females aged 18 and over
Literal question	Have you ever had a PAP smear test?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27339	11626804.1	86.6%
2	NO	3526	1805242.7	13.4%
6	NOT APPLICABLE	30130	15736033.4	
7	DON'T KNOW	226	108517.7	
8	REFUSAL	37	12869.5	
9	NOT STATED	449	201562.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_022: Last time had PAP smear test

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=27012 / 11528791.86] [Invalid=34695 / 17962238.11]
Universe	Respondents who answered PAP_020 = (1, 7 or 8)
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	4626	2282973.0	19.8%
2	6 MTHS TO < 1 YR	6102	3135588.5	27.2%
3	1 TO < 3 YEARS	7680	3431599.8	29.8%
4	3 TO < 5 YEARS	1974	719372.0	6.2%
5	5 OR MORE YEARS	6630	1959258.6	17.0%
6	NOT APPLICABLE	33656	17541276.1	
7	DON'T KNOW	308	90280.7	
8	REFUSAL	19	7731.6	
9	NOT STATED	712	322949.7	

PAP_022: Last time had PAP smear test

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26A: No PAP - have not gotten around to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11764 / 4354774.3] [Invalid=49943 / 25136255.67]
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1657	792793.2	18.2%
2	NO	10107	3561981.1	81.8%
6	NOT APPLICABLE	48538	24586194.7	
7	DON'T KNOW	345	121049.2	
8	REFUSAL	21	8049.8	
9	NOT STATED	1039	420962.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26B: No PAP - resp. didn't think necessary

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11764 / 4354774.3] [Invalid=49943 / 25136255.67]
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have you not had a PAP smear test in the past 3 years? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3505	1411302.9	32.4%
2	NO	8259	2943471.4	67.6%
6	NOT APPLICABLE	48538	24586194.7	
7	DON'T KNOW	345	121049.2	
8	REFUSAL	21	8049.8	
9	NOT STATED	1039	420962.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26C: No PAP - doctor didn't think necessary

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11764 / 4354774.3] [Invalid=49943 / 25136255.67]
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Doctor did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2704	851292.8	19.5%
2	NO	9060	3503481.5	80.5%
6	NOT APPLICABLE	48538	24586194.7	
7	DON'T KNOW	345	121049.2	
8	REFUSAL	21	8049.8	
9	NOT STATED	1039	420962.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26D: No PAP - personal/fam. responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

PAP_26D: No PAP - personal/fam. responsibilities

Statistics [NW/ W]	[Valid=11764 / 4354774.3] [Invalid=49943 / 25136255.67]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Personal or family responsibilities			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24	13588.0	0.3%
2	NO	11740	4341186.3	99.7%
6	NOT APPLICABLE	48538	24586194.7	
7	DON'T KNOW	345	121049.2	
8	REFUSAL	21	8049.8	
9	NOT STATED	1039	420962.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26E: No PAP - not available when required

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=11764 / 4354774.3] [Invalid=49943 / 25136255.67]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at time required			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	94	48417.8	1.1%
2	NO	11670	4306356.5	98.9%
6	NOT APPLICABLE	48538	24586194.7	
7	DON'T KNOW	345	121049.2	
8	REFUSAL	21	8049.8	
9	NOT STATED	1039	420962.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26F: No PAP - not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=11764 / 4354774.3] [Invalid=49943 / 25136255.67]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at all in the area			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	84	28006.4	0.6%
2	NO	11680	4326768.0	99.4%
6	NOT APPLICABLE	48538	24586194.7	
7	DON'T KNOW	345	121049.2	
8	REFUSAL	21	8049.8	
9	NOT STATED	1039	420962.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26G: No PAP - waiting time too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11764 / 4354774.3] [Invalid=49943 / 25136255.67]
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Waiting time was too long

PAP_26G: No PAP - waiting time too long

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	49	27219.0	0.6%	
2	NO	11715	4327555.3		99.4%
6	NOT APPLICABLE	48538	24586194.7		
7	DON'T KNOW	345	121049.2		
8	REFUSAL	21	8049.8		
9	NOT STATED	1039	420962.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26H: No PAP - transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11764 / 4354774.3] [Invalid=49943 / 25136255.67]
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	14	4164.4	0.1%	
2	NO	11750	4350609.8		99.9%
6	NOT APPLICABLE	48538	24586194.7		
7	DON'T KNOW	345	121049.2		
8	REFUSAL	21	8049.8		
9	NOT STATED	1039	420962.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26I: No PAP - language problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11764 / 4354774.3] [Invalid=49943 / 25136255.67]
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3	2193.1	0.1%	
2	NO	11761	4352581.2		99.9%
6	NOT APPLICABLE	48538	24586194.7		
7	DON'T KNOW	345	121049.2		
8	REFUSAL	21	8049.8		
9	NOT STATED	1039	420962.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26J: No PAP - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11764 / 4354774.3] [Invalid=49943 / 25136255.67]
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	10	6616.3	0.2%	
2	NO	11754	4348158.0		99.8%
6	NOT APPLICABLE	48538	24586194.7		

PAP_26J: No PAP - cost

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	345	121049.2	
8	REFUSAL	21	8049.8	
9	NOT STATED	1039	420962.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26K: No PAP - did not know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11764 / 4354774.3] [Invalid=49943 / 25136255.67]
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	101	59872.1	1.4%
2	NO	11663	4294902.2	98.6%
6	NOT APPLICABLE	48538	24586194.7	
7	DON'T KNOW	345	121049.2	
8	REFUSAL	21	8049.8	
9	NOT STATED	1039	420962.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26L: No PAP - fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11764 / 4354774.3] [Invalid=49943 / 25136255.67]
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Fear (e.g. painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	137	60554.5	1.4%
2	NO	11627	4294219.8	98.6%
6	NOT APPLICABLE	48538	24586194.7	
7	DON'T KNOW	345	121049.2	
8	REFUSAL	21	8049.8	
9	NOT STATED	1039	420962.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26M: No PAP - hysterectomy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11767 / 4356202.87] [Invalid=49940 / 25134827.1]
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have had a hysterectomy

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2883	825894.4	19.0%
2	NO	8884	3530308.5	81.0%
6	NOT APPLICABLE	48538	24586194.7	
7	DON'T KNOW	342	119620.6	
8	REFUSAL	21	8049.8	

PAP_26M: No PAP - hysterectomy

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1039	420962.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26N: No PAP - hate/dislike having one done

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11764 / 4354774.3] [Invalid=49943 / 25136255.67]
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Hate / dislike having one done

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	304	111174.9	2.6%
2	NO	11460	4243599.4	97.4%
6	NOT APPLICABLE	48538	24586194.7	
7	DON'T KNOW	345	121049.2	
8	REFUSAL	21	8049.8	
9	NOT STATED	1039	420962.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26P: No PAP - unable leave house/hlth prob.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11764 / 4354774.3] [Invalid=49943 / 25136255.67]
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18	6909.3	0.2%
2	NO	11746	4347865.0	99.8%
6	NOT APPLICABLE	48538	24586194.7	
7	DON'T KNOW	345	121049.2	
8	REFUSAL	21	8049.8	
9	NOT STATED	1039	420962.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAP_26O: No PAP - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11764 / 4354774.3] [Invalid=49943 / 25136255.67]
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1250	501148.9	11.5%
2	NO	10514	3853625.4	88.5%
6	NOT APPLICABLE	48538	24586194.7	
7	DON'T KNOW	345	121049.2	
8	REFUSAL	21	8049.8	
9	NOT STATED	1039	420962.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOMAM: Module: Mammography - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	61707	29491030.0		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_030: Ever had mammogram

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24550 / 9704534.93] [Invalid=37157 / 19786495.04]
Universe	Females aged 35 and over
Literal question	Have you ever had a mammogram, that is, a breast x-ray?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	19388	7112130.4		73.3%
2	NO	5162	2592404.5	26.7%	
6	NOT APPLICABLE	36721	19593703.8		
7	DON'T KNOW	44	13606.1		
8	REFUSAL	16	3754.6		
9	NOT STATED	376	175430.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31A: Had mammogram - family history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19277 / 7082695.25] [Invalid=42430 / 22408334.72]
Universe	Respondents who answered MAM_030 = (1, 7 or 8)
Literal question	Why did you have it? - Family history of breast cancer

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2280	799835.0	11.3%
2	NO	16997	6282860.2	88.7%
6	NOT APPLICABLE	41883	22186108.4	
7	DON'T KNOW	103	26934.2	
8	REFUSAL	8	2500.9	
9	NOT STATED	436	192791.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31B: Had mammogram - regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19277 / 7082695.25] [Invalid=42430 / 22408334.72]
Universe	Respondents who answered MAM_030 = (1, 7 or 8)
Literal question	Why did you have it? - Part of regular check-up / routine screening

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13750	4934163.0	69.7%
2	NO	5527	2148532.2	30.3%
6	NOT APPLICABLE	41883	22186108.4	
7	DON'T KNOW	103	26934.2	
8	REFUSAL	8	2500.9	
9	NOT STATED	436	192791.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31C: Had mammogram - age

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19277 / 7082695.25] [Invalid=42430 / 22408334.72]
Universe	Respondents who answered MAM_030 = (1, 7 or 8)
Literal question	Why did you have it? - Age

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2481	1047911.6	14.8%
2	NO	16796	6034783.6	85.2%
6	NOT APPLICABLE	41883	22186108.4	
7	DON'T KNOW	103	26934.2	
8	REFUSAL	8	2500.9	
9	NOT STATED	436	192791.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31D: Had mammogram - previously detected lump

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19277 / 7082695.25] [Invalid=42430 / 22408334.72]
Universe	Respondents who answered MAM_030 = (1, 7 or 8)
Literal question	Why did you have it? - Previously detected lump

MAM_31D: Had mammogram - previously detected lump

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1774	705302.6	10.0%	
2	NO	17503	6377392.7		90.0%
6	NOT APPLICABLE	41883	22186108.4		
7	DON'T KNOW	103	26934.2		
8	REFUSAL	8	2500.9		
9	NOT STATED	436	192791.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31E: Had mammogram - follow-up treatment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19277 / 7082695.25] [Invalid=42430 / 22408334.72]
Universe	Respondents who answered MAM_030 = (1, 7 or 8)
Literal question	Why did you have it? - Follow-up of breast cancer treatment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	667	201154.2	2.8%	
2	NO	18610	6881541.1		97.2%
6	NOT APPLICABLE	41883	22186108.4		
7	DON'T KNOW	103	26934.2		
8	REFUSAL	8	2500.9		
9	NOT STATED	436	192791.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31F: Had mammogram - hormone replac. therapy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19277 / 7082695.25] [Invalid=42430 / 22408334.72]
Universe	Respondents who answered MAM_030 = (1, 7 or 8)
Literal question	Why did you have it? - On hormone replacement therapy

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	36	10606.7	0.1%	
2	NO	19241	7072088.5		99.9%
6	NOT APPLICABLE	41883	22186108.4		
7	DON'T KNOW	103	26934.2		
8	REFUSAL	8	2500.9		
9	NOT STATED	436	192791.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31G: Had mammogram - breast problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19277 / 7082695.25] [Invalid=42430 / 22408334.72]
Universe	Respondents who answered MAM_030 = (1, 7 or 8)
Literal question	Why did you have it? - Breast problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	496	189777.0	2.7%	
2	NO	18781	6892918.3		97.3%
6	NOT APPLICABLE	41883	22186108.4		

MAM_31G: Had mammogram - breast problem

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	103	26934.2	
8	REFUSAL	8	2500.9	
9	NOT STATED	436	192791.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_31H: Had mammogram - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19277 / 7082695.25] [Invalid=42430 / 22408334.72]
Universe	Respondents who answered MAM_030 = (1, 7 or 8)
Literal question	Why did you have it? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	634	234550.9	3.3%
2	NO	18643	6848144.3	96.7%
6	NOT APPLICABLE	41883	22186108.4	
7	DON'T KNOW	103	26934.2	
8	REFUSAL	8	2500.9	
9	NOT STATED	436	192791.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_032: Last time mammogram was done

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=19192 / 7052423.67] [Invalid=42515 / 22438606.3]
Universe	Respondents who answered MAM_030 = (1, 7 or 8)
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	3562	1327939.2	18.8%
2	6 MTHS TO < 1 YR	4801	1868770.9	26.5%
3	1 TO < 2 YEARS	4784	1810443.6	25.7%
4	2 TO < 5 YEARS	3075	1109028.2	15.7%
5	5 YEARS OR MORE	2970	936241.8	13.3%
6	NOT APPLICABLE	41883	22186108.4	
7	DON'T KNOW	188	56861.0	
8	REFUSAL	8	2845.7	
9	NOT STATED	436	192791.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36A: No mam. -have not gotten ar.to it -2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 / 1239365.05] [Invalid=58560 / 28251664.92]
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	992	410278.8	33.1%
2	NO	2155	829086.2	66.9%
6	NOT APPLICABLE	58315	28147364.1	

MAM_36A: No mam. -have not gotten ar.to it -2 yrs

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	53	20593.9	
8	REFUSAL	1	50.4	
9	NOT STATED	191	83656.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36B: No mam. resp.- didn't think nec. - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 / 1239365.05] [Invalid=58560 / 28251664.92]
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1199	443040.1	35.7%
2	NO	1948	796324.9	64.3%
6	NOT APPLICABLE	58315	28147364.1	
7	DON'T KNOW	53	20593.9	
8	REFUSAL	1	50.4	
9	NOT STATED	191	83656.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36C: No mam. -doctor didn't think nec. -2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 / 1239365.05] [Invalid=58560 / 28251664.92]
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Doctor did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	437	178599.8	14.4%
2	NO	2710	1060765.3	85.6%
6	NOT APPLICABLE	58315	28147364.1	
7	DON'T KNOW	53	20593.9	
8	REFUSAL	1	50.4	
9	NOT STATED	191	83656.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36D: No mam. - personal/family resp. - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 / 1239365.05] [Invalid=58560 / 28251664.92]
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	35	18634.6	1.5%
2	NO	3112	1220730.4	98.5%
6	NOT APPLICABLE	58315	28147364.1	
7	DON'T KNOW	53	20593.9	
8	REFUSAL	1	50.4	
9	NOT STATED	191	83656.4	

MAM_36D: No mam. - personal/family resp. - 2 yrs

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36E: No mam. - not ava. when required - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 / 1239365.05] [Invalid=58560 / 28251664.92]
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	37	11983.1	1.0%	
2	NO	3110	1227382.0		99.0%
6	NOT APPLICABLE	58315	28147364.1		
7	DON'T KNOW	53	20593.9		
8	REFUSAL	1	50.4		
9	NOT STATED	191	83656.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36F: No mam. - not avai. in the area - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 / 1239365.05] [Invalid=58560 / 28251664.92]
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Not available at all in the area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	52	15697.9	1.3%	
2	NO	3095	1223667.2		98.7%
6	NOT APPLICABLE	58315	28147364.1		
7	DON'T KNOW	53	20593.9		
8	REFUSAL	1	50.4		
9	NOT STATED	191	83656.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36G: No mam. -wait. time was too long - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 / 1239365.05] [Invalid=58560 / 28251664.92]
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	32	20593.8	1.7%	
2	NO	3115	1218771.3		98.3%
6	NOT APPLICABLE	58315	28147364.1		
7	DON'T KNOW	53	20593.9		
8	REFUSAL	1	50.4		
9	NOT STATED	191	83656.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36H: No mam. -transportation problems - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 / 1239365.05] [Invalid=58560 / 28251664.92]

MAM_36H: No mam. -transportation problems - 2 yrs

Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Transportation problems			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	33	11361.0	0.9%
2	NO	3114	1228004.0	99.1%
6	NOT APPLICABLE	58315	28147364.1	
7	DON'T KNOW	53	20593.9	
8	REFUSAL	1	50.4	
9	NOT STATED	191	83656.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36I: No mam. - language problem - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 / 1239365.05] [Invalid=58560 / 28251664.92]
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	3147	1239365.0	100.0%
6	NOT APPLICABLE	58315	28147364.1	
7	DON'T KNOW	53	20593.9	
8	REFUSAL	1	50.4	
9	NOT STATED	191	83656.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36J: No mam. - cost - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 / 1239365.05] [Invalid=58560 / 28251664.92]
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	3109.6	0.3%
2	NO	3135	1236255.4	99.7%
6	NOT APPLICABLE	58315	28147364.1	
7	DON'T KNOW	53	20593.9	
8	REFUSAL	1	50.4	
9	NOT STATED	191	83656.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36K: No mam. -did not know where to go -2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 / 1239365.05] [Invalid=58560 / 28251664.92]
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	80	33662.8	2.7%

MAM_36K: No mam. -did not know where to go -2 yrs

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	3067	1205702.2		97.3%
6	NOT APPLICABLE	58315	28147364.1		
7	DON'T KNOW	53	20593.9		
8	REFUSAL	1	50.4		
9	NOT STATED	191	83656.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36L: No mam. - fear - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 / 1239365.05] [Invalid=58560 / 28251664.92]
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	283	109337.2	8.8%	
2	NO	2864	1130027.8		91.2%
6	NOT APPLICABLE	58315	28147364.1		
7	DON'T KNOW	53	20593.9		
8	REFUSAL	1	50.4		
9	NOT STATED	191	83656.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36N: No mam. -un. leave house/hlth pro -2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 / 1239365.05] [Invalid=58560 / 28251664.92]
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	30	6719.2	0.5%	
2	NO	3117	1232645.9		99.5%
6	NOT APPLICABLE	58315	28147364.1		
7	DON'T KNOW	53	20593.9		
8	REFUSAL	1	50.4		
9	NOT STATED	191	83656.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36O: No mam. -Breasts removed/Mastec. -2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 / 1239365.05] [Invalid=58560 / 28251664.92]
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Breasts removed / Mastectomy

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	40	9620.1	0.8%	
2	NO	3107	1229744.9		99.2%
6	NOT APPLICABLE	58315	28147364.1		
7	DON'T KNOW	53	20593.9		

MAM_36O: No mam. -Breasts removed/Mastec. -2 yrs

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	1	50.4	
9	NOT STATED	191	83656.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_36M: No mam. - other - 2 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 / 1239365.05] [Invalid=58560 / 28251664.92]
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)
Literal question	What are the reasons you have not had one in the past 2 years? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	122	55383.9	4.5%
2	NO	3025	1183981.1	95.5%
6	NOT APPLICABLE	58315	28147364.1	
7	DON'T KNOW	53	20593.9	
8	REFUSAL	1	50.4	
9	NOT STATED	191	83656.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAM_038: Had a hysterectomy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=31006 / 13508909.65] [Invalid=30701 / 15982120.32]
Universe	Females aged 18 and over
Literal question	Have you had a hysterectomy? (in other words, has your uterus been removed)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6909	2016093.4	14.9%
2	NO	24097	11492816.2	85.1%
6	NOT APPLICABLE	30130	15736033.4	
7	DON'T KNOW	42	18066.7	
8	REFUSAL	20	9097.0	
9	NOT STATED	509	218923.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOBRX: Module: BRX - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4475 / 973450.68] [Invalid=57232 / 28517579.29]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4475	973450.7	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	57232	28517579.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_110: Had breasts examined by health prof.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2226 / 442486.9] [Invalid=59481 / 29048543.07]
Universe	Females aged 18 and over with DOBRX = 1
Literal question	Other than a mammogram, have you ever had your breasts examined for lumps (tumours, cysts) by a doctor or other health professional?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1715	333255.2		75.3%
2	NO	511	109231.7	24.7%	
6	NOT APPLICABLE	59449	29043189.5		
7	DON'T KNOW	9	948.7		
8	REFUSAL	2	910.2		
9	NOT STATED	21	3494.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_112: Last time breasts examined for lumps

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=1678 / 329586.93] [Invalid=60029 / 29161443.04]
Universe	Respondents who answered BRX_110 = (1, 7 or 8)
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< 6 MONTHS	305	68752.0	20.9%	
2	6 MTHS TO < 1 YR	448	95824.4		29.1%
3	1 TO < 2 YEARS	362	69171.3	21.0%	
4	2 TO < 5 YEARS	290	49101.7	14.9%	
5	5 YEARS OR MORE	273	46737.6	14.2%	
6	NOT APPLICABLE	59960	29152421.2		
7	DON'T KNOW	37	3668.3		
8	REFUSAL	0	0.0		
9	NOT STATED	32	5353.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16A: No breast ex. - havn't gotten around/it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 / 191245.45] [Invalid=60717 / 29299784.52]
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	241	53607.9	28.0%	
2	NO	749	137637.5		72.0%
6	NOT APPLICABLE	60564	29276937.2		
7	DON'T KNOW	82	13540.5		
8	REFUSAL	2	285.0		
9	NOT STATED	69	9021.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16B: No breast ex. - resp. didn't think nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 / 191245.45] [Invalid=60717 / 29299784.52]
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	363	72700.5	38.0%
2	NO	627	118545.0	62.0%
6	NOT APPLICABLE	60564	29276937.2	
7	DON'T KNOW	82	13540.5	
8	REFUSAL	2	285.0	
9	NOT STATED	69	9021.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16C: No breast ex. - doctor didn't think nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 / 191245.45] [Invalid=60717 / 29299784.52]
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Doctor did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	189	41460.6	21.7%
2	NO	801	149784.8	78.3%
6	NOT APPLICABLE	60564	29276937.2	
7	DON'T KNOW	82	13540.5	
8	REFUSAL	2	285.0	
9	NOT STATED	69	9021.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16D: No breast ex. - personal/family resp.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 / 191245.45] [Invalid=60717 / 29299784.52]
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	1252.3	0.7%
2	NO	983	189993.2	99.3%
6	NOT APPLICABLE	60564	29276937.2	
7	DON'T KNOW	82	13540.5	
8	REFUSAL	2	285.0	
9	NOT STATED	69	9021.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16E: No breast ex. - not avail. when req'd

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 / 191245.45] [Invalid=60717 / 29299784.52]
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at time required

BRX_16E: No breast ex. - not avail. when req'd

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5	555.8	0.3%	
2	NO	985	190689.6		99.7%
6	NOT APPLICABLE	60564	29276937.2		
7	DON'T KNOW	82	13540.5		
8	REFUSAL	2	285.0		
9	NOT STATED	69	9021.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16F: No breast ex. - not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 / 191245.45] [Invalid=60717 / 29299784.52]
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7, or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at all in the area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	10	1056.4	0.6%	
2	NO	980	190189.1		99.4%
6	NOT APPLICABLE	60564	29276937.2		
7	DON'T KNOW	82	13540.5		
8	REFUSAL	2	285.0		
9	NOT STATED	69	9021.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16G: No breast ex. - waiting time too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 / 191245.45] [Invalid=60717 / 29299784.52]
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	7	815.9	0.4%	
2	NO	983	190429.6		99.6%
6	NOT APPLICABLE	60564	29276937.2		
7	DON'T KNOW	82	13540.5		
8	REFUSAL	2	285.0		
9	NOT STATED	69	9021.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16H: No breast ex. - transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 / 191245.45] [Invalid=60717 / 29299784.52]
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4	369.8	0.2%	
2	NO	986	190875.7		99.8%
6	NOT APPLICABLE	60564	29276937.2		

BRX_16H: No breast ex. - transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	82	13540.5	
8	REFUSAL	2	285.0	
9	NOT STATED	69	9021.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16I: No breast ex. - language problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 / 191245.45] [Invalid=60717 / 29299784.52]
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	990	191245.4	100.0%
6	NOT APPLICABLE	60564	29276937.2	
7	DON'T KNOW	82	13540.5	
8	REFUSAL	2	285.0	
9	NOT STATED	69	9021.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16J: No breast ex. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 / 191245.45] [Invalid=60717 / 29299784.52]
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	990	191245.4	100.0%
6	NOT APPLICABLE	60564	29276937.2	
7	DON'T KNOW	82	13540.5	
8	REFUSAL	2	285.0	
9	NOT STATED	69	9021.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16K: No breast ex. - did not know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 / 191245.45] [Invalid=60717 / 29299784.52]
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	615.4	0.3%
2	NO	985	190630.1	99.7%
6	NOT APPLICABLE	60564	29276937.2	
7	DON'T KNOW	82	13540.5	
8	REFUSAL	2	285.0	
9	NOT STATED	69	9021.8	

BRX_16K: No breast ex. - did not know where to go

BRX_16L: No breast ex. - fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 / 191245.45] [Invalid=60717 / 29299784.52]
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	12	1773.6	0.9%	
2	NO	978	189471.9		99.1%
6	NOT APPLICABLE	60564	29276937.2		
7	DON'T KNOW	82	13540.5		
8	REFUSAL	2	285.0		
9	NOT STATED	69	9021.8		

BRX_16N: No breast ex. - unable to leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 / 191245.45] [Invalid=60717 / 29299784.52]
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1	440.5	0.2%	
2	NO	989	190805.0		99.8%
6	NOT APPLICABLE	60564	29276937.2		
7	DON'T KNOW	82	13540.5		
8	REFUSAL	2	285.0		
9	NOT STATED	69	9021.8		

BRX_16O: No breast - breast removed/mastectomy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 / 191245.45] [Invalid=60717 / 29299784.52]
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Breast removed / mastectomy

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	11	1586.9	0.8%	
2	NO	979	189658.5		99.2%
6	NOT APPLICABLE	60564	29276937.2		
7	DON'T KNOW	82	13540.5		
8	REFUSAL	2	285.0		
9	NOT STATED	69	9021.8		

BRX_16M: No breast ex. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

BRX_16M: No breast ex. - other

Statistics [NW/ W]	[Valid=990 / 191245.45] [Invalid=60717 / 29299784.52]			
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Other			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	207	32764.8	17.1%
2	NO	783	158480.6	82.9%
6	NOT APPLICABLE	60564	29276937.2	
7	DON'T KNOW	82	13540.5	
8	REFUSAL	2	285.0	
9	NOT STATED	69	9021.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSPI: Theme module: Spirometry - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	61707	29491030.0	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPI_01: Ever had a spirometry test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=59576 / 28655843.78] [Invalid=2131 / 835186.19]
Universe	Respondents with DOSPI=1
Literal question	Spirometry is a common lung function test that consists of blowing into a small tube attached to a machine. Have you ever had this test?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15778	6782891.2	23.7%
2	NO	43798	21872952.5	76.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	697	269677.3	
8	REFUSAL	24	10050.7	
9	NOT STATED	1410	555458.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPI_02: Last time -spriormetry test

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=15542 / 6717596.15] [Invalid=46165 / 22773433.82]
Universe	Respondents with DOSPI=1 and who answered SPI_01=1
Literal question	When was the last time?

SPI_02: Last time -spriormetry test

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	1537	719950.8	10.7%
2	6 MTHS TO < 1 YR	1455	580890.4	8.6%
3	1 TO < 2 YEARS	1641	718355.5	10.7%
4	2 TO < 5 YEARS	3331	1412706.3	21.0%
5	5 YEARS OR MORE	7578	3285693.1	48.9%
6	NOT APPLICABLE	43798	21872952.5	
7	DON'T KNOW	230	63347.4	
8	REFUSAL	6	1947.7	
9	NOT STATED	2131	835186.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOHRT: Module: HRT - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=883 / 125627.41] [Invalid=60824 / 29365402.56]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	883	125627.4	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	60824	29365402.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_01: Experienced symptoms of menopause/ageing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=361 / 47592.39] [Invalid=61346 / 29443437.58]
Universe	Females aged 30 and over with DOHRT=1
Literal question	In the past 12 months, have you experienced any symptoms of menopause or ageing. These symptoms may include hot flashes, night sweats, or an irregularity or the stopping of your periods?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	129	19790.1	41.6%
2	NO	232	27802.3	58.4%
6	NOT APPLICABLE	61342	29442875.3	
7	DON'T KNOW	1	136.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3	426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_02: Taken a form of Hormone Therapy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=361 / 47666.32] [Invalid=61346 / 29443363.65]
Universe	Females aged 30 and over with DOHRT=1
Literal question	In the past 12 months, did you take any form of Hormone Replacement Therapy for menopause symptoms or for conditions due to ageing?

HRT_02: Taken a form of Hormone Therapy

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30	3803.7	8.0%
2	NO	331	43862.6	92.0%
6	NOT APPLICABLE	61342	29442875.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	62.1	
9	NOT STATED	3	426.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_03: Currently taking hormones

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30 / 3803.73] [Invalid=61677 / 29487226.24]
Universe	Females aged 30 and over who answered HRT_02=(1,7 or 8)
Literal question	Are you currently taking hormones?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20	2016.3	53.0%
2	NO	10	1787.4	47.0%
6	NOT APPLICABLE	61673	29486737.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	4	488.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_04A: Type of hormones - Estrogen only

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28 / 3542.24] [Invalid=61679 / 29487487.73]
Universe	Females aged 30 and over who answered HRT_02=(1,7 or 8)
Literal question	What type of hormones did you take? - Estrogen only (e.g., Premarin, Estrace, Vivelle)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15	1300.4	36.7%
2	NO	13	2241.8	63.3%
6	NOT APPLICABLE	61673	29486737.9	
7	DON'T KNOW	2	261.5	
8	REFUSAL	0	0.0	
9	NOT STATED	4	488.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_04B: Type of hormones - Progestin only

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28 / 3542.24] [Invalid=61679 / 29487487.73]
Universe	Females aged 30 and over who answered HRT_02=(1,7 or 8)
Literal question	What type of hormones did you take? - Progestin or progesterone only (e.g., Provera, Prometrium)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	397.1	11.2%
2	NO	25	3145.1	88.8%
6	NOT APPLICABLE	61673	29486737.9	
7	DON'T KNOW	2	261.5	
8	REFUSAL	0	0.0	
9	NOT STATED	4	488.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_04C: Type of hormones - Estrogen/Progestin

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28 / 3542.24] [Invalid=61679 / 29487487.73]
Universe	Females aged 30 and over who answered HRT_02=(1,7 or 8)
Literal question	What type of hormones did you take? - Both estrogen and progesterone only (e.g., Premplus, FemHRT, Estalis)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	1689.7	47.7%
2	NO	22	1852.6	52.3%
6	NOT APPLICABLE	61673	29486737.9	
7	DON'T KNOW	2	261.5	
8	REFUSAL	0	0.0	
9	NOT STATED	4	488.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_04D: Type of hormones - Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28 / 3542.24] [Invalid=61679 / 29487487.73]
Universe	Females aged 30 and over who answered HRT_02=(1,7 or 8)
Literal question	What type of hormones did you take? - Other

HRT_04D: Type of hormones - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	429.1	12.1%
2	NO	21	3113.1	87.9%
6	NOT APPLICABLE	61673	29486737.9	
7	DON'T KNOW	2	261.5	
8	REFUSAL	0	0.0	
9	NOT STATED	4	488.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_05: Year started homone therapy

Information	[Type= continuous] [Format=numeric] [Range= 1967-2012] [Missing=*]
Statistics [NW/ W]	[Valid=29 / 3725.79] [Invalid=61678 / 29487304.18] [Mean=2000.517 / 2004.142] [StdDev=11.278 / 9.891]
Universe	Respondent with HRT_Q02 =1
Literal question	When did you start this hormone therapy?

Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	61673	29486737.9	
9997	DON'T KNOW	1	77.9	
9998	REFUSAL	0	0.0	
9999	NOT STATED	4	488.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_07: HRT for menopause symptoms

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=237 / 26675.58] [Invalid=61470 / 29464354.39]
Universe	Females aged 30 and over who answered HRT_02=(2,7 or 8)
Literal question	Have you ever taken any form of Hormone Replacement Therapy for menopause symptoms or for conditions due to ageing?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	74	8050.7	30.2%
2	NO	163	18624.8	69.8%
6	NOT APPLICABLE	61372	29446679.0	
7	DON'T KNOW	1	91.3	
8	REFUSAL	0	0.0	
9	NOT STATED	97	17584.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_10: Used-health products for menopause

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=135 / 20267.06] [Invalid=61572 / 29470762.91]
Universe	Females aged 30 and over who answered HRT_01=(1,7 or 8) or HRT_Q02=(1,7 or 8)
Literal question	Some women use health products such as herbs, minerals or homeopathic supplements to relieve symptoms of menopause or conditions of ageing. In the past 12 months, have you used any of these health products to relieve your symptoms?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	630.1	3.1%
2	NO	126	19636.9	96.9%
6	NOT APPLICABLE	61567	29470138.5	

HRT_10: Used-health products for menopause

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	5	624.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_11A: Used-vitamins/dietary supplements

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9 / 630.12] [Invalid=61698 / 29490399.85]
Universe	Females aged 30 and over who answered HRT_01=(1,7 or 8) or HRT_Q02=(1,7 or 8) or HRT_10=(1, 7 or 8)
Literal question	What have you used? - Vitamins or other dietary supplements (e.g., Melatonin, Calcium)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	386.1	61.3%
2	NO	5	244.0	38.7%
6	NOT APPLICABLE	61693	29489775.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	5	624.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_11B: Used-Herbs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9 / 630.12] [Invalid=61698 / 29490399.85]
Universe	Females aged 30 and over who answered HRT_01=(1,7 or 8) or HRT_Q02=(1,7 or 8) or HRT_10=(1, 7 or 8)
Literal question	What have you used? - Herbs (e.g., Black Cohosh, Oil of Evening Primrose)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	93.5	14.8%
2	NO	7	536.6	85.2%
6	NOT APPLICABLE	61693	29489775.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	5	624.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_11C: Used-Herbal teas

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9 / 630.12] [Invalid=61698 / 29490399.85]
Universe	Females aged 30 and over who answered HRT_01=(1,7 or 8) or HRT_Q02=(1,7 or 8) or HRT_10=(1, 7 or 8)
Literal question	What have you used? - Herbal teas

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	248.4	39.4%
2	NO	7	381.7	60.6%
6	NOT APPLICABLE	61693	29489775.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	5	624.4	

HRT_11C: Used-Herbal teas

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_11D: Used-Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9 / 630.12] [Invalid=61698 / 29490399.85]
Universe	Females aged 30 and over who answered HRT_01=(1,7 or 8) or HRT_Q02=(1,7 or 8) or HRT_10=(1, 7 or 8)
Literal question	What have you used? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3	150.5		23.9%
2	NO	6	479.6		76.1%
6	NOT APPLICABLE	61693	29489775.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	5	624.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_12: Used anything else past 12 months

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=135 / 20267.06] [Invalid=61572 / 29470762.91]
Universe	Females aged 30 and over who answered HRT_01=(1,7 or 8) or HRT_Q02=(1,7 or 8)
Literal question	Other than taking hormones or health products, in the past 12 months, did you do anything else to relieve your symptoms?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	22	4718.9		23.3%
2	NO	113	15548.2		76.7%
6	NOT APPLICABLE	61567	29470138.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	5	624.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_13A: Ate more foods rich in soy flax calcium

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22 / 4718.88] [Invalid=61685 / 29486311.09]
Universe	Females aged 30 and over who answered HRT_01=(1,7 or 8) or HRT_Q02=(1,7 or 8) or HRT_12=(1, 7 or 8)
Literal question	What did you do? - Ate more foods rich in soy, flax or calcium

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4	561.2		11.9%
2	NO	18	4157.7		88.1%
6	NOT APPLICABLE	61680	29485686.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	5	624.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_13B: Ate more legumes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22 / 4718.88] [Invalid=61685 / 29486311.09]

HRT_13B: Ate more legumes

Universe	Females aged 30 and over who answered HRT_01=(1,7 or 8) or HRT_Q02=(1,7 or 8) or HRT_12=(1, 7 or 8)			
Literal question	What did you do? - Ate more legumes (i.e., beans, peas)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	515.4	10.9%
2	NO	19	4203.5	89.1%
6	NOT APPLICABLE	61680	29485686.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	5	624.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_13C: Avoided certain foods or activities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22 / 4718.88] [Invalid=61685 / 29486311.09]
Universe	Females aged 30 and over who answered HRT_01=(1,7 or 8) or HRT_Q02=(1,7 or 8) or HRT_12=(1, 7 or 8)
Literal question	What did you do? - Avoided certain foods or activities (e.g., spicy foods, alcohol, hot tubs)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	960.1	20.3%
2	NO	17	3758.8	79.7%
6	NOT APPLICABLE	61680	29485686.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	5	624.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_13D: Increased exercice

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22 / 4718.88] [Invalid=61685 / 29486311.09]
Universe	Females aged 30 and over who answered HRT_01=(1,7 or 8) or HRT_Q02=(1,7 or 8) or HRT_12=(1, 7 or 8)
Literal question	What did you do? - Increased exercise

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	2609.8	55.3%
2	NO	11	2109.1	44.7%
6	NOT APPLICABLE	61680	29485686.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	5	624.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_13E: Did relaxation exercises

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22 / 4718.88] [Invalid=61685 / 29486311.09]
Universe	Females aged 30 and over who answered HRT_01=(1,7 or 8) or HRT_Q02=(1,7 or 8) or HRT_12=(1, 7 or 8)
Literal question	What did you do? - Did relaxation exercises (e.g., yoga, Tai Chi)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	211.2	4.5%

HRT_13E: Did relaxation exercises

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	20	4507.7		95.5%
6	NOT APPLICABLE	61680	29485686.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	5	624.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_13F: Rec'd massage therapy treatments

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22 / 4718.88] [Invalid=61685 / 29486311.09]
Universe	Females aged 30 and over who answered HRT_01=(1,7 or 8) or HRT_Q02=(1,7 or 8) or HRT_12=(1, 7 or 8)
Literal question	What did you do? - Received massage therapy treatments

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	22	4718.9		100.0%
6	NOT APPLICABLE	61680	29485686.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	5	624.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HRT_13G: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22 / 4718.88] [Invalid=61685 / 29486311.09]
Universe	Females aged 30 and over who answered HRT_01=(1,7 or 8) or HRT_Q02=(1,7 or 8) or HRT_12=(1, 7 or 8)
Literal question	What did you do? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	12	3081.4		65.3%
2	NO	10	1637.4	34.7%	
6	NOT APPLICABLE	61680	29485686.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	5	624.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOPCU: Theme module: Physical check-up - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	61707	29491030.0		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		

# DOPCU: Theme module: Physical check-up - (F)				
Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_150: Phys. check-up w/o a health problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=59977 / 28810597.04] [Invalid=1730 / 680432.93]
Universe	All respondents
Literal question	Have you ever had a general physical check-up?

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**	
1	YES	49517	23648004.8		82.1%
2	NO	10460	5162592.3	17.9%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	301	117812.1		
8	REFUSAL	19	7162.6		
9	NOT STATED	1410	555458.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_153: Frequency - general physical check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=49178 / 23560366.68] [Invalid=12529 / 5930663.29]
Universe	Respondents who answered PCU_150 = (1, 7 or 8)
Literal question	How often do you usually have a general physical check-up?

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**	
1	> ONCE A YEAR	2396	1104796.3	4.7%	
2	ONCE A YEAR	24506	11853564.5		50.3%
3	ONCE EVERY 2 YRS	6890	3277572.2	13.9%	
4	ONCE EVERY 3 YRS	1998	912034.2	3.9%	
5	<ONCE EVERY 3 YR	1737	866316.0	3.7%	
6	NO REG. PATTERN	11651	5546083.5	23.5%	
96	NOT APPLICABLE	10460	5162592.3		
97	DON'T KNOW	327	83746.2		
98	REFUSAL	12	3891.9		
99	NOT STATED	1730	680432.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_152: Physical check up - last time

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=48583 / 23355437.4] [Invalid=13124 / 6135592.57]
Universe	Respondents who answered PCU_150 = (1, 7 or 8)
Literal question	When was the last time?

Value	**Label**	**Cases**	**Weighted**	**Percentage (Weighted)**	
1	> ONCE A YEAR	25112	12198106.0		52.2%
2	ONCE A YEAR	10118	4884403.5	20.9%	
3	ONCE EVERY 2 YRS	4413	2135090.3	9.1%	
4	ONCE EVERY 3 YRS	2050	960895.4	4.1%	

PCU_152: Physical check up - last time

Value	Label	Cases	Weighted	Percentage (Weighted)
5	<ONCE EVERY 3 YR	1615	782077.2	3.3%
6	NO REG. PATTERN	5275	2394865.0	10.3%
96	NOT APPLICABLE	10460	5162592.3	
97	DON'T KNOW	916	283688.1	
98	REFUSAL	18	8879.2	
99	NOT STATED	1730	680432.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154A: No p.check-up -haven't got.around -3 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18662 / 9034671.77] [Invalid=43045 / 20456358.2]
Universe	Respondents who answered PCU_152 = (4, 5, 6, 7 or 8) or PCU_150 = (2, 7, 8)
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Have not gotten around to it
Notes	The external name variable before 2011 was PCU_56A

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3286	1842221.7	20.4%
2	NO	15376	7192450.1	79.6%
6	NOT APPLICABLE	39643	19217599.8	
7	DON'T KNOW	731	263399.2	
8	REFUSAL	7	2358.9	
9	NOT STATED	2664	973000.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154B: No ph. che. -resp.think not nec. -3 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18662 / 9034671.77] [Invalid=43045 / 20456358.2]
Universe	Respondents who answered PCU_152 = (4, 5, 6, 7 or 8) or PCU_150 = (2, 7, 8)
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Respondent - did not think it was necessary
Notes	The external name variable before 2011 was PCU_56B

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10915	5323548.0	58.9%
2	NO	7747	3711123.8	41.1%
6	NOT APPLICABLE	39643	19217599.8	
7	DON'T KNOW	731	263399.2	
8	REFUSAL	7	2358.9	
9	NOT STATED	2664	973000.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154C: No p. check-up -dr.think not nec. -3 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18662 / 9034671.77] [Invalid=43045 / 20456358.2]
Universe	Respondents who answered PCU_152 = (4, 5, 6, 7 or 8) or PCU_150 = (2, 7, 8)
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Doctor - did not think it was necessary
Notes	The external name variable before 2011 was PCU_56C

PCU_154C: No p. check-up -dr.think not nec. -3 yrs

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1658	714661.3	7.9%
2	NO	17004	8320010.5	92.1%
6	NOT APPLICABLE	39643	19217599.8	
7	DON'T KNOW	731	263399.2	
8	REFUSAL	7	2358.9	
9	NOT STATED	2664	973000.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154D: No p. check-up -pers./family resp. -3yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18662 / 9034671.77] [Invalid=43045 / 20456358.2]
Universe	Respondents who answered PCU_152 = (4, 5, 6, 7 or 8) or PCU_150 = (2, 7, 8)
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Personal or family responsabilities
Notes	The external name variable before 2011 was PCU_56D

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	91	49281.8	0.5%
2	NO	18571	8985390.0	99.5%
6	NOT APPLICABLE	39643	19217599.8	
7	DON'T KNOW	731	263399.2	
8	REFUSAL	7	2358.9	
9	NOT STATED	2664	973000.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154E: No p. check-up -n.a. when require -3 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18662 / 9034671.77] [Invalid=43045 / 20456358.2]
Universe	Respondents who answered PCU_152 = (4, 5, 6, 7 or 8) or PCU_150 = (2, 7, 8)
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Not available - at time required
Notes	The external name variable before 2011 was PCU_56E

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	298	123179.5	1.4%
2	NO	18364	8911492.3	98.6%
6	NOT APPLICABLE	39643	19217599.8	
7	DON'T KNOW	731	263399.2	
8	REFUSAL	7	2358.9	
9	NOT STATED	2664	973000.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154F: No phys. check-up - n. a./area _ 3 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18662 / 9034671.77] [Invalid=43045 / 20456358.2]
Universe	Respondents who answered PCU_152 = (4, 5, 6, 7 or 8) or PCU_150 = (2, 7, 8)
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Not available - at all in the area
Notes	The external name variable before 2011 was PCU_56F

PCU_154F: No phys. check-up - n. a./area _ 3 yrs

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	357	154829.2	1.7%	
2	NO	18305	8879842.6		98.3%
6	NOT APPLICABLE	39643	19217599.8		
7	DON'T KNOW	731	263399.2		
8	REFUSAL	7	2358.9		
9	NOT STATED	2664	973000.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154G: No p.check-up -wait.time too long -3 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18662 / 9034671.77] [Invalid=43045 / 20456358.2]
Universe	Respondents who answered PCU_152 = (4, 5, 6, 7 or 8) or PCU_150 = (2, 7, 8)
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Waiting time was too long
Notes	The external name variable before 2011 was PCU_56G

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	257	146299.4	1.6%	
2	NO	18405	8888372.4		98.4%
6	NOT APPLICABLE	39643	19217599.8		
7	DON'T KNOW	731	263399.2		
8	REFUSAL	7	2358.9		
9	NOT STATED	2664	973000.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154H: No phys. check-up -transp. prob. - 3 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18662 / 9034671.77] [Invalid=43045 / 20456358.2]
Universe	Respondents who answered PCU_152 = (4, 5, 6, 7 or 8) or PCU_150 = (2, 7, 8)
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Transportation - problems
Notes	The external name variable before 2011 was PCU_56H

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	42	15354.0	0.2%	
2	NO	18620	9019317.7		99.8%
6	NOT APPLICABLE	39643	19217599.8		
7	DON'T KNOW	731	263399.2		
8	REFUSAL	7	2358.9		
9	NOT STATED	2664	973000.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154I: No phys. check-up - lang. problem -3 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18662 / 9034671.77] [Invalid=43045 / 20456358.2]
Universe	Respondents who answered PCU_152 = (4, 5, 6, 7 or 8) or PCU_150 = (2, 7, 8)
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Language - problem
Notes	The external name variable before 2011 was PCU_56I

PCU_154I: No phys. check-up - lang. problem -3 yrs

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5	11895.8	0.1%	
2	NO	18657	9022776.0		99.9%
6	NOT APPLICABLE	39643	19217599.8		
7	DON'T KNOW	731	263399.2		
8	REFUSAL	7	2358.9		
9	NOT STATED	2664	973000.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154J: No phys. check-up - cost - 3 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18662 / 9034671.77] [Invalid=43045 / 20456358.2]
Universe	Respondents who answered PCU_152 = (4, 5, 6, 7 or 8) or PCU_150 = (2, 7, 8)
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Cost
Notes	The external name variable before 2011 was PCU_56J

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	77	32068.1	0.4%	
2	NO	18585	9002603.7		99.6%
6	NOT APPLICABLE	39643	19217599.8		
7	DON'T KNOW	731	263399.2		
8	REFUSAL	7	2358.9		
9	NOT STATED	2664	973000.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154K: No phys. check-up - DK where/go - 3 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18662 / 9034671.77] [Invalid=43045 / 20456358.2]
Universe	Respondents who answered PCU_152 = (4, 5, 6, 7 or 8) or PCU_150 = (2, 7, 8)
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Did not know where to go / uninformed
Notes	The external name variable before 2011 was PCU_56K

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	176	133809.5	1.5%	
2	NO	18486	8900862.2		98.5%
6	NOT APPLICABLE	39643	19217599.8		
7	DON'T KNOW	731	263399.2		
8	REFUSAL	7	2358.9		
9	NOT STATED	2664	973000.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154L: No phys. check-up - fear - 3 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18662 / 9034671.77] [Invalid=43045 / 20456358.2]
Universe	Respondents who answered PCU_152 = (4, 5, 6, 7 or 8) or PCU_150 = (2, 7, 8)
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Fear (e.g., painful, embarrassing, find something wrong)

PCU_154L: No phys. check-up - fear - 3 yrs

Notes	The external name variable before 2011 was PCU_56L

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	128	64475.9	0.7%	
2	NO	18534	8970195.9		99.3%
6	NOT APPLICABLE	39643	19217599.8		
7	DON'T KNOW	731	263399.2		
8	REFUSAL	7	2358.9		
9	NOT STATED	2664	973000.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154M: No p.check-up -unable leave house -3 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18662 / 9034671.77] [Invalid=43045 / 20456358.2]
Universe	Respondents who answered PCU_152 = (4, 5, 6, 7 or 8) or PCU_150 = (2, 7, 8)
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Other
Notes	The external name variable before 2011 was PCU_56M

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	21	9587.8	0.1%	
2	NO	18641	9025084.0		99.9%
6	NOT APPLICABLE	39643	19217599.8		
7	DON'T KNOW	731	263399.2		
8	REFUSAL	7	2358.9		
9	NOT STATED	2664	973000.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_154N: No phys. check-up - other - 3 yrs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18662 / 9034671.77] [Invalid=43045 / 20456358.2]
Universe	Respondents who answered PCU_152 = (4, 5, 6, 7 or 8) or PCU_150 = (2, 7, 8)
Literal question	What are the reasons that you have not had a general physical check-up in the past 3 years? - Unable to leave the house because of a health problem
Notes	The external name variable before 2011 was PCU_56N

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3136	1382044.0	15.3%	
2	NO	15526	7652627.8		84.7%
6	NOT APPLICABLE	39643	19217599.8		
7	DON'T KNOW	731	263399.2		
8	REFUSAL	7	2358.9		
9	NOT STATED	2664	973000.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_155: Weighted by a health professional

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=40007 / 19268364.49] [Invalid=21700 / 10222665.48]
Universe	Respondents who answered PCU_152 = (1, 2, 3, 7 or 8) or PCU_150 = (7, 8)
Literal question	During your last general physical check-up, did a health professional weigh you?

PCU_155: Weighted by a health professional

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	35453	17307084.4	89.8%
2	NO	4554	1961280.1	10.2%
6	NOT APPLICABLE	19400	9300429.9	
7	DON'T KNOW	558	236152.1	
8	REFUSAL	12	5650.5	
9	NOT STATED	1730	680432.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_156: Height measured by a health professional

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=39597 / 19110403.88] [Invalid=22110 / 10380626.09]
Universe	Respondents who answered PCU_152 = (1, 2, 3, 7 or 8) or PCU_150 = (7, 8)
Literal question	(During your last general physical check-up,) ...did a health professional measure your height?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	28798	14346758.9	75.1%
2	NO	10799	4763645.0	24.9%
6	NOT APPLICABLE	19400	9300429.9	
7	DON'T KNOW	970	396164.5	
8	REFUSAL	10	3598.7	
9	NOT STATED	1730	680432.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_157: Blood pressure checked by health prof.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=40274 / 19368569.41] [Invalid=21433 / 10122460.56]
Universe	Respondents who answered PCU_152 = (1, 2, 3, 7 or 8) or PCU_150 = (7, 8)
Literal question	During your last general physical check-up, did a health professional check your blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	38934	18751974.4	96.8%
2	NO	1340	616595.0	3.2%
6	NOT APPLICABLE	19400	9300429.9	
7	DON'T KNOW	296	136682.6	
8	REFUSAL	7	4915.1	
9	NOT STATED	1730	680432.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PCU_158: Risks of weigth discuss. with hea. prof.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=40261 / 19396123.67] [Invalid=21446 / 10094906.3]
Universe	Respondents who answered PCU_152 = (1, 2, 3, 7 or 8) or PCU_150 = (7, 8)
Literal question	(During your last general physical check-up,) ...did a health professional discuss with you any risks that your weight might pose to your health?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10791	5433922.0	28.0%

PCU_158: Risks of weigth discuss. with hea. prof.

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	29470	13962201.6		72.0%
6	NOT APPLICABLE	19400	9300429.9		
7	DON'T KNOW	307	109493.5		
8	REFUSAL	9	4550.0		
9	NOT STATED	1730	680432.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOPSA: Module: PSA - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23491 / 12331452.55] [Invalid=38216 / 17159577.42]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	23491	12331452.6		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	38216	17159577.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_170: Ever had a PSA blood test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6882 / 3681144.24] [Invalid=54825 / 25809885.73]
Universe	Males aged 35 and over with DOPSA = 1
Literal question	Have you ever had a prostate specific antigen test for prostate cancer, that is, a PSA blood test?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4237	1923239.5		52.2%
2	NO	2645	1757904.8		47.8%
6	NOT APPLICABLE	54309	25579727.9		
7	DON'T KNOW	194	120287.6		
8	REFUSAL	17	7556.6		
9	NOT STATED	305	102313.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_172: Last time had PSA blood test

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=4187 / 1908053.9] [Invalid=57520 / 27582976.07]
Universe	Respondents who answered PSA_170 = (1, 7 or 8)
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< 1 YEAR	2250	1013918.5		53.1%
2	1 TO < 2 YEARS	960	456274.9		23.9%
3	2 TO < 3 YEARS	417	223173.7		11.7%

PSA_172: Last time had PSA blood test

Value	Label	Cases	Weighted	Percentage (Weighted)
4	3 TO < 5 YEARS	280	98660.6	5.2%
5	5 YEARS OR MORE	280	116026.1	6.1%
6	NOT APPLICABLE	56954	27337632.7	
7	DON'T KNOW	49	15136.7	
8	REFUSAL	1	48.9	
9	NOT STATED	516	230157.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_73A: Had PSA test - family history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4221 / 1917980.71] [Invalid=57486 / 27573049.26]
Universe	Respondents who answered PSA_170 = (1, 7 or 8)
Literal question	Why did you have it? - Family history of prostate cancer

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	249	124615.3	6.5%
2	NO	3972	1793365.4	93.5%
6	NOT APPLICABLE	56954	27337632.7	
7	DON'T KNOW	15	4909.5	
8	REFUSAL	1	349.2	
9	NOT STATED	516	230157.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_73B: Had PSA test - regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4221 / 1917980.71] [Invalid=57486 / 27573049.26]
Universe	Respondents who answered PSA_170 = (1, 7 or 8)
Literal question	Why did you have it? - Part of regular check-up / routine screening

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3188	1445147.4	75.3%
2	NO	1033	472833.3	24.7%
6	NOT APPLICABLE	56954	27337632.7	
7	DON'T KNOW	15	4909.5	
8	REFUSAL	1	349.2	
9	NOT STATED	516	230157.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_73C: Had PSA test - age

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4221 / 1917980.71] [Invalid=57486 / 27573049.26]
Universe	Respondents who answered PSA_170 = (1, 7 or 8)
Literal question	Why did you have it? - Age

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	535	299449.7	15.6%
2	NO	3686	1618531.0	84.4%
6	NOT APPLICABLE	56954	27337632.7	

PSA_73C: Had PSA test - age

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	15	4909.5	
8	REFUSAL	1	349.2	
9	NOT STATED	516	230157.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_73D: Had PSA test - follow-up / problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4221 / 1917980.71] [Invalid=57486 / 27573049.26]
Universe	Respondents who answered PSA_170 = (1, 7 or 8)
Literal question	Why did you have it? - Follow-up of problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	475	193500.7	10.1%
2	NO	3746	1724480.0	89.9%
6	NOT APPLICABLE	56954	27337632.7	
7	DON'T KNOW	15	4909.5	
8	REFUSAL	1	349.2	
9	NOT STATED	516	230157.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_73E: Had PSA test - follow-up/prostate treat.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4221 / 1917980.71] [Invalid=57486 / 27573049.26]
Universe	Respondents who answered PSA_170 = (1, 7 or 8)
Literal question	Why did you have it? - Follow-up of prostate cancer treatment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	236	79777.9	4.2%
2	NO	3985	1838202.8	95.8%
6	NOT APPLICABLE	56954	27337632.7	
7	DON'T KNOW	15	4909.5	
8	REFUSAL	1	349.2	
9	NOT STATED	516	230157.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_73F: Had PSA test - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4221 / 1917980.71] [Invalid=57486 / 27573049.26]
Universe	Respondents who answered PSA_170 = (1, 7 or 8)
Literal question	Why did you have it? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	140	60874.0	3.2%
2	NO	4081	1857106.7	96.8%
6	NOT APPLICABLE	56954	27337632.7	
7	DON'T KNOW	15	4909.5	
8	REFUSAL	1	349.2	
9	NOT STATED	516	230157.8	

PSA_73F: Had PSA test - other

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_174: Had a digital rectal exam

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7030 / 3781615.73] [Invalid=54677 / 25709414.24]
Universe	Males aged 35 and over with DOPSA = 1
Literal question	A Digital Rectal Exam is an exam in which a gloved finger is inserted into the rectum in order to feel the prostate gland. Have you ever had this exam?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4724	2215851.0	58.6%
2	NO	2306	1565764.7	41.4%
6	NOT APPLICABLE	54309	25579727.9	
7	DON'T KNOW	36	11152.1	
8	REFUSAL	10	8664.0	
9	NOT STATED	322	109870.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_175: Last time had digital rectal exam

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=4671 / 2196307.22] [Invalid=57036 / 27294722.75]
Universe	Respondents who answered PSA_174 = (1, 7 or 8) or PSA_170 = 8
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	1887	884908.5	40.3%
2	1 TO < 2 YEARS	1023	496780.3	22.6%
3	2 TO < 3 YEARS	543	259828.2	11.8%
4	3 TO < 5 YEARS	419	188323.8	8.6%
5	5 YEARS OR MORE	799	366466.4	16.7%
6	NOT APPLICABLE	56615	27145492.6	
7	DON'T KNOW	51	19288.7	
8	REFUSAL	2	255.1	
9	NOT STATED	368	129686.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOCCS: Module: CCS - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	61707	29491030.0	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_180: Had an FOBT test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=43035 / 18740004.77] [Invalid=18672 / 10751025.2]
Universe	Respondents aged 35 and over
Literal question	An FOBT is a test to check for blood in your stool, where you have a bowel movement and use a stick to smear a small sample on a special card. Have you ever had this test?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19247	6845029.0	36.5%
2	NO	23788	11894975.8	63.5%
6	NOT APPLICABLE	17252	10181376.4	
7	DON'T KNOW	324	142445.2	
8	REFUSAL	30	13198.1	
9	NOT STATED	1066	414005.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_182: Last time FOBT test done

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=18888 / 6756504.89] [Invalid=42819 / 22734525.08]
Universe	Respondents who answered CCS_180 = (1, 7 or 8)
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	6536	2326767.3	34.4%
2	1 TO < 2 YEARS	4285	1505781.1	22.3%
3	2 TO < 3 YEARS	2555	916266.8	13.6%
4	3 TO < 5 YEARS	1996	719747.8	10.7%
5	5 TO < 10YEARS	1957	718109.3	10.6%
6	5 YEARS OR MORE	1559	569832.5	8.4%
96	NOT APPLICABLE	41040	22076352.2	
97	DON'T KNOW	354	87522.1	
98	REFUSAL	5	1002.0	
99	NOT STATED	1420	569648.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_83A: Had FOBT - family history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18714 / 6687400.99] [Invalid=42993 / 22803628.98]
Universe	Respondents who answered CCS_180 = (1, 7 or 8)
Literal question	Why did you have it? - Family history of colorectal cancer

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1007	355584.2	5.3%
2	NO	17707	6331816.7	94.7%
6	NOT APPLICABLE	41040	22076352.2	
7	DON'T KNOW	526	156646.8	
8	REFUSAL	7	981.2	
9	NOT STATED	1420	569648.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_83B: Had FOBT - regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18714 / 6687400.99] [Invalid=42993 / 22803628.98]
Universe	Respondents who answered CCS_180 = (1, 7 or 8)
Literal question	Why did you have it? - Part of regular check-up / routine screening

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	12689	4517529.8		67.6%
2	NO	6025	2169871.2		32.4%
6	NOT APPLICABLE	41040	22076352.2		
7	DON'T KNOW	526	156646.8		
8	REFUSAL	7	981.2		
9	NOT STATED	1420	569648.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_83C: Had FOBT - age

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18714 / 6687400.99] [Invalid=42993 / 22803628.98]
Universe	Respondents who answered CCS_180 = (1, 7 or 8)
Literal question	Why did you have it? - Age

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1076	552837.4	8.3%	
2	NO	17638	6134563.6		91.7%
6	NOT APPLICABLE	41040	22076352.2		
7	DON'T KNOW	526	156646.8		
8	REFUSAL	7	981.2		
9	NOT STATED	1420	569648.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_83D: Had FOBT - follow-up of problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18714 / 6687400.99] [Invalid=42993 / 22803628.98]
Universe	Respondents who answered CCS_180 = (1, 7 or 8)
Literal question	Why did you have it? - Follow-up of problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3943	1366908.9	20.4%	
2	NO	14771	5320492.1		79.6%
6	NOT APPLICABLE	41040	22076352.2		
7	DON'T KNOW	526	156646.8		
8	REFUSAL	7	981.2		
9	NOT STATED	1420	569648.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_83E: Had FOBT - follow-up of treatment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18714 / 6687400.99] [Invalid=42993 / 22803628.98]
Universe	Respondents who answered CCS_180 = (1, 7 or 8)
Literal question	Why did you have it? - Follow-up of colorectal cancer treatment

CCS_83E: Had FOBT - follow-up of treatment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	168	59128.2	0.9%	
2	NO	18546	6628272.8		99.1%
6	NOT APPLICABLE	41040	22076352.2		
7	DON'T KNOW	526	156646.8		
8	REFUSAL	7	981.2		
9	NOT STATED	1420	569648.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_83F: Had FOBT - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18714 / 6687400.99] [Invalid=42993 / 22803628.98]
Universe	Respondents who answered CCS_180 = (1, 7 or 8)
Literal question	Why did you have it? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1113	396156.1	5.9%	
2	NO	17601	6291244.9		94.1%
6	NOT APPLICABLE	41040	22076352.2		
7	DON'T KNOW	526	156646.8		
8	REFUSAL	7	981.2		
9	NOT STATED	1420	569648.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_184: Had colonoscopy or sigmoidoscopy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=43171 / 18791582.87] [Invalid=18536 / 10699447.1]
Universe	Respondents aged 35 and over
Literal question	A colonoscopy or sigmoidoscopy is when a tube is inserted into the rectum to view the bowel for early signs of cancer and other health problems. Have you ever had either of these exams?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	16016	6026264.0	32.1%	
2	NO	27155	12765318.8		67.9%
6	NOT APPLICABLE	17252	10181376.4		
7	DON'T KNOW	185	89900.7		
8	REFUSAL	2	829.2		
9	NOT STATED	1097	427340.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_185: Last time had colonoscopy/sigmoidoscopy

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=15854 / 5985467.64] [Invalid=45853 / 23505562.33]
Universe	Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8
Literal question	When was the last time?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< 1 YEAR	3064	1203780.2		20.1%

CCS_185: Last time had colonoscopy/sigmoidoscopy

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	1 TO < 2 YEARS	2587	1022713.7		17.1%
3	2 TO < 3 YEARS	2526	1013294.1		16.9%
4	3 TO < 5 YEARS	2997	1104454.1		18.5%
5	5 TO < 10YEARS	2710	943034.6		15.8%
6	5 YEARS OR MORE	1970	698191.0		11.7%
96	NOT APPLICABLE	44407	22946695.2		
97	DON'T KNOW	160	40368.8		
98	REFUSAL	2	427.6		
99	NOT STATED	1284	518070.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_86A: Had colonoscopy - family history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15719 / 5944370.61] [Invalid=45988 / 23546659.36]
Universe	Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8
Literal question	Why did you have it? - Family history of colorectal cancer

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2512	967996.3	16.3%	
2	NO	13207	4976374.3		83.7%
6	NOT APPLICABLE	44407	22946695.2		
7	DON'T KNOW	292	79290.9		
8	REFUSAL	5	2602.5		
9	NOT STATED	1284	518070.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_86B: Had colonoscopy - regular check-up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15719 / 5944370.61] [Invalid=45988 / 23546659.36]
Universe	Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8
Literal question	Why did you have it? - Part of regular check-up / routine screening

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5930	2290521.9	38.5%	
2	NO	9789	3653848.7		61.5%
6	NOT APPLICABLE	44407	22946695.2		
7	DON'T KNOW	292	79290.9		
8	REFUSAL	5	2602.5		
9	NOT STATED	1284	518070.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_86C: Had colonoscopy - age

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15719 / 5944370.61] [Invalid=45988 / 23546659.36]
Universe	Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8
Literal question	Why did you have it? - Age

CCS_86C: Had colonoscopy - age

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	962	487409.9	8.2%
2	NO	14757	5456960.7	91.8%
6	NOT APPLICABLE	44407	22946695.2	
7	DON'T KNOW	292	79290.9	
8	REFUSAL	5	2602.5	
9	NOT STATED	1284	518070.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_86D: Had colonoscopy - follow-up of problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15719 / 5944370.61] [Invalid=45988 / 23546659.36]
Universe	Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8
Literal question	Why did you have it? - Follow-up of problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6642	2389373.0	40.2%
2	NO	9077	3554997.6	59.8%
6	NOT APPLICABLE	44407	22946695.2	
7	DON'T KNOW	292	79290.9	
8	REFUSAL	5	2602.5	
9	NOT STATED	1284	518070.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_86E: Had colonoscopy - follow-up of treatment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15719 / 5944370.61] [Invalid=45988 / 23546659.36]
Universe	Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8
Literal question	Why did you have it? - Follow-up of colorectal cancer treatment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	353	104900.2	1.8%
2	NO	15366	5839470.4	98.2%
6	NOT APPLICABLE	44407	22946695.2	
7	DON'T KNOW	292	79290.9	
8	REFUSAL	5	2602.5	
9	NOT STATED	1284	518070.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_86F: Had colonoscopy - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15719 / 5944370.61] [Invalid=45988 / 23546659.36]
Universe	Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8
Literal question	Why did you have it? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1076	409264.1	6.9%
2	NO	14643	5535106.5	93.1%
6	NOT APPLICABLE	44407	22946695.2	

CCS_86F: Had colonoscopy - other

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	292	79290.9	
8	REFUSAL	5	2602.5	
9	NOT STATED	1284	518070.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CCS_187: Colonoscopy/sigmoidoscopy - FOBT test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9167 / 3197376.49] [Invalid=52540 / 26293653.48]
Universe	Respondents who answered CCS_184 = (1, 7 or 8) and CCS_180 = (1 or 7) or CCS_180 = 8
Literal question	Was the colonoscopy or sigmoidoscopy a follow-up of the results of an FOBT?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1950	688403.7	21.5%
2	NO	7217	2508972.8	78.5%
6	NOT APPLICABLE	50415	25547502.5	
7	DON'T KNOW	743	195132.1	
8	REFUSAL	5	352.6	
9	NOT STATED	1377	550666.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DODEN: Module: DEN - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10771 / 4649812.11] [Invalid=50936 / 24841217.86]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10771	4649812.1	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	50936	24841217.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_130: Visited dentist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6548 / 3025739.77] [Invalid=55159 / 26465290.2]
Universe	Respondents with DODEN = 1 who answered HCU_02EE = (1, 7, 8)
Literal question	It was reported earlier that you have "seen" or "talked to" a dentist in the past 12 months. Did you actually visit one?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6462	2977375.7	98.4%
2	NO	86	48364.1	1.6%
6	NOT APPLICABLE	55064	26429943.6	
7	DON'T KNOW	3	1361.0	
8	REFUSAL	0	0.0	

DEN_130: Visited dentist

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	92	33985.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_132: Last time visited dentist

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=10484 / 4567283.21] [Invalid=51223 / 24923746.76]
Universe	Respondents with DODEN = 1 who answered DEN_130 = (2, 7, 8) or HCU_02EE = (2, 7, 8)
Literal question	When was the last time that you went to a dentist?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	6484	2993465.0	65.5%
2	1 TO <2 YEARS	1200	533121.5	11.7%
3	2 TO < 3 YEARS	791	378685.2	8.3%
4	3 TO < 4 YEARS	363	155847.7	3.4%
5	4 TO < 5 YEARS	281	105524.6	2.3%
6	5 YEARS OR MORE	1289	365917.9	8.0%
7	NEVER	76	34721.2	0.8%
96	NOT APPLICABLE	50936	24841217.9	
97	DON'T KNOW	83	23413.9	
98	REFUSAL	3	505.6	
99	NOT STATED	201	58609.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36A: No dent. vis. - haven't got around to it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1994 / 658720.22] [Invalid=59713 / 28832309.75]
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Have not gotten around to it

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	198	99634.0	15.1%
2	NO	1796	559086.2	84.9%
6	NOT APPLICABLE	59411	28746489.6	
7	DON'T KNOW	14	2997.6	
8	REFUSAL	1	293.7	
9	NOT STATED	287	82528.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36B: No dent. vis. - resp. didn't think nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1994 / 658720.22] [Invalid=59713 / 28832309.75]
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Respondent did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	558	221215.9	33.6%
2	NO	1436	437504.3	66.4%
6	NOT APPLICABLE	59411	28746489.6	

DEN_36B: No dent. vis. - resp. didn't think nec.

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	14	2997.6	
8	REFUSAL	1	293.7	
9	NOT STATED	287	82528.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36C: No dent. vis. - dent. didn't think nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1994 / 658720.22] [Invalid=59713 / 28832309.75]
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Dentist did not think it was necessary

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	1517.7	0.2%
2	NO	1984	657202.5	99.8%
6	NOT APPLICABLE	59411	28746489.6	
7	DON'T KNOW	14	2997.6	
8	REFUSAL	1	293.7	
9	NOT STATED	287	82528.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36D: No dent. vis. - pers./family respons.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1994 / 658720.22] [Invalid=59713 / 28832309.75]
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	5070.3	0.8%
2	NO	1988	653649.9	99.2%
6	NOT APPLICABLE	59411	28746489.6	
7	DON'T KNOW	14	2997.6	
8	REFUSAL	1	293.7	
9	NOT STATED	287	82528.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36E: No dent. vis. - not avail. when req'd.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1994 / 658720.22] [Invalid=59713 / 28832309.75]
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	4295.5	0.7%
2	NO	1988	654424.7	99.3%
6	NOT APPLICABLE	59411	28746489.6	
7	DON'T KNOW	14	2997.6	
8	REFUSAL	1	293.7	
9	NOT STATED	287	82528.9	

DEN_36E: No dent. vis. - not avail. when req'd.

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36F: No dent. vis. - not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1994 / 658720.22] [Invalid=59713 / 28832309.75]
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at all in the area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	11	1453.0	0.2%	
2	NO	1983	657267.2		99.8%
6	NOT APPLICABLE	59411	28746489.6		
7	DON'T KNOW	14	2997.6		
8	REFUSAL	1	293.7		
9	NOT STATED	287	82528.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36G: No dent. vis. - waiting time too long

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1994 / 658720.22] [Invalid=59713 / 28832309.75]
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Waiting time was too long

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6	591.1	0.1%	
2	NO	1988	658129.1		99.9%
6	NOT APPLICABLE	59411	28746489.6		
7	DON'T KNOW	14	2997.6		
8	REFUSAL	1	293.7		
9	NOT STATED	287	82528.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36H: No dent. vis. - transportation problems

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1994 / 658720.22] [Invalid=59713 / 28832309.75]
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5	569.8	0.1%	
2	NO	1989	658150.4		99.9%
6	NOT APPLICABLE	59411	28746489.6		
7	DON'T KNOW	14	2997.6		
8	REFUSAL	1	293.7		
9	NOT STATED	287	82528.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36I: No dent. vis. - language problem

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1994 / 658720.22] [Invalid=59713 / 28832309.75]

DEN_36I: No dent. vis. - language problem

Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Language problem			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	1994	658720.2	100.0%
6	NOT APPLICABLE	59411	28746489.6	
7	DON'T KNOW	14	2997.6	
8	REFUSAL	1	293.7	
9	NOT STATED	287	82528.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36J: No dent. vis. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1994 / 658720.22] [Invalid=59713 / 28832309.75]
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	225	108259.8	16.4%
2	NO	1769	550460.4	83.6%
6	NOT APPLICABLE	59411	28746489.6	
7	DON'T KNOW	14	2997.6	
8	REFUSAL	1	293.7	
9	NOT STATED	287	82528.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36K: No dent. vis. - didn't know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1994 / 658720.22] [Invalid=59713 / 28832309.75]
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Did not know where to go / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	1568.7	0.2%
2	NO	1986	657151.5	99.8%
6	NOT APPLICABLE	59411	28746489.6	
7	DON'T KNOW	14	2997.6	
8	REFUSAL	1	293.7	
9	NOT STATED	287	82528.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36L: No dent. vis. - fear

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1994 / 658720.22] [Invalid=59713 / 28832309.75]
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Fear (e.g., painful, embarrassing, find something wrong)

DEN_36L: No dent. vis. - fear

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	106	31499.5	4.8%	
2	NO	1888	627220.8		95.2%
6	NOT APPLICABLE	59411	28746489.6		
7	DON'T KNOW	14	2997.6		
8	REFUSAL	1	293.7		
9	NOT STATED	287	82528.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36M: No dent. vis. - wears dentures

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1994 / 658720.22] [Invalid=59713 / 28832309.75]
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Wears dentures

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	857	183404.8	27.8%	
2	NO	1137	475315.4		72.2%
6	NOT APPLICABLE	59411	28746489.6		
7	DON'T KNOW	14	2997.6		
8	REFUSAL	1	293.7		
9	NOT STATED	287	82528.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36O: No dent. vis. - unable to leave house

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1994 / 658720.22] [Invalid=59713 / 28832309.75]
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4	1398.4	0.2%	
2	NO	1990	657321.9		99.8%
6	NOT APPLICABLE	59411	28746489.6		
7	DON'T KNOW	14	2997.6		
8	REFUSAL	1	293.7		
9	NOT STATED	287	82528.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DEN_36N: No dent. vis. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1994 / 658720.22] [Invalid=59713 / 28832309.75]
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	159	55773.5	8.5%	
2	NO	1835	602946.7		91.5%

DEN_36N: No dent. vis. - other

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	59411	28746489.6	
7	DON'T KNOW	14	2997.6	
8	REFUSAL	1	293.7	
9	NOT STATED	287	82528.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOOH2: Module: OH2 - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3486 / 1006969.25] [Invalid=58221 / 28484060.72]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3486	1006969.2	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_10: Freq. usually visits the dentist

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3325 / 975973.2] [Invalid=58382 / 28515056.77]
Universe	Respondents with DOOH2 = 1 excluding those who answered DEN_132 = 7
Literal question	Do you usually visit the dentist:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	> ONCE/YEAR	933	343149.0	35.2%
2	ONCE/YEAR	1189	350434.4	35.9%
3	< ONCE/YEAR	296	76645.9	7.9%
4	EMERGENCY	907	205743.9	21.1%
6	NOT APPLICABLE	58246	28489477.0	
7	DON'T KNOW	69	14749.0	
8	REFUSAL	7	2678.7	
9	NOT STATED	60	8152.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_11: Insurance for dental expenses

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3295 / 966838.93] [Invalid=58412 / 28524191.04]
Universe	Respondents with DOOH2 = 1
Literal question	Do you have insurance that covers all or part of your dental expenses?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2025	690201.3	71.4%
2	NO	1270	276637.6	28.6%

OH2_11: Insurance for dental expenses

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	52	13430.2	
8	REFUSAL	3	1120.4	
9	NOT STATED	136	25579.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_11A: Dental ins. - government-sponsored

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1955 / 665641.85] [Invalid=59752 / 28825388.12]
Universe	Respondents who answered OH2_11 = (1, 7 or 8) or OH2_10 = (7 or 8)
Literal question	Is it a government-sponsored plan?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	295	79604.6	12.0%
2	NO	1660	586037.3	88.0%
6	NOT APPLICABLE	59491	28760698.3	
7	DON'T KNOW	70	24559.5	
8	REFUSAL	0	0.0	
9	NOT STATED	191	40130.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_11B: Type of plan - employer-sponsored

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1955 / 665641.85] [Invalid=59752 / 28825388.12]
Universe	Respondents who answered OH2_11 = (1, 7 or 8) or OH2_10 = (7 or 8)
Literal question	Is it an employer-sponsored plan?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1486	532526.1	80.0%
2	NO	469	133115.7	20.0%
6	NOT APPLICABLE	59491	28760698.3	
7	DON'T KNOW	70	24559.5	
8	REFUSAL	0	0.0	
9	NOT STATED	191	40130.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_11C: Type of plan - private

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1955 / 665641.85] [Invalid=59752 / 28825388.12]
Universe	Respondents who answered OH2_11 = (1, 7 or 8) or OH2_10 = (7 or 8)
Literal question	Is it a private plan?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	223	69611.1	10.5%
2	NO	1732	596030.7	89.5%
6	NOT APPLICABLE	59491	28760698.3	
7	DON'T KNOW	70	24559.5	
8	REFUSAL	0	0.0	

OH2_11C: Type of plan - private

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	191	40130.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_12: Teeth removed by dentist - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2108 / 689093.64] [Invalid=59599 / 28801936.33]
Universe	Respondents with DOOH2 = 1 who answered DEN_130 = (1, 7 or 8) or DEN_132 = (1, 97 or 98)
Literal question	In the past 12 months, have you had any teeth removed by a dentist?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	290	93204.6	13.5%
2	NO	1818	595889.0	86.5%
6	NOT APPLICABLE	59489	28785684.3	
7	DON'T KNOW	6	862.9	
8	REFUSAL	0	0.0	
9	NOT STATED	104	15389.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_13: Teeth removed -decay/gum disease - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=285 / 92474.69] [Invalid=61422 / 29398555.28]
Universe	Respondents with DOOH2 = 1 who answered OH2_12 = (1, 7 or 8) or OH2_10 = (7 or 8) and (DEN_130 = 1 or DEN_132 = 1) or DEN_130 = (7 or 8) or DEN_132 = (97 or 98)
Literal question	(In the past 12 months,) were any teeth removed because of decay or gum disease?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	158	41239.0	44.6%
2	NO	127	51235.7	55.4%
6	NOT APPLICABLE	61307	29381573.4	
7	DON'T KNOW	5	729.9	
8	REFUSAL	0	0.0	
9	NOT STATED	110	16252.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_20: Has one or more of own teeth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3345 / 978929.55] [Invalid=58362 / 28512100.42]
Universe	Respondents with DOOH2 = 1
Literal question	Do you have one or more of your own teeth?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3035	933709.5	95.4%
2	NO	310	45220.1	4.6%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	5	2460.0	
8	REFUSAL	0	0.0	
9	NOT STATED	136	25579.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_21: Wears dentures

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3344 / 979313.08] [Invalid=58363 / 28511716.89]			
Universe	Respondents with DOOH2 = 1			
Literal question	Do you wear dentures or false teeth?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	830	162878.2	16.6%
2	NO	2514	816434.8	83.4%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	5	1821.1	
8	REFUSAL	1	255.4	
9	NOT STATED	136	25579.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_22: Mouth cond.- diff. speaking clearly

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3344 / 979513.76] [Invalid=58363 / 28511516.21]			
Universe	Respondents with DOOH2 = 1			
Literal question	Because of the condition of your TEETH, do you have difficulty pronouncing any words or speaking clearly?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	132	29620.2	3.0%
2	NO	3212	949893.6	97.0%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	6	1875.8	
8	REFUSAL	0	0.0	
9	NOT STATED	136	25579.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_23: Cond. mouth - avoided conversat. - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=3347 / 980767.7] [Invalid=58360 / 28510262.27]			
Universe	Respondents with DOOH2 = 1			
Literal question	In the past 12 months, how often have you avoided: ...conversation or contact with other people, because of the condition of your TEETH?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN	14	2700.6	0.3%
2	SOMETIMES	44	16723.8	1.7%
3	RARELY	105	26012.7	2.7%
4	NEVER	3184	935330.6	95.4%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	3	621.8	
8	REFUSAL	0	0.0	
9	NOT STATED	136	25579.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_24: Mouth cond. -av. laughing/smiling -12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3340 / 979038.56] [Invalid=58367 / 28511991.41]
Universe	Respondents with DOOH2 = 1
Literal question	In the past 12 months, how often have you avoided: ...laughing or smiling, because of the condition of your TEETH?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	OFTEN	34	9886.0	1.0%	
2	SOMETIMES	79	26193.1	2.7%	
3	RARELY	85	19109.9	2.0%	
4	NEVER	3142	923849.5		94.4%
6	NOT APPLICABLE	58221	28484060.7		
7	DON'T KNOW	10	2351.0		
8	REFUSAL	0	0.0		
9	NOT STATED	136	25579.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_25A: Had a toothache - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3033 / 933481.13] [Invalid=58674 / 28557548.84]
Universe	Respondents with DOOH2 = 1 and OH2_Q20=1
Literal question	In the past month, have you had: ...a toothache?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	320	99640.7	10.7%	
2	NO	2713	833840.5		89.3%
6	NOT APPLICABLE	58536	28531740.8		
7	DON'T KNOW	2	228.4		
8	REFUSAL	0	0.0		
9	NOT STATED	136	25579.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_25B: Teeth sensitive to hot/cold - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3034 / 933520.37] [Invalid=58673 / 28557509.6]
Universe	Respondents with DOOH2 = 1 and OH2_Q20=1
Literal question	In the past month, have you had:

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	842	290693.6	31.1%	
2	NO	2192	642826.8		68.9%
6	NOT APPLICABLE	58536	28531740.8		
7	DON'T KNOW	1	189.1		
8	REFUSAL	0	0.0		
9	NOT STATED	136	25579.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_25C: Had pain - jaw joints - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

OH2_25C: Had pain - jaw joints - past mo

Statistics [NW/ W]	[Valid=3346 / 979230.88] [Invalid=58361 / 28511799.09]		
Universe	Respondents with DOOH2 = 1		
Literal question	In the past month, have you had: ...pain in or around the jaw joints?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	278	95700.1	9.8%
2	NO	3068	883530.8	90.2%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	3	2105.0	
8	REFUSAL	1	53.6	
9	NOT STATED	136	25579.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_25D: Had pain - mouth/face - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3347 / 981124.99] [Invalid=58360 / 28509904.98]		
Universe	Respondents with DOOH2 = 1		
Literal question	In the past month, have you had: ...other pain in the mouth or face?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	243	84938.2	8.7%
2	NO	3104	896186.8	91.3%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	2	210.9	
8	REFUSAL	1	53.6	
9	NOT STATED	136	25579.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_25E: Had bleeding gums - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3348 / 981321.92] [Invalid=58359 / 28509708.05]		
Universe	Respondents with DOOH2 = 1		
Literal question	In the past month, have you had: ...bleeding gums?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	369	123362.0	12.6%
2	NO	2979	857960.0	87.4%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	1	14.0	
8	REFUSAL	1	53.6	
9	NOT STATED	136	25579.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_25F: Had dry mouth - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3340 / 979276.88] [Invalid=58367 / 28511753.09]		
Universe	Respondents with DOOH2 = 1		

OH2_25F: Had dry mouth - past mo

Literal question	In the past month, have you had: ...dry mouth?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	648	174138.9	17.8%
2	NO	2692	805138.0	82.2%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	9	2059.0	
8	REFUSAL	1	53.6	
9	NOT STATED	136	25579.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_25G: Had bad breath - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3202 / 948848.7] [Invalid=58505 / 28542181.27]
Universe	Respondents with DOOH2 = 1
Literal question	In the past month, have you had: ...bad breath?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	751	250140.5	26.4%
2	NO	2451	698708.2	73.6%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	146	32361.6	
8	REFUSAL	2	179.2	
9	NOT STATED	136	25579.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2_30: Frequency of brushing teeth

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=3025 / 932209.52] [Invalid=58682 / 28558820.45]
Universe	Respondents who answered OH2_20 = (1, 7 or 8) or OH2_10 = (7 or 8)
Literal question	How often do you brush your teeth?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	> TWICE/DAY	474	139391.9	15.0%
2	TWICE/DAY	1631	533581.8	57.2%
3	ONCE/DAY	774	220741.7	23.7%
4	< ONCE/DAY	93	25749.4	2.8%
5	ONCE/WEEK	17	3845.7	0.4%
6	< ONCE/WEEK	36	8899.0	1.0%
96	NOT APPLICABLE	58536	28531740.8	
97	DON'T KNOW	8	751.4	
98	REFUSAL	2	748.6	
99	NOT STATED	136	25579.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2FLIM: Ltd soc. due to oral hlth - 12 mo - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3339 / 979266.04] [Invalid=58368 / 28511763.93]

OH2FLIM: Ltd soc. due to oral hlth - 12 mo - (F)

Universe	Respondents with DOOH2 = 1.
Notes	Based on OH2_23, OH2_24. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOCIAL LIMIT.	136	41544.2	4.2%
2	NO SOCIAL LIMIT.	3203	937721.8	95.8%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	147	27703.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OH2FOFP: Oral/facial pain - past mo - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3272 / 967862.79] [Invalid=58435 / 28523167.18]
Universe	Respondents with DOOH2 = 1
Notes	Based on OH2_25A, OH2_25B, OH2_25C, OH2_25D, OH2_25E, OH2_25F, OH2_25G. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	HAS EXP. PAIN	1813	568872.5	58.8%
2	NOT EXP. PAIN	1459	398990.3	41.2%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	214	39106.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOFDC: Module: FDC - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19746 / 8935426.58] [Invalid=41961 / 20555603.39]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19746	8935426.6	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	41961	20555603.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_1A: Chooses/avoids foods - weight concern

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19132 / 8727985.08] [Invalid=42575 / 20763044.89]
Universe	Respondents with DOFDC = 1
Literal question	Do you choose certain foods or avoid others: ...because you are concerned about your body weight?

FDC_1A: Chooses/avoids foods - weight concern

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES / SOMETIMES	10024	4653632.7		53.3%
2	NO	9108	4074352.4		46.7%
6	NOT APPLICABLE	41961	20555603.4		
7	DON'T KNOW	163	46908.5		
8	REFUSAL	18	4803.9		
9	NOT STATED	433	155729.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_1B: Chooses/avoids foods - heart disease

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19085 / 8712672.57] [Invalid=42622 / 20778357.4]
Universe	Respondents with DOFDC = 1
Literal question	Do you choose certain foods or avoid others: ...because you are concerned about heart disease?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES / SOMETIMES	8109	3600858.2		41.3%
2	NO	10976	5111814.4		58.7%
6	NOT APPLICABLE	41961	20555603.4		
7	DON'T KNOW	46	15275.8		
8	REFUSAL	1	36.7		
9	NOT STATED	614	207441.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_1C: Chooses/avoids foods - cancer

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19081 / 8714394.63] [Invalid=42626 / 20776635.34]
Universe	Respondents with DOFDC = 1
Literal question	Do you choose certain foods or avoid others: ...because you are concerned about cancer?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES / SOMETIMES	5870	2736114.8		31.4%
2	NO	13211	5978279.9		68.6%
6	NOT APPLICABLE	41961	20555603.4		
7	DON'T KNOW	51	13590.4		
8	REFUSAL	0	0.0		
9	NOT STATED	614	207441.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_1D: Chooses/avoids foods - osteoporosis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19053 / 8705265.28] [Invalid=42654 / 20785764.69]
Universe	Respondents with DOFDC = 1
Literal question	Do you choose certain foods or avoid others: ...because you are concerned about osteoporosis (brittle bones)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES / SOMETIMES	4841	2115924.0		24.3%

FDC_1D: Chooses/avoids foods - osteoporosis

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	14212	6589341.3		75.7%
6	NOT APPLICABLE	41961	20555603.4		
7	DON'T KNOW	77	22612.9		
8	REFUSAL	2	106.9		
9	NOT STATED	614	207441.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_2A: Reason/choose foods - lower fat content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19084 / 8715480.75] [Invalid=42623 / 20775549.22]
Universe	Respondents with DOFDC = 1
Literal question	Do you choose certain foods because of: ...the lower fat content?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES / SOMETIMES	12851	5685880.2		65.2%
2	NO	6233	3029600.5	34.8%	
6	NOT APPLICABLE	41961	20555603.4		
7	DON'T KNOW	46	12296.9		
8	REFUSAL	2	207.4		
9	NOT STATED	614	207441.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_2B: Reason/choose foods - fibre content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19072 / 8708410.15] [Invalid=42635 / 20782619.82]
Universe	Respondents with DOFDC = 1
Literal question	Do you choose certain foods because of: ...the fibre content?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES / SOMETIMES	12045	5301472.7		60.9%
2	NO	7027	3406937.4	39.1%	
6	NOT APPLICABLE	41961	20555603.4		
7	DON'T KNOW	56	18709.9		
8	REFUSAL	4	865.0		
9	NOT STATED	614	207441.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_2C: Reason/choose foods - calcium content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19056 / 8699832.34] [Invalid=42651 / 20791197.63]
Universe	Respondents with DOFDC = 1
Literal question	Do you choose certain foods because of: ...the calcium content?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES / SOMETIMES	8589	3748470.6	43.1%	
2	NO	10467	4951361.7		56.9%

FDC_2C: Reason/choose foods - calcium content

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	41961	20555603.4	
7	DON'T KNOW	72	23830.1	
8	REFUSAL	4	4322.6	
9	NOT STATED	614	207441.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_3A: Reason/avoid foods - fat content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19090 / 8713544.25] [Invalid=42617 / 20777485.72]
Universe	Respondents with DOFDC = 1
Literal question	Do you avoid certain foods because of: ...the fat content?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	13086	5869954.6	67.4%
2	NO	6004	2843589.7	32.6%
6	NOT APPLICABLE	41961	20555603.4	
7	DON'T KNOW	38	9619.3	
8	REFUSAL	4	4821.6	
9	NOT STATED	614	207441.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_3B: Reason/avoid foods - type of fat

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19004 / 8685815.45] [Invalid=42703 / 20805214.52]
Universe	Respondents with DOFDC = 1
Literal question	Do you avoid certain foods because of: ...the type of fat they contain?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	11637	5246713.8	60.4%
2	NO	7367	3439101.6	39.6%
6	NOT APPLICABLE	41961	20555603.4	
7	DON'T KNOW	123	37273.4	
8	REFUSAL	5	4896.2	
9	NOT STATED	614	207441.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_3C: Reason/avoid foods - salt content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19090 / 8708753.81] [Invalid=42617 / 20782276.16]
Universe	Respondents with DOFDC = 1
Literal question	Do you avoid certain foods because of: ...the salt content?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	11967	5275480.4	60.6%
2	NO	7123	3433273.4	39.4%
6	NOT APPLICABLE	41961	20555603.4	

FDC_3C: Reason/avoid foods - salt content

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	38	14409.7	
8	REFUSAL	4	4821.6	
9	NOT STATED	614	207441.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_3D: Reason/avoid foods - cholesterol content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19044 / 8693873.1] [Invalid=42663 / 20797156.87]
Universe	Respondents with DOFDC = 1
Literal question	Do you avoid certain foods because of: ...the cholesterol content?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	9197	4134103.3	47.6%
2	NO	9847	4559769.8	52.4%
6	NOT APPLICABLE	41961	20555603.4	
7	DON'T KNOW	83	28685.9	
8	REFUSAL	5	5426.1	
9	NOT STATED	614	207441.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDC_3E: Reason/avoid foods - calorie content

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19076 / 8706080.53] [Invalid=42631 / 20784949.44]
Universe	Respondents with DOFDC = 1
Literal question	Do you avoid certain foods because of: ...the calorie content?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	10146	4603211.3	52.9%
2	NO	8930	4102869.2	47.1%
6	NOT APPLICABLE	41961	20555603.4	
7	DON'T KNOW	51	16478.5	
8	REFUSAL	5	5426.1	
9	NOT STATED	614	207441.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDCFAVD: Avoids foods for content reasons - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19087 / 8707303.35] [Invalid=42620 / 20783726.62]
Universe	Respondents with DOFDC = 1
Notes	Based on FDC_3A, FDC_3B, FDC_3C, FDC_3D, FDC_3E. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15669	7077841.8	81.3%
2	NO	3418	1629461.6	18.7%
6	NOT APPLICABLE	41961	20555603.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

FDCFAVD: Avoids foods for content reasons - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	659	228123.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDCFCAH: Chooses/avoids foods hlth concerns - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19096 / 8722227.36] [Invalid=42611 / 20768802.61]
Universe	Respondents with DOFDC = 1
Notes	Based on FDC_1A, FDC_1B, FDC_1C, FDC_1D. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12544	5744535.0	65.9%
2	NO	6552	2977692.4	34.1%
6	NOT APPLICABLE	41961	20555603.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	650	213199.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FDCFCHO: Chooses foods for content reasons - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19084 / 8715315.3] [Invalid=42623 / 20775714.67]
Universe	Respondents with DOFDC = 1
Notes	Based on FDC_2A, FDC_2B, FDC_2C. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14909	6687951.6	76.7%
2	NO	4175	2027363.7	23.3%
6	NOT APPLICABLE	41961	20555603.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	662	220111.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCDJUI: Daily consumption - fruit juice - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=59292 / 28608500.13] [Invalid=2415 / 882529.84] [Mean=0.696 / 0.709] [StdDev=0.905 / 0.911]
Universe	All respondents
Notes	Based on FVC_1A, FVC_1B, FVC_1C, FVC_1D, FVC_1E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	2415	882529.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCDFRU: Daily consumption - fruit - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]

FVCDFRU: Daily consumption - fruit - (D)

Statistics [NW/ W]	[Valid=59009 / 28545245.27] [Invalid=2698 / 945784.7] [Mean=1.423 / 1.428] [StdDev=1.236 / 1.266]
Universe	All respondents
Notes	Based on FVC_2A, FVC_2B, FVC_2C, FVC_2D, FVC_2E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	2698	945784.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCDSAL: Daily consumption - green salad - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=58877 / 28485926.04] [Invalid=2830 / 1005103.93] [Mean=0.513 / 0.534] [StdDev=0.511 / 0.546]
Universe	All respondents
Notes	Based on FVC_3A, FVC_3B, FVC_3C, FVC_3D, FVC_3E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	2830	1005103.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCDPOT: Daily consumption - potatoes - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-15] [Missing=*]
Statistics [NW/ W]	[Valid=59060 / 28524743.87] [Invalid=2647 / 966286.1] [Mean=0.365 / 0.321] [StdDev=0.402 / 0.376]
Universe	All respondents
Notes	Based on FVC_4A, FVC_4B, FVC_4C, FVC_4D, FVC_4E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	2647	966286.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCDCAR: Daily consumption - carrots - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=58603 / 28380194.99] [Invalid=3104 / 1110834.98] [Mean=0.375 / 0.36] [StdDev=0.434 / 0.437]
Universe	All respondents
Notes	Based on FVC_5A, FVC_5B, FVC_5C, FVC_5D, FVC_5E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	

FVCDCAR: Daily consumption - carrots - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
999.9	NOT STATED	3104	1110835.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCDVEG: Daily consumption other vegetables - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=58213 / 28290747.02] [Invalid=3494 / 1200282.95] [Mean=1.376 / 1.431] [StdDev=1.233 / 1.233]
Universe	All respondents
Notes	Based on FVC_6A, FVC_6B, FVC_6C, FVC_6D, FVC_6E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	3494	1200283.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCDTOT: Daily cons. - total fruits and veg. - D)

Information	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]
Statistics [NW/ W]	[Valid=56546 / 27743461.16] [Invalid=5161 / 1747568.81] [Mean=4.758 / 4.79] [StdDev=2.601 / 2.643]
Universe	All respondents
Notes	Based on FVCDJUI, FVCDFRU, FVCDSAL, FVCDPOT, FVCDCAR, FVCDVEG. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	5161	1747568.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FVCGTOT: Daily cons. total fruits/veg. - (D, G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=56546 / 27743461.16] [Invalid=5161 / 1747568.81]
Universe	All respondents
Notes	Based on FVCDTOT. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 5 PER DAY	33593	16486819.6	59.4%
2	5 - 10 TIMES/DAY	20909	10192479.5	36.7%
3	MORE 10 TIMES/DA	2044	1064162.1	3.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	5161	1747568.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1A: Act./last 3 mo - walking

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

PAC_1A: Act./last 3 mo - walking

Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Walking for exercise

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	43925	20547489.3		71.1%
2	NO	16314	8366331.0	28.9%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	27	9900.1		
8	REFUSAL	30	11714.1		
9	NOT STATED	1411	555595.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1B: Act./last 3 mo - gardening/yard work

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Gardening or yard work

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	30868	13538310.5	46.8%	
2	NO	29371	15375509.8	53.2%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	27	9900.1		
8	REFUSAL	30	11714.1		
9	NOT STATED	1411	555595.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1C: Act./last 3 mo - swimming

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Swimming

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	13861	7240692.4	25.0%	
2	NO	46378	21673127.9		75.0%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	27	9900.1		
8	REFUSAL	30	11714.1		
9	NOT STATED	1411	555595.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1D: Act./last 3 mo - bicycling

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Bicycling

PAC_1D: Act./last 3 mo - bicycling

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12850	6951042.5	24.0%
2	NO	47389	21962777.9	76.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1E: Act./last 3 mo - popular/social dance

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Popular or social dance

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10011	4767612.2	16.5%
2	NO	50228	24146208.2	83.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1F: Act./last 3 mo - home exercises

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Home exercises

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22663	10775881.1	37.3%
2	NO	37576	18137939.2	62.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1G: Act./last 3 mo - ice hockey

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Ice hockey

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2950	1567839.8	5.4%
2	NO	57289	27345980.5	94.6%
6	NOT APPLICABLE	0	0.0	

PAC_1G: Act./last 3 mo - ice hockey

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1H: Act./last 3 mo - ice skating

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Ice skating

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3868	1982598.8	6.9%
2	NO	56371	26931221.5	93.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1I: Act./last 3 mo - in-line skating/roll.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - In-line skating or rollerblading

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1686	1022215.1	3.5%
2	NO	58553	27891605.3	96.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1J: Act./last 3 mo - jogging or running

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Jogging or running

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12337	7158540.4	24.8%
2	NO	47902	21755279.9	75.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

PAC_1J: Act./last 3 mo - jogging or running

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1K: Act./last 3 mo - golfing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Golfing

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5774	2891751.2		10.0%
2	NO	54465	26022069.1		90.0%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	27	9900.1		
8	REFUSAL	30	11714.1		
9	NOT STATED	1411	555595.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1L: Act./last 3 mo - exer. class/aerobics

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Exercise class or aerobics

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	7060	3664102.4		12.7%
2	NO	53179	25249717.9		87.3%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	27	9900.1		
8	REFUSAL	30	11714.1		
9	NOT STATED	1411	555595.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1M: Act./last 3 mo - skiing/snowboarding

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Downhill skiing or snowboarding

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2378	1334013.0		4.6%
2	NO	57861	27579807.3		95.4%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	27	9900.1		
8	REFUSAL	30	11714.1		
9	NOT STATED	1411	555595.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1N: Act./last 3 mo - bowling

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]

PAC_1N: Act./last 3 mo - bowling

Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Bowling			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5537	2851532.6	9.9%
2	NO	54702	26062287.7	90.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1O: Act./last 3 mo - baseball or softball

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Baseball or softball			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2949	1494196.6	5.2%
2	NO	57290	27419623.7	94.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1P: Act./last 3 mo - tennis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Tennis

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2041	1284893.2	4.4%
2	NO	58198	27628927.1	95.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1Q: Act./last 3 mo - weight-training

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Weight-training

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9909	5734029.3	19.8%
2	NO	50330	23179791.0	80.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1R: Act./last 3 mo - fishing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Fishing

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7458	3057196.0	10.6%
2	NO	52781	25856624.4	89.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1S: Act./last 3 mo - volleyball

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Volleyball

PAC_1S: Act./last 3 mo - volleyball

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3406	1699926.6	5.9%
2	NO	56833	27213893.8	94.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1T: Act./last 3 mo - basketball

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Basketball

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3919	2232549.0	7.7%
2	NO	56320	26681271.4	92.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1Z: Act./last 3 mo - Soccer

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Soccer

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4626	2650260.9	9.2%
2	NO	55613	26263559.4	90.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1U: Act./last 3 mo - Any other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - Any other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8502	4282038.3	14.8%
2	NO	51737	24631782.0	85.2%
6	NOT APPLICABLE	0	0.0	

PAC_1U: Act./last 3 mo - Any other

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1V: Act./last 3 mo - No physical activity

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Literal question	Have you done any of the following in the past 3 months? - No physical activity
Notes	Includes only leisure time activities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4475	2198147.5	7.6%
2	NO	55764	26715672.8	92.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	27	9900.1	
8	REFUSAL	30	11714.1	
9	NOT STATED	1411	555595.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1W: Act./last 3 mo - other (#2)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8500 / 4276435.59] [Invalid=53207 / 25214594.38]
Universe	Respondents who answered PAC_1U = (1, 7 or 8)
Literal question	In the past 3 months, did you do any other physical activity for leisure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1605	793857.3	18.6%
2	NO	6895	3482578.3	81.4%
6	NOT APPLICABLE	51737	24631782.0	
7	DON'T KNOW	2	5602.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_1X: Act./last 3 mo - other (#3)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1605 / 793857.32] [Invalid=60102 / 28697172.65]
Universe	Respondents who answered PAC_1W = (1, 7 or 8) or PAC_1U = (7 or 8)
Literal question	In the past 3 months, did you do any other physical activity for leisure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	318	151598.2	19.1%
2	NO	1287	642259.1	80.9%
6	NOT APPLICABLE	58632	28114360.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

PAC_1X: Act./last 3 mo - other (#3)

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1470	582812.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2A: No. of times - walking for exercise

Information	[Type= continuous] [Format=numeric] [Range= 1-270] [Missing=*]
Statistics [NW/ W]	[Valid=43431 / 20386957.1] [Invalid=18276 / 9104072.87] [Mean=48.619 / 46.385] [StdDev=38.475 / 37.529]
Universe	Respondents who answered PAC_1A = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Walking for exercise

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	16314	8366331.0	
997	DON'T KNOW	487	149453.9	
998	REFUSAL	7	11078.3	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3A: Time spent - walking for exercise

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=43253 / 20331016.2] [Invalid=18454 / 9160013.77]
Universe	Respondents who answered PAC_1A = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Walking for exercise

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	3790	1677069.4	8.2%
2	16 TO 30 MINUTES	16438	7831697.9	38.5%
3	31 TO 60 MINUTES	17534	8119490.9	39.9%
4	MORE THAN 1 HOUR	5491	2702758.0	13.3%
6	NOT APPLICABLE	16314	8366331.0	
7	DON'T KNOW	175	55749.6	
8	REFUSAL	3	191.4	
9	NOT STATED	1962	737741.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2B: No. of times - gardening/yard work

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=30155 / 13343271.06] [Invalid=31552 / 16147758.91] [Mean=23.225 / 20.224] [StdDev=25.821 / 23.642]
Universe	Respondents who answered PAC_1B = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Gardening or yard work

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	29371	15375509.8	
997	DON'T KNOW	706	191560.2	
998	REFUSAL	7	3479.2	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3B: Time spent - gardening/yard work

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=30013 / 13307032.81] [Invalid=31694 / 16183997.16]

PAC_3B: Time spent - gardening/yard work

Universe	Respondents who answered PAC_1B = (1, 7 or 8)			
Literal question	About how much time did you spend on each occasion? - Gardening or yard work			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	1492	678177.0	5.1%
2	16 TO 30 MINUTES	5886	2672261.5	20.1%
3	31 TO 60 MINUTES	9315	4088091.4	30.7%
4	MORE THAN 1 HOUR	13320	5868503.0	44.1%
6	NOT APPLICABLE	29371	15375509.8	
7	DON'T KNOW	141	36088.2	
8	REFUSAL	1	150.1	
9	NOT STATED	2181	772249.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2C: No. of times - swimming

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=13759 / 7202576.79] [Invalid=47948 / 22288453.18] [Mean=14.473 / 14.447] [StdDev=18.988 / 19.147]
Universe	Respondents who answered PAC_1C = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Swimming

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	46378	21673127.9	
997	DON'T KNOW	102	38115.6	
998	REFUSAL	0	0.0	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3C: Time spent - swimming

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=13717 / 7191666.6] [Invalid=47990 / 22299363.37]
Universe	Respondents who answered PAC_1C = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Swimming

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	811	432748.6	6.0%
2	16 TO 30 MINUTES	3092	1760442.8	24.5%
3	31 TO 60 MINUTES	5388	2696840.5	37.5%
4	MORE THAN 1 HOUR	4426	2301634.6	32.0%
6	NOT APPLICABLE	46378	21673127.9	
7	DON'T KNOW	42	10910.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1570	615325.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2D: No. of times - bicycling

Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]
Statistics [NW/ W]	[Valid=12728 / 6903478.53] [Invalid=48979 / 22587551.44] [Mean=20.164 / 19.172] [StdDev=25.505 / 24.214]
Universe	Respondents who answered PAC_1D = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Bicycling

PAC_2D: No. of times - bicycling

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	47389	21962777.9	
997	DON'T KNOW	115	44045.8	
998	REFUSAL	7	3518.2	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3D: Time spent - bicycling

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=12691 / 6891998.92] [Invalid=49016 / 22599031.05]
Universe	Respondents who answered PAC_1D = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Bicycling

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	1046	523717.4	7.6%
2	16 TO 30 MINUTES	3867	2085667.9	30.3%
3	31 TO 60 MINUTES	4557	2516181.2	36.5%
4	MORE THAN 1 HOUR	3221	1766432.4	25.6%
6	NOT APPLICABLE	47389	21962777.9	
7	DON'T KNOW	36	11418.2	
8	REFUSAL	1	61.4	
9	NOT STATED	1590	624773.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2E: No. of times - popular/social dance

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=9925 / 4743361.37] [Invalid=51782 / 24747668.6] [Mean=8.967 / 9.016] [StdDev=14.17 / 13.7]
Universe	Respondents who answered PAC_1E = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Popular or social dance

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	50228	24146208.2	
997	DON'T KNOW	85	23734.6	
998	REFUSAL	1	516.2	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3E: Time spent - popular/social dance

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=9872 / 4727392.73] [Invalid=51835 / 24763637.24]
Universe	Respondents who answered PAC_1E = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Popular / social dance

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	467	199359.3	4.2%
2	16 TO 30 MINUTES	1055	490004.5	10.4%
3	31 TO 60 MINUTES	2162	1057557.0	22.4%
4	MORE THAN 1 HOUR	6188	2980472.0	63.0%
6	NOT APPLICABLE	50228	24146208.2	

PAC_3E: Time spent - popular/social dance

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	53	15968.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1554	601460.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2F: No. of times - home exercises

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=22367 / 10683337.54] [Invalid=39340 / 18807692.43] [Mean=38.158 / 36.089] [StdDev=30.543 / 29.34]
Universe	Respondents who answered PAC_1F = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Home exercises

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	37576	18137939.2	
997	DON'T KNOW	289	90930.7	
998	REFUSAL	7	1612.8	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3F: Time spent - home exercises

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=22312 / 10670712.98] [Invalid=39395 / 18820316.99]
Universe	Respondents who answered PAC_1F = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Home exercises

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	4490	1941572.6	18.2%
2	16 TO 30 MINUTES	9882	4623169.9	43.3%
3	31 TO 60 MINUTES	6539	3334796.9	31.3%
4	MORE THAN 1 HOUR	1401	771173.6	7.2%
6	NOT APPLICABLE	37576	18137939.2	
7	DON'T KNOW	51	11890.4	
8	REFUSAL	4	734.1	
9	NOT STATED	1764	669753.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACG2G: No. of times - ice hockey - (G

Information	[Type= continuous] [Format=numeric] [Range= -999-99] [Missing=*]
Statistics [NW/ W]	[Valid=2929 / 1562523.38] [Invalid=58778 / 27928506.59]

Value	Label	Cases	Weighted	Percentage (Weighted)
-999	NUMBER OF TIMES	0	0.0	
996	NOT APPLICABLE	57289	27345980.5	
999	NOT STATED	1489	582526.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3G: Time spent - ice hockey

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=2927 / 1562363.85] [Invalid=58780 / 27928666.12]
Universe	Respondents who answered PAC_1G = (1, 7 or 8)

PAC_3G: Time spent - ice hockey

| Literal question | About how much time did you spend on each occasion? - Ice hockey |

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	11	3121.2	0.2%
2	16 TO 30 MINUTES	78	26740.0	1.7%
3	31 TO 60 MINUTES	1029	534238.3	34.2%
4	MORE THAN 1 HOUR	1809	998264.3	63.9%
6	NOT APPLICABLE	57289	27345980.5	
7	DON'T KNOW	2	159.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1489	582526.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2H: No. of times - ice skating

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=3843 / 1976254.94] [Invalid=57864 / 27514775.03] [Mean=6.845 / 6.272] [StdDev=10.897 / 10.562]
Universe	Respondents who answered PAC_1H = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Ice skating

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	56371	26931221.5	
997	DON'T KNOW	23	5878.0	
998	REFUSAL	2	465.8	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3H: Time spent - ice skating

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3839 / 1975143.52] [Invalid=57868 / 27515886.45]
Universe	Respondents who answered PAC_1H = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Ice skating

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	44	24515.8	1.2%
2	16 TO 30 MINUTES	498	242848.1	12.3%
3	31 TO 60 MINUTES	1926	955697.0	48.4%
4	MORE THAN 1 HOUR	1371	752082.6	38.1%
6	NOT APPLICABLE	56371	26931221.5	
7	DON'T KNOW	4	1111.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1493	583553.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2I: No. of times - in-line skating/roller b.

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=1680 / 1020564.35] [Invalid=60027 / 28470465.62] [Mean=8.896 / 8.592] [StdDev=14.572 / 13.315]
Universe	Respondents who answered PAC_1I = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - In-line skating or roller blading

PAC_2I: No. of times - in-line skating/roller b.

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	58553	27891605.3	
997	DON'T KNOW	6	1650.7	
998	REFUSAL	0	0.0	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3I: Time spent - in-line skating/roller b.

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1673 / 1017875.8] [Invalid=60034 / 28473154.17]
Universe	Respondents who answered PAC_1I = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - In-line skating or roller blading

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	109	58019.1	5.7%
2	16 TO 30 MINUTES	405	257723.0	25.3%
3	31 TO 60 MINUTES	672	403917.8	39.7%
4	MORE THAN 1 HOUR	487	298215.9	29.3%
6	NOT APPLICABLE	58553	27891605.3	
7	DON'T KNOW	5	2098.6	
8	REFUSAL	2	589.9	
9	NOT STATED	1474	578860.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2J: No. of times - jogging or running

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=12203 / 7106295.73] [Invalid=49504 / 22384734.24] [Mean=23.616 / 23.696] [StdDev=22.801 / 22.642]
Universe	Respondents who answered PAC_1J = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Jogging or running

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	47902	21755279.9	
997	DON'T KNOW	123	49638.9	
998	REFUSAL	11	2605.7	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3J: Time spent - jogging or running

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=12178 / 7093937.03] [Invalid=49529 / 22397092.94]
Universe	Respondents who answered PAC_1J = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Jogging or running

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	1728	914263.8	12.9%
2	16 TO 30 MINUTES	5402	3126153.5	44.1%
3	31 TO 60 MINUTES	4215	2589590.4	36.5%
4	MORE THAN 1 HOUR	833	463929.4	6.5%
6	NOT APPLICABLE	47902	21755279.9	

PAC_3J: Time spent - jogging or running

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	25	12358.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1602	629454.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2K: No. of times - golfing

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=5752 / 2886939.14] [Invalid=55955 / 26604090.83] [Mean=10.058 / 9.424] [StdDev=14.23 / 13.909]
Universe	Respondents who answered PAC_1K = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Golfing

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	54465	26022069.1	
997	DON'T KNOW	21	4295.9	
998	REFUSAL	1	516.2	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3K: Time spent - golfing

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=5749 / 2886233.51] [Invalid=55958 / 26604796.46]
Universe	Respondents who answered PAC_1K = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Golfing

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	18	3722.6	0.1%
2	16 TO 30 MINUTES	45	18105.9	0.6%
3	31 TO 60 MINUTES	186	99323.4	3.4%
4	MORE THAN 1 HOUR	5500	2765081.6	95.8%
6	NOT APPLICABLE	54465	26022069.1	
7	DON'T KNOW	3	705.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1490	582021.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2L: No. of times- exercise class/aerobics

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=7015 / 3645035.61] [Invalid=54692 / 25845994.36] [Mean=20.315 / 19.621] [StdDev=18.259 / 18.278]
Universe	Respondents who answered PAC_1L = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Exercise class or aerobics

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	53179	25249717.9	
997	DON'T KNOW	44	18266.6	
998	REFUSAL	1	800.3	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3L: Time spent - exercise class/aerobics

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=7007 / 3642095.65] [Invalid=54700 / 25848934.32]		
Universe	Respondents who answered PAC_1L = (1, 7 or 8)		
Literal question	About how much time did you spend on each occasion? - Exercise class or aerobics		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	138	69184.7	1.9%
2	16 TO 30 MINUTES	784	399487.6	11.0%
3	31 TO 60 MINUTES	4540	2265775.4	62.2%
4	MORE THAN 1 HOUR	1545	907647.8	24.9%
6	NOT APPLICABLE	53179	25249717.9	
7	DON'T KNOW	7	2800.8	
8	REFUSAL	1	139.2	
9	NOT STATED	1513	596276.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2M: No. of times - skiing/snowboarding

Information	[Type= continuous] [Format=numeric] [Range= 1-91] [Missing=*]		
Statistics [NW/ W]	[Valid=2373 / 1332462.17] [Invalid=59334 / 28158567.8] [Mean=5.906 / 5.387] [StdDev=9.672 / 8.755]		
Universe	Respondents who answered PAC_1M = (1, 7 or 8)		
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Downhill ski / snowboarding		

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	57861	27579807.3	
997	DON'T KNOW	5	1550.8	
998	REFUSAL	0	0.0	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3M: Time spent - skiing/snowboarding

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=2371 / 1331330.68] [Invalid=59336 / 28159699.29]		
Universe	Respondents who answered PAC_1M = (1, 7 or 8)		
Literal question	About how much time did you spend on each occasion? - Downhill skiing or snowboarding		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	14	4426.6	0.3%
2	16 TO 30 MINUTES	22	11376.9	0.9%
3	31 TO 60 MINUTES	77	22720.4	1.7%
4	MORE THAN 1 HOUR	2258	1292806.8	97.1%
6	NOT APPLICABLE	57861	27579807.3	
7	DON'T KNOW	2	1131.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1473	578760.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2N: No. of times - bowling

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=5526 / 2848631.38] [Invalid=56181 / 26642398.59] [Mean=4.229 / 3.689] [StdDev=6.64 / 6.4]		

PAC_2N: No. of times - bowling

Universe	Respondents who answered PAC_1N = (1, 7 or 8)		
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Bowling		

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	54702	26062287.7	
997	DON'T KNOW	10	2385.1	
998	REFUSAL	1	516.2	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3N: Time spent - bowling

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=5521 / 2846798.28] [Invalid=56186 / 26644231.69]
Universe	Respondents who answered PAC_1N = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Bowling

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	22	7311.3	0.3%
2	16 TO 30 MINUTES	137	81423.2	2.9%
3	31 TO 60 MINUTES	1319	687812.6	24.2%
4	MORE THAN 1 HOUR	4043	2070251.2	72.7%
6	NOT APPLICABLE	54702	26062287.7	
7	DON'T KNOW	5	1833.1	
8	REFUSAL	0	0.0	
9	NOT STATED	1479	580110.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2O: No. of times - baseball/softball

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=2924 / 1487824.01] [Invalid=58783 / 28003205.96] [Mean=9.394 / 8.843] [StdDev=12.294 / 11.947]
Universe	Respondents who answered PAC_1O = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Baseball or softball

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	57290	27419623.7	
997	DON'T KNOW	23	5433.6	
998	REFUSAL	2	939.0	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3O: Time spent - baseball/softball

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=2924 / 1487824.01] [Invalid=58783 / 28003205.96]
Universe	Respondents who answered PAC_1O = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Baseball or softball

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	41	17827.8	1.2%
2	16 TO 30 MINUTES	264	145240.2	9.8%
3	31 TO 60 MINUTES	749	361296.1	24.3%

PAC_3O: Time spent - baseball/softball

Value	Label	Cases	Weighted	Percentage (Weighted)
4	MORE THAN 1 HOUR	1870	963459.9	64.8%
6	NOT APPLICABLE	57290	27419623.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1493	583582.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2P: No. of times - tennis

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=2028 / 1281003.93] [Invalid=59679 / 28210026.04] [Mean=7.822 / 8.014] [StdDev=12.242 / 12.05]
Universe	Respondents who answered PAC_1P = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Tennis

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	58198	27628927.1	
997	DON'T KNOW	12	2210.5	
998	REFUSAL	1	1678.8	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3P: Time spent - tennis

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=2027 / 1280846.44] [Invalid=59680 / 28210183.53]
Universe	Respondents who answered PAC_1P = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Tennis

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	38	12404.9	1.0%
2	16 TO 30 MINUTES	212	131736.4	10.3%
3	31 TO 60 MINUTES	817	493779.5	38.6%
4	MORE THAN 1 HOUR	960	642925.7	50.2%
6	NOT APPLICABLE	58198	27628927.1	
7	DON'T KNOW	1	157.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1481	581099.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2Q: No. of times - weight-training

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=9842 / 5711071.94] [Invalid=51865 / 23779958.03] [Mean=29.051 / 28.557] [StdDev=23.114 / 22.786]
Universe	Respondents who answered PAC_1Q = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Weight-training

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	50330	23179791.0	
997	DON'T KNOW	61	18756.1	
998	REFUSAL	6	4201.3	
999	NOT STATED	1468	577209.6	

PAC_2Q: No. of times - weight-training

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3Q: Time spent - weight-training

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=9822 / 5705735.17] [Invalid=51885 / 23785294.8]
Universe	Respondents who answered PAC_1Q = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Weight-training

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	1364	680680.9	11.9%
2	16 TO 30 MINUTES	3310	1777609.9	31.2%
3	31 TO 60 MINUTES	3624	2294731.4	40.2%
4	MORE THAN 1 HOUR	1524	952713.0	16.7%
6	NOT APPLICABLE	50330	23179791.0	
7	DON'T KNOW	19	4445.5	
8	REFUSAL	1	891.2	
9	NOT STATED	1535	600167.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2R: No. of times - fishing

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=7406 / 3039169.88] [Invalid=54301 / 26451860.09] [Mean=7.199 / 6.823] [StdDev=11.349 / 10.825]
Universe	Respondents who answered PAC_1R = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Fishing

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	52781	25856624.4	
997	DON'T KNOW	48	15727.3	
998	REFUSAL	4	2298.7	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3R: Time spent - fishing

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=7399 / 3036666.34] [Invalid=54308 / 26454363.63]
Universe	Respondents who answered PAC_1R = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Fishing

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	43	14310.7	0.5%
2	16 TO 30 MINUTES	170	85352.1	2.8%
3	31 TO 60 MINUTES	554	234555.1	7.7%
4	MORE THAN 1 HOUR	6632	2702448.4	89.0%
6	NOT APPLICABLE	52781	25856624.4	
7	DON'T KNOW	6	1477.0	
8	REFUSAL	1	1026.6	
9	NOT STATED	1520	595235.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2S: No. of times - volleyball

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=3367 / 1688050.65] [Invalid=58340 / 27802979.32] [Mean=10.273 / 9.583] [StdDev=14.063 / 13.703]
Universe	Respondents who answered PAC_1S = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Volleyball

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	56833	27213893.8	
997	DON'T KNOW	38	11254.9	
998	REFUSAL	1	621.0	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3S: Time spent - volleyball

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3360 / 1686238.2] [Invalid=58347 / 27804791.77]
Universe	Respondents who answered PAC_1S = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Volleyball

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	85	39335.9	2.3%
2	16 TO 30 MINUTES	477	210571.8	12.5%
3	31 TO 60 MINUTES	1327	657560.1	39.0%
4	MORE THAN 1 HOUR	1471	778770.4	46.2%
6	NOT APPLICABLE	56833	27213893.8	
7	DON'T KNOW	7	1812.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1507	589085.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2T: No. of times - basketball

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=3869 / 2212818.22] [Invalid=57838 / 27278211.75] [Mean=14.233 / 14.26] [StdDev=19.45 / 19.173]
Universe	Respondents who answered PAC_1T = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Basketball

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	56320	26681271.4	
997	DON'T KNOW	48	18791.7	
998	REFUSAL	2	939.0	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3T: Time spent - basketball

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3860 / 2208171.9] [Invalid=57847 / 27282858.07]
Universe	Respondents who answered PAC_1T = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Basketball

PAC_3T: Time spent - basketball

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	150	87622.5	4.0%
2	16 TO 30 MINUTES	767	407746.6	18.5%
3	31 TO 60 MINUTES	1491	823525.1	37.3%
4	MORE THAN 1 HOUR	1452	889277.8	40.3%
6	NOT APPLICABLE	56320	26681271.4	
7	DON'T KNOW	9	4646.3	
8	REFUSAL	0	0.0	
9	NOT STATED	1518	596940.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2Z: No. of times - soccer

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=4585 / 2637719.58] [Invalid=57122 / 26853310.39] [Mean=12.652 / 12.402] [StdDev=16.806 / 16.254]
Universe	Respondents who answered PAC_1Z = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Soccer

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	55613	26263559.4	
997	DON'T KNOW	40	12118.4	
998	REFUSAL	1	422.9	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3Z: Time spent - soccer

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=4578 / 2632643.67] [Invalid=57129 / 26858386.3]
Universe	Respondents who answered PAC_1Z = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Soccer

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	143	71242.2	2.7%
2	16 TO 30 MINUTES	740	368022.6	14.0%
3	31 TO 60 MINUTES	1688	928968.2	35.3%
4	MORE THAN 1 HOUR	2007	1264410.7	48.0%
6	NOT APPLICABLE	55613	26263559.4	
7	DON'T KNOW	7	5075.9	
8	REFUSAL	0	0.0	
9	NOT STATED	1509	589751.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2U: No. of times - other activity (#1)

Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]
Statistics [NW/ W]	[Valid=8444 / 4261610.7] [Invalid=53263 / 25229419.27] [Mean=20.949 / 20.631] [StdDev=24.195 / 23.385]
Universe	Respondents who answered PAC_1U = (1, 7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#1)

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	51737	24631782.0	
997	DON'T KNOW	54	19351.9	
998	REFUSAL	4	1075.7	
999	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3U: Time spent - other activity (#1)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=8432 / 4258943.55] [Invalid=53275 / 25232086.42]
Universe	Respondents who answered PAC_1U = (1, 7 or 8)
Literal question	About how much time did you spend on each occasion? - Other activity (#1)

PAC_3U: Time spent - other activity (#1)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	299	135404.5		3.2%
2	16 TO 30 MINUTES	829	439756.6		10.3%
3	31 TO 60 MINUTES	2206	1189507.0		27.9%
4	MORE THAN 1 HOUR	5098	2494275.5		58.6%
6	NOT APPLICABLE	51737	24631782.0		
7	DON'T KNOW	12	2667.2		
8	REFUSAL	0	0.0		
9	NOT STATED	1526	597637.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2W: No. of times - other activity (#2)

Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]
Statistics [NW/ W]	[Valid=1595 / 790367.19] [Invalid=60112 / 28700662.78] [Mean=15.176 / 14.849] [StdDev=21.609 / 23.266]
Universe	Respondents who answered PAC_1W = (1, 7 or 8) or PAC_1U = (7 or 8)
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#2)

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	58632	28114360.3	
997	DON'T KNOW	10	3490.1	
998	REFUSAL	0	0.0	
999	NOT STATED	1470	582812.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3W: Time spent - other activity (#2)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1589 / 788645.09] [Invalid=60118 / 28702384.88]
Universe	Respondents who answered PAC_1W = (1, 7 or 8) or PAC_1U = (7 or 8)
Literal question	About how much time did you spend on each occasion? - Other activity (#2)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	51	27259.5		3.5%
2	16 TO 30 MINUTES	174	98020.7		12.4%
3	31 TO 60 MINUTES	370	189074.1		24.0%
4	MORE THAN 1 HOUR	994	474290.8		60.1%
6	NOT APPLICABLE	58632	28114360.3		
7	DON'T KNOW	6	1722.1		
8	REFUSAL	0	0.0		
9	NOT STATED	1480	586302.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_2X: No. of times - other activity (#3)

Information	[Type= continuous] [Format=numeric] [Range= 1-120] [Missing=*]
Statistics [NW/ W]	[Valid=317 / 151559.61] [Invalid=61390 / 29339470.36] [Mean=12.303 / 12.209] [StdDev=17.985 / 19.644]
Universe	Respondents who answered PAC_1X = (1, 7 or 8) or PAC_1W = (7 or 8) or PAC_1U = (7 or 8)
Literal question	In the past 3 months, how many times [did you participate in identified activity]? - Other activity (#3)

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	59919	28756619.4	

PAC_2X: No. of times - other activity (#3)

Value	Label	Cases	Weighted	Percentage (Weighted)
997	DON'T KNOW	1	38.6	
998	REFUSAL	0	0.0	
999	NOT STATED	1470	582812.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_3X: Time spent - other activity (#3)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=317 / 151559.61] [Invalid=61390 / 29339470.36]
Universe	Respondents who answered PAC_1X = (1, 7 or 8) or PAC_1W = (7 or 8) or PAC_1U = (7 or 8)
Literal question	About how much time did you spend on each occasion? - Other activity (#3)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	17	10325.4	6.8%
2	16 TO 30 MINUTES	38	24468.2	16.1%
3	31 TO 60 MINUTES	92	42601.5	28.1%
4	MORE THAN 1 HOUR	170	74164.4	48.9%
6	NOT APPLICABLE	59919	28756619.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1471	582851.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_7: No. of times/3 mo./walking work/school

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=60194 / 28893227.57] [Invalid=1513 / 597802.4]
Universe	Respondents who answered PAC_7 = (1, 7, 8) or PAC_1n = (7 or 8)
Literal question	TIME in the past 3 months when you walked to and from work or school?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8624	5014969.1	17.4%
2	NO	30157	16484458.3	57.1%
3	NO WORK/NO SCHOO	21413	7393800.2	25.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	40	16656.8	
8	REFUSAL	5	3936.0	
9	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_7A: No. of times/3 mo./walking work/school

Information	[Type= continuous] [Format=numeric] [Range= 1-270] [Missing=*]
Statistics [NW/ W]	[Valid=8509 / 4951953.59] [Invalid=53198 / 24539076.38] [Mean=45.845 / 48.154] [StdDev=42.157 / 41.633]
Universe	Respondents who answered PAC_7 = (1, 7, 8) or PAC_1n = (7 or 8)
Literal question	About how much time did you spend on each occasion?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	51570	23878258.5	
997	DON'T KNOW	114	62766.4	
998	REFUSAL	1	249.1	

PAC_7A: No. of times/3 mo./walking work/school

Value	Label	Cases	Weighted	Percentage (Weighted)
999	NOT STATED	1513	597802.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_7B: Time spent - walking to go work/school

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=8495 / 4942900.43] [Invalid=53212 / 24548129.54]
Universe	Respondents who answered PAC_7 = (1, 7, 8) or PAC_1n = (7 or 8)
Literal question	About how much time did you spend on each occasion?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	3582	1922964.6	38.9%
2	16 TO 30 MINUTES	2958	1802218.8	36.5%
3	31 TO 60 MINUTES	1496	940052.4	19.0%
4	MORE THAN 1 HOUR	459	277664.6	5.6%
6	NOT APPLICABLE	51570	23878258.5	
7	DON'T KNOW	13	8122.9	
8	REFUSAL	1	930.3	
9	NOT STATED	1628	660817.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_8: No. of times/3 mo./bicycl. work/school

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=60210 / 28897018.8] [Invalid=1497 / 594011.17]
Universe	Respondents who answered PAC_8 = (1, 7, 8) or PAC_1n = (7 or 8)
Literal question	TIME in the past 3 months when you bicycled to and from work or school?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1784	1083473.1	3.7%
2	NO	36806	20271315.2	70.2%
3	NO WORK/NO SCHOO	21620	7542230.5	26.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	24	11992.0	
8	REFUSAL	5	4809.5	
9	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_8A: No. of times/3 mo./bicycl. work/school

Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]
Statistics [NW/ W]	[Valid=1765 / 1077778.2] [Invalid=59942 / 28413251.77] [Mean=22.023 / 23.56] [StdDev=26.552 / 27.718]
Universe	Respondents who answered PAC_8 = (1, 7, 8) or PAC_1n = (7 or 8)
Literal question	How many times?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	58426	27813545.7	
997	DON'T KNOW	19	5694.9	
998	REFUSAL	0	0.0	
999	NOT STATED	1497	594011.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PAC_8B: Time spent - bicycl. to go work/school

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]				
Statistics [NW/ W]	[Valid=1762 / 1071605.58] [Invalid=59945 / 28419424.39]				
Universe	Respondents who answered PAC_8 = (1, 7, 8) or PAC_1n = (7 or 8)				
Literal question	How many times?				

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	725	374287.1		34.9%
2	16 TO 30 MINUTES	555	381203.3		35.6%
3	31 TO 60 MINUTES	345	209187.4	19.5%	
4	MORE THAN 1 HOUR	137	106927.9	10.0%	
6	NOT APPLICABLE	58426	27813545.7		
7	DON'T KNOW	3	6172.6		
8	REFUSAL	0	0.0		
9	NOT STATED	1516	599706.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACDEE: Daily energy expenditure - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-36.5] [Missing=*]
Statistics [NW/ W]	[Valid=60226 / 28907825.87] [Invalid=1481 / 583204.1] [Mean=2.32 / 2.333] [StdDev=2.5 / 2.498]
Universe	All respondents
Notes	Based on PAC_1V, PAC_2A, PAC_2B, PAC_2C, PAC_2D, PAC_2E, PAC_2F, PAC_2G, PAC_2H, PAC_2I, PAC_2J, PAC_2K, PAC_2L, PAC_2M, PAC_2N, PAC_2O, PAC_2P, PAC_2Q, PAC_2R, PAC_2S, PAC_2T, PAC_2U, PAC_2W, PAC_2X, PAC_2Z, PAC_3A,PAC_3B, PAC_3C, PAC_3D, PAC_3E, PAC_3F, PAC_3G, PAC_3H, PAC_3I, PAC_3J, PAC_3K, PAC_3L, PAC_3M, PAC_3N, PAC_3O, PAC_3P, PAC_3Q, PAC_3R, PAC_3S, PAC_3T, PAC_3U, PAC_3W, PAC_3X, PAC_3Z. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
99.6	NOT APPLICABLE	0	0.0	
99.7	DON'T KNOW	0	0.0	
99.8	REFUSAL	0	0.0	
99.9	NOT STATED	1481	583204.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACFLEI: Participant - leisure phys. activity-(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]
Universe	All respondents
Notes	Based on PAC_1V. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	55764	26715672.8		92.4%
2	NO	4475	2198147.5	7.6%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1468	577209.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACDFM: Monthly freq./phys. act. >15 min. - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-325] [Missing=*]

PACDFM: Monthly freq./phys. act. >15 min. - (D)

Statistics [NW/ W]	[Valid=60226 / 28907825.87] [Invalid=1481 / 583204.1] [Mean=27.495 / 26.961] [StdDev=25.768 / 25.295]
Universe	All respondents
Notes	Based on PAC_1V, PAC_2A, PAC_2B, PAC_2C, PAC_2D, PAC_2E, PAC_2F, PAC_2G, PAC_2H, PAC_2I, PAC_2J, PAC_2K, PAC_2L, PAC_2M, PAC_2N, PAC_2O, PAC_2P, PAC_2Q, PAC_2R, PAC_2S, PAC_2T, PAC_2Z, PAC_2U, PAC_2W, PAC_2X, PAC_3A, PAC_3B, PAC_3C, PAC_3D, PAC_3E, PAC_3F, PAC_3G, PAC_3H, PAC_3I, PAC_3J, PAC_3K, PAC_3L, PAC_3M, PAC_3N, PAC_3O, PAC_3P, PAC_3Q, PAC_3R, PAC_3S, PAC_3T, PAC_3Z, PAC_3U, PAC_3W, PAC_3X. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	0	0.0	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	1481	583204.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACDFR: Freq. of all physical activity - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=60226 / 28907825.87] [Invalid=1481 / 583204.1]
Universe	All respondents
Notes	Based on PACDFM. The variable uses values for the derived variable Monthly Frequency of Physical Activity (PACDFM). The values for PACDFM reflect a one-month average based on data reported for a three-month period. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	REGULAR	41177	19648200.0	68.0%
2	OCCASIONAL	8572	4345170.8	15.0%
3	INFREQUENT	10477	4914455.1	17.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1481	583204.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACFD: Partic. daily phys. act. > 15 min. - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60226 / 28907825.87] [Invalid=1481 / 583204.1]
Universe	All respondents
Notes	Based on PACDFM. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24695	11426456.9	39.5%
2	NO	35531	17481369.0	60.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1481	583204.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACDPAI: Physical activity index - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=60239 / 28913820.33] [Invalid=1468 / 577209.64]

PACDPAI: Physical activity index - (D)

Universe	All respondents
Notes	Based on PACDEE. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ACTIVE	17357	8319925.8	28.8%
2	MODERATE ACTIVE	15019	7252828.5	25.1%
3	INACTIVE	27863	13341066.0	46.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1468	577209.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACDLTI: Leisure and transp. phys. activity index

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=59816 / 28704229.66] [Invalid=1891 / 786800.31]
Universe	All respondents
Notes	Based on PACDTLE. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ACTIVE	17912	8741864.7	30.5%
2	MODERATE ACTIVE	15204	7410537.0	25.8%
3	INACTIVE	26700	12551827.9	43.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1891	786800.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACDTLE: Dai. ener. expen. - Tran. and leis. act.

Information	[Type= continuous] [Format=numeric] [Range= 0-36.7] [Missing=*]
Statistics [NW/ W]	[Valid=59803 / 28698235.2] [Invalid=1904 / 792794.77]
Universe	All respondents
Notes	Based on PACDEE, PAC_Q7, PAC_Q7A, PAC_Q7B, PAC_Q8, PAC_Q8A, PAC_Q8B. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NO PHY. ACTIVITY	5316	2457604.2	100.0%
99.6	NOT APPLICABLE	0	0.0	
99.7	DON'T KNOW	0	0.0	
99.8	REFUSAL	0	0.0	
99.9	NOT STATED	1904	792794.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PACFLTI: Particip. - Leis. or trans. phys. activ.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60238 / 28913269.54] [Invalid=1469 / 577760.43]
Universe	All respondents
Notes	Based on PAC_1V, PAC_7, PAC_8. See documentation on derived variables.

PACFLTI: Particip. - Leis. or trans. phys. activ.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	56092	26931805.2		93.1%
2	NO	4146	1981464.3	6.9%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1469	577760.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSCP: Module: SCP - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	61707	29491030.0		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCP_01: level of physical activity/ every week

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=22318 / 11688337.9] [Invalid=39389 / 17802692.07]
Universe	Respondents who answered HWT_Q1 <> 1
Literal question	Thinking about the level of physical activity you do every week, do youc onsider yourself to be...?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	VERY PHYS.ACTIVE	3857	2101276.3	18.0%	
2	MOD. PHYS.ACTIVE	10211	5153943.7		44.1%
3	A BIT PHYS. ACT.	5940	3179927.2	27.2%	
4	NOT PHYS. ACTIVE	2310	1253190.7	10.7%	
6	NOT APPLICABLE	38789	17531486.3		
7	DON'T KNOW	71	25701.4		
8	REFUSAL	14	13821.4		
9	NOT STATED	515	231683.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCP_02: increase of physical activity level

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14044 / 7243047.83] [Invalid=47663 / 22247982.14]
Universe	Respondents who answered SCP_01=1 or SCP_01=2
Literal question	Did you increase your physical activity level in the last 6 months?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5406	3006396.1	41.5%	
2	NO	8638	4236651.7		58.5%

SCP_02: increase of physical activity level

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	47039	21964604.2	
7	DON'T KNOW	24	12172.2	
8	REFUSAL	0	0.0	
9	NOT STATED	600	271205.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCP_03: increase of physical activity level

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8073 / 4360500.91] [Invalid=53634 / 25130529.06]
Universe	Respondents who answered SCP_01=3 or SCP_01=4
Literal question	Do you intend to increase your physical activity level in the next 30 days?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4577	2606895.5	59.8%
2	NO	3496	1753605.4	40.2%
6	NOT APPLICABLE	52857	24786706.3	
7	DON'T KNOW	175	72050.7	
8	REFUSAL	2	566.3	
9	NOT STATED	600	271205.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCP_04: increase of physical activity level

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3378 / 1702397.46] [Invalid=58329 / 27788632.51]
Universe	Respondents who answered SCP_01=3 or SCP_01=4
Literal question	Do you intend to increase your physical activity level in the next 6 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1491	825861.2	48.5%
2	NO	1887	876536.2	51.5%
6	NOT APPLICABLE	57434	27393601.8	
7	DON'T KNOW	118	51208.0	
8	REFUSAL	0	0.0	
9	NOT STATED	777	343822.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCPDSTG: Stages of changes - physical activity

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=21999 / 11552340.75] [Invalid=39708 / 17938689.22]
Universe	Respondents who answered HWT_Q1 <> 1
Notes	The stages of change model defines five stages of change in the process of physical activity. 1. Precontemplation: Respondent reports being a bit or not at all physically active and has no intention to increase physical activity in the next six months. 2. Contemplation: Respondent reports being a bit or not at all physically active and intends to increase physical activity level in the next six months. 3. Preparation: Respondent reports being a bit or not at all physically active and intends to increase physical activity level in the next 30 days. 4. Action: Respondent reports being very or moderately physically active and increased physical activity in the past six months. 5. Maintenance: Respondent reports being very or moderately physically active and did not increase physical activity in past six months.

SCPDSTG: Stages of changes - physical activity

				Source: Transtheoretical model, Cancer Prevention Research Center www.uri.edu/research/cprc/measures/Exercise02.htm.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	PRE-CONTEMP.	1887	876536.2	7.6%
2	CONTEMPLATION	1491	825861.2	7.1%
3	PREPARATION	4577	2606895.5	22.6%
4	ACTION	5406	3006396.1	26.0%
5	MAINTENANCE	8638	4236651.7	36.7%
6	NOT APPLICABLE	38789	17531486.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	919	407202.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSAC: Module: Sedentary activities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	61707	29491030.0	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SACG1: No. of hrs.-on a computer -past3mo(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=59947 / 28783267.93] [Invalid=1760 / 707762.04]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OR < 1 HR	15171	5521191.9	19.2%
2	1 TO 2 HOURS	9989	5026134.0	17.5%
3	3 TO 5 HOURS	9352	4946483.5	17.2%
4	6 TO 10 HOURS	11995	6197561.7	21.5%
5	11 TO 14 HOURS	5054	2408572.1	8.4%
6	15 TO 20 HOURS	2756	1573624.7	5.5%
7	MORE THAN 20 HRS	5630	3109700.0	10.8%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1760	707762.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SACG2: No. of hrs.-play video games -past3mo(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=59871 / 28749084.05] [Invalid=1836 / 741945.92]

SACG2: No. of hrs.-play video games -past3mo(G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OR < 1 HR	48453	22478788.9	78.2%
2	1 TO 2 HOURS	4932	2749711.4	9.6%
3	3 TO 5 HOURS	2657	1456202.9	5.1%
4	6 TO 10 HOURS	2049	1101403.6	3.8%
5	11 TO 14 HOURS	591	295016.2	1.0%
6	15 TO 20 HOURS	500	294571.0	1.0%
7	MORE THAN 20 HRS	689	373390.0	1.3%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1836	741945.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SACG3: No. of hrs.-watch tv/videos -past3mo(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=59399 / 28633386.34] [Invalid=2308 / 857643.63]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OR < 1 HR	2915	1556518.2	5.4%
2	1 TO 2 HOURS	4199	2458186.5	8.6%
3	3 TO 5 HOURS	7603	4415538.5	15.4%
4	6 TO 10 HOURS	13480	7057435.9	24.6%
5	11 TO 14 HOURS	10592	4751538.9	16.6%
6	15 TO 20 HOURS	5553	2720426.0	9.5%
7	21 TO 25 HOURS	6749	2668905.8	9.3%
8	26 TO 30 HOURS	4055	1595340.0	5.6%
9	MORE THAN 30 HRS	4253	1409496.6	4.9%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2308	857643.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SACG4: No. of hrs.-read -past3mo(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=59182 / 28578816.79] [Invalid=2525 / 912213.18]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OR < 1 HR	10524	5282635.2	18.5%
2	1 TO 2 HOURS	11505	6021206.2	21.1%
3	3 TO 5 HOURS	12292	6455176.2	22.6%
4	6 TO 10 HOURS	14344	6646991.9	23.3%
5	11 TO 14 HOURS	4888	1891797.0	6.6%
6	15 TO 20 HOURS	2353	1077109.0	3.8%
7	MORE THAN 20 HRS	3276	1203901.3	4.2%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	

SACG4: No. of hrs.-read -past3mo(G)

Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	0	0.0	
99	NOT STATED	2525	912213.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SACDTOT: Tot. hrs. -seden. activit. - 3 mo - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=58735 / 28439856.66] [Invalid=2972 / 1051173.31]
Universe	All respondents
Notes	Based on SAC_1, SAC_2, SAC_3, SAC_4. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 5 HOURS	1387	752252.5	2.6%
2	5 TO 9 HOURS	4419	2464416.1	8.7%
3	10 TO 14 HOURS	6543	3538902.0	12.4%
4	15 TO 19 HOURS	7519	4000619.2	14.1%
5	20 TO 24 HOURS	8240	3930798.0	13.8%
6	25 TO 29 HOURS	7218	3233173.9	11.4%
7	30 TO 34 HOURS	4942	2359938.0	8.3%
8	35 TO 39 HOURS	5171	2352847.6	8.3%
9	40 TO 44 HOURS	3829	1624674.7	5.7%
10	45 OR MORE HOURS	9467	4182234.8	14.7%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2972	1051173.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SACDTER: No. hrs / wk. (exc. read.) - seden. act.

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=59331 / 28600803.17] [Invalid=2376 / 890226.8]
Universe	All respondents
Notes	Based on SAC_1, SAC_2, SAC_3. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 5 HOURS	3708	1822123.5	6.4%
2	5 TO 9 HOURS	7549	4067261.9	14.2%
3	10 TO 14 HOURS	10087	5066893.6	17.7%
4	15 TO 19 HOURS	7508	3787575.3	13.2%
5	20 TO 24 HOURS	9425	4175997.1	14.6%
6	25 TO 29 HOURS	6411	2941740.4	10.3%
7	30 TO 34 HOURS	3164	1584469.4	5.5%
8	35 TO 39 HOURS	3810	1703942.1	6.0%
9	40 TO 44 HOURS	2682	1161428.1	4.1%
10	45 OR MORE HOURS	4987	2289371.7	8.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	

SACDTER: No. hrs / wk. (exc. read.) - seden. act.

Value	Label	Cases	Weighted	Percentage (Weighted)
99	NOT STATED	2376	890226.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOUPE: Module: UPE - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=29425 / 15290676.13] [Invalid=32282 / 14200353.84]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29425	15290676.1	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	32282	14200353.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_01A: Done any bicycling in past 12 months

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22403 / 11367920.2] [Invalid=39304 / 18123109.77]
Universe	Respondents who answered PAC_1 = (1,2,3,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23) or PAC_8 = 2
Literal question	In the past 12 months, have you done any bicycling?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3481	2017954.8	17.8%
2	NO	18922	9349965.4	82.2%
6	NOT APPLICABLE	38529	17809167.9	
7	DON'T KNOW	29	10677.0	
8	REFUSAL	11	4461.7	
9	NOT STATED	735	298803.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_01: Freq. - helmet - bicycling

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=9705 / 5613328.54] [Invalid=52002 / 23877701.43]
Universe	Respondents with DOUPE = 1 who answered PAC_1D = (1, 7, 8) or PAC_8 = (1, 7, 8) or UPE_01A = 1.
Literal question	When riding a bicycle, how often do you wear a helmet?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	3754	2215296.7	39.5%
2	MOST OF THE TIME	924	509207.6	9.1%
3	RARELY	824	524646.1	9.3%
4	NEVER	4203	2364178.2	42.1%
6	NOT APPLICABLE	51204	23550319.3	
7	DON'T KNOW	19	11060.0	
8	REFUSAL	4	2380.2	

UPE_01: Freq. - helmet - bicycling

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	775	313941.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_02: Freq. - helmet - in-line skating

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=27882 / 14500018.43] [Invalid=33825 / 14991011.54]
Universe	Respondents with DOUPE = 1 who answered PAC_1I = (1, 7 or 8)
Literal question	In the past 12 months, have you done any in-line skating or rollerblading?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	830	567214.7	3.9%
2	NO	27052	13932803.7	96.1%
6	NOT APPLICABLE	33055	14677102.1	
7	DON'T KNOW	22	8648.5	
8	REFUSAL	2	1996.1	
9	NOT STATED	746	303264.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_02A: Freq. - wrist guards - in-line skating

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1602 / 1043522.1] [Invalid=60105 / 28447507.87]
Universe	Respondents with DOUPE = 1 who answered PAC_1I = (1, 7 or 8)
Literal question	When in-line skating or rollerblading, how often do you wear a helmet?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	537	327789.0	31.4%
2	MOST OF THE TIME	119	70170.4	6.7%
3	RARELY	113	77272.9	7.4%
4	NEVER	833	568289.8	54.5%
6	NOT APPLICABLE	59334	28133157.6	
7	DON'T KNOW	1	440.9	
8	REFUSAL	0	0.0	
9	NOT STATED	770	313909.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_02B: Freq. - elbow pads - in-line skating

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1601 / 1043672.8] [Invalid=60106 / 28447357.17]
Universe	Respondents with DOUPE = 1 who answered PAC_1I = (1, 7 or 8)
Literal question	How often do you wear wrist guards or wrist protectors?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	324	214526.5	20.6%
2	MOST OF THE TIME	62	33403.3	3.2%
3	RARELY	87	60272.1	5.8%
4	NEVER	1128	735470.8	70.5%
6	NOT APPLICABLE	59334	28133157.6	
7	DON'T KNOW	2	290.2	

UPE_02B: Freq. - elbow pads - in-line skating

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	770	313909.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_02C: Wear knee pads

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1601 / 1043762.13] [Invalid=60106 / 28447267.84]
Universe	Respondents who answered PAC_1 = 9 or UPE_2 = 1
Literal question	How often do you wear elbow pads?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	199	126765.9	12.1%
2	MOST OF THE TIME	42	23362.5	2.2%
3	RARELY	77	52154.1	5.0%
4	NEVER	1283	841479.7	80.6%
6	NOT APPLICABLE	59334	28133157.6	
7	DON'T KNOW	2	200.8	
8	REFUSAL	0	0.0	
9	NOT STATED	770	313909.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_02D: Wear knee pads

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1601 / 1043762.13] [Invalid=60106 / 28447267.84]
Universe	Respondents who answered PAC_1 = 9 or UPE_2 = 1
Literal question	How often do you wear knee pads?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	221	142030.9	13.6%
2	MOST OF THE TIME	57	24772.5	2.4%
3	RARELY	85	57398.9	5.5%
4	NEVER	1238	819559.8	78.5%
6	NOT APPLICABLE	59334	28133157.6	
7	DON'T KNOW	2	200.8	
8	REFUSAL	0	0.0	
9	NOT STATED	770	313909.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_03A: Downhill skiing/snowboarding - 3 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1035 / 630814.27] [Invalid=60672 / 28860215.7]
Universe	Respondents with DOUPE = 1 who answered PAC_1M = (1, 7 or 8)
Literal question	Earlier, you mentioned going downhill skiing or snowboarding in the past 3 months. Was that:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOWNHILL SKIING	584	351676.9	55.7%
2	SNOWBOARDING	389	242140.8	38.4%
3	BOTH	62	36996.5	5.9%

UPE_03A: Downhill skiing/snowboarding - 3 mo

Value	Label	Cases	Weighted	Percentage (Weighted)
4	NEITHER	0	0.0	
6	NOT APPLICABLE	59896	28545449.8	
7	DON'T KNOW	5	1939.2	
8	REFUSAL	1	103.2	
9	NOT STATED	770	312723.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_03B: Downhill skiing/snowboarding - 12 mo

Information	[Type= discrete] [Format=numeric] [Range=1-4] [Missing=*]
Statistics [NW/ W]	[Valid=27619 / 14344209.12] [Invalid=34088 / 15146820.85]
Universe	Respondents with DOUPE = 1 who answered PAC_1M = (2, 7 or 8)
Literal question	In the past 12 months, did you do any downhill skiing or snowboarding?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOWNHILL SKIING	1114	690793.6	4.8%
2	SNOWBOARDING	515	359873.0	2.5%
3	BOTH	101	67318.4	0.5%
4	NEITHER	25889	13226224.2	92.2%
6	NOT APPLICABLE	33323	14833210.5	
7	DON'T KNOW	17	8349.4	
8	REFUSAL	2	1996.1	
9	NOT STATED	746	303264.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_04A: Freq. - helmet - downhill skiing

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1859 / 1146475.54] [Invalid=59848 / 28344554.43]
Universe	Respondents who answered UPE_03A = (1, 3, 7 or 8) or UPE_03B = (1, 3, 7 or 8)
Literal question	When downhill skiing, how often do you wear a helmet?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	1182	742319.5	64.7%
2	MOST OF THE TIME	54	28276.8	2.5%
3	RARELY	47	19117.4	1.7%
4	NEVER	576	356761.8	31.1%
6	NOT APPLICABLE	59075	28028591.8	
7	DON'T KNOW	2	309.9	
8	REFUSAL	0	0.0	
9	NOT STATED	771	315652.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_05A: Freq. - helmet - snowboarding

Information	[Type= discrete] [Format=numeric] [Range=1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1065 / 701157.88] [Invalid=60642 / 28789872.09]
Universe	Respondents who answered UPE_03A = (2, 3, 7 or 8) or UPE_03B = (2, 3, 7 or 8)
Literal question	When snowboarding, how often do you wear a helmet?

UPE_05A: Freq. - helmet - snowboarding

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	660	435494.7		62.1%
2	MOST OF THE TIME	72	37476.2		5.3%
3	RARELY	66	39827.2		5.7%
4	NEVER	267	188359.8		26.9%
6	NOT APPLICABLE	59869	28469048.6		
7	DON'T KNOW	1	545.7		
8	REFUSAL	1	4625.1		
9	NOT STATED	771	315652.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_05B: Freq. - wrist guards - snowboarding

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1066 / 701703.59] [Invalid=60641 / 28789326.38]
Universe	Respondents who answered UPE_03A = (2, 3, 7 or 8) or UPE_03B = (2, 3, 7 or 8)
Literal question	How often do you wear wrist guards or wrist protectors?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	64	46325.9		6.6%
2	MOST OF THE TIME	24	11658.6		1.7%
3	RARELY	38	28142.9		4.0%
4	NEVER	940	615576.2		87.7%
6	NOT APPLICABLE	59869	28469048.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	1	4625.1		
9	NOT STATED	771	315652.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_06: Freq. - helmet - skateboarding

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3224 / 1676860.98] [Invalid=58483 / 27814168.99]
Universe	Respondents who answered UPE_06 = (1, 7 or 8)
Literal question	In the past 12 months, have you done any skateboarding?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	492	234120.9		14.0%
2	NO	2732	1442740.1		86.0%
6	NOT APPLICABLE	58382	27769005.5		
7	DON'T KNOW	2	511.6		
8	REFUSAL	0	0.0		
9	NOT STATED	99	44651.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_06A: Freq. - wrist guards - skateboarding

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=492 / 234120.91] [Invalid=61215 / 29256909.06]
Universe	Respondents who answered UPE_06 = (1, 7 or 8)
Literal question	How often do you wear a helmet?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	127	51023.2	21.8%	
2	MOST OF THE TIME	59	29759.6	12.7%	
3	RARELY	63	27967.1	11.9%	
4	NEVER	243	125370.9		53.5%
6	NOT APPLICABLE	61114	29211745.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	101	45163.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_06B: Freq. - elbow pads - skateboarding

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=492 / 234120.91] [Invalid=61215 / 29256909.06]
Universe	Respondents who answered UPE_06 = (1, 7 or 8)
Literal question	How often do you wear wrist guards or wrist protectors?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	29	13042.5	5.6%	
2	MOST OF THE TIME	18	5862.0	2.5%	
3	RARELY	35	16820.1	7.2%	
4	NEVER	410	198396.3		84.7%
6	NOT APPLICABLE	61114	29211745.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	101	45163.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_06C: Freq. - elbow pads - skateboarding

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=492 / 234120.91] [Invalid=61215 / 29256909.06]
Universe	Respondents who answered UPE_06 = (1, 7 or 8)
Literal question	How often do you wear elbow pads?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	25	13938.6	6.0%	
2	MOST OF THE TIME	15	9137.8	3.9%	
3	RARELY	35	11372.5	4.9%	
4	NEVER	417	199672.0		85.3%
6	NOT APPLICABLE	61114	29211745.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	101	45163.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_07: Wear a mouth guard

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=27190 / 14142143.99] [Invalid=34517 / 15348885.98]
Universe	Respondents who answered PAC_1 = 7 or UPE_7 = 1
Literal question	In the past 12 months, have you played any ice hockey?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	792	453033.5	3.2%
2	NO	26398	13689110.5	96.8%
6	NOT APPLICABLE	33748	15029167.1	
7	DON'T KNOW	18	9083.3	
8	REFUSAL	5	7370.8	
9	NOT STATED	746	303264.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPE_07A: Wear a mouth guard

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=2257 / 1281556.86] [Invalid=59450 / 28209473.11]
Universe	Respondents who answered PAC_1 = 7 or UPE_7 = 1
Literal question	When playing ice hockey, how often do you wear a mouth guard?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	594	340324.3	26.6%
2	MOST OF THE TIME	124	71252.2	5.6%
3	RARELY	129	70630.5	5.5%
4	NEVER	1410	799349.9	62.4%
6	NOT APPLICABLE	58680	27889464.3	
7	DON'T KNOW	1	289.9	
8	REFUSAL	0	0.0	
9	NOT STATED	769	319718.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPEFILS: Wears all prot. equip. - in-line skating

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1601 / 1043762.13] [Invalid=60106 / 28447267.84]
Universe	Respondents with DOUPE = 1 who answered PAC_1I = (1, 7 or 8)
Notes	Based on UPE_02A, UPE_02B, UPE_02C, PAC1I. Respondents that does not in-line skate were excluded from the population. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	155	88296.8	8.5%
2	NO	1446	955465.3	91.5%
6	NOT APPLICABLE	59334	28133157.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	772	314110.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPEFSKB: Wears all prot. equip. - skateb. - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

UPEFSKB: Wears all prot. equip. - skateb. - (F)

Statistics [NW/ W]	[Valid=492 / 234120.91] [Invalid=61215 / 29256909.06]
Universe	Respondents aged 12 to 19 who answered UPE_06 = (1, 7 or 8)
Notes	Based on UPE_06A, UPE_06B, UPE_06C. Respondents less than 12 years old or more than 19 years old and respondents that have not skateboarded in the past 12 months were excluded from the population. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25	12407.1	5.3%
2	NO	467	221713.8	94.7%
6	NOT APPLICABLE	61114	29211745.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	101	45163.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

UPEFSNB: Wears all prot. equip. - snowb.- (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1066 / 701703.59] [Invalid=60641 / 28789326.38]
Universe	Respondents who answered UPE_03A = (2, 3, 7 or 8) or UPE_03B = (2, 3, 7 or 8)
Notes	Based on UPE_05A, UPE_05B. Respondents that have not snowboarded in past 12 months were excluded from the population. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	77	53129.7	7.6%
2	NO	989	648573.9	92.4%
6	NOT APPLICABLE	59869	28469048.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	772	320277.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSSB: Module: SSB - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2457 / 644165.63] [Invalid=59250 / 28846864.34]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2457	644165.6	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	59250	28846864.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_01: Been surnburnt - past 12 months

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2396 / 629982.53] [Invalid=59311 / 28861047.44]

SSB_01: Been surnburnt - past 12 months

Universe	Respondents with DOSSB = 1			
Literal question	In the past 12 months, has any part of your body been sunburnt?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	791	246735.3	39.2%
2	NO	1605	383247.2	60.8%
6	NOT APPLICABLE	59250	28846864.3	
7	DON'T KNOW	1	121.2	
8	REFUSAL	0	0.0	
9	NOT STATED	60	14061.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_02: Sunburn involved blistering

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=789 / 246462.3] [Invalid=60918 / 29244567.67]
Universe	Respondents who answered SSB_01 = (1, 7 or 8)
Literal question	Did any of your sunburns involve blistering?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	68	20210.8	8.2%
2	NO	721	226251.5	91.8%
6	NOT APPLICABLE	60855	29230111.6	
7	DON'T KNOW	2	273.0	
8	REFUSAL	0	0.0	
9	NOT STATED	61	14183.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_03: Sunburns involved pain - more than 1 day

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=791 / 246735.3] [Invalid=60916 / 29244294.67]
Universe	Respondents who answered SSB_01 = (1, 7 or 8)
Literal question	Did any of your sunburns involve pain or discomfort that lasted for more than 1 day?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	243	78253.0	31.7%
2	NO	548	168482.3	68.3%
6	NOT APPLICABLE	60855	29230111.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	61	14183.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_06: Amount time in the sun - 11 am to 4 pm

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=2380 / 624901.83] [Invalid=59327 / 28866128.14]
Universe	Respondents with DOSSB = 1
Literal question	About how much time each day do you spend in the sun between 11 am and 4 pm?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE	360	69680.9	11.2%

SSB_06: Amount time in the sun - 11 am to 4 pm

Value	Label	Cases	Weighted	Percentage (Weighted)
2	< 30 MIN.	239	50201.1	8.0%
3	30 TO 59 MINUTES	285	70256.4	11.2%
4	1 TO < 2 HOURS	414	108893.1	17.4%
5	2 TO < 3 HOURS	407	121506.7	19.4%
6	3 TO < 4 HOURS	256	73549.4	11.8%
7	4 TO < 5 HOURS	135	44496.9	7.1%
8	5 HOURS	284	86317.4	13.8%
96	NOT APPLICABLE	59250	28846864.3	
97	DON'T KNOW	16	5080.7	
98	REFUSAL	0	0.0	
99	NOT STATED	61	14183.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_07: Frequency - seek shade

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=1776 / 503873.5] [Invalid=59931 / 28987156.47]
Universe	Respondents who answered SSB_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSB_01 = (7 or 8)
Literal question	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: ...seek shade?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	257	60779.3	12.1%
2	OFTEN	563	146144.6	29.0%
3	SOMETIMES	505	152515.4	30.3%
4	RARELY	292	92669.3	18.4%
5	NEVER	159	51764.8	10.3%
6	NOT APPLICABLE	59849	28966746.3	
7	DON'T KNOW	5	1146.4	
8	REFUSAL	0	0.0	
9	NOT STATED	77	19263.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_08: Frequency - wear hat in the sun

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=1779 / 504822.7] [Invalid=59928 / 28986207.27]
Universe	Respondents who answered SSB_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSB_01 = (7 or 8)
Literal question	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you:) ...wear a hat that shades your face, ears and neck?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	481	117593.5	23.3%
2	OFTEN	254	74579.3	14.8%
3	SOMETIMES	204	65156.7	12.9%
4	RARELY	182	58990.1	11.7%
5	NEVER	658	188503.0	37.3%
6	NOT APPLICABLE	59849	28966746.3	
7	DON'T KNOW	2	197.2	
8	REFUSAL	0	0.0	

SSB_08: Frequency - wear hat in the sun

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	77	19263.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_09A: Frequency - wear long pants or skirt

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=1779 / 504492.77] [Invalid=59928 / 28986537.2]
Universe	Respondents who answered SSB_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSB_01 = (7 or 8)
Literal question	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you:) ...wear long pants or a long skirt to protect your skin from the sun?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	381	89105.0	17.7%
2	OFTEN	206	62734.7	12.4%
3	SOMETIMES	230	66629.5	13.2%
4	RARELY	256	81505.6	16.2%
5	NEVER	706	204518.0	40.5%
6	NOT APPLICABLE	59849	28966746.3	
7	DON'T KNOW	2	527.1	
8	REFUSAL	0	0.0	
9	NOT STATED	77	19263.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_09B: Frequency - use sunscreen on your face

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=1780 / 504935.24] [Invalid=59927 / 28986094.73]
Universe	Respondents who answered SSB_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSB_01 = (7 or 8)
Literal question	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you:) ...use sunscreen on your face?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	544	144326.0	28.6%
2	OFTEN	313	94719.2	18.8%
3	SOMETIMES	234	68921.8	13.6%
4	RARELY	159	51667.5	10.2%
5	NEVER	530	145300.8	28.8%
6	NOT APPLICABLE	59849	28966746.3	
7	DON'T KNOW	1	84.6	
8	REFUSAL	0	0.0	
9	NOT STATED	77	19263.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_10: SPF use - face

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=1042 / 293017.7] [Invalid=60665 / 29198012.27]
Universe	Respondents who answered SSB_09B = (1, 2, 3, 7, 8) or SSB_01 = (7, 8) or SSB_06 = (97, 98)
Literal question	What Sun Protection factor (SPF) do you usually use?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 15	27	8406.3	2.9%

SSB_10: SPF use - face

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	15 TO 25	261	67517.8		23.0%
3	MORE THAN 25	754	217093.6		74.1%
6	NOT APPLICABLE	60538	29163714.6		
7	DON'T KNOW	48	14777.6		
8	REFUSAL	1	171.6		
9	NOT STATED	78	19348.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_11: Frequency - use sunscreen on your body

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=1779 / 504903.71] [Invalid=59928 / 28986126.26]
Universe	Respondents who answered SSB_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSB_01 = (7 or 8)
Literal question	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: ...use sunscreen on your body?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	377	107963.7		21.4%
2	OFTEN	335	100856.2		20.0%
3	SOMETIMES	272	80346.2		15.9%
4	RARELY	228	69527.5		13.8%
5	NEVER	567	146210.1		29.0%
6	NOT APPLICABLE	59849	28966746.3		
7	DON'T KNOW	2	116.2		
8	REFUSAL	0	0.0		
9	NOT STATED	77	19263.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSB_12: SPF use - body

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=945 / 272634.69] [Invalid=60762 / 29218395.28]
Universe	Respondents who answered SSB_11 = (1, 2, 3, 7, 8) or SSB_01 = (7, 8) or SSB_06 = (97, 98)
Literal question	What Sun Protection factor (SPF) do you usually use?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	LESS THAN 15	37	10751.0	3.9%	
2	15 TO 25	207	56533.7		20.7%
3	MORE THAN 25	701	205350.0		75.3%
6	NOT APPLICABLE	60644	29182483.9		
7	DON'T KNOW	38	16359.8		
8	REFUSAL	1	171.6		
9	NOT STATED	79	19380.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOINJ: Module: INJ - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5520 / 3199026.56] [Invalid=56187 / 26292003.41]
Universe	All respondents

DOINJ: Module: INJ - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5520	3199026.6	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	56187	26292003.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_1A: Repetitive strain injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5494 / 3189595.06] [Invalid=56213 / 26301434.91]
Universe	Respondents with DOINJ = 1
Literal question	In the past 12 months, did YOU have any injuries due to repetitive strain?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	796	457901.2	14.4%
2	NO	4698	2731693.9	85.6%
6	NOT APPLICABLE	56187	26292003.4	
7	DON'T KNOW	25	8869.8	
8	REFUSAL	1	561.7	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_2: Limit your normal activities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=793 / 456320.89] [Invalid=60914 / 29034709.08]
Universe	Respondents who answered REP_1A = (1, 7 or 8)
Literal question	Were these injuries serious enough to limit YOUR normal activities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	432	256614.1	56.2%
2	NO	361	199706.8	43.8%
6	NOT APPLICABLE	60885	29023697.3	
7	DON'T KNOW	3	1580.3	
8	REFUSAL	0	0.0	
9	NOT STATED	26	9431.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REPG3: Rep. strain - body part affected - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=431 / 256359.08] [Invalid=61276 / 29234670.89]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NECK	13	9603.9	3.7%
2	SHOULDER /UP ARM	85	51811.1	20.2%
3	ELBOW, LOWER ARM	74	43204.4	16.9%
4	WRIST / HAND	97	46701.3	18.2%
5	KNEE / LOWER LEG	52	37648.6	14.7%

REPG3: Rep. strain - body part affected - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
6	ANKLE / FOOT	27	19578.1	7.6%
7	UPPER BACK	10	8067.3	3.1%
8	LOWER BACK	53	33007.0	12.9%
9	OTHER	20	6737.5	2.6%
96	NOT APPLICABLE	61246	29223404.1	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	30	11266.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_3A: Rep. strain-activity causing injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=428 / 254893.05] [Invalid=61279 / 29236136.92]
Universe	Respondents who answered REP_1A = (1, 7 or 8)
Literal question	Do you know what type of activity caused this repetitive strain injury?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	379	225346.5	88.4%
2	NO	49	29546.6	11.6%
6	NOT APPLICABLE	61246	29223404.1	
7	DON'T KNOW	4	1721.1	
8	REFUSAL	0	0.0	
9	NOT STATED	29	11011.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_4: Rep. strain - working at a job/business

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=377 / 224796.9] [Invalid=61330 / 29266233.07]
Universe	Respondents who answered REP_1A = (1, 7 or 8)
Literal question	Was the activity something YOU did while working at a job or business (excluding travel to or from work)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	185	111728.1	49.7%
2	NO	192	113068.8	50.3%
6	NOT APPLICABLE	61295	29252950.7	
7	DON'T KNOW	1	374.7	
8	REFUSAL	0	0.0	
9	NOT STATED	34	12907.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5A: Activity - Walking

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=377 / 224837.37] [Invalid=61330 / 29266192.6]
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)
Literal question	What type of activity was this? Walking

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18	18740.2	8.3%

REP_5A: Activity - Walking

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	359	206097.2		91.7%
6	NOT APPLICABLE	61295	29252950.7		
7	DON'T KNOW	2	509.1		
8	REFUSAL	0	0.0		
9	NOT STATED	33	12732.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5B: Activity - Sports

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=377 / 224837.37] [Invalid=61330 / 29266192.6]
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)
Literal question	What type of activity was this? Sports or physical exercise (including school activities and running)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	99	63036.8	28.0%	
2	NO	278	161800.6		72.0%
6	NOT APPLICABLE	61295	29252950.7		
7	DON'T KNOW	2	509.1		
8	REFUSAL	0	0.0		
9	NOT STATED	33	12732.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5C: Activity - Leisure

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=377 / 224837.37] [Invalid=61330 / 29266192.6]
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)
Literal question	What type of activity was this? Leisure or hobby (include volunteering)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	21	7417.8	3.3%	
2	NO	356	217419.6		96.7%
6	NOT APPLICABLE	61295	29252950.7		
7	DON'T KNOW	2	509.1		
8	REFUSAL	0	0.0		
9	NOT STATED	33	12732.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5D: Activity - Household chores

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=377 / 224837.37] [Invalid=61330 / 29266192.6]
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)
Literal question	What type of activity was this? Household chores, outdoor yard maintenanceh, ome renovations or other unpaid work

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	36	23640.4	10.5%	
2	NO	341	201197.0		89.5%
6	NOT APPLICABLE	61295	29252950.7		
7	DON'T KNOW	2	509.1		

REP_5D: Activity - Household chores

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	33	12732.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5F: Activity - Computer

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=377 / 224837.37] [Invalid=61330 / 29266192.6]
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)
Literal question	What type of activity was this? Computer use or typing

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	44	19398.8	8.6%
2	NO	333	205438.6	91.4%
6	NOT APPLICABLE	61295	29252950.7	
7	DON'T KNOW	2	509.1	
8	REFUSAL	0	0.0	
9	NOT STATED	33	12732.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5G: Activity - Driving a motor vehicle

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=377 / 224837.37] [Invalid=61330 / 29266192.6]
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)
Literal question	What type of activity was this? Driving a motor vehicle

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	1330.6	0.6%
2	NO	370	223506.8	99.4%
6	NOT APPLICABLE	61295	29252950.7	
7	DON'T KNOW	2	509.1	
8	REFUSAL	0	0.0	
9	NOT STATED	33	12732.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5H: Activity - Lifting or carrying

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=377 / 224837.37] [Invalid=61330 / 29266192.6]
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)
Literal question	What type of activity was this? Lifting or carrying an object or person

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	82	50454.3	22.4%
2	NO	295	174383.0	77.6%
6	NOT APPLICABLE	61295	29252950.7	
7	DON'T KNOW	2	509.1	
8	REFUSAL	0	0.0	
9	NOT STATED	33	12732.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

REP_5I: Activity - Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=377 / 224837.37] [Invalid=61330 / 29266192.6]			
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)			
Literal question	What type of activity was this? Other			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	97	50832.5	22.6%
2	NO	280	174004.9	77.4%
6	NOT APPLICABLE	61295	29252950.7	
7	DON'T KNOW	2	509.1	
8	REFUSAL	0	0.0	
9	NOT STATED	33	12732.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_01: Injured in past 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5507 / 3194891.58] [Invalid=56200 / 26296138.39]			
Universe	Respondents with DOINJ = 1			
Literal question	INJURIES in the past 12 months, that is, from DATE ONE YEAR AGO to yesterday, WERE YOU injured?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1013	604200.5	18.9%
2	NO	4494	2590691.0	81.1%
6	NOT APPLICABLE	56187	26292003.4	
7	DON'T KNOW	9	3034.3	
8	REFUSAL	4	1100.7	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG02: No. of injuries in past 12 mo - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=1007 / 599169.12] [Invalid=60700 / 28891860.85]			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONE INJURY	718	435134.1	72.6%
2	TWO INJURIES	162	90034.1	15.0%
3	3 TO 5 INJURIES	98	52496.0	8.8%
4	6+ INJURIES	29	21505.0	3.6%
6	NOT APPLICABLE	60681	28882694.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	19	9166.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG05: Most serious injury - type - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]			
Statistics [NW/ W]	[Valid=996 / 593757.17] [Invalid=60711 / 28897272.8]			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MULT INJURIES	12	10993.2	1.9%

INJG05: Most serious injury - type - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
2	BROKEN BONES	174	87976.1	14.8%
3	BURN, SCALD, CHE	22	15765.2	2.7%
4	DISLOCATION	33	19473.0	3.3%
5	SPRAIN OR STRAIN	510	315596.6	53.2%
6	CUT, PUNCTURE	89	56249.5	9.5%
7	SCRAP, BRUISE	78	44376.4	7.5%
8	CONCUSSION OR IN	37	18978.2	3.2%
9	OTHER	41	24348.9	4.1%
96	NOT APPLICABLE	60681	28882694.5	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	30	14578.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG06: Most serious inj. - body part aff. - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=967 / 578884.1] [Invalid=60740 / 28912145.87]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MULTIPLE SITES	18	12340.6	2.1%
2	EYES/HEAD/NECK	50	39807.7	6.9%
3	SHOULDER, UPPER	82	51818.5	9.0%
4	ELBOW,LOWER ARM	40	18674.1	3.2%
5	WRIST OR HAND	157	114790.6	19.8%
6	HIP OR THIGH	46	28202.6	4.9%
7	KNEE, LOWER LEG	146	74528.8	12.9%
8	ANKLE, FOOT	231	122304.9	21.1%
9	UPPER OR LOWER B	140	93277.0	16.1%
10	CHEST OR ABDOMEN	57	23139.5	4.0%
96	NOT APPLICABLE	60718	28901672.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	22	10473.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG08: Most serious injury - place - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=1001 / 597839.9] [Invalid=60706 / 28893190.07]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	HOME/SURRROUNDNG	335	170894.3	28.6%
2	RESIDENT./SCHOOL	56	36553.9	6.1%
3	SPORTS/ATHLETICS	69	43445.4	7.3%
4	OTHER SPORTS	133	88765.2	14.8%
5	STREET, HIGHWAY	92	61215.2	10.2%
6	COMMERCIAL AREA	85	51980.4	8.7%
7	INDUSTRIAL AREA	72	42127.0	7.0%
8	OTHER	159	102858.5	17.2%

INJG08: Most serious injury - place - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	60681	28882694.5	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	25	10495.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG092: Most serious inj.- activity when inj.(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=994 / 589346.56] [Invalid=60713 / 28901683.41]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	SPORTS/EXERCISE	306	196632.0		33.4%
2	LEISURE	68	51587.6	8.8%	
3	WORKING AT A JOB	158	94640.5	16.1%	
4	DRIVER/BOAT.,ATV	56	39766.7	6.7%	
5	HOUSEHOLD CHORES	158	82919.4	14.1%	
6	GOING UP/DOWN ST	180	88795.2	15.1%	
7	OTHER	68	35005.0	5.9%	
96	NOT APPLICABLE	60681	28882694.5		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	32	18989.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INW_01: Injury occured in current job

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=149 / 91420.89] [Invalid=61558 / 29399609.08]
Universe	Respondents who answered INJ_Q09 = 3 and (14 < DHH_Age < 75)
Literal question	Did this injury occur in your current main job?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	120	68127.7		74.5%
2	NO	29	23293.2	25.5%	
6	NOT APPLICABLE	61536	29383642.2		
7	DON'T KNOW	1	243.5		
8	REFUSAL	0	0.0		
9	NOT STATED	21	15723.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INWGSOC: Occup. group (SOC) where inj. occ. - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=137 / 82739.37] [Invalid=61570 / 29408290.6]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	MANAG./ART, EDUC	23	9490.4	11.5%	
2	BUSIN./FINANC.	4	1270.5	1.5%	
3	SALES, SERVICES	26	22295.6	26.9%	
4	TRADES/TRANSP.	57	34030.9		41.1%
5	PRIM. IND./PROC.	27	15651.9	18.9%	

INWGSOC: Occup. group (SOC) where inj. occ. - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	61567	29407381.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3	909.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_10: Most serious injury - result of a fall

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1004 / 598626.12] [Invalid=60703 / 28892403.85]
Universe	Respondents who answered INJ_05 = (1,2,3,4,5,6,7,8,10,11,97 or 98) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)
Literal question	Was the injury the result of a fall?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	417	218750.1	36.5%
2	NO	587	379876.0	63.5%
6	NOT APPLICABLE	60681	28882694.5	
7	DON'T KNOW	2	406.0	
8	REFUSAL	1	137.0	
9	NOT STATED	19	9166.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG11A: How did you fall - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=414 / 218246.82] [Invalid=61293 / 29272783.15]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SKATE/SKI/SNOWB	38	27646.1	12.7%
2	WHILE OTHER SP.	78	44947.5	20.6%
3	STRAIRS/FURNIT.	73	32258.4	14.8%
4	SLIP/TRIP/STUMB.	73	31035.3	14.2%
5	SLIP/TRIP/STUMB.	115	57575.3	26.4%
6	HEALTH PROBLEMS	37	24784.3	11.4%
96	NOT APPLICABLE	61268	29262570.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	25	10212.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_13: Most serious inj. - rec'd treat./48 hrs.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1002 / 595882.86] [Invalid=60705 / 28895147.11]
Universe	Respondents who answered INJ_01 = (1, 7 or 8) or INJ_02 = (97, 98)
Literal question	Did YOU receive any medical attention for the injury from a health professional in the 48 hours following the injury?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	546	288368.1	48.4%
2	NO	456	307514.7	51.6%
6	NOT APPLICABLE	60681	28882694.5	

INJ_13: Most serious inj. - rec'd treat./48 hrs.

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	4	3149.3	
8	REFUSAL	1	137.0	
9	NOT STATED	19	9166.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_14A: Receive treatment in the 48 hours

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=545 / 288304.93] [Invalid=61162 / 29202725.04]
Universe	Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)
Literal question	Where did you receive treatment in the 48 hours? Doctor's office

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	87	54562.9	18.9%
2	NO	458	233742.0	81.1%
6	NOT APPLICABLE	61137	29190209.2	
7	DON'T KNOW	1	63.2	
8	REFUSAL	0	0.0	
9	NOT STATED	24	12452.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_14B: Receive treatment in the 48 hours

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=545 / 288304.93] [Invalid=61162 / 29202725.04]
Universe	Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)
Literal question	Where did you receive treatment in the 48 hours? Hospital emergency room

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	304	138007.8	47.9%
2	NO	241	150297.2	52.1%
6	NOT APPLICABLE	61137	29190209.2	
7	DON'T KNOW	1	63.2	
8	REFUSAL	0	0.0	
9	NOT STATED	24	12452.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG14C: Most serious inj.- treated in clinic (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=545 / 288304.93] [Invalid=61162 / 29202725.04]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	81	51879.2	18.0%
2	NO	464	236425.7	82.0%
6	NOT APPLICABLE	61137	29190209.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	25	12515.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG14J2: Most ser.inj.-physio/mass/chiro/other(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=545 / 288304.93] [Invalid=61162 / 29202725.04]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	68	39169.8	13.6%
2	NO	477	249135.2	86.4%
6	NOT APPLICABLE	61137	29190209.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	25	12515.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_14O: Receive treatment in the 48 hours

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=545 / 288304.93] [Invalid=61162 / 29202725.04]
Universe	Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)
Literal question	Where did you receive treatment in the 48 hours? Where the injury happened/on-site (workplace, school, sports field, hotel, ski hill)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	8785.7	3.0%
2	NO	528	279519.3	97.0%
6	NOT APPLICABLE	61137	29190209.2	
7	DON'T KNOW	1	63.2	
8	REFUSAL	0	0.0	
9	NOT STATED	24	12452.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_15: Follow-up care because of injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=546 / 288368.12] [Invalid=61161 / 29202661.85]
Universe	Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)
Literal question	Were you admitted to a hospital overnight?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	43	14165.0	4.9%
2	NO	503	274203.1	95.1%
6	NOT APPLICABLE	61137	29190209.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	24	12452.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_15A: Follow-up care because of injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1005 / 598778.37] [Invalid=60702 / 28892251.6]
Universe	Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)
Literal question	At the present time, are you getting follow-up care from a health professional because of this injury?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	187	98158.7	16.4%
2	NO	818	500619.7	83.6%
6	NOT APPLICABLE	60681	28882694.5	
7	DON'T KNOW	1	253.8	
8	REFUSAL	1	137.0	
9	NOT STATED	19	9166.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJ_16: Other injuries - treated / not limiting

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5483 / 3183648.14] [Invalid=56224 / 26307381.83]
Universe	Respondents with DOINJ = 1
Literal question	In the past 12 months, did YOU have any other injuries that were treated by a health professional, but did not limit YOUR normal activities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	307	182331.5	5.7%
2	NO	5176	3001316.7	94.3%
6	NOT APPLICABLE	56187	26292003.4	
7	DON'T KNOW	18	6212.0	
8	REFUSAL	0	0.0	
9	NOT STATED	19	9166.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJG17: Other injuries - number - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=304 / 180796.76] [Invalid=61403 / 29310233.21]

INJG17: Other injuries - number - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ONE INJURY	248	154529.1		85.5%
2	2 TO 5 INJURIES	50	22631.5		12.5%
3	6 OR MORE INJ.	6	3636.2		2.0%
6	NOT APPLICABLE	61363	29293320.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	40	16913.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJGCAU: Cause of injury - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=989 / 585997.68] [Invalid=60718 / 28905032.29]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	FALL	417	218750.1		37.3%
2	TRANSPORT ACC	39	24062.6		4.1%
3	ACC. BUMPED	65	38247.2		6.5%
4	ACC. STRUCK	86	54855.3		9.4%
5	ACC. SHARP OBJCT	73	50917.0		8.7%
6	OVEREXERTION	194	123578.2		21.1%
7	OTHER	115	75587.3		12.9%
96	NOT APPLICABLE	60681	28882694.5		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	37	22337.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INJDSTT: Injury Status - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=5483 / 3183648.14] [Invalid=56224 / 26307381.83]
Universe	Respondents with DOINJ = 1
Notes	Based on INJ_01, INJ_16. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	NO INJURIES	4250	2455884.6		77.1%
1	ACTIVITY-LIMIT.	926	545432.0		17.1%
2	NON-ACT-LIMIT.	229	129930.8		4.1%
3	LIM AND NON-LIM	78	52400.7		1.6%
6	NOT APPLICABLE	56187	26292003.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	37	15378.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSWL: Module: SWL - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13037 / 7152729.21] [Invalid=48670 / 22338300.76]
Universe	All respondents

DOSWL: Module: SWL - (F)

Notes				Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13037	7152729.2	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	48670	22338300.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_02: Satisfaction - job

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=12574 / 6946612.4] [Invalid=49133 / 22544417.57]
Universe	Respondents with DOSWL = 1
Literal question	How satisfied are you with your job or main activity?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	4394	2297914.5	33.1%
2	SATISFIED	6403	3560857.3	51.3%
3	NEITHER NOR	869	588275.5	8.5%
4	DISSATISFIED	739	395419.1	5.7%
5	VERY DISSATIS.	169	104146.0	1.5%
6	NOT APPLICABLE	48670	22338300.8	
7	DON'T KNOW	113	42917.7	
8	REFUSAL	46	29748.2	
9	NOT STATED	304	133450.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_03: Satisfaction - leisure activities

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=12594 / 6951869.63] [Invalid=49113 / 22539160.34]
Universe	Respondents with DOSWL = 1
Literal question	How satisfied are you with your leisure activities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	3891	2043079.6	29.4%
2	SATISFIED	6525	3584835.4	51.6%
3	NEITHER NOR	1006	640984.8	9.2%
4	DISSATISFIED	1049	607775.2	8.7%
5	VERY DISSATIS.	123	75194.7	1.1%
6	NOT APPLICABLE	48670	22338300.8	
7	DON'T KNOW	89	37034.7	
8	REFUSAL	4	625.8	
9	NOT STATED	350	163199.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_04: Satisfaction - financial situation

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

SWL_04: Satisfaction - financial situation

Statistics [NW/ W]	[Valid=12531 / 6919933.03] [Invalid=49176 / 22571096.94]			
Universe	Respondents with DOSWL = 1			
Literal question	(How satisfied are you) with your financial situation?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	2299	1124058.6	16.2%
2	SATISFIED	6686	3508542.9	50.7%
3	NEITHER NOR	1400	925384.3	13.4%
4	DISSATISFIED	1652	1034401.0	14.9%
5	VERY DISSATIS.	494	327546.2	4.7%
6	NOT APPLICABLE	48670	22338300.8	
7	DON'T KNOW	134	57377.8	
8	REFUSAL	22	12219.3	
9	NOT STATED	350	163199.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_05: Satisfaction - with self

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=12592 / 6956264.18] [Invalid=49115 / 22534765.79]
Universe	Respondents with DOSWL = 1
Literal question	How satisfied are you with yourself?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	3771	1990975.7	28.6%
2	SATISFIED	7325	4070401.5	58.5%
3	NEITHER NOR	844	554555.7	8.0%
4	DISSATISFIED	564	298064.0	4.3%
5	VERY DISSATIS.	88	42267.3	0.6%
6	NOT APPLICABLE	48670	22338300.8	
7	DON'T KNOW	86	31448.8	
8	REFUSAL	9	1817.1	
9	NOT STATED	350	163199.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_06: Satisfaction - way body looks

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=12563 / 6948669.07] [Invalid=49144 / 22542360.9]
Universe	Respondents with DOSWL = 1
Literal question	How satisfied are you with the way your body looks?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	1775	1042015.4	15.0%
2	SATISFIED	6998	3785033.0	54.5%
3	NEITHER NOR	1570	941002.2	13.5%
4	DISSATISFIED	1961	1058142.0	15.2%
5	VERY DISSATIS.	259	122476.6	1.8%
6	NOT APPLICABLE	48670	22338300.8	
7	DON'T KNOW	111	36514.8	

SWL_06: Satisfaction - way body looks

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	13	4346.2	
9	NOT STATED	350	163199.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_07: Satisfaction - relationship with family

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=12587 / 6959983.87] [Invalid=49120 / 22531046.1]
Universe	Respondents with DOSWL = 1
Literal question	How satisfied are you with your relationships with family members?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	6044	3321146.9	47.7%
2	SATISFIED	5515	3032532.8	43.6%
3	NEITHER NOR	528	300463.3	4.3%
4	DISSATISFIED	418	263392.0	3.8%
5	VERY DISSATIS.	82	42448.8	0.6%
6	NOT APPLICABLE	48670	22338300.8	
7	DON'T KNOW	85	25160.4	
8	REFUSAL	15	4385.8	
9	NOT STATED	350	163199.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_08: Satisfaction - relationship with friends

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=12618 / 6964257.4] [Invalid=49089 / 22526772.57]
Universe	Respondents with DOSWL = 1
Literal question	(How satisfied are you) with your relationships with friends?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	5353	2807318.4	40.3%
2	SATISFIED	6442	3630227.5	52.1%
3	NEITHER NOR	483	321525.9	4.6%
4	DISSATISFIED	291	178930.0	2.6%
5	VERY DISSATIS.	49	26255.6	0.4%
6	NOT APPLICABLE	48670	22338300.8	
7	DON'T KNOW	60	23123.2	
8	REFUSAL	9	2149.4	
9	NOT STATED	350	163199.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_09: Satisfaction - housing

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=12647 / 6972560.49] [Invalid=49060 / 22518469.48]
Universe	Respondents with DOSWL = 1
Literal question	(How satisfied are you) with your housing?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	5655	2889789.2	41.4%

SWL_09: Satisfaction - housing

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	SATISFIED	5871	3323142.1		47.7%
3	NEITHER NOR	499	355644.0	5.1%	
4	DISSATISFIED	513	338560.9	4.9%	
5	VERY DISSATIS.	109	65424.4	0.9%	
6	NOT APPLICABLE	48670	22338300.8		
7	DON'T KNOW	31	14949.9		
8	REFUSAL	9	2019.7		
9	NOT STATED	350	163199.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SWL_10: Satisfaction - neighbourhood

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=12600 / 6956177.77] [Invalid=49107 / 22534852.2]
Universe	Respondents with DOSWL = 1
Literal question	(How satisfied are you) with your neighbourhood?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	VERY SATISFIED	5263	2672507.6		38.4%
2	SATISFIED	6069	3448723.8		49.6%
3	NEITHER NOR	718	517324.7	7.4%	
4	DISSATISFIED	468	274008.6	3.9%	
5	VERY DISSATIS.	82	43613.2	0.6%	
6	NOT APPLICABLE	48670	22338300.8		
7	DON'T KNOW	78	31157.3		
8	REFUSAL	9	2195.1		
9	NOT STATED	350	163199.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOCST: Optional module: CST - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7517 / 3953702.65] [Invalid=54190 / 25537327.32]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	7517	3953702.6		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	54190	25537327.3		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CST_1: Spent 2 weeks or more in the hospital

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6678 / 3508919.65] [Invalid=55029 / 25982110.32]
Universe	Respondents aged 18 and over with CSTFOPT = 1

CST_1: Spent 2 weeks or more in the hospital

Literal question	Did you spend 2 weeks or more in the hospital?				

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1032	460677.2	13.1%	
2	NO	5646	3048242.4		86.9%
6	NOT APPLICABLE	54750	25850050.9		
7	DON'T KNOW	82	33820.0		
8	REFUSAL	26	20500.9		
9	NOT STATED	171	77738.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CST_2: Parents divorced

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6738 / 3530022.96] [Invalid=54969 / 25961007.01]
Universe	Respondents aged 18 and over with CSTFOPT = 1
Literal question	Did your parents get a divorce?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1164	682246.0	19.3%	
2	NO	5574	2847776.9		80.7%
6	NOT APPLICABLE	54750	25850050.9		
7	DON'T KNOW	19	12244.8		
8	REFUSAL	3	471.9		
9	NOT STATED	197	98239.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CST_3: Parents unemployed for a long time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6660 / 3492534.09] [Invalid=55047 / 25998495.88]
Universe	Respondents aged 18 and over with CSTFOPT = 1
Literal question	Did your father or mother not have a job for a long time when they wanted to be working?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	809	453687.3	13.0%	
2	NO	5851	3038846.8		87.0%
6	NOT APPLICABLE	54750	25850050.9		
7	DON'T KNOW	93	44519.0		
8	REFUSAL	7	5686.6		
9	NOT STATED	197	98239.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CST_4: Something happened that scared you

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6695 / 3519063.96] [Invalid=55012 / 25971966.01]
Universe	Respondents aged 18 and over with CSTFOPT = 1
Literal question	Did something happen that scared you so much you thought about it for years after?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1504	757874.6	21.5%	
2	NO	5191	2761189.4		78.5%

CST_4: Something happened that scared you

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	54750	25850050.9	
7	DON'T KNOW	52	17418.5	
8	REFUSAL	13	6257.2	
9	NOT STATED	197	98239.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CST_5: Sent away from home - something wrong

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6732 / 3525241.36] [Invalid=54975 / 25965788.61]
Universe	Respondents aged 18 and over with CSTFOPT = 1
Literal question	Were you sent away from home because you did something wrong?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	206	110122.3	3.1%
2	NO	6526	3415119.1	96.9%
6	NOT APPLICABLE	54750	25850050.9	
7	DON'T KNOW	20	13278.8	
8	REFUSAL	8	4219.5	
9	NOT STATED	197	98239.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CST_6: Family prob./parents abusing alc./drugs

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6721 / 3521708.91] [Invalid=54986 / 25969321.06]
Universe	Respondents aged 18 and over with CSTFOPT = 1
Literal question	Did either of your parents drink or use drugs so often that it caused problems for the family?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1040	531175.6	15.1%
2	NO	5681	2990533.3	84.9%
6	NOT APPLICABLE	54750	25850050.9	
7	DON'T KNOW	27	13945.2	
8	REFUSAL	12	7085.5	
9	NOT STATED	197	98239.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CST_7: Physically abused - someone close to you

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6707 / 3516532.3] [Invalid=55000 / 25974497.67]
Universe	Respondents aged 18 and over with CSTFOPT = 1
Literal question	Were you ever physically abused by someone close to you?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	718	341167.6	9.7%
2	NO	5989	3175364.6	90.3%
6	NOT APPLICABLE	54750	25850050.9	
7	DON'T KNOW	26	12880.4	
8	REFUSAL	27	13327.0	

CST_7: Physically abused - someone close to you

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	197	98239.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSFE: Module: SFE - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11573 / 6855593.06] [Invalid=50134 / 22635436.91]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11573	6855593.1	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFE_501: Self-esteem - has good qualities

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=11227 / 6633956.16] [Invalid=50480 / 22857073.81]
Universe	Respondents with DOSFE = 1
Literal question	You feel that you have a number of good qualities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	4696	2877091.5	43.4%
2	AGREE	6342	3632802.4	54.8%
3	NEITHER NOR	137	86422.2	1.3%
4	DISAGREE	47	34599.6	0.5%
5	STRONG DISAGREE	5	3040.4	0.0%
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	71	57205.7	
8	REFUSAL	49	43449.3	
9	NOT STATED	226	120981.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFE_502: Self-esteem - is person of worth

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=11225 / 6621621.46] [Invalid=50482 / 22869408.51]
Universe	Respondents with DOSFE = 1
Literal question	You feel that you're a person of worth at least equal to others.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	5533	3399629.4	51.3%
2	AGREE	5337	2993388.7	45.2%
3	NEITHER NOR	197	114842.2	1.7%
4	DISAGREE	149	108554.4	1.6%

SFE_502: Self-esteem - is person of worth

Value	Label	Cases	Weighted	Percentage (Weighted)
5	STRONG DISAGREE	9	5206.7	0.1%
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	72	69510.6	
8	REFUSAL	1	29.8	
9	NOT STATED	275	164431.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFE_503: Self-esteem - is able to do things well

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=11216 / 6624473.75] [Invalid=50491 / 22866556.22]
Universe	Respondents with DOSFE = 1
Literal question	You are able to do things as well as most other people.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	4852	3041367.4	45.9%
2	AGREE	5646	3149614.9	47.5%
3	NEITHER NOR	427	272194.3	4.1%
4	DISAGREE	265	147714.4	2.2%
5	STRONG DISAGREE	26	13582.8	0.2%
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	81	66658.3	
8	REFUSAL	1	29.8	
9	NOT STATED	275	164431.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFE_504: Self-esteem - takes positive attitude

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=11232 / 6647736.74] [Invalid=50475 / 22843293.23]
Universe	Respondents with DOSFE = 1
Literal question	You take a positive attitude toward yourself.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	4503	2713384.6	40.8%
2	AGREE	5812	3415460.5	51.4%
3	NEITHER NOR	574	336558.6	5.1%
4	DISAGREE	313	166985.1	2.5%
5	STRONG DISAGREE	30	15348.0	0.2%
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	64	43145.3	
8	REFUSAL	2	279.8	
9	NOT STATED	275	164431.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFE_505: Self-esteem - satisfied with self

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=11241 / 6648190.53] [Invalid=50466 / 22842839.44]
Universe	Respondents with DOSFE = 1

SFE_505: Self-esteem - satisfied with self

Literal question	On the whole you are satisfied with yourself.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	4197	2482065.1	37.3%
2	AGREE	6326	3744203.6	56.3%
3	NEITHER NOR	436	266402.0	4.0%
4	DISAGREE	256	146223.7	2.2%
5	STRONG DISAGREE	26	9296.1	0.1%
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	56	42941.5	
8	REFUSAL	1	29.8	
9	NOT STATED	275	164431.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFE_506: Self-esteem - feels is a failure

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=11214 / 6633856.63] [Invalid=50493 / 22857173.34]
Universe	Respondents with DOSFE = 1
Literal question	All in all, you're inclined to feel you're a failure.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	31	19062.6	0.3%
2	AGREE	224	151789.8	2.3%
3	NEITHER NOR	249	152194.4	2.3%
4	DISAGREE	3109	1709172.8	25.8%
5	STRONG DISAGREE	7601	4601637.0	69.4%
6	NOT APPLICABLE	50134	22635436.9	
7	DON'T KNOW	77	53346.8	
8	REFUSAL	7	3958.5	
9	NOT STATED	275	164431.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SFEDE1: Self-esteem scale - (D)

Information	[Type= discrete] [Format=numeric] [Range= 3-24] [Missing=*]
Statistics [NW/ W]	[Valid=11084 / 6553758.55] [Invalid=50623 / 22937271.42]
Universe	Respondents with DOSFE = 1
Notes	Based on SFE_501, SFE_502, SFE_503, SFE_504, SFE_505, SFE_506. Scores on the index are based on a subset of items from the self-esteem Rosenberg scale (1969). The six items have been factored into one dimension in the factor analysis done by Pearlin and Schooler (1978). Higher scores indicate greater self-esteem. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
3		1	374.7	0.0%
4		2	132.0	0.0%
5		3	1851.9	0.0%
6		4	2291.4	0.0%
7		8	7323.4	0.1%
8		14	6704.7	0.1%
9		8	4198.7	0.1%
10		23	16320.7	0.2%

SFEDE1: Self-esteem scale - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
11		30	16644.8	0.3%
12		51	32930.0	0.5%
13		68	49038.3	0.7%
14		96	50605.7	0.8%
15		145	79429.2	1.2%
16		273	168029.7	2.6%
17		399	230028.3	3.5%
18		1698	929530.6	14.2%
19		2153	1223022.2	18.7%
20		895	515961.4	7.9%
21		836	549864.3	8.4%
22		948	590476.6	9.0%
23		1140	693456.9	10.6%
24		2289	1385543.1	21.1%
96	NOT APPLICABLE	50134	22635436.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	489	301834.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOMAS: Module: MAS - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2457 / 644165.63] [Invalid=59250 / 28846864.34]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2457	644165.6	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	59250	28846864.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAS_601: Mastery - lack of control

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2339 / 619979.17] [Invalid=59368 / 28871050.8]
Universe	Respondents with DOMAS = 1
Literal question	You have little control over the things that happen to you.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	111	25914.2	4.2%
2	AGREE	616	143527.3	23.2%
3	NEITHER NOR	186	56615.8	9.1%
4	DISAGREE	1079	292054.0	47.1%
5	STRONG DISAGREE	347	101867.9	16.4%
6	NOT APPLICABLE	59250	28846864.3	

MAS_601: Mastery - lack of control

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	55	9372.6	
8	REFUSAL	3	752.0	
9	NOT STATED	60	14061.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAS_602: Mastery - cannot solve problems

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2344 / 621340.45] [Invalid=59363 / 28869689.52]
Universe	Respondents with DOMAS = 1
Literal question	There is really no way you can solve some of the problems you have.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	77	21152.9	3.4%
2	AGREE	532	129099.3	20.8%
3	NEITHER NOR	123	31265.2	5.0%
4	DISAGREE	1297	354542.3	57.1%
5	STRONG DISAGREE	315	85280.8	13.7%
6	NOT APPLICABLE	59250	28846864.3	
7	DON'T KNOW	48	7765.4	
8	REFUSAL	2	245.9	
9	NOT STATED	63	14813.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAS_603: Mastery - cannot change things

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2349 / 621234.28] [Invalid=59358 / 28869795.69]
Universe	Respondents with DOMAS = 1
Literal question	There is little you can do to change many of the important things in your life.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	39	11012.2	1.8%
2	AGREE	515	104075.5	16.8%
3	NEITHER NOR	104	26162.6	4.2%
4	DISAGREE	1378	380020.4	61.2%
5	STRONG DISAGREE	313	99963.7	16.1%
6	NOT APPLICABLE	59250	28846864.3	
7	DON'T KNOW	43	7901.9	
8	REFUSAL	2	215.6	
9	NOT STATED	63	14813.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAS_604: Mastery - helpless

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2364 / 625886.73] [Invalid=59343 / 28865143.24]
Universe	Respondents with DOMAS = 1
Literal question	You often feel helpless in dealing with problems of life.

MAS_604: Mastery - helpless

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	40	7060.2	1.1%
2	AGREE	399	92510.4	14.8%
3	NEITHER NOR	139	35970.6	5.7%
4	DISAGREE	1456	387646.0	61.9%
5	STRONG DISAGREE	330	102699.4	16.4%
6	NOT APPLICABLE	59250	28846864.3	
7	DON'T KNOW	28	3334.0	
8	REFUSAL	2	131.0	
9	NOT STATED	63	14813.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAS_605: Mastery - pushed around

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2375 / 626360.16] [Invalid=59332 / 28864669.81]
Universe	Respondents with DOMAS = 1
Literal question	Sometimes you feel that you are being pushed around in life.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	36	8481.6	1.4%
2	AGREE	387	96397.3	15.4%
3	NEITHER NOR	112	36714.5	5.9%
4	DISAGREE	1481	375991.9	60.0%
5	STRONG DISAGREE	359	108774.9	17.4%
6	NOT APPLICABLE	59250	28846864.3	
7	DON'T KNOW	18	2943.3	
8	REFUSAL	1	48.3	
9	NOT STATED	63	14813.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAS_606: Mastery - fate depends upon self

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2362 / 625849.99] [Invalid=59345 / 28865179.98]
Universe	Respondents with DOMAS = 1
Literal question	What happens to you in the future mostly depends on you.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	495	158329.1	25.3%
2	AGREE	1618	411402.8	65.7%
3	NEITHER NOR	100	26205.4	4.2%
4	DISAGREE	129	24951.2	4.0%
5	STRONG DISAGREE	20	4961.5	0.8%
6	NOT APPLICABLE	59250	28846864.3	
7	DON'T KNOW	31	3334.5	
8	REFUSAL	1	167.3	
9	NOT STATED	63	14813.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MAS_607: Mastery - can do anything

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2377 / 626825.41] [Invalid=59330 / 28864204.56]
Universe	Respondents with DOMAS = 1
Literal question	You can do just about anything you really set your mind to.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	422	135725.4		21.7%
2	AGREE	1611	420506.5		67.1%
3	NEITHER NOR	97	23175.3		3.7%
4	DISAGREE	225	42978.0		6.9%
5	STRONG DISAGREE	22	4440.2		0.7%
6	NOT APPLICABLE	59250	28846864.3		
7	DON'T KNOW	17	2526.3		
8	REFUSAL	0	0.0		
9	NOT STATED	63	14813.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MASDM1: Mastery scale - (D)

Information	[Type= continuous] [Format=numeric] [Range= 1-28] [Missing=*]
Statistics [NW/ W]	[Valid=2255 / 604809.31] [Invalid=59452 / 28886220.66] [Mean=18.986 / 19.493] [StdDev=4.214 / 4.274]
Universe	Respondents with DOMAS = 1
Notes	Based on MAS_601 to MAS_607. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	59250	28846864.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	202	39356.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_01A: Smoked 100 or more cigarettes - life

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61537 / 29410788.45] [Invalid=170 / 80241.52]
Universe	All respondents
Literal question	In YOUR lifetime, HAVE YOU smoked a total of 100 or more cigarettes (about 4 packs)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	29850	13044841.4		44.4%
2	NO	31687	16365947.0		55.6%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	113	42116.8		
8	REFUSAL	57	38124.7		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_01B: Ever smoked whole cigarette

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=31635 / 16328938.06] [Invalid=30072 / 13162091.91]
Universe	Respondents who answered SMK_01A = (2, 7 or 8)

SMK_01B: Ever smoked whole cigarette

Literal question	HAVE YOU ever smoked a whole cigarette?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7872	3806311.6	23.3%
2	NO	23763	12522626.4	76.7%
6	NOT APPLICABLE	29850	13044841.4	
7	DON'T KNOW	69	26638.2	
8	REFUSAL	43	33399.8	
9	NOT STATED	110	57212.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG01C: Age - smoked first whole cigarette - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=36799 / 16538817.38] [Invalid=24908 / 12952212.59]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	5 TO 11 YEARS	2653	1137353.0	6.9%
2	12 TO 14 YEARS	10611	4687149.0	28.3%
3	15 TO 17 YEARS	13231	5956655.9	36.0%
4	18 TO 19 YEARS	4932	2374826.9	14.4%
5	20 TO 24 YEARS	3836	1747167.2	10.6%
6	25 TO 29 YEARS	845	390696.9	2.4%
7	30 TO 34 YEARS	389	144585.6	0.9%
8	35 TO 39 YEARS	126	40274.9	0.2%
9	40 TO 44 YEARS	95	29610.6	0.2%
10	45 TO 49 YEARS	42	20016.8	0.1%
11	50 YEARS OR MORE	39	10480.6	0.1%
96	NOT APPLICABLE	23763	12522626.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1145	429586.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_202: Type of smoker

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=61406 / 29336416.03] [Invalid=301 / 154613.94]
Universe	All respondents
Literal question	At the present time, DO YOU smoke cigarettes daily, occasionally or not at all?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	9540	4530054.5	15.4%
2	OCCASIONALLY	2551	1402614.3	4.8%
3	NOT AT ALL	49315	23403747.2	79.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	14	11212.4	
8	REFUSAL	9	3149.9	
9	NOT STATED	278	140251.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG203: Age start smok daily (daily smoker)-(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=9345 / 4475921.61] [Invalid=52362 / 25015108.36]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	5 TO 11 YEARS	263	113133.3	2.5%
2	12 TO 14 YEARS	1722	797670.2	17.8%
3	15 TO 17 YEARS	3514	1673722.5	37.4%
4	18 TO 19 YEARS	1597	782746.9	17.5%
5	20 TO 24 YEARS	1427	726414.1	16.2%
6	25 TO 29 YEARS	448	216892.4	4.8%
7	30 TO 34 YEARS	184	78671.3	1.8%
8	35 TO 39 YEARS	62	33754.3	0.8%
9	40 TO 44 YEARS	39	13688.7	0.3%
10	45 TO 49 YEARS	37	20097.4	0.4%
11	50 YEARS OR MORE	52	19130.7	0.4%
96	NOT APPLICABLE	51866	24806361.5	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	496	208746.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_204: No. of cig. smoked/day (daily smoker)

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=9474 / 4512475.99] [Invalid=52233 / 24978553.98] [Mean=15.311 / 14.839] [StdDev=8.937 / 8.94]
Universe	Respondents who answered SMK_202 = (1, 7 or 8) or SMK_01A = 8 and SMK_01B = 8
Literal question	How many cigarettes DO YOU smoke each day now?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	51866	24806361.5	
997	DON'T KNOW	60	16895.4	
998	REFUSAL	6	683.1	
999	NOT STATED	301	154613.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_05B: No. of cig. per day (occasional smoker)

Information	[Type= discrete] [Format=numeric] [Range= 1-25] [Missing=*]
Statistics [NW/ W]	[Valid=2507 / 1382059.77] [Invalid=59200 / 28108970.2]
Universe	Respondents who answered SMK_202 = (2, 7 or 8) or SMK_01A = 8 and SMK_01B = 8
Literal question	On the days that YOU DO smoke, how many cigarettes DO YOU usually smoke?

Value	Label	Cases	Weighted	Percentage (Weighted)
1		699	410234.6	29.7%
2		586	373214.5	27.0%
3		399	218113.1	15.8%
4		208	102738.4	7.4%
5		274	143351.0	10.4%
6		89	40235.6	2.9%
7		18	8560.0	0.6%
8		33	12336.4	0.9%

SMK_05B: No. of cig. per day (occasional smoker)

Value	Label	Cases	Weighted	Percentage (Weighted)
9		5	1000.9	0.1%
10		119	48340.2	3.5%
11		1	481.5	0.0%
12		26	7346.3	0.5%
13		3	542.5	0.0%
14		1	129.5	0.0%
15		19	4367.3	0.3%
17		1	500.9	0.0%
18		1	262.1	0.0%
20		12	4604.5	0.3%
25		13	5700.4	0.4%
996	NOT APPLICABLE	58855	27933801.7	
997	DON'T KNOW	42	20282.9	
998	REFUSAL	2	271.6	
999	NOT STATED	301	154613.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_05C: No. of days-1 cig. or more (occ. smoker)

Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=2460 / 1363678.64] [Invalid=59247 / 28127351.33] [Mean=9.12 / 8.325] [StdDev=8.443 / 7.804]
Universe	Respondents who answered SMK_202 = (2, 7 or 8) or SMK_01A = 8 and SMK_01B = 8
Literal question	In the past month, on how many days HAVE YOU smoked 1 or more cigarettes?

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	58855	27933801.7	
97	DON'T KNOW	86	30573.3	
98	REFUSAL	4	7252.3	
99	NOT STATED	302	155724.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_05D: Ever smoked cigarettes daily

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=20206 / 8481426.82] [Invalid=41501 / 21009603.15]
Universe	Respondents who answered SMK_01A = (1, 7 or 8) and SMK_202 = (2, 3, 7 or 8) or SMK_01A = 8 and SMK_01B = 8
Literal question	HAVE YOU ever smoked cigarettes daily?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18098	7466395.6	88.0%
2	NO	2108	1015031.2	12.0%
6	NOT APPLICABLE	41197	20879706.7	
7	DON'T KNOW	31	8623.3	
8	REFUSAL	1	89.2	
9	NOT STATED	272	121183.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_06A: Stopped smoking-when (never daily smok.)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1555 / 682701.07] [Invalid=60152 / 28808328.9]
Universe	Respondents who answered SMK_202 = 3 and (SMK_05D = (2, 7 or 8) or SMK_01A = (7 or 8)) or SMK_202 = (7 or 8) and SMK_01A = (1, 7 or 8) or SMK_01A = 8 and SMK_01B = 8
Literal question	When did YOU stop smoking? Was it...?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	69	41599.4	6.1%
2	1 TO < 2 YEARS	48	34155.9	5.0%
3	2 TO < 3 YEARS	60	33035.0	4.8%
4	3 OR MORE YEARS	1378	573910.8	84.1%
6	NOT APPLICABLE	59840	28676906.1	
7	DON'T KNOW	13	2645.3	
8	REFUSAL	3	570.2	
9	NOT STATED	296	128207.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG06C: No. of years since stopped smoking - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=1327 / 553350.85] [Invalid=60380 / 28937679.12]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	3 TO 5 YEARS	90	62138.2	11.2%
2	6 TO YEARS	160	82323.5	14.9%
3	11 OR MORE YEARS	1077	408889.2	73.9%
6	NOT APPLICABLE	60017	28785696.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	363	151982.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG207: Age - started smoking daily - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=17618 / 7307519.95] [Invalid=44089 / 22183510.02]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	5 TO 11 YEARS	305	141429.5	1.9%
2	12 TO 14 YEARS	2429	1030372.8	14.1%
3	15 TO 17 YEARS	6392	2627808.8	36.0%
4	18 TO 19 YEARS	3826	1611198.8	22.0%
5	20 TO 24 YEARS	3365	1389607.4	19.0%
6	25 TO 29 YEARS	703	315536.8	4.3%
7	30 TO 34 YEARS	342	118882.0	1.6%
8	35 TO 39 YEARS	109	31536.2	0.4%
9	40 TO 44 YEARS	83	22855.2	0.3%
10	45 TO 49 YEARS	33	11085.7	0.2%
11	50 YEARS OR MORE	31	7206.8	0.1%
96	NOT APPLICABLE	43305	21894737.9	
97	DON'T KNOW	0	0.0	

SMKG207: Age - started smoking daily - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	0	0.0	
99	NOT STATED	784	288772.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_208: No. of cig. smoked/day (former daily)

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=17333 / 7223713.63] [Invalid=44374 / 22267316.34] [Mean=17.307 / 16.488] [StdDev=12.863 / 12.465]
Universe	Respondents who answered SMK_05D = (1, 7 or 8) or SMK_01A = (7 or 8) and SMK_202 = (2 or 3) or SMK_01A = (1, 7 or 8) and SMK_202 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8
Literal question	How many cigarettes did YOU usually smoke each day?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	43305	21894737.9	
997	DON'T KNOW	742	233023.8	
998	REFUSAL	20	8782.8	
999	NOT STATED	307	130771.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_09A: Stopped smoking daily - when

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=18026 / 7443712.44] [Invalid=43681 / 22047317.53]
Universe	Respondents who answered SMK_05D = (1, 7 or 8) or SMK_01A = (7 or 8) and SMK_202 = (2 or 3) or SMK_01A = (1, 7 or 8) and SMK_202 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8
Literal question	When did YOU stop smoking daily? Was it...?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	1317	642754.3	8.6%
2	1 TO < 2 YEARS	761	340892.4	4.6%
3	2 TO < 3 YEARS	776	384213.1	5.2%
4	3 OR MORE YEARS	15172	6075852.6	81.6%
6	NOT APPLICABLE	43305	21894737.9	
7	DON'T KNOW	62	17916.2	
8	REFUSAL	5	3362.7	
9	NOT STATED	309	131300.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG09C: Years since stopped smoking daily - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=15029 / 6029919.21] [Invalid=46678 / 23461110.76]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	3 TO 5 YEARS	1369	689941.0	11.4%
2	6 TO YEARS	2425	1121382.1	18.6%
3	11 OR MORE YEARS	11235	4218596.1	70.0%
6	NOT APPLICABLE	46159	23262597.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	519	198513.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_10: Quit smoking completely

	Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16481 / 6617117.53] [Invalid=45226 / 22873912.44]
Universe	Respondents who answered SMK_202 = (3, 7 or 8) and SMK_05D = (1, 7 or 8) or SMK_01A = (7 or 8) and SMK_202 = 3 or SMK_01A = (1, 7 or 8) and SMK_202 = (7 or 8) or SMK_01A = 8 and SMK_01A = 8
Literal question	Was that when you completely quit smoking?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	16020	6356066.3		96.1%
2	NO	461	261051.2	3.9%	
6	NOT APPLICABLE	44902	22736530.4		
7	DON'T KNOW	8	1802.0		
8	REFUSAL	2	328.0		
9	NOT STATED	314	135251.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMK_10A: Stopped smoking completely - when

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=444 / 248651.41] [Invalid=61263 / 29242378.56]
Universe	Respondents who answered SMK_10 = (2, 7 or 8) or (SMK_01A = (7 or 8) or SMK_05D = (7 or 8) or SMK_09A= (7 or 8)) and SMK_202 = 3 or SMK_01A = (1, 7 or 8) and SMK_202 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8
Literal question	When did YOU stop smoking completely? Was it...?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	LESS THAN 1 YEAR	81	53139.6	21.4%	
2	1 TO < 2 YEARS	45	24557.0	9.9%	
3	2 TO < 3 YEARS	34	26913.3	10.8%	
4	3 OR MORE YEARS	284	144041.4		57.9%
6	NOT APPLICABLE	60922	29092596.8		
7	DON'T KNOW	16	12258.0		
8	REFUSAL	1	141.8		
9	NOT STATED	324	137382.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKG10C: No. of years since stopped smoking - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=275 / 138018.2] [Invalid=61432 / 29353011.77]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	3 TO 5 YEARS	46	25843.9	18.7%	
2	6 TO YEARS	69	41113.6	29.8%	
3	11 OR MORE YEARS	160	71060.7		51.5%
6	NOT APPLICABLE	61082	29197206.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	350	155805.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKDSTY: Type of smoker - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=61232 / 29281199.82] [Invalid=475 / 209830.15]

SMKDSTY: Type of smoker - (D)

Universe	All respondents
Notes	Based on SMK_01A, SMK_01B, SMK_202, SMK_05D. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	9540	4530054.5	15.5%
2	OCCASIONAL	1588	839426.5	2.9%
3	ALWAYS OCCASION.	954	560821.7	1.9%
4	FORMER DAILY	16510	6626969.2	22.6%
5	FORMER OCCASION.	8943	4235735.0	14.5%
6	NEVER SMOKED	23697	12488192.9	42.6%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	475	209830.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKGSTP: No. of years stop smoking compl. (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=17851 / 7229691.54] [Invalid=43856 / 22261338.43]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	1055	521503.8	7.2%
2	1 TO 2 YEARS	1321	619601.4	8.6%
3	3 TO 5 YEARS	1240	615351.7	8.5%
4	6 TO 10 YEARS	2305	1046438.4	14.5%
5	11 OR MORE YEARS	11930	4426796.2	61.2%
6	NOT APPLICABLE	43150	21967637.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	706	293701.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SMKDYCS: Number of years smoked - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-78] [Missing=*]
Statistics [NW/ W]	[Valid=9345 / 4475921.61] [Invalid=52362 / 25015108.36] [Mean=29.845 / 26.023] [StdDev=16.257 / 15.257]
Universe	Respondents who answered SMK_202 = (1, 7 or 8) or SMK_01A = 8 and SMK_01B = 8
Notes	Based on SMK_202, SMK_203, DHH_AGE. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	51866	24806361.5	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	496	208746.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSCH: Module: SCH - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19090 / 10809295.71] [Invalid=42617 / 18681734.26]
Universe	All respondents

DOSCH: Module: SCH - (F)

Notes				Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.	

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	19090	10809295.7	100.0%	
2	NO	0	0.0		
6	NOT APPLICABLE	42617	18681734.3		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCH_1: Quitting smoking - next 6 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3540 / 2126893.2] [Invalid=58167 / 27364136.77]
Universe	Respondents with DOSCH = 1 who answered SMK_202 = (1, 2, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	Are you seriously considering quitting smoking within the next 6 months?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2122	1288981.1	60.6%	
2	NO	1418	837912.1	39.4%	
6	NOT APPLICABLE	57995	27258631.4		
7	DON'T KNOW	87	45652.2		
8	REFUSAL	2	853.5		
9	NOT STATED	83	58999.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCH_2: Quitting smoking - next 30 days

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2053 / 1256182.29] [Invalid=59654 / 28234847.68]
Universe	Respondents with DOSCH = 1 who answered SCH_1 = (1, 7 or 8) or SMK_202 = (7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	Are you seriously considering quitting within the next 30 days?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	934	556478.4	44.3%	
2	NO	1119	699703.9	55.7%	
6	NOT APPLICABLE	59413	28096543.5		
7	DON'T KNOW	69	32798.8		
8	REFUSAL	0	0.0		
9	NOT STATED	172	105505.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCH_3: Stopped smok. for at least 24 hrs -12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3617 / 2169224.29] [Invalid=58090 / 27321805.68]
Universe	Respondents with DOSCH = 1 who answered SMK_202 = (1, 2, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	In the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit?

SCH_3: Stopped smok. for at least 24 hrs -12 mo

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1630	962687.4	44.4%
2	NO	1987	1206536.9	55.6%
6	NOT APPLICABLE	57995	27258631.4	
7	DON'T KNOW	8	3125.8	
8	REFUSAL	2	876.9	
9	NOT STATED	85	59171.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCH_4: No.times stop.for at least 24 hrs -12 mo

Information	[Type= continuous] [Format=numeric] [Range= 1-95] [Missing=*]
Statistics [NW/ W]	[Valid=1560 / 930943.47] [Invalid=60147 / 28560086.5] [Mean=5.304 / 4.578] [StdDev=10.697 / 8.444]
Universe	Respondents with DOSCH = 1 who answered SCH_3 = (1, 7 or 8) or SMK_202 = (7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	How many times? (in the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit)

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	59982	28465168.3	
97	DON'T KNOW	70	31743.9	
98	REFUSAL	0	0.0	
99	NOT STATED	95	63174.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCHDSTG: Smoking stage of change - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=9307 / 4958302.28] [Invalid=52400 / 24532727.69]
Universe	Respondents with DOSCH = 1 who answered SMK_202 = (1, 2, 7 or 8) or SMK_01A <> 2
Notes	Based on SMK_202, SMK_06A, SMK_06B, SMK_09A, SMK_09B, SMK_10, SMK_10A, SMK_10B, SCH_1, SCH_2, SCH_3, SCH_4, ADM_MOI. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	PRE-CONTEMP.	1418	837912.1	16.9%
2	CONTEMPLATION	1407	908025.6	18.3%
3	PREPARATION	603	326014.7	6.6%
4	ACTION	238	141827.1	2.9%
5	MAINTENANCE	5641	2744522.8	55.4%
6	NOT APPLICABLE	51941	24305977.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	459	226749.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSCA: Module: SCA - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9751 / 4762949.34] [Invalid=51956 / 24728080.63]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

DOSCA: Module: SCA - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	9751	4762949.3		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	51956	24728080.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_10: Usefulness of nicotine patch

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=133 / 64761.06] [Invalid=61574 / 29426268.91]
Universe	Respondents with DOSCA = 1 who answered SCA_10 = (1, 7 or 8) or SMK_202 = 3 and (SMK_06A = (7 or 8) or SMK_09A = (7 or 8) or SMK_05D = (7 or 8)) or SMK_202 = (7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	In the past 12 months, did you try a nicotine patch to quit smoking?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	37	15517.1	24.0%	
2	NO	96	49244.0		76.0%
6	NOT APPLICABLE	61533	29406248.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	41	20020.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_10A: Usefulness of nicotine patch

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=36 / 14937.79] [Invalid=61671 / 29476092.18]
Universe	Respondents with DOSCA = 1 who answered SCA_10 = (1, 7 or 8) or SMK_202 = 3 and (SMK_06A = (7 or 8) or SMK_09A = (7 or 8) or SMK_05D = (7 or 8)) or SMK_202 = (7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	How useful was that in helping you quit?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	VERY USEFUL	20	8577.4		57.4%
2	SOMEWHAT USEFUL	9	3209.3	21.5%	
3	NOT VERY USEFUL	1	865.4	5.8%	
4	NOT AT ALL USE.	6	2285.8	15.3%	
6	NOT APPLICABLE	61629	29455492.0		
7	DON'T KNOW	1	579.3		
8	REFUSAL	0	0.0		
9	NOT STATED	41	20020.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_11: Usefulness of nicotine gum/candy

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=133 / 64761.06] [Invalid=61574 / 29426268.91]
Universe	Respondents with DOSCA = 1 who answered SCA_11 = (1, 7 or 8) or SMK_202 = 3 and (SMK_06A = (7 or 8) or SMK_09A = (7 or 8) or SMK_05D = (7 or 8)) or SMK_202 = (7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	(In the past 12 months) did you try Nicorettes or other nicotine gum or candy to quit smoking?

SCA_11: Usefulness of nicotine gum/candy

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY USEFUL	18	13692.4	21.1%
2	SOMEWHAT USEFUL	115	51068.7	78.9%
3	NOT VERY USEFUL	0	0.0	
4	NOT AT ALL USE.	0	0.0	
6	NOT APPLICABLE	61533	29406248.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	41	20020.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_11A: Usefulness of nicotine gum/candy

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=18 / 13692.36] [Invalid=61689 / 29477337.61]
Universe	Respondents with DOSCA = 1 who answered SCA_11 = (1, 7 or 8) or SMK_202 = 3 and (SMK_06A = (7 or 8) or SMK_09A = (7 or 8) or SMK_05D = (7 or 8)) or SMK_202 = (7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	How useful was that in helping you quit?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY USEFUL	11	9988.3	72.9%
2	SOMEWHAT USEFUL	2	641.9	4.7%
3	NOT VERY USEFUL	3	1899.4	13.9%
4	NOT AT ALL USE.	2	1162.8	8.5%
6	NOT APPLICABLE	61648	29457316.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	41	20020.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_12: Usefulness of medication such as Zyban

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=133 / 64761.06] [Invalid=61574 / 29426268.91]
Universe	Respondents with DOSCA = 1 who answered SCA_12 = (1, 7 or 8) or SMK_202 = 3 and (SMK_06A = (7 or 8) or SMK_09A = (7 or 8) or SMK_05D = (7 or 8)) or SMK_202 = (7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	In the past 12 months, did you try medication such as Zyban, Prolev or Wellbutrin to quit smoking?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25	7520.3	11.6%
2	NO	108	57240.8	88.4%
6	NOT APPLICABLE	61533	29406248.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	41	20020.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_12A: Usefulness of medication such as Zyban

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=25 / 7520.26] [Invalid=61682 / 29483509.71]

SCA_12A: Usefulness of medication such as Zyban

Universe	Respondents with DOSCA = 1 who answered SCA_12 = (1, 7 or 8) or SMK_202 = 3 and (SMK_06A = (7 or 8) or SMK_09A = (7 or 8) or SMK_05D = (7 or 8)) or SMK_202 = (7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	How useful was that in helping you quit?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	VERY USEFUL	17	4868.8		64.7%
2	SOMEWHAT USEFUL	6	2080.2		27.7%
3	NOT VERY USEFUL	1	196.2	2.6%	
4	NOT AT ALL USE.	1	375.0	5.0%	
6	NOT APPLICABLE	61641	29463488.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	41	20020.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_50: Stopped smoking for at least 24 hrs.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1568 / 750770.46] [Invalid=60139 / 28740259.51]
Universe	Respondents with DOSCA = 1 who answered SMK_202 = (1, 2, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	In the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	778	383714.6		51.1%
2	NO	790	367055.9		48.9%
6	NOT APPLICABLE	60099	28718244.2		
7	DON'T KNOW	1	109.0		
8	REFUSAL	0	0.0		
9	NOT STATED	39	21906.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_60: Tried quit smoking - nicotine patch

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=776 / 382995.53] [Invalid=60931 / 29108034.44]
Universe	Respondents with DOSCA = 1 who answered SCA_50 = (1, 7 or 8) or SMK_202 = (7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	In the past 12 months, did you try any of the following to quit smoking: ...a nicotine patch?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	219	89945.3	23.5%	
2	NO	557	293050.2		76.5%
6	NOT APPLICABLE	60889	29085300.1		
7	DON'T KNOW	2	719.0		
8	REFUSAL	0	0.0		
9	NOT STATED	40	22015.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_61: Tried quit smo. -nicot. gum/candy -12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=776 / 382855.95] [Invalid=60931 / 29108174.02]

SCA_61: Tried quit smo. -nicot. gum/candy -12 mo

Universe	Respondents with DOSCA = 1 who answered SCA_50 = (1, 7 or 8) or SMK_202 = (7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	(In the past 12 months, did you try any of the following to quit smoking:) ...Nicorettes or other nicotine gum or candy?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	199	83782.4	21.9%	
2	NO	577	299073.5		78.1%
6	NOT APPLICABLE	60889	29085300.1		
7	DON'T KNOW	1	511.8		
8	REFUSAL	1	346.8		
9	NOT STATED	40	22015.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCA_62: Tried quit smoking - Zyban

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=775 / 382648.76] [Invalid=60932 / 29108381.21]
Universe	Respondents with DOSCA = 1 who answered SCA_50 = (1, 7 or 8) or SMK_202 = (7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	(In the past 12 months, did you try any of the following to quit smoking:) ...medication such as Zyban, Prolev or Wellbutrin?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	126	50448.6	13.2%	
2	NO	649	332200.2		86.8%
6	NOT APPLICABLE	60889	29085300.1		
7	DON'T KNOW	1	511.8		
8	REFUSAL	1	346.8		
9	NOT STATED	41	22222.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SCADQUI: Attempted to stop smoking - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=4577 / 1982380.52] [Invalid=57130 / 27508649.45]
Universe	Respondents with DOSCA = 1 who answered SMK_01A = (1, 7 or 8) or SMK_202 = (1, 2, 7 or 8)
Notes	Based on SMKDSTY, SMK_01A, SMK_202, SMK_06A, SMK_09A, SMK_10, SMK_10A, SCA_50, SCH_3. Current non-smokers and respondents who smoked less than 100 cigarettes in their lifetime were excluded from the population. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DIDN'T TRY	790	367055.9	18.5%	
2	TRIED TO QUIT	778	383714.6	19.4%	
3	QUIT LAST YR	146	72541.9	3.7%	
4	QUIT > 1 YR AGO	2863	1159068.1		58.5%
6	NOT APPLICABLE	56991	27454677.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	139	53972.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSPC: Module: SPC - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8400 / 4079330.06] [Invalid=53307 / 25411699.91]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	8400	4079330.1		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	53307	25411699.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_10: Visited regular medical doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1148 / 488900.9] [Invalid=60559 / 29002129.07]
Universe	Respondents with DOSPC = 1 who answered (SMK_202 = (1 or 2) or SMK_06A = 1 or SMK_09A = 1 and HCU_1AA = (1, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8 or SMK_202 = (7 or 8) or SMK_06A = (7 or 8) or SMK_09A = (7 or 8)) and HCU_1AA = (1, 7 or 8))
Literal question	Earlier, you mentioned having a regular medical doctor. In the past 12 months, did you go see this doctor?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	956	384512.3		78.6%
2	NO	192	104388.6	21.4%	
6	NOT APPLICABLE	60508	28977583.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	51	24545.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_11: Doctor - knows smokes/smoked

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=939 / 379355.52] [Invalid=60768 / 29111674.45]
Universe	Respondents with DOSPC = 1 who answered SPC_10 = (1, 7 or 8) or SMK_01A = 8 and SMK_01B = 8 or SMK_202 = (7 or 8) or SMK_06A = (7 or 8) or SMK_09A = (7 or 8) or HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) or SMK_06A = 1 or SMK_09A = 1)
Literal question	Does your doctor know that you SMOKE/SMOKED cigarettes?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	860	340093.3		89.7%
2	NO	79	39262.3	10.3%	
6	NOT APPLICABLE	60700	29081972.0		
7	DON'T KNOW	16	5011.8		
8	REFUSAL	1	145.0		
9	NOT STATED	51	24545.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_12: Doctor - advised to quit

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

SPC_12: Doctor - advised to quit

Statistics [NW/ W]	[Valid=857 / 337290.25] [Invalid=60850 / 29153739.72]				

Universe	Respondents with DOSPC = 1 who answered SPC_11 = (1, 7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 or SMK_202 = (7 or 8) or SMK_06A = (7 or 8) or SMK_09A = (7 or 8) or HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) or SMK_06A = 1 or SMK_09A = 1)

Literal question	In the past 12 months, did your doctor advise you to quit smoking?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	593	214245.6		63.5%
2	NO	264	123044.6	36.5%	
6	NOT APPLICABLE	60779	29121234.3		
7	DON'T KNOW	2	1254.5		
8	REFUSAL	1	1548.5		
9	NOT STATED	68	29702.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_13: Doctor - gave specific help

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]	[Valid=854 / 336100.6] [Invalid=60853 / 29154929.37]

Universe	Respondents with DOSPC = 1 who answered SPC_11 = (1, 7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 or SMK_202 = (7 or 8) or SMK_06A = (7 or 8) or SMK_09A = (7 or 8) or HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) or SMK_06A = 1 or SMK_09A = 1)

Literal question	(In the past 12 months,) did your doctor give you any specific help or information to quit smoking?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	405	150328.5	44.7%	
2	NO	449	185772.1		55.3%
6	NOT APPLICABLE	60779	29121234.3		
7	DON'T KNOW	2	842.9		
8	REFUSAL	1	346.8		
9	NOT STATED	71	32505.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_14A: Type help - referral to one-on-one prog.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]	[Valid=399 / 148950.67] [Invalid=61308 / 29342079.3]

Universe	Respondents with DOSPC = 1 who answered SPC_13 = (1, 7 or 8) or SPC_12 = (7 or 8) or SPC_11 = (7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 and SMK_202 = (7 or 8) and SMK_06A = (7 or 8) and SMK_09A = (7 or 8) and HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) and SMK_06A = 1 and SMK_09A = 1)

Literal question	What type of help did the doctor give? - Referral to a one-on-one cessation program

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	28	10045.7	6.7%	
2	NO	371	138904.9		93.3%
6	NOT APPLICABLE	61228	29307006.4		
7	DON'T KNOW	6	1377.8		
8	REFUSAL	0	0.0		
9	NOT STATED	74	33695.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_14B: Type help - referral to group prog.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

SPC_14B: Type help - referral to group prog.

Statistics [NW/ W]	[Valid=399 / 148950.67] [Invalid=61308 / 29342079.3]
Universe	Respondents with DOSPC = 1 who answered SPC_13 = (1, 7 or 8) or SPC_12 = (7 or 8) or SPC_11 = (7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 and SMK_202 = (7 or 8) and SMK_06A = (7 or 8) and SMK_09A = (7 or 8) and HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) and SMK_06A = 1 and SMK_09A = 1)
Literal question	What type of help did the doctor give? - Recommended use of nicotine patch or nicotine gum

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16	5472.0	3.7%
2	NO	383	143478.7	96.3%
6	NOT APPLICABLE	61228	29307006.4	
7	DON'T KNOW	6	1377.8	
8	REFUSAL	0	0.0	
9	NOT STATED	74	33695.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_14C: Type help - recommended nicotine patch

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=399 / 148950.67] [Invalid=61308 / 29342079.3]
Universe	Respondents with DOSPC = 1 who answered SPC_13 = (1, 7 or 8) or SPC_12 = (7 or 8) or SPC_11 = (7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 and SMK_202 = (7 or 8) and SMK_06A = (7 or 8) and SMK_09A = (7 or 8) and HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) and SMK_06A = 1 and SMK_09A = 1)
Literal question	What type of help did the doctor give? - Recommended use of nicotine patch or nicotine gum

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	127	49864.6	33.5%
2	NO	272	99086.1	66.5%
6	NOT APPLICABLE	61228	29307006.4	
7	DON'T KNOW	6	1377.8	
8	REFUSAL	0	0.0	
9	NOT STATED	74	33695.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_14D: Type help - recommended Zyban/other med.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=399 / 148950.67] [Invalid=61308 / 29342079.3]
Universe	Respondents with DOSPC = 1 who answered SPC_13 = (1, 7 or 8) or SPC_12 = (7 or 8) or SPC_11 = (7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 and SMK_202 = (7 or 8) and SMK_06A = (7 or 8) and SMK_09A = (7 or 8) and HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) and SMK_06A = 1 and SMK_09A = 1)
Literal question	What type of help did the doctor give? - Recommended Zyban or other medication

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	192	69788.5	46.9%
2	NO	207	79162.2	53.1%
6	NOT APPLICABLE	61228	29307006.4	
7	DON'T KNOW	6	1377.8	
8	REFUSAL	0	0.0	
9	NOT STATED	74	33695.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_14E: Type help - provided self-help info.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

SPC_14E: Type help - provided self-help info.

Statistics [NW/ W]	[Valid=399 / 148950.67] [Invalid=61308 / 29342079.3]			
Universe	Respondents with DOSPC = 1 who answered SPC_13 = (1, 7 or 8) or SPC_12 = (7 or 8) or SPC_11 = (7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 and SMK_202 = (7 or 8) and SMK_06A = (7 or 8) and SMK_09A = (7 or 8) and HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) and SMK_06A = 1 and SMK_09A = 1)			
Literal question	What type of help did the doctor give? - Provided self-help information (e.g., pamphlet, referral to website)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	142	50583.4	34.0%
2	NO	257	98367.3	66.0%
6	NOT APPLICABLE	61228	29307006.4	
7	DON'T KNOW	6	1377.8	
8	REFUSAL	0	0.0	
9	NOT STATED	74	33695.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_14F: Type help - doctor offered couns.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=399 / 148950.67] [Invalid=61308 / 29342079.3]
Universe	Respondents with DOSPC = 1 who answered SPC_13 = (1, 7 or 8) or SPC_12 = (7 or 8) or SPC_11 = (7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 and SMK_202 = (7 or 8) and SMK_06A = (7 or 8) and SMK_09A = (7 or 8) and HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) and SMK_06A = 1 and SMK_09A = 1)
Literal question	What type of help did the doctor give? - Own doctor offered counselling

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	65	27466.8	18.4%
2	NO	334	121483.8	81.6%
6	NOT APPLICABLE	61228	29307006.4	
7	DON'T KNOW	6	1377.8	
8	REFUSAL	0	0.0	
9	NOT STATED	74	33695.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_14G: Type help - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=399 / 148950.67] [Invalid=61308 / 29342079.3]
Universe	Respondents with DOSPC = 1 who answered SPC_13 = (1, 7 or 8) or SPC_12 = (7 or 8) or SPC_11 = (7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 and SMK 202 = (7 or 8) and SMK_06A = (7 or 8) and SMK_09A = (7 or 8) and HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) and SMK_06A = 1 and SMK_09A = 1)
Literal question	What type of help did the doctor give? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	48	20966.5	14.1%
2	NO	351	127984.2	85.9%
6	NOT APPLICABLE	61228	29307006.4	
7	DON'T KNOW	6	1377.8	
8	REFUSAL	0	0.0	
9	NOT STATED	74	33695.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_20: Visited dentist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

SPC_20: Visited dentist

Statistics [NW/ W]	[Valid=725 / 322356.21] [Invalid=60982 / 29168673.76]
Universe	Respondents with DOSPC = 1 and [DODEN = 2 who answered (SMK_202 = (1, 2, 7, 8) or SMK_06A = (1, 7 or 8) or SMK_09A = (1, 7, 8) or SMK_01A = 8 or SMK_01B = 8)] and (HCU_02EE = (1, 7, 8) or HCU_01 = 8)
Literal question	Earlier, you mentioned having "seen or talked to" a dentist in the past 12 months. Did you actually go to the dentist?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	717	320285.9		99.4%
2	NO	8	2070.3	0.6%	
6	NOT APPLICABLE	60946	29149402.2		
7	DON'T KNOW	1	127.5		
8	REFUSAL	0	0.0		
9	NOT STATED	35	19144.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_21: Dentist/hygienist - knows smokes/smoked

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=682 / 308339.46] [Invalid=61025 / 29182690.51]
Universe	Respondents with DOSPC = 1 who answered SPC_20 = (1, 7, 8) or ((DEN_132 = (1, 97, 98) or with DODEN = 2 who answered HCU_02EE = (1, 7, 8) or HCU_01 = 8) or DEN_130 = (7, 8, 9)) and (SMK_202 = (1, 2, 7, 8) or SMK_06A = (1, 7, 8) or SMK_09A = (1, 7, 8) or SMK_01A = 8 and SMK_01B = 8)
Literal question	Does your dentist or dental hygienist know that you SMOKE/SMOKED cigarettes?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	564	253056.6		82.1%
2	NO	118	55282.9	17.9%	
6	NOT APPLICABLE	60954	29151472.5		
7	DON'T KNOW	35	11946.4		
8	REFUSAL	0	0.0		
9	NOT STATED	36	19271.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPC_22: Dentist/hygienist - advised to quit

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=557 / 249807.87] [Invalid=61150 / 29241222.1]
Universe	Respondents with DOSPC = 1 who answered SPC_21 = (1, 7, 8) or SPC_20 = (7, 8) or ((DEN_132 = (97, 98) or with DODEN = 2 who answered HCU_02EE = (1, 7, 8) or HCU_01 = 8) or DEN_130 = (7, 8, 9)) and (SMK_202 = (1, 2, 7, 8) or SMK_06A = (1, 7, 8) or SMK_09A = (1, 7, 8) or SMK_01A = 8 and SMK_01B = 8)
Literal question	In the past 12 months, did the dentist or hygienist advise you to quit smoking?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	283	131771.7		52.7%
2	NO	274	118036.2		47.3%
6	NOT APPLICABLE	61072	29206755.4		
7	DON'T KNOW	5	1503.8		
8	REFUSAL	2	1744.9		
9	NOT STATED	71	31218.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOYSM: Optional module: YSM - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3592 / 847823.27] [Invalid=58115 / 28643206.7]

DOYSM: Optional module: YSM - (F)

Universe	All respondents			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3592	847823.3	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

YSMG1: Source of cigarettes - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=44 / 9670.13] [Invalid=61663 / 29481359.84]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	BUY - GROCERY	7	2489.9	25.7%
2	BUY - OTHER GROC	26	4378.8	45.3%
3	OTHER	11	2801.4	29.0%
6	NOT APPLICABLE	61659	29480987.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	4	372.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

YSM_2: Bought cigarettes for self/others

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11 / 2801.42] [Invalid=61696 / 29488228.55]
Universe	Respondents aged less than 20 with YSMFOPT = 1 who answered YSM_1 = (8, 9, 10, 11, 12, 97, 98) or SMK_202 = (7, 8) or SMK_01A = 8 and SMK_01B = 8
Literal question	In the past 12 months, have you bought cigarettes for yourself or for someone else?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	185.7	6.6%
2	NO	10	2615.8	93.4%
6	NOT APPLICABLE	61692	29487856.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	4	372.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

YSM_3: Age asked when buying cig. in store

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=33 / 6947.73] [Invalid=61674 / 29484082.24]
Universe	Respondents aged less than 20 with YSMFOPT = 1 who answered YSM_1 = (1, 2, 3, 4, 5, 6, 7, 97, 98) or YSM_2 = (1, 7, 8) or SMK_202 = (7, 8) or SMK_01A = 8 and SMK_01B = 8
Literal question	In the past 12 months, have you been asked your age when buying cigarettes in a store?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20	4544.8	65.4%
2	NO	13	2402.9	34.6%

YSM_3: Age asked when buying cig. in store

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	61669	29483603.4	
7	DON'T KNOW	1	106.6	
8	REFUSAL	0	0.0	
9	NOT STATED	4	372.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

YSM_4: Someone refused to sell cigarettes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=34 / 7054.38] [Invalid=61673 / 29483975.59]
Universe	Respondents aged less than 20 with YSMFOPT = 1 who answered YSM_1 = (1 2, 3, 4, 5, 6,7, 97, 98) or YSM_2 = (1, 7, 8) or SMK_202 = (7, 8) or SMK_01A = 8 and SMK_01B = 8
Literal question	In the past 12 months, has anyone in a store refused to sell you cigarettes?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	8	2042.4	29.0%	
2	NO	26	5012.0		71.0%
6	NOT APPLICABLE	61669	29483603.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	4	372.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

YSM_5: Asked a stranger to buy cigarettes

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=44 / 9670.13] [Invalid=61663 / 29481359.84]
Universe	Respondents aged less than 20 with YSMFOPT = 1 who answered SMK_202 = (1, 2, 7, 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	In the past 12 months, have you asked a stranger to buy you cigarettes?
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	890.0	9.2%
2	NO	39	8780.1	90.8%
6	NOT APPLICABLE	61659	29480987.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	4	372.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_10: Someone smokes inside home

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=57347 / 28171863.33] [Invalid=4360 / 1319166.64]
Universe	Respondents with DHHDHSZ > 1 or who answered (SMK_202 = (3, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8))
Literal question	Including both household members and regular visitors, does anyone smoke inside your home, every day or almost every day?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4921	2573432.9	9.1%
2	NO	52426	25598430.4	90.9%
6	NOT APPLICABLE	3886	1068482.7	
7	DON'T KNOW	35	18937.2	
8	REFUSAL	24	12164.1	
9	NOT STATED	415	219582.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETSG11: No. of people who smoke inside home -(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=4902 / 2567017.13] [Invalid=56805 / 26924012.84]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 PERSON	2815	1390629.6	54.2%
2	2 PERSONS	1737	931678.1	36.3%
3	3 PERSONS	243	169870.0	6.6%
4	4 OR + PERSONS	107	74839.4	2.9%
6	NOT APPLICABLE	56312	26666913.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	493	257099.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_20: Exposed to 2nd-hand smoke - private veh.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

ETS_20: Exposed to 2nd-hand smoke - private veh.

Statistics [NW/ W]	[Valid=49105 / 23294191.94] [Invalid=12602 / 6196838.03]
Universe	Respondents who answered SMK_202 = (3, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	In the past month, were you exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3009	1454976.8	6.2%
2	NO	46096	21839215.2	93.8%
6	NOT APPLICABLE	12091	5932668.8	
7	DON'T KNOW	38	16160.8	
8	REFUSAL	4	1256.3	
9	NOT STATED	469	246752.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_20B: Exposed to 2nd-hand smoke -public places

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=49071 / 23281390.68] [Invalid=12636 / 6209639.29]
Universe	Respondents who answered SMK_202 = (3, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8)
Literal question	(In the past month,) were you exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5532	2969281.2	12.8%
2	NO	43539	20312109.4	87.2%
6	NOT APPLICABLE	12091	5932668.8	
7	DON'T KNOW	70	28837.8	
8	REFUSAL	5	879.6	
9	NOT STATED	470	247253.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_35: Smoking allowed - House

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=56161 / 26625529.98] [Invalid=5546 / 2865499.99]
Universe	Respondents who answered (ETS_10 = 2, 7 or 8) or (DHHDHSZ = 1 and SMK_202 = (1, 2 , 7 or 8)) and ETS_10 ne 1
Literal question	Is smoking allowed inside your home?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5805	2060265.0	7.7%
2	NO	50356	24565265.0	92.3%
6	NOT APPLICABLE	4921	2573432.9	
7	DON'T KNOW	115	31561.4	
8	REFUSAL	13	2092.1	
9	NOT STATED	497	258413.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_36: Smoking restrictions

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10672 / 4615588.95] [Invalid=51035 / 24875441.02]
Universe	Respondents who answered ETS_10 = (1, 7 or 8) or ETS_35 = (1, 7 or 8)
Literal question	Is smoking inside your home restricted in anyway?

ETS_36: Smoking restrictions

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3909	1795388.8	38.9%
2	NO	6763	2820200.1	61.1%
6	NOT APPLICABLE	50356	24565265.0	
7	DON'T KNOW	45	13740.9	
8	REFUSAL	4	1002.6	
9	NOT STATED	630	295432.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_37A: Type of restrictions -certain rooms only

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3892 / 1790317.16] [Invalid=57815 / 27700712.81]
Universe	Respondents who answered ETS_36 = (1, 7 or 8) or ETS_10 = (7 or 8) or ETS_35 = (7 or 8)
Literal question	How is smoking restricted inside your home? - Allowed in certain rooms only

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2095	997540.8	55.7%
2	NO	1797	792776.4	44.3%
6	NOT APPLICABLE	57119	27385465.1	
7	DON'T KNOW	17	5071.6	
8	REFUSAL	0	0.0	
9	NOT STATED	679	310176.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_37B: Type of restrictions - young children

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3892 / 1790317.16] [Invalid=57815 / 27700712.81]
Universe	Respondents who answered ETS_36 = (1, 7 or 8) or ETS_10 = (7 or 8) or ETS_35 = (7 or 8)
Literal question	How is smoking restricted inside your home? - Restricted in the presence of young children

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1197	474161.5	26.5%
2	NO	2695	1316155.6	73.5%
6	NOT APPLICABLE	57119	27385465.1	
7	DON'T KNOW	17	5071.6	
8	REFUSAL	0	0.0	
9	NOT STATED	679	310176.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_37C: Type of restrictions - windows open

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3892 / 1790317.16] [Invalid=57815 / 27700712.81]
Universe	Respondents who answered ETS_36 = (1, 7 or 8) or ETS_10 = (7 or 8) or ETS_35 = (7 or 8)
Literal question	How is smoking restricted inside your home? - Allowed only if windows are open or with another type of ventilation

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1413	686254.1	38.3%
2	NO	2479	1104063.1	61.7%
6	NOT APPLICABLE	57119	27385465.1	

ETS_37C: Type of restrictions - windows open

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	17	5071.6	
8	REFUSAL	0	0.0	
9	NOT STATED	679	310176.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ETS_37D: Type of restrictions - Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3892 / 1790317.16] [Invalid=57815 / 27700712.81]
Universe	Respondents who answered ETS_36 = (1, 7 or 8) or ETS_10 = (7 or 8) or ETS_35 = (7 or 8)
Literal question	How is smoking restricted inside your home? - Other restriction(s)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	663	301937.3	16.9%
2	NO	3229	1488379.9	83.1%
6	NOT APPLICABLE	57119	27385465.1	
7	DON'T KNOW	17	5071.6	
8	REFUSAL	0	0.0	
9	NOT STATED	679	310176.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOTAL: Module: TAL - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26777 / 14721232.42] [Invalid=34930 / 14769797.55]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26777	14721232.4	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	34930	14769797.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TAL_1: Smoked cigars - last month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26419 / 14554365.93] [Invalid=35288 / 14936664.04]
Universe	Respondents with DOTAL = 1
Literal question	Now I'd like to ask about YOUR use of tobacco other than cigarettes. In the past month, HAVE YOU smoked cigars?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1140	735586.8	5.1%
2	NO	25279	13818779.1	94.9%
6	NOT APPLICABLE	34930	14769797.6	
7	DON'T KNOW	4	1741.7	
8	REFUSAL	9	1760.4	
9	NOT STATED	345	163364.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TAL_2: Smoked a pipe - last month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26414 / 14548076.98] [Invalid=35293 / 14942952.99]
Universe	Respondents with DOTAL = 1
Literal question	(In the past month,) HAVE YOU smoked a pipe?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	177	101357.8	0.7%	
2	NO	26237	14446719.2		99.3%
6	NOT APPLICABLE	34930	14769797.6		
7	DON'T KNOW	3	1110.5		
8	REFUSAL	0	0.0		
9	NOT STATED	360	172044.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TAL_3: Used snuff - last month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26412 / 14545414.9] [Invalid=35295 / 14945615.07]
Universe	Respondents with DOTAL = 1
Literal question	(In the past month,) HAVE YOU used snuff?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	69	28928.2	0.2%	
2	NO	26343	14516486.7		99.8%
6	NOT APPLICABLE	34930	14769797.6		
7	DON'T KNOW	5	3772.6		
8	REFUSAL	0	0.0		
9	NOT STATED	360	172044.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TAL_4: Used chewing tobacco - last month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26413 / 14547113.02] [Invalid=35294 / 14943916.95]
Universe	Respondents with DOTAL =1
Literal question	(In the past month,) HAVE YOU used chewing tobacco?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	198	97789.1	0.7%	
2	NO	26215	14449323.9		99.3%
6	NOT APPLICABLE	34930	14769797.6		
7	DON'T KNOW	4	2074.5		
8	REFUSAL	0	0.0		
9	NOT STATED	360	172044.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALC_1: Drank alcohol - past 12 months

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60904 / 29091790.87] [Invalid=803 / 399239.1]
Universe	All respondents

ALC_1: Drank alcohol - past 12 months

Literal question	During the past 12 months, that is, from [date one year ago] to yesterday, HAVE YOU had a drink of beer, wine, liquor or any other alcoholic beverage?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	45766	22188167.5	76.3%
2	NO	15138	6903623.3	23.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	24	4919.4	
8	REFUSAL	52	23613.8	
9	NOT STATED	727	370705.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALC_2: Frequency of drinking alcohol

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=45487 / 22097961.22] [Invalid=16220 / 7393068.75]
Universe	Respondents who answered ALC_1 = (1, 7 or 8)
Literal question	During the past 12 months, how often did YOU drink alcoholic beverages?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< ONCE A MONTH	10511	4721996.0	21.4%
2	ONCE A MONTH	4642	2165869.3	9.8%
3	2 TO 3 TIMES/MO	5795	2909017.6	13.2%
4	ONCE/WEEK	7122	3668133.3	16.6%
5	2 TO 3 TIMES/WK	9378	4935416.7	22.3%
6	4 TO 6 TIMES/WK	3196	1666809.7	7.5%
7	EVERY DAY	4843	2030718.6	9.2%
96	NOT APPLICABLE	15138	6903623.3	
97	DON'T KNOW	242	78051.3	
98	REFUSAL	29	9435.7	
99	NOT STATED	811	401958.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALC_3: Frequency of having 5 or more drinks

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=45384 / 22043723.71] [Invalid=16323 / 7447306.26]
Universe	Respondents who answered ALC_1 = (1, 7 or 8)
Literal question	How often in the past 12 months HAVE YOU had 5 or more drinks on one occasion?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEVER	24553	11068623.6	50.2%
2	LESS ONCE/MONTH	11524	5935484.7	26.9%
3	ONCE/MONTH	3082	1689617.3	7.7%
4	2-3 TIMES/MONTH	2639	1445973.4	6.6%
5	ONCE/WEEK	2147	1173950.5	5.3%
6	MORE ONCE/WEEK	1439	730074.1	3.3%
96	NOT APPLICABLE	15138	6903623.3	
97	DON'T KNOW	331	127534.6	
98	REFUSAL	35	10430.0	
99	NOT STATED	819	405718.4	

ALC_3: Frequency of having 5 or more drinks

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALCDTTM: Type of drinker (12 months)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=60625 / 29001584.55] [Invalid=1082 / 489445.42]
Universe	All respondents
Notes	Based on ALC_1, ALC_2. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	REGULAR DRINKER	34976	17375965.3		59.9%
2	OCCASIO. DRINKER	10511	4721996.0		16.3%
3	NO DRINK LAST12M	15138	6903623.3		23.8%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1082	489445.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOALW: Module: ALW - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=41673 / 20676407.74] [Invalid=20034 / 8814622.23]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	41673	20676407.7		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	20034	8814622.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_1: Drank alcohol in past week

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=31013 / 15539926.35] [Invalid=30694 / 13951103.62]
Universe	Respondents with DOALW = 1 who answered ALC_1 = (1, 7, 8)
Literal question	Thinking back over the past week, that is, from [date last week] to yesterday, did YOU have a drink of beer, wine, liquor or any other alcoholic beverage?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	19668	10091289.6		64.9%
2	NO	11345	5448636.8		35.1%
6	NOT APPLICABLE	29980	13584820.7		
7	DON'T KNOW	24	5821.8		
8	REFUSAL	15	4740.5		
9	NOT STATED	675	355720.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_2A1: No. of drinks - Sunday

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

ALW_2A1: No. of drinks - Sunday

Statistics [NW/ W]	[Valid=19602 / 10069648.87] [Invalid=42105 / 19421381.1] [Mean=1.141 / 1.199] [StdDev=2.039 / 1.901]
Universe	Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)
Literal question	Starting with yesterday, that is Day [1], how many drinks did YOU have?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	41325	19033457.5	
997	DON'T KNOW	53	13600.1	
998	REFUSAL	11	3606.8	
999	NOT STATED	716	370716.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_2A2: No. of drinks - Monday

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=19532 / 10036190.2] [Invalid=42175 / 19454839.77] [Mean=1.087 / 1.1] [StdDev=2.124 / 2.047]
Universe	Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)
Literal question	(How many drinks did YOU have:) ...on Day [2]?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	41325	19033457.5	
997	DON'T KNOW	112	43105.8	
998	REFUSAL	8	3133.4	
999	NOT STATED	730	375143.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_2A3: No. of drinks - Tuesday

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=19450 / 10006056.69] [Invalid=42257 / 19484973.28] [Mean=1.148 / 1.145] [StdDev=2.249 / 2.202]
Universe	Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)
Literal question	(How many drinks did YOU have:) ...on Day [3]?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	41325	19033457.5	
997	DON'T KNOW	192	68549.5	
998	REFUSAL	9	3283.8	
999	NOT STATED	731	379682.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_2A4: No. of drinks - Wednesday

Information	[Type= continuous] [Format=numeric] [Range= 0-60] [Missing=*]
Statistics [NW/ W]	[Valid=19328 / 9937537.61] [Invalid=42379 / 19553492.36] [Mean=1.119 / 1.057] [StdDev=2.145 / 2.047]
Universe	Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)
Literal question	(How many drinks did YOU have:) ...on Day [4]?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	41325	19033457.5	
997	DON'T KNOW	313	135639.4	
998	REFUSAL	10	4713.0	

ALW_2A4: No. of drinks - Wednesday

Value	Label	Cases	Weighted	Percentage (Weighted)
999	NOT STATED	731	379682.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_2A5: No. of drinks - Thursday

Information	[Type= discrete] [Format=numeric] [Range= 0-40] [Missing=*]
Statistics [NW/ W]	[Valid=19190 / 9899017.94] [Invalid=42517 / 19592012.03]
Universe	Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)
Literal question	(How many drinks did YOU have:) ...on Day [5]?

Value	Label	Cases	Weighted	Percentage (Weighted)
0		11433	6023967.5	60.9%
1		3507	1699594.4	17.2%
2		1993	1005451.2	10.2%
3		832	452135.4	4.6%
4		428	203231.6	2.1%
5		345	168403.2	1.7%
6		227	115252.1	1.2%
7		62	53931.6	0.5%
8		88	44070.0	0.4%
9		17	9681.4	0.1%
10		105	53442.5	0.5%
11		6	3565.2	0.0%
12		77	34939.5	0.4%
13		6	1689.2	0.0%
14		4	3130.3	0.0%
15		34	15616.0	0.2%
18		3	2208.3	0.0%
20		9	5126.5	0.1%
24		6	2084.3	0.0%
25		4	628.6	0.0%
26		1	25.5	0.0%
30		2	486.5	0.0%
40		1	357.2	0.0%
996	NOT APPLICABLE	41325	19033457.5	
997	DON'T KNOW	447	174005.0	
998	REFUSAL	14	4867.0	
999	NOT STATED	731	379682.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_2A6: No. of drinks - Friday

Information	[Type= continuous] [Format=numeric] [Range= 0-87] [Missing=*]
Statistics [NW/ W]	[Valid=19027 / 9812704.14] [Invalid=42680 / 19678325.83] [Mean=0.9 / 0.91] [StdDev=1.965 / 1.884]
Universe	Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)
Literal question	(How many drinks did YOU have:) ...on Day [6]?

ALW_2A6: No. of drinks - Friday

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	41325	19033457.5	
997	DON'T KNOW	606	257264.6	
998	REFUSAL	17	7594.3	
999	NOT STATED	732	380009.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALW_2A7: No. of drinks - Saturday

Information	[Type= continuous] [Format=numeric] [Range= 0-65] [Missing=*]
Statistics [NW/ W]	[Valid=18937 / 9763711.28] [Invalid=42770 / 19727318.69] [Mean=0.805 / 0.811] [StdDev=1.812 / 1.799]
Universe	Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)
Literal question	(How many drinks did YOU have:) ...on Day [7]?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	41325	19033457.5	
997	DON'T KNOW	690	304660.5	
998	REFUSAL	22	7779.2	
999	NOT STATED	733	381421.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALWDWKY: Weekly consumption

Information	[Type= continuous] [Format=numeric] [Range= 0-449] [Missing=*]
Statistics [NW/ W]	[Valid=29965 / 15079072.28] [Invalid=31742 / 14411957.69]
Universe	Respondents with DOALW = 1 who answered ALC_1 = (1, 7 or 8)
Notes	Based on ALC_1, ALW_2A1, ALW_2A2, ALW_2A3, ALW_2A4, ALW_2A5, ALW_2A6, ALW_2A7. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NO DRINKS LAST W	11345	5448636.8	100.0%
996	NOT APPLICABLE	29980	13584820.7	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	1762	827137.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALWDDLY: Average daily alcohol consumption

Information	[Type= discrete] [Format=numeric] [Range= 0-64] [Missing=*]
Statistics [NW/ W]	[Valid=29965 / 15079072.28] [Invalid=31742 / 14411957.69]
Universe	Respondents with DOALW = 1 who answered ALC_1 = (1, 7 or 8)
Notes	Based on ALWDWKY. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0		18986	9327559.8	61.9%
1		7294	3805041.0	25.2%
2		2182	1160294.8	7.7%
3		800	455570.0	3.0%
4		338	154039.2	1.0%
5		148	73902.3	0.5%

ALWDDLY: Average daily alcohol consumption

Value	Label	Cases	Weighted	Percentage (Weighted)
6		96	44631.9	0.3%
7		44	22457.6	0.1%
8		17	9847.7	0.1%
9		16	7540.2	0.1%
10		14	7161.2	0.0%
11		11	5786.0	0.0%
12		9	2811.3	0.0%
13		3	337.3	0.0%
14		2	405.9	0.0%
15		1	108.0	0.0%
17		1	549.4	0.0%
19		1	172.9	0.0%
21		1	807.2	0.0%
64		1	48.6	0.0%
996	NOT APPLICABLE	29980	13584820.7	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	1762	827137.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DODRV: Module: DRV - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9889 / 4331623.22] [Invalid=51818 / 25159406.75]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9889	4331623.2	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	51818	25159406.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_01A: Drove a motor vehicle

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9661 / 4265595.92] [Invalid=52046 / 25225434.05]
Universe	Respondents with DODRV =1
Literal question	In the past 12 months, have you driven a motor vehicle?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8159	3561011.5	83.5%
2	NO	1502	704584.4	16.5%
6	NOT APPLICABLE	51818	25159406.8	
7	DON'T KNOW	1	310.5	
8	REFUSAL	6	1379.5	
9	NOT STATED	221	64337.2	

DRV_01A: Drove a motor vehicle

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_01B: Drove a motorcycle

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9659 / 4265140.82] [Invalid=52048 / 25225889.15]
Universe	Respondents with DODRV = 1
Literal question	In the past 12 months, have you driven a motorcycle?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	589	284918.4	6.7%	
2	NO	9070	3980222.4		93.3%
6	NOT APPLICABLE	51818	25159406.8		
7	DON'T KNOW	1	266.7		
8	REFUSAL	1	188.4		
9	NOT STATED	228	66027.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_02: Freq. - seat belt when driving

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=8154 / 3560227.74] [Invalid=53553 / 25930802.23]
Universe	Respondents who answered DRV_01A = (1, 7 or 8)
Literal question	How often do you fasten your seat belt when you drive a motor vehicle?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	7426	3239863.8		91.0%
2	MOST OF THE TIME	578	252636.7	7.1%	
3	RARELY	106	49037.6	1.4%	
4	NEVER	44	18689.7	0.5%	
6	NOT APPLICABLE	53320	25863991.2		
7	DON'T KNOW	3	572.8		
8	REFUSAL	1	147.0		
9	NOT STATED	229	66091.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_03A: Use of a cell phone while driving

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=8142 / 3555386.62] [Invalid=53565 / 25935643.35]
Universe	Respondents who answered DRV_01A = (1, 7 or 8)
Literal question	Excluding hands-free use, how often do you use a cell phone while you are driving a motor vehicle?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	OFTEN	253	144974.0	4.1%	
2	SOMETIMES	620	378876.0	10.7%	
3	RARELY	1407	703477.0	19.8%	
4	NEVER	5862	2328059.6		65.5%
6	NOT APPLICABLE	53320	25863991.2		
7	DON'T KNOW	15	5413.9		
8	REFUSAL	1	147.0		
9	NOT STATED	229	66091.2		

DRV_03A: Use of a cell phone while driving

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_03B: Use of a hands-free while driving

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=8135 / 3552753.4] [Invalid=53572 / 25938276.57]
Universe	Respondents who answered DRV_01A = (1, 7 or 8)
Literal question	How often do you use a hands-free when talking on the cell phone while you are driving a motor vehicle?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN	1095	637132.1	17.9%
2	SOMETIMES	635	357158.1	10.1%
3	RARELY	645	347072.7	9.8%
4	NEVER	5760	2211390.4	62.2%
6	NOT APPLICABLE	53320	25863991.2	
7	DON'T KNOW	20	7241.1	
8	REFUSAL	3	953.1	
9	NOT STATED	229	66091.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_04: Freq. - tired when driving

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=8117 / 3555503.4] [Invalid=53590 / 25935526.57]
Universe	Respondents who answered DRV_01A = (1, 7 or 8) or DRV_01B = (1, 7 or 8)
Literal question	How often do you drive when you are feeling tired?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN	606	339607.3	9.6%
2	SOMETIMES	1886	968812.9	27.2%
3	RARELY	2963	1285214.0	36.1%
4	NEVER	2662	961869.3	27.1%
6	NOT APPLICABLE	53296	25853716.7	
7	DON'T KNOW	59	14663.0	
8	REFUSAL	4	600.6	
9	NOT STATED	231	66546.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_05: Driving speed compared to others

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=8056 / 3534731.17] [Invalid=53651 / 25956298.8]
Universe	Respondents who answered DRV_01A = (1, 7 or 8) or DRV_01B = (1, 7 or 8)
Literal question	Compared to other drivers, would you say you usually drive:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MUCH FASTER	120	55815.8	1.6%
2	A LITTLE FASTER	1486	792523.9	22.4%
3	ABOUT THE SAME	4845	2048935.5	58.0%
4	A LITTLE SLOWER	1493	599501.6	17.0%
5	MUCH SLOWER	112	37954.4	1.1%
6	NOT APPLICABLE	53296	25853716.7	

DRV_05: Driving speed compared to others

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	116	33667.0	
8	REFUSAL	7	2234.0	
9	NOT STATED	232	66681.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_06: Driving aggression compared to others

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=7984 / 3522724.3] [Invalid=53723 / 25968305.67]
Universe	Respondents who answered DRV_01A = (1, 7 or 8) or DRV_01B = (1, 7 or 8)
Literal question	(Compared to other drivers,) would you say you usually drive:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MUCH MORE	69	32771.7	0.9%
2	A LITTLE MORE	997	579031.7	16.4%
3	ABOUT THE SAME	3253	1424321.1	40.4%
4	A LITTLE LESS	2431	1003169.6	28.5%
5	MUCH LESS	1234	483430.2	13.7%
6	NOT APPLICABLE	53296	25853716.7	
7	DON'T KNOW	184	44780.2	
8	REFUSAL	11	3127.7	
9	NOT STATED	232	66681.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_07: No. of times - drove after 2+ drinks

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6499 / 2925391.78] [Invalid=55208 / 26565638.19]
Universe	Respondents who answered DRV_07 = (1, 7 or 8) or DRV_01A = (7 or 8)
Literal question	In the past 12 months, have you driven a motor vehicle after having 2 or more drinks in the hour before you drove?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	456	234792.2	8.0%
2	NO	6043	2690599.6	92.0%
6	NOT APPLICABLE	55067	26526086.3	
7	DON'T KNOW	5	784.9	
8	REFUSAL	4	2335.7	
9	NOT STATED	132	36431.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_07A: No. of times - drove after 2+ drinks

Information	[Type= discrete] [Format=numeric] [Range= 1-95] [Missing=*]
Statistics [NW/ W]	[Valid=426 / 224866.76] [Invalid=61281 / 29266163.21]
Universe	Respondents who answered DRV_07 = (1, 7 or 8) or DRV_01A = (7 or 8)
Literal question	How many times (in the past 12 months)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1		83	38008.2	16.9%
2		123	53807.9	23.9%
3		54	33832.8	15.0%

DRV_07A: No. of times - drove after 2+ drinks

Value	Label	Cases	Weighted	Percentage (Weighted)
4		30	15911.6	7.1%
5		31	23539.3	10.5%
6		25	12554.1	5.6%
7		2	2040.6	0.9%
8		2	375.7	0.2%
9		1	364.0	0.2%
10		25	11115.9	4.9%
12		25	15137.1	6.7%
15		4	3620.6	1.6%
16		1	41.5	0.0%
18		1	553.1	0.2%
20		4	4104.2	1.8%
24		4	2275.8	1.0%
25		1	131.3	0.1%
30		2	1228.7	0.5%
40		1	260.5	0.1%
50		2	426.7	0.2%
52		1	366.6	0.2%
75		1	1885.7	0.8%
95		3	3284.9	1.5%
96	NOT APPLICABLE	61110	29216685.9	
97	DON'T KNOW	30	9925.4	
98	REFUSAL	0	0.0	
99	NOT STATED	141	39551.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_08A: Freq. - seat belt - front seat pass.

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=9648 / 4261458.47] [Invalid=52059 / 25229571.5]
Universe	Respondents with DODRV = 1
Literal question	When you are a front seat passenger, how often do you fasten your seat belt?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	8798	3885617.4	91.2%
2	MOST OF THE TIME	604	273737.5	6.4%
3	RARELY	106	39562.0	0.9%
4	NEVER	58	33092.1	0.8%
5	NOT RIDE/FRONT S	82	29449.4	0.7%
6	NOT APPLICABLE	51818	25159406.8	
7	DON'T KNOW	9	3587.8	
8	REFUSAL	2	351.0	
9	NOT STATED	230	66226.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_08B: Freq. - seat belt - back seat pass.

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=9632 / 4256216.3] [Invalid=52075 / 25234813.67]

DRV_08B: Freq. - seat belt - back seat pass.

Universe		Respondents with DODRV = 1		
Literal question		When you are a back seat passenger, how often do you fasten your seat belt?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	7366	3121435.0	73.3%
2	MOST OF THE TIME	860	443009.5	10.4%
3	RARELY	336	234236.8	5.5%
4	NEVER	277	176293.8	4.1%
5	NOT RIDE/BACK S	793	281241.1	6.6%
6	NOT APPLICABLE	51818	25159406.8	
7	DON'T KNOW	19	6346.4	
8	REFUSAL	7	2707.0	
9	NOT STATED	231	66353.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_09: Freq. - seat belt - in taxi

Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=9573 / 4243074.37] [Invalid=52134 / 25247955.6]		
Universe		Respondents with DODRV = 1		
Literal question		When you are a passenger in a taxi, how often do you fasten your seat belt?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	3724	1835815.2	43.3%
2	MOST OF THE TIME	468	303897.3	7.2%
3	RARELY	353	176260.4	4.2%
4	NEVER	1002	524844.7	12.4%
5	NOT TAKE TAXIS	4026	1402256.8	33.0%
6	NOT APPLICABLE	51818	25159406.8	
7	DON'T KNOW	80	21339.9	
8	REFUSAL	5	855.4	
9	NOT STATED	231	66353.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_10: No. times - pass./driver after 2+ drinks

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=9579 / 4238424.9] [Invalid=52128 / 25252605.07]		
Universe		Respondents who answered DRV_10 = (1, 7 or 8) or DRV_01A = (7 or 8)		
Literal question		In the past 12 months, have you been a passenger with a driver who had 2 or more drinks in the hour before driving?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	988	485264.2	11.4%
2	NO	8591	3753160.7	88.6%
6	NOT APPLICABLE	51818	25159406.8	
7	DON'T KNOW	73	25424.7	
8	REFUSAL	6	1420.1	
9	NOT STATED	231	66353.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_10A: No. times - pass./driver after 2+ drinks

Information	[Type= discrete] [Format=numeric] [Range= 1-75] [Missing=*]
Statistics [NW/ W]	[Valid=931 / 464677.42] [Invalid=60776 / 29026352.55]
Universe	Respondents who answered DRV_10 = (1, 7 or 8) or DRV_01A = (7 or 8)
Literal question	How many times (in the past 12 months)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1		214	106268.0	22.9%
2		296	129799.8	27.9%
3		130	59606.0	12.8%
4		66	38832.2	8.4%
5		69	39744.9	8.6%
6		51	29792.6	6.4%
7		2	315.7	0.1%
8		5	2102.0	0.5%
10		37	18815.0	4.0%
11		1	357.9	0.1%
12		22	6729.6	1.4%
15		10	7638.9	1.6%
20		13	5971.0	1.3%
24		3	2357.8	0.5%
25		1	108.2	0.0%
30		3	2732.5	0.6%
50		3	10742.3	2.3%
52		4	877.2	0.2%
75		1	1885.7	0.4%
96	NOT APPLICABLE	60409	28912567.4	
97	DON'T KNOW	56	18718.1	
98	REFUSAL	1	1868.7	
99	NOT STATED	310	93198.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_11A: Driver/pass. - snowmobile/motor boat

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9645 / 4258866.28] [Invalid=52062 / 25232163.69]
Universe	Respondents with DODRV = 1
Literal question	In the past 12 months, have you been the driver of, or a passenger in, a snowmobile, motor boat or seadoo?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2288	950713.5	22.3%
2	NO	7357	3308152.7	77.7%
6	NOT APPLICABLE	51818	25159406.8	
7	DON'T KNOW	6	5398.1	
8	REFUSAL	6	923.6	
9	NOT STATED	232	66435.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_11B: Driver/pass. - ATV

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

DRV_11B: Driver/pass. - ATV

Statistics [NW/ W]	[Valid=9638 / 4252659.41] [Invalid=52069 / 25238370.56]		
Universe	Respondents with DODRV = 1		
Literal question	In the past 12 months, have you been the driver of, or a passenger in, an ATV (all terrain vehicle)?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2114	800897.9	18.8%
2	NO	7524	3451761.5	81.2%
6	NOT APPLICABLE	51818	25159406.8	
7	DON'T KNOW	7	6206.9	
8	REFUSAL	0	0.0	
9	NOT STATED	244	72756.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_12: Freq. - wears helmet - ATV

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=2104 / 798062.45] [Invalid=59603 / 28692967.52]		
Universe	Respondents who answered DRV_11B = (1, 7 or 8) or DRV_01A = (7 or 8) or DRV_11A = (7 or 8)		
Literal question	How often do you wear a helmet when on an ATV?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	826	360072.8	45.1%
2	MOST OF THE TIME	304	100425.3	12.6%
3	RARELY	257	82557.9	10.3%
4	NEVER	717	255006.4	32.0%
6	NOT APPLICABLE	59342	28611168.3	
7	DON'T KNOW	9	2657.1	
8	REFUSAL	1	178.4	
9	NOT STATED	251	78963.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_13: No. times - With driver 2+ drinks - ATV

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3249 / 1303122.42] [Invalid=58458 / 28187907.55]
Universe	Respondents who answered DRV_13 = (1, 7 or 8) or DRV_01A = (7 or 8) or DRV_11A = (7 or 8)
Literal question	In the past 12 months, have you been a passenger on ^DT_ATV with a driver who had 2 or more drinks in the hour before driving?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	207	93497.1	7.2%
2	NO	3042	1209625.3	92.8%
6	NOT APPLICABLE	58195	28097772.1	
7	DON'T KNOW	12	11171.6	
8	REFUSAL	0	0.0	
9	NOT STATED	251	78963.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_13A: No. times - With driver 2+ drinks - ATV

Information	[Type= discrete] [Format=numeric] [Range= 1-30] [Missing=*]
Statistics [NW/ W]	[Valid=200 / 91654.86] [Invalid=61507 / 29399375.11]
Universe	Respondents who answered DRV_13 = (1, 7 or 8) or DRV_01A = (7 or 8) or DRV_11A = (7 or 8)
Literal question	How many times (in the past 12 months)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1		55	20145.7	22.0%
2		58	23367.4	25.5%
3		23	6736.3	7.3%
4		16	13604.4	14.8%
5		13	7182.9	7.8%
6		12	4500.2	4.9%
7		1	532.1	0.6%
8		1	132.5	0.1%
10		8	9379.2	10.2%
12		4	2303.3	2.5%
14		1	161.6	0.2%
15		1	257.2	0.3%
16		1	1466.0	1.6%
20		1	1183.6	1.3%
25		1	108.2	0.1%
26		1	69.3	0.1%
30		3	525.1	0.6%
96	NOT APPLICABLE	61237	29307397.4	
97	DON'T KNOW	7	1842.2	
98	REFUSAL	0	0.0	
99	NOT STATED	263	90135.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_14: No. times - drove snow./ATV aft. 2+ drks

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2645 / 1080200.25] [Invalid=59062 / 28410829.72]

DRV_14: No. times - drove snow./ATV aft. 2+ drks

Universe	Respondents who answered DRV_14 = (1, 7 or 8) or DRV_01A = (7 or 8) or DRV_11A = (7 or 8)			
Literal question	In the past 12 months, have you driven an ATV after having 2 or more drinks in the hour before you drove?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	135	56848.0	5.3%
2	NO	2510	1023352.3	94.7%
6	NOT APPLICABLE	58921	28364690.2	
7	DON'T KNOW	4	6691.3	
8	REFUSAL	0	0.0	
9	NOT STATED	137	39448.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_14A: No. times - drove snow./ATV aft. 2+ drks

Information	[Type= discrete] [Format=numeric] [Range= 1-50] [Missing=*]
Statistics [NW/ W]	[Valid=128 / 54163.06] [Invalid=61579 / 29436866.91]
Universe	Respondents who answered DRV_14 = (1, 7 or 8) or DRV_01A = (7 or 8) or DRV_11A = (7 or 8)
Literal question	How many times (in the past 12 months)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1		33	12920.4	23.9%
2		35	14645.9	27.0%
3		20	6730.1	12.4%
4		9	5465.3	10.1%
5		4	1460.6	2.7%
6		11	4715.5	8.7%
10		8	6644.0	12.3%
12		6	1119.3	2.1%
26		1	69.3	0.1%
50		1	392.6	0.7%
96	NOT APPLICABLE	61431	29388042.5	
97	DON'T KNOW	7	2684.9	
98	REFUSAL	0	0.0	
99	NOT STATED	141	46139.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRVFSBU: Passenger seat belt use - motor vehicle

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9567 / 4232821.98] [Invalid=52140 / 25258207.99]
Universe	Respondents who answered DRV_08A < 5 or DRV_08B < 5
Notes	Based on DRV_08A, DRV_08B. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALW. FAST.S/BELT	7926	3313139.6	78.3%
2	NOT ALW. FASTEN	1641	919682.4	21.7%
6	NOT APPLICABLE	51883	25182677.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	257	75531.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOMEX: Module flag: MEX - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	61707	29491030.0		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_01: Year of birth of last baby

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14811 / 8561182.33] [Invalid=46896 / 20929847.64]
Universe	Female respondents with DOMEX = 1 and AGE > = 15 and AGE <= 55
Literal question	Have you given birth in the past 5 years?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3129	1575619.0	18.4%	
2	NO	11682	6985563.3		81.6%
6	NOT APPLICABLE	42817	18909835.3		
7	DON'T KNOW	3759	1824074.6		
8	REFUSAL	6	2660.4		
9	NOT STATED	314	193277.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_02: Took folic acid - before last pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3102 / 1559202.54] [Invalid=58605 / 27931827.43]
Universe	Respondents who answered MEX_01 = (1, 7 or 8)
Literal question	Did you take a vitamin supplement containing folic acid before your (last) pregnancy, that is, before you found out that you were pregnant?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1848	947075.9		60.7%
2	NO	1254	612126.7	39.3%	
6	NOT APPLICABLE	58249	27714346.6		
7	DON'T KNOW	24	14347.2		
8	REFUSAL	3	2069.3		
9	NOT STATED	329	201064.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_03: Breastfed/tried breastfeed/last child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3124 / 1571038.01] [Invalid=58583 / 27919991.96]
Universe	Respondents who answered MEX_01 = (1, 7 or 8)
Literal question	For your last baby, did you breastfeed or try to breastfeed your baby, even if only for a short time?

MEX_03: Breastfed/tried breastfeed/last child

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2779	1419108.1	90.3%
2	NO	345	151929.9	9.7%
6	NOT APPLICABLE	58249	27714346.6	
7	DON'T KNOW	2	617.4	
8	REFUSAL	3	3963.6	
9	NOT STATED	329	201064.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEXG04: Reason did not breastfeed - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=341 / 151216.57] [Invalid=61366 / 29339813.4]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	BOTTLE FEED.EASY	66	40215.0	26.6%
2	FORMULA AS GOOD	29	12847.1	8.5%
3	UNAPPEALING	82	29005.9	19.2%
4	FATHER DN'T WANT	0	0.0	
5	RETURNED TO WORK	4	1606.3	1.1%
6	C-SECTION	108	41989.8	27.8%
7	ALCOHOL/SMOKE	12	2890.0	1.9%
8	OTHER	40	22662.5	15.0%
96	NOT APPLICABLE	61028	29133454.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	338	206358.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_05: Still breastfeeding last child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2779 / 1419108.07] [Invalid=58928 / 28071921.9]
Universe	Respondents who answered MEX_03 = (1, 7 or 8) or MEX_01 = (7 or 8)
Literal question	Are you still breastfeeding?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	507	263424.1	18.6%
2	NO	2272	1155684.0	81.4%
6	NOT APPLICABLE	58594	27866276.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	334	205645.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_06: Other liquids / baby's feeds

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=2269 / 1154325.41] [Invalid=59438 / 28336704.56]
Universe	Respondents who answered mex_05 = (2,7,8) or mex_03 = (7,8) or mex_01 = (7,8)
Literal question	How long did you breastfeed (your last baby)?

MEX_06: Other liquids / baby's feeds

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 WEEK	155	68649.1	5.9%
2	1 TO 2 WEEKS	154	81701.4	7.1%
3	3 TO 4 WEEKS	170	72749.5	6.3%
4	5 TO 8 WEEKS	135	69416.3	6.0%
5	9 TO < 12 WEEKS	79	42039.2	3.6%
6	3 MONTHS	156	76394.8	6.6%
7	4 MONTHS	108	57367.6	5.0%
8	5 MONTHS	76	47302.5	4.1%
9	6 MONTHS	253	130217.0	11.3%
10	7 TO 9 MONTHS	290	132072.9	11.4%
11	10 TO 12 MONTHS	344	162284.7	14.1%
12	> 1 YEAR	349	214130.3	18.6%
13	NOT ADDED S. FO.	0	0.0	
96	NOT APPLICABLE	59101	28129700.6	
97	DON'T KNOW	2	1073.3	
98	REFUSAL	1	285.2	
99	NOT STATED	334	205645.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_06A: Other liquids / baby's feeds

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=507 / 263424.12] [Invalid=61200 / 29227605.85]
Universe	Respondents who answered mex_05 = (1,7,8) or mex_03 = (7,8) or mex_01 = (7,8)
Literal question	Have other liquids such as milk, formula, water, juice, tea or herbal mixture been introduced to the baby's feeds?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	317	169353.4	64.3%
2	NO	190	94070.8	35.7%
6	NOT APPLICABLE	60866	29021960.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	334	205645.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_06B: Age of last baby/other liquds

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=2551 / 1301872.96] [Invalid=59156 / 28189157.01]
Universe	Respondents who answered mex_06a in (1,7,8) or mex_06 in (97,98) or mex_05 in (2,7,8) or mex_03 in (7,8) or mex_01 in (7,8)
Literal question	How old was your (last) baby when other liquids were first added to the baby's feeds?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 WEEK	373	195556.1	15.0%
2	1 TO 2 WEEKS	207	110192.4	8.5%
3	3 TO 4 WEEKS	167	79686.7	6.1%
4	5 TO 8 WEEKS	141	82893.1	6.4%
5	9 TO < 12 WEEKS	96	50154.4	3.9%

MEX_06B: Age of last baby/other liquds

Value	Label	Cases	Weighted	Percentage (Weighted)
6	3 MONTHS	181	100572.3	7.7%
7	4 MONTHS	166	80965.4	6.2%
8	5 MONTHS	141	81264.9	6.2%
9	6 MONTHS	465	232757.4	17.9%
10	7 TO 9 MONTHS	296	130788.8	10.0%
11	10 TO 12 MONTHS	252	117937.2	9.1%
12	> 1 YEAR	50	27564.7	2.1%
13	NOT ADD/LIQUIDS	16	11539.6	0.9%
96	NOT APPLICABLE	58784	27960347.2	
97	DON'T KNOW	29	14548.8	
98	REFUSAL	3	5408.2	
99	NOT STATED	340	208852.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_08A: Age of last baby/solid food

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=2712 / 1372145.01] [Invalid=58995 / 28118884.96]
Universe	Respondents who answered mex_05 in (1,2,7,8) or mex_03 in (7,8) or mex_01 in (7,8)
Literal question	How old was your (last) baby when solid foods such as cereals, mashed up or pureed meat vegetables or fruits were first added to the baby's feeds?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 WEEK	5	653.5	0.0%
2	1 TO 2 WEEKS	0	0.0	
3	3 TO 4 WEEKS	21	13074.7	1.0%
4	5 TO 8 WEEKS	42	24309.1	1.8%
5	9 TO < 12 WEEKS	45	22859.9	1.7%
6	3 MONTHS	149	77246.2	5.6%
7	4 MONTHS	358	198146.7	14.4%
8	5 MONTHS	447	227732.3	16.6%
9	6 MONTHS	975	460909.9	33.6%
10	7 TO 9 MONTHS	317	167038.1	12.2%
11	10 TO 12 MONTHS	99	48840.2	3.6%
12	> 1 YEAR	21	10534.3	0.8%
13	NOT ADDED S. FO.	233	120800.0	8.8%
96	NOT APPLICABLE	58594	27866276.5	
97	DON'T KNOW	27	18658.1	
98	REFUSAL	1	5088.5	
99	NOT STATED	373	228861.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_08B: Main reason/add other liquids,solid food

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=2646 / 1330514.18] [Invalid=59061 / 28160515.79]
Universe	Respondents who answered mex_08a in(1,2,3,4,5,6,7,8,9,10,11,12,97,98) or mex_06b in(1,2,3,4,5,6,7,8,9,10,11,12,96,97,98)) or mex_06a in (7,8) or mex_06 in (97,98) or mex_05 in (7,8) or mex_03 in (7,8) or mex_01 in (7,8)

MEX_08B: Main reason/add other liquids,solid food

Literal question	What is the main reason LIQUIDS/SOLIDS were first added to the baby's feeds?
Notes	Replaces MEX_Q08

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT ENOUGH BREAS	602	324287.1	24.4%
2	READY FOR SOLIDS	1131	572135.5	43.0%
3	INCONVENIENCE	128	50783.9	3.8%
4	DIFFICULTY	175	79114.4	5.9%
5	MED. COND.MOTHER	40	22448.1	1.7%
6	MED. COND. BABY	96	44185.2	3.3%
7	ADVICE OF DOCTOR	208	108640.9	8.2%
8	RETURNED TO WORK	38	20126.6	1.5%
9	ADVICE OF OTHERS	18	7055.3	0.5%
10	FORMULA HEALTHY	25	10200.2	0.8%
11	WANTED TO DRINK	4	1882.5	0.1%
12	WANTED TO SMOKE	4	2548.8	0.2%
13	OTHER	177	87105.7	6.5%
96	NOT APPLICABLE	58601	27868760.2	
97	DON'T KNOW	49	32292.9	
98	REFUSAL	9	2894.7	
99	NOT STATED	402	256568.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_09: Give Vitamin D to the baby

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2377 / 1199814.54] [Invalid=59330 / 28291215.43]
Universe	Respondents who answered mex_08a = (2,3,4,5,6,7,8,9,10,11,12,13,97,98) and mex_06b in(2,3,4,5,6,7,8,9,10,11,12,13,96,97,98)) or mex_06a in (7,8) or mex_06 in (97,98) or mex_05 in (7,8) or mex_03 in (7,8) or mex_01 in (7,8)
Literal question	During the time when your (last) baby was less than one year old and fedb reast milk, did you give the baby a vitamin supplement containing Vitamin D?
Notes	Replaces MEX_Q09

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1911	965942.9	80.5%
2	NO	466	233871.6	19.5%
6	NOT APPLICABLE	58971	28062251.3	
7	DON'T KNOW	15	9993.8	
8	REFUSAL	2	5993.7	
9	NOT STATED	342	212976.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_09B: Frequency/giving the Vitamin D to baby

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1882 / 951110.27] [Invalid=59825 / 28539919.7]
Universe	Respondents who answered mex_09 = (1,7,8) and mex_08a = (2,3,4,5,6,7,8,9,10,11,12,13,97,98) and mex_06b in(2,3,4,5,6,7,8,9,10,11,12,13,96,97,98)) or mex_06a in (7,8) or mex_06 in (97,98) or mex_05 in (7,8) or mex_03 in (7,8) or mex_01 in (7,8)
Literal question	Overall, how often did you give the baby a supplement containing Vitamin D?

MEX_09B: Frequency/giving the Vitamin D to baby

	Notes		New question. Introduced in 2011.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	1225	622540.2	65.5%
2	ALMOST EVERY D.	430	224161.5	23.6%
3	ONCE/TWICE A WK	177	83282.8	8.8%
4	< ONCE A WEEK	50	21125.8	2.2%
6	NOT APPLICABLE	59437	28296122.9	
7	DON'T KNOW	28	13368.2	
8	REFUSAL	0	0.0	
9	NOT STATED	360	230428.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_10: Main reason stopped breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=2247 / 1129713.16] [Invalid=59460 / 28361316.81]
Universe	Respondents who answered MEX_05 = (2, 7 or 8) or MEX_03 = (7 or 8) or MEX_01 (7 or 8)
Literal question	What is the main reason that you stopped breastfeeding?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT ENOUGH MILK	576	291975.2	25.8%
2	READY FOR SOLIDS	357	191582.5	17.0%
3	INCONVENIENCE	158	59728.1	5.3%
4	DIFFICULTY	250	132502.3	11.7%
5	MED.COND.MOTHER	77	37029.2	3.3%
6	MED. COND. BABY	59	24011.0	2.1%
7	PLANNED TO STOP	171	104089.3	9.2%
8	WEANED SELF	297	143895.6	12.7%
9	ADVICE OF DOCTOR	15	5969.7	0.5%
10	RETURNED TO WORK	217	105326.6	9.3%
11	ADVICE OF OTHERS	5	2344.9	0.2%
12	FORMULA HEALTHY	11	4831.3	0.4%
13	WANTED TO DRINK	0	0.0	
14	WANTED TO SMOKE	1	257.8	0.0%
15	OTHER	53	26169.8	2.3%
96	NOT APPLICABLE	59101	28129700.6	
97	DON'T KNOW	11	6359.8	
98	REFUSAL	3	11093.3	
99	NOT STATED	345	214163.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEXDEBF2: Length of exclusive breastfeeding (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2932 / 1460748.57] [Invalid=58775 / 28030281.4]
Universe	Respondents who answered MEX_03 = (2, 7 or 8) or MEX_05 = (2, 7 or 8) or MEX_07 < 13 or MEX_07 = (97 or 98) or MEX_01 = (7 or 8)
Notes	Based on MEX_03, MEX_06, MEX_07. This variable is an update of MEXDEBF. It includes more categories, covers the 6 month period in a single category, and takes into account conflicting information provided in MEX_06 and MEX_07. Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old are

MEXDEBF2: Length of exclusive breastfeeding (D)

	excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who will breastfed and who had not yet added any other liquid or solid foods to the baby's feeds are also excluded.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	DID NOT BF/LAST	345	151929.9	10.4%
1	< I WEEK	396	200199.3	13.7%
2	1 TO < 5 WEEKS	409	210131.9	14.4%
3	5 TO < 12 WEEKS	258	139954.3	9.6%
4	12 TO < 16 WEEKS	220	119964.4	8.2%
5	16 TO < 20 WEEKS	270	134477.9	9.2%
6	20 TO < 24 WEEKS	280	150420.8	10.3%
7	24 TO < 28 WEEKS	578	272837.4	18.7%
8	7 MONTHS OR MORE	176	80832.8	5.5%
96	NOT APPLICABLE	58374	27777672.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	401	252608.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEXFEB6: Exclus. breastfeed for at least 6 months

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2932 / 1460748.57] [Invalid=58775 / 28030281.4]
Universe	Respondents who answered MEX_03 = (2, 7 or 8) or MEX_05 = (2, 7 or 8) or MEX_07 < 13 or MEX_07 = (97 or 98) or MEX_01 = (7 or 8)
Notes	In 2011, MEX_07 was split into two questions: MEX_06B and MEX_08A; therefore, this variable needed to be updated accordingly. Health Canada recommends exclusive breastfeeding for a period of up to 6 months. This variable indicates the number of mothers who followed this recommendation. Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old are excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who still breastfed and who had not yet added any other liquid or solid foods to the baby's feeds are also excluded.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	754	353670.1	24.2%
2	NO	2178	1107078.4	75.8%
6	NOT APPLICABLE	58374	27777672.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	401	252608.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOMXS: Module: MXS - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=13338 / 7299409.36] [Invalid=48369 / 22191620.61]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13338	7299409.4	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	48369	22191620.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

DOMXS: Module: MXS - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MXS_01: Type of smoker - last pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=411 / 229735.49] [Invalid=61296 / 29261294.48]
Universe	Females aged 15 to 55 with DOMXS = 1 who answered ((MEX_01 = 1) and (SMK_202 = (1, 2, 7 or 8) or SMK_01a = (1, 7 or 8) or SMK_01b = (1, 7 or 8)) or MEX_01 = (7 or 8))
Literal question	During your last pregnancy, did you smoke daily, occasionally or not at all?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	55	33368.6	14.5%
2	OCCASIONALLY	50	20088.2	8.7%
3	NOT AT ALL	306	176278.7	76.7%
6	NOT APPLICABLE	61209	29193355.2	
7	DON'T KNOW	1	313.2	
8	REFUSAL	0	0.0	
9	NOT STATED	86	67626.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MXSG02: No. daily - last preg. (daily smk)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=54 / 33124.21] [Invalid=61653 / 29457905.76]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	3	3232.5	9.8%
2	2 CIGARETTES	2	3923.1	11.8%
3	3 CIGARETTES	3	634.0	1.9%
4	4 CIGARETTES	6	3304.0	10.0%
5	5 CIGARETTES	9	4556.7	13.8%
6	6 TO 10 CIG.	20	13081.8	39.5%
7	11 TO 15 CIG.	5	3171.6	9.6%
8	16+ CIGARETTES	6	1220.6	3.7%
96	NOT APPLICABLE	61565	29389722.1	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	88	68183.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MXSG03: No. daily - last preg. (occ. smk)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=49 / 19844.74] [Invalid=61658 / 29471185.23]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	9	4949.8	24.9%
2	2 CIGARETTES	11	4825.6	24.3%
3	3 CIGARETTES	9	2285.7	11.5%
4	4 CIGARETTES	6	2252.6	11.4%
5	5 CIGARETTES	5	646.7	3.3%

MXSG03: No. daily - last preg. (occ. smk)

Value	Label	Cases	Weighted	Percentage (Weighted)
6	6+ CIGARETTES	9	4884.4	24.6%
96	NOT APPLICABLE	61570	29403002.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	88	68182.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MXS_04: Smoked while breastfeeding (occ. smoker)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=339 / 200325.88] [Invalid=61368 / 29290704.09]
Universe	Females aged 15 to 55 with DOMXS = 1 who answered ((MEX_03 = (1, 7 or 8) and (MEX_01 = (1, 7 or 8) and (SMK_202 = (1, 2, 7 or 8) or SMK_01a = (1, 7 or 8) or SMK_01b = (1, 7 or 8)))) or (MEX_01 = 1 and ((SMK_202 = (3, 7 or 8) and SMK_01a = (2, 7 or 8) and SMK_01b = (7 or 8)) or (SMK_01a = (7 or 8) and SMK_01b = (2, 7 or 8)) or (SMK_01a = 8 and SMK_01b = 8)))) or (MEX_01 = (7 or 8)))
Literal question	When you were breastfeeding (your last baby), did you smoke daily, occasionally or not at all?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	41	28590.2	14.3%
2	OCCASIONALLY	19	11236.7	5.6%
3	NOT AT ALL	279	160499.0	80.1%
6	NOT APPLICABLE	61282	29223078.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	86	67626.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MXSG05: No. daily - breastfeeding (daily smk)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=40 / 28108.61] [Invalid=61667 / 29462921.36]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	2	2841.7	10.1%
2	2 CIGARETTES	2	3796.0	13.5%
3	3 CIGARETTES	3	453.5	1.6%
4	4 CIGARETTES	3	2487.4	8.8%
5	5 CIGARETTES	6	2780.0	9.9%
6	6 TO 10 CIG.	17	12253.0	43.6%
7	11 TO 15 CIG.	1	1348.0	4.8%
8	16+ CIGARETTES	6	2149.1	7.6%
96	NOT APPLICABLE	61580	29394813.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	87	68107.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MXSG06: No. daily - breastfeeding (occ. smk)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=19 / 11236.7] [Invalid=61688 / 29479793.27]

MXSG06: No. daily - breastfeeding (occ. smk)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	7	5643.4	50.2%
2	2 CIGARETTES	6	3965.3	35.3%
3	3 CIGARETTES	2	1031.9	9.2%
4	4 CIGARETTES	1	194.6	1.7%
5	5 CIGARETTES	2	369.7	3.3%
6	6+ CIGARETTES	1	31.7	0.3%
96	NOT APPLICABLE	61602	29412167.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	86	67626.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MXS_07: 2nd-hand smoke - during/after last preg.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=412 / 230048.64] [Invalid=61295 / 29260981.33]
Universe	Females aged 15 to 55 with DOMXS = 1 who answered ((MEX_01 = 1) and ((SMK_202 = (1, 2, 7 or 8) or SMK_01a = (1, 7 or 8) or SMK_01b = (1, 7 or 8))) or MEX_01 = (7 or 8))
Literal question	Did anyone regularly smoke in your presence during or after the pregnancy (about 6 months after)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	77	40396.8	17.6%
2	NO	335	189651.8	82.4%
6	NOT APPLICABLE	61209	29193355.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	86	67626.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOPMH: Module: PMH - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	61707	29491030.0	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_01: Felt happy -in the past

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=57534 / 27803975.52] [Invalid=4173 / 1687054.45]
Universe	All respondents
Literal question	In the past month, how often did you feel …happy?

PMH_01: Felt happy -in the past

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	22136	10298413.7	37.0%
2	ALMOST EVERY DAY	25729	12579537.1	45.2%
3	2 OR 3 TIMES\WK	6641	3470811.5	12.5%
4	ONCE A WEEK	1412	727517.7	2.6%
5	ONCE OR TWICE	1014	480711.0	1.7%
6	NEVER	602	246984.5	0.9%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	1449	485170.2	
98	REFUSAL	364	150707.3	
99	NOT STATED	2360	1051176.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_02: Felt interested in life

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=56901 / 27608736.83] [Invalid=4806 / 1882293.14]
Universe	All respondents
Literal question	(In the past month, how often did you feel:) …interested in life?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	36917	17364066.2	62.9%
2	ALMOST EVERY DAY	14378	7264597.9	26.3%
3	2 OR 3 TIMES\WK	3436	1846288.4	6.7%
4	ONCE A WEEK	910	525617.3	1.9%
5	ONCE OR TWICE	702	362125.6	1.3%
6	NEVER	558	246041.4	0.9%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	579	182817.2	
98	REFUSAL	39	7987.0	
99	NOT STATED	4188	1691488.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_03: Felt satisfied with life

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=56938 / 27577164.85] [Invalid=4769 / 1913865.12]
Universe	All respondents
Literal question	(In the past month, how often did you feel:) …satisfied with your life?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	31063	14355973.6	52.1%
2	ALMOST EVERY DAY	18024	9087385.7	33.0%
3	2 OR 3 TIMES\WK	4416	2445448.0	8.9%
4	ONCE A WEEK	1223	625480.1	2.3%
5	ONCE OR TWICE	1003	504510.8	1.8%
6	NEVER	1209	558366.6	2.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	519	196076.1	
98	REFUSAL	52	21827.3	

PMH_03: Felt satisfied with life

Value	Label	Cases	Weighted	Percentage (Weighted)
99	NOT STATED	4198	1695961.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_04: Felt something imp. contribute society

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=54901 / 26818139.86] [Invalid=6806 / 2672890.11]
Universe	All respondents
Literal question	In the past month, how often did you feel…that you had something important to contribute to society?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	EVERY DAY	18507	8987349.3		33.5%
2	ALMOST EVERY DAY	14559	7343217.9		27.4%
3	2 OR 3 TIMES\WK	8459	4273284.8		15.9%
4	ONCE A WEEK	4645	2281535.0		8.5%
5	ONCE OR TWICE	3448	1648162.6		6.1%
6	NEVER	5283	2284590.2		8.5%
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	2459	921945.6		
98	REFUSAL	140	49617.2		
99	NOT STATED	4207	1701327.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_05: Felt belonged to a community

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=56215 / 27267264.74] [Invalid=5492 / 2223765.23]
Universe	All respondents
Literal question	(In the past month, how often did you feel:) …that you belonged to a community (like a social group, your neighborhood, your city, your school)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	EVERY DAY	25104	11222652.9		41.2%
2	ALMOST EVERY DAY	11062	5588293.4		20.5%
3	2 OR 3 TIMES\WK	5455	2879897.4		10.6%
4	ONCE A WEEK	3765	2087842.4		7.7%
5	ONCE OR TWICE	3144	1661833.9		6.1%
6	NEVER	7685	3826744.7		14.0%
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	1197	494452.3		
98	REFUSAL	76	21041.1		
99	NOT STATED	4219	1708271.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_06: Felt society becoming a better place

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=51795 / 25650326.81] [Invalid=9912 / 3840703.16]
Universe	All respondents
Literal question	(In the past month, how often did you feel:)…that our society is becoming a better place for people like you?

PMH_06: Felt society becoming a better place

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	12557	5830086.7	22.7%
2	ALMOST EVERY DAY	12260	6174088.0	24.1%
3	2 OR 3 TIMES\WK	7670	3976962.5	15.5%
4	ONCE A WEEK	4622	2496728.6	9.7%
5	ONCE OR TWICE	4881	2536180.3	9.9%
6	NEVER	9805	4636280.7	18.1%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	5419	2039914.2	
98	REFUSAL	254	86694.2	
99	NOT STATED	4239	1714094.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_07: Felt people are good

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=56035 / 27216261.57] [Invalid=5672 / 2274768.4]
Universe	All respondents
Literal question	In the past month, how often did you feel …that people are basically good?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	22216	9739158.7	35.8%
2	ALMOST EVERY DAY	19825	9776674.2	35.9%
3	2 OR 3 TIMES\WK	7607	4217443.2	15.5%
4	ONCE A WEEK	2807	1614157.7	5.9%
5	ONCE OR TWICE	2176	1152791.6	4.2%
6	NEVER	1404	716036.1	2.6%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	1291	521484.7	
98	REFUSAL	121	32701.8	
99	NOT STATED	4260	1720581.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_08: Felt way society works makes sense

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=53712 / 26447508.89] [Invalid=7995 / 3043521.08]
Universe	All respondents
Literal question	(In the past month, how often did you feel:) …that the way our society works makes sense to you?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	12105	5796591.4	21.9%
2	ALMOST EVERY DAY	15010	7476176.1	28.3%
3	2 OR 3 TIMES\WK	9613	5009991.9	18.9%
4	ONCE A WEEK	4773	2364649.6	8.9%
5	ONCE OR TWICE	4799	2387496.0	9.0%
6	NEVER	7412	3412603.8	12.9%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	3487	1247720.1	
98	REFUSAL	233	70562.9	

PMH_08: Felt way society works makes sense

Value	Label	Cases	Weighted	Percentage (Weighted)
99	NOT STATED	4275	1725238.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_09: Felt liked most part of personality

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=56147 / 27286627.58] [Invalid=5560 / 2204402.39]
Universe	All respondents
Literal question	(In the past month, how often did you feel:) …that you liked most parts of your personality?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	30825	14436599.9	52.9%
2	ALMOST EVERY DAY	18413	9278673.5	34.0%
3	2 OR 3 TIMES\WK	4286	2264738.1	8.3%
4	ONCE A WEEK	1207	619253.0	2.3%
5	ONCE OR TWICE	819	432513.4	1.6%
6	NEVER	597	254849.7	0.9%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	1147	422840.4	
98	REFUSAL	125	45983.7	
99	NOT STATED	4288	1735578.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_10: Felt good at managing responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=56897 / 27548346.76] [Invalid=4810 / 1942683.21]
Universe	All respondents
Literal question	In the past month, how often did you feel …good at managing the responsibilities of your daily life?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	32995	15178613.6	55.1%
2	ALMOST EVERY DAY	17594	8982407.9	32.6%
3	2 OR 3 TIMES\WK	4160	2301349.4	8.4%
4	ONCE A WEEK	1065	554565.2	2.0%
5	ONCE OR TWICE	607	333137.2	1.2%
6	NEVER	476	198273.5	0.7%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	424	170705.2	
98	REFUSAL	86	25266.3	
99	NOT STATED	4300	1746711.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_11: Felt had trusting relationships

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=56792 / 27518219] [Invalid=4915 / 1972810.97]
Universe	All respondents
Literal question	(In the past month, how often did you feel:)…that you had warm and trusting relationships with others?

PMH_11: Felt had trusting relationships

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	EVERY DAY	37460	18039700.6		65.6%
2	ALMOST EVERY DAY	13497	6682182.5		24.3%
3	2 OR 3 TIMES\WK	3338	1654177.0		6.0%
4	ONCE A WEEK	1072	526299.4		1.9%
5	ONCE OR TWICE	727	323719.4		1.2%
6	NEVER	698	292140.0		1.1%
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	498	187367.9		
98	REFUSAL	103	34134.8		
99	NOT STATED	4314	1751308.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_12: Felt exp. challenge be better person

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=55266 / 27034969.68] [Invalid=6441 / 2456060.29]
Universe	All respondents
Literal question	(In the past month, how often did you feel:)…that you had experiences that challenge you to grow and become a better person?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	EVERY DAY	26078	12756352.2		47.2%
2	ALMOST EVERY DAY	14691	7467687.7		27.6%
3	2 OR 3 TIMES\WK	7080	3382650.9		12.5%
4	ONCE A WEEK	3210	1595490.9		5.9%
5	ONCE OR TWICE	2162	1016436.8		3.8%
6	NEVER	2045	816351.2		3.0%
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	1941	638596.8		
98	REFUSAL	174	57600.0		
99	NOT STATED	4326	1759863.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_13: Felt confident express own opinions

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=56640 / 27479510.3] [Invalid=5067 / 2011519.67]
Universe	All respondents
Literal question	In the past month, how often did you feel …confident to think or express your own ideas and opinions?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	EVERY DAY	32767	15681728.2		57.1%
2	ALMOST EVERY DAY	14569	7358483.9		26.8%
3	2 OR 3 TIMES\WK	5567	2754527.8		10.0%
4	ONCE A WEEK	1896	893514.8		3.3%
5	ONCE OR TWICE	1080	481321.3		1.8%
6	NEVER	761	309934.3		1.1%
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	617	215214.6		

PMH_13: Felt confident express own opinions

Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	112	33643.4	
99	NOT STATED	4338	1762661.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_14: Felt life had a sense of direction

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=55777 / 27193830.09] [Invalid=5930 / 2297199.88]
Universe	All respondents
Literal question	(In the past month, how often did you feel:) …that your life has a sense of direction or meaning to it?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	32254	15353060.1	56.5%
2	ALMOST EVERY DAY	14054	7152837.2	26.3%
3	2 OR 3 TIMES\WK	4492	2245959.4	8.3%
4	ONCE A WEEK	1867	969767.8	3.6%
5	ONCE OR TWICE	1442	756333.9	2.8%
6	NEVER	1668	715871.6	2.6%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	1439	484334.2	
98	REFUSAL	145	47800.2	
99	NOT STATED	4346	1765065.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMHDCLA: Positive Mental Health Classification

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=57534 / 27803975.52] [Invalid=4173 / 1687054.45]
Universe	All respondents
Notes	The classification is based on the following criteria: (1) Individuals are classified as "flourishing" if they feel at least 1 of the 3 emotional well-being symptoms (items 1-3) "every day" or "almost every day" and feel at least 6 of the 11 positive functioning symptoms (items 4-14) "every day" or "almost every day" in the past month. (2) Individuals are classified as "languishing" if they feel at least 1 of the 3 emotional well-being symptoms (items 1-3) "never" or "once or twice" and feel at least 6 of the 11 positive functioning symptoms (items 4-14) "never" or "once or twice" in the past month. (3) Individuals who are neither "languishing" nor "flourishing" are then coded as "moderate mental health".

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FLOURISHING	45416	21815440.0	78.5%
2	LANGUISHING	867	411354.9	1.5%
3	MODERATE M.H.	11251	5577180.7	20.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	4173	1687054.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMHDSCR: Positive Mental Health Continuous Score

Information	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]
Statistics [NW/ W]	[Valid=45986 / 23553177.99] [Invalid=15721 / 5937851.98] [Mean=55.657 / 55.316] [StdDev=10.614 / 10.576]
Universe	All respondents

PMHDSCR: Positive Mental Health Continuous Score

Notes	This variable is used to measure the continuous score of the Mental Health Continuum - Short Form (MHC-SF). The range is 0-70. Higher scores indicate higher levels of positive mental health.			

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	15721	5937852.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOIDG: Illicit drugs use - Inclusion Flag - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24849 / 12370029.13] [Invalid=36858 / 17121000.84]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24849	12370029.1	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	36858	17121000.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFLCA: Cannabis drug use/incl.1 time only - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23468 / 11750329.12] [Invalid=38239 / 17740700.85]
Universe	Respondents with DOIDG = 1
Notes	Based on IDG_01. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8946	4765773.8	40.6%
2	NO	14522	6984555.3	59.4%
6	NOT APPLICABLE	36858	17121000.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1381	619700.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFLCM: Cannabis drug use/excl.1 time only - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23468 / 11750329.12] [Invalid=38239 / 17740700.85]
Universe	Respondents with DOIDG = 1
Notes	Based on IDG_01. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6951	3791975.0	32.3%
2	NO	16517	7958354.1	67.7%

IDGFLCM: Cannabis drug use/excl.1 time only - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	36858	17121000.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1381	619700.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFYCM: Can.drg use/excl.1 time only -12 mo -(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23459 / 11739356.55] [Invalid=38248 / 17751673.42]
Universe	Respondents with DOIDG = 1
Notes	Based on IDG_01, IDG_02. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2142	1315013.1	11.2%
2	NO	21317	10424343.4	88.8%
6	NOT APPLICABLE	36858	17121000.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1390	630672.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFLA: Illicit drg use/incl. 1 time cann. - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23437 / 11730743.18] [Invalid=38270 / 17760286.79]
Universe	Respondents with DOIDG = 1
Notes	Based on IDGFLCA, IDGFLCO, IDGFLAM, IDGFLEX, IDGFLHA, IDGFLGL, IDGFLHE, IDGFLST. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9059	4826104.3	41.1%
2	NO	14378	6904638.9	58.9%
6	NOT APPLICABLE	36858	17121000.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1412	639286.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFLAC: Illicit drug use/excl.1 time cann. - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23433 / 11729805.87] [Invalid=38274 / 17761224.1]
Universe	Respondents with DOIDG = 1
Notes	Based on IDGFLCM, IDGFLCO, IDGFLAM, IDGFLEX, IDGFLHA, IDGFLGL, IDGFLHE, IDGFLST. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7172	3922138.4	33.4%
2	NO	16261	7807667.5	66.6%
6	NOT APPLICABLE	36858	17121000.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1416	640223.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFYA: Illicit drg /incl.1 time can.-12 mo -(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23414 / 11716172.51] [Invalid=38293 / 17774857.46]
Universe	Respondents with DOIDG = 1
Notes	Based on IDG_02, IDG_05, IDG_08, IDG_11, IDG_14, IDG_17, IDG_20, IDG_23. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2321	1449952.5	12.4%
2	NO	21093	10266220.0	87.6%
6	NOT APPLICABLE	36858	17121000.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1435	653856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFYAC: Illi.drg use/excl.1 time can.-12 mo -(F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23414 / 11716172.51] [Invalid=38293 / 17774857.46]

IDGFYAC: Illi.drg use/excl.1 time can.-12 mo -(F)

Universe	Respondents with DOIDG = 1			
Notes	Based on IDGFYCM, IDG_05, IDG_08, IDG_11, IDG_14, IDG_17, IDG_20, IDG_23. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2203	1369600.0	11.7%
2	NO	21211	10346572.5	88.3%
6	NOT APPLICABLE	36858	17121000.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1435	653856.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGDINT: Illicit drug interference mean - 12 mo

Information	[Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=1245 / 725997.22] [Invalid=60462 / 28765032.75] [Mean=0.556 / 0.476] [StdDev=1.286 / 1.144]
Universe	Respondents who answered one of (IDG_03, IDG_06, IDG_09, IDG_12, IDG_15, IDG_18, IDG_21) = (2, 3, 4, 5, 7 or 8) and one of (IDG_01, IDG_04, IDG_07, IDG_10, IDG_13, IDG_16, IDG_19) = (1, 2, 7 or 8)
Notes	Based on IDG_26A, IDG_6B1, IDG_6B2, IDG_26C, IDG_26D. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
99.6	NOT APPLICABLE	58988	28094222.0	
99.7	DON'T KNOW	0	0.0	
99.8	REFUSAL	0	0.0	
99.9	NOT STATED	1474	670810.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IDGFINT: Illicit drug interference - 12 mo - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1250 / 727527.18] [Invalid=60457 / 28763502.79]
Universe	Respondents who answered one of (IDG_03, IDG_06, IDG_09, IDG_12, IDG_15, IDG_18, IDG_21) = (2, 3, 4, 5, 7 or 8) and one of (IDG_01, IDG_04, IDG_07, IDG_10, IDG_13, IDG_16, IDG_19) = (1, 2, 7 or 8)
Notes	Based on IDG_26A, IDG_6B1, IDG_6B2, IDG_26C, IDG_26D. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	187	85406.2	11.7%
2	NO	1063	642121.0	88.3%
6	NOT APPLICABLE	58988	28094222.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1469	669280.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSXB: Module: SXB - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21257 / 11522205.86] [Invalid=40450 / 17968824.11]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21257	11522205.9	100.0%
2	NO	0	0.0	

DOSXB: Module: SXB - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	40450	17968824.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_1: Ever had sexual intercourse

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7242 / 5405354.58] [Invalid=54465 / 24085675.39]
Universe	Respondents aged 15 to 49 with DOSXB = 1 and who answered MEX_Q01A NOT = 1
Literal question	Have you ever had sexual intercourse?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5984	4507300.7		83.4%
2	NO	1258	898053.9	16.6%	
6	NOT APPLICABLE	53918	23709654.7		
7	DON'T KNOW	25	19589.2		
8	REFUSAL	195	182048.4		
9	NOT STATED	327	174383.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_3: Had sexual intercourse - past 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6655 / 4820532.26] [Invalid=55052 / 24670497.71]
Universe	Respondents who answered SXB_1 = (1, 7 or 8) or SXB_2 = (997 or 998)
Literal question	In the past 12 months, have you had sexual intercourse?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6022	4463644.6		92.6%
2	NO	633	356887.6	7.4%	
6	NOT APPLICABLE	54211	24029796.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	7	8538.0		
9	NOT STATED	834	632163.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_07: Ever diagnosed with STD

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6641 / 4814229.12] [Invalid=55066 / 24676800.85]
Universe	Respondents who answered SXB_1 = (1, 7 or 8)
Literal question	Have you ever been diagnosed with a sexually transmitted infection?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	454	337399.1	7.0%	
2	NO	6187	4476830.0		93.0%
6	NOT APPLICABLE	54211	24029796.1		
7	DON'T KNOW	5	1420.7		
8	REFUSAL	3	1545.0		

SXB_07: Ever diagnosed with STD

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	847	644039.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_7A: Condom use - last time

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2568 / 1701907.67] [Invalid=59139 / 27789122.3]
Universe	Respondents who answered (SXB_3 = (1, 7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)) excluding those with DHH_MS = (1 or 2) who answered SXB_4 = 1
Literal question	Did you use a condom the last time you had sexual intercourse?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1465	985100.0	57.9%
2	NO	1103	716807.6	42.1%
6	NOT APPLICABLE	58281	27140759.7	
7	DON'T KNOW	1	392.8	
8	REFUSAL	10	3930.7	
9	NOT STATED	847	644039.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_09: Important to avoid getting pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=646 / 418882.21] [Invalid=61061 / 29072147.76]
Universe	Females aged 24 or less who answered (SXB_3 = (1, 7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8)) and (MAM_037 = (2, 7, 8)
Literal question	It is important to me to avoid getting pregnant right now.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	530	350540.3	83.7%
2	AGREE	83	46620.3	11.1%
3	NEITHER NOR	17	13168.7	3.1%
4	DISAGREE	9	3839.2	0.9%
5	STRONG DISAGREE	7	4713.6	1.1%
6	NOT APPLICABLE	60984	29023098.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	84.0	
9	NOT STATED	76	48965.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_10: Important avoid getting partner pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=646 / 457202.17] [Invalid=61061 / 29033827.8]
Universe	Males aged 24 or less who answered SXB_3 = (1, 7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)
Literal question	It is important to me to avoid getting my partner pregnant right now.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	489	328431.3	71.8%
2	AGREE	102	79652.3	17.4%
3	NEITHER NOR	17	16887.5	3.7%
4	DISAGREE	7	2493.3	0.5%

SXB_10: Important avoid getting partner pregnant

Value	Label	Cases	Weighted	Percentage (Weighted)
5	STRONG DISAGREE	11	7902.2	1.7%
6	NO PARTNER	16	19616.2	4.3%
7	PARTNER PREGNANT	4	2219.4	0.5%
96	NOT APPLICABLE	60962	28971435.4	
97	DON'T KNOW	2	498.0	
98	REFUSAL	1	309.2	
99	NOT STATED	96	61585.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_11: Usually use birth control - past 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1299 / 882604.39] [Invalid=60408 / 28608425.58]
Universe	Respondents aged 24 or less who answered SXB_3 = (1, 7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)
Literal question	In the past 12 months, did you and your partner usually use birth control?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1079	720566.3	81.6%
2	NO	220	162038.1	18.4%
6	NOT APPLICABLE	60222	28492748.2	
7	DON'T KNOW	11	4426.7	
8	REFUSAL	1	306.6	
9	NOT STATED	174	110944.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_12A: Usual birth control method - condom

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1054 / 698197.79] [Invalid=60653 / 28792832.18]
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)
Literal question	What kind of birth control did you and your partner usually use? - Condom (male or female condom)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	692	454360.0	65.1%
2	NO	362	243837.8	34.9%
6	NOT APPLICABLE	60442	28654786.2	
7	DON'T KNOW	24	22066.2	
8	REFUSAL	1	302.3	
9	NOT STATED	186	115677.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_12B: Usual birth control method - the pill

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1054 / 698197.79] [Invalid=60653 / 28792832.18]
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)
Literal question	What kind of birth control did you and your partner usually use? - Birth control pill

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	716	456211.1	65.3%

SXB_12B: Usual birth control method - the pill

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	338	241986.7	34.7%
6	NOT APPLICABLE	60442	28654786.2	
7	DON'T KNOW	24	22066.2	
8	REFUSAL	1	302.3	
9	NOT STATED	186	115677.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_12C: Usual birth control method - diaphragm

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1054 / 698197.79] [Invalid=60653 / 28792832.18]
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)
Literal question	What kind of birth control did you and your partner usually use? - Diaphragm

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15	7653.9	1.1%
2	NO	1039	690543.9	98.9%
6	NOT APPLICABLE	60442	28654786.2	
7	DON'T KNOW	24	22066.2	
8	REFUSAL	1	302.3	
9	NOT STATED	186	115677.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_12D: Usual birth control method - spermicide

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1054 / 698197.79] [Invalid=60653 / 28792832.18]
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)
Literal question	What kind of birth control did you and your partner usually use? - Spermicide (e.g., foam, jelly, film)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	7334.1	1.1%
2	NO	1044	690863.7	98.9%
6	NOT APPLICABLE	60442	28654786.2	
7	DON'T KNOW	24	22066.2	
8	REFUSAL	1	302.3	
9	NOT STATED	186	115677.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_12F: Usual birth control method - injection

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1054 / 698197.79] [Invalid=60653 / 28792832.18]
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)
Literal question	What kind of birth control did you and your partner usually use? - Birth control injection (Deprovera)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21	12924.2	1.9%
2	NO	1033	685273.6	98.1%

SXB_12F: Usual birth control method - injection

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	60442	28654786.2	
7	DON'T KNOW	24	22066.2	
8	REFUSAL	1	302.3	
9	NOT STATED	186	115677.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_12E: Usual birth control method - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1054 / 698197.79] [Invalid=60653 / 28792832.18]
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)
Literal question	What kind of birth control did you and your partner usually use? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	61	34769.1	5.0%
2	NO	993	663428.7	95.0%
6	NOT APPLICABLE	60442	28654786.2	
7	DON'T KNOW	24	22066.2	
8	REFUSAL	1	302.3	
9	NOT STATED	186	115677.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_13A: B.c. method used last time - condom

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1038 / 691427.79] [Invalid=60669 / 28799602.18]
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered MAM_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Condom (male or female condom)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	671	440503.4	63.7%
2	NO	367	250924.4	36.3%
6	NOT APPLICABLE	60452	28659296.2	
7	DON'T KNOW	6	2260.1	
8	REFUSAL	0	0.0	
9	NOT STATED	211	138046.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_13B: B.c. method used last time - the pill

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1038 / 691427.79] [Invalid=60669 / 28799602.18]
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered MAM_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Birth control pill

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	638	408216.0	59.0%
2	NO	400	283211.8	41.0%
6	NOT APPLICABLE	60452	28659296.2	

SXB_13B: B.c. method used last time - the pill

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	6	2260.1	
8	REFUSAL	0	0.0	
9	NOT STATED	211	138046.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_13C: B.c. method used last time - diaphragm

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1038 / 691427.79] [Invalid=60669 / 28799602.18]
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered MAM_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Diaphragm

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	2206.5	0.3%
2	NO	1030	689221.3	99.7%
6	NOT APPLICABLE	60452	28659296.2	
7	DON'T KNOW	6	2260.1	
8	REFUSAL	0	0.0	
9	NOT STATED	211	138046.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_13D: B.c. method used last time - spermicide

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1038 / 691427.79] [Invalid=60669 / 28799602.18]
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered MAM_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Spermicide (e.g., foam, jelly, film)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	5761.1	0.8%
2	NO	1030	685666.7	99.2%
6	NOT APPLICABLE	60452	28659296.2	
7	DON'T KNOW	6	2260.1	
8	REFUSAL	0	0.0	
9	NOT STATED	211	138046.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_13F: B.c. method used last time - injection

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1038 / 691427.79] [Invalid=60669 / 28799602.18]
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered MAM_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Birth control injection (Deprovera)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18	9853.1	1.4%
2	NO	1020	681574.7	98.6%
6	NOT APPLICABLE	60452	28659296.2	
7	DON'T KNOW	6	2260.1	

SXB_13F: B.c. method used last time - injection

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	211	138046.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_13G: Method used last time - nothing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1038 / 691427.79] [Invalid=60669 / 28799602.18]
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered MAM_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Nothing

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24	16567.3	2.4%
2	NO	1014	674860.5	97.6%
6	NOT APPLICABLE	60452	28659296.2	
7	DON'T KNOW	6	2260.1	
8	REFUSAL	0	0.0	
9	NOT STATED	211	138046.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SXB_13E: B.c. method used last time - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1038 / 691427.79] [Invalid=60669 / 28799602.18]
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered MAM_037 = 1
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	54	26466.4	3.8%
2	NO	984	664961.4	96.2%
6	NOT APPLICABLE	60452	28659296.2	
7	DON'T KNOW	6	2260.1	
8	REFUSAL	0	0.0	
9	NOT STATED	211	138046.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSPS: Module: SPS - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=20513 / 10892149] [Invalid=41194 / 18598880.97]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20513	10892149.0	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	41194	18598881.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_01: Relationships - people/help

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=19390 / 10301266.28] [Invalid=42317 / 19189763.69]
Universe	All respondents
Literal question	There are people I can depend on to help me if I really need it.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	12883	6965198.2		67.6%
2	AGREE	6121	3132844.6		30.4%
3	DISAGREE	299	147481.8		1.4%
4	STRONG DISAGREE	87	55741.8		0.5%
6	NOT APPLICABLE	41194	18598881.0		
7	DON'T KNOW	100	54644.1		
8	REFUSAL	62	27462.8		
9	NOT STATED	961	508775.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_02: Relationships - social activities

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=19249 / 10249494.37] [Invalid=42458 / 19241535.6]
Universe	All respondents
Literal question	There are people who enjoy the same social activities I do.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	10215	5678690.2		55.4%
2	AGREE	8087	4116672.6		40.2%
3	DISAGREE	743	342601.4		3.3%
4	STRONG DISAGREE	204	111530.2		1.1%
6	NOT APPLICABLE	41194	18598881.0		
7	DON'T KNOW	126	48084.7		
8	REFUSAL	13	2970.5		
9	NOT STATED	1125	591599.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_03: Relationship-emotional security/wellbein

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=19309 / 10275504.86] [Invalid=42398 / 19215525.11]
Universe	All respondents
Literal question	I have close relationships that provide me with a sense of emotional security and wellbeing.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	11506	6409223.8		62.4%
2	AGREE	7173	3597103.6		35.0%
3	DISAGREE	510	208488.9		2.0%
4	STRONG DISAGREE	120	60688.7		0.6%
6	NOT APPLICABLE	41194	18598881.0		
7	DON'T KNOW	69	19946.7		
8	REFUSAL	7	4456.3		
9	NOT STATED	1128	592241.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_04: Relationships-important decisions

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=19323 / 10276263.74] [Invalid=42384 / 19214766.23]
Universe	All respondents
Literal question	There is someone I could talk to about important decisions in my life.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	12124	6757842.9	65.8%
2	AGREE	6511	3214139.7	31.3%
3	DISAGREE	555	236929.6	2.3%
4	STRONG DISAGREE	133	67351.5	0.7%
6	NOT APPLICABLE	41194	18598881.0	
7	DON'T KNOW	52	19928.2	
8	REFUSAL	7	3036.1	
9	NOT STATED	1131	592921.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_05: Relationships - Competence and skill

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=19117 / 10200931.76] [Invalid=42590 / 19290098.21]
Universe	All respondents
Literal question	I have relationships where my competence and skill are recognized.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	9308	5236732.3	51.3%
2	AGREE	9039	4582886.2	44.9%
3	DISAGREE	649	325699.2	3.2%
4	STRONG DISAGREE	121	55614.0	0.5%
6	NOT APPLICABLE	41194	18598881.0	
7	DON'T KNOW	245	89763.6	
8	REFUSAL	16	7601.3	
9	NOT STATED	1135	593852.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_06: Relationships-trustworthy person/advice

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=19303 / 10264082.33] [Invalid=42404 / 19226947.64]
Universe	All respondents
Literal question	There is a trustworthy person I could turn to for advice if I were having problems.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	12119	6723392.9	65.5%
2	AGREE	6675	3318112.0	32.3%
3	DISAGREE	425	189634.0	1.8%
4	STRONG DISAGREE	84	32943.5	0.3%
6	NOT APPLICABLE	41194	18598881.0	
7	DON'T KNOW	62	28903.3	
8	REFUSAL	9	4258.6	
9	NOT STATED	1139	594904.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_07: Relationships-share attitudes/beliefs

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=19203 / 10228400.42] [Invalid=42504 / 19262629.55]
Universe	All respondents
Literal question	I feel part of a group of people who share my attitudes and beliefs.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	8925	4897910.0	47.9%
2	AGREE	8745	4567143.8	44.7%
3	DISAGREE	1293	635152.3	6.2%
4	STRONG DISAGREE	240	128194.3	1.3%
6	NOT APPLICABLE	41194	18598881.0	
7	DON'T KNOW	157	62606.0	
8	REFUSAL	13	6095.5	
9	NOT STATED	1140	595047.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_08: Relationships - strong emotional bond

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=19305 / 10271655.95] [Invalid=42402 / 19219374.02]
Universe	All respondents
Literal question	I feel a strong emotional bond with at least one other person.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	12270	6838753.0	66.6%
2	AGREE	6376	3108841.1	30.3%
3	DISAGREE	551	277609.9	2.7%
4	STRONG DISAGREE	108	46452.0	0.5%
6	NOT APPLICABLE	41194	18598881.0	
7	DON'T KNOW	53	16529.4	
8	REFUSAL	10	5003.6	
9	NOT STATED	1145	598960.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_09: Relationships-admire talents/abilities

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=18941 / 10127957.36] [Invalid=42766 / 19363072.61]
Universe	All respondents
Literal question	There are people who admire my talents and abilities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	8752	4947001.2	48.8%
2	AGREE	9601	4893916.1	48.3%
3	DISAGREE	514	256706.4	2.5%
4	STRONG DISAGREE	74	30333.7	0.3%
6	NOT APPLICABLE	41194	18598881.0	
7	DON'T KNOW	408	159255.8	
8	REFUSAL	19	5975.7	
9	NOT STATED	1145	598960.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPS_10: Relationships - people/emergency

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=19327 / 10271143.35] [Invalid=42380 / 19219886.62]			
Universe	All respondents			
Literal question	There are people I can count on in an emergency.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	12698	7037257.8	68.5%
2	AGREE	6380	3095361.3	30.1%
3	DISAGREE	201	104076.5	1.0%
4	STRONG DISAGREE	48	34447.7	0.3%
6	NOT APPLICABLE	41194	18598881.0	
7	DON'T KNOW	31	17354.0	
8	REFUSAL	8	4159.7	
9	NOT STATED	1147	599492.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPSDCON: Soc.Prov.Scale-

Information	[Type= continuous] [Format=numeric] [Range= 10-40] [Missing=*]
Statistics [NW/ W]	[Valid=18466 / 9963774.12] [Invalid=43241 / 19527255.85] [Mean=35.449 / 35.692] [StdDev=4.397 / 4.337]
Universe	All respondents
Notes	This variable is used to measure the overall score for the Social Provisions Scale. The range is 10-40, where a higher score reflects a higher level of perceived social support.

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	41194	18598881.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2047	928374.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPSDATT: Soc.Prov.Scale-Attachment

Information	[Type= discrete] [Format=numeric] [Range= 2-9] [Missing=*]
Statistics [NW/ W]	[Valid=20067 / 10677600.81] [Invalid=41640 / 18813429.16]
Universe	All respondents
Notes	This variable is used to measure the score of the respondent on the "Attachment" sub-scale. A higher score reflects a higher level of perceived "Attachment". Which is defined as emotional closeness.

Value	Label	Cases	Weighted	Percentage (Weighted)
2		38	15477.8	0.1%
3		40	17538.7	0.2%
4		220	107079.0	1.0%
5		564	253857.1	2.4%
6		5090	2498792.6	23.4%
7		3059	1594153.4	14.9%
8		10230	5763412.9	54.0%
9		826	427289.2	4.0%
96	NOT APPLICABLE	41194	18598881.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	

SPSDATT: Soc.Prov.Scale-Attachment

Value	Label	Cases	Weighted	Percentage (Weighted)
99	NOT STATED	446	214548.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPSDGUI: Soc.Prov.Scale-Guidance

Information	[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]
Statistics [NW/ W]	[Valid=19260 / 10247983.18] [Invalid=42447 / 19243046.79]
Universe	All respondents
Notes	This variable is used to measure the score of the respondent on the "Guidance" sub-scale. A higher score reflects a higher level of perceived "Guidance" which is defined as advice or information.

Value	Label	Cases	Weighted	Percentage (Weighted)
2		46	18232.8	0.2%
3		32	9022.4	0.1%
4		265	121224.6	1.2%
5		440	203765.9	2.0%
6		5247	2605265.3	25.4%
7		2391	1189487.5	11.6%
8		10839	6100984.7	59.5%
96	NOT APPLICABLE	41194	18598881.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1253	644165.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPSDALL: Soc.Prov.Scale-Reliable alliance

Information	[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]
Statistics [NW/ W]	[Valid=19327 / 10271143.35] [Invalid=42380 / 19219886.62]
Universe	All respondents
Notes	This variable is used to measure the score of the respondent on the "Reliable Alliance" sub-scale. A higher score reflects a higher level of perceived "Reliable Alliance" which is defined as assurance that others can be counted on in times of stress.

Value	Label	Cases	Weighted	Percentage (Weighted)
2		24	18994.8	0.2%
3		29	14582.7	0.1%
4		107	67509.4	0.7%
5		272	130615.2	1.3%
6		4429	2182149.0	21.2%
7		3468	1774626.1	17.3%
8		10998	6082666.2	59.2%
96	NOT APPLICABLE	41194	18598881.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1186	621005.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPSDINT: Soc.Prov.Scale-Social integration

Information	[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]
Statistics [NW/ W]	[Valid=19090 / 10186921.82] [Invalid=42617 / 19304108.15]

SPSDINT: Soc.Prov.Scale-Social integration

Universe	All respondents
Notes	This variable is used to measure the score of the respondent on the "Social Integration" sub-scale. A higher score reflects a higher level of perceived "Social Integration" which is defined as as a sense of belonging to a group of friends.

Value	Label	Cases	Weighted	Percentage (Weighted)
2		61	42744.2	0.4%
3		97	55060.9	0.5%
4		421	170571.5	1.7%
5		1084	544804.2	5.3%
6		6133	3149511.9	30.9%
7		3920	2117077.3	20.8%
8		7374	4107151.9	40.3%
96	NOT APPLICABLE	41194	18598881.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1423	705227.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPSDWOR: Soc.Prov.Scale-Reassurance of worth

Information	[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]
Statistics [NW/ W]	[Valid=18771 / 10066502.4] [Invalid=42936 / 19424527.57]
Universe	All respondents
Notes	This variable is used to measure the score of the respondent on the "Reassurance of Worth" sub-scale. A higher score reflects a higher level of perceived "Reassurance of Worth" which is defined as recognition of one's competence.

Value	Label	Cases	Weighted	Percentage (Weighted)
2		36	15322.8	0.2%
3		34	9390.7	0.1%
4		263	134370.6	1.3%
5		577	291408.0	2.9%
6		7131	3568302.5	35.4%
7		3674	2034267.7	20.2%
8		7056	4013440.1	39.9%
96	NOT APPLICABLE	41194	18598881.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1742	825646.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSSA: Module: SSA - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3592 / 847823.27] [Invalid=58115 / 28643206.7]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3592	847823.3	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	58115	28643206.7	

DOSSA: Module: SSA - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_01: No. of close friends and relatives

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=3101 / 764202.57] [Invalid=58606 / 28726827.4] [Mean=11.306 / 10.279] [StdDev=12.826 / 10.795]
Universe	Respondents with DOSSA = 1
Literal question	Starting with a question on friendship, about how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	58115	28643206.7	
997	DON'T KNOW	355	60649.5	
998	REFUSAL	39	7141.0	
999	NOT STATED	97	15830.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_02: Has someone to give help if confined bed

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3022 / 752310.03] [Invalid=58685 / 28738719.94]
Universe	Respondents with DOSSA = 1
Literal question	How often is each of the following kinds of support available to you if you need it: ... someone to help you if you were confined to bed?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	143	23106.7	3.1%
2	LITTLE/TIME	141	21915.7	2.9%
3	SOME OF THE TIME	405	92079.4	12.2%
4	MOST OF THE TIME	910	219157.8	29.1%
5	ALL OF THE TIME	1423	396050.4	52.6%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	74	11425.8	
8	REFUSAL	4	443.9	
9	NOT STATED	492	83643.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_03: Has someone to listen

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3011 / 750921.25] [Invalid=58696 / 28740108.72]
Universe	Respondents with DOSSA = 1
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone you can count on to listen to you when you need to talk?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	29	5046.2	0.7%
2	LITTLE/TIME	53	10578.3	1.4%
3	SOME OF THE TIME	195	48011.0	6.4%

SSA_03: Has someone to listen

Value	Label	Cases	Weighted	Percentage (Weighted)
4	MOST OF THE TIME	757	171399.7	22.8%
5	ALL OF THE TIME	1977	515886.1	68.7%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	10	819.0	
8	REFUSAL	0	0.0	
9	NOT STATED	571	96083.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_04: Has som. to receive advice about crisis

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2999 / 748752.5] [Invalid=58708 / 28742277.47]
Universe	Respondents with DOSSA = 1
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to give you advice about a crisis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	67	15128.7	2.0%
2	LITTLE/TIME	69	17268.2	2.3%
3	SOME OF THE TIME	252	59404.2	7.9%
4	MOST OF THE TIME	739	167789.6	22.4%
5	ALL OF THE TIME	1872	489161.8	65.3%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	22	2987.7	
8	REFUSAL	0	0.0	
9	NOT STATED	571	96083.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_05: Has someone to take to doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3010 / 751060.55] [Invalid=58697 / 28739969.42]
Universe	Respondents with DOSSA = 1
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to take you to the doctor if you needed it?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	52	8407.2	1.1%
2	LITTLE/TIME	41	8730.7	1.2%
3	SOME OF THE TIME	184	38958.3	5.2%
4	MOST OF THE TIME	570	137189.7	18.3%
5	ALL OF THE TIME	2163	557774.6	74.3%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	11	679.6	
8	REFUSAL	0	0.0	
9	NOT STATED	571	96083.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_06: Has someone who shows love and affection

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3007 / 750687.84] [Invalid=58700 / 28740342.13]
Universe	Respondents with DOSSA = 1
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone who shows you love and affection?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	44	7473.7	1.0%
2	LITTLE/TIME	45	9093.4	1.2%
3	SOME OF THE TIME	150	35553.1	4.7%
4	MOST OF THE TIME	483	114430.4	15.2%
5	ALL OF THE TIME	2285	584137.2	77.8%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	13	864.1	
8	REFUSAL	1	188.3	
9	NOT STATED	571	96083.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_07: Has someone to have a good time with

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3006 / 747905.95] [Invalid=58701 / 28743124.02]
Universe	Respondents with DOSSA = 1
Literal question	Again, how often is each of the following kinds of support available to you if you need it:) ... someone to have a good time with?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	46	6085.0	0.8%
2	LITTLE/TIME	71	17957.8	2.4%
3	SOME OF THE TIME	257	63928.9	8.5%
4	MOST OF THE TIME	670	148555.2	19.9%
5	ALL OF THE TIME	1962	511379.1	68.4%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	14	3763.8	
8	REFUSAL	1	70.4	
9	NOT STATED	571	96083.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_08: Has some. to receive info/help situation

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2994 / 747475.6] [Invalid=58713 / 28743554.37]
Universe	Respondents with DOSSA = 1
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to give you information in order to help you understand a situation?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	38	4552.7	0.6%
2	LITTLE/TIME	59	13686.6	1.8%
3	SOME OF THE TIME	298	74249.0	9.9%
4	MOST OF THE TIME	863	201227.0	26.9%

SSA_08: Has some. to receive info/help situation

Value	Label	Cases	Weighted	Percentage (Weighted)
5	ALL OF THE TIME	1736	453760.3	60.7%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	26	4182.3	
8	REFUSAL	1	82.3	
9	NOT STATED	571	96083.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_09: Has someone to confide in

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3006 / 749566.62] [Invalid=58701 / 28741463.35]
Universe	Respondents with DOSSA = 1
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to confide in or talk to about yourself or your problems?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	48	6442.2	0.9%
2	LITTLE/TIME	63	16463.1	2.2%
3	SOME OF THE TIME	249	57823.4	7.7%
4	MOST OF THE TIME	684	153465.3	20.5%
5	ALL OF THE TIME	1962	515372.7	68.8%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	12	1570.7	
8	REFUSAL	3	602.9	
9	NOT STATED	571	96083.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_10: Has someone who gives hugs

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3005 / 750263.21] [Invalid=58702 / 28740766.76]
Universe	Respondents with DOSSA = 1
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone who hugs you?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	120	20843.9	2.8%
2	LITTLE/TIME	98	17696.1	2.4%
3	SOME OF THE TIME	290	66561.1	8.9%
4	MOST OF THE TIME	525	126251.9	16.8%
5	ALL OF THE TIME	1972	518910.1	69.2%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	14	1359.0	
8	REFUSAL	2	118.0	
9	NOT STATED	571	96083.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_11: Has someone to get together w/for relax.

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3002 / 749660.52] [Invalid=58705 / 28741369.45]

SSA_11: Has someone to get together w/for relax.

Universe	Respondents with DOSSA = 1			
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to get together with for relaxation?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	70	14222.1	1.9%
2	LITTLE/TIME	80	18032.6	2.4%
3	SOME OF THE TIME	357	78864.5	10.5%
4	MOST OF THE TIME	769	188394.9	25.1%
5	ALL OF THE TIME	1726	450146.3	60.0%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	17	1961.7	
8	REFUSAL	2	118.0	
9	NOT STATED	571	96083.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_12: Has someone to prepare meals

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2982 / 747625.63] [Invalid=58725 / 28743404.34]
Universe	Respondents with DOSSA = 1
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to prepare your meals if you were unable to do it yourself?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	137	23494.6	3.1%
2	LITTLE/TIME	105	21837.2	2.9%
3	SOME OF THE TIME	393	88197.6	11.8%
4	MOST OF THE TIME	642	149728.3	20.0%
5	ALL OF THE TIME	1705	464367.9	62.1%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	36	3454.3	
8	REFUSAL	2	224.9	
9	NOT STATED	572	96518.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_13: Has someone to give advice

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2980 / 746013.49] [Invalid=58727 / 28745016.48]
Universe	Respondents with DOSSA = 1
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone whose advice you really want?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	82	15828.9	2.1%
2	LITTLE/TIME	94	21229.5	2.8%
3	SOME OF THE TIME	392	95718.6	12.8%
4	MOST OF THE TIME	751	177073.8	23.7%
5	ALL OF THE TIME	1661	436162.7	58.5%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	37	4984.1	

SSA_13: Has someone to give advice

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	3	307.2	
9	NOT STATED	572	96518.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_14: Has someone to do things to get mind off

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2992 / 747594.81] [Invalid=58715 / 28743435.16]
Universe	Respondents with DOSSA = 1
Literal question	Again, how often is each of the following kinds of support available to you if you need it:) ... someone to do things with to help you get your mind off things?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	77	13455.8	1.8%
2	LITTLE/TIME	82	20064.4	2.7%
3	SOME OF THE TIME	418	95456.4	12.8%
4	MOST OF THE TIME	815	188463.5	25.2%
5	ALL OF THE TIME	1600	430154.7	57.5%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	27	3674.4	
8	REFUSAL	1	35.6	
9	NOT STATED	572	96518.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_15: Has someone to help with daily chores

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2993 / 749209.46] [Invalid=58714 / 28741820.51]
Universe	Respondents with DOSSA = 1
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to help with daily chores if you were sick?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	122	24857.8	3.3%
2	LITTLE/TIME	119	23751.8	3.2%
3	SOME OF THE TIME	402	85345.2	11.4%
4	MOST OF THE TIME	722	176526.4	23.6%
5	ALL OF THE TIME	1628	438728.3	58.6%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	25	1870.5	
8	REFUSAL	2	224.9	
9	NOT STATED	572	96518.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_16: Has someone to share most priv. worries

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2991 / 747349.73] [Invalid=58716 / 28743680.24]
Universe	Respondents with DOSSA = 1
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to share your most private worries and fears with?

SSA_16: Has someone to share most priv. worries

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	97	14664.7	2.0%
2	LITTLE/TIME	95	24562.1	3.3%
3	SOME OF THE TIME	345	84118.0	11.3%
4	MOST OF THE TIME	647	145901.6	19.5%
5	ALL OF THE TIME	1807	478103.4	64.0%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	24	3649.9	
8	REFUSAL	4	245.2	
9	NOT STATED	573	96578.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_17: Has someone to turn to for suggestions

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2999 / 748834.84] [Invalid=58708 / 28742195.13]
Universe	Respondents with DOSSA = 1
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to turn to for suggestions about how to deal with a personal problem?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	64	9848.8	1.3%
2	LITTLE/TIME	76	17049.4	2.3%
3	SOME OF THE TIME	330	74090.9	9.9%
4	MOST OF THE TIME	714	168642.7	22.5%
5	ALL OF THE TIME	1815	479203.0	64.0%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	17	2269.3	
8	REFUSAL	3	140.7	
9	NOT STATED	573	96578.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_18: Has someone to do something enjoyable

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3002 / 748601.29] [Invalid=58705 / 28742428.68]
Universe	Respondents with DOSSA = 1
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to do something enjoyable with?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	35	4980.8	0.7%
2	LITTLE/TIME	75	17282.4	2.3%
3	SOME OF THE TIME	313	71041.5	9.5%
4	MOST OF THE TIME	760	181327.8	24.2%
5	ALL OF THE TIME	1819	473968.8	63.3%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	14	2513.4	
8	REFUSAL	3	130.2	
9	NOT STATED	573	96578.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_19: Has someone who understands problems

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2986 / 745523.17] [Invalid=58721 / 28745506.8]
Universe	Respondents with DOSSA = 1
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone who understands your problems?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	63	11030.7	1.5%
2	LITTLE/TIME	71	17840.1	2.4%
3	SOME OF THE TIME	379	92404.8	12.4%
4	MOST OF THE TIME	840	201402.7	27.0%
5	ALL OF THE TIME	1633	422844.9	56.7%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	29	5480.2	
8	REFUSAL	3	130.2	
9	NOT STATED	574	96689.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_20: Has someone who loves/makes feel wanted

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2989 / 748413.91] [Invalid=58718 / 28742616.06]
Universe	Respondents with DOSSA = 1
Literal question	(How often is each of the following kinds of support available to you if you need it:) ... someone to love you and make you feel wanted?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	52	9680.1	1.3%
2	LITTLE/TIME	64	15950.5	2.1%
3	SOME OF THE TIME	202	44804.6	6.0%
4	MOST OF THE TIME	576	147377.6	19.7%
5	ALL OF THE TIME	2095	530601.1	70.9%
6	NOT APPLICABLE	58115	28643206.7	
7	DON'T KNOW	26	2589.5	
8	REFUSAL	3	130.2	
9	NOT STATED	574	96689.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSADTNG: Tangible social support - MOS - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=2959 / 745865.32] [Invalid=58748 / 28745164.65]
Universe	Respondents with DOSSA = 1
Notes	Based on SSA_02, SSA_05, SSA_12, SSA_15. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0		27	4765.0	0.6%
1		7	1529.2	0.2%
2		22	3865.9	0.5%
3		12	2473.5	0.3%

SSADTNG: Tangible social support - MOS - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
4		26	4369.3	0.6%
5		25	4072.5	0.5%
6		35	6238.1	0.8%
7		48	8161.0	1.1%
8		85	19249.4	2.6%
9		90	16390.7	2.2%
10		139	33483.6	4.5%
11		155	34627.2	4.6%
12		329	89160.9	12.0%
13		256	55152.0	7.4%
14		323	78559.2	10.5%
15		363	80213.4	10.8%
16		1017	303554.6	40.7%
96	NOT APPLICABLE	58115	28643206.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	633	101958.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSADAFF: Affection - MOS subscale - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=2972 / 746875.67] [Invalid=58735 / 28744154.3]
Universe	Respondents with DOSSA = 1
Notes	Based on SSA_06, SSA_10, SSA_20. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0		23	4338.7	0.6%
1		11	2130.3	0.3%
2		15	2249.7	0.3%
3		26	4087.5	0.5%
4		30	4920.5	0.7%
5		34	10437.4	1.4%
6		89	21174.9	2.8%
7		58	9372.3	1.3%
8		121	26443.2	3.5%
9		285	79061.5	10.6%
10		258	60365.4	8.1%
11		290	65214.2	8.7%
12		1732	457080.1	61.2%
96	NOT APPLICABLE	58115	28643206.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	620	100947.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSADSOC: Positive social interaction - MOS - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=2963 / 742080.04] [Invalid=58744 / 28748949.93]
Universe	Respondents with DOSSA = 1
Notes	Based on SSA_07, SSA_11, SSA_14, SSA_18. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0		10	1855.2	0.2%
1		8	1141.3	0.2%
2		9	1031.5	0.1%
3		16	1515.6	0.2%
4		30	8219.0	1.1%
5		18	3701.8	0.5%
6		25	4955.4	0.7%
7		32	8114.7	1.1%
8		116	29053.5	3.9%
9		79	17127.1	2.3%
10		95	22300.3	3.0%
11		137	29372.9	4.0%
12		393	94015.6	12.7%
13		188	43979.0	5.9%
14		249	56540.1	7.6%
15		246	58030.5	7.8%
16		1312	361126.7	48.7%
96	NOT APPLICABLE	58115	28643206.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	629	105743.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSADEMO: Emot./info. support - MOS subscale - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]
Statistics [NW/ W]	[Valid=2901 / 732801.29] [Invalid=58806 / 28758228.68] [Mean=27.226 / 27.655] [StdDev=5.89 / 5.609]
Universe	Respondents with DOSSA = 1
Notes	Based on SSA_03, SSA_04, SSA_08, SSA_09, SSA_13, SSA_16, SSA_17, SSA_19. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	58115	28643206.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	691	115022.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSPR: Opt. module flag: SPV - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5943 / 1651134.88] [Invalid=55764 / 27839895.09]
Universe	All respondents

DOSPR: Opt. module flag: SPV - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5943	1651134.9		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	55764	27839895.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPV_1: Spirit. values-playing imp. role in life

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5649 / 1582467.11] [Invalid=56058 / 27908562.86]
Universe	Respondents with DOSPR = 1
Literal question	Do spiritual values play an important role in your life?
Notes	Formerly SPRA_1 in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3834	1032997.1		65.3%
2	NO	1815	549470.0		34.7%
6	NOT APPLICABLE	55764	27839895.1		
7	DON'T KNOW	90	19555.1		
8	REFUSAL	22	2468.8		
9	NOT STATED	182	46643.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPV_2: Spirit. values-help find meaning to life

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3802 / 1027676.11] [Invalid=57905 / 28463353.86]
Universe	Respondents who answered SPV_1 = (1, 7 or 8)
Literal question	To what extent do your spiritual values help you to find meaning in your life?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	A LOT	2156	559745.4		54.5%
2	SOME	1259	370805.3		36.1%
3	A LITTLE	361	89666.7		8.7%
4	NOT AT ALL	26	7458.6		0.7%
6	NOT APPLICABLE	57579	28389365.1		
7	DON'T KNOW	28	4595.9		
8	REFUSAL	3	613.7		
9	NOT STATED	295	68779.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPV_3: Spirit. values-strength everyday diff.

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3776 / 1024044.59] [Invalid=57931 / 28466985.38]
Universe	Respondents who answered SPV_1 = (1, 7 or 8)
Literal question	To what extent do your spiritual values give you the strength to face everyday difficulties?

SPV_3: Spirit. values-strength everyday diff.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	A LOT	2123	543130.0		53.0%
2	SOME	1227	348911.1		34.1%
3	A LITTLE	341	105461.1		10.3%
4	NOT AT ALL	85	26542.4		2.6%
6	NOT APPLICABLE	57579	28389365.1		
7	DON'T KNOW	55	8611.3		
8	REFUSAL	2	229.8		
9	NOT STATED	295	68779.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPV_4: Spirit. values-understanding diff. life

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3747 / 1014815.76] [Invalid=57960 / 28476214.21]
Universe	Respondents who answered SPV_1 = (1, 7 or 8)
Literal question	To what extent do your spiritual values help you to understand the difficulties of life?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	A LOT	1991	524372.5		51.7%
2	SOME	1261	344748.3		34.0%
3	A LITTLE	398	122158.7		12.0%
4	NOT AT ALL	97	23536.2		2.3%
6	NOT APPLICABLE	57579	28389365.1		
7	DON'T KNOW	77	16800.4		
8	REFUSAL	8	1121.1		
9	NOT STATED	296	68927.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPVGRL: Religion - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=5465 / 1528863.57] [Invalid=56242 / 27962166.4]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	CHRISTIAN	4625	1241021.9		81.2%
2	OTHER RELIGIONS	216	81786.0		5.3%
3	NO REL. AFFILIA.	624	206055.7		13.5%
6	NOT APPLICABLE	55764	27839895.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	478	122271.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPV_6: Freq. - attends religious serv./meetings

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=5450 / 1525448.19] [Invalid=56257 / 27965581.78]
Universe	Respondents with DOSPR = 1
Literal question	Not counting events such as weddings or funerals, during the past 12 months, how often did you participate in religious activities or attend religious services or meetings?

SPV_6: Freq. - attends religious serv./meetings

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONCE/WEEK OR +	1396	368618.0	24.2%
2	ONCE/MONTH	613	159781.0	10.5%
3	3 TO 4 TIMES/YR	644	176495.1	11.6%
4	ONCE/YEAR	735	219288.8	14.4%
5	NOT AT ALL	2062	601265.2	39.4%
6	NOT APPLICABLE	55764	27839895.1	
7	DON'T KNOW	8	1715.2	
8	REFUSAL	7	1700.2	
9	NOT STATED	478	122271.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPV_6B: Freq. engages religious act. On own

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=5416 / 1521287.8] [Invalid=56291 / 27969742.17]
Universe	Respondents with DOSPR = 1
Literal question	In the past 12 months, how often did you engage in religious or spirituala ctivities on your own, including prayer, meditation and other forms of worship taking place at home or in any other location?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONCE A DAY	1866	459806.4	30.2%
2	ONCE A WEEK	953	290897.3	19.1%
3	ONCE A MONTH	424	110037.9	7.2%
4	ONCE A YEAR	232	60940.6	4.0%
5	ONCE /TWICE A YR	308	99685.3	6.6%
6	NOT AT ALL	1633	499920.4	32.9%
96	NOT APPLICABLE	55764	27839895.1	
97	REFUSAL	37	5515.3	
98	REFUSAL	11	1968.6	
99	NOT STATED	479	122363.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SPV_7: Self-perception - being religious

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=5323 / 1498342.86] [Invalid=56384 / 27992687.11]
Universe	Respondents with DOSPR = 1
Literal question	In general, would you say that you are: (very religious, religious, not very religious, not very religious at all)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY RELIGIOUS	491	133370.1	8.9%
2	RELIGIOUS	2265	570504.8	38.1%
3	NOT VERY RELIG.	1535	453981.7	30.3%
4	NOT RELIG AT ALL	1032	340486.2	22.7%
6	NOT APPLICABLE	55764	27839895.1	
7	DON'T KNOW	127	25444.8	
8	REFUSAL	14	4984.1	
9	NOT STATED	479	122363.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOCMH: Module: CMH - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	61707	29491030.0		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMH_01K: Consulted mental health professional

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=58784 / 28203694.19] [Invalid=2923 / 1287335.78]
Universe	Respondents with DOCMH = 1
Literal question	In the past 12 months, that is, from DATE ONE YEAR AGO to yesterday, have you seen or talked to a health professional about your emotional or mental health?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	7646	3672071.9	13.0%	
2	NO	51138	24531622.3		87.0%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	58	17012.1		
8	REFUSAL	79	22989.8		
9	NOT STATED	2786	1247333.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMHG01L: Cons. mental hlth prof. - no. times -(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=7555 / 3643129.52] [Invalid=54152 / 25847900.45]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 CONSULTATION	2082	973061.6		26.7%
2	2 CONSULTATIONS	1395	706989.1		19.4%
3	3 CONSULTATIONS	766	352243.1	9.7%	
4	4 CONSULTATIONS	701	300460.7	8.2%	
5	5 CONSULTATIONS	360	157481.8	4.3%	
6	6 CONSULTATIONS	457	222502.7	6.1%	
7	7 CONSULTATIONS	97	66068.8	1.8%	
8	8 CONSULTATIONS	186	95637.1	2.6%	
9	9 CONSULTATIONS	33	10838.5	0.3%	
10	10 CONSULTATIONS	222	118240.5	3.2%	
11	11 CONSULTATIONS	13	4649.4	0.1%	
12	12+ CONSULTATION	1243	634956.1		17.4%
96	NOT APPLICABLE	51138	24531622.3		

CMHG01L: Cons. mental hlth prof. - no. times -(G)

Value	Label	Cases	Weighted	Percentage (Weighted)
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	3014	1316278.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMH_1MA: Consulted mental hlth prof. - fam. doc.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7619 / 3665615.76] [Invalid=54088 / 25825414.21]
Universe	Respondents who answered CMH_01K = (1, 7 or 8)
Literal question	Whom did you see or talk to? - Family doctor or general practitioner

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4198	1981279.0	54.1%
2	NO	3421	1684336.8	45.9%
6	NOT APPLICABLE	51138	24531622.3	
7	DON'T KNOW	19	4677.4	
8	REFUSAL	4	827.6	
9	NOT STATED	2927	1288287.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMH_1MB: Consulted men. hlth prof. - psychiatrist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7619 / 3665615.76] [Invalid=54088 / 25825414.21]
Universe	Respondents who answered CMH_01K = (1, 7 or 8)
Literal question	Whom did you see or talk to? - Psychiatrist

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1433	675935.7	18.4%
2	NO	6186	2989680.0	81.6%
6	NOT APPLICABLE	51138	24531622.3	
7	DON'T KNOW	19	4677.4	
8	REFUSAL	4	827.6	
9	NOT STATED	2927	1288287.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CMH_1MC: Consulted men. hlth prof. - psychologist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7619 / 3665615.76] [Invalid=54088 / 25825414.21]
Universe	Respondents who answered CMH_01K = (1, 7 or 8)
Literal question	Whom did you see or talk to? - Psychologist

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1366	795669.1	21.7%
2	NO	6253	2869946.6	78.3%
6	NOT APPLICABLE	51138	24531622.3	
7	DON'T KNOW	19	4677.4	
8	REFUSAL	4	827.6	
9	NOT STATED	2927	1288287.0	

# CMH_1MC: Consulted men. hlth prof. - psychologist	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# CMH_1MD: Consulted mental hlth prof. - nurse	
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7619 / 3665615.76] [Invalid=54088 / 25825414.21]
Universe	Respondents who answered CMH_01K = (1, 7 or 8)
Literal question	Whom did you see or talk to? - Nurse

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	461	169476.0	4.6%	
2	NO	7158	3496139.8		95.4%
6	NOT APPLICABLE	51138	24531622.3		
7	DON'T KNOW	19	4677.4		
8	REFUSAL	4	827.6		
9	NOT STATED	2927	1288287.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# CMH_1ME: Consulted men. hlth prof.- social worker	
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7619 / 3665615.76] [Invalid=54088 / 25825414.21]
Universe	Respondents who answered CMH_01K = (1, 7 or 8)
Literal question	Whom did you see or talk to? - Social worker or counsellor

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1735	810363.6	22.1%	
2	NO	5884	2855252.2		77.9%
6	NOT APPLICABLE	51138	24531622.3		
7	DON'T KNOW	19	4677.4		
8	REFUSAL	4	827.6		
9	NOT STATED	2927	1288287.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# CMH_1MF: Consulted mental hlth prof. - other	
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7619 / 3665615.76] [Invalid=54088 / 25825414.21]
Universe	Respondents who answered CMH_01K = (1, 7 or 8)
Literal question	Whom did you see or talk to? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	498	225547.4	6.2%	
2	NO	7121	3440068.4		93.8%
6	NOT APPLICABLE	51138	24531622.3		
7	DON'T KNOW	19	4677.4		
8	REFUSAL	4	827.6		
9	NOT STATED	2927	1288287.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# DODIS: Module: DIS - (F)	
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24849 / 12370029.13] [Invalid=36858 / 17121000.84]

DODIS: Module: DIS - (F)

Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	24849	12370029.1		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	36858	17121000.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10A: Frequency/distress:tired out-past month

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=23301 / 11703746.36] [Invalid=38406 / 17787283.61]
Universe	Respondents with DODIS = 1
Literal question	During the past month, that is, from [date one month ago] to yesterday, about how often did you feel: ... tired out for no good reason?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALL OF THE TIME	776	329762.2	2.8%	
2	MOST OF THE TIME	1379	627170.7	5.4%	
3	SOME OF THE TIME	5207	2467286.1	21.1%	
4	LITTLE OF TIME	6650	3284413.4	28.1%	
5	NONE OF THE TIME	9289	4995114.0	42.7%	
6	NOT APPLICABLE	36858	17121000.8		
7	DON'T KNOW	176	51208.3		
8	REFUSAL	103	43944.1		
9	NOT STATED	1269	571130.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10B: Freq./distress: felt nervous - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=23222 / 11656999.42] [Invalid=38485 / 17834030.55]
Universe	Respondents with DODIS = 1
Literal question	During the past month, that is, from [date one month ago] to yesterday, about how often did you feel: ... nervous?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALL OF THE TIME	309	152363.4	1.3%	
2	MOST OF THE TIME	700	385312.6	3.3%	
3	SOME OF THE TIME	3539	1915888.3	16.4%	
4	LITTLE OF TIME	5939	3173879.8	27.2%	
5	NONE OF THE TIME	12735	6029555.4	51.7%	
6	NOT APPLICABLE	36858	17121000.8		
7	DON'T KNOW	68	37144.6		
8	REFUSAL	10	8890.2		
9	NOT STATED	1549	666994.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10C: Freq./distress:so nervous - past month

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=23186 / 11649063.47] [Invalid=38521 / 17841966.5]		
Universe	Respondents with DODIS = 1		
Literal question	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... so nervous that nothing could calm you down?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	59	23491.7	0.2%
2	MOST OF THE TIME	146	77082.1	0.7%
3	SOME OF THE TIME	544	323226.5	2.8%
4	LITTLE OF TIME	892	505810.4	4.3%
5	NONE OF THE TIME	21545	10719452.8	92.0%
6	NOT APPLICABLE	36858	17121000.8	
7	DON'T KNOW	33	6855.8	
8	REFUSAL	3	1080.1	
9	NOT STATED	1627	713029.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10D: Freq./distress: felt hopeless - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=23218 / 11676731.34] [Invalid=38489 / 17814298.63]		
Universe	Respondents with DODIS = 1		
Literal question	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... hopeless?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	137	72116.4	0.6%
2	MOST OF THE TIME	310	144633.8	1.2%
3	SOME OF THE TIME	1158	575071.0	4.9%
4	LITTLE OF TIME	1695	946682.6	8.1%
5	NONE OF THE TIME	19918	9938227.6	85.1%
6	NOT APPLICABLE	36858	17121000.8	
7	DON'T KNOW	64	15712.2	
8	REFUSAL	17	10382.3	
9	NOT STATED	1550	667203.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10E: Freq./distress: felt restless - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=23193 / 11667832.5] [Invalid=38514 / 17823197.47]		
Universe	Respondents with DODIS = 1		
Literal question	During the past month, that is, from [date one month ago] to yesterday, about how often did you feel: ... restless or fidgety?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	519	247948.0	2.1%
2	MOST OF THE TIME	772	393885.8	3.4%
3	SOME OF THE TIME	3719	1899987.6	16.3%
4	LITTLE OF TIME	4560	2343223.4	20.1%

DIS_10E: Freq./distress: felt restless - past mo

Value	Label	Cases	Weighted	Percentage (Weighted)	
5	NONE OF THE TIME	13623	6782787.6		58.1%
6	NOT APPLICABLE	36858	17121000.8		
7	DON'T KNOW	94	29461.2		
8	REFUSAL	10	4888.5		
9	NOT STATED	1552	667847.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10F: Frequency/distress:could not sit still

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=23151 / 11653047.66] [Invalid=38556 / 17837982.31]
Universe	Respondents with DODIS = 1
Literal question	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... so restless you could not sit still?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALL OF THE TIME	257	121778.4	1.0%	
2	MOST OF THE TIME	342	161866.9	1.4%	
3	SOME OF THE TIME	1258	644275.5	5.5%	
4	LITTLE OF TIME	1496	853733.4	7.3%	
5	NONE OF THE TIME	19798	9871393.5		84.7%
6	NOT APPLICABLE	36858	17121000.8		
7	DON'T KNOW	40	14459.5		
8	REFUSAL	2	325.3		
9	NOT STATED	1656	702196.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10G: Freq./distress: sad,depressed - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=23212 / 11675349.51] [Invalid=38495 / 17815680.46]
Universe	Respondents with DODIS = 1
Literal question	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... sad or depressed?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALL OF THE TIME	275	124295.4	1.1%	
2	MOST OF THE TIME	655	348034.8	3.0%	
3	SOME OF THE TIME	3012	1473722.4	12.6%	
4	LITTLE OF TIME	4859	2389226.9	20.5%	
5	NONE OF THE TIME	14411	7340070.0		62.9%
6	NOT APPLICABLE	36858	17121000.8		
7	DON'T KNOW	59	15928.7		
8	REFUSAL	24	10715.5		
9	NOT STATED	1554	668035.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10H: Freq./d.:dep,nothing cheer up - past mo.

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=23176 / 11666592.56] [Invalid=38531 / 17824437.41]

DIS_10H: Freq./d.:dep,nothing cheer up - past mo.

Universe	Respondents with DODIS = 1			
Literal question	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... so depressed that nothing could cheer you up?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	104	42714.2	0.4%
2	MOST OF THE TIME	253	129485.8	1.1%
3	SOME OF THE TIME	744	345384.0	3.0%
4	LITTLE OF TIME	900	563292.1	4.8%
5	NONE OF THE TIME	21175	10585716.4	90.7%
6	NOT APPLICABLE	36858	17121000.8	
7	DON'T KNOW	34	8546.1	
8	REFUSAL	2	210.8	
9	NOT STATED	1637	694679.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10I: Freq./distr: every. was effort - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=23127 / 11635604.63] [Invalid=38580 / 17855425.34]			
Universe	Respondents with DODIS = 1			
Literal question	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... that everything was an effort?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	634	315695.6	2.7%
2	MOST OF THE TIME	896	449446.6	3.9%
3	SOME OF THE TIME	2631	1294123.4	11.1%
4	LITTLE OF TIME	2847	1605730.6	13.8%
5	NONE OF THE TIME	16119	7970608.4	68.5%
6	NOT APPLICABLE	36858	17121000.8	
7	DON'T KNOW	148	54919.9	
8	REFUSAL	19	10863.9	
9	NOT STATED	1555	668640.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10J: Freq./distr.: felt worthless - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=23197 / 11669717.44] [Invalid=38510 / 17821312.53]			
Universe	Respondents with DODIS = 1			
Literal question	(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:) ... worthless?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	136	53488.4	0.5%
2	MOST OF THE TIME	283	119404.5	1.0%
3	SOME OF THE TIME	928	490607.3	4.2%
4	LITTLE OF TIME	1093	592043.7	5.1%
5	NONE OF THE TIME	20757	10414173.6	89.2%
6	NOT APPLICABLE	36858	17121000.8	
7	DON'T KNOW	75	24687.5	

DIS_10J: Freq./distr.: felt worthless - past mo

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	22	6983.5	
9	NOT STATED	1555	668640.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10K: Freq. of distress feelings - past mo

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=23058 / 11629797.79] [Invalid=38649 / 17861232.18]
Universe	Respondents with DODIS = 1
Literal question	We just talked about feelings that occurred to different degrees during the past month. Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MORE OFTEN	2685	1350766.4	11.6%
2	LESS OFTEN	2178	1163248.8	10.0%
3	ABOUT THE SAME	13737	6982827.2	60.0%
4	NEVER HAD ANY	4458	2132955.4	18.3%
6	NOT APPLICABLE	36858	17121000.8	
7	DON'T KNOW	196	58821.0	
8	REFUSAL	26	6048.8	
9	NOT STATED	1569	675361.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10L: Freq. of distress feelings (more often)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=2667 / 1346129.67] [Invalid=59040 / 28144900.3]
Universe	Respondents who answered DIS_10K = (1, 7 or 8) or DIS_10A = (7 or 8) or DIS_10B = (7 or 8) or DIS_10C = (7 or 8) or DIS_10D = (7 or 8) or DIS_10E = (7 or 8) or DIS_10F = (7 or 8) or DIS_10G = (7 or 8) or DIS_10H = (7 or 8) or DIS_10I = (7 or 8) or DIS_10J = (7 or 8)
Literal question	Is that a lot more, somewhat more or only a little more often than usual?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	948	487023.1	36.2%
2	SOMEWHAT	837	424677.2	31.5%
3	A LITTLE	882	434429.4	32.3%
6	NOT APPLICABLE	57231	27400032.3	
7	DON'T KNOW	17	4454.6	
8	REFUSAL	1	182.1	
9	NOT STATED	1791	740231.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10M: Freq. of distress feelings (less often)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=2140 / 1155140.1] [Invalid=59567 / 28335889.87]
Universe	Respondents who answered DIS_10K = (2, 7 or 8) or DIS_10A = (7 or 8) or DIS_10B = (7 or 8) or DIS_10C = (7 or 8) or DIS_10D = (7 or 8) or DIS_10E = (7 or 8) or DIS_10F = (7 or 8) or DIS_10G = (7 or 8) or DIS_10H = (7 or 8) or DIS_10I = (7 or 8) or DIS_10J = (7 or 8)
Literal question	Is that a lot less, somewhat less or only a little less often than usual?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	826	419234.2	36.3%
2	SOMEWHAT	589	342211.8	29.6%
3	A LITTLE	725	393694.1	34.1%
6	NOT APPLICABLE	57738	27587549.8	
7	DON'T KNOW	35	7675.6	
8	REFUSAL	3	433.2	
9	NOT STATED	1791	740231.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DIS_10N: Freq./distr. feelings int. w/life-p.m.

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=18532 / 9472472.06] [Invalid=43175 / 20018557.91]
Universe	Respondents who answered DIS_10K = (1, 2, 3, 7 or 8) or DIS_10A = (7 or 8) or DIS_10B = (7 or 8) or DIS_10C = (7 or 8) or DIS_10D = (7 or 8) or DIS_10E = (7 or 8) or DIS_10F = (7 or 8) or DIS_10G = (7 or 8) or DIS_10H = (7 or 8) or DIS_10I = (7 or 8) or DIS_10J = (7 or 8)
Literal question	During the past month, how much did these feelings usually interfere with your life or activities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	950	476640.8	5.0%
2	SOME	1887	959207.6	10.1%
3	A LITTLE	4467	2314296.8	24.4%
4	NOT AT ALL	11228	5722326.8	60.4%
6	NOT APPLICABLE	41316	19253956.2	
7	DON'T KNOW	52	13227.3	
8	REFUSAL	12	10550.9	
9	NOT STATED	1795	740823.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DISDK6: Distress scale - K6 - past month - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=22842 / 11532090.75] [Invalid=38865 / 17958939.22] [Mean=2.545 / 2.619] [StdDev=3.32 / 3.306]
Universe	Respondents with DODIS = 1
Notes	Based on DIS_10B, DIS_10D, DIS_10E, DIS_10H, DIS_10I, DIS_10J. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	36858	17121000.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2007	837938.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DISDCHR: Chronicity of distress/impair. scale (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=23002 / 11617052.39] [Invalid=38705 / 17873977.58]
Universe	Respondents with DODIS = 1
Notes	Based on DIS_10K, DIS_10L, DIS_10M. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT MORE	948	487023.1	4.2%
2	SOMEWHAT MORE	837	424677.2	3.7%
3	LITTLE MORE	882	434429.4	3.7%
4	ABOUT THE SAME	13737	6982827.2	60.1%
5	LITTLE LESS	725	393694.1	3.4%
6	SOMEWHAT LESS	589	342211.8	2.9%
7	A LOT LESS	826	419234.2	3.6%
8	NEVER HAD ANY	4458	2132955.4	18.4%
96	NOT APPLICABLE	36858	17121000.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1847	752976.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DISDDSX: Distress scale - K10 - past month - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
Statistics [NW/ W]	[Valid=22788 / 11515127.25] [Invalid=38919 / 17975902.72] [Mean=4.54 / 4.563] [StdDev=5.264 / 5.282]
Universe	Respondents with DODIS = 1
Notes	Based on DIS_10A, DIS_10B, DIS_10C, DIS_10D, DIS_10E, DIS_10F, DIS_10G, DIS_10H, DIS_10I, DIS_10J. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	36858	17121000.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2061	854901.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DODEP: Module: DPS - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16451 / 6069705.86] [Invalid=45256 / 23421324.11]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16451	6069705.9	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	45256	23421324.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_02: Depressed >= 2 weeks - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=15840 / 5900257.83] [Invalid=45867 / 23590772.14]
Universe	Respondents with DODPS = 1
Literal question	During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2142	819353.0	13.9%
2	NO	13698	5080904.8	86.1%
6	NOT APPLICABLE	45256	23421324.1	
7	DON'T KNOW	41	11836.4	
8	REFUSAL	35	7485.9	
9	NOT STATED	535	150125.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_03: Dep. -length/time feelings lasted - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=2110 / 812061.65] [Invalid=59597 / 28678968.32]
Universe	Respondents who answered DPS_02 = (1, 7 or 8)
Literal question	For the next few questions, please think of the 2-week period during the past 12 months when these feelings were the worst. During that time, did these feelings usually last:

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL DAY LONG	544	219272.9	27.0%
2	MOST OF THE DAY	752	292446.1	36.0%
3	ABOUT HALF/DAY	422	154992.5	19.1%
4	LESS HALF/DAY	392	145350.1	17.9%
6	NOT APPLICABLE	58954	28502228.9	
7	DON'T KNOW	28	6673.9	
8	REFUSAL	4	617.5	
9	NOT STATED	611	169448.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_04: Depressed - frequence - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=1290 / 509751.26] [Invalid=60417 / 28981278.71]
Universe	Respondents who answered DPS_03 = (1, 2, 7 or 8) or DPS_02 = (7 or 8)
Literal question	How often did you feel this way during those 2 weeks?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	637	237673.8	46.6%
2	ALMOST EVERY DAY	568	243073.8	47.7%
3	LESS OFTEN	85	29003.7	5.7%
6	NOT APPLICABLE	59768	28802571.5	
7	DON'T KNOW	6	1967.8	
8	REFUSAL	0	0.0	
9	NOT STATED	643	176739.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_05: Dep.-lost interest in most things - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1199 / 479287.18] [Invalid=60508 / 29011742.79]
Universe	Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)
Literal question	During those 2 weeks did you lose interest in most things?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	982	406960.5		84.9%
2	NO	217	72326.7	15.1%	
6	NOT APPLICABLE	59853	28831575.2		
7	DON'T KNOW	5	1128.8		
8	REFUSAL	1	331.6		
9	NOT STATED	649	178707.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_06: Dep. - felt tired all of the time - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1195 / 478938.01] [Invalid=60512 / 29012091.96]
Universe	Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)
Literal question	Did you feel tired out or low on energy all of the time?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1053	428357.7		89.4%
2	NO	142	50580.3	10.6%	
6	NOT APPLICABLE	59853	28831575.2		
7	DON'T KNOW	4	349.2		
8	REFUSAL	0	0.0		
9	NOT STATED	655	180167.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_07: Depressed - weight change - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1178 / 473800.52] [Invalid=60529 / 29017229.45]
Universe	Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)
Literal question	Did you gain weight, lose weight or stay about the same?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	GAINED WEIGHT	247	95343.5	20.1%	
2	LOST WEIGHT	302	114061.1	24.1%	
3	STAYED SAME	628	263563.0		55.6%
4	WAS ON A DIET	1	832.9	0.2%	
6	NOT APPLICABLE	59853	28831575.2		
7	DON'T KNOW	16	4999.0		
8	REFUSAL	1	138.5		
9	NOT STATED	659	180516.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_08A: Depressed -weight change (amount) - 2 wk

Information	[Type= continuous] [Format=numeric] [Range= 1-85] [Missing=*]
Statistics [NW/ W]	[Valid=508 / 194883.72] [Invalid=61199 / 29296146.25] [Mean=13.831 / 14.244] [StdDev=11.641 / 11.733]

DPS_08A: Depressed -weight change (amount) - 2 wk

Universe	Respondents who answered DPS_07 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06 = (7 or 8)			
Literal question	About how much did you gain/lose?			

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	60482	29095971.1	
997	DON'T KNOW	40	14366.6	
998	REFUSAL	1	154.2	
999	NOT STATED	676	185654.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_08B: Depressed - weight change (lb/kg) - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=508 / 194883.72] [Invalid=61199 / 29296146.25]
Universe	Respondents who answered DPS_07 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06 = (7 or 8)
Interviewer's instructions	Interviewer: Was that in pounds or in kilograms?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	POUNDS	503	193148.9		99.1%
2	KILOGRAMS	5	1734.8	0.9%	
6	NOT APPLICABLE	60482	29095971.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	717	200175.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_09: Depressed - trouble fall asleep - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1169 / 472287.02] [Invalid=60538 / 29018742.95]
Universe	Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)
Literal question	Did you have more trouble falling asleep than you usually do?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	826	326924.6		69.2%
2	NO	343	145362.4	30.8%	
6	NOT APPLICABLE	59853	28831575.2		
7	DON'T KNOW	8	1431.8		
8	REFUSAL	1	81.7		
9	NOT STATED	676	185654.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_10: Depr. - fall asleep (freq.) - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=821 / 325017.83] [Invalid=60886 / 29166012.14]
Universe	Respondents who answered DPS_09 = (1, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06 or DPS_07 = (7 or 8)
Literal question	How often did that happen?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	EVERY NIGHT	353	137017.5		42.2%
2	NEARLY EVERY	397	159923.9		49.2%

DPS_10: Depr. - fall asleep (freq.) - 2 wk

Value	Label	Cases	Weighted	Percentage (Weighted)	
3	LESS OFTEN	71	28076.4		8.6%
6	NOT APPLICABLE	60196	28976937.6		
7	DON'T KNOW	5	1906.8		
8	REFUSAL	0	0.0		
9	NOT STATED	685	187167.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_11: Depressed - trouble concentrating - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1151 / 468590.1] [Invalid=60556 / 29022439.87]
Universe	Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)
Literal question	Did you have a lot more trouble concentrating than usual?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	973	409484.3		87.4%
2	NO	178	59105.8		12.6%
6	NOT APPLICABLE	59853	28831575.2		
7	DON'T KNOW	12	1557.6		
8	REFUSAL	1	232.5		
9	NOT STATED	690	189074.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_12: Depressed - felt down on self - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1148 / 467826.56] [Invalid=60559 / 29023203.41]
Universe	Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)
Literal question	At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	777	336336.6		71.9%
2	NO	371	131490.0		28.1%
6	NOT APPLICABLE	59853	28831575.2		
7	DON'T KNOW	3	763.5		
8	REFUSAL	0	0.0		
9	NOT STATED	703	190864.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_13: Depr.- thought a lot about death - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1141 / 466552.22] [Invalid=60566 / 29024477.75]
Universe	Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)
Literal question	Did you think a lot about death - either your own, someone else's or death in general?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	693	264043.4		56.6%
2	NO	448	202508.8		43.4%
6	NOT APPLICABLE	59853	28831575.2		
7	DON'T KNOW	4	1141.0		

DPS_13: Depr.- thought a lot about death - 2 wk

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	3	133.4	
9	NOT STATED	706	191628.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_14: Depressed - number of weeks - 12 mo

Information	[Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]
Statistics [NW/ W]	[Valid=1064 / 444361.4] [Invalid=60643 / 29046668.57] [Mean=13.281 / 12.134] [StdDev=13.806 / 12.756]
Universe	Respondents who answered DPS_05 = (1, 7 or 8) or DPS_06 = (1, 7 or 8) or DPS_09 = (1, 7 or 8) or DPS_11 = (1, 7 or 8) or DPS_12 = (1, 7 or 8) or DPS_13 = (1, 7 or 8) or DPS_07 = (1, 2, 7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) or DPS_10 = (7 or 8)
Literal question	About how many weeks altogether did you feel this way during the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	59857	28832552.1	
97	DON'T KNOW	72	21192.7	
98	REFUSAL	1	21.2	
99	NOT STATED	713	192902.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_15: Depressed - most recent month - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=968 / 418349.31] [Invalid=60739 / 29072680.66]
Universe	Respondents who answered DPS_14 < 52 or DPS_14 = (97 or 98) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06, DPS_07, DPS_09, DPS_10, DPS_11, DPS_12, DPS_13 = (7 or 8)
Literal question	Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	122	48101.9	11.5%
2	FEBRUARY	82	39628.5	9.5%
3	MARCH	97	31639.3	7.6%
4	APRIL	71	40823.1	9.8%
5	MAY	63	26433.6	6.3%
6	JUNE	67	25782.1	6.2%
7	JULY	76	33490.7	8.0%
8	AUGUST	57	24150.9	5.8%
9	SEPTEMBER	73	27340.5	6.5%
10	OCTOBER	75	30929.6	7.4%
11	NOVEMBER	90	39420.5	9.4%
12	DECEMBER	95	50608.6	12.1%
96	NOT APPLICABLE	59917	28848723.4	
97	DON'T KNOW	34	9423.7	
98	REFUSAL	2	417.0	
99	NOT STATED	786	214116.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_16: Loss int. - things give pleasure - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14538 / 5394664.89] [Invalid=47169 / 24096365.08]
Universe	Respondents who answered DPS_02 = (2, 7 or 8) or DPS_03 = (3, 4, 7 or 8) or DPS_04 = (3, 7 or 8)

DPS_16: Loss int. - things give pleasure - 12 mo

Literal question	During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work or activities that usually give you pleasure?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1058	393482.6		7.3%
2	NO	13480	5001182.3		92.7%
6	NOT APPLICABLE	46461	23902071.7		
7	DON'T KNOW	54	13870.1		
8	REFUSAL	5	1716.0		
9	NOT STATED	649	178707.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_17: Loss interest - freq. - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1038 / 389381.51] [Invalid=60669 / 29101648.46]
Universe	Respondents who answered DPS_16 = (1, 7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)
Literal question	For the next few questions, please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALL DAY LONG	203	74377.3	19.1%	
2	MOST OF THE DAY	270	103849.1	26.7%	
3	ABOUT HALF/DAY	309	121694.6	31.3%	
4	LESS HALF/DAY	256	89460.6	23.0%	
6	NOT APPLICABLE	59941	28903254.0		
7	DON'T KNOW	19	3800.3		
8	REFUSAL	1	300.8		
9	NOT STATED	708	194293.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_18: Loss interest - freq. - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=470 / 177691.18] [Invalid=61237 / 29313338.79]
Universe	Respondents who answered DPS_17 = (1, 2, 7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)
Literal question	How often did you feel this way during those 2 weeks?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	EVERY DAY	108	45544.7	25.6%	
2	ALMOST EVERY DAY	242	95492.4		53.7%
3	LESS OFTEN	120	36654.1	20.6%	
6	NOT APPLICABLE	60506	29114409.1		
7	DON'T KNOW	3	535.2		
8	REFUSAL	0	0.0		
9	NOT STATED	728	198394.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_19: Loss int. -felt tired all the time -2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=349 / 140581.91] [Invalid=61358 / 29350448.06]

DPS_19: Loss int. -felt tired all the time -2 wk

Universe		Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)		
Literal question		During those 2 weeks did you feel tired out or low on energy all the time?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	308	123278.1	87.7%
2	NO	41	17303.8	12.3%
6	NOT APPLICABLE	60626	29151063.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	732	199384.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_20: Loss interest - weight change - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]	[Valid=345 / 139718.62] [Invalid=61362 / 29351311.35]	
Universe	Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)	
Literal question	Did you gain weight, lose weight, or stay about the same?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	GAINED WEIGHT	60	23185.1	16.6%
2	LOST WEIGHT	68	21971.3	15.7%
3	STAYED SAME	217	94562.2	67.7%
4	WAS ON A DIET	0	0.0	
6	NOT APPLICABLE	60626	29151063.3	
7	DON'T KNOW	4	863.3	
8	REFUSAL	0	0.0	
9	NOT STATED	732	199384.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_21A: Loss interest - weight change (amount)

Information	[Type= discrete] [Format=numeric] [Range= 1-50] [Missing=*]	
Statistics [NW/ W]	[Valid=120 / 42904.57] [Invalid=61587 / 29448125.4]	
Universe	Respondents who answered DPS_20 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_16, DPS_17, DPS_18 or DPS_19 = (7 or 8)	
Literal question	About how much did you weight?	

Value	Label	Cases	Weighted	Percentage (Weighted)
1		2	404.4	0.9%
2		8	1638.0	3.8%
3		6	2460.3	5.7%
4		2	540.4	1.3%
5		23	7966.0	18.6%
6		1	190.3	0.4%
7		4	2037.0	4.7%
8		2	1950.1	4.5%
9		1	24.7	0.1%
10		29	11227.8	26.2%
12		3	1085.9	2.5%

DPS_21A: Loss interest - weight change (amount)

Value	Label	Cases	Weighted	Percentage (Weighted)
13		1	136.1	0.3%
15		14	5347.0	12.5%
18		1	65.4	0.2%
19		1	94.0	0.2%
20		10	2147.8	5.0%
25		2	1666.5	3.9%
28		1	58.6	0.1%
30		6	2453.2	5.7%
40		2	482.1	1.1%
50		1	929.1	2.2%
996	NOT APPLICABLE	60843	29245625.4	
997	DON'T KNOW	8	2251.9	
998	REFUSAL	0	0.0	
999	NOT STATED	736	200248.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_21B: Loss int. - weight change (lb/kg) - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=120 / 42904.57] [Invalid=61587 / 29448125.4]
Universe	Respondents who answered DPS_20 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_16, DPS_17, DPS_18 or DPS_19 = (7 or 8)
Interviewer's instructions	Interviewer: Was that in pounds or in kilograms?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	POUNDS	118	40180.4	93.7%
2	KILOGRAMS	2	2724.2	6.3%
6	NOT APPLICABLE	60843	29245625.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	744	202500.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_22: Loss interest -trouble fall asleep -2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=345 / 139718.62] [Invalid=61362 / 29351311.35]
Universe	Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)
Literal question	Did you have more trouble falling asleep than you usually do?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	218	84490.4	60.5%
2	NO	127	55228.3	39.5%
6	NOT APPLICABLE	60626	29151063.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	736	200248.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_23: Loss int. -trouble to sleep (freq) -2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=215 / 84332.72] [Invalid=61492 / 29406697.25]		
Universe	Respondents who answered DPS_22 = (1, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_16, DPS_17, DPS_18, DPS_19, DPS_20 = (7 or 8)		
Literal question	How often did that happen?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY NIGHT	74	30217.1	35.8%
2	NEARLY EVERY	104	45843.4	54.4%
3	LESS OFTEN	37	8272.2	9.8%
6	NOT APPLICABLE	60753	29206291.5	
7	DON'T KNOW	3	157.6	
8	REFUSAL	0	0.0	
9	NOT STATED	736	200248.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_24: Loss int.- trouble concentrating - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=342 / 139560.98] [Invalid=61365 / 29351468.99]		
Universe	Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)		
Literal question	Did you have a lot more trouble concentrating than usual?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	263	104833.2	75.1%
2	NO	79	34727.8	24.9%
6	NOT APPLICABLE	60626	29151063.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	739	200405.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_25: Loss interest - felt down on self - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=340 / 139452.71] [Invalid=61367 / 29351577.26]		
Universe	Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)		
Literal question	At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?		

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	215	95954.8	68.8%
2	NO	125	43497.9	31.2%
6	NOT APPLICABLE	60626	29151063.3	
7	DON'T KNOW	2	108.3	
8	REFUSAL	0	0.0	
9	NOT STATED	739	200405.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_26: Loss int.- thought a lot/death - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

DPS_26: Loss int.- thought a lot/death - 2 wk

Statistics [NW/ W]	[Valid=340 / 139452.71] [Invalid=61367 / 29351577.26]
Universe	Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)
Literal question	Did you think a lot about death - either your own, someone else's, or death in general?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	176	66183.8	47.5%
2	NO	164	73268.9	52.5%
6	NOT APPLICABLE	60626	29151063.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	741	200514.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_27: Loss interest - nombre of weeks - 12 mo

Information	[Type= continuous] [Format=numeric] [Range= 2-52] [Missing=*]
Statistics [NW/ W]	[Valid=301 / 123855.45] [Invalid=61406 / 29367174.52] [Mean=10.07 / 7.507] [StdDev=13.031 / 10.407]
Universe	Respondents who answered DPS_19 = (1, 7 or 8) or DPS_22 = (1, 7 or 8) or DPS_24 = (1, 7 or 8) or DPS_25 = (1, 7 or 8) or DPS_26 = (1, 7 or 8) or DPS_20 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_16, DPS_17, DPS_18, DPS_23 = (7 or 8)
Literal question	About how many weeks did you feel this way during the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	60637	29158558.7	
97	DON'T KNOW	28	8101.9	
98	REFUSAL	0	0.0	
99	NOT STATED	741	200514.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPS_28: Loss interest - most recent month - 2 wk

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=278 / 115808.97] [Invalid=61429 / 29375221]
Universe	Respondents who answered DPS_27 < 52 or DPS_27 = (97 or 98) or one of DPS_02, DPS_03, DPS_04, DPS_16, DPS_17, DPS_18, DPS_19, DPS_20, DPS_22, DPS_23, DPS_24, DPS_25, DPS_26 = (7 or 8)
Literal question	Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	37	15010.5	13.0%
2	FEBRUARY	30	13817.0	11.9%
3	MARCH	18	5287.1	4.6%
4	APRIL	25	4199.3	3.6%
5	MAY	25	10141.4	8.8%
6	JUNE	16	6953.0	6.0%
7	JULY	14	5122.5	4.4%
8	AUGUST	20	5725.5	4.9%
9	SEPTEMBER	17	10891.7	9.4%
10	OCTOBER	16	10060.8	8.7%
11	NOVEMBER	23	11184.8	9.7%
12	DECEMBER	37	17415.4	15.0%
96	NOT APPLICABLE	60650	29161749.6	

DPS_28: Loss interest - most recent month - 2 wk

Value	Label	Cases	Weighted	Percentage (Weighted)
97	DON'T KNOW	10	4855.6	
98	REFUSAL	0	0.0	
99	NOT STATED	769	208615.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPSDSF: Depr. scale - short form score - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=15646 / 5854996.49] [Invalid=46061 / 23636033.48]
Universe	Respondents with DODPS = 1
Notes	Based on DPS_02, DPS_05, DPS_06, DPS_08A, DPS_08B, DPS_10, DPS_11, DPS_12, DPS_13, DPS_16, DPS_17, DPS_18, DPS_19, DPS_21A, DPS_21B, DPS_23, DPS_24, DPS_25, DPS_26. Higher scores indicate higher level of depression. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0		14165	5248991.6	89.6%
1		20	9948.7	0.2%
2		45	18436.1	0.3%
3		106	39080.2	0.7%
4		202	68889.1	1.2%
5		320	143449.6	2.5%
6		363	151816.8	2.6%
7		310	120926.1	2.1%
8		115	53458.4	0.9%
96	NOT APPLICABLE	45256	23421324.1	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	805	214709.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPSDPP: Depr. scale - predicted prob. - (D)

Information	[Type= continuous] [Format=numeric] [Range= 0-0.9] [Missing=*]
Statistics [NW/ W]	[Valid=15646 / 5854996.49] [Invalid=46061 / 23636033.48]
Universe	Respondents with DODPS = 1
Notes	Based on DPSDSF. A probability of caseness of 0 was assigned to respondents who denied the stem questions. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	0.00	14165	5248991.6	89.6%
0.05	0.05	20	9948.7	0.2%
0.25	0.25	45	18436.1	0.3%
0.5	0.50	106	39080.2	0.7%
0.8	0.80	202	68889.1	1.2%
0.9	0.90	1108	469650.9	8.0%
9.96	NOT APPLICABLE	45256	23421324.1	
9.97	DON'T KNOW	0	0.0	
9.98	REFUSAL	0	0.0	
9.99	NOT STATED	805	214709.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPSDWK: No. of weeks felt depressed - (D)

Information	[Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]
Statistics [NW/ W]	[Valid=1328 / 558464.83] [Invalid=60379 / 28932565.14] [Mean=12.563 / 11.14] [StdDev=13.728 / 12.472]
Universe	Respondents who answered DPS_05 = (1, 7 or 8) or DPS_06 = (1, 7 or 8) or DPS_09 = (1, 7 or 8) or DPS_11 = (1, 7 or 8) or DPS_12 = (1, 7 or 8) or DPS_13 = (1, 7 or 8) or DPS_07 = (1, 2, 7 or 8) or DPS_19 = (1, 7 or 8) or DPS_22 = (1, 7 or 8) or DPS_24 = (1, 7 or 8) or DPS_25 = (1, 7 or 8) or DPS_26 = (1, 7 or 8) or DPS_20 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_10, DPS_16, DPS_17, DPS_18, DPS_23 = (7 or 8)
Notes	Based on DPS_14, DPS_27. Respondents who did not report feeling sad, blue or depressed and who did not report having lost interest in most things are excluded from the calculation of this variable; or did not show any required signs of depression have been excluded from the population. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	59436	28678788.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	943	253777.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DPSDMT: Mth last felt depr.- 2 wks in a row -(D)

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=1215 / 525310.62] [Invalid=60492 / 28965719.35]
Universe	Respondents who answered DPS_14 < 52 or DPS_27 < 52 or DPS_14 = (97 or 98) or DPS_27 = (97 or 98) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06, DPS_07, DPS_09, DPS_10, DPS_11, DPS_12, DPS_13, DPS_16, DPS_17, DPS_18, DPS_19, DPS_20, DPS_22, DPS_23, DPS_24, DPS_25, DPS_26 = (7 or 8)
Notes	Based on DPS_14, DPS_15, DPS_27, DPS_28. The following respondents have been excluded from the population: respondents who did not report feeling sad, blue or depressed and who did not report having lost interest in most things; or respondents who did not show any required signs of depression; or respondents who have been depressed more than 51 weeks in the last past year; in the calculation of this variable. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	159	63112.3	12.0%
2	FEBRUARY	110	53116.9	10.1%
3	MARCH	111	35810.3	6.8%
4	APRIL	94	44607.6	8.5%
5	MAY	85	34594.5	6.6%
6	JUNE	80	31017.2	5.9%
7	JULY	88	38404.5	7.3%
8	AUGUST	76	29767.6	5.7%
9	SEPTEMBER	89	38164.4	7.3%
10	OCTOBER	88	40098.0	7.6%
11	NOVEMBER	107	49042.1	9.3%
12	DECEMBER	128	67575.1	12.9%
96	NOT APPLICABLE	59509	28698150.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	983	267569.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSUI: Module: SUI - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10877 / 4490666.13] [Invalid=50830 / 25000363.84]
Universe	All respondents

DOSUI: Module: SUI - (F)

Notes		Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	10877	4490666.1		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	50830	25000363.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SUI_1: Has considered suicide - lifetime

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10023 / 4198742.91] [Invalid=51684 / 25292287.06]
Universe	Respondents aged 15 and over with DOSUI = 1
Literal question	Have you ever seriously considered committing suicide or taking your own life?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	967	434225.7	10.3%	
2	NO	9056	3764517.2		89.7%
6	NOT APPLICABLE	51295	25174006.7		
7	DON'T KNOW	19	5765.4		
8	REFUSAL	44	9802.7		
9	NOT STATED	326	102712.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SUI_2: Has considered suicide - past 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=966 / 432926.25] [Invalid=60741 / 29058103.72]
Universe	Respondents who answered SUI_1 = (1, 7 or 8)
Literal question	Has this happened in the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	227	101830.1	23.5%	
2	NO	739	331096.2		76.5%
6	NOT APPLICABLE	60351	28938523.9		
7	DON'T KNOW	1	1299.5		
8	REFUSAL	0	0.0		
9	NOT STATED	389	118280.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOACC: Module: ACC - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11739 / 5041684.58] [Invalid=49968 / 24449345.39]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

DOACC: Module: ACC - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	11739	5041684.6		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	49968	24449345.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_10: Required visit to medical specialist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10716 / 4637112.83] [Invalid=50991 / 24853917.14]
Universe	Respondents aged 15 and over with ACCFOPT = 1
Literal question	In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3708	1502746.2	32.4%	
2	NO	7008	3134366.7		67.6%
6	NOT APPLICABLE	50409	24642455.4		
7	DON'T KNOW	14	4309.8		
8	REFUSAL	19	6201.0		
9	NOT STATED	549	200950.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_11: Diff. getting specialist care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3707 / 1502255.88] [Invalid=58000 / 27988774.09]
Universe	Respondents who answered ACC_10 = (1, 7 or 8)
Literal question	In the past 12 months, did you ever experience any difficulties getting the specialist care you needed for a diagnosis or consultation?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	908	374830.4	25.0%	
2	NO	2799	1127425.5		75.0%
6	NOT APPLICABLE	57417	27776822.1		
7	DON'T KNOW	1	490.3		
8	REFUSAL	0	0.0		
9	NOT STATED	582	211461.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12A: Diff. - getting a referral

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=908 / 374830.4] [Invalid=60799 / 29116199.57]
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting a referral

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	92	46632.2	12.4%	
2	NO	816	328198.2		87.6%

ACC_12A: Diff. - getting a referral

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	60216	28904247.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	583	211952.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12B: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=908 / 374830.4] [Invalid=60799 / 29116199.57]
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	319	146861.8	39.2%
2	NO	589	227968.6	60.8%
6	NOT APPLICABLE	60216	28904247.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	583	211952.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12C: Diff. - no specalists in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=908 / 374830.4] [Invalid=60799 / 29116199.57]
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - No specialists in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	88	39292.1	10.5%
2	NO	820	335538.3	89.5%
6	NOT APPLICABLE	60216	28904247.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	583	211952.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12D: Diff. - waited too long for appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=908 / 374830.4] [Invalid=60799 / 29116199.57]
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long between booking appointment and visit

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	503	209752.2	56.0%
2	NO	405	165078.2	44.0%
6	NOT APPLICABLE	60216	28904247.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

ACC_12D: Diff. - waited too long for appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	583	211952.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12E: Diff. - waited too long /see doc.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=908 / 374830.4] [Invalid=60799 / 29116199.57]
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	129	54812.3	14.6%	
2	NO	779	320018.1		85.4%
6	NOT APPLICABLE	60216	28904247.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	583	211952.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12F: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=908 / 374830.4] [Invalid=60799 / 29116199.57]
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	29	9767.5	2.6%	
2	NO	879	365062.9		97.4%
6	NOT APPLICABLE	60216	28904247.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	583	211952.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12G: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=908 / 374830.4] [Invalid=60799 / 29116199.57]
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5	4385.5	1.2%	
2	NO	903	370444.9		98.8%
6	NOT APPLICABLE	60216	28904247.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	583	211952.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12H: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=908 / 374830.4] [Invalid=60799 / 29116199.57]
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	27	10528.4	2.8%	
2	NO	881	364302.0		97.2%
6	NOT APPLICABLE	60216	28904247.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	583	211952.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12I: Diff. - pers./family responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=908 / 374830.4] [Invalid=60799 / 29116199.57]
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Personal or family responsibilities

ACC_12I: Diff. - pers./family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5	1009.6	0.3%	
2	NO	903	373820.8		99.7%
6	NOT APPLICABLE	60216	28904247.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	583	211952.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12J: Diff. - deterioration of health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=908 / 374830.4] [Invalid=60799 / 29116199.57]
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - General deterioration of health

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	24	11874.6	3.2%	
2	NO	884	362955.8		96.8%
6	NOT APPLICABLE	60216	28904247.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	583	211952.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12K: Diff. - appointment cancelled/deferred

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=908 / 374830.4] [Invalid=60799 / 29116199.57]
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Appointment cancelled or deferred by specialist

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	34	13358.9	3.6%	
2	NO	874	361471.5		96.4%
6	NOT APPLICABLE	60216	28904247.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	583	211952.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12L: Diff. - still waiting for visit

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=908 / 374830.4] [Invalid=60799 / 29116199.57]
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Still waiting for visit

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	73	36111.4	9.6%	
2	NO	835	338719.0		90.4%
6	NOT APPLICABLE	60216	28904247.6		

ACC_12L: Diff. - still waiting for visit

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	583	211952.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12M: Diff. - unable leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=908 / 374830.4] [Invalid=60799 / 29116199.57]
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	1631.9	0.4%
2	NO	906	373198.5	99.6%
6	NOT APPLICABLE	60216	28904247.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	583	211952.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_12N: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=908 / 374830.4] [Invalid=60799 / 29116199.57]
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	127	49731.3	13.3%
2	NO	781	325099.1	86.7%
6	NOT APPLICABLE	60216	28904247.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	583	211952.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_20: Required non-emergency surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10723 / 4637899.5] [Invalid=50984 / 24853130.47]
Universe	Respondents aged 15 and over with ACCFOPT = 1
Literal question	In the past 12 months, did you require any non-emergency surgery?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1014	392002.8	8.5%
2	NO	9709	4245896.7	91.5%
6	NOT APPLICABLE	50409	24642455.4	
7	DON'T KNOW	7	1302.2	
8	REFUSAL	17	8078.2	
9	NOT STATED	551	201294.6	

ACC_20: Required non-emergency surgery

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_21: Diff. getting non-emerg. surg.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1013 / 391883.72] [Invalid=60694 / 29099146.25]
Universe	Respondents who answered ACC_20 = (1, 7 or 8)
Literal question	In the past 12 months, did you ever experience any difficulties getting the surgery you needed?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	206	77424.8	19.8%	
2	NO	807	314458.9		80.2%
6	NOT APPLICABLE	60118	28888352.2		
7	DON'T KNOW	1	119.1		
8	REFUSAL	0	0.0		
9	NOT STATED	575	210675.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22A: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=206 / 77424.82] [Invalid=61501 / 29413605.15]
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	59	18727.4	24.2%	
2	NO	147	58697.4		75.8%
6	NOT APPLICABLE	60925	29202811.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	576	210794.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22B: Diff. - getting a diagnosis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=206 / 77424.82] [Invalid=61501 / 29413605.15]
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting a diagnosis

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	15	7677.1	9.9%	
2	NO	191	69747.7		90.1%
6	NOT APPLICABLE	60925	29202811.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	576	210794.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22C: Diff. - wait too long/diag. test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=206 / 77424.82] [Invalid=61501 / 29413605.15]

ACC_22C: Diff. - wait too long/diag. test

Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long for a diagnostic test			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23	8737.8	11.3%
2	NO	183	68687.0	88.7%
6	NOT APPLICABLE	60925	29202811.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	576	210794.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22D: Diff. - waited too long/hosp. bed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=206 / 77424.82] [Invalid=61501 / 29413605.15]
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long for a hospital bed to become available

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	8806.1	11.4%
2	NO	189	68618.8	88.6%
6	NOT APPLICABLE	60925	29202811.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	576	210794.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22E: Diff. - waited too long/surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=206 / 77424.82] [Invalid=61501 / 29413605.15]
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long for surgery

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	107	38149.0	49.3%
2	NO	99	39275.8	50.7%
6	NOT APPLICABLE	60925	29202811.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	576	210794.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22F: Diff. - service not available/area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=206 / 77424.82] [Invalid=61501 / 29413605.15]
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	3863.1	5.0%

ACC_22F: Diff. - service not available/area

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	195	73561.7		95.0%
6	NOT APPLICABLE	60925	29202811.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	576	210794.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22G: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=206 / 77424.82] [Invalid=61501 / 29413605.15]
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5	1736.0	2.2%	
2	NO	201	75688.8		97.8%
6	NOT APPLICABLE	60925	29202811.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	576	210794.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22H: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=206 / 77424.82] [Invalid=61501 / 29413605.15]
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	206	77424.8		100.0%
6	NOT APPLICABLE	60925	29202811.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	576	210794.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22I: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=206 / 77424.82] [Invalid=61501 / 29413605.15]
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3	971.5	1.3%	
2	NO	203	76453.3		98.7%
6	NOT APPLICABLE	60925	29202811.1		
7	DON'T KNOW	0	0.0		

ACC_22I: Diff. - cost

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	576	210794.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22J: Diff. - pers./family responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=206 / 77424.82] [Invalid=61501 / 29413605.15]
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	206	77424.8	100.0%
6	NOT APPLICABLE	60925	29202811.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	576	210794.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22K: Diff. - deterioration of health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=206 / 77424.82] [Invalid=61501 / 29413605.15]
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - General deterioration of health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	2445.7	3.2%
2	NO	199	74979.2	96.8%
6	NOT APPLICABLE	60925	29202811.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	576	210794.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22L: Diff. - appointment cancelled/deferred

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=206 / 77424.82] [Invalid=61501 / 29413605.15]
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16	9198.0	11.9%
2	NO	190	68226.8	88.1%
6	NOT APPLICABLE	60925	29202811.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	576	210794.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22M: Diff. - still waiting for surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=206 / 77424.82] [Invalid=61501 / 29413605.15]
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Still waiting for surgery

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	39	12391.6		16.0%
2	NO	167	65033.3		84.0%
6	NOT APPLICABLE	60925	29202811.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	576	210794.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22N: Diff. - unable leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=206 / 77424.82] [Invalid=61501 / 29413605.15]
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1	993.7	1.3%	
2	NO	205	76431.1		98.7%
6	NOT APPLICABLE	60925	29202811.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	576	210794.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_22O: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=206 / 77424.82] [Invalid=61501 / 29413605.15]
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	22	5331.9	6.9%	
2	NO	184	72092.9		93.1%
6	NOT APPLICABLE	60925	29202811.1		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	576	210794.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_30: Required MRI, CT Scan, angiography

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10694 / 4628874.22] [Invalid=51013 / 24862155.75]
Universe	Respondents aged 15 and over with ACCFOPT = 1
Literal question	In the past 12 months, did you require one of these tests?

ACC_30: Required MRI, CT Scan, angiography

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1710	643216.6	13.9%
2	NO	8984	3985657.7	86.1%
6	NOT APPLICABLE	50409	24642455.4	
7	DON'T KNOW	32	7711.5	
8	REFUSAL	17	8483.8	
9	NOT STATED	555	203505.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_31: Difficulties getting test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1710 / 643216.55] [Invalid=59997 / 28847813.42]
Universe	Respondents who answered ACC_30 = (1, 7 or 8)
Literal question	Respondents aged 15 and over with ACCFOPT = 1

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	290	126714.2	19.7%
2	NO	1420	516502.3	80.3%
6	NOT APPLICABLE	59393	28628113.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	604	219700.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32A: Diff. - getting a referral

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=289 / 126237.25] [Invalid=61418 / 29364792.72]
Universe	Respondents who answered ACC_30 = (1, 7 or 8)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21	10228.6	8.1%
2	NO	268	116008.7	91.9%
6	NOT APPLICABLE	60813	29144615.4	
7	DON'T KNOW	1	477.0	
8	REFUSAL	0	0.0	
9	NOT STATED	604	219700.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32B: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=289 / 126237.25] [Invalid=61418 / 29364792.72]
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	68	35533.1	28.1%
2	NO	221	90704.2	71.9%
6	NOT APPLICABLE	60813	29144615.4	
7	DON'T KNOW	1	477.0	

ACC_32B: Diff. - getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	604	219700.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32C: Diff. - waited too long for appt.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=289 / 126237.25] [Invalid=61418 / 29364792.72]
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	181	67731.2		53.7%
2	NO	108	58506.0		46.3%
6	NOT APPLICABLE	60813	29144615.4		
7	DON'T KNOW	1	477.0		
8	REFUSAL	0	0.0		
9	NOT STATED	604	219700.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32D: Diff. - waited too long/get test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=289 / 126237.25] [Invalid=61418 / 29364792.72]
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	75	39211.2	31.1%	
2	NO	214	87026.1		68.9%
6	NOT APPLICABLE	60813	29144615.4		
7	DON'T KNOW	1	477.0		
8	REFUSAL	0	0.0		
9	NOT STATED	604	219700.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32E: Diff. - not available at time required

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=289 / 126237.25] [Invalid=61418 / 29364792.72]
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	15	5076.8	4.0%	
2	NO	274	121160.5		96.0%
6	NOT APPLICABLE	60813	29144615.4		
7	DON'T KNOW	1	477.0		
8	REFUSAL	0	0.0		
9	NOT STATED	604	219700.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32F: Diff. - not available/area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=289 / 126237.25] [Invalid=61418 / 29364792.72]
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22	6274.1	5.0%
2	NO	267	119963.2	95.0%
6	NOT APPLICABLE	60813	29144615.4	
7	DON'T KNOW	1	477.0	
8	REFUSAL	0	0.0	
9	NOT STATED	604	219700.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32G: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=289 / 126237.25] [Invalid=61418 / 29364792.72]
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	2775.4	2.2%
2	NO	278	123461.8	97.8%
6	NOT APPLICABLE	60813	29144615.4	
7	DON'T KNOW	1	477.0	
8	REFUSAL	0	0.0	
9	NOT STATED	604	219700.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32H: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=289 / 126237.25] [Invalid=61418 / 29364792.72]
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	289	126237.2	100.0%
6	NOT APPLICABLE	60813	29144615.4	
7	DON'T KNOW	1	477.0	
8	REFUSAL	0	0.0	
9	NOT STATED	604	219700.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32I: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=289 / 126237.25] [Invalid=61418 / 29364792.72]
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Cost

ACC_32I: Diff. - cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	2545.4	2.0%
2	NO	279	123691.9	98.0%
6	NOT APPLICABLE	60813	29144615.4	
7	DON'T KNOW	1	477.0	
8	REFUSAL	0	0.0	
9	NOT STATED	604	219700.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32J: Diff. - deterioration of health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=289 / 126237.25] [Invalid=61418 / 29364792.72]
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - General deterioration of health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	1676.5	1.3%
2	NO	285	124560.7	98.7%
6	NOT APPLICABLE	60813	29144615.4	
7	DON'T KNOW	1	477.0	
8	REFUSAL	0	0.0	
9	NOT STATED	604	219700.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32K: Diff. - did not know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=289 / 126237.25] [Invalid=61418 / 29364792.72]
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	289	126237.2	100.0%
6	NOT APPLICABLE	60813	29144615.4	
7	DON'T KNOW	1	477.0	
8	REFUSAL	0	0.0	
9	NOT STATED	604	219700.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32L: Diff. - still waiting for test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=289 / 126237.25] [Invalid=61418 / 29364792.72]
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Still waiting for test

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30	12928.4	10.2%
2	NO	259	113308.8	89.8%
6	NOT APPLICABLE	60813	29144615.4	

ACC_32L: Diff. - still waiting for test

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	1	477.0	
8	REFUSAL	0	0.0	
9	NOT STATED	604	219700.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32M: Diff. - unable leave house /health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=289 / 126237.25] [Invalid=61418 / 29364792.72]
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	100.1	0.1%
2	NO	288	126137.2	99.9%
6	NOT APPLICABLE	60813	29144615.4	
7	DON'T KNOW	1	477.0	
8	REFUSAL	0	0.0	
9	NOT STATED	604	219700.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_32N: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=289 / 126237.25] [Invalid=61418 / 29364792.72]
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29	10495.7	8.3%
2	NO	260	115741.6	91.7%
6	NOT APPLICABLE	60813	29144615.4	
7	DON'T KNOW	1	477.0	
8	REFUSAL	0	0.0	
9	NOT STATED	604	219700.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40: Required health information

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10678 / 4626968.05] [Invalid=51029 / 24864061.92]
Universe	Respondents aged 15 and over with ACCFOPT = 1
Literal question	In the past 12 months, have you required health information or advice for yourself or your family?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5395	2505735.0	54.2%
2	NO	5283	2121233.1	45.8%
6	NOT APPLICABLE	50409	24642455.4	
7	DON'T KNOW	34	7687.0	
8	REFUSAL	23	8201.2	
9	NOT STATED	563	205718.3	

ACC_40: Required health information

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40A: Contact/health info - doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5388 / 2502433.01] [Invalid=56319 / 26988596.96]
Universe	Respondents who answered ACC_40 = (1, 7 or 8)
Literal question	Who did you contact when you needed health information or advice for yourself or your family? - Doctor's office

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4207	1898813.8		75.9%
2	NO	1181	603619.2	24.1%	
6	NOT APPLICABLE	55692	26763688.5		
7	DON'T KNOW	5	1763.3		
8	REFUSAL	1	367.8		
9	NOT STATED	621	222777.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40B: Contact/health info - community hlth ctr

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5388 / 2502433.01] [Invalid=56319 / 26988596.96]
Universe	Respondents who answered ACC_40 = (1, 7 or 8)
Literal question	Who did you contact when you needed health information or advice for yourself or your family? - Community health centre / CLSC

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	325	170551.8	6.8%	
2	NO	5063	2331881.2		93.2%
6	NOT APPLICABLE	55692	26763688.5		
7	DON'T KNOW	5	1763.3		
8	REFUSAL	1	367.8		
9	NOT STATED	621	222777.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40C: Contact/health info - walk-in clinic

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5388 / 2502433.01] [Invalid=56319 / 26988596.96]
Universe	Respondents who answered ACC_40 = (1, 7 or 8)
Literal question	Who did you contact when you needed health information or advice for yourself or your family? - Walk-in clinic

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	988	604641.3	24.2%	
2	NO	4400	1897791.7		75.8%
6	NOT APPLICABLE	55692	26763688.5		
7	DON'T KNOW	5	1763.3		
8	REFUSAL	1	367.8		
9	NOT STATED	621	222777.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40D: Contact/health info - health line

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

ACC_40D: Contact/health info - health line

Statistics [NW/ W]	[Valid=5388 / 2502433.01] [Invalid=56319 / 26988596.96]			
Universe	Respondents who answered ACC_40 = (1, 7 or 8)			
Literal question	Who did you contact when you needed health information or advice for yourself or your family? - Telephone health line (e.g., HealthLinks, Telehealth Ontario, HealthLink, Health-Line, Telecare, Info-Santé)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	620	296126.7	11.8%
2	NO	4768	2206306.3	88.2%
6	NOT APPLICABLE	55692	26763688.5	
7	DON'T KNOW	5	1763.3	
8	REFUSAL	1	367.8	
9	NOT STATED	621	222777.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40E: Contact/health info - emergency room

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5388 / 2502433.01] [Invalid=56319 / 26988596.96]			
Universe	Respondents who answered ACC_40 = (1, 7 or 8)			
Literal question	Who did you contact when you needed health information or advice for yourself or your family? - Hospital emergency room			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	873	420883.7	16.8%
2	NO	4515	2081549.3	83.2%
6	NOT APPLICABLE	55692	26763688.5	
7	DON'T KNOW	5	1763.3	
8	REFUSAL	1	367.8	
9	NOT STATED	621	222777.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40F: Contact/health info - other hosp. serv.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5388 / 2502433.01] [Invalid=56319 / 26988596.96]			
Universe	Respondents who answered ACC_40 = (1, 7 or 8)			
Literal question	Who did you contact when you needed health information or advice for yourself or your family? - Other hospital service			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	380	181537.3	7.3%
2	NO	5008	2320895.7	92.7%
6	NOT APPLICABLE	55692	26763688.5	
7	DON'T KNOW	5	1763.3	
8	REFUSAL	1	367.8	
9	NOT STATED	621	222777.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_40G: Contact/health info - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5388 / 2502433.01] [Invalid=56319 / 26988596.96]
Universe	Respondents who answered ACC_40 = (1, 7 or 8)
Literal question	Who did you contact when you needed health information or advice for yourself or your family? - Other

ACC_40G: Contact/health info - other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	847	399272.0	16.0%	
2	NO	4541	2103161.0		84.0%
6	NOT APPLICABLE	55692	26763688.5		
7	DON'T KNOW	5	1763.3		
8	REFUSAL	1	367.8		
9	NOT STATED	621	222777.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_41: Diff. getting health information

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5385 / 2499248.32] [Invalid=56322 / 26991781.65]
Universe	Respondents who answered ACC_40 = (1, 7 or 8)
Literal question	In the past 12 months, did you ever experience any difficulties getting the health information or advice you needed?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	770	377597.2	15.1%
2	NO	4615	2121651.1	84.9%
6	NOT APPLICABLE	55692	26763688.5	
7	DON'T KNOW	8	5230.5	
8	REFUSAL	0	0.0	
9	NOT STATED	622	222862.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_42: Exp. diff. during regular hrs.

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=761 / 375149.37] [Invalid=60946 / 29115880.6]
Universe	Respondents who answered ACC_41 = (1, 7 or 8) or ACC_40 = (7 or 8)
Literal question	Did you experience difficulties during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	616	287330.0	76.6%
2	NO	115	62783.7	16.7%
3	NOT REQUIRED	30	25035.6	6.7%
6	NOT APPLICABLE	60307	28885339.7	
7	DON'T KNOW	8	2396.9	
8	REFUSAL	0	0.0	
9	NOT STATED	631	228144.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43A: Diff. - contact a physician/nurse

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=614 / 286884.46] [Invalid=61093 / 29204145.51]
Universe	Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician or nurse

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	186	84321.1	29.4%
2	NO	428	202563.4	70.6%
6	NOT APPLICABLE	60452	28973159.0	
7	DON'T KNOW	2	445.6	
8	REFUSAL	0	0.0	
9	NOT STATED	639	230540.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43B: Diff. - did not have a phone number

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=614 / 286884.46] [Invalid=61093 / 29204145.51]
Universe	Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

ACC_43B: Diff. - did not have a phone number

	Literal question	What type of difficulties did you experience? - Did not have a phone number

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	13278.9	4.6%
2	NO	605	273605.6	95.4%
6	NOT APPLICABLE	60452	28973159.0	
7	DON'T KNOW	2	445.6	
8	REFUSAL	0	0.0	
9	NOT STATED	639	230540.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43C: Diff. - could not get through

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=614 / 286884.46] [Invalid=61093 / 29204145.51]
Universe	Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Could not get through (i.e. no answer)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	70	33908.1	11.8%
2	NO	544	252976.4	88.2%
6	NOT APPLICABLE	60452	28973159.0	
7	DON'T KNOW	2	445.6	
8	REFUSAL	0	0.0	
9	NOT STATED	639	230540.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43D: Diff. - waited too long to speak

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=614 / 286884.46] [Invalid=61093 / 29204145.51]
Universe	Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to speak to someone

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	193	103353.0	36.0%
2	NO	421	183531.5	64.0%
6	NOT APPLICABLE	60452	28973159.0	
7	DON'T KNOW	2	445.6	
8	REFUSAL	0	0.0	
9	NOT STATED	639	230540.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43E: Diff. - inadequate information

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=614 / 286884.46] [Invalid=61093 / 29204145.51]
Universe	Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not get adequate info or advice

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	207	93644.4	32.6%
2	NO	407	193240.0	67.4%

ACC_43E: Diff. - inadequate information

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	60452	28973159.0	
7	DON'T KNOW	2	445.6	
8	REFUSAL	0	0.0	
9	NOT STATED	639	230540.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43F: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=614 / 286884.46] [Invalid=61093 / 29204145.51]
Universe	Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	18970.0	6.6%
2	NO	606	267914.5	93.4%
6	NOT APPLICABLE	60452	28973159.0	
7	DON'T KNOW	2	445.6	
8	REFUSAL	0	0.0	
9	NOT STATED	639	230540.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43G: Diff. - did not know where to go/call

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=614 / 286884.46] [Invalid=61093 / 29204145.51]
Universe	Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not know where to go / call / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29	19237.1	6.7%
2	NO	585	267647.3	93.3%
6	NOT APPLICABLE	60452	28973159.0	
7	DON'T KNOW	2	445.6	
8	REFUSAL	0	0.0	
9	NOT STATED	639	230540.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43H: Diff. - unable to leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=614 / 286884.46] [Invalid=61093 / 29204145.51]
Universe	Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	2115.9	0.7%
2	NO	609	284768.6	99.3%
6	NOT APPLICABLE	60452	28973159.0	
7	DON'T KNOW	2	445.6	
8	REFUSAL	0	0.0	

ACC_43H: Diff. - unable to leave house/health

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	639	230540.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_43I: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=614 / 286884.46] [Invalid=61093 / 29204145.51]
Universe	Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	196	94709.0	33.0%
2	NO	418	192175.5	67.0%
6	NOT APPLICABLE	60452	28973159.0	
7	DON'T KNOW	2	445.6	
8	REFUSAL	0	0.0	
9	NOT STATED	639	230540.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_44: Exp. diff. during evening/weekends

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=756 / 373258.7] [Invalid=60951 / 29117771.27]
Universe	Respondents who answered ACC_41 = (1, 7 or 8) or ACC_40 = (7 or 8)
Literal question	Did you experience difficulties getting health information or advice during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	222	112072.4	30.0%
2	NO	249	119321.2	32.0%
3	NOT REQUIRED	285	141865.1	38.0%
6	NOT APPLICABLE	60307	28885339.7	
7	DON'T KNOW	12	4049.4	
8	REFUSAL	1	238.2	
9	NOT STATED	631	228144.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45A: Diff. - contact a physician/nurse

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=221 / 111927.62] [Invalid=61486 / 29379102.35]
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician or nurse

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	80	38891.6	34.7%
2	NO	141	73036.0	65.3%
6	NOT APPLICABLE	60841	29146526.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	645	232576.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45B: Diff. - did not have a phone number

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=221 / 111927.62] [Invalid=61486 / 29379102.35]			
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not have a phone number			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	8669.6	7.7%
2	NO	216	103258.0	92.3%
6	NOT APPLICABLE	60841	29146526.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	645	232576.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45C: Diff. - could not get through

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=221 / 111927.62] [Invalid=61486 / 29379102.35]			
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Could not get through (i.e. no answer)			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	7031.2	6.3%
2	NO	207	104896.4	93.7%
6	NOT APPLICABLE	60841	29146526.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	645	232576.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45D: Diff. - waited too long to speak

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=221 / 111927.62] [Invalid=61486 / 29379102.35]			
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to speak to someone			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	88	36589.4	32.7%
2	NO	133	75338.2	67.3%
6	NOT APPLICABLE	60841	29146526.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	645	232576.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45E: Diff. - inadequate information

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=221 / 111927.62] [Invalid=61486 / 29379102.35]			
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not get adequate info or advice			

ACC_45E: Diff. - inadequate information

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	69	42414.1	37.9%
2	NO	152	69513.5	62.1%
6	NOT APPLICABLE	60841	29146526.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	645	232576.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45F: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=221 / 111927.62] [Invalid=61486 / 29379102.35]
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	1645.9	1.5%
2	NO	215	110281.7	98.5%
6	NOT APPLICABLE	60841	29146526.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	645	232576.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45G: Diff. - did not know where to go/call

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=221 / 111927.62] [Invalid=61486 / 29379102.35]
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not know where to go / call / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	6627.3	5.9%
2	NO	212	105300.4	94.1%
6	NOT APPLICABLE	60841	29146526.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	645	232576.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45H: Diff. - unable to leave/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=221 / 111927.62] [Invalid=61486 / 29379102.35]
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	2111.7	1.9%
2	NO	218	109815.9	98.1%
6	NOT APPLICABLE	60841	29146526.0	

ACC_45H: Diff. - unable to leave/health

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	645	232576.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_45I: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=221 / 111927.62] [Invalid=61486 / 29379102.35]
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	63	24554.4	21.9%
2	NO	158	87373.2	78.1%
6	NOT APPLICABLE	60841	29146526.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	645	232576.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_46: Exp. diff. during middle of night

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=760 / 374462.08] [Invalid=60947 / 29116567.89]
Universe	Respondents who answered ACC_41 = (1, 7 or 8) or ACC_40 = (7 or 8)
Literal question	Did you experience difficulties getting health information or advice during the middle of the night?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	67	44108.6	11.8%
2	NO	295	134126.7	35.8%
3	NOT REQUIRED	398	196226.8	52.4%
6	NOT APPLICABLE	60307	28885339.7	
7	DON'T KNOW	7	2701.3	
8	REFUSAL	1	238.2	
9	NOT STATED	632	228288.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47A: Diff. - contact a physician/nurse

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=67 / 44108.58] [Invalid=61640 / 29446921.39]
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician or nurse

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24	15155.9	34.4%
2	NO	43	28952.7	65.6%
6	NOT APPLICABLE	61000	29215693.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

ACC_47A: Diff. - contact a physician/nurse

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	640	231228.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47B: Diff. - did not have a phone number

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=67 / 44108.58] [Invalid=61640 / 29446921.39]
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not have a phone number

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	4510.5	10.2%
2	NO	66	39598.1	89.8%
6	NOT APPLICABLE	61000	29215693.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	640	231228.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47C: Diff. - could not get through

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=67 / 44108.58] [Invalid=61640 / 29446921.39]
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Could not get through (i.e. no answer)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	895.4	2.0%
2	NO	63	43213.2	98.0%
6	NOT APPLICABLE	61000	29215693.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	640	231228.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47D: Diff. - waited too long/to speak

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=67 / 44108.58] [Invalid=61640 / 29446921.39]
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to speak to someone

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29	15828.8	35.9%
2	NO	38	28279.8	64.1%
6	NOT APPLICABLE	61000	29215693.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	640	231228.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47E: Diff. - inadequate information

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=67 / 44108.58] [Invalid=61640 / 29446921.39]
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not get adequate info or advice

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	18	9620.0		21.8%
2	NO	49	34488.6		78.2%
6	NOT APPLICABLE	61000	29215693.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	640	231228.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47F: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=67 / 44108.58] [Invalid=61640 / 29446921.39]
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	67	44108.6		100.0%
6	NOT APPLICABLE	61000	29215693.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	640	231228.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47G: Diff. - did not know where to go/call

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=67 / 44108.58] [Invalid=61640 / 29446921.39]
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not know where to go / call / uninformed

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1	474.7	1.1%	
2	NO	66	43633.9		98.9%
6	NOT APPLICABLE	61000	29215693.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	640	231228.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47H: Diff. - unable to leave/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=67 / 44108.58] [Invalid=61640 / 29446921.39]
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

ACC_47H: Diff. - unable to leave/health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	733.2	1.7%
2	NO	65	43375.4	98.3%
6	NOT APPLICABLE	61000	29215693.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	640	231228.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_47I: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=67 / 44108.58] [Invalid=61640 / 29446921.39]
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18	10939.9	24.8%
2	NO	49	33168.7	75.2%
6	NOT APPLICABLE	61000	29215693.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	640	231228.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_50A: Has a regular family doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10698 / 4625764.77] [Invalid=51009 / 24865265.2]
Universe	Respondents aged 15 and over with ACCFOPT = 1
Literal question	Do you have a regular family doctor?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9639	4039344.1	87.3%
2	NO	1059	586420.6	12.7%
6	NOT APPLICABLE	50409	24642455.4	
7	DON'T KNOW	16	10451.6	
8	REFUSAL	17	5188.0	
9	NOT STATED	567	207170.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_50: Required routine care for self/family

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10683 / 4604798.8] [Invalid=51024 / 24886231.17]
Universe	Respondents aged 15 and over with ACCFOPT = 1
Literal question	In the past 12 months, did you require any routine or on-going care for you or your family?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6274	2558408.2	55.6%
2	NO	4409	2046390.6	44.4%
6	NOT APPLICABLE	50409	24642455.4	

ACC_50: Required routine care for self/family

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	25	22496.3	
8	REFUSAL	22	13190.0	
9	NOT STATED	568	208089.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_51: Exp. diff. getting on-going care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6267 / 2556488.88] [Invalid=55440 / 26934541.09]
Universe	Respondents who answered ACC_50 = (1, 7 or 8)
Literal question	In the past 12 months, did you ever experience any difficulties getting the routine or on-going care that your family needed?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	747	320469.6	12.5%
2	NO	5520	2236019.2	87.5%
6	NOT APPLICABLE	54818	26688846.0	
7	DON'T KNOW	2	661.2	
8	REFUSAL	4	1112.8	
9	NOT STATED	616	243921.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_52: Experienced diff. during regular hours

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=745 / 320312.45] [Invalid=60962 / 29170717.52]
Universe	Respondents who answered ACC_51 = (1, 7 or 8) or ACC_50 = (7 or 8)
Literal question	Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	639	264590.5	82.6%
2	NO	84	31962.9	10.0%
3	NOT REQUIRED	22	23759.0	7.4%
6	NOT APPLICABLE	60338	28924865.3	
7	DON'T KNOW	2	157.2	
8	REFUSAL	0	0.0	
9	NOT STATED	622	245695.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53A: Diff. - contact a physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 / 264590.46] [Invalid=61068 / 29226439.51]
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	101	38630.5	14.6%
2	NO	538	225959.9	85.4%
6	NOT APPLICABLE	60444	28980587.3	
7	DON'T KNOW	0	0.0	

ACC_53A: Diff. - contact a physician

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	624	245852.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53B: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 / 264590.46] [Invalid=61068 / 29226439.51]
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	285	116140.4	43.9%
2	NO	354	148450.1	56.1%
6	NOT APPLICABLE	60444	28980587.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	624	245852.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53C: Diff. - do not have family physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 / 264590.46] [Invalid=61068 / 29226439.51]
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Do not have personal / family physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	46	19822.9	7.5%
2	NO	593	244767.5	92.5%
6	NOT APPLICABLE	60444	28980587.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	624	245852.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53D: Diff. - waited too long for appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 / 264590.46] [Invalid=61068 / 29226439.51]
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	257	96312.3	36.4%
2	NO	382	168278.2	63.6%
6	NOT APPLICABLE	60444	28980587.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	624	245852.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53E: Diff. - waited too long/see doc.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 / 264590.46] [Invalid=61068 / 29226439.51]
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	121	44586.1	16.9%
2	NO	518	220004.4	83.1%
6	NOT APPLICABLE	60444	28980587.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	624	245852.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53F: Diff. - not available at time required

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 / 264590.46] [Invalid=61068 / 29226439.51]
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	45	19100.8	7.2%
2	NO	594	245489.7	92.8%
6	NOT APPLICABLE	60444	28980587.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	624	245852.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53G: Diff. - not available in the area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 / 264590.46] [Invalid=61068 / 29226439.51]
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	36	16293.3	6.2%
2	NO	603	248297.2	93.8%
6	NOT APPLICABLE	60444	28980587.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	624	245852.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53H: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 / 264590.46] [Invalid=61068 / 29226439.51]
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Transportation problems

ACC_53H: Diff. - transportation

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21	5761.1	2.2%
2	NO	618	258829.3	97.8%
6	NOT APPLICABLE	60444	28980587.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	624	245852.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53I: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 / 264590.46] [Invalid=61068 / 29226439.51]
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	3751.1	1.4%
2	NO	637	260839.3	98.6%
6	NOT APPLICABLE	60444	28980587.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	624	245852.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53J: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 / 264590.46] [Invalid=61068 / 29226439.51]
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	7319.2	2.8%
2	NO	622	257271.2	97.2%
6	NOT APPLICABLE	60444	28980587.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	624	245852.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53K: Diff. - did not know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 / 264590.46] [Invalid=61068 / 29226439.51]
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	6986.4	2.6%
2	NO	631	257604.1	97.4%
6	NOT APPLICABLE	60444	28980587.3	

ACC_53K: Diff. - did not know where to go

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	624	245852.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53L: Diff. - unable to leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 / 264590.46] [Invalid=61068 / 29226439.51]
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	2213.1	0.8%
2	NO	635	262377.3	99.2%
6	NOT APPLICABLE	60444	28980587.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	624	245852.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53M: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 / 264590.46] [Invalid=61068 / 29226439.51]
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	130	57754.6	21.8%
2	NO	509	206835.8	78.2%
6	NOT APPLICABLE	60444	28980587.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	624	245852.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_54: Exp. diff. during evening/weekends

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=742 / 319819.88] [Invalid=60965 / 29171210.09]
Universe	Respondents who answered ACC_51 = (1, 7 or 8) or ACC_50 = (7 or 8)
Literal question	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	156	72870.3	22.8%
2	NO	274	105227.3	32.9%
3	NOT REQUIRED	312	141722.3	44.3%
6	NOT APPLICABLE	60338	28924865.3	
7	DON'T KNOW	3	389.8	

ACC_54: Exp. diff. during evening/weekends

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	1	40.0	
9	NOT STATED	623	245915.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55A: Diff. - contact a physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=156 / 72870.33] [Invalid=61551 / 29418159.64]
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	38	16185.5	22.2%	
2	NO	118	56684.8		77.8%
6	NOT APPLICABLE	60924	29171814.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	627	246344.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55B: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=156 / 72870.33] [Invalid=61551 / 29418159.64]
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	38	18567.1	25.5%	
2	NO	118	54303.2		74.5%
6	NOT APPLICABLE	60924	29171814.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	627	246344.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55C: Diff. - do not have family physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=156 / 72870.33] [Invalid=61551 / 29418159.64]
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Do not have personal / family physician

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	10	3796.4	5.2%	
2	NO	146	69074.0		94.8%
6	NOT APPLICABLE	60924	29171814.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	627	246344.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55D: Diff. - waited too long for appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=156 / 72870.33] [Invalid=61551 / 29418159.64]
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	35	17458.4	24.0%	
2	NO	121	55411.9		76.0%
6	NOT APPLICABLE	60924	29171814.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	627	246344.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55E: Diff. - waited too long/see doc

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=156 / 72870.33] [Invalid=61551 / 29418159.64]
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

ACC_55E: Diff. - waited too long/see doc

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	44	15041.4	20.6%
2	NO	112	57828.9	79.4%
6	NOT APPLICABLE	60924	29171814.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	627	246344.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55F: Diff. - not available at time required

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=156 / 72870.33] [Invalid=61551 / 29418159.64]
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	41	20721.9	28.4%
2	NO	115	52148.4	71.6%
6	NOT APPLICABLE	60924	29171814.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	627	246344.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55G: Diff. - not available/area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=156 / 72870.33] [Invalid=61551 / 29418159.64]
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15	6748.8	9.3%
2	NO	141	66121.5	90.7%
6	NOT APPLICABLE	60924	29171814.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	627	246344.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55H: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=156 / 72870.33] [Invalid=61551 / 29418159.64]
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	2494.2	3.4%
2	NO	149	70376.2	96.6%
6	NOT APPLICABLE	60924	29171814.8	

ACC_55H: Diff. - transportation

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	627	246344.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55I: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=156 / 72870.33] [Invalid=61551 / 29418159.64]
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	156	72870.3	100.0%
6	NOT APPLICABLE	60924	29171814.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	627	246344.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55J: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=156 / 72870.33] [Invalid=61551 / 29418159.64]
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	2175.5	3.0%
2	NO	153	70694.8	97.0%
6	NOT APPLICABLE	60924	29171814.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	627	246344.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55K: Diff. - did not know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=156 / 72870.33] [Invalid=61551 / 29418159.64]
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	223.8	0.3%
2	NO	155	72646.6	99.7%
6	NOT APPLICABLE	60924	29171814.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	627	246344.8	

ACC_55K: Diff. - did not know where to go

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55L: Diff. - unable to leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=156 / 72870.33] [Invalid=61551 / 29418159.64]
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	156	72870.3		100.0%
6	NOT APPLICABLE	60924	29171814.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	627	246344.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55M: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=156 / 72870.33] [Invalid=61551 / 29418159.64]
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	26	16193.8	22.2%	
2	NO	130	56676.5		77.8%
6	NOT APPLICABLE	60924	29171814.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	627	246344.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_60: Required immediate care - self/family

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10675 / 4618829.1] [Invalid=51032 / 24872200.87]
Universe	Respondents aged 15 and over with ACCFOPT = 1
Literal question	In the past 12 months, did ^DT_Famiily require immediate health care services for a minor health problem?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3639	1787893.8	38.7%	
2	NO	7036	2830935.3		61.3%
6	NOT APPLICABLE	50409	24642455.4		
7	DON'T KNOW	24	7497.0		
8	REFUSAL	26	12874.3		
9	NOT STATED	573	209374.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_61: Exp. diff. getting immediate care

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3638 / 1787809.33] [Invalid=58069 / 27703220.64]

ACC_61: Exp. diff. getting immediate care

Universe	Respondents who answered ACC_60 = (1, 7 or 8)			
Literal question	In the past 12 months, did you ever experience any difficulties getting the immediate care needed for a minor health problem for yourself or a family member?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	640	330495.5	18.5%
2	NO	2998	1457313.8	81.5%
6	NOT APPLICABLE	57445	27473390.8	
7	DON'T KNOW	1	84.4	
8	REFUSAL	0	0.0	
9	NOT STATED	623	229745.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_62: Experienced diff. during regular hours

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=639 / 330302.7] [Invalid=61068 / 29160727.27]
Universe	Respondents who answered ACC_61 = (1, 7 or 8) or ACC_60 = (7 or 8)
Literal question	Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	410	191810.4	58.1%
2	NO	148	84488.3	25.6%
3	NOT REQUIRED	81	54004.0	16.3%
6	NOT APPLICABLE	60443	28930704.6	
7	DON'T KNOW	1	192.8	
8	REFUSAL	0	0.0	
9	NOT STATED	624	229829.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63A: Diff. - contact a physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=410 / 191810.41] [Invalid=61297 / 29299219.56]
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	63	39636.9	20.7%
2	NO	347	152173.5	79.3%
6	NOT APPLICABLE	60672	29069196.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	625	230022.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63B: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=410 / 191810.41] [Invalid=61297 / 29299219.56]
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

ACC_63B: Diff. - getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	123	63642.2	33.2%	
2	NO	287	128168.2		66.8%
6	NOT APPLICABLE	60672	29069196.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	625	230022.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63C: Diff. - do not have family physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=410 / 191810.41] [Invalid=61297 / 29299219.56]
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Do not have personal / family physician

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	14	9634.6	5.0%	
2	NO	396	182175.9		95.0%
6	NOT APPLICABLE	60672	29069196.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	625	230022.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63D: Diff. - waited too long/for appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=410 / 191810.41] [Invalid=61297 / 29299219.56]
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	98	39522.3	20.6%	
2	NO	312	152288.1		79.4%
6	NOT APPLICABLE	60672	29069196.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	625	230022.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63E: Diff. - waited too long/see doc

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=410 / 191810.41] [Invalid=61297 / 29299219.56]
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	167	73575.8	38.4%	
2	NO	243	118234.6		61.6%
6	NOT APPLICABLE	60672	29069196.9		

ACC_63E: Diff. - waited too long/see doc

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	625	230022.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63F: Diff. - not available at time required

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=410 / 191810.41] [Invalid=61297 / 29299219.56]
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24	12090.2	6.3%
2	NO	386	179720.2	93.7%
6	NOT APPLICABLE	60672	29069196.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	625	230022.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63G: Diff. - not available/area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=410 / 191810.41] [Invalid=61297 / 29299219.56]
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	5237.6	2.7%
2	NO	397	186572.9	97.3%
6	NOT APPLICABLE	60672	29069196.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	625	230022.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63H: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=410 / 191810.41] [Invalid=61297 / 29299219.56]
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	1457.6	0.8%
2	NO	404	190352.8	99.2%
6	NOT APPLICABLE	60672	29069196.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	625	230022.7	

ACC_63H: Diff. - transportation

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63I: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=410 / 191810.41] [Invalid=61297 / 29299219.56]
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2	569.0	0.3%	
2	NO	408	191241.4		99.7%
6	NOT APPLICABLE	60672	29069196.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	625	230022.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63J: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=410 / 191810.41] [Invalid=61297 / 29299219.56]
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3	1310.8	0.7%	
2	NO	407	190499.6		99.3%
6	NOT APPLICABLE	60672	29069196.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	625	230022.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63K: Diff. - did not know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=410 / 191810.41] [Invalid=61297 / 29299219.56]
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5	3962.4	2.1%	
2	NO	405	187848.0		97.9%
6	NOT APPLICABLE	60672	29069196.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	625	230022.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63L: Diff. - unable to leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=410 / 191810.41] [Invalid=61297 / 29299219.56]

ACC_63L: Diff. - unable to leave house/health

	Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
	Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	410	191810.4		100.0%
6	NOT APPLICABLE	60672	29069196.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	625	230022.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_63M: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=410 / 191810.41] [Invalid=61297 / 29299219.56]
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	85	43443.0	22.6%	
2	NO	325	148367.4		77.4%
6	NOT APPLICABLE	60672	29069196.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	625	230022.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_64: Exp. diff. during evening/weekends

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=634 / 327676.16] [Invalid=61073 / 29163353.81]
Universe	Respondents who answered ACC_61 = (1, 7 or 8) or ACC_60 = (7 or 8)
Literal question	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm, Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	295	134060.7		40.9%
2	NO	161	98970.4		30.2%
3	NOT REQUIRED	178	94645.0		28.9%
6	NOT APPLICABLE	60443	28930704.6		
7	DON'T KNOW	6	2819.4		
8	REFUSAL	0	0.0		
9	NOT STATED	624	229829.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65A: Diff. - contact a physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=295 / 134060.73] [Invalid=61412 / 29356969.24]
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician

ACC_65A: Diff. - contact a physician

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	43	24104.0		18.0%
2	NO	252	109956.8		82.0%
6	NOT APPLICABLE	60782	29124320.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	630	232649.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65B: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=295 / 134060.73] [Invalid=61412 / 29356969.24]
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	39	18072.1		13.5%
2	NO	256	115988.7		86.5%
6	NOT APPLICABLE	60782	29124320.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	630	232649.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65C: Diff. - do not have family physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=295 / 134060.73] [Invalid=61412 / 29356969.24]
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Do not have personal / family physician

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5	1571.7		1.2%
2	NO	290	132489.1		98.8%
6	NOT APPLICABLE	60782	29124320.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	630	232649.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65D: Diff. - waited too long/for appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=295 / 134060.73] [Invalid=61412 / 29356969.24]
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	29	7844.6		5.9%
2	NO	266	126216.2		94.1%
6	NOT APPLICABLE	60782	29124320.0		

ACC_65D: Diff. - waited too long/for appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	630	232649.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65E: Diff. - waited too long/see doc

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=295 / 134060.73] [Invalid=61412 / 29356969.24]
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	167	57616.7	43.0%
2	NO	128	76444.0	57.0%
6	NOT APPLICABLE	60782	29124320.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	630	232649.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65F: Diff. - not available at time required

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=295 / 134060.73] [Invalid=61412 / 29356969.24]
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	37	28074.3	20.9%
2	NO	258	105986.4	79.1%
6	NOT APPLICABLE	60782	29124320.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	630	232649.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65G: Diff. - not available/area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=295 / 134060.73] [Invalid=61412 / 29356969.24]
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	10356.5	7.7%
2	NO	278	123704.2	92.3%
6	NOT APPLICABLE	60782	29124320.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	630	232649.2	

ACC_65G: Diff. - not available/area

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65H: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=295 / 134060.73] [Invalid=61412 / 29356969.24]
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	7	2630.8	2.0%	
2	NO	288	131429.9		98.0%
6	NOT APPLICABLE	60782	29124320.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	630	232649.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65I: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=295 / 134060.73] [Invalid=61412 / 29356969.24]
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	295	134060.7		100.0%
6	NOT APPLICABLE	60782	29124320.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	630	232649.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65J: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=295 / 134060.73] [Invalid=61412 / 29356969.24]
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1	1401.6	1.0%	
2	NO	294	132659.2		99.0%
6	NOT APPLICABLE	60782	29124320.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	630	232649.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65K: Diff. - did not know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=295 / 134060.73] [Invalid=61412 / 29356969.24]

ACC_65K: Diff. - did not know where to go

Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	3092.0	2.3%
2	NO	291	130968.7	97.7%
6	NOT APPLICABLE	60782	29124320.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	630	232649.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65L: Diff. - unable to leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=295 / 134060.73] [Invalid=61412 / 29356969.24]
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	295	134060.7	100.0%
6	NOT APPLICABLE	60782	29124320.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	630	232649.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65M: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=295 / 134060.73] [Invalid=61412 / 29356969.24]
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	56	26999.9	20.1%
2	NO	239	107060.8	79.9%
6	NOT APPLICABLE	60782	29124320.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	630	232649.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_66: Exp. diff. during middle of night

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=638 / 330201.1] [Invalid=61069 / 29160828.87]
Universe	Respondents who answered ACC_61 = (1, 7 or 8) or ACC_60 = (7 or 8)
Literal question	Did you experience difficulties getting such care during the middle of the night?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	125	79336.9	24.0%

ACC_66: Exp. diff. during middle of night

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	221	104631.3	31.7%
3	NOT REQUIRED	292	146232.9	44.3%
6	NOT APPLICABLE	60443	28930704.6	
7	DON'T KNOW	2	294.4	
8	REFUSAL	0	0.0	
9	NOT STATED	624	229829.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67A: Diff. - contact a physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=125 / 79336.89] [Invalid=61582 / 29411693.08]
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	9694.7	12.2%
2	NO	108	69642.2	87.8%
6	NOT APPLICABLE	60956	29181568.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	626	230124.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67B: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=125 / 79336.89] [Invalid=61582 / 29411693.08]
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	2405.0	3.0%
2	NO	117	76931.9	97.0%
6	NOT APPLICABLE	60956	29181568.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	626	230124.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67C: Diff. - do not have family physician

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=125 / 79336.89] [Invalid=61582 / 29411693.08]
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Do not have personal / family physician

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	163.4	0.2%
2	NO	124	79173.4	99.8%
6	NOT APPLICABLE	60956	29181568.8	

ACC_67C: Diff. - do not have family physician

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	626	230124.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67D: Diff. - waited too long/for appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=125 / 79336.89] [Invalid=61582 / 29411693.08]
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	1805.6	2.3%
2	NO	118	77531.3	97.7%
6	NOT APPLICABLE	60956	29181568.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	626	230124.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67E: Diff. - waited too long/see doc

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=125 / 79336.89] [Invalid=61582 / 29411693.08]
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	70	38312.5	48.3%
2	NO	55	41024.4	51.7%
6	NOT APPLICABLE	60956	29181568.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	626	230124.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67F: Diff. - not available at time required

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=125 / 79336.89] [Invalid=61582 / 29411693.08]
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	9045.4	11.4%
2	NO	108	70291.5	88.6%
6	NOT APPLICABLE	60956	29181568.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	626	230124.3	

ACC_67F: Diff. - not available at time required

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67G: Diff. - not available/area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=125 / 79336.89] [Invalid=61582 / 29411693.08]
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	6251.4	7.9%
2	NO	120	73085.5	92.1%
6	NOT APPLICABLE	60956	29181568.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	626	230124.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67H: Diff. - transportation

	Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
	Statistics [NW/ W]	[Valid=125 / 79336.89] [Invalid=61582 / 29411693.08]
	Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
	Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4	4291.1	5.4%	
2	NO	121	75045.8		94.6%
6	NOT APPLICABLE	60956	29181568.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	626	230124.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67I: Diff. - language

	Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
	Statistics [NW/ W]	[Valid=125 / 79336.89] [Invalid=61582 / 29411693.08]
	Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
	Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2	2928.3	3.7%	
2	NO	123	76408.6		96.3%
6	NOT APPLICABLE	60956	29181568.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	626	230124.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67J: Diff. - cost

	Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
	Statistics [NW/ W]	[Valid=125 / 79336.89] [Invalid=61582 / 29411693.08]
	Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
	Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1	1401.6	1.8%	
2	NO	124	77935.3		98.2%
6	NOT APPLICABLE	60956	29181568.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	626	230124.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67K: Diff. - did not know where to go

	Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
	Statistics [NW/ W]	[Valid=125 / 79336.89] [Invalid=61582 / 29411693.08]
	Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
	Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

ACC_67K: Diff. - did not know where to go

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	50.2	0.1%
2	NO	124	79286.7	99.9%
6	NOT APPLICABLE	60956	29181568.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	626	230124.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67L: Diff. - unable to leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=125 / 79336.89] [Invalid=61582 / 29411693.08]
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	125	79336.9	100.0%
6	NOT APPLICABLE	60956	29181568.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	626	230124.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_67M: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=125 / 79336.89] [Invalid=61582 / 29411693.08]
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	28	28663.2	36.1%
2	NO	97	50673.7	63.9%
6	NOT APPLICABLE	60956	29181568.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	626	230124.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBSG31: Employment status - 12 mo - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=31044 / 17602746.33] [Invalid=30663 / 11888283.64]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EMPLOYEE	25643	14551882.9	82.7%
2	SELF-EMPLOYED	5401	3050863.4	17.3%
6	NOT APPLICABLE	29329	11164566.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

LBSG31: Employment status - 12 mo - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1334	723717.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBSGHPW: Total usual hrs. worked current - (D, G)

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=30664 / 17463147.98] [Invalid=31043 / 12027881.99]

Value	Label	Cases	Weighted	Percentage (Weighted)
99	99 HRS OR MORE	149	62541.4	100.0%
996	NOT APPLICABLE	29329	11164566.5	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	1714	863315.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBSDPFT: Full/part-time - current jobs - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30664 / 17463147.98] [Invalid=31043 / 12027881.99]
Notes	Respondents aged less than 15 or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FULL-TIME	24661	14463854.2	82.8%
2	PART-TIME	6003	2999293.7	17.2%
6	NOT APPLICABLE	29329	11164566.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1714	863315.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBSDWSS: Working status last week - 4 grps - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=50451 / 25726218] [Invalid=11256 / 3764811.97]
Notes	Respondents aged less than 15 or more than 75 years old Note: have been excluded from the population.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	AT WORK LAST WK	28406	16345560.2	63.5%
2	ABSENT LAST WK	2744	1315496.4	5.1%
3	NO JOB LAST WK	17392	7363246.2	28.6%
4	UNABLE/PERMANENT	1909	701915.2	2.7%
6	NOT APPLICABLE	10028	3099405.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1228	665406.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LBSGSOC: Occupation group - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=30948 / 17518575.36] [Invalid=30759 / 11972454.61]

LBSGSOC: Occupation group - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MANAG./ART, EDUC	10922	6404061.9	36.6%
2	BUSIN./FINANC.	5276	3001012.5	17.1%
3	SALES, SERVICES	7417	4210681.0	24.0%
4	TRADES/TRANSP.	4650	2610130.8	14.9%
5	PRIM. IND./PROC.	2683	1292689.2	7.4%
6	NOT APPLICABLE	29329	11164566.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1430	807888.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOLOP: Module: LOP - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12456 / 6981220.47] [Invalid=49251 / 22509809.5]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12456	6981220.5	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	49251	22509809.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_015: Employed in past 3 months

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6961 / 4467562.95] [Invalid=54746 / 25023467.02]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6331	4090249.0	91.6%
2	NO	630	377314.0	8.4%
6	NOT APPLICABLE	54400	24788199.6	
7	DON'T KNOW	1	2326.2	
8	REFUSAL	1	128.2	
9	NOT STATED	344	232813.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG020: Reason for not working - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=3948 / 1916323.94] [Invalid=57759 / 27574706.03]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	CHRON. PHY./MENT	441	212066.9	11.1%
2	OWN INJURY	54	34782.7	1.8%
3	OWN INFEC. DISE.	58	28844.5	1.5%
4	CARING /OWN CHI.	256	174799.7	9.1%
5	EDUC.,TRAINING	367	283669.4	14.8%
6	CARING/ELDERLY	77	34594.3	1.8%
7	RETIRED	2258	862631.4	45.0%

LOPG020: Reason for not working - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	OTHER	437	284935.1	14.9%
96	NOT APPLICABLE	57278	27269198.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	481	305507.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_030: Couldn't work due to chronic condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6328 / 4087885.39] [Invalid=55379 / 25403144.58]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	327	233104.9	5.7%
2	NO	6001	3854780.5	94.3%
6	NOT APPLICABLE	54907	25102301.7	
7	DON'T KNOW	1	271.7	
8	REFUSAL	1	664.6	
9	NOT STATED	470	299906.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG040: Work days lost due to chronic cond. (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=324 / 231383.3] [Invalid=61383 / 29259646.67]

Value	Label	Cases	Weighted	Percentage (Weighted)
1		78	55681.4	24.1%
2		55	44000.6	19.0%
3		44	38491.9	16.6%
4		9	8774.8	3.8%
5		11	5135.9	2.2%
6		10	4338.6	1.9%
7		7	10025.0	4.3%
8		3	572.5	0.2%
9		3	2617.2	1.1%
10		11	7241.0	3.1%
12		9	3711.0	1.6%
14		7	5200.9	2.2%
15		7	1934.6	0.8%
16		1	173.4	0.1%
17		1	119.6	0.1%
20		4	7415.8	3.2%
21		3	1622.4	0.7%
24		4	3539.6	1.5%
25		3	3161.9	1.4%
30		18	9770.0	4.2%
31	31 DAYS OR MORE	36	17855.5	7.7%
96	NOT APPLICABLE	60908	28957082.2	
97	DON'T KNOW	0	0.0	

LOPG040: Work days lost due to chronic cond. (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	0	0.0	
99	NOT STATED	475	302564.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG050: Chronic condition - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=707 / 415460.23] [Invalid=61000 / 29075569.74]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ARTHRITIS	56	32201.9	7.8%
2	CARDIOV. DISEASE	41	18934.6	4.6%
3	ASTHMA	6	2508.1	0.6%
4	CHRONIC BR,	19	5514.0	1.3%
5	DIABETES	18	11419.0	2.7%
6	MIGRAINE	32	20595.1	5.0%
7	BACK PROBLEMS	80	65688.8	15.8%
8	CANCER	38	39972.7	9.6%
9	DIGEST. DISEASE	14	10277.2	2.5%
10	FIBROMY, CHRO	21	8572.0	2.1%
11	OTHER	382	199776.9	48.1%
96	NOT APPLICABLE	60455	28737987.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	545	337582.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_060: Missed work due to injury

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5872 / 3887629.43] [Invalid=55835 / 25603400.54]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	219	139271.1	3.6%
2	NO	5653	3748358.4	96.4%
6	NOT APPLICABLE	54895	25095273.5	
7	DON'T KNOW	1	238.5	
8	REFUSAL	1	664.6	
9	NOT STATED	938	507223.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG070: Work days missed due to injury - (G)

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=215 / 136922.85] [Invalid=61492 / 29354107.12]

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31 DAYS OR MORE	18	14214.4	100.0%
96	NOT APPLICABLE	60548	28843631.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	944	510475.2	

LOPG070: Work days missed due to injury - (G)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_080: Missed work due to infectious disease

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5871 / 3887511.62] [Invalid=55836 / 25603518.35]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	681	480116.7	12.4%	
2	NO	5190	3407394.9		87.6%
6	NOT APPLICABLE	54895	25095273.5		
7	DON'T KNOW	1	100.0		
8	REFUSAL	1	664.6		
9	NOT STATED	939	507480.2		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_81A: Had a cold

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=680 / 479671.54] [Invalid=61027 / 29011358.43]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	255	173165.1	36.1%	
2	NO	425	306506.4		63.9%
6	NOT APPLICABLE	60085	28502668.4		
7	DON'T KNOW	1	445.2		
8	REFUSAL	0	0.0		
9	NOT STATED	941	508244.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_81B: Had the flu or influenze

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=680 / 479671.54] [Invalid=61027 / 29011358.43]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	121	86571.0	18.0%	
2	NO	559	393100.6		82.0%
6	NOT APPLICABLE	60085	28502668.4		
7	DON'T KNOW	1	445.2		
8	REFUSAL	0	0.0		
9	NOT STATED	941	508244.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_81C: Stomach Flu

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=680 / 479671.54] [Invalid=61027 / 29011358.43]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	187	132295.6	27.6%	
2	NO	493	347375.9		72.4%
6	NOT APPLICABLE	60085	28502668.4		
7	DON'T KNOW	1	445.2		
8	REFUSAL	0	0.0		

LOP_81C: Stomach Flu

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	941	508244.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_81D: Respiratory Flu

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=680 / 479671.54] [Invalid=61027 / 29011358.43]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	64	38252.6	8.0%
2	NO	616	441419.0	92.0%
6	NOT APPLICABLE	60085	28502668.4	
7	DON'T KNOW	1	445.2	
8	REFUSAL	0	0.0	
9	NOT STATED	941	508244.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_81E: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=680 / 479671.54] [Invalid=61027 / 29011358.43]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	81	70554.6	14.7%
2	NO	599	409116.9	85.3%
6	NOT APPLICABLE	60085	28502668.4	
7	DON'T KNOW	1	445.2	
8	REFUSAL	0	0.0	
9	NOT STATED	941	508244.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG082: Work days missed due to cold - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=254 / 172956.14] [Invalid=61453 / 29318073.83]

Value	Label	Cases	Weighted	Percentage (Weighted)
1		150	96231.6	55.6%
2		63	47767.3	27.6%
3		30	22567.3	13.0%
4		9	5821.6	3.4%
5		1	238.4	0.1%
10		1	330.0	0.2%
11	11 DAYS OR MORE	0	0.0	
96	NOT APPLICABLE	60510	28809174.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	943	508899.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG083: Work days missed due/ flu/influenza (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=121 / 86570.98] [Invalid=61586 / 29404458.99]

LOPG083: Work days missed due/ flu/influenza (G)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1		69	45950.2		53.1%
2		28	22248.9		25.7%
3		13	6706.4		7.7%
4		7	5868.1		6.8%
5		2	227.9		0.3%
6		1	797.3		0.9%
10		1	4772.2		5.5%
11	11 DAYS OR MORE	0	0.0		
96	NOT APPLICABLE	60644	28895769.0		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	942	508690.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG084: Work days missed due to stomach flu (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=187 / 132295.6] [Invalid=61520 / 29358734.37]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1		97	75011.3		56.7%
2		65	44721.3		33.8%
3		19	9613.1		7.3%
4		2	2040.6		1.5%
5		2	407.8		0.3%
7		2	501.6		0.4%
11	11 DAYS OR MORE	0	0.0		
96	NOT APPLICABLE	60578	28850044.4		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	942	508690.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG085: Work days missed due/ respir.infect. (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=64 / 38252.59] [Invalid=61643 / 29452777.38]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1		27	15439.4		40.4%
2		17	10996.9		28.7%
3		3	3770.3		9.9%
4		3	533.7		1.4%
5		3	1000.2		2.6%
7		4	3025.9		7.9%
8		2	340.3		0.9%
10		2	717.1		1.9%
11	11 DAYS OR MORE	3	2428.8		6.3%
96	NOT APPLICABLE	60701	28944087.4		

LOPG085: Work days missed due/ respir.infect. (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	942	508690.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG086: Wrk days missed due/other infect.dis.(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=81 / 70554.62] [Invalid=61626 / 29420475.35]

Value	Label	Cases	Weighted	Percentage (Weighted)
1		38	34534.7	48.9%
2		24	21986.7	31.2%
3		3	1793.0	2.5%
4		3	1175.1	1.7%
5		4	6365.1	9.0%
7		3	910.6	1.3%
10		3	2202.6	3.1%
11	11 DAYS OR MORE	3	1586.8	2.2%
96	NOT APPLICABLE	60684	28911785.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	942	508690.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOP_090: Missed work for reason /ph. Or m. health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5870 / 3879956.8] [Invalid=55837 / 25611073.17]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	606	387455.9	10.0%
2	NO	5264	3492500.9	90.0%
6	NOT APPLICABLE	54895	25095273.5	
7	DON'T KNOW	1	7622.9	
8	REFUSAL	2	696.5	
9	NOT STATED	939	507480.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LOPG100: Work days missed related/ ph/m hlth (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]
Statistics [NW/ W]	[Valid=605 / 386454.82] [Invalid=61102 / 29104575.15]

Value	Label	Cases	Weighted	Percentage (Weighted)
1		282	184823.2	47.8%
2		117	91492.6	23.7%
3		48	32408.0	8.4%
4		21	14233.3	3.7%
5		35	17833.4	4.6%
6		11	5911.2	1.5%
7		13	5125.7	1.3%

LOPG100: Work days missed related/ ph/m hlth (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
8		1	73.4	0.0%
9		3	1588.3	0.4%
10		10	4862.6	1.3%
11		1	278.5	0.1%
12		2	1538.8	0.4%
14		5	3233.4	0.8%
15		6	2241.8	0.6%
16		2	247.6	0.1%
20		7	3043.7	0.8%
21	21 DAYS OR MORE	41	17519.3	4.5%
96	NOT APPLICABLE	60159	28587774.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	943	516800.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCGCB12: Country of birth - Canada/other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=59894 / 28518753.16] [Invalid=1813 / 972276.81]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	CANADA	50744	21612538.8	75.8%
2	OTHER	9150	6906214.3	24.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1813	972276.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDC_5A_1: Knowledge of official languages

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=60050 / 28687070.81] [Invalid=1657 / 803959.16]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ENGLISH ONLY	42796	19477393.4	67.9%
2	FRENCH ONLY	6240	3038715.4	10.6%
3	BOTH FR. AND EN.	10681	5819102.3	20.3%
4	NEITHER F NOR E	333	351859.7	1.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	12	12784.6	
8	REFUSAL	32	8478.8	
9	NOT STATED	1613	782695.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCDFOLS: First official language spoken - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=60047 / 28701769.42] [Invalid=1660 / 789260.55]
Notes	For the censuses, this variable was derived within the framework of the application of the Official Languages Act. The same method for deriving the variable was applied here.

SDCDFOLS: First official language spoken - (D)

This derivation method is described in the regulations concerning the use of official languages for the provision of public services. It takes into account first the knowledge of the two official languages, second the mother tongue, and third the home language. People who can conduct a conversation in French only are assigned French as their first official language spoken. People who can carry on a conversation in English only are assigned English as their first official language spoken. The responses to questions on mother tongue and home language are subsequently used to establish the first official language spoken by people who speak both English and French, or who cannot speak either of the two official languages. The French category includes people who have French only or French and at least one non-official language as their mother tongue. People who have English only or English and at least one non-official language as their mother tongue are included in the English category. For cases that have not yet been classified, people are assigned to the French category when they speak French only or French and at least one non-official language as their home language. The procedure is the same for English. Thus, the population is classified into two principal categories: English or French. It is necessary to add two residual categories for people who cannot be classified in accordance with the information available: English and French and neither English nor French.

Please consult the following documents for more information: Regulations respecting communications with and services to the public in either official language, registered on December 16, 1991, in accordance with section 85 of the Official Languages Act, R.S.C., c. 32 (4th suppl.) and Population Estimates by First Official Language Spoken, 1991, Catalogue no. 94-320, Demography Division, Statistics Canada.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ENGLISH	46537	21595027.3		75.2%
2	FRENCH	12327	6254554.3		21.8%
3	ENG & FRE	865	512350.9		1.8%
4	NOR ENG NOR FRE	318	339836.8		1.2%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1660	789260.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHH_OWN: Owned, Rented

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=59923 / 28636438.3] [Invalid=1784 / 854591.67]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	OWNER	46000	21009855.3		73.4%
2	RENTED	13923	7626583.0		26.6%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	125	44943.1		
8	REFUSAL	118	43577.9		
9	NOT STATED	1541	766070.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCGLHM: Language(s) spoken at home

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=60086 / 28688217.9] [Invalid=1621 / 802812.07]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ENG. W-W/O OTHER	44816	19864040.5		69.2%
2	FRE. W-W/O OTHER	10971	5588063.0		19.5%
3	ENG./FRE. W-W/O	1829	855543.9		3.0%
4	NOT ENGL. / FRE.	2470	2380570.4		8.3%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1621	802812.1		

SDCGLHM: Language(s) spoken at home

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCFIMM: Immigrant - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=59811 / 28457620.19] [Invalid=1896 / 1033409.78]
Notes	This variable indicates if the respondent is an immigrant.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	8740	6648702.0		23.4%
2	NO	51071	21808918.2		76.6%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1896	1033409.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCGRES: Length/time in Canada since imm. - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8601 / 6602704.97] [Invalid=53106 / 22888325]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	0 TO 9 YEARS	1733	1863565.5	28.2%	
2	10 OR MORE YEARS	6868	4739139.5		71.8%
6	NOT APPLICABLE	51071	21808918.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	2035	1079406.8		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCGCGT: Cultural or racial origin - (D, G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=59568 / 28486873.08] [Invalid=2139 / 1004156.89]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	WHITE	50984	21845924.9		76.7%
2	VISIBLE MINORITY	8584	6640948.2	23.3%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	2139	1004156.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMKPROXY: Person most knowledgeable

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3257 / 1532611.96] [Invalid=58450 / 27958418.01]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	RESP<16,PARTICI.	3186	1476034.0		96.3%
2	RESP<16,REFUSES	71	56578.0	3.7%	
6	NOT APPLICABLE	58333	27905494.6		
7	DON'T KNOW	0	0.0		

PMKPROXY: Person most knowledgeable

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	117	52923.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDC_8: Current student

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=57429 / 27518935.39] [Invalid=4278 / 1972094.58]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6268	3916754.8	14.2%
2	NO	51161	23602180.6	85.8%
6	NOT APPLICABLE	2478	1110046.4	
7	DON'T KNOW	88	22156.4	
8	REFUSAL	75	22153.2	
9	NOT STATED	1637	817738.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SDCG9: Full-time student or part-time student

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6134 / 3880315.14] [Invalid=55573 / 25610714.83]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FULL-TIME	4905	3060007.8	78.9%
2	PART-TIME	1229	820307.3	21.1%
6	NOT APPLICABLE	53639	24712227.0	
7	DON'T KNOW	120	30576.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1814	867911.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

EDUDH04: Highest level/edu. - HH 4 levels - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=56791 / 26841063.02] [Invalid=4916 / 2649966.95]
Notes	This variable is derived by temporarily creating EDUDR04 for each member of the household (all PERSONID within SAMPLEID). The highest value is then obtained by comparing values of EDUDR04 for all members within the household. If any PERSONID has EDUDR04 of NS (not stated) then NS is returned. If all of EDUDR04 are NA (not applicable) then NA is returned.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< THAN SECONDARY	6397	1764616.5	6.6%
2	SECONDARY GRAD.	7325	2946169.3	11.0%
3	OTHER POST-SEC.	2013	1061935.7	4.0%
4	POST-SEC. GRAD.	41056	21068341.5	78.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	4916	2649967.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

EDUDR04: Highest level/edu. - respond. 4 levels -

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

EDUDR04: Highest level/edu. - respond. 4 levels -

Statistics [NW/ W]	[Valid=59433 / 28423404.3] [Invalid=2274 / 1067625.67]
Notes	In 2011, the external name for EDU_Q04 was changed from EDU_4 to EDU_4A due to the addition of two new response categories in the question.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< SEC. SCHOOL GR	14539	5754354.2	20.2%
2	SEC. SCHOOL. GR.	10451	4919496.5	17.3%
3	SOME POST-SEC ED	2922	1784613.4	6.3%
4	POST-SEC CERT	31521	15964940.2	56.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2274	1067625.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOFSC: Module: Food security

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61707 / 29491029.97] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	61707	29491030.0	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_010: Food situation in household - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=59826 / 28575023.2] [Invalid=1881 / 916006.77]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS ENOUGH	53234	25083398.9	87.8%
2	ENOUGH-NOT KIND	5802	3109853.8	10.9%
3	SOMETIMES NOT	591	289286.7	1.0%
4	OFTEN NOT	199	92483.8	0.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	112	37816.2	
8	REFUSAL	125	44493.8	
9	NOT STATED	1644	833696.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_020: Worried food would run out - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=59728 / 28538666.53] [Invalid=1979 / 952363.44]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	1049	519344.1	1.8%
2	SOMETIMES TRUE	3695	2005596.4	7.0%
3	NEVER TRUE	54984	26013726.1	91.2%

FSC_020: Worried food would run out - 12 mo

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	55	23179.5	
8	REFUSAL	33	10515.4	
9	NOT STATED	1891	918668.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_030: No food and no money for more - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=59720 / 28535611] [Invalid=1987 / 955418.97]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	789	340576.2	1.2%
2	SOMETIMES TRUE	2952	1584894.1	5.6%
3	NEVER TRUE	55979	26610140.6	93.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	59	25562.0	
8	REFUSAL	34	9286.1	
9	NOT STATED	1894	920570.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_040: Could not afford balanced meals - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=59683 / 28524684.49] [Invalid=2024 / 966345.48]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	1022	484270.2	1.7%
2	SOMETIMES TRUE	3059	1596477.7	5.6%
3	NEVER TRUE	55602	26443936.6	92.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	91	35131.0	
8	REFUSAL	38	10400.0	
9	NOT STATED	1895	920814.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_050: Few kinds low-cost food for kids -12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=15851 / 10490629.95] [Invalid=45856 / 19000400.02]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	184	107323.6	1.0%
2	SOMETIMES TRUE	1068	715252.6	6.8%
3	NEVER TRUE	14599	9668053.7	92.2%
6	NOT APPLICABLE	45313	18596175.6	
7	DON'T KNOW	49	21692.2	
8	REFUSAL	34	21116.3	
9	NOT STATED	460	361415.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_060: Couldn't feed child. bal. meal - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=15845 / 10487020.98] [Invalid=45862 / 19004008.99]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	117	59693.6	0.6%
2	SOMETIMES TRUE	685	456821.8	4.4%
3	NEVER TRUE	15043	9970505.6	95.1%
6	NOT APPLICABLE	45313	18596175.6	
7	DON'T KNOW	54	23592.4	
8	REFUSAL	34	20972.0	
9	NOT STATED	461	363269.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_070: Children were not eating enough - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=2473 / 1616611.65] [Invalid=59234 / 27874418.32]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	60	28333.6	1.8%
2	SOMETIMES TRUE	281	190363.9	11.8%
3	NEVER TRUE	2132	1397914.2	86.5%
6	NOT APPLICABLE	58676	27459980.0	
7	DON'T KNOW	12	3872.0	
8	REFUSAL	5	4364.2	
9	NOT STATED	541	406202.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_080: Adults cut or skipped meals - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6652 / 3513984.98] [Invalid=55055 / 25977044.99]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1973	1029217.7	29.3%
2	NO	4679	2484767.3	70.7%
6	NOT APPLICABLE	52931	24955332.2	
7	DON'T KNOW	10	1802.0	

FSC_080: Adults cut or skipped meals - 12 mo

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	9	4643.2	
9	NOT STATED	2105	1015267.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_081: Adults skipped meals (freq) - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=1961 / 1023451.12] [Invalid=59746 / 28467578.85]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST EVERY MON	758	333574.5	32.6%
2	SOME MONTHS	674	353789.2	34.6%
3	ONLY 1 OR 2 MONT	529	336087.4	32.8%
6	NOT APPLICABLE	57610	27440099.6	
7	DON'T KNOW	12	5766.6	
8	REFUSAL	0	0.0	
9	NOT STATED	2124	1021712.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_090: Ate less than felt should - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6646 / 3508535.24] [Invalid=55061 / 25982494.73]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2152	1109075.4	31.6%
2	NO	4494	2399459.9	68.4%
6	NOT APPLICABLE	52931	24955332.2	
7	DON'T KNOW	15	7145.2	
8	REFUSAL	10	4749.8	
9	NOT STATED	2105	1015267.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_100: Was hungry but could not eat - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6646 / 3508448.54] [Invalid=55061 / 25982581.43]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1226	566464.1	16.1%
2	NO	5420	2941984.4	83.9%
6	NOT APPLICABLE	52931	24955332.2	
7	DON'T KNOW	15	7259.9	
8	REFUSAL	10	4721.8	
9	NOT STATED	2105	1015267.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_110: Lost weight no money for food- 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6602 / 3491881.14] [Invalid=55105 / 25999148.83]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	782	337069.9	9.7%

FSC_110: Lost weight no money for food- 12 mo

Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	5820	3154811.2		90.3%
6	NOT APPLICABLE	52931	24955332.2		
7	DON'T KNOW	57	22474.2		
8	REFUSAL	12	6074.8		
9	NOT STATED	2105	1015267.5		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_120: Adults did not eat whole day - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2707 / 1430770.06] [Invalid=59000 / 28060259.91]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	508	203967.7	14.3%	
2	NO	2199	1226802.3		85.7%
6	NOT APPLICABLE	56856	27028169.5		
7	DON'T KNOW	4	1838.4		
8	REFUSAL	1	1618.6		
9	NOT STATED	2139	1028633.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_121: Adults not eat whole day (freq) - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=505 / 203077.17] [Invalid=61202 / 29287952.8]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALMOST EVERY MON	212	88953.3		43.8%
2	SOME MONTHS	173	63142.9	31.1%	
3	ONLY 1 OR 2 MONT	120	50981.0	25.1%	
6	NOT APPLICABLE	59055	28254971.8		
7	DON'T KNOW	3	890.6		
8	REFUSAL	0	0.0		
9	NOT STATED	2144	1032090.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_130: Cut size of children's meals - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=972 / 617168.08] [Invalid=60735 / 28873861.89]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	98	55621.3	9.0%	
2	NO	874	561546.8		91.0%
6	NOT APPLICABLE	60172	28456898.1		
7	DON'T KNOW	2	748.4		
8	REFUSAL	4	3953.4		
9	NOT STATED	557	412262.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_140: Children skipped meals - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=972 / 617393.61] [Invalid=60735 / 28873636.36]

FSC_140: Children skipped meals - 12 mo

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	72	34253.3	5.5%
2	NO	900	583140.3	94.5%
6	NOT APPLICABLE	60172	28456898.1	
7	DON'T KNOW	3	860.9	
8	REFUSAL	3	3615.4	
9	NOT STATED	557	412262.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_141: Freq. - child. skipped meals - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=70 / 32315.9] [Invalid=61637 / 29458714.07]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST EVERY MON	18	4418.9	13.7%
2	SOME MONTHS	31	17621.2	54.5%
3	ONLY 1 OR 2 MONT	21	10275.8	31.8%
6	NOT APPLICABLE	61072	29040038.4	
7	DON'T KNOW	2	1937.4	
8	REFUSAL	0	0.0	
9	NOT STATED	563	416738.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_150: Children were hungry - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=970 / 615805.32] [Invalid=60737 / 28875224.65]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	117	53794.7	8.7%
2	NO	853	562010.6	91.3%
6	NOT APPLICABLE	60172	28456898.1	
7	DON'T KNOW	4	2383.7	
8	REFUSAL	4	3680.8	
9	NOT STATED	557	412262.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSC_160: Children did not eat whole day - 12 mo

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=971 / 615696.65] [Invalid=60736 / 28875333.32]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23	4911.7	0.8%
2	NO	948	610785.0	99.2%
6	NOT APPLICABLE	60172	28456898.1	
7	DON'T KNOW	4	2557.8	
8	REFUSAL	3	3615.4	
9	NOT STATED	557	412262.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSCDHFS2: Household Food Security Status (HC)

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=59428 / 28403211.41] [Invalid=2279 / 1087818.56]
Notes	When using the person weight (WTS_M), this variable reflects the number of people living the household with food insecurity. When using the household weight (WTS_MHH), this variable reflects the number of households with food insecurity. Households with children are defined as households with individuals who are either aged 15 or less (DHHDYKD=1), or aged 16 or 17 (DHHDOKD=1) and who are the child, grandchild, child-in-law, niece or nephew of another household member. In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0). In 2009, an error in the model was corrected. Please see the Canadian Community Health Survey Errata for more information.

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	FOOD SECURE	55233	26162840.3		92.1%
1	MOD. FOOD INSEC.	2915	1656610.7	5.8%	
2	SEV. FOOD INSEC.	1280	583760.4	2.1%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	2279	1087818.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSCDAFS2: Food Security - Adult Status

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=59452 / 28418369.42] [Invalid=2255 / 1072660.55]
Notes	This variable does not necessarily reflect the experience of all adult members in the household. When using the person weights (WTS_M), this variable reflects the number of people living in households with food insecurity among the adult members of the household. When using the household weights (WTS_MHH), this variable reflects the number of households with food insecurity among the adult members of the household. In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0). This derived variable was introduced in 2010.

Value	Label	Cases	Weighted	Percentage (Weighted)	
0	FOOD SECURE	55311	26198725.2		92.2%
1	MOD. FOOD INSEC.	2855	1634192.4	5.8%	
2	SEV. FOOD INSEC.	1286	585451.9	2.1%	
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	2255	1072660.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FSCDCFS2: Food Security - Child Status

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=15810 / 10466569.41] [Invalid=45897 / 19024460.56]
Notes	This variable is only defined for households with individuals who are either aged 15 or less (DHHDYKD=1), or aged 16 or 17 (DHHDOKD=1) and who are the child, grandchild, child-in-law, niece or nephew of another household member. This variable does not necessarily reflect the experience of all child members in the household. When using the person weights (WTS_M), this variable reflects the number of people living in households with food insecurity among the child members of

FSCDCFS2: Food Security - Child Status

	the household. When using the household weights (WTS_MHH), this variable reflects the number of households with food insecurity among the child members of the household. In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0). This derived variable was introduced in 2010.			

Value	Label	Cases	Weighted	Percentage (Weighted)
0	FOOD SECURE	15077	9991306.6	95.5%
1	MOD. FOOD INSEC.	659	442470.4	4.2%
2	SEV. FOOD INSEC.	74	32792.3	0.3%
6	NOT APPLICABLE	45313	18596175.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	584	428285.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCG2: Total hhld inc. - main source - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=55755 / 27003880.22] [Invalid=5952 / 2487149.75]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EMPLOYMENT INC.	36434	20838249.7	77.2%
2	EI/WORKER'S COMP	1983	870234.6	3.2%
3	SENIOR BENEFITS	15222	4363751.8	16.2%
4	OTHER	2116	931644.1	3.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	5952	2487149.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCG7: Main source of personal income - (G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=34715 / 20188711.95] [Invalid=26992 / 9302318.02]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EMPLOYMENT INC.	22100	14436393.1	71.5%
2	EI/WORKER'S COMP	1362	728115.8	3.6%
3	SENIOR BENEFITS	7996	3066158.6	15.2%
4	OTHER	3257	1958044.4	9.7%
6	NOT APPLICABLE	19045	5317288.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	7947	3985029.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCGHH: Total hhld inc. from all sources - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=61647 / 29479129.39] [Invalid=60 / 11900.58]

INCGHH: Total hhld inc. from all sources - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NO OR <$20,000	6894	2379163.5		8.1%
2	$20,000-$39,999	13607	5338035.8		18.1%
3	$40,000-$59,999	11661	5311854.2		18.0%
4	$60,000-$79,999	8956	4581895.9		15.5%
5	$80,000 OR MORE	20529	11868180.1		40.3%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	60	11900.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCGPER: Total pers. inc. from all sources (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=49721 / 23550804.76] [Invalid=11986 / 5940225.21]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NO INCOME	1386	927490.9		3.9%
2	LESS THAN 20,000	14159	6127272.1		26.0%
3	$20,000-$39,999	14466	6410601.2		27.2%
4	$40,000-$59,999	9117	4410954.9		18.7%
5	$60,000-$79,999	5047	2596816.2		11.0%
6	$80,000 OR MORE	5546	3077669.5		13.1%
96	NOT APPLICABLE	3375	1586667.5		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	8611	4353557.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCDRCA: Household income distribution - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=60226 / 29397368.77] [Invalid=1481 / 93661.2]
Notes	Deciles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for all 10 provinces irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal and don't know are excluded). Boundaries are determined in order to derive deciles from the total weighted number of cases for which derived variables are calculated. The Territories are excluded from this derived variable.

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DECILE 1	5278	2936676.8		10.0%
2	DECILE 2	6331	2968214.1		10.1%
3	DECILE 3	6199	2970700.5		10.1%
4	DECILE 4	5949	2929154.5		10.0%
5	DECILE 5	6294	2910630.6		9.9%
6	DECILE 6	6411	3028246.4		10.3%
7	DECILE 7	5939	2964200.6		10.1%
8	DECILE 8	5589	2851558.3		9.7%
9	DECILE 9	5873	2905327.3		9.9%
10	DECILE 10	6363	2932659.5		10.0%
96	NOT APPLICABLE	1423	82853.3		

INCDRCA: Household income distribution - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	58	10807.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCDRPR: Hhld inc. distribution-prov. level - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=60226 / 29397368.77] [Invalid=1481 / 93661.2]
Notes	Deciles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for each of the 10 provinces irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal, etc. are excluded). Boundaries are determined in order to derive deciles from the total weighted number of cases for which derived variables are calculated. The INCDRPR values are based on a distribution of adjusted ratios for the residents of each of the 10 provinces. This variable should therefore be used in conjunction with the variable for the province of residence (GEO_PRV).

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DECILE 1	5453	2966456.5		10.1%
2	DECILE 2	6529	2971604.4		10.1%
3	DECILE 3	6350	2972718.4		10.1%
4	DECILE 4	5912	2894138.3		9.8%
5	DECILE 5	6258	2975057.6		10.1%
6	DECILE 6	5976	2884023.0		9.8%
7	DECILE 7	5898	2962212.5		10.1%
8	DECILE 8	5872	2960799.6		10.1%
9	DECILE 9	5792	2911950.7		9.9%
10	DECILE 10	6186	2898407.9		9.9%
96	NOT APPLICABLE	1423	82853.3		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	58	10807.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

INCDRRS: Hhld inc. distribution- hr level - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=54916 / 28523546.05] [Invalid=6791 / 967483.92]
Notes	Deciles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for each of the 117 health regions irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal, etc. are excluded). Boundaries are determined in order to derive deciles from the total weighted number of cases for which derived variables are calculated. The INCDRRS values are based on a distribution of adjusted ratios for the residents of each of the 122 health regions. This variable should therefore be used in conjunction with the variable for the health region province of residence (GEO_DHR4).

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DECILE 1	5806	2941814.1		10.3%
2	DECILE 2	6224	2865698.1		10.0%
3	DECILE 3	5732	2872225.6		10.1%
4	DECILE 4	5682	2880494.2		10.1%
5	DECILE 5	5583	2861016.5		10.0%
6	DECILE 6	5414	2835107.3		9.9%
7	DECILE 7	5184	2848564.7		10.0%
8	DECILE 8	5055	2835569.6		9.9%

INCDRRS: Hhld inc. distribution- hr level - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)	
9	DECILE 9	4985	2835328.6		9.9%
10	DECILE 10	5251	2747727.4		9.6%
96	NOT APPLICABLE	1423	82853.3		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	5368	884630.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTS_M: Weights - Master

Information	[Type= continuous] [Format=numeric] [Range= 9.31-20207.6] [Missing=*]
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-] [Mean=477.92 /-] [StdDev=807.226 /-]

DOHUI: Module: HUI - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3486 / 1006969.25] [Invalid=58221 / 28484060.72]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3486	1006969.2		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	58221	28484060.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIGVIS: Vision trouble - function code - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3420 / 994799.81] [Invalid=58287 / 28496230.16]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NO VISUAL PROBL.	1364	450362.2		45.3%
2	CORR. BY LENSES	1984	522722.3		52.5%
3	HYPERMET/N CORR	26	7534.9	0.8%	
4	MYOPIA/N CORR	28	11148.4	1.1%	
5	MYOPIA&HYPERMET	18	3032.1	0.3%	
6	NOT APPLICABLE	58221	28484060.7		
9	NOT STATED	66	12169.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIGHER: Hearing problems - function code - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=3386 / 988198.92] [Invalid=58321 / 28502831.05]

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NO PROBLEMS	3175	952817.1		96.4%
2	CORRECTED	132	22443.9	2.3%	
3	NOT CORRECTED	79	12937.9	1.3%	
6	NOT APPLICABLE	58221	28484060.7		

HUIGHER: Hearing problems - function code - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	100	18770.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIGSPE: Speech trouble - function code - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3470 / 1003184.96] [Invalid=58237 / 28487845.01]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	3431	997158.8	99.4%
2	PART/NOT UNDERST	39	6026.2	0.6%
6	NOT APPLICABLE	58221	28484060.7	
9	NOT STATED	16	3784.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIGMOB: Mobility trouble - function code - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3468 / 1004582.62] [Invalid=58239 / 28486447.35]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	3179	954158.9	95.0%
2	NO AID REQUIRED	51	7670.9	0.8%
3	NEED MECH. SUPP	183	26728.1	2.7%
4	HELP/CAN'T WALK	55	16024.7	1.6%
6	NOT APPLICABLE	58221	28484060.7	
9	NOT STATED	18	2386.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIGDEX: Dexterity trouble - function code -(D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=3471 / 1005104.09] [Invalid=58236 / 28485925.88]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	3443	993065.8	98.8%
2	NO HELP REQ'D	11	4738.9	0.5%
3	NEEDS HELP	17	7299.4	0.7%
6	NOT APPLICABLE	58221	28484060.7	
9	NOT STATED	15	1865.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIDEMO: Emotion (function code)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3464 / 1004377.53] [Invalid=58243 / 28486652.44]
Universe	Respondents with DOHUI = 1
Notes	This variable classifies respondents based on emotional health status. Based on HUI_25. See documentation on derived variables for complete description of emotion attribute levels.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EMOT. ATT. LEV.1	2673	776066.3	77.3%
2	EMOT. ATT. LEV.2	682	202902.2	20.2%
3	EMOT. ATT. LEV.3	92	22506.3	2.2%

HUIDEMO: Emotion (function code)

Value	Label	Cases	Weighted	Percentage (Weighted)
4	EMOT. ATT. LEV.4	10	1261.8	0.1%
5	EMOT. ATT. LEV.5	7	1641.0	0.2%
6	NOT APPLICABLE	58221	28484060.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	22	2591.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIDCOG: Cognition prob. - function code - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=3440 / 999035.36] [Invalid=58267 / 28491994.61]
Universe	Respondents with DOHUI = 1
Notes	This variable classifies respondents based on cognitive health status. Based on HUI_26, HUI_27. See documentation on derived variables for complete description of cognition attribute levels.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	COG. ATT. LEVE 1	2070	622261.1	62.3%
2	COG. ATT. LEVE 2	158	47387.8	4.7%
3	COG. ATT. LEVE 3	831	226615.7	22.7%
4	COG. ATT. LEVE 4	294	82270.2	8.2%
5	COG. ATT. LEVE 5	83	20126.4	2.0%
6	COG. ATT. LEVE 6	4	374.3	0.0%
96	NOT APPLICABLE	58221	28484060.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	46	7933.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HUIDHSI: Health utilities index

Information	[Type= continuous] [Format=numeric] [Range= -0.278-1] [Missing=*]
Statistics [NW/ W]	[Valid=3265 / 965958.14] [Invalid=58442 / 28525071.83] [Mean=0.837 / 0.853] [StdDev=0.217 / 0.206]
Universe	Respondents with DOHUI = 1
Notes	Based on HUIDVIS, HUIDHER, HUIDSPE, HUIDMOB, HUIDDEX, HUIDEMO, HUIDCOG, HUPDPAD. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
99.996	NOT APPLICABLE	58221	28484060.7	
99.997	DON'T KNOW	0	0.0	
99.998	REFUSAL	0	0.0	
99.999	NOT STATED	221	41011.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSSU: Module: SSU - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3592 / 847823.27] [Invalid=58115 / 28643206.7]
Universe	All respondents
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

DOSSU: Module: SSU - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3592	847823.3		100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	58115	28643206.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSU_21A: Received tangible social support

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2968 / 742151.19] [Invalid=58739 / 28748878.78]
Universe	Respondents with DOSSU = 1 who answered SSA_02 = (2, 3, 4, 5, 7 or 8) or SSA_05 = (2, 3, 4, 5, 7 or 8) or SSA_12 = (2, 3, 4, 5, 7 or 8) or SSA_15 = (2, 3, 4, 5, 7 or 8) or SSA_01 = (997 or 998)
Literal question	In the past 12 months, did you receive the following support: ...tangible social support?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1269	313125.4		42.2%
2	NO	1699	429025.8		57.8%
6	NOT APPLICABLE	58142	28647971.7		
7	DON'T KNOW	10	2525.1		
8	REFUSAL	6	288.7		
9	NOT STATED	581	98093.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSU_21B: Freq. of tangible social support

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=1254 / 310091.82] [Invalid=60453 / 29180938.15]
Universe	Respondents with DOSSU = 1 who answered SSU_21A = (1, 7 or 8) or [SSA_02 = 1 and SSA_05 = (1, 7 or 8) and SSA_12 = (1, 7 or 8) and SSA_15 = (1, 7 or 8) and at least one of SSA_05, SSA_12, SSA_15 = (7 or 8)] or SSA_02 = (7 or 8) or SSA_01 = (997 or 998)
Literal question	When you needed it, how often did you receive this kind of support (in the past 12 months)?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALMOST ALWAYS	1018	256899.4		82.8%
2	FREQUENTLY	121	28571.2		9.2%
3	HALF THE TIME	55	12055.5		3.9%
4	RARELY	52	10222.6		3.3%
5	NEVER	8	2343.2		0.8%
6	NOT APPLICABLE	59841	29076997.5		
7	DON'T KNOW	14	2366.7		
8	REFUSAL	0	0.0		
9	NOT STATED	598	101573.9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSU_22A: Received affective support

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2961 / 739833.3] [Invalid=58746 / 28751196.67]

SSU_22A: Received affective support

Universe	Respondents with DOSSU = 1 who answered SSA_06 = (2, 3, 4, 5, 7 or 8) or SSA_10 = (2, 3, 4, 5, 7 or 8) or SSA_20 = (2, 3, 4, 5, 7 or 8) or SSA_02 = (7 or 8) or SSA_01 = (997 or 998)			
Literal question	(In the past 12 months, did you receive the following support:) ...affective support?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2832	716695.7	96.9%
2	NO	129	23137.6	3.1%
6	NOT APPLICABLE	58138	28647545.4	
7	DON'T KNOW	11	3629.7	
8	REFUSAL	9	837.6	
9	NOT STATED	588	99184.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSU_22B: Freq. of affective support

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2814 / 713783.25] [Invalid=58893 / 28777246.72]
Universe	Respondents with DOSSU = 1 who answered SSU_22A = (1, 7 or 8) or [SSA_06 = (1, 7 or 8) and SSA_10 = (1, 7 or 8) and SSA_20 = (1, 7 or 8) and at least one of SSA_06, SSA_10, SSA_20 = (7 or 8)] or SSA_02 = (7 or 8) or SSA_01 = (997 or 998)
Literal question	When you needed it, how often did you receive this kind of support (in the past 12 months)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	2255	578440.8	81.0%
2	FREQUENTLY	362	84766.9	11.9%
3	HALF THE TIME	143	39570.8	5.5%
4	RARELY	54	11004.7	1.5%
5	NEVER	0	0.0	
6	NOT APPLICABLE	58267	28670683.1	
7	DON'T KNOW	16	2107.8	
8	REFUSAL	2	804.6	
9	NOT STATED	608	103651.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSU_23A: Rec'd pos. social interac. supp.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2978 / 744140.82] [Invalid=58729 / 28746889.15]
Universe	Respondents with DOSSU = 1 who answered SSA_07 = (2, 3, 4, 5, 7 or 8) or SSA_11 = (2, 3, 4, 5, 6, 7 or 8) or SSA_14 = (2, 3, 4, 5, 7 or 8) or SSA_18 = (2, 3, 4, 5, 7 or 8)
Literal question	(In the past 12 months, did you receive the following support:) ...positive social interactive support?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2874	724104.0	97.3%
2	NO	104	20036.9	2.7%
6	NOT APPLICABLE	58125	28645061.9	
7	DON'T KNOW	11	1435.2	
8	REFUSAL	8	1231.9	
9	NOT STATED	585	99160.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSU_23B: Freq. of pos. social interac. supp.

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2856 / 722057.39] [Invalid=58851 / 28768972.58]
Universe	Respondents with DOSSU = 1 who answered SSU_23A = (1, 7 or 8) or [SSA_07 = (1, 7 or 8) and SSA_11 = (1, 7 or 8) and SSA_14 = (1, 7 or 8) and SSA_18 = (1, 7 or 8) and at least one of SSA_07, SSA_11, SSA_14, SSA_18 = (7 or 8)] or SSA_02 = (7 or 8) or SSA_01 = (7 or 8)
Literal question	When you needed it, how often did you receive this kind of support (in the past 12 months)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	2218	570528.8	79.0%
2	FREQUENTLY	444	104294.1	14.4%
3	HALF THE TIME	140	38408.3	5.3%
4	RARELY	53	8768.4	1.2%
5	NEVER	1	57.7	0.0%
6	NOT APPLICABLE	58229	28665098.8	
7	DON'T KNOW	16	1938.6	
8	REFUSAL	2	108.0	
9	NOT STATED	604	101827.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSU_24A: Received emotional/informational support

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2970 / 743402.05] [Invalid=58737 / 28747627.92]
Universe	Respondents with DOSSU = 1 who answered SSA_03 = (2, 3, 4, 5, 7 or 8) or SSA_04 = (2, 3, 4, 5, 7 or 8) or SSA_08 = (2, 3, 4, 5, 7 or 8) or SSA_09 = (2, 3, 4, 5, 7 or 8) or SSA_13 = (2, 3, 4, 5, 7 or 8) or SSA_16 = (2, 3, 4, 5, 7 or 8) or SSA_17 = (2, 3, 4, 5, 7 or 8) or SSA_19 = (2, 3, 4, 5, 7 or 8) or SSA_02 = (7 or 8) or SSA_01 = (997 or 998)
Literal question	(In the past 12 months, did you receive the following support:) ...emotional/informational support?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2811	713794.2	96.0%
2	NO	159	29607.9	4.0%
6	NOT APPLICABLE	58125	28644424.2	
7	DON'T KNOW	21	3164.8	
8	REFUSAL	10	1202.4	
9	NOT STATED	581	98836.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSU_24B: Freq. of emotional/info. support

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=2800 / 712391.15] [Invalid=58907 / 28778638.82]
Universe	Respondents with DOSSU =1 who answered SSU_24A = (1, 7 or 8) or [SSA_03 = (1, 7 or 8) and SSA_04 = (1, 7 or 8) and SSA_08 = (1, 7 or 8) and SSA_09 = (1, 7 or 8) and SSA_13 = (1, 7 or 8) and SSA_16 = (1, 7 or 8) and SSA_17 = (1, 7 or 8) and SSA_19 = (1, 7 or 8) and at least one of SSA_03, SSA_04, SSA_08, SSA_09, SSA_13, SSA_16, SSA_17, SSA_19 = (7 or 8)] or SSA_02 = (7 or 8) or SSA_01 = (997 or 998)
Literal question	When you needed it, how often did you receive this kind of support (in the past 12 months)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	2196	569779.0	80.0%
2	FREQUENTLY	430	103622.6	14.5%
3	HALF THE TIME	123	30229.1	4.2%
4	RARELY	50	8652.4	1.2%

SSU_24B: Freq. of emotional/info. support

Value	Label	Cases	Weighted	Percentage (Weighted)
5	NEVER	1	108.0	0.0%
6	NOT APPLICABLE	58284	28674032.2	
7	DON'T KNOW	11	1403.0	
8	REFUSAL	0	0.0	
9	NOT STATED	612	103203.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOWTM: Module: WTM - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1765 / 443816.3] [Invalid=59942 / 29047213.67]
Universe	Respondents who answered LBS_01 = (1, 7, 8) or LBS_02 = (1, 7, 8)
Literal question	Are you an employee or self-employed?
Notes	Based on LBS_31. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1765	443816.3	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	59942	29047213.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_01: Required visit to medical specialist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=490 / 123018.89] [Invalid=61217 / 29368011.08]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered ACC_10 = (1, 7 or 8)
Literal question	In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation for a new illness or condition?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	202	54347.1	44.2%
2	NO	288	68671.8	55.8%
6	NOT APPLICABLE	61134	29347762.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	94.0	
9	NOT STATED	82	20155.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_02: Req. vis. med. spec. - type of condition

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=200 / 53915.56] [Invalid=61507 / 29437114.41]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_01 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	For what type of condition? If you have had more than one such visit, please answer for the most recent visit.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	HEART CONDITION	11	2704.0	5.0%
2	CANCER	17	3379.7	6.3%

WTM_02: Req. vis. med. spec. - type of condition

Value	Label	Cases	Weighted	Percentage (Weighted)
3	ASTHMA	6	1843.7	3.4%
4	ARTHRITIS/RHEUM.	5	2037.6	3.8%
5	CATARACT	6	4632.9	8.6%
6	MENTAL HEALTH	8	2862.5	5.3%
7	SKIN CONDITIONS	16	3631.1	6.7%
8	GYNAECOLOGICAL	31	7821.5	14.5%
9	OTHER	100	25002.7	46.4%
96	NOT APPLICABLE	61422	29416433.7	
97	DON'T KNOW	1	313.8	
98	REFUSAL	0	0.0	
99	NOT STATED	84	20366.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_03: Person who referred resp. to med. spec.

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=202 / 54347.13] [Invalid=61505 / 29436682.84]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_01 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	Were you referred by: (a family doctor, another specialist or another health care provider)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FAMILY DOCTOR	169	45037.6	82.9%
2	OTHER SPECIALIST	12	4915.5	9.0%
3	OTHER HLTH CARE	16	3637.2	6.7%
4	DID NOT REQUIRE	5	756.8	1.4%
6	NOT APPLICABLE	61422	29416433.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	83	20249.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_04: Already visited the medical specialist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=202 / 54347.13] [Invalid=61505 / 29436682.84]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_01 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	Have you already visited the medical specialist?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	178	48770.9	89.7%
2	NO	24	5576.3	10.3%
6	NOT APPLICABLE	61422	29416433.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	83	20249.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_05: Difficulty seeing medical specialist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=178 / 48770.86] [Invalid=61529 / 29442259.11]

WTM_05: Difficulty seeing medical specialist

Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_04 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	Thinking about this visit, did you experience any difficulties seeing the specialist?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	28	9958.3		20.4%
2	NO	150	38812.5		79.6%
6	NOT APPLICABLE	61446	29422010.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	83	20249.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_06A: Diff. - getting referral

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28 / 9958.34] [Invalid=61679 / 29481071.63]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting a referral

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1	177.3	1.8%	
2	NO	27	9781.0		98.2%
6	NOT APPLICABLE	61596	29460822.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	83	20249.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_06B: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28 / 9958.34] [Invalid=61679 / 29481071.63]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	10	3207.9	32.2%	
2	NO	18	6750.4		67.8%
6	NOT APPLICABLE	61596	29460822.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	83	20249.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_06C: Diff. - no specialists in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28 / 9958.34] [Invalid=61679 / 29481071.63]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - No specialists in the area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2	125.2	1.3%	
2	NO	26	9833.2		98.7%
6	NOT APPLICABLE	61596	29460822.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	83	20249.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_06D: Diff. - waited too long for appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28 / 9958.34] [Invalid=61679 / 29481071.63]

WTM_06D: Diff. - waited too long for appointment

Universe		Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question		What type of difficulties did you experience? - Waited too long between booking appointment and visit			

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	17	8007.8		80.4%
2	NO	11	1950.6	19.6%	
6	NOT APPLICABLE	61596	29460822.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	83	20249.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_06E: Diff. - waited too long to see doc.

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]		[Valid=28 / 9958.34] [Invalid=61679 / 29481071.63]
Universe		Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question		What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4	5331.4		53.5%
2	NO	24	4626.9		46.5%
6	NOT APPLICABLE	61596	29460822.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	83	20249.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_06F: Diff. - transportation

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]		[Valid=28 / 9958.34] [Invalid=61679 / 29481071.63]
Universe		Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question		What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2	59.6	0.6%	
2	NO	26	9898.8		99.4%
6	NOT APPLICABLE	61596	29460822.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	83	20249.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_06G: Diff. - language

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]		[Valid=28 / 9958.34] [Invalid=61679 / 29481071.63]
Universe		Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)

WTM_06G: Diff. - language

Literal question	What type of difficulties did you experience? - Language problem			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	28	9958.3	100.0%
6	NOT APPLICABLE	61596	29460822.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	83	20249.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_06H: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28 / 9958.34] [Invalid=61679 / 29481071.63]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	28	9958.3	100.0%
6	NOT APPLICABLE	61596	29460822.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	83	20249.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_06I: Diff. - pers./family responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28 / 9958.34] [Invalid=61679 / 29481071.63]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	28	9958.3	100.0%
6	NOT APPLICABLE	61596	29460822.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	83	20249.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_06J: Diff. - deterioration of health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28 / 9958.34] [Invalid=61679 / 29481071.63]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - General deterioration of health

WTM_06J: Diff. - deterioration of health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	28	9958.3	100.0%
6	NOT APPLICABLE	61596	29460822.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	83	20249.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_06K: Diff. - appointment cancelled/deferred

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28 / 9958.34] [Invalid=61679 / 29481071.63]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Appointment cancelled or deferred by specialist

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	388.4	3.9%
2	NO	26	9570.0	96.1%
6	NOT APPLICABLE	61596	29460822.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	83	20249.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_06L: Diff. - unable leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28 / 9958.34] [Invalid=61679 / 29481071.63]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	28	9958.3	100.0%
6	NOT APPLICABLE	61596	29460822.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	83	20249.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_06M: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=28 / 9958.34] [Invalid=61679 / 29481071.63]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	272.7	2.7%

WTM_06M: Diff. - other

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	25	9685.6	97.3%
6	NOT APPLICABLE	61596	29460822.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	83	20249.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_07A: Length of wait to see specialist

Information	[Type= discrete] [Format=numeric] [Range= 1-36] [Missing=*]
Statistics [NW/ W]	[Valid=173 / 47326.63] [Invalid=61534 / 29443703.34]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_04 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	How long did you have to wait between when [you and your doctor/health care provider] decided that you should see a specialist and when you actually visited the specialist?

Value	Label	Cases	Weighted	Percentage (Weighted)
1		43	7897.0	16.7%
2		41	11497.2	24.3%
3		34	7367.8	15.6%
4		12	1667.9	3.5%
5		6	2252.1	4.8%
6		15	4299.9	9.1%
7		2	487.4	1.0%
8		4	4156.4	8.8%
9		3	2249.8	4.8%
10		1	228.4	0.5%
11		1	626.3	1.3%
12		5	1852.8	3.9%
14		2	767.0	1.6%
18		3	1904.6	4.0%
36		1	72.0	0.2%
996	NOT APPLICABLE	61446	29422010.0	
997	DON'T KNOW	5	1444.2	
998	REFUSAL	0	0.0	
999	NOT STATED	83	20249.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_07B: Length of wait to see specialist - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=173 / 47326.63] [Invalid=61534 / 29443703.34]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_04 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Interviewer's instructions	Interviewer : Enter unit of time.
Notes	Unit of measure of value in WTM_07A.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	22	3810.6	8.1%
2	WEEKS	63	15965.3	33.7%

WTM_07B: Length of wait to see specialist - unit

Value	Label	Cases	Weighted	Percentage (Weighted)
3	MONTHS	88	27550.8	58.2%
6	NOT APPLICABLE	61446	29422010.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	88	21693.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_08A: Length of time been waiting to see spec.

Information	[Type= discrete] [Format=numeric] [Range= 1-365] [Missing=*]
Statistics [NW/ W]	[Valid=23 / 5390.61] [Invalid=61684 / 29485639.36]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_04 = (2, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	How long have you been waiting since [you and your doctor/health care provider] decided that you should see a specialist?

Value	Label	Cases	Weighted	Percentage (Weighted)
1		3	607.1	11.3%
2		2	473.0	8.8%
4		4	1425.0	26.4%
6		3	526.8	9.8%
7		2	558.0	10.4%
9		3	445.0	8.3%
10		2	1072.9	19.9%
11		1	57.9	1.1%
12		1	165.5	3.1%
48		1	37.5	0.7%
365		1	21.9	0.4%
996	NOT APPLICABLE	61600	29465204.6	
997	DON'T KNOW	1	185.7	
998	REFUSAL	0	0.0	
999	NOT STATED	83	20249.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_08B: Length of time waiting/see spec. - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=23 / 5390.61] [Invalid=61684 / 29485639.36]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_04 = (2, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Interviewer's instructions	Interviewer : Enter unit of time.
Notes	Unit of measure of value in WTM_08A.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	1	21.9	0.4%
2	WEEKS	6	1617.3	30.0%
3	MONTHS	16	3751.4	69.6%
6	NOT APPLICABLE	61600	29465204.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20434.8	

WTM_08B: Length of time waiting/see spec. - unit

WTM_10: Respondent's opinion of waiting time

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=202 / 54347.13] [Invalid=61505 / 29436682.84]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_01 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	In your view, was the [waiting time/has the waiting time been]: (acceptable or not acceptable)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ACCEPTABLE	136	36633.1	67.4%
2	NOT ACCEPTABLE	63	17246.9	31.7%
3	NO VIEW	3	467.2	0.9%
6	NOT APPLICABLE	61422	29416433.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	83	20249.1	

WTM_11A: Acceptable waiting time

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=63 / 17169.63] [Invalid=61644 / 29473860.34]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_10 = (2, 3, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	In this particular case, what do you think is an acceptable waiting time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1		26	7584.2	44.2%
2		16	3212.8	18.7%
3		11	2399.8	14.0%
4		3	375.3	2.2%
5		1	428.5	2.5%
6		5	2991.0	17.4%
8		1	178.0	1.0%
996	NOT APPLICABLE	61558	29453066.8	
997	DON'T KNOW	3	544.4	
998	REFUSAL	0	0.0	
999	NOT STATED	83	20249.1	

WTM_11B: Acceptable waiting time - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=63 / 17169.63] [Invalid=61644 / 29473860.34]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_10 = (2, 3, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Interviewer's instructions	Interviewer : Enter unit of time.
Notes	Unit of measure of value in WTM_11A.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	6	2598.8	15.1%
2	WEEKS	21	4996.7	29.1%

WTM_11B: Acceptable waiting time - unit

Value	Label	Cases	Weighted	Percentage (Weighted)	
3	MONTHS	36	9574.1		55.8%
6	NOT APPLICABLE	61558	29453066.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	86	20793.6		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_12: Visit to specialist cancelled/postponed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=202 / 54347.13] [Invalid=61505 / 29436682.84]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_01 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	Was your visit cancelled or postponed at any time?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	32	12221.4	22.5%	
2	NO	170	42125.7		77.5%
6	NOT APPLICABLE	61422	29416433.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	83	20249.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_13A: Visit cancelled/postponed - respondent

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=32 / 12221.41] [Invalid=61675 / 29478808.56]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_12 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	Was it cancelled or postponed by: (yourself or the specialist)? - Yourself

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	7	4888.9	40.0%	
2	NO	25	7332.5		60.0%
6	NOT APPLICABLE	61592	29458559.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	83	20249.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_13B: Visit cancelled/postponed - specialist

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=32 / 12221.41] [Invalid=61675 / 29478808.56]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_12 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	Was it cancelled or postponed by: (yourself or the specialist)? - The specialist

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	24	7218.7		59.1%
2	NO	8	5002.7	40.9%	
6	NOT APPLICABLE	61592	29458559.4		

WTM_13B: Visit cancelled/postponed - specialist

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	83	20249.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_13C: Visit cancelled/postponed - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=32 / 12221.41] [Invalid=61675 / 29478808.56]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_12 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	Was it cancelled or postponed by: (yourself or the specialist)? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	252.7	2.1%
2	NO	30	11968.7	97.9%
6	NOT APPLICABLE	61592	29458559.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	83	20249.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_14: Life affected by wait/spec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=201 / 54259.87] [Invalid=61506 / 29436770.1]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_01 = (1, 7 or 8) or ACC_10 = (7 or 8)
Literal question	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this visit?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	37	6551.8	12.1%
2	NO	164	47708.1	87.9%
6	NOT APPLICABLE	61422	29416433.7	
7	DON'T KNOW	1	87.3	
8	REFUSAL	0	0.0	
9	NOT STATED	83	20249.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_15A: Life affected by wait - worry

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=36 / 6250.19] [Invalid=61671 / 29484779.78]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Worry, anxiety, stress

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	28	5388.5	86.2%
2	NO	8	861.7	13.8%
6	NOT APPLICABLE	61586	29464141.8	
7	DON'T KNOW	1	301.6	

WTM_15A: Life affected by wait - worry

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	84	20336.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_15B: Life affected by wait - worry for family

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=36 / 6250.19] [Invalid=61671 / 29484779.78]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Worry or stress for family or friends

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	3079.0	49.3%
2	NO	22	3171.2	50.7%
6	NOT APPLICABLE	61586	29464141.8	
7	DON'T KNOW	1	301.6	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20336.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_15C: Life affected by wait - pain

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=36 / 6250.19] [Invalid=61671 / 29484779.78]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Pain

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	2821.2	45.1%
2	NO	22	3429.0	54.9%
6	NOT APPLICABLE	61586	29464141.8	
7	DON'T KNOW	1	301.6	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20336.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_15D: Life affected by wait - prob. daily act.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=36 / 6250.19] [Invalid=61671 / 29484779.78]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Problems with activities of daily living (e.g., dressing, driving)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	3075.3	49.2%
2	NO	23	3174.9	50.8%
6	NOT APPLICABLE	61586	29464141.8	
7	DON'T KNOW	1	301.6	

WTM_15D: Life affected by wait - prob. daily act.

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	84	20336.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_15E: Life affected by wait - loss of work

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=36 / 6250.19] [Invalid=61671 / 29484779.78]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Loss of work

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	1132.5	18.1%
2	NO	32	5117.6	81.9%
6	NOT APPLICABLE	61586	29464141.8	
7	DON'T KNOW	1	301.6	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20336.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_15F: Life affected by wait - loss of income

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=36 / 6250.19] [Invalid=61671 / 29484779.78]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Loss of income

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	225.8	3.6%
2	NO	32	6024.4	96.4%
6	NOT APPLICABLE	61586	29464141.8	
7	DON'T KNOW	1	301.6	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20336.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_15G: Life affected by wait - incr. dependence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=36 / 6250.19] [Invalid=61671 / 29484779.78]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	1200.8	19.2%
2	NO	29	5049.4	80.8%
6	NOT APPLICABLE	61586	29464141.8	
7	DON'T KNOW	1	301.6	
8	REFUSAL	0	0.0	

WTM_15G: Life affected by wait - incr. dependence

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	84	20336.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_15H: Life affected by wait - incr. use med.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=36 / 6250.19] [Invalid=61671 / 29484779.78]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Increased use of over-the-counter drugs

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	186.2	3.0%
2	NO	35	6064.0	97.0%
6	NOT APPLICABLE	61586	29464141.8	
7	DON'T KNOW	1	301.6	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20336.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_15I: Life affected by wait - health deter.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=36 / 6250.19] [Invalid=61671 / 29484779.78]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Overal health deteriorated, condition got worse

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	1084.2	17.3%
2	NO	28	5166.0	82.7%
6	NOT APPLICABLE	61586	29464141.8	
7	DON'T KNOW	1	301.6	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20336.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_15J: Life affected by wait - health improved

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=36 / 6250.19] [Invalid=61671 / 29484779.78]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Health problem improved

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	36	6250.2	100.0%
6	NOT APPLICABLE	61586	29464141.8	
7	DON'T KNOW	1	301.6	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20336.4	

WTM_15J: Life affected by wait - health improved

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_15K: Life affected by wait - pers. rel.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=36 / 6250.19] [Invalid=61671 / 29484779.78]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Personal relationships suffered

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4	1808.6		28.9%
2	NO	32	4441.6		71.1%
6	NOT APPLICABLE	61586	29464141.8		
7	DON'T KNOW	1	301.6		
8	REFUSAL	0	0.0		
9	NOT STATED	84	20336.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_15L: Life affected by wait - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=36 / 6250.19] [Invalid=61671 / 29484779.78]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4	840.6		13.4%
2	NO	32	5409.6		86.6%
6	NOT APPLICABLE	61586	29464141.8		
7	DON'T KNOW	1	301.6		
8	REFUSAL	0	0.0		
9	NOT STATED	84	20336.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_17: Already had the surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=115 / 29025.26] [Invalid=61592 / 29462004.71]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_20 = (1, 7 or 8)
Literal question	Did you already have this surgery?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	103	26379.4		90.9%
2	NO	12	2645.9		9.1%
6	NOT APPLICABLE	61511	29442268.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	81	19736.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_18: Surgery required overnight hospital stay

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

WTM_18: Surgery required overnight hospital stay

Statistics [NW/ W]	[Valid=103 / 26379.39] [Invalid=61604 / 29464650.58]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	Did the surgery require an overnight hospital stay?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	36	11985.8	45.4%
2	NO	67	14393.6	54.6%
6	NOT APPLICABLE	61523	29444914.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_19: Diff. getting this surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=103 / 26379.39] [Invalid=61604 / 29464650.58]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	Did you experience any difficulties getting this surgery?			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	2262.4	8.6%
2	NO	91	24117.0	91.4%
6	NOT APPLICABLE	61523	29444914.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_20A: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=12 / 2262.44] [Invalid=61695 / 29488767.53]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	542.8	24.0%
2	NO	10	1719.6	76.0%
6	NOT APPLICABLE	61614	29469031.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_20B: Diff. - getting a diagnosis

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12 / 2262.44] [Invalid=61695 / 29488767.53]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)

WTM_20B: Diff. - getting a diagnosis

Literal question	What type of difficulties did you experience? - Difficulty getting a diagnosis			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	12	2262.4	100.0%
6	NOT APPLICABLE	61614	29469031.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_20C: Diff. - wait too long for diag. test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12 / 2262.44] [Invalid=61695 / 29488767.53]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long for a diagnostic test

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	24.7	1.1%
2	NO	11	2237.8	98.9%
6	NOT APPLICABLE	61614	29469031.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_20D: Diff. - waited too long for hosp. bed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12 / 2262.44] [Invalid=61695 / 29488767.53]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long for a hospital bed to become available

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	12	2262.4	100.0%
6	NOT APPLICABLE	61614	29469031.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_20E: Diff. - waited too long/surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12 / 2262.44] [Invalid=61695 / 29488767.53]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long for surgery

WTM_20E: Diff. - waited too long/surgery

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6	1193.0		52.7%
2	NO	6	1069.4		47.3%
6	NOT APPLICABLE	61614	29469031.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	81	19736.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_20F: Diff. - service not available/area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12 / 2262.44] [Invalid=61695 / 29488767.53]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1	36.4	1.6%	
2	NO	11	2226.0		98.4%
6	NOT APPLICABLE	61614	29469031.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	81	19736.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_20G: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12 / 2262.44] [Invalid=61695 / 29488767.53]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1	230.0	10.2%	
2	NO	11	2032.4		89.8%
6	NOT APPLICABLE	61614	29469031.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	81	19736.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_20H: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12 / 2262.44] [Invalid=61695 / 29488767.53]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	

WTM_20H: Diff. - language

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	12	2262.4	100.0%
6	NOT APPLICABLE	61614	29469031.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_20I: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12 / 2262.44] [Invalid=61695 / 29488767.53]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	12	2262.4	100.0%
6	NOT APPLICABLE	61614	29469031.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_20J: Diff. - pers./family responsibilities

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12 / 2262.44] [Invalid=61695 / 29488767.53]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Personal or family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	405.6	17.9%
2	NO	11	1856.8	82.1%
6	NOT APPLICABLE	61614	29469031.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_20K: Diff. - deterioration of health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12 / 2262.44] [Invalid=61695 / 29488767.53]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - General deterioration of health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	12	2262.4	100.0%
6	NOT APPLICABLE	61614	29469031.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_20L: Diff. - appt. cancelled/deferred

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12 / 2262.44] [Invalid=61695 / 29488767.53]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	1050.8	46.4%
2	NO	8	1211.6	53.6%
6	NOT APPLICABLE	61614	29469031.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_20M: Diff. - unable leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12 / 2262.44] [Invalid=61695 / 29488767.53]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	12	2262.4	100.0%
6	NOT APPLICABLE	61614	29469031.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_20N: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12 / 2262.44] [Invalid=61695 / 29488767.53]

WTM_20N: Diff. - other

Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	224.0	9.9%
2	NO	10	2038.4	90.1%
6	NOT APPLICABLE	61614	29469031.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_21A: Length of wait/surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-84] [Missing=*]
Statistics [NW/ W]	[Valid=101 / 25414.08] [Invalid=61606 / 29465615.89]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	How long did you have to wait between when you and the surgeon decided to go ahead with surgery and the day of surgery?

Value	Label	Cases	Weighted	Percentage (Weighted)
1		28	6823.9	26.9%
2		25	4694.1	18.5%
3		20	4403.0	17.3%
4		2	197.4	0.8%
5		8	1354.5	5.3%
6		10	6830.6	26.9%
7		1	226.4	0.9%
8		1	48.8	0.2%
10		1	20.0	0.1%
21		1	150.6	0.6%
24		1	230.0	0.9%
36		1	86.0	0.3%
72		1	166.4	0.7%
84		1	182.3	0.7%
996	NOT APPLICABLE	61523	29444914.3	
997	DON'T KNOW	2	965.3	
998	REFUSAL	0	0.0	
999	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_21B: Length of wait/surgery - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=101 / 25414.08] [Invalid=61606 / 29465615.89]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (1, 7 or 8) or ACC_20 = (7 or 8)
Interviewer's instructions	Interviewer : Enter unit of time.
Notes	Unit of measure of value in WTM_21A.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	15	1521.6	6.0%

WTM_21B: Length of wait/surgery - unit

Value	Label	Cases	Weighted	Percentage (Weighted)
2	WEEKS	39	12886.9	50.7%
3	MONTHS	47	11005.6	43.3%
6	NOT APPLICABLE	61523	29444914.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	83	20701.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_22: Surg. will require overnight hosp. stay

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7 / 1510.62] [Invalid=61700 / 29489519.35]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (2, 7 or 8) or ACC_20 = (7 or 8)
Literal question	Will the surgery require an overnight hospital stay?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	729.1	48.3%
2	NO	4	781.6	51.7%
6	NOT APPLICABLE	61614	29468647.8	
7	DON'T KNOW	5	1135.2	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_23A: Time since decision/have surgery

Information	[Type= discrete] [Format=numeric] [Range= 3-36] [Missing=*]
Statistics [NW/ W]	[Valid=9 / 1943.55] [Invalid=61698 / 29489086.42]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (2, 7 or 8) or ACC_20 = (7 or 8)
Literal question	How long have you been waiting since you and the surgeon decided to go ahead with the surgery?

Value	Label	Cases	Weighted	Percentage (Weighted)
3		1	46.3	2.4%
4		1	58.0	3.0%
5		1	480.2	24.7%
6		1	249.4	12.8%
12		1	258.3	13.3%
18		2	243.4	12.5%
24		1	433.3	22.3%
36		1	174.6	9.0%
996	NOT APPLICABLE	61614	29468647.8	
997	DON'T KNOW	3	702.3	
998	REFUSAL	0	0.0	
999	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_23B: Time since decision/have surgery - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=9 / 1943.55] [Invalid=61698 / 29489086.42]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (2, 7 or 8) or ACC_20 = (7 or 8)

WTM_23B: Time since decision/have surgery - unit

Notes	Unit of measure of value in WTM_23A.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	1	480.2	24.7%
2	WEEKS	2	135.9	7.0%
3	MONTHS	6	1327.5	68.3%
6	NOT APPLICABLE	61614	29468647.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20438.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_24: Respondent's opinion of waiting time

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=115 / 29025.26] [Invalid=61592 / 29462004.71]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered ACC_20 = (1, 7 or 8)
Literal question	In your view, [was the waiting time/has the waiting time been]: (acceptable or not acceptable)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ACCEPTABLE	86	22648.6	78.0%
2	NOT ACCEPTABLE	29	6376.6	22.0%
3	NO VIEW	0	0.0	
6	NOT APPLICABLE	61511	29442268.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_25A: Acceptable waiting time

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=27 / 6039.84] [Invalid=61680 / 29484990.13]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_24 = (2, 3, 7 or 8) or ACC_20 = (7 or 8)
Literal question	In this particular case, what do you think is an acceptable waiting time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1		11	2681.2	44.4%
2		6	955.5	15.8%
3		6	1526.9	25.3%
6		2	519.2	8.6%
12		2	357.0	5.9%
996	NOT APPLICABLE	61597	29464917.0	
997	DON'T KNOW	2	336.8	
998	REFUSAL	0	0.0	
999	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_25B: Acceptable waiting time - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=27 / 6039.84] [Invalid=61680 / 29484990.13]

WTM_25B: Acceptable waiting time - unit

Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_24 = (2, 3, 7 or 8) or ACC_20 = (7 or 8)	
Interviewer's instructions	Interviewer : Enter unit of time.	
Notes	Unit of measure of value in WTM_25A.	

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	2	466.9	7.7%
2	WEEKS	7	1268.0	21.0%
3	MONTHS	18	4305.0	71.3%
6	NOT APPLICABLE	61597	29464917.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	83	20073.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_26: Surgery cancelled or postponed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=114 / 28673.17] [Invalid=61593 / 29462356.8]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_20 = (1, 7 or 8)
Literal question	Was your surgery cancelled or postponed at any time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	4021.1	14.0%
2	NO	97	24652.0	86.0%
6	NOT APPLICABLE	61511	29442268.4	
7	DON'T KNOW	1	352.1	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_27A: Surgery cancelled/postponed - respondent

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17 / 4021.12] [Invalid=61690 / 29487008.85]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_26 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - Yourself

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	1353.5	33.7%
2	NO	11	2667.7	66.3%
6	NOT APPLICABLE	61608	29466920.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	82	20088.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_27B: Surgery cancelled/postponed - surgeon

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17 / 4021.12] [Invalid=61690 / 29487008.85]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_26 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - The surgeon

WTM_27B: Surgery cancelled/postponed - surgeon

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	10	2399.5		59.7%
2	NO	7	1621.7		40.3%
6	NOT APPLICABLE	61608	29466920.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	82	20088.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_27C: Surgery cancelled/postponed - hospital

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17 / 4021.12] [Invalid=61690 / 29487008.85]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_26 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - The hospital

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2	383.0	9.5%	
2	NO	15	3638.1		90.5%
6	NOT APPLICABLE	61608	29466920.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	82	20088.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_27D: Surgery cancelled/postponed - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=17 / 4021.12] [Invalid=61690 / 29487008.85]
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_26 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	17	4021.1		100.0%
6	NOT APPLICABLE	61608	29466920.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	82	20088.4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_28: Life affected by wait for surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=115 / 29025.26] [Invalid=61592 / 29462004.71]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_20 = (1, 7 or 8)
Literal question	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this surgery?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	26	8860.3	30.5%	
2	NO	89	20164.9		69.5%

WTM_28: Life affected by wait for surgery

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	61511	29442268.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_29A: Life affected by wait - worry

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26 / 8860.32] [Invalid=61681 / 29482169.65]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for surgery? - Worry, anxiety, stress

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	2331.3	26.3%
2	NO	14	6529.0	73.7%
6	NOT APPLICABLE	61600	29462433.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_29B: Life affected by wait - worry/family

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26 / 8860.32] [Invalid=61681 / 29482169.65]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Worry or stress for family or friends

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	971.4	11.0%
2	NO	22	7888.9	89.0%
6	NOT APPLICABLE	61600	29462433.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_29C: Life affected by wait - pain

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26 / 8860.32] [Invalid=61681 / 29482169.65]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Pain

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	5854.4	66.1%
2	NO	14	3006.0	33.9%
6	NOT APPLICABLE	61600	29462433.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

WTM_29C: Life affected by wait - pain

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_29D: Life affected by wait - prob. daily act.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26 / 8860.32] [Invalid=61681 / 29482169.65]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Problems with activities of daily living (e.g., dressing, driving)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	1344.5	15.2%
2	NO	16	7515.8	84.8%
6	NOT APPLICABLE	61600	29462433.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_29E: Life affected by wait - loss of work

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26 / 8860.32] [Invalid=61681 / 29482169.65]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Loss of work

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	455.7	5.1%
2	NO	22	8404.7	94.9%
6	NOT APPLICABLE	61600	29462433.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_29F: Life affected by wait - loss of income

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26 / 8860.32] [Invalid=61681 / 29482169.65]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Loss of income

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	36.4	0.4%
2	NO	25	8823.9	99.6%
6	NOT APPLICABLE	61600	29462433.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_29G: Life affected by wait - incr. dependence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26 / 8860.32] [Invalid=61681 / 29482169.65]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	644.5	7.3%
2	NO	21	8215.8	92.7%
6	NOT APPLICABLE	61600	29462433.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_29H: Life affected by wait - incr. use med.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26 / 8860.32] [Invalid=61681 / 29482169.65]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Increased use of over-the-counter drugs

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	320.2	3.6%
2	NO	24	8540.1	96.4%
6	NOT APPLICABLE	61600	29462433.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_29I: Life affected by wait - health deter.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26 / 8860.32] [Invalid=61681 / 29482169.65]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Overal health deteriorated, condition got worse

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	4905.6	55.4%
2	NO	21	3954.8	44.6%
6	NOT APPLICABLE	61600	29462433.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	81	19736.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_29J: Life affected by wait - health improved

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26 / 8860.32] [Invalid=61681 / 29482169.65]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Health problem improved

WTM_29J: Life affected by wait - health improved

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	26	8860.3		100.0%
6	NOT APPLICABLE	61600	29462433.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	81	19736.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_29K: Life affected by wait - pers. rel.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26 / 8860.32] [Invalid=61681 / 29482169.65]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Personal relationships suffered

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1	249.4	2.8%	
2	NO	25	8610.9		97.2%
6	NOT APPLICABLE	61600	29462433.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	81	19736.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_29L: Life affected by wait - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26 / 8860.32] [Invalid=61681 / 29482169.65]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	8	1595.4	18.0%	
2	NO	18	7265.0		82.0%
6	NOT APPLICABLE	61600	29462433.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	81	19736.3		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_30: Type of diagnostic test required

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=232 / 59221.8] [Invalid=61475 / 29431808.17]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_30 = (1, 7 or 8)
Literal question	What type of test did you require? If you had more than one in the past 12 months, please answer for the most recent test. (MRI, CAT Scan or angiography)

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	MRI	73	19691.8	33.3%	
2	CAT SCAN	147	35952.3		60.7%

WTM_30: Type of diagnostic test required

Value	Label	Cases	Weighted	Percentage (Weighted)
3	ANGIOGRAPHY	12	3577.7	6.0%
6	NOT APPLICABLE	61390	29411314.3	
7	DON'T KNOW	1	425.8	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_31: Required diag. test - type of condition

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=231 / 59442.06] [Invalid=61476 / 29431587.91]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_30 = (1, 7 or 8)
Literal question	For what type of condition: (heart disease or stroke, cancer, joints or fractures, or neurological or brain disorders (e.g., for MS, migraine or headaches))?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	HEART DISEASE	27	6853.1	11.5%
2	CANCER	31	6266.1	10.5%
3	JOINTS/FRACTURES	38	8696.8	14.6%
4	NEUROLOGICAL	26	10898.7	18.3%
5	OTHER	109	26727.3	45.0%
6	NOT APPLICABLE	61390	29411314.3	
7	DON'T KNOW	2	205.5	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_32: Already had diagnostic test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=233 / 59647.57] [Invalid=61474 / 29431382.4]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_30 = (1, 7 or 8)
Literal question	Did you already have this test?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	224	57417.2	96.3%
2	NO	9	2230.4	3.7%
6	NOT APPLICABLE	61390	29411314.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_33: Location of test

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=224 / 57417.18] [Invalid=61483 / 29433612.79]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	Where was the test done: (hospital, public clinic or private clinic)?

WTM_33: Location of test

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	HOSPITAL	224	57417.2		100.0%
2	PUBLIC CLINIC	0	0.0		
3	PRIVATE CLINIC	0	0.0		
4	OTHER	0	0.0		
6	NOT APPLICABLE	61399	29413544.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	84	20068.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_34: Location of clinic

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 / 0] [Invalid=61707 / 29491029.97]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_33 = (3, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)
Literal question	Was the clinic located: (in your province or in another province)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	RESP'S PROV.	0	0.0	
2	ANOTHER PROV.	0	0.0	
3	OTHER	0	0.0	
6	NOT APPLICABLE	61623	29470961.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_35: Patient in hospital at time of test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=224 / 57417.18] [Invalid=61483 / 29433612.79]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	Were you a patient in a hospital at the time of the test?

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	23	10840.0		18.9%
2	NO	201	46577.2		81.1%
6	NOT APPLICABLE	61399	29413544.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	84	20068.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_36: Diff. getting diagnostic test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=224 / 57417.18] [Invalid=61483 / 29433612.79]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	Did you experience any difficulties getting this test?

WTM_36: Diff. getting diagnostic test

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	24	3409.0	5.9%	
2	NO	200	54008.2		94.1%
6	NOT APPLICABLE	61399	29413544.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	84	20068.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_37A: Diff. - getting referral

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24 / 3409.02] [Invalid=61683 / 29487620.95]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting a referral

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2	288.1	8.5%	
2	NO	22	3120.9		91.5%
6	NOT APPLICABLE	61599	29467552.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	84	20068.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_37B: Diff. - getting an appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24 / 3409.02] [Invalid=61683 / 29487620.95]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3	543.7	15.9%	
2	NO	21	2865.3		84.1%
6	NOT APPLICABLE	61599	29467552.8		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	84	20068.1		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_37C: Diff. - waited too long to get an appt.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24 / 3409.02] [Invalid=61683 / 29487620.95]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	2532.2	74.3%

WTM_37C: Diff. - waited too long to get an appt.

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	7	876.8	25.7%
6	NOT APPLICABLE	61599	29467552.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_37D: Diff. - waited too long/get test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24 / 3409.02] [Invalid=61683 / 29487620.95]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	699.0	20.5%
2	NO	19	2710.0	79.5%
6	NOT APPLICABLE	61599	29467552.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_37E: Diff. - service not avail./time required

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24 / 3409.02] [Invalid=61683 / 29487620.95]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available at time required

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	24	3409.0	100.0%
6	NOT APPLICABLE	61599	29467552.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_37F: Diff. - service not available/area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24 / 3409.02] [Invalid=61683 / 29487620.95]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Service not available in the area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	36.4	1.1%
2	NO	23	3372.6	98.9%

WTM_37F: Diff. - service not available/area

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	61599	29467552.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_37G: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24 / 3409.02] [Invalid=61683 / 29487620.95]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Transportation problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	24	3409.0	100.0%
6	NOT APPLICABLE	61599	29467552.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_37H: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24 / 3409.02] [Invalid=61683 / 29487620.95]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Language problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	24	3409.0	100.0%
6	NOT APPLICABLE	61599	29467552.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_37I: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24 / 3409.02] [Invalid=61683 / 29487620.95]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Cost

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	24	3409.0	100.0%
6	NOT APPLICABLE	61599	29467552.8	

WTM_37I: Diff. - cost

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_37J: Diff. - deterioration of health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24 / 3409.02] [Invalid=61683 / 29487620.95]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - General deterioration of health

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	72.8	2.1%
2	NO	23	3336.2	97.9%
6	NOT APPLICABLE	61599	29467552.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_37K: Diff. - did not know where to go

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24 / 3409.02] [Invalid=61683 / 29487620.95]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	24	3409.0	100.0%
6	NOT APPLICABLE	61599	29467552.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_37L: Diff. - unable leave house/health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24 / 3409.02] [Invalid=61683 / 29487620.95]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	24	3409.0	100.0%
6	NOT APPLICABLE	61599	29467552.8	
7	DON'T KNOW	0	0.0	

WTM_37L: Diff. - unable leave house/health

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_37M: Diff. - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24 / 3409.02] [Invalid=61683 / 29487620.95]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)
Literal question	What type of difficulties did you experience? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	273.2	8.0%
2	NO	23	3135.8	92.0%
6	NOT APPLICABLE	61599	29467552.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_38A: Length of wait / test

Information	[Type= discrete] [Format=numeric] [Range= 1-30] [Missing=*]
Statistics [NW/ W]	[Valid=210 / 55638.7] [Invalid=61497 / 29435391.27]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	How long did you have to wait between when you and your doctor decided to go ahead with the test and the day of the test?

Value	Label	Cases	Weighted	Percentage (Weighted)
1		79	25812.7	46.4%
2		56	12177.9	21.9%
3		32	5537.7	10.0%
4		5	514.1	0.9%
5		6	1195.7	2.1%
6		16	7947.9	14.3%
7		5	727.1	1.3%
8		3	495.3	0.9%
9		1	332.3	0.6%
10		2	245.1	0.4%
12		3	448.8	0.8%
24		1	121.8	0.2%
30		1	82.2	0.1%
996	NOT APPLICABLE	61399	29413544.7	
997	DON'T KNOW	14	1778.5	
998	REFUSAL	0	0.0	
999	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_38B: Lgth wait decision and test - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=210 / 55638.7] [Invalid=61497 / 29435391.27]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (1, 7 or 8) or ACC_30 = (7 or 8)
Interviewer's instructions	Interviewer : Enter unit of time.
Notes	Unit of measure of value in WTM_38A.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	47	13980.7	25.1%
2	WEEKS	78	18272.0	32.8%
3	MONTHS	85	23386.0	42.0%
6	NOT APPLICABLE	61399	29413544.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	98	21846.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_39A: Length of time been waiting/diag. test

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=7 / 2003.23] [Invalid=61700 / 29489026.74]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (2, 7 or 8) or ACC_30 = (7 or 8
Literal question	How long have you been waiting for the test since you and your doctor decided to go ahead with the test?

WTM_39A: Length of time been waiting/diag. test

Value	Label	Cases	Weighted	Percentage (Weighted)
1		1	450.9	22.5%
2		2	160.3	8.0%
3		2	259.0	12.9%
4		1	663.8	33.1%
7		1	469.3	23.4%
996	NOT APPLICABLE	61614	29468731.4	
997	DON'T KNOW	2	227.2	
998	REFUSAL	0	0.0	
999	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_39B: Lgth time been waiting for test - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=7 / 2003.23] [Invalid=61700 / 29489026.74]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (2, 7 or 8) or ACC_30 = (7 or 8)
Interviewer's instructions	Interviewer : Enter unit of tim
Notes	Unit of measure of value in WTM_39A.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	0	0.0	
2	WEEKS	3	837.0	41.8%
3	MONTHS	4	1166.3	58.2%
6	NOT APPLICABLE	61614	29468731.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	86	20295.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_40: Respondent's opinion of waiting time

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=232 / 59474.39] [Invalid=61475 / 29431555.58]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_30 = (1, 7 or 8)
Literal question	In your view, [was the waiting time/has the waiting time been]: (acceptable or not acceptable)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ACCEPTABLE	192	50114.1	84.3%
2	NOT ACCEPTABLE	40	9360.3	15.7%
3	NO VIEW	0	0.0	
6	NOT APPLICABLE	61390	29411314.3	
7	DON'T KNOW	1	173.2	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_41A: Acceptable waiting time

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=40 / 9360.29] [Invalid=61667 / 29481669.68]

WTM_41A: Acceptable waiting time

Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_40 = (2, 3, 7 or 8) or ACC_30 = (7 or 8)
Literal question	In this particular case, what do you think is an acceptable waiting time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1		18	4902.3	52.4%
2		12	2987.8	31.9%
3		5	701.9	7.5%
4		2	190.0	2.0%
5		1	143.7	1.5%
6		1	121.8	1.3%
7		1	312.8	3.3%
996	NOT APPLICABLE	61582	29461428.4	
997	DON'T KNOW	1	173.2	
998	REFUSAL	0	0.0	
999	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_41B: Acceptable waiting time - unit

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=40 / 9360.29] [Invalid=61667 / 29481669.68]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_40 = (2, 3, 7 or 8) or ACC_30 = (7 or 8)
Interviewer's instructions	Interviewer : Enter unit of time
Notes	Unit of measure of value in WTM_41A.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	7	1413.4	15.1%
2	WEEKS	19	4838.7	51.7%
3	MONTHS	14	3108.2	33.2%
6	NOT APPLICABLE	61582	29461428.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	85	20241.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_42: Test cancelled or postponed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=232 / 59470.23] [Invalid=61475 / 29431559.74]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_30 = (1, 7 or 8)
Literal question	Was your test cancelled or postponed at any time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	2382.2	4.0%
2	NO	218	57088.0	96.0%
6	NOT APPLICABLE	61390	29411314.3	
7	DON'T KNOW	1	177.3	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_43: Test cancelled or postponed by

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=14 / 2382.19] [Invalid=61693 / 29488647.78]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_42 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	Was it cancelled or postponed by: (yourself, the specialist, the hospital or the clinic)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	SELF	3	293.0	12.3%
2	SPECIALIST	1	67.7	2.8%
3	HOSPITAL	10	2021.4	84.9%
4	CLINIC	0	0.0	
5	OTHER	0	0.0	
6	NOT APPLICABLE	61608	29468402.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	85	20245.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_44: Life affected by wait/test

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=230 / 59062.96] [Invalid=61477 / 29431967.01]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_30 = (1, 7 or 8)
Literal question	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this test?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21	4068.6	6.9%
2	NO	209	54994.3	93.1%
6	NOT APPLICABLE	61390	29411314.3	
7	DON'T KNOW	3	584.6	
8	REFUSAL	0	0.0	
9	NOT STATED	84	20068.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_45A: Life affected by wait - worry

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21 / 4068.64] [Invalid=61686 / 29486961.33]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this test? - Worry, anxiety, stress

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	3249.5	79.9%
2	NO	4	819.1	20.1%
6	NOT APPLICABLE	61599	29466308.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	87	20652.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_45B: Life affected by wait - worry for family

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21 / 4068.64] [Invalid=61686 / 29486961.33]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this test? - Worry or stress for family or friends

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	1338.4	32.9%
2	NO	15	2730.2	67.1%
6	NOT APPLICABLE	61599	29466308.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	87	20652.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_45C: Life affected by wait - pain

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21 / 4068.64] [Invalid=61686 / 29486961.33]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this test? - Pain

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	1664.5	40.9%
2	NO	11	2404.1	59.1%
6	NOT APPLICABLE	61599	29466308.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	87	20652.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_45D: Life affected by wait - prob. daily act.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21 / 4068.64] [Invalid=61686 / 29486961.33]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this test? - Problems with activities of daily living (e.g., dressing, driving)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	1449.7	35.6%
2	NO	14	2618.9	64.4%
6	NOT APPLICABLE	61599	29466308.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	87	20652.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_45E: Life affected by wait - loss of work

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21 / 4068.64] [Invalid=61686 / 29486961.33]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)

WTM_45E: Life affected by wait - loss of work

Literal question	How was your life affected as a result of waiting for this test? - Loss of work

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3	640.1	15.7%	
2	NO	18	3428.5		84.3%
6	NOT APPLICABLE	61599	29466308.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	87	20652.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_45F: Life affected by wait - loss of income

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21 / 4068.64] [Invalid=61686 / 29486961.33]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this test? - Loss of income

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1	36.4	0.9%	
2	NO	20	4032.2		99.1%
6	NOT APPLICABLE	61599	29466308.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	87	20652.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_45G: Life affected by wait - incr. dependence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21 / 4068.64] [Invalid=61686 / 29486961.33]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	4	647.0	15.9%	
2	NO	17	3421.6		84.1%
6	NOT APPLICABLE	61599	29466308.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	87	20652.7		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_45H: Life affected by wait-incr. use med.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21 / 4068.64] [Invalid=61686 / 29486961.33]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this test? - Increased use of over-the-counter drugs

Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	0	0.0		
2	NO	21	4068.6		100.0%

WTM_45H: Life affected by wait-incr. use med.

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	61599	29466308.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	87	20652.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_45I: Life affected by wait - health deter.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21 / 4068.64] [Invalid=61686 / 29486961.33]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Overall health deteriorated, condition got worse

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	707.3	17.4%
2	NO	17	3361.4	82.6%
6	NOT APPLICABLE	61599	29466308.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	87	20652.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_45J: Life affected by wait - health improved

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21 / 4068.64] [Invalid=61686 / 29486961.33]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this visit? - Health problem improved

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	21	4068.6	100.0%
6	NOT APPLICABLE	61599	29466308.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	87	20652.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_45K: Life affected by wait - pers. rel.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21 / 4068.64] [Invalid=61686 / 29486961.33]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this test? - Personal relationships suffered

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	844.7	20.8%
2	NO	19	3224.0	79.2%
6	NOT APPLICABLE	61599	29466308.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

WTM_45K: Life affected by wait - pers. rel.

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	87	20652.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_45L: Life affected by wait - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21 / 4068.64] [Invalid=61686 / 29486961.33]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)
Literal question	How was your life affected as a result of waiting for this test? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	605.5	14.9%
2	NO	19	3463.1	85.1%
6	NOT APPLICABLE	61599	29466308.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	87	20652.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMDSO: # days wait/med. spec. -seen spec. - (D)

Information	[Type= continuous] [Format=numeric] [Range= 1-1080] [Missing=*]
Statistics [NW/ W]	[Valid=173 / 47326.63] [Invalid=61534 / 29443703.34] [Mean=76.896 / 111.846] [StdDev=124.189 / 138.505]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_04 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Notes	Based on WTM_07A, WTM_07B. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	61446	29422010.0	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	88	21693.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMDSN: # days wait/med. spec. - not seen - (D)

Information	[Type= discrete] [Format=numeric] [Range= 7-1440] [Missing=*]
Statistics [NW/ W]	[Valid=23 / 5390.61] [Invalid=61684 / 29485639.36]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_04 = (2, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)
Notes	Based on WTM_08A, WTM_08B. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
7		2	410.3	7.6%
14		1	178.0	3.3%
28		2	842.7	15.6%
30		1	196.8	3.7%
42		1	186.2	3.5%
60		1	295.0	5.5%
120		2	582.3	10.8%
180		2	340.5	6.3%
210		2	558.0	10.4%

WTMDSN: # days wait/med. spec. - not seen - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
270		3	445.0	8.3%
300		2	1072.9	19.9%
330		1	57.9	1.1%
360		1	165.5	3.1%
365		1	21.9	0.4%
1440		1	37.5	0.7%
9996	NOT APPLICABLE	61600	29465204.6	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	84	20434.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMDSA: # days accept. wait - med. spec. (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-240] [Missing=*]
Statistics [NW/ W]	[Valid=194 / 52358.46] [Invalid=61513 / 29438671.51]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_01 = (1, 7 or 8) or ACC_10 = (7 or 8)
Notes	Based on WTM_07A, WTM_08A, WTM_10, WTM_11A, WTM_11B, WTMDSO, WTMDSN. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1		12	3273.3	6.3%
2		3	499.6	1.0%
3		2	565.1	1.1%
4		5	673.3	1.3%
5		1	167.7	0.3%
7		24	5104.9	9.7%
8		1	178.0	0.3%
10		1	228.4	0.4%
14		30	8795.8	16.8%
21		14	2294.3	4.4%
28		4	741.2	1.4%
30		34	7377.4	14.1%
35		2	1367.3	2.6%
42		6	2029.9	3.9%
49		2	487.4	0.9%
60		20	4476.9	8.6%
84		1	51.1	0.1%
90		19	5427.1	10.4%
120		3	817.7	1.6%
150		1	360.2	0.7%
180		8	3858.7	7.4%
240		1	3583.3	6.8%
9996	NOT APPLICABLE	61422	29416433.7	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	91	22237.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMDCO: # days wait-non-urg. surg -surg. done(D)

Information	[Type= discrete] [Format=numeric] [Range= 1-2520] [Missing=*]
Statistics [NW/ W]	[Valid=101 / 25414.08] [Invalid=61606 / 29465615.89]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_17 = (1, 7 or 8) or ACC_20 = (7 or 8)
Notes	Based on WTM_21A, WTM_21B. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1		8	986.0	3.9%
2		2	100.1	0.4%
3		1	98.9	0.4%
5		2	165.9	0.7%
7		9	2452.9	9.7%
10		1	20.0	0.1%
14		13	2741.9	10.8%
21		7	1287.5	5.1%
28		2	197.4	0.8%
30		11	3385.0	13.3%
35		2	250.5	1.0%
42		5	5892.2	23.2%
56		1	48.8	0.2%
60		10	1852.1	7.3%
90		13	3167.3	12.5%
150		4	938.1	3.7%
180		5	938.4	3.7%
210		1	226.4	0.9%
504		1	166.4	0.7%
720		1	230.0	0.9%
1080		1	86.0	0.3%
2520		1	182.3	0.7%
9996	NOT APPLICABLE	61523	29444914.3	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	83	20701.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMDCN: # days wait - non-urg. surg-not done(D)

Information	[Type= discrete] [Format=numeric] [Range= 5-1080] [Missing=*]
Statistics [NW/ W]	[Valid=9 / 1943.55] [Invalid=61698 / 29489086.42]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_17 = (2, 7 or 8) or ACC_20 = (7 or 8)
Notes	Based on WTM_23A, WTM_23B. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
5		1	480.2	24.7%
21		1	46.3	2.4%
120		1	58.0	3.0%
126		1	89.5	4.6%
180		1	249.4	12.8%
360		1	258.3	13.3%

WTMDCN: # days wait - non-urg. surg-not done(D)

Value	Label	Cases	Weighted	Percentage (Weighted)
540		1	153.8	7.9%
720		1	433.3	22.3%
1080		1	174.6	9.0%
9996	NOT APPLICABLE	61614	29468647.8	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	84	20438.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMDCA: # days accept. wait -n-emer. surg.- (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-540] [Missing=*]
Statistics [NW/ W]	[Valid=111 / 27723.14] [Invalid=61596 / 29463306.83]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_20 = (1, 7 or 8)
Notes	Based on WTM_21A, WTM_23A, WTM_24, WTM_25A, WTM_25B, WTMDCO, WTMDCN. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1		9	1338.1	4.8%
2		3	215.0	0.8%
3		1	98.9	0.4%
5		2	531.3	1.9%
7		13	3335.9	12.0%
10		1	20.0	0.1%
14		15	3036.3	11.0%
21		9	1424.4	5.1%
28		1	38.0	0.1%
30		16	4555.5	16.4%
35		2	250.5	0.9%
42		4	5624.0	20.3%
56		1	48.8	0.2%
60		12	2359.0	8.5%
90		14	3343.1	12.1%
150		1	83.4	0.3%
180		4	910.4	3.3%
360		2	357.0	1.3%
540		1	153.8	0.6%
9996	NOT APPLICABLE	61511	29442268.4	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	85	21038.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMDTO: # days wait - diag. test - done - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-720] [Missing=*]
Statistics [NW/ W]	[Valid=210 / 55638.7] [Invalid=61497 / 29435391.27]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (1, 7 or 8) or ACC_30 = (7 or 8)
Notes	Based on WTM_38A, WTM_38B. See documentation on derived variables.

WTMDTO: # days wait - diag. test - done - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
1		30	10754.1	19.3%
2		8	2052.7	3.7%
3		2	131.5	0.2%
5		2	412.3	0.7%
6		1	256.2	0.5%
7		21	5565.6	10.0%
10		2	245.1	0.4%
14		35	7286.3	13.1%
21		16	3028.0	5.4%
28		2	273.3	0.5%
30		30	9621.6	17.3%
35		1	263.5	0.5%
42		4	1901.7	3.4%
60		13	2838.9	5.1%
90		14	2378.1	4.3%
120		3	240.8	0.4%
150		3	519.8	0.9%
180		11	5789.9	10.4%
210		4	680.8	1.2%
240		3	495.3	0.9%
270		1	332.3	0.6%
360		3	448.8	0.8%
720		1	121.8	0.2%
9996	NOT APPLICABLE	61399	29413544.7	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	98	21846.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMDTN: # days wait - diag. test -not done -(D)

Information	[Type= continuous] [Format=numeric] [Range= 14-210] [Missing=*]
Statistics [NW/ W]	[Valid=7 / 2003.23] [Invalid=61700 / 29489026.74] [Mean=64.714 / 76.366] [StdDev=69.289 / 75.905]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (2, 7 or 8) or ACC_30 = (7 or 8)
Notes	Based on WTM_39A, WTM_39B. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	61614	29468731.4	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	86	20295.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMDTA: # days accept. wait - diag. test -(D)

Information	[Type= discrete] [Format=numeric] [Range= 1-360] [Missing=*]
Statistics [NW/ W]	[Valid=219 / 58152.31] [Invalid=61488 / 29432877.66]
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_30 = (1, 7 or 8)

# WTMDTA: # days accept. wait - diag. test -(D)				
Notes	Based on WTM_38A, WTM_39A, WTM_40, WTM_41A, WTM_41B, WTMDTO, WTMDTN. See documentation on derived variables.			

Value	Label	Cases	Weighted	Percentage (Weighted)
1		33	11313.2	19.5%
2		11	2594.2	4.5%
3		2	131.5	0.2%
5		2	412.3	0.7%
7		27	7252.4	12.5%
10		2	245.1	0.4%
14		43	9260.0	15.9%
21		18	3151.4	5.4%
28		4	463.3	0.8%
30		36	11143.8	19.2%
35		2	407.2	0.7%
42		2	1568.3	2.7%
60		11	1983.1	3.4%
90		11	2340.2	4.0%
120		1	50.8	0.1%
150		2	152.8	0.3%
180		8	5158.1	8.9%
210		2	162.8	0.3%
360		2	361.5	0.6%
9996	NOT APPLICABLE	61390	29411314.3	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	98	21563.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.