

**Canada**

**Health Statistics Division, Statistics Canada**

# **Canadian Community Health Survey, 2010: Annual Component**

## **Study Documentation**

May 17, 2019

# Metadata Production

<b>Metadata Producer(s)</b>	Data Centre (DC) , Carleton University , Producer Map & Data Library (MDL) , University of Toronto , Producer
<b>Production Date</b>	May 18, 2011
<b>Version</b>	2013-12-04 Carleton University Data Centre
<b>Identification</b>	CCHS-82M0013-E-2010-AnnualComponent

# Table of Contents

Overview.....	4
Scope & Coverage.....	4
Producers & Sponsors.....	5
Data Collection.....	5
Accessibility.....	5
Rights & Disclaimer.....	5
Files Description.....	6
CCHS-82M0013-E-2010-AnnualComponent_F1.....	6
Variables Group(s).....	7
Access to health care services (ACC).....	7
Activities of Daily Living (ADL).....	15
Administration Information (ADM).....	16
Alcohol use (ALC).....	16
Alcohol use during the past week (ALW).....	17
Blood pressure check (BPC).....	17
Breast examinations (BRX).....	18
Changes made to improve health (CIH).....	19
Chronic conditions (CCC).....	21
Colorectal cancer screening (CCS).....	22
Consultations about mental health (CMH).....	23
Contacts with Health Professionals (CHP).....	24
Dental visits (DEN).....	25
Depression (DEP).....	26
Diabetes care (DIA).....	28
Distress (DIS).....	29
Driving and safety (DRV).....	30
Exposure to second-hand smoke (ETS).....	32
Eye examinations (EYX).....	32
Flu shots (FLU).....	33
Food choices (FDC).....	35
Food security (FSC).....	36
General Health (GEN).....	37
Geographic Variables (GEO).....	38
Health care system satisfaction (HCS).....	38
Health care utilization (HCU).....	39
Health status (SF-36) (SFR).....	39
Health utility index (HUI).....	40
Height and weight - Self-reported (HWT).....	40
H1N1 Flu shot (H1N).....	40
Illicit drugs use (IDG).....	41
Income (INC).....	42
Injuries (INJ).....	42
Labour force (LBS).....	44
Loss of Productivity (LOP).....	44
Mammography (MAM).....	45
Mastery (MAS).....	47
Maternal experiences - Alcohol use during pregnancy (MXA).....	47
Maternal experiences - Breastfeeding (MEX).....	47
Maternal experiences - Smoking during pregnancy (MXS).....	48
Neurological Conditions (NEU).....	49
Oral health 2 (OH2).....	49
PAP smear test (PAP).....	50
Patient satisfaction - Community-based care (PSC).....	51
Patient satisfaction - Health care services (PAS).....	51

Physical activities - Facilities at work (PAF).....	52
Physical activities (PAC).....	53
Problem gambling (CPG).....	57
Prostate cancer screening (PSA).....	58
Psychological well-being (PWB).....	58
Restriction of activities (RAC).....	59
Satisfaction with life (SWL).....	60
Sedentary activities (SAC).....	61
Self-esteem (SFE).....	61
Sexual behaviours (SXB).....	61
Smoking (SMK).....	62
Smoking - Other tobacco products (TAL).....	63
Smoking - Physician counselling (SPC).....	64
Smoking - Stages of change (SCH).....	64
Socio-demographic Variables.....	65
Social support - Availability (SSA).....	66
Social support - Utilization (SSU).....	67
Suicidal thoughts and attempts (SUI).....	68
Sun safety behaviours (SSB).....	68
Unmet health care needs (UCN).....	69
Use of protective equipment (UPE).....	70
Voluntary organizations - Participation (ORG).....	71
Waiting times (WTM).....	72
Weights.....	79
Variables Description.....	80
CCHS-82M0013-E-2010-AnnualComponent_F1.....	81



## Canadian Community Health Survey, 2010: Annual Component (CCHS 2010: Annual Component)

*Enquête sur la santé dans les collectivités canadiennes (ESCC) - Composante annuelle*

Overview	
Type	Canadian Community Health Survey
Identification	CCHS-82M0013-E-2010-AnnualComponent
Series	<p>The Canadian Community Health Survey (CCHS) is a cross-sectional survey that collects information related to health status, health care utilization and health determinants for the Canadian population. The survey's objectives were to:</p> <ul style="list-style-type: none"> <li>• support health surveillance programs by providing health data at the national, provincial and intra-provincial levels;</li> <li>• provide a single data source for health research on small populations and rare characteristics;</li> <li>• timely release of information easily accessible to a diverse community of users; and</li> <li>• create a flexible survey instrument that includes a rapid response option to address emerging issues related to the health of the population.</li> </ul>
<p><b>Abstract</b></p> <p>The Canadian Community Health Survey (CCHS) is a cross-sectional survey that collects information related to health status, health care utilization and health determinants for the Canadian population. It surveys a large sample of respondents and is designed to provide reliable estimates at the health region level. In 2007, major changes were made to the CCHS design. Data is now collected on an ongoing basis with annual releases, rather than every two years as was the case prior to 2007. The survey's objectives were also revised and are as follows:</p> <ul style="list-style-type: none"> <li>• support health surveillance programs by providing health data at the national, provincial and intra-provincial levels;</li> <li>• provide a single data source for health research on small populations and rare characteristics;</li> <li>• timely release of information easily accessible to a diverse community of users; and</li> <li>• create a flexible survey instrument that includes a rapid response option to address emerging issues related to the health of the population.</li> </ul>	
Kind of Data	Survey Data
Unit of Analysis	Individuals

Scope & Coverage	
Keywords	Administration, Alcohol use, Breast examination, Cancer, Chronic conditions, Dental visits, Depression, Diabetes, Education, Food security, Health care, Income, Labour force, Mental health, Smoking, Socio-demographics, Stressors
Topics	Health
Countries	Canada
<p><b>Geographic Coverage</b></p> <p>Canada, Provinces, Territories</p>	
<p><b>Universe</b></p> <p>The CCHS targets persons aged 12 years and older who are living in private dwellings in the ten provinces and three territories. Persons living on Indian Reserves or Crown lands, those residing in institutions, full-time members of the Canadian Forces and residents of certain remote regions are excluded from this survey. The CCHS covers approximately 98% of the Canadian population aged 12 and older.</p>	

<b>Producers &amp; Sponsors</b>	
<b>Primary Investigator(s)</b>	Health Statistics Division, Statistics Canada
<b>Other Producer(s)</b>	Health Statistics Division , Statistics Canada

<b>Data Collection</b>	
<b>Data Collector(s)</b>	Statistics Canada

<b>Accessibility</b>	
<b>Access Authority</b>	Data Liberation Initiative (DLI) , <a href="http://www.statcan.gc.ca/eng/dli/dli">http://www.statcan.gc.ca/eng/dli/dli</a> , <a href="mailto:dli-idd@statcan.gc.ca">dli-idd@statcan.gc.ca</a>
<b>Contact(s)</b>	Data Liberation Initiative (Statistics Canada) , <a href="http://www.statcan.gc.ca/eng/dli/dli">http://www.statcan.gc.ca/eng/dli/dli</a> , <a href="mailto:dli-idd@statcan.gc.ca">dli-idd@statcan.gc.ca</a>
<b>Distributor(s)</b>	Data Liberation Initiative
<b><u>Access Conditions</u></b> Data Liberation Initiative Community.	
<b><u>Citation Requirements</u></b> The publishing of analysis and results from research using any of the data products is permitted in research communications such as scholarly papers, journals and the like. The authors of these communications are required to cite Statistics Canada as the source of the data, and to indicate that the results or views expressed are those of the author/authorized user and are not those of Statistics Canada.	

<b>Rights &amp; Disclaimer</b>	
<b>Copyright</b>	Copyright © Statistics Canada, 2014

# Files Description

Dataset contains 1 file(s)

CCHS-82M0013-E-2010-AnnualComponent_F1	
# Cases	62909
# Variable(s)	1325



# Variables Group(s)

Dataset contains 69 group(s)

<b>Group Access to health care services (ACC)</b>							
<b>Universe</b>							
Optional content selection only asked in: Ontario							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOACC	Module: ACC - (F)	discrete	numeric-1.0	61276	1633	-
2	ACC_10	Rep. strain - body part affected	discrete	numeric-2.0	62909	0	In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation?
3	ACC_11	Diff. getting specialist care	discrete	numeric-1.0	5776	57133	In the past 12 months, did you ever experience any difficulties getting the specialist care you needed for a diagnosis or consultation?
4	ACC_12A	Diff. - getting a referral	discrete	numeric-1.0	1141	61768	What type of difficulties did you experience? - Difficulty getting a referral
5	ACC_12B	Diff. - getting an appointment	discrete	numeric-1.0	1141	61768	What type of difficulties did you experience? - Difficulty getting an appointment
6	ACC_12C	Diff. - no specalists in area	discrete	numeric-1.0	1141	61768	What type of difficulties did you experience? - No specialists in the area
7	ACC_12D	Diff. - waited too long for appointment	discrete	numeric-1.0	1141	61768	What type of difficulties did you experience? - Waited too long between booking appointment and visit
8	ACC_12E	Diff. - waited too long /see doc.	discrete	numeric-1.0	1141	61768	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
9	ACC_12F	Diff. - transportation	discrete	numeric-1.0	1141	61768	What type of difficulties did you experience? - Transportation problems
10	ACC_12G	Diff. - language	discrete	numeric-1.0	1141	61768	What type of difficulties did you experience? - Language problem
11	ACC_12H	Diff. - cost	discrete	numeric-1.0	1141	61768	What type of difficulties did you experience? - Cost
12	ACC_12I	Diff. - pers./family responsibilities	discrete	numeric-1.0	1141	61768	What type of difficulties did you experience? - Personal or family responsibilities
13	ACC_12J	Diff. - deterioration of health	discrete	numeric-1.0	1141	61768	What type of difficulties did you experience? - General deterioration of health
14	ACC_12K	Diff. - appointment cancelled/deferred	discrete	numeric-1.0	1141	61768	What type of difficulties did you experience? - Appointment cancelled or deferred by specialist
15	ACC_12L	Diff. - still waiting for visit	discrete	numeric-1.0	1141	61768	What type of difficulties did you experience? - Still waiting for visit
16	ACC_12M	Diff. - unable leave house/ health	discrete	numeric-1.0	1141	61768	What type of difficulties did you experience? - Unable to leave the house because of a health problem
17	ACC_12N	Diff. - other	discrete	numeric-1.0	1141	61768	What type of difficulties did you experience? - Other

#	Name	Label	Type	Format	Valid	Invalid	Question
18	ACC_20	Required non-emergency surgery	discrete	numeric-1.0	19653	43256	In the past 12 months, did you require any non-emergency surgery?
19	ACC_21	Diff. getting non-emerg. surg.	discrete	numeric-1.0	1526	61383	In the past 12 months, did you ever experience any difficulties getting the surgery you needed?
20	ACC_22A	Diff. - getting an appointment	discrete	numeric-1.0	192	62717	What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon
21	ACC_22B	Diff. - getting a diagnosis	discrete	numeric-1.0	192	62717	What type of difficulties did you experience? - Difficulty getting a diagnosis
22	ACC_22C	Diff. - wait too long/diag. test	discrete	numeric-1.0	192	62717	What type of difficulties did you experience? - Waited too long for a diagnostic test
23	ACC_22D	Diff. - waited too long/hosp. bed	discrete	numeric-1.0	192	62717	What type of difficulties did you experience? - Waited too long for a hospital bed to become available
24	ACC_22E	Diff. - waited too long/surgery	discrete	numeric-1.0	192	62717	What type of difficulties did you experience? - Waited too long for surgery
25	ACC_22F	Diff. - service not available/area	discrete	numeric-1.0	192	62717	What type of difficulties did you experience? - Service not available in the area
26	ACC_22G	Diff. - transportation	discrete	numeric-1.0	192	62717	What type of difficulties did you experience? - Transportation problems
27	ACC_22H	Diff. - language	discrete	numeric-1.0	192	62717	What type of difficulties did you experience? - Language problem
28	ACC_22I	Diff. - cost	discrete	numeric-1.0	192	62717	What type of difficulties did you experience? - Cost
29	ACC_22J	Diff. - pers./family responsibilities	discrete	numeric-1.0	192	62717	What type of difficulties did you experience? - Personal or family responsibilities
30	ACC_22K	Diff. - deterioration of health	discrete	numeric-1.0	192	62717	What type of difficulties did you experience? - General deterioration of health
31	ACC_22L	Diff. - appointment cancelled/deferred	discrete	numeric-1.0	192	62717	What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital
32	ACC_22M	Diff. - still waiting for surgery	discrete	numeric-1.0	192	62717	What type of difficulties did you experience? - Still waiting for surgery
33	ACC_22N	Diff. - unable leave house/health	discrete	numeric-1.0	192	62717	What type of difficulties did you experience? - Unable to leave the house because of a health problem
34	ACC_22O	Diff. - other	discrete	numeric-1.0	192	62717	What type of difficulties did you experience? - Other
35	ACC_30	Required MRI, CT Scan, angiography	discrete	numeric-1.0	19620	43289	In the past 12 months, did you require one of these tests?
36	ACC_31	Difficulties getting test	discrete	numeric-1.0	2671	60238	In the past 12 months, did you ever experience any difficulties getting the tests you needed?
37	ACC_32A	Diff. - getting a referral	discrete	numeric-1.0	355	62554	What type of difficulties did you experience? - Difficulty getting a referral

#	Name	Label	Type	Format	Valid	Invalid	Question
38	ACC_32B	Diff. - getting an appointment	discrete	numeric-1.0	355	62554	What type of difficulties did you experience? - Difficulty getting an appointment
39	ACC_32C	Diff. - waited too long for appt.	discrete	numeric-1.0	355	62554	What type of difficulties did you experience? - Waited too long to get an appointment
40	ACC_32D	Diff. - waited too long/get test	discrete	numeric-1.0	355	62554	What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)
41	ACC_32E	Diff. - not available at time required	discrete	numeric-1.0	355	62554	What type of difficulties did you experience? - Service not available at time required
42	ACC_32F	Diff. - not available/area	discrete	numeric-1.0	355	62554	What type of difficulties did you experience? - Service not available in the area
43	ACC_32G	Diff. - transportation	discrete	numeric-1.0	355	62554	What type of difficulties did you experience? - Transportation problems
44	ACC_32H	Diff. - language	discrete	numeric-1.0	355	62554	What type of difficulties did you experience? - Language problem
45	ACC_32I	Diff. - cost	discrete	numeric-1.0	355	62554	What type of difficulties did you experience? - Cost
46	ACC_32J	Diff. - deterioration of health	discrete	numeric-1.0	355	62554	What type of difficulties did you experience? - General deterioration of health
47	ACC_32K	Diff. - did not know where to go	discrete	numeric-1.0	355	62554	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
48	ACC_32L	Diff. - still waiting for test	discrete	numeric-1.0	355	62554	What type of difficulties did you experience? - Still waiting for test
49	ACC_32M	Diff. - unable leave house / health	discrete	numeric-1.0	355	62554	What type of difficulties did you experience? - Unable to leave the house because of a health problem
50	ACC_32N	Diff. - other	discrete	numeric-1.0	355	62554	What type of difficulties did you experience? - Other
51	ACC_40	Required health information	discrete	numeric-1.0	19619	43290	In the past 12 months, have you required health information or advice for yourself or a family member?
52	ACC_40A	Contact/health info - doctor	discrete	numeric-1.0	8451	54458	Who did you contact when you needed health information or advice for yourself or a family member? - Doctor's office
53	ACC_40B	Contact/health info - community hlth ctr	discrete	numeric-1.0	8451	54458	Who did you contact when you needed health information or advice for yourself or a family member? - Community health centre / CLSC
54	ACC_40C	Contact/health info - walk-in clinic	discrete	numeric-1.0	8451	54458	Who did you contact when you needed health information or advice for yourself or a family member? - Walk- in clinic
55	ACC_40D	Contact/health info - health line	discrete	numeric-1.0	8451	54458	Who did you contact when you needed health information or advice for yourself or a family member? - Telephone health line (e.g., HealthLinks, Telehealth Ontario, HealthLink, Health-Line, Telecare, Info-Santé)
56	ACC_40E	Contact/health info - emergency room	discrete	numeric-1.0	8451	54458	Who did you contact when you needed health information or advice for

#	Name	Label	Type	Format	Valid	Invalid	Question
							yourself or a family member? - Hospital emergency room
57	ACC_40F	Contact/health info - other hosp. serv.	discrete	numeric-1.0	8451	54458	Who did you contact when you needed health information or advice for yourself or a family member? - Other hospital service
58	ACC_40G	Contact/health info - other	discrete	numeric-1.0	8451	54458	Who did you contact when you needed health information or advice for yourself or a family member? - Other
59	ACC_41	Diff. getting health information	discrete	numeric-1.0	8442	54467	Who did you contact when you needed health information or advice for yourself or a family member? - Other
60	ACC_42	Exp. diff. during regular hrs.	discrete	numeric-1.0	1275	61634	Did you experience difficulties during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?
61	ACC_43A	Diff. - contact a physician/nurse	discrete	numeric-1.0	1001	61908	What type of difficulties did you experience? - Difficulty contacting a physician or nurse
62	ACC_43B	Diff. - did not have a phone number	discrete	numeric-1.0	1001	61908	What type of difficulties did you experience? - Did not have a phone number
63	ACC_43C	Diff. - could not get through	discrete	numeric-1.0	1001	61908	What type of difficulties did you experience? - Could not get through (i.e. no answer)
64	ACC_43D	Diff. - waited too long to speak	discrete	numeric-1.0	1001	61908	What type of difficulties did you experience? - Waited too long to speak to someone
65	ACC_43E	Diff. - inadequate information	discrete	numeric-1.0	1001	61908	What type of difficulties did you experience? - Did not get adequate info or advice
66	ACC_43F	Diff. - language	discrete	numeric-1.0	1001	61908	What type of difficulties did you experience? - Language problem
67	ACC_43G	Diff. - did not know where to go/call	discrete	numeric-1.0	1001	61908	What type of difficulties did you experience? - Did not know where to go / call / uninformed
68	ACC_43H	Diff. - unable to leave house/health	discrete	numeric-1.0	1001	61908	What type of difficulties did you experience? - Unable to leave the house because of a health problem
69	ACC_43I	Diff. - other	discrete	numeric-1.0	1001	61908	What type of difficulties did you experience? - Other
70	ACC_44	Exp. diff. during evening/weekends	discrete	numeric-1.0	1274	61635	Did you experience difficulties getting health information or advice during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?
71	ACC_45A	Diff. - contact a physician/nurse	discrete	numeric-1.0	424	62485	What type of difficulties did you experience? - Difficulty contacting a physician or nurse
72	ACC_45B	Diff. - did not have a phone number	discrete	numeric-1.0	424	62485	What type of difficulties did you experience? - Did not have a phone number
73	ACC_45C	Diff. - could not get through	discrete	numeric-1.0	424	62485	What type of difficulties did you experience? - Could not get through (i.e. no answer)

#	Name	Label	Type	Format	Valid	Invalid	Question
74	ACC_45D	Diff. - waited too long to speak	discrete	numeric-1.0	424	62485	What type of difficulties did you experience? - Waited too long to speak to someone
75	ACC_45E	Diff. - inadequate information	discrete	numeric-1.0	424	62485	What type of difficulties did you experience? - Did not get adequate info or advice
76	ACC_45F	Diff. - language	discrete	numeric-1.0	424	62485	What type of difficulties did you experience? - Language problem
77	ACC_45G	Diff. - did not know where to go/call	discrete	numeric-1.0	424	62485	What type of difficulties did you experience? - Did not know where to go / call / uninformed
78	ACC_45H	Diff. - unable to leave/health	discrete	numeric-1.0	424	62485	What type of difficulties did you experience? - Unable to leave the house because of a health problem
79	ACC_45I	Diff. - other	discrete	numeric-1.0	424	62485	What type of difficulties did you experience? - Other
80	ACC_46	Exp. diff. during middle of night	discrete	numeric-1.0	1274	61635	Did you experience difficulties getting health information or advice during the middle of the night?
81	ACC_47A	Diff. - contact a physician/nurse	discrete	numeric-1.0	155	62754	What type of difficulties did you experience? - Difficulty contacting a physician or nurse
82	ACC_47B	Diff. - did not have a phone number	discrete	numeric-1.0	155	62754	What type of difficulties did you experience? - Did not have a phone number
83	ACC_47C	Diff. - could not get through	discrete	numeric-1.0	155	62754	What type of difficulties did you experience? - Could not get through (i.e. no answer)
84	ACC_47D	Diff. - waited too long/to speak	discrete	numeric-1.0	155	62754	What type of difficulties did you experience? - Waited too long to speak to someone
85	ACC_47E	Diff. - inadequate information	discrete	numeric-1.0	155	62754	What type of difficulties did you experience? - Did not get adequate info or advice
86	ACC_47F	Diff. - language	discrete	numeric-1.0	155	62754	What type of difficulties did you experience? - Language problem
87	ACC_47G	Diff. - did not know where to go/call	discrete	numeric-1.0	155	62754	What type of difficulties did you experience? - Did not know where to go / call / uninformed
88	ACC_47H	Diff. - unable to leave/health	discrete	numeric-1.0	155	62754	What type of difficulties did you experience? - Unable to leave the house because of a health problem
89	ACC_47I	Diff. - other	discrete	numeric-1.0	155	62754	What type of difficulties did you experience? - Other
90	ACC_50A	Has a regular family doctor	discrete	numeric-1.0	19634	43275	Do you have a regular family doctor?
91	ACC_50	Required routine care for self/family	discrete	numeric-1.0	19606	43303	In the past 12 months, did you require any routine or on-going care for yourself or a family member?
92	ACC_51	Exp. diff. getting on-going care	discrete	numeric-1.0	10524	52385	In the past 12 months, did you ever experience any difficulties getting the routine or on-going care you or a family member needed?
93	ACC_52	Experienced diff. during regular hours	discrete	numeric-1.0	1399	61510	Did you experience difficulties getting such care during « regular » office hours

#	Name	Label	Type	Format	Valid	Invalid	Question
							(that is, 9:00 am to 5:00 pm, Monday to Friday)?
94	ACC_53A	Diff. - contact a physician	discrete	numeric-1.0	1208	61701	What type of difficulties did you experience? - Difficulty contacting a physician
95	ACC_53B	Diff. - getting an appointment	discrete	numeric-1.0	1208	61701	What type of difficulties did you experience? - Difficulty getting an appointment
96	ACC_53C	Diff. - do not have family physician	discrete	numeric-1.0	1208	61701	What type of difficulties did you experience? - Do not have personal / family physician
97	ACC_53D	Diff. - waited too long for appointment	discrete	numeric-1.0	1208	61701	What type of difficulties did you experience? - Waited too long to get an appointment
98	ACC_53E	Diff. - waited too long/see doc.	discrete	numeric-1.0	1208	61701	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
99	ACC_53F	Diff. - not available at time required	discrete	numeric-1.0	1208	61701	What type of difficulties did you experience? - Service not available at time required
100	ACC_53G	Diff. - not available in the area	discrete	numeric-1.0	1208	61701	What type of difficulties did you experience? - Service not available in the area
101	ACC_53H	Diff. - transportation	discrete	numeric-1.0	1208	61701	What type of difficulties did you experience? - Transportation problems
102	ACC_53I	Diff. - language	discrete	numeric-1.0	1208	61701	What type of difficulties did you experience? - Language problem
103	ACC_53J	Diff. - cost	discrete	numeric-1.0	1208	61701	What type of difficulties did you experience? - Cost
104	ACC_53K	Diff. - did not know where to go	discrete	numeric-1.0	1208	61701	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
105	ACC_53L	Diff. - unable to leave house/health	discrete	numeric-1.0	1208	61701	What type of difficulties did you experience? - Unable to leave the house because of a health problem
106	ACC_53M	Diff. - other	discrete	numeric-1.0	1208	61701	What type of difficulties did you experience? - Other
107	ACC_54	Exp. diff. during evening/weekends	discrete	numeric-1.0	1394	61515	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?
108	ACC_55A	Diff. - contact a physician	discrete	numeric-1.0	330	62579	What type of difficulties did you experience? - Difficulty contacting a physician
109	ACC_55B	Diff. - getting an appointment	discrete	numeric-1.0	330	62579	What type of difficulties did you experience? - Difficulty getting an appointment
110	ACC_55C	Diff. - do not have family physician	discrete	numeric-1.0	330	62579	What type of difficulties did you experience? - Do not have personal / family physician
111	ACC_55D	Diff. - waited too long for appointment	discrete	numeric-1.0	330	62579	What type of difficulties did you experience? - Waited too long to get an appointment

#	Name	Label	Type	Format	Valid	Invalid	Question
112	ACC_55E	Diff. - waited too long/see doc	discrete	numeric-1.0	330	62579	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
113	ACC_55F	Diff. - not available at time required	discrete	numeric-1.0	330	62579	What type of difficulties did you experience? - Service not available at time required
114	ACC_55G	Diff. - not available/area	discrete	numeric-1.0	330	62579	What type of difficulties did you experience? - Service not available in the area
115	ACC_55H	Diff. - transportation	discrete	numeric-1.0	330	62579	What type of difficulties did you experience? - Transportation problems
116	ACC_55I	Diff. - language	discrete	numeric-1.0	330	62579	What type of difficulties did you experience? - Language problem
117	ACC_55J	Diff. - cost	discrete	numeric-1.0	330	62579	What type of difficulties did you experience? - Cost
118	ACC_55K	Diff. - did not know where to go	discrete	numeric-1.0	330	62579	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
119	ACC_55L	Diff. - unable to leave house/health	discrete	numeric-1.0	330	62579	What type of difficulties did you experience? - Unable to leave house because of a health problem
120	ACC_55M	Diff. - other	discrete	numeric-1.0	330	62579	What type of difficulties did you experience? - Other
121	ACC_60	Required immediate care - self/family	discrete	numeric-1.0	19594	43315	In the past 12 months, have you or a family member required immediate health care services for a minor health problem?
122	ACC_61	Exp. diff. getting immediate care	discrete	numeric-1.0	5869	57040	In the past 12 months, did you ever experience any difficulties getting the immediate care needed for a minor health problem for yourself or a family member
123	ACC_62	Experienced diff. during regular hours	discrete	numeric-1.0	1224	61685	Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?
124	ACC_63A	Diff. - contact a physician	discrete	numeric-1.0	782	62127	What type of difficulties did you experience? - Difficulty contacting a physician
125	ACC_63B	Diff. - getting an appointment	discrete	numeric-1.0	782	62127	What type of difficulties did you experience? - Difficulty getting an appointment
126	ACC_63C	Diff. - do not have family physician	discrete	numeric-1.0	782	62127	What type of difficulties did you experience? - Do not have personal / family physician
127	ACC_63D	Diff. - waited too long/for appointment	discrete	numeric-1.0	782	62127	What type of difficulties did you experience? - Waited too long to get an appointment
128	ACC_63E	Diff. - waited too long/see doc	discrete	numeric-1.0	782	62127	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
129	ACC_63F	Diff. - not available at time required	discrete	numeric-1.0	782	62127	What type of difficulties did you experience? - Service not available at time required

#	Name	Label	Type	Format	Valid	Invalid	Question
130	ACC_63G	Diff. - not available/area	discrete	numeric-1.0	782	62127	What type of difficulties did you experience? - Service not available in the area
131	ACC_63H	Diff. - transportation	discrete	numeric-1.0	782	62127	What type of difficulties did you experience? - Transportation problems
132	ACC_63I	Diff. - language	discrete	numeric-1.0	782	62127	What type of difficulties did you experience? - Language problem
133	ACC_63J	Diff. - cost	discrete	numeric-1.0	782	62127	What type of difficulties did you experience? - Cost
134	ACC_63K	Diff. - did not know where to go	discrete	numeric-1.0	782	62127	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
135	ACC_63L	Diff. - unable to leave house/health	discrete	numeric-1.0	782	62127	What type of difficulties did you experience? - Unable to leave the house because of a health problem
136	ACC_63M	Diff. - other	discrete	numeric-1.0	782	62127	What type of difficulties did you experience? - Other
137	ACC_64	Exp. diff. during evening/weekends	discrete	numeric-1.0	1222	61687	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm, Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?
138	ACC_65A	Diff. - contact a physician	discrete	numeric-1.0	598	62311	What type of difficulties did you experience? - Difficulty contacting a physician
139	ACC_65B	Diff. - getting an appointment	discrete	numeric-1.0	598	62311	What type of difficulties did you experience? - Difficulty getting an appointment
140	ACC_65C	Diff. - do not have family physician	discrete	numeric-1.0	598	62311	What type of difficulties did you experience? - Do not have personal / family physician
141	ACC_65D	Diff. - waited too long/for appointment	discrete	numeric-1.0	598	62311	What type of difficulties did you experience? - Waited too long to get an appointment
142	ACC_65E	Diff. - waited too long/see doc	discrete	numeric-1.0	598	62311	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
143	ACC_65F	Diff. - not available at time required	discrete	numeric-1.0	598	62311	What type of difficulties did you experience? - Service not available at time required
144	ACC_65G	Diff. - not available/area	discrete	numeric-1.0	598	62311	What type of difficulties did you experience? - Service not available in the area
145	ACC_65H	Diff. - transportation	discrete	numeric-1.0	598	62311	What type of difficulties did you experience? - Transportation problems
146	ACC_65I	Diff. - language	discrete	numeric-1.0	598	62311	What type of difficulties did you experience? - Language problem
147	ACC_65J	Diff. - cost	discrete	numeric-1.0	598	62311	What type of difficulties did you experience? - Cost
148	ACC_65K	Diff. - did not know where to go	discrete	numeric-1.0	598	62311	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
149	ACC_65L	Diff. - unable to leave house/health	discrete	numeric-1.0	598	62311	What type of difficulties did you experience? - Unable to leave the house because of a health problem



#	Name	Label	Type	Format	Valid	Invalid	Question
150	ACC_65M	Diff. - other	discrete	numeric-1.0	598	62311	What type of difficulties did you experience? - Other
151	ACC_66	Exp. diff. during middle of night	discrete	numeric-1.0	1222	61687	Did you experience difficulties getting such care during the middle of the night?
152	ACC_67A	Diff. - contact a physician	discrete	numeric-1.0	244	62665	What type of difficulties did you experience? - Difficulty contacting a physician
153	ACC_67B	Diff. - getting an appointment	discrete	numeric-1.0	244	62665	What type of difficulties did you experience? - Difficulty getting an appointment
154	ACC_67C	Diff. - do not have family physician	discrete	numeric-1.0	244	62665	What type of difficulties did you experience? - Do not have personal / family physician
155	ACC_67D	Diff. - waited too long/for appointment	discrete	numeric-1.0	244	62665	What type of difficulties did you experience? - Waited too long to get an appointment
156	ACC_67E	Diff. - waited too long/see doc	discrete	numeric-1.0	244	62665	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
157	ACC_67F	Diff. - not available at time required	discrete	numeric-1.0	244	62665	What type of difficulties did you experience? - Service not available at time required
158	ACC_67G	Diff. - not available/area	discrete	numeric-1.0	244	62665	What type of difficulties did you experience? - Service not available in the area
159	ACC_67H	Diff. - transportation	discrete	numeric-1.0	244	62665	What type of difficulties did you experience? - Transportation problems
160	ACC_67I	Diff. - language	discrete	numeric-1.0	244	62665	What type of difficulties did you experience? - Language problem
161	ACC_67J	Diff. - cost	discrete	numeric-1.0	244	62665	What type of difficulties did you experience? - Cost
162	ACC_67K	Diff. - did not know where to go	discrete	numeric-1.0	244	62665	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
163	ACC_67L	Diff. - unable to leave house/health	discrete	numeric-1.0	244	62665	What type of difficulties did you experience? - Unable to leave the house because of a health problem
164	ACC_67M	Diff. - other	discrete	numeric-1.0	244	62665	What type of difficulties did you experience? - Other

### Group Activities of Daily Living (ADL)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOADL	Content module - ADL (F)	discrete	numeric-1.0	62909	0	-
2	ADL_01	Needs help - preparing meals	discrete	numeric-1.0	62877	32	Because of any physical condition or mental condition or health problem, do you need the help of another person with preparing meals?
3	ADL_02	Needs help - getting to appointments	discrete	numeric-1.0	62879	30	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with getting to appointments and running errands such as shopping for groceries?

#	Name	Label	Type	Format	Valid	Invalid	Question
4	ADL_03	Needs help - doing housework	discrete	numeric-1.0	62869	40	Because of any physical condition or mental condition or health problem, do you need the help of another person) with doing normal everyday housework?
5	ADL_04	Needs help - personal care	discrete	numeric-1.0	62886	23	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with personal care such as washing, dressing, eating or taking medication?
6	ADL_05	Needs help - moving about inside house	discrete	numeric-1.0	62896	13	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with moving about inside the house?
7	ADL_06	Needs help - looking after finances	discrete	numeric-1.0	62832	77	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with looking after your personal finances such as making bank transactions or paying bills?
8	ADLF6R	Help needed for tasks - (F)	discrete	numeric-1.0	62817	92	Help needed for tasks - (F)

### Group Administration Information (ADM)

#### Universe

Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	VERDATE	Date of file creation	discrete	character-8	62909	0	-
2	ADM_PRX	Health Component completed by proxy	discrete	numeric-1.0	62909	0	-
3	ADM_N09	Interview by telephone/in person	discrete	numeric-1.0	30120	32789	Interviewer : Was this interview conducted on the telephone or in person?
4	ADM_N10	Respondent alone during interview	discrete	numeric-1.0	61124	1785	interviewer: Was the respondent alone when you asked this health questionnaire?
5	ADM_N11	Answers aff./presence of another person	discrete	numeric-1.0	7477	55432	Interviewer: Do you think that the answers of the respondent were affected by someone else being there?
6	ADM_RNO	Sequential record number	continuous	numeric-6.0	62909	0	-

### Group Alcohol use (ALC)

#### Universe

Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	ALC_1	Drank alcohol - past 12 months	discrete	numeric-1.0	62228	681	During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?
2	ALC_2	Frequency of drinking alcohol	discrete	numeric-2.0	46606	16303	During the past 12 months, how often did you drink alcoholic beverages?
3	ALC_3	Frequency of having 5 or more drinks	discrete	numeric-2.0	46494	16415	How often in the past 12 months have you had 5 or more drinks on one occasion?

#	Name	Label	Type	Format	Valid	Invalid	Question
4	ALCDDTM	Type of drinker (12 months)	discrete	numeric-1.0	62026	883	-

### Group Alcohol use during the past week (ALW)

#### Universe

Optional content selection only asked in: Newfoundland and Labrador, Ontario, Saskatchewan

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOALW	Module: ALW - (F)	discrete	numeric-1.0	61276	1633	-
2	ALW_1	Drank alcohol in past week	discrete	numeric-1.0	19672	43237	Thinking back over the past week, that is, from [date last week] to yesterday, did you have a drink of beer, wine, liquor or any other alcoholic beverage?
3	ALW_2A1	No. of drinks - Sunday	continuous	numeric-3.0	11905	51004	Starting with yesterday, that is [day name], how many drinks did you have? - Day 1
4	ALW_2A2	No. of drinks - Monday	continuous	numeric-3.0	11879	51030	(How many drinks did you have?) - Day 2
5	ALW_2A3	No. of drinks - Tuesday	continuous	numeric-3.0	11833	51076	(How many drinks did you have?) - Day 3
6	ALW_2A4	No. of drinks - Wednesday	continuous	numeric-3.0	11801	51108	(How many drinks did you have?) - Day 4
7	ALW_2A5	No. of drinks - Thursday	continuous	numeric-3.0	11746	51163	(How many drinks did you have?) - Day 5
8	ALW_2A6	No. of drinks - Friday	continuous	numeric-3.0	11661	51248	(How many drinks did you have?) - Day 6
9	ALW_2A7	No. of drinks - Saturday	continuous	numeric-3.0	11601	51308	(How many drinks did you have?) - Day 7
10	ALWDWKY	Weekly consumption	continuous	numeric-3.0	19201	43708	Weekly consumption
11	ALWDPLY	Average daily alcohol consumption	discrete	numeric-3.0	19201	43708	Average daily alcohol consumption

### Group Blood pressure check (BPC)

#### Universe

Optional content selection only asked in: Prince Edward Island, New Brunswick, Yukon, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOBPC	Module: BPC - (F)	discrete	numeric-1.0	61276	1633	Have you ever had your blood pressure taken?
2	BPC_010	Ever had blood pressure taken	discrete	numeric-1.0	3307	59602	When was the last time?
3	BPC_012	Last time blood pressure was taken	discrete	numeric-1.0	3132	59777	Were you pregnant the last time your blood pressure was taken?
4	BPC_013	Pregnant - blood pressure taken	discrete	numeric-1.0	817	62092	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Have not gotten around to it
5	BPC_16A	B.p. not taken - not gotten around to it	discrete	numeric-1.0	192	62717	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Respondent did not think it was necessary
6	BPC_16B	B.p. not taken - resp. didn't think nec.	discrete	numeric-1.0	192	62717	What are the reasons that you have not had your blood pressure taken in the past

#	Name	Label	Type	Format	Valid	Invalid	Question
							2 years? - Doctor did not think it was necessary
7	BPC_16C	B.p. not taken - dr. didn't think nec.	discrete	numeric-1.0	192	62717	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Personal or family responsibilities
8	BPC_16D	B.p. not taken - personal/family resp.	discrete	numeric-1.0	192	62717	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Not available at time required
9	BPC_16E	B.p. not taken - not available when req.	discrete	numeric-1.0	192	62717	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Not available at time required
10	BPC_16F	B.p. not taken - not available in area	discrete	numeric-1.0	192	62717	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Not available at all in the area
11	BPC_16G	B.p. not taken - waiting time too long	discrete	numeric-1.0	192	62717	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Waiting time was too long
12	BPC_16H	B.p. not taken - transportation problems	discrete	numeric-1.0	192	62717	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Transportation problems
13	BPC_16I	B.p. not taken - language problem	discrete	numeric-1.0	192	62717	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Language problem
14	BPC_16J	B.p. not taken - cost	discrete	numeric-1.0	192	62717	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Cost
15	BPC_16K	B.p. not taken - didn't know where to go	discrete	numeric-1.0	192	62717	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Did not know where to go / uninformed
16	BPC_16L	B.p. not taken - fear	discrete	numeric-1.0	192	62717	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)
17	BPC_16N	B.p. not taken - unable leave house	discrete	numeric-1.0	192	62717	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Unable to leave the house because of a health problem
18	BPC_16M	B.p. not taken - other	discrete	numeric-1.0	192	62717	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Other

## Group Breast examinations (BRX)

### Universe

Optional content selection only asked in: Prince Edward Island, Saskatchewan, Yukon, North West Territories, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOBRX	Module: BRX - (F)	discrete	numeric-1.0	62909	0	Breast examinations - Inclusion Flag - (F)
2	BRX_110	Had breasts examined by health prof.	discrete	numeric-1.0	2979	59930	Other than a mammogram, have you ever had your breasts examined for lumps (tumours, cysts) by a doctor or other health professional?

#	Name	Label	Type	Format	Valid	Invalid	Question
3	BRX_112	Last time breasts examined for lumps	discrete	numeric-1.0	2200	60709	When was the last time?
4	BRX_16A	No breast ex. - havn't gotten around/it	discrete	numeric-1.0	1230	61679	What are the reasons that you have not had a breast exam in the past 2 years? - Have not gotten around to it
5	BRX_16B	No breast ex. - resp. didn't think nec.	discrete	numeric-1.0	1230	61679	What are the reasons that you have not had a breast exam in the past 2 years? - Respondent did not think it was necessary
6	BRX_16C	No breast ex. - doctor didn't think nec.	discrete	numeric-1.0	1230	61679	What are the reasons that you have not had a breast exam in the past 2 years? - Doctor did not think it was necessary
7	BRX_16D	No breast ex. - personal/family resp.	discrete	numeric-1.0	1230	61679	What are the reasons that you have not had a breast exam in the past 2 years? - Personal or family responsibilities
8	BRX_16E	No breast ex. - not avail. when req'd	discrete	numeric-1.0	1230	61679	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at time required
9	BRX_16F	No breast ex. - not available in area	discrete	numeric-1.0	1230	61679	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at all in the area
10	BRX_16G	No breast ex. - waiting time too long	discrete	numeric-1.0	1230	61679	What are the reasons that you have not had a breast exam in the past 2 years? - Waiting time was too long
11	BRX_16H	No breast ex. - transportation problems	discrete	numeric-1.0	1230	61679	What are the reasons that you have not had a breast exam in the past 2 years? - Transportation problems
12	BRX_16I	No breast ex. - language problem	discrete	numeric-1.0	1230	61679	What are the reasons that you have not had a breast exam in the past 2 years? - Language problem
13	BRX_16J	No breast ex. - cost	discrete	numeric-1.0	1230	61679	What are the reasons that you have not had a breast exam in the past 2 years? - Cost
14	BRX_16K	No breast ex. - did not know where to go	discrete	numeric-1.0	1230	61679	What are the reasons that you have not had a breast exam in the past 2 years? - Did not know where to go / uninformed
15	BRX_16L	No breast ex. - fear	discrete	numeric-1.0	1230	61679	What are the reasons that you have not had a breast exam in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)
16	BRX_16N	No breast ex. - unable to leave house	discrete	numeric-1.0	1230	61679	What are the reasons that you have not had a breast exam in the past 2 years? - Unable to leave the house because of a health problem
17	BRX_16O	No breast - breast removed/mastectomy	discrete	numeric-1.0	1230	61679	What are the reasons that you have not had a breast exam in the past 2 years? - Breast removed / mastectomy
18	BRX_16M	No breast ex. - other	discrete	numeric-1.0	1230	61679	What are the reasons that you have not had a breast exam in the past 2 years? - Other

### Group Changes made to improve health (CIH)

#### Universe

Optional content selection only asked in: Prince Edward Island, Nova Scotia, British Columbia, Yukon

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOCIH	Module.: Changes made to improve hlth	discrete	numeric-1.0	61276	1633	-
2	CIH_1	Did something to improve health	discrete	numeric-1.0	10766	52143	In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking, increased exercise)
3	CIH_2	Most important change to improve health	discrete	numeric-2.0	6243	56666	What is the single most important change you have made?
4	CIH_3	Thinks should do something to improve hl	discrete	numeric-1.0	10710	52199	Do you think there is anything (else) you should do to improve your physical health?
5	CIH_4	Most important thing to improve health	discrete	numeric-2.0	7005	55904	What is the most important thing?
6	CIH_5	Barrier to improving health	discrete	numeric-1.0	7005	55904	Is there anything stopping you from making this improvement?
7	CIH_6A	Barrier improve hlth - lack will power	discrete	numeric-1.0	3325	59584	What is that? - Lack of will power / self-discipline
8	CIH_6I	Barrier improve health - family respons.	discrete	numeric-1.0	3325	59584	What is that? - family responsibilities
9	CIH_6B	Barrier improve hlth - lwork schedule	discrete	numeric-1.0	3325	59584	What is that? -work schedule
10	CIH_6J	Barrier improve health -add. drugs/alc.	discrete	numeric-1.0	3325	59584	What is that? - Addiction to drugs / alcohol
11	CIH_6K	Barrier improve health - phys. condition	discrete	numeric-1.0	3325	59584	What is that? - Physical condition
12	CIH_6G	Barrier improve hlth - disability	discrete	numeric-1.0	3325	59584	What is that? - disability / health problem
13	CIH_6F	Barrier improve health - too stressed	discrete	numeric-1.0	3325	59584	What is that? - Too stressed
14	CIH_6E	Barrier improve health - too costly	discrete	numeric-1.0	3325	59584	What is that? - Too costly / financial constraints
15	CIH_6L	Barrier improve health - not avail./area	discrete	numeric-1.0	3325	59584	What is that? - Not available - in area
16	CIH_6M	Barrier improve health - trans. problems	discrete	numeric-1.0	3325	59584	What is that? - Transportation problem
17	CIH_6N	Barrier improve health - weather prob.	discrete	numeric-1.0	3325	59584	What is that? - Weather problems
18	CIH_6H	Barrier improve health - other	discrete	numeric-1.0	3325	59584	What is that? - Other
19	CIH_7	Intending to improve health over next yr	discrete	numeric-1.0	6944	55965	Is there anything you intend to do to improve your physical health in the next year?
20	CIH_8A	Health improvement - more exercise	discrete	numeric-1.0	5243	57666	What is that? - Start / Increase exercise, sports / physical activity
21	CIH_8B	Health improvement - lose weight	discrete	numeric-1.0	5243	57666	What is that? - Lose weight
22	CIH_8C	Health improvement - eating habits	discrete	numeric-1.0	5243	57666	What is that? - Change diet / improve eating habits
23	CIH_8J	Health improvement - quit smoking	discrete	numeric-1.0	5243	57666	What is that? - Quit smoking / reduce amount smoked
24	CIH_8K	Health improvement - drink less alcohol	discrete	numeric-1.0	5243	57666	What is that? - Drink less alcohol

#	Name	Label	Type	Format	Valid	Invalid	Question
25	CIH_8G	Health improvement - reduce stress	discrete	numeric-1.0	5243	57666	What is that? - Reduce stress level
26	CIH_8L	Health improv.- receive med. treatment	discrete	numeric-1.0	5243	57666	What is that? - Receive medical treatment
27	CIH_8H	Health improvement - take vitamins	discrete	numeric-1.0	5243	57666	What is that? - Take vitamins
28	CIH_8I	Health improvement - other	discrete	numeric-1.0	5243	57666	What is that? - Other

## Group Chronic conditions (CCC)

### Universe

Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	CCC_031	Has asthma	discrete	numeric-1.0	62852	57	(Do you have) asthma?
2	CCC_035	Asthma - had symptoms/ attacks	discrete	numeric-1.0	5500	57409	Have you had any asthma symptoms or asthma attacks in the past 12 months?
3	CCC_041	Has fibromyalgia	discrete	numeric-1.0	62779	130	Do you have fibromyalgia?
4	CCC_036	Asthma - took medication	discrete	numeric-1.0	5509	57400	In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?
5	CCC_051	Has arthritis	discrete	numeric-1.0	60061	2848	Do you have arthritis, excluding fibromyalgia?
6	CCC_061	Has back problems/excl. fibro/arthritis	discrete	numeric-1.0	62836	73	Do you have back problems, excluding fibromyalgia and arthritis?
7	CCC_071	Has high blood pressure	discrete	numeric-1.0	62734	175	Do you have high blood pressure?
8	CCC_072	Ever diagnosed with high blood pressure	discrete	numeric-1.0	48691	14218	Have you ever been diagnosed with high blood pressure?
9	CCC_073	Medication - high blood pressure	discrete	numeric-1.0	17336	45573	In the past month, have you taken any medicine for high blood pressure?
10	CCC_073A	Preg. - diag. high blood press. 1st time	discrete	numeric-1.0	8422	54487	Were you pregnant when you were first diagnosed with high blood pressure?
11	CCC_073B	Not pregnant - diagn. high blood press.	discrete	numeric-1.0	480	62429	Other than during pregnancy, has a health professional ever told you that you have high blood pressure?
12	CCC_081	Has migraine headaches	discrete	numeric-1.0	62850	59	Remember, we are interested in conditions diagnosed by a health professional. Do you have migraine headaches?
13	CCC_091	Has a COPD	discrete	numeric-1.0	43791	19118	(Do you have) chronic bronchitis, emphysema or chronic obstructive pulmonary disease or COPD?
14	CCC_101	Has diabetes	discrete	numeric-1.0	62860	49	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have diabetes?
15	CCCG102	Diabetes - age first diagnosed - (G)	discrete	numeric-2.0	5029	57880	How old were you when this was first diagnosed?
16	CCC_10A	Diabetes diagnosed when pregnant	discrete	numeric-1.0	767	62142	Were you pregnant when you were first diagnosed with diabetes?
17	CCC_10B	Diabetes diagnosed - other than pregnant	discrete	numeric-1.0	121	62788	Other than during pregnancy, has a health professional ever told you that you have diabetes?

#	Name	Label	Type	Format	Valid	Invalid	Question
18	CCC_10C	Diabetes diag. - when started w/insulin	discrete	numeric-2.0	5042	57867	When you were first diagnosed with diabetes, how long was it before you were started on insulin?
19	CCC_105	Diabetes - currently takes insulin	discrete	numeric-1.0	5074	57835	Do you currently take insulin for your diabetes?
20	CCC_106	Diabetes - pills to control blood sugar	discrete	numeric-1.0	5071	57838	In the past month, did you take pills to control your blood sugar?
21	CCC_121	Has heart disease	discrete	numeric-1.0	62755	154	-
22	CCC_131	Has cancer	discrete	numeric-1.0	62820	89	(Do you have) cancer?
23	CCC_31A	Ever had cancer	discrete	numeric-1.0	61265	1644	Have you ever been diagnosed with cancer?
24	CCC_141	Has stomach or intestinal ulcers	discrete	numeric-1.0	62768	141	Remember, we are interested in conditions diagnosed by a health professional. Do you have intestinal or stomach ulcers?
25	CCC_151	Suffers from the effects of a stroke	discrete	numeric-1.0	62835	74	Do you suffer from the effects of a stroke?
26	CCC_161	Has urinary incontinence	discrete	numeric-1.0	52027	10882	(Do you suffer) from urinary incontinence?
27	CCC_171	Has bowel disorder	discrete	numeric-1.0	62797	112	Do you suffer from a bowel disorder such as Crohn's Disease, ulcerative colitis, irritable bowel syndrome or bowel incontinence?
28	CCC_17A	Type of bowel disease	discrete	numeric-1.0	3243	59666	What kind of bowel disease do you have?
29	CCC_251	Has chronic fatigue syndrome	discrete	numeric-1.0	62778	131	Do you have chronic fatigue syndrome?
30	CCC_261	Suffers multiple chemical sensitivities	discrete	numeric-1.0	62723	186	Do you suffer from multiple chemical sensitivities?
31	CCC_280	Has a mood disorder	discrete	numeric-1.0	62816	93	Remember, we are interested in conditions diagnosed by a health professional. Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?
32	CCC_290	Has an anxiety disorder	discrete	numeric-1.0	62801	108	Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?

### Group Colorectal cancer screening (CCS)

#### Universe

Optional content selection only asked in: Newfoundland and Labrador, Prince Edward Island, Nova Scotia, New Brunswick, Ontario, Saskatchewan, Yukon, North West Territories, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOCCS	Module: CCS - (F)	discrete	numeric-1.0	62909	0	Colorectal cancer screening - Inclusion Flag - (F)
2	CCS_180	Had an FOBT test	discrete	numeric-1.0	23419	39490	An FOBT is a test to check for blood in your stool, where you have a bowel movement and use a stick to smear a small sample on a special card. Have you ever had this test?
3	CCS_182	Last time FOBT test done	discrete	numeric-2.0	9447	53462	When was the last time?



#	Name	Label	Type	Format	Valid	Invalid	Question
4	CCS_83A	Had FOBT - family history	discrete	numeric-1.0	9430	53479	Why did you have it? - Family history of colorectal cancer
5	CCS_83B	Had FOBT - regular check-up	discrete	numeric-1.0	9430	53479	Why did you have it? - Part of regular check-up / routine screening
6	CCS_83C	Had FOBT - age	discrete	numeric-1.0	9430	53479	Why did you have it? - Age
7	CCS_83D	Had FOBT - follow-up of problem	discrete	numeric-1.0	9430	53479	Why did you have it? - Follow-up of problem
8	CCS_83E	Had FOBT - follow-up of treatment	discrete	numeric-1.0	9430	53479	Why did you have it? - Follow-up of colorectal cancer treatment
9	CCS_83F	Had FOBT - other	discrete	numeric-1.0	9430	53479	Why did you have it? - Other
10	CCS_184	Had colonoscopy or sigmoidoscopy	discrete	numeric-1.0	23487	39422	A colonoscopy or sigmoidoscopy is when a tube is inserted into the rectum to view the bowel for early signs of cancer and other health problems. Have you ever had either of these exams?
11	CCS_185	Last time had colonoscopy/sigmoidoscopy	discrete	numeric-2.0	8142	54767	When was the last time?
12	CCS_86A	Had colonoscopy - family history	discrete	numeric-1.0	8116	54793	Why did you have it? - Family history of colorectal cancer
13	CCS_86B	Had colonoscopy - regular check-up	discrete	numeric-1.0	8116	54793	Why did you have it? - Part of regular check-up / routine screening
14	CCS_86C	Had colonoscopy - age	discrete	numeric-1.0	8116	54793	Why did you have it? - Age
15	CCS_86D	Had colonoscopy - follow-up of problem	discrete	numeric-1.0	8116	54793	Why did you have it? - Follow-up of problem
16	CCS_86E	Had colonoscopy - follow-up of treatment	discrete	numeric-1.0	8116	54793	Why did you have it? - Follow-up of colorectal cancer treatment
17	CCS_86F	Had colonoscopy - other	discrete	numeric-1.0	8116	54793	Why did you have it? - Other
18	CCS_187	Colonoscopy/sigmoidoscopy - FOBT test	discrete	numeric-1.0	4629	58280	Was the colonoscopy or sigmoidoscopy a follow-up of the results of an FOBT?

## Group Consultations about mental health (CMH)

### Universe

Optional content selection only asked in: Prince Edward Island, New Brunswick, Quebec, Ontario, Manitoba, Alberta, Yukon, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOCMH	Module: CMH - (F)	discrete	numeric-1.0	61276	1633	-
2	CMH_01K	Consulted mental health professional	discrete	numeric-1.0	43906	19003	In the past 12 months, that is, from [date one year ago] to yesterday, have you seen or talked to a health professional about your emotional or mental health?
3	CMHG01L	Cons. mental hlth prof. - no. times -(G)	discrete	numeric-2.0	4802	58107	How many times (in the past 12 months)?
4	CMH_1MA	Consulted mental hlth prof. - fam. doc.	discrete	numeric-1.0	4845	58064	-
5	CMH_1MB	Consulted men. hlth prof. - psychiatrist	discrete	numeric-1.0	4845	58064	Whom did you see or talk to? - Family doctor or general practitioner
6	CMH_1MC	Consulted men. hlth prof. - psychologist	discrete	numeric-1.0	4845	58064	Whom did you see or talk to? - Psychiatrist
7	CMH_1MD	Consulted mental hlth prof. - nurse	discrete	numeric-1.0	4845	58064	Whom did you see or talk to? - Nurse

#	Name	Label	Type	Format	Valid	Invalid	Question
8	CMH_1ME	Consulted men. hlth prof.- social worker	discrete	numeric-1.0	4845	58064	Whom did you see or talk to? - Social worker or counsellor
9	CMH_1MF	Consulted mental hlth prof. - other	discrete	numeric-1.0	4845	58064	Whom did you see or talk to? - Other

## Group Contacts with Health Professionals (CHP)

### Universe

Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	CHP_01	Overnight patient	discrete	numeric-1.0	62881	28	In the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?
2	CHPG02	No. of nights as patient - (G)	continuous	numeric-2.0	62815	94	-
3	CHP_03	Consulted fam. doctor/gen. practitioner	discrete	numeric-1.0	62845	64	[Not counting ...] In the past 12 months, have you seen, or talked to any of the following health professionals about your physical, emotional or mental health: a family doctor (pediatrician) or general practitioner?
4	CHPG04	No. of consult. - family doctor - (G)	continuous	numeric-2.0	62442	467	-
5	CHPG05	Where was most recent contact - (G)	discrete	numeric-2.0	49752	13157	-
6	CHP_06	Consulted with eye specialist	discrete	numeric-1.0	62813	96	[Not counting ] In the past 12 months, have you seen, or talked to an eye specialist, such as an ophthalmologist or optometrist (about your physical, emotional or mental health)?
7	CHPG07	No. of consult. - eye specialist - (G)	discrete	numeric-2.0	62765	144	-
8	CHP_08	Consulted with other medical doctor	discrete	numeric-1.0	62845	64	[Not counting ] In the past 12 months, have you seen, or talked to any other medical doctor or specialist such as a surgeon, allergist, orthopaedist, [gynaecologist/urologist] or psychiatrist (about your physical, emotional or mental health)?
9	CHPG09	No. of consult. - other doctor - (G)	discrete	numeric-2.0	62741	168	-
10	CHPG10	Where was most recent contact - (G)	discrete	numeric-2.0	19232	43677	-
11	CHP_11	Consulted with nurse	discrete	numeric-1.0	62851	58	[Not counting ...] In the past 12 months, have you seen, or talked to a nurse for care or advice about your physical, emotional or mental health?
12	CHPG12	No. of consult. - nurse - (G)	discrete	numeric-2.0	62701	208	-
13	CHPG13	Where was most recent contact - (G)	discrete	numeric-2.0	9238	53671	-
14	CHP_14	Consulted with dentist or orthodontist	discrete	numeric-1.0	62859	50	[Not counting ...] In the past 12 months, have you seen, or talked to a dentist, dental hygienist or orthodontist (about your physical, emotional or mental health)?

#	Name	Label	Type	Format	Valid	Invalid	Question
15	CHPG15	No. of consult. - dentist/orthod. - (G)	discrete	numeric-2.0	62511	398	-
16	CHP_16	Consulted with chiropractor	discrete	numeric-1.0	62871	38	[Not counting ...] In the past 12 months, have you seen, or talked to a chiropractor (about your physical, emotional or mental health)?
17	CHPG17	No. of consult. - chiropractor - (G)	continuous	numeric-2.0	62815	94	-
18	CHP_18	Consulted with physiotherapist	discrete	numeric-1.0	62864	45	[Not counting ...] In the past 12 months, have you seen, or talked to a physiotherapist (about your physical, emotional or mental health)?
19	CHPG19	No. of consult. - physiotherapist - (G)	continuous	numeric-2.0	62791	118	-
20	CHP_20	Consulted with psychologist	discrete	numeric-1.0	62867	42	[Not counting ...] In the past 12 months, have you seen, or talked to a psychologist (about your physical, emotional or mental health)?
21	CHPG21	No. of consult. - psychologist - (G)	discrete	numeric-2.0	62844	65	-
22	CHP_22	Consulted with social worker/counsellor	discrete	numeric-1.0	62873	36	[Not counting ...] In the past 12 months, have you seen, or talked to a social worker or counsellor (about your physical, emotional or mental health)?
23	CHPG23	No. of consult. - social worker - (G)	discrete	numeric-2.0	62809	100	-
24	CHP_24	Consulted with speech/aud./occ. ther.	discrete	numeric-1.0	62879	30	[Not counting ...] In the past 12 months, have you seen, or talked to a speech, audiology or occupational therapist (about your physical, emotional or mental health)?
25	CHPG25	No. of consult. speech/aud./occ.th.(G)	discrete	numeric-2.0	62857	52	-
26	CHPGMDC	No. of consult. w/medical doctor (D,G)	continuous	numeric-2.0	62335	574	-
27	CHPFCOP	Consultations - hlth professionals - (F)	discrete	numeric-1.0	62723	186	Consultations - hlth professionals - (F)

## Group Dental visits (DEN)

### Universe

Optional content selection only asked in: Prince Edward Island, Nova Scotia, Ontario, Yukon

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODEN	Module: DEN - (F)	discrete	numeric-1.0	61276	1633	-
2	DEN_130	Visited dentist	discrete	numeric-1.0	16932	45977	It was reported earlier that you have "seen" or "talked to" a dentist in the past 12 months. Did you actually visit one?
3	DEN_132	Last time visited dentist	discrete	numeric-2.0	24222	38687	When was the last time that you went to a dentist?
4	DEN_36A	No dent. vis. - haven't got around to it	discrete	numeric-1.0	3907	59002	No dental visit - have not gotten around to it
5	DEN_36B	No dent. vis. - resp. didn't think nec.	discrete	numeric-1.0	3907	59002	What are the reasons that you have not been to a dentist in the past 3 years?

#	Name	Label	Type	Format	Valid	Invalid	Question
							- Respondent did not think it was necessary
6	DEN_36C	No dent. vis. - dent. didn't think nec.	discrete	numeric-1.0	3907	59002	What are the reasons that you have not been to a dentist in the past 3 years? - Dentist did not think it was necessary
7	DEN_36D	No dent. vis. - pers./family respons.	discrete	numeric-1.0	3907	59002	What are the reasons that you have not been to a dentist in the past 3 years? - Personal or family responsibilities
8	DEN_36E	No dent. vis. - not avail. when req'd.	discrete	numeric-1.0	3907	59002	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at time required
9	DEN_36F	No dent. vis. - not available in area	discrete	numeric-1.0	3907	59002	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at all in the area
10	DEN_36G	No dent. vis. - waiting time too long	discrete	numeric-1.0	3907	59002	What are the reasons that you have not been to a dentist in the past 3 years? - Waiting time was too long
11	DEN_36H	No dent. vis. - transportation problems	discrete	numeric-1.0	3907	59002	What are the reasons that you have not been to a dentist in the past 3 years? - Transportation problems
12	DEN_36I	No dent. vis. - language problem	discrete	numeric-1.0	3907	59002	-
13	DEN_36J	No dent. vis. - cost	discrete	numeric-1.0	3907	59002	-
14	DEN_36K	No dent. vis. - didn't know where to go	discrete	numeric-1.0	3907	59002	What are the reasons that you have not been to a dentist in the past 3 years? - Did not know where to go / uninformed
15	DEN_36L	No dent. vis. - fear	discrete	numeric-1.0	3907	59002	What are the reasons that you have not been to a dentist in the past 3 years? - Fear (e.g., painful, embarrassing, find something wrong)
16	DEN_36M	No dent. vis. - wears dentures	discrete	numeric-1.0	3907	59002	What are the reasons that you have not been to a dentist in the past 3 years? - Wears dentures
17	DEN_36O	No dent. vis. - unable to leave house	discrete	numeric-1.0	3907	59002	What are the reasons that you have not been to a dentist in the past 3 years? - Unable to leave the house because of a health problem
18	DEN_36N	No dent. vis. - other	discrete	numeric-1.0	3907	59002	What are the reasons that you have not been to a dentist in the past 3 years? - Other

## Group Depression (DEP)

### Universe

Optional content selection only asked in: Prince Edward Island, Quebec, Saskatchewan, Alberta, British Columbia, North West Territories, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODEP	Module: DPS - (F)	discrete	numeric-1.0	61276	1633	-
2	DPS_02	Depressed >= 2 weeks - 12 mo	discrete	numeric-1.0	28491	34418	During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?
3	DPS_03	Dep. -length/time feelings lasted - 2 wk	discrete	numeric-1.0	3549	59360	Think of the 2-week period during the past 12 months when these feelings were the worst. During that time, how long did these feelings usually last: (all day

#	Name	Label	Type	Format	Valid	Invalid	Question
							long, most of the day, about half of the day, or less than half of a day)?
4	DPS_04	Depressed - frequency - 2 wk	discrete	numeric-1.0	2081	60828	How often did you feel this way during those 2 weeks: (every day, almost every day, or less often)?
5	DPS_05	Dep.-lost interest in most things - 2 wk	discrete	numeric-1.0	1946	60963	During those 2 weeks did you lose interest in most things?
6	DPS_06	Dep. - felt tired all of the time - 2 wk	discrete	numeric-1.0	1943	60966	Did you feel tired out or low on energy all of the time?
7	DPS_07	Depressed - weight change - 2 wk	discrete	numeric-1.0	1925	60984	Did you gain weight, lose weight or stay about the same?
8	DPS_08A	Depressed -weight change (amount) - 2 wk	continuous	numeric-3.0	895	62014	About how much did you gain/lose?
9	DPS_08B	Depressed - weight change (lb/kg) - 2 wk	discrete	numeric-1.0	895	62014	Interviewer: Was that in pounds or in kilograms?
10	DPS_09	Depressed - trouble fall asleep - 2 wk	discrete	numeric-1.0	1919	60990	Did you have more trouble falling asleep than you usually do?
11	DPS_10	Depr. - fall asleep (freq.) - 2 wk	discrete	numeric-1.0	1397	61512	How often did that happen: (every night, nearly every night, or less often)?
12	DPS_11	Depressed - trouble concentrating - 2 wk	discrete	numeric-1.0	1900	61009	Did you have a lot more trouble concentrating than usual?
13	DPS_12	Depressed - felt down on self - 2 wk	discrete	numeric-1.0	1889	61020	At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?
14	DPS_13	Depr.- thought a lot about death - 2 wk	discrete	numeric-1.0	1880	61029	Did you think a lot about death - either your own, someone else's, or death in general?
15	DPS_14	Depressed - number of weeks - 12 mo	continuous	numeric-2.0	1775	61134	About how many weeks altogether did you feel this way during the past 12 months?
16	DPS_15	Depressed - most recent month - 2 wk	discrete	numeric-2.0	1620	61289	Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?
17	DPS_16	Loss int. - things give pleasure - 12 mo	discrete	numeric-1.0	26431	36478	During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work or activities that usually give you pleasure?
18	DPS_17	Loss interest - freq. - 12 mo	discrete	numeric-1.0	1692	61217	Please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last: (all day long,..., or less than half of a day)?
19	DPS_18	Loss interest - freq. - 2 wk	discrete	numeric-1.0	706	62203	How often did you feel this way during those 2 weeks: (every day, almost every day, or less often)?
20	DPS_19	Loss int. -felt tired all the time -2 wk	discrete	numeric-1.0	543	62366	During those 2 weeks did you feel tired out or low on energy all the time?
21	DPS_20	Loss interest - weight change - 2 wk	discrete	numeric-1.0	536	62373	Did you gain weight, lose weight, or stay about the same?
22	DPS_21A	Loss interest - weight change (amount)	continuous	numeric-3.0	213	62696	About how much did you gain/lose?

#	Name	Label	Type	Format	Valid	Invalid	Question
23	DPS_21B	Loss int. - weight change (lb/kg) - 2 wk	discrete	numeric-1.0	213	62696	Interviewer: Was that in pounds or in kilograms?
24	DPS_22	Loss interest -trouble fall asleep -2 wk	discrete	numeric-1.0	535	62374	Did you have more trouble falling asleep than you usually do?
25	DPS_23	Loss int. -trouble to sleep (freq) -2 wk	discrete	numeric-1.0	317	62592	How often did that happen: (every night, nearly every night, or less often)?
26	DPS_24	Loss int.- trouble concentrating - 2 wk	discrete	numeric-1.0	530	62379	Did you have a lot more trouble concentrating than usual?
27	DPS_25	Loss interest - felt down on self - 2 wk	discrete	numeric-1.0	527	62382	At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?
28	DPS_26	Loss int.- thought a lot/death - 2 wk	discrete	numeric-1.0	526	62383	Did you think a lot about death - either your own, someone else's, or death in general?
29	DPS_27	Loss interest - nombre of weeks - 12 mo	continuous	numeric-2.0	494	62415	About how many weeks did you feel this way during the past 12 months?
30	DPS_28	Loss interest - most recent month - 2 wk	discrete	numeric-2.0	456	62453	Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?
31	DPSSDF	Depr. scale - short form score - (D)	discrete	numeric-2.0	28266	34643	Respondents with DODPS = 1
32	DPSPDP	Depr. scale - predicted prob. - (D)	continuous	numeric-4.2	28266	34643	Depr. scale - predicted prob. - (D)
33	DPSSDWK	No. of weeks felt depressed - (D)	continuous	numeric-2.0	2205	60704	No. of weeks felt depressed - (D)
34	DPSSDMT	Mth last felt depr.- 2 wks in a row -(D)	discrete	numeric-2.0	2022	60887	Mth last felt depr.- 2 wks in a row -(D)

## Group Diabetes care (DIA)

### Universe

Optional content selection only asked in: Newfoundland and Labrador, Prince Edward Island

#	Name	Label	Type	Format	Valid	Invalid	Question
1	CCCDDIA	Diabetes type	discrete	numeric-1.0	4988	57921	-
2	DODIA	Module: DIA - (F)	discrete	numeric-1.0	61276	1633	-
3	DIA_01	Tested for "A-one-C" haemoglobin	discrete	numeric-1.0	273	62636	In the past 12 months, has a health care professional tested you for haemoglobin "A-one-C"? (An "A-one- C" haemoglobin test measures the average level of blood sugar over a 3-month period.)
4	DIA_02	No. of times - tested for "A-one-C"	discrete	numeric-3.0	223	62686	How many times? (In the past 12 months, has a health care professional tested you for haemoglobin "A- one-C"?)
5	DIA_03	Feet checked by health professional	discrete	numeric-1.0	280	62629	In the past 12 months, has a health care professional checked your feet for any sores or irritations?
6	DIA_04	No of times - feet checked by hlth prof.	discrete	numeric-3.0	137	62772	How many times? (In the past 12 months, has a health care professional checked your feet for any sores or irritations?)

#	Name	Label	Type	Format	Valid	Invalid	Question
7	DIA_05	Urine tested for protein by health prof.	discrete	numeric-1.0	255	62654	In the past 12 months, has a health care professional tested your urine for protein (i.e., Microalbumin)?
8	DIA_06	Ever had eye exam with pupils dilated	discrete	numeric-1.0	275	62634	Have you ever had an eye exam where the pupils of your eyes were dilated? (This procedure would have made you temporarily sensitive to light.)
9	DIA_07	Eye exam with pupils dilated - last time	discrete	numeric-1.0	195	62714	When was the last time: (less than one month ago, 1 month to less than 1 year ago, 1 year to less than 2 years ago, or 2 or more years ago)?
10	DIA_08	Checks glucose level/self-reporting unit	discrete	numeric-1.0	279	62630	How often do you usually have your blood checked for glucose or sugar by yourself or by a family member or friend?
11	DIA_N8B	Checks glucose level/self-no times day	discrete	numeric-3.0	162	62747	Interviewer: Enter the number of times per day.
12	DIA_N8C	Checks glucose level - no times per week	discrete	numeric-3.0	74	62835	Interviewer: Enter the number of times per week
13	DIA_N8D	Checks glucose level -no times per month	discrete	numeric-3.0	17	62892	Interviewer: Enter the number of times per month
14	DIA_N8E	Checks glucose level -no times per year	discrete	numeric-3.0	2	62907	Interviewer: Enter the number of times per year
15	DIA_09	Checks feet / self-reporting unit	discrete	numeric-1.0	279	62630	How often do you usually have your feet checked for any sores or irritations by yourself or by a family member or friend?
16	DIA_N9B	Checks feet/self-number of times per day	discrete	numeric-3.0	96	62813	Interviewer: Enter the number of times per day.
17	DIA_N9C	Checks feet/self-number of times week	discrete	numeric-3.0	76	62833	Interviewer: Enter the number of times per week.
18	DIA_N9D	Checks feet/self-number of times month	discrete	numeric-3.0	23	62886	Interviewer: Enter the number of times per month.
19	DIA_N9E	Checks feet/self-number of times year	discrete	numeric-3.0	17	62892	Interviewer: Enter the number of times per year.
20	DIA_10	Medication - ASA - past month	discrete	numeric-1.0	270	62639	In the past month, did you take aspirin or other ASA (acetylsalicylic acid) medication every day or every second day?
21	DIA_11	Medication -blood cholesterol-past month	discrete	numeric-1.0	266	62643	In the past month, did you take prescription medications such as Lipitor or Zocor to control your blood cholesterol levels?

## Group Distress (DIS)

### Universe

Optional content selection only asked in: Quebec, Saskatchewan, Alberta, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODIS	Module: DIS - (F)	discrete	numeric-1.0	61276	1633	-
2	DIS_10A	Frequency/distress:tired out-past month	discrete	numeric-1.0	20109	42800	During the past month, about how often did you feel tired out for no good reason: (all of the time, most of the time,

#	Name	Label	Type	Format	Valid	Invalid	Question
							some of the time, a little of the time, or none of the time)?
3	DIS_10B	Freq./distress: felt nervous - past mo	discrete	numeric-1.0	20038	42871	During the past month, about how often did you feel nervous?
4	DIS_10C	Freq./distress:so nervous - past month	discrete	numeric-1.0	20016	42893	(During the past month, about how often did you feel) so nervous that nothing could calm you down?
5	DIS_10D	Freq./distress: felt hopeless - past mo	discrete	numeric-1.0	20058	42851	During the past month, about how often did you feel hopeless?
6	DIS_10E	Freq./distress: felt restless - past mo	discrete	numeric-1.0	20040	42869	During the past month, about how often did you feel restless or fidgety?
7	DIS_10F	Frequency/distress:could not sit still	discrete	numeric-1.0	20016	42893	(During the past month, about how often did you feel) so restless you could not sit still?
8	DIS_10G	Freq./distress: sad,depressed - past mo	discrete	numeric-1.0	20060	42849	(During the past month, about how often did you feel) sad or depressed?
9	DIS_10H	Freq./d.:dep,nothing cheer up - past mo.	discrete	numeric-1.0	20041	42868	(During the past month, about how often did you feel) so depressed that nothing could cheer you up?
10	DIS_10I	Freq./distr: every. was effort - past mo	discrete	numeric-1.0	19990	42919	(During the past month, about how often did you feel) that everything was an effort?
11	DIS_10J	Freq./distr.: felt worthless - past mo	discrete	numeric-1.0	20043	42866	(During the past month, about how often did you feel) worthless?
12	DIS_10K	Freq. of distress feelings - past mo	discrete	numeric-1.0	19931	42978	Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?
13	DIS_10L	Freq. of distress feelings (more often)	discrete	numeric-1.0	2503	60406	Is that a lot more, somewhat more or only a little more often than usual?
14	DIS_10M	Freq. of distress feelings (less often)	discrete	numeric-1.0	1514	61395	Is that a lot less, somewhat less or only a little less often than usual?
15	DIS_10N	Freq./distr. feelings int. w/ life-p.m.	discrete	numeric-1.0	15583	47326	During the past month, how much did these feelings usually interfere with your life or activities: (a lot, some, a little, or not at all)?
16	DISDK6	Distress scale - K6 - past month - (D)	continuous	numeric-2.0	19823	43086	Distress scale - K6 - past month - (D)
17	DISDCHR	Chronicity of distress/impair. scale (D)	discrete	numeric-2.0	19866	43043	Chronicity of distress/impair. scale (D)
18	DISDDSX	Distress scale - K10 - past month - (D)	continuous	numeric-2.0	19793	43116	Distress scale - K10 - past month - (D)

## Group Driving and safety (DRV)

### Universe

Optional content selection only asked in: Newfoundland and Labrador, Ontario, Alberta, Yukon

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODRV	Module: DRV - (F)	discrete	numeric-1.0	61276	1633	In the past 12 months, have you driven a motor vehicle?
2	DRV_01A	Drove a motor vehicle	discrete	numeric-1.0	28395	34514	In the past 12 months, have you driven a motorcycle?



#	Name	Label	Type	Format	Valid	Invalid	Question
3	DRV_01B	Drove a motorcycle	discrete	numeric-1.0	28389	34520	In the past 12 months, have you driven a motorcycle?
4	DRV_02	Freq. - seat belt when driving	discrete	numeric-1.0	22514	40395	How often do you fasten your seat belt when you drive a motor vehicle?
5	DRV_03A	Use of a cell phone while driving	discrete	numeric-1.0	22508	40401	Excluding hands-free use, how often do you use a cell phone while you are driving a motor vehicle?
6	DRV_03B	Use of a hands-free while driving	discrete	numeric-1.0	22505	40404	How often do you use a hands-free when talking on the cell phone while you are driving a motor vehicle?
7	DRV_04	Freq. - tired when driving	discrete	numeric-1.0	22533	40376	How often do you drive when you are feeling tired?
8	DRV_05	Driving speed compared to others	discrete	numeric-1.0	22498	40411	Compared to other drivers, would you say you usually drive: (much faster, a little faster, about the same speed, a little slower, or much slower)?
9	DRV_06	Driving aggression compared to others	discrete	numeric-1.0	22418	40491	Compared to other drivers, would you say you usually drive: (much more aggressively, a little more aggressively, about the same, a little less aggressively, or much less aggressively)?
10	DRV_07	Drove a motor vehicle after 2+ drinks	discrete	numeric-1.0	18365	44544	In the past 12 months, have you driven a motor vehicle after having 2 or more drinks in the hour before you drove?
11	DRV_07A	No. of times - drove after 2+ drinks	continuous	numeric-2.0	1016	61893	How many times (in the past 12 months)?
12	DRV_08A	Freq. - seat belt - front seat pass.	discrete	numeric-1.0	28355	34554	When you are a front seat passenger, how often do you fasten your seat belt?
13	DRV_08B	Freq. - seat belt - back seat pass.	discrete	numeric-1.0	28351	34558	When you are a back seat passenger, how often do you fasten your seat belt?
14	DRV_09	Freq. - seat belt - in taxi	discrete	numeric-1.0	28301	34608	When you are a passenger in a taxi, how often do you fasten your seat belt?
15	DRV_10	Passenger/driver had 2+ drinks	discrete	numeric-1.0	28170	34739	In the past 12 months, have you been a passenger with a driver who had 2 or more drinks in the hour before driving?
16	DRV_10A	No. times - pass./driver after 2+ drinks	continuous	numeric-2.0	2201	60708	How many times in the past 12 months?
17	DRV_11A	Driver/pass. - snowmobile/motor boat	discrete	numeric-1.0	28346	34563	In the past 12 months, have you been the driver of, or a passenger in, a snowmobile, motor boat or seadoo?
18	DRV_11B	Driver/pass. - ATV	discrete	numeric-1.0	28330	34579	In the past 12 months, have you been the driver of, or a passenger in, an ATV (all terrain vehicle)?
19	DRV_12	Freq. - wears helmet - ATV	discrete	numeric-1.0	4383	58526	How often do you wear a helmet when on an ATV?
20	DRV_13	With driver had 2+ drinks - ATV/snow.	discrete	numeric-1.0	8096	54813	In the past 12 months, have you been a passenger on a snowmobile, motor boat, seadoo or ATV with a driver who had 2 or more drinks in the hour before driving?
21	DRV_13A	No. times - With driver 2+ drinks - ATV	continuous	numeric-2.0	513	62396	How many times (in the past 12 months)?
22	DRV_14	Drove snowmobile/ATV after 2+ drinks	discrete	numeric-1.0	6763	56146	In the past 12 months, have you driven a snowmobile, motor boat, seadoo or ATV

#	Name	Label	Type	Format	Valid	Invalid	Question
							after having 2 or more drinks in the hour before you drove?
23	DRV_14A	No. times - drove snow./ATV aft. 2+ drks	discrete	numeric-2.0	342	62567	How many times (in the past 12 months)?
24	DRVFSBU	Passenger seat belt use - motor vehicle	discrete	numeric-1.0	28135	34774	Passenger seat belt use - motor vehicle

### Group Exposure to second-hand smoke (ETS)

#### Universe

Common content and as asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	ETS_10	Someone smokes inside home	discrete	numeric-1.0	58285	4624	Including both household members and regular visitors, does anyone smoke inside your home, every day or almost every day?
2	ETSG11	No. of people who smoke inside home -(G)	discrete	numeric-1.0	5893	57016	How many people smoke inside your home every day or almost every day?
3	ETS_20	Exposed to 2nd-hand smoke - private veh.	discrete	numeric-1.0	49324	13585	In the past month, were you exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle?
4	ETS_20B	Exposed to 2nd-hand smoke - public places	discrete	numeric-1.0	49269	13640	(In the past month,) were you exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)?
5	ETS_35	Smoking allowed - House	discrete	numeric-1.0	10172	52737	Respondents who answered (ETS_10 = 1, 7 or 8) or (DHHDHSZ = 1 and SMK_202 = (1, 2, 7 or 8))
6	ETS_36	Smoking restrictions	discrete	numeric-1.0	60390	2519	Respondents who answered ETS_10 = (2, 7 or 8) or ETS_35 = (1, 7 or 8)
7	ETS_37A	Type of restrictions -certain rooms only	discrete	numeric-1.0	44073	18836	How is smoking restricted inside your home? - Allowed in certain rooms only
8	ETS_37B	Type of restrictions - young children	discrete	numeric-1.0	44073	18836	How is smoking restricted inside your home? - Restricted in the presence of young children
9	ETS_37C	Type of restrictions - windows open	discrete	numeric-1.0	44073	18836	How is smoking restricted inside your home? - Allowed only if windows are open or with another type of ventilation
10	ETS_37D	Type of restrictions - Other	discrete	numeric-1.0	44073	18836	How is smoking restricted inside your home? - Other restriction (s)

### Group Eye examinations (EYX)

#### Universe

Optional content selection only asked in: Nova Scotia, Ontario, Yukon, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOEYX	Module: EYX - (F)	discrete	numeric-1.0	61276	1633	-
2	EYX_140	Visit eye doctor - 12 m	discrete	numeric-1.0	10612	52297	It was reported earlier that you have "seen" or "talked to" an optometrist or ophthalmologist in the past 12 months. Did you actually visit one?

#	Name	Label	Type	Format	Valid	Invalid	Question
3	EYX_142	Last time eye examination	discrete	numeric-1.0	23181	39728	What are the reasons that you have not had an eye examination in the past 2 years? - Have not gotten around to it
4	EYX_46A	No eye exam - haven't got around to it	discrete	numeric-1.0	7410	55499	What are the reasons that you have not had an eye examination in the past 2 years? - Have not gotten around to it
5	EYX_46B	No eye exam - resp. think not nec.	discrete	numeric-1.0	7410	55499	What are the reasons that you have not had an eye examination in the past 2 years? - Respondent did not think it was necessary
6	EYX_46C	No eye exam - dr. think not nec.	discrete	numeric-1.0	7410	55499	What are the reasons that you have not had an eye examination in the past 2 years? - Doctor did not think it was necessary
7	EYX_46D	No eye exam - pers./family resp.	discrete	numeric-1.0	7410	55499	What are the reasons that you have not had an eye examination in the past 2 years? - Personal and family responsibilities
8	EYX_46E	No eye exam - not av. when require	discrete	numeric-1.0	7410	55499	What are the reasons that you have not had an eye examination in the past 2 years? - Not available at time required
9	EYX_46F	No eye exam - not available/area	discrete	numeric-1.0	7410	55499	What are the reasons that you have not had an eye examination in the past 2 years? - Not available at all in the area
10	EYX_46G	No eye exam - wait. time too long	discrete	numeric-1.0	7410	55499	What are the reasons that you have not had an eye examination in the past 2 years? - Waiting time was too long
11	EYX_46H	No eye exam - transportation problems	discrete	numeric-1.0	7410	55499	What are the reasons that you have not had an eye examination in the past 2 years? - Transportation problems
12	EYX_46I	No eye exam - language problem	discrete	numeric-1.0	7410	55499	What are the reasons that you have not had an eye examination in the past 2 years? - Language problem
13	EYX_46J	No eye exam - cost	discrete	numeric-1.0	7410	55499	What are the reasons that you have not had an eye examination in the past 2 years? - Cost
14	EYX_46K	No eye exam - did not know where to go	discrete	numeric-1.0	7410	55499	What are the reasons that you have not had an eye examination in the past 2 years? - Did not know where to go / uninformed
15	EYX_46L	No eye exam - fear	discrete	numeric-1.0	7410	55499	What are the reasons that you have not had an eye examination in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)
16	EYX_46N	No eye exam - health problem	discrete	numeric-1.0	7410	55499	What are the reasons you have not had an eye examination in the past 2 years? - Unable to leave the house because of a health problem
17	EYX_46M	No eye exam - other	discrete	numeric-1.0	7410	55499	What are the reasons that you have not had an eye examination in the past 2 years? - Other

## Group Flu shots (FLU)

### Universe

Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	FLU_160	Ever had a flu shot	discrete	numeric-1.0	61341	1568	Have you ever had a seasonal seasonal flu shot?
2	FLU_162	Had flu shot - last time	discrete	numeric-1.0	32415	30494	When did you have your last seasonal flu shot: (less than 1 year ago, 1 year to less than 2 years ago, or 2 years ago or more)?
3	FLU_164	Had flu shot - which month	discrete	numeric-2.0	18515	44394	In which month did you have your last seasonal flu shot?
4	FLU_165	Had flu shot - current/last year	discrete	numeric-1.0	1833	61076	Was that this year or last year?
5	FLU_66A	No flu shot - have not gotten around it	discrete	numeric-1.0	40650	22259	What are the reasons that you have not had a seasonal flu shot in the past year? - Have not gotten around to it
6	FLU_66B	No flu shot - resp. didn't think nec.	discrete	numeric-1.0	40650	22259	What are the reasons that you have not had a seasonal flu shot in the past year? - Respondent did not think it was necessary
7	FLU_66C	No flu shot - doctor didn't think nec.	discrete	numeric-1.0	40650	22259	What are the reasons that you have not had a seasonal flu shot in the past year? - Doctor did not think it was necessary
8	FLU_66D	No flu shot - personal/family resp.	discrete	numeric-1.0	40650	22259	What are the reasons that you have not had a seasonal flu shot in the past year? - Personal or family responsibilities
9	FLU_66E	No flu shot - not available when req'd	discrete	numeric-1.0	40650	22259	What are the reasons that you have not had a seasonal flu shot in the past year? - Not available at time required
10	FLU_66F	No flu shot - not available in area	discrete	numeric-1.0	40650	22259	What are the reasons that you have not had a seasonal flu shot in the past year? - Not available at all in the area
11	FLU_66G	No flu shot - waiting time was too long	discrete	numeric-1.0	40650	22259	What are the reasons that you have not had a seasonal flu shot in the past year? - Waiting time was too long
12	FLU_66H	No flu shot - transportation problems	discrete	numeric-1.0	40650	22259	What are the reasons that you have not had a seasonal flu shot in the past year? - Transportation problems
13	FLU_66I	No flu shot - language problem	discrete	numeric-1.0	40650	22259	What are the reasons that you have not had a seasonal flu shot in the past year? - Language problem
14	FLU_66J	No flu shot - cost	discrete	numeric-1.0	40650	22259	What are the reasons that you have not had a seasonal flu shot in the past year? - Cost
15	FLU_66K	No flu shot - did not know where to go	discrete	numeric-1.0	40650	22259	What are the reasons that you have not had a seasonal flu shot in the past year? - Did not know where to go / uninformed
16	FLU_66L	No flu shot - fear	discrete	numeric-1.0	40650	22259	What are the reasons that you have not had a seasonal flu shot in the past year? - Fear (e.g., painful, embarrassing, find something wrong)
17	FLU_66M	No flu shot - bad reaction to prev. shot	discrete	numeric-1.0	40650	22259	What are the reasons that you have not had a seasonal flu shot in the past year? - Bad reaction to previous shot
18	FLU_66O	No flu shot - unable leave house/hlth	discrete	numeric-1.0	40650	22259	What are the reasons that you have not had a seasonal flu shot in the past year? - Unable to leave the house because of a health problem

#	Name	Label	Type	Format	Valid	Invalid	Question
19	FLU_66N	No flu shot - other	discrete	numeric-1.0	40650	22259	What are the reasons that you have not had a seasonal flu shot in the past year? - Other

## Group Food choices (FDC)

### Universe

Optional content selection only asked in: Nova Scotia, Quebec, Yukon, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOFDC	Module: FDC - (F)	discrete	numeric-1.0	61276	1633	-
2	FDC_1A	Chooses/avoids foods - weight concern	discrete	numeric-1.0	13304	49605	Chooses or avoids foods - concerned about body weight
3	FDC_1B	Chooses/avoids foods - heart disease	discrete	numeric-1.0	13287	49622	Chooses or avoids foods - concerned about heart disease
4	FDC_1C	Chooses/avoids foods - cancer	discrete	numeric-1.0	13285	49624	(Do you choose certain foods or avoid others) because you are concerned about cancer?
5	FDC_1D	Chooses/avoids foods - osteoporosis	discrete	numeric-1.0	13282	49627	(Do you choose certain foods or avoid others) because you are concerned about osteoporosis (brittle bones)?
6	FDC_2A	Reason/choose foods - lower fat content	discrete	numeric-1.0	13290	49619	Do you choose certain foods because of the lower fat content?
7	FDC_2B	Reason/choose foods - fibre content	discrete	numeric-1.0	13284	49625	(Do you choose certain foods because of) the fibre content?
8	FDC_2C	Reason/choose foods - calcium content	discrete	numeric-1.0	13286	49623	(Do you choose certain foods because of) the calcium content?
9	FDC_3A	Reason/avoid foods - fat content	discrete	numeric-1.0	13294	49615	Do you avoid certain foods because of the fat content?
10	FDC_3B	Reason/avoid foods - type of fat	discrete	numeric-1.0	13264	49645	(Do you avoid certain foods because of) the type of fat they contain?
11	FDC_3C	Reason/avoid foods - salt content	discrete	numeric-1.0	13287	49622	(Do you avoid certain foods because of) the salt content?
12	FDC_3D	Reason/avoid foods - cholesterol content	discrete	numeric-1.0	13274	49635	(Do you avoid certain foods because of) the cholesterol content?
13	FDC_3E	Reason/avoid foods - calorie content	discrete	numeric-1.0	13288	49621	(Do you avoid certain foods because of) the calorie content?
14	FDCFAVD	Avoids foods for content reasons - (F)	discrete	numeric-1.0	13293	49616	Avoids foods for content reasons - (F)
15	FDCFCAH	Chooses/avoids foods hlth concerns - (F)	discrete	numeric-1.0	13295	49614	Chooses/avoids foods hlth concerns - (F)
16	FDCFCHO	Chooses foods for content reasons - (F)	discrete	numeric-1.0	13290	49619	Chooses foods for content reasons - (F)
17	FVCDJUI	Daily consumption - fruit juice - (D)	continuous	numeric-5.1	60974	1935	-
18	FVCDFRU	Daily consumption - fruit - (D)	continuous	numeric-5.1	60814	2095	-
19	FVCDLAL	Daily consumption - green salad - (D)	continuous	numeric-5.1	60755	2154	-
20	FVCDPOT	Daily consumption - potatoes - (D)	continuous	numeric-5.1	60859	2050	-

#	Name	Label	Type	Format	Valid	Invalid	Question
21	FVDCAR	Daily consumption - carrots - (D)	continuous	numeric-5.1	60563	2346	-
22	FVCDVEG	Daily consumption other vegetables - (D)	continuous	numeric-5.1	60098	2811	-
23	FVCDTOT	Daily cons. - total fruits and veg. - (D)	continuous	numeric-5.1	58921	3988	-
24	FVCGTOT	Daily cons. total fruits/veg. - (D, G)	discrete	numeric-1.0	58921	3988	-

## Group Food security (FSC)

### Universe

Optional content selection only asked in: Newfoundland and Labrador, Nova Scotia, Quebec, Ontario, Manitoba, Saskatchewan, Alberta, British Columbia, Yukon, North West Territories, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOFSC	Module: Food security	discrete	numeric-1.0	62909	0	-
2	FSC_010	Food situation in household - 12 mo	discrete	numeric-1.0	57855	5054	Which of the following statements best describes the food eaten in your household in the past 12 months? Would you say: (you always had enough of the kinds of food you wanted to eat, ..., or often you didn't have enough to eat)?
3	FSC_020	Worried food would run out - 12 mo	discrete	numeric-1.0	57783	5126	You and other household members worried that food would run out before you got money to buy more. Was that often true, sometimes true, or never true in the past 12 months?
4	FSC_030	No food and no money for more - 12 mo	discrete	numeric-1.0	57757	5152	The food that you and other household members bought just didn't last, and there wasn't any money to get more. Was that often true, sometimes true, or never true in the past 12 months?
5	FSC_040	Could not afford balanced meals - 12 mo	discrete	numeric-1.0	57743	5166	You and other household members couldn't afford to eat balanced meals. In the past 12 months was that often true, sometimes true, or never true?
6	FSC_050	Few kinds low-cost food for kids -12 mo	discrete	numeric-1.0	15891	47018	You or other adults in your household relied on only a few kinds of low-cost food to feed the children because you were running out of money to buy food. Was that often true, sometimes true, or never true in the past 12 months?
7	FSC_060	Couldn't feed child. bal. meal - 12 mo	discrete	numeric-1.0	15889	47020	You or other adults in your household couldn't feed the children a balanced meal, because you couldn't afford it. Was that often true, sometimes true, or never true in the past 12 months?
8	FSC_070	Children were not eating enough - 12 mo	discrete	numeric-1.0	2214	60695	The children were not eating enough because you or other adults in your household just couldn't afford enough food. Was that often, sometimes, or never true in the past 12 months?
9	FSC_080	Adults cut or skipped meals - 12 mo	discrete	numeric-1.0	5695	57214	In the past 12 months, did you or other adults in your household ever cut the size of your meals or skip meals because there wasn't enough money for food?

#	Name	Label	Type	Format	Valid	Invalid	Question
10	FSC_081	Adults skipped meals (freq) - 12 mo	discrete	numeric-1.0	1809	61100	How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?
11	FSC_090	Ate less than felt should - 12 mo	discrete	numeric-1.0	5676	57233	In the past 12 months, did you (personally) ever eat less than you felt you should because there wasn't enough money to buy food?
12	FSC_100	Was hungry but could not eat - 12 mo	discrete	numeric-1.0	5693	57216	In the past 12 months, were you (personally) ever hungry but didn't eat because you couldn't afford enough food?
13	FSC_110	Lost weight no money for food- 12 mo	discrete	numeric-1.0	5656	57253	In the past 12 months, did you (personally) lose weight because you didn't have enough money for food?
14	FSC_120	Adults did not eat whole day - 12 mo	discrete	numeric-1.0	2455	60454	In the past 12 months, did you or other adults in your household ever not eat for a whole day because there wasn't enough money for food?
15	FSC_121	Adults not eat whole day (freq) - 12 mo	discrete	numeric-1.0	483	62426	How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?
16	FSC_130	Cut size of children's meals - 12 mo	discrete	numeric-1.0	905	62004	In the past 12 months, did you or other adults in your household ever cut the size of any of the children's meals because there wasn't enough money for food?
17	FSC_140	Children skipped meals - 12 mo	discrete	numeric-1.0	904	62005	In the past 12 months, did any of the children ever skip meals because there wasn't enough money for food?
18	FSC_141	Freq. - child. skipped meals - 12 mo	discrete	numeric-1.0	55	62854	How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?
19	FSC_150	Children were hungry - 12 mo	discrete	numeric-1.0	900	62009	In the past 12 months, were any of the children ever hungry but you just couldn't afford more food?
20	FSC_160	Children did not eat whole day - 12 mo	discrete	numeric-1.0	904	62005	-
21	FSCDHFS2	Household Food Security Status (HC)	discrete	numeric-1.0	57572	5337	Household Food Security Status (HC)
22	FSCDAFS2	Food Security - Adult Status	discrete	numeric-1.0	57583	5326	-
23	FSCDCFS2	Food Security - Child Status	discrete	numeric-1.0	15860	47049	-

## Group General Health (GEN)

### Universe

Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	GEN_01	Self-perceived health	discrete	numeric-1.0	62827	82	In general, would you say your health is: (excellent, very good, good, fair, or poor)?
2	GEN_02	Self-perceived hlth - compared 1 yr ago	discrete	numeric-1.0	62820	89	Compared to one year ago, how would you say your health is now? Is it : (much better now than 1 year ago, somewhat better now than 1 year ago, about the same as 1 year ago, somewhat worse

#	Name	Label	Type	Format	Valid	Invalid	Question
							now, or much worse now than 1 year ago)?
3	GEN_02A2	Satisfaction with life in general	discrete	numeric-2.0	61087	1822	Using a scale of 0 to 10, where 0 means "very dissatisfied" and 10 means "Very satisfied", how do you feel about life as a whole right now?
4	GEN_02B	Self-perceived mental health	discrete	numeric-1.0	61554	1355	In general, would you say your mental health is: (excellent, very good, good, fair, or poor)?
5	GEN_07	Perceived life stress	discrete	numeric-1.0	62670	239	Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?
6	GEN_08	Worked at job	discrete	numeric-1.0	52059	10850	Have you worked at a job or business at any time in the past 12 months?
7	GEN_09	Self perceived work stress	discrete	numeric-1.0	36484	26425	The next question is about your main job or business in the past 12 months. Would you say that most days were: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?
8	GEN_10	Sense of belonging - local community	discrete	numeric-1.0	60911	1998	How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?
9	GENDHDI	Perceived Health - (D)	discrete	numeric-1.0	62827	82	-
10	GENDMHI	Perceived Mental Health - (D)	discrete	numeric-1.0	61554	1355	-
11	GENGSWL	Satisfaction with life in general	discrete	numeric-1.0	61087	1822	-

### Group Geographic Variables (GEO)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	GEOGPRV	Province of residence of respondent-(G)	continuous	numeric-2.0	62909	0	-
2	GEODPMF	Health Region - (G)	continuous	numeric-5.0	62909	0	-
3	GEODBCHA	B.C. Health Authority (BCHA) - (D)	continuous	numeric-4.0	7751	55158	-

### Group Health care system satisfaction (HCS)

#### Universe

Optional content selection only asked in: Newfoundland and Labrador, Ontario, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOHCS	Module: HCS - (F)	discrete	numeric-1.0	61276	1633	-
2	HCS_1	Rating of availability hlth care - prov	discrete	numeric-1.0	21588	41321	Overall, how would you rate the availability of health care services in [province]? Would you say it is: (excellent, good, fair, or poor)?
3	HCS_2	Rating of quality of health care - prov	discrete	numeric-1.0	21406	41503	Overall, how would you rate the quality of the health care services that are



#	Name	Label	Type	Format	Valid	Invalid	Question
							available in [province]: (excellent, good, fair, or poor)
4	HCS_3	Rating of availability hlth care - comm.	discrete	numeric-1.0	21293	41616	Overall, how would you rate the availability of health care services in your community?
5	HCS_4	Rating of quality of hlth care - comm.	discrete	numeric-1.0	21136	41773	Overall, how would you rate the quality of the health care services that are available in your community?

## Group Health care utilization (HCU)

### Universe

Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HCU_1AA	Has regular medical doctor	discrete	numeric-1.0	62824	85	Do you have a regular medical doctor?
2	HCU_1BA	Reason no dr - no one available in area	discrete	numeric-1.0	8462	54447	Why do you not have a regular medical doctor? - No medical doctors available in the area
3	HCU_1BB	Reason no dr - none taking new patients	discrete	numeric-1.0	8462	54447	Why do you not have a regular medical doctor? - Medical doctors in the area are not taking new patients
4	HCU_1BC	Reason no dr - not tried to contact one	discrete	numeric-1.0	8462	54447	Why do you not have a regular medical doctor? - Have not tried to contact one
5	HCU_1BD	Reason no dr - has left/retired	discrete	numeric-1.0	8462	54447	Why do you not have a regular medical doctor? - Had a medical doctor who left or retired
6	HCU_1BE	Reason no dr - other	discrete	numeric-1.0	8462	54447	Why do you not have a regular medical doctor? - Other
7	HCU_1A1	Has place to go when sick/ health advice	discrete	numeric-1.0	8564	54345	Is there a place that you usually go to when you are sick or need advice about your health?
8	HCU_1A2	Kind of place	discrete	numeric-2.0	7226	55683	What kind of place is it?

## Group Health status (SF-36) (SFR)

### Universe

Optional content selection only asked in: Manitoba

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSFR	Module: SFR - (F)	discrete	numeric-1.0	62909	0	-
2	SFRDPFS	Physical functioning scale - (D)	discrete	numeric-3.0	3299	59610	Physical functioning scale - (D)
3	SFRDSFS	Social functioning scale - (D)	discrete	numeric-3.0	3306	59603	Social functioning scale - (D)
4	SFRDPRF	Role functioning (physical) scale - (D)	discrete	numeric-3.0	3322	59587	Role functioning (physical) scale - (D)
5	SFRDMRF	Role functioning (mental) scale - (D)	discrete	numeric-3.0	3321	59588	Role functioning (mental) scale - (D)
6	SFRDGMH	General mental health scale - (D)	continuous	numeric-3.0	3263	59646	General mental health scale - (D)
7	SFRDVTS	Vitality scale - (D)	discrete	numeric-3.0	3221	59688	Vitality scale - (D)
8	SFRDBPS	Bodily pain scale - (D)	continuous	numeric-3.0	3331	59578	Bodily pain scale - (D)

#	Name	Label	Type	Format	Valid	Invalid	Question
9	SFRDGHP	General health perceptions scale - (D)	continuous	numeric-3.0	3219	59690	General health perceptions scale - (D)
10	SFRDPCS	Summary measure of physical health - (D)	continuous	numeric-2.0	3034	59875	Summary measure of physical health - (D)
11	SFRDMCS	Summary measure of mental health - (D)	continuous	numeric-2.0	3034	59875	Summary measure of mental health - (D)

### Group Health utility index (HUI)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOHUI	Module: HUI - (F)	discrete	numeric-1.0	62909	0	-
2	HUIGVIS	Vision trouble - function code - (D,G)	discrete	numeric-1.0	62437	472	-
3	HUIGHER	Hearing problems - function code - (D,G)	discrete	numeric-1.0	62144	765	-
4	HUIGSPE	Speech trouble - function code - (D,G)	discrete	numeric-1.0	62820	89	-
5	HUIGMOB	Mobility trouble - function code - (D,G)	discrete	numeric-1.0	62787	122	-
6	HUIGDEX	Dexterity trouble - function code - (D,G)	discrete	numeric-1.0	62833	76	-
7	HUIDEMO	Emotion (function code)	discrete	numeric-1.0	62656	253	Emotion (function code)
8	HUIDCOG	Cognition prob. - function code - (D)	discrete	numeric-2.0	62686	223	Cognition prob. - function code - (D)
9	HUIDHSI	Health utilities index	continuous	numeric-6.3	61254	1655	Health utilities index
10	HUPDPAD	Pain (function code)	discrete	numeric-1.0	62752	157	-

### Group Height and weight - Self-reported (HWT)

#### Universe

Common content that was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HWT_4	Opinion of own weight - self-reported	discrete	numeric-1.0	59427	3482	Do you consider yourself: (overweight, underweight, or just about right)?
2	HWTGHTM	Height (metres) / self-reported - (D,G)	continuous	numeric-5.3	60543	2366	-
3	HWTGWTK	Weight (kilograms)/self-reported - (D,G)	continuous	numeric-6.2	59507	3402	-
4	HWTGBMI	BMI / self-report - (D,G)	continuous	numeric-6.2	59150	3759	-
5	HWTGISW	BMI class. (18 +) / self-report - (D,G)	discrete	numeric-1.0	54261	8648	-
6	HWTDCOL	BMI class. (12-17) / self-report. - (D)	discrete	numeric-1.0	4773	58136	-

### Group H1N1 Flu shot (H1N)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOH1N	Module: H1N1 Flu shot	discrete	numeric-1.0	62909	0	-
2	H1N_160	Ever had a H1N1 flue shot	discrete	numeric-1.0	61469	1440	Have you had the H1N1 flu shot?

#	Name	Label	Type	Format	Valid	Invalid	Question
3	H1N_164	Had H1N1 flu shot - which month	discrete	numeric-2.0	27880	35029	In which month did you have your H1N1 flu shot?
4	H1N_165	Had H1N1 flu shot - current/ last year	discrete	numeric-2.0	2447	60462	Was that this year or last year?
5	H1N_66A	No H1N1 shot - have not gotten around it	discrete	numeric-1.0	30980	31929	What are the reasons that you have not had the H1N1 flu shot? - Have not gotten around to it
6	H1N_66B	No H1N1 shot - resp. didn't think nec.	discrete	numeric-1.0	30980	31929	What are the reasons that you have not had the H1N1 flu shot? - Respondent - did not think it was necessary
7	H1N_66C	No H1N1 shot - doctor didn't think nec.	discrete	numeric-1.0	30980	31929	What are the reasons that you have not had the H1N1 flu shot? - Doctor - did not think it was necessary
8	H1N_66D	No H1N1 flu shot - personal/ family resp.	discrete	numeric-1.0	30980	31929	What are the reasons that you have not had the H1N1 flu shot? - Personal or family responsibilities
9	H1N_66E	No H1N1 shot - not available when req'd	discrete	numeric-1.0	30980	31929	What are the reasons that you have not had the H1N1 flu shot? - Doctor - Not available - at time required
10	H1N_66F	No H1N1 flu shot - not available in area	discrete	numeric-1.0	30980	31929	What are the reasons that you have not had the H1N1 flu shot? - Not available - at all in the area
11	H1N_66G	No H1N1 shot - waiting time too long	discrete	numeric-1.0	30980	31929	What are the reasons that you have not had the H1N1 flu shot? - Waiting time was too long
12	H1N_66H	No H1N1 shot - transportation problems	discrete	numeric-1.0	30980	31929	What are the reasons that you have not had the H1N1 flu shot? - Transportation - problems
13	H1N_66I	No H1N1 flu shot - language problem	discrete	numeric-1.0	30980	31929	What are the reasons that you have not had the H1N1 flu shot? - Language - problem
14	H1N_66J	No H1N1 flu shot - cost	discrete	numeric-1.0	30980	31929	What are the reasons that you have not had the H1N1 flu shot? - Cost
15	H1N_66K	No H1N1 shot - did not know where to go	discrete	numeric-1.0	30980	31929	What are the reasons that you have not had the H1N1 flu shot? - Did not know where to go / uninformed
16	H1N_66L	No H1N1 flu shot - fear	discrete	numeric-1.0	30980	31929	What are the reasons that you have not had the H1N1 flu shot? - Fear (e.g., painful, embarrassing, find something wrong)
17	H1N_66M	No H1N1 shot -bad reaction to prev. shot	discrete	numeric-1.0	30980	31929	What are the reasons that you have not had the H1N1 flu shot? - Bad reaction to previous shot
18	H1N_66O	No H1N1 flu shot - unable to leave/hlth	discrete	numeric-1.0	30980	31929	What are the reasons that you have not had the H1N1 flu shot? - Unable to leave the house because of a health problem
19	H1N_66N	No H1N1 flu shot - other	discrete	numeric-1.0	30980	31929	What are the reasons that you have not had the H1N1 flu shot? - Other

## Group Illicit drugs use (IDG)

### Universe

Optional content selection only asked in: New Brunswick, Ontario, Saskatchewan, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODRG	Module: DRG - (F)	discrete	numeric-1.0	61276	1633	-
2	IDGFLCA	Cannabis drug use/incl.1 time only - (F)	discrete	numeric-1.0	26424	36485	Cannabis drug use/incl.1 time only - (F)
3	IDGFLCM	Cannabis drug use/excl.1 time only - (F)	discrete	numeric-1.0	26424	36485	Cannabis drug use/excl.1 time only - (F)
4	IDGFYCM	Can.drg use/excl.1 time only -12 mo -(F)	discrete	numeric-1.0	26414	36495	Can.drg use/excl.1 time only -12 mo -(F)
5	IDGFLA	Illicit drg use/incl. 1 time cann. - (F)	discrete	numeric-1.0	26404	36505	Illicit drg use/incl. 1 time cann. - (F)
6	IDGFLAC	Illicit drug use/excl.1 time cann. - (F)	discrete	numeric-1.0	26400	36509	Illicit drug use/excl.1 time cann. - (F)
7	IDGFYA	Illicit drg /incl.1 time can.-12 mo -(F)	discrete	numeric-1.0	26385	36524	-
8	IDGFYAC	Illi.drg use/excl.1 time can.-12 mo -(F)	discrete	numeric-1.0	26384	36525	Illicit drg /incl.1 time can.-12 mo -(F)
9	IDGDINT	Illicit drug interference mean - 12 mo	continuous	numeric-4.1	1378	61531	Illicit drug interference mean - 12 mo
10	IDGFINT	Illicit drug interference - 12 mo - (F)	discrete	numeric-1.0	1378	61531	Illi.drg use/excl.1 time can.-12 mo -(F)

## Group Income (INC)

### Universe

Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	INCG2	Total hhld inc. - main source - (G)	discrete	numeric-1.0	57357	5552	-
2	INCG7	Main source of personal income - (G)	discrete	numeric-1.0	35289	27620	-
3	INCGHH	Total hhld inc. from all sources - (D,G)	discrete	numeric-1.0	51769	11140	-
4	INCGPER	Total pers. inc. from all sources (D,G)	discrete	numeric-2.0	48658	14251	-
5	INCDRCA	Household income distribution - (D)	discrete	numeric-2.0	50443	12466	-
6	INCDRPR	Hhld inc. distribution-prov. level - (D)	discrete	numeric-2.0	50443	12466	-
7	INCDRRS	Hhld inc. distribution- hr level - (D)	discrete	numeric-2.0	43503	19406	-

## Group Injuries (INJ)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOINJ	Module: INJ - (F)	discrete	numeric-1.0	62909	0	-
2	REP_1A	Repetitive strain injury	discrete	numeric-1.0	62748	161	In the past 12 months, did you have any injuries due to repetitive strain?
3	REP_2	Limit your normal activities	discrete	numeric-1.0	7972	54937	Were these injuries serious enough to limit your normal activities?

#	Name	Label	Type	Format	Valid	Invalid	Question
4	REPG3	Rep. strain - body part affected - (G)	discrete	numeric-2.0	4485	58424	Thinking about the most serious repetitive strain, what part of the body was affected?
5	REP_3A	Rep. strain-activity causing injury	discrete	numeric-1.0	4460	58449	Do you know what type of activity caused this repetitive strain injury?
6	REP_4	Rep. strain - working at a job/business	discrete	numeric-1.0	3940	58969	Was the activity something you did while working at a job or business (excluding travel to or from work)?
7	REP_5A	Activity - Walking	discrete	numeric-1.0	3959	58950	What type of activity was this? Walking
8	REP_5B	Activity - Sports	discrete	numeric-1.0	3959	58950	What type of activity was this? Sports or physical exercise (including school activities and running)
9	REP_5C	Activity - Leisure	discrete	numeric-1.0	3959	58950	What type of activity was this? Leisure or hobby (include volunteering)
10	REP_5D	Activity - Household chores	discrete	numeric-1.0	3959	58950	What type of activity was this? Household chores, outdoor yard maintenance, home renovations or other unpaid work
11	REP_5F	Activity - Computer	discrete	numeric-1.0	3959	58950	What type of activity was this? Computer use or typing
12	REP_5G	Activity - Driving a motor vehicle	discrete	numeric-1.0	3959	58950	What type of activity was this? Driving a motor vehicle
13	REP_5H	Activity - Lifting or carrying	discrete	numeric-1.0	3959	58950	What type of activity was this? Lifting or carrying an object or person
14	REP_5I	Activity - Other	discrete	numeric-1.0	3959	58950	What type of activity was this? Other
15	INJ_01	Injured in past 12 mo	discrete	numeric-1.0	62828	81	(Not counting repetitive strain injuries,) in the past 12 months, were you injured?
16	INJG02	No. of injuries in past 12 mo - (G)	discrete	numeric-1.0	9330	53579	How many times were you injured?
17	INJG05	Most serious injury - type - (G)	discrete	numeric-2.0	9289	53620	What type of injury did you have? For example, a broken bone or burn.
18	INJG06	Most serious inj. - body part aff. - (G)	discrete	numeric-2.0	9065	53844	What part of the body was injured?
19	INJG08	Most serious injury - place - (G)	discrete	numeric-2.0	9251	53658	Where did the injury happen ?
20	INJG092	Most serious inj.- activity when inj.(G)	discrete	numeric-2.0	9198	53711	-
21	INW_01	Injury occurred in current job	discrete	numeric-1.0	1140	61769	Did this injury occur in your current main job?
22	INWGSOC	Occup. group (SOC) where inj. occ. - (G)	discrete	numeric-1.0	1001	61908	-
23	INJ_10	Most serious injury - result of a fall	discrete	numeric-1.0	9289	53620	Was the injury the result of a fall?
24	INJG11A	How did you fall - (G)	discrete	numeric-2.0	3880	59029	How did you fall - (G)
25	INJ_13	Most serious inj. - rec'd treat./48 hrs.	discrete	numeric-1.0	9305	53604	Did you receive any medical attention for the injury from a health professional in the 48 hours following the injury?
26	INJ_14A	Receive treatment in the 48 hours	discrete	numeric-1.0	4986	57923	Where did you receive treatment in the 48 hours? Doctor's office
27	INJ_14B	Receive treatment in the 48 hours	discrete	numeric-1.0	4986	57923	Where did you receive treatment in the 48 hours? Hospital emergency room

#	Name	Label	Type	Format	Valid	Invalid	Question
28	INJG14C	Most serious inj.- treated in clinic (G)	discrete	numeric-1.0	4986	57923	-
29	INJG14J2	Most ser.inj.-physio/mass/chiro/other(G)	discrete	numeric-1.0	4986	57923	-
30	INJ_14O	Receive treatment in the 48 hours	discrete	numeric-1.0	4986	57923	Where did you receive treatment in the 48 hours? Where the injury happened/ on-site (workplace, school, sports field, hotel, ski hill)
31	INJ_15	Most serious injury - hospital admission	discrete	numeric-1.0	4987	57922	Were you admitted to a hospital overnight?
32	INJ_15A	Follow-up care because of injury	discrete	numeric-1.0	9323	53586	At the present time, are you getting follow-up care from a health professional because of this injury?
33	INJ_16	Other injuries - treated / not limiting	discrete	numeric-1.0	62744	165	In the past 12 months, did you have any other injuries that were treated by a health professional, but did not limit your normal activities?
34	INJG17	Other injuries - number - (G)	discrete	numeric-1.0	2898	60011	How many injuries?
35	INJGCAU	Cause of injury - (D,G)	discrete	numeric-2.0	9166	53743	-
36	INJDSTT	Injury Status - (D)	discrete	numeric-1.0	62744	165	Injury Status - (D)

### Group Labour force (LBS)

#### Universe

Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	LBSG31	Employment status - 12 mo - (G)	discrete	numeric-1.0	32071	30838	Are you an employee or self-employed?
2	LBSGHPW	Total usual hrs. worked current - (D, G)	continuous	numeric-3.0	31796	31113	-
3	LBSDPFT	Full/part-time - current jobs - (D)	discrete	numeric-1.0	31796	31113	-
4	LBSDWSS	Working status last week - 4 grps - (D)	discrete	numeric-1.0	51711	11198	-
5	LBSGSOC	Occupation group - (G)	discrete	numeric-1.0	31925	30984	-

### Group Loss of Productivity (LOP)

#### Universe

Common content and was asked to all regions.

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOLOP	Module: LOP - (F)	discrete	numeric-1.0	62909	0	-
2	LOP_015	Employed in past 3 months	discrete	numeric-1.0	35906	27003	Did you work at a job or a business at any time in the past three months?
3	LOPG020	Reason for not working - (G)	discrete	numeric-2.0	18969	43940	-
4	LOP_030	Couldn't work due to chronic condition	discrete	numeric-1.0	32590	30319	In the past three months, that is from [date three months ago] to yesterday, have you missed any days at work because of a chronic health condition?

#	Name	Label	Type	Format	Valid	Invalid	Question
5	LOPG040	Work days lost due to chronic cond. (G)	continuous	numeric-2.0	1801	61108	-
6	LOPG050	Chronic condition - (G)	discrete	numeric-2.0	3902	59007	-
7	LOP_060	Missed work due to injury	discrete	numeric-1.0	32591	30318	In the past three months, have you missed any days at work because of injury such as a broken bone, a bad cut, a burn or a sprain?
8	LOPG070	Work days missed due to injury - (G)	continuous	numeric-2.0	1096	61813	-
9	LOP_080	Missed work due to infectious disease	discrete	numeric-1.0	32578	30331	In the past three months, have you missed any days at work because of an infectious disease such as a cold, a stomach flu or a respiratory infection?
10	LOP_81A	Had a cold	discrete	numeric-1.0	5187	57722	Which infectious disease was this? - Cold
11	LOP_81B	Had the flu or influenza	discrete	numeric-1.0	5187	57722	Which infectious disease was this? - Flu or influenza
12	LOP_81C	Stomach Flu	discrete	numeric-1.0	5187	57722	Which infectious disease was this? - Stomach flu
13	LOP_81D	Respiratory Flu	discrete	numeric-1.0	5187	57722	Which infectious disease was this? - Respiratory infection
14	LOP_81E	Other	discrete	numeric-1.0	5187	57722	Which infectious disease was this? - Other
15	LOPG082	Work days missed due to cold - (G)	discrete	numeric-2.0	2592	60317	-
16	LOPG083	Work days missed due/ flu/ influenza (G)	discrete	numeric-2.0	1215	61694	-
17	LOPG084	Work days missed due to stomach flu (G)	discrete	numeric-2.0	982	61927	-
18	LOPG085	Work days missed due/ respir.infect. (G)	discrete	numeric-2.0	299	62610	-
19	LOPG086	Wrk days missed due/other infect.dis.(G)	discrete	numeric-2.0	354	62555	-
20	LOP_090	Missed work for reason /ph. Or m. health	discrete	numeric-1.0	32580	30329	In the past three months, have you been absent from work because of any other reason related to your physical or mental health?
21	LOPG100	Work days missed related/ ph/m hlth (G)	discrete	numeric-2.0	2563	60346	-

## Group Mammography (MAM)

### Universe

Optional content selection only asked in: Newfoundland and Labrador, Nova Scotia, New Brunswick, Alberta, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOMAM	Module: Mammography - (F)	discrete	numeric-1.0	61276	1633	-
2	MAM_030	Ever had mammogram	discrete	numeric-1.0	4786	58123	Have you ever had a mammogram, that is, a breast x-ray?
3	MAM_31A	Had mammogram - family history	discrete	numeric-1.0	3696	59213	Why did you have it? - Family history of breast cancer

#	Name	Label	Type	Format	Valid	Invalid	Question
4	MAM_31B	Had mammogram - regular check-up	discrete	numeric-1.0	3696	59213	Why did you have it? - Part of regular check-up / routine screening
5	MAM_31C	Had mammogram - age	discrete	numeric-1.0	3696	59213	Why did you have it? - Age
6	MAM_31D	Had mammogram - previously detected lump	discrete	numeric-1.0	3696	59213	Why did you have it? - Previously detected lump
7	MAM_31E	Had mammogram - follow-up treatment	discrete	numeric-1.0	3696	59213	Why did you have it? - Follow-up of breast cancer treatment
8	MAM_31F	Had mammogram - hormone replac. therapy	discrete	numeric-1.0	3696	59213	Why did you have it? - On hormone replacement therapy
9	MAM_31G	Had mammogram - breast problem	discrete	numeric-1.0	3696	59213	Why did you have it? - Breast problem
10	MAM_31H	Had mammogram - other	discrete	numeric-1.0	3696	59213	Why did you have it? - Other
11	MAM_032	Last time mammogram was done	discrete	numeric-1.0	3677	59232	When was the last time?
12	MAM_36A	No mam. -have not gotten ar.to it -2 yrs	discrete	numeric-1.0	619	62290	What are the reasons you have not had one in the past 2 years? - Have not gotten around to it
13	MAM_36B	No mam. resp.- didn't think nec. - 2 yrs	discrete	numeric-1.0	619	62290	What are the reasons you have not had one in the past 2 years? - Respondent did not think it was necessary
14	MAM_36C	No mam. -doctor didn't think nec. -2 yrs	discrete	numeric-1.0	619	62290	What are the reasons you have not had one in the past 2 years? - Doctor did not think it was necessary
15	MAM_36D	No mam. - personal/family resp. - 2 yrs	discrete	numeric-1.0	619	62290	What are the reasons you have not had one in the past 2 years? - Personal or family responsibilities
16	MAM_36E	No mam. - not ava. when required - 2 yrs	discrete	numeric-1.0	619	62290	What are the reasons you have not had one in the past 2 years? - Not available at time required
17	MAM_36F	No mam. - not avai. in the area - 2 yrs	discrete	numeric-1.0	619	62290	What are the reasons you have not had one in the past 2 years? - Not available at all in the area
18	MAM_36G	No mam. -wait. time was too long - 2 yrs	discrete	numeric-1.0	619	62290	What are the reasons you have not had one in the past 2 years? - Waiting time was too long
19	MAM_36H	No mam. -transportation problems - 2 yrs	discrete	numeric-1.0	619	62290	What are the reasons you have not had one in the past 2 years? - Transportation problems
20	MAM_36I	No mam. - language problem - 2 yrs	discrete	numeric-1.0	619	62290	What are the reasons you have not had one in the past 2 years? - Language problem
21	MAM_36J	No mam. - cost - 2 yrs	discrete	numeric-1.0	619	62290	What are the reasons you have not had one in the past 2 years? - Cost
22	MAM_36K	No mam. -did not know where to go -2 yrs	discrete	numeric-1.0	619	62290	What are the reasons you have not had one in the past 2 years? - Did not know where to go / uninformed
23	MAM_36L	No mam. - fear - 2 yrs	discrete	numeric-1.0	619	62290	What are the reasons you have not had one in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)
24	MAM_36N	No mam. -un. leave house/ hlth pro -2 yrs	discrete	numeric-1.0	619	62290	What are the reasons you have not had one in the past 2 years? - Unable to leave the house because of a health problem



#	Name	Label	Type	Format	Valid	Invalid	Question
25	MAM_36O	No mam. -Breasts removed/ Mastec. -2 yrs	discrete	numeric-1.0	619	62290	What are the reasons you have not had one in the past 2 years? - Breasts removed / Mastectomy
26	MAM_36M	No mam. - other - 2 yrs	discrete	numeric-1.0	619	62290	What are the reasons you have not had one in the past 2 years? - Other
27	MAM_038	Had a hysterectomy	discrete	numeric-1.0	6324	56585	Have you had a hysterectomy? (In other words, has your uterus been removed)?

### Group Mastery (MAS)

#### Universe

Optional content selection only asked in: Manitoba, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOMAS	Module: MAS - (F)	discrete	numeric-1.0	61276	1633	-
2	MAS_601	Mastery - lack of control	discrete	numeric-1.0	3297	59612	You have little control over the things that happen to you.
3	MAS_602	Mastery - cannot solve problems	discrete	numeric-1.0	3319	59590	There is really no way you can solve some of the problems you have.
4	MAS_603	Mastery - cannot change things	discrete	numeric-1.0	3307	59602	There is little you can do to change many of the important things in your life.
5	MAS_604	Mastery - helpless	discrete	numeric-1.0	3341	59568	You often feel helpless in dealing with problems of life.
6	MAS_605	Mastery - pushed around	discrete	numeric-1.0	3355	59554	Sometimes you feel that you are being pushed around in life
7	MAS_606	Mastery - fate depends upon self	discrete	numeric-1.0	3333	59576	What happens to you in the future mostly depends on you.
8	MAS_607	Mastery - can do anything	discrete	numeric-1.0	3348	59561	You can do just about anything you really set your mind to.
9	MASDM1	Mastery scale - (D)	continuous	numeric-2.0	3187	59722	Mastery scale - (D)

### Group Maternal experiences - Alcohol use during pregnancy (MXA)

#### Universe

Optional content selection only asked in: Alberta, Yukon, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOMXA	Optional MXA - (F)	discrete	numeric-1.0	61276	1633	-
2	MXA_01	Drank alcohol - last pregnancy	discrete	numeric-1.0	398	62511	Did you drink any alcohol during your last pregnancy?
3	MXA_02	Freq. of drinking - last pregnancy	discrete	numeric-2.0	18	62891	How often did you drink?
4	MXA_03	Drank alcohol - breastfeeding last baby	discrete	numeric-1.0	359	62550	Did you drink any alcohol while you were breastfeeding (your last baby)?
5	MXA_04	Freq. drinking - breastfeeding last baby	discrete	numeric-2.0	62	62847	How often did you drink?

### Group Maternal experiences - Breastfeeding (MEX)

#### Universe

Common content that was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
1	MEX_01	Has given birth in the past 5 years	discrete	numeric-1.0	16011	46898	Have you given birth in the past 5 years?
2	MEX_02	Took folic acid - before last pregnancy	discrete	numeric-1.0	3420	59489	Took folic acid - before last pregnancy
3	MEX_03	Breastfed/tried breastfeed/ last child	discrete	numeric-1.0	3440	59469	(For your last baby,) did you breastfeed or try to breastfeed your baby, even if only for a short time?
4	MEXG04	Reason did not breastfeed - (G)	discrete	numeric-2.0	421	62488	-
5	MEX_05	Still breastfeeding last child	discrete	numeric-1.0	3015	59894	Are you still breastfeeding?
6	MEX_06	Duration of breastfeeding last child	discrete	numeric-2.0	2453	60456	How long did you breastfeed (your last baby)?
7	MEX_07	Age of last baby - other foods added	discrete	numeric-2.0	2981	59928	How old was your (last) baby when you first added any other liquids (e.g., milk, formula, water, teas, herbal mixtures) or solid foods to the baby's feeds?
8	MEX_08	Main reason other foods added	discrete	numeric-2.0	2797	60112	What is the main reason that you first added other liquids or solid foods?
9	MEX_09	Gave vitamin D - breast milk only	discrete	numeric-1.0	2596	60313	During the time when your (last) baby was only fed breast milk, did you give the baby a vitamin supplement containing Vitamin D?
10	MEX_10	Main reason stopped breastfeeding	discrete	numeric-2.0	2423	60486	What is the main reason that you stopped breastfeeding?
11	MEXDEBF2	Duration of exclusive breastfeeding- (D)	discrete	numeric-2.0	3244	59665	-
12	MEXFEB6	Exclus. breastfeed for at least 6 months	discrete	numeric-1.0	3244	59665	-

### Group Maternal experiences - Smoking during pregnancy (MXS)

#### Universe

Optional content selection only asked in: Ontario, Alberta, Yukon, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOMXS	Module: MXS - (F)	discrete	numeric-1.0	61276	1633	-
2	MXS_01	Type of smoker - last pregnancy	discrete	numeric-1.0	799	62110	During your last pregnancy, did you smoke daily, occasionally or not at all?
3	MXSG02	No. daily - last preg. (daily smk)	discrete	numeric-2.0	93	62816	How many cigarettes did you usually smoke each day?
4	MXSG03	No. daily - last preg. (occ. smk)	discrete	numeric-2.0	90	62819	On the days that you smoked, how many cigarettes did you usually smoke?
5	MXS_04	Smoked while breastfeeding (occ. smoker)	discrete	numeric-1.0	703	62206	When you were breastfeeding (your last baby), did you smoke daily, occasionally or not at all?
6	MXSG05	No. daily - breastfeeding (daily smk)	discrete	numeric-2.0	76	62833	-
7	MXSG06	No. daily - breastfeeding (occ. smk)	discrete	numeric-2.0	77	62832	On the days that you smoked, how many cigarettes did you usually smoke?
8	MXS_07	2nd-hand smoke - during/ after last preg.	discrete	numeric-1.0	799	62110	Did anyone regularly smoke in your presence during or after the pregnancy (about 6 months after)?

<b>Group Neurological Conditions (NEU)</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	DONEU	Module: NEU - (F)	discrete	numeric-1.0	62909	0	-
2	NEUDNCR	Has a neurological condition- sel. resp.	discrete	numeric-1.0	60915	1994	-
3	NEUDNCH	Presence of neurological cond in hhld	discrete	numeric-1.0	60986	1923	-
4	NEUDSIR	Has neuro. cond.-spinal inj.- sel. resp.	discrete	numeric-1.0	61096	1813	-

<b>Group Oral health 2 (OH2)</b>							
<b><u>Universe</u></b>							
Optional content selection only asked in: Prince Edward Island, Ontario							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOOH2	Module: OH2 - (F)	discrete	numeric-1.0	61276	1633	-
2	OH2_10	Freq. usually visits the dentist	discrete	numeric-1.0	21643	41266	Do you usually visit the dentist: (more than once a year for checkups, about once a year for checkups, less than once a year for checkups, or only for emergency care)?
3	OH2_11	Insurance for dental expenses	discrete	numeric-1.0	21580	41329	Do you have insurance that covers all or part of your dental expenses?
4	OH2_11A	Dental ins. - government- sponsored	discrete	numeric-1.0	13037	49872	Is it a government-sponsored plan?
5	OH2_11B	Type of plan - employer- sponsored	discrete	numeric-1.0	13037	49872	Is it an employer-sponsored plan?
6	OH2_11C	Type of plan - private	discrete	numeric-1.0	13037	49872	Is it a private plan?
7	OH2_12	Teeth removed by dentist - 12 mo	discrete	numeric-1.0	15436	47473	In the past 12 months, have you had any teeth removed by a dentist?
8	OH2_13	Teeth removed -decay/gum disease - 12 mo	discrete	numeric-1.0	1817	61092	(In the past 12 months,) were any teeth removed because of decay or gum disease?
9	OH2_20	Has one or more of own teeth	discrete	numeric-1.0	21831	41078	Do you have one or more of your own teeth?
10	OH2_21	Wears dentures	discrete	numeric-1.0	21845	41064	Do you wear dentures or false teeth?
11	OH2_22	Mouth cond.- diff. speaking clearly	discrete	numeric-1.0	21841	41068	Because of the condition of your teeth, mouth or dentures, do you have difficulty pronouncing any words or speaking clearly?
12	OH2_23	Cond. mouth - avoided conversat. - 12 mo	discrete	numeric-1.0	21835	41074	In the past 12 months, how often have you avoided conversation or contact with other people, because of the condition of your teeth, mouth or dentures: (often, sometimes, rarely, or never)
13	OH2_24	Mouth cond. -av. laughing/ smiling -12 mo	discrete	numeric-1.0	21837	41072	(In the past 12 months, how often have you avoided:) laughing or smiling, because of the condition of your teeth, mouth or dentures?
14	OH2_25A	Had a toothache - past mo	discrete	numeric-1.0	21823	41086	In the past month, have you had a toothache?

#	Name	Label	Type	Format	Valid	Invalid	Question
15	OH2_25B	Teeth sensitive to hot/cold - past mo	discrete	numeric-1.0	21820	41089	In the past month, were your teeth sensitive to hot or cold food or drinks?
16	OH2_25C	Had pain - jaw joints - past mo	discrete	numeric-1.0	21833	41076	In the past month, have you had pain in or around the jaw joints?
17	OH2_25D	Had pain - mouth/face - past mo	discrete	numeric-1.0	21837	41072	(In the past month, have you had) other pain in the mouth or face?
18	OH2_25E	Had bleeding gums - past mo	discrete	numeric-1.0	21836	41073	(In the past month, have you had) bleeding gums?
19	OH2_25F	Had dry mouth - past mo	discrete	numeric-1.0	21832	41077	(In the past month, have you had:) dry mouth?
20	OH2_25G	Had bad breath - past mo	discrete	numeric-1.0	21571	41338	(In the past month, have you had:) bad breath?
21	OH2_30	Frequency of brushing teeth	discrete	numeric-2.0	19843	43066	How often do you brush your teeth?
22	OH2FLIM	Ltd soc. due to oral hlth - 12 mo - (F)	discrete	numeric-1.0	21832	41077	Ltd soc. due to oral hlth - 12 mo - (F)
23	OH2FOFP	Oral/facial pain - past mo - (F)	discrete	numeric-1.0	21697	41212	Oral/facial pain - past mo - (F)

### Group PAP smear test (PAP)

#### Universe

Optional content selection only asked in: Prince Edward Island, Nova Scotia, Yukon, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPAP	Module: PAP smear test - (F)	discrete	numeric-1.0	61276	1633	-
2	PAP_020	Ever had PAP smear test	discrete	numeric-1.0	1700	61209	Have you ever had a PAP smear test?
3	PAP_022	Last time had PAP smear test	discrete	numeric-1.0	1589	61320	When was the last time?
4	PAP_26A	No PAP - have not gotten around to it	discrete	numeric-1.0	549	62360	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have not gotten around to it
5	PAP_26B	No PAP - resp. didn't think necessary	discrete	numeric-1.0	549	62360	What are the reasons that you have you not had a PAP smear test in the past 3 years? - Respondent did not think it was necessary
6	PAP_26C	No PAP - doctor didn't think necessary	discrete	numeric-1.0	549	62360	What are the reasons that you have not had a PAP smear test in the past 3 years? - Doctor did not think it was necessary
7	PAP_26D	No PAP - personal/fam. responsibilities	discrete	numeric-1.0	549	62360	What are the reasons that you have not had a PAP smear test in the past 3 years? - Personal or family responsibilities
8	PAP_26E	No PAP - not available when required	discrete	numeric-1.0	549	62360	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at time required
9	PAP_26F	No PAP - not available in area	discrete	numeric-1.0	549	62360	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at all in the area
10	PAP_26G	No PAP - waiting time too long	discrete	numeric-1.0	549	62360	What are the reasons that you have not had a PAP smear test in the past 3 years? - Waiting time was too long
11	PAP_26H	No PAP - transportation problems	discrete	numeric-1.0	549	62360	What are the reasons that you have not had a PAP smear test in the past 3 years? - Transportation problems

#	Name	Label	Type	Format	Valid	Invalid	Question
12	PAP_26I	No PAP - language problem	discrete	numeric-1.0	549	62360	What are the reasons that you have not had a PAP smear test in the past 3 years? - Language problem
13	PAP_26J	No PAP - cost	discrete	numeric-1.0	549	62360	What are the reasons that you have not had a PAP smear test in the past 3 years? - Cost
14	PAP_26K	No PAP - did not know where to go	discrete	numeric-1.0	549	62360	What are the reasons that you have not had a PAP smear test in the past 3 years? - Did not know where to go / uninformed
15	PAP_26L	No PAP - fear	discrete	numeric-1.0	549	62360	What are the reasons that you have not had a PAP smear test in the past 3 years? - Fear (e.g. painful, embarrassing, find something wrong)
16	PAP_26M	No PAP - hysterectomy	discrete	numeric-1.0	573	62336	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have had a hysterectomy
17	PAP_26N	No PAP - hate/dislike having one done	discrete	numeric-1.0	549	62360	What are the reasons that you have not had a PAP smear test in the past 3 years? - Hate / dislike having one done
18	PAP_26P	No PAP - unable leave house/hlth prob.	discrete	numeric-1.0	549	62360	What are the reasons that you have not had a PAP smear test in the past 3 years? - Unable to leave the house because of a health problem
19	PAP_26O	No PAP - other	discrete	numeric-1.0	549	62360	What are the reasons that you have not had a PAP smear test in the past 3 years? - Other

### Group Patient satisfaction - Community-based care (PSC)

#### Universe

Optional content selection only asked in: Nova Scotia, Saskatchewan, Alberta, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPSC	Module: PSC - (F)	discrete	numeric-1.0	61276	1633	-
2	PSC_1	Received any community-based care	discrete	numeric-1.0	11250	51659	Respondents aged 15 and over with DOPSC = 1 who answered PAS_11 = (1, 7, 8) or HCU_01 = (1, 7, 8) or at least one of HCU_02AA to HCU_02JJ = (1, 7, 8)
3	PSC_2	How rate quality of com.-based received	discrete	numeric-1.0	2174	60735	Overall, how would you rate the quality of the community-based care you received? Would you say it was:
4	PSC_3	Satisf.the way com.-based care provided	discrete	numeric-1.0	2166	60743	Overall, how satisfied were you with the way community-based care was provided? Were you:

### Group Patient satisfaction - Health care services (PAS)

#### Universe

Optional content selection only asked in: Ontario

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPAS	Module: PAS - (F)	discrete	numeric-1.0	61276	1633	-
2	PAS_11	Rec'd health care services	discrete	numeric-1.0	20189	42720	In the past 12 months, have you received any health care services?

#	Name	Label	Type	Format	Valid	Invalid	Question
3	PAS_12	Rating of quality of care rec'd	discrete	numeric-1.0	19301	43608	Overall, how would you rate the quality of health care you received? Would you say it was: (excellent, good, fair, poor)?
4	PAS_13	Satisfaction with way care provided	discrete	numeric-1.0	19288	43621	Overall, how satisfied were you with the way health care services were provided? Were you: (very satisfied, somewhat satisfied, neither satisfied nor dissatisfied, somewhat dissatisfied, very dissatisfied)?
5	PAS_21A	Rec'd health care services at hospital	discrete	numeric-1.0	19357	43552	In the past 12 months, have you received any health care services at a hospital, for any diagnostic or day surgery, overnight stay, or as an emergency room patient?
6	PAS_21B	Type of patient - most recent visit	discrete	numeric-1.0	6371	56538	Thinking of your most recent hospital visit, were you: (admitted overnight or longer, a patient at a diagnostic or day surgery clinic, an emergency room patient)?
7	PAS_22	Rating quality care rec'd - hospital	discrete	numeric-1.0	6358	56551	How would you rate the quality of the care you received? Would you say it was: (excellent, good, fair, poor)?
8	PAS_23	Satisfaction w/way care provided - hosp.	discrete	numeric-1.0	6354	56555	How satisfied were you with the way hospital services were provided? Were you: (very satisfied, somewhat satisfied, neither satisfied nor dissatisfied, somewhat dissatisfied, very dissatisfied)?
9	PAS_31A	Rec'd physician care	discrete	numeric-1.0	19360	43549	In the past 12 months, not counting hospital visits, have you received any health care services from a family doctor or other physician?
10	PAS_31B	Type of physician - most recent care	discrete	numeric-1.0	12797	50112	In the past 12 months, not counting hospital visits, have you received any health care services from a family doctor or other physician?
11	PAS_32	Rating of quality of care rec'd - phy.	discrete	numeric-1.0	12784	50125	How would you rate the quality of the care you received? Would you say it was: (excellent, good, fair, poor)?
12	PAS_33	Satisfaction w/way care provided - phy.	discrete	numeric-1.0	12779	50130	How satisfied were you with the way physician care was provided? Were you: (very satisfied, somewhat satisfied, neither satisfied nor dissatisfied, somewhat dissatisfied, very dissatisfied)?

### Group Physical activities - Facilities at work (PAF)

#### Universe

Optional content selection only asked in: Nova Scotia

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPAF	Module: Phys. Act. - Facili. at work	discrete	numeric-1.0	61276	1633	-
2	PAF_01	Work at home	discrete	numeric-1.0	1007	61902	Do you usually work most of the time at home?
3	PAF_02	At work - Pleasant place to walk	discrete	numeric-1.0	1001	61908	At or near your place of work, do you have access to a pleasant place to walk, jog, bicycle or rollerblade?

#	Name	Label	Type	Format	Valid	Invalid	Question
4	PAF_03	At work - Access to playing fields	discrete	numeric-1.0	1000	61909	At or near your place of work, do you have access to playing fields or open spaces for ball games or other sports?
5	PAF_04	At work - Access to a gym	discrete	numeric-1.0	998	61911	At or near your place of work, do you have access to a gym or physical fitness facilities?
6	PAF_05	At work - Access to fitness classes	discrete	numeric-1.0	979	61930	At or near your place of work, do you have access to organized fitness classes?
7	PAF_06	At work - Organized sport teams	discrete	numeric-1.0	882	62027	At or near your place of work, do you have access to any organized recreational sport teams?
8	PAF_07	At work - Showers / change rooms	discrete	numeric-1.0	889	62020	At or near your place of work, do you have access to showers and/or change rooms?
9	PAF_08	At work - Prog. to improve health	discrete	numeric-1.0	893	62016	At or near your place of work, do you have access to programs to improve health, physical fitness or nutrition?
10	PAFFACC	Access to phys. act. facilities at work	discrete	numeric-1.0	945	61964	Access to phys. act. facilities at work

## Group Physical activities (PAC)

### Universe

Common content and was asked to all respondents

#	Name	Label	Type	Format	Valid	Invalid	Question
1	PAC_1A	Act./last 3 mo - walking	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Walking for exercise
2	PAC_1B	Act./last 3 mo - gardening/ yard work	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Gardening or yard work
3	PAC_1C	Act./last 3 mo - swimming	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Swimming
4	PAC_1D	Act./last 3 mo - bicycling	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Bicycling
5	PAC_1E	Act./last 3 mo - popular/ social dance	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Popular or social dance
6	PAC_1F	Act./last 3 mo - home exercises	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Home exercises
7	PAC_1G	Act./last 3 mo - ice hockey	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Ice hockey
8	PAC_1H	Act./last 3 mo - ice skating	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Ice skating
9	PAC_1I	Act./last 3 mo - in-line skating/roll.	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - In-line skating or rollerblading
10	PAC_1J	Act./last 3 mo - jogging or running	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Jogging or running
11	PAC_1K	Act./last 3 mo - golfing	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Golfing

#	Name	Label	Type	Format	Valid	Invalid	Question
12	PAC_1L	Act./last 3 mo - exer. class/aerobics	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Exercise class or aerobics
13	PAC_1M	Act./last 3 mo - skiing/snowboarding	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Downhill skiing or snowboarding
14	PAC_1N	Act./last 3 mo - bowling	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Bowling
15	PAC_1O	Act./last 3 mo - baseball or softball	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Baseball or softball
16	PAC_1P	Act./last 3 mo - tennis	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Tennis
17	PAC_1Q	Act./last 3 mo - weight-training	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Weight-training
18	PAC_1R	Act./last 3 mo - fishing	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Fishing
19	PAC_1S	Act./last 3 mo - volleyball	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Volleyball
20	PAC_1T	Act./last 3 mo - basketball	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Basketball
21	PAC_1Z	Act./last 3 mo - Soccer	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Soccer
22	PAC_1U	Act./last 3 mo - Any other	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - Any other
23	PAC_1V	Act./last 3 mo - No physical activity	discrete	numeric-1.0	61634	1275	Have you done any of the following in the past 3 months? - No physical activity
24	PAC_1W	Act./last 3 mo - other (#2)	discrete	numeric-1.0	8081	54828	In the past 3 months, did you do any other physical activity for leisure? - Other activity #2
25	PAC_1X	Act./last 3 mo - other (#3)	discrete	numeric-1.0	1477	61432	In the past 3 months, did you do any other physical activity for leisure? - Other activity #3
26	PAC_2A	No. of times - walking for exercise	continuous	numeric-3.0	43329	19580	In the past 3 months, how many times did you [participate in identified activity]? - Walking for exercise
27	PAC_3A	Time spent - walking for exercise	discrete	numeric-1.0	43201	19708	About how much time did you spend on each occasion? - Walking for exercise
28	PAC_2B	No. of times - gardening/yard work	continuous	numeric-3.0	29266	33643	In the past 3 months, how many times did you [participate in identified activity]? - Gardening or yard work
29	PAC_3B	Time spent - gardening/yard work	discrete	numeric-1.0	29157	33752	About how much time did you spend on each occasion? - Gardening or yard work
30	PAC_2C	No. of times - swimming	continuous	numeric-3.0	13681	49228	In the past 3 months, how many times did you [participate in identified activity]? - Swimming
31	PAC_3C	Time spent - swimming	discrete	numeric-1.0	13666	49243	About how much time did you spend on each occasion? - Swimming
32	PAC_2D	No. of times - bicycling	continuous	numeric-3.0	12740	50169	In the past 3 months, how many times did you [participate in identified activity]? - Bicycling
33	PAC_3D	Time spent - bicycling	discrete	numeric-1.0	12711	50198	About how much time did you spend on each occasion? - Bicycling



#	Name	Label	Type	Format	Valid	Invalid	Question
34	PAC_2E	No. of times - popular/social dance	continuous	numeric-3.0	9974	52935	In the past 3 months, how many times did you [participate in identified activity]? - Popular or social dance
35	PAC_3E	Time spent - popular/social dance	discrete	numeric-1.0	9938	52971	About how much time did you spend on each occasion? - Popular / social dance
36	PAC_2F	No. of times - home exercises	continuous	numeric-3.0	21883	41026	In the past 3 months, how many times did you [participate in identified activity]? - Home exercises
37	PAC_3F	Time spent - home exercises	discrete	numeric-1.0	21858	41051	About how much time did you spend on each occasion? - Home exercises
38	PACG2G	No. of times - ice hockey - (G	continuous	numeric-4.0	3247	59662	-
39	PAC_3G	Time spent - ice hockey	discrete	numeric-1.0	3245	59664	About how much time did you spend on each occasion? - Ice hockey
40	PAC_2H	No. of times - ice skating	continuous	numeric-3.0	3969	58940	In the past 3 months, how many times did you [participate in identified activity]? - Ice skating
41	PAC_3H	Time spent - ice skating	discrete	numeric-1.0	3965	58944	About how much time did you spend on each occasion? - Ice skating
42	PAC_2I	No. of times - in-line skating/ roller b.	continuous	numeric-3.0	1956	60953	In the past 3 months, how many times did you [participate in identified activity]? - In-line skating or roller blading
43	PAC_3I	Time spent - in-line skating/ roller b.	discrete	numeric-1.0	1954	60955	About how much time did you spend on each occasion? - In-line skating or roller blading
44	PAC_2J	No. of times - jogging or running	continuous	numeric-3.0	11973	50936	In the past 3 months, how many times did you [participate in identified activity]? - Jogging or running
45	PAC_3J	Time spent - jogging or running	discrete	numeric-1.0	11947	50962	About how much time did you spend on each occasion? - Jogging or running
46	PAC_2K	No. of times - golfing	continuous	numeric-3.0	6088	56821	In the past 3 months, how many times did you [participate in identified activity]? - Golfing
47	PAC_3K	Time spent - golfing	discrete	numeric-1.0	6085	56824	About how much time did you spend on each occasion? - Golfing
48	PAC_2L	No. of times- exercise class/ aerobics	continuous	numeric-3.0	6664	56245	In the past 3 months, how many times did you [participate in identified activity]? - Exercise class or aerobics
49	PAC_3L	Time spent - exercise class/ aerobics	discrete	numeric-1.0	6663	56246	About how much time did you spend on each occasion? - Exercise class or aerobics
50	PAC_2M	No. of times - skiing/ snowboarding	continuous	numeric-3.0	2627	60282	In the past 3 months, how many times did you [participate in identified activity]? - Downhill ski / snowboarding
51	PAC_3M	Time spent - skiing/ snowboarding	discrete	numeric-1.0	2627	60282	About how much time did you spend on each occasion? - Downhill skiing or snowboarding
52	PAC_2N	No. of times - bowling	continuous	numeric-3.0	5543	57366	In the past 3 months, how many times did you [participate in identified activity]? - Bowling
53	PAC_3N	Time spent - bowling	discrete	numeric-1.0	5536	57373	About how much time did you spend on each occasion? - Bowling

#	Name	Label	Type	Format	Valid	Invalid	Question
54	PAC_2O	No. of times - baseball/ softball	continuous	numeric-3.0	3121	59788	In the past 3 months, how many times did you [participate in identified activity]? - Baseball or softball
55	PAC_3O	Time spent - baseball/softball	discrete	numeric-1.0	3118	59791	About how much time did you spend on each occasion? - Baseball or softball
56	PAC_2P	No. of times - tennis	continuous	numeric-3.0	2051	60858	In the past 3 months, how many times did you [participate in identified activity]? - Tennis
57	PAC_3P	Time spent - tennis	discrete	numeric-1.0	2048	60861	About how much time did you spend on each occasion? - Tennis
58	PAC_2Q	No. of times - weight- training	continuous	numeric-3.0	9897	53012	In the past 3 months, how many times did you [participate in identified activity]? - Weight-training
59	PAC_3Q	Time spent - weight-training	discrete	numeric-1.0	9888	53021	About how much time did you spend on each occasion? - Weight-training
60	PAC_2R	No. of times - fishing	continuous	numeric-3.0	6853	56056	In the past 3 months, how many times did you [participate in identified activity]? - Fishing
61	PAC_3R	Time spent - fishing	discrete	numeric-1.0	6846	56063	About how much time did you spend on each occasion? - Fishing
62	PAC_2S	No. of times - volleyball	continuous	numeric-3.0	3493	59416	-
63	PAC_3S	Time spent - volleyball	discrete	numeric-1.0	3490	59419	About how much time did you spend on each occasion? - Volleyball
64	PAC_2T	No. of times - basketball	continuous	numeric-3.0	4136	58773	In the past 3 months, how many times did you [participate in identified activity]? - Basketball
65	PAC_3T	Time spent - basketball	discrete	numeric-1.0	4131	58778	About how much time did you spend on each occasion? - Basketball
66	PAC_2Z	No. of times - soccer	continuous	numeric-3.0	4852	58057	In the past 3 months, how many times did you [participate in identified activity]? - Soccer
67	PAC_3Z	Time spent - soccer	discrete	numeric-1.0	4849	58060	About how much time did you spend on each occasion? - Soccer
68	PAC_2U	No. of times - other activity (#1)	continuous	numeric-3.0	8034	54875	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#1)
69	PAC_3U	Time spent - other activity (#1)	discrete	numeric-1.0	8027	54882	About how much time did you spend on each occasion? - Other activity (#1)
70	PAC_2W	No. of times - other activity (#2)	continuous	numeric-3.0	1470	61439	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#2)
71	PAC_3W	Time spent - other activity (#2)	discrete	numeric-1.0	1469	61440	About how much time did you spend on each occasion? - Other activity (#2)
72	PAC_2X	No. of times - other activity (#3)	continuous	numeric-3.0	307	62602	In the past 3 months, how many times [did you participate in identified activity]? - Other activity (#3)
73	PAC_3X	Time spent - other activity (#3)	discrete	numeric-1.0	307	62602	About how much time did you spend on each occasion? - Other activity (#3)
74	PAC_7	Walked to work or school / last 3 mo.	discrete	numeric-1.0	61567	1342	[Other than the ( X ) times you already reported walking for exercise was there any other time / Was there any time] in the past 3 months when you walked to and from work or school?

#	Name	Label	Type	Format	Valid	Invalid	Question
75	PAC_7A	No. of times/3 mo./walking work/school	continuous	numeric-3.0	8759	54150	How many times?
76	PAC_7B	Time spent - walking to go work/school	discrete	numeric-1.0	8752	54157	About how much time did you spend on each occasion?
77	PAC_8	Bicycled to work or school / last 3 mo.	discrete	numeric-1.0	61592	1317	[Other than the ( X ) times you already reported bicycling was there any other time / Was there any other time] in the past 3 months when you bicycled to and from work or school?
78	PAC_8A	No. of times/3 mo./bicycl. work/school	continuous	numeric-3.0	1819	61090	[Other than the ( X ) times you already reported bicycling was there any other time / Was there any other time] in the past 3 months when you bicycled to and from work or school?
79	PAC_8B	Time spent - bicycl. to go work/school	discrete	numeric-1.0	1818	61091	How many times?
80	PACDEE	Daily energy expenditure - (D)	continuous	numeric-4.1	61624	1285	About how much time did you spend on each occasion?
81	PACFLEI	Participant - leisure phys. activity-(F)	discrete	numeric-1.0	61634	1275	-
82	PACDFM	Monthly freq./phys. act. >15 min. - (D)	continuous	numeric-3.0	61624	1285	-
83	PACDFR	Freq. of all physical activity - (D)	discrete	numeric-1.0	61624	1285	-
84	PACFD	Partic. daily phys. act. > 15 min. - (F)	discrete	numeric-1.0	61624	1285	-
85	PACDPAI	Physical activity index - (D)	discrete	numeric-1.0	61634	1275	-
86	PACDLTI	Leisure and transp. phys. activity index	discrete	numeric-1.0	61178	1731	-
87	PACDTLE	Dai. ener. expen. - Tran. and leis. act.	continuous	numeric-4.1	61169	1740	-
88	PACFLTI	Particip. - Leis. or trans. phys. activ.	discrete	numeric-1.0	61634	1275	-

## Group Problem gambling (CPG)

### Universe

Optional content selection only asked in: New Brunswick, Alberta, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOCPG	Module: CPG - (F)	discrete	numeric-1.0	61276	1633	-
2	CPGFGAM	Gambling activity - (F)	discrete	numeric-1.0	8171	54738	Gambling activity - (F)
3	CPGDSEV	Problem gambling severity index - (D)	continuous	numeric-2.0	5558	57351	Problem gambling severity index - (D)
4	CPGDTYP	Type of gambler - (D)	discrete	numeric-2.0	8124	54785	Type of gambler - (D)
5	CPGDACT	No. of diff. types of gamb. act. - (D)	discrete	numeric-2.0	8123	54786	No. of diff. types of gamb. act. - (D)
6	CPGDINT	Gambling Interference - Mean	continuous	numeric-4.1	109	62800	Gambling Interference - Mean
7	CPGFINT	Gambling Interference - (F)	discrete	numeric-1.0	109	62800	Gambling Interference - (F)

**Group Prostate cancer screening (PSA)****Universe**

Optional content selection only asked in: Newfoundland and Labrador, Prince Edward Island, Nova Scotia, Yukon, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPSA	Module: PSA - (F)	discrete	numeric-1.0	61276	1633	-
2	PSA_170	Ever had a PSA blood test	discrete	numeric-1.0	1523	61386	Have you ever had a prostate specific antigen test for prostate cancer, that is, a PSA blood test?
3	PSA_172	Last time had PSA blood test	discrete	numeric-1.0	896	62013	When was the last time?
4	PSA_73A	Had PSA test - family history	discrete	numeric-1.0	901	62008	Why did you have it? - Family history of prostate cancer
5	PSA_73B	Had PSA test - regular check-up	discrete	numeric-1.0	901	62008	Why did you have it? - Part of regular check-up / routine screening
6	PSA_73C	Had PSA test - age	discrete	numeric-1.0	901	62008	Why did you have it? - Age
7	PSA_73D	Had PSA test - follow-up / problem	discrete	numeric-1.0	901	62008	Why did you have it? - Follow-up of problem
8	PSA_73E	Had PSA test - follow-up/ prostate treat.	discrete	numeric-1.0	901	62008	Why did you have it? - Follow-up of prostate cancer treatment
9	PSA_73F	Had PSA test - other	discrete	numeric-1.0	901	62008	Why did you have it? - Other
10	PSA_174	Had a digital rectal exam	discrete	numeric-1.0	1555	61354	A Digital Rectal Exam is an exam in which a gloved finger is inserted into the rectum in order to feel the prostate gland. Have you ever had this exam?
11	PSA_175	Last time had digital rectal exam	discrete	numeric-1.0	908	62001	When was the last time?

**Group Psychological well-being (PWB)****Universe**

Optional content selection only asked in: New Brunswick

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOPWB	Module: PWB - (F)	discrete	numeric-1.0	61276	1633	-
2	PWB_01	Freq. - felt self-confident	discrete	numeric-1.0	2309	60600	During the past month, you felt self-confident.
3	PWB_02	Freq. - satisfied w/ accomplishments	discrete	numeric-1.0	2317	60592	During the past month, you felt satisfied with what you were able to accomplish, you felt proud of yourself.
4	PWB_03	Freq. - took on lots of projects	discrete	numeric-1.0	2305	60604	During the past month, you were a "go-getter", you took on lots of projects.
5	PWB_04	Freq. - felt emotionally balanced	discrete	numeric-1.0	2308	60601	During the past month, you felt emotionally balanced.
6	PWB_05	Freq. - felt loved and appreciated	discrete	numeric-1.0	2305	60604	During the past month, you felt loved and appreciated.
7	PWB_06	Freq. - had goals and ambitions	discrete	numeric-1.0	2312	60597	During the past month, you had goals and ambitions.
8	PWB_07	Freq. - felt like having fun	discrete	numeric-1.0	2313	60596	During the past month, you felt like having fun, participating in sports and all your favourite activities and hobbies.
9	PWB_08	Freq. - felt useful	discrete	numeric-1.0	2308	60601	During the past month, you felt useful.

#	Name	Label	Type	Format	Valid	Invalid	Question
10	PWB_09	Freq. - smiled easily	discrete	numeric-1.0	2315	60594	During the past month, you smiled easily.
11	PWB_10	Freq. - was true to self	discrete	numeric-1.0	2309	60600	During the past month, you were true to yourself, being natural at all times.
12	PWB_11	Freq. - listening to friends	discrete	numeric-1.0	2309	60600	During the past month, you did a good job of listening to your friends
13	PWB_12	Freq. - curious and interested	discrete	numeric-1.0	2309	60600	During the past month, you did a good job of listening to your friends
14	PWB_13	Freq. - was able to sort things out	discrete	numeric-1.0	2295	60614	During the past month, you were able to clearly sort things out when faced with complicated situations.
15	PWB_14	Freq. - found life exciting	discrete	numeric-1.0	2306	60603	During the past month, you found life exciting and you wanted to enjoy every moment of it.
16	PWB_15	Freq. - life well-balanced	discrete	numeric-1.0	2301	60608	During the past month, your life was well-balanced between your family, personal and professional activities.
17	PWB_16	Freq. - was calm and level-headed	discrete	numeric-1.0	2305	60604	During the past month, you were quite calm and level-headed.
18	PWB_17	Freq. - easily found answers	discrete	numeric-1.0	2299	60610	During the past month, you were able to easily find answers to your problems.
19	PWB_18	Freq. - got along well with others	discrete	numeric-1.0	2310	60599	During the past month, you got along well with everyone around you.
20	PWB_19	Freq. - lived at normal pace	discrete	numeric-1.0	2301	60608	During the past month, you lived at a normal pace, not doing anything excessively.
21	PWB_20	Freq. - impression of enjoying life	discrete	numeric-1.0	2305	60604	During the past month, you had the impression of really enjoying life.
22	PWB_21	Freq. - had good sense of humour	discrete	numeric-1.0	2305	60604	During the past month, you had a good sense of humour, easily making your friends laugh.
23	PWB_22	Freq. - was at peace with self	discrete	numeric-1.0	2306	60603	During the past month, you felt good, at peace with yourself.
24	PWB_23	Freq. - felt healthy/in good shape	discrete	numeric-1.0	2304	60605	During the past month, you felt healthy and in good shape.
25	PWB_24	Freq. - face situations positively	discrete	numeric-1.0	2296	60613	During the past month, you were able to face difficult situations in a positive way.
26	PWB_25	Freq. - had good morale	discrete	numeric-1.0	2306	60603	During the past month, your morale was good.
27	PWBDPWB	Psychological well-being scale - (D)	continuous	numeric-3.0	2219	60690	Psychological well-being scale - (D)

## Group Restriction of activities (RAC)

### Universe

Common content and as asked to all respondents

#	Name	Label	Type	Format	Valid	Invalid	Question
1	RAC_1	Has difficulty with activities	discrete	numeric-1.0	62847	62	Do you have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities: (sometimes, often, or never)?

#	Name	Label	Type	Format	Valid	Invalid	Question
2	RAC_2A	Reduction kind/amount activities - home	discrete	numeric-1.0	62833	76	Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do at home: (sometimes, often, or never)?
3	RAC_2B1	Reduction kind/amount activities- school	discrete	numeric-1.0	62879	30	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) at school?
4	RAC_2B2	Reduction kind/amount act. - at work	discrete	numeric-1.0	62865	44	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) at work?
5	RAC_2C	Reduction kind/amount act. - other	discrete	numeric-1.0	62777	132	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) in other activities, for example, transportation or leisure?
6	RACG5	Cause of health problem - (G)	discrete	numeric-2.0	21010	41899	Which one of the following is the best description of the cause of this condition: (accident at home, motor vehicle accident, accident at work, other type of accident, existed from birth or genetic, ..., or use of alcohol or drugs)?
7	RACDIMP	Impact of health problems - (D)	discrete	numeric-1.0	62804	105	-
8	RACDPAL	Participation and activity limit. - (D)	discrete	numeric-1.0	62675	234	-

## Group Satisfaction with life (SWL)

### Universe

Optional content selection only asked in: British Columbia,

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSWL	Module: SWL - (F)	discrete	numeric-1.0	61276	1633	-
2	SWL_02	Satisfaction - job	discrete	numeric-1.0	7474	55435	How satisfied are you with your job or main activity?
3	SWL_03	Satisfaction - leisure activities	discrete	numeric-1.0	7476	55433	How satisfied are you with your leisure activities?
4	SWL_04	Satisfaction - financial situation	discrete	numeric-1.0	7446	55463	(How satisfied are you) with your financial situation?
5	SWL_05	Satisfaction - with self	discrete	numeric-1.0	7475	55434	How satisfied are you with yourself?
6	SWL_06	Satisfaction - way body looks	discrete	numeric-1.0	7465	55444	How satisfied are you with the way your body looks?
7	SWL_07	Satisfaction - relationship with family	discrete	numeric-1.0	7472	55437	How satisfied are you with your relationships with other family members?
8	SWL_08	Satisfaction - relationship with friends	discrete	numeric-1.0	7478	55431	(How satisfied are you) with your relationships with friends?
9	SWL_09	Satisfaction - housing	discrete	numeric-1.0	7490	55419	(How satisfied are you) with your housing?
10	SWL_10	Satisfaction - neighbourhood	discrete	numeric-1.0	7477	55432	(How satisfied are you) with your neighbourhood?

<b>Group Sedentary activities (SAC)</b>							
<b>Universe</b> Optional content selection only asked in: Newfoundland and Labrador, Manitoba, British Columbia							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSAC	Module: Sedentary activities	discrete	numeric-1.0	61276	1633	-
2	SACG1	No. of hrs.-on a computer - past3mo(G)	discrete	numeric-2.0	12714	50195	-
3	SACG2	No. of hrs.-play video games -past3mo(G)	discrete	numeric-2.0	2158	60751	-
4	SACG3	No. of hrs.-watch tv/videos - past3mo(G)	discrete	numeric-2.0	12618	50291	-
5	SACG4	No. of hrs.-read -past3mo(G)	discrete	numeric-2.0	12592	50317	-
6	SACDTOT	Tot. hrs. -seden. activit. - 3 mo - (D)	discrete	numeric-2.0	12517	50392	Tot. hrs. -seden. activit. - 3 mo - (D)
7	SACDTER	No. hrs / wk. (exc. read.) - seden. act.	discrete	numeric-2.0	12611	50298	No. hrs / wk. (exc. read.) - seden. act.

<b>Group Self-esteem (SFE)</b>							
<b>Universe</b> Optional content selection only asked in: Quebec, British Columbia, North West Territories							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSFE	Module: SFE - (F)	discrete	numeric-1.0	61276	1633	-
2	SFE_501	Self-esteem - has good qualities	discrete	numeric-1.0	18502	44407	You feel that you have a number of good qualities
3	SFE_502	Self-esteem - is person of worth	discrete	numeric-1.0	18462	44447	You feel that you're a person of worth at least equal to others.
4	SFE_503	Self-esteem - is able to do things well	discrete	numeric-1.0	18465	44444	You are able to do things as well as most other people.
5	SFE_504	Self-esteem - takes positive attitude	discrete	numeric-1.0	18493	44416	You take a positive attitude toward yourself.
6	SFE_505	Self-esteem - satisfied with self	discrete	numeric-1.0	18505	44404	On the whole you are satisfied with yourself.
7	SFE_506	Self-esteem - feels is a failure	discrete	numeric-1.0	18479	44430	All in all, you're inclined to feel you're a failure
8	SFEDE1	Self-esteem scale - (D)	continuous	numeric-2.0	18327	44582	Self-esteem scale - (D)

<b>Group Sexual behaviours (SXB)</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSXB	Module: SXB - (F)	discrete	numeric-1.0	62909	0	-
2	SXB_1	Ever had sexual intercourse	discrete	numeric-1.0	27130	35779	Have you ever had sexual intercourse?
3	SXB_3	Had sexual intercourse - past 12 mo	discrete	numeric-1.0	22857	40052	In the past 12 months, have you had sexual intercourse?
4	SXB_07	Ever diagnosed with STD	discrete	numeric-1.0	22801	40108	Have you ever been diagnosed with a sexually transmitted infection?
5	SXB_7A	Condom use - last time	discrete	numeric-1.0	8885	54024	Did you use a condom the last time you had sexual intercourse?

#	Name	Label	Type	Format	Valid	Invalid	Question
6	SXB_09	Important to avoid getting pregnant	discrete	numeric-1.0	2232	60677	It is important to me to avoid getting pregnant right now.
7	SXB_10	Important avoid getting partner pregnant	discrete	numeric-2.0	2103	60806	It is important to me to avoid getting my partner pregnant right now.
8	SXB_11	Usually use birth control - past 12 mo	discrete	numeric-1.0	4391	58518	In the past 12 months, did you and your partner usually use birth control?
9	SXB_12A	Usual birth control method - condom	discrete	numeric-1.0	3606	59303	What kind of birth control did you and your partner usually use? - Condom (male or female condom)
10	SXB_12B	Usual birth control method - the pill	discrete	numeric-1.0	3606	59303	What kind of birth control did you and your partner usually use? - Birth control pill
11	SXB_12C	Usual birth control method - diaphragm	discrete	numeric-1.0	3606	59303	What kind of birth control did you and your partner usually use? - Diaphragm
12	SXB_12D	Usual birth control method - spermicide	discrete	numeric-1.0	3606	59303	What kind of birth control did you and your partner usually use? - Spermicide (e.g., foam, jelly, film)
13	SXB_12F	Usual birth control method - injection	discrete	numeric-1.0	3606	59303	What kind of birth control did you and your partner usually use? - Birth control injection (Deprovera)
14	SXB_12E	Usual birth control method - other	discrete	numeric-1.0	3606	59303	What kind of birth control did you and your partner usually use? - Other
15	SXB_13A	B.c. method used last time - condom	discrete	numeric-1.0	3537	59372	What kind of birth control did you and your partner use the last time you had sex? - Condom (male of female condom)
16	SXB_13B	B.c. method used last time - the pill	discrete	numeric-1.0	3537	59372	What kind of birth control did you and your partner use the last time you had sex? - Birth control pill
17	SXB_13C	B.c. method used last time - diaphragm	discrete	numeric-1.0	3537	59372	What kind of birth control did you and your partner use the last time you had sex? - Diaphragm
18	SXB_13D	B.c. method used last time - spermicide	discrete	numeric-1.0	3537	59372	What kind of birth control did you and your partner use the last time you had sex? - Spermicide (e.g., foam, jelly, film)
19	SXB_13F	B.c. method used last time - injection	discrete	numeric-1.0	3537	59372	What kind of birth control did you and your partner use the last time you had sex? - Birth control injection (Deprovera)
20	SXB_13G	Method used last time - nothing	discrete	numeric-1.0	3537	59372	What kind of birth control did you and your partner use the last time you had sex? - Nothing
21	SXB_13E	B.c. method used last time - other	discrete	numeric-1.0	3537	59372	What kind of birth control did you and your partner use the last time you had sex? - other

## Group Smoking (SMK)

### Universe

Common content and was asked to all regions

#	Name	Label	Type	Format	Valid	Invalid	Question
---	------	-------	------	--------	-------	---------	----------



#	Name	Label	Type	Format	Valid	Invalid	Question
1	SMK_01A	Smoked 100 or more cigarettes - life	discrete	numeric-1.0	62782	127	In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)?
2	SMK_01B	Ever smoked whole cigarette	discrete	numeric-1.0	32268	30641	-
3	SMKG01C	Age - smoked first whole cigarette - (G)	discrete	numeric-2.0	37474	25435	At what age did you smoke your first whole cigarette?
4	SMK_202	Type of smoker	discrete	numeric-1.0	62722	187	At the present time, do you smoke cigarettes daily, occasionally or not at all?
5	SMKG203	Age start smok daily (daily smoker)-(G)	discrete	numeric-2.0	10190	52719	At what age did you begin to smoke cigarettes daily?
6	SMK_204	No. of cig. smoked/day (daily smoker)	continuous	numeric-3.0	10335	52574	How many cigarettes do you smoke each day now?
7	SMK_05B	No. of cig. per day (occasional smoker)	discrete	numeric-3.0	2781	60128	On the days that you do smoke, how many cigarettes do you usually smoke?
8	SMK_05C	No. of days-1 cig. or more (occ. smoker)	continuous	numeric-2.0	2724	60185	In the past month, on how many days have you smoked 1 or more cigarettes?
9	SMK_05D	Ever smoked cigarettes daily	discrete	numeric-1.0	20055	42854	Have you ever smoked cigarettes daily?
10	SMK_06A	Stopped smoking-when (never daily smok.)	discrete	numeric-1.0	1663	61246	When did you stop smoking? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?
11	SMKG06C	No. of years since stopped smoking - (G)	discrete	numeric-1.0	1465	61444	How many years ago was it?
12	SMKG207	Age - started smoking daily - (G)	discrete	numeric-2.0	17219	45690	At what age did you begin to smoke cigarettes daily?
13	SMK_208	No. of cig. smoked/day (former daily)	continuous	numeric-3.0	17013	45896	How many cigarettes did you usually smoke each day?
14	SMK_09A	Stopped smoking daily - when	discrete	numeric-1.0	17617	45292	When did you stop smoking daily? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?
15	SMKG09C	Years since stopped smoking daily - (G)	discrete	numeric-1.0	14515	48394	How many years ago was it?
16	SMK_10	Quit smoking completely	discrete	numeric-1.0	15969	46940	Was that when you completely quit smoking?
17	SMK_10A	Stopped smoking completely - when	discrete	numeric-1.0	410	62499	When did you stop smoking completely? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, or 3 or more years ago)?
18	SMKG10C	No. of years since stopped smoking - (G)	discrete	numeric-1.0	269	62640	How many years ago was it?
19	SMKDSTY	Type of smoker - (D)	discrete	numeric-2.0	62576	333	-
20	SMKGSTP	No. of years stop smoking compl. (D,G)	discrete	numeric-1.0	17485	45424	-
21	SMKDYCS	Number of years smoked - (D)	continuous	numeric-3.0	10190	52719	-

## Group Smoking - Other tobacco products (TAL)

### Universe

Optional content selection only asked in: Ontario

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOTAL	Module: TAL - (F)	discrete	numeric-1.0	61276	1633	-
2	TAL_1	Smoked cigars - last month	discrete	numeric-1.0	21249	41660	In the past month, have you smoked cigars?
3	TAL_2	Smoked a pipe - last month	discrete	numeric-1.0	21243	41666	In the past month, have you smoked a pipe?
4	TAL_3	Used snuff - last month	discrete	numeric-1.0	21241	41668	In the past month, have you used snuff?
5	TAL_4	Used chewing tobacco - last month	discrete	numeric-1.0	21243	41666	In the past month, have you used chewing tobacco?

## Group Smoking - Physician counselling (SPC)

### Universe

Optional content selection only asked in: Manitoba, Yukon, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSPC	Module: SPC - (F)	discrete	numeric-1.0	61276	1633	-
2	SPC_10	Visited regular medical doctor	discrete	numeric-1.0	581	62328	Earlier, you mentioned having a regular medical doctor. In the past 12 months, did you go see this doctor?
3	SPC_11	Doctor - knows smokes/smoked	discrete	numeric-1.0	496	62413	Does your doctor know that you smoke/smoked cigarettes?
4	SPC_12	Doctor - advised to quit	discrete	numeric-1.0	450	62459	In the past 12 months, did your doctor advise you to quit smoking?
5	SPC_13	Doctor - gave specific help	discrete	numeric-1.0	449	62460	(In the past 12 months,) did your doctor give you any specific help or information to quit smoking?
6	SPC_14A	Type help - referral to one-on-one prog.	discrete	numeric-1.0	161	62748	What type of help did the doctor give? - Referral to a one-on-one cessation program
7	SPC_14B	Type help - referral to group prog.	discrete	numeric-1.0	161	62748	What type of help did the doctor give? - Referral to a group cessation program
8	SPC_14C	Type help - recommended nicotine patch	discrete	numeric-1.0	161	62748	What type of help did the doctor give? - Recommended use of nicotine patch or nicotine gum
9	SPC_14D	Type help - recommended Zyban/other med.	discrete	numeric-1.0	161	62748	What type of help did the doctor give? - Recommended Zyban or other medication
10	SPC_14E	Type help - provided self-help info.	discrete	numeric-1.0	161	62748	What type of help did the doctor give? - Provided self-help information (e.g., pamphlet, referral to website)
11	SPC_14F	Type help - doctor offered couns.	discrete	numeric-1.0	161	62748	What type of help did the doctor give? - Own doctor offered counselling
12	SPC_14G	Type help - other	discrete	numeric-1.0	161	62748	What type of help did the doctor give? - Other
13	SPC_20	Visited dentist	discrete	numeric-1.0	367	62542	Did you actually go to the dentist?
14	SPC_21	Dentist/hygienist - knows smokes/smoked	discrete	numeric-1.0	329	62580	Does your dentist or dental hygienist know that you smoked/cigarettes?
15	SPC_22	Dentist/hygienist - advised to quit	discrete	numeric-1.0	250	62659	In the past 12 months, did the dentist or hygienist advise you to quit smoking?

## Group Smoking - Stages of change (SCH)

<b><u>Universe</u></b> Optional content selection only asked in: Manitoba							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSCH	Module: SCH - (F)	discrete	numeric-1.0	61276	1633	-
2	SCH_1	Quitting smoking - next 6 mo	discrete	numeric-1.0	675	62234	Are you seriously considering quitting smoking within the next 6 months?
3	SCH_2	Quitting smoking - next 30 days	discrete	numeric-1.0	383	62526	Are you seriously considering quitting smoking within the next 30 days?
4	SCH_3	Stopped smok. for at least 24 hrs -12 mo	discrete	numeric-1.0	690	62219	In the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit?
5	SCH_4	No.times stop.for at least 24 hrs -12 mo	continuous	numeric-2.0	320	62589	How many times? (In the past month, did you stop smoking for at least 24 hours because you were trying to quit?)
6	SCHDSTG	Smoking stage of change - (D)	discrete	numeric-1.0	1547	61362	Smoking stage of change - (D)

<b>Group Socio-demographic Variables</b>							
<b><u>Universe</u></b> Common content and was asked to all regions							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	DHHGAGE	Age - (G)	discrete	numeric-2.0	62909	0	What is your age?
2	DHH_SEX	Sex	discrete	numeric-1.0	62909	0	Interviewer: Enter the respondent's sex. If necessary, ask: Is respondent male or female?
3	DHHGMS	Marital status - (G)	discrete	numeric-1.0	62783	126	What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single, never married?
4	DHHGLE5	No. pers. <= 5 years old in hhld - (D,G)	discrete	numeric-1.0	62909	0	-
5	DHHG611	No. persons 6-11 years/in hhld - (D,G)	discrete	numeric-1.0	62909	0	-
6	DHHGL12	No. pers. < 12 years old in hhld - (D,G)	discrete	numeric-1.0	62909	0	-
7	DHHGLVG	Living arrangements/selected resp - (D,G)	discrete	numeric-2.0	62591	318	-
8	DHHGHSZ	Household size - (D, G)	discrete	numeric-1.0	62895	14	-
9	DHH_OWN	Dwelling - owned by a member of hhld	discrete	numeric-1.0	61434	1475	Is the dwelling you live in currently owned by a member of this household?
10	SDCGCBG	Country of birth - Canada/ other - (G)	discrete	numeric-1.0	61410	1499	-
11	SDCGLHM	Language(s) spoken at home	discrete	numeric-1.0	61530	1379	-
12	SDCFIMM	Immigrant - (F)	discrete	numeric-1.0	61323	1586	-
13	SDCGRES	Length/time in Canada since imm. - (D,G)	discrete	numeric-1.0	8848	54061	-
14	SDCGLNG	Languages - can converse - (D,G)	discrete	numeric-1.0	61462	1447	-
15	SDCGCGT	Cultural or racial origin - (D, G)	discrete	numeric-1.0	61233	1676	-

#	Name	Label	Type	Format	Valid	Invalid	Question
16	SDC_8	Current student	discrete	numeric-1.0	58580	4329	Are you currently attending a school, college or university?
17	SDC_9	Full-time student/part-time student	discrete	numeric-1.0	6468	56441	Are you enrolled as a full-time student or a part-time student?
18	EDUDH04	Highest level/edu. - HH 4 levels - (D)	discrete	numeric-1.0	58390	4519	-
19	EDUDR04	Highest level/edu. - respond. 4 levels -	discrete	numeric-1.0	60901	2008	-

## Group Social support - Availability (SSA)

### Universe

Optional content selection only asked in: New Brunswick, Quebec, Saskatchewan, British Columbia, North West Territories

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSSA	Module: SSA - (F)	discrete	numeric-1.0	61276	1633	-
2	SSA_01	No. of close friends and relatives	continuous	numeric-3.0	23201	39708	About how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?
3	SSA_02	Has someone to give help if confined bed	discrete	numeric-1.0	22573	40336	How often is each of the following kinds of support available to you if you need it? - Someone to help you if you were confined to bed: (none of the time, a little of the time, some of the time, most of the time, or all of the time)?
4	SSA_03	Has someone to listen	discrete	numeric-1.0	22532	40377	(How often is each of the following kinds of support available to you if you need it?) - Someone you can count on to listen to you when you need to talk
5	SSA_04	Has som. to receive advice about crisis	discrete	numeric-1.0	22383	40526	(How often is each of the following kinds of support available to you if you need it?) - Someone to give you advice about a crisis
6	SSA_05	Has someone to take to doctor	discrete	numeric-1.0	22518	40391	(How often is each of the following kinds of support available to you if you need it?) - Someone to take you to the doctor if you needed it
7	SSA_06	Has someone who shows love and affection	discrete	numeric-1.0	22493	40416	(How often is each of the following kinds of support available to you if you need it?) - Someone who shows you love and affection
8	SSA_07	Has someone to have a good time with	discrete	numeric-1.0	22500	40409	Again, how often is each of the following kinds of support available to you if you need it? - Someone to have a good time with
9	SSA_08	Has some. to receive info/help situation	discrete	numeric-1.0	22429	40480	(How often is each of the following kinds of support available to you if you need it?) - Someone to give you information in order to help you understand a situation
10	SSA_09	Has someone to confide in	discrete	numeric-1.0	22473	40436	(How often is each of the following kinds of support available to you if you need it?) - Someone to confide in or talk to about yourself or your problems

#	Name	Label	Type	Format	Valid	Invalid	Question
11	SSA_10	Has someone who gives hugs	discrete	numeric-1.0	22472	40437	(How often is each of the following kinds of support available to you if you need it?) - Someone who hugs you
12	SSA_11	Has someone to get together w/for relax.	discrete	numeric-1.0	22467	40442	(How often is each of the following kinds of support available to you if you need it?) - Someone to get together with for relaxation?
13	SSA_12	Has someone to prepare meals	discrete	numeric-1.0	22354	40555	(How often is each of the following kinds of support available to you if you need it?) - Someone to prepare your meals if you were unable to do it yourself
14	SSA_13	Has someone to give advice	discrete	numeric-1.0	22392	40517	(How often is each of the following kinds of support available to you if you need it?) - Someone whose advice you really want
15	SSA_14	Has someone to do things to get mind off	discrete	numeric-1.0	22432	40477	Again, how often is each of the following kinds of support available to you if you need it? - Someone to do things with to help you get your mind off things
16	SSA_15	Has someone to help with daily chores	discrete	numeric-1.0	22379	40530	(How often is each of the following kinds of support available to you if you need it?) - Someone to help with daily chores if you were sick
17	SSA_16	Has someone to share most priv. worries	discrete	numeric-1.0	22409	40500	(How often is each of the following kinds of support available to you if you need it?) - Someone to share your most private worries and fears with
18	SSA_17	Has someone to turn to for suggestions	discrete	numeric-1.0	22410	40499	(How often is each of the following kinds of support available to you if you need it?) - Someone to turn to for suggestions about how to deal with a personal problem
19	SSA_18	Has someone to do something enjoyable	discrete	numeric-1.0	22448	40461	(How often is each of the following kinds of support available to you if you need it?) - Someone to do something enjoyable with
20	SSA_19	Has someone who understands problems	discrete	numeric-1.0	22402	40507	How often is each of the following kinds of support available to you if you need it?) - Someone who understands your problems
21	SSA_20	Has someone who loves/ makes feel wanted	discrete	numeric-1.0	22422	40487	(How often is each of the following kinds of support available to you if you need it?) - Someone to love you and make you feel wanted
22	SSADTNG	Tangible social support - MOS - (D)	discrete	numeric-2.0	22222	40687	Tangible social support - MOS - (D)
23	SSADAFF	Affection - MOS subscale - (D)	discrete	numeric-2.0	22338	40571	Affection - MOS subscale - (D)
24	SSADSOC	Positive social interaction - MOS - (D)	discrete	numeric-2.0	22318	40591	-
25	SSADEMO	Emot./info. support - MOS subscale - (D)	continuous	numeric-2.0	21981	40928	-

### Group Social support - Utilization (SSU)

**Universe**

Optional content selection only asked in: New Brunswick, Saskatchewan, British Columbia,

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSSU	Module: SSU - (F)	discrete	numeric-1.0	61276	1633	-
2	SSU_21A	Received tangible social support	discrete	numeric-1.0	12019	50890	In the past 12 months, did you receive the following support? - Someone [list of tangible support reported]
3	SSU_21B	Freq. of tangible social support	discrete	numeric-1.0	4369	58540	When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)?
4	SSU_22A	Received affective support	discrete	numeric-1.0	12022	50887	Respondents with DOSSU = 1 who answered SSA_06 = (2, 3, 4, 5, 7 or 8) or SSA_10 = (2, 3, 4, 5, 7 or 8) or SSA_20 = (2, 3, 4, 5, 7 or 8) or SSA_02 = (7 or 8) or SSA_01 = (997 or 998)
5	SSU_22B	Freq. of affective support	discrete	numeric-1.0	11250	51659	When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)?
6	SSU_23A	Rec'd pos. social interac. supp.	discrete	numeric-1.0	12040	50869	In the past 12 months, did you receive the following support?) - Someone [list of positive social interaction reported]
7	SSU_23B	Freq. of pos. social interac. supp.	discrete	numeric-1.0	11519	51390	When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)?
8	SSU_24A	Received emotional/informational support	discrete	numeric-1.0	12051	50858	(In the past 12 months, did you receive the following support?) - Someone [list of emotional or informational support reported]
9	SSU_24B	Freq. of emotional/info. support	discrete	numeric-1.0	11213	51696	When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)?

**Group Suicidal thoughts and attempts (SUI)****Universe**

Optional content selection only asked in: Newfoundland and Labrador, Alberta, British Columbia, Nunavut

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSUI	Module: SUI - (F)	discrete	numeric-1.0	61276	1633	-
2	SUI_1	Has considered suicide - lifetime	discrete	numeric-1.0	14378	48531	Have you ever seriously considered committing suicide or taking your own life?
3	SUI_2	Has considered suicide - past 12 mo	discrete	numeric-1.0	1423	61486	Has this happened in the past 12 months?

**Group Sun safety behaviours (SSB)****Universe**

Optional content selection only asked in: Prince Edward Island, Nova Scotia, Quebec

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSSB	Module: SSB - (F)	discrete	numeric-1.0	61276	1633	-

#	Name	Label	Type	Format	Valid	Invalid	Question
2	SSB_01	Been sunburnt - past 12 months	discrete	numeric-1.0	14305	48604	In the past 12 months, has any part of your body been sunburnt?
3	SSB_02	Sunburn involved blistering	discrete	numeric-1.0	4931	57978	Did any of your sunburns involve blistering?
4	SSB_03	Sunburns involved pain - more than 1 day	discrete	numeric-1.0	4931	57978	Did any of your sunburns involve pain or discomfort that lasted for more than 1 day?
5	SSB_06	Amount time in the sun - 11 am to 4 pm	discrete	numeric-2.0	14180	48729	About how much time each day do you spend in the sun between 11 am and 4 pm?
6	SSB_07	Frequency - seek shade	discrete	numeric-1.0	9787	53122	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you seek shade: (always, often, sometimes, rarely or never)?
7	SSB_08	Frequency - wear hat in the sun	discrete	numeric-1.0	9827	53082	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you) wear a hat that shades your face, ears and neck?
8	SSB_09A	Frequency - wear long pants or skirt	discrete	numeric-1.0	9815	53094	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you) wear long pants or a long skirt to protect your skin from the sun?
9	SSB_09B	Frequency - use sunscreen on your face	discrete	numeric-1.0	9829	53080	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you) use sunscreen on your face?
10	SSB_10	SPF use - face	discrete	numeric-1.0	5776	57133	What Sun Protection factor (SPF) do you usually use?
11	SSB_11	Frequency - use sunscreen on your body	discrete	numeric-1.0	9818	53091	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you use sunscreen on your body?
12	SSB_12	SPF use - body	discrete	numeric-1.0	5321	57588	What Sun Protection factor (SPF) do you usually use?

### Group Unmet health care needs (UCN)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOUCN	Module: UCN - (F)	discrete	numeric-1.0	62909	0	-
2	UCN_010	Unmet health care needs - self-perceived	discrete	numeric-1.0	62792	117	During the past 12 months, was there ever a time when you felt that you needed health care but you didn't receive it?
3	UCN_020A	Care not rec'd - not avail. in area	discrete	numeric-1.0	6894	56015	Thinking of the most recent time, why didn't you get care? - Not available - in the area
4	UCN_020B	Care not rec'd - not avail. time req'd	discrete	numeric-1.0	6894	56015	Thinking of the most recent time, why didn't you get care? - Not available - at time required (e.g. doctor on holidays, inconvenient hours)
5	UCN_020C	Care not rec'd - wait too long	discrete	numeric-1.0	6894	56015	Thinking of the most recent time, why didn't you get care? - Waiting time too long

#	Name	Label	Type	Format	Valid	Invalid	Question
6	UCN_020D	Care not rec'd - felt be inadequate	discrete	numeric-1.0	6894	56015	Thinking of the most recent time, why didn't you get care? - Felt would be inadequate
7	UCN_020E	Care not rec'd - cost	discrete	numeric-1.0	6894	56015	Thinking of the most recent time, why didn't you get care? - Cost
8	UCN_020F	Care not rec'd - too busy	discrete	numeric-1.0	6894	56015	Thinking of the most recent time, why didn't you get care? - Too busy
9	UCN_020G	Care not rec'd - didn't get around it	discrete	numeric-1.0	6894	56015	Thinking of the most recent time, why didn't you get care? - Didn't get around to it / didn't bother
10	UCN_020H	Care not rec'd - decided not seek care	discrete	numeric-1.0	6894	56015	Thinking of the most recent time, why didn't you get care? - Decided not to seek care
11	UCN_020I	Care not rec'd - doctor think not nec.	discrete	numeric-1.0	6894	56015	Thinking of the most recent time, why didn't you get care? - Doctor - didn't think it was necessary
12	UCN_020J	Care not rec'd - other	discrete	numeric-1.0	6894	56015	Thinking of the most recent time, why didn't you get care? - Other
13	UCN_030A	Type care not rec'd - physical hlth prob	discrete	numeric-1.0	6896	56013	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - a physical health problem
14	UCN_030B	Type care not rec'd - emotional problem	discrete	numeric-1.0	6896	56013	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - an emotional or mental health problem
15	UCN_030C	Type care not rec'd - regular check-up	discrete	numeric-1.0	6896	56013	Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including regular pre-natal care)
16	UCN_030D	Type care not rec'd - care of injury	discrete	numeric-1.0	6896	56013	Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury
17	UCN_030E	Type care not rec'd - other	discrete	numeric-1.0	6896	56013	Again, thinking of the most recent time, what was the type of care that was needed? - Other - Specify
18	UCN_040A	Tried get serv. - doctor's office	discrete	numeric-1.0	6807	56102	Where did you try to get the service you were seeking? - Doctor's office
19	UCN_040B	Tried get serv. - comm. hlth centre/CLSC	discrete	numeric-1.0	6807	56102	Where did you try to get the service you were seeking? - Community health centre / CLSC
20	UCN_040C	Tried get serv. - walk-in clinic	discrete	numeric-1.0	6807	56102	Where did you try to get the service you were seeking? - Walk-in clinic
21	UCN_040D	Tried get serv. - appointment clinic	discrete	numeric-1.0	6807	56102	Where did you try to get the service you were seeking? - Appointment clinic
22	UCN_040E	Tried get serv. - hospital emergency	discrete	numeric-1.0	6807	56102	Location tried to get service - hospital emergency room
23	UCN_040F	Tried get serv. - hsp. outpatient clinic	discrete	numeric-1.0	6807	56102	Where did you try to get the service you were seeking? - Hospital - outpatient clinic
24	UCN_040G	Tried get serv. - other	discrete	numeric-1.0	6807	56102	Where did you try to get the service you were seeking? - Other

### Group Use of protective equipment (UPE)



#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOUPE	Module: UPE - (F)	discrete	numeric-1.0	62909	0	-
2	UPE_01A	Done any bicycling in past 12 months	discrete	numeric-1.0	48399	14510	In the past 12 months, have you done any bicycling?
3	UPE_01	Freq. - helmet - bicycling	discrete	numeric-1.0	21891	41018	When riding a bicycle, how often do you wear a helmet: (always, most of the time, rarely, or never)?
4	UPE_02	Done in-line skating in past 12 months	discrete	numeric-1.0	59674	3235	In the past 12 months, have you done any in-line skating or rollerblading?
5	UPE_02A	Freq. - helmet - in-line skating	discrete	numeric-1.0	4150	58759	When in-line skating or rollerblading, how often do you wear a helmet?
6	UPE_02B	Freq. - wrist guards - in-line skating	discrete	numeric-1.0	4152	58757	How often do you wear wrist guards or wrist protectors?
7	UPE_02C	Freq. - elbow pads - in-line skating	discrete	numeric-1.0	4149	58760	How often do you wear elbow pads?
8	UPE_02D	Wear knee pads	discrete	numeric-1.0	4151	58758	How often do you wear knee pads?
9	UPE_03A	Downhill skiing/ snowboarding - 3 mo	discrete	numeric-1.0	2637	60272	Earlier, you mentioned going downhill skiing or snowboarding in the past 3 months. Was that: (downhill skiing only, snowboarding only, or both)?
10	UPE_03B	Downhill skiing/ snowboarding - 12 mo	discrete	numeric-1.0	59001	3908	In the past 12 months, did you do any downhill skiing or snowboarding: (downhill skiing only, snowboarding only, both, or neither)?
11	UPE_04A	Freq. - helmet - downhill skiing	discrete	numeric-1.0	4431	58478	When downhill skiing, how often do you wear a helmet: (always, most of the time, rarely, or never)?
12	UPE_05A	Freq. - helmet - snowboarding	discrete	numeric-1.0	2845	60064	When snowboarding, how often do you wear a helmet?
13	UPE_05B	Freq. - wrist guards - snowboarding	discrete	numeric-1.0	2847	60062	How often do you wear wrist guards or wrist protectors?
14	UPE_06	Has done skateboarding - past 12 mo	discrete	numeric-1.0	7023	55886	In the past 12 months, have you done any skateboarding?
15	UPE_06A	Freq. - helmet - skateboarding	discrete	numeric-1.0	1020	61889	How often do you wear a helmet: (always, most of the time, rarely, or never)?
16	UPE_06B	Freq. - wrist guards - skateboarding	discrete	numeric-1.0	1019	61890	How often do you wear wrist guards or wrist protectors?
17	UPE_06C	Freq. - elbow pads - skateboarding	discrete	numeric-1.0	1020	61889	How often do you wear elbow pads?
18	UPE_07	Played ice hockey past 12 months	discrete	numeric-1.0	58381	4528	In the past 12 months, have you played any ice hockey?
19	UPE_07A	Wear a mouth guard	discrete	numeric-1.0	5389	57520	When playing ice hockey, how often do you wear a mouth guard?
20	UPEFILS	Wears all prot. equip. - in-line skating	discrete	numeric-1.0	4152	58757	Wears all prot. equip. - in-line skating
21	UPEFSKB	Wears all prot. equip. - skateb. - (F)	discrete	numeric-1.0	1020	61889	Wears all prot. equip. - skateb. - (F)
22	UPEFSNB	Wears all prot. equip. - snowb.- (F)	discrete	numeric-1.0	2847	60062	Wears all prot. equip. - snowb.- (F)

### Group Voluntary organizations - Participation (ORG)

**Universe**

Optional content selection only asked in: British Columbia, North West Territory

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOORG	Module: ORG - (F)	discrete	numeric-1.0	61276	1633	-
2	ORG_1	Member of a voluntary organization	discrete	numeric-1.0	7553	55356	Are you a member of any voluntary organizations or associations such as school groups, church social groups, community centres, ethnic associations or social, civic or fraternal clubs?
3	ORG_2	Frequency - participate in activities	discrete	numeric-1.0	2904	60005	How often did you participate in meetings or activities of these groups in the past 12 months? If you belong to many, just think of the ones in which you are most active: (at least once a week, at least once a month, ... , or not at all)?

**Group Waiting times (WTM)****Universe**

Optional content selection only asked in: Ontario

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOWTM	Module: WTM - (F)	discrete	numeric-1.0	61276	1633	-
2	WTM_01	Required visit to medical specialist	discrete	numeric-1.0	5757	57152	In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation for a new illness or condition?
3	WTM_02	Req. vis. med. spec. - type of condition	discrete	numeric-2.0	2510	60399	For what type of condition? If you have had more than one such visit, please answer for the most recent visit
4	WTM_03	Person who referred resp. to med. spec.	discrete	numeric-1.0	2510	60399	Were you referred by: (a family doctor, another specialist or another health care provider)?
5	WTM_04	Already visited the medical specialist	discrete	numeric-1.0	2515	60394	Have you already visited the medical specialist?
6	WTM_05	Difficulty seeing medical specialist	discrete	numeric-1.0	2300	60609	Thinking about this visit, did you experience any difficulties seeing the specialist?
7	WTM_06A	Diff. - getting referral	discrete	numeric-1.0	399	62510	What type of difficulties did you experience? - Difficulty getting a referral
8	WTM_06B	Diff. - getting an appointment	discrete	numeric-1.0	399	62510	What type of difficulties did you experience? - Difficulty getting an appointment
9	WTM_06C	Diff. - no specialists in area	discrete	numeric-1.0	399	62510	What type of difficulties did you experience? - No specialists in the area
10	WTM_06D	Diff. - waited too long for appointment	discrete	numeric-1.0	399	62510	What type of difficulties did you experience? - Waited too long between booking appointment and visit
11	WTM_06E	Diff. - waited too long to see doc.	discrete	numeric-1.0	399	62510	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)
12	WTM_06F	Diff. - transportation	discrete	numeric-1.0	399	62510	What type of difficulties did you experience? - Transportation problems

#	Name	Label	Type	Format	Valid	Invalid	Question
13	WTM_06G	Diff. - language	discrete	numeric-1.0	399	62510	What type of difficulties did you experience? - Language problem
14	WTM_06H	Diff. - cost	discrete	numeric-1.0	399	62510	What type of difficulties did you experience? - Cost
15	WTM_06I	Diff. - pers./family responsibilities	discrete	numeric-1.0	399	62510	What type of difficulties did you experience? - Personal or family responsibilities
16	WTM_06J	Diff. - deterioration of health	discrete	numeric-1.0	399	62510	What type of difficulties did you experience? - General deterioration of health
17	WTM_06K	Diff. - appointment cancelled/deferred	discrete	numeric-1.0	399	62510	What type of difficulties did you experience? - Appointment cancelled or deferred by specialist
18	WTM_06L	Diff. - unable leave house/health	discrete	numeric-1.0	399	62510	What type of difficulties did you experience? - Unable to leave the house because of a health problem
19	WTM_06M	Diff. - other	discrete	numeric-1.0	399	62510	What type of difficulties did you experience? - Other
20	WTM_07A	Length of wait to see specialist	continuous	numeric-3.0	2256	60653	How long did you have to wait between when [you and your doctor/health care provider] decided that you should see a specialist and when you actually visited the specialist?
21	WTM_07B	Length of wait to see specialist - unit	discrete	numeric-1.0	2256	60653	Interviewer : Enter unit of time.
22	WTM_08A	Length of time been waiting to see spec.	discrete	numeric-3.0	200	62709	How long have you been waiting since [you and your doctor/health care provider] decided that you should see a specialist?
23	WTM_08B	Length of time waiting/see spec. - unit	discrete	numeric-1.0	200	62709	Interviewer : Enter unit of time.
24	WTM_10	Respondent's opinion of waiting time	discrete	numeric-1.0	2507	60402	In your view, was the [waiting time/has the waiting time been]: (acceptable or not acceptable)?
25	WTM_11A	Acceptable waiting time	discrete	numeric-3.0	783	62126	In this particular case, what do you think is an acceptable waiting time?
26	WTM_11B	Acceptable waiting time - unit	discrete	numeric-1.0	783	62126	Interviewer : Enter unit of time.
27	WTM_12	Visit to specialist cancelled/postponed	discrete	numeric-1.0	2499	60410	Was your visit cancelled or postponed at any time?
28	WTM_13A	Visit cancelled/postponed - respondent	discrete	numeric-1.0	207	62702	Was it cancelled or postponed by: (yourself or the specialist)? - Yourself
29	WTM_13B	Visit cancelled/postponed - specialist	discrete	numeric-1.0	207	62702	Visit cancelled/postponed - by specialist
30	WTM_13C	Visit cancelled/postponed - other	discrete	numeric-1.0	207	62702	Was it cancelled or postponed by: (yourself or the specialist)? - Other
31	WTM_14	Life affected by wait/spec.	discrete	numeric-1.0	2488	60421	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this visit?
32	WTM_15A	Life affected by wait - worry	discrete	numeric-1.0	471	62438	How was your life affected as a result of waiting for this visit? - Worry, anxiety, stress

#	Name	Label	Type	Format	Valid	Invalid	Question
33	WTM_15B	Life affected by wait - worry for family	discrete	numeric-1.0	471	62438	How was your life affected as a result of waiting for this visit? - Worry or stress for family or friends
34	WTM_15C	Life affected by wait - pain	discrete	numeric-1.0	471	62438	How was your life affected as a result of waiting for this visit? - Pain
35	WTM_15D	Life affected by wait - prob. daily act.	discrete	numeric-1.0	471	62438	How was your life affected as a result of waiting for this visit? - Problems with activities of daily living (e.g., dressing, driving)
36	WTM_15E	Life affected by wait - loss of work	discrete	numeric-1.0	471	62438	How was your life affected as a result of waiting for this visit? - Loss of work
37	WTM_15F	Life affected by wait - loss of income	discrete	numeric-1.0	471	62438	How was your life affected as a result of waiting for this visit? - Loss of income
38	WTM_15G	Life affected by wait - incr. dependence	discrete	numeric-1.0	471	62438	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends
39	WTM_15H	Life affected by wait - incr. use med.	discrete	numeric-1.0	471	62438	How was your life affected as a result of waiting for this visit? - Increased use of over-the-counter drugs
40	WTM_15I	Life affected by wait - health deter.	discrete	numeric-1.0	471	62438	How was your life affected as a result of waiting for this visit? - Overall health deteriorated, condition got worse
41	WTM_15J	Life affected by wait - health improved	discrete	numeric-1.0	471	62438	How was your life affected as a result of waiting for this visit? - Health problem improved
42	WTM_15K	Life affected by wait - pers. rel.	discrete	numeric-1.0	471	62438	How was your life affected as a result of waiting for this visit? - Personal relationships suffered
43	WTM_15L	Life affected by wait - other	discrete	numeric-1.0	471	62438	How was your life affected as a result of waiting for this visit? - Other
44	WTM_17	Already had the surgery	discrete	numeric-1.0	1522	61387	Did you already have this surgery?
45	WTM_18	Surgery required overnight hospital stay	discrete	numeric-1.0	1420	61489	Did the surgery require an overnight hospital stay?
46	WTM_19	Diff. getting this surgery	discrete	numeric-1.0	1421	61488	Did you experience any difficulties getting this surgery?
47	WTM_20A	Diff. - getting an appointment	discrete	numeric-1.0	133	62776	What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon
48	WTM_20B	Diff. - getting a diagnosis	discrete	numeric-1.0	133	62776	What type of difficulties did you experience? - Difficulty getting a diagnosis
49	WTM_20C	Diff. - wait too long for diag. test	discrete	numeric-1.0	133	62776	What type of difficulties did you experience? - Waited too long for a diagnostic test
50	WTM_20D	Diff. - waited too long for hosp. bed	discrete	numeric-1.0	133	62776	What type of difficulties did you experience? - Waited too long for a hospital bed to become available
51	WTM_20E	Diff. - waited too long/ surgery	discrete	numeric-1.0	133	62776	What type of difficulties did you experience? - Waited too long for surgery
52	WTM_20F	Diff. - service not available/ area	discrete	numeric-1.0	133	62776	What type of difficulties did you experience? - Service not available in the area

#	Name	Label	Type	Format	Valid	Invalid	Question
53	WTM_20G	Diff. - transportation	discrete	numeric-1.0	133	62776	What type of difficulties did you experience? - Transportation problems
54	WTM_20H	Diff. - language	discrete	numeric-1.0	133	62776	What type of difficulties did you experience? - Language problem
55	WTM_20I	Diff. - cost	discrete	numeric-1.0	133	62776	What type of difficulties did you experience? - Cost
56	WTM_20J	Diff. - pers./family responsibilities	discrete	numeric-1.0	133	62776	What type of difficulties did you experience? - Personal or family responsibilities
57	WTM_20K	Diff. - deterioration of health	discrete	numeric-1.0	133	62776	What type of difficulties did you experience? - General deterioration of health
58	WTM_20L	Diff. - appt. cancelled/deferred	discrete	numeric-1.0	133	62776	What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital
59	WTM_20M	Diff. - unable leave house/health	discrete	numeric-1.0	133	62776	What type of difficulties did you experience? - Unable to leave the house because of a health problem
60	WTM_20N	Diff. - other	discrete	numeric-1.0	133	62776	What type of difficulties did you experience? - Other
61	WTM_21A	Length of wait/surgery	continuous	numeric-3.0	1384	61525	How long did you have to wait between when you and the surgeon decided to go ahead with surgery and the day of surgery?
62	WTM_21B	Length of wait/surgery - unit	discrete	numeric-1.0	1384	61525	Interviewer : Enter unit of time.
63	WTM_22	Surg. will require overnight hosp. stay	discrete	numeric-1.0	93	62816	Will the surgery require an overnight hospital stay?
64	WTM_23A	Time since decision/have surgery	continuous	numeric-3.0	90	62819	How long have you been waiting since you and the surgeon decided to go ahead with the surgery?
65	WTM_23B	Time since decision/have surgery - unit	discrete	numeric-1.0	90	62819	Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (2, 7 or 8) or ACC_20 = (7 or 8)
66	WTM_24	Respondent's opinion of waiting time	discrete	numeric-1.0	1517	61392	In your view, [was the waiting time/has the waiting time been]: (acceptable or not acceptable)?
67	WTM_25A	Acceptable waiting time	discrete	numeric-3.0	227	62682	In this particular case, what do you think is an acceptable waiting time?
68	WTM_25B	Acceptable waiting time - unit	discrete	numeric-1.0	227	62682	Interviewer : Enter unit of time.
69	WTM_26	Surgery cancelled or postponed	discrete	numeric-1.0	1518	61391	Was your surgery cancelled or postponed at any time?
70	WTM_27A	Surgery cancelled/postponed - respondent	discrete	numeric-1.0	156	62753	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - Yourself
71	WTM_27B	Surgery cancelled/postponed - surgeon	discrete	numeric-1.0	156	62753	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - The surgeon
72	WTM_27C	Surgery cancelled/postponed - hospital	discrete	numeric-1.0	156	62753	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - The hospital
73	WTM_27D	Surgery cancelled/postponed - other	discrete	numeric-1.0	156	62753	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - Other

#	Name	Label	Type	Format	Valid	Invalid	Question
74	WTM_28	Life affected by wait for surgery	discrete	numeric-1.0	1512	61397	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this surgery?
75	WTM_29A	Life affected by wait - worry	discrete	numeric-1.0	180	62729	How was your life affected as a result of waiting for surgery? - Worry, anxiety, stress
76	WTM_29B	Life affected by wait - worry/family	discrete	numeric-1.0	180	62729	How was your life affected as a result of waiting for this visit? - Worry or stress for family or friends
77	WTM_29C	Life affected by wait - pain	discrete	numeric-1.0	180	62729	How was your life affected as a result of waiting for this visit? - Pain
78	WTM_29D	Life affected by wait - prob. daily act.	discrete	numeric-1.0	180	62729	How was your life affected as a result of waiting for this visit? - Problems with activities of daily living (e.g., dressing, driving)
79	WTM_29E	Life affected by wait - loss of work	discrete	numeric-1.0	180	62729	How was your life affected as a result of waiting for this visit? - Loss of work
80	WTM_29F	Life affected by wait - loss of income	discrete	numeric-1.0	180	62729	How was your life affected as a result of waiting for this visit? - Loss of income
81	WTM_29G	Life affected by wait - incr. dependence	discrete	numeric-1.0	180	62729	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends
82	WTM_29H	Life affected by wait - incr. use med.	discrete	numeric-1.0	180	62729	How was your life affected as a result of waiting for this visit? - Increased use of over-the-counter drugs
83	WTM_29I	Life affected by wait - health deter.	discrete	numeric-1.0	180	62729	How was your life affected as a result of waiting for this visit? - Overall health deteriorated, condition got worse
84	WTM_29J	Life affected by wait - health improved	discrete	numeric-1.0	180	62729	How was your life affected as a result of waiting for this visit? - Health problem improved
85	WTM_29K	Life affected by wait - pers. rel.	discrete	numeric-1.0	180	62729	How was your life affected as a result of waiting for this visit? - Personal relationships suffered
86	WTM_29L	Life affected by wait - other	discrete	numeric-1.0	180	62729	How was your life affected as a result of waiting for this visit? - Other
87	WTM_30	Type of diagnostic test required	discrete	numeric-1.0	2615	60294	What type of test did you require? If you had more than one in the past 12 months, please answer for the most recent test. (MRI, CAT Scan or angiography)
88	WTM_31	Required diag. test - type of condition	discrete	numeric-1.0	2628	60281	For what type of condition: (heart disease or stroke, cancer, joints or fractures, or neurological or brain disorders (e.g., for MS, migraine or headaches))?
89	WTM_32	Already had diagnostic test	discrete	numeric-1.0	2661	60248	Did you already have this test?
90	WTM_33	Location of test	discrete	numeric-1.0	2549	60360	Where was the test done: (hospital, public clinic or private clinic)?
91	WTM_34	Location of clinic	discrete	numeric-1.0	86	62823	Was the clinic located: (in your province or in another province)?
92	WTM_35	Patient in hospital at time of test	discrete	numeric-1.0	2548	60361	Were you a patient in a hospital at the time of the test?

#	Name	Label	Type	Format	Valid	Invalid	Question
93	WTM_36	Diff. getting diagnostic test	discrete	numeric-1.0	2557	60352	Did you experience any difficulties getting this test?
94	WTM_37A	Diff. - getting referral	discrete	numeric-1.0	255	62654	What type of difficulties did you experience? - Difficulty getting a referral
95	WTM_37B	Diff. - getting an appointment	discrete	numeric-1.0	255	62654	What type of difficulties did you experience? - Difficulty getting an appointment
96	WTM_37C	Diff. - waited too long to get an appt.	discrete	numeric-1.0	255	62654	What type of difficulties did you experience? - Waited too long to get an appointment
97	WTM_37D	Diff. - waited too long/get test	discrete	numeric-1.0	255	62654	What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)
98	WTM_37E	Diff. - service not avail./time required	discrete	numeric-1.0	255	62654	What type of difficulties did you experience? - Service not available at time required
99	WTM_37F	Diff. - service not available/area	discrete	numeric-1.0	255	62654	What type of difficulties did you experience? - Service not available in the area
100	WTM_37G	Diff. - transportation	discrete	numeric-1.0	255	62654	What type of difficulties did you experience? - Transportation problems
101	WTM_37H	Diff. - language	discrete	numeric-1.0	255	62654	What type of difficulties did you experience? - Language problem
102	WTM_37I	Diff. - cost	discrete	numeric-1.0	255	62654	What type of difficulties did you experience? - Cost
103	WTM_37J	Diff. - deterioration of health	discrete	numeric-1.0	255	62654	What type of difficulties did you experience? - General deterioration of health
104	WTM_37K	Diff. - did not know where to go	discrete	numeric-1.0	255	62654	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)
105	WTM_37L	Diff. - unable leave house/health	discrete	numeric-1.0	255	62654	-
106	WTM_37M	Diff. - other	discrete	numeric-1.0	255	62654	What type of difficulties did you experience? - Other
107	WTM_38A	Length of wait / test	continuous	numeric-3.0	2432	60477	How long did you have to wait between when you and your doctor decided to go ahead with the test and the day of the test?
108	WTM_38B	Lgth wait decision and test - unit	discrete	numeric-1.0	2432	60477	Interviewer : Enter unit of time.
109	WTM_39A	Length of time been waiting/ diag. test	discrete	numeric-3.0	91	62818	How long have you been waiting for the test since you and your doctor decided to go ahead with the test?
110	WTM_39B	Lgth time been waiting for test - unit	discrete	numeric-1.0	91	62818	Interviewer : Enter unit of time.
111	WTM_40	Respondent's opinion of waiting time	discrete	numeric-1.0	2642	60267	In your view, [was the waiting time/has the waiting time been]: (acceptable or not acceptable)?
112	WTM_41A	Acceptable waiting time	discrete	numeric-3.0	474	62435	In this particular case, what do you think is an acceptable waiting time?
113	WTM_41B	Acceptable waiting time - unit	discrete	numeric-1.0	474	62435	Interviewer : Enter unit of time.

#	Name	Label	Type	Format	Valid	Invalid	Question
114	WTM_42	Test cancelled or postponed	discrete	numeric-1.0	2648	60261	Was your test cancelled or postponed at any time?
115	WTM_43	Test cancelled or postponed by	discrete	numeric-1.0	91	62818	Was it cancelled or postponed by: (yourself, the specialist, the hospital or the clinic)?
116	WTM_44	Life affected by wait/test	discrete	numeric-1.0	2633	60276	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this test?
117	WTM_45A	Life affected by wait - worry	discrete	numeric-1.0	244	62665	How was your life affected as a result of waiting for this test? - Worry, anxiety, stress
118	WTM_45B	Life affected by wait - worry for family	discrete	numeric-1.0	244	62665	How was your life affected as a result of waiting for this test? - Worry or stress for family or friends
119	WTM_45C	Life affected by wait - pain	discrete	numeric-1.0	244	62665	How was your life affected as a result of waiting for this test? - Pain
120	WTM_45D	Life affected by wait - prob. daily act.	discrete	numeric-1.0	244	62665	How was your life affected as a result of waiting for this test? - Problems with activities of daily living (e.g., dressing, driving)
121	WTM_45E	Life affected by wait - loss of work	discrete	numeric-1.0	244	62665	How was your life affected as a result of waiting for this test? - Loss of work
122	WTM_45F	Life affected by wait - loss of income	discrete	numeric-1.0	244	62665	How was your life affected as a result of waiting for this test? - Loss of income
123	WTM_45G	Life affected by wait - incr. dependence	discrete	numeric-1.0	244	62665	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends
124	WTM_45H	Life affected by wait-incr. use med.	discrete	numeric-1.0	244	62665	How was your life affected as a result of waiting for this test? - Increased use of over-the-counter drugs
125	WTM_45I	Life affected by wait - health deter.	discrete	numeric-1.0	244	62665	How was your life affected as a result of waiting for this visit? - Overall health deteriorated, condition got worse
126	WTM_45J	Life affected by wait - health improved	discrete	numeric-1.0	244	62665	How was your life affected as a result of waiting for this visit? - Health problem improved
127	WTM_45K	Life affected by wait - pers. rel.	discrete	numeric-1.0	244	62665	How was your life affected as a result of waiting for this test? - Personal relationships suffered
128	WTM_45L	Life affected by wait - other	discrete	numeric-1.0	244	62665	How was your life affected as a result of waiting for this test? - Other
129	WTMDSO	# days wait/med. spec. -seen spec. - (D)	continuous	numeric-4.0	2256	60653	# days wait/med. spec. -seen spec. - (D)
130	WTMDSN	# days wait/med. spec. - not seen - (D)	continuous	numeric-4.0	200	62709	# days wait/med. spec. - not seen - (D)
131	WTMDSA	# days accept. wait - med. spec. (D)	continuous	numeric-4.0	2453	60456	# days accept. wait - med. spec. (D)
132	WTMDCO	# days wait-non-urg. surg - surg. done(D)	continuous	numeric-4.0	1384	61525	# days wait-non-urg. surg -surg. done(D)
133	WTMDCN	# days wait - non-urg. surg-not done(D)	continuous	numeric-4.0	90	62819	# days wait - non-urg. surg-not done(D)
134	WTMDCA	# days accept. wait -n-emer. surg.- (D)	continuous	numeric-4.0	1467	61442	# days accept. wait -n-emer. surg.- (D)



#	Name	Label	Type	Format	Valid	Invalid	Question
135	WTMDTO	# days wait - diag. test - done - (D)	continuous	numeric-4.0	2432	60477	# days wait - diag. test - done - (D)
136	WTMDTN	# days wait - diag. test -not done -(D)	continuous	numeric-4.0	91	62818	# days wait - diag. test -not done -(D)
137	WTMDTA	# days accept. wait - diag. test -(D)	continuous	numeric-4.0	2502	60407	# days accept. wait - diag. test -(D)

### Group Weights

#	Name	Label	Type	Format	Valid	Invalid	Question
1	WTS_M	Weights - Master	continuous	numeric-8.2	62909	0	-

# Variables Description

**Dataset contains 1325 variable(s)**

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # VERDATE: Date of file creation

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Format = YYYYMMDD

Value	Label	Cases	Weighted	Percentage (Weighted)
20110722		62909	28878418.4	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GEOGPRV: Province of residence of respondent-(G)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 10-60] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]
<b>Universe</b>	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
10	NFLD & LAB.	1870	444699.7	1.5%
11	PEI	973	122401.4	0.4%
12	NOVA SCOTIA	2342	807770.5	2.8%
13	NEW BRUNSWICK	2429	641257.3	2.2%
24	QUEBEC	11271	6742399.9	23.3%
35	ONTARIO	21526	11260192.6	39.0%
46	MANITOBA	3456	985048.2	3.4%
47	SASKATCHEWAN	3649	827680.4	2.9%
48	ALBERTA	6009	3090043.9	10.7%
59	BRITISH COLUMBIA	7751	3874823.7	13.4%
60	YUKON/NWT/NUNA.	1633	82100.9	0.3%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GEODPMF: Health Region - (G)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 10911-60901] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on GEODHR4. See documentation on derived variables

Value	Label	Cases	Weighted	Percentage (Weighted)
10911	EASTERN REGIO HA	781	264867.7	0.9%
10912	CENTRAL REGIO HA	414	80494.7	0.3%
10913	WESTERN/LABR	675	99337.3	0.3%
11901	PEI	973	122401.4	0.4%
12901	ZONE 1 (DHA 1,2)	372	104200.2	0.4%
12902	ZONE 2 (DHA 3)	314	70161.6	0.2%
12903	ZONE 1 (DHA 4,5)	343	90633.1	0.3%
12904	ZONE 1 (DHA 6,7)	326	75856.8	0.3%

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # GEODPMF: Health Region - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
12905	ZONE 5 (DHA 8)	359	103135.4	0.4%
12906	ZONE 6 (DHA 9)	628	363783.3	1.3%
13901	ZONE 1	443	174971.6	0.6%
13902	ZONE 2	485	151714.7	0.5%
13903	ZONE 3	479	143711.8	0.5%
13904	ZONES 4 AND 5	487	64836.5	0.2%
13906	ZONES 6 AND 7	535	106022.6	0.4%
24901	RÉG. BAS-ST LAUR.	526	173625.3	0.6%
24902	RÉG. SAGUENAY	595	235275.0	0.8%
24903	RÉG. CAP. NAT.	990	601283.6	2.1%
24904	RÉG. MAURICIE	741	425567.6	1.5%
24905	RÉG. ESTRIE	602	266765.2	0.9%
24906	RÉG. MONTREAL	1418	1664872.5	5.8%
24907	RÉG. OUTAOUAIS	667	310854.5	1.1%
24908	RÉG. ABITIBI	527	122361.8	0.4%
24909	RÉG. COTE-NORD	549	74740.8	0.3%
24911	RÉG. GASPÉSIE	562	81674.7	0.3%
24912	RÉG. LA CHAUD.	714	347246.7	1.2%
24913	RÉGION DE LAVAL	661	341782.2	1.2%
24914	RÉG. LANAUDIAIRE	673	399168.0	1.4%
24915	RÉG. DES LAUREN.	749	472765.2	1.6%
24916	RÉG. MONTERÉGIE	1297	1224416.5	4.2%
35926	DIST. ALGOMA	422	102217.0	0.4%
35927	BRANT COUNT	395	111662.8	0.4%
35930	DURHAM REG. HLTH	802	529487.8	1.8%
35931	ELGIN-ST THOMAS	364	74354.6	0.3%
35933	GREY B. HLTH UN.	500	137659.6	0.5%
35934	HALDIMAND-NORF H	393	94296.2	0.3%
35935	HALIBURTON-KAW.	421	149443.8	0.5%
35936	HALTON REG. H. U	674	426313.3	1.5%
35937	CITY HAMILTON H.	773	458334.9	1.6%
35938	HASTINGS. PIE H.	456	137481.6	0.5%
35939	HURON, PERTH UN.	595	117005.5	0.4%
35940	CHATHAM-KENT U.	380	92956.8	0.3%
35941	KINGSTON-FRONT.	485	165867.1	0.6%
35942	LAMBTON H. UNIT	417	110860.2	0.4%
35943	LEEDS-GRENVILLE	498	147684.1	0.5%
35944	MIDDLESEX-LON. H	748	390864.9	1.4%
35946	NIAGARA REG. H.	762	385190.3	1.3%
35947	NORTH BAY H.U.	603	134968.4	0.5%
35949	NORTHWESTERN H.	453	56003.4	0.2%
35951	CITY OF OTTAWA H	1011	765168.6	2.6%
35952	OXFORD COUNTY H.	370	93695.7	0.3%

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # GEODPMF: Health Region - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
35953	PEEL REGION H	1202	1128132.9	3.9%
35955	PETERB. COUNTY H	397	120397.8	0.4%
35956	PORCUPINE H.	372	68860.9	0.2%
35957	RENFREW COUNTY H	378	88437.7	0.3%
35958	EASTERN ONT. H.U	508	169363.3	0.6%
35960	SIMCOE MUSK. H	1102	442533.8	1.5%
35961	SUDBURY,DIST. H.	523	169666.7	0.6%
35962	THUNDER BAY D. H	707	128372.0	0.4%
35965	WATERLOO H.U.	787	443502.6	1.5%
35966	WELLINGTON-DUF-G	543	233447.5	0.8%
35968	WINDSOR-ESSEX H	673	341711.6	1.2%
35970	YORK REGIONAL H.	895	886188.1	3.1%
35995	CITY OF TORO. H.	1917	2358061.4	8.2%
46910	WINNIPEG	991	597152.9	2.1%
46915	BRANDON AND ASS.	603	99252.2	0.3%
46920	NORTH AND SO. E	519	84701.4	0.3%
46931	INTERLAKE/PARLAN	548	92513.9	0.3%
46940	CENTRAL	373	83580.9	0.3%
46970	NOR-MAN/BURNTW	422	27846.9	0.1%
47901	SUN COUNTRY/FIVE	871	125492.4	0.4%
47904	REGINA QU'APPE	591	213602.0	0.7%
47905	SUNRISE/KELSEY	527	79198.6	0.3%
47906	SASKATOON	607	263984.4	0.9%
47907	HEARTLAND/PR. N	523	79930.2	0.3%
47909	PRINCE ALBERT/MA	530	65472.9	0.2%
48931	SOUTH ZONE	878	228718.7	0.8%
48932	CALGARY ZONE	1410	1169401.5	4.0%
48933	CENTRAL ZONE	1069	368039.3	1.3%
48934	EDMONTON ZONE	1324	996083.5	3.4%
48935	NORTH ZONE	1328	327801.0	1.1%
59911	EAST KOOTENAY	312	66825.6	0.2%
59912	KOOTENAY-BOUND.	266	72253.1	0.3%
59913	OKANAGAN	605	295828.7	1.0%
59914	THOMPSON/CARIB.	443	186184.7	0.6%
59921	FRASER EAST	499	234495.8	0.8%
59922	FRASER NORTH	784	531237.0	1.8%
59923	FRASER SOUTH	752	608035.6	2.1%
59931	RICHMOND	373	168208.1	0.6%
59932	VANCOUVER	781	583757.1	2.0%
59933	NORTH SHORE/C. G	457	237815.3	0.8%
59941	SOUTH VANC. ISL	681	321433.6	1.1%
59942	CENTRAL VANC. IS	505	232070.8	0.8%
59943	NORTH VANC. ISL.	281	103058.6	0.4%

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # GEODPMF: Health Region - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
59951	NORTHWEST	307	57591.0	0.2%
59952	NORTHERN INTER.	430	119549.2	0.4%
59953	NORTHEAST	275	56479.7	0.2%
60901	YUKON/NORTHWEST	1633	82100.9	0.3%
99996	NOT APPLICABLE	0	0.0	
99997	DON'T KNOW	0	0.0	
99998	REFUSAL	0	0.0	
99999	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GEODBCHA: B.C. Health Authority (BCHA) - (D)

Information	[Type= continuous] [Format=numeric] [Range= 5910-5950] [Missing=*]
Statistics [NW/ W]	[Valid=7751 / 3874823.7 ] [Invalid=55158 / 25003594.67 ]
Universe	All respondents
Notes	Based on GEODPC. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
5910	INTERIOR	1626	621092.0	16.0%
5920	FRASER	2035	1373768.4	35.5%
5930	VANCOUVER	1611	989780.4	25.5%
5940	VANCOUVER ISLAND	1467	656563.0	16.9%
5950	NORTHERN	1012	233619.9	6.0%
9996	NOT APPLICABLE	55158	25003594.7	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ADM\_PRX: Health Component completed by proxy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]
Universe	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1222	561416.0	1.9%
2	NO	61687	28317002.4	98.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ADM\_N09: Interview by telephone/in person

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=30120 / 16518959.25 ] [Invalid=32789 / 12359459.12 ]
Universe	Respondents with SAM_TYP = 1 (area frame) and (DHH_AGE > 15 or PMKProxy = 1)

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # ADM\_N09: Interview by telephone/in person

<b>Literal question</b>	Interviewer : Was this interview conducted on the telephone or in person?
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ON TELEPHONE	6721	4444990.7	26.9%
2	IN PERSON	22563	11590823.8	70.2%
3	BOTH	836	483144.8	2.9%
6	NOT APPLICABLE	32460	12147317.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	329	212142.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ADM\_N10: Respondent alone during interview

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=61124 / 27957518.3 ] [Invalid=1785 / 920900.07 ]
<b>Universe</b>	DHH_AGE > 15 or PMKProxy = 1
<b>Literal question</b>	interviewer: Was the respondent alone when you asked this health questionnaire?
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	53523	23881576.9	85.4%
2	NO	7601	4075941.4	14.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	146	78483.0	
8	REFUSAL	7	2104.9	
9	NOT STATED	1632	840312.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ADM\_N11: Answers aff./presence of another person

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=7477 / 4018964.15 ] [Invalid=55432 / 24859454.22 ]
<b>Universe</b>	Respondents with ADM_N10 = (2, 7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)
<b>Literal question</b>	Interviewer: Do you think that the answers of the respondent were affected by someone else being there?
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	781	359286.9	8.9%
2	NO	6696	3659677.2	91.1%
6	NOT APPLICABLE	53523	23881576.9	
7	DON'T KNOW	124	56977.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1785	920900.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # ADM\_RNO: Sequential record number

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-124188] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ] [Mean=31455 / 31361.351 ] [StdDev=18160.408 / 18200.381 ]
<b>Universe</b>	All respondents

## # DHHGAGE: Age - (G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	What is your age?
<b>Notes</b>	Derived from DHH_DOB, DHH_MOB and DHH_YOB during interview and confirmed with respondent.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	12 TO 14 YEARS	2696	1210263.1	4.2%
2	15 TO 17 YEARS	2751	1269135.2	4.4%
3	18 TO 19 YEARS	1783	855878.2	3.0%
4	20 TO 24 YEARS	3581	2329053.1	8.1%
5	25 TO 29 YEARS	4310	2305265.8	8.0%
6	30 TO 34 YEARS	3895	2084875.7	7.2%
7	35 TO 39 YEARS	4125	2202525.6	7.6%
8	40 TO 44 YEARS	4139	2574554.7	8.9%
9	45 TO 49 YEARS	3932	2656729.7	9.2%
10	50 TO 54 YEARS	4915	2567030.9	8.9%
11	55 TO 59 YEARS	5482	2373052.7	8.2%
12	60 TO 64 YEARS	5529	1919435.2	6.6%
13	65 TO 69 YEARS	4623	1497504.9	5.2%
14	70 TO 74 YEARS	3682	1075533.5	3.7%
15	75 TO 79 YEARS	3308	913892.6	3.2%
16	80 YEARS OR MORE	4158	1043687.4	3.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DHH\_SEX: Sex

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	Interviewer: Enter the respondent's sex. If necessary, ask: Is respondent male or female?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MALE	28546	14248382.3	49.3%
2	FEMALE	34363	14630036.0	50.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DHHGMS: Marital status - (G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
--------------------	--



# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DHHGMS: Marital status - (G)

<b>Statistics [NW/ W]</b>	[Valid=62783 / 28838320.47 ] [Invalid=126 / 40097.9 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single, never married?
<b>Notes</b>	Based on DHH_MS. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MARRIED	26329	13809327.0	47.9%
2	COMMON-LAW	5249	2986040.5	10.4%
3	WIDOW/SEP/DIV	12527	3494376.0	12.1%
4	SINGLE/NEVER MAR	18678	8548577.0	29.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	126	40097.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DHHGLE5: No. pers. <= 5 years old in hhld - (D,G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on SAMPLEID, PERSONID, DHH_AGE. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NONE	55960	25263917.7	87.5%
1	1 OR MORE	6949	3614500.6	12.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DHHG611: No. persons 6-11 years/in hhld - (D,G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on SAMPLEID, PERSONID,DHH_AGE. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NONE	55392	24661467.3	85.4%
1	1 OR MORE	7517	4216951.1	14.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DHHGL12: No. pers. < 12 years old in hhld - (D,G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on SAMPLEID, PERSONID, DHH_AGE. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NONE	51075	22320657.5	77.3%
1	1 OR MORE	11834	6557760.9	22.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DHHGLVG: Living arrangements/selected resp -(D,G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=62591 / 28688435.41 ] [Invalid=318 / 189982.96 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on relationship matrix, DHHHSZ. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	UNATTACHED ALONE	17230	4131297.5	14.4%
2	UNATTACHED OTH	1968	1436509.0	5.0%
3	SPOUSE / PARTER	19771	7581513.4	26.4%
4	PAR SPOUSE CHILD	9444	7490768.6	26.1%
5	PARENT CHILD	1910	1176813.3	4.1%
6	CHILD PARENT SIB	2533	1195525.5	4.2%
7	CHILD 2 PAR SIB	7246	3635496.7	12.7%
8	OTHER	2489	2040511.4	7.1%
96	NOT APPLICABLE	0	0.0	
99	NOT STATED	318	189983.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DHHGHSZ: Household size - (D, G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=62895 / 28870485.92 ] [Invalid=14 / 7932.45 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on household roster, SAMPLEID, PERSONID. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 PERSON	17237	4132045.9	14.3%
2	2 PERSONS	23797	9634178.3	33.4%
3	3 PERSONS	8744	5331655.4	18.5%
4	4 PERSONS	8625	5992789.2	20.8%
5	5 OR + PERSONS	4492	3779817.1	13.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DHHGHSZ: Household size - (D, G)

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	14	7932.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GEN\_01: Self-perceived health

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=62827 / 28846013.67 ] [Invalid=82 / 32404.7 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	In general, would you say your health is: (excellent, very good, good, fair, or poor)?
<b>Notes</b>	By health, we mean not only the absence of disease or injury but also physical, mental and social wellbeing.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	12035	6510838.6	22.6%
2	VERY GOOD	23139	10822445.4	37.5%
3	GOOD	18693	8170539.2	28.3%
4	FAIR	6669	2529664.0	8.8%
5	POOR	2291	812526.5	2.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	70	26624.0	
8	REFUSAL	12	5780.6	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GEN\_02: Self-perceived hlth - compared 1 yr ago

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=62820 / 28853935.93 ] [Invalid=89 / 24482.44 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	Compared to one year ago, how would you say your health is now? Is it : (much better now than 1 year ago, somewhat better now than 1 year ago, about the same as 1 year ago, somewhat worse now, or much worse now than 1 year ago)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MUCH BETTER	4539	2188566.4	7.6%
2	SOMEWHAT BETTER	7747	3591175.9	12.4%
3	ABOUT THE SAME	42804	19780498.6	68.6%
4	SOMEWHAT WORSE	6557	2836679.4	9.8%
5	MUCH WORSE	1173	457015.6	1.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	81	22281.4	
8	REFUSAL	8	2201.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GEN\_02A2: Satisfaction with life in general

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=61087 / 28116617.61 ] [Invalid=1822 / 761800.76 ]
<b>Universe</b>	All respondents

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # GEN\_02A2: Satisfaction with life in general

<b>Literal question</b>	Using a scale of 0 to 10, where 0 means "very dissatisfied" and 10 means "Very satisfied", how do you feel about life as a whole right now?
-------------------------	---

Value	Label	Cases	Weighted	Percentage (Weighted)
0	VERY DISSATISFIE	331	114497.2	0.4%
1	1	91	30433.2	0.1%
2	2	247	92481.3	0.3%
3	3	405	177203.2	0.6%
4	4	749	290163.5	1.0%
5	5	3589	1518917.7	5.4%
6	6	3102	1436844.8	5.1%
7	7	9180	4441277.7	15.8%
8	8	19707	9306462.8	33.1%
9	9	11671	5533207.4	19.7%
10	VERY SATISFIED	12015	5175128.9	18.4%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	533	173112.5	
98	REFUSAL	67	27272.3	
99	NOT STATED	1222	561416.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GEN\_02B: Self-perceived mental health

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=61554 / 28261302.04 ] [Invalid=1355 / 617116.33 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	In general, would you say your mental health is: (excellent, very good, good, fair, or poor)?
<b>Notes</b>	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	21349	10538089.3	37.3%
2	VERY GOOD	22644	10345527.8	36.6%
3	GOOD	13808	5882330.6	20.8%
4	FAIR	3066	1224816.8	4.3%
5	POOR	687	270537.5	1.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	103	44306.4	
8	REFUSAL	29	11177.8	
9	NOT STATED	1223	561632.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GEN\_07: Perceived life stress

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=62670 / 28801562.21 ] [Invalid=239 / 76856.16 ]
<b>Universe</b>	Respondents aged 15 and over
<b>Literal question</b>	Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # GEN\_07: Perceived life stress

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT AT ALL	8975	3586283.7	12.5%
2	NOT VERY	16195	6695175.8	23.2%
3	A BIT	25010	11932014.7	41.4%
4	QUITE A BIT	10574	5538493.7	19.2%
5	EXTREMELY	1916	1049594.2	3.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	218	66774.2	
8	REFUSAL	21	10082.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GEN\_08: Worked at job

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=52059 / 25365748.6 ] [Invalid=10850 / 3512669.77 ]
<b>Universe</b>	Respondents aged 15 to 75
<b>Literal question</b>	Have you worked at a job or business at any time in the past 12 months?
<b>Notes</b>	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	36970	19432861.4	76.6%
2	NO	15089	5932887.2	23.4%
6	NOT APPLICABLE	10162	3167843.2	
7	DON'T KNOW	6	2999.1	
8	REFUSAL	13	11035.6	
9	NOT STATED	669	330791.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GEN\_09: Self perceived work stress

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=36484 / 19217700.28 ] [Invalid=26425 / 9660718.09 ]
<b>Universe</b>	Respondents who answered GEN_08 = (1, 7 or 8)
<b>Literal question</b>	The next question is about your main job or business in the past 12 months. Would you say that most days were: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?
<b>Notes</b>	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT AT ALL	3848	1921087.9	10.0%
2	NOT VERY	7412	3723586.0	19.4%
3	A BIT	15156	7981383.5	41.5%
4	QUITE A BIT	8289	4567374.7	23.8%
5	EXTREMELY	1779	1024268.0	5.3%
6	NOT APPLICABLE	25251	9100730.4	
7	DON'T KNOW	87	41285.6	
8	REFUSAL	9	3921.1	

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1





## # GEN\_09: Self perceived work stress

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1078	514781.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GEN\_10: Sense of belonging - local community






<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=60911 / 28051598.31 ] [Invalid=1998 / 826820.06 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?
<b>Notes</b>	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY STRONG	12529	4924153.6	 17.6%
2	SOMEWHAT STRONG	29530	13417596.3	 47.8%
3	SOMEWHAT WEAK	14032	7188759.2	 25.6%
4	VERY WEAK	4820	2521089.2	 9.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	752	257782.2	
8	REFUSAL	23	7405.8	
9	NOT STATED	1223	561632.1	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GENDHDI: Perceived Health - (D)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=62827 / 28846013.67 ] [Invalid=82 / 32404.7 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on GEN_02B. See documentation on derived variables

Value	Label	Cases	Weighted	Percentage (Weighted)
0	POOR	2291	812526.5	 2.8%
1	FAIR	6669	2529664.0	 8.8%
2	GOOD	18693	8170539.2	 28.3%
3	VERY GOOD	23139	10822445.4	 37.5%
4	EXCELLENT	12035	6510838.6	 22.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	82	32404.7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GENDMHI: Perceived Mental Health - (D)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=61554 / 28261302.04 ] [Invalid=1355 / 617116.33 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on GEN_02B. See documentation on derived variables.

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # GENDMHI: Perceived Mental Health - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
0	POOR	687	270537.5	1.0%
1	FAIR	3066	1224816.8	4.3%
2	GOOD	13808	5882330.6	20.8%
3	VERY GOOD	22644	10345527.8	36.6%
4	EXCELLENT	21349	10538089.3	37.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1355	617116.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GENGSWL: Satisfaction with life in general

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=61087 / 28116617.61 ] [Invalid=1822 / 761800.76 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on GEN_02A2. See documentation on derived variables

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	23686	10708336.3	38.1%
2	SATISFIED	31989	15184585.3	54.0%
3	NEITHER NOR	3589	1518917.7	5.4%
4	DISSATISFIED	1401	559847.9	2.0%
5	VERY DISSATIS.	422	144930.4	0.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1822	761800.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DOORG: Module: ORG - (F)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7751	3874823.7	13.5%
2	NO	53525	24921493.7	86.5%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # ORG\_1: Member of a voluntary organization

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=7553 / 3771610.97 ] [Invalid=55356 / 25106807.4 ]
<b>Universe</b>	Respondents with DOORG = 1
<b>Literal question</b>	Are you a member of any voluntary organizations or associations such as school groups, church social groups, community centres, ethnic associations or social, civic or fraternal clubs?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2910	1368337.4	36.3%
2	NO	4643	2403273.5	63.7%
6	NOT APPLICABLE	55158	25003594.7	
7	DON'T KNOW	1	514.8	
8	REFUSAL	2	531.5	
9	NOT STATED	195	102166.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ORG\_2: Frequency - participate in activities

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2904 / 1366518.61 ] [Invalid=60005 / 27511899.76 ]
<b>Universe</b>	Respondents who answered ORG_1 = (1, 7 or 8)
<b>Literal question</b>	How often did you participate in meetings or activities of these groups in the past 12 months? If you belong to many, just think of the ones in which you are most active: (at least once a week, at least once a month, ... , or not at all)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	>= ONCE A WEEK	1604	764329.4	55.9%
2	>= ONCE A MONTH	844	378446.6	27.7%
3	>= 3 TO 4 T./YR	295	148778.6	10.9%
4	>= ONCE A YEAR	92	44617.5	3.3%
5	NOT AT ALL	69	30346.6	2.2%
6	NOT APPLICABLE	59801	27406868.2	
7	DON'T KNOW	6	1818.8	
8	REFUSAL	0	0.0	
9	NOT STATED	198	103212.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DOCH: Module.: Changes made to improve hlth

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]
<b>Universe</b>	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11066	4804995.6	16.7%
2	NO	50210	23991321.8	83.3%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.



# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # CIH\_1: Did something to improve health

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=10766 / 4672236.4 ] [Invalid=52143 / 24206181.97 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking, increased exercise)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6257	2789334.1	59.7%
2	NO	4509	1882902.3	40.3%
6	NOT APPLICABLE	51843	24073422.8	
7	DON'T KNOW	18	3823.6	
8	REFUSAL	3	941.8	
9	NOT STATED	279	127993.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CIH\_2: Most important change to improve health

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6243 / 2779819.93 ] [Invalid=56666 / 26098598.44 ]
<b>Universe</b>	Respondents who answered CIH_1 = (1, 7 or 8)
<b>Literal question</b>	What is the single most important change you have made?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MORE EXERCISE	3342	1565712.4	56.3%
2	LOST WEIGHT	673	279543.5	10.1%
3	EATING HABITS	890	409839.2	14.7%
4	SMOKE LESS/STOP	331	143401.7	5.2%
5	LESS ALCOHOL	75	36680.8	1.3%
6	REDUCE STRESS LE	105	40426.1	1.5%
7	MEDICAL TREAT	477	163858.9	5.9%
8	TOOK VITAMINS	93	45854.5	1.6%
9	OTHER	257	94502.8	3.4%
96	NOT APPLICABLE	56352	25956325.1	
97	DON'T KNOW	12	5279.7	
98	REFUSAL	2	4234.4	
99	NOT STATED	300	132759.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CIH\_3: Thinks should do something to improve hl

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=10710 / 4659525.95 ] [Invalid=52199 / 24218892.42 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	Do you think there is anything (else) you should do to improve your physical health?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7026	3167466.2	68.0%
2	NO	3684	1492059.7	32.0%
6	NOT APPLICABLE	51843	24073422.8	

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # CIH\_3: Thinks should do something to improve hl

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	55	11950.0	
8	REFUSAL	1	760.5	
9	NOT STATED	300	132759.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CIH\_4: Most important thing to improve health

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=7005 / 3162486.65 ] [Invalid=55904 / 25715931.72 ]
<b>Universe</b>	Respondents who answered CIH_3 = (1, 7 or 8) or CIH_1 = (7 or 8)
<b>Literal question</b>	What is the most important thing?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MORE EXERCISE	3573	1596487.9	50.5%
2	LOST WEIGHT	727	293508.8	9.3%
3	EATING HABITS	1247	627257.6	19.8%
4	SMOKE LESS/STOP	790	338181.8	10.7%
5	LESS ALCOHOL	61	33136.4	1.0%
6	REDUCE STRESS LE	191	85975.1	2.7%
7	MEDICAL TREAT	135	57037.6	1.8%
8	TOOK VITAMINS	24	12809.0	0.4%
9	OTHER	257	118092.4	3.7%
96	NOT APPLICABLE	55527	25565482.5	
97	DON'T KNOW	20	4813.1	
98	REFUSAL	1	166.5	
99	NOT STATED	356	145469.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CIH\_5: Barrier to improving health

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=7005 / 3162301.21 ] [Invalid=55904 / 25716117.16 ]
<b>Universe</b>	Respondents who answered CIH_3 = (1, 7 or 8) or CIH_1 = (7 or 8)
<b>Literal question</b>	Is there anything stopping you from making this improvement?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3330	1533486.7	48.5%
2	NO	3675	1628814.5	51.5%
6	NOT APPLICABLE	55527	25565482.5	
7	DON'T KNOW	20	4884.5	
8	REFUSAL	1	280.6	
9	NOT STATED	356	145469.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CIH\_6A: Barrier improve hlth - lack will power

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3325 / 1532454.45 ] [Invalid=59584 / 27345963.92 ]
<b>Universe</b>	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # CIH\_6A: Barrier improve hlth - lack will power

**Literal question** What is that? - Lack of will power / self-discipline

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1104	479666.9	31.3%
2	NO	2221	1052787.6	68.7%
6	NOT APPLICABLE	59202	27194297.0	
7	DON'T KNOW	5	1032.3	
8	REFUSAL	0	0.0	
9	NOT STATED	377	150634.7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH\_6I: Barrier improve health - family respons.

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=3325 / 1532454.45 ] [Invalid=59584 / 27345963.92 ]

**Universe** Respondents who answered CIH\_5 = (1, 7 or 8) or CIH\_3 = (7 or 8) or CIH\_1 = (7 or 8)

**Literal question** What is that? - family responsibilities

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	422	211199.2	13.8%
2	NO	2903	1321255.3	86.2%
6	NOT APPLICABLE	59202	27194297.0	
7	DON'T KNOW	5	1032.3	
8	REFUSAL	0	0.0	
9	NOT STATED	377	150634.7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH\_6B: Barrier improve hlth - lwork schedule

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=3325 / 1532454.45 ] [Invalid=59584 / 27345963.92 ]

**Universe** Respondents who answered CIH\_5 = (1, 7 or 8) or CIH\_3 = (7 or 8) or CIH\_1 = (7 or 8)

**Literal question** What is that? -work schedule

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	729	434735.1	28.4%
2	NO	2596	1097719.4	71.6%
6	NOT APPLICABLE	59202	27194297.0	
7	DON'T KNOW	5	1032.3	
8	REFUSAL	0	0.0	
9	NOT STATED	377	150634.7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH\_6J: Barrier improve health -add. drugs/alc.

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=3325 / 1532454.45 ] [Invalid=59584 / 27345963.92 ]

**Universe** Respondents who answered CIH\_5 = (1, 7 or 8) or CIH\_3 = (7 or 8) or CIH\_1 = (7 or 8)

**Literal question** What is that? - Addiction to drugs / alcohol

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # CIH\_6J: Barrier improve health -add. drugs/alc.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29	10110.8	0.7%
2	NO	3296	1522343.6	99.3%
6	NOT APPLICABLE	59202	27194297.0	
7	DON'T KNOW	5	1032.3	
8	REFUSAL	0	0.0	
9	NOT STATED	377	150634.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CIH\_6K: Barrier improve health - phys. condition

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3325 / 1532454.45 ] [Invalid=59584 / 27345963.92 ]
<b>Universe</b>	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
<b>Literal question</b>	What is that? - Physical condition

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	305	121884.1	8.0%
2	NO	3020	1410570.4	92.0%
6	NOT APPLICABLE	59202	27194297.0	
7	DON'T KNOW	5	1032.3	
8	REFUSAL	0	0.0	
9	NOT STATED	377	150634.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CIH\_6G: Barrier improve hlth - disability

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3325 / 1532454.45 ] [Invalid=59584 / 27345963.92 ]
<b>Universe</b>	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
<b>Literal question</b>	What is that? - disability / health problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	279	91007.6	5.9%
2	NO	3046	1441446.9	94.1%
6	NOT APPLICABLE	59202	27194297.0	
7	DON'T KNOW	5	1032.3	
8	REFUSAL	0	0.0	
9	NOT STATED	377	150634.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CIH\_6F: Barrier improve health - too stressed

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3325 / 1532454.45 ] [Invalid=59584 / 27345963.92 ]
<b>Universe</b>	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
<b>Literal question</b>	What is that? - Too stressed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	162	63802.3	4.2%

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # CIH\_6F: Barrier improve health - too stressed

Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	3163	1468652.1	95.8%
6	NOT APPLICABLE	59202	27194297.0	
7	DON'T KNOW	5	1032.3	
8	REFUSAL	0	0.0	
9	NOT STATED	377	150634.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CIH\_6E: Barrier improve health - too costly

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3325 / 1532454.45 ] [Invalid=59584 / 27345963.92 ]
<b>Universe</b>	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
<b>Literal question</b>	What is that? - Too costly / financial constraints

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	220	106082.5	6.9%
2	NO	3105	1426371.9	93.1%
6	NOT APPLICABLE	59202	27194297.0	
7	DON'T KNOW	5	1032.3	
8	REFUSAL	0	0.0	
9	NOT STATED	377	150634.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CIH\_6L: Barrier improve health - not avail./area

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3325 / 1532454.45 ] [Invalid=59584 / 27345963.92 ]
<b>Universe</b>	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
<b>Literal question</b>	What is that? - Not available - in area

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	44	15284.7	1.0%
2	NO	3281	1517169.7	99.0%
6	NOT APPLICABLE	59202	27194297.0	
7	DON'T KNOW	5	1032.3	
8	REFUSAL	0	0.0	
9	NOT STATED	377	150634.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CIH\_6M: Barrier improve health - trans. problems

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3325 / 1532454.45 ] [Invalid=59584 / 27345963.92 ]
<b>Universe</b>	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
<b>Literal question</b>	What is that? - Transportation problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19	4652.4	0.3%
2	NO	3306	1527802.0	99.7%

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # CIH\_6M: Barrier improve health - trans. problems

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	59202	27194297.0	
7	DON'T KNOW	5	1032.3	
8	REFUSAL	0	0.0	
9	NOT STATED	377	150634.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CIH\_6N: Barrier improve health - weather prob.

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3325 / 1532454.45 ] [Invalid=59584 / 27345963.92 ]
<b>Universe</b>	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
<b>Literal question</b>	What is that? - Weather problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	66	19368.2	1.3%
2	NO	3259	1513086.2	98.7%
6	NOT APPLICABLE	59202	27194297.0	
7	DON'T KNOW	5	1032.3	
8	REFUSAL	0	0.0	
9	NOT STATED	377	150634.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CIH\_6H: Barrier improve health - other

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3325 / 1532454.45 ] [Invalid=59584 / 27345963.92 ]
<b>Universe</b>	Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)
<b>Literal question</b>	What is that? - Other

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	480	225013.4	14.7%
2	NO	2845	1307441.1	85.3%
6	NOT APPLICABLE	59202	27194297.0	
7	DON'T KNOW	5	1032.3	
8	REFUSAL	0	0.0	
9	NOT STATED	377	150634.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CIH\_7: Intending to improve health over next yr

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6944 / 3136395.55 ] [Invalid=55965 / 25742022.82 ]
<b>Universe</b>	Respondents who answered CIH_3 = (1, 7 or 8) or CIH_1 = (7 or 8)
<b>Literal question</b>	Is there anything you intend to do to improve your physical health in the next year?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5252	2411176.8	76.9%
2	NO	1692	725218.7	23.1%
6	NOT APPLICABLE	55527	25565482.5	

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # CIH\_7: Intending to improve health over next yr

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	80	30636.8	
8	REFUSAL	2	433.9	
9	NOT STATED	356	145469.6	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CIH_8A: Health improvement - more exercise					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=5243 / 2409745 ] [Invalid=57666 / 26468673.37 ]				
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)				
Literal question	What is that? - Start / Increase exercise, sports / physical activity				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3609	1674987.4	<div></div>	69.5%
2	NO	1634	734757.6	<div></div>	30.5%
6	NOT APPLICABLE	57219	26290701.2		
7	DON'T KNOW	9	1431.8		
8	REFUSAL	0	0.0		
9	NOT STATED	438	176540.4		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# CIH_8B: Health improvement - lose weight					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=5243 / 2409745 ] [Invalid=57666 / 26468673.37 ]				
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)				
Literal question	What is that? - Lose weight				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	624	268012.6	<div></div>	11.1%
2	NO	4619	2141732.4	<div></div>	88.9%
6	NOT APPLICABLE	57219	26290701.2		
7	DON'T KNOW	9	1431.8		
8	REFUSAL	0	0.0		
9	NOT STATED	438	176540.4		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# CIH_8C: Health improvement - eating habits					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=5243 / 2409745 ] [Invalid=57666 / 26468673.37 ]				
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)				
Literal question	What is that? - Change diet / improve eating habits				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1000	525953.5	<div></div>	21.8%
2	NO	4243	1883791.5	<div></div>	78.2%
6	NOT APPLICABLE	57219	26290701.2		
7	DON'T KNOW	9	1431.8		
8	REFUSAL	0	0.0		
9	NOT STATED	438	176540.4		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# CIH_8J: Health improvement - quit smoking					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=5243 / 2409745 ] [Invalid=57666 / 26468673.37 ]				
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)				
Literal question	What is that? - Quit smoking / reduce amount smoked				



# CIH_8J: Health improvement - quit smoking				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	499	238263.0	<div><div></div></div> 9.9%
2	NO	4744	2171482.0	<div><div></div></div> 90.1%
6	NOT APPLICABLE	57219	26290701.2	
7	DON'T KNOW	9	1431.8	
8	REFUSAL	0	0.0	
9	NOT STATED	438	176540.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CIH_8K: Health improvement - drink less alcohol				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5243 / 2409745 ] [Invalid=57666 / 26468673.37 ]			
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)			
Literal question	What is that? - Drink less alcohol			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	65	41590.3	<div><div></div></div> 1.7%
2	NO	5178	2368154.7	<div><div></div></div> 98.3%
6	NOT APPLICABLE	57219	26290701.2	
7	DON'T KNOW	9	1431.8	
8	REFUSAL	0	0.0	
9	NOT STATED	438	176540.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CIH_8G: Health improvement - reduce stress				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5243 / 2409745 ] [Invalid=57666 / 26468673.37 ]			
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)			
Literal question	What is that? - Reduce stress level			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	249	134763.9	<div><div></div></div> 5.6%
2	NO	4994	2274981.1	<div><div></div></div> 94.4%
6	NOT APPLICABLE	57219	26290701.2	
7	DON'T KNOW	9	1431.8	
8	REFUSAL	0	0.0	
9	NOT STATED	438	176540.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CIH_8L: Health improv.- receive med. treatment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5243 / 2409745 ] [Invalid=57666 / 26468673.37 ]			
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8) Note			
Literal question	What is that? - Receive medical treatment			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	205	73936.9	<div><div></div></div> 3.1%
2	NO	5038	2335808.1	<div><div></div></div> 96.9%
6	NOT APPLICABLE	57219	26290701.2	

# CIH_8L: Health improv.- receive med. treatment				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	9	1431.8	
8	REFUSAL	0	0.0	
9	NOT STATED	438	176540.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CIH_8H: Health improvement - take vitamins				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5243 / 2409745 ] [Invalid=57666 / 26468673.37 ]			
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)			
Literal question	What is that? - Take vitamins			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	90	66960.6	2.8%
2	NO	5153	2342784.4	97.2%
6	NOT APPLICABLE	57219	26290701.2	
7	DON'T KNOW	9	1431.8	
8	REFUSAL	0	0.0	
9	NOT STATED	438	176540.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CIH_8I: Health improvement - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5243 / 2409745 ] [Invalid=57666 / 26468673.37 ]			
Universe	Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)			
Literal question	What is that? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	290	119183.9	4.9%
2	NO	4953	2290561.1	95.1%
6	NOT APPLICABLE	57219	26290701.2	
7	DON'T KNOW	9	1431.8	
8	REFUSAL	0	0.0	
9	NOT STATED	438	176540.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOHCS: Module: HCS - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23396	11704892.3	40.6%
2	NO	37880	17091425.2	59.4%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

# DOHCS: Module: HCS - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HCS_1: Rating of availability hlth care - prov				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=21588 / 10841012.06 ] [Invalid=41321 / 18037406.31 ]			
Universe	Respondents aged 15 and over with DOHCS = 1			
Literal question	Overall, how would you rate the availability of health care services in [province]? Would you say it is: (excellent, good, fair, or poor)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	3354	1761276.1	<div><div></div></div> 16.2%
2	GOOD	10652	5451624.7	<div><div></div></div> 50.3%
3	FAIR	5372	2626661.3	<div><div></div></div> 24.2%
4	POOR	2210	1001450.0	<div><div></div></div> 9.2%
6	NOT APPLICABLE	40510	17652522.6	
7	DON'T KNOW	356	175458.8	
8	REFUSAL	10	6979.6	
9	NOT STATED	445	202445.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HCS_2: Rating of quality of health care - prov				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=21406 / 10773886.39 ] [Invalid=41503 / 18104531.98 ]			
Universe	Respondents aged 15 and over with DOHCS = 1			
Literal question	Overall, how would you rate the quality of the health care services that are available in [province]: (excellent, good, fair, or poor)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	3962	1970475.3	<div><div></div></div> 18.3%
2	GOOD	11845	6069056.0	<div><div></div></div> 56.3%
3	FAIR	4362	2158580.3	<div><div></div></div> 20.0%
4	POOR	1237	575774.8	<div><div></div></div> 5.3%
6	NOT APPLICABLE	40510	17652522.6	
7	DON'T KNOW	175	64274.9	
8	REFUSAL	7	2850.8	
9	NOT STATED	811	384883.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HCS_3: Rating of availability hlth care - comm.				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=21293 / 10670164.6 ] [Invalid=41616 / 18208253.77 ]			
Universe	Respondents aged 15 and over with DOHCS = 1			
Literal question	Overall, how would you rate the availability of health care services in your community?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	3483	1809520.3	<div><div></div></div> 17.0%
2	GOOD	9927	5236236.5	<div><div></div></div> 49.1%
3	FAIR	5055	2419680.3	<div><div></div></div> 22.7%

# HCS_3: Rating of availability hlth care - comm.				
Value	Label	Cases	Weighted	Percentage (Weighted)
4	POOR	2828	1204727.5	<div><div></div></div> 11.3%
6	NOT APPLICABLE	40510	17652522.6	
7	DON'T KNOW	287	167534.6	
8	REFUSAL	8	3312.9	
9	NOT STATED	811	384883.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HCS_4: Rating of quality of hlth care - comm.				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=21136 / 10588146.74 ] [Invalid=41773 / 18290271.63 ]			
Universe	Respondents aged 15 and over with DOHCS = 1			
Literal question	Overall, how would you rate the quality of the health care services that are available in your community?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	3930	1910599.2	<div><div></div></div> 18.0%
2	GOOD	11562	6007850.1	<div><div></div></div> 56.7%
3	FAIR	4069	2001707.1	<div><div></div></div> 18.9%
4	POOR	1575	667990.4	<div><div></div></div> 6.3%
6	NOT APPLICABLE	40510	17652522.6	
7	DON'T KNOW	439	247029.0	
8	REFUSAL	13	5836.3	
9	NOT STATED	811	384883.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HWT_4: Opinion of own weight - self-reported				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=59427 / 27396279.75 ] [Invalid=3482 / 1482138.62 ]			
Universe	All respondents			
Literal question	Do you consider yourself: (overweight, underweight, or just about right)?			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	OVERWEIGHT	24344	10508583.5	<div><div></div></div> 38.4%
2	UNDERWEIGHT	2415	1182824.1	<div><div></div></div> 4.3%
3	JUST ABOUT RIGHT	32668	15704872.2	<div><div></div></div> 57.3%
6	NOT APPLICABLE	549	299688.7	
7	DON'T KNOW	105	26705.6	
8	REFUSAL	13	4366.6	
9	NOT STATED	2815	1151377.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HWTGHTM: Height (metres) / self-reported - (D,G)				
Information	[Type= continuous] [Format=numeric] [Range= 0.914-2.134] [Missing=*]			
Statistics [NW/ W]	[Valid=60543 / 27776177.59 ] [Invalid=2366 / 1102240.78 ]			
Universe	All respondents			
Notes	Based on HWT_2, HWT_2C, HWT_2D, HWT_2E, HWT_2F. See documentation on derived variables.			

## # HWTGHTM: Height (metres) / self-reported - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
0.914	0.926 M OR LESS	0	0.0	
0.94	0.927 TO 0.952 M	0	0.0	
0.965	0.953 TO 0.977 M	0	0.0	
0.991	0.978 TO 1.002 M	0	0.0	
1.016	1.003 TO 1.028 M	0	0.0	
1.041	1.029 TO 1.053 M	0	0.0	
1.067	1.054 TO 1.079 M	0	0.0	
1.092	1.080 TO 1.104 M	0	0.0	
1.118	1.105 TO 1.129 M	0	0.0	
1.143	1.130 TO 1.155 M	0	0.0	
1.168	1.156 TO 1.180 M	0	0.0	
1.194	1.181 TO 1.206 M	0	0.0	
1.219	1.207 TO 1.231 M	0	0.0	
1.245	1.232 TO 1.256 M	0	0.0	
1.27	1.257 TO 1.282 M	4	5575.4	0.0%
1.295	1.283 TO 1.307 M	4	934.0	0.0%
1.321	1.308 TO 1.333 M	12	6221.2	0.0%
1.346	1.334 TO 1.358 M	11	5669.0	0.0%
1.372	1.359 TO 1.383 M	14	5789.0	0.0%
1.397	1.384 TO 1.409 M	49	14515.8	0.1%
1.422	1.410 TO 1.434 M	51	18753.2	0.1%
1.448	1.435 TO 1.460 M	135	47010.7	0.2%
1.473	1.461 TO 1.485 M	373	145695.1	0.5%
1.499	1.486 TO 1.510 M	804	329630.2	1.2%
1.524	1.511 TO 1.536 M	2163	841711.8	3.0%
1.549	1.537 TO 1.561 M	2515	1013706.2	3.6%
1.575	1.562 TO 1.587 M	4821	2034659.9	7.3%
1.6	1.588 TO 1.612 M	4761	2084394.3	7.5%
1.626	1.613 TO 1.637 M	5643	2427227.0	8.7%
1.651	1.638 TO 1.663 M	4678	2067428.1	7.4%
1.676	1.664 TO 1.688 M	5372	2416853.6	8.7%
1.702	1.689 TO 1.714 M	5259	2572186.1	9.3%
1.727	1.715 TO 1.739 M	4992	2358107.3	8.5%
1.753	1.740 TO 1.764 M	3978	1930160.5	6.9%
1.778	1.765 TO 1.790 M	4447	2145979.7	7.7%
1.803	1.791 TO 1.815 M	3684	1807897.2	6.5%
1.829	1.816 TO 1.841 M	2877	1424765.8	5.1%
1.854	1.842 TO 1.866 M	1617	811694.0	2.9%
1.88	1.867 TO 1.891 M	1176	620297.5	2.2%
1.905	1.892 TO 1.917 M	558	337221.1	1.2%
1.93	1.918 TO 1.942 M	420	209893.1	0.8%
1.956	1.943 TO 1.968 M	125	92201.1	0.3%
1.981	1.969 TO 1.993 M	0	0.0	
2.007	1.994 TO 2.018 M	0	0.0	
2.032	2.019 TO 2.044 M	0	0.0	

# HWTGHTM: Height (metres) / self-reported - (D,G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
2.057	2.045 TO 2.069 M	0	0.0	
2.083	2.070 TO 2.095 M	0	0.0	
2.108	2.096 TO 2.120 M	0	0.0	
2.134	2.121M OR TALLER	0	0.0	
9.996	NOT APPLICABLE	549	299688.7	
9.997	DON'T KNOW	0	0.0	
9.998	REFUSAL	0	0.0	
9.999	NOT STATED	1817	802552.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HWTGWTK: Weight (kilograms)/self-reported - (D,G)				
Information	[Type= continuous] [Format=numeric] [Range= 30.6-135] [Missing=*]			
Statistics [NW/ W]	[Valid=59507 / 27408164.8 ] [Invalid=3402 / 1470253.57 ] [Mean=74.332 / 73.979 ] [StdDev=17.4 / 17.32 ]			
Universe	All respondents			
Notes	Based on HWT_3, HWT_N4. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
999.96	NOT APPLICABLE	0	0.0	
999.97	DON'T KNOW	0	0.0	
999.98	REFUSAL	0	0.0	
999.99	NOT STATED	3402	1470253.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HWTGBMI: BMI / self-report - (D,G)				
Information	[Type= continuous] [Format=numeric] [Range= 11.91-54.96] [Missing=*]			
Statistics [NW/ W]	[Valid=59150 / 27268917.5 ] [Invalid=3759 / 1609500.87 ] [Mean=26.025 / 25.643 ] [StdDev=5.323 / 5.133 ]			
Universe	All respondents excluding pregnant women (MAM_037 = 1)			
Notes	Based on HWTGHTM, HWTGWTK. See documentation on derived variables. Position 102 - 107 Content Code Sample Population			
Value	Label	Cases	Weighted	Percentage (Weighted)
999.96	NOT APPLICABLE	0	0.0	
999.97	DON'T KNOW	0	0.0	
999.98	REFUSAL	0	0.0	
999.99	NOT STATED	3759	1609500.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HWTGISW: BMI class. (18 +) / self-report - (D,G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=54261 / 25029915.6 ] [Invalid=8648 / 3848502.77 ]			
Universe	Respondents aged 18 and over excluding pregnant women (MAM_037 = 1)			
Notes	Based on DHH_AGE, HWTDBMI. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	UNDERWEIGHT	1175	623597.2	<div><div></div></div> 2.5%
2	NORMAL WEIGHT	23155	11313313.8	<div><div></div></div> 45.2%
3	OVERWEIGHT	18850	8551649.3	<div><div></div></div> 34.2%
4	OBESE	11081	4541355.3	<div><div></div></div> 18.1%

# HWTGISW: BMI class. (18 +) / self-report - (D,G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	5447	2479398.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3201	1369104.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# HWTDCOL: BMI class. (12-17) / self-report. - (D)				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=4773 / 2184678.19 ] [Invalid=58136 / 26693740.18 ]			
Universe	Respondents aged 12 to 17 excluding pregnant women (MAM_037 = 1)			
Notes	Based on HWTDBMI, DHH_YOB, DHH_MOB, DHH_DOB, ADM_YOI, ADM_MOI, ADM_DOI, DHH_SEX et MAM_037. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEITHER NOR	3698	1746992.9	80.0%
2	OVERWEIGHT	824	349962.5	16.0%
3	OBESE	251	87722.8	4.0%
6	NOT APPLICABLE	57462	26399020.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	674	294720.1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# CCC_031: Has asthma				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62852 / 28853518.68 ] [Invalid=57 / 24899.69 ]			
Universe	All respondents			
Literal question	(Do you have) asthma?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5512	2445243.4	8.5%
2	NO	57340	26408275.3	91.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	44	19021.2	
8	REFUSAL	13	5878.5	
9	NOT STATED	0	0.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# CCC_035: Asthma - had symptoms/attacks				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5500 / 2443505.23 ] [Invalid=57409 / 26434913.14 ]			
Universe	Respondents who answered CCC_031 = (1, 7, 8)			
Literal question	Have you had any asthma symptoms or asthma attacks in the past 12 months?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2915	1317833.7	53.9%
2	NO	2585	1125671.6	46.1%
6	NOT APPLICABLE	57340	26408275.3	

# CCC_035: Asthma - had symptoms/attacks				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	12	1738.1	
8	REFUSAL	0	0.0	
9	NOT STATED	57	24899.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_041: Has fibromyalgia				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62779 / 28811739.05 ] [Invalid=130 / 66679.32 ]			
Universe	All respondents			
Literal question	Do you have fibromyalgia?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1198	438830.9	1.5%
2	NO	61581	28372908.2	98.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	116	60453.4	
8	REFUSAL	1	347.4	
9	NOT STATED	13	5878.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_036: Asthma - took medication				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5509 / 2443890.35 ] [Invalid=57400 / 26434528.02 ]			
Universe	Respondents who answered CCC_031 = (1, 7, 8)			
Literal question	In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4248	1820248.7	74.5%
2	NO	1261	623641.6	25.5%
6	NOT APPLICABLE	57340	26408275.3	
7	DON'T KNOW	3	1353.0	
8	REFUSAL	0	0.0	
9	NOT STATED	57	24899.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_051: Has arthritis				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=60061 / 27614806.72 ] [Invalid=2848 / 1263611.65 ]			
Universe	Respondents aged 14 and over.			
Literal question	Do you have arthritis, excluding fibromyalgia?			
Notes	The word "rheumatism" was removed from the question.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13367	4445123.2	16.1%
2	NO	46694	23169683.5	83.9%
6	NOT APPLICABLE	1745	759799.9	
7	DON'T KNOW	139	47470.1	
8	REFUSAL	0	0.0	



# CCC_051: Has arthritis				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	964	456341.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_061: Has back problems/excl. fibro/arthritis				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62836 / 28854139.49 ] [Invalid=73 / 24278.88 ]			
Universe	All respondents			
Literal question	Do you have back problems, excluding fibromyalgia and arthritis?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13126	5467468.5	<div><div></div></div> 18.9%
2	NO	49710	23386671.0	<div><div></div></div> 81.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	57	17076.1	
8	REFUSAL	3	1324.4	
9	NOT STATED	13	5878.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_071: Has high blood pressure				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62734 / 28803874.91 ] [Invalid=175 / 74543.46 ]			
Universe	All respondents			
Literal question	Do you have high blood pressure?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14119	4929610.8	<div><div></div></div> 17.1%
2	NO	48615	23874264.1	<div><div></div></div> 82.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	160	67846.1	
8	REFUSAL	2	818.9	
9	NOT STATED	13	5878.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_072: Ever diagnosed with high blood pressure				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=48691 / 23915337.36 ] [Invalid=14218 / 4963081.01 ]			
Universe	Respondents who answered CCC_071 = (2, 7, 8) or CCC_031 = 8			
Literal question	Have you ever been diagnosed with high blood pressure?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3244	1234682.8	<div><div></div></div> 5.2%
2	NO	45447	22680654.6	<div><div></div></div> 94.8%
6	NOT APPLICABLE	14119	4929610.8	
7	DON'T KNOW	84	26772.8	
8	REFUSAL	0	0.0	
9	NOT STATED	15	6697.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# CCC_073: Medication - high blood pressure				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=17336 / 6154934.77 ] [Invalid=45573 / 22723483.6 ]			
Universe	Respondents who answered CCC_072 = (1, 7, 8) or CCC_071 = (1, 8) or CCC_031 = 8			
Literal question	In the past month, have you taken any medicine for high blood pressure?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13740	4657807.4	<div><div></div></div> 75.7%
2	NO	3596	1497127.4	<div><div></div></div> 24.3%
6	NOT APPLICABLE	45447	22680654.6	
7	DON'T KNOW	24	5545.4	
8	REFUSAL	3	3813.4	
9	NOT STATED	99	33470.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_073A: Preg. - diag. high blood press. 1st time				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8422 / 2598764.7 ] [Invalid=54487 / 26279653.67 ]			
Universe	Females aged 16 and over who answered (CCC_071 = (1 or 8) or (CCC_072 = (1, 7 or 8) and CCC_073 = (1, 7 or 8)) or CCC_031 = 8)			
Literal question	Were you pregnant when you were first diagnosed with high blood pressure?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	479	137575.3	<div><div></div></div> 5.3%
2	NO	7943	2461189.4	<div><div></div></div> 94.7%
6	NOT APPLICABLE	54325	26220407.5	
7	DON'T KNOW	102	34478.7	
8	REFUSAL	5	5547.8	
9	NOT STATED	55	19219.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_073B: Not pregnant - diagn. high blood press.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=480 / 137737.02 ] [Invalid=62429 / 28740681.35 ]			
Universe	Respondents who answered CCC_073A = (1, 7 or 8)			
Literal question	Other than during pregnancy, has a health professional ever told you that you have high blood pressure?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	418	116948.8	<div><div></div></div> 84.9%
2	NO	62	20788.2	<div><div></div></div> 15.1%
6	NOT APPLICABLE	62267	28681435.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	162	59246.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_081: Has migraine headaches				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62850 / 28853433.81 ] [Invalid=59 / 24984.56 ]			
Universe	All respondents			

# CCC_081: Has migraine headaches				
<b>Literal question</b>		Remember, we are interested in conditions diagnosed by a health professional. Do you have migraine headaches?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6122	2880985.8	<div><div></div></div> 10.0%
2	NO	56728	25972448.0	<div><div></div></div> 90.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	44	16424.9	
8	REFUSAL	2	2681.2	
9	NOT STATED	13	5878.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# CCC_091: Has a COPD				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=43791 / 18785285.51 ] [Invalid=19118 / 10093132.86 ]		
<b>Universe</b>		Respondents aged 35 and over		
<b>Literal question</b>		(Do you have) chronic bronchitis, emphysema or chronic obstructive pulmonary disease or COPD?		
<b>Notes</b>		Introduced in 2009. Comparable to the former CCCDCPD variable.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2510	805065.3	<div><div></div></div> 4.3%
2	NO	41281	17980220.2	<div><div></div></div> 95.7%
6	NOT APPLICABLE	19016	10054471.1	
7	DON'T KNOW	86	29259.3	
8	REFUSAL	3	3524.0	
9	NOT STATED	13	5878.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# CCC_101: Has diabetes				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=62860 / 28864133.49 ] [Invalid=49 / 14284.88 ]		
<b>Universe</b>		All respondents		
<b>Literal question</b>		(Remember, we are interested in conditions diagnosed by a health professional.) Do you have diabetes?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5103	1840863.6	<div><div></div></div> 6.4%
2	NO	57757	27023269.9	<div><div></div></div> 93.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	33	7022.2	
8	REFUSAL	3	1384.2	
9	NOT STATED	13	5878.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# CCCG102: Diabetes - age first diagnosed - (G)				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=5029 / 1822605.67 ] [Invalid=57880 / 27055812.7 ]		
<b>Universe</b>		Respondents who answered CCC_101 = (1, 7 or 8)		
<b>Literal question</b>		How old were you when this was first diagnosed?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	0 TO 11 YEARS	98	35734.9	<div><div></div></div> 2.0%

# CCCG102: Diabetes - age first diagnosed - (G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	12 TO 17 YEARS	67	27805.6	<div><div></div></div> 1.5%
3	18 TO 24 YEARS	112	42363.2	<div><div></div></div> 2.3%
4	25 TO 29 YEARS	105	51471.2	<div><div></div></div> 2.8%
5	30 TO 34 YEARS	186	102583.4	<div><div></div></div> 5.6%
6	35 TO 39 YEARS	212	92638.9	<div><div></div></div> 5.1%
7	40 TO 44 YEARS	393	175078.0	<div><div></div></div> 9.6%
8	45 TO 49 YEARS	470	221849.7	<div><div></div></div> 12.2%
9	50 TO 54 YEARS	730	277045.8	<div><div></div></div> 15.2%
10	55 TO 59 YEARS	708	239278.6	<div><div></div></div> 13.1%
11	60 TO 64 YEARS	669	209750.1	<div><div></div></div> 11.5%
12	65 TO 69 YEARS	509	141374.7	<div><div></div></div> 7.8%
13	70 TO 74 YEARS	390	102198.1	<div><div></div></div> 5.6%
14	75 TO 79 YEARS	250	67640.1	<div><div></div></div> 3.7%
15	80 YEARS OR MORE	130	35793.2	<div><div></div></div> 2.0%
96	NOT APPLICABLE	57757	27023269.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	123	32542.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_10A: Diabetes diagnosed when pregnant				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=767 / 272263.94 ] [Invalid=62142 / 28606154.43 ]			
Universe	Females aged 15 and over who answered (15 <= CCC_102 <= 49) or CCC_102 = (997, 998) or CCC_101 = (7, 8)			
Literal question	Were you pregnant when you were first diagnosed with diabetes?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	122	70157.8	<div><div></div></div> 25.8%
2	NO	645	202106.1	<div><div></div></div> 74.2%
6	NOT APPLICABLE	62102	28597021.4	
7	DON'T KNOW	10	3287.4	
8	REFUSAL	0	0.0	
9	NOT STATED	30	5845.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_10B: Diabetes diagnosed - other than pregnant				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=121 / 69827.07 ] [Invalid=62788 / 28808591.3 ]			
Universe	Females aged 15 and over who answered CCC_10A = (1, 7, 8) or CCC_102 = (997, 998) or CCC_101 = (7, 8)			
Literal question	Other than during pregnancy, has a health professional ever told you that you have diabetes?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	97	51747.6	<div><div></div></div> 74.1%
2	NO	24	18079.5	<div><div></div></div> 25.9%
6	NOT APPLICABLE	62747	28799127.5	
7	DON'T KNOW	1	330.8	
8	REFUSAL	0	0.0	

# CCC_10B: Diabetes diagnosed - other than pregnant				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	40	9133.1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# CCC_10C: Diabetes diag. - when started w/insulin				
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]			
Statistics [NW/ W]	[Valid=5042 / 1806320.12 ] [Invalid=57867 / 27072098.25 ]			
Universe	Respondents who answered CCC_101 = (1, 7, 8) excluding females aged 15 and over who answered CCC_10B = 2			
Literal question	When you were first diagnosed with diabetes, how long was it before you were started on insulin?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 MONTH	387	153080.2	<div><div></div></div> 8.5%
2	1 TO < 2 MONTHS	25	9594.9	<div><div></div></div> 0.5%
3	2 TO < 6 MONTHS	49	24610.4	<div><div></div></div> 1.4%
4	6 MONTH - < 1 YR	49	19552.4	<div><div></div></div> 1.1%
5	>= 1 YR	735	251246.0	<div><div></div></div> 13.9%
6	NEVER	3797	1348236.2	<div><div></div></div> 74.6%
96	NOT APPLICABLE	57781	27041349.4	
97	DON'T KNOW	36	16133.2	
98	REFUSAL	0	0.0	
99	NOT STATED	50	14615.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# CCC_105: Diabetes - currently takes insulin				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5074 / 1819262.06 ] [Invalid=57835 / 27059156.31 ]			
Universe	Respondents who answered CCC_101 = (1, 7, 8) excluding females aged 15 and over who answered CCC_10B = 2			
Literal question	Do you currently take insulin for your diabetes?			
Notes	In processing, if a respondent answered CCC_10C = 6 (never), the variable CCC_105 is given the value of 2 (no).			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1146	410949.3	<div><div></div></div> 22.6%
2	NO	3928	1408312.7	<div><div></div></div> 77.4%
6	NOT APPLICABLE	57781	27041349.4	
7	DON'T KNOW	4	3191.3	
8	REFUSAL	0	0.0	
9	NOT STATED	50	14615.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# CCC_106: Diabetes - pills to control blood sugar				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5071 / 1821675.14 ] [Invalid=57838 / 27056743.23 ]			
Universe	Respondents who answered CCC_101 = (1, 7, 8) excluding females aged 15 and over who answered CCC_10B = 2			
Literal question	In the past month, did you take pills to control your blood sugar?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3751	1349522.5	<div><div></div></div> 74.1%
2	NO	1320	472152.7	<div><div></div></div> 25.9%
6	NOT APPLICABLE	57781	27041349.4	

# CCC_106: Diabetes - pills to control blood sugar				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	7	778.2	
8	REFUSAL	0	0.0	
9	NOT STATED	50	14615.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_121: Has heart disease				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62755 / 28835523.14 ] [Invalid=154 / 42895.23 ]			
Universe	All respondents			
Notes	Do you have heart disease?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4408	1431490.9	<div><div></div>5.0%</div>
2	NO	58347	27404032.2	<div><div></div>95.0%</div>
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	140	36808.2	
8	REFUSAL	1	208.6	
9	NOT STATED	13	5878.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_131: Has cancer				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62820 / 28856719.7 ] [Invalid=89 / 21698.67 ]			
Universe	All respondents			
Literal question	(Do you have) cancer?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1587	553272.9	<div><div></div>1.9%</div>
2	NO	61233	28303446.8	<div><div></div>98.1%</div>
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	74	15503.6	
8	REFUSAL	2	316.6	
9	NOT STATED	13	5878.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_31A: Ever had cancer				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61265 / 28307728.46 ] [Invalid=1644 / 570689.91 ]			
Universe	Respondents			
Literal question	Have you ever been diagnosed with cancer?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3845	1249908.2	<div><div></div>4.4%</div>
2	NO	57420	27057820.2	<div><div></div>95.6%</div>
6	NOT APPLICABLE	1587	553272.9	
7	DON'T KNOW	41	10942.2	
8	REFUSAL	1	279.7	
9	NOT STATED	15	6195.1	

# CCC_31A: Ever had cancer				
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_141: Has stomach or intestinal ulcers				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62768 / 28821520.79 ] [Invalid=141 / 56897.58 ]			
Universe	All respondents			
Literal question	Remember, we are interested in conditions diagnosed by a health professional. Do you have intestinal or stomach ulcers?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2003	807644.1	2.8%
2	NO	60765	28013876.7	97.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	124	49850.8	
8	REFUSAL	4	1168.3	
9	NOT STATED	13	5878.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_151: Suffers from the effects of a stroke				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62835 / 28850302.1 ] [Invalid=74 / 28116.27 ]			
Universe	All respondents			
Literal question	Do you suffer from the effects of a stroke?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	993	311245.3	1.1%
2	NO	61842	28539056.8	98.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	59	19456.1	
8	REFUSAL	2	2781.7	
9	NOT STATED	13	5878.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_161: Has urinary incontinence				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=52027 / 23188151.58 ] [Invalid=10882 / 5690266.79 ]			
Universe	Respondents aged 25 and over.			
Literal question	(Do you suffer) from urinary incontinence?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2976	926506.8	4.0%
2	NO	49051	22261644.8	96.0%
6	NOT APPLICABLE	10811	5664329.6	
7	DON'T KNOW	54	17655.4	
8	REFUSAL	4	2403.3	
9	NOT STATED	13	5878.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_171: Has bowel disorder				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62797 / 28842714.31 ] [Invalid=112 / 35704.06 ]			

# CCC_171: Has bowel disorder					
Universe		All respondents			
Literal question		Do you suffer from a bowel disorder such as Crohn's Disease, ulcerative colitis, irritable bowel syndrome or bowel incontinence?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3302	1238075.8	<div><div></div></div>	4.3%
2	NO	59495	27604638.6	<div><div></div></div>	95.7%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	94	27882.4		
8	REFUSAL	5	1943.2		
9	NOT STATED	13	5878.5		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# CCC_17A: Type of bowel disease					
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]		[Valid=3243 / 1212754.7 ] [Invalid=59666 / 27665663.67 ]			
Universe		Respondents who answered CCC_171 = (1, 7, 8) or CCC_031 = 8			
Literal question		What kind of bowel disease do you have?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	CROHN'S DISEASE	262	102558.4	<div><div></div></div>	8.5%
2	ULCER. COLITIS	346	138192.0	<div><div></div></div>	11.4%
3	IRRITABLE BOWEL	1803	695845.6	<div><div></div></div>	57.4%
4	INCONTINENCE	145	52857.4	<div><div></div></div>	4.4%
5	OTHER	687	223301.3	<div><div></div></div>	18.4%
6	NOT APPLICABLE	59495	27604638.6		
7	DON'T KNOW	57	25255.2		
8	REFUSAL	2	65.8		
9	NOT STATED	112	35704.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# CCC_251: Has chronic fatigue syndrome					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=62778 / 28835741.86 ] [Invalid=131 / 42676.51 ]			
Universe		All respondents			
Literal question		Do you have chronic fatigue syndrome?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1076	411465.5	<div><div></div></div>	1.4%
2	NO	61702	28424276.4	<div><div></div></div>	98.6%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	114	35629.8		
8	REFUSAL	4	1168.3		
9	NOT STATED	13	5878.5		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# CCC_261: Suffers multiple chemical sensitivities					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=62723 / 28818784.21 ] [Invalid=186 / 59634.16 ]			



# CCC_261: Suffers multiple chemical sensitivities				
Universe		All respondents		
Literal question		Do you suffer from multiple chemical sensitivities?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2085	800332.8	<div><div></div></div> 2.8%
2	NO	60638	28018451.4	<div><div></div></div> 97.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	170	53086.1	
8	REFUSAL	3	669.6	
9	NOT STATED	13	5878.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# CCC_280: Has a mood disorder				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62816 / 28840361.15 ] [Invalid=93 / 38057.22 ]			
Universe	All respondents			
Literal question	Remember, we are interested in conditions diagnosed by a health professional. Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?			
Notes	Includes manic depression.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4715	1882125.5	6.5%
2	NO	58101	26958235.7	93.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	71	29149.0	
8	REFUSAL	9	3029.8	
9	NOT STATED	13	5878.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCC_290: Has an anxiety disorder				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62801 / 28838807.69 ] [Invalid=108 / 39610.68 ]			
Universe	All respondents			
Literal question	Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3639	1487644.0	5.2%
2	NO	59162	27351163.7	94.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	83	30154.3	
8	REFUSAL	12	3577.9	
9	NOT STATED	13	5878.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCCDDIA: Diabetes type				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=4988 / 1805988.34 ] [Invalid=57921 / 27072430.03 ]			
Universe	All respondents			
Notes	Based on CCC_10B, CCC_10C, CCC_101, CCC_102, CCC_105, CCC_106, DHH_AGE. See documentation on derived variables			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	TYPE 1 DIABETES	145	59705.9	3.3%
2	TYPE 2 DIABETES	4754	1707633.6	94.6%
3	GEST. DIABETES	9	5406.5	0.3%
4	NOT CLASSIFIED	80	33242.4	1.8%
6	NOT APPLICABLE	57711	27007653.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	210	64776.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# DODIA: Module: DIA - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2843	567101.0	2.0%
2	NO	58433	28229216.4	98.0%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIA_01: Tested for "A-one-C" haemoglobin				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=273 / 43249.38 ] [Invalid=62636 / 28835168.99 ]			
Universe	Respondents with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or CCC_031 = 8, excluding females aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A = 1			
Literal question	In the past 12 months, has a health care professional tested you for haemoglobin "A-one-C"? (An "A-one- C" haemoglobin test measures the average level of blood sugar over a 3-month period.)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	227	36431.7	84.2%
2	NO	46	6817.7	15.8%
6	NOT APPLICABLE	62627	28833910.8	
7	DON'T KNOW	7	919.9	
8	REFUSAL	0	0.0	
9	NOT STATED	2	338.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIA_02: No. of times - tested for "A-one-C"				
Information	[Type= discrete] [Format=numeric] [Range= 1-52] [Missing=*]			
Statistics [NW/ W]	[Valid=223 / 35990.66 ] [Invalid=62686 / 28842427.71 ]			
Universe	Respondents who answered DIA_01 = (1, 7 or 8)			
Literal question	How many times? (In the past 12 months, has a health care professional tested you for haemoglobin "A- one-C"?)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1		30	4604.7	12.8%
2		62	13105.6	36.4%
3		35	4712.0	13.1%
4		80	10791.2	30.0%
5		2	319.3	0.9%
6		4	652.9	1.8%
8		1	126.6	0.4%
11		2	229.6	0.6%
12		3	309.9	0.9%
14		1	46.7	0.1%
23		1	165.5	0.5%
24		1	148.6	0.4%

# DIA_02: No. of times - tested for "A-one-C"				
Value	Label	Cases	Weighted	Percentage (Weighted)
36		1	778.1	<div><div></div>2.2%</div>
996	NOT APPLICABLE	62673	28840728.5	
997	DON'T KNOW	4	441.0	
998	REFUSAL	0	0.0	
999	NOT STATED	9	1258.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIA_03: Feet checked by health professional				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=280 / 44169.32 ] [Invalid=62629 / 28834249.05 ]			
Universe	Respondents with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or CCC_031 = 8, excluding females aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A = 1			
Literal question	In the past 12 months, has a health care professional checked your feet for any sores or irritations?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	139	20389.7	<div><div></div>46.2%</div>
2	NO	141	23779.6	<div><div></div>53.8%</div>
3	NO FEET	0	0.0	
6	NOT APPLICABLE	62627	28833910.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2	338.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIA_04: No of times - feet checked by hlth prof.				
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=137 / 20202.23 ] [Invalid=62772 / 28858216.14 ]			
Universe	Respondents who answered DIA_03 = (1, 7 or 8) or DIA_01 = 8			
Literal question	How many times? (In the past 12 months, has a health care professional checked your feet for any sores or irritations?)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1		44	6354.5	<div><div></div>31.5%</div>
2		33	7464.1	<div><div></div>36.9%</div>
3		10	837.8	<div><div></div>4.1%</div>
4		27	3309.7	<div><div></div>16.4%</div>
6		7	653.3	<div><div></div>3.2%</div>
8		2	157.5	<div><div></div>0.8%</div>
9		1	203.7	<div><div></div>1.0%</div>
10		2	112.9	<div><div></div>0.6%</div>
11		1	110.2	<div><div></div>0.5%</div>
12		5	352.2	<div><div></div>1.7%</div>
14		1	116.7	<div><div></div>0.6%</div>
17		1	121.8	<div><div></div>0.6%</div>
24		1	32.3	<div><div></div>0.2%</div>
90		1	239.6	<div><div></div>1.2%</div>
99		1	135.8	<div><div></div>0.7%</div>
996	NOT APPLICABLE	62768	28857690.4	

# DIA_04: No of times - feet checked by hlth prof.				
Value	Label	Cases	Weighted	Percentage (Weighted)
997	DON'T KNOW	2	187.5	
998	REFUSAL	0	0.0	
999	NOT STATED	2	338.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIA_05: Urine tested for protein by health prof.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=255 / 40337.81 ] [Invalid=62654 / 28838080.56 ]			
Universe	Respondents with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or CCC_031 = 8, excluding females aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A = 1			
Literal question	In the past 12 months, has a health care professional tested your urine for protein (i.e., Microalbumin)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	188	29453.2	<div></div> 73.0%
2	NO	67	10884.6	<div></div> 27.0%
6	NOT APPLICABLE	62627	28833910.8	
7	DON'T KNOW	24	3603.6	
8	REFUSAL	1	227.9	
9	NOT STATED	2	338.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIA_06: Ever had eye exam with pupils dilated				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=275 / 43731.17 ] [Invalid=62634 / 28834687.2 ]			
Universe	Respondents with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or CCC_031 = 8, excluding females aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A = 1			
Literal question	Have you ever had an eye exam where the pupils of your eyes were dilated? (This procedure would have made you temporarily sensitive to light.)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	195	29775.7	<div></div> 68.1%
2	NO	80	13955.4	<div></div> 31.9%
6	NOT APPLICABLE	62627	28833910.8	
7	DON'T KNOW	5	438.2	
8	REFUSAL	0	0.0	
9	NOT STATED	2	338.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIA_07: Eye exam with pupils dilated - last time				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=195 / 29775.72 ] [Invalid=62714 / 28848642.65 ]			
Universe	Respondents who answered DIA_06 = (1, 7 or 8) or DIA_01 = 8			
Literal question	When was the last time: (less than one month ago, 1 month to less than 1 year ago, 1 year to less than 2 years ago, or 2 or more years ago)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 1 MONTH	28	4220.1	<div></div> 14.2%
2	1 MO.TO < 1 YEAR	104	15563.8	<div></div> 52.3%
3	1 TO < 2 YEARS	40	6869.9	<div></div> 23.1%

# DIA_07: Eye exam with pupils dilated - last time				
Value	Label	Cases	Weighted	Percentage (Weighted)
4	2 OR MORE YEARS	23	3121.9	<div><div></div>10.5%</div>
6	NOT APPLICABLE	62707	28847866.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	7	776.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIA_08: Checks glucose level/self-reporting unit				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=279 / 43876.89 ] [Invalid=62630 / 28834541.48 ]			
Universe	Respondents with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or CCC_031 = 8, excluding females aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A = 1			
Literal question	How often do you usually have your blood checked for glucose or sugar by yourself or by a family member or friend?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	PER DAY	163	24129.3	<div><div></div>55.0%</div>
2	PER WEEK	74	14676.2	<div><div></div>33.4%</div>
3	PER MONTH	18	2011.1	<div><div></div>4.6%</div>
4	PER YEAR	2	242.6	<div><div></div>0.6%</div>
5	NEVER	22	2817.8	<div><div></div>6.4%</div>
6	NOT APPLICABLE	62627	28833910.8	
7	DON'T KNOW	1	292.4	
8	REFUSAL	0	0.0	
9	NOT STATED	2	338.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIA_N8B: Checks glucose level/self-no times day				
Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]			
Statistics [NW/ W]	[Valid=162 / 23939.35 ] [Invalid=62747 / 28854479.02 ]			
Universe	Respondents who answered DIA_08 = (1, 7 or 8) or DIA_01 = 8			
Literal question	Interviewer: Enter the number of times per day.			
Notes	Unit of measure of value in DIA_08.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1		65	8924.3	<div><div></div>37.3%</div>
2		49	8397.8	<div><div></div>35.1%</div>
3		22	3124.6	<div><div></div>13.1%</div>
4		17	2258.4	<div><div></div>9.4%</div>
5		6	611.7	<div><div></div>2.6%</div>
7		1	190.7	<div><div></div>0.8%</div>
10		2	431.9	<div><div></div>1.8%</div>
996	NOT APPLICABLE	62743	28853658.4	
997	DON'T KNOW	1	190.0	
998	REFUSAL	0	0.0	
999	NOT STATED	3	630.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# DIA_N8C: Checks glucose level - no times per week					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=74 / 14676.18 ] [Invalid=62835 / 28863742.19 ]			
<b>Universe</b>		Respondents who answered DIA_08 = (2, 7 or 8) or DIA_01 = 8			
<b>Literal question</b>		Interviewer: Enter the number of times per week			
<b>Notes</b>		Unit of measure of value in DIA_08.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1		24	4725.1	<div></div>	32.2%
2		15	2504.9	<div></div>	17.1%
3		18	4216.1	<div></div>	28.7%
4		11	2526.0	<div></div>	17.2%
5		4	513.1	<div></div>	3.5%
6		1	47.7	<div></div>	0.3%
8		1	143.2	<div></div>	1.0%
996	NOT APPLICABLE	62832	28863111.5		
997	DON'T KNOW	0	0.0		
998	REFUSAL	0	0.0		
999	NOT STATED	3	630.7		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# DIA_N8D: Checks glucose level -no times per month					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=17 / 1887.13 ] [Invalid=62892 / 28876531.24 ]			
<b>Universe</b>		Respondents who answered DIA_08 = (3, 7 or 8) or DIA_01 = 8			
<b>Literal question</b>		Interviewer: Enter the number of times per month			
<b>Notes</b>		Unit of measure of value in DIA_08.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1		10	1172.8	<div></div>	62.1%
2		5	614.0	<div></div>	32.5%
3		1	62.0	<div></div>	3.3%
4		1	38.3	<div></div>	2.0%
996	NOT APPLICABLE	62888	28875776.6		
997	DON'T KNOW	1	123.9		
998	REFUSAL	0	0.0		
999	NOT STATED	3	630.7		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# DIA_N8E: Checks glucose level -no times per year					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=2 / 242.58 ] [Invalid=62907 / 28878175.79 ]			
<b>Universe</b>		Respondents who answered DIA_08 = (4, 7 or 8) or DIA_01 = 8			
<b>Literal question</b>		Interviewer: Enter the number of times per year			
<b>Notes</b>		Unit of measure of value in DIA_08.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
2		1	173.4	<div></div>	71.5%
3		1	69.2	<div></div>	28.5%

# DIA_N8E: Checks glucose level -no times per year				
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	62904	28877545.1	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	3	630.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIA_09: Checks feet / self-reporting unit				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=279 / 43839.49 ] [Invalid=62630 / 28834578.88 ]			
Universe	Respondents who answered DIA_03 = (1, 2, 7 or 8) or DIA_01 = 8			
Literal question	How often do you usually have your feet checked for any sores or rritations by yourself or by a family member or friend?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	PER DAY	97	13021.4	<div></div> 29.7%
2	PER WEEK	77	12971.4	<div></div> 29.6%
3	PER MONTH	23	3309.3	<div></div> 7.5%
4	PER YEAR	17	1976.9	<div></div> 4.5%
5	NEVER	65	12560.5	<div></div> 28.7%
6	NOT APPLICABLE	62627	28833910.8	
7	DON'T KNOW	1	329.8	
8	REFUSAL	0	0.0	
9	NOT STATED	2	338.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIA_N9B: Checks feet/self-number of times per day				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=96 / 12894.74 ] [Invalid=62813 / 28865523.63 ]			
Universe	Respondents who answered DIA_09 = (1, 7 or 8) or DIA_01 = 8			
Literal question	Interviewer: Enter the number of times per day.			
Notes	Unit of measure of value in DIA_09.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1		94	12817.6	<div></div> 99.4%
2		2	77.2	<div></div> 0.6%
996	NOT APPLICABLE	62809	28864728.9	
997	DON'T KNOW	1	126.6	
998	REFUSAL	0	0.0	
999	NOT STATED	3	668.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIA_N9C: Checks feet/self-number of times week				
Information	[Type= discrete] [Format=numeric] [Range= 1-33] [Missing=*]			
Statistics [NW/ W]	[Valid=76 / 12851.51 ] [Invalid=62833 / 28865566.86 ]			
Universe	Respondents who answered DIA_09 = (2, 7 or 8) or DIA_01 = 8			
Literal question	Interviewer: Enter the number of times per week.			
Notes	Unit of measure of value in DIA_09.			



# DIA_N9C: Checks feet/self-number of times week				
Value	Label	Cases	Weighted	Percentage (Weighted)
1		26	3312.0	<div></div> 25.8%
2		20	3412.5	<div></div> 26.6%
3		15	2538.1	<div></div> 19.7%
4		8	1703.5	<div></div> 13.3%
5		3	559.6	<div></div> 4.4%
6		2	499.7	<div></div> 3.9%
7		2	826.2	<div></div> 6.4%
996	NOT APPLICABLE	62829	28864778.8	
997	DON'T KNOW	1	119.9	
998	REFUSAL	0	0.0	
999	NOT STATED	3	668.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIA_N9D: Checks feet/self-number of times month				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=23 / 3309.34 ] [Invalid=62886 / 28875109.03 ]			
Universe	Respondents who answered DIA_09 = (3, 7 or 8) or DIA_01 = 8			
Literal question	Interviewer: Enter the number of times per month.			
Notes	Unit of measure of value in DIA_09.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1		13	1443.4	<div></div> 43.6%
2		10	1866.0	<div></div> 56.4%
996	NOT APPLICABLE	62883	28874440.9	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	3	668.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIA_N9E: Checks feet/self-number of times year				
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]			
Statistics [NW/ W]	[Valid=17 / 1976.87 ] [Invalid=62892 / 28876441.5 ]			
Universe	Respondents who answered DIA_09 = (4, 7 or 8) or DIA_01 = 8			
Literal question	Interviewer: Enter the number of times per year.			
Notes	Unit of measure of value in DIA_09.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1		4	377.5	<div></div> 19.1%
2		5	932.7	<div></div> 47.2%
4		3	277.1	<div></div> 14.0%
6		3	276.7	<div></div> 14.0%
8		1	33.5	<div></div> 1.7%
12		1	79.3	<div></div> 4.0%
996	NOT APPLICABLE	62889	28875773.4	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	3	668.1	

<b># DIA_N9E: Checks feet/self-number of times year</b>				
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># DIA_10: Medication - ASA - past month</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=270 / 42626.85 ] [Invalid=62639 / 28835791.52 ]			
<b>Universe</b>	Respondents aged 35 and over with DODIA = 1, who answered CCC_101 = (1, 7 or 8) or CCC_031 = 8, excluding females aged 15 and over who answered CCC_10A = 1			
<b>Literal question</b>	In the past month, did you take aspirin or other ASA (acetylsalicylic acid) medication every day or every second day?			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	154	25529.4	59.9%
2	NO	116	17097.4	40.1%
6	NOT APPLICABLE	62636	28835321.6	
7	DON'T KNOW	1	131.7	
8	REFUSAL	0	0.0	
9	NOT STATED	2	338.3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># DIA_11: Medication -blood cholesterol-past month</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=266 / 42222.06 ] [Invalid=62643 / 28836196.31 ]			
<b>Universe</b>	Respondents aged 35 and over with DODIA = 1, who answered CCC_101 = (1, 7 or 8) or CCC_031 = 8, excluding females aged 15 and over who answered CCC_10A = 1			
<b>Literal question</b>	In the past month, did you take prescription medications such as Lipitor or Zocor to control your blood cholesterol levels?			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	170	29928.1	70.9%
2	NO	96	12294.0	29.1%
6	NOT APPLICABLE	62636	28835321.6	
7	DON'T KNOW	5	536.5	
8	REFUSAL	0	0.0	
9	NOT STATED	2	338.3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># DOHUI: Module: HUI - (F)</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]			
<b>Universe</b>	All respondents			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	62909	28878418.4	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># HUIGVIS: Vision trouble - function code - (D,G)</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=62437 / 28738663.57 ] [Invalid=472 / 139754.8 ]			

# HUIGVIS: Vision trouble - function code - (D,G)				
Universe	Respondents with DOHUI = 1			
Notes	Based on HUI_01, HUI_02, HUI_03, HUI_04, HUI_05. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO VISUAL PROBL.	25972	13314196.9	<div><div></div></div> 46.3%
2	CORR. BY LENSES	35498	15081273.9	<div><div></div></div> 52.5%
3	HYPERMET/N CORR	307	115743.6	<div><div></div></div> 0.4%
4	MYOPIA/N CORR	324	129305.1	<div><div></div></div> 0.4%
5	MYOPIA&HYPERMET	336	98144.0	<div><div></div></div> 0.3%
6	NOT APPLICABLE	0	0.0	
9	NOT STATED	472	139754.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HUIGHER: Hearing problems - function code - (D,G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=62144 / 28638167.61 ] [Invalid=765 / 240250.76 ]			
Universe	Respondents with DOHUI = 1			
Notes	Based on HUI_06, HUI_07, HUI_07A, HUI_08, HUI_09. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	58972	27636026.9	<div><div></div></div> 96.5%
2	CORRECTED	2205	706856.5	<div><div></div></div> 2.5%
3	NOT CORRECTED	967	295284.2	<div><div></div></div> 1.0%
6	NOT APPLICABLE	0	0.0	
9	NOT STATED	765	240250.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HUIGSPE: Speech trouble - function code - (D,G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62820 / 28848676.89 ] [Invalid=89 / 29741.48 ]			
Universe	Respondents with DOHUI = 1			
Notes	Based on HUI_10, HUI_11, HUI_12, HUI_13. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	62331	28662637.6	<div><div></div></div> 99.4%
2	PART/NOT UNDERST	489	186039.3	<div><div></div></div> 0.6%
6	NOT APPLICABLE	0	0.0	
9	NOT STATED	89	29741.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HUIGMOB: Mobility trouble - function code - (D,G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=62787 / 28842434.66 ] [Invalid=122 / 35983.71 ]			
Universe	Respondents with DOHUI = 1			
Notes	Based on HUI_14, HUI_15, HUI_16, HUI_17, HUI_18. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables.			

# HUIGMOB: Mobility trouble - function code - (D,G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	58818	27632669.9	95.8%
2	NO AID REQUIRED	657	206833.2	0.7%
3	NEED MECH. SUPP	2469	711569.8	2.5%
4	HELP/CAN'T WALK	843	291361.8	1.0%
6	NOT APPLICABLE	0	0.0	
9	NOT STATED	122	35983.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HUIGDEX: Dexterity trouble - function code -(D,G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=62833 / 28849733.47 ] [Invalid=76 / 28684.9 ]			
Universe	All respondents			
Notes	Based on HUI_21, HUI_22, HUI_23, HUI_24. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PROBLEMS	62329	28640670.1	99.3%
2	NO HELP REQ'D	243	117523.0	0.4%
3	NEEDS HELP	261	91540.4	0.3%
6	NOT APPLICABLE	0	0.0	
9	NOT STATED	76	28684.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HUIDEMO: Emotion (function code)				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=62656 / 28783919.15 ] [Invalid=253 / 94499.22 ]			
Universe	Respondents with DOHUI = 1			
Literal question	Emotion (function code)			
Notes	This variable classifies respondents based on emotional health status. Based on HUI_25. See documentation on derived variables for complete description of emotion attribute levels			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EMOT. ATT. LEV.1	48460	22394103.9	77.8%
2	EMOT. ATT. LEV.2	11926	5429833.4	18.9%
3	EMOT. ATT. LEV.3	1682	727992.1	2.5%
4	EMOT. ATT. LEV.4	442	165161.2	0.6%
5	EMOT. ATT. LEV.5	146	66828.5	0.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	253	94499.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HUIDCOG: Cognition prob. - function code - (D)				
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]			
Statistics [NW/ W]	[Valid=62686 / 28792910.65 ] [Invalid=223 / 85507.72 ]			
Universe	Respondents with DOHUI = 1			
Literal question	Cognition prob. - function code - (D)			

# HUIDCOG: Cognition prob. - function code - (D)				
<b>Notes</b>		This variable classifies respondents based on cognitive health status. Based on HUI_26, HUI_27. See documentation on derived variables for complete description of cognition attribute levels.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	COG. ATT. LEVE 1	44066	21115154.2	<div></div> 73.3%
2	COG. ATT. LEVE 2	2496	1096861.0	<div></div> 3.8%
3	COG. ATT. LEVE 3	10815	4407659.0	<div></div> 15.3%
4	COG. ATT. LEVE 4	3781	1547989.2	<div></div> 5.4%
5	COG. ATT. LEVE 5	1450	587012.8	<div></div> 2.0%
6	COG. ATT. LEVE 6	78	38234.4	<div></div> 0.1%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	223	85507.7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# HUIDHSI: Health utilities index				
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= -0.335-1] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=61254 / 28354928.82 ] [Invalid=1655 / 523489.55 ] [Mean=0.858 / 0.877 ] [StdDev=0.211 / 0.194 ]		
<b>Universe</b>		Respondents with DOHUI = 1		
<b>Literal question</b>		Health utilities index		
<b>Notes</b>		Based on HUIDVIS, HUIDHER, HUIDSPE, HUIDMOB, HUIDDEX, HUIDEMO, HUIDCOG, HUPDPAD. See documentation on derived variables.		
Value	Label	Cases	Weighted	Percentage (Weighted)
99.996	NOT APPLICABLE	0	0.0	
99.997	DON'T KNOW	0	0.0	
99.998	REFUSAL	0	0.0	
99.999	NOT STATED	1655	523489.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# HUPDPAD: Pain (function code)				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=62752 / 28831547.97 ] [Invalid=157 / 46870.4 ]		
<b>Universe</b>		All respondents		
<b>Notes</b>		This variable classifies respondents based on activity limitation due to pain or discomfort. Based on HUP_01, HUP_03. See documentation on derived variables.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO PAIN	50290	23804494.0	<div></div> 82.6%
2	DOESN'T PREVENT	3219	1352653.8	<div></div> 4.7%
3	PREVENTS A FEW	3794	1552606.9	<div></div> 5.4%
4	PREVENTS SOME	3052	1226322.0	<div></div> 4.3%
5	PREVENTS MOST	2397	895471.2	<div></div> 3.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	157	46870.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				

# HCU_1AA: Has regular medical doctor					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=62824 / 28847323.73 ] [Invalid=85 / 31094.64 ]				
Universe	All respondents				
Literal question	Do you have a regular medical doctor?				
Notes	In French, the concept "médecin de famille" was replaced with "médecin régulier".				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	54205	24455288.4	<div></div>	84.8%
2	NO	8619	4392035.3	<div></div>	15.2%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	82	30145.4		
8	REFUSAL	3	949.3		
9	NOT STATED	0	0.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# HCU_1BA: Reason no dr - no one available in area					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=8462 / 4329512.22 ] [Invalid=54447 / 24548906.15 ]				
Universe	Respondents who answered HCU_1AA = (2, 7 or 8)				
Literal question	Why do you not have a regular medical doctor? - No medical doctors available in the area				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1768	655864.5	<div></div>	15.1%
2	NO	6694	3673647.7	<div></div>	84.9%
6	NOT APPLICABLE	54205	24455288.4		
7	DON'T KNOW	151	60409.4		
8	REFUSAL	6	2113.6		
9	NOT STATED	85	31094.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# HCU_1BB: Reason no dr - none taking new patients					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=8462 / 4329512.22 ] [Invalid=54447 / 24548906.15 ]				
Universe	Respondents who answered HCU_1AA = (2, 7 or 8)				
Literal question	Why do you not have a regular medical doctor? - Medical doctors in the area are not taking new patients				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1728	978874.0	<div></div>	22.6%
2	NO	6734	3350638.2	<div></div>	77.4%
6	NOT APPLICABLE	54205	24455288.4		
7	DON'T KNOW	151	60409.4		
8	REFUSAL	6	2113.6		
9	NOT STATED	85	31094.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# HCU_1BC: Reason no dr - not tried to contact one					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=8462 / 4329512.22 ] [Invalid=54447 / 24548906.15 ]				
Universe	Respondents who answered HCU_1AA = (2, 7 or 8)				

# HCU_1BC: Reason no dr - not tried to contact one				
<b>Literal question</b>		Why do you not have a regular medical doctor? - Have not tried to contact one		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3447	2042563.0	<div><div></div></div> 47.2%
2	NO	5015	2286949.2	<div><div></div></div> 52.8%
6	NOT APPLICABLE	54205	24455288.4	
7	DON'T KNOW	151	60409.4	
8	REFUSAL	6	2113.6	
9	NOT STATED	85	31094.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# HCU_1BD: Reason no dr - has left/retired				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=8462 / 4329512.22 ] [Invalid=54447 / 24548906.15 ]		
<b>Universe</b>		Respondents who answered HCU_1AA = (2, 7 or 8)		
<b>Literal question</b>		Why do you not have a regular medical doctor? - Had a medical doctor who left or retired		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1856	763900.7	<div><div></div></div> 17.6%
2	NO	6606	3565611.5	<div><div></div></div> 82.4%
6	NOT APPLICABLE	54205	24455288.4	
7	DON'T KNOW	151	60409.4	
8	REFUSAL	6	2113.6	
9	NOT STATED	85	31094.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# HCU_1BE: Reason no dr - other				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=8462 / 4329512.22 ] [Invalid=54447 / 24548906.15 ]		
<b>Universe</b>		Respondents who answered HCU_1AA = (2, 7 or 8)		
<b>Literal question</b>		Why do you not have a regular medical doctor? - Other		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	826	462564.1	<div><div></div></div> 10.7%
2	NO	7636	3866948.1	<div><div></div></div> 89.3%
6	NOT APPLICABLE	54205	24455288.4	
7	DON'T KNOW	151	60409.4	
8	REFUSAL	6	2113.6	
9	NOT STATED	85	31094.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# HCU_1A1: Has place to go when sick/health advice				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=8564 / 4368339.79 ] [Invalid=54345 / 24510078.58 ]		
<b>Universe</b>		Respondents who answered HCU_1AA = (2, 7, 8)		
<b>Literal question</b>		Is there a place that you usually go to when you are sick or need advice about your health?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7235	3590721.4	<div><div></div></div> 82.2%
2	NO	1329	777618.4	<div><div></div></div> 17.8%

# HCU_1A1: Has place to go when sick/health advice				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	54205	24455288.4	
7	DON'T KNOW	55	23695.5	
8	REFUSAL	0	0.0	
9	NOT STATED	85	31094.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HCU_1A2: Kind of place				
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]	[Valid=7226 / 3589530.06 ] [Invalid=55683 / 25288888.31 ]			
Universe	Respondents who answered HCU_1A1 = (1, 7 or 8) or HCU_1AA = (7, 8)			
Literal question	What kind of place is it?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	288	116409.9	<div><div></div></div> 3.2%
2	COMM HLTH CENTRE	980	315389.5	<div><div></div></div> 8.8%
3	WALK-IN CLINIC	3435	2217941.6	<div><div></div></div> 61.8%
4	APPOINT CLINIC	523	154090.4	<div><div></div></div> 4.3%
5	TELEPHO H. LINE	65	24894.6	<div><div></div></div> 0.7%
6	EMERGENCY ROOM	1291	461557.3	<div><div></div></div> 12.9%
7	HOSP OUTPAT CLIN	285	96029.9	<div><div></div></div> 2.7%
8	OTHER	359	203216.9	<div><div></div></div> 5.7%
96	NOT APPLICABLE	55534	25232906.8	
97	DON'T KNOW	9	1191.3	
98	REFUSAL	0	0.0	
99	NOT STATED	140	54790.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHP_01: Overnight patient				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62881 / 28859561.85 ] [Invalid=28 / 18856.52 ]			
Universe	All respondents			
Literal question	In the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?			
Notes	Formerly HCU_01 before 2009.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6097	2306925.8	<div><div></div></div> 8.0%
2	NO	56784	26552636.0	<div><div></div></div> 92.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	24	14871.0	
8	REFUSAL	4	3985.5	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHPG02: No. of nights as patient - (G)				
Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]			
Statistics [NW/ W]	[Valid=62815 / 28835599.99 ] [Invalid=94 / 42818.38 ]			
Universe	Respondents who answered CHP_01 = (1, 7 or 8)			



# CHPG02: No. of nights as patient - (G)				
<b>Notes</b>		Formerly HCUG01A before 2009. Based on CHP_02. See documentation on derived variables.		
Value	Label	Cases	Weighted	Percentage (Weighted)
31	31 NIGHTS OR +	311	101252.8	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	94	42818.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# CHP_03: Consulted fam. doctor/gen. practitioner				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=62845 / 28846162.4 ] [Invalid=64 / 32255.97 ]		
<b>Universe</b>		All respondents.		
<b>Literal question</b>		[Not counting ...] In the past 12 months, have you seen, or talked to any of the following health professionals about your physical, emotional or mental health: a family doctor (pediatrician) or general practitioner?		
<b>Notes</b>		Formerly HCU_02AA before 2009.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	49787	22322373.1	77.4%
2	NO	13058	6523789.3	22.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	57	27541.6	
8	REFUSAL	3	728.9	
9	NOT STATED	4	3985.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# CHPG04: No. of consult. - family doctor - (G)				
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=62442 / 28694026.51 ] [Invalid=467 / 184391.86 ]		
<b>Universe</b>		Respondents who answered CHP_03 = (1, 7, 8) or CHP_01 = 8		
<b>Notes</b>		Formerly HCUG02A before 2009. Based on CHP_04. See documentation on derived variables.		
Value	Label	Cases	Weighted	Percentage (Weighted)
31	31+ CONSULTATION	157	59672.1	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	467	184391.9	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# CHPG05: Where was most recent contact - (G)				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=49752 / 22311924.94 ] [Invalid=13157 / 6566493.43 ]		
<b>Universe</b>		Respondents who answered CHP_03 = (1, 7, 8) or CHP_01 = 8		
<b>Notes</b>		Formerly HCUG03A before 2009. Based on CHP_05. See documentation on derived variables.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	39929	17760416.5	79.6%
2	HOSP EMERG ROOM	1504	588259.6	2.6%

# CHPG05: Where was most recent contact - (G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
3	HOSP OUTPAT CLIN	944	348134.0	<div><div></div></div> 1.6%
4	WALK-IN CLINIC	3307	2024118.9	<div><div></div></div> 9.1%
5	APPOINT CLINIC	2632	1095728.9	<div><div></div></div> 4.9%
6	COMM HLTH CENTRE	837	227533.7	<div><div></div></div> 1.0%
7	WORK/SCHOOL/OTH	252	142025.6	<div><div></div></div> 0.6%
8	AT HOME	206	64808.5	<div><div></div></div> 0.3%
9	TEL CONSULT ONLY	141	60899.4	<div><div></div></div> 0.3%
96	NOT APPLICABLE	13058	6523789.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	99	42704.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHP_06: Consulted with eye specialist				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62813 / 28832530.69 ] [Invalid=96 / 45887.68 ]			
Universe	All respondents			
Literal question	[Not counting ] In the past 12 months, have you seen, or talked to an eye specialist, such as an ophthalmologist or optometrist (about your physical, emotional or mental health)?			
Notes	Formerly HCU_02BB before 2009.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27419	11553540.6	<div><div></div></div> 40.1%
2	NO	35394	17278990.1	<div><div></div></div> 59.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	89	41019.5	
8	REFUSAL	3	882.7	
9	NOT STATED	4	3985.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHPG07: No. of consult. - eye specialist - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]			
Statistics [NW/ W]	[Valid=62765 / 28818338.18 ] [Invalid=144 / 60080.19 ]			
Universe	Respondents who answered CHP_06 = (1, 7, 8) or CHP_01 = 8			
Notes	Formerly HCUG02B before 2009. Based on CHP_07. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
0		35394	17278990.1	<div><div></div></div> 60.0%
1		21877	9462105.1	<div><div></div></div> 32.8%
2		3367	1318606.1	<div><div></div></div> 4.6%
3		930	352637.6	<div><div></div></div> 1.2%
4		520	177246.9	<div><div></div></div> 0.6%
5		180	67742.4	<div><div></div></div> 0.2%
6		224	81436.8	<div><div></div></div> 0.3%
7		57	16362.2	<div><div></div></div> 0.1%
8		59	17406.8	<div><div></div></div> 0.1%
9		22	6634.3	<div><div></div></div> 0.0%

# CHPG07: No. of consult. - eye specialist - (G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
10		42	14911.4	0.1%
11		5	820.7	0.0%
12	12+ CONSULTATION	88	23437.9	0.1%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	144	60080.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHP_08: Consulted with other medical doctor				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62845 / 28850401.23 ] [Invalid=64 / 28017.14 ]			
Universe	All respondents			
Literal question	[Not counting ] In the past 12 months, have you seen, or talked to any other medical doctor or specialist such as a surgeon, allergist, orthopaedist, [gynaecologist/urologist] or psychiatrist (about your physical, emotional or mental health)?			
Notes	Formerly HCU_02CC before 2009.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19267	8756087.6	<div></div> 30.3%
2	NO	43578	20094313.6	<div></div> 69.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	54	22336.5	
8	REFUSAL	6	1695.1	
9	NOT STATED	4	3985.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHPG09: No. of consult. - other doctor - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]			
Statistics [NW/ W]	[Valid=62741 / 28810383.5 ] [Invalid=168 / 68034.87 ]			
Universe	Respondents who answered CHP_08 = (1, 7, 8) or CHP_01 = 8			
Notes	Formerly HCUG02C before 2009. Based on CHP_09. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
0		43578	20094313.6	<div></div> 69.7%
1		7927	3590980.5	<div></div> 12.5%
2		4599	2134420.1	<div></div> 7.4%
3		2209	975452.7	<div></div> 3.4%
4		1424	645693.5	<div></div> 2.2%
5		659	306896.3	<div></div> 1.1%
6		662	289921.9	<div></div> 1.0%
7		196	78660.9	<div></div> 0.3%
8		264	129631.0	<div></div> 0.4%
9		84	33995.6	<div></div> 0.1%
10		250	119976.4	<div></div> 0.4%
11		34	16478.4	<div></div> 0.1%
12	12+ CONSULTATION	855	393962.7	<div></div> 1.4%
96	NOT APPLICABLE	0	0.0	

**# CHPG09: No. of consult. - other doctor - (G)**

Value	Label	Cases	Weighted	Percentage (Weighted)
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	168	68034.9	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CHPG10: Where was most recent contact - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]			
Statistics [NW/ W]	[Valid=19232 / 8744126.36 ] [Invalid=43677 / 20134292.01 ]			
Universe	Respondents who answered CHP_08 = (1, 7, 8) or CHP_01 = 8			
Notes	Formerly HCUG03C before 2009. Based on CHP_10. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	11089	5242700.3	<div><div></div></div> 60.0%
2	HOSP EMERG ROOM	680	278903.7	<div><div></div></div> 3.2%
3	HOSP OUTPAT CLIN	5071	2119910.6	<div><div></div></div> 24.2%
4	WALK-IN CLINIC	225	117480.3	<div><div></div></div> 1.3%
5	APPOINT CLINIC	1525	698577.2	<div><div></div></div> 8.0%
6	COMM HLTH CENTRE	182	69490.8	<div><div></div></div> 0.8%
7	WORK/SCHOOL/OTH	364	185072.7	<div><div></div></div> 2.1%
8	AT HOME	32	9405.4	<div><div></div></div> 0.1%
9	TEL CONSULT ONLY	64	22585.4	<div><div></div></div> 0.3%
96	NOT APPLICABLE	43578	20094313.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	99	39978.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHP_11: Consulted with nurse				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62851 / 28846465.27 ] [Invalid=58 / 31953.1 ]			
Universe	All respondents			
Literal question	[Not counting ...] In the past 12 months, have you seen, or talked to a nurse for care or advice about your physical, emotional or mental health?			
Notes	Formerly HCU_02DD before 2009.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9255	3657847.8	<div><div></div></div> 12.7%
2	NO	53596	25188617.5	<div><div></div></div> 87.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	47	26012.9	
8	REFUSAL	7	1954.7	
9	NOT STATED	4	3985.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHPG12: No. of consult. - nurse - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]			
Statistics [NW/ W]	[Valid=62701 / 28803031.03 ] [Invalid=208 / 75387.34 ]			
Universe	Respondents who answered CHP_11 = (1, 7, 8) or CHP_01 = 8			
Notes	Formerly HCUG02D before 2009. Based on CHP_12. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
0		53596	25188617.5	<div><div></div></div> 87.5%
1		3670	1577335.8	<div><div></div></div> 5.5%
2		1809	736898.4	<div><div></div></div> 2.6%

# CHPG12: No. of consult. - nurse - (G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
3		842	335920.9	1.2%
4		657	230799.9	0.8%
5		304	121856.5	0.4%
6		355	125976.6	0.4%
7		79	34536.5	0.1%
8		97	30219.8	0.1%
9		26	6239.0	0.0%
10		194	74587.8	0.3%
11		7	1216.1	0.0%
12	12+ CONSULTATION	1065	338826.3	1.2%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	208	75387.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHPG13: Where was most recent contact - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]			
Statistics [NW/ W]	[Valid=9238 / 3653705.94 ] [Invalid=53671 / 25224712.43 ]			
Universe	Respondents who answered CHP_11 = (1, 7, 8) or CHP_01 = 8			
Notes	Formerly HCUG03D before 2009. Based on CHP_13. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOCTOR'S OFFICE	1349	550807.0	15.1%
2	HOSP EMERG ROOM	855	386195.5	10.6%
3	HOSP OUTPAT CLIN	1109	443237.8	12.1%
4	WALK-IN CLINIC	489	216759.6	5.9%
5	APPOINT CLINIC	702	249845.3	6.8%
6	COMM HLTH CENTRE	1372	426452.3	11.7%
7	WORK/SCHOOL/OTH	1165	500862.3	13.7%
8	AT HOME	1330	457826.9	12.5%
9	TEL CONSULT ONLY	867	421719.3	11.5%
96	NOT APPLICABLE	53596	25188617.5	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	75	36095.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHP_14: Consulted with dentist or orthodontist				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62859 / 28857704.36 ] [Invalid=50 / 20714.01 ]			
Universe	All respondents			
Literal question	[Not counting ...] In the past 12 months, have you seen, or talked to a dentist, dental hygienist or orthodontist (about your physical, emotional or mental health)?			
Notes	Formerly HCU_02EE before 2009.			

# CHP_14: Consulted with dentist or orthodontist				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	39489	18959636.2	<div><div></div></div> 65.7%
2	NO	23370	9898068.2	<div><div></div></div> 34.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	43	15912.8	
8	REFUSAL	3	815.6	
9	NOT STATED	4	3985.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHPG15: No. of consult. - dentist/orthod. - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]			
Statistics [NW/ W]	[Valid=62511 / 28686962.49 ] [Invalid=398 / 191455.88 ]			
Universe	Respondents who answered CHP_14 = (1, 7, 8) or CHP_01 = 8			
Notes	Formerly HCUG02E before 2009. Based on CHP_15. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
0		23370	9898068.2	<div><div></div></div> 34.5%
1		16449	7821720.3	<div><div></div></div> 27.3%
2		14020	6905862.7	<div><div></div></div> 24.1%
3		3952	1853562.5	<div><div></div></div> 6.5%
4		2302	1084018.6	<div><div></div></div> 3.8%
5		732	324575.0	<div><div></div></div> 1.1%
6		595	283913.3	<div><div></div></div> 1.0%
7		174	90707.8	<div><div></div></div> 0.3%
8		180	89033.6	<div><div></div></div> 0.3%
9		48	18985.6	<div><div></div></div> 0.1%
10		191	81673.8	<div><div></div></div> 0.3%
11		21	10167.4	<div><div></div></div> 0.0%
12	12+ CONSULTATION	477	224673.6	<div><div></div></div> 0.8%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	398	191455.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHP_16: Consulted with chiropractor				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62871 / 28858570.29 ] [Invalid=38 / 19848.08 ]			
Universe	All respondents			
Literal question	[Not counting ...] In the past 12 months, have you seen, or talked to a chiropractor (about your physical, emotional or mental health)?			
Notes	Formerly HCU_02FF before 2009.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7506	3312020.1	<div><div></div></div> 11.5%
2	NO	55365	25546550.2	<div><div></div></div> 88.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	31	15046.9	

# CHP_16: Consulted with chiropractor				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	3	815.6	
9	NOT STATED	4	3985.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHPG17: No. of consult. - chiropractor - (G)				
Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]			
Statistics [NW/ W]	[Valid=62815 / 28837927.27 ] [Invalid=94 / 40491.1 ]			
Universe	Respondents who answered CHP_16 = (1, 7, 8) or CHP_01 = 8			
Notes	Respondents who answered CHP_16 = (1, 7, 8) or CHP_01 = 8 Note Formerly HCUG02F before 2009. Based on CHP_17. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
31	31+ CONSULTATION	297	121852.3	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	94	40491.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHP_18: Consulted with physiotherapist				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62864 / 28850230.1 ] [Invalid=45 / 28188.27 ]			
Universe	All respondents			
Literal question	[Not counting ...] In the past 12 months, have you seen, or talked to a physiotherapist (about your physical, emotional or mental health)?			
Notes	Formerly HCU_02GG before 2009.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6058	2858605.2	9.9%
2	NO	56806	25991624.9	90.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	37	22986.3	
8	REFUSAL	4	1216.5	
9	NOT STATED	4	3985.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHPG19: No. of consult. - physiotherapist - (G)				
Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]			
Statistics [NW/ W]	[Valid=62791 / 28818948.69 ] [Invalid=118 / 59469.68 ]			
Universe	Respondents who answered CHP_18 = (1, 7, 8) or CHP_01 = 8			
Notes	Formerly HCUG02G before 2009. Based on CHP_19. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
31	31+ CONSULTATION	384	157152.4	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	118	59469.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				



# CHP_20: Consulted with psychologist					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=62867 / 28856862.9 ] [Invalid=42 / 21555.47 ]				
Universe	All respondents				
Literal question	[Not counting ...] In the past 12 months, have you seen, or talked to a psychologist (about your physical, emotional or mental health)?				
Notes	Formerly HCU_02II before 2009.				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2019	1089926.7	<div></div>	3.8%
2	NO	60848	27766936.2	<div></div>	96.2%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	34	16353.5		
8	REFUSAL	4	1216.5		
9	NOT STATED	4	3985.5		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# CHPG21: No. of consult. - psychologist - (G)					
Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]				
Statistics [NW/ W]	[Valid=62844 / 28850113.44 ] [Invalid=65 / 28304.93 ]				
Universe	Respondents who answered CHP_20 = (1, 7, 8) or CHP_01 = 8				
Notes	Formerly HCUG02I before 2009. Based on CHP_21. See documentation on derived variables.				
Value	Label	Cases	Weighted	Percentage (Weighted)	
0		60848	27766936.2	<div></div>	96.2%
1		429	221266.9	<div></div>	0.8%
2		305	182233.0	<div></div>	0.6%
3		217	117476.7	<div></div>	0.4%
4		184	93263.5	<div></div>	0.3%
5		121	61715.7	<div></div>	0.2%
6		154	77902.4	<div></div>	0.3%
7		32	23128.8	<div></div>	0.1%
8		63	22274.9	<div></div>	0.1%
9		18	8640.0	<div></div>	0.0%
10		113	86034.3	<div></div>	0.3%
11		6	2346.7	<div></div>	0.0%
12	12+ CONSULTATION	354	186894.4	<div></div>	0.6%
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	65	28304.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# CHP_22: Consulted with social worker/counsellor					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=62873 / 28861963.22 ] [Invalid=36 / 16455.15 ]				
Universe	All respondents				
Literal question	[Not counting ...] In the past 12 months, have you seen, or talked to a social worker or counsellor (about your physical, emotional or mental health)?				

# CHP_22: Consulted with social worker/counsellor						
Notes		Formerly HCU_02HH before 2009.				
Value	Label	Cases	Weighted	Percentage (Weighted)		
1	YES	3563	1404709.5	<div><div></div></div> 4.9%	<div><div></div></div> 95.1%	
2	NO	59310	27457253.7			
6	NOT APPLICABLE	0	0.0			
7	DON'T KNOW	27	11115.2			
8	REFUSAL	5	1354.5			
9	NOT STATED	4	3985.5			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.						
# CHPG23: No. of consult. - social worker - (G)						
Information		[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]				
Statistics [NW/ W]		[Valid=62809 / 28842482.69 ] [Invalid=100 / 35935.68 ]				
Universe		Respondents who answered CHP_22 = (1, 7, 8) or CHP_01 = 8				
Notes		Formerly HCUG02H before 2009. Based on CHP_23. See documentation on derived variables.				
Value	Label	Cases	Weighted	Percentage (Weighted)		
0		59310	27457253.7	<div><div></div></div> 95.2%	<div><div></div></div> 0.9%	
1		816	352678.8	<div><div></div></div> 1.2%		
2		573	238633.4	<div><div></div></div> 0.8%		
3		377	150137.6	<div><div></div></div> 0.5%		
4		314	116871.1	<div><div></div></div> 0.4%		
5		221	82571.8	<div><div></div></div> 0.3%		
6		237	81796.3	<div><div></div></div> 0.3%		
7		47	16580.8	<div><div></div></div> 0.1%		
8		84	35272.0	<div><div></div></div> 0.1%		
9		23	6200.5	<div><div></div></div> 0.0%		
10		129	54566.0	<div><div></div></div> 0.2%		
11		6	3056.3	<div><div></div></div> 0.0%		
12	12+ CONSULTATION	672	246864.3	<div><div></div></div> 0.9%		
96	NOT APPLICABLE	0	0.0			
97	DON'T KNOW	0	0.0			
98	REFUSAL	0	0.0			
99	NOT STATED	100	35935.7			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.						
# CHP_24: Consulted with speech/aud./occ. ther.						
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]		[Valid=62879 / 28861191.86 ] [Invalid=30 / 17226.51 ]				
Universe		All respondents				
Literal question		[Not counting ...] In the past 12 months, have you seen, or talked to a speech, audiology or occupational therapist (about your physical, emotional or mental health)?				
Notes		Formerly HCU_02JJ before 2009.				
Value	Label	Cases	Weighted	Percentage (Weighted)		
1	YES	2417	867334.0	<div><div></div></div> 3.0%	<div><div></div></div> 97.0%	
2	NO	60462	27993857.9			
6	NOT APPLICABLE	0	0.0			

# CHP_24: Consulted with speech/aud./occ. ther.				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	22	12213.4	
8	REFUSAL	4	1027.6	
9	NOT STATED	4	3985.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHPG25: No. of consult. speech/aud./occ.th.(G)				
Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]			
Statistics [NW/ W]	[Valid=62857 / 28855309.31 ] [Invalid=52 / 23109.06 ]			
Universe	Respondents who answered CHP_24 = (1, 7, 8) or CHP_01 = 8			
Notes	Formerly HCUG02J before 2009. Based on CHP_25. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
0		60462	27993857.9	97.0%
1		1513	562470.5	1.9%
2		387	112227.8	0.4%
3		188	61158.6	0.2%
4		88	32089.6	0.1%
5		43	17082.8	0.1%
6		53	19168.7	0.1%
7		9	3289.4	0.0%
8		16	3881.6	0.0%
9		1	132.0	0.0%
10		23	9571.4	0.0%
12	12+ CONSULTATION	74	40379.1	0.1%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	52	23109.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHPGMDC: No. of consult. w/medical doctor (D,G)				
Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]			
Statistics [NW/ W]	[Valid=62335 / 28652193.46 ] [Invalid=574 / 226224.91 ]			
Universe	All respondents			
Notes	Formerly HCUGMDC before 2009. Based on CHPDMDC. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
31	31+ CONSULTATION	430	191393.3	100.0%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	574	226224.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CHPFCOP: Consultations - hlth professionals - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62723 / 28796732.71 ] [Invalid=186 / 81685.66 ]			
Universe	All respondents			

# CHPFCOP: Consultations - hlth professionals - (F)					
<b>Literal question</b>		Consultations - hlth professionals - (F)			
<b>Notes</b>		Formerly HCUFCOP before 2009. Based on CHP_04, CHP_07, CHP_09, CHP_12, CHP_15, CHP_17, CHP_19, CHP_21, CHP_23, CHP_25. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	59534	27112785.0	<div></div>	94.2%
2	NO	3189	1683947.7	<div></div>	5.8%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	186	81685.7		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# DOUCN: Module: UCN - (F)					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]			
<b>Universe</b>		All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	62909	28878418.4	<div></div>	100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# UCN_010: Unmet health care needs - self-perceived					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=62792 / 28830796.68 ] [Invalid=117 / 47621.69 ]			
<b>Universe</b>		DOUCN = 1			
<b>Literal question</b>		During the past 12 months, was there ever a time when you felt that you needed health care but you didn't receive it?			
<b>Notes</b>		Formerly HMC_14 before 2010.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6915	3288870.8	<div></div>	11.4%
2	NO	55877	25541925.9	<div></div>	88.6%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	110	44226.0		
8	REFUSAL	7	3395.7		
9	NOT STATED	0	0.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# UCN_020A: Care not rec'd - not avail. in area					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=6894 / 3284791.98 ] [Invalid=56015 / 25593626.39 ]			
<b>Universe</b>		DOUCN = 1 and UCN_010 = 1			
<b>Literal question</b>		Thinking of the most recent time, why didn't you get care? - Not available - in the area			
<b>Notes</b>		Formerly HMC_15A before 2010.			

# UCN_020A: Care not rec'd - not avail. in area				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	859	339899.9	<div><div></div></div> 10.3%
2	NO	6035	2944892.0	<div><div></div></div> 89.7%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	20	3562.2	
8	REFUSAL	1	516.5	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_020B: Care not rec'd - not avail. time req'd				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6894 / 3284791.98 ] [Invalid=56015 / 25593626.39 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Thinking of the most recent time, why didn't you get care? - Not available - at time required (e.g. doctor on holidays, inconvenient hours)			
Notes	Formerly HMC_15B before 2010.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1125	559515.8	<div><div></div></div> 17.0%
2	NO	5769	2725276.2	<div><div></div></div> 83.0%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	20	3562.2	
8	REFUSAL	1	516.5	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_020C: Care not rec'd - wait too long				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6894 / 3284791.98 ] [Invalid=56015 / 25593626.39 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Thinking of the most recent time, why didn't you get care? - Waiting time too long			
Notes	Formerly HMC_15C before 2010.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2443	1259008.2	<div><div></div></div> 38.3%
2	NO	4451	2025783.8	<div><div></div></div> 61.7%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	20	3562.2	
8	REFUSAL	1	516.5	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_020D: Care not rec'd - felt be inadequate				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6894 / 3284791.98 ] [Invalid=56015 / 25593626.39 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Thinking of the most recent time, why didn't you get care? - Felt would be inadequate			
Notes	Formerly HMC_15D before 2010.			

# UCN_020D: Care not rec'd - felt be inadequate				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	329	131568.9	<div><div></div></div> 4.0%
2	NO	6565	3153223.1	<div><div></div></div> 96.0%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	20	3562.2	
8	REFUSAL	1	516.5	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_020E: Care not rec'd - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6894 / 3284791.98 ] [Invalid=56015 / 25593626.39 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Thinking of the most recent time, why didn't you get care? - Cost			
Notes	Formerly HMC_15E before 2010.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	511	301452.8	<div><div></div></div> 9.2%
2	NO	6383	2983339.2	<div><div></div></div> 90.8%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	20	3562.2	
8	REFUSAL	1	516.5	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_020F: Care not rec'd - too busy				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6894 / 3284791.98 ] [Invalid=56015 / 25593626.39 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Thinking of the most recent time, why didn't you get care? - Too busy			
Notes	Formerly HMC_15F before 2010.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	391	228540.3	<div><div></div></div> 7.0%
2	NO	6503	3056251.7	<div><div></div></div> 93.0%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	20	3562.2	
8	REFUSAL	1	516.5	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_020G: Care not rec'd - didn't get around it				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6894 / 3284791.98 ] [Invalid=56015 / 25593626.39 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Thinking of the most recent time, why didn't you get care? - Didn't get around to it / didn't bother			
Notes	Formerly HMC_15G before 2010.			

# UCN_020G: Care not rec'd - didn't get around it				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	387	187772.4	5.7%
2	NO	6507	3097019.6	94.3%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	20	3562.2	
8	REFUSAL	1	516.5	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_020H: Care not rec'd - decided not seek care				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6894 / 3284791.98 ] [Invalid=56015 / 25593626.39 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Thinking of the most recent time, why didn't you get care? - Decided not to seek care			
Notes	Formerly HMC_15K before 2010			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	433	206975.7	6.3%
2	NO	6461	3077816.3	93.7%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	20	3562.2	
8	REFUSAL	1	516.5	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_020I: Care not rec'd - doctor think not nec.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6894 / 3284791.98 ] [Invalid=56015 / 25593626.39 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Thinking of the most recent time, why didn't you get care? - Doctor - didn't think it was necessary			
Notes	Formerly HMC_15L before 2010.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	479	190735.3	5.8%
2	NO	6415	3094056.7	94.2%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	20	3562.2	
8	REFUSAL	1	516.5	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_020J: Care not rec'd - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6894 / 3284791.98 ] [Invalid=56015 / 25593626.39 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Thinking of the most recent time, why didn't you get care? - Other			
Notes	Formerly HMC_15M before 2010.			

# UCN_020J: Care not rec'd - other				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1613	713833.9	<div><div></div></div> 21.7%
2	NO	5281	2570958.1	<div><div></div></div> 78.3%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	20	3562.2	
8	REFUSAL	1	516.5	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_030A: Type care not rec'd - physical hlth prob				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6896 / 3283761.72 ] [Invalid=56013 / 25594656.65 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - a physical health problem			
Notes	Formerly HCU_n_08A before 2010.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4642	2190566.1	<div><div></div></div> 66.7%
2	NO	2254	1093195.6	<div><div></div></div> 33.3%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	14	4478.9	
8	REFUSAL	5	630.2	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_030B: Type care not rec'd - emotional problem				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6896 / 3283761.72 ] [Invalid=56013 / 25594656.65 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - an emotional or mental health problem			
Notes	Formerly HCU_n_08B before 2010.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	646	294488.0	<div><div></div></div> 9.0%
2	NO	6250	2989273.7	<div><div></div></div> 91.0%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	14	4478.9	
8	REFUSAL	5	630.2	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_030C: Type care not rec'd - regular check-up				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6896 / 3283761.72 ] [Invalid=56013 / 25594656.65 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including regular pre-natal care)			



# UCN_030C: Type care not rec'd - regular check-up				
Notes		Formerly HCU_n_08C before 2010.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	630	321156.2	9.8%
2	NO	6266	2962605.5	90.2%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	14	4478.9	
8	REFUSAL	5	630.2	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_030D: Type care not rec'd - care of injury				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=6896 / 3283761.72 ] [Invalid=56013 / 25594656.65 ]		
Universe		DOUCN = 1 and UCN_010 = 1		
Literal question		Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury		
Notes		Formerly HCU_n_08D before 2010.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	576	315823.8	9.6%
2	NO	6320	2967937.9	90.4%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	14	4478.9	
8	REFUSAL	5	630.2	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_030E: Type care not rec'd - other				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=6896 / 3283761.72 ] [Invalid=56013 / 25594656.65 ]		
Universe		DOUCN = 1 and UCN_010 = 1		
Literal question		Again, thinking of the most recent time, what was the type of care that was needed? - Other - Specify		
Notes		Formerly HCU_n_08E before 2010.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	861	402654.9	12.3%
2	NO	6035	2881106.8	87.7%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	14	4478.9	
8	REFUSAL	5	630.2	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_040A: Tried get serv. - doctor's office				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=6807 / 3252734.88 ] [Invalid=56102 / 25625683.49 ]		
Universe		DOUCN = 1 and UCN_010 = 1		
Literal question		Where did you try to get the service you were seeking? - Doctor's office		
Notes		Formerly HCU_n_09A before 2010.		

# UCN_040A: Tried get serv. - doctor's office				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2837	1314486.4	<div><div></div></div> 40.4%
2	NO	3970	1938248.5	<div><div></div></div> 59.6%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	98	33688.0	
8	REFUSAL	10	2447.9	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_040B: Tried get serv. - comm. hlth centre/CLSC				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6807 / 3252734.88 ] [Invalid=56102 / 25625683.49 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Where did you try to get the service you were seeking? - Community health centre / CLSC			
Notes	Formerly HCU_n_09G before 2010.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	380	148472.7	<div><div></div></div> 4.6%
2	NO	6427	3104262.2	<div><div></div></div> 95.4%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	98	33688.0	
8	REFUSAL	10	2447.9	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_040C: Tried get serv. - walk-in clinic				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6807 / 3252734.88 ] [Invalid=56102 / 25625683.49 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Where did you try to get the service you were seeking? - Walk-in clinic			
Notes	Formerly HCU_n_09E before 2010.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	827	520942.8	<div><div></div></div> 16.0%
2	NO	5980	2731792.1	<div><div></div></div> 84.0%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	98	33688.0	
8	REFUSAL	10	2447.9	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_040D: Tried get serv. - appointment clinic				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6807 / 3252734.88 ] [Invalid=56102 / 25625683.49 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Where did you try to get the service you were seeking? - Appointment clinic			
Notes	Formerly HCU_n_09F before 2010.			

# UCN_040D: Tried get serv. - appointment clinic				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	425	208928.8	6.4%
2	NO	6382	3043806.1	93.6%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	98	33688.0	
8	REFUSAL	10	2447.9	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_040E: Tried get serv. - hospital emergency				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6807 / 3252734.88 ] [Invalid=56102 / 25625683.49 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Location tried to get service - hospital emergency room			
Notes	Formerly HCU_n_09B before 2010.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1097	487964.0	15.0%
2	NO	5710	2764770.8	85.0%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	98	33688.0	
8	REFUSAL	10	2447.9	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_040F: Tried get serv. - hsp. outpatient clinic				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6807 / 3252734.88 ] [Invalid=56102 / 25625683.49 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Where did you try to get the service you were seeking? - Hospital - outpatient clinic			
Notes	Formerly HCU_n_09D before 2010.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	688	322869.2	9.9%
2	NO	6119	2929865.6	90.1%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	98	33688.0	
8	REFUSAL	10	2447.9	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UCN_040G: Tried get serv. - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6807 / 3252734.88 ] [Invalid=56102 / 25625683.49 ]			
Universe	DOUCN = 1 and UCN_010 = 1			
Literal question	Where did you try to get the service you were seeking? - Other			
Notes	Formerly HCU_n_09H before 2010.			

# UCN_040G: Tried get serv. - other				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1351	639729.8	<div><div></div></div> 19.7%
2	NO	5456	2613005.1	<div><div></div></div> 80.3%
6	NOT APPLICABLE	55877	25541925.9	
7	DON'T KNOW	98	33688.0	
8	REFUSAL	10	2447.9	
9	NOT STATED	117	47621.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOPAS: Module: PAS - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21526	11260192.6	<div><div></div></div> 39.1%
2	NO	39750	17536124.8	<div><div></div></div> 60.9%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAS_11: Rec'd health care services				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=20189 / 10602416 ] [Invalid=42720 / 18276002.37 ]			
Universe	Respondents from Ontario were accidentally excluded from this module in January and February 2009, which explains the high number of "Not stated" in this question.			
Literal question	In the past 12 months, have you received any health care services?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19378	10075864.7	<div><div></div></div> 95.0%
2	NO	811	526551.3	<div><div></div></div> 5.0%
6	NOT APPLICABLE	42318	18082978.3	
7	DON'T KNOW	2	810.3	
8	REFUSAL	2	666.4	
9	NOT STATED	398	191547.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAS_12: Rating of quality of care rec'd				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=19301 / 10039425.33 ] [Invalid=43608 / 18838993.04 ]			
Universe	Respondents with DOPAS = 1 who answered PAS_11 = (1, 7, 8) or HCU_01 = (1, 7, 8) or at least one of HCU_02AA to HCU_02JJ = (1, 7,8)			
Literal question	Overall, how would you rate the quality of health care you received? Would you say it was: (excellent, good, fair, poor)?			
Notes	Formerly SATA_12 in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	8505	4068923.1	<div><div></div></div> 40.5%

# PAS_12: Rating of quality of care rec'd				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	GOOD	8791	4773127.2	<div><div></div></div> 47.5%
3	FAIR	1639	980288.9	<div><div></div></div> 9.8%
4	POOR	366	217086.2	<div><div></div></div> 2.2%
6	NOT APPLICABLE	43129	18609529.6	
7	DON'T KNOW	69	33690.4	
8	REFUSAL	8	2748.9	
9	NOT STATED	402	193024.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAS_13: Satisfaction with way care provided				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=19288 / 10035675.48 ] [Invalid=43621 / 18842742.89 ]			
Universe	Respondents with DOPAS = 1 who answered PAS_11 = (1, 7, 8) or HCU_01 = (1, 7, 8) or at least one of HCU_02AA to HCU_02JJ = (1, 7,8)			
Literal question	Overall, how satisfied were you with the way health care services were provided? Were you: (very satisfied, somewhat satisfied, neither satisfied nor dissatisfied, somewhat dissatisfied, very dissatisfied)?			
Notes	Formerly SATA_13 in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	10388	5059184.5	<div><div></div></div> 50.4%
2	SOMEWAT SAT.	6844	3747870.3	<div><div></div></div> 37.3%
3	NEITHER	824	555837.5	<div><div></div></div> 5.5%
4	SOMEWHAT DISSAT.	892	463316.3	<div><div></div></div> 4.6%
5	VERY DISSAT.	340	209466.9	<div><div></div></div> 2.1%
6	NOT APPLICABLE	43129	18609529.6	
7	DON'T KNOW	83	38211.4	
8	REFUSAL	7	1977.8	
9	NOT STATED	402	193024.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAS_21A: Rec'd health care services at hospital				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=19357 / 10066156.05 ] [Invalid=43552 / 18812262.32 ]			
Universe	Respondents with DOPAS = 1 who answered PAS_11 = (1, 7, 8) or HCU_01 = (1, 7, 8) or at least one of HCU_02AA to HCU_02JJ = (1, 7,8)			
Literal question	In the past 12 months, have you received any health care services at a hospital, for any diagnostic or day surgery, overnight stay, or as an emergency room patient?			
Notes	Formerly SATA_21A in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6376	2840531.0	<div><div></div></div> 28.2%
2	NO	12981	7225625.0	<div><div></div></div> 71.8%
6	NOT APPLICABLE	43129	18609529.6	
7	DON'T KNOW	20	9183.9	
8	REFUSAL	1	524.7	
9	NOT STATED	402	193024.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# PAS_21B: Type of patient - most recent visit				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=6371 / 2837393.14 ] [Invalid=56538 / 26041025.23 ]			
Universe	Respondents with DOPAS = 1 who answered PAS_21A = (1, 7, 8) or PAS_11 = (7, 8) or HCU_01 = 8 or at least one of HCU_02AA to HCU_02JJ = (1, 7,8)			
Literal question	Thinking of your most recent hospital visit, were you: (admitted overnight or longer, a patient at a diagnostic or day surgery clinic, an emergency room patient)?			
Notes	Formerly SATA_21B in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ADMTED OVERNIGHT	1071	463214.3	<div><div></div></div> 16.3%
2	OUTPATIENT	3000	1319982.0	<div><div></div></div> 46.5%
3	ER PATIENT	2300	1054196.9	<div><div></div></div> 37.2%
6	NOT APPLICABLE	56110	25835154.6	
7	DON'T KNOW	4	1232.4	
8	REFUSAL	1	1905.5	
9	NOT STATED	423	202732.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAS_22: Rating quality care rec'd - hospital				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=6358 / 2834388.43 ] [Invalid=56551 / 26044029.94 ]			
Universe	Respondents with DOPAS = 1 who answered PAS_21A = (1, 7, 8) or PAS_11 = (7, 8) or HCU_01 = 8 or at least one of HCU_02AA to HCU_02JJ = (1, 7,8)			
Literal question	How would you rate the quality of the care you received? Would you say it was: (excellent, good, fair, poor)?			
Notes	Formerly SATA_22 in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	3375	1397853.3	<div><div></div></div> 49.3%
2	GOOD	2094	976525.0	<div><div></div></div> 34.5%
3	FAIR	548	265292.4	<div><div></div></div> 9.4%
4	POOR	341	194717.8	<div><div></div></div> 6.9%
6	NOT APPLICABLE	56110	25835154.6	
7	DON'T KNOW	12	2960.9	
8	REFUSAL	1	43.8	
9	NOT STATED	428	205870.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAS_23: Satisfaction w/way care provided - hosp.				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=6354 / 2834080.62 ] [Invalid=56555 / 26044337.75 ]			
Universe	Respondents with DOPAS = 1 who answered PAS_21A = (1, 7, 8) or PAS_11 = (7, 8) or HCU_01 = 8 or at least one of HCU_02AA to HCU_02JJ = (1, 7,8)			
Literal question	How satisfied were you with the way hospital services were provided? Were you: (very satisfied, somewhat satisfied, neither satisfied nor dissatisfied, somewhat dissatisfied, very dissatisfied)?			
Notes	Formerly SATA_23 in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	3645	1530818.3	<div><div></div></div> 54.0%
2	SOMEWAT SAT.	1772	824944.2	<div><div></div></div> 29.1%

# **# PAS\_23: Satisfaction w/way care provided - hosp.**

Value	Label	Cases	Weighted	Percentage (Weighted)
3	NEITHER	255	114264.0	<div></div> 4.0%
4	SOMEWHAT DISSAT.	374	202960.8	<div></div> 7.2%
5	VERY DISSAT.	308	161093.4	<div></div> 5.7%
6	NOT APPLICABLE	56110	25835154.6	
7	DON'T KNOW	15	3185.8	
8	REFUSAL	2	126.7	
9	NOT STATED	428	205870.6	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAS_31A: Rec'd physician care				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=19360 / 10066876.08 ] [Invalid=43549 / 18811542.29 ]			
Universe	Respondents with DOPAS = 1 who answered PAS_11 = (1, 7, 8) or HCU_01 = (1, 7, 8) or at least one of HCU_02AA to HCU_02JJ = (1, 7,8)			
Literal question	In the past 12 months, not counting hospital visits, have you received any health care services from a family doctor or other physician?			
Notes	Formerly SATA_31A in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12821	6680571.5	<div><div></div></div> 66.4%
2	NO	6539	3386304.6	<div><div></div></div> 33.6%
6	NOT APPLICABLE	43129	18609529.6	
7	DON'T KNOW	18	8988.6	
8	REFUSAL	0	0.0	
9	NOT STATED	402	193024.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAS_31B: Type of physician - most recent care				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=12797 / 6670960.3 ] [Invalid=50112 / 22207458.07 ]			
Universe	Respondents with DOPAS = 1 who answered PAS_31A = (1, 7, 8) or PAS_11 = (7, 8) or HCU_01 = 8 or at least one of HCU_02AA to HCU_02JJ = (1, 7,8)			
Literal question	In the past 12 months, not counting hospital visits, have you received any health care services from a family doctor or other physician?			
Notes	Formerly SATA_31B in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	FAMILY DOCTOR	10666	5609006.9	<div><div></div></div> 84.1%
2	SPECIALIST	2131	1061953.4	<div><div></div></div> 15.9%
6	NOT APPLICABLE	49668	21995834.2	
7	DON'T KNOW	22	8948.1	
8	REFUSAL	2	663.1	
9	NOT STATED	420	202012.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAS_32: Rating of quality of care rec'd - phy.				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=12784 / 6664235.88 ] [Invalid=50125 / 22214182.49 ]			
Universe	Respondents with DOPAS = 1 who answered PAS_31A = (1, 7, 8) or PAS_11 = (7, 8) or HCU_01 = 8 or at least one of HCU_02AA to HCU_02JJ = (1, 7,8)			
Literal question	How would you rate the quality of the care you received? Would you say it was: (excellent, good, fair, poor)?			
Notes	Formerly SATA_32 in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	7493	3717047.6	<div><div></div></div> 55.8%
2	GOOD	4244	2359561.3	<div><div></div></div> 35.4%
3	FAIR	800	439055.4	<div><div></div></div> 6.6%
4	POOR	247	148571.5	<div><div></div></div> 2.2%
6	NOT APPLICABLE	49668	21995834.2	



# PAS_32: Rating of quality of care rec'd - phy.				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	13	6724.4	
8	REFUSAL	0	0.0	
9	NOT STATED	444	211623.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAS_33: Satisfaction w/way care provided - phy.				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=12779 / 6665877.2 ] [Invalid=50130 / 22212541.17 ]			
Universe	Respondents with DOPAS = 1 who answered PAS_31A = (1, 7, 8) or PAS_31B (7, 8) or PAS_11 = (7, 8) or HCU_01 = 8 or at least one of HCU_02AA to HCU_02JJ = (1, 7,8)			
Literal question	How satisfied were you with the way physician care was provided? Were you: (very satisfied, somewhat satisfied, neither satisfied nor dissatisfied, somewhat dissatisfied, very dissatisfied)?			
Notes	Formerly SATA_33 in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	8511	4230415.7	<div><div></div></div> 63.5%
2	SOMEWAT SAT.	3286	1842281.7	<div><div></div></div> 27.6%
3	NEITHER	366	244723.7	<div><div></div></div> 3.7%
4	SOMEWHAT DISSAT.	432	243561.0	<div><div></div></div> 3.7%
5	VERY DISSAT.	184	104895.0	<div><div></div></div> 1.6%
6	NOT APPLICABLE	49668	21995834.2	
7	DON'T KNOW	17	4496.8	
8	REFUSAL	1	586.3	
9	NOT STATED	444	211623.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOPSC: Module: PSC - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12000	4725494.8	<div><div></div></div> 16.4%
2	NO	49276	24070822.6	<div><div></div></div> 83.6%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PSC_1: Received any community-based care				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=11250 / 4445469.15 ] [Invalid=51659 / 24432949.22 ]			
Universe	Respondents aged 15 and over with DOPSC = 1 who answered PAS_11 = (1, 7, 8) or HCU_01 = (1, 7, 8) or at least one of HCU_02AA to HCU_02JJ = (1, 7, 8)			
Literal question	Respondents aged 15 and over with DOPSC = 1 who answered PAS_11 = (1, 7, 8) or HCU_01 = (1, 7, 8) or at least one of HCU_02AA to HCU_02JJ = (1, 7, 8)			
Notes	Respondents from Ontario were accidentally excluded from this module in January and February 2009, which explains the high number of "Not stated" in this question.			

# PSC_1: Received any community-based care				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2179	936900.8	<div><div></div></div> 21.1%
2	NO	9071	3508568.3	<div><div></div></div> 78.9%
6	NOT APPLICABLE	51457	24352465.7	
7	DON'T KNOW	10	2905.5	
8	REFUSAL	1	219.3	
9	NOT STATED	191	77358.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PSC_2: How rate quality of com.-based received				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=2174 / 935992.32 ] [Invalid=60735 / 27942426.05 ]			
Universe	Respondents aged 15 and over with DOPSC = 1 who answered (PSC_1 = (1, 7 or 8) or PAS_11 = (7 or 8) or HCU_01 = 8)			
Literal question	Overall, how would you rate the quality of the community-based care you received? Would you say it was:			
Notes	Formerly PAS_Q42 in cycle 3.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	887	327022.5	<div><div></div></div> 34.9%
2	GOOD	902	419845.7	<div><div></div></div> 44.9%
3	FAIR	269	126970.9	<div><div></div></div> 13.6%
4	POOR	116	62153.2	<div><div></div></div> 6.6%
6	NOT APPLICABLE	60528	27861034.1	
7	DON'T KNOW	5	908.5	
8	REFUSAL	0	0.0	
9	NOT STATED	202	80483.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PSC_3: Satisf.the way com.-based care provided				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2166 / 934934.77 ] [Invalid=60743 / 27943483.6 ]			
Universe	Respondents aged 15 and over with DOPSC = 1 who answered (PSC_1 = (1, 7 or 8) or PAS_11 = (7 or 8) or HCU_01 = 8)			
Literal question	Overall, how satisfied were you with the way community-based care was provided? Were you:			
Notes	Formerly PAS_Q43 in cycle 3.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	1087	414550.8	<div><div></div></div> 44.3%
2	SOMEWAT SAT.	719	343208.9	<div><div></div></div> 36.7%
3	NEITHER	137	64046.2	<div><div></div></div> 6.9%
4	SOMEWHAT DISSAT.	137	70336.1	<div><div></div></div> 7.5%
5	VERY DISSAT.	86	42792.8	<div><div></div></div> 4.6%
6	NOT APPLICABLE	60528	27861034.1	
7	DON'T KNOW	13	1966.0	
8	REFUSAL	0	0.0	
9	NOT STATED	202	80483.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# RAC_1: Has difficulty with activities				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			

# RAC_1: Has difficulty with activities				
Statistics [NW/ W]	[Valid=62847 / 28862062.76 ] [Invalid=62 / 16355.61 ]			
Universe	All respondents			
Literal question	Do you have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities: (sometimes, often, or never)?			
Notes	Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	9981	3886977.6	<div><div></div></div> 13.5%
2	OFTEN	7651	2691830.8	<div><div></div></div> 9.3%
3	NEVER	45215	22283254.3	<div><div></div></div> 77.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	53	13520.7	
8	REFUSAL	9	2834.9	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# RAC_2A: Reduction kind/amount activities - home				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=62833 / 28856387.25 ] [Invalid=76 / 22031.12 ]			
Universe	All respondents			
Literal question	Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do at home: (sometimes, often, or never)?			
Notes	Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	8420	3252177.4	<div><div></div></div> 11.3%
2	OFTEN	5374	1949379.6	<div><div></div></div> 6.8%
3	NEVER	49039	23654830.2	<div><div></div></div> 82.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	60	16629.8	
8	REFUSAL	7	2566.4	
9	NOT STATED	9	2834.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# RAC_2B1: Reduction kind/amount activities- school				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=62879 / 28868218.99 ] [Invalid=30 / 10199.38 ]			
Universe	All respondents			
Literal question	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) at school?			
Notes	Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	720	343066.2	<div><div></div></div> 1.2%
2	OFTEN	347	152017.6	<div><div></div></div> 0.5%
3	NEVER	13732	7053455.8	<div><div></div></div> 24.4%
4	NOT AT SCHOOL	48080	21319679.4	<div><div></div></div> 73.9%

# RAC_2B1: Reduction kind/amount activities- school				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	13	4690.0	
8	REFUSAL	1	108.0	
9	NOT STATED	16	5401.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# RAC_2B2: Reduction kind/amount act. - at work				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=62865 / 28860845.76 ] [Invalid=44 / 17572.61 ]			
Universe	All respondents			
Literal question	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) at work?			
Notes	Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	3497	1752860.3	<div><div></div></div> 6.1%
2	OFTEN	1385	618452.6	<div><div></div></div> 2.1%
3	NEVER	32545	17143281.2	<div><div></div></div> 59.4%
4	HAS NO JOB	25438	9346251.7	<div><div></div></div> 32.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	24	5848.5	
8	REFUSAL	3	6214.8	
9	NOT STATED	17	5509.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# RAC_2C: Reduction kind/amount act. - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=62777 / 28838302.24 ] [Invalid=132 / 40116.13 ]			
Universe	All respondents			
Literal question	(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) in other activities, for example, transportation or leisure?			
Notes	Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	7247	3064584.6	<div><div></div></div> 10.6%
2	OFTEN	5352	2019028.6	<div><div></div></div> 7.0%
3	NEVER	50178	23754689.0	<div><div></div></div> 82.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	107	27201.9	
8	REFUSAL	5	1190.1	
9	NOT STATED	20	11724.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# RACG5: Cause of health problem - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]			
Statistics [NW/ W]	[Valid=21010 / 8122957.07 ] [Invalid=41899 / 20755461.3 ]			

# RACG5: Cause of health problem - (G)				
Universe	Respondents who answered RAC_1 = (1, 2, 7 or 8) or RAC_2A = (1, 2, 7 or 8) or RAC_2B1 = (1, 2, 7 or 8 ) or RAC_2B2 = (1, 2, 7 or 8) or RAC_2C = (1, 2, 7 or 8)			
Literal question	Which one of the following is the best description of the cause of this condition: (accident at home, motor vehicle accident, accident at work, other type of accident, existed from birth or genetic, ..., or use of alcohol or drugs)?			
Notes	Based on RAC_5. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	INJURY	4124	1803322.7	<div><div></div></div> 22.2%
2	DISEASE OR ILLNE	6768	2516883.7	<div><div></div></div> 31.0%
3	AGEING	4692	1561697.4	<div><div></div></div> 19.2%
4	EXISTED AT BIRTH	1956	820780.1	<div><div></div></div> 10.1%
5	WORK CONDITIONS	1696	698029.1	<div><div></div></div> 8.6%
6	OTHER	1774	722243.9	<div><div></div></div> 8.9%
96	NOT APPLICABLE	41362	20588549.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	537	166912.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# RACDIMP: Impact of health problems - (D)				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=62804 / 28843616.07 ] [Invalid=105 / 34802.3 ]			
Universe	All respondents			
Notes	Based on RAC_2A, RAC_2B1, RAC_2B2, RAC_2C. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	9794	3967252.9	<div><div></div></div> 13.8%
2	OFTEN	7337	2723776.1	<div><div></div></div> 9.4%
3	NEVER	45673	22152587.1	<div><div></div></div> 76.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	105	34802.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# RACDPAL: Participation and activity limit. - (D)				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=62675 / 28808010.29 ] [Invalid=234 / 70408.08 ]			
Universe	All respondents			
Notes	Based on RAC_1, RAC_2A, RAC_2B1, RAC_2B2, RAC_2C. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOMETIMES	11478	4686270.1	<div><div></div></div> 16.3%
2	OFTEN	9835	3533191.3	<div><div></div></div> 12.3%
3	NEVER	41362	20588549.0	<div><div></div></div> 71.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	234	70408.1	

# RACDPAL: Participation and activity limit. - (D)				
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# DOADL: Content module - ADL (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]			
Universe	All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	62909	28878418.4	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ADL_01: Needs help - preparing meals				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62877 / 28870399.73 ] [Invalid=32 / 8018.64 ]			
Universe	All respondents			
Literal question	Because of any physical condition or mental condition or health problem, do you need the help of another person with preparing meals?			
Notes	Formerly RAC_6A before 2009.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2328	995221.5	3.4%
2	NO	60549	27875178.2	96.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	25	5060.7	
8	REFUSAL	7	2957.9	
9	NOT STATED	0	0.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ADL_02: Needs help - getting to appointments				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62879 / 28868236.89 ] [Invalid=30 / 10181.48 ]			
Universe	All respondents			
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with getting to appointments and running errands such as shopping for groceries?			
Notes	Formerly RAC_6B1 before 2009.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4685	1720314.3	6.0%
2	NO	58194	27147922.6	94.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	21	6452.0	
8	REFUSAL	9	3729.5	
9	NOT STATED	0	0.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				

# ADL_03: Needs help - doing housework				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62869 / 28864889.69 ] [Invalid=40 / 13528.68 ]			
Universe	All respondents			
Literal question	Because of any physical condition or mental condition or health problem, do you need the help of another person) with doing normal everyday housework?			
Notes	Formerly RAC_6C before 2009.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4995	1905745.4	6.6%
2	NO	57874	26959144.3	93.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	29	8958.5	
8	REFUSAL	11	4570.2	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ADL_04: Needs help - personal care				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62886 / 28871584.64 ] [Invalid=23 / 6833.73 ]			
Universe	All respondents			
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with personal care such as washing, dressing, eating or taking medication?			
Notes	Formerly RAC_6E before 2009.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1656	642652.6	2.2%
2	NO	61230	28228932.0	97.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	14	3388.6	
8	REFUSAL	9	3445.1	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ADL_05: Needs help - moving about inside house				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62896 / 28873678.24 ] [Invalid=13 / 4740.13 ]			
Universe	All respondents			
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with moving about inside the house?			
Notes	Formerly RAC_6F before 2009.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1028	454531.2	1.6%
2	NO	61868	28419147.1	98.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	7	2116.9	
8	REFUSAL	6	2623.2	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# ADL_06: Needs help - looking after finances					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=62832 / 28841328 ] [Invalid=77 / 37090.37 ]				
Universe	All respondents				
Literal question	(Because of any physical condition or mental condition or health problem, do you need the help of another person) with looking after your personal finances such as making bank transactions or paying bills?				
Notes	Formerly RAC_6G before 2009.				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2423	991110.9	<div><div></div></div>	3.4%
2	NO	60409	27850217.1	<div><div></div></div>	96.6%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	64	33256.6		
8	REFUSAL	13	3833.8		
9	NOT STATED	0	0.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# ADLF6R: Help needed for tasks - (F)					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=62817 / 28841712.91 ] [Invalid=92 / 36705.46 ]				
Universe	All respondents				
Literal question	Help needed for tasks - (F)				
Notes	Based on ADL_01, ADL_02, ADL_03, ADL_04, ADL_05, ADL_06. Prior to 2009, ADLF6R was called RACF6R and was a part of the Restriction of Activities (RAC) module. See documentation on derived variables.				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	7229	2635232.7	<div><div></div></div>	9.1%
2	NO	55588	26206480.2	<div><div></div></div>	90.9%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	92	36705.5		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# DOH1N: Module: H1N1 Flu shot					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]				
Universe	All respondents				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	62909	28878418.4	<div><div></div></div>	100.0%
2	NO	0	0.0		
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# H1N_160: Ever had a H1N1 flue shot					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				



# H1N_160: Ever had a H1N1 flue shot				
Statistics [NW/ W]		[Valid=61469 / 28206760.26 ] [Invalid=1440 / 671658.11 ]		
Universe		All respondents		
Literal question		Have you had the H1N1 flu shot?		
Notes		Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30123	12162897.3	<div><div></div></div> 43.1%
2	NO	31346	16043863.0	<div><div></div></div> 56.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	206	101075.9	
8	REFUSAL	10	8826.7	
9	NOT STATED	1224	561755.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_164: Had H1N1 flu shot - which month				
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]		[Valid=27880 / 11330499.86 ] [Invalid=35029 / 17547918.51 ]		
Universe		Respondents who answerewd H1N_160 = (1,7,8)		
Literal question		In which month did you have your H1N1 flu shot?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	1132	533247.9	<div><div></div></div> 4.7%
2	FEBRUARY	468	231870.2	<div><div></div></div> 2.0%
3	MARCH	240	124259.2	<div><div></div></div> 1.1%
4	APRIL	113	47467.7	<div><div></div></div> 0.4%
5	MAY	63	27258.2	<div><div></div></div> 0.2%
6	JUNE	42	12172.6	<div><div></div></div> 0.1%
7	JULY	29	16434.3	<div><div></div></div> 0.1%
8	AUGUST	67	30574.2	<div><div></div></div> 0.3%
9	SEPTEMBER	676	289019.5	<div><div></div></div> 2.6%
10	OCTOBER	6710	2416923.3	<div><div></div></div> 21.3%
11	NOVEMBER	13424	5336556.2	<div><div></div></div> 47.1%
12	DECEMBER	4916	2264716.4	<div><div></div></div> 20.0%
96	NOT APPLICABLE	31346	16043863.0	
97	DON'T KNOW	2234	829192.7	
98	REFUSAL	9	3204.7	
99	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_165: Had H1N1 flu shot - current/last year				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=2447 / 969232.48 ] [Invalid=60462 / 27909185.89 ]		
Universe		Respondents who answered H1N_164 = (current month, 97, 98) or H1N_160 = (7 or 8)		
Literal question		Was that this year or last year?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	THIS YEAR	480	154639.1	<div><div></div></div> 16.0%
2	LAST YEAR	1967	814593.4	<div><div></div></div> 84.0%

# H1N_165: Had H1N1 flu shot - current/last year				
Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	56762	26394811.1	
97	DON'T KNOW	5	1372.2	
98	REFUSAL	0	0.0	
99	NOT STATED	3695	1513002.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_66A: No H1N1 shot - have not gotten around it				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30980 / 15886047.38 ] [Invalid=31929 / 12992370.99 ]			
Universe	Respondents who answered H1N_160 = (2,7,8)			
Literal question	What are the reasons that you have not had the H1N1 flu shot? - Have not gotten around to it			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3406	1792574.1	<div></div> 11.3%
2	NO	27574	14093473.3	<div></div> 88.7%
6	NOT APPLICABLE	30123	12162897.3	
7	DON'T KNOW	349	143420.8	
8	REFUSAL	17	14394.8	
9	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_66B: No H1N1 shot - resp. didn't think nec.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30980 / 15886047.38 ] [Invalid=31929 / 12992370.99 ]			
Universe	Respondents who answered H1N_160 = (2,7,8)			
Literal question	What are the reasons that you have not had the H1N1 flu shot? - Respondent - did not think it was necessary			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23263	12103851.3	<div></div> 76.2%
2	NO	7717	3782196.1	<div></div> 23.8%
6	NOT APPLICABLE	30123	12162897.3	
7	DON'T KNOW	349	143420.8	
8	REFUSAL	17	14394.8	
9	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_66C: No H1N1 shot - doctor didn't think nec.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30980 / 15886047.38 ] [Invalid=31929 / 12992370.99 ]			
Universe	Respondents who answered H1N_160 = (2,7,8)			
Literal question	What are the reasons that you have not had the H1N1 flu shot? - Doctor - did not think it was necessary			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	790	352060.6	<div></div> 2.2%
2	NO	30190	15533986.8	<div></div> 97.8%
6	NOT APPLICABLE	30123	12162897.3	
7	DON'T KNOW	349	143420.8	
8	REFUSAL	17	14394.8	

# H1N_66C: No H1N1 shot - doctor didn't think nec.				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_66D: No H1N1 flu shot - personal/family resp.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30980 / 15886047.38 ] [Invalid=31929 / 12992370.99 ]			
Universe	Respondents who answered H1N_160 = (2,7,8)			
Literal question	What are the reasons that you have not had the H1N1 flu shot? - Personal or family responsibilities			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	157	79366.5	0.5%
2	NO	30823	15806680.9	99.5%
6	NOT APPLICABLE	30123	12162897.3	
7	DON'T KNOW	349	143420.8	
8	REFUSAL	17	14394.8	
9	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_66E: No H1N1 shot - not available when req'd				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30980 / 15886047.38 ] [Invalid=31929 / 12992370.99 ]			
Universe	Respondents who answered H1N_160 = (2,7,8)			
Literal question	What are the reasons that you have not had the H1N1 flu shot? - Doctor - Not available - at time required			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	742	344334.9	2.2%
2	NO	30238	15541712.5	97.8%
6	NOT APPLICABLE	30123	12162897.3	
7	DON'T KNOW	349	143420.8	
8	REFUSAL	17	14394.8	
9	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_66F: No H1N1 flu shot - not available in area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30980 / 15886047.38 ] [Invalid=31929 / 12992370.99 ]			
Universe	Respondents who answered H1N_160 = (2,7,8)			
Literal question	What are the reasons that you have not had the H1N1 flu shot? - Not available - at all in the area			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	155	60923.3	0.4%
2	NO	30825	15825124.1	99.6%
6	NOT APPLICABLE	30123	12162897.3	
7	DON'T KNOW	349	143420.8	
8	REFUSAL	17	14394.8	
9	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# H1N_66G: No H1N1 shot - waiting time too long				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30980 / 15886047.38 ] [Invalid=31929 / 12992370.99 ]			
Universe	Respondents who answered H1N_160 = (2,7,8)			
Literal question	What are the reasons that you have not had the H1N1 flu shot? - Waiting time was too long			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	548	302106.3	1.9%
2	NO	30432	15583941.1	98.1%
6	NOT APPLICABLE	30123	12162897.3	
7	DON'T KNOW	349	143420.8	
8	REFUSAL	17	14394.8	
9	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_66H: No H1N1 shot - transportation problems				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30980 / 15886047.38 ] [Invalid=31929 / 12992370.99 ]			
Universe	Respondents who answered H1N_160 = (2,7,8)			
Literal question	What are the reasons that you have not had the H1N1 flu shot? - Transportation - problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	77	29766.6	0.2%
2	NO	30903	15856280.8	99.8%
6	NOT APPLICABLE	30123	12162897.3	
7	DON'T KNOW	349	143420.8	
8	REFUSAL	17	14394.8	
9	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_66I: No H1N1 flu shot - language problem				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30980 / 15886047.38 ] [Invalid=31929 / 12992370.99 ]			
Universe	Respondents who answered H1N_160 = (2,7,8)			
Literal question	What are the reasons that you have not had the H1N1 flu shot? - Language - problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	7377.3	0.0%
2	NO	30969	15878670.0	100.0%
6	NOT APPLICABLE	30123	12162897.3	
7	DON'T KNOW	349	143420.8	
8	REFUSAL	17	14394.8	
9	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_66J: No H1N1 flu shot - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30980 / 15886047.38 ] [Invalid=31929 / 12992370.99 ]			
Universe	Respondents who answered H1N_160 = (2,7,8)			
Literal question	What are the reasons that you have not had the H1N1 flu shot? - Cost			

# H1N_66J: No H1N1 flu shot - cost				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	44	43816.1	0.3%
2	NO	30936	15842231.3	99.7%
6	NOT APPLICABLE	30123	12162897.3	
7	DON'T KNOW	349	143420.8	
8	REFUSAL	17	14394.8	
9	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_66K: No H1N1 shot - did not know where to go				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30980 / 15886047.38 ] [Invalid=31929 / 12992370.99 ]			
Universe	Respondents who answered H1N_160 = (2,7,8)			
Literal question	What are the reasons that you have not had the H1N1 flu shot? - Did not know where to go / uninformed			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	210	109796.7	0.7%
2	NO	30770	15776250.6	99.3%
6	NOT APPLICABLE	30123	12162897.3	
7	DON'T KNOW	349	143420.8	
8	REFUSAL	17	14394.8	
9	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_66L: No H1N1 flu shot - fear				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30980 / 15886047.38 ] [Invalid=31929 / 12992370.99 ]			
Universe	Respondents who answered H1N_160 = (2,7,8)			
Literal question	What are the reasons that you have not had the H1N1 flu shot? - Fear (e.g., painful, embarrassing, find something wrong)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1985	1074326.4	6.8%
2	NO	28995	14811721.0	93.2%
6	NOT APPLICABLE	30123	12162897.3	
7	DON'T KNOW	349	143420.8	
8	REFUSAL	17	14394.8	
9	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_66M: No H1N1 shot -bad reaction to prev. shot				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30980 / 15886047.38 ] [Invalid=31929 / 12992370.99 ]			
Universe	Respondents who answered H1N_160 = (2,7,8)			
Literal question	What are the reasons that you have not had the H1N1 flu shot? - Bad reaction to previous shot			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	764	294994.0	1.9%
2	NO	30216	15591053.4	98.1%
6	NOT APPLICABLE	30123	12162897.3	

# H1N_66M: No H1N1 shot -bad reaction to prev. shot				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	349	143420.8	
8	REFUSAL	17	14394.8	
9	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_66O: No H1N1 flu shot - unable to leave/hlth				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30980 / 15886047.38 ] [Invalid=31929 / 12992370.99 ]			
Universe	Respondents who answered H1N_160 = (2,7,8)			
Literal question	What are the reasons that you have not had the H1N1 flu shot? - Unable to leave the house because of a health problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	117	36449.5	0.2%
2	NO	30863	15849597.9	99.8%
6	NOT APPLICABLE	30123	12162897.3	
7	DON'T KNOW	349	143420.8	
8	REFUSAL	17	14394.8	
9	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# H1N_66N: No H1N1 flu shot - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=30980 / 15886047.38 ] [Invalid=31929 / 12992370.99 ]			
Universe	Respondents who answered H1N_160 = (2,7,8)			
Literal question	What are the reasons that you have not had the H1N1 flu shot? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	836	359672.2	2.3%
2	NO	30144	15526375.2	97.7%
6	NOT APPLICABLE	30123	12162897.3	
7	DON'T KNOW	349	143420.8	
8	REFUSAL	17	14394.8	
9	NOT STATED	1440	671658.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FLU_160: Ever had a flu shot				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61341 / 28152631.05 ] [Invalid=1568 / 725787.32 ]			
Universe	All respondents			
Literal question	Have you ever had a seasonal seasonal flu shot?			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	32662	13532303.6	48.1%
2	NO	28679	14620327.4	51.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	336	158639.3	

# FLU_160: Ever had a flu shot				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	9	5515.9	
9	NOT STATED	1223	561632.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FLU_162: Had flu shot - last time				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=32415 / 13432091.5 ] [Invalid=30494 / 15446326.87 ]			
Universe	Respondents who answered FLU_160 = (1, 7 or 8)			
Literal question	When did you have your last seasonal flu shot: (less than 1 year ago, 1 year to less than 2 years ago, or 2 years ago or more)?			
Notes	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	19771	7152421.9	<div></div> 53.2%
2	1 TO < 2 YEARS	5006	2498289.9	<div></div> 18.6%
3	2 YEARS OR MORE	7638	3781379.7	<div></div> 28.2%
6	NOT APPLICABLE	28679	14620327.4	
7	DON'T KNOW	245	99314.0	
8	REFUSAL	2	898.2	
9	NOT STATED	1568	725787.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FLU_164: Had flu shot - which month				
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]			
Statistics [NW/ W]	[Valid=18515 / 6706971.3 ] [Invalid=44394 / 22171447.07 ]			
Universe	Respondents who answered FLU_162 = (1, 7, 8) or FLU_160 = (7 or 8).			
Literal question	In which month did you have your last seasonal flu shot?			
Notes	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	1344	579983.2	<div></div> 8.6%
2	FEBRUARY	393	184916.0	<div></div> 2.8%
3	MARCH	117	48615.5	<div></div> 0.7%
4	APRIL	64	21636.3	<div></div> 0.3%
5	MAY	46	35350.0	<div></div> 0.5%
6	JUNE	28	9307.1	<div></div> 0.1%
7	JULY	25	14494.5	<div></div> 0.2%
8	AUGUST	49	23554.9	<div></div> 0.4%
9	SEPTEMBER	722	265779.6	<div></div> 4.0%
10	OCTOBER	6238	1934287.2	<div></div> 28.8%
11	NOVEMBER	7688	2803873.7	<div></div> 41.8%
12	DECEMBER	1801	785173.2	<div></div> 11.7%
96	NOT APPLICABLE	41323	20899997.0	
97	DON'T KNOW	1251	441486.0	
98	REFUSAL	5	3964.6	
99	NOT STATED	1815	825999.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# FLU_165: Had flu shot - current/last year				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1833 / 700091.16 ] [Invalid=61076 / 28178327.21 ]			
Universe	Respondents who answered FLU_164 = (current month, 97, 98) or FLU_160 = (7 or 8) or FLU_162 = (7 or 8).			
Literal question	Was that this year or last year?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	THIS YEAR	901	332928.3	<div></div> 47.6%
2	LAST YEAR	932	367162.8	<div></div> 52.4%
6	NOT APPLICABLE	57989	26900629.7	
7	DON'T KNOW	5	1293.1	
8	REFUSAL	0	0.0	
9	NOT STATED	3082	1276404.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FLU_66A: No flu shot - have not gotten around it				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=40650 / 20611747.29 ] [Invalid=22259 / 8266671.08 ]			
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)			
Literal question	What are the reasons that you have not had a seasonal flu shot in the past year? - Have not gotten around to it			
Notes	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4974	2544397.6	<div></div> 12.3%
2	NO	35676	18067349.7	<div></div> 87.7%
6	NOT APPLICABLE	19771	7152421.9	
7	DON'T KNOW	662	275558.5	
8	REFUSAL	11	12691.3	
9	NOT STATED	1815	825999.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FLU_66B: No flu shot - resp. didn't think nec.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=40650 / 20611747.29 ] [Invalid=22259 / 8266671.08 ]			
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)			
Literal question	What are the reasons that you have not had a seasonal flu shot in the past year? - Respondent did not think it was necessary			
Notes	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30667	15888820.6	<div></div> 77.1%
2	NO	9983	4722926.7	<div></div> 22.9%
6	NOT APPLICABLE	19771	7152421.9	
7	DON'T KNOW	662	275558.5	
8	REFUSAL	11	12691.3	
9	NOT STATED	1815	825999.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				



# FLU_66C: No flu shot - doctor didn't think nec.				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=40650 / 20611747.29 ] [Invalid=22259 / 8266671.08 ]		
<b>Universe</b>		Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)		
<b>Literal question</b>		What are the reasons that you have not had a seasonal flu shot in the past year? - Doctor did not think it was necessary		
<b>Notes</b>		Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	796	367159.2	1.8%
2	NO	39854	20244588.1	98.2%
6	NOT APPLICABLE	19771	7152421.9	
7	DON'T KNOW	662	275558.5	
8	REFUSAL	11	12691.3	
9	NOT STATED	1815	825999.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# FLU_66D: No flu shot - personal/family resp.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=40650 / 20611747.29 ] [Invalid=22259 / 8266671.08 ]			
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)			
Literal question	What are the reasons that you have not had a seasonal flu shot in the past year? - Personal or family responsibilities			
Notes	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	191	98113.5	0.5%
2	NO	40459	20513633.8	99.5%
6	NOT APPLICABLE	19771	7152421.9	
7	DON'T KNOW	662	275558.5	
8	REFUSAL	11	12691.3	
9	NOT STATED	1815	825999.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FLU_66E: No flu shot - not available when req'd				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=40650 / 20611747.29 ] [Invalid=22259 / 8266671.08 ]			
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)			
Literal question	What are the reasons that you have not had a seasonal flu shot in the past year? - Not available at time required			
Notes	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	576	253141.1	1.2%
2	NO	40074	20358606.2	98.8%
6	NOT APPLICABLE	19771	7152421.9	
7	DON'T KNOW	662	275558.5	
8	REFUSAL	11	12691.3	
9	NOT STATED	1815	825999.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FLU_66F: No flu shot - not available in area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=40650 / 20611747.29 ] [Invalid=22259 / 8266671.08 ]			
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)			
Literal question	What are the reasons that you have not had a seasonal flu shot in the past year? - Not available at all in the area			
Notes	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	197	81310.9	0.4%
2	NO	40453	20530436.4	99.6%
6	NOT APPLICABLE	19771	7152421.9	
7	DON'T KNOW	662	275558.5	
8	REFUSAL	11	12691.3	
9	NOT STATED	1815	825999.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# FLU_66G: No flu shot - waiting time was too long				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=40650 / 20611747.29 ] [Invalid=22259 / 8266671.08 ]			
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)			
Literal question	What are the reasons that you have not had a seasonal flu shot in the past year? - Waiting time was too long			
Notes	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	145	83149.7	0.4%
2	NO	40505	20528597.6	99.6%
6	NOT APPLICABLE	19771	7152421.9	
7	DON'T KNOW	662	275558.5	
8	REFUSAL	11	12691.3	
9	NOT STATED	1815	825999.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FLU_66H: No flu shot - transportation problems				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=40650 / 20611747.29 ] [Invalid=22259 / 8266671.08 ]			
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)			
Literal question	What are the reasons that you have not had a seasonal flu shot in the past year? - Transportation problems			
Notes	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	60	23434.0	0.1%
2	NO	40590	20588313.3	99.9%
6	NOT APPLICABLE	19771	7152421.9	
7	DON'T KNOW	662	275558.5	
8	REFUSAL	11	12691.3	
9	NOT STATED	1815	825999.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FLU_66I: No flu shot - language problem				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=40650 / 20611747.29 ] [Invalid=22259 / 8266671.08 ]			
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)			
Literal question	What are the reasons that you have not had a seasonal flu shot in the past year? - Language problem			
Notes	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	2200.1	0.0%
2	NO	40646	20609547.2	100.0%
6	NOT APPLICABLE	19771	7152421.9	
7	DON'T KNOW	662	275558.5	
8	REFUSAL	11	12691.3	
9	NOT STATED	1815	825999.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# FLU_66J: No flu shot - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=40650 / 20611747.29 ] [Invalid=22259 / 8266671.08 ]			
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)			
Literal question	What are the reasons that you have not had a seasonal flu shot in the past year? - Cost			
Notes	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	99	59205.2	0.3%
2	NO	40551	20552542.1	99.7%
6	NOT APPLICABLE	19771	7152421.9	
7	DON'T KNOW	662	275558.5	
8	REFUSAL	11	12691.3	
9	NOT STATED	1815	825999.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FLU_66K: No flu shot - did not know where to go				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=40650 / 20611747.29 ] [Invalid=22259 / 8266671.08 ]			
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)			
Literal question	What are the reasons that you have not had a seasonal flu shot in the past year? - Did not know where to go / uninformed			
Notes	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	273	130936.4	0.6%
2	NO	40377	20480810.9	99.4%
6	NOT APPLICABLE	19771	7152421.9	
7	DON'T KNOW	662	275558.5	
8	REFUSAL	11	12691.3	
9	NOT STATED	1815	825999.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FLU_66L: No flu shot - fear				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=40650 / 20611747.29 ] [Invalid=22259 / 8266671.08 ]			
Universe	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)			
Literal question	What are the reasons that you have not had a seasonal flu shot in the past year? - Fear (e.g., painful, embarrassing, find something wrong)			
Notes	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1396	651953.0	3.2%
2	NO	39254	19959794.3	96.8%
6	NOT APPLICABLE	19771	7152421.9	
7	DON'T KNOW	662	275558.5	
8	REFUSAL	11	12691.3	
9	NOT STATED	1815	825999.5	

<b># FLU_66L: No flu shot - fear</b>				
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FLU_66M: No flu shot - bad reaction to prev. shot</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=40650 / 20611747.29 ] [Invalid=22259 / 8266671.08 ]			
<b>Universe</b>	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)			
<b>Literal question</b>	What are the reasons that you have not had a seasonal flu shot in the past year? - Bad reaction to previous shot			
<b>Notes</b>	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	2103	873373.9	4.2%
2	NO	38547	19738373.4	95.8%
6	NOT APPLICABLE	19771	7152421.9	
7	DON'T KNOW	662	275558.5	
8	REFUSAL	11	12691.3	
9	NOT STATED	1815	825999.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FLU_66O: No flu shot - unable leave house/hlth</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=40650 / 20611747.29 ] [Invalid=22259 / 8266671.08 ]			
<b>Universe</b>	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)			
<b>Literal question</b>	What are the reasons that you have not had a seasonal flu shot in the past year? - Unable to leave the house because of a health problem			
<b>Notes</b>	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	77	29642.7	0.1%
2	NO	40573	20582104.6	99.9%
6	NOT APPLICABLE	19771	7152421.9	
7	DON'T KNOW	662	275558.5	
8	REFUSAL	11	12691.3	
9	NOT STATED	1815	825999.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FLU_66N: No flu shot - other</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=40650 / 20611747.29 ] [Invalid=22259 / 8266671.08 ]			
<b>Universe</b>	Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)			
<b>Literal question</b>	What are the reasons that you have not had a seasonal flu shot in the past year? - Other			
<b>Notes</b>	Beginning in 2010, the term "seasonal" was added to questions in the FLU module to make the concept more precise and differentiate from H1N block questions.			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	819	404635.0	2.0%
2	NO	39831	20207112.3	98.0%
6	NOT APPLICABLE	19771	7152421.9	
7	DON'T KNOW	662	275558.5	

# FLU_66N: No flu shot - other				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	11	12691.3	
9	NOT STATED	1815	825999.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOBPC: Module: BPC - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Literal question	Have you ever had your blood pressure taken?			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3402	763658.6	<div><div></div></div> 2.7%
2	NO	57874	28032658.8	<div><div></div></div> 97.3%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BPC_010: Ever had blood pressure taken				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3307 / 739455.05 ] [Invalid=59602 / 28138963.32 ]			
Universe	Respondents with DOBPC = 1			
Literal question	When was the last time?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3161	706437.2	<div><div></div></div> 95.5%
2	NO	146	33017.9	<div><div></div></div> 4.5%
6	NOT APPLICABLE	59507	28114759.7	
7	DON'T KNOW	7	1646.0	
8	REFUSAL	0	0.0	
9	NOT STATED	88	22557.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BPC_012: Last time blood pressure was taken				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=3132 / 698602 ] [Invalid=59777 / 28179816.37 ]			
Universe	Respondents who answered BPC_010 = (1, 7 or 8)			
Literal question	Were you pregnant the last time your blood pressure was taken?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	2136	445650.3	<div><div></div></div> 63.8%
2	6 MTHS TO < 1 YR	540	129030.9	<div><div></div></div> 18.5%
3	1 TO < 2 YEARS	256	65446.6	<div><div></div></div> 9.4%
4	2 TO < 5 YEARS	136	40633.2	<div><div></div></div> 5.8%
5	5 YEARS OR MORE	64	17841.0	<div><div></div></div> 2.6%

# BPC_012: Last time blood pressure was taken				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	59653	28147777.6	
7	DON'T KNOW	29	7835.2	
8	REFUSAL	0	0.0	
9	NOT STATED	95	24203.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BPC_013: Pregnant - blood pressure taken				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=817 / 201110.98 ] [Invalid=62092 / 28677307.39 ]			
Universe	Females aged 15 to 55 who answered BPC_012 = (1, 2, 3, 7 or 8) or BPC_010 = (7 or 8)			
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Have not gotten around to it			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	55	9511.7	<div><div></div>4.7%</div>
2	NO	762	191599.3	<div><div></div>95.3%</div>
6	NOT APPLICABLE	62081	28673846.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	11	3460.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BPC_16A: B.p. not taken - not gotten around to it				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 53908.74 ] [Invalid=62717 / 28824509.63 ]			
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Respondent did not think it was necessary			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	33	12863.8	<div><div></div>23.9%</div>
2	NO	159	41044.9	<div><div></div>76.1%</div>
6	NOT APPLICABLE	62630	28804526.3	
7	DON'T KNOW	2	290.9	
8	REFUSAL	0	0.0	
9	NOT STATED	85	19692.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BPC_16B: B.p. not taken - resp. didn't think nec.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 53908.74 ] [Invalid=62717 / 28824509.63 ]			
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Doctor did not think it was necessary			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	121	33000.3	<div><div></div>61.2%</div>
2	NO	71	20908.4	<div><div></div>38.8%</div>
6	NOT APPLICABLE	62630	28804526.3	
7	DON'T KNOW	2	290.9	

# BPC_16B: B.p. not taken - resp. didn't think nec.				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	85	19692.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BPC_16C: B.p. not taken - dr. didn't think nec.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 53908.74 ] [Invalid=62717 / 28824509.63 ]			
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Personal or family responsibilities			
Notes	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Doctor did not think it was necessary			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20	4436.5	<div><div></div></div> 8.2%
2	NO	172	49472.2	<div><div></div></div> 91.8%
6	NOT APPLICABLE	62630	28804526.3	
7	DON'T KNOW	2	290.9	
8	REFUSAL	0	0.0	
9	NOT STATED	85	19692.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BPC_16D: B.p. not taken - personal/family resp.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 53908.74 ] [Invalid=62717 / 28824509.63 ]			
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Not available at time required			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	192	53908.7	<div><div></div></div> 100.0%
6	NOT APPLICABLE	62630	28804526.3	
7	DON'T KNOW	2	290.9	
8	REFUSAL	0	0.0	
9	NOT STATED	85	19692.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BPC_16E: B.p. not taken - not available when req.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 53908.74 ] [Invalid=62717 / 28824509.63 ]			
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Not available at time required			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	547.4	<div><div></div></div> 1.0%
2	NO	189	53361.4	<div><div></div></div> 99.0%
6	NOT APPLICABLE	62630	28804526.3	
7	DON'T KNOW	2	290.9	
8	REFUSAL	0	0.0	



# BPC_16E: B.p. not taken - not available when req.				
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
9	NOT STATED	85	19692.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# BPC_16F: B.p. not taken - not available in area				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=192 / 53908.74 ] [Invalid=62717 / 28824509.63 ]			
<b>Universe</b>	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)			
<b>Literal question</b>	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Not available at all in the area			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	2	240.5	0.4%
2	NO	190	53668.2	99.6%
6	NOT APPLICABLE	62630	28804526.3	
7	DON'T KNOW	2	290.9	
8	REFUSAL	0	0.0	
9	NOT STATED	85	19692.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# BPC_16G: B.p. not taken - waiting time too long				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=192 / 53908.74 ] [Invalid=62717 / 28824509.63 ]			
<b>Universe</b>	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)			
<b>Literal question</b>	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Waiting time was too long			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	2	165.1	0.3%
2	NO	190	53743.6	99.7%
6	NOT APPLICABLE	62630	28804526.3	
7	DON'T KNOW	2	290.9	
8	REFUSAL	0	0.0	
9	NOT STATED	85	19692.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# BPC_16H: B.p. not taken - transportation problems				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=192 / 53908.74 ] [Invalid=62717 / 28824509.63 ]			
<b>Universe</b>	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)			
<b>Literal question</b>	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Transportation problems			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	1	88.0	0.2%
2	NO	191	53820.8	99.8%
6	NOT APPLICABLE	62630	28804526.3	
7	DON'T KNOW	2	290.9	
8	REFUSAL	0	0.0	
9	NOT STATED	85	19692.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				

# BPC_16I: B.p. not taken - language problem				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 53908.74 ] [Invalid=62717 / 28824509.63 ]			
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	192	53908.7	100.0%
6	NOT APPLICABLE	62630	28804526.3	
7	DON'T KNOW	2	290.9	
8	REFUSAL	0	0.0	
9	NOT STATED	85	19692.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BPC_16J: B.p. not taken - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 53908.74 ] [Invalid=62717 / 28824509.63 ]			
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Cost			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	192	53908.7	100.0%
6	NOT APPLICABLE	62630	28804526.3	
7	DON'T KNOW	2	290.9	
8	REFUSAL	0	0.0	
9	NOT STATED	85	19692.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BPC_16K: B.p. not taken - didn't know where to go				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 53908.74 ] [Invalid=62717 / 28824509.63 ]			
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had your blood pressure taken in the past 2 years? - Did not know where to go / uninformed			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	205.9	0.4%
2	NO	190	53702.8	99.6%
6	NOT APPLICABLE	62630	28804526.3	
7	DON'T KNOW	2	290.9	
8	REFUSAL	0	0.0	
9	NOT STATED	85	19692.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BPC_16L: B.p. not taken - fear				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 53908.74 ] [Invalid=62717 / 28824509.63 ]			
Universe	Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)			

# BPC_16L: B.p. not taken - fear				
<b>Literal question</b>		What are the reasons that you have not had your blood pressure taken in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	1	222.6	0.4%
2	NO	191	53686.1	99.6%
6	NOT APPLICABLE	62630	28804526.3	
7	DON'T KNOW	2	290.9	
8	REFUSAL	0	0.0	
9	NOT STATED	85	19692.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BPC_16N: B.p. not taken - unable leave house				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=192 / 53908.74 ] [Invalid=62717 / 28824509.63 ]		
<b>Universe</b>		Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)		
<b>Literal question</b>		What are the reasons that you have not had your blood pressure taken in the past 2 years? - Unable to leave the house because of a health problem		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	0	0.0	
2	NO	192	53908.7	100.0%
6	NOT APPLICABLE	62630	28804526.3	
7	DON'T KNOW	2	290.9	
8	REFUSAL	0	0.0	
9	NOT STATED	85	19692.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BPC_16M: B.p. not taken - other				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=192 / 53908.74 ] [Invalid=62717 / 28824509.63 ]		
<b>Universe</b>		Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)		
<b>Literal question</b>		What are the reasons that you have not had your blood pressure taken in the past 2 years? - Other		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	10	2654.4	4.9%
2	NO	182	51254.4	95.1%
6	NOT APPLICABLE	62630	28804526.3	
7	DON'T KNOW	2	290.9	
8	REFUSAL	0	0.0	
9	NOT STATED	85	19692.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOPAP: Module: PAP smear test - (F)				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]		
<b>Universe</b>		All respondents		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	3315	930171.9	3.2%

# DOPAP: Module: PAP smear test - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	57961	27866145.5	<div><div></div></div> 96.8%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAP_020: Ever had PAP smear test				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1700 / 435061.29 ] [Invalid=61209 / 28443357.08 ]			
Universe	Females aged 18 and over			
Literal question	Have you ever had a PAP smear test?			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1598	410083.6	<div><div></div></div> 94.3%
2	NO	102	24977.6	
6	NOT APPLICABLE	61182	28432844.4	
7	DON'T KNOW	4	1449.1	
8	REFUSAL	0	0.0	
9	NOT STATED	23	9063.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAP_022: Last time had PAP smear test				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=1589 / 408915.33 ] [Invalid=61320 / 28469503.04 ]			
Universe	Respondents who answered PAP_020 = (1, 7 or 8)			
Literal question	When was the last time?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	331	102815.0	<div><div></div></div> 25.1%
2	6 MTHS TO < 1 YR	401	113817.9	
3	1 TO < 3 YEARS	398	95631.3	
4	3 TO < 5 YEARS	110	26185.9	
5	5 OR MORE YEARS	349	70465.2	
6	NOT APPLICABLE	61284	28457822.1	<div><div></div></div> 6.4%
7	DON'T KNOW	8	1023.6	
8	REFUSAL	1	144.7	
9	NOT STATED	27	10512.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAP_26A: No PAP - have not gotten around to it				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=549 / 119665.15 ] [Invalid=62360 / 28758753.22 ]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have not gotten around to it			

# PAP_26A: No PAP - have not gotten around to it				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	104	32080.8	26.8%
2	NO	445	87584.4	73.2%
6	NOT APPLICABLE	62312	28745108.7	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	
9	NOT STATED	36	11681.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAP_26B: No PAP - resp. didn't think necessary				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=549 / 119665.15 ] [Invalid=62360 / 28758753.22 ]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have you not had a PAP smear test in the past 3 years? - Respondent did not think it was necessary			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	158	34184.4	28.6%
2	NO	391	85480.8	71.4%
6	NOT APPLICABLE	62312	28745108.7	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	
9	NOT STATED	36	11681.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAP_26C: No PAP - doctor didn't think necessary				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=549 / 119665.15 ] [Invalid=62360 / 28758753.22 ]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Doctor did not think it was necessary			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	97	15742.1	13.2%
2	NO	452	103923.1	86.8%
6	NOT APPLICABLE	62312	28745108.7	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	
9	NOT STATED	36	11681.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAP_26D: No PAP - personal/fam. responsibilities				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=549 / 119665.15 ] [Invalid=62360 / 28758753.22 ]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Personal or family responsibilities			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	325.6	0.3%
2	NO	548	119339.6	99.7%

# PAP_26D: No PAP - personal/fam. responsibilities				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	62312	28745108.7	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	
9	NOT STATED	36	11681.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAP_26E: No PAP - not available when required				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=549 / 119665.15 ] [Invalid=62360 / 28758753.22 ]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at time required			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	566.3	0.5%
2	NO	545	119098.8	99.5%
6	NOT APPLICABLE	62312	28745108.7	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	
9	NOT STATED	36	11681.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAP_26F: No PAP - not available in area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=549 / 119665.15 ] [Invalid=62360 / 28758753.22 ]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Not available at all in the area			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	27.2	0.0%
2	NO	548	119638.0	100.0%
6	NOT APPLICABLE	62312	28745108.7	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	
9	NOT STATED	36	11681.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAP_26G: No PAP - waiting time too long				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=549 / 119665.15 ] [Invalid=62360 / 28758753.22 ]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Waiting time was too long			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	379.1	0.3%
2	NO	546	119286.0	99.7%
6	NOT APPLICABLE	62312	28745108.7	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	

# PAP_26G: No PAP - waiting time too long				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	36	11681.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAP_26H: No PAP - transportation problems				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=549 / 119665.15 ] [Invalid=62360 / 28758753.22 ]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Transportation problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	549	119665.2	100.0%
6	NOT APPLICABLE	62312	28745108.7	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	
9	NOT STATED	36	11681.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAP_26I: No PAP - language problem				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=549 / 119665.15 ] [Invalid=62360 / 28758753.22 ]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	549	119665.2	100.0%
6	NOT APPLICABLE	62312	28745108.7	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	
9	NOT STATED	36	11681.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAP_26J: No PAP - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=549 / 119665.15 ] [Invalid=62360 / 28758753.22 ]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Cost			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	549	119665.2	100.0%
6	NOT APPLICABLE	62312	28745108.7	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	
9	NOT STATED	36	11681.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# PAP_26K: No PAP - did not know where to go				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=549 / 119665.15 ] [Invalid=62360 / 28758753.22 ]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Did not know where to go / uninformed			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	1061.0	0.9%
2	NO	547	118604.2	99.1%
6	NOT APPLICABLE	62312	28745108.7	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	
9	NOT STATED	36	11681.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAP_26L: No PAP - fear				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=549 / 119665.15 ] [Invalid=62360 / 28758753.22 ]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Fear (e.g. painful, embarrassing, find something wrong)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	2034.7	1.7%
2	NO	538	117630.5	98.3%
6	NOT APPLICABLE	62312	28745108.7	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	
9	NOT STATED	36	11681.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAP_26M: No PAP - hysterectomy				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=573 / 127305.75 ] [Invalid=62336 / 28751112.62 ]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a PAP smear test in the past 3 years? - Have had a hysterectomy			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	133	28011.6	22.0%
2	NO	440	99294.1	78.0%
6	NOT APPLICABLE	62288	28737468.1	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	
9	NOT STATED	36	11681.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAP_26N: No PAP - hate/dislike having one done				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=549 / 119665.15 ] [Invalid=62360 / 28758753.22 ]			
Universe	Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)			



# PAP_26N: No PAP - hate/dislike having one done				
<b>Literal question</b>		What are the reasons that you have not had a PAP smear test in the past 3 years? - Hate / dislike having one done		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20	5157.2	<div><div></div></div> 4.3%
2	NO	529	114507.9	<div><div></div></div> 95.7%
6	NOT APPLICABLE	62312	28745108.7	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	
9	NOT STATED	36	11681.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# PAP_26P: No PAP - unable leave house/hlth prob.				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=549 / 119665.15 ] [Invalid=62360 / 28758753.22 ]		
<b>Universe</b>		Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)		
<b>Literal question</b>		What are the reasons that you have not had a PAP smear test in the past 3 years? - Unable to leave the house because of a health problem		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	146.1	<div><div></div></div> 0.1%
2	NO	547	119519.0	<div><div></div></div> 99.9%
6	NOT APPLICABLE	62312	28745108.7	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	
9	NOT STATED	36	11681.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# PAP_26O: No PAP - other				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=549 / 119665.15 ] [Invalid=62360 / 28758753.22 ]		
<b>Universe</b>		Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)		
<b>Literal question</b>		What are the reasons that you have not had a PAP smear test in the past 3 years? - Other		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	45	10862.8	<div><div></div></div> 9.1%
2	NO	504	108802.3	<div><div></div></div> 90.9%
6	NOT APPLICABLE	62312	28745108.7	
7	DON'T KNOW	12	1963.6	
8	REFUSAL	0	0.0	
9	NOT STATED	36	11681.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# DOMAM: Module: Mammography - (F)				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]		
<b>Universe</b>		All respondents		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12650	4983771.4	<div><div></div></div> 17.3%
2	NO	48626	23812546.0	<div><div></div></div> 82.7%

**# DOMAM: Module: Mammography - (F)**

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# MAM_030: Ever had mammogram				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4786 / 1585164.07 ] [Invalid=58123 / 27293254.3 ]			
Universe	Females aged 35 and over			
Literal question	Have you ever had a mammogram, that is, a breast x-ray?			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3701	1163430.1	<div><div></div></div> 73.4%
2	NO	1085	421734.0	<div><div></div></div> 26.6%
6	NOT APPLICABLE	58062	27262541.6	
7	DON'T KNOW	5	2376.2	
8	REFUSAL	1	199.4	
9	NOT STATED	55	28137.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAM_31A: Had mammogram - family history				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3696 / 1162576.93 ] [Invalid=59213 / 27715841.44 ]			
Universe	Respondents who answered MAM_030 = (1, 7 or 8)			
Literal question	Why did you have it? - Family history of breast cancer			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	483	142526.8	<div><div></div></div> 12.3%
2	NO	3213	1020050.1	<div><div></div></div> 87.7%
6	NOT APPLICABLE	59147	27684275.6	
7	DON'T KNOW	4	709.8	
8	REFUSAL	1	143.4	
9	NOT STATED	61	30712.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAM_31B: Had mammogram - regular check-up				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3696 / 1162576.93 ] [Invalid=59213 / 27715841.44 ]			
Universe	Respondents who answered MAM_030 = (1, 7 or 8)			
Literal question	Why did you have it? - Part of regular check-up / routine screening			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2612	804007.8	<div><div></div></div> 69.2%
2	NO	1084	358569.1	<div><div></div></div> 30.8%
6	NOT APPLICABLE	59147	27684275.6	
7	DON'T KNOW	4	709.8	
8	REFUSAL	1	143.4	
9	NOT STATED	61	30712.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAM_31C: Had mammogram - age				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3696 / 1162576.93 ] [Invalid=59213 / 27715841.44 ]			

# MAM_31C: Had mammogram - age					
Universe		Respondents who answered MAM_030 = (1, 7 or 8)			
Literal question		Why did you have it? - Age			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	465	142382.6	<div></div> 12.2%	
2	NO	3231	1020194.3		<div></div> 87.8%
6	NOT APPLICABLE	59147	27684275.6		
7	DON'T KNOW	4	709.8		
8	REFUSAL	1	143.4		
9	NOT STATED	61	30712.7		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MAM_31D: Had mammogram - previously detected lump					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=3696 / 1162576.93 ] [Invalid=59213 / 27715841.44 ]			
Universe		Respondents who answered MAM_030 = (1, 7 or 8)			
Literal question		Why did you have it? - Previously detected lump			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	377	113557.6	<div></div> 9.8%	
2	NO	3319	1049019.4		<div></div> 90.2%
6	NOT APPLICABLE	59147	27684275.6		
7	DON'T KNOW	4	709.8		
8	REFUSAL	1	143.4		
9	NOT STATED	61	30712.7		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MAM_31E: Had mammogram - follow-up treatment					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=3696 / 1162576.93 ] [Invalid=59213 / 27715841.44 ]			
Universe		Respondents who answered MAM_030 = (1, 7 or 8)			
Literal question		Why did you have it? - Follow-up of breast cancer treatment			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	106	25868.6	<div></div> 2.2%	
2	NO	3590	1136708.4		<div></div> 97.8%
6	NOT APPLICABLE	59147	27684275.6		
7	DON'T KNOW	4	709.8		
8	REFUSAL	1	143.4		
9	NOT STATED	61	30712.7		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MAM_31F: Had mammogram - hormone replac. therapy					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=3696 / 1162576.93 ] [Invalid=59213 / 27715841.44 ]			
Universe		Respondents who answered MAM_030 = (1, 7 or 8)			
Literal question		Why did you have it? - On hormone replacement therapy			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	11	8147.0	<div></div> 0.7%	

# MAM_31F: Had mammogram - hormone replac. therapy							
Value	Label	Cases	Weighted	Percentage (Weighted)			
2	NO	3685	1154429.9	<div><div></div></div> 99.3%			
6	NOT APPLICABLE	59147	27684275.6				
7	DON'T KNOW	4	709.8				
8	REFUSAL	1	143.4				
9	NOT STATED	61	30712.7				
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.							
# MAM_31G: Had mammogram - breast problem							
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]					
Statistics [NW/ W]		[Valid=3696 / 1162576.93 ] [Invalid=59213 / 27715841.44 ]					
Universe		Respondents who answered MAM_030 = (1, 7 or 8)					
Literal question		Why did you have it? - Breast problem					
Value	Label	Cases	Weighted	Percentage (Weighted)			
1	YES	129	46427.1	<div><div></div></div> 4.0%			
2	NO	3567	1116149.8				
6	NOT APPLICABLE	59147	27684275.6				
7	DON'T KNOW	4	709.8				
8	REFUSAL	1	143.4				
9	NOT STATED	61	30712.7	<div><div></div></div> 96.0%			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.							
# MAM_31H: Had mammogram - other							
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]					
Statistics [NW/ W]		[Valid=3696 / 1162576.93 ] [Invalid=59213 / 27715841.44 ]					
Universe		Respondents who answered MAM_030 = (1, 7 or 8)					
Literal question		Why did you have it? - Other					
Value	Label	Cases	Weighted	Percentage (Weighted)			
1	YES	72	31636.1	<div><div></div></div> 2.7%			
2	NO	3624	1130940.8				
6	NOT APPLICABLE	59147	27684275.6				
7	DON'T KNOW	4	709.8				
8	REFUSAL	1	143.4				
9	NOT STATED	61	30712.7	<div><div></div></div> 97.3%			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.							
# MAM_032: Last time mammogram was done							
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]					
Statistics [NW/ W]		[Valid=3677 / 1158091.04 ] [Invalid=59232 / 27720327.33 ]					
Universe		Respondents who answered MAM_030 = (1, 7 or 8)					
Literal question		When was the last time?					
Value	Label	Cases	Weighted	Percentage (Weighted)			
1	< 6 MONTHS	790	256408.0	<div><div></div></div> 22.1%			
2	6 MTHS TO < 1 YR	943	320779.5				
3	1 TO < 2 YEARS	886	279133.7	<div><div></div></div> 27.7%			
4	2 TO < 5 YEARS	579	172141.0				
				<div><div></div></div> 24.1%			
				<div><div></div></div> 14.9%			

# MAM_032: Last time mammogram was done					
Value	Label	Cases	Weighted	Percentage (Weighted)	
5	5 YEARS OR MORE	479	129628.8	<div><div></div>11.2%</div>	
6	NOT APPLICABLE	59147	27684275.6		
7	DON'T KNOW	22	5154.6		
8	REFUSAL	2	184.5		
9	NOT STATED	61	30712.7		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MAM_36A: No mam. -have not gotten ar.to it -2 yrs					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=619 / 195901.7 ] [Invalid=62290 / 28682516.67 ]				
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)				
Literal question	What are the reasons you have not had one in the past 2 years? - Have not gotten around to it				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	201	60730.0	<div><div></div>31.0%</div>	
2	NO	418	135171.7		<div><div></div>69.0%</div>
6	NOT APPLICABLE	62256	28672485.7		
7	DON'T KNOW	7	1102.8		
8	REFUSAL	0	0.0		
9	NOT STATED	27	8928.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MAM_36B: No mam. resp.- didn't think nec. - 2 yrs					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=619 / 195901.7 ] [Invalid=62290 / 28682516.67 ]				
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)				
Literal question	What are the reasons you have not had one in the past 2 years? - Respondent did not think it was necessary				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	215	65311.5	<div><div></div>33.3%</div>	
2	NO	404	130590.2		<div><div></div>66.7%</div>
6	NOT APPLICABLE	62256	28672485.7		
7	DON'T KNOW	7	1102.8		
8	REFUSAL	0	0.0		
9	NOT STATED	27	8928.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MAM_36C: No mam. -doctor didn't think nec. -2 yrs					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=619 / 195901.7 ] [Invalid=62290 / 28682516.67 ]				
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)				
Literal question	What are the reasons you have not had one in the past 2 years? - Doctor did not think it was necessary				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	100	30347.5	<div><div></div>15.5%</div>	
2	NO	519	165554.2		<div><div></div>84.5%</div>
6	NOT APPLICABLE	62256	28672485.7		
7	DON'T KNOW	7	1102.8		

# MAM_36C: No mam. -doctor didn't think nec. -2 yrs				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	27	8928.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAM_36D: No mam. - personal/family resp. - 2 yrs				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=619 / 195901.7 ] [Invalid=62290 / 28682516.67 ]			
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Personal or family responsibilities			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	2556.4	1.3%
2	NO	611	193345.3	98.7%
6	NOT APPLICABLE	62256	28672485.7	
7	DON'T KNOW	7	1102.8	
8	REFUSAL	0	0.0	
9	NOT STATED	27	8928.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAM_36E: No mam. - not ava. when required - 2 yrs				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=619 / 195901.7 ] [Invalid=62290 / 28682516.67 ]			
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Not available at time required			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	2360.4	1.2%
2	NO	609	193541.3	98.8%
6	NOT APPLICABLE	62256	28672485.7	
7	DON'T KNOW	7	1102.8	
8	REFUSAL	0	0.0	
9	NOT STATED	27	8928.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAM_36F: No mam. - not avai. in the area - 2 yrs				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=619 / 195901.7 ] [Invalid=62290 / 28682516.67 ]			
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Not available at all in the area			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	3832.2	2.0%
2	NO	606	192069.4	98.0%
6	NOT APPLICABLE	62256	28672485.7	
7	DON'T KNOW	7	1102.8	
8	REFUSAL	0	0.0	
9	NOT STATED	27	8928.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# MAM_36G: No mam. -wait. time was too long - 2 yrs				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=619 / 195901.7 ] [Invalid=62290 / 28682516.67 ]			
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Waiting time was too long			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	215.6	0.1%
2	NO	617	195686.0	99.9%
6	NOT APPLICABLE	62256	28672485.7	
7	DON'T KNOW	7	1102.8	
8	REFUSAL	0	0.0	
9	NOT STATED	27	8928.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAM_36H: No mam. -transportation problems - 2 yrs				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=619 / 195901.7 ] [Invalid=62290 / 28682516.67 ]			
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Transportation problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	728.7	0.4%
2	NO	614	195173.0	99.6%
6	NOT APPLICABLE	62256	28672485.7	
7	DON'T KNOW	7	1102.8	
8	REFUSAL	0	0.0	
9	NOT STATED	27	8928.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAM_36I: No mam. - language problem - 2 yrs				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=619 / 195901.7 ] [Invalid=62290 / 28682516.67 ]			
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	619	195901.7	100.0%
6	NOT APPLICABLE	62256	28672485.7	
7	DON'T KNOW	7	1102.8	
8	REFUSAL	0	0.0	
9	NOT STATED	27	8928.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAM_36J: No mam. - cost - 2 yrs				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=619 / 195901.7 ] [Invalid=62290 / 28682516.67 ]			
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Cost			



# MAM_36J: No mam. - cost - 2 yrs				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	144.7	0.1%
2	NO	618	195757.0	99.9%
6	NOT APPLICABLE	62256	28672485.7	
7	DON'T KNOW	7	1102.8	
8	REFUSAL	0	0.0	
9	NOT STATED	27	8928.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAM_36K: No mam. -did not know where to go -2 yrs				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=619 / 195901.7 ] [Invalid=62290 / 28682516.67 ]			
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Did not know where to go / uninformed			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15	16991.9	8.7%
2	NO	604	178909.8	91.3%
6	NOT APPLICABLE	62256	28672485.7	
7	DON'T KNOW	7	1102.8	
8	REFUSAL	0	0.0	
9	NOT STATED	27	8928.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAM_36L: No mam. - fear - 2 yrs				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=619 / 195901.7 ] [Invalid=62290 / 28682516.67 ]			
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	62	14580.5	7.4%
2	NO	557	181321.2	92.6%
6	NOT APPLICABLE	62256	28672485.7	
7	DON'T KNOW	7	1102.8	
8	REFUSAL	0	0.0	
9	NOT STATED	27	8928.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAM_36N: No mam. -un. leave house/hlth pro -2 yrs				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=619 / 195901.7 ] [Invalid=62290 / 28682516.67 ]			
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Unable to leave the house because of a health problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	1446.8	0.7%
2	NO	615	194455.0	99.3%
6	NOT APPLICABLE	62256	28672485.7	

# MAM_36N: No mam. -un. leave house/hlth pro -2 yrs				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	7	1102.8	
8	REFUSAL	0	0.0	
9	NOT STATED	27	8928.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAM_36O: No mam. -Breasts removed/Mastec. -2 yrs				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=619 / 195901.7 ] [Invalid=62290 / 28682516.67 ]			
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Breasts removed / Mastectomy			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	2898.9	1.5%
2	NO	609	193002.8	98.5%
6	NOT APPLICABLE	62256	28672485.7	
7	DON'T KNOW	7	1102.8	
8	REFUSAL	0	0.0	
9	NOT STATED	27	8928.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAM_36M: No mam. - other - 2 yrs				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=619 / 195901.7 ] [Invalid=62290 / 28682516.67 ]			
Universe	Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)			
Literal question	What are the reasons you have not had one in the past 2 years? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22	6956.8	3.6%
2	NO	597	188944.9	96.4%
6	NOT APPLICABLE	62256	28672485.7	
7	DON'T KNOW	7	1102.8	
8	REFUSAL	0	0.0	
9	NOT STATED	27	8928.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAM_038: Had a hysterectomy				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6324 / 2246976.86 ] [Invalid=56585 / 26631441.51 ]			
Universe	Females aged 18 and over			
Literal question	Have you had a hysterectomy? (In other words, has your uterus been removed)?			
Notes	Note 1: In processing, if a respondent answered MAM_037 = 1 (yes), the variable MAM_038 is given the value of 2 (no); if a respondent answered PAP_26M = 1 (have had a hysterectomy), the variable MAM_038 is given the value of 1 (yes). Note 2: The "Not Stated" category includes people who did the interview by proxy. The high number of "Not Stated" responses for 2007 resulted from an error in the application flow. Women aged 50 and over should have skipped only question HWT_Q1, but instead they also skipped MAM_Q038.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1544	412018.1	18.3%
2	NO	4780	1834958.8	81.7%

# MAM_038: Had a hysterectomy				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	56490	26588883.4	
7	DON'T KNOW	7	1444.1	
8	REFUSAL	4	1603.7	
9	NOT STATED	84	39510.3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# DOBRX: Module: BRX - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]			
Universe	All respondents			
Literal question	Breast examinations - Inclusion Flag - (F)			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6255	1032182.7	3.6%
2	NO	56654	27846235.7	96.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# BRX_110: Had breasts examined by health prof.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=2979 / 466311.64 ] [Invalid=59930 / 28412106.73 ]			
Universe	Females aged 18 and over with DOBRX = 1			
Literal question	Other than a mammogram, have you ever had your breasts examined for lumps (tumours, cysts) by a doctor or other health professional?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2234	342086.4	73.4%
2	NO	745	124225.2	26.6%
6	NOT APPLICABLE	59883	28405091.4	
7	DON'T KNOW	10	746.8	
8	REFUSAL	2	73.6	
9	NOT STATED	35	6194.9	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# BRX_112: Last time breasts examined for lumps				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2200 / 338710.81 ] [Invalid=60709 / 28539707.56 ]			
Universe	Respondents who answered BRX_110 = (1, 7 or 8)			
Literal question	When was the last time?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 6 MONTHS	481	68502.4	20.2%
2	6 MTHS TO < 1 YR	657	110839.6	32.7%
3	1 TO < 2 YEARS	513	81375.8	24.0%

# BRX_112: Last time breasts examined for lumps				
Value	Label	Cases	Weighted	Percentage (Weighted)
4	2 TO < 5 YEARS	294	47678.6	14.1%
5	5 YEARS OR MORE	255	30314.4	8.9%
6	NOT APPLICABLE	60628	28529316.6	
7	DON'T KNOW	34	3375.6	
8	REFUSAL	0	0.0	
9	NOT STATED	47	7015.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BRX_16A: No breast ex. - havn't gotten around/it				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1230 / 194858.4 ] [Invalid=61679 / 28683559.97 ]			
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Have not gotten around to it			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	334	59598.9	30.6%
2	NO	896	135259.5	69.4%
6	NOT APPLICABLE	61534	28665809.2	
7	DON'T KNOW	64	7359.8	
8	REFUSAL	0	0.0	
9	NOT STATED	81	10390.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BRX_16B: No breast ex. - resp. didn't think nec.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1230 / 194858.4 ] [Invalid=61679 / 28683559.97 ]			
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Respondent did not think it was necessary			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	493	82329.3	42.3%
2	NO	737	112529.1	57.7%
6	NOT APPLICABLE	61534	28665809.2	
7	DON'T KNOW	64	7359.8	
8	REFUSAL	0	0.0	
9	NOT STATED	81	10390.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BRX_16C: No breast ex. - doctor didn't think nec.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1230 / 194858.4 ] [Invalid=61679 / 28683559.97 ]			
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Doctor did not think it was necessary			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	209	26260.2	13.5%
2	NO	1021	168598.2	86.5%
6	NOT APPLICABLE	61534	28665809.2	

# BRX_16C: No breast ex. - doctor didn't think nec.				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	64	7359.8	
8	REFUSAL	0	0.0	
9	NOT STATED	81	10390.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BRX_16D: No breast ex. - personal/family resp.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1230 / 194858.4 ] [Invalid=61679 / 28683559.97 ]			
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Personal or family responsibilities			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	1057.9	0.5%
2	NO	1228	193800.5	99.5%
6	NOT APPLICABLE	61534	28665809.2	
7	DON'T KNOW	64	7359.8	
8	REFUSAL	0	0.0	
9	NOT STATED	81	10390.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BRX_16E: No breast ex. - not avail. when req'd				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1230 / 194858.4 ] [Invalid=61679 / 28683559.97 ]			
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at time required			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20	3059.2	1.6%
2	NO	1210	191799.2	98.4%
6	NOT APPLICABLE	61534	28665809.2	
7	DON'T KNOW	64	7359.8	
8	REFUSAL	0	0.0	
9	NOT STATED	81	10390.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BRX_16F: No breast ex. - not available in area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1230 / 194858.4 ] [Invalid=61679 / 28683559.97 ]			
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7, or 8)			
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Not available at all in the area			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	1433.3	0.7%
2	NO	1217	193425.1	99.3%
6	NOT APPLICABLE	61534	28665809.2	
7	DON'T KNOW	64	7359.8	
8	REFUSAL	0	0.0	
9	NOT STATED	81	10390.9	

# BRX_16F: No breast ex. - not available in area				
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BRX_16G: No breast ex. - waiting time too long				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1230 / 194858.4 ] [Invalid=61679 / 28683559.97 ]			
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Waiting time was too long			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	722.0	0.4%
2	NO	1223	194136.4	99.6%
6	NOT APPLICABLE	61534	28665809.2	
7	DON'T KNOW	64	7359.8	
8	REFUSAL	0	0.0	
9	NOT STATED	81	10390.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BRX_16H: No breast ex. - transportation problems				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1230 / 194858.4 ] [Invalid=61679 / 28683559.97 ]			
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Transportation problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	296.1	0.2%
2	NO	1228	194562.3	99.8%
6	NOT APPLICABLE	61534	28665809.2	
7	DON'T KNOW	64	7359.8	
8	REFUSAL	0	0.0	
9	NOT STATED	81	10390.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BRX_16I: No breast ex. - language problem				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1230 / 194858.4 ] [Invalid=61679 / 28683559.97 ]			
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	1008.0	0.5%
2	NO	1229	193850.4	99.5%
6	NOT APPLICABLE	61534	28665809.2	
7	DON'T KNOW	64	7359.8	
8	REFUSAL	0	0.0	
9	NOT STATED	81	10390.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BRX_16J: No breast ex. - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1230 / 194858.4 ] [Invalid=61679 / 28683559.97 ]			

# BRX_16J: No breast ex. - cost				
<b>Universe</b>		Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)		
<b>Literal question</b>		What are the reasons that you have not had a breast exam in the past 2 years? - Cost		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	1230	194858.4	100.0%
6	NOT APPLICABLE	61534	28665809.2	
7	DON'T KNOW	64	7359.8	
8	REFUSAL	0	0.0	
9	NOT STATED	81	10390.9	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# BRX_16K: No breast ex. - did not know where to go				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=1230 / 194858.4 ] [Invalid=61679 / 28683559.97 ]		
<b>Universe</b>		Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)		
<b>Literal question</b>		What are the reasons that you have not had a breast exam in the past 2 years? - Did not know where to go / uninformed		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	1939.6	1.0%
2	NO	1221	192918.8	99.0%
6	NOT APPLICABLE	61534	28665809.2	
7	DON'T KNOW	64	7359.8	
8	REFUSAL	0	0.0	
9	NOT STATED	81	10390.9	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# BRX_16L: No breast ex. - fear				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=1230 / 194858.4 ] [Invalid=61679 / 28683559.97 ]		
<b>Universe</b>		Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)		
<b>Literal question</b>		What are the reasons that you have not had a breast exam in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30	3710.8	1.9%
2	NO	1200	191147.6	98.1%
6	NOT APPLICABLE	61534	28665809.2	
7	DON'T KNOW	64	7359.8	
8	REFUSAL	0	0.0	
9	NOT STATED	81	10390.9	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# BRX_16N: No breast ex. - unable to leave house				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=1230 / 194858.4 ] [Invalid=61679 / 28683559.97 ]		
<b>Universe</b>		Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)		
<b>Literal question</b>		What are the reasons that you have not had a breast exam in the past 2 years? - Unable to leave the house because of a health problem		

# BRX_16N: No breast ex. - unable to leave house				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	464.2	0.2%
2	NO	1226	194394.2	99.8%
6	NOT APPLICABLE	61534	28665809.2	
7	DON'T KNOW	64	7359.8	
8	REFUSAL	0	0.0	
9	NOT STATED	81	10390.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BRX_16O: No breast - breast removed/mastectomy				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1230 / 194858.4 ] [Invalid=61679 / 28683559.97 ]			
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Breast removed / mastectomy			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	774.1	0.4%
2	NO	1221	194084.3	99.6%
6	NOT APPLICABLE	61534	28665809.2	
7	DON'T KNOW	64	7359.8	
8	REFUSAL	0	0.0	
9	NOT STATED	81	10390.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# BRX_16M: No breast ex. - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1230 / 194858.4 ] [Invalid=61679 / 28683559.97 ]			
Universe	Respondents who answered BRX_110 = (2, 7 or 8) or BRX_112 = (4, 5, 7 or 8)			
Literal question	What are the reasons that you have not had a breast exam in the past 2 years? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	202	31286.2	16.1%
2	NO	1028	163572.2	83.9%
6	NOT APPLICABLE	61534	28665809.2	
7	DON'T KNOW	64	7359.8	
8	REFUSAL	0	0.0	
9	NOT STATED	81	10390.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOPSA: Module: PSA - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5185	1374871.6	4.8%
2	NO	56091	27421445.9	95.2%



# DOPSA: Module: PSA - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PSA_170: Ever had a PSA blood test				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1523 / 420491.78 ] [Invalid=61386 / 28457926.59 ]			
Universe	Males aged 35 and over with DOPSA = 1			
Literal question	Have you ever had a prostate specific antigen test for prostate cancer, that is, a PSA blood test?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	902	234976.7	55.9%
2	NO	621	185515.0	44.1%
6	NOT APPLICABLE	61275	28430159.0	
7	DON'T KNOW	39	9943.2	
8	REFUSAL	0	0.0	
9	NOT STATED	72	17824.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PSA_172: Last time had PSA blood test				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=896 / 231876.12 ] [Invalid=62013 / 28646542.25 ]			
Universe	Respondents who answered PSA_170 = (1, 7 or 8)			
Literal question	When was the last time?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	576	142413.3	61.4%
2	1 TO < 2 YEARS	165	44482.9	19.2%
3	2 TO < 3 YEARS	79	25347.6	10.9%
4	3 TO < 5 YEARS	37	10021.3	4.3%
5	5 YEARS OR MORE	39	9611.1	4.1%
6	NOT APPLICABLE	61896	28615674.0	
7	DON'T KNOW	6	3100.6	
8	REFUSAL	0	0.0	
9	NOT STATED	111	27767.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PSA_73A: Had PSA test - family history				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=901 / 234855.82 ] [Invalid=62008 / 28643562.55 ]			
Universe	Respondents who answered PSA_170 = (1, 7 or 8)			
Literal question	Why did you have it? - Family history of prostate cancer			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	55	17107.5	7.3%
2	NO	846	217748.3	92.7%

# PSA_73A: Had PSA test - family history				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	61896	28615674.0	
7	DON'T KNOW	1	120.9	
8	REFUSAL	0	0.0	
9	NOT STATED	111	27767.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PSA_73B: Had PSA test - regular check-up				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=901 / 234855.82 ] [Invalid=62008 / 28643562.55 ]			
Universe	Respondents who answered PSA_170 = (1, 7 or 8)			
Literal question	Why did you have it? - Part of regular check-up / routine screening			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	694	172675.6	<div></div> 73.5%
2	NO	207	62180.3	<div></div> 26.5%
6	NOT APPLICABLE	61896	28615674.0	
7	DON'T KNOW	1	120.9	
8	REFUSAL	0	0.0	
9	NOT STATED	111	27767.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PSA_73C: Had PSA test - age				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=901 / 234855.82 ] [Invalid=62008 / 28643562.55 ]			
Universe	Respondents who answered PSA_170 = (1, 7 or 8)			
Literal question	Why did you have it? - Age			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	77	24095.1	<div></div> 10.3%
2	NO	824	210760.8	<div></div> 89.7%
6	NOT APPLICABLE	61896	28615674.0	
7	DON'T KNOW	1	120.9	
8	REFUSAL	0	0.0	
9	NOT STATED	111	27767.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# PSA_73D: Had PSA test - follow-up / problem				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=901 / 234855.82 ] [Invalid=62008 / 28643562.55 ]			
Universe	Respondents who answered PSA_170 = (1, 7 or 8)			
Literal question	Why did you have it? - Follow-up of problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	110	30456.7	<div><div></div>13.0%</div>
2	NO	791	204399.1	<div><div></div>87.0%</div>
6	NOT APPLICABLE	61896	28615674.0	
7	DON'T KNOW	1	120.9	
8	REFUSAL	0	0.0	
9	NOT STATED	111	27767.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PSA_73E: Had PSA test - follow-up/prostate treat.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=901 / 234855.82 ] [Invalid=62008 / 28643562.55 ]			
Universe	Respondents who answered PSA_170 = (1, 7 or 8)			
Literal question	Why did you have it? - Follow-up of prostate cancer treatment			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	33	8014.4	<div><div></div>3.4%</div>
2	NO	868	226841.4	<div><div></div>96.6%</div>
6	NOT APPLICABLE	61896	28615674.0	
7	DON'T KNOW	1	120.9	
8	REFUSAL	0	0.0	
9	NOT STATED	111	27767.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PSA_73F: Had PSA test - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=901 / 234855.82 ] [Invalid=62008 / 28643562.55 ]			
Universe	Respondents who answered PSA_170 = (1, 7 or 8)			
Literal question	Why did you have it? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19	4446.7	<div><div></div>1.9%</div>
2	NO	882	230409.1	<div><div></div>98.1%</div>
6	NOT APPLICABLE	61896	28615674.0	
7	DON'T KNOW	1	120.9	
8	REFUSAL	0	0.0	
9	NOT STATED	111	27767.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PSA_174: Had a digital rectal exam				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1555 / 429295.78 ] [Invalid=61354 / 28449122.59 ]			
Universe	Males aged 35 and over with DOPSA = 1			

# PSA_174: Had a digital rectal exam				
<b>Literal question</b>		A Digital Rectal Exam is an exam in which a gloved finger is inserted into the rectum in order to feel the prostate gland. Have you ever had this exam?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	913	235123.9	54.8%
2	NO	642	194171.9	45.2%
6	NOT APPLICABLE	61275	28430159.0	
7	DON'T KNOW	7	1139.2	
8	REFUSAL	0	0.0	
9	NOT STATED	72	17824.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PSA_175: Last time had digital rectal exam				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=908 / 234392.58 ] [Invalid=62001 / 28644025.79 ]		
<b>Universe</b>		Respondents who answered PSA_174 = (1, 7 or 8) or PSA_170 = 8		
<b>Literal question</b>		When was the last time?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	352	87134.9	37.2%
2	1 TO < 2 YEARS	205	61453.8	26.2%
3	2 TO < 3 YEARS	104	26083.0	11.1%
4	3 TO < 5 YEARS	89	22919.9	9.8%
5	5 YEARS OR MORE	158	36800.9	15.7%
6	NOT APPLICABLE	61917	28624330.9	
7	DON'T KNOW	5	731.3	
8	REFUSAL	0	0.0	
9	NOT STATED	79	18963.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOCCS: Module: CCS - (F)				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]		
<b>Universe</b>		All respondents		
<b>Literal question</b>		Colorectal cancer screening - Inclusion Flag - (F)		
<b>Notes</b>		Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	34422	14186102.7	49.1%
2	NO	28487	14692315.6	50.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCS_180: Had an FOBT test				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=23419 / 9009835.08 ] [Invalid=39490 / 19868583.29 ]		

# CCS_180: Had an FOBT test				
Universe		Respondents aged 35 and over		
Literal question		An FOBT is a test to check for blood in your stool, where you have a bowel movement and use a stick to smear a small sample on a special card. Have you ever had this test?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9590	3059959.7	<div><div></div></div> 34.0%
2	NO	13829	5949875.4	<div><div></div></div> 66.0%
6	NOT APPLICABLE	38803	19613234.1	
7	DON'T KNOW	158	52439.9	
8	REFUSAL	8	1834.0	
9	NOT STATED	521	201075.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCS_182: Last time FOBT test done				
Information		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]		[Valid=9447 / 3006971.67 ] [Invalid=53462 / 25871446.7 ]		
Universe		Respondents who answered CCS_180 = (1, 7 or 8)		
Literal question		When was the last time?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	3318	1049321.6	<div><div></div></div> 34.9%
2	1 TO < 2 YEARS	2164	734212.2	<div><div></div></div> 24.4%
3	2 TO < 3 YEARS	1228	393608.3	<div><div></div></div> 13.1%
4	3 TO < 5 YEARS	909	286124.9	<div><div></div></div> 9.5%
5	5 TO < 10YEARS	922	270961.3	<div><div></div></div> 9.0%
6	5 YEARS OR MORE	906	272743.4	<div><div></div></div> 9.1%
96	NOT APPLICABLE	52632	25563109.5	
97	DON'T KNOW	142	52809.2	
98	REFUSAL	1	178.8	
99	NOT STATED	687	255349.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCS_83A: Had FOBT - family history				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=9430 / 3014176.62 ] [Invalid=53479 / 25864241.75 ]		
Universe		Respondents who answered CCS_180 = (1, 7 or 8)		
Literal question		Why did you have it? - Family history of colorectal cancer		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	519	166064.8	<div><div></div></div> 5.5%
2	NO	8911	2848111.9	<div><div></div></div> 94.5%
6	NOT APPLICABLE	52632	25563109.5	
7	DON'T KNOW	159	43877.6	
8	REFUSAL	1	1905.5	
9	NOT STATED	687	255349.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCS_83B: Had FOBT - regular check-up				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=9430 / 3014176.62 ] [Invalid=53479 / 25864241.75 ]		

# CCS_83B: Had FOBT - regular check-up					
Universe		Respondents who answered CCS_180 = (1, 7 or 8)			
Literal question		Why did you have it? - Part of regular check-up / routine screening			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6638	2153615.7	<div></div>	71.4%
2	NO	2792	860560.9	<div></div>	28.6%
6	NOT APPLICABLE	52632	25563109.5		
7	DON'T KNOW	159	43877.6		
8	REFUSAL	1	1905.5		
9	NOT STATED	687	255349.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# CCS_83C: Had FOBT - age					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=9430 / 3014176.62 ] [Invalid=53479 / 25864241.75 ]			
Universe		Respondents who answered CCS_180 = (1, 7 or 8)			
Literal question		Why did you have it? - Age			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	509	225610.9	<div></div>	7.5%
2	NO	8921	2788565.8	<div></div>	92.5%
6	NOT APPLICABLE	52632	25563109.5		
7	DON'T KNOW	159	43877.6		
8	REFUSAL	1	1905.5		
9	NOT STATED	687	255349.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# CCS_83D: Had FOBT - follow-up of problem					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=9430 / 3014176.62 ] [Invalid=53479 / 25864241.75 ]			
Universe		Respondents who answered CCS_180 = (1, 7 or 8)			
Literal question		Why did you have it? - Follow-up of problem			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2024	603370.3	<div></div>	20.0%
2	NO	7406	2410806.3	<div></div>	80.0%
6	NOT APPLICABLE	52632	25563109.5		
7	DON'T KNOW	159	43877.6		
8	REFUSAL	1	1905.5		
9	NOT STATED	687	255349.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# CCS_83E: Had FOBT - follow-up of treatment					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=9430 / 3014176.62 ] [Invalid=53479 / 25864241.75 ]			
Universe		Respondents who answered CCS_180 = (1, 7 or 8)			
Literal question		Why did you have it? - Follow-up of colorectal cancer treatment			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	64	12182.6	<div></div>	0.4%

# CCS_83E: Had FOBT - follow-up of treatment				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	9366	3001994.1	<div><div></div></div> 99.6%
6	NOT APPLICABLE	52632	25563109.5	
7	DON'T KNOW	159	43877.6	
8	REFUSAL	1	1905.5	
9	NOT STATED	687	255349.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCS_83F: Had FOBT - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=9430 / 3014176.62 ] [Invalid=53479 / 25864241.75 ]			
Universe	Respondents who answered CCS_180 = (1, 7 or 8)			
Literal question	Why did you have it? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	314	101467.3	<div><div></div></div> 3.4%
2	NO	9116	2912709.3	
6	NOT APPLICABLE	52632	25563109.5	
7	DON'T KNOW	159	43877.6	
8	REFUSAL	1	1905.5	
9	NOT STATED	687	255349.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCS_184: Had colonoscopy or sigmoidoscopy				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=23487 / 9030145.18 ] [Invalid=39422 / 19848273.19 ]			
Universe	Respondents aged 35 and over			
Literal question	A colonoscopy or sigmoidoscopy is when a tube is inserted into the rectum to view the bowel for early signs of cancer and other health problems. Have you ever had either of these exams?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8207	2748082.0	<div><div></div></div> 30.4%
2	NO	15280	6282063.2	
6	NOT APPLICABLE	38803	19613234.1	
7	DON'T KNOW	88	24416.4	
8	REFUSAL	2	7713.4	
9	NOT STATED	529	202909.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCS_185: Last time had colonoscopy/sigmoidoscopy				
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]			
Statistics [NW/ W]	[Valid=8142 / 2734590.29 ] [Invalid=54767 / 26143828.08 ]			
Universe	Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8			
Literal question	When was the last time?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	1730	607198.9	<div><div></div></div> 22.2%
2	1 TO < 2 YEARS	1491	508855.1	
3	2 TO < 3 YEARS	1305	438734.5	

# CCS_185: Last time had colonoscopy/sigmoidoscopy				
Value	Label	Cases	Weighted	Percentage (Weighted)
4	3 TO < 5 YEARS	1348	481720.4	<div><div></div></div> 17.6%
5	5 TO < 10YEARS	1255	404225.9	<div><div></div></div> 14.8%
6	5 YEARS OR MORE	1013	293855.5	<div><div></div></div> 10.7%
96	NOT APPLICABLE	54083	25895297.3	
97	DON'T KNOW	65	13491.7	
98	REFUSAL	0	0.0	
99	NOT STATED	619	235039.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCS_86A: Had colonoscopy - family history				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8116 / 2731578.09 ] [Invalid=54793 / 26146840.28 ]			
Universe	Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8			
Literal question	Why did you have it? - Family history of colorectal cancer			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1254	447627.0	<div><div></div></div> 16.4%
2	NO	6862	2283951.1	<div><div></div></div> 83.6%
6	NOT APPLICABLE	54083	25895297.3	
7	DON'T KNOW	89	16193.2	
8	REFUSAL	2	310.7	
9	NOT STATED	619	235039.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCS_86B: Had colonoscopy - regular check-up				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8116 / 2731578.09 ] [Invalid=54793 / 26146840.28 ]			
Universe	Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8			
Literal question	Why did you have it? - Part of regular check-up / routine screening			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3408	1222905.4	<div><div></div></div> 44.8%
2	NO	4708	1508672.7	<div><div></div></div> 55.2%
6	NOT APPLICABLE	54083	25895297.3	
7	DON'T KNOW	89	16193.2	
8	REFUSAL	2	310.7	
9	NOT STATED	619	235039.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCS_86C: Had colonoscopy - age				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8116 / 2731578.09 ] [Invalid=54793 / 26146840.28 ]			
Universe	Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8			
Literal question	Why did you have it? - Age			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	462	225187.6	<div><div></div></div> 8.2%
2	NO	7654	2506390.5	<div><div></div></div> 91.8%



# CCS_86C: Had colonoscopy - age				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	54083	25895297.3	
7	DON'T KNOW	89	16193.2	
8	REFUSAL	2	310.7	
9	NOT STATED	619	235039.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCS_86D: Had colonoscopy - follow-up of problem				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8116 / 2731578.09 ] [Invalid=54793 / 26146840.28 ]			
Universe	Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8			
Literal question	Why did you have it? - Follow-up of problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3324	1025517.2	<div></div> 37.5%
2	NO	4792	1706060.9	<div></div> 62.5%
6	NOT APPLICABLE	54083	25895297.3	
7	DON'T KNOW	89	16193.2	
8	REFUSAL	2	310.7	
9	NOT STATED	619	235039.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCS_86E: Had colonoscopy - follow-up of treatment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8116 / 2731578.09 ] [Invalid=54793 / 26146840.28 ]			
Universe	Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8			
Literal question	Why did you have it? - Follow-up of colorectal cancer treatment			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	175	38446.8	<div></div> 1.4%
2	NO	7941	2693131.3	<div></div> 98.6%
6	NOT APPLICABLE	54083	25895297.3	
7	DON'T KNOW	89	16193.2	
8	REFUSAL	2	310.7	
9	NOT STATED	619	235039.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCS_86F: Had colonoscopy - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8116 / 2731578.09 ] [Invalid=54793 / 26146840.28 ]			
Universe	Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8			
Literal question	Why did you have it? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	299	96529.4	<div></div> 3.5%
2	NO	7817	2635048.7	<div></div> 96.5%
6	NOT APPLICABLE	54083	25895297.3	
7	DON'T KNOW	89	16193.2	
8	REFUSAL	2	310.7	

# CCS_86F: Had colonoscopy - other				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	619	235039.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CCS_187: Colonoscopy/sigmoidoscopy - FOBT test				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4629 / 1417607.53 ] [Invalid=58280 / 27460810.84 ]			
Universe	Respondents who answered CCS_184 = (1, 7 or 8) and CCS_180 = (1 or 7) or CCS_180 = 8			
Literal question	Was the colonoscopy or sigmoidoscopy a follow-up of the results of an FOBT?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	935	279536.2	<div></div> 19.7%
2	NO	3694	1138071.3	<div></div> 80.3%
6	NOT APPLICABLE	57383	27166043.3	
7	DON'T KNOW	244	52628.6	
8	REFUSAL	1	296.2	
9	NOT STATED	652	241842.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOEYX: Module: EYX - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	Respondents with DOEYX = 1 who answered HCU_02BB = (1, 7, 8)			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23868	12067963.1	<div></div> 41.9%
2	NO	37408	16728354.3	<div></div> 58.1%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# EYX_140: Visit eye doctor - 12 m				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=10612 / 4847382.57 ] [Invalid=52297 / 24031035.8 ]			
Universe	Respondents with DOEYX = 1 who answered HCU_02BB = (1, 7, 8)			
Literal question	It was reported earlier that you have "seen" or "talked to" an optometrist or ophthalmologist in the past 12 months. Did you actually visit one?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10432	4725646.0	<div></div> 97.5%
2	NO	180	121736.6	<div></div> 2.5%
6	NOT APPLICABLE	52001	23895841.4	
7	DON'T KNOW	5	772.3	
8	REFUSAL	1	316.5	
9	NOT STATED	290	134105.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# EYX_142: Last time eye examination				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=23181 / 11753080.31 ] [Invalid=39728 / 17125338.06 ]			
Universe	Respondents who answered EYX_142 = (3, 4, 5, 7 or 8) or EYX_140 = (7 or 8)			
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Have not gotten around to it			
Notes	In processing, if a respondent answered EYX_140 = 1 (yes), the variable EYX_142 is given the value of 1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	11271	5185302.7	<div><div></div></div> 44.1%
2	1 TO < 2YEARS	4450	2288862.8	<div><div></div></div> 19.5%
3	2 TO < 3 YEARS	2414	1390973.2	<div><div></div></div> 11.8%
4	3 OR MORE YEARS	4302	2366532.8	<div><div></div></div> 20.1%
5	NEVER	744	521408.8	<div><div></div></div> 4.4%
6	NOT APPLICABLE	39041	16810455.2	
7	DON'T KNOW	182	84496.3	
8	REFUSAL	3	956.3	
9	NOT STATED	502	229430.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# EYX_46A: No eye exam - haven't got around to it				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7410 / 4251360.53 ] [Invalid=55499 / 24627057.84 ]			
Universe	Respondents who answered EYX_142 = (3, 4, 5, 7 or 8) or EYX_140 = (7 or 8)			
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Have not gotten around to it			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1621	848148.7	<div><div></div></div> 20.0%
2	NO	5789	3403211.8	<div><div></div></div> 80.0%
6	NOT APPLICABLE	54762	24284620.8	
7	DON'T KNOW	48	24869.6	
8	REFUSAL	2	2684.7	
9	NOT STATED	687	314882.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# EYX_46B: No eye exam - resp. think not nec.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7410 / 4251360.53 ] [Invalid=55499 / 24627057.84 ]			
Universe	Respondents who answered EYX_142 = (3, 4, 5, 7 or 8) or EYX_140 = (7 or 8)			
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Respondent did not think it was necessary			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4657	2849002.5	<div><div></div></div> 67.0%
2	NO	2753	1402358.0	<div><div></div></div> 33.0%
6	NOT APPLICABLE	54762	24284620.8	
7	DON'T KNOW	48	24869.6	
8	REFUSAL	2	2684.7	
9	NOT STATED	687	314882.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# EYX_46C: No eye exam - dr. think not nec.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7410 / 4251360.53 ] [Invalid=55499 / 24627057.84 ]			
Universe	Respondents who answered EYX_142 = (3, 4, 5, 7 or 8) or EYX_140 = (7 or 8)			
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Doctor did not think it was necessary			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	147	91567.0	2.2%
2	NO	7263	4159793.5	97.8%
6	NOT APPLICABLE	54762	24284620.8	
7	DON'T KNOW	48	24869.6	
8	REFUSAL	2	2684.7	
9	NOT STATED	687	314882.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# EYX_46D: No eye exam - pers./family resp.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7410 / 4251360.53 ] [Invalid=55499 / 24627057.84 ]			
Universe	Respondents who answered EYX_142 = (3, 4, 5, 7 or 8) or EYX_140 = (7 or 8)			
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Personal and family responsibilities			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	35	19458.1	0.5%
2	NO	7375	4231902.4	99.5%
6	NOT APPLICABLE	54762	24284620.8	
7	DON'T KNOW	48	24869.6	
8	REFUSAL	2	2684.7	
9	NOT STATED	687	314882.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# EYX_46E: No eye exam - not av. when require				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7410 / 4251360.53 ] [Invalid=55499 / 24627057.84 ]			
Universe	Respondents who answered EYX_142 = (3, 4, 5, 7 or 8) or EYX_140 = (7 or 8)			
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Not available at time required			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26	14482.0	0.3%
2	NO	7384	4236878.6	99.7%
6	NOT APPLICABLE	54762	24284620.8	
7	DON'T KNOW	48	24869.6	
8	REFUSAL	2	2684.7	
9	NOT STATED	687	314882.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# EYX_46F: No eye exam - not available/area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7410 / 4251360.53 ] [Invalid=55499 / 24627057.84 ]			
Universe	Respondents who answered EYX_142 = (3, 4, 5, 7 or 8) or EYX_140 = (7 or 8)			
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Not available at all in the area			

# EYX_46F: No eye exam - not available/area				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22	6182.7	0.1%
2	NO	7388	4245177.8	99.9%
6	NOT APPLICABLE	54762	24284620.8	
7	DON'T KNOW	48	24869.6	
8	REFUSAL	2	2684.7	
9	NOT STATED	687	314882.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# EYX_46G: No eye exam - wait. time too long				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7410 / 4251360.53 ] [Invalid=55499 / 24627057.84 ]			
Universe	Respondents who answered EYX_142 = (3, 4, 5, 7 or 8) or EYX_140 = (7 or 8)			
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Waiting time was too long			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	2104.2	0.0%
2	NO	7402	4249256.4	100.0%
6	NOT APPLICABLE	54762	24284620.8	
7	DON'T KNOW	48	24869.6	
8	REFUSAL	2	2684.7	
9	NOT STATED	687	314882.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# EYX_46H: No eye exam - transportation problems				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7410 / 4251360.53 ] [Invalid=55499 / 24627057.84 ]			
Universe	Respondents who answered EYX_142 = (3, 4, 5, 7 or 8) or EYX_140 = (7 or 8)			
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Transportation problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30	11228.2	0.3%
2	NO	7380	4240132.3	99.7%
6	NOT APPLICABLE	54762	24284620.8	
7	DON'T KNOW	48	24869.6	
8	REFUSAL	2	2684.7	
9	NOT STATED	687	314882.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# EYX_46I: No eye exam - language problem				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7410 / 4251360.53 ] [Invalid=55499 / 24627057.84 ]			
Universe	Respondents who answered EYX_142 = (3, 4, 5, 7 or 8) or EYX_140 = (7 or 8)			
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	2025.2	0.0%
2	NO	7409	4249335.3	100.0%
6	NOT APPLICABLE	54762	24284620.8	

# EYX_46I: No eye exam - language problem				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	48	24869.6	
8	REFUSAL	2	2684.7	
9	NOT STATED	687	314882.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# EYX_46J: No eye exam - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7410 / 4251360.53 ] [Invalid=55499 / 24627057.84 ]			
Universe	Respondents who answered EYX_142 = (3, 4, 5, 7 or 8) or EYX_140 = (7 or 8)			
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Cost			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1022	569981.5	13.4%
2	NO	6388	3681379.0	86.6%
6	NOT APPLICABLE	54762	24284620.8	
7	DON'T KNOW	48	24869.6	
8	REFUSAL	2	2684.7	
9	NOT STATED	687	314882.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# EYX_46K: No eye exam - did not know where to go				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7410 / 4251360.53 ] [Invalid=55499 / 24627057.84 ]			
Universe	Respondents who answered EYX_142 = (3, 4, 5, 7 or 8) or EYX_140 = (7 or 8)			
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Did not know where to go / uninformed			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23	15371.3	0.4%
2	NO	7387	4235989.2	99.6%
6	NOT APPLICABLE	54762	24284620.8	
7	DON'T KNOW	48	24869.6	
8	REFUSAL	2	2684.7	
9	NOT STATED	687	314882.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# EYX_46L: No eye exam - fear				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7410 / 4251360.53 ] [Invalid=55499 / 24627057.84 ]			
Universe	Respondents who answered EYX_142 = (3, 4, 5, 7 or 8) or EYX_140 = (7 or 8)			
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	4860.2	0.1%
2	NO	7398	4246500.3	99.9%
6	NOT APPLICABLE	54762	24284620.8	
7	DON'T KNOW	48	24869.6	
8	REFUSAL	2	2684.7	

# EYX_46L: No eye exam - fear				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	687	314882.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# EYX_46N: No eye exam - health problem				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7410 / 4251360.53 ] [Invalid=55499 / 24627057.84 ]			
Universe	Respondents who answered EYX_142 = (3, 4, 5, 7 or 8) or EYX_140 = (7 or 8)			
Literal question	What are the reasons you have not had an eye examination in the past 2 years? - Unable to leave the house because of a health problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	3928.9	0.1%
2	NO	7397	4247431.6	99.9%
6	NOT APPLICABLE	54762	24284620.8	
7	DON'T KNOW	48	24869.6	
8	REFUSAL	2	2684.7	
9	NOT STATED	687	314882.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# EYX_46M: No eye exam - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7410 / 4251360.53 ] [Invalid=55499 / 24627057.84 ]			
Universe	Respondents who answered EYX_142 = (3, 4, 5, 7 or 8) or EYX_140 = (7 or 8)			
Literal question	What are the reasons that you have not had an eye examination in the past 2 years? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	383	194410.6	4.6%
2	NO	7027	4056949.9	95.4%
6	NOT APPLICABLE	54762	24284620.8	
7	DON'T KNOW	48	24869.6	
8	REFUSAL	2	2684.7	
9	NOT STATED	687	314882.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DODEN: Module: DEN - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24841	12190364.5	42.3%
2	NO	36435	16605952.9	57.7%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# DEN_130: Visited dentist				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=16932 / 8478022.52 ] [Invalid=45977 / 20400395.85 ]			
Universe	Respondents with DODEN = 1 who answered HCU_02EE = (1, 7, 8)			
Literal question	t was reported earlier that you have "seen" or "talked to" a dentist in the past 12 months. Did you actually visit one?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16844	8429503.4	<div><div></div></div> 99.4%
2	NO	88	48519.1	<div><div></div></div> 0.6%
6	NOT APPLICABLE	45664	20256872.2	
7	DON'T KNOW	1	1304.1	
8	REFUSAL	0	0.0	
9	NOT STATED	312	142219.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DEN_132: Last time visited dentist				
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]			
Statistics [NW/ W]	[Valid=24222 / 11920845.38 ] [Invalid=38687 / 16957572.99 ]			
Universe	Respondents with DODEN = 1 who answered DEN_130 = (2, 7, 8) or HCU_02EE = (2, 7, 8)			
Literal question	When was the last time that you went to a dentist?			
Notes	In processing, if a respondent answered DEN_130 = 1 (yes), the variable DEN_132 is given the value of 1 (yes). The "not stated" category includes respondents who reported in HCU module not having seen or talked with a dentist or ortodontist regarding physical, emotional or mental health in the past 12 months and reported in DEN module having visited a dentist in the past 12 months.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	< 1 YEAR	16871	8454447.8	<div><div></div></div> 70.9%
2	1 TO <2 YEARS	2318	1302246.9	<div><div></div></div> 10.9%
3	2 TO < 3 YEARS	1122	590153.8	<div><div></div></div> 5.0%
4	3 TO < 4 YEARS	580	299899.8	<div><div></div></div> 2.5%
5	4 TO < 5 YEARS	505	228897.8	<div><div></div></div> 1.9%
6	5 YEARS OR MORE	2590	876991.6	<div><div></div></div> 7.4%
7	NEVER	236	168207.6	<div><div></div></div> 1.4%
96	NOT APPLICABLE	38068	16688053.9	
97	DON'T KNOW	99	36644.0	
98	REFUSAL	4	931.6	
99	NOT STATED	516	231943.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DEN_36A: No dent. vis. - haven't got around to it				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3907 / 1571683.21 ] [Invalid=59002 / 27306735.16 ]			
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Literal question	No dental visit - have not gotten around to it			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	290	144814.5	<div><div></div></div> 9.2%
2	NO	3617	1426868.7	<div><div></div></div> 90.8%
6	NOT APPLICABLE	58379	27034902.4	
7	DON'T KNOW	4	2313.6	



# DEN_36A: No dent. vis. - haven't got around to it				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	619	269519.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DEN_36B: No dent. vis. - resp. didn't think nec.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3907 / 1571683.21 ] [Invalid=59002 / 27306735.16 ]			
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Respondent did not think it was necessary			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	989	540868.3	<div><div></div></div> 34.4%
2	NO	2918	1030814.9	<div><div></div></div> 65.6%
6	NOT APPLICABLE	58379	27034902.4	
7	DON'T KNOW	4	2313.6	
8	REFUSAL	0	0.0	
9	NOT STATED	619	269519.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DEN_36C: No dent. vis. - dent. didn't think nec.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3907 / 1571683.21 ] [Invalid=59002 / 27306735.16 ]			
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Dentist did not think it was necessary			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19	15487.1	<div><div></div></div> 1.0%
2	NO	3888	1556196.1	<div><div></div></div> 99.0%
6	NOT APPLICABLE	58379	27034902.4	
7	DON'T KNOW	4	2313.6	
8	REFUSAL	0	0.0	
9	NOT STATED	619	269519.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DEN_36D: No dent. vis. - pers./family respons.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3907 / 1571683.21 ] [Invalid=59002 / 27306735.16 ]			
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Personal or family responsibilities			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	2716.7	<div><div></div></div> 0.2%
2	NO	3898	1568966.5	<div><div></div></div> 99.8%
6	NOT APPLICABLE	58379	27034902.4	
7	DON'T KNOW	4	2313.6	
8	REFUSAL	0	0.0	
9	NOT STATED	619	269519.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# DEN_36E: No dent. vis. - not avail. when req'd.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3907 / 1571683.21 ] [Invalid=59002 / 27306735.16 ]			
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at time required			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	5366.4	0.3%
2	NO	3897	1566316.8	99.7%
6	NOT APPLICABLE	58379	27034902.4	
7	DON'T KNOW	4	2313.6	
8	REFUSAL	0	0.0	
9	NOT STATED	619	269519.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DEN_36F: No dent. vis. - not available in area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3907 / 1571683.21 ] [Invalid=59002 / 27306735.16 ]			
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Not available at all in the area			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	3340.9	0.2%
2	NO	3900	1568342.3	99.8%
6	NOT APPLICABLE	58379	27034902.4	
7	DON'T KNOW	4	2313.6	
8	REFUSAL	0	0.0	
9	NOT STATED	619	269519.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DEN_36G: No dent. vis. - waiting time too long				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3907 / 1571683.21 ] [Invalid=59002 / 27306735.16 ]			
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Waiting time was too long			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	2917.6	0.2%
2	NO	3902	1568765.6	99.8%
6	NOT APPLICABLE	58379	27034902.4	
7	DON'T KNOW	4	2313.6	
8	REFUSAL	0	0.0	
9	NOT STATED	619	269519.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# DEN_36H: No dent. vis. - transportation problems				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3907 / 1571683.21 ] [Invalid=59002 / 27306735.16 ]			
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Transportation problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	18	14747.5	0.9%
2	NO	3889	1556935.7	99.1%
6	NOT APPLICABLE	58379	27034902.4	
7	DON'T KNOW	4	2313.6	
8	REFUSAL	0	0.0	
9	NOT STATED	619	269519.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DEN_36I: No dent. vis. - language problem				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3907 / 1571683.21 ] [Invalid=59002 / 27306735.16 ]			
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Notes	What are the reasons that you have not been to a dentist in the past 3 years? - Language problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	1487.6	0.1%
2	NO	3905	1570195.6	99.9%
6	NOT APPLICABLE	58379	27034902.4	
7	DON'T KNOW	4	2313.6	
8	REFUSAL	0	0.0	
9	NOT STATED	619	269519.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DEN_36J: No dent. vis. - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3907 / 1571683.21 ] [Invalid=59002 / 27306735.16 ]			
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Notes	What are the reasons that you have not been to a dentist in the past 3 years? - cost			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	819	435192.4	27.7%
2	NO	3088	1136490.8	72.3%
6	NOT APPLICABLE	58379	27034902.4	
7	DON'T KNOW	4	2313.6	
8	REFUSAL	0	0.0	
9	NOT STATED	619	269519.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DEN_36K: No dent. vis. - didn't know where to go				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3907 / 1571683.21 ] [Invalid=59002 / 27306735.16 ]			
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Did not know where to go / uninformed			

# DEN_36K: No dent. vis. - didn't know where to go				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	2422.2	0.2%
2	NO	3898	1569261.0	99.8%
6	NOT APPLICABLE	58379	27034902.4	
7	DON'T KNOW	4	2313.6	
8	REFUSAL	0	0.0	
9	NOT STATED	619	269519.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DEN_36L: No dent. vis. - fear				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3907 / 1571683.21 ] [Invalid=59002 / 27306735.16 ]			
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Fear (e.g., painful, embarrassing, find something wrong)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	168	77808.1	5.0%
2	NO	3739	1493875.1	95.0%
6	NOT APPLICABLE	58379	27034902.4	
7	DON'T KNOW	4	2313.6	
8	REFUSAL	0	0.0	
9	NOT STATED	619	269519.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DEN_36M: No dent. vis. - wears dentures				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3907 / 1571683.21 ] [Invalid=59002 / 27306735.16 ]			
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Wears dentures			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1685	400414.2	25.5%
2	NO	2222	1171269.0	74.5%
6	NOT APPLICABLE	58379	27034902.4	
7	DON'T KNOW	4	2313.6	
8	REFUSAL	0	0.0	
9	NOT STATED	619	269519.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DEN_36O: No dent. vis. - unable to leave house				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3907 / 1571683.21 ] [Invalid=59002 / 27306735.16 ]			
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Unable to leave the house because of a health problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	2751.8	0.2%

# DEN_36O: No dent. vis. - unable to leave house				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	3897	1568931.4	99.8%
6	NOT APPLICABLE	58379	27034902.4	
7	DON'T KNOW	4	2313.6	
8	REFUSAL	0	0.0	
9	NOT STATED	619	269519.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DEN_36N: No dent. vis. - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3907 / 1571683.21 ] [Invalid=59002 / 27306735.16 ]			
Universe	Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)			
Literal question	What are the reasons that you have not been to a dentist in the past 3 years? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	202	99124.0	6.3%
2	NO	3705	1472559.2	93.7%
6	NOT APPLICABLE	58379	27034902.4	
7	DON'T KNOW	4	2313.6	
8	REFUSAL	0	0.0	
9	NOT STATED	619	269519.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOOH2: Module: OH2 - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22499	11382594.0	39.5%
2	NO	38777	17413723.4	60.5%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_10: Freq. usually visits the dentist				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=21643 / 10973636.45 ] [Invalid=41266 / 17904781.92 ]			
Universe	Respondents with DOOH2 = 1 excluding those who answered DEN_132 = 7			
Literal question	Do you usually visit the dentist: (more than once a year for checkups, about once a year for checkups, less than once a year for checkups, or only for emergency care)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	> ONCE/YEAR	8903	4718139.1	43.0%
2	ONCE/YEAR	6862	3419806.0	31.2%
3	< ONCE/YEAR	1216	679499.3	6.2%

# OH2_10: Freq. usually visits the dentist				
Value	Label	Cases	Weighted	Percentage (Weighted)
4	EMERGENCY	4662	2156192.1	<div><div></div></div> 19.6%
6	NOT APPLICABLE	40617	17655919.3	
7	DON'T KNOW	154	34498.0	
8	REFUSAL	45	7254.6	
9	NOT STATED	450	207110.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_11: Insurance for dental expenses				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=21580 / 11001273.45 ] [Invalid=41329 / 17877144.92 ]			
Universe	Respondents with DOOH2 = 1			
Literal question	Do you have insurance that covers all or part of your dental expenses?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13313	7123443.1	<div><div></div></div> 64.8%
2	NO	8267	3877830.4	
6	NOT APPLICABLE	40410	17495824.4	<div><div></div></div> 35.2%
7	DON'T KNOW	263	128385.7	
8	REFUSAL	7	4072.2	
9	NOT STATED	649	248862.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_11A: Dental ins. - government-sponsored				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13037 / 6998158.74 ] [Invalid=49872 / 21880259.63 ]			
Universe	Respondents who answered OH2_11 = (1, 7 or 8) or OH2_10 = (7 or 8)			
Literal question	Is it a government-sponsored plan?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1525	623655.1	<div><div></div></div> 8.9%
2	NO	11512	6374503.6	
6	NOT APPLICABLE	48677	21373654.8	<div><div></div></div> 91.1%
7	DON'T KNOW	273	124366.4	
8	REFUSAL	3	917.9	
9	NOT STATED	919	381320.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_11B: Type of plan - employer-sponsored				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13037 / 6998158.74 ] [Invalid=49872 / 21880259.63 ]			
Universe	Respondents who answered OH2_11 = (1, 7 or 8) or OH2_10 = (7 or 8)			
Literal question	Is it an employer-sponsored plan?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10678	5933581.2	<div><div></div></div> 84.8%
2	NO	2359	1064577.5	
6	NOT APPLICABLE	48677	21373654.8	<div><div></div></div> 15.2%
7	DON'T KNOW	273	124366.4	

# OH2_11B: Type of plan - employer-sponsored				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	3	917.9	
9	NOT STATED	919	381320.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_11C: Type of plan - private				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13037 / 6998158.74 ] [Invalid=49872 / 21880259.63 ]			
Universe	Respondents who answered OH2_11 = (1, 7 or 8) or OH2_10 = (7 or 8)			
Literal question	Is it a private plan?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	963	495138.0	<div><div></div></div> 7.1%
2	NO	12074	6503020.7	<div><div></div></div> 92.9%
6	NOT APPLICABLE	48677	21373654.8	
7	DON'T KNOW	273	124366.4	
8	REFUSAL	3	917.9	
9	NOT STATED	919	381320.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_12: Teeth removed by dentist - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=15436 / 7914698.72 ] [Invalid=47473 / 20963719.65 ]			
Universe	Respondents with DOOH2 = 1 who answered DEN_130 = (1, 7 or 8) or DEN_132 = (1, 97 or 98)			
Literal question	In the past 12 months, have you had any teeth removed by a dentist?			
Notes	The "not stated" category includes respondents who reported in HCU module not having seen or talked with a dentist or orthodontist regarding physical, emotional or mental health in the past 12 months and reported in DEN module having visited a dentist in the past 12 months.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1843	837008.3	<div><div></div></div> 10.6%
2	NO	13593	7077690.4	<div><div></div></div> 89.4%
6	NOT APPLICABLE	46900	20706053.4	
7	DON'T KNOW	15	8728.5	
8	REFUSAL	2	2117.6	
9	NOT STATED	556	246820.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_13: Teeth removed -decay/gum disease - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1817 / 824189.82 ] [Invalid=61092 / 28054228.55 ]			
Universe	Respondents with DOOH2 = 1 who answered OH2_12 = (1, 7 or 8) or OH2_10 = (7 or 8) and (DEN_130 = 1 or DEN_132 = 1) or DEN_130 = (7 or 8) or DEN_132 = (97 or 98)			
Literal question	(In the past 12 months,) were any teeth removed because of decay or gum disease?			
Notes	The "not stated" category includes respondents who reported in HCU module not having seen or talked with a dentist or orthodontist regarding physical, emotional or mental health in the past 12 months and reported in DEN module having visited a dentist in the past 12 months.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	874	370883.2	<div><div></div></div> 45.0%

# OH2_13: Teeth removed -decay/gum disease - 12 mo							
Value	Label	Cases	Weighted	Percentage (Weighted)			
2	NO	943	453306.6	<div><div></div></div> 55.0%			
6	NOT APPLICABLE	60493	27783743.8				
7	DON'T KNOW	26	12818.5				
8	REFUSAL	0	0.0				
9	NOT STATED	573	257666.2				
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.							
# OH2_20: Has one or more of own teeth							
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]					
Statistics [NW/ W]		[Valid=21831 / 11124029.31 ] [Invalid=41078 / 17754389.06 ]					
Universe		Respondents with DOOH2 = 1					
Literal question		Do you have one or more of your own teeth?					
Value	Label	Cases	Weighted	Percentage (Weighted)			
1	YES	19872	10371137.4	<div><div></div></div> 93.2%			
2	NO	1959	752891.9			<div><div></div></div> 6.8%	
6	NOT APPLICABLE	40410	17495824.4				
7	DON'T KNOW	18	7663.5				
8	REFUSAL	1	2038.5				
9	NOT STATED	649	248862.6				
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.							
# OH2_21: Wears dentures							
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]					
Statistics [NW/ W]		[Valid=21845 / 11130617.48 ] [Invalid=41064 / 17747800.89 ]					
Universe		Respondents with DOOH2 = 1					
Literal question		Do you wear dentures or false teeth?					
Notes		In processing, if a respondent answered DEN_36M = 1 (yes), the variable OH2_21 is given the value of 1 (yes).					
Value	Label	Cases	Weighted	Percentage (Weighted)			
1	YES	5079	1787302.8	<div><div></div></div> 16.1%			
2	NO	16766	9343314.7			<div><div></div></div> 83.9%	
6	NOT APPLICABLE	40410	17495824.4				
7	DON'T KNOW	3	1034.7				
8	REFUSAL	2	2079.2				
9	NOT STATED	649	248862.6				
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.							
# OH2_22: Mouth cond.- diff. speaking clearly							
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]					
Statistics [NW/ W]		[Valid=21841 / 11124876.25 ] [Invalid=41068 / 17753542.12 ]					
Universe		Respondents with DOOH2 = 1					
Literal question		Because of the condition of your teeth, mouth or dentures, do you have difficulty pronouncing any words or speaking clearly?					
Value	Label	Cases	Weighted	Percentage (Weighted)			
1	YES	622	281639.6	<div><div></div></div> 2.5%			
2	NO	21219	10843236.7			<div><div></div></div> 97.5%	



# OH2_22: Mouth cond.- diff. speaking clearly				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	40410	17495824.4	
7	DON'T KNOW	6	7590.9	
8	REFUSAL	3	1264.2	
9	NOT STATED	649	248862.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_23: Cond. mouth - avoided conversat. - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=21835 / 11122199.23 ] [Invalid=41074 / 17756219.14 ]			
Universe	Respondents with DOOH2 = 1			
Literal question	In the past 12 months, how often have you avoided conversation or contact with other people, because of the condition of your teeth, mouth or dentures: (often, sometimes, rarely, or never)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN	88	47875.3	0.4%
2	SOMETIMES	289	194000.2	1.7%
3	RARELY	393	187795.8	1.7%
4	NEVER	21065	10692527.9	96.1%
6	NOT APPLICABLE	40410	17495824.4	
7	DON'T KNOW	12	9858.3	
8	REFUSAL	3	1673.8	
9	NOT STATED	649	248862.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_24: Mouth cond. -av. laughing/smiling -12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=21837 / 11127989.52 ] [Invalid=41072 / 17750428.85 ]			
Universe	Respondents with DOOH2 = 1			
Literal question	(In the past 12 months, how often have you avoided:) laughing or smiling, because of the condition of your teeth, mouth or dentures?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN	217	95434.3	0.9%
2	SOMETIMES	437	251100.3	2.3%
3	RARELY	396	202955.7	1.8%
4	NEVER	20787	10578499.2	95.1%
6	NOT APPLICABLE	40410	17495824.4	
7	DON'T KNOW	9	3277.4	
8	REFUSAL	4	2464.5	
9	NOT STATED	649	248862.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_25A: Had a toothache - past mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=21823 / 11127846.47 ] [Invalid=41086 / 17750571.9 ]			
Universe	Respondents with DOOH2 = 1			
Literal question	In the past month, have you had a toothache?			

# OH2_25A: Had a toothache - past mo				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1952	1144401.9	<div><div></div></div> 10.3%
2	NO	19871	9983444.6	<div><div></div></div> 89.7%
6	NOT APPLICABLE	40410	17495824.4	
7	DON'T KNOW	11	2075.7	
8	REFUSAL	16	3809.2	
9	NOT STATED	649	248862.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_25B: Teeth sensitive to hot/cold - past mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=21820 / 11127687.55 ] [Invalid=41089 / 17750730.82 ]			
Universe	Respondents with DOOH2 = 1			
Literal question	In the past month, were your teeth sensitive to hot or cold food or drinks?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5721	3100197.3	<div><div></div></div> 27.9%
2	NO	16099	8027490.2	<div><div></div></div> 72.1%
6	NOT APPLICABLE	40410	17495824.4	
7	DON'T KNOW	16	2069.3	
8	REFUSAL	14	3974.5	
9	NOT STATED	649	248862.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_25C: Had pain - jaw joints - past mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=21833 / 11122047.75 ] [Invalid=41076 / 17756370.62 ]			
Universe	Respondents with DOOH2 = 1			
Literal question	In the past month, have you had pain in or around the jaw joints?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1828	968564.6	<div><div></div></div> 8.7%
2	NO	20005	10153483.2	<div><div></div></div> 91.3%
6	NOT APPLICABLE	40410	17495824.4	
7	DON'T KNOW	13	9920.6	
8	REFUSAL	4	1763.0	
9	NOT STATED	649	248862.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_25D: Had pain - mouth/face - past mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=21837 / 11129066.09 ] [Invalid=41072 / 17749352.28 ]			
Universe	Respondents with DOOH2 = 1			
Literal question	(In the past month, have you had) other pain in the mouth or face?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1242	628797.7	<div><div></div></div> 5.7%
2	NO	20595	10500268.4	<div><div></div></div> 94.3%
6	NOT APPLICABLE	40410	17495824.4	

# OH2_25D: Had pain - mouth/face - past mo				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	10	3327.3	
8	REFUSAL	3	1338.0	
9	NOT STATED	649	248862.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_25E: Had bleeding gums - past mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=21836 / 11127239.32 ] [Invalid=41073 / 17751179.05 ]			
Universe	Respondents with DOOH2 = 1			
Literal question	(In the past month, have you had) bleeding gums?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2052	1237471.5	<div><div></div></div> 11.1%
2	NO	19784	9889767.8	<div><div></div></div> 88.9%
6	NOT APPLICABLE	40410	17495824.4	
7	DON'T KNOW	11	5154.0	
8	REFUSAL	3	1338.0	
9	NOT STATED	649	248862.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_25F: Had dry mouth - past mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=21832 / 11127287.7 ] [Invalid=41077 / 17751130.67 ]			
Universe	Respondents with DOOH2 = 1			
Literal question	(In the past month, have you had:) dry mouth?			
Notes	Does not include thirst caused by exercise.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2790	1171016.4	<div><div></div></div> 10.5%
2	NO	19042	9956271.3	<div><div></div></div> 89.5%
6	NOT APPLICABLE	40410	17495824.4	
7	DON'T KNOW	14	4262.9	
8	REFUSAL	4	2180.7	
9	NOT STATED	649	248862.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_25G: Had bad breath - past mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=21571 / 11026796.04 ] [Invalid=41338 / 17851622.33 ]			
Universe	Respondents with DOOH2 = 1			
Literal question	(In the past month, have you had:) bad breath?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2438	1220239.6	<div><div></div></div> 11.1%
2	NO	19133	9806556.5	<div><div></div></div> 88.9%
6	NOT APPLICABLE	40410	17495824.4	
7	DON'T KNOW	273	102786.3	
8	REFUSAL	6	4149.0	

# OH2_25G: Had bad breath - past mo				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	649	248862.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2_30: Frequency of brushing teeth				
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]			
Statistics [NW/ W]	[Valid=19843 / 10357109.29 ] [Invalid=43066 / 18521309.08 ]			
Universe	Respondents who answered OH2_20 = (1, 7 or 8) or OH2_10 = (7 or 8)			
Literal question	How often do you brush your teeth?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	> TWICE/DAY	4262	2078809.3	<div><div></div></div> 20.1%
2	TWICE/DAY	11981	6558032.7	<div><div></div></div> 63.3%
3	ONCE/DAY	3260	1591313.4	<div><div></div></div> 15.4%
4	< ONCE/DAY	226	96153.0	<div><div></div></div> 0.9%
5	ONCE/WEEK	44	13111.8	<div><div></div></div> 0.1%
6	< ONCE/WEEK	70	19689.1	<div><div></div></div> 0.2%
96	NOT APPLICABLE	42385	18255941.2	
97	DON'T KNOW	15	8212.8	
98	REFUSAL	14	5815.4	
99	NOT STATED	652	251339.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2FLIM: Ltd soc. due to oral hlth - 12 mo - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=21832 / 11121664.59 ] [Invalid=41077 / 17756753.78 ]			
Universe	Respondents with DOOH2 = 1.			
Literal question	Ltd soc. due to oral hlth - 12 mo - (F)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	SOCIAL LIMIT.	758	417031.8	<div><div></div></div> 3.7%
2	NO SOCIAL LIMIT.	21074	10704632.8	<div><div></div></div> 96.3%
6	NOT APPLICABLE	40410	17495824.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	667	260929.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# OH2FOFP: Oral/facial pain - past mo - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=21697 / 11083745.43 ] [Invalid=41212 / 17794672.94 ]			
Universe	Respondents with DOOH2 = 1			
Literal question	Oral/facial pain - past mo - (F)			
Notes	Based on OH2_25A, OH2_25B, OH2_25C, OH2_25D, OH2_25E, OH2_25F, OH2_25G. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	HAS EXP. PAIN	9895	5057007.2	<div><div></div></div> 45.6%
2	NOT EXP. PAIN	11802	6026738.2	<div><div></div></div> 54.4%

# OH2FOFP: Oral/facial pain - past mo - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	40410	17495824.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	802	298848.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# DOFDC: Module: FDC - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13613	7550170.4	26.2%
2	NO	47663	21246147.0	73.8%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# FDC_1A: Chooses/avoids foods - weight concern				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13304 / 7390662.16 ] [Invalid=49605 / 21487756.21 ]			
Universe	Respondents with DOFDC = 1			
Literal question	Chooses or avoids foods - concerned about body weight			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	6965	4022243.8	54.4%
2	NO	6339	3368418.3	45.6%
6	NOT APPLICABLE	49296	21328248.0	
7	DON'T KNOW	55	16371.6	
8	REFUSAL	4	649.2	
9	NOT STATED	250	142487.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# FDC_1B: Chooses/avoids foods - heart disease				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13287 / 7386889.77 ] [Invalid=49622 / 21491528.6 ]			
Universe	Respondents with DOFDC = 1			
Literal question	Chooses or avoids foods - concerned about heart disease			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	5842	3228123.5	43.7%
2	NO	7445	4158766.3	56.3%
6	NOT APPLICABLE	49296	21328248.0	
7	DON'T KNOW	17	3772.4	

# FDC_1B: Chooses/avoids foods - heart disease				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	309	159508.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FDC_1C: Chooses/avoids foods - cancer				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13285 / 7379266.2 ] [Invalid=49624 / 21499152.17 ]			
Universe	Respondents with DOFDC = 1			
Literal question	(Do you choose certain foods or avoid others) because you are concerned about cancer?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	4627	2613783.1	<div></div> 35.4%
2	NO	8658	4765483.1	<div></div> 64.6%
6	NOT APPLICABLE	49296	21328248.0	
7	DON'T KNOW	18	10500.8	
8	REFUSAL	1	895.2	
9	NOT STATED	309	159508.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FDC_1D: Chooses/avoids foods - osteoporosis				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13282 / 7382081.74 ] [Invalid=49627 / 21496336.63 ]			
Universe	Respondents with DOFDC = 1			
Literal question	(Do you choose certain foods or avoid others) because you are concerned about osteoporosis (brittle bones)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	3527	1861060.2	<div></div> 25.2%
2	NO	9755	5521021.6	<div></div> 74.8%
6	NOT APPLICABLE	49296	21328248.0	
7	DON'T KNOW	22	8580.4	
8	REFUSAL	0	0.0	
9	NOT STATED	309	159508.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FDC_2A: Reason/choose foods - lower fat content				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13290 / 7382615.56 ] [Invalid=49619 / 21495802.81 ]			
Universe	Respondents with DOFDC = 1			
Literal question	Do you choose certain foods because of the lower fat content?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	9068	5031677.6	<div></div> 68.2%
2	NO	4222	2350938.0	<div></div> 31.8%
6	NOT APPLICABLE	49296	21328248.0	
7	DON'T KNOW	14	8046.6	
8	REFUSAL	0	0.0	
9	NOT STATED	309	159508.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# FDC_2B: Reason/choose foods - fibre content				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13284 / 7381637.53 ] [Invalid=49625 / 21496780.84 ]			
Universe	Respondents with DOFDC = 1			
Literal question	(Do you choose certain foods because of) the fibre content?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	8071	4358927.7	59.1%
2	NO	5213	3022709.8	40.9%
6	NOT APPLICABLE	49296	21328248.0	
7	DON'T KNOW	19	8895.5	
8	REFUSAL	1	129.1	
9	NOT STATED	309	159508.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FDC_2C: Reason/choose foods - calcium content				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13286 / 7383729.73 ] [Invalid=49623 / 21494688.64 ]			
Universe	Respondents with DOFDC = 1			
Literal question	(Do you choose certain foods because of) the calcium content?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	6426	3404250.8	46.1%
2	NO	6860	3979478.9	53.9%
6	NOT APPLICABLE	49296	21328248.0	
7	DON'T KNOW	17	6803.3	
8	REFUSAL	1	129.1	
9	NOT STATED	309	159508.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FDC_3A: Reason/avoid foods - fat content				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13294 / 7385401.7 ] [Invalid=49615 / 21493016.67 ]			
Universe	Respondents with DOFDC = 1			
Literal question	Do you avoid certain foods because of the fat content?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	9292	5197493.4	70.4%
2	NO	4002	2187908.3	29.6%
6	NOT APPLICABLE	49296	21328248.0	
7	DON'T KNOW	9	5131.3	
8	REFUSAL	1	129.1	
9	NOT STATED	309	159508.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FDC_3B: Reason/avoid foods - type of fat				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13264 / 7375234.74 ] [Invalid=49645 / 21503183.63 ]			
Universe	Respondents with DOFDC = 1			
Literal question	(Do you avoid certain foods because of) the type of fat they contain?			

# FDC_3B: Reason/avoid foods - type of fat				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	8124	4483872.0	<div></div> 60.8%
2	NO	5140	2891362.8	<div></div> 39.2%
6	NOT APPLICABLE	49296	21328248.0	
7	DON'T KNOW	39	15298.3	
8	REFUSAL	1	129.1	
9	NOT STATED	309	159508.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FDC_3C: Reason/avoid foods - salt content				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13287 / 7383747.36 ] [Invalid=49622 / 21494671.01 ]			
Universe	Respondents with DOFDC = 1			
Literal question	(Do you avoid certain foods because of) the salt content?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	7822	4198305.9	<div></div> 56.9%
2	NO	5465	3185441.4	<div></div> 43.1%
6	NOT APPLICABLE	49296	21328248.0	
7	DON'T KNOW	16	6785.7	
8	REFUSAL	1	129.1	
9	NOT STATED	309	159508.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FDC_3D: Reason/avoid foods - cholesterol content				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13274 / 7381080.8 ] [Invalid=49635 / 21497337.57 ]			
Universe	Respondents with DOFDC = 1			
Literal question	(Do you avoid certain foods because of) the cholesterol content?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	7144	3874304.4	<div></div> 52.5%
2	NO	6130	3506776.4	<div></div> 47.5%
6	NOT APPLICABLE	49296	21328248.0	
7	DON'T KNOW	29	9452.2	
8	REFUSAL	1	129.1	
9	NOT STATED	309	159508.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FDC_3E: Reason/avoid foods - calorie content				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13288 / 7383622.2 ] [Invalid=49621 / 21494796.17 ]			
Universe	Respondents with DOFDC = 1			
Literal question	(Do you avoid certain foods because) of the calorie content?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES / SOMETIMES	7016	3925746.4	<div></div> 53.2%
2	NO	6272	3457875.8	<div></div> 46.8%
6	NOT APPLICABLE	49296	21328248.0	



# FDC_3E: Reason/avoid foods - calorie content				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	15	6910.8	
8	REFUSAL	1	129.1	
9	NOT STATED	309	159508.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FDCFAVD: Avoids foods for content reasons - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13293 / 7386109 ] [Invalid=49616 / 21492309.37 ]			
Universe	Respondents with DOFDC = 1			
Literal question	Avoids foods for content reasons - (F)			
Notes	Based on FDC_3A, FDC_3B, FDC_3C, FDC_3D, FDC_3E. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10666	5895529.6	<div></div> 79.8%
2	NO	2627	1490579.4	<div></div> 20.2%
6	NOT APPLICABLE	49296	21328248.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	320	164061.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FDCFCAH: Chooses/avoids foods hlth concerns - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13295 / 7387550.44 ] [Invalid=49614 / 21490867.93 ]			
Universe	Respondents with DOFDC = 1			
Literal question	Chooses/avoids foods hlth concerns - (F)			
Notes	Based on FDC_1A, FDC_1B, FDC_1C, FDC_1D. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8724	4897435.2	<div></div> 66.3%
2	NO	4571	2490115.3	<div></div> 33.7%
6	NOT APPLICABLE	49296	21328248.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	318	162619.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FDCFCHO: Chooses foods for content reasons - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=13290 / 7383614.48 ] [Invalid=49619 / 21494803.89 ]			
Universe	Respondents with DOFDC = 1			
Literal question	Chooses foods for content reasons - (F)			
Notes	Based on FDC_2A, FDC_2B, FDC_2C. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10175	5617270.7	<div></div> 76.1%
2	NO	3115	1766343.8	<div></div> 23.9%
6	NOT APPLICABLE	49296	21328248.0	

# FDCFCHO: Chooses foods for content reasons - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	323	166555.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FVCDJUI: Daily consumption - fruit juice - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]			
Statistics [NW/ W]	[Valid=60974 / 28082152.59 ] [Invalid=1935 / 796265.78 ] [Mean=0.789 / 0.813 ] [StdDev=0.966 / 0.988 ]			
Universe	All respondents			
Notes	Based on FVC_1A, FVC_1B, FVC_1C, FVC_1D, FVC_1E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	1935	796265.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FVCDFRU: Daily consumption - fruit - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]			
Statistics [NW/ W]	[Valid=60814 / 28003273.5 ] [Invalid=2095 / 875144.87 ] [Mean=1.408 / 1.439 ] [StdDev=1.222 / 1.236 ]			
Universe	All respondents			
Notes	Based on FVC_2A, FVC_2B, FVC_2C, FVC_2D, FVC_2E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	2095	875144.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FVCDLAL: Daily consumption - green salad - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-14] [Missing=*]			
Statistics [NW/ W]	[Valid=60755 / 28005067.26 ] [Invalid=2154 / 873351.11 ] [Mean=0.52 / 0.547 ] [StdDev=0.507 / 0.513 ]			
Universe	All respondents			
Notes	Based on FVC_3A, FVC_3B, FVC_3C, FVC_3D, FVC_3E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	2154	873351.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# FVCDPOT: Daily consumption - potatoes - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]			
Statistics [NW/ W]	[Valid=60859 / 28025064.04 ] [Invalid=2050 / 853354.33 ] [Mean=0.397 / 0.348 ] [StdDev=0.434 / 0.394 ]			
Universe	All respondents			
Notes	Based on FVC_4A, FVC_4B, FVC_4C, FVC_4D, FVC_4E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	2050	853354.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FVCDCAR: Daily consumption - carrots - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]			
Statistics [NW/ W]	[Valid=60563 / 27939838.57 ] [Invalid=2346 / 938579.8 ] [Mean=0.384 / 0.368 ] [StdDev=0.439 / 0.43 ]			
Universe	All respondents			
Notes	Based on FVC_5A, FVC_5B, FVC_5C, FVC_5D, FVC_5E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	2346	938579.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FVCDVEG: Daily consumption other vegetables - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]			
Statistics [NW/ W]	[Valid=60098 / 27781414.7 ] [Invalid=2811 / 1097003.67 ] [Mean=1.366 / 1.418 ] [StdDev=1.197 / 1.219 ]			
Universe	All respondents			
Notes	Based on FVC_6A, FVC_6B, FVC_6C, FVC_6D, FVC_6E. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	2811	1097003.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FVCDTOT: Daily cons. - total fruits and veg. - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-42.3] [Missing=*]			
Statistics [NW/ W]	[Valid=58921 / 27365457.54 ] [Invalid=3988 / 1512960.83 ] [Mean=4.87 / 4.94 ] [StdDev=2.612 / 2.658 ]			
Universe	All respondents			
Notes	Based on FVCDJUI, FVCDFRU, FVCDLAL, FVCDPOT, FVCDCAR, FVCDVEG. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	
999.7	DON'T KNOW	0	0.0	

# FVCDTOT: Daily cons. - total fruits and veg. - D)				
Value	Label	Cases	Weighted	Percentage (Weighted)
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	3988	1512960.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FVCGTOT: Daily cons. total fruits/veg. - (D, G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=58921 / 27365457.54 ] [Invalid=3988 / 1512960.83 ]			
Universe	All respondents			
Notes	Based on FVCDTOT. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 5 PER DAY	34085	15526536.7	56.7%
2	5 - 10 TIMES/DAY	22463	10627631.1	38.8%
3	MORE 10 TIMES/DA	2373	1211289.7	4.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3988	1512960.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1A: Act./last 3 mo - walking				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Walking for exercise			
Notes	Includes only leisure time activities. Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	43770	19513194.2	69.0%
2	NO	17864	8779446.0	31.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1B: Act./last 3 mo - gardening/yard work				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Gardening or yard work			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29753	12656062.6	44.7%
2	NO	31881	15636577.7	55.3%

# PAC_1B: Act./last 3 mo - gardening/yard work				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1C: Act./last 3 mo - swimming				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Swimming			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13762	6791990.7	24.0%
2	NO	47872	21500649.5	76.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1D: Act./last 3 mo - bicycling				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Bicycling			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12851	6556715.5	23.2%
2	NO	48783	21735924.7	76.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1E: Act./last 3 mo - popular/social dance				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Popular or social dance			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10046	4588197.8	16.2%
2	NO	51588	23704442.5	83.8%

# PAC_1E: Act./last 3 mo - popular/social dance				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1F: Act./last 3 mo - home exercises				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Home exercises			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22124	10167571.3	<div></div> 35.9%
2	NO	39510	18125069.0	<div></div> 64.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1G: Act./last 3 mo - ice hockey				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Ice hockey			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3261	1678092.4	<div></div> 5.9%
2	NO	58373	26614547.8	<div></div> 94.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1H: Act./last 3 mo - ice skating				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Ice skating			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3994	1863925.4	<div></div> 6.6%
2	NO	57640	26428714.9	<div></div> 93.4%

# PAC_1H: Act./last 3 mo - ice skating				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1I: Act./last 3 mo - in-line skating/roll.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - In-line skating or rollerblading			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1968	1101888.7	<div><div></div></div> 3.9%
2	NO	59666	27190751.6	<div><div></div></div> 96.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1J: Act./last 3 mo - jogging or running				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Jogging or running			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12089	6530475.8	<div><div></div></div> 23.1%
2	NO	49545	21762164.4	<div><div></div></div> 76.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1K: Act./last 3 mo - golfing				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Golfing			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6102	3014597.4	<div><div></div></div> 10.7%
2	NO	55532	25278042.8	<div><div></div></div> 89.3%

# PAC_1K: Act./last 3 mo - golfing				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1L: Act./last 3 mo - exer. class/aerobics				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Exercise class or aerobics			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6701	3363822.0	<div><div></div></div> 11.9%
2	NO	54933	24928818.2	<div><div></div></div> 88.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1M: Act./last 3 mo - skiing/snowboarding				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Downhill skiing or snowboarding			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2641	1419088.9	<div><div></div></div> 5.0%
2	NO	58993	26873551.4	<div><div></div></div> 95.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1N: Act./last 3 mo - bowling				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Bowling			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5558	2698788.9	<div><div></div></div> 9.5%
2	NO	56076	25593851.3	<div><div></div></div> 90.5%



# PAC_1N: Act./last 3 mo - bowling				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1O: Act./last 3 mo - baseball or softball				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Baseball or softball			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3151	1523130.1	5.4%
2	NO	58483	26769510.1	94.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1P: Act./last 3 mo - tennis				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Tennis			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2064	1227328.7	4.3%
2	NO	59570	27065311.6	95.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1Q: Act./last 3 mo - weight-training				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Weight-training			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9957	5331681.3	18.8%
2	NO	51677	22960958.9	81.2%

# PAC_1Q: Act./last 3 mo - weight-training				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1R: Act./last 3 mo - fishing				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Fishing			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6884	2726632.7	9.6%
2	NO	54750	25566007.6	90.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1S: Act./last 3 mo - volleyball				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Volleyball			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3520	1687580.0	6.0%
2	NO	58114	26605060.2	94.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1T: Act./last 3 mo - basketball				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Basketball			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4177	2258968.0	8.0%
2	NO	57457	26033672.2	92.0%

# PAC_1T: Act./last 3 mo - basketball				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1Z: Act./last 3 mo - Soccer				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Soccer			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4880	2795602.2	<div><div></div></div> 9.9%
2	NO	56754	25497038.0	<div><div></div></div> 90.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1U: Act./last 3 mo - Any other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - Any other			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8082	3845883.9	<div><div></div></div> 13.6%
2	NO	53552	24446756.3	<div><div></div></div> 86.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1V: Act./last 3 mo - No physical activity				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Literal question	Have you done any of the following in the past 3 months? - No physical activity			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5334	2481846.4	<div><div></div></div> 8.8%
2	NO	56300	25810793.8	<div><div></div></div> 91.2%

# PAC_1V: Act./last 3 mo - No physical activity				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	28	9736.2	
8	REFUSAL	22	13426.4	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1W: Act./last 3 mo - other (#2)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8081 / 3845687.12 ] [Invalid=54828 / 25032731.25 ]			
Universe	Respondents who answered PAC_1U = (1, 7 or 8)			
Literal question	In the past 3 months, did you do any other physical activity for leisure? - Other activity #2			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1479	698624.5	<div><div></div></div> 18.2%
2	NO	6602	3147062.6	<div><div></div></div> 81.8%
6	NOT APPLICABLE	53552	24446756.3	
7	DON'T KNOW	1	196.8	
8	REFUSAL	0	0.0	
9	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_1X: Act./last 3 mo - other (#3)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1477 / 698287.81 ] [Invalid=61432 / 28180130.56 ]			
Universe	Respondents who answered PAC_1W = (1, 7 or 8) or PAC_1U = (7 or 8)			
Literal question	In the past 3 months, did you do any other physical activity for leisure? - Other activity #3			
Notes	Includes only leisure time activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	307	128065.6	<div><div></div></div> 18.3%
2	NO	1170	570222.2	<div><div></div></div> 81.7%
6	NOT APPLICABLE	60154	27593818.9	
7	DON'T KNOW	1	310.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1277	586001.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2A: No. of times - walking for exercise				
Information	[Type= continuous] [Format=numeric] [Range= 1-270] [Missing=*]			
Statistics [NW/ W]	[Valid=43329 / 19350764.36 ] [Invalid=19580 / 9527654.01 ] [Mean=48.859 / 46.495 ] [StdDev=38.666 / 36.912 ]			
Universe	Respondents who answered PAC_1A = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Walking for exercise			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	17864	8779446.0	
997	DON'T KNOW	420	140950.6	
998	REFUSAL	21	21479.2	

# PAC_2A: No. of times - walking for exercise				
Value	Label	Cases	Weighted	Percentage (Weighted)
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3A: Time spent - walking for exercise				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=43201 / 19305415.9 ] [Invalid=19708 / 9573002.47 ]			
Universe	Respondents who answered PAC_1A = (1, 7 or 8)			
Literal question	About how much time did you spend on each occasion? - Walking for exercise			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	4177	1809719.7	<div><div></div></div> 9.4%
2	16 TO 30 MINUTES	16905	7575835.4	<div><div></div></div> 39.2%
3	31 TO 60 MINUTES	16654	7520965.7	<div><div></div></div> 39.0%
4	MORE THAN 1 HOUR	5465	2398895.2	<div><div></div></div> 12.4%
6	NOT APPLICABLE	17864	8779446.0	
7	DON'T KNOW	127	41248.8	
8	REFUSAL	1	4099.7	
9	NOT STATED	1716	748208.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2B: No. of times - gardening/yard work				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=29266 / 12517797.17 ] [Invalid=33643 / 16360621.2 ] [Mean=22.443 / 20.583 ] [StdDev=24.553 / 23.169 ]			
Universe	Respondents who answered PAC_1B = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Gardening or yard work			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	31881	15636577.7	
997	DON'T KNOW	481	132129.1	
998	REFUSAL	6	6136.3	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3B: Time spent - gardening/yard work				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=29157 / 12494815.22 ] [Invalid=33752 / 16383603.15 ]			
Universe	Respondents who answered PAC_1B = (1, 7 or 8)			
Literal question	About how much time did you spend on each occasion? - Gardening or yard work			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	1541	617212.0	<div><div></div></div> 4.9%
2	16 TO 30 MINUTES	5859	2424480.3	<div><div></div></div> 19.4%
3	31 TO 60 MINUTES	8961	3836683.5	<div><div></div></div> 30.7%
4	MORE THAN 1 HOUR	12796	5616439.4	<div><div></div></div> 45.0%
6	NOT APPLICABLE	31881	15636577.7	
7	DON'T KNOW	109	22982.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1762	724043.5	

# PAC_3B: Time spent - gardening/yard work				
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2C: No. of times - swimming				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=13681 / 6763759.82 ] [Invalid=49228 / 22114658.55 ] [Mean=13.465 / 13.09 ] [StdDev=17.609 / 16.948 ]			
Universe	Respondents who answered PAC_1C = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Swimming			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	47872	21500649.5	
997	DON'T KNOW	80	27927.3	
998	REFUSAL	1	303.6	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3C: Time spent - swimming				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=13666 / 6754091.15 ] [Invalid=49243 / 22124327.22 ]			
Universe	Respondents who answered PAC_1C = (1, 7 or 8)			
Literal question	About how much time did you spend on each occasion? - Swimming			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	799	407649.0	<div><div></div></div> 6.0%
2	16 TO 30 MINUTES	2980	1504419.6	<div><div></div></div> 22.3%
3	31 TO 60 MINUTES	5240	2528038.4	<div><div></div></div> 37.4%
4	MORE THAN 1 HOUR	4647	2313984.2	<div><div></div></div> 34.3%
6	NOT APPLICABLE	47872	21500649.5	
7	DON'T KNOW	15	9668.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1356	614009.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2D: No. of times - bicycling				
Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]			
Statistics [NW/ W]	[Valid=12740 / 6490952.98 ] [Invalid=50169 / 22387465.39 ] [Mean=20.015 / 19.347 ] [StdDev=25.068 / 24.528 ]			
Universe	Respondents who answered PAC_1D = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Bicycling			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	48783	21735924.7	
997	DON'T KNOW	104	53442.6	
998	REFUSAL	7	12319.9	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3D: Time spent - bicycling				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=12711 / 6479403.41 ] [Invalid=50198 / 22399014.96 ]			
Universe	Respondents who answered PAC_1D = (1, 7 or 8)			
Literal question	About how much time did you spend on each occasion? - Bicycling			

# PAC_3D: Time spent - bicycling				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	1053	515491.5	<div><div></div></div> 8.0%
2	16 TO 30 MINUTES	3866	1879909.2	<div><div></div></div> 29.0%
3	31 TO 60 MINUTES	4365	2203080.6	<div><div></div></div> 34.0%
4	MORE THAN 1 HOUR	3427	1880922.2	<div><div></div></div> 29.0%
6	NOT APPLICABLE	48783	21735924.7	
7	DON'T KNOW	28	11398.5	
8	REFUSAL	1	151.1	
9	NOT STATED	1386	651540.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2E: No. of times - popular/social dance				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=9974 / 4562233.32 ] [Invalid=52935 / 24316185.05 ] [Mean=8.453 / 8.843 ] [StdDev=13.485 / 13.834 ]			
Universe	Respondents who answered PAC_1E = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Popular or social dance			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	51588	23704442.5	
997	DON'T KNOW	70	25590.5	
998	REFUSAL	2	374.0	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3E: Time spent - popular/social dance				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=9938 / 4552366.27 ] [Invalid=52971 / 24326052.1 ]			
Universe	Respondents who answered PAC_1E = (1, 7 or 8)			
Literal question	About how much time did you spend on each occasion? - Popular / social dance			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	521	202760.2	<div><div></div></div> 4.5%
2	16 TO 30 MINUTES	949	429253.0	<div><div></div></div> 9.4%
3	31 TO 60 MINUTES	1933	911870.0	<div><div></div></div> 20.0%
4	MORE THAN 1 HOUR	6535	3008483.0	<div><div></div></div> 66.1%
6	NOT APPLICABLE	51588	23704442.5	
7	DON'T KNOW	35	9842.6	
8	REFUSAL	1	24.5	
9	NOT STATED	1347	611742.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2F: No. of times - home exercises				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=21883 / 10084339.5 ] [Invalid=41026 / 18794078.87 ] [Mean=38.137 / 35.689 ] [StdDev=30.221 / 29.046 ]			
Universe	Respondents who answered PAC_1F = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Home exercises			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	39510	18125069.0	

# PAC_2F: No. of times - home exercises				
Value	Label	Cases	Weighted	Percentage (Weighted)
997	DON'T KNOW	232	75101.7	
998	REFUSAL	9	8130.1	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3F: Time spent - home exercises				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=21858 / 10077194.41 ] [Invalid=41051 / 18801223.96 ]			
Universe	Respondents who answered PAC_1F = (1, 7 or 8)			
Literal question	About how much time did you spend on each occasion? - Home exercises			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	4525	1798849.6	<div><div></div></div> 17.9%
2	16 TO 30 MINUTES	9733	4406476.4	<div><div></div></div> 43.7%
3	31 TO 60 MINUTES	6163	3084477.3	<div><div></div></div> 30.6%
4	MORE THAN 1 HOUR	1437	787391.1	<div><div></div></div> 7.8%
6	NOT APPLICABLE	39510	18125069.0	
7	DON'T KNOW	24	7031.8	
8	REFUSAL	1	113.3	
9	NOT STATED	1516	669009.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PACG2G: No. of times - ice hockey - (G				
Information	[Type= continuous] [Format=numeric] [Range= -999-99] [Missing=*]			
Statistics [NW/ W]	[Valid=3247 / 1668920.06 ] [Invalid=59662 / 27209498.31 ]			
Universe	Respondents who answered PAC_1G = (1, 7 or 8)			
Notes	Based on PAC_2G. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
-999	NUMBER OF TIMES	0	0.0	
996	NOT APPLICABLE	58373	26614547.8	
999	NOT STATED	1289	594950.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3G: Time spent - ice hockey				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=3245 / 1667627.3 ] [Invalid=59664 / 27210791.07 ]			
Universe	Respondents who answered PAC_1G = (1, 7 or 8)			
Literal question	About how much time did you spend on each occasion? - Ice hockey			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	23	10326.9	<div><div></div></div> 0.6%
2	16 TO 30 MINUTES	88	44549.9	<div><div></div></div> 2.7%
3	31 TO 60 MINUTES	1007	524693.1	<div><div></div></div> 31.5%
4	MORE THAN 1 HOUR	2127	1088057.4	<div><div></div></div> 65.2%
6	NOT APPLICABLE	58373	26614547.8	
7	DON'T KNOW	2	1292.8	
8	REFUSAL	0	0.0	



# PAC_3G: Time spent - ice hockey				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1289	594950.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2H: No. of times - ice skating				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=3969 / 1852595.27 ] [Invalid=58940 / 27025823.1 ] [Mean=6.498 / 6.203 ] [StdDev=9.679 / 9.246 ]			
Universe	Respondents who answered PAC_1H = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Ice skating			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	57640	26428714.9	
997	DON'T KNOW	22	6913.2	
998	REFUSAL	3	4416.9	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3H: Time spent - ice skating				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=3965 / 1850188.46 ] [Invalid=58944 / 27028229.91 ]			
Universe	Respondents who answered PAC_1H = (1, 7 or 8)			
Literal question	About how much time did you spend on each occasion? - Ice skating			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	80	38493.6	<div><div></div></div> 2.1%
2	16 TO 30 MINUTES	493	216847.5	<div><div></div></div> 11.7%
3	31 TO 60 MINUTES	1865	836905.1	<div><div></div></div> 45.2%
4	MORE THAN 1 HOUR	1527	757942.2	<div><div></div></div> 41.0%
6	NOT APPLICABLE	57640	26428714.9	
7	DON'T KNOW	4	2406.8	
8	REFUSAL	0	0.0	
9	NOT STATED	1300	597108.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2I: No. of times - in-line skating/roller b.				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=1956 / 1097442.24 ] [Invalid=60953 / 27780976.13 ] [Mean=10.033 / 9.964 ] [StdDev=15.518 / 14.922 ]			
Universe	Respondents who answered PAC_1I = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - In-line skating or roller blading			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	59666	27190751.6	
997	DON'T KNOW	12	4446.4	
998	REFUSAL	0	0.0	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3I: Time spent - in-line skating/roller b.				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=1954 / 1096524.3 ] [Invalid=60955 / 27781894.07 ]			

# PAC_3I: Time spent - in-line skating/roller b.				
<b>Universe</b>		Respondents who answered PAC_1I = (1, 7 or 8)		
<b>Literal question</b>		About how much time did you spend on each occasion? - In-line skating or roller blading		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	118	63266.1	<div><div></div></div> 5.8%
2	16 TO 30 MINUTES	547	292991.1	<div><div></div></div> 26.7%
3	31 TO 60 MINUTES	757	407157.2	<div><div></div></div> 37.1%
4	MORE THAN 1 HOUR	532	333109.8	<div><div></div></div> 30.4%
6	NOT APPLICABLE	59666	27190751.6	
7	DON'T KNOW	1	227.4	
8	REFUSAL	1	690.6	
9	NOT STATED	1287	590224.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2J: No. of times - jogging or running				
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=11973 / 6478112.63 ] [Invalid=50936 / 22400305.74 ] [Mean=23.594 / 23.451 ] [StdDev=22.768 / 22.114 ]		
<b>Universe</b>		Respondents who answered PAC_1J = (1, 7 or 8)		
<b>Literal question</b>		In the past 3 months, how many times did you [participate in identified activity]? - Jogging or running		
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	49545	21762164.4	
997	DON'T KNOW	110	41717.9	
998	REFUSAL	6	10645.3	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3J: Time spent - jogging or running				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=11947 / 6469781.27 ] [Invalid=50962 / 22408637.1 ]		
<b>Universe</b>		Respondents who answered PAC_1J = (1, 7 or 8)		
<b>Literal question</b>		About how much time did you spend on each occasion? - Jogging or running		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	1821	879024.9	<div><div></div></div> 13.6%
2	16 TO 30 MINUTES	5270	2847496.3	<div><div></div></div> 44.0%
3	31 TO 60 MINUTES	3921	2209004.4	<div><div></div></div> 34.1%
4	MORE THAN 1 HOUR	935	534255.6	<div><div></div></div> 8.3%
6	NOT APPLICABLE	49545	21762164.4	
7	DON'T KNOW	26	8331.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1391	638141.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# PAC_2K: No. of times - golfing				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=6088 / 3006782.67 ] [Invalid=56821 / 25871635.7 ] [Mean=9.375 / 7.856 ] [StdDev=13.178 / 11.328 ]			
Universe	Respondents who answered PAC_1K = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Golfing			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	55532	25278042.8	
997	DON'T KNOW	12	3380.2	
998	REFUSAL	2	4434.5	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3K: Time spent - golfing				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=6085 / 3006273.36 ] [Invalid=56824 / 25872145.01 ]			
Universe	Respondents who answered PAC_1K = (1, 7 or 8)			
Literal question	About how much time did you spend on each occasion? - Golfing			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	20	7907.8	0.3%
2	16 TO 30 MINUTES	66	31624.9	1.1%
3	31 TO 60 MINUTES	185	81276.2	2.7%
4	MORE THAN 1 HOUR	5814	2885464.5	96.0%
6	NOT APPLICABLE	55532	25278042.8	
7	DON'T KNOW	3	509.3	
8	REFUSAL	0	0.0	
9	NOT STATED	1289	593592.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2L: No. of times- exercise class/aerobics				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=6664 / 3353630.52 ] [Invalid=56245 / 25524787.85 ] [Mean=21.348 / 21.626 ] [StdDev=18.439 / 18.712 ]			
Universe	Respondents who answered PAC_1L = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Exercise class or aerobics			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	54933	24928818.2	
997	DON'T KNOW	32	8789.5	
998	REFUSAL	5	1402.0	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3L: Time spent - exercise class/aerobics				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=6663 / 3348331.07 ] [Invalid=56246 / 25530087.3 ]			
Universe	Respondents who answered PAC_1L = (1, 7 or 8)			
Literal question	About how much time did you spend on each occasion? - Exercise class or aerobics			

# PAC_3L: Time spent - exercise class/aerobics					
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	178	81548.7	<div><div></div></div>	2.4%
2	16 TO 30 MINUTES	904	406562.1	<div><div></div></div>	12.1%
3	31 TO 60 MINUTES	3847	1940087.2	<div><div></div></div>	57.9%
4	MORE THAN 1 HOUR	1734	920133.1	<div><div></div></div>	27.5%
6	NOT APPLICABLE	54933	24928818.2		
7	DON'T KNOW	1	5299.4		
8	REFUSAL	0	0.0		
9	NOT STATED	1312	595969.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# PAC_2M: No. of times - skiing/snowboarding					
Information	[Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*]				
Statistics [NW/ W]	[Valid=2627 / 1411184.45 ] [Invalid=60282 / 27467233.92 ] [Mean=5.582 / 5.983 ] [StdDev=8.629 / 9.106 ]				
Universe	Respondents who answered PAC_1M = (1, 7 or 8)				
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Downhill ski / snowboarding				
Value	Label	Cases	Weighted	Percentage (Weighted)	
996	NOT APPLICABLE	58993	26873551.4		
997	DON'T KNOW	14	7904.4		
998	REFUSAL	0	0.0		
999	NOT STATED	1275	585778.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# PAC_3M: Time spent - skiing/snowboarding					
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]				
Statistics [NW/ W]	[Valid=2627 / 1411184.45 ] [Invalid=60282 / 27467233.92 ]				
Universe	Respondents who answered PAC_1M = (1, 7 or 8)				
Literal question	About how much time did you spend on each occasion? - Downhill skiing or snowboarding				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	8	8403.5	<div><div></div></div>	0.6%
2	16 TO 30 MINUTES	26	7524.1	<div><div></div></div>	0.5%
3	31 TO 60 MINUTES	54	26674.7	<div><div></div></div>	1.9%
4	MORE THAN 1 HOUR	2539	1368582.1	<div><div></div></div>	97.0%
6	NOT APPLICABLE	58993	26873551.4		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1289	593682.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# PAC_2N: No. of times - bowling					
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]				
Statistics [NW/ W]	[Valid=5543 / 2694365.03 ] [Invalid=57366 / 26184053.34 ] [Mean=4.32 / 3.616 ] [StdDev=6.536 / 5.565 ]				
Universe	Respondents who answered PAC_1N = (1, 7 or 8)				
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Bowling				
Value	Label	Cases	Weighted	Percentage (Weighted)	
996	NOT APPLICABLE	56076	25593851.3		

# PAC_2N: No. of times - bowling				
Value	Label	Cases	Weighted	Percentage (Weighted)
997	DON'T KNOW	14	3733.3	
998	REFUSAL	1	690.6	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3N: Time spent - bowling				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=5536 / 2692318.45 ] [Invalid=57373 / 26186099.92 ]			
Universe	Respondents who answered PAC_1N = (1, 7 or 8)			
Literal question	About how much time did you spend on each occasion? - Bowling			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	33	12390.4	0.5%
2	16 TO 30 MINUTES	119	56466.2	2.1%
3	31 TO 60 MINUTES	1193	578525.4	21.5%
4	MORE THAN 1 HOUR	4191	2044936.5	76.0%
6	NOT APPLICABLE	56076	25593851.3	
7	DON'T KNOW	7	2046.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1290	590202.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2O: No. of times - baseball/softball				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=3121 / 1509191.68 ] [Invalid=59788 / 27369226.69 ] [Mean=9.538 / 9.166 ] [StdDev=12.617 / 12.257 ]			
Universe	Respondents who answered PAC_1O = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Baseball or softball			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	58483	26769510.1	
997	DON'T KNOW	30	13938.4	
998	REFUSAL	0	0.0	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3O: Time spent - baseball/softball				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=3118 / 1508216.03 ] [Invalid=59791 / 27370202.34 ]			
Universe	Respondents who answered PAC_1O = (1, 7 or 8)			
Literal question	About how much time did you spend on each occasion? - Baseball or softball			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	41	19809.8	1.3%
2	16 TO 30 MINUTES	230	113602.8	7.5%
3	31 TO 60 MINUTES	699	294086.0	19.5%
4	MORE THAN 1 HOUR	2148	1080717.5	71.7%
6	NOT APPLICABLE	58483	26769510.1	
7	DON'T KNOW	3	975.6	

# PAC_3O: Time spent - baseball/softball				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	1305	599716.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2P: No. of times - tennis				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=2051 / 1222595.32 ] [Invalid=60858 / 27655823.05 ] [Mean=8.154 / 8.46 ] [StdDev=11.975 / 12.321 ]			
Universe	Respondents who answered PAC_1P = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Tennis			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	59570	27065311.6	
997	DON'T KNOW	13	4733.4	
998	REFUSAL	0	0.0	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3P: Time spent - tennis				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=2048 / 1221907.89 ] [Invalid=60861 / 27656510.48 ]			
Universe	Respondents who answered PAC_1P = (1, 7 or 8)			
Literal question	About how much time did you spend on each occasion? - Tennis			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	49	15813.0	1.3%
2	16 TO 30 MINUTES	239	118020.3	9.7%
3	31 TO 60 MINUTES	761	433236.7	35.5%
4	MORE THAN 1 HOUR	999	654837.9	53.6%
6	NOT APPLICABLE	59570	27065311.6	
7	DON'T KNOW	3	687.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1288	590511.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2Q: No. of times - weight-training				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=9897 / 5297172.97 ] [Invalid=53012 / 23581245.4 ] [Mean=29.321 / 28.979 ] [StdDev=22.959 / 22.293 ]			
Universe	Respondents who answered PAC_1Q = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Weight-training			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	51677	22960958.9	
997	DON'T KNOW	56	27615.3	
998	REFUSAL	4	6893.0	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3Q: Time spent - weight-training				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			

# PAC_3Q: Time spent - weight-training				
Statistics [NW/ W]		[Valid=9888 / 5295391.05 ] [Invalid=53021 / 23583027.32 ]		
Universe		Respondents who answered PAC_1Q = (1, 7 or 8)		
Literal question		About how much time did you spend on each occasion? - Weight-training		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	1420	726426.2	<div><div></div></div> 13.7%
2	16 TO 30 MINUTES	3350	1774785.7	<div><div></div></div> 33.5%
3	31 TO 60 MINUTES	3501	1906929.0	<div><div></div></div> 36.0%
4	MORE THAN 1 HOUR	1617	887250.1	<div><div></div></div> 16.8%
6	NOT APPLICABLE	51677	22960958.9	
7	DON'T KNOW	8	1476.4	
8	REFUSAL	1	305.5	
9	NOT STATED	1335	620286.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2R: No. of times - fishing				
Information		[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]		[Valid=6853 / 2716233.44 ] [Invalid=56056 / 26162184.93 ] [Mean=7.015 / 6.358 ] [StdDev=10.679 / 9.439 ]		
Universe		Respondents who answered PAC_1R = (1, 7 or 8)		
Literal question		In the past 3 months, how many times did you [participate in identified activity]? - Fishing		
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	54750	25566007.6	
997	DON'T KNOW	30	6299.6	
998	REFUSAL	1	4099.7	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3R: Time spent - fishing				
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]		[Valid=6846 / 2714114.49 ] [Invalid=56063 / 26164303.88 ]		
Universe		Respondents who answered PAC_1R = (1, 7 or 8)		
Literal question		About how much time did you spend on each occasion? - Fishing		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	50	24221.1	<div><div></div></div> 0.9%
2	16 TO 30 MINUTES	146	59326.7	<div><div></div></div> 2.2%
3	31 TO 60 MINUTES	476	194645.4	<div><div></div></div> 7.2%
4	MORE THAN 1 HOUR	6174	2435921.3	<div><div></div></div> 89.8%
6	NOT APPLICABLE	54750	25566007.6	
7	DON'T KNOW	7	2119.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1306	596177.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2S: No. of times - volleyball				
Information		[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]		[Valid=3493 / 1679627.61 ] [Invalid=59416 / 27198790.76 ] [Mean=10.418 / 9.833 ] [StdDev=13.578 / 13.044 ]		
Universe		Respondents who answered PAC_1S = (1, 7 or 8)		

# PAC_2S: No. of times - volleyball					
Notes		In the past 3 months, how many times did you [participate in identified activity]? - Volleyball			
Value	Label	Cases	Weighted	Percentage (Weighted)	
996	NOT APPLICABLE	58114	26605060.2		
997	DON'T KNOW	25	7790.5		
998	REFUSAL	2	162.0		
999	NOT STATED	1275	585778.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# PAC_3S: Time spent - volleyball					
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]		[Valid=3490 / 1678278.5 ] [Invalid=59419 / 27200139.87 ]			
Universe		Respondents who answered PAC_1S = (1, 7 or 8)			
Literal question		About how much time did you spend on each occasion? - Volleyball			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	65	34985.0	<div><div></div></div>	2.1%
2	16 TO 30 MINUTES	461	217358.7	<div><div></div></div>	13.0%
3	31 TO 60 MINUTES	1312	637645.0	<div><div></div></div>	38.0%
4	MORE THAN 1 HOUR	1652	788289.8	<div><div></div></div>	47.0%
6	NOT APPLICABLE	58114	26605060.2		
7	DON'T KNOW	3	1349.1		
8	REFUSAL	0	0.0		
9	NOT STATED	1302	593730.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# PAC_2T: No. of times - basketball					
Information		[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]		[Valid=4136 / 2234795.42 ] [Invalid=58773 / 26643622.95 ] [Mean=13.951 / 13.895 ] [StdDev=18.233 / 18.276 ]			
Universe		Respondents who answered PAC_1T = (1, 7 or 8)			
Literal question		In the past 3 months, how many times did you [participate in identified activity]? - Basketball			
Value	Label	Cases	Weighted	Percentage (Weighted)	
996	NOT APPLICABLE	57457	26033672.2		
997	DON'T KNOW	41	24172.6		
998	REFUSAL	0	0.0		
999	NOT STATED	1275	585778.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# PAC_3T: Time spent - basketball					
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]		[Valid=4131 / 2233150.4 ] [Invalid=58778 / 26645267.97 ]			
Universe		Respondents who answered PAC_1T = (1, 7 or 8)			
Literal question		About how much time did you spend on each occasion? - Basketball			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	188	87301.3	<div><div></div></div>	3.9%
2	16 TO 30 MINUTES	868	422008.3	<div><div></div></div>	18.9%
3	31 TO 60 MINUTES	1527	810363.7	<div><div></div></div>	36.3%
4	MORE THAN 1 HOUR	1548	913477.2	<div><div></div></div>	40.9%



# PAC_3T: Time spent - basketball				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	57457	26033672.2	
7	DON'T KNOW	5	1645.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1316	609950.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2Z: No. of times - soccer				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=4852 / 2783250.93 ] [Invalid=58057 / 26095167.44 ] [Mean=12.342 / 12.7 ] [StdDev=15.599 / 15.805 ]			
Universe	Respondents who answered PAC_1Z = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Soccer			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	56754	25497038.0	
997	DON'T KNOW	27	12129.6	
998	REFUSAL	1	221.6	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3Z: Time spent - soccer				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=4849 / 2782232.27 ] [Invalid=58060 / 26096186.1 ]			
Universe	Respondents who answered PAC_1Z = (1, 7 or 8)			
Literal question	About how much time did you spend on each occasion? - Soccer			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	171	80404.6	<div><div></div></div> 2.9%
2	16 TO 30 MINUTES	763	389513.1	<div><div></div></div> 14.0%
3	31 TO 60 MINUTES	1705	935969.0	<div><div></div></div> 33.6%
4	MORE THAN 1 HOUR	2210	1376345.6	<div><div></div></div> 49.5%
6	NOT APPLICABLE	56754	25497038.0	
7	DON'T KNOW	3	1018.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1303	598129.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_2U: No. of times - other activity (#1)				
Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]			
Statistics [NW/ W]	[Valid=8034 / 3828315.02 ] [Invalid=54875 / 25050103.35 ] [Mean=20.734 / 20.349 ] [StdDev=23.901 / 23.118 ]			
Universe	Respondents who answered PAC_1U = (1, 7 or 8)			
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#1)			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	53552	24446756.3	
997	DON'T KNOW	45	16887.3	
998	REFUSAL	3	681.6	
999	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# PAC_3U: Time spent - other activity (#1)					
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]				
Statistics [NW/ W]	[Valid=8027 / 3827233.7 ] [Invalid=54882 / 25051184.67 ]				
Universe	Respondents who answered PAC_1U = (1, 7 or 8)				
Literal question	About how much time did you spend on each occasion? - Other activity (#1)				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	302	119416.4	<div><div></div></div>	3.1%
2	16 TO 30 MINUTES	822	396437.4	<div><div></div></div>	10.4%
3	31 TO 60 MINUTES	1976	1002127.4	<div><div></div></div>	26.2%
4	MORE THAN 1 HOUR	4927	2309252.4	<div><div></div></div>	60.3%
6	NOT APPLICABLE	53552	24446756.3		
7	DON'T KNOW	7	1081.3		
8	REFUSAL	0	0.0		
9	NOT STATED	1323	603347.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# PAC_2W: No. of times - other activity (#2)					
Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]				
Statistics [NW/ W]	[Valid=1470 / 694829.43 ] [Invalid=61439 / 28183588.94 ] [Mean=14.97 / 14.051 ] [StdDev=19.796 / 17.677 ]				
Universe	Respondents who answered PAC_1W = (1, 7 or 8) or PAC_10 = (7 or 8)				
Literal question	In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#2)				
Value	Label	Cases	Weighted	Percentage (Weighted)	
996	NOT APPLICABLE	60154	27593818.9		
997	DON'T KNOW	5	1309.8		
998	REFUSAL	3	2459.2		
999	NOT STATED	1277	586001.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# PAC_3W: Time spent - other activity (#2)					
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]				
Statistics [NW/ W]	[Valid=1469 / 694703.85 ] [Invalid=61440 / 28183714.52 ]				
Universe	Respondents who answered PAC_1W = (1, 7 or 8) or PAC_10 = (7 or 8)				
Literal question	About how much time did you spend on each occasion? - Other activity (#2)				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1 TO 15 MINUTES	67	32842.2	<div><div></div></div>	4.7%
2	16 TO 30 MINUTES	158	75348.0	<div><div></div></div>	10.8%
3	31 TO 60 MINUTES	366	184529.7	<div><div></div></div>	26.6%
4	MORE THAN 1 HOUR	878	401984.0	<div><div></div></div>	57.9%
6	NOT APPLICABLE	60154	27593818.9		
7	DON'T KNOW	1	125.6		
8	REFUSAL	0	0.0		
9	NOT STATED	1285	589770.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# PAC_2X: No. of times - other activity (#3)					
Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]				
Statistics [NW/ W]	[Valid=307 / 128065.61 ] [Invalid=62602 / 28750352.76 ] [Mean=14.362 / 14.732 ] [StdDev=22.602 / 21.954 ]				

# PAC_2X: No. of times - other activity (#3)				
Universe		Respondents who answered PAC_1X = (1, 7 or 8) or PAC_1U = (7 or 8) or PAC_10 = (7 or 8)		
Literal question		In the past 3 months, how many times [did you participate in identified activity]? - Other activity (#3)		
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	61324	28164041.1	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	1278	586311.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_3X: Time spent - other activity (#3)				
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]		[Valid=307 / 128065.61 ] [Invalid=62602 / 28750352.76 ]		
Universe		Respondents who answered PAC_1X = (1, 7 or 8) or PAC_1U = (7 or 8) or PAC_10 = (7 or 8)		
Literal question		About how much time did you spend on each occasion? - Other activity (#3)		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	17	7720.2	<div><div></div></div> 6.0%
2	16 TO 30 MINUTES	19	9730.6	<div><div></div></div> 7.6%
3	31 TO 60 MINUTES	70	30492.8	<div><div></div></div> 23.8%
4	MORE THAN 1 HOUR	201	80122.0	<div><div></div></div> 62.6%
6	NOT APPLICABLE	61324	28164041.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1278	586311.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_7: Walked to work or school / last 3 mo.				
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]		[Valid=61567 / 28261933.45 ] [Invalid=1342 / 616484.92 ]		
Universe		All respondents		
Literal question		[Other than the ( X ) times you already reported walking for exercise was there any other time / Was there any time] in the past 3 months when you walked to and from work or school?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8879	4774497.3	<div><div></div></div> 16.9%
2	NO	30918	16052364.9	<div><div></div></div> 56.8%
3	NO WORK/NO SCHOO	21770	7435071.3	<div><div></div></div> 26.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	58	22015.1	
8	REFUSAL	9	8691.7	
9	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_7A: No. of times/3 mo./walking work/school				
Information		[Type= continuous] [Format=numeric] [Range= 1-270] [Missing=*]		
Statistics [NW/ W]		[Valid=8759 / 4693238.1 ] [Invalid=54150 / 24185180.27 ] [Mean=46.08 / 47.546 ] [StdDev=42.325 / 40.652 ]		
Universe		Respondents who answered PAC_7 = (1, 7, 8) or PAC_1n = (7 or 8)		
Literal question		How many times?		

# PAC_7A: No. of times/3 mo./walking work/school				
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	52688	23487436.2	
997	DON'T KNOW	107	56685.4	
998	REFUSAL	13	24573.8	
999	NOT STATED	1342	616484.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_7B: Time spent - walking to go work/school				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=8752 / 4691961.96 ] [Invalid=54157 / 24186456.41 ]			
Universe	Respondents who answered PAC_7 = (1, 7, 8) or PAC_1n = (7 or 8)			
Literal question	About how much time did you spend on each occasion?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	3691	1752041.0	37.3%
2	16 TO 30 MINUTES	3136	1805502.2	38.5%
3	31 TO 60 MINUTES	1470	881797.8	18.8%
4	MORE THAN 1 HOUR	455	252621.0	5.4%
6	NOT APPLICABLE	52688	23487436.2	
7	DON'T KNOW	7	1276.1	
8	REFUSAL	0	0.0	
9	NOT STATED	1462	697744.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_8: Bicycled to work or school / last 3 mo.				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=61592 / 28273849.65 ] [Invalid=1317 / 604568.72 ]			
Universe	All respondents			
Literal question	[Other than the ( X ) times you already reported bicycling was there any other time / Was there any other time] in the past 3 months when you bicycled to and from work or school?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1860	986367.9	3.5%
2	NO	37536	19646860.3	69.5%
3	NO WORK/NO SCHOO	22196	7640621.4	27.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	33	12195.5	
8	REFUSAL	9	6595.0	
9	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_8A: No. of times/3 mo./bicycl. work/school				
Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]			
Statistics [NW/ W]	[Valid=1819 / 968719.33 ] [Invalid=61090 / 27909699.04 ] [Mean=23.384 / 25.462 ] [StdDev=27.324 / 28.354 ]			
Universe	Respondents who answered PAC_8 = (1, 7, 8) or PAC_1n = (7 or 8)			
Literal question	[Other than the ( X ) times you already reported bicycling was there any other time / Was there any other time] in the past 3 months when you bicycled to and from work or school?			

# PAC_8A: No. of times/3 mo./bicycl. work/school				
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	59732	27287481.7	
997	DON'T KNOW	39	16568.1	
998	REFUSAL	2	1080.5	
999	NOT STATED	1317	604568.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAC_8B: Time spent - bicycl. to go work/school				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=1818 / 968631.73 ] [Invalid=61091 / 27909786.64 ]			
Universe	Respondents who answered PAC_8 = (1, 7, 8) or PAC_1n = (7 or 8)			
Literal question	How many times?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 TO 15 MINUTES	814	407845.9	42.1%
2	16 TO 30 MINUTES	544	294107.4	30.4%
3	31 TO 60 MINUTES	331	186012.7	19.2%
4	MORE THAN 1 HOUR	129	80665.7	8.3%
6	NOT APPLICABLE	59732	27287481.7	
7	DON'T KNOW	1	87.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1358	622217.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PACDEE: Daily energy expenditure - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-36.9] [Missing=*]			
Statistics [NW/ W]	[Valid=61624 / 28284293.42 ] [Invalid=1285 / 594124.95 ] [Mean=2.227 / 2.255 ] [StdDev=2.427 / 2.479 ]			
Universe	All respondents			
Literal question	About how much time did you spend on each occasion?			
Notes	Based on PAC_1V, PAC_2A, PAC_2B, PAC_2C, PAC_2D, PAC_2E, PAC_2F, PAC_2G, PAC_2H, PAC_2I, PAC_2J, PAC_2K, PAC_2L, PAC_2M, PAC_2N, PAC_2O, PAC_2P, PAC_2Q, PAC_2R, PAC_2S, PAC_2T, PAC_2U, PAC_2W, PAC_2X, PAC_2Z, PAC_3A, PAC_3B, PAC_3C, PAC_3D, PAC_3E, PAC_3F, PAC_3G, PAC_3H, PAC_3I, PAC_3J, PAC_3K, PAC_3L, PAC_3M, PAC_3N, PAC_3O, PAC_3P, PAC_3Q, PAC_3R, PAC_3S, PAC_3T, PAC_3U, PAC_3W, PAC_3X, PAC_3Z. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
99.6	NOT APPLICABLE	0	0.0	
99.7	DON'T KNOW	0	0.0	
99.8	REFUSAL	0	0.0	
99.9	NOT STATED	1285	594125.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PACFLEI: Participant - leisure phys. activity-(F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Notes	Based on PAC_1V. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	56300	25810793.8	91.2%

# PACFLEI: Participant - leisure phys. activity-(F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	5334	2481846.4	<div><div></div>8.8%</div>
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PACDFM: Monthly freq./phys. act. >15 min. - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-315] [Missing=*]			
Statistics [NW/ W]	[Valid=61624 / 28284293.42 ] [Invalid=1285 / 594124.95 ] [Mean=26.387 / 26.027 ] [StdDev=25.172 / 25.151 ]			
Universe	All respondents			
Notes	Based on PAC_IV, PAC_2A, PAC_2B, PAC_2C, PAC_2D, PAC_2E, PAC_2F, PAC_2G, PAC_2H, PAC_2I, PAC_2J, PAC_2K, PAC_2L, PAC_2M, PAC_2N, PAC_2O, PAC_2P, PAC_2Q, PAC_2R, PAC_2S, PAC_2T, PAC_2Z, PAC_2U, PAC_2W, PAC_2X, PAC_3A, PAC_3B, PAC_3C, PAC_3D, PAC_3E, PAC_3F, PAC_3G, PAC_3H, PAC_3I, PAC_3J, PAC_3K, PAC_3L, PAC_3M, PAC_3N, PAC_3O, PAC_3P, PAC_3Q, PAC_3R, PAC_3S, PAC_3T, PAC_3Z, PAC_3U, PAC_3W, PAC_3X. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	0	0.0	<div><div></div></div>
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	1285	594125.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PACDFR: Freq. of all physical activity - (D)				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=61624 / 28284293.42 ] [Invalid=1285 / 594124.95 ]			
Universe	All respondents			
Notes	Based on PACDFM. The variable uses values for the derived variable Monthly Frequency of Physical Activity (PACDFM). The values for PACDFM reflect a one-month average based on data reported for a three-month period. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	REGULAR	41170	18749985.4	<div><div></div>66.3%</div>
2	OCCASIONAL	8790	4273991.7	<div><div></div>15.1%</div>
3	INFREQUENT	11664	5260316.3	<div><div></div>18.6%</div>
6	NOT APPLICABLE	0	0.0	<div><div></div></div>
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1285	594125.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PACFD: Partic. daily phys. act. > 15 min. - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61624 / 28284293.42 ] [Invalid=1285 / 594124.95 ]			
Universe	All respondents			
Notes	Based on PACDFM. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24356	10722176.9	<div><div></div>37.9%</div>

# PACFD: Partic. daily phys. act. > 15 min. - (F)					
Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	37268	17562116.5		62.1%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1285	594125.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# PACDPAI: Physical activity index - (D)					
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]		[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe		All respondents			
Notes		Based on PACDEE. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ACTIVE	16777	7722832.9		27.3%
2	MODERATE ACTIVE	15321	7016330.2		24.8%
3	INACTIVE	29536	13553477.2		47.9%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1275	585778.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# PACDLTI: Leisure and transp. phys. activity index					
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]		[Valid=61178 / 28056801.55 ] [Invalid=1731 / 821616.82 ]			
Universe		All respondents			
Notes		Based on PACDTLE. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ACTIVE	17362	8074172.0		28.8%
2	MODERATE ACTIVE	15499	7181734.7		25.6%
3	INACTIVE	28317	12800894.8		45.6%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1731	821616.8		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# PACDTLE: Dai. ener. expen. - Tran. and leis. act.					
Information		[Type= continuous] [Format=numeric] [Range= 0-37.2] [Missing=*]			
Statistics [NW/ W]		[Valid=61169 / 28048849.16 ] [Invalid=1740 / 829569.21 ]			
Universe		All respondents			
Notes		Based on PACDEE, PAC_Q7, PAC_Q7A, PAC_Q7B, PAC_Q8, PAC_Q8A, PAC_Q8B. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
0	NO PHY. ACTIVITY	6062	2637936.0		100.0%

# PACDTLE: Dai. ener. expen. - Tran. and leis. act.				
Value	Label	Cases	Weighted	Percentage (Weighted)
99.6	NOT APPLICABLE	0	0.0	
99.7	DON'T KNOW	0	0.0	
99.8	REFUSAL	0	0.0	
99.9	NOT STATED	1740	829569.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PACFLTI: Particip. - Leis. or trans. phys. activ.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]			
Universe	All respondents			
Notes	Based on PAC_1V, PAC_7, PAC_8. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	56678	26066386.5	92.1%
2	NO	4956	2226253.8	7.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOSAC: Module: Sedentary activities				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13077	5304571.5	18.4%
2	NO	48199	23491745.9	81.6%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SACG1: No. of hrs.-on a computer -past3mo(G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]			
Statistics [NW/ W]	[Valid=12714 / 5151817.96 ] [Invalid=50195 / 23726600.41 ]			
Universe	Respondents with DOSAC = 1			
Notes	Includes only leisure time activities. Based on SAC_1. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OR < 1 HR	3297	995199.3	19.3%
2	1 TO 2 HOURS	2194	958060.1	18.6%
3	3 TO 5 HOURS	1924	846133.1	16.4%
4	6 TO 10 HOURS	2572	1087393.6	21.1%



# SACG1: No. of hrs.-on a computer -past3mo(G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
5	11 TO 14 HOURS	1128	489066.0	<div></div> 9.5%
6	15 TO 20 HOURS	506	259155.1	<div></div> 5.0%
7	MORE THAN 20 HRS	1093	516810.8	<div></div> 10.0%
96	NOT APPLICABLE	49832	23573846.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	363	152753.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SACG2: No. of hrs.-play video games -past3mo(G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]			
Statistics [NW/ W]	[Valid=2158 / 1047827.47 ] [Invalid=60751 / 27830590.9 ]			
Universe	Respondents aged 25 or less and DOSAC = 1			
Notes	Includes only leisure time activities. Based on SAC_2. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OR < 1 HR	1106	534622.0	<div></div> 51.0%
2	1 TO 2 HOURS	371	173216.2	<div></div> 16.5%
3	3 TO 5 HOURS	234	117211.1	<div></div> 11.2%
4	6 TO 10 HOURS	212	106203.4	<div></div> 10.1%
5	11 TO 14 HOURS	94	44400.3	<div></div> 4.2%
6	15 TO 20 HOURS	55	28593.7	<div></div> 2.7%
7	MORE THAN 20 HRS	86	43580.9	<div></div> 4.2%
96	NOT APPLICABLE	60656	27791976.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	95	38614.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SACG3: No. of hrs.-watch tv/videos -past3mo(G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]			
Statistics [NW/ W]	[Valid=12618 / 5129245.43 ] [Invalid=50291 / 23749172.94 ]			
Universe	Respondents with DOSAC = 1			
Notes	Includes only leisure time activities. Based on SAC_3. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OR < 1 HR	663	287700.2	<div></div> 5.6%
2	1 TO 2 HOURS	951	406997.3	<div></div> 7.9%
3	3 TO 5 HOURS	1648	720712.8	<div></div> 14.1%
4	6 TO 10 HOURS	3014	1402579.4	<div></div> 27.3%
5	11 TO 14 HOURS	2426	947695.3	<div></div> 18.5%
6	15 TO 20 HOURS	1034	468930.9	<div></div> 9.1%
7	21 TO 25 HOURS	1377	454569.6	<div></div> 8.9%
8	26 TO 30 HOURS	797	225676.5	<div></div> 4.4%
9	MORE THAN 30 HRS	708	214383.5	<div></div> 4.2%
96	NOT APPLICABLE	49832	23573846.8	
97	DON'T KNOW	0	0.0	

### # SACG3: No. of hrs.-watch tv/videos -past3mo(G)

Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	0	0.0	
99	NOT STATED	459	175326.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SACG4: No. of hrs.-read -past3mo(G)

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=12592 / 5117801.38 ] [Invalid=50317 / 23760616.99 ]
Universe	Respondents with DOSAC = 1
Notes	Includes books, magazines, newspapers, and homework. Based on SAC_4. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OR < 1 HR	1874	718786.3	14.0%
2	1 TO 2 HOURS	2483	1091715.0	21.3%
3	3 TO 5 HOURS	2692	1203131.6	23.5%
4	6 TO 10 HOURS	3230	1283451.1	25.1%
5	11 TO 14 HOURS	1169	409430.6	8.0%
6	15 TO 20 HOURS	494	187089.2	3.7%
7	MORE THAN 20 HRS	650	224197.4	4.4%
96	NOT APPLICABLE	49832	23573846.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	485	186770.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SACDTOT: Tot. hrs. -seden. activit. - 3 mo - (D)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=12517 / 5096754.19 ] [Invalid=50392 / 23781664.18 ]
Universe	All respondents
Literal question	Tot. hrs. -seden. activit. - 3 mo - (D)
Notes	Based on SAC_1, SAC_2, SAC_3, SAC_4. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 5 HOURS	314	128927.9	2.5%
2	5 TO 9 HOURS	1015	408618.4	8.0%
3	10 TO 14 HOURS	1572	660323.3	13.0%
4	15 TO 19 HOURS	1679	775738.8	15.2%
5	20 TO 24 HOURS	1831	777095.4	15.2%
6	25 TO 29 HOURS	1674	645725.1	12.7%
7	30 TO 34 HOURS	979	374545.2	7.3%
8	35 TO 39 HOURS	1110	423450.2	8.3%
9	40 TO 44 HOURS	726	281952.4	5.5%
10	45 OR MORE HOURS	1617	620377.4	12.2%
96	NOT APPLICABLE	49832	23573846.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	560	207817.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# SACDTER: No. hrs / wk. (exc. read.) - seden. act.				
Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]			
Statistics [NW/ W]	[Valid=12611 / 5122677.56 ] [Invalid=50298 / 23755740.81 ]			
Universe	All respondents			
Literal question	No. hrs / wk. (exc. read.) - seden. act.			
Notes	Based on SAC_1, SAC_2, SAC_3. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 5 HOURS	944	368931.8	<div><div></div></div> 7.2%
2	5 TO 9 HOURS	1830	728326.8	<div><div></div></div> 14.2%
3	10 TO 14 HOURS	2400	1033210.3	<div><div></div></div> 20.2%
4	15 TO 19 HOURS	1547	717081.3	<div><div></div></div> 14.0%
5	20 TO 24 HOURS	2005	746754.3	<div><div></div></div> 14.6%
6	25 TO 29 HOURS	1353	527525.0	<div><div></div></div> 10.3%
7	30 TO 34 HOURS	574	243322.1	<div><div></div></div> 4.7%
8	35 TO 39 HOURS	715	275036.1	<div><div></div></div> 5.4%
9	40 TO 44 HOURS	487	183295.5	<div><div></div></div> 3.6%
10	45 OR MORE HOURS	756	299194.2	<div><div></div></div> 5.8%
96	NOT APPLICABLE	49832	23573846.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	466	181894.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# DOUPE: Module: UPE - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	62909	28878418.4	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UPE_01A: Done any bicycling in past 12 months				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=48399 / 21515646.73 ] [Invalid=14510 / 7362771.64 ]			
Universe	Respondents who answered PAC_1 = (1,2,3,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23) or PAC_8 = 2			
Literal question	In the past 12 months, have you done any bicycling?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8699	4434258.1	20.6%
2	NO	39700	17081388.6	79.4%
6	NOT APPLICABLE	13238	6774396.5	
7	DON'T KNOW	29	13448.4	
8	REFUSAL	18	12311.3	
9	NOT STATED	1225	562615.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UPE_01: Freq. - helmet - bicycling				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=21891 / 11187511.37 ] [Invalid=41018 / 17690907 ]			
Universe	Respondents with DOUPE = 1 who answered PAC_1D = (1, 7, 8) or PAC_8 = (1, 7, 8) or UPE_01A = 1.			
Literal question	When riding a bicycle, how often do you wear a helmet: (always, most of the time, rarely, or never)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	8101	4173613.9	37.3%
2	MOST OF THE TIME	1955	1005151.3	9.0%
3	RARELY	1910	1018157.0	9.1%
4	NEVER	9925	4990589.2	44.6%
6	NOT APPLICABLE	39700	17081388.6	
7	DON'T KNOW	38	15506.9	
8	REFUSAL	8	5636.3	
9	NOT STATED	1272	588375.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UPE_02: Done in-line skating in past 12 months				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			

# UPE_02: Done in-line skating in past 12 months				
Statistics [NW/ W]		[Valid=59674 / 27193966.56 ] [Invalid=3235 / 1684451.81 ]		
Universe		Respondents who answered PAC_1 = (1,2,3,4,5,6,7,8,10,11,12,13,14,15,16,17,18,19,20,21,22,23)		
Literal question		In the past 12 months, have you done any in-line skating or rollerblading?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2186	1310709.5	<div><div></div></div> 4.8%
2	NO	57488	25883257.0	<div><div></div></div> 95.2%
6	NOT APPLICABLE	1968	1101888.7	
7	DON'T KNOW	23	6962.6	
8	REFUSAL	1	673.8	
9	NOT STATED	1243	574926.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UPE_02A: Freq. - helmet - in-line skating				
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]		[Valid=4150 / 2411901.59 ] [Invalid=58759 / 26466516.78 ]		
Universe		Respondents with DOUPE = 1 who answered PAC_11 = (1, 7 or 8)		
Literal question		When in-line skating or rollerblading, how often do you wear a helmet?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	1110	623221.8	<div><div></div></div> 25.8%
2	MOST OF THE TIME	281	151697.0	<div><div></div></div> 6.3%
3	RARELY	383	253597.0	<div><div></div></div> 10.5%
4	NEVER	2376	1383385.8	<div><div></div></div> 57.4%
6	NOT APPLICABLE	57488	25883257.0	
7	DON'T KNOW	3	467.1	
8	REFUSAL	1	229.5	
9	NOT STATED	1267	582563.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UPE_02B: Freq. - wrist guards - in-line skating				
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]		[Valid=4152 / 2412303.54 ] [Invalid=58757 / 26466114.83 ]		
Universe		Respondents with DOUPE = 1 who answered PAC_11 = (1, 7 or 8)		
Literal question		How often do you wear wrist guards or wrist protectors?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	827	491559.9	<div><div></div></div> 20.4%
2	MOST OF THE TIME	153	88959.7	<div><div></div></div> 3.7%
3	RARELY	221	127453.6	<div><div></div></div> 5.3%
4	NEVER	2951	1704330.4	<div><div></div></div> 70.7%
6	NOT APPLICABLE	57488	25883257.0	
7	DON'T KNOW	2	294.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1267	582563.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UPE_02C: Freq. - elbow pads - in-line skating				
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		

# UPE_02C: Freq. - elbow pads - in-line skating				
Statistics [NW/ W]		[Valid=4149 / 2411406.94 ] [Invalid=58760 / 26467011.43 ]		
Universe		Respondents with DOUPE = 1 who answered PAC_1I = (1, 7 or 8)		
Literal question		How often do you wear elbow pads?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	442	266595.6	<div><div></div></div> 11.1%
2	MOST OF THE TIME	119	52281.0	<div><div></div></div> 2.2%
3	RARELY	198	113929.1	<div><div></div></div> 4.7%
4	NEVER	3390	1978601.2	<div><div></div></div> 82.1%
6	NOT APPLICABLE	57488	25883257.0	
7	DON'T KNOW	5	1191.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1267	582563.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UPE_02D: Wear knee pads				
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]		[Valid=4151 / 2412131.09 ] [Invalid=58758 / 26466287.28 ]		
Universe		Respondents who answered PAC_1 = 9 or UPE_2 = 1		
Literal question		How often do you wear knee pads?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	526	309108.2	<div><div></div></div> 12.8%
2	MOST OF THE TIME	142	63369.5	<div><div></div></div> 2.6%
3	RARELY	197	111890.4	<div><div></div></div> 4.6%
4	NEVER	3286	1927763.1	<div><div></div></div> 79.9%
6	NOT APPLICABLE	57488	25883257.0	
7	DON'T KNOW	3	467.1	
8	REFUSAL	0	0.0	
9	NOT STATED	1267	582563.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UPE_03A: Downhill skiing/snowboarding - 3 mo				
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]		[Valid=2637 / 1417130.36 ] [Invalid=60272 / 27461288.01 ]		
Universe		Respondents with DOUPE = 1 who answered PAC_1M = (1, 7 or 8)		
Literal question		Earlier, you mentioned going downhill skiing or snowboarding in the past 3 months. Was that: (downhill skiing only, snowboarding only, or both)?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DOWNHILL SKIING	1474	818002.7	<div><div></div></div> 57.7%
2	SNOWBOARDING	990	505452.7	<div><div></div></div> 35.7%
3	BOTH	173	93675.0	<div><div></div></div> 6.6%
4	NEITHER	0	0.0	
6	NOT APPLICABLE	58993	26873551.4	
7	DON'T KNOW	4	1958.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1275	585778.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# UPE_03B: Downhill skiing/snowboarding - 12 mo					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=59001 / 26876199.42 ] [Invalid=3908 / 2002218.95 ]			
<b>Universe</b>		Respondents with DOUPE = 1 who answered PAC_1M = (2, 7 or 8)			
<b>Literal question</b>		n the past 12 months, did you do any downhill skiing or snowboarding: (downhill skiing only, snowboarding only, both, or neither)?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DOWNHILL SKIING	2501	1473663.1	<div><div></div></div>	5.5%
2	SNOWBOARDING	1397	761433.3	<div><div></div></div>	2.8%
3	BOTH	287	152660.2	<div><div></div></div>	0.6%
4	NEITHER	54816	24488442.9	<div><div></div></div>	91.1%
6	NOT APPLICABLE	2641	1419088.9		
7	DON'T KNOW	22	7307.9		
8	REFUSAL	2	895.5		
9	NOT STATED	1243	574926.7		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# UPE_04A: Freq. - helmet - downhill skiing					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=4431 / 2534536.75 ] [Invalid=58478 / 26343881.62 ]			
<b>Universe</b>		Respondents who answered UPE_03A = (1, 3, 7 or 8) or UPE_03B = (1, 3, 7 or 8)			
<b>Literal question</b>		When downhill skiing, how often do you wear a helmet: (always, most of the time, rarely, or never)?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	2174	1299105.7	<div><div></div></div>	51.3%
2	MOST OF THE TIME	124	56290.7	<div><div></div></div>	2.2%
3	RARELY	171	103872.4	<div><div></div></div>	4.1%
4	NEVER	1962	1075267.9	<div><div></div></div>	42.4%
6	NOT APPLICABLE	57203	25755328.8		
7	DON'T KNOW	3	2239.2		
8	REFUSAL	1	1225.0		
9	NOT STATED	1271	585088.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# UPE_05A: Freq. - helmet - snowboarding					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=2845 / 1511867.76 ] [Invalid=60064 / 27366550.61 ]			
<b>Universe</b>		Respondents who answered UPE_03A = (2, 3, 7 or 8) or UPE_03B = (2, 3, 7 or 8)			
<b>Literal question</b>		When snowboarding, how often do you wear a helmet?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	1565	866291.7	<div><div></div></div>	57.3%
2	MOST OF THE TIME	196	80177.0	<div><div></div></div>	5.3%
3	RARELY	175	79463.2	<div><div></div></div>	5.3%
4	NEVER	909	485935.8	<div><div></div></div>	32.1%
6	NOT APPLICABLE	58791	26780108.6		
7	DON'T KNOW	2	1353.4		
8	REFUSAL	0	0.0		
9	NOT STATED	1271	585088.6		

# UPE_05A: Freq. - helmet - snowboarding				
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# UPE_05B: Freq. - wrist guards - snowboarding				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=2847 / 1513221.16 ] [Invalid=60062 / 27365197.21 ]			
Universe	Respondents who answered UPE_03A = (2, 3, 7 or 8) or UPE_03B = (2, 3, 7 or 8)			
Literal question	How often do you wear wrist guards or wrist protectors?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	158	99879.9	<div><div></div></div> 6.6%
2	MOST OF THE TIME	52	22659.3	<div><div></div></div> 1.5%
3	RARELY	98	56892.8	<div><div></div></div> 3.8%
4	NEVER	2539	1333789.2	<div><div></div></div> 88.1%
6	NOT APPLICABLE	58791	26780108.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1271	585088.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# UPE_06: Has done skateboarding - past 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7023 / 3250070.75 ] [Invalid=55886 / 25628347.62 ]			
Universe	Respondents aged 12 to 19 with DOUPE = 1			
Literal question	In the past 12 months, have you done any skateboarding?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1020	488496.5	<div><div></div></div> 15.0%
2	NO	6003	2761574.2	<div><div></div></div> 85.0%
6	NOT APPLICABLE	55679	25543141.9	
7	DON'T KNOW	4	1096.2	
8	REFUSAL	0	0.0	
9	NOT STATED	203	84109.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# UPE_06A: Freq. - helmet - skateboarding				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=1020 / 488496.51 ] [Invalid=61889 / 28389921.86 ]			
Universe	Respondents who answered UPE_06 = (1, 7 or 8)			
Literal question	How often do you wear a helmet: (always, most of the time, rarely, or never)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	233	96075.0	<div><div></div></div> 19.7%
2	MOST OF THE TIME	97	44486.3	<div><div></div></div> 9.1%
3	RARELY	115	70941.3	<div><div></div></div> 14.5%
4	NEVER	575	276994.0	<div><div></div></div> 56.7%
6	NOT APPLICABLE	61682	28304716.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	207	85205.7	



# UPE_06A: Freq. - helmet - skateboarding				
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UPE_06B: Freq. - wrist guards - skateboarding				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=1019 / 487694.84 ] [Invalid=61890 / 28390723.53 ]			
Universe	Respondents who answered UPE_06 = (1, 7 or 8)			
Literal question	How often do you wear wrist guards or wrist protectors?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	35	22217.2	<div><div></div></div> 4.6%
2	MOST OF THE TIME	27	8691.8	<div><div></div></div> 1.8%
3	RARELY	62	28285.9	<div><div></div></div> 5.8%
4	NEVER	895	428499.9	<div><div></div></div> 87.9%
6	NOT APPLICABLE	61682	28304716.1	
7	DON'T KNOW	1	801.7	
8	REFUSAL	0	0.0	
9	NOT STATED	207	85205.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UPE_06C: Freq. - elbow pads - skateboarding				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=1020 / 488496.51 ] [Invalid=61889 / 28389921.86 ]			
Universe	Respondents who answered UPE_06 = (1, 7 or 8)			
Literal question	How often do you wear elbow pads?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	40	21380.6	<div><div></div></div> 4.4%
2	MOST OF THE TIME	23	8143.9	<div><div></div></div> 1.7%
3	RARELY	62	31893.6	<div><div></div></div> 6.5%
4	NEVER	895	427078.3	<div><div></div></div> 87.4%
6	NOT APPLICABLE	61682	28304716.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	207	85205.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UPE_07: Played ice hockey past 12 months				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=58381 / 26620821.63 ] [Invalid=4528 / 2257596.74 ]			
Universe	Respondents who answered PAC_1 = (1,2,3,4,5,6,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23)			
Literal question	In the past 12 months, have you played any ice hockey?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2132	1098685.4	<div><div></div></div> 4.1%
2	NO	56249	25522136.2	<div><div></div></div> 95.9%
6	NOT APPLICABLE	3261	1678092.4	
7	DON'T KNOW	22	7343.2	
8	REFUSAL	3	1334.0	
9	NOT STATED	1242	570827.0	

# UPE_07: Played ice hockey past 12 months					
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# UPE_07A: Wear a mouth guard					
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]				
Statistics [NW/ W]	[Valid=5389 / 2772392.1 ] [Invalid=57520 / 26106026.27 ]				
Universe	Respondents who answered PAC_1 = 7 or UPE_7 = 1				
Literal question	When playing ice hockey, how often do you wear a mouth guard?				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	1177	616825.1	<div></div>	22.2%
2	MOST OF THE TIME	289	134349.2	<div></div>	4.8%
3	RARELY	311	149706.2	<div></div>	5.4%
4	NEVER	3612	1871511.6	<div></div>	67.5%
6	NOT APPLICABLE	56249	25522136.2		
7	DON'T KNOW	3	286.1		
8	REFUSAL	0	0.0		
9	NOT STATED	1268	583604.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# UPEFILS: Wears all prot. equip. - in-line skating					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=4152 / 2412303.54 ] [Invalid=58757 / 26466114.83 ]				
Universe	Respondents with DOUPE = 1 who answered PAC_II = (1, 7 or 8)				
Literal question	Wears all prot. equip. - in-line skating				
Notes	Based on UPE_02A, UPE_02B, UPE_02C, PACII. Respondents that does not in-line skate were excluded from the population. See documentation on derived variables.				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	319	182249.0	<div></div>	7.6%
2	NO	3833	2230054.6	<div></div>	92.4%
6	NOT APPLICABLE	57488	25883257.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1269	582857.8		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# UPEFSKB: Wears all prot. equip. - skateb. - (F)					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=1020 / 488496.51 ] [Invalid=61889 / 28389921.86 ]				
Universe	Respondents aged 12 to 19 who answered UPE_06 = (1, 7 or 8)				
Literal question	Wears all prot. equip. - skateb. - (F)				
Notes	Based on UPE_06A, UPE_06B, UPE_06C. Respondents less than 12 years old or more than 19 years old and respondents that have not skateboarded in the past 12 months were excluded from the population. See documentation on derived variables.				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	36	20202.1	<div></div>	4.1%
2	NO	984	468294.4	<div></div>	95.9%
6	NOT APPLICABLE	61682	28304716.1		
7	DON'T KNOW	0	0.0		

# UPEFSKB: Wears all prot. equip. - skateb. - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	207	85205.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# UPEFSNB: Wears all prot. equip. - snowb.- (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=2847 / 1513221.16 ] [Invalid=60062 / 27365197.21 ]			
Universe	Respondents who answered UPE_03A = (2, 3, 7 or 8) or UPE_03B = (2, 3, 7 or 8)			
Literal question	Wears all prot. equip. - snowb.- (F)			
Notes	Based on UPE_05A, UPE_05B. Respondents that have not snowboarded in past 12 months were excluded from the population. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	182	106506.5	7.0%
2	NO	2665	1406714.6	93.0%
6	NOT APPLICABLE	58791	26780108.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1271	585088.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOSSB: Module: SSB - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14586	7672571.8	26.6%
2	NO	46690	21123745.7	73.4%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSB_01: Been sunburnt - past 12 months				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=14305 / 7521793.71 ] [Invalid=48604 / 21356624.66 ]			
Universe	Respondents with DOSSB = 1			
Literal question	In the past 12 months, has any part of your body been sunburnt?			
Notes	Sunburn is defined as any reddening or discomfort of the skin, that lasts longer than 12 hours after exposure to the sun or other UV sources, such as tanning beds or sun lamps.Sunburn is defined as any reddening or discomfort of the skin, that lasts longer than 12 hours after exposure to the sun or other UV sources, such as tanning beds or sun lamps.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4934	2797339.3	37.2%
2	NO	9371	4724454.4	62.8%

# SSB_01: Been sunburnt - past 12 months				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	48323	21205846.6	
7	DON'T KNOW	7	3134.7	
8	REFUSAL	5	2858.0	
9	NOT STATED	269	144785.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSB_02: Sunburn involved blistering				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4931 / 2796307.91 ] [Invalid=57978 / 26082110.46 ]			
Universe	Respondents who answered SSB_01 = (1, 7 or 8)			
Literal question	Did any of your sunburns involve blistering?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	403	211211.1	<div><div></div></div> 7.6%
2	NO	4528	2585096.8	<div><div></div></div> 92.4%
6	NOT APPLICABLE	57694	25930301.0	
7	DON'T KNOW	3	1031.4	
8	REFUSAL	0	0.0	
9	NOT STATED	281	150778.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSB_03: Sunburns involved pain - more than 1 day				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4931 / 2796281.81 ] [Invalid=57978 / 26082136.56 ]			
Universe	Respondents who answered SSB_01 = (1, 7 or 8)			
Literal question	Did any of your sunburns involve pain or discomfort that lasted for more than 1 day?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1681	932472.6	<div><div></div></div> 33.3%
2	NO	3250	1863809.2	<div><div></div></div> 66.7%
6	NOT APPLICABLE	57694	25930301.0	
7	DON'T KNOW	3	1057.5	
8	REFUSAL	0	0.0	
9	NOT STATED	281	150778.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSB_06: Amount time in the sun - 11 am to 4 pm				
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]	[Valid=14180 / 7449057 ] [Invalid=48729 / 21429361.37 ]			
Universe	Respondents with DOSSB = 1			
Literal question	About how much time each day do you spend in the sun between 11 am and 4 pm?			
Notes	On a typical weekend or day off from work, or school in the summer months.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE	2521	1120443.5	<div><div></div></div> 15.0%
2	< 30 MIN.	1827	959433.0	<div><div></div></div> 12.9%
3	30 TO 59 MINUTES	1375	733496.8	<div><div></div></div> 9.8%
4	1 TO < 2 HOURS	2183	1136103.6	<div><div></div></div> 15.3%

# SSB_06: Amount time in the sun - 11 am to 4 pm				
Value	Label	Cases	Weighted	Percentage (Weighted)
5	2 TO < 3 HOURS	2406	1358406.6	<div></div> 18.2%
6	3 TO < 4 HOURS	1445	795787.1	<div></div> 10.7%
7	4 TO < 5 HOURS	969	540647.5	<div></div> 7.3%
8	5 HOURS	1454	804738.9	<div></div> 10.8%
96	NOT APPLICABLE	48323	21205846.6	
97	DON'T KNOW	124	72269.7	
98	REFUSAL	1	467.0	
99	NOT STATED	281	150778.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSB_07: Frequency - seek shade				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=9787 / 5350714.11 ] [Invalid=53122 / 23527704.26 ]			
Universe	Respondents who answered SSB_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSB_01 = (7 or 8)			
Literal question	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you seek shade: (always, often, sometimes, rarely or never)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	1096	531523.4	<div></div> 9.9%
2	OFTEN	2885	1555682.9	<div></div> 29.1%
3	SOMETIMES	2959	1646147.8	<div></div> 30.8%
4	RARELY	1660	950361.1	<div></div> 17.8%
5	NEVER	1187	666998.8	<div></div> 12.5%
6	NOT APPLICABLE	52671	23285723.1	
7	DON'T KNOW	44	18414.2	
8	REFUSAL	1	52.2	
9	NOT STATED	406	223514.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSB_08: Frequency - wear hat in the sun				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=9827 / 5367261.18 ] [Invalid=53082 / 23511157.19 ]			
Universe	Respondents who answered SSB_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSB_01 = (7 or 8)			
Literal question	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you) wear a hat that shades your face, ears and neck?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	2367	1106435.2	<div></div> 20.6%
2	OFTEN	1228	663174.3	<div></div> 12.4%
3	SOMETIMES	1252	706785.9	<div></div> 13.2%
4	RARELY	925	555517.2	<div></div> 10.4%
5	NEVER	4055	2335348.7	<div></div> 43.5%
6	NOT APPLICABLE	52671	23285723.1	
7	DON'T KNOW	5	1919.4	
8	REFUSAL	0	0.0	
9	NOT STATED	406	223514.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# SSB_09A: Frequency - wear long pants or skirt				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=9815 / 5363837.42 ] [Invalid=53094 / 23514580.95 ]			
Universe	Respondents who answered SSB_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSB_01 = (7 or 8)			
Literal question	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you wear long pants or a long skirt to protect your skin from the sun?)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	1424	576521.4	<div><div></div></div> 10.7%
2	OFTEN	933	461204.0	<div><div></div></div> 8.6%
3	SOMETIMES	1112	605323.4	<div><div></div></div> 11.3%
4	RARELY	1197	634263.4	<div><div></div></div> 11.8%
5	NEVER	5149	3086525.2	<div><div></div></div> 57.5%
6	NOT APPLICABLE	52671	23285723.1	
7	DON'T KNOW	16	5055.8	
8	REFUSAL	1	287.3	
9	NOT STATED	406	223514.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSB_09B: Frequency - use sunscreen on your face				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=9829 / 5368196.42 ] [Invalid=53080 / 23510221.95 ]			
Universe	Respondents who answered SSB_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSB_01 = (7 or 8)			
Literal question	(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you use sunscreen on your face?)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	2972	1575888.4	<div><div></div></div> 29.4%
2	OFTEN	1587	899392.0	<div><div></div></div> 16.8%
3	SOMETIMES	1390	802467.6	<div><div></div></div> 14.9%
4	RARELY	937	525429.0	<div><div></div></div> 9.8%
5	NEVER	2943	1565019.5	<div><div></div></div> 29.2%
6	NOT APPLICABLE	52671	23285723.1	
7	DON'T KNOW	3	984.1	
8	REFUSAL	0	0.0	
9	NOT STATED	406	223514.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSB_10: SPF use - face				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=5776 / 3193687.94 ] [Invalid=57133 / 25684730.43 ]			
Universe	Respondents who answered SSB_09B = (1, 2, 3, 7, 8) or SSB_01 = (7, 8) or SSB_06 = (97, 98)			
Literal question	What Sun Protection factor (SPF) do you usually use?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 15	218	127895.8	<div><div></div></div> 4.0%
2	15 TO 25	1478	820383.8	<div><div></div></div> 25.7%
3	MORE THAN 25	4080	2245408.3	<div><div></div></div> 70.3%
6	NOT APPLICABLE	56551	25376171.6	
7	DON'T KNOW	171	83614.2	

# SSB_10: SPF use - face				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	2	445.8	
9	NOT STATED	409	224498.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSB_11: Frequency - use sunscreen on your body				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=9818 / 5364460.25 ] [Invalid=53091 / 23513958.12 ]			
Universe	Respondents who answered SSB_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSB_01 = (7 or 8)			
Literal question	In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you use sunscreen on your body?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	2267	1214811.8	<div></div> 22.6%
2	OFTEN	1574	891778.7	<div></div> 16.6%
3	SOMETIMES	1622	924193.8	<div></div> 17.2%
4	RARELY	1163	644540.5	<div></div> 12.0%
5	NEVER	3192	1689135.4	<div></div> 31.5%
6	NOT APPLICABLE	52671	23285723.1	
7	DON'T KNOW	14	4720.3	
8	REFUSAL	0	0.0	
9	NOT STATED	406	223514.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSB_12: SPF use - body				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=5321 / 2951348.9 ] [Invalid=57588 / 25927069.47 ]			
Universe	Respondents who answered SSB_11 = (1, 2, 3, 7, 8) or SSB_01 = (7, 8) or SSB_06 = (97, 98)			
Literal question	What Sun Protection factor (SPF) do you usually use?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 15	205	117693.9	<div></div> 4.0%
2	15 TO 25	1363	757650.4	<div></div> 25.7%
3	MORE THAN 25	3753	2076004.5	<div></div> 70.3%
6	NOT APPLICABLE	57026	25619399.0	
7	DON'T KNOW	141	78886.3	
8	REFUSAL	1	549.1	
9	NOT STATED	420	228235.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOINJ: Module: INJ - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]			
Universe	All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	62909	28878418.4	<div></div> 100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	

# DOINJ: Module: INJ - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# REP_1A: Repetitive strain injury				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62748 / 28817069.75 ] [Invalid=161 / 61348.62 ]			
Universe	Respondents with DOINJ = 1			
Literal question	In the past 12 months, did you have any injuries due to repetitive strain?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7985	3970302.7	<div></div> 13.8%
2	NO	54763	24846767.0	<div></div> 86.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	138	45297.1	
8	REFUSAL	23	16051.5	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# REP_2: Limit your normal activities				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=7972 / 3958144.62 ] [Invalid=54937 / 24920273.75 ]			
Universe	Respondents who answered REP_1A = (1, 7 or 8)			
Literal question	Were these injuries serious enough to limit your normal activities?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4494	2155753.2	<div></div> 54.5%
2	NO	3478	1802391.4	<div></div> 45.5%
6	NOT APPLICABLE	54763	24846767.0	
7	DON'T KNOW	13	12158.1	
8	REFUSAL	0	0.0	
9	NOT STATED	161	61348.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# REPG3: Rep. strain - body part affected - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]			
Statistics [NW/ W]	[Valid=4485 / 2152335.92 ] [Invalid=58424 / 26726082.45 ]			
Universe	Respondents who answered REP_1A = (1, 7 or 8)			
Literal question	Thinking about the most serious repetitive strain, what part of the body was affected?			
Notes	Based on REP_3. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NECK	167	77655.6	<div></div> 3.6%
2	SHOULDER /UP ARM	1010	444289.3	<div></div> 20.6%
3	ELBOW, LOWER ARM	625	294272.2	<div></div> 13.7%
4	WRIST / HAND	938	414384.6	<div></div> 19.3%
5	KNEE / LOWER LEG	496	272074.0	<div></div> 12.6%
6	ANKLE / FOOT	328	192404.2	<div></div> 8.9%



# REPG3: Rep. strain - body part affected - (G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	UPPER BACK	119	61927.8	<div><div></div></div> 2.9%
8	LOWER BACK	547	283918.4	<div><div></div></div> 13.2%
9	OTHER	255	111409.7	<div><div></div></div> 5.2%
96	NOT APPLICABLE	58241	26649158.5	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	183	76924.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# REP_3A: Rep. strain-activity causing injury				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4460 / 2139888.48 ] [Invalid=58449 / 26738529.89 ]			
Universe	Respondents who answered REP_1A = (1, 7 or 8)			
Literal question	Do you know what type of activity caused this repetitive strain injury?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3970	1936405.2	<div><div></div></div> 90.5%
2	NO	490	203483.3	<div><div></div></div> 9.5%
6	NOT APPLICABLE	58241	26649158.5	
7	DON'T KNOW	33	15196.1	
8	REFUSAL	1	668.7	
9	NOT STATED	174	73506.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# REP_4: Rep. strain - working at a job/business				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3940 / 1929693.72 ] [Invalid=58969 / 26948724.65 ]			
Universe	Respondents who answered REP_1A = (1, 7 or 8)			
Literal question	Was the activity something you did while working at a job or business (excluding travel to or from work)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1892	920223.1	<div><div></div></div> 47.7%
2	NO	2048	1009470.6	<div><div></div></div> 52.3%
6	NOT APPLICABLE	58731	26852641.8	
7	DON'T KNOW	11	4263.2	
8	REFUSAL	0	0.0	
9	NOT STATED	227	91819.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# REP_5A: Activity - Walking				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3959 / 1932720.43 ] [Invalid=58950 / 26945697.94 ]			
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)			
Literal question	What type of activity was this? Walking			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	211	107738.8	<div><div></div></div> 5.6%
2	NO	3748	1824981.6	<div><div></div></div> 94.4%

# REP_5A: Activity - Walking				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	58731	26852641.8	
7	DON'T KNOW	11	3684.7	
8	REFUSAL	0	0.0	
9	NOT STATED	208	89371.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# REP_5B: Activity - Sports				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3959 / 1932720.43 ] [Invalid=58950 / 26945697.94 ]			
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)			
Literal question	What type of activity was this? Sports or physical exercise (including school activities and running)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1022	563896.1	<div><div></div></div> 29.2%
2	NO	2937	1368824.3	<div><div></div></div> 70.8%
6	NOT APPLICABLE	58731	26852641.8	
7	DON'T KNOW	11	3684.7	
8	REFUSAL	0	0.0	
9	NOT STATED	208	89371.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# REP_5C: Activity - Leisure				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3959 / 1932720.43 ] [Invalid=58950 / 26945697.94 ]			
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)			
Literal question	What type of activity was this? Leisure or hobby (include volunteering)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	202	86575.8	<div><div></div></div> 4.5%
2	NO	3757	1846144.6	<div><div></div></div> 95.5%
6	NOT APPLICABLE	58731	26852641.8	
7	DON'T KNOW	11	3684.7	
8	REFUSAL	0	0.0	
9	NOT STATED	208	89371.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# REP_5D: Activity - Household chores				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3959 / 1932720.43 ] [Invalid=58950 / 26945697.94 ]			
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)			
Literal question	What type of activity was this? Household chores, outdoor yard maintenance, home renovations or other unpaid wor			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	461	187604.2	<div><div></div></div> 9.7%
2	NO	3498	1745116.2	<div><div></div></div> 90.3%
6	NOT APPLICABLE	58731	26852641.8	
7	DON'T KNOW	11	3684.7	
8	REFUSAL	0	0.0	

# REP_5D: Activity - Household chores				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	208	89371.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# REP_5F: Activity - Computer				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3959 / 1932720.43 ] [Invalid=58950 / 26945697.94 ]			
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)			
Literal question	What type of activity was this? Computer use or typing			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	409	182207.0	<div><div></div></div> 9.4%
2	NO	3550	1750513.4	<div><div></div></div> 90.6%
6	NOT APPLICABLE	58731	26852641.8	
7	DON'T KNOW	11	3684.7	
8	REFUSAL	0	0.0	
9	NOT STATED	208	89371.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# REP_5G: Activity - Driving a motor vehicle				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3959 / 1932720.43 ] [Invalid=58950 / 26945697.94 ]			
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)			
Literal question	What type of activity was this? Driving a motor vehicle			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	63	38266.2	<div><div></div></div> 2.0%
2	NO	3896	1894454.2	<div><div></div></div> 98.0%
6	NOT APPLICABLE	58731	26852641.8	
7	DON'T KNOW	11	3684.7	
8	REFUSAL	0	0.0	
9	NOT STATED	208	89371.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# REP_5H: Activity - Lifting or carrying				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3959 / 1932720.43 ] [Invalid=58950 / 26945697.94 ]			
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)			
Literal question	What type of activity was this? Lifting or carrying an object or person			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	863	422456.5	<div><div></div></div> 21.9%
2	NO	3096	1510264.0	<div><div></div></div> 78.1%
6	NOT APPLICABLE	58731	26852641.8	
7	DON'T KNOW	11	3684.7	
8	REFUSAL	0	0.0	
9	NOT STATED	208	89371.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# REP_5I: Activity - Other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3959 / 1932720.43 ] [Invalid=58950 / 26945697.94 ]			
Universe	Respondents who answered REP_1A = (1, 7 or 8) or REP_2 = (1,7 or 8) or REP_3 = (1,7 or 8)			
Literal question	What type of activity was this? Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	939	432525.2	<div></div> 22.4%
2	NO	3020	1500195.2	<div></div> 77.6%
6	NOT APPLICABLE	58731	26852641.8	
7	DON'T KNOW	11	3684.7	
8	REFUSAL	0	0.0	
9	NOT STATED	208	89371.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJ_01: Injured in past 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62828 / 28841052.14 ] [Invalid=81 / 37366.23 ]			
Universe	Respondents with DOINJ = 1			
Literal question	(Not counting repetitive strain injuries,) in the past 12 months, were you injured?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9369	4359358.9	<div></div> 15.1%
2	NO	53459	24481693.3	<div></div> 84.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	59	24469.9	
8	REFUSAL	22	12896.4	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJG02: No. of injuries in past 12 mo - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=9330 / 4343449.12 ] [Invalid=53579 / 24534969.25 ]			
Universe	Respondents who answered INJ_01 = (1, 7 or 8)			
Literal question	How many times were you injured?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONE INJURY	7049	3205091.4	<div></div> 73.8%
2	TWO INJURIES	1352	681300.9	<div></div> 15.7%
3	3 TO 5 INJURIES	717	346431.5	<div></div> 8.0%
4	6+ INJURIES	212	110625.4	<div></div> 2.5%
6	NOT APPLICABLE	53459	24481693.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	120	53276.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# INJG05: Most serious injury - type - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]			
Statistics [NW/ W]	[Valid=9289 / 4326591.64 ] [Invalid=53620 / 24551826.73 ]			
Universe	Respondents who answered INJ_01 = (1, 7 or 8)			
Literal question	What type of injury did you have? For example, a broken bone or burn.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	MULT INJURIES	125	46253.3	<div><div></div></div> 1.1%
2	BROKEN BONES	1771	744251.7	<div><div></div></div> 17.2%
3	BURN, SCALD, CHE	270	130850.4	<div><div></div></div> 3.0%
4	DISLOCATION	294	129131.7	<div><div></div></div> 3.0%
5	SPRAIN OR STRAIN	4625	2237626.4	<div><div></div></div> 51.7%
6	CUT, PUNCTURE	869	434170.0	<div><div></div></div> 10.0%
7	SCRAP, BRUISE	663	293049.8	<div><div></div></div> 6.8%
8	CONCUSSION OR IN	222	118137.7	<div><div></div></div> 2.7%
9	OTHER	450	193120.7	<div><div></div></div> 4.5%
96	NOT APPLICABLE	53459	24481693.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	161	70133.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJG06: Most serious inj. - body part aff. - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]			
Statistics [NW/ W]	[Valid=9065 / 4209427.02 ] [Invalid=53844 / 24668991.35 ]			
Universe	Respondents who answered INJ_05 = (1, 2, 3, 4, 5, 6, 7, 11, 97 or 98) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)			
Literal question	What part of the body was injured?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	MULTIPLE SITES	215	78646.6	<div><div></div></div> 1.9%
2	EYES/HEAD/NECK	535	238963.3	<div><div></div></div> 5.7%
3	SHOULDER, UPPER	825	409155.1	<div><div></div></div> 9.7%
4	ELBOW,LOWER ARM	351	184202.4	<div><div></div></div> 4.4%
5	WRIST OR HAND	1523	733937.5	<div><div></div></div> 17.4%
6	HIP OR THIGH	398	161961.4	<div><div></div></div> 3.8%
7	KNEE, LOWER LEG	1301	601541.3	<div><div></div></div> 14.3%
8	ANKLE, FOOT	2055	951766.5	<div><div></div></div> 22.6%
9	UPPER OR LOWER B	1432	658380.7	<div><div></div></div> 15.6%
10	CHEST OR ABDOMEN	430	190872.1	<div><div></div></div> 4.5%
96	NOT APPLICABLE	53695	24605579.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	149	63412.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJG08: Most serious injury - place - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]	[Valid=9251 / 4313753.51 ] [Invalid=53658 / 24564664.86 ]			
Universe	Respondents who answered INJ_01 = (1, 7 or 8)			

# INJG08: Most serious injury - place - (G)				
<b>Literal question</b>		Where did the injury happen ?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	HOME/SURROUNDING	3640	1554714.1	<div><div></div></div> 36.0%
2	RESIDENT./SCHOOL	580	262475.3	<div><div></div></div> 6.1%
3	SPORTS/ATHLETICS	644	349841.0	<div><div></div></div> 8.1%
4	OTHER SPORTS	1151	641312.9	<div><div></div></div> 14.9%
5	STREET, HIGHWAY	883	456457.9	<div><div></div></div> 10.6%
6	COMMERCIAL AREA	655	302374.6	<div><div></div></div> 7.0%
7	INDUSTRIAL AREA	472	211556.1	<div><div></div></div> 4.9%
8	OTHER	1226	535021.6	<div><div></div></div> 12.4%
96	NOT APPLICABLE	53459	24481693.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	199	82971.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# INJG092: Most serious inj.- activity when inj.(G)				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=9198 / 4287080.7 ] [Invalid=53711 / 24591337.67 ]		
<b>Universe</b>		Respondents who answered INJ_01 = (1, 7 or 8) or INJ_02 = (97, 98)		
<b>Notes</b>		Based on INJ_09. Due to new 2009 INJ_09 answer categories, this derived variable differs from INJG09 produced previous to 2009. See documentation on derived variables.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	SPORTS/EXERCISE	2779	1491650.8	<div><div></div></div> 34.8%
2	LEISURE	702	324051.6	<div><div></div></div> 7.6%
3	WORKING AT A JOB	1210	589015.0	<div><div></div></div> 13.7%
4	DRIVER/BOAT.,ATV	474	216218.7	<div><div></div></div> 5.0%
5	HOUSEHOLD CHORES	1574	673553.8	<div><div></div></div> 15.7%
6	GOING UP/DOWN ST	1662	652647.5	<div><div></div></div> 15.2%
7	OTHER	797	339943.3	<div><div></div></div> 7.9%
96	NOT APPLICABLE	53459	24481693.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	252	109644.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# INW_01: Injury occurred in current job				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=1140 / 564282.81 ] [Invalid=61769 / 28314135.56 ]		
<b>Literal question</b>		Did this injury occur in your current main job?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1005	497904.3	<div><div></div></div> 88.2%
2	NO	135	66378.5	<div><div></div></div> 11.8%
6	NOT APPLICABLE	61769	28314135.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

# INW_01: Injury occurred in current job				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INWGSOC: Occup. group (SOC) where inj. occ. - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=1001 / 494882.89 ] [Invalid=61908 / 28383535.48 ]			
Universe	Respondents aged 15 to 75 with LBSDWSS ne (3,4) and LBSCSOC ne (97, 98, 99)			
Notes	Based on INWDOCG. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	MANAG./ART, EDUC	195	98019.2	<div></div> 19.8%
2	BUSIN./FINANC.	73	36779.9	<div></div> 7.4%
3	SALES, SERVICES	257	127679.4	<div></div> 25.8%
4	TRADES/TRANSP.	308	168764.1	<div></div> 34.1%
5	PRIM. IND./PROC.	168	63640.3	<div></div> 12.9%
6	NOT APPLICABLE	61883	28371825.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	25	11709.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJ_10: Most serious injury - result of a fall				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=9289 / 4328991.73 ] [Invalid=53620 / 24549426.64 ]			
Universe	Respondents who answered INJ_05 = (1,2,3,4,5,6,7,8,10,11,97 or 98) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)			
Literal question	Was the injury the result of a fall?			
Notes	Based on INJ_11A. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3899	1751797.7	<div></div> 40.5%
2	NO	5390	2577194.0	<div></div> 59.5%
6	NOT APPLICABLE	53469	24485478.0	
7	DON'T KNOW	27	9516.9	
8	REFUSAL	4	1155.7	
9	NOT STATED	120	53276.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJG11A: How did you fall - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]			
Statistics [NW/ W]	[Valid=3880 / 1746951.24 ] [Invalid=59029 / 27131467.13 ]			
Universe	Respondents who answered INJ_05 = (1,2,3,4,5,6,7,8,10,11,97 or 98) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)			
Literal question	How did you fall - (G)			
Notes	Based on INJ_11A. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	SKATE/SKI/SNOWB	323	194435.6	<div></div> 11.1%
2	WHILE OTHER SP.	744	308529.8	<div></div> 17.7%
3	STAIRS/FURNIT.	515	180900.1	<div></div> 10.4%

# INJG11A: How did you fall - (G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
4	SLIP/TRIP/STUMB.	1225	518228.4	29.7%
5	SLIP/TRIP/STUMB.	304	129689.1	7.4%
6	HEALTH PROBLEMS	769	415168.3	23.8%
96	NOT APPLICABLE	58859	27062672.1	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	170	68795.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJ_13: Most serious inj. - rec'd treat./48 hrs.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=9305 / 4332953.52 ] [Invalid=53604 / 24545464.85 ]			
Universe	Respondents who answered INJ_01 = (1, 7 or 8) or INJ_02 = (97, 98)			
Literal question	Did you receive any medical attention for the injury from a health professional in the 48 hours following the injury?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4989	2277179.3	52.6%
2	NO	4316	2055774.2	47.4%
6	NOT APPLICABLE	53459	24481693.3	
7	DON'T KNOW	23	10207.9	
8	REFUSAL	2	287.7	
9	NOT STATED	120	53276.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJ_14A: Receive treatment in the 48 hours				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4986 / 2276168.59 ] [Invalid=57923 / 26602249.78 ]			
Universe	Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)			
Literal question	Where did you receive treatment in the 48 hours? Doctor's office			
Notes	The 48 hours reference period was introduced in 2009.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	812	383794.4	16.9%
2	NO	4174	1892374.1	83.1%
6	NOT APPLICABLE	57775	26537467.5	
7	DON'T KNOW	3	1010.7	
8	REFUSAL	0	0.0	
9	NOT STATED	145	63771.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJ_14B: Receive treatment in the 48 hours				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4986 / 2276168.59 ] [Invalid=57923 / 26602249.78 ]			
Universe	Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)			
Literal question	Where did you receive treatment in the 48 hours? Hospital emergency room			
Notes	The 48 hours reference period was introduced in 2009.			



# INJ_14B: Receive treatment in the 48 hours				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2963	1246607.3	<div><div></div></div> 54.8%
2	NO	2023	1029561.2	<div><div></div></div> 45.2%
6	NOT APPLICABLE	57775	26537467.5	
7	DON'T KNOW	3	1010.7	
8	REFUSAL	0	0.0	
9	NOT STATED	145	63771.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJG14C: Most serious inj.- treated in clinic (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4986 / 2276168.59 ] [Invalid=57923 / 26602249.78 ]			
Universe	Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)			
Notes	The 48 hours reference period was introduced in 2009. Based on INJ_14C, INJ_14L, INJ_14F. See documentation on derived variables. Grouping specifications changed in 2009 due to new INJ_14 answer categories.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	797	416555.8	<div><div></div></div> 18.3%
2	NO	4189	1859612.8	<div><div></div></div> 81.7%
6	NOT APPLICABLE	57775	26537467.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	148	64782.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJG14J2: Most ser.inj.-physio/mass/chiro/other(G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4986 / 2276168.59 ] [Invalid=57923 / 26602249.78 ]			
Universe	Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)			
Notes	The 48 hours reference period was introduced in 2009. Based on INJ_14M, INJ_14N, INJ_14K. See documentation on derived variables. Differs from INJG14J produced previous to 2009.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	474	238428.9	<div><div></div></div> 10.5%
2	NO	4512	2037739.7	<div><div></div></div> 89.5%
6	NOT APPLICABLE	57775	26537467.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	148	64782.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJ_14O: Receive treatment in the 48 hours				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4986 / 2276168.59 ] [Invalid=57923 / 26602249.78 ]			
Universe	Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)			
Literal question	Where did you receive treatment in the 48 hours? Where the injury happened/on-site (workplace, school, sports field, hotel, ski hill)			
Notes	The 48 hours reference period was introduced in 2009.			

# INJ_140: Receive treatment in the 48 hours				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	150	88138.8	<div><div></div></div> 3.9%
2	NO	4836	2188029.8	<div><div></div></div> 96.1%
6	NOT APPLICABLE	57775	26537467.5	
7	DON'T KNOW	3	1010.7	
8	REFUSAL	0	0.0	
9	NOT STATED	145	63771.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJ_15: Most serious injury - hospital admission				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4987 / 2276711.47 ] [Invalid=57922 / 26601706.9 ]			
Universe	Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)			
Literal question	Were you admitted to a hospital overnight?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	444	157139.5	<div><div></div></div> 6.9%
2	NO	4543	2119572.0	<div><div></div></div> 93.1%
6	NOT APPLICABLE	57775	26537467.5	
7	DON'T KNOW	2	467.8	
8	REFUSAL	0	0.0	
9	NOT STATED	145	63771.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJ_15A: Follow-up care because of injury				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=9323 / 4339885.97 ] [Invalid=53586 / 24538532.4 ]			
Universe	Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)			
Literal question	At the present time, are you getting follow-up care from a health professional because of this injury?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1716	746879.4	<div><div></div></div> 17.2%
2	NO	7607	3593006.6	<div><div></div></div> 82.8%
6	NOT APPLICABLE	53459	24481693.3	
7	DON'T KNOW	7	3563.2	
8	REFUSAL	0	0.0	
9	NOT STATED	120	53276.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJ_16: Other injuries - treated / not limiting				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62744 / 28813744.61 ] [Invalid=165 / 64673.76 ]			
Universe	Respondents with DOINJ = 1			
Literal question	In the past 12 months, did you have any other injuries that were treated by a health professional, but did not limit your normal activities?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2914	1334515.5	<div><div></div></div> 4.6%
2	NO	59830	27479229.1	<div><div></div></div> 95.4%

# INJ_16: Other injuries - treated / not limiting				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	41	10768.7	
8	REFUSAL	4	629.1	
9	NOT STATED	120	53276.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJG17: Other injuries - number - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=2898 / 1326294.9 ] [Invalid=60011 / 27552123.47 ]			
Universe	Respondents who answered INJ_16 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)			
Literal question	How many injuries?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ONE INJURY	2385	1089752.0	82.2%
2	2 TO 5 INJURIES	460	210980.3	15.9%
3	6 OR MORE INJ.	53	25562.6	1.9%
6	NOT APPLICABLE	59830	27479229.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	181	72894.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJGCAU: Cause of injury - (D,G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]			
Statistics [NW/ W]	[Valid=9166 / 4280178.42 ] [Invalid=53743 / 24598239.95 ]			
Universe	Respondents who answered INJ_01 = (1, 7 or 8)			
Notes	Based on INJ_10, INJ_12. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	FALL	3899	1751797.7	40.9%
2	TRANSPORT ACC	342	156904.9	3.7%
3	ACC. BUMPED	501	253684.3	5.9%
4	ACC. STRUCK	674	329642.0	7.7%
5	ACC. SHARP OBJECT	587	308372.3	7.2%
6	OVEREXERTION	2130	992610.5	23.2%
7	OTHER	1033	487166.8	11.4%
96	NOT APPLICABLE	53469	24485478.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	274	112761.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INJDSTT: Injury Status - (D)				
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]			
Statistics [NW/ W]	[Valid=62744 / 28813744.61 ] [Invalid=165 / 64673.76 ]			
Universe	Respondents with DOINJ = 1			
Literal question	Injury Status - (D)			

# INJDSTT: Injury Status - (D)				
<b>Notes</b>		Based on INJ_01, INJ_16. See documentation on derived variables.		
Value	Label	Cases	Weighted	Percentage (Weighted)
0	NO INJURIES	51217	23472922.8	<div></div> 81.5%
1	ACTIVITY-LIMIT.	8613	4006306.3	<div></div> 13.9%
2	NON-ACT-LIMIT.	2211	1002747.8	<div></div> 3.5%
3	LIM AND NON-LIM	703	331767.7	<div></div> 1.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	165	64673.8	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# DOSWL: Module: SWL - (F)				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]		
<b>Universe</b>		All respondents		
<b>Notes</b>		Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7751	3874823.7	<div></div> 13.5%
2	NO	53525	24921493.7	<div></div> 86.5%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# SWL_02: Satisfaction - job				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=7474 / 3740446.04 ] [Invalid=55435 / 25137972.33 ]		
<b>Universe</b>		Respondents with DOSWL = 1		
<b>Literal question</b>		How satisfied are you with your job or main activity?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	2525	1163494.3	<div></div> 31.1%
2	SATISFIED	3846	2003934.6	<div></div> 53.6%
3	NEITHER NOR	523	272527.8	<div></div> 7.3%
4	DISSATISFIED	427	227854.6	<div></div> 6.1%
5	VERY DISSATIS.	153	72634.7	<div></div> 1.9%
6	NOT APPLICABLE	55158	25003594.7	
7	DON'T KNOW	42	11795.4	
8	REFUSAL	40	20415.8	
9	NOT STATED	195	102166.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# SWL_03: Satisfaction - leisure activities				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=7476 / 3740165.2 ] [Invalid=55433 / 25138253.17 ]		

# SWL_03: Satisfaction - leisure activities				
Universe		Respondents with DOSWL = 1		
Literal question		How satisfied are you with your leisure activities?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	2424	1117584.8	<div><div></div></div> 29.9%
2	SATISFIED	3868	2003336.4	<div><div></div></div> 53.6%
3	NEITHER NOR	552	297562.5	<div><div></div></div> 8.0%
4	DISSATISFIED	559	289223.4	<div><div></div></div> 7.7%
5	VERY DISSATIS.	73	32458.0	<div><div></div></div> 0.9%
6	NOT APPLICABLE	55158	25003594.7	
7	DON'T KNOW	36	11121.0	
8	REFUSAL	4	955.2	
9	NOT STATED	235	122582.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SWL_04: Satisfaction - financial situation				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=7446 / 3722187.04 ] [Invalid=55463 / 25156231.33 ]		
Universe		Respondents with DOSWL = 1		
Literal question		(How satisfied are you) with your financial situation?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	1277	564971.0	<div><div></div></div> 15.2%
2	SATISFIED	3865	1909055.9	<div><div></div></div> 51.3%
3	NEITHER NOR	857	448862.0	<div><div></div></div> 12.1%
4	DISSATISFIED	1126	640022.5	<div><div></div></div> 17.2%
5	VERY DISSATIS.	321	159275.6	<div><div></div></div> 4.3%
6	NOT APPLICABLE	55158	25003594.7	
7	DON'T KNOW	54	20565.9	
8	REFUSAL	16	9488.5	
9	NOT STATED	235	122582.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SWL_05: Satisfaction - with self				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=7475 / 3739164.22 ] [Invalid=55434 / 25139254.15 ]		
Universe		Respondents with DOSWL = 1		
Literal question		How satisfied are you with yourself?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	2185	1053031.4	<div><div></div></div> 28.2%
2	SATISFIED	4465	2260658.4	<div><div></div></div> 60.5%
3	NEITHER NOR	480	257236.5	<div><div></div></div> 6.9%
4	DISSATISFIED	307	147894.2	<div><div></div></div> 4.0%
5	VERY DISSATIS.	38	20343.7	<div><div></div></div> 0.5%
6	NOT APPLICABLE	55158	25003594.7	
7	DON'T KNOW	31	9232.2	
8	REFUSAL	10	3845.0	
9	NOT STATED	235	122582.2	

# SWL_05: Satisfaction - with self				
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SWL_06: Satisfaction - way body looks				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=7465 / 3738461.31 ] [Invalid=55444 / 25139957.06 ]			
Universe	Respondents with DOSWL = 1			
Literal question	How satisfied are you with the way your body looks?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	1093	531897.9	<div><div></div></div> 14.2%
2	SATISFIED	4245	2200870.6	<div><div></div></div> 58.9%
3	NEITHER NOR	893	429370.9	<div><div></div></div> 11.5%
4	DISSATISFIED	1100	510766.4	<div><div></div></div> 13.7%
5	VERY DISSATIS.	134	65555.5	<div><div></div></div> 1.8%
6	NOT APPLICABLE	55158	25003594.7	
7	DON'T KNOW	37	10076.5	
8	REFUSAL	14	3703.7	
9	NOT STATED	235	122582.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SWL_07: Satisfaction - relationship with family				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=7472 / 3741730.31 ] [Invalid=55437 / 25136688.06 ]			
Universe	Respondents with DOSWL = 1			
Literal question	How satisfied are you with your relationships with other family members?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	3300	1588960.8	<div><div></div></div> 42.5%
2	SATISFIED	3460	1796498.4	<div><div></div></div> 48.0%
3	NEITHER NOR	353	199235.3	<div><div></div></div> 5.3%
4	DISSATISFIED	299	133062.2	<div><div></div></div> 3.6%
5	VERY DISSATIS.	60	23973.6	<div><div></div></div> 0.6%
6	NOT APPLICABLE	55158	25003594.7	
7	DON'T KNOW	32	7660.8	
8	REFUSAL	12	2850.3	
9	NOT STATED	235	122582.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SWL_08: Satisfaction - relationship with friends				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=7478 / 3741134.63 ] [Invalid=55431 / 25137283.74 ]			
Universe	Respondents with DOSWL = 1			
Literal question	(How satisfied are you) with your relationships with friends?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	3156	1484303.9	<div><div></div></div> 39.7%
2	SATISFIED	3830	1981234.6	<div><div></div></div> 53.0%
3	NEITHER NOR	313	179734.9	<div><div></div></div> 4.8%
4	DISSATISFIED	152	82471.8	<div><div></div></div> 2.2%

# SWL_08: Satisfaction - relationship with friends				
Value	Label	Cases	Weighted	Percentage (Weighted)
5	VERY DISSATIS.	27	13389.5	<div><div></div>0.4%</div>
6	NOT APPLICABLE	55158	25003594.7	
7	DON'T KNOW	28	8543.8	
8	REFUSAL	10	2563.0	
9	NOT STATED	235	122582.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SWL_09: Satisfaction - housing				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=7490 / 3745323.07 ] [Invalid=55419 / 25133095.3 ]			
Universe	Respondents with DOSWL = 1			
Literal question	(How satisfied are you) with your housing?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	3107	1448442.9	<div><div></div>38.7%</div>
2	SATISFIED	3616	1897565.4	<div><div></div>50.7%</div>
3	NEITHER NOR	375	184738.4	<div><div></div>4.9%</div>
4	DISSATISFIED	325	175372.8	<div><div></div>4.7%</div>
5	VERY DISSATIS.	67	39203.5	<div><div></div>1.0%</div>
6	NOT APPLICABLE	55158	25003594.7	
7	DON'T KNOW	17	4427.5	
8	REFUSAL	9	2490.9	
9	NOT STATED	235	122582.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SWL_10: Satisfaction - neighbourhood				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=7477 / 3737703.57 ] [Invalid=55432 / 25140714.8 ]			
Universe	Respondents with DOSWL = 1			
Literal question	(How satisfied are you) with your neighbourhood?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	2936	1351420.9	<div><div></div>36.2%</div>
2	SATISFIED	3740	1915552.8	<div><div></div>51.2%</div>
3	NEITHER NOR	446	268201.4	<div><div></div>7.2%</div>
4	DISSATISFIED	295	168714.9	<div><div></div>4.5%</div>
5	VERY DISSATIS.	60	33813.7	<div><div></div>0.9%</div>
6	NOT APPLICABLE	55158	25003594.7	
7	DON'T KNOW	31	12786.6	
8	REFUSAL	8	1751.3	
9	NOT STATED	235	122582.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOSFE: Module: SFE - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			

# DOSFE: Module: SFE - (F)					
<b>Notes</b>		Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	19022	10617223.6	<div></div>	36.9%
2	NO	42254	18179093.9	<div></div>	63.1%
6	NOT APPLICABLE	1633	82100.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>					
# SFE_501: Self-esteem - has good qualities					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=18502 / 10337136.67 ] [Invalid=44407 / 18541281.7 ]			
<b>Universe</b>		Respondents with DOSFE = 1			
<b>Literal question</b>		You feel that you have a number of good qualities			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	8138	4807075.1	<div></div>	46.5%
2	AGREE	10067	5373287.1	<div></div>	52.0%
3	NEITHER NOR	221	116306.7	<div></div>	1.1%
4	DISAGREE	69	36770.1	<div></div>	0.4%
5	STRONG DISAGREE	7	3697.6	<div></div>	0.0%
6	NOT APPLICABLE	43887	18261194.8		
7	DON'T KNOW	75	28177.8		
8	REFUSAL	65	30784.6		
9	NOT STATED	380	221124.4		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>					
# SFE_502: Self-esteem - is person of worth					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=18462 / 10319973.82 ] [Invalid=44447 / 18558444.55 ]			
<b>Universe</b>		Respondents with DOSFE = 1			
<b>Literal question</b>		You feel that you're a person of worth at least equal to others.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	8904	5123796.7	<div></div>	49.6%
2	AGREE	9073	4912866.3	<div></div>	47.6%
3	NEITHER NOR	275	150630.4	<div></div>	1.5%
4	DISAGREE	188	120153.3	<div></div>	1.2%
5	STRONG DISAGREE	22	12527.0	<div></div>	0.1%
6	NOT APPLICABLE	43887	18261194.8		
7	DON'T KNOW	110	44062.7		
8	REFUSAL	5	1277.9		
9	NOT STATED	445	251909.1		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>					
# SFE_503: Self-esteem - is able to do things well					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			



# SFE_503: Self-esteem - is able to do things well				
Statistics [NW/ W]		[Valid=18465 / 10330926.75 ] [Invalid=44444 / 18547491.62 ]		
Universe		Respondents with DOSFE = 1		
Literal question		You are able to do things as well as most other people.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	8107	4782137.9	<div><div></div></div> 46.3%
2	AGREE	9313	5056219.0	<div><div></div></div> 48.9%
3	NEITHER NOR	537	278200.0	<div><div></div></div> 2.7%
4	DISAGREE	469	194687.8	<div><div></div></div> 1.9%
5	STRONG DISAGREE	39	19682.1	<div><div></div></div> 0.2%
6	NOT APPLICABLE	43887	18261194.8	
7	DON'T KNOW	106	32991.1	
8	REFUSAL	6	1396.6	
9	NOT STATED	445	251909.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SFE_504: Self-esteem - takes positive attitude				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=18493 / 10336185.67 ] [Invalid=44416 / 18542232.7 ]		
Universe		Respondents with DOSFE = 1		
Literal question		You take a positive attitude toward yourself.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	7796	4524873.9	<div><div></div></div> 43.8%
2	AGREE	9414	5080917.7	<div><div></div></div> 49.2%
3	NEITHER NOR	839	503003.3	<div><div></div></div> 4.9%
4	DISAGREE	411	210915.0	<div><div></div></div> 2.0%
5	STRONG DISAGREE	33	16475.8	<div><div></div></div> 0.2%
6	NOT APPLICABLE	43887	18261194.8	
7	DON'T KNOW	76	26812.4	
8	REFUSAL	8	2316.5	
9	NOT STATED	445	251909.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SFE_505: Self-esteem - satisfied with self				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=18505 / 10337845.11 ] [Invalid=44404 / 18540573.26 ]		
Universe		Respondents with DOSFE = 1		
Literal question		On the whole you are satisfied with yourself.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	7421	4288232.9	<div><div></div></div> 41.5%
2	AGREE	10016	5474950.7	<div><div></div></div> 53.0%
3	NEITHER NOR	634	355839.2	<div><div></div></div> 3.4%
4	DISAGREE	400	203409.6	<div><div></div></div> 2.0%
5	STRONG DISAGREE	34	15412.7	<div><div></div></div> 0.1%
6	NOT APPLICABLE	43887	18261194.8	
7	DON'T KNOW	65	25839.0	

# SFE_505: Self-esteem - satisfied with self				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	7	1630.4	
9	NOT STATED	445	251909.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SFE_506: Self-esteem - feels is a failure				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=18479 / 10320775.05 ] [Invalid=44430 / 18557643.32 ]			
Universe	Respondents with DOSFE = 1			
Literal question	All in all, you're inclined to feel you're a failure			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	78	57083.9	0.6%
2	AGREE	365	191811.7	1.9%
3	NEITHER NOR	362	198736.2	1.9%
4	DISAGREE	5859	3139356.0	30.4%
5	STRONG DISAGREE	11815	6733787.4	65.2%
6	NOT APPLICABLE	43887	18261194.8	
7	DON'T KNOW	87	41672.3	
8	REFUSAL	11	2867.1	
9	NOT STATED	445	251909.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SFEDE1: Self-esteem scale - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]			
Statistics [NW/ W]	[Valid=18327 / 10264218.97 ] [Invalid=44582 / 18614199.4 ] [Mean=20.446 / 20.567 ] [StdDev=2.976 / 2.966 ]			
Universe	Respondents with DOSFE = 1			
Literal question	Self-esteem scale - (D)			
Notes	Based on SFE_501, SFE_502, SFE_503, SFE_504, SFE_505, SFE_506. Scores on the index are based on a subset of items from the self-esteem Rosenberg scale (1969). The six items have been factored into one dimension in the factor analysis done by Pearlin and Schooler (1978). Higher scores indicate greater self-esteem. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	43887	18261194.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	695	353004.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOMAS: Module: MAS - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3456	985048.2	3.4%
2	NO	57820	27811269.3	96.6%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

# DOMAS: Module: MAS - (F)					
Value	Label	Cases	Weighted	Percentage (Weighted)	
9	NOT STATED	0	0.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MAS_601: Mastery - lack of control					
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=3297 / 948413.19 ] [Invalid=59612 / 27930005.18 ]				
Universe	Respondents with DOMAS = 1				
Literal question	You have little control over the things that happen to you.				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	113	29644.7	<div><div></div></div>	3.1%
2	AGREE	642	157468.2	<div><div></div></div>	16.6%
3	NEITHER NOR	239	79143.2	<div><div></div></div>	8.3%
4	DISAGREE	1690	503650.6	<div><div></div></div>	53.1%
5	STRONG DISAGREE	613	178506.6	<div><div></div></div>	18.8%
6	NOT APPLICABLE	59453	27893370.2		
7	DON'T KNOW	89	14639.8		
8	REFUSAL	19	3946.2		
9	NOT STATED	51	18048.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MAS_602: Mastery - cannot solve problems					
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=3319 / 949285.66 ] [Invalid=59590 / 27929132.71 ]				
Universe	Respondents with DOMAS = 1				
Literal question	There is really no way you can solve some of the problems you have.				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	71	23417.4	<div><div></div></div>	2.5%
2	AGREE	681	172138.4	<div><div></div></div>	18.1%
3	NEITHER NOR	188	49561.3	<div><div></div></div>	5.2%
4	DISAGREE	1893	550594.9	<div><div></div></div>	58.0%
5	STRONG DISAGREE	486	153573.6	<div><div></div></div>	16.2%
6	NOT APPLICABLE	59453	27893370.2		
7	DON'T KNOW	61	11482.9		
8	REFUSAL	6	2284.4		
9	NOT STATED	70	21995.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MAS_603: Mastery - cannot change things					
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=3307 / 946514.78 ] [Invalid=59602 / 27931903.59 ]				
Universe	Respondents with DOMAS = 1				
Literal question	There is little you can do to change many of the important things in your life.				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	61	14555.1	<div><div></div></div>	1.5%
2	AGREE	567	140505.4	<div><div></div></div>	14.8%

# MAS_603: Mastery - cannot change things					
Value	Label	Cases	Weighted	Percentage (Weighted)	
3	NEITHER NOR	186	52768.1	<div><div></div></div>	5.6%
4	DISAGREE	1993	575706.5	<div><div></div></div>	60.8%
5	STRONG DISAGREE	500	162979.7	<div><div></div></div>	17.2%
6	NOT APPLICABLE	59453	27893370.2		
7	DON'T KNOW	73	14553.6		
8	REFUSAL	6	1984.6		
9	NOT STATED	70	21995.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MAS_604: Mastery - helpless					
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=3341 / 951075.66 ] [Invalid=59568 / 27927342.71 ]				
Universe	Respondents with DOMAS = 1				
Literal question	You often feel helpless in dealing with problems of life.				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	45	9812.1	<div><div></div></div>	1.0%
2	AGREE	408	105848.2	<div><div></div></div>	11.1%
3	NEITHER NOR	141	39694.2	<div><div></div></div>	4.2%
4	DISAGREE	2118	604879.0	<div><div></div></div>	63.6%
5	STRONG DISAGREE	629	190842.1	<div><div></div></div>	20.1%
6	NOT APPLICABLE	59453	27893370.2		
7	DON'T KNOW	40	10133.3		
8	REFUSAL	5	1844.0		
9	NOT STATED	70	21995.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MAS_605: Mastery - pushed around					
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=3355 / 951803.65 ] [Invalid=59554 / 27926614.72 ]				
Universe	Respondents with DOMAS = 1				
Literal question	Sometimes you feel that you are being pushed around in life				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	61	15624.6	<div><div></div></div>	1.6%
2	AGREE	658	194498.8	<div><div></div></div>	20.4%
3	NEITHER NOR	149	46660.4	<div><div></div></div>	4.9%
4	DISAGREE	1961	532057.1	<div><div></div></div>	55.9%
5	STRONG DISAGREE	526	162962.8	<div><div></div></div>	17.1%
6	NOT APPLICABLE	59453	27893370.2		
7	DON'T KNOW	25	8948.3		
8	REFUSAL	6	2301.0		
9	NOT STATED	70	21995.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MAS_606: Mastery - fate depends upon self					
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=3333 / 947656.99 ] [Invalid=59576 / 27930761.38 ]				

# MAS_606: Mastery - fate depends upon self					
Universe		Respondents with DOMAS = 1			
Literal question		What happens to you in the future mostly depends on you.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	734	234732.4	<div></div>	24.8%
2	AGREE	2249	576805.4	<div></div>	60.9%
3	NEITHER NOR	151	45364.4	<div></div>	4.8%
4	DISAGREE	182	81274.4	<div></div>	8.6%
5	STRONG DISAGREE	17	9480.4	<div></div>	1.0%
6	NOT APPLICABLE	59453	27893370.2		
7	DON'T KNOW	47	13095.0		
8	REFUSAL	6	2301.0		
9	NOT STATED	70	21995.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MAS_607: Mastery - can do anything					
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]		[Valid=3348 / 954079.07 ] [Invalid=59561 / 27924339.3 ]			
Universe		Respondents with DOMAS = 1			
Literal question		You can do just about anything you really set your mind to.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	STRONGLY AGREE	696	242294.2	<div></div>	25.4%
2	AGREE	2320	618105.5	<div></div>	64.8%
3	NEITHER NOR	128	37317.4	<div></div>	3.9%
4	DISAGREE	187	46185.3	<div></div>	4.8%
5	STRONG DISAGREE	17	10176.6	<div></div>	1.1%
6	NOT APPLICABLE	59453	27893370.2		
7	DON'T KNOW	31	6610.9		
8	REFUSAL	7	2363.0		
9	NOT STATED	70	21995.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MASDM1: Mastery scale - (D)					
Information		[Type= continuous] [Format=numeric] [Range= 0-28] [Missing=*]			
Statistics [NW/ W]		[Valid=3187 / 922593.35 ] [Invalid=59722 / 27955825.02 ] [Mean=19.647 / 19.828 ] [StdDev=4.116 / 4.145 ]			
Universe		Respondents with DOMAS = 1			
Literal question		Mastery scale - (D)			
Notes		Based on MAS_601 to MAS_607. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
96	NOT APPLICABLE	59453	27893370.2		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	269	62454.8		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SMK_01A: Smoked 100 or more cigarettes - life					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			

# SMK_01A: Smoked 100 or more cigarettes - life				
Statistics [NW/ W]		[Valid=62782 / 28825930.22 ] [Invalid=127 / 52488.15 ]		
Universe		All respondents		
Literal question		In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30475	12751560.4	<div></div> 44.2%
2	NO	32307	16074369.8	<div></div> 55.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	95	31621.5	
8	REFUSAL	32	20866.7	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SMK_01B: Ever smoked whole cigarette				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=32268 / 16056585.26 ] [Invalid=30641 / 12821833.11 ]		
Universe		Respondents who answered SMK_01A = (2, 7 or 8)		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7842	3697676.4	<div></div> 23.0%
2	NO	24426	12358908.8	<div></div> 77.0%
6	NOT APPLICABLE	30475	12751560.4	
7	DON'T KNOW	72	22265.1	
8	REFUSAL	24	10123.5	
9	NOT STATED	70	37884.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SMKG01C: Age - smoked first whole cigarette - (G)				
Information		[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]		
Statistics [NW/ W]		[Valid=37474 / 16150793.04 ] [Invalid=25435 / 12727625.33 ]		
Universe		Respondents who answered SMK_01A = 1 or SMK_01B = 1 or SMK_01A = 8 and SMK_01B = 8		
Literal question		At what age did you smoke your first whole cigarette?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	5 TO 11 YEARS	2683	1080313.3	<div></div> 6.7%
2	12 TO 14 YEARS	10800	4594065.6	<div></div> 28.4%
3	15 TO 17 YEARS	13553	5990504.5	<div></div> 37.1%
4	18 TO 19 YEARS	4906	2172762.3	<div></div> 13.5%
5	20 TO 24 YEARS	3908	1642716.2	<div></div> 10.2%
6	25 TO 29 YEARS	875	368582.7	<div></div> 2.3%
7	30 TO 34 YEARS	409	157281.2	<div></div> 1.0%
8	35 TO 39 YEARS	143	67600.3	<div></div> 0.4%
9	40 TO 44 YEARS	116	44570.7	<div></div> 0.3%
10	45 TO 49 YEARS	37	12897.7	<div></div> 0.1%
11	50 YEARS OR MORE	44	19498.5	<div></div> 0.1%
96	NOT APPLICABLE	24426	12358908.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1009	368716.5	

# SMKG01C: Age - smoked first whole cigarette - (G)
---

<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>
--

# SMK_202: Type of smoker				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=62722 / 28785319.62 ] [Invalid=187 / 93098.75 ]			
Universe	All respondents			
Literal question	At the present time, do you smoke cigarettes daily, occasionally or not at all?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	10394	4490484.0	<div><div></div></div> 15.6%
2	OCCASIONALLY	2824	1477440.9	<div><div></div></div> 5.1%
3	NOT AT ALL	49504	22817394.7	<div><div></div></div> 79.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	11	4214.6	
8	REFUSAL	6	2038.0	
9	NOT STATED	170	86846.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SMKG203: Age start smok daily (daily smoker)-(G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]			
Statistics [NW/ W]	[Valid=10190 / 4424380.36 ] [Invalid=52719 / 24454038.01 ]			
Universe	Respondents who answered SMK_202 = (1, 7 or 8) or SMK_01A = 8 and SMK_01B = 8			
Literal question	At what age did you begin to smoke cigarettes daily?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	5 TO 11 YEARS	307	118877.7	<div><div></div></div> 2.7%
2	12 TO 14 YEARS	1743	719897.1	<div><div></div></div> 16.3%
3	15 TO 17 YEARS	3823	1634786.7	<div><div></div></div> 36.9%
4	18 TO 19 YEARS	1841	808988.4	<div><div></div></div> 18.3%
5	20 TO 24 YEARS	1623	722556.9	<div><div></div></div> 16.3%
6	25 TO 29 YEARS	455	222611.9	<div><div></div></div> 5.0%
7	30 TO 34 YEARS	174	76595.0	<div><div></div></div> 1.7%
8	35 TO 39 YEARS	91	67344.5	<div><div></div></div> 1.5%
9	40 TO 44 YEARS	65	31929.3	<div><div></div></div> 0.7%
10	45 TO 49 YEARS	27	12022.8	<div><div></div></div> 0.3%
11	50 YEARS OR MORE	41	8770.1	<div><div></div></div> 0.2%
96	NOT APPLICABLE	52328	24294835.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	391	159202.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SMK_204: No. of cig. smoked/day (daily smoker)				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=10335 / 4469694.33 ] [Invalid=52574 / 24408724.04 ] [Mean=15.287 / 15.082 ] [StdDev=8.895 / 8.861 ]			
Universe	Respondents who answered SMK_202 = (1, 7 or 8) or SMK_01A = 8 and SMK_01B = 8			
Literal question	How many cigarettes do you smoke each day now?			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	52328	24294835.6	
997	DON'T KNOW	50	17152.8	



# SMK_204: No. of cig. smoked/day (daily smoker)				
Value	Label	Cases	Weighted	Percentage (Weighted)
998	REFUSAL	7	2624.2	
999	NOT STATED	189	94111.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SMK_05B: No. of cig. per day (occasional smoker)				
Information	[Type= discrete] [Format=numeric] [Range= 1-48] [Missing=*]			
Statistics [NW/ W]	[Valid=2781 / 1448202.19 ] [Invalid=60128 / 27430216.18 ]			
Universe	Respondents who answered SMK_202 = (2, 7 or 8) or SMK_01A = 8 and SMK_01B = 8			
Literal question	On the days that you do smoke, how many cigarettes do you usually smoke?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1		772	435054.2	<div></div> 30.0%
2		616	317708.9	<div></div> 21.9%
3		433	254772.3	<div></div> 17.6%
4		241	118582.8	<div></div> 8.2%
5		282	126720.6	<div></div> 8.8%
6		106	49105.3	<div></div> 3.4%
7		29	17757.0	<div></div> 1.2%
8		34	8840.0	<div></div> 0.6%
9		4	1974.7	<div></div> 0.1%
10		154	70775.2	<div></div> 4.9%
11		2	274.3	<div></div> 0.0%
12		34	17467.0	<div></div> 1.2%
13		3	392.2	<div></div> 0.0%
15		30	13450.8	<div></div> 0.9%
17		1	348.4	<div></div> 0.0%
20		22	8029.6	<div></div> 0.6%
24		2	205.4	<div></div> 0.0%
25		13	3141.6	<div></div> 0.2%
30		1	2980.2	<div></div> 0.2%
40		1	107.4	<div></div> 0.0%
42		1	514.4	<div></div> 0.0%
996	NOT APPLICABLE	59898	27307878.7	
997	DON'T KNOW	37	27108.5	
998	REFUSAL	4	1982.1	
999	NOT STATED	189	93246.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SMK_05C: No. of days-1 cig. or more (occ. smoker)				
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]			
Statistics [NW/ W]	[Valid=2724 / 1434525.12 ] [Invalid=60185 / 27443893.25 ] [Mean=9.071 / 9.02 ] [StdDev=8.319 / 8.16 ]			
Universe	Respondents who answered SMK_202 = (2, 7 or 8) or SMK_01A = 8 and SMK_01B = 8			
Literal question	In the past month, on how many days have you smoked 1 or more cigarettes?			
Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	59898	27307878.7	
97	DON'T KNOW	93	41891.6	

# SMK_05C: No. of days-1 cig. or more (occ. smoker)				
Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	5	876.1	
99	NOT STATED	189	93246.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SMK_05D: Ever smoked cigarettes daily				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=20055 / 8248532.07 ] [Invalid=42854 / 20629886.3 ]			
Universe	Respondents who answered SMK_01A = (1, 7 or 8) and SMK_202 = (2, 3, 7 or 8) or SMK_01A = 8 and SMK_01B = 8			
Literal question	Have you ever smoked cigarettes daily?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17670	7139242.2	<div><div></div></div> 86.6%
2	NO	2385	1109289.8	<div><div></div></div> 13.4%
6	NOT APPLICABLE	42655	20544464.2	
7	DON'T KNOW	16	3071.8	
8	REFUSAL	2	587.5	
9	NOT STATED	181	81762.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SMK_06A: Stopped smoking-when (never daily smok.)				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=1663 / 744648.12 ] [Invalid=61246 / 28133770.25 ]			
Universe	Respondents who answered SMK_202 = 3 and (SMK_05D = (2, 7 or 8) or SMK_01A = (7 or 8)) or SMK_202 = (7 or 8) and SMK_01A = (1, 7 or 8) or SMK_01A = 8 and SMK_01B = 8			
Literal question	When did you stop smoking? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS THAN 1 YEAR	55	22555.0	<div><div></div></div> 3.0%
2	1 TO < 2 YEARS	41	21514.1	<div><div></div></div> 2.9%
3	2 TO < 3 YEARS	51	33241.3	<div><div></div></div> 4.5%
4	3 OR MORE YEARS	1516	667337.8	<div><div></div></div> 89.6%
6	NOT APPLICABLE	61042	28045638.4	
7	DON'T KNOW	12	5537.1	
8	REFUSAL	1	368.3	
9	NOT STATED	191	82226.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SMKG06C: No. of years since stopped smoking - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=1465 / 642915.74 ] [Invalid=61444 / 28235502.63 ]			
Universe	Respondents who answered SMK_06A = (4, 7 or 8) or (SMK_01A = (7 or 8) or SMK_05D = (7 or 8)) and SMK_202 = 3 or SMK_01A = (1, 7 or 8) and SMK_202 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8			
Literal question	How many years ago was it?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	3 TO 5 YEARS	110	75531.4	<div><div></div></div> 11.7%
2	6 TO YEARS	181	93071.2	<div><div></div></div> 14.5%
3	11 OR MORE YEARS	1174	474313.2	<div><div></div></div> 73.8%

# SMK06C: No. of years since stopped smoking - (G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	61189	28122948.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	255	112553.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SMK207: Age - started smoking daily - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]			
Statistics [NW/ W]	[Valid=17219 / 6979500.38 ] [Invalid=45690 / 21898917.99 ]			
Universe	Respondents who answered SMK_05D = (1, 7 or 8) or SMK_01A = (7 or 8) and SMK_202 = (2 or 3) or SMK_01A = (1, 7 or 8) and SMK_202 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8			
Literal question	At what age did you begin to smoke cigarettes daily?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	5 TO 11 YEARS	291	117272.0	<div><div></div></div> 1.7%
2	12 TO 14 YEARS	2328	982175.4	<div><div></div></div> 14.1%
3	15 TO 17 YEARS	6341	2610480.0	<div><div></div></div> 37.4%
4	18 TO 19 YEARS	3677	1485270.3	<div><div></div></div> 21.3%
5	20 TO 24 YEARS	3261	1264420.9	<div><div></div></div> 18.1%
6	25 TO 29 YEARS	716	304986.3	<div><div></div></div> 4.4%
7	30 TO 34 YEARS	320	107541.0	<div><div></div></div> 1.5%
8	35 TO 39 YEARS	125	50923.7	<div><div></div></div> 0.7%
9	40 TO 44 YEARS	92	27344.7	<div><div></div></div> 0.4%
10	45 TO 49 YEARS	33	13385.0	<div><div></div></div> 0.2%
11	50 YEARS OR MORE	35	15701.1	<div><div></div></div> 0.2%
96	NOT APPLICABLE	45040	21653754.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	650	245164.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SMK_208: No. of cig. smoked/day (former daily)				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=17013 / 6933001.18 ] [Invalid=45896 / 21945417.19 ] [Mean=17.545 / 16.896 ] [StdDev=13.001 / 12.901 ]			
Universe	Respondents who answered SMK_05D = (1, 7 or 8) or SMK_01A = (7 or 8) and SMK_202 = (2 or 3) or SMK_01A = (1, 7 or 8) and SMK_202 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8			
Literal question	How many cigarettes did you usually smoke each day?			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	45040	21653754.0	
997	DON'T KNOW	643	203733.2	
998	REFUSAL	10	1281.3	
999	NOT STATED	203	86648.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SMK_09A: Stopped smoking daily - when				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=17617 / 7114484.49 ] [Invalid=45292 / 21763933.88 ]			

# SMK_09A: Stopped smoking daily - when					
<b>Universe</b>		Respondents who answered SMK_05D = (1, 7 or 8) or SMK_01A = (7 or 8) and SMK_202 = (2 or 3) or SMK_01A = (1, 7 or 8) and SMK_202 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8			
<b>Literal question</b>		When did you stop smoking daily? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, 3 or more years ago)?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	LESS THAN 1 YEAR	1405	645899.6	<div><div></div></div>	9.1%
2	1 TO < 2 YEARS	757	355925.1	<div><div></div></div>	5.0%
3	2 TO < 3 YEARS	820	367563.7	<div><div></div></div>	5.2%
4	3 OR MORE YEARS	14635	5745096.0	<div><div></div></div>	80.8%
6	NOT APPLICABLE	45040	21653754.0		
7	DON'T KNOW	40	20421.1		
8	REFUSAL	7	2557.3		
9	NOT STATED	205	87201.5		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SMKG09C: Years since stopped smoking daily - (G)					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=14515 / 5692843 ] [Invalid=48394 / 23185575.37 ]			
<b>Universe</b>		Respondents who answered SMK_09A = (4, 7 or 8) or SMK_05D = (7 or 8) or SMK_01A = (7 or 8) and SMK_202 = (2 or 3) or SMK_01A = (1, 7 or 8) and SMK_202 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8			
<b>Literal question</b>		How many years ago was it?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	3 TO 5 YEARS	1510	684511.6	<div><div></div></div>	12.0%
2	6 TO YEARS	2664	1142746.8	<div><div></div></div>	20.1%
3	11 OR MORE YEARS	10341	3865584.6	<div><div></div></div>	67.9%
6	NOT APPLICABLE	48022	23023142.5		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	372	162432.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SMK_10: Quit smoking completely					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=15969 / 6268145.94 ] [Invalid=46940 / 22610272.43 ]			
<b>Universe</b>		Respondents who answered SMK_202 = (3, 7 or 8) and SMK_05D = (1, 7 or 8) or SMK_01A = (7 or 8) and SMK_202 = 3 or SMK_01A = (1, 7 or 8) and SMK_202 = (7 or 8) or SMK_01A = 8 and SMK_01A = 8			
<b>Literal question</b>		Was that when you completely quit smoking?			
<b>Notes</b>		This question determines if respondent completely stopped smoking at the same time that stopped smoking daily (see SMK_09A).			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	15555	6069685.8	<div><div></div></div>	96.8%
2	NO	414	198460.2	<div><div></div></div>	3.2%
6	NOT APPLICABLE	46729	22522095.4		
7	DON'T KNOW	4	901.2		
8	REFUSAL	1	303.5		
9	NOT STATED	206	86972.4		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# SMK_10A: Stopped smoking completely - when					
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]				
Statistics [NW/ W]	[Valid=410 / 197750.01 ] [Invalid=62499 / 28680668.36 ]				
Universe	Respondents who answered SMK_10 = (2, 7 or 8) or (SMK_01A = (7 or 8) or SMK_05D = (7 or 8) or SMK_09A = (7 or 8)) and SMK_202 = 3 or SMK_01A = (1, 7 or 8) and SMK_202 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8				
Literal question	When did you stop smoking completely? Was it: (less than one year ago, 1 year to less than 2 years ago, 2 years to less than 3 years ago, or 3 or more years ago)?				
Notes	Former daily smokers who completely quit smoking later than when they quit daily smoking.				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	LESS THAN 1 YEAR	71	29253.6	<div></div>	14.8%
2	1 TO < 2 YEARS	31	11151.6	<div></div>	5.6%
3	2 TO < 3 YEARS	32	12230.7	<div></div>	6.2%
4	3 OR MORE YEARS	276	145114.2	<div></div>	73.4%
6	NOT APPLICABLE	62284	28591781.1		
7	DON'T KNOW	3	498.2		
8	REFUSAL	1	212.0		
9	NOT STATED	211	88177.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SMKG10C: No. of years since stopped smoking - (G)					
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]				
Statistics [NW/ W]	[Valid=269 / 143495.2 ] [Invalid=62640 / 28734923.17 ]				
Universe	Respondents who answered SMK_10A = (4, 7 or 8) or SMK_10 = (7 or 8) or (SMK_01A = (7 or 8) or SMK_05D = (7 or 8) or SMK_09A = (7 or 8)) and SMK_202 = 3 or SMK_01A = (1, 7 or 8) and SMK_202 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8				
Literal question	How many years ago was it?				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	3 TO 5 YEARS	67	45728.2	<div></div>	31.9%
2	6 TO YEARS	64	34687.9	<div></div>	24.2%
3	11 OR MORE YEARS	138	63079.1	<div></div>	44.0%
6	NOT APPLICABLE	62418	28644417.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	222	90506.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SMKDSTY: Type of smoker - (D)					
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]				
Statistics [NW/ W]	[Valid=62576 / 28742054.49 ] [Invalid=333 / 136363.88 ]				
Universe	All respondents				
Notes	Based on SMK_01A, SMK_01B, SMK_202, SMK_05D. See documentation on derived variables.				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DAILY	10394	4490484.0	<div></div>	15.6%
2	OCCASIONAL	1679	864853.0	<div></div>	3.0%
3	ALWAYS OCCASION.	1135	609099.5	<div></div>	2.1%
4	FORMER DAILY	15991	6274389.2	<div></div>	21.8%
5	FORMER OCCASION.	9009	4174707.1	<div></div>	14.5%

# SMKDYCS: Type of smoker - (D)					
Value	Label	Cases	Weighted	Percentage (Weighted)	
6	NEVER SMOKED	24368	12328521.5	<div></div>	42.9%
96	NOT APPLICABLE	0	0.0		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	333	136363.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SMKGSTP: No. of years stop smoking compl. (D,G)					
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=17485 / 6953628.33 ] [Invalid=45424 / 21924790.04 ]				
Universe	Répondants avec SMKDYCS = (4 ou 5) et qui ont répondu SMK_01A = (1, 7 ou 8) ou avec SMKDYCS = 99				
Notes	Based on SMK_06A, SMK_06C, SMK_09A, SMK_09C, SMK_10, SMK_10A, SMK_10C, SMKDYCS. Current smokers and respondents who have never smoked a whole cigarette and respondents who did not smoked a total of 100 cigarettes or more lifetime were excluded from the po				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< 1 YEAR	1074	475121.3	<div></div>	6.8%
2	1 TO 2 YEARS	1310	587125.4	<div></div>	8.4%
3	3 TO 5 YEARS	1390	654165.6	<div></div>	9.4%
4	6 TO 10 YEARS	2547	1079632.4	<div></div>	15.5%
5	11 OR MORE YEARS	11164	4157583.6	<div></div>	59.8%
6	NOT APPLICABLE	44907	21716819.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	517	207970.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SMKDYCS: Number of years smoked - (D)					
Information	[Type= continuous] [Format=numeric] [Range= 0-82] [Missing=*]				
Statistics [NW/ W]	[Valid=10190 / 4424380.36 ] [Invalid=52719 / 24454038.01 ] [Mean=28.313 / 25.446 ] [StdDev=16.22 / 15.228 ]				
Universe	Respondents who answered SMK_202 = (1, 7 or 8) or SMK_01A = 8 and SMK_01B = 8				
Notes	Based on SMK_202, SMK_203, DHH_AGE. See documentation on derived variables.				
Value	Label	Cases	Weighted	Percentage (Weighted)	
996	NOT APPLICABLE	52328	24294835.6		
997	DON'T KNOW	0	0.0		
998	REFUSAL	0	0.0		
999	NOT STATED	391	159202.4		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# DOSCH: Module: SCH - (F)					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]				
Universe	All respondents				
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	3456	985048.2	<div></div>	3.4%

# DOSCH: Module: SCH - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	57820	27811269.3	<div></div> 96.6%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SCH_1: Quitting smoking - next 6 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=675 / 180283.94 ] [Invalid=62234 / 28698134.43 ]			
Universe	Respondents with DOSCH = 1 who answered SMK_202 = (1, 2, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8)			
Literal question	Are you seriously considering quitting smoking within the next 6 months?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	406	106283.8	<div></div> 59.0%
2	NO	269	74000.1	
6	NOT APPLICABLE	62208	28692966.5	<div></div> 41.0%
7	DON'T KNOW	16	2796.8	
8	REFUSAL	0	0.0	
9	NOT STATED	10	2371.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SCH_2: Quitting smoking - next 30 days				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=383 / 101068.92 ] [Invalid=62526 / 28777349.45 ]			
Universe	Respondents with DOSCH = 1 who answered SCH_1 = (1, 7 or 8) or SMK_202 = (7 or 8) or (SMK_01A = 8 and SMK_01B = 8)			
Literal question	Are you seriously considering quitting within the next 30 days?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	182	46091.7	<div></div> 45.6%
2	NO	201	54977.2	
6	NOT APPLICABLE	62477	28766966.7	<div></div> 54.4%
7	DON'T KNOW	23	5214.9	
8	REFUSAL	0	0.0	
9	NOT STATED	26	5167.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SCH_3: Stopped smok. for at least 24 hrs -12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=690 / 183054.05 ] [Invalid=62219 / 28695364.32 ]			
Universe	Respondents with DOSCH = 1 who answered SMK_202 = (1, 2, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8)			
Literal question	In the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	338	93382.1	<div></div> 51.0%
2	NO	352	89672.0	
6	NOT APPLICABLE	62208	28692966.5	<div></div> 49.0%

# SCH_3: Stopped smok. for at least 24 hrs -12 mo				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	1	26.7	
8	REFUSAL	0	0.0	
9	NOT STATED	10	2371.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SCH_4: No.times stop.for at least 24 hrs -12 mo				
Information	[Type= continuous] [Format=numeric] [Range= 1-95] [Missing=*]			
Statistics [NW/ W]	[Valid=320 / 90643.73 ] [Invalid=62589 / 28787774.64 ] [Mean=4.403 / 3.934 ] [StdDev=9.304 / 6.628 ]			
Universe	Respondents with DOSCH = 1 who answered SCH_3 = (1, 7 or 8) or SMK_202 = (7 or 8) or (SMK_01A = 8 and SMK_01B = 8)			
Literal question	How many times? (In the past month, did you stop smoking for at least 24 hours because you were trying to quit?)			
Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	62560	28782638.5	
97	DON'T KNOW	18	2738.4	
98	REFUSAL	0	0.0	
99	NOT STATED	11	2397.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SCHDSTG: Smoking stage of change - (D)				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=1547 / 409050.27 ] [Invalid=61362 / 28469368.1 ]			
Universe	Respondents with DOSCH = 1 who answered SMK_202 = (1, 2, 7 or 8) or SMK_01A <> 2			
Literal question	Smoking stage of change - (D)			
Notes	Based on SMK_202, SMK_06A, SMK_06B, SMK_09A, SMK_09B, SMK_10, SMK_10A, SMK_10B, SCH_1, SCH_2, SCH_3, SCH_4, ADM_MOI. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	PRE-CONTEMP.	269	74000.1	<div><div></div></div> 18.1%
2	CONTEMPLATION	242	67026.1	<div><div></div></div> 16.4%
3	PREPARATION	132	33211.6	<div><div></div></div> 8.1%
4	ACTION	39	16491.1	<div><div></div></div> 4.0%
5	MAINTENANCE	865	218321.3	<div><div></div></div> 53.4%
6	NOT APPLICABLE	61276	28446192.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	86	23175.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOSPC: Module: SPC - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3456	985048.2	<div><div></div></div> 3.4%
2	NO	57820	27811269.3	<div><div></div></div> 96.6%



# DOSPC: Module: SPC - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# SPC_10: Visited regular medical doctor				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=581 / 164192.87 ] [Invalid=62328 / 28714225.5 ]			
Universe	Respondents with DOSPC = 1 who answered (SMK_202 = (1 or 2) or SMK_06A = 1 or SMK_09A = 1 and HCU_1AA = (1, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8 or SMK_202 = (7 or 8) or SMK_06A = (7 or 8) or SMK_09A = (7 or 8)) and HCU_1AA = (1, 7 or 8) )			
Literal question	Earlier, you mentioned having a regular medical doctor. In the past 12 months, did you go see this doctor?			
Notes	In French, the concept "médecin de famille" was replaced with "médecin régulier".			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	500	143699.1	87.5%
2	NO	81	20493.8	12.5%
6	NOT APPLICABLE	62305	28707823.1	
7	DON'T KNOW	1	64.9	
8	REFUSAL	0	0.0	
9	NOT STATED	22	6337.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# SPC_11: Doctor - knows smokes/smoked				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=496 / 143327.41 ] [Invalid=62413 / 28735090.96 ]			
Universe	Respondents with DOSPC = 1 who answered SPC_10 = (1, 7 or 8) or SMK_01A = 8 and SMK_01B = 8 or SMK_202 = (7 or 8) or SMK_06A = (7 or 8) or SMK_09A = ( 7 or 8) or HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) or SMK_06A = 1 or SMK_09A = 1)			
Literal question	Does your doctor know that you smoke/smoked cigarettes?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	452	130566.1	91.1%
2	NO	44	12761.4	8.9%
6	NOT APPLICABLE	62386	28728316.9	
7	DON'T KNOW	4	371.7	
8	REFUSAL	0	0.0	
9	NOT STATED	23	6402.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# SPC_12: Doctor - advised to quit				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=450 / 130340.62 ] [Invalid=62459 / 28748077.75 ]			
Universe	Respondents with DOSPC = 1 who answered SPC_11 = (1, 7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 or SMK_202 = (7 or 8) or SMK_06A = (7 or 8) or SMK_09A = ( 7 or 8) or HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) or SMK_06A = 1 or SMK_09A = 1)			
Literal question	In the past 12 months, did your doctor advise you to quit smoking?			

# SPC_12: Doctor - advised to quit				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	312	95758.6	<div><div></div></div> 73.5%
2	NO	138	34582.0	<div><div></div></div> 26.5%
6	NOT APPLICABLE	62430	28741078.3	
7	DON'T KNOW	2	225.4	
8	REFUSAL	0	0.0	
9	NOT STATED	27	6774.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SPC_13: Doctor - gave specific help				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=449 / 130170.02 ] [Invalid=62460 / 28748248.35 ]			
Universe	Respondents with DOSPC = 1 who answered SPC_11 = (1, 7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 or SMK_202 = (7 or 8) or SMK_06A = (7 or 8) or SMK_09A = ( 7 or 8) or HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) or SMK_06A = 1 or SMK_09A = 1)			
Literal question	(In the past 12 months,) did your doctor give you any specific help or information to quit smoking?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	161	47632.4	<div><div></div></div> 36.6%
2	NO	288	82537.6	<div><div></div></div> 63.4%
6	NOT APPLICABLE	62430	28741078.3	
7	DON'T KNOW	1	170.6	
8	REFUSAL	0	0.0	
9	NOT STATED	29	6999.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SPC_14A: Type help - referral to one-on-one prog.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=161 / 47632.43 ] [Invalid=62748 / 28830785.94 ]			
Universe	Respondents with DOSPC = 1 who answered SPC_13 = (1, 7 or 8) or SPC_12 = (7 or 8) or SPC_11 = (7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 and SMK_202 = (7 or 8) and SMK_06A = (7 or 8) and SMK_09A = ( 7 or 8) and HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) and SMK_06A = 1 and SMK_09A = 1)			
Literal question	What type of help did the doctor give? - Referral to a one-on-one cessation program			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	467.1	<div><div></div></div> 1.0%
2	NO	156	47165.4	<div><div></div></div> 99.0%
6	NOT APPLICABLE	62718	28823615.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	30	7170.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SPC_14B: Type help - referral to group prog.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=161 / 47632.43 ] [Invalid=62748 / 28830785.94 ]			
Universe	Respondents with DOSPC = 1 who answered SPC_13 = (1, 7 or 8) or SPC_12 = (7 or 8) or SPC_11 = (7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 and SMK_202 = (7 or 8) and SMK_06A = (7 or 8) and SMK_09A = ( 7 or 8) and HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) and SMK_06A = 1 and SMK_09A = 1)			
Literal question	What type of help did the doctor give? - Referral to a group cessation program			

# SPC_14B: Type help - referral to group prog.				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	136.7	0.3%
2	NO	158	47495.8	99.7%
6	NOT APPLICABLE	62718	28823615.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	30	7170.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SPC_14C: Type help - recommended nicotine patch				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=161 / 47632.43 ] [Invalid=62748 / 28830785.94 ]			
Universe	Respondents with DOSPC = 1 who answered SPC_13 = (1, 7 or 8) or SPC_12 = (7 or 8) or SPC_11 = (7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 and SMK_202 = (7 or 8) and SMK_06A = (7 or 8) and SMK_09A = ( 7 or 8) and HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) and SMK_06A = 1 and SMK_09A = 1)			
Literal question	What type of help did the doctor give? - Recommended use of nicotine patch or nicotine gum			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	57	19354.9	40.6%
2	NO	104	28277.5	59.4%
6	NOT APPLICABLE	62718	28823615.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	30	7170.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SPC_14D: Type help - recommended Zyban/other med.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=161 / 47632.43 ] [Invalid=62748 / 28830785.94 ]			
Universe	Respondents with DOSPC = 1 who answered SPC_13 = (1, 7 or 8) or SPC_12 = (7 or 8) or SPC_11 = (7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 and SMK_202 = (7 or 8) and SMK_06A = (7 or 8) and SMK_09A = ( 7 or 8) and HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) and SMK_06A = 1 and SMK_09A = 1)			
Literal question	What type of help did the doctor give? - Recommended Zyban or other medication			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	74	21084.3	44.3%
2	NO	87	26548.1	55.7%
6	NOT APPLICABLE	62718	28823615.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	30	7170.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SPC_14E: Type help - provided self-help info.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=161 / 47632.43 ] [Invalid=62748 / 28830785.94 ]			
Universe	Respondents with DOSPC = 1 who answered SPC_13 = (1, 7 or 8) or SPC_12 = (7 or 8) or SPC_11 = (7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 and SMK_202 = (7 or 8) and SMK_06A = (7 or 8) and SMK_09A = ( 7 or 8) and HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) and SMK_06A = 1 and SMK_09A = 1)			
Literal question	What type of help did the doctor give? - Provided self-help information (e.g., pamphlet, referral to website)			

# SPC_14E: Type help - provided self-help info.				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	54	16380.4	34.4%
2	NO	107	31252.0	65.6%
6	NOT APPLICABLE	62718	28823615.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	30	7170.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SPC_14F: Type help - doctor offered couns.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=161 / 47632.43 ] [Invalid=62748 / 28830785.94 ]			
Universe	Respondents with DOSPC = 1 who answered SPC_13 = (1, 7 or 8) or SPC_12 = (7 or 8) or SPC_11 = (7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 and SMK_202 = (7 or 8) and SMK_06A = (7 or 8) and SMK_09A = ( 7 or 8) and HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) and SMK_06A = 1 and SMK_09A = 1)			
Literal question	What type of help did the doctor give? - Own doctor offered counselling			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26	7058.6	14.8%
2	NO	135	40573.9	85.2%
6	NOT APPLICABLE	62718	28823615.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	30	7170.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SPC_14G: Type help - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=161 / 47632.43 ] [Invalid=62748 / 28830785.94 ]			
Universe	Respondents with DOSPC = 1 who answered SPC_13 = (1, 7 or 8) or SPC_12 = (7 or 8) or SPC_11 = (7 or 8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 and SMK_202 = (7 or 8) and SMK_06A = (7 or 8) and SMK_09A = ( 7 or 8) and HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) and SMK_06A = 1 and SMK_09A = 1)			
Literal question	What type of help did the doctor give? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	4024.1	8.4%
2	NO	150	43608.4	91.6%
6	NOT APPLICABLE	62718	28823615.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	30	7170.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SPC_20: Visited dentist				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=367 / 105521.25 ] [Invalid=62542 / 28772897.12 ]			
Universe	Respondents with DOSPC = 1 and [DODEN = 2 who answered (SMK_202 = (1, 2, 7, 8) or SMK_06A = (1, 7 or 8) or SMK_09A = (1, 7, 8) or SMK_01A = 8 or SMK_01B = 8)] and (HCU_02EE = (1, 7, 8) or HCU_01 = 8)			
Literal question	Did you actually go to the dentist?			
Notes	Include both face to face and telephone contacts.			

# SPC_20: Visited dentist				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	358	102922.8	97.5%
2	NO	9	2598.5	2.5%
6	NOT APPLICABLE	62530	28768714.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	12	4183.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SPC_21: Dentist/hygienist - knows smokes/smoked				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=329 / 99859.91 ] [Invalid=62580 / 28778558.46 ]			
Universe	Respondents with DOSPC = 1 who answered SPC_20 = (1, 7, 8) or ((DEN_132 = (1, 97, 98) or with DODEN = 2 who answered HCU_02EE = (1, 7, 8) or HCU_01 = 8) or DEN_130 = (7, 8, 9)) and (SMK_202 = (1, 2, 7, 8) or SMK_06A = (1, 7, 8) or SMK_09A = (1, 7, 8) or SMK_01A = 8 and SMK_01B = 8)			
Literal question	Does your dentist or dental hygienist know that you smoked/cigarettes?			
Notes	The "not stated" category includes respondents who reported in HCU module not having seen or talked with a dentist or ortodontist regarding physical, emotional or mental health in the past 12 months and reported in DEN module having visited a dentist in the past 12 months.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	255	73102.9	73.2%
2	NO	74	26757.0	26.8%
6	NOT APPLICABLE	62539	28771312.6	
7	DON'T KNOW	28	3026.9	
8	REFUSAL	1	36.0	
9	NOT STATED	12	4183.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SPC_22: Dentist/hygienist - advised to quit				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=250 / 71457.76 ] [Invalid=62659 / 28806960.61 ]			
Universe	Respondents with DOSPC = 1 who answered SPC_21 = (1, 7, 8) or SPC_20 = (7, 8) or ((DEN_132 = (97, 98) or with DODEN = 2 who answered HCU_02EE = (1, 7, 8) or HCU_01 = 8) or DEN_130 = (7, 8, 9)) and (SMK_202 = (1, 2, 7, 8) or SMK_06A = (1, 7, 8) or SMK_09A = (1, 7, 8) or SMK_01A = 8 and SMK_01B = 8)			
Literal question	In the past 12 months, did the dentist or hygienist advise you to quit smoking?			
Notes	The "not stated" category includes respondents who reported in HCU module not having seen or talked with a dentist or ortodontist regarding physical, emotional or mental health in the past 12 months and reported in DEN module having visited a dentist in the past 12 months.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	113	31290.5	43.8%
2	NO	137	40167.2	56.2%
6	NOT APPLICABLE	62613	28798069.6	
7	DON'T KNOW	5	1645.1	
8	REFUSAL	0	0.0	
9	NOT STATED	41	7245.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ETS_10: Someone smokes inside home				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			

# ETS_10: Someone smokes inside home				
Statistics [NW/ W]	[Valid=58285 / 27649780.96 ] [Invalid=4624 / 1228637.41 ]			
Universe	Respondents with DHHDHSZ > 1 or who answered (SMK_202 = (3, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8))			
Literal question	Including both household members and regular visitors, does anyone smoke inside your home, every day or almost every day?			
Notes	Includes cigarettes, cigars and pipes.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5910	3021773.9	<div><div></div></div> 10.9%
2	NO	52375	24628007.1	<div><div></div></div> 89.1%
6	NOT APPLICABLE	4280	1066636.2	
7	DON'T KNOW	18	7833.4	
8	REFUSAL	17	8278.4	
9	NOT STATED	309	145889.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ETSG11: No. of people who smoke inside home -(G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=5893 / 3013712.23 ] [Invalid=57016 / 25864706.14 ]			
Universe	Respondents who answered ETS_10 = (1, 7 or 8)			
Literal question	How many people smoke inside your home every day or almost every day?			
Notes	Includes household members and regular visitors.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 PERSON	3327	1621472.9	<div><div></div></div> 53.8%
2	2 PERSONS	2144	1130783.5	<div><div></div></div> 37.5%
3	3 PERSONS	298	198318.3	<div><div></div></div> 6.6%
4	4 OR + PERSONS	124	63137.5	<div><div></div></div> 2.1%
6	NOT APPLICABLE	56655	25694643.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	361	170062.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ETS_20: Exposed to 2nd-hand smoke - private veh.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=49324 / 22745324.48 ] [Invalid=13585 / 6133093.89 ]			
Universe	Respondents who answered SMK_202 = (3, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8)			
Literal question	In the past month, were you exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3132	1552654.5	<div><div></div></div> 6.8%
2	NO	46192	21192670.0	<div><div></div></div> 93.2%
6	NOT APPLICABLE	13218	5967925.0	
7	DON'T KNOW	25	8981.7	
8	REFUSAL	2	448.8	
9	NOT STATED	340	155738.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# ETS_20B: Exposed to 2nd-hand smoke -public places				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=49269 / 22717639.42 ] [Invalid=13640 / 6160778.95 ]			
Universe	Respondents who answered SMK_202 = (3, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8)			
Literal question	(In the past month,) were you exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4516	2487536.5	<div><div></div></div> 10.9%
2	NO	44753	20230102.9	<div><div></div></div> 89.1%
6	NOT APPLICABLE	13218	5967925.0	
7	DON'T KNOW	70	30949.5	
8	REFUSAL	2	674.6	
9	NOT STATED	350	161230.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ETS_35: Smoking allowed - House				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=10172 / 4084483.77 ] [Invalid=52737 / 24793934.6 ]			
Universe	Respondents who answered (ETS_10 = 1, 7 or 8) or (DHHDHSZ = 1 and SMK_202 = (1, 2 , 7 or 8))			
Literal question	Respondents who answered (ETS_10 = 1, 7 or 8) or (DHHDHSZ = 1 and SMK_202 = (1, 2 , 7 or 8))			
Notes	The high number of "Not Applicable" responses for 2009 resulted from an error in the application flow. Respondents who answered ETS_10 = 1 were asked this questions instead of those who answered ETS_10 = 2. .			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8207	3352002.0	<div><div></div></div> 82.1%
2	NO	1965	732481.8	<div><div></div></div> 17.9%
6	NOT APPLICABLE	52375	24628007.1	
7	DON'T KNOW	7	1397.6	
8	REFUSAL	0	0.0	
9	NOT STATED	355	164530.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ETS_36: Smoking restrictions				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=60390 / 27906397.66 ] [Invalid=2519 / 972020.71 ]			
Universe	Respondents who answered ETS_10 = ( 2, 7 or 8) or ETS_35 = ( 1, 7 or 8)			
Literal question	Respondents who answered ETS_10 = ( 2, 7 or 8) or ETS_35 = ( 1, 7 or 8)			
Notes	Due to an error in the application flow, respondents in 2009 who do not allow smoking in their house were asked this question. As a result of this error, a large number of respondents answered "Yes" to this question when it should have been "Not Applicabl			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	44168	20864910.6	<div><div></div></div> 74.8%
2	NO	16222	7041487.0	<div><div></div></div> 25.2%
6	NOT APPLICABLE	1965	732481.8	
7	DON'T KNOW	161	58064.8	
8	REFUSAL	1	214.8	
9	NOT STATED	392	181259.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# ETS_37A: Type of restrictions -certain rooms only					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=44073 / 20833656.86 ] [Invalid=18836 / 8044761.51 ]			
Universe		Respondents who answered ETS_36 = ( 1, 7 or 8) or ETS_10 = ( 7 or 8)			
Literal question		How is smoking restricted inside your home? - Allowed in certain rooms only			
Notes		Due to an error in the application flow, respondents in 2009 who do not allow smoking in their house were asked question ETS_Q37. As a result of this error, a large number of respondents answered "No" to this category when it should have been "Not Applica			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2734	1169301.0	<div><div></div>5.6%</div>	
2	NO	41339	19664355.9	<div><div></div>94.4%</div>	
6	NOT APPLICABLE	18187	7773968.8		
7	DON'T KNOW	76	26340.2		
8	REFUSAL	18	4517.2		
9	NOT STATED	555	239935.3		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# ETS_37B: Type of restrictions - young children					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=44073 / 20833656.86 ] [Invalid=18836 / 8044761.51 ]			
Universe		Respondents who answered ETS_36 = ( 1, 7 or 8) or ETS_10 = ( 7 or 8)			
Literal question		How is smoking restricted inside your home? - Restricted in the presence of young children			
Notes		Due to an error in the application flow, respondents in 2009 who do not allow smoking in their house were asked question ETS_Q37. As a result of this error, a large number of respondents answered "No" to this category when it should have been "Not Applica			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1566	598944.8	<div><div></div>2.9%</div>	
2	NO	42507	20234712.1	<div><div></div>97.1%</div>	
6	NOT APPLICABLE	18187	7773968.8		
7	DON'T KNOW	76	26340.2		
8	REFUSAL	18	4517.2		
9	NOT STATED	555	239935.3		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# ETS_37C: Type of restrictions - windows open					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=44073 / 20833656.86 ] [Invalid=18836 / 8044761.51 ]			
Universe		Respondents who answered ETS_36 = ( 1, 7 or 8) or ETS_10 = ( 7 or 8)			
Literal question		How is smoking restricted inside your home? - Allowed only if windows are open or with another type of ventilation			
Notes		Due to an error in the application flow, respondents in 2009 who do not allow smoking in their house were asked question ETS_Q37. As a result of this error, a large number of respondents answered "No" to this category when it should have been "Not Applica Position 859 Content Code			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1508	635039.1	<div><div></div>3.0%</div>	
2	NO	42565	20198617.8	<div><div></div>97.0%</div>	
6	NOT APPLICABLE	18187	7773968.8		
7	DON'T KNOW	76	26340.2		
8	REFUSAL	18	4517.2		



# ETS_37C: Type of restrictions - windows open				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	555	239935.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ETS_37D: Type of restrictions - Other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=44073 / 20833656.86 ] [Invalid=18836 / 8044761.51 ]			
Universe	Respondents who answered ETS_36 = ( 1, 7 or 8) or ETS_10 = ( 7 or 8)			
Literal question	How is smoking restricted inside your home? - Other restriction (s)			
Notes	Due to an error in the application flow, respondents in 2009 who do not allow smoking in their house were asked question ETS_Q37. As a result of this error, a large number of respondents answered "No" to this category when it should have been "Not Applica			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	39959	19117636.7	<div></div> 91.8%
2	NO	4114	1716020.2	<div></div> 8.2%
6	NOT APPLICABLE	18187	7773968.8	
7	DON'T KNOW	76	26340.2	
8	REFUSAL	18	4517.2	
9	NOT STATED	555	239935.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOTAL: Module: TAL - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21526	11260192.6	<div></div> 39.1%
2	NO	39750	17536124.8	<div></div> 60.9%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# TAL_1: Smoked cigars - last month					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=21249 / 11132871.57 ] [Invalid=41660 / 17745546.8 ]				
Universe	Respondents with DOTAL = 1				
Literal question	In the past month, have you smoked cigars?				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	952	579561.1	5.2%	
2	NO	20297	10553310.5		94.8%
6	NOT APPLICABLE	41383	17618225.8		
7	DON'T KNOW	5	1584.4		
8	REFUSAL	1	65.7		
9	NOT STATED	271	125670.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# TAL_2: Smoked a pipe - last month					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=21243 / 11130663.13 ] [Invalid=41666 / 17747755.24 ]				
Universe	Respondents with DOTAL = 1				
Literal question	In the past month, have you smoked a pipe?				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	168	76659.1	0.7%	
2	NO	21075	11054004.0		99.3%
6	NOT APPLICABLE	41383	17618225.8		
7	DON'T KNOW	1	515.0		
8	REFUSAL	1	344.5		
9	NOT STATED	281	128670.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# TAL_3: Used snuff - last month					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=21241 / 11130812.71 ] [Invalid=41668 / 17747605.66 ]				
Universe	Respondents with DOTAL = 1				
Literal question	In the past month, have you used snuff?				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	29	19772.5	0.2%	
2	NO	21212	11111040.2		99.8%
6	NOT APPLICABLE	41383	17618225.8		
7	DON'T KNOW	3	644.4		
8	REFUSAL	1	65.4		
9	NOT STATED	281	128670.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# TAL_4: Used chewing tobacco - last month					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=21243 / 11130914.85 ] [Invalid=41666 / 17747503.52 ]				
Universe	Respondents with DOTAL = 1				
Literal question	In the past month, have you used chewing tobacco?				

# TAL_4: Used chewing tobacco - last month				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	98	57797.3	0.5%
2	NO	21145	11073117.6	99.5%
6	NOT APPLICABLE	41383	17618225.8	
7	DON'T KNOW	2	607.8	
8	REFUSAL	0	0.0	
9	NOT STATED	281	128670.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ALC_1: Drank alcohol - past 12 months				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62228 / 28561496.17 ] [Invalid=681 / 316922.2 ]			
Universe	All respondents			
Literal question	During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?			
Notes	The word drink means: one bottle or can of beer or a glass of draft, one glass of wine or a wine cooler, or one drink or cocktail with 1 and a 1/2 ounces of liquor.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	46808	21788473.9	76.3%
2	NO	15420	6773022.3	23.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	36	9827.5	
8	REFUSAL	23	6607.2	
9	NOT STATED	622	300487.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ALC_2: Frequency of drinking alcohol				
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]			
Statistics [NW/ W]	[Valid=46606 / 21712976.23 ] [Invalid=16303 / 7165442.14 ]			
Universe	Respondents who answered ALC_1 = (1, 7 or 8)			
Literal question	During the past 12 months, how often did you drink alcoholic beverages?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	< ONCE A MONTH	10774	4477577.3	20.6%
2	ONCE A MONTH	5135	2353434.3	10.8%
3	2 TO 3 TIMES/MO	6280	2963718.5	13.6%
4	ONCE/WEEK	7688	3800605.2	17.5%
5	2 TO 3 TIMES/WK	9241	4757382.9	21.9%
6	4 TO 6 TIMES/WK	2894	1409442.7	6.5%
7	EVERY DAY	4594	1950815.4	9.0%
96	NOT APPLICABLE	15420	6773022.3	
97	DON'T KNOW	161	58275.3	
98	REFUSAL	32	13035.3	
99	NOT STATED	690	321109.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ALC_3: Frequency of having 5 or more drinks				
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]			
Statistics [NW/ W]	[Valid=46494 / 21668043.49 ] [Invalid=16415 / 7210374.88 ]			

# ALC_3: Frequency of having 5 or more drinks					
Universe		Respondents who answered ALC_1 = (1, 7 or 8)			
Literal question		How often in the past 12 months have you had 5 or more drinks on one occasion?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NEVER	24914	11111905.7	<div></div>	51.3%
2	LESS ONCE/MONTH	11644	5624396.3	<div></div>	26.0%
3	ONCE/MONTH	3340	1619870.6	<div></div>	7.5%
4	2-3 TIMES/MONTH	2857	1460254.9	<div></div>	6.7%
5	ONCE/WEEK	2260	1124179.0	<div></div>	5.2%
6	MORE ONCE/WEEK	1479	727437.0	<div></div>	3.4%
96	NOT APPLICABLE	15420	6773022.3		
97	DON'T KNOW	262	101642.7		
98	REFUSAL	39	12672.2		
99	NOT STATED	694	323037.7		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# ALCDTMM: Type of drinker (12 months)					
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]		[Valid=62026 / 28485998.5 ] [Invalid=883 / 392419.87 ]			
Universe		All respondents			
Notes		Based on ALC_1, ALC_2. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	REGULAR DRINKER	35832	17235398.9	<div></div>	60.5%
2	OCCASIO. DRINKER	10774	4477577.3	<div></div>	15.7%
3	NO DRINK LAST12M	15420	6773022.3	<div></div>	23.8%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	883	392419.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# DOALW: Module: ALW - (F)					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe		All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	27045	12532572.6	<div></div>	43.5%
2	NO	34231	16263744.8	<div></div>	56.5%
6	NOT APPLICABLE	1633	82100.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# ALW_1: Drank alcohol in past week					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=19672 / 9074729.69 ] [Invalid=43237 / 19803688.68 ]			

# ALW_1: Drank alcohol in past week				
<b>Universe</b>		Respondents with DOALW = 1 who answered ALC_1 = (1, 7, 8)		
<b>Literal question</b>		Thinking back over the past week, that is, from [date last week] to yesterday, did you have a drink of beer, wine, liquor or any other alcoholic beverage?		
<b>Notes</b>		Formerly ALC_Q5 in cycle 3.1.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11943	5651790.0	62.3%
2	NO	7729	3422939.7	37.7%
6	NOT APPLICABLE	42786	19613484.9	
7	DON'T KNOW	17	5667.8	
8	REFUSAL	8	1491.6	
9	NOT STATED	426	183044.3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ALW_2A1: No. of drinks - Sunday				
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=11905 / 5639545.46 ] [Invalid=51004 / 23238872.91 ] [Mean=1.205 / 1.246 ] [StdDev=2.007 / 1.992 ]		
<b>Universe</b>		Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)		
<b>Literal question</b>		Starting with yesterday, that is [day name], how many drinks did you have? - Day 1		
<b>Notes</b>		Formerly ALC_Q5A1 in cycle 3.1.		
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	50515	23036424.7	
997	DON'T KNOW	33	11006.0	
998	REFUSAL	5	1238.5	
999	NOT STATED	451	190203.7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ALW_2A2: No. of drinks - Monday				
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=11879 / 5631732.13 ] [Invalid=51030 / 23246686.24 ] [Mean=1.104 / 1.118 ] [StdDev=2.087 / 2.151 ]		
<b>Universe</b>		Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)		
<b>Literal question</b>		(How many drinks did you have?) - Day 2		
<b>Notes</b>		Formerly ALC_Q5A2 in cycle 3.1.		
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	50515	23036424.7	
997	DON'T KNOW	58	18109.6	
998	REFUSAL	0	0.0	
999	NOT STATED	457	192151.9	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ALW_2A3: No. of drinks - Tuesday				
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=11833 / 5615255.99 ] [Invalid=51076 / 23263162.38 ] [Mean=1.108 / 1.084 ] [StdDev=2.103 / 2.066 ]		
<b>Universe</b>		Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)		
<b>Literal question</b>		(How many drinks did you have?) - Day 3		
<b>Notes</b>		Formerly ALC_Q5A3 in cycle 3.1.		

# ALW_2A3: No. of drinks - Tuesday				
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	50515	23036424.7	
997	DON'T KNOW	102	34351.5	
998	REFUSAL	2	234.2	
999	NOT STATED	457	192151.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ALW_2A4: No. of drinks - Wednesday				
Information	[Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*]			
Statistics [NW/ W]	[Valid=11801 / 5599269.8 ] [Invalid=51108 / 23279148.57 ] [Mean=1.084 / 1.079 ] [StdDev=2.146 / 2.109 ]			
Universe	Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)			
Literal question	(How many drinks did you have?) - Day 4			
Notes	Formerly ALC_Q5A4 in cycle 3.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	50515	23036424.7	
997	DON'T KNOW	136	50572.0	
998	REFUSAL	0	0.0	
999	NOT STATED	457	192151.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ALW_2A5: No. of drinks - Thursday				
Information	[Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*]			
Statistics [NW/ W]	[Valid=11746 / 5576817.51 ] [Invalid=51163 / 23301600.86 ] [Mean=1.039 / 0.988 ] [StdDev=2.188 / 2.023 ]			
Universe	Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)			
Literal question	(How many drinks did you have?) - Day 5			
Notes	Formerly ALC_Q5A5 in cycle 3.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	50515	23036424.7	
997	DON'T KNOW	190	72918.0	
998	REFUSAL	1	106.3	
999	NOT STATED	457	192151.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ALW_2A6: No. of drinks - Friday				
Information	[Type= continuous] [Format=numeric] [Range= 0-60] [Missing=*]			
Statistics [NW/ W]	[Valid=11661 / 5554283.71 ] [Invalid=51248 / 23324134.66 ] [Mean=0.885 / 0.868 ] [StdDev=2.029 / 1.922 ]			
Universe	Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)			
Literal question	(How many drinks did you have?) - Day 6			
Notes	Formerly ALC_Q5A6 in cycle 3.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	50515	23036424.7	
997	DON'T KNOW	274	95350.4	
998	REFUSAL	2	207.6	
999	NOT STATED	457	192151.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# ALW_2A7: No. of drinks - Saturday				
Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]			
Statistics [NW/ W]	[Valid=11601 / 5529041.97 ] [Invalid=51308 / 23349376.4 ] [Mean=0.786 / 0.805 ] [StdDev=1.727 / 1.765 ]			
Universe	Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)			
Literal question	(How many drinks did you have?) - Day 7			
Notes	Formerly ALC_Q5A7 in cycle 3.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	50515	23036424.7	
997	DON'T KNOW	331	120123.9	
998	REFUSAL	5	675.9	
999	NOT STATED	457	192151.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ALWDWKY: Weekly consumption				
Information	[Type= continuous] [Format=numeric] [Range= 0-208] [Missing=*]			
Statistics [NW/ W]	[Valid=19201 / 8908805.62 ] [Invalid=43708 / 19969612.75 ]			
Universe	Respondents with DOALW = 1 who answered ALC_1 = (1, 7 or 8)			
Literal question	Weekly consumption			
Notes	Based on ALC_1, ALW_2A1, ALW_2A2, ALW_2A3, ALW_2A4, ALW_2A5, ALW_2A6, ALW_2A7. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
0	NO DRINKS LAST W	7729	3422939.7	<div></div> 100.0%
996	NOT APPLICABLE	42786	19613484.9	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	922	356127.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ALWDDLY: Average daily alcohol consumption				
Information	[Type= discrete] [Format=numeric] [Range= 0-30] [Missing=*]			
Statistics [NW/ W]	[Valid=19201 / 8908805.62 ] [Invalid=43708 / 19969612.75 ]			
Universe	Respondents with DOALW = 1 who answered ALC_1 = (1, 7 or 8)			
Literal question	Average daily alcohol consumption			
Notes	Based on ALWDWKY. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
0		12469	5665102.9	<div></div> 63.6%
1		4417	2120708.3	<div></div> 23.8%
2		1385	682680.5	<div></div> 7.7%
3		504	251210.1	<div></div> 2.8%
4		192	75607.9	<div></div> 0.8%
5		88	46531.2	<div></div> 0.5%
6		61	27058.9	<div></div> 0.3%
7		35	13482.4	<div></div> 0.2%
8		16	10038.3	<div></div> 0.1%
9		11	6269.0	<div></div> 0.1%
10		8	1492.7	<div></div> 0.0%

# ALWDDLY: Average daily alcohol consumption				
Value	Label	Cases	Weighted	Percentage (Weighted)
11		4	6056.2	0.1%
12		3	977.3	0.0%
13		1	147.7	0.0%
14		3	340.9	0.0%
15		1	459.1	0.0%
17		1	153.5	0.0%
18		1	37.5	0.0%
19		1	451.4	0.0%
996	NOT APPLICABLE	42786	19613484.9	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	922	356127.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DODRV: Module: DRV - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Literal question	In the past 12 months, have you driven a motor vehicle?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29405	14794936.2	51.4%
2	NO	31871	14001381.2	48.6%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRV_01A: Drove a motor vehicle				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=28395 / 14311879.07 ] [Invalid=34514 / 14566539.3 ]			
Universe	Respondents with DODRV =1			
Literal question	In the past 12 months, have you driven a motorcycle?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22526	11188066.7	78.2%
2	NO	5869	3123812.4	21.8%
6	NOT APPLICABLE	33504	14083482.2	
7	DON'T KNOW	4	1326.3	
8	REFUSAL	4	1370.2	
9	NOT STATED	1002	480360.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRV_01B: Drove a motorcycle				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=28389 / 14309422.76 ] [Invalid=34520 / 14568995.61 ]			
Universe	Respondents with DODRV = 1			



# DRV_01B: Drove a motorcycle					
<b>Literal question</b>		n the past 12 months, have you driven a motorcycle?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1221	599307.3	<div><div></div></div> 4.2%	95.8%
2	NO	27168	13710115.5	<div><div></div></div>	
6	NOT APPLICABLE	33504	14083482.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	1016	485513.4		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>					
# DRV_02: Freq. - seat belt when driving					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=22514 / 11181566.67 ] [Invalid=40395 / 17696851.7 ]			
<b>Universe</b>		Respondents who answered DRV_01A = (1, 7 or 8)			
<b>Literal question</b>		How often do you fasten your seat belt when you drive a motor vehicle?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALWAYS	21134	10565098.7	<div><div></div></div> 94.5%	4.2%
2	MOST OF THE TIME	1069	465408.5	<div><div></div></div>	
3	RARELY	204	98389.0	<div><div></div></div> 0.9%	
4	NEVER	107	52670.5	<div><div></div></div> 0.5%	
6	NOT APPLICABLE	39373	17207294.5		
7	DON'T KNOW	4	1167.3		
8	REFUSAL	1	163.8		
9	NOT STATED	1017	488226.1		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>					
# DRV_03A: Use of a cell phone while driving					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=22508 / 11179732.18 ] [Invalid=40401 / 17698686.19 ]			
<b>Universe</b>		Respondents who answered DRV_01A = (1, 7 or 8)			
<b>Literal question</b>		Excluding hands-free use, how often do you use a cell phone while you are driving a motor vehicle?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	OFTEN	971	586253.4	<div><div></div></div> 5.2%	10.3%
2	SOMETIMES	1746	1152326.6	<div><div></div></div>	
3	RARELY	3502	2027175.0	<div><div></div></div> 18.1%	
4	NEVER	16289	7413977.2	<div><div></div></div> 66.3%	
6	NOT APPLICABLE	39373	17207294.5		
7	DON'T KNOW	6	1787.1		
8	REFUSAL	5	1378.5		
9	NOT STATED	1017	488226.1		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>					
# DRV_03B: Use of a hands-free while driving					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=22505 / 11179234.76 ] [Invalid=40404 / 17699183.61 ]			
<b>Universe</b>		Respondents who answered DRV_01A = (1, 7 or 8)			

# DRV_03B: Use of a hands-free while driving					
<b>Literal question</b>		How often do you use a hands-free when talking on the cell phone while you are driving a motor vehicle?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	OFTEN	2164	1616852.9	<div></div>	14.5%
2	SOMETIMES	1296	910478.4	<div></div>	8.1%
3	RARELY	1408	853551.7	<div></div>	7.6%
4	NEVER	17637	7798351.8	<div></div>	69.8%
6	NOT APPLICABLE	39373	17207294.5		
7	DON'T KNOW	9	2385.2		
8	REFUSAL	4	1066.6		
9	NOT STATED	1018	488437.3		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# DRV_04: Freq. - tired when driving					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=22533 / 11182365.61 ] [Invalid=40376 / 17696052.76 ]			
<b>Universe</b>		Respondents who answered DRV_01A = (1, 7 or 8) or DRV_01B = (1, 7 or 8)			
<b>Literal question</b>		How often do you drive when you are feeling tired?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	OFTEN	1607	939693.2	<div></div>	8.4%
2	SOMETIMES	4796	2721899.2	<div></div>	24.3%
3	RARELY	8192	4107704.2	<div></div>	36.7%
4	NEVER	7938	3413069.1	<div></div>	30.5%
6	NOT APPLICABLE	39309	17183573.3		
7	DON'T KNOW	46	22519.6		
8	REFUSAL	1	327.4		
9	NOT STATED	1020	489632.4		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# DRV_05: Driving speed compared to others					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=22498 / 11175456.06 ] [Invalid=40411 / 17702962.31 ]			
<b>Universe</b>		Respondents who answered DRV_01A = (1, 7 or 8) or DRV_01B = (1, 7 or 8)			
<b>Literal question</b>		Compared to other drivers, would you say you usually drive: (much faster, a little faster, about the same speed, a little slower, or much slower)?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	MUCH FASTER	289	171090.4	<div></div>	1.5%
2	A LITTLE FASTER	4514	2564275.5	<div></div>	22.9%
3	ABOUT THE SAME	13792	6666994.5	<div></div>	59.7%
4	A LITTLE SLOWER	3677	1672501.6	<div></div>	15.0%
5	MUCH SLOWER	226	100594.2	<div></div>	0.9%
6	NOT APPLICABLE	39309	17183573.3		
7	DON'T KNOW	77	26403.6		
8	REFUSAL	4	1069.5		
9	NOT STATED	1021	491916.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# DRV_06: Driving aggression compared to others					
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=22418 / 11154868.59 ] [Invalid=40491 / 17723549.78 ]				
Universe	Respondents who answered DRV_01A = (1, 7 or 8) or DRV_01B = (1, 7 or 8)				
Literal question	Compared to other drivers, would you say you usually drive: (much more aggressively, a little more aggressively, about the same, a little less aggressively, or much less aggressively)?				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	MUCH MORE	179	112075.7	<div><div></div></div>	1.0%
2	A LITTLE MORE	2490	1462890.5	<div><div></div></div>	13.1%
3	ABOUT THE SAME	9853	5246222.6	<div><div></div></div>	47.0%
4	A LITTLE LESS	6614	2981259.4	<div><div></div></div>	26.7%
5	MUCH LESS	3282	1352420.4	<div><div></div></div>	12.1%
6	NOT APPLICABLE	39309	17183573.3		
7	DON'T KNOW	152	44689.6		
8	REFUSAL	7	2039.8		
9	NOT STATED	1023	493247.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# DRV_07: Drove a motor vehicle after 2+ drinks					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=18365 / 9163770.21 ] [Invalid=44544 / 19714648.16 ]				
Universe	Respondents who answered ALC_1 = (1, 7 or 8) and (DRV_01A = (1, 7 or 8) or DRV_01B = (1, 7 or 8))				
Literal question	In the past 12 months, have you driven a motor vehicle after having 2 or more drinks in the hour before you drove?				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1081	602673.1	<div><div></div></div>	6.6%
2	NO	17284	8561097.1	<div><div></div></div>	93.4%
6	NOT APPLICABLE	43812	19368094.0		
7	DON'T KNOW	16	8692.2		
8	REFUSAL	3	710.7		
9	NOT STATED	713	337151.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# DRV_07A: No. of times - drove after 2+ drinks					
Information	[Type= continuous] [Format=numeric] [Range= 1-95] [Missing=*]				
Statistics [NW/ W]	[Valid=1016 / 580390.66 ] [Invalid=61893 / 28298027.71 ] [Mean=6.437 / 5.52 ] [StdDev=11.84 / 8.889 ]				
Universe	Respondents who answered DRV_07 = (1, 7 or 8) or DRV_01A = (7 or 8)				
Literal question	How many times (in the past 12 months)?				
Value	Label	Cases	Weighted	Percentage (Weighted)	
96	NOT APPLICABLE	61096	27929191.2		
97	DON'T KNOW	62	21362.0		
98	REFUSAL	2	783.3		
99	NOT STATED	733	346691.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# DRV_08A: Freq. - seat belt - front seat pass.					
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=28355 / 14289711.96 ] [Invalid=34554 / 14588706.41 ]				

# DRV_08A: Freq. - seat belt - front seat pass.				
Universe		Respondents with DODRV = 1		
Literal question		When you are a front seat passenger, how often do you fasten your seat belt?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	26500	13391634.3	<div><div></div></div> 93.7%
2	MOST OF THE TIME	1187	598519.6	<div><div></div></div> 4.2%
3	RARELY	242	103060.7	<div><div></div></div> 0.7%
4	NEVER	163	75745.2	<div><div></div></div> 0.5%
5	NOT RIDE/FRONT S	263	120752.1	<div><div></div></div> 0.8%
6	NOT APPLICABLE	33504	14083482.2	
7	DON'T KNOW	9	6167.6	
8	REFUSAL	4	948.3	
9	NOT STATED	1037	498108.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRV_08B: Freq. - seat belt - back seat pass.				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=28351 / 14291196.24 ] [Invalid=34558 / 14587222.13 ]		
Universe		Respondents with DODRV = 1		
Literal question		When you are a back seat passenger, how often do you fasten your seat belt?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	22365	11015658.1	<div><div></div></div> 77.1%
2	MOST OF THE TIME	2102	1189891.7	<div><div></div></div> 8.3%
3	RARELY	811	520634.8	<div><div></div></div> 3.6%
4	NEVER	740	486458.9	<div><div></div></div> 3.4%
5	NOT RIDE/BACK S	2333	1078552.7	<div><div></div></div> 7.5%
6	NOT APPLICABLE	33504	14083482.2	
7	DON'T KNOW	10	3619.3	
8	REFUSAL	5	978.9	
9	NOT STATED	1039	499141.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRV_09: Freq. - seat belt - in taxi				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=28301 / 14269989.27 ] [Invalid=34608 / 14608429.1 ]		
Universe		Respondents with DODRV = 1		
Literal question		When you are a passenger in a taxi, how often do you fasten your seat belt?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	10915	5600857.6	<div><div></div></div> 39.2%
2	MOST OF THE TIME	1384	747096.3	<div><div></div></div> 5.2%
3	RARELY	1031	659397.6	<div><div></div></div> 4.6%
4	NEVER	2959	1800433.3	<div><div></div></div> 12.6%
5	NOT TAKE TAXIS	12012	5462204.4	<div><div></div></div> 38.3%
6	NOT APPLICABLE	33504	14083482.2	
7	DON'T KNOW	59	23965.5	
8	REFUSAL	5	1588.0	
9	NOT STATED	1040	499393.5	

# DRV_09: Freq. - seat belt - in taxi				
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRV_10: Passenger/driver had 2+ drinks				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=28170 / 14211344.59 ] [Invalid=34739 / 14667073.78 ]			
Universe	Respondents with DODRV = 1			
Literal question	In the past 12 months, have you been a passenger with a driver who had 2 or more drinks in the hour before driving?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2318	1284013.3	<div><div></div></div> 9.0%
2	NO	25852	12927331.3	<div><div></div></div> 91.0%
6	NOT APPLICABLE	33504	14083482.2	
7	DON'T KNOW	185	80006.7	
8	REFUSAL	9	3667.7	
9	NOT STATED	1041	499917.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRV_10A: No. times - pass./driver after 2+ drinks				
Information	[Type= continuous] [Format=numeric] [Range= 1-95] [Missing=*]			
Statistics [NW/ W]	[Valid=2201 / 1229471.57 ] [Invalid=60708 / 27648946.8 ] [Mean=4.235 / 4.532 ] [StdDev=7.413 / 8.942 ]			
Universe	Respondents who answered DRV_10 = (1, 7 or 8) or DRV_01A = (7 or 8)			
Literal question	How many times in the past 12 months?			
Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	59356	27010813.5	
97	DON'T KNOW	115	53941.2	
98	REFUSAL	2	600.5	
99	NOT STATED	1235	583591.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRV_11A: Driver/pass. - snowmobile/motor boat				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=28346 / 14288843.25 ] [Invalid=34563 / 14589575.12 ]			
Universe	Respondents with DODRV = 1			
Literal question	In the past 12 months, have you been the driver of, or a passenger in, a snowmobile, motor boat or seadoo?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6375	2970009.4	<div><div></div></div> 20.8%
2	NO	21971	11318833.9	<div><div></div></div> 79.2%
6	NOT APPLICABLE	33504	14083482.2	
7	DON'T KNOW	11	3642.9	
8	REFUSAL	3	1267.3	
9	NOT STATED	1045	501182.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRV_11B: Driver/pass. - ATV				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=28330 / 14280927.03 ] [Invalid=34579 / 14597491.34 ]			
Universe	Respondents with DODRV = 1			
Literal question	In the past 12 months, have you been the driver of, or a passenger in, an ATV (all terrain vehicle)?			

# DRV_11B: Driver/pass. - ATV				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4390	1798933.7	<div><div></div></div> 12.6%
2	NO	23940	12481993.3	<div><div></div></div> 87.4%
6	NOT APPLICABLE	33504	14083482.2	
7	DON'T KNOW	14	7473.2	
8	REFUSAL	1	163.8	
9	NOT STATED	1060	506372.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRV_12: Freq. - wears helmet - ATV				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=4383 / 1796291.73 ] [Invalid=58526 / 27082126.64 ]			
Universe	Respondents who answered DRV_11B = (1, 7 or 8) or DRV_01A = (7 or 8) or DRV_11A = (7 or 8)			
Literal question	How often do you wear a helmet when on an ATV?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS	2548	1061528.7	<div><div></div></div> 59.1%
2	MOST OF THE TIME	591	247030.4	<div><div></div></div> 13.8%
3	RARELY	354	133406.0	<div><div></div></div> 7.4%
4	NEVER	890	354326.7	<div><div></div></div> 19.7%
6	NOT APPLICABLE	57444	26565475.5	
7	DON'T KNOW	7	2642.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1075	514009.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRV_13: With driver had 2+ drinks - ATV/snow.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8096 / 3651303.77 ] [Invalid=54813 / 25227114.6 ]			
Universe	Respondents who answered DRV_11A = (1, 7 or 8) or DRV_11B = (1, 7 or 8) or DRV_01A = (7 or 8) or DRV_11A = (7 or 8)			
Literal question	In the past 12 months, have you been a passenger on a snowmobile, motor boat, seadoo or ATV with a driver who had 2 or more drinks in the hour before driving?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	529	278552.3	<div><div></div></div> 7.6%
2	NO	7567	3372751.5	<div><div></div></div> 92.4%
6	NOT APPLICABLE	53714	24699714.2	
7	DON'T KNOW	23	8566.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1076	518834.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRV_13A: No. times - With driver 2+ drinks - ATV				
Information	[Type= continuous] [Format=numeric] [Range= 1-95] [Missing=*]			
Statistics [NW/ W]	[Valid=513 / 272953.73 ] [Invalid=62396 / 28605464.64 ] [Mean=3.897 / 3.462 ] [StdDev=7.137 / 5.484 ]			
Universe	Respondents who answered DRV_13 = (1, 7 or 8) or DRV_01A = (7 or 8) or DRV_11A = (7 or 8)			
Literal question	How many times (in the past 12 months)?			

# DRV_13A: No. times - With driver 2+ drinks - ATV				
Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	61281	28072465.7	
97	DON'T KNOW	16	5598.6	
98	REFUSAL	0	0.0	
99	NOT STATED	1099	527400.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRV_14: Drove snowmobile/ATV after 2+ drinks				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=6763 / 3139958.55 ] [Invalid=56146 / 25738459.82 ]			
Universe	Respondents who answered ALC_1 = (1, 7 or 8) and (DRV_11A = (1, 7 or 8) or DRV_11B = (1, 7 or 8)) or DRV_01A = (7 or 8) or DRV_11A = (7 or 8)			
Literal question	In the past 12 months, have you driven a snowmobile, motor boat, seadoo or ATV after having 2 or more drinks in the hour before you drove?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	358	163314.1	<div></div> 5.2%
2	NO	6405	2976644.4	<div></div> 94.8%
6	NOT APPLICABLE	55412	25386404.8	
7	DON'T KNOW	2	413.8	
8	REFUSAL	1	64.3	
9	NOT STATED	731	351576.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRV_14A: No. times - drove snow./ATV aft. 2+ drks				
Information	[Type= discrete] [Format=numeric] [Range= 1-95] [Missing=*]			
Statistics [NW/ W]	[Valid=342 / 158529.64 ] [Invalid=62567 / 28719888.73 ]			
Universe	Respondents who answered DRV_14 = (1, 7 or 8) or DRV_01A = (7 or 8) or DRV_11A = (7 or 8)			
Literal question	How many times (in the past 12 months)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1		87	46514.1	<div></div> 29.3%
2		101	48550.5	<div></div> 30.6%
3		40	15755.9	<div></div> 9.9%
4		29	13483.1	<div></div> 8.5%
5		17	5690.4	<div></div> 3.6%
6		23	10947.8	<div></div> 6.9%
7		2	1267.5	<div></div> 0.8%
8		1	274.7	<div></div> 0.2%
10		16	5504.1	<div></div> 3.5%
11		1	32.2	<div></div> 0.0%
12		7	4010.9	<div></div> 2.5%
15		3	880.8	<div></div> 0.6%
20		8	3457.3	<div></div> 2.2%
24		6	1905.5	<div></div> 1.2%
36		1	254.7	<div></div> 0.2%
96	NOT APPLICABLE	61817	28363049.2	
97	DON'T KNOW	16	4784.5	

# DRV_14A: No. times - drove snow./ATV aft. 2+ drks				
Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	0	0.0	
99	NOT STATED	734	352055.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRVFSBU: Passenger seat belt use - motor vehicle				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=28135 / 14197670.76 ] [Invalid=34774 / 14680747.61 ]			
Universe	Respondents who answered DRV_08A < 5 or DRV_08B < 5			
Literal question	Passenger seat belt use - motor vehicle			
Notes	Based on DRV_08A, DRV_08B. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALW. FAST.S/BELT	24148	11831401.8	83.3%
2	NOT ALW. FASTEN	3987	2366269.0	16.7%
6	NOT APPLICABLE	33717	14172025.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1057	508722.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MEX_01: Has given birth in the past 5 years				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=16011 / 8597433.84 ] [Invalid=46898 / 20280984.53 ]			
Universe	Females aged 15 to 55			
Literal question	Have you given birth in the past 5 years?			
Notes	Does not include stillbirths. Formerly BRFA_01 in cycle 1.1. Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3443	1564984.9	18.2%
2	NO	12568	7032449.0	81.8%
6	NOT APPLICABLE	42647	18224421.1	
7	DON'T KNOW	3938	1856197.5	
8	REFUSAL	15	7085.7	
9	NOT STATED	298	193280.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MEX_02: Took folic acid - before last pregnancy				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3420 / 1554114.97 ] [Invalid=59489 / 27324303.4 ]			
Universe	Respondents who answered MEX_01 = (1, 7 or 8)			
Literal question	Took folic acid - before last pregnancy			
Notes	Formerly BRFA_01B in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2060	933067.7	60.0%
2	NO	1360	621047.3	40.0%



# MEX_02: Took folic acid - before last pregnancy				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	59149	27110935.8	
7	DON'T KNOW	20	7719.9	
8	REFUSAL	2	2632.3	
9	NOT STATED	318	203015.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MEX_03: Breastfed/ried breastfeed/last child				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3440 / 1561834.86 ] [Invalid=59469 / 27316583.51 ]			
Universe	Respondents who answered MEX_01 = (1, 7 or 8)			
Literal question	(For your last baby,) did you breastfeed or try to breastfeed your baby, even if only for a short time?			
Notes	Formerly BRFA_02 in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3016	1362917.0	<div></div> 87.3%
2	NO	424	198917.8	<div></div> 12.7%
6	NOT APPLICABLE	59149	27110935.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	2	2632.3	
9	NOT STATED	318	203015.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MEXG04: Reason did not breastfeed - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]	[Valid=421 / 196958.41 ] [Invalid=62488 / 28681459.96 ]			
Universe	Respondents who answered MEX_03 = (2, 7 or 8) or MEX_01 = (7 or 8)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	BOTTLE FEED.EASY	102	38505.6	<div></div> 19.6%
2	FORMULA AS GOOD	34	18844.4	<div></div> 9.6%
3	UNAPPEALING	82	28496.2	<div></div> 14.5%
4	FATHER DN'T WANT	1	191.0	<div></div> 0.1%
5	RETURNED TO WORK	6	1146.6	<div></div> 0.6%
6	C-SECTION	135	77369.9	<div></div> 39.3%
7	ALCOHOL/SMOKE	8	5265.9	<div></div> 2.7%
8	OTHER	53	27138.8	<div></div> 13.8%
96	NOT APPLICABLE	62165	28473852.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	323	207607.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MEX_05: Still breastfeeding last child				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3015 / 1358008.4 ] [Invalid=59894 / 27520409.97 ]			
Universe	Respondents who answered MEX_03 = (1, 7 or 8) or MEX_01 = (7 or 8)			
Literal question	Are you still breastfeeding?			

# MEX_05: Still breastfeeding last child					
<b>Notes</b>		Formerly BRFA_03 in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	557	267507.6	<div></div>	19.7%
2	NO	2458	1090500.8	<div></div>	80.3%
6	NOT APPLICABLE	59573	27309853.7		
7	DON'T KNOW	1	4908.6		
8	REFUSAL	0	0.0		
9	NOT STATED	320	205647.7		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>					
# MEX_06: Duration of breastfeeding last child					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=2453 / 1089279.13 ] [Invalid=60456 / 27789139.24 ]			
<b>Universe</b>		Respondents who answered MEX_05 = (2, 7 or 8) or MEX_03 = (7 or 8) or MEX_01 = (7 or 8)			
<b>Literal question</b>		How long did you breastfeed (your last baby)?			
<b>Notes</b>		Formerly BRFA_04 in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< 1 WEEK	159	60356.3	<div></div>	5.5%
2	1 TO 2 WEEKS	155	64376.9	<div></div>	5.9%
3	3 TO 4 WEEKS	195	80283.0	<div></div>	7.4%
4	5 TO 8 WEEKS	154	61877.6	<div></div>	5.7%
5	9 TO < 12 WEEKS	89	34661.7	<div></div>	3.2%
6	3 MONTHS	203	83366.2	<div></div>	7.7%
7	4 MONTHS	132	61530.3	<div></div>	5.6%
8	5 MONTHS	100	48719.6	<div></div>	4.5%
9	6 MONTHS	239	114983.2	<div></div>	10.6%
10	7 TO 9 MONTHS	343	148939.0	<div></div>	13.7%
11	10 TO 12 MONTHS	345	148856.4	<div></div>	13.7%
12	> 1 YEAR	339	181328.8	<div></div>	16.6%
96	NOT APPLICABLE	60130	27577361.2		
97	DON'T KNOW	4	1145.2		
98	REFUSAL	1	76.5		
99	NOT STATED	321	210556.3		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>					
# MEX_07: Age of last baby - other foods added					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=2981 / 1344028 ] [Invalid=59928 / 27534390.37 ]			
<b>Universe</b>		Respondents who answered MEX_05 = (2, 7 or 8) or MEX_03 = (7 or 8) or MEX_01 = (7 or 8)			
<b>Literal question</b>		How old was your (last) baby when you first added any other liquids (e.g., milk, formula, water, teas, herbal mixtures) or solid foods to the baby's feeds?			
<b>Notes</b>		Respondents who answered MEX_03 = (1, 7 or 8) or MEX_01 = (7 or 8)			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< 1 WEEK	366	158332.8	<div></div>	11.8%
2	1 TO 2 WEEKS	184	89333.3	<div></div>	6.6%
3	3 TO 4 WEEKS	202	91548.8	<div></div>	6.8%

# **# MEX\_07: Age of last baby - other foods added**

Value	Label	Cases	Weighted	Percentage (Weighted)
4	5 TO 8 WEEKS	179	71297.8	<div></div> 5.3%
5	9 TO < 12 WEEKS	121	51149.2	<div></div> 3.8%
6	3 MONTHS	276	129569.7	<div></div> 9.6%
7	4 MONTHS	289	129237.5	<div></div> 9.6%
8	5 MONTHS	248	115311.2	<div></div> 8.6%
9	6 MONTHS	659	292530.7	<div></div> 21.8%
10	7 TO 9 MONTHS	190	99170.2	<div></div> 7.4%
11	10 TO 12 MONTHS	72	34749.3	<div></div> 2.6%
12	> 1 YEAR	26	12750.5	<div></div> 0.9%
13	NOT ADD/LIQUIDS	169	69046.8	<div></div> 5.1%
96	NOT APPLICABLE	59573	27309853.7	
97	DON'T KNOW	28	11806.8	
98	REFUSAL	1	951.9	
99	NOT STATED	326	211778.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# MEX_08: Main reason other foods added				
Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]			
Statistics [NW/ W]	[Valid=2797 / 1268424.56 ] [Invalid=60112 / 27609993.81 ]			
Universe	Respondents who answered MEX_07 < 13 or MEX_07 = (97 or 98) or MEX_06 = (97 or 98) or MEX_05 = (7 or 8) or MEX_03 = (7 or 8) or MEX_01 = (7 or 8)			
Literal question	What is the main reason that you first added other liquids or solid foods?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT ENOUGH BREAS	706	315047.1	<div><div></div></div> 24.8%
2	READY FOR SOLIDS	1185	563035.2	<div><div></div></div> 44.4%
3	INCONVENIENCE	164	62322.0	<div><div></div></div> 4.9%
4	DIFFICULTY	151	66109.8	<div><div></div></div> 5.2%
5	MED. COND.MOTHER	60	23301.8	<div><div></div></div> 1.8%
6	MED. COND. BABY	97	41113.2	<div><div></div></div> 3.2%
7	ADVICE OF DOCTOR	217	93616.1	<div><div></div></div> 7.4%
8	RETURNED TO WORK	74	42640.3	<div><div></div></div> 3.4%
9	ADVICE OF OTHERS	23	8130.7	<div><div></div></div> 0.6%
10	FORMULA HEALTHY	33	19117.4	<div><div></div></div> 1.5%
11	WANTED TO DRINK	2	967.6	<div><div></div></div> 0.1%
12	WANTED TO SMOKE	0	0.0	
13	OTHER	85	33023.3	<div><div></div></div> 2.6%
96	NOT APPLICABLE	59742	27378900.5	
97	DON'T KNOW	13	4512.2	
98	REFUSAL	1	922.3	
99	NOT STATED	356	225658.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MEX_09: Gave vitamin D - breast milk only				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=2596 / 1179656.94 ] [Invalid=60313 / 27698761.43 ]			
Universe	Respondents who answered MEX_07 = (2 to 13) or MEX_07 = (97 or 98) or MEX_06 = (97 or 98) or MEX_05 = (7 or 8) or MEX_03 = (7 or 8) or MEX_01 = (7 or 8)			
Literal question	During the time when your (last) baby was only fed breast milk, did you give the baby a vitamin supplement containing Vitamin D?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1936	895764.5	<div><div></div></div> 75.9%
2	NO	660	283892.5	<div><div></div></div> 24.1%
6	NOT APPLICABLE	59939	27468186.5	
7	DON'T KNOW	16	4284.9	
8	REFUSAL	0	0.0	
9	NOT STATED	358	226290.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MEX_10: Main reason stopped breastfeeding				
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
Statistics [NW/ W]	[Valid=2423 / 1077291.92 ] [Invalid=60486 / 27801126.45 ]			
Universe	Respondents who answered MEX_05 = (2, 7 or 8) or MEX_03 = (7 or 8) or MEX_01 (7 or 8)			
Literal question	What is the main reason that you stopped breastfeeding?			

# MEX_10: Main reason stopped breastfeeding				
Notes		Formerly BRFA_05 in cycle 1.1.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT ENOUGH MILK	612	264774.2	<div></div> 24.6%
2	READY FOR SOLIDS	453	227615.8	<div></div> 21.1%
3	INCONVENIENCE	190	79783.1	<div></div> 7.4%
4	DIFFICULTY	207	83738.4	<div></div> 7.8%
5	MED.COND.MOTHER	95	38833.4	<div></div> 3.6%
6	MED. COND. BABY	65	21176.2	<div></div> 2.0%
7	PLANNED TO STOP	182	70464.4	<div></div> 6.5%
8	WEANED SELF	301	141566.0	<div></div> 13.1%
9	ADVICE OF DOCTOR	29	20791.3	<div></div> 1.9%
10	RETURNED TO WORK	215	100279.0	<div></div> 9.3%
11	ADVICE OF OTHERS	7	3922.0	<div></div> 0.4%
12	FORMULA HEALTHY	25	10674.0	<div></div> 1.0%
13	WANTED TO DRINK	2	967.6	<div></div> 0.1%
14	WANTED TO SMOKE	1	188.1	<div></div> 0.0%
15	OTHER	39	12518.3	<div></div> 1.2%
96	NOT APPLICABLE	60130	27577361.2	
97	DON'T KNOW	4	1022.2	
98	REFUSAL	1	922.3	
99	NOT STATED	351	221820.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MEXDEBF2: Duration of exclusive breastfeeding- (D)				
Information		[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]		[Valid=3244 / 1477427.92 ] [Invalid=59665 / 27400990.45 ]		
Universe		Respondents who answered MEX_03 = (2, 7 or 8) or MEX_05 = (2, 7 or 8) or MEX_07 < 13 or MEX_07 = (97 or 98) or MEX_01 = (7 or 8)		
Notes		Based on MEX_03, MEX_06, MEX_07. This variable is an update of MEXDEBF. It includes more categories, covers the 6 month period in a single category, and takes into account conflicting information provided in MEX_06 and MEX_07. Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old are excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who will breastfed and who had not yet added any other liquid or solid foods to the baby's feeds are also excluded.		
Value	Label	Cases	Weighted	Percentage (Weighted)
0	DID NOT BF/LAST	424	198917.8	<div></div> 13.5%
1	< I WEEK	396	170289.3	<div></div> 11.5%
2	1 TO < 5 WEEKS	423	197808.4	<div></div> 13.4%
3	5 TO < 12 WEEKS	295	117617.1	<div></div> 8.0%
4	12 TO < 16 WEEKS	289	135052.0	<div></div> 9.1%
5	16 TO < 20 WEEKS	279	131459.8	<div></div> 8.9%
6	20 TO < 24 WEEKS	245	116126.2	<div></div> 7.9%
7	24 TO < 28 WEEKS	626	274436.6	<div></div> 18.6%
8	7 MONTHS OR MORE	267	135720.6	<div></div> 9.2%
96	NOT APPLICABLE	59310	27176453.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	355	224536.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# MEXFEB6: Exclus. breastfeed for at least 6 months					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=3244 / 1477427.92 ] [Invalid=59665 / 27400990.45 ]			
<b>Universe</b>		Respondents who answered MEX_03 = (2, 7 or 8) or MEX_05 = (2, 7 or 8) or MEX_07 < 13 or MEX_07 = (97 or 98) or MEX_01 = (7 or 8)			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	893	410157.2	<div></div>	27.8%
2	NO	2351	1067270.7	<div></div>	72.2%
6	NOT APPLICABLE	59310	27176453.7		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	355	224536.7		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# DOMXA: Optional MXA - (F)					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
<b>Universe</b>		All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6009	3090043.9	<div></div>	10.7%
2	NO	55267	25706273.5	<div></div>	89.3%
6	NOT APPLICABLE	1633	82100.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MXA_01: Drank alcohol - last pregnancy					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=398 / 185312.23 ] [Invalid=62511 / 28693106.14 ]			
<b>Universe</b>		Females aged 15 to 55 with DOMXA = 1 who answered ((MEX_01 = (1, 7 or 8) and (ALC_1 = (1, 7 or 8) or ALN_1 = (1, 6, 7 or 8))) or (MEX_01 = (7 or 8) and (ALC_1 = (2, 7 or 8) and ALN_1 = (2, 7 or 8)) and ADM_PRX ne 1)))			
<b>Literal question</b>		Did you drink any alcohol during your last pregnancy?			
<b>Notes</b>		Formerly MEX_Q30 in cycle 3.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	18	6805.8	<div></div>	3.7%
2	NO	380	178506.4	<div></div>	96.3%
6	NOT APPLICABLE	62482	28672505.6		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	29	20600.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MXA_02: Freq. of drinking - last pregnancy					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=18 / 6805.8 ] [Invalid=62891 / 28871612.57 ]			

# MXA_02: Freq. of drinking - last pregnancy				
Universe	Females aged 15 to 55 with DOMXA = 1 who answered (MXA_01 = (1, 7 or 8) or (MEX_01 = (1, 7 or 8) and (ALC_1 = (7 or 8) or ALN_1 = (7 or 8)) and MXA_01 ne 2) or (MEX_01 = (7 or 8) and (ALC_1 = 1 or ALN_1 = (1 or 6)) and MXA_01 ne 2))			
Literal question	How often did you drink?			
Notes	Formerly MEX_Q31 in cycle 3.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	< ONCE A MONTH	12	3253.1	47.8%
2	ONCE A MONTH	0	0.0	
3	2 TO 3 TIMES/MO	0	0.0	
4	ONCE/WEEK	5	3206.6	47.1%
5	2 TO 3 TIMES/WK	0	0.0	
6	4 TO 6 TIMES/WK	0	0.0	
7	EVERY DAY	1	346.2	5.1%
96	NOT APPLICABLE	62862	28851012.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	29	20600.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MXA_03: Drank alcohol - breastfeeding last baby				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=359 / 166103.72 ] [Invalid=62550 / 28712314.65 ]			
Universe	Females aged 15 to 55 with DOMXA = 1 who answered ((MEX_03 = (1, 7 or 8) and not (MEX_01 = 2 or (ALC_1 = 2 and ALN_1 = 2))) or (MEX_01 = (7 or 8) and (ALC_1 = (1, 7 or 8) or ALN_1 = (1, 6, 7 or 8))) or (MEX_01 = (7 or 8) and (ALC_1 = 2 and ALN_1 = 2) and ADM_PRX = 2)			
Literal question	Did you drink any alcohol while you were breastfeeding (your last baby)?			
Notes	Formerly MEX_Q32 in cycle 3.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	66	33178.3	20.0%
2	NO	293	132925.4	80.0%
6	NOT APPLICABLE	62521	28691714.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	29	20600.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MXA_04: Freq. drinking - breastfeeding last baby				
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]			
Statistics [NW/ W]	[Valid=62 / 31350.6 ] [Invalid=62847 / 28847067.77 ]			
Universe	Females aged 15 to 55 with DOMXA = 1 who answered (MXA_03 = (1, 7 or 8) or ((MEX_03 = (7 or 8) and not (MEX_01 = 2 or (ALC_1 = 2 and ALN_1 = 2))) or (MEX_01 = (7 or 8) and (ALC_1 = (1, 7 or 8) or ALN_1 = (1, 6, 7 or 8))) or (MEX_01 = (7 or 8) and (ALC_1 = 2 and ALN_1 = 2) and ADM_PRX = 2))			
Literal question	How often did you drink?			
Notes	Formerly MEX_Q33 in cycle 3.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	< ONCE A MONTH	41	22354.8	71.3%
2	ONCE A MONTH	14	4970.3	15.9%

# MXA_04: Freq. drinking - breastfeeding last baby					
Value	Label	Cases	Weighted	Percentage (Weighted)	
3	2 TO 3 TIMES/MO	3	2583.1	<div><div></div></div>	8.2%
4	ONCE/WEEK	3	1203.2	<div><div></div></div>	3.8%
5	2 TO 3 TIMES/WK	1	239.2	<div><div></div></div>	0.8%
6	4 TO 6 TIMES/WK	0	0.0		
7	EVERY DAY	0	0.0		
96	NOT APPLICABLE	62814	28824639.5		
97	DON'T KNOW	4	1827.7		
98	REFUSAL	0	0.0		
99	NOT STATED	29	20600.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# DOMXS: Module: MXS - (F)					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe		All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	27535	14350236.5	<div><div></div></div>	49.8%
2	NO	33741	14446080.9	<div><div></div></div>	50.2%
6	NOT APPLICABLE	1633	82100.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MXS_01: Type of smoker - last pregnancy					
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]		[Valid=799 / 358215.94 ] [Invalid=62110 / 28520202.43 ]			
Universe		Females aged 15 to 55 with DOMXS = 1 who answered ( ( MEX_01 = 1) and (SMK_202 = (1, 2, 7 or 8) or SMK_01a = (1, 7 or 8) or SMK_01b = (1, 7 or 8) ) or MEX_01 = (7 or 8) )			
Literal question		During your last pregnancy, did you smoke daily, occasionally or not at all?			
Notes		Formerly MEX_Q20 in cycle 3.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DAILY	93	29879.2	<div><div></div></div>	8.3%
2	OCCASIONALLY	92	49715.2	<div><div></div></div>	13.9%
3	NOT AT ALL	614	278621.5	<div><div></div></div>	77.8%
6	NOT APPLICABLE	61932	28401419.9		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	178	118782.5		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# MXSG02: No. daily - last preg. (daily smk)					
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]		[Valid=93 / 29879.24 ] [Invalid=62816 / 28848539.13 ]			
Universe		Females aged 15 to 55 with DOMXS = 1 who answered ( MXS_01 = (1, 7, 8 or 9) or (MEX_01 = 1 and ( (SMK_202 = (3, 7, 8 or 9) and SMK_01a = (2, 7, 8 or 9) and SMK_01b = (7, 8 or 9) ) or (SMK_01a = (7, 8 or 9) and SMK_01b = (2, 7, 8 or 9) ) or (SMK_01a = 8 and SMK_01b = 8) ) ) )			



# MXSG02: No. daily - last preg. (daily smk)				
<b>Literal question</b>		How many cigarettes did you usually smoke each day?		
<b>Notes</b>		Formerly MEX_Q21 in cycle 3.1. Formerly MEX_Q22 in cycle 3.1. Formerly MEX_Q24 in cycle 3.1. Formerly MEX_Q21 in cycle 3.1.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	2	745.8	<div><div></div></div> 2.5%
2	2 CIGARETTES	5	1767.9	<div><div></div></div> 5.9%
3	3 CIGARETTES	9	1907.4	<div><div></div></div> 6.4%
4	4 CIGARETTES	4	1397.5	<div><div></div></div> 4.7%
5	5 CIGARETTES	11	2772.3	<div><div></div></div> 9.3%
6	6 TO 10 CIG.	34	12166.7	<div><div></div></div> 40.7%
7	11 TO 15 CIG.	22	7855.2	<div><div></div></div> 26.3%
8	16+ CIGARETTES	6	1266.5	<div><div></div></div> 4.2%
96	NOT APPLICABLE	62638	28729756.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	178	118782.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MXSG03: No. daily - last preg. (occ. smk)				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=90 / 45879.24 ] [Invalid=62819 / 28832539.13 ]		
<b>Universe</b>		Females aged 15 to 55 with DOMXS = 1 who answered (MXS_01 = (2, 7 or 8) or (MEX_01 = 1 and ((SMK_202 = (3, 7 or 8) and SMK_01a = (2, 7 or 8) and SMK_01b = (7 or 8)) or (SMK_01a = (7 or 8) and SMK_01b = (2, 7 or 8)) or (SMK_01a = 8 and SMK_01b = 8)))) )		
<b>Literal question</b>		On the days that you smoked, how many cigarettes did you usually smoke?		
<b>Notes</b>		Formerly MEX_Q22 in cycle 3.1.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	23	12194.8	<div><div></div></div> 26.6%
2	2 CIGARETTES	27	19125.7	<div><div></div></div> 41.7%
3	3 CIGARETTES	14	6024.1	<div><div></div></div> 13.1%
4	4 CIGARETTES	7	2349.2	<div><div></div></div> 5.1%
5	5 CIGARETTES	13	3154.9	<div><div></div></div> 6.9%
6	6+ CIGARETTES	6	3030.6	<div><div></div></div> 6.6%
96	NOT APPLICABLE	62639	28709920.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	180	122618.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MXS_04: Smoked while breastfeeding (occ. smoker)				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=703 / 310867.43 ] [Invalid=62206 / 28567550.94 ]		
<b>Universe</b>		Females aged 15 to 55 with DOMXS = 1 who answered ((MEX_03 = (1, 7 or 8) and (MEX_01 = (1, 7 or 8) and (SMK_202 = (1, 2, 7 or 8) or SMK_01a = (1, 7 or 8) or SMK_01b = (1, 7 or 8)))) or (MEX_01 = 1 and ((SMK_202 = (3, 7 or 8) and SMK_01a = (2, 7 or 8) and SMK_01b = (7 or 8)) or (SMK_01a = (7 or 8) and SMK_01b = (2, 7 or 8)) or (SMK_01a = 8 and SMK_01b = 8) )) ) or (MEX_01 = (7 or 8) ) )		
<b>Literal question</b>		When you were breastfeeding (your last baby), did you smoke daily, occasionally or not at all?		
<b>Notes</b>		Formerly MEX_Q23 in cycle 3.1.		

# MXS_04: Smoked while breastfeeding (occ. smoker)				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	76	25892.0	<div><div></div></div> 8.3%
2	OCCASIONALLY	78	26161.9	<div><div></div></div> 8.4%
3	NOT AT ALL	549	258813.5	<div><div></div></div> 83.3%
6	NOT APPLICABLE	62028	28448768.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	178	118782.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MXSG05: No. daily - breastfeeding (daily smk)				
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]	[Valid=76 / 25892.01 ] [Invalid=62833 / 28852526.36 ]			
Universe	Females aged 15 to 55 with DOMXS = 1 who answered MXS_04 = (1, 7 or 8)			
Pre-question	How many cigarettes did you usually smoke each day?			
Notes	Formerly MEX_Q24 in cycle 3.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	1	510.7	<div><div></div></div> 2.0%
2	2 CIGARETTES	3	1184.9	<div><div></div></div> 4.6%
3	3 CIGARETTES	1	136.5	<div><div></div></div> 0.5%
4	4 CIGARETTES	5	2754.7	<div><div></div></div> 10.6%
5	5 CIGARETTES	15	5433.5	<div><div></div></div> 21.0%
6	6 TO 10 CIG.	29	9586.3	<div><div></div></div> 37.0%
7	11 TO 15 CIG.	18	5293.5	<div><div></div></div> 20.4%
8	16+ CIGARETTES	4	992.0	<div><div></div></div> 3.8%
96	NOT APPLICABLE	62655	28733743.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	178	118782.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MXSG06: No. daily - breastfeeding (occ. smk)				
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]			
Statistics [NW/ W]	[Valid=77 / 26019.99 ] [Invalid=62832 / 28852398.38 ]			
Universe	Females aged 15 to 55 with DOMXS = 1 who answered MXS_04 = (2, 7 or 8)			
Literal question	On the days that you smoked, how many cigarettes did you usually smoke?			
Notes	Formerly MEX_Q25 in cycle 3.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CIGARETTE	13	3821.1	<div><div></div></div> 14.7%
2	2 CIGARETTES	29	11058.0	<div><div></div></div> 42.5%
3	3 CIGARETTES	14	5514.3	<div><div></div></div> 21.2%
4	4 CIGARETTES	5	889.0	<div><div></div></div> 3.4%
5	5 CIGARETTES	11	3047.3	<div><div></div></div> 11.7%
6	6+ CIGARETTES	5	1690.2	<div><div></div></div> 6.5%
96	NOT APPLICABLE	62653	28733474.0	
97	DON'T KNOW	0	0.0	

# MXSG06: No. daily - breastfeeding (occ. smk)				
Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	0	0.0	
99	NOT STATED	179	118924.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MXS_07: 2nd-hand smoke - during/after last preg.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=799 / 358215.94 ] [Invalid=62110 / 28520202.43 ]			
Universe	Females aged 15 to 55 with DOMXS = 1 who answered ( (MEX_01 = 1) and ( (SMK_202 = (1, 2, 7 or 8) or SMK_01a = (1, 7 or 8) or SMK_01b = (1, 7 or 8) ) ) or MEX_01 = (7 or 8) )			
Literal question	Did anyone regularly smoke in your presence during or after the pregnancy (about 6 months after)?			
Notes	Formerly MEX_Q26 in cycle 3.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	178	76223.3	21.3%
2	NO	621	281992.6	78.7%
6	NOT APPLICABLE	61932	28401419.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	178	118782.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DODRG: Module: DRG - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27604	12729130.2	44.2%
2	NO	33672	16067187.2	55.8%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# IDGFLCA: Cannabis drug use/incl.1 time only - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=26424 / 12212573.54 ] [Invalid=36485 / 16665844.83 ]			
Universe	Respondents with DOIDG = 1			
Literal question	Cannabis drug use/incl.1 time only - (F)			
Notes	Based on IDG_01. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9591	4668790.7	38.2%
2	NO	16833	7543782.8	61.8%
6	NOT APPLICABLE	35305	16149288.2	

# IDGFLCA: Cannabis drug use/incl.1 time only - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1180	516556.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# IDGFLCM: Cannabis drug use/excl.1 time only - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=26424 / 12212573.54 ] [Invalid=36485 / 16665844.83 ]			
Universe	Respondents with DOIDG = 1			
Literal question	Cannabis drug use/excl.1 time only - (F)			
Notes	Respondents with DOIDG = 1			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7388	3677182.2	<div><div></div></div> 30.1%
2	NO	19036	8535391.4	<div><div></div></div> 69.9%
6	NOT APPLICABLE	35305	16149288.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1180	516556.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# IDGFYCM: Can.drg use/excl.1 time only -12 mo -(F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=26414 / 12207269.46 ] [Invalid=36495 / 16671148.91 ]			
Universe	Respondents with DOIDG = 1			
Literal question	Can.drg use/excl.1 time only -12 mo -(F)			
Notes	Based on IDG_01, IDG_02. See documentation on derived variables			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2377	1293421.1	<div><div></div></div> 10.6%
2	NO	24037	10913848.4	<div><div></div></div> 89.4%
6	NOT APPLICABLE	35305	16149288.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1190	521860.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# IDGFLA: Illicit drg use/incl. 1 time cann. - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=26404 / 12199265.7 ] [Invalid=36505 / 16679152.67 ]			
Universe	Respondents with DOIDG = 1			
Literal question	Illicit drg use/incl. 1 time cann. - (F)			
Notes	Based on IDGFLCA, IDGFLCO, IDGFLAM, IDGFLEX, IDGFLHA, IDGFLGL, IDGFLHE, IDGFLST. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9685	4710985.0	<div><div></div></div> 38.6%
2	NO	16719	7488280.6	<div><div></div></div> 61.4%

# IDGFLA: Illicit drg use/incl. 1 time cann. - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	35305	16149288.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1200	529864.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# IDGFLAC: Illicit drug use/excl.1 time cann. - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=26400 / 12197955.58 ] [Invalid=36509 / 16680462.79 ]			
Universe	Respondents with DOIDG = 1			
Literal question	Illicit drug use/excl.1 time cann. - (F)			
Notes	Based on IDGFLCM, IDGFLCO, IDGFLAM, IDGFLEX, IDGFLHA, IDGFLGL, IDGFLHE, IDGFLST. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7629	3794856.9	<div></div> 31.1%
2	NO	18771	8403098.7	<div></div> 68.9%
6	NOT APPLICABLE	35305	16149288.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1204	531174.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# IDGFYA: Illicit drg /incl.1 time can.-12 mo -(F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=26385 / 12192362.67 ] [Invalid=36524 / 16686055.7 ]			
Universe	Respondents with DOIDG = 1			
Notes	Based on IDG_02, IDG_05, IDG_08, IDG_11, IDG_14, IDG_17, IDG_20, IDG_23. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2639	1418727.8	<div></div> 11.6%
2	NO	23746	10773634.8	<div></div> 88.4%
6	NOT APPLICABLE	35305	16149288.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1219	536767.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# IDGFYAC: Illi.drg use/excl.1 time can.-12 mo -(F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=26384 / 12192159.12 ] [Invalid=36525 / 16686259.25 ]			
Universe	Respondents with DOIDG = 1			
Literal question	Illicit drg /incl.1 time can.-12 mo -(F)			
Notes	Based on IDGFYCM, IDG_05, IDG_08, IDG_11, IDG_14, IDG_17, IDG_20, IDG_23. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2452	1334894.5	<div></div> 10.9%

# IDGFYAC: Illi.drg use/excl.1 time can.-12 mo -(F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	23932	10857264.7	<div><div></div></div> 89.1%
6	NOT APPLICABLE	35305	16149288.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1220	536971.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# IDGDINT: Illicit drug interference mean - 12 mo				
Information	[Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*]			
Statistics [NW/ W]	[Valid=1378 / 728451.52 ] [Invalid=61531 / 28149966.85 ] [Mean=0.642 / 0.608 ] [StdDev=1.452 / 1.411 ]			
Universe	Respondents who answered one of (IDG_03, IDG_06, IDG_09, IDG_12, IDG_15, IDG_18, IDG_21) = (2, 3, 4, 5, 7 or 8) and one of (IDG_01, IDG_04, IDG_07, IDG_10, IDG_13, IDG_16, IDG_19) = (1, 2, 7 or 8)			
Literal question	Illicit drug interference mean - 12 mo			
Notes	Based on IDG_26A, IDG_6B1, IDG_6B2, IDG_26C, IDG_26D. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
99.6	NOT APPLICABLE	60268	27593862.9	<div><div></div></div>
99.7	DON'T KNOW	0	0.0	
99.8	REFUSAL	0	0.0	
99.9	NOT STATED	1263	556103.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# IDGFINT: Illicit drug interference - 12 mo - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1378 / 728451.52 ] [Invalid=61531 / 28149966.85 ]			
Universe	Respondents who answered one of (IDG_03, IDG_06, IDG_09, IDG_12, IDG_15, IDG_18, IDG_21) = (2, 3, 4, 5, 7 or 8) and one of (IDG_01, IDG_04, IDG_07, IDG_10, IDG_13, IDG_16, IDG_19) = (1, 2, 7 or 8)			
Literal question	Illi.drg use/excl.1 time can.-12 mo -(F)			
Notes	Based on IDG_26A, IDG_6B1, IDG_6B2, IDG_26C, IDG_26D. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	209	98713.5	<div><div></div></div> 13.6%
2	NO	1169	629738.0	<div><div></div></div> 86.4%
6	NOT APPLICABLE	60268	27593862.9	<div><div></div></div>
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1263	556103.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOCPG: Module: CPG - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8438	3731301.2	<div><div></div></div> 13.0%
2	NO	52838	25065016.2	<div><div></div></div> 87.0%

# DOCPG: Module: CPG - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CPGFGAM: Gambling activity - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8171 / 3592490.89 ] [Invalid=54738 / 25285927.48 ]			
Universe	Respondents with DOCPG = 1			
Literal question	Gambling activity - (F)			
Notes	Based on CPG_01A, CPG_01B, CPG_01C, CPG_01D, CPG_01E, CPG_01F, CPG_01G, CPG_01H, CPG_01I, CPG_01J, CPG_01K, CPG_01L, CPG_01M. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5605	2419343.3	67.3%
2	NO	2566	1173147.6	32.7%
6	NOT APPLICABLE	54471	25147117.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	267	138810.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CPGDSEV: Problem gambling severity index - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-95] [Missing=*]			
Statistics [NW/ W]	[Valid=5558 / 2401178.61 ] [Invalid=57351 / 26477239.76 ]			
Universe	Respondents with CPGFGAM <> 2 and DOCPG = 1			
Literal question	Problem gambling severity index - (D)			
Notes	Based on CPG_02, CPG_03, CPG_04, CPG_05, CPG_06, CPG_07, CPG_08, CPG_09, CPG_10, CPG_13, CPGFGAM. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
95	NOT A GAMBLER	1633	656188.8	100.0%
96	NOT APPLICABLE	57037	26320264.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	314	156975.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CPGDTYP: Type of gambler - (D)				
Information	[Type= discrete] [Format=numeric] [Range= 1-95] [Missing=*]			
Statistics [NW/ W]	[Valid=8124 / 3574326.2 ] [Invalid=54785 / 25304092.17 ]			
Universe	Respondents with DOCPG = 1			
Literal question	Type of gambler - (D)			
Notes	Based on CPGDSEV, CPGFGAM. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NON-GAMBLER	2566	1173147.6	32.8%

# CPGDTYP: Type of gambler - (D)				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	NON-PROBLEM GAMB	3640	1623893.7	45.4%
3	LOW RISK GAMBLER	179	83632.1	2.3%
4	MOD RISK GAMBLER	81	27812.8	0.8%
5	PROBLEM GAMBLER	25	9651.2	0.3%
95	NOT A GAMBLER	1633	656188.8	18.4%
96	NOT APPLICABLE	54471	25147117.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	314	156975.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CPGDACT: No. of diff. types of gamb. act. - (D)				
Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]			
Statistics [NW/ W]	[Valid=8123 / 3577636.62 ] [Invalid=54786 / 25300781.75 ]			
Universe	Respondents with DOCPG = 1			
Literal question	No. of diff. types of gamb. act. - (D)			
Notes	Based on CPG_01A, CPG_01B, CPG_01C, CPG_01D, CPG_01E, CPG_01F, CPG_01G, CPG_01H, CPG_01I, CPG_01J, CPG_01K, CPG_01L, CPG_01M. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
0		2566	1173147.6	32.8%
1		2062	885857.4	24.8%
2		1677	681692.6	19.1%
3		907	388693.2	10.9%
4		475	226783.4	6.3%
5		231	117747.5	3.3%
6		108	54271.1	1.5%
7		60	29480.2	0.8%
8		22	9082.7	0.3%
9		8	6561.6	0.2%
10		3	2180.7	0.1%
11		3	2015.6	0.1%
12		1	123.0	0.0%
96	NOT APPLICABLE	54471	25147117.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	315	153664.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CPGDINT: Gambling Interference - Mean				
Information	[Type= continuous] [Format=numeric] [Range= 0-8.7] [Missing=*]			
Statistics [NW/ W]	[Valid=109 / 38482.3 ] [Invalid=62800 / 28839936.07 ] [Mean=0.812 / 0.925 ] [StdDev=1.526 / 1.609 ]			
Universe	Respondents whose score is "> 2" to the sum of recoded values (1 = 0; 2 = 1; 3 = 2; 4 = 3) in CPG_03 to CPG_10 and CPG_13 or whose score is "<= 2" and at least one of CPG_03 to CPG_10 or CPG_13 = (7 or 8) or CPG_02 = 8 or CPG_01A = 98 or all of CPG_01A through CPG_01M = (7, 8, 97 or 98 ) with at least one response of "97" or "98".			
Literal question	Gambling Interference - Mean			
Notes	Based on CPG_19A, CPG_9B1, CPG_9B2, CPG_19C, CPG_19D. See documentation on derived variables.			



# CPGDINT: Gambling Interference - Mean				
Value	Label	Cases	Weighted	Percentage (Weighted)
99.6	NOT APPLICABLE	62572	28746882.7	
99.7	DON'T KNOW	0	0.0	
99.8	REFUSAL	0	0.0	
99.9	NOT STATED	228	93053.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CPGFINT: Gambling Interference - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=109 / 38482.3 ] [Invalid=62800 / 28839936.07 ]			
Universe	Respondents whose score is "> 2" to the sum of recoded values (1 = 0; 2 = 1; 3 = 2; 4 = 3) in CPG_03 to CPG_10 and CPG_13 or whose score is " <= 2 " and at least one of CPG_03 to CPG_10 or CPG_13 = (7 or 8) or CPG_02 = 8 or CPG_01A = 98 or all of CPG_01A through CPG_01M = (7, 8, 97 or 98 ) with at least one response of "97" or "98".			
Literal question	Gambling Interference - (F)			
Notes	Based on CPG_19A, CPG_9B1, CPG_9B2, CPG_19C, CPG_19D. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22	8228.9	<div><div></div></div> 21.4%
2	NO	87	30253.4	<div><div></div></div> 78.6%
6	NOT APPLICABLE	62572	28746882.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	228	93053.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOSXB: Module: SXB - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]			
Universe	All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	62909	28878418.4	<div><div></div></div> 100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SXB_1: Ever had sexual intercourse				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=27130 / 15378585.25 ] [Invalid=35779 / 13499833.12 ]			
Universe	Respondents aged 15 to 49 with DOSXB = 1			
Literal question	Have you ever had sexual intercourse?			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23833	13635256.8	<div><div></div></div> 88.7%
2	NO	3297	1743328.4	<div><div></div></div> 11.3%

# SXB_1: Ever had sexual intercourse				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	34393	12600400.4	
7	DON'T KNOW	104	80859.3	
8	REFUSAL	597	419769.6	
9	NOT STATED	685	398803.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SXB_3: Had sexual intercourse - past 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=22857 / 13076286.76 ] [Invalid=40052 / 15802131.61 ]			
Universe	Respondents who answered SXB_1 = (1, 7 or 8) or SXB_2 = (997 or 998)			
Literal question	In the past 12 months, have you had sexual intercourse?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20785	12126221.9	<div></div> 92.7%
2	NO	2072	950064.9	<div></div> 7.3%
6	NOT APPLICABLE	37690	14343728.9	
7	DON'T KNOW	5	1181.0	
8	REFUSAL	20	9598.1	
9	NOT STATED	2337	1447623.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SXB_07: Ever diagnosed with STD				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=22801 / 13051797.94 ] [Invalid=40108 / 15826620.43 ]			
Universe	Respondents who answered SXB_1 = (1, 7 or 8)			
Literal question	Have you ever been diagnosed with a sexually transmitted infection?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1935	991399.8	<div></div> 7.6%
2	NO	20866	12060398.1	<div></div> 92.4%
6	NOT APPLICABLE	37690	14343728.9	
7	DON'T KNOW	17	4579.0	
8	REFUSAL	4	4898.8	
9	NOT STATED	2397	1473413.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SXB_7A: Condom use - last time				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8885 / 4579583.52 ] [Invalid=54024 / 24298834.85 ]			
Universe	Respondents who answered (SXB_3 = (1, 7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)) excluding those with DHH_MS = (1 or 2) who answered SXB_4 = 1			
Literal question	Did you use a condom the last time you had sexual intercourse?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4940	2546520.8	<div></div> 55.6%
2	NO	3945	2033062.7	<div></div> 44.4%
6	NOT APPLICABLE	51598	22807425.7	
7	DON'T KNOW	19	8577.6	

# SXB_7A: Condom use - last time				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	7	7602.1	
9	NOT STATED	2400	1475229.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SXB_09: Important to avoid getting pregnant				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2232 / 1148795.5 ] [Invalid=60677 / 27729622.87 ]			
Universe	Females aged 24 or less who answered (SXB_3 = (1, 7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8)) and (MAM_037 = (2, 7, 8)			
Literal question	It is important to me to avoid getting pregnant right now.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	1602	882022.6	<div><div></div></div> 76.8%
2	AGREE	438	182887.9	<div><div></div></div> 15.9%
3	NEITHER NOR	79	37345.8	<div><div></div></div> 3.3%
4	DISAGREE	65	23466.6	<div><div></div></div> 2.0%
5	STRONG DISAGREE	48	23072.6	<div><div></div></div> 2.0%
6	NOT APPLICABLE	60454	27614689.9	
7	DON'T KNOW	2	3635.4	
8	REFUSAL	2	4236.9	
9	NOT STATED	219	107060.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SXB_10: Important avoid getting partner pregnant				
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]			
Statistics [NW/ W]	[Valid=2103 / 1276530.76 ] [Invalid=60806 / 27601887.61 ]			
Universe	Males aged 24 or less who answered SXB_3 = (1, 7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)			
Literal question	It is important to me to avoid getting my partner pregnant right now.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	1449	912661.3	<div><div></div></div> 71.5%
2	AGREE	414	226274.4	<div><div></div></div> 17.7%
3	NEITHER NOR	56	30111.8	<div><div></div></div> 2.4%
4	DISAGREE	52	28215.3	<div><div></div></div> 2.2%
5	STRONG DISAGREE	30	15425.6	<div><div></div></div> 1.2%
6	NO PARTNER	79	52819.2	<div><div></div></div> 4.1%
7	PARTNER PREGNANT	23	11023.1	<div><div></div></div> 0.9%
96	NOT APPLICABLE	60507	27432360.8	
97	DON'T KNOW	3	230.5	
98	REFUSAL	4	6310.2	
99	NOT STATED	292	162986.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SXB_11: Usually use birth control - past 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4391 / 2466106.3 ] [Invalid=58518 / 26412312.07 ]			
Universe	Respondents aged 24 or less who answered SXB_3 = (1, 7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)			
Literal question	In the past 12 months, did you and your partner usually use birth control?			

# SXB_11: Usually use birth control - past 12 mo				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3684	2092853.5	<div><div></div></div> 84.9%
2	NO	707	373252.8	<div><div></div></div> 15.1%
6	NOT APPLICABLE	57965	26118464.6	
7	DON'T KNOW	35	14321.4	
8	REFUSAL	0	0.0	
9	NOT STATED	518	279526.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SXB_12A: Usual birth control method - condom				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3606 / 2054866.53 ] [Invalid=59303 / 26823551.84 ]			
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)			
Literal question	What kind of birth control did you and your partner usually use? - Condom (male or female condom)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2253	1306143.0	<div><div></div></div> 63.6%
2	NO	1353	748723.6	<div><div></div></div> 36.4%
6	NOT APPLICABLE	58672	26491717.4	
7	DON'T KNOW	67	29875.3	
8	REFUSAL	11	8111.7	
9	NOT STATED	553	293847.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SXB_12B: Usual birth control method - the pill				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3606 / 2054866.53 ] [Invalid=59303 / 26823551.84 ]			
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)			
Literal question	What kind of birth control did you and your partner usually use? - Birth control pill			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2480	1382234.8	<div><div></div></div> 67.3%
2	NO	1126	672631.8	<div><div></div></div> 32.7%
6	NOT APPLICABLE	58672	26491717.4	
7	DON'T KNOW	67	29875.3	
8	REFUSAL	11	8111.7	
9	NOT STATED	553	293847.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SXB_12C: Usual birth control method - diaphragm				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3606 / 2054866.53 ] [Invalid=59303 / 26823551.84 ]			
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)			
Literal question	What kind of birth control did you and your partner usually use? - Diaphragm			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29	13264.5	<div><div></div></div> 0.6%

# SXB_12C: Usual birth control method - diaphragm							
Value	Label	Cases	Weighted	Percentage (Weighted)			
2	NO	3577	2041602.0	<div><div></div></div> 99.4%			
6	NOT APPLICABLE	58672	26491717.4				
7	DON'T KNOW	67	29875.3				
8	REFUSAL	11	8111.7				
9	NOT STATED	553	293847.4				
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.							
# SXB_12D: Usual birth control method - spermicide							
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]						
Statistics [NW/ W]	[Valid=3606 / 2054866.53 ] [Invalid=59303 / 26823551.84 ]						
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)						
Literal question	What kind of birth control did you and your partner usually use? - Spermicide (e.g., foam, jelly, film)						
Value	Label	Cases	Weighted	Percentage (Weighted)			
1	YES	16	6540.4	<div><div></div></div> 0.3%			
2	NO	3590	2048326.2				
6	NOT APPLICABLE	58672	26491717.4				
7	DON'T KNOW	67	29875.3				
8	REFUSAL	11	8111.7				
9	NOT STATED	553	293847.4	<div><div></div></div> 99.7%			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.							
# SXB_12F: Usual birth control method - injection							
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]						
Statistics [NW/ W]	[Valid=3606 / 2054866.53 ] [Invalid=59303 / 26823551.84 ]						
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)						
Literal question	What kind of birth control did you and your partner usually use? - Birth control injection (Deprovera)						
Value	Label	Cases	Weighted	Percentage (Weighted)			
1	YES	91	25098.7	<div><div></div></div> 1.2%			
2	NO	3515	2029767.8				
6	NOT APPLICABLE	58672	26491717.4				
7	DON'T KNOW	67	29875.3				
8	REFUSAL	11	8111.7				
9	NOT STATED	553	293847.4	<div><div></div></div> 98.8%			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.							
# SXB_12E: Usual birth control method - other							
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]						
Statistics [NW/ W]	[Valid=3606 / 2054866.53 ] [Invalid=59303 / 26823551.84 ]						
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)						
Literal question	What kind of birth control did you and your partner usually use? - Other						
Value	Label	Cases	Weighted	Percentage (Weighted)			
1	YES	195	103136.5	<div><div></div></div> 5.0%			
2	NO	3411	1951730.0				
<div><div></div></div> 95.0%							

### # SXB\_12E: Usual birth control method - other

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	58672	26491717.4	
7	DON'T KNOW	67	29875.3	
8	REFUSAL	11	8111.7	
9	NOT STATED	553	293847.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SXB\_13A: B.c. method used last time - condom

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3537 / 2015299.26 ] [Invalid=59372 / 26863119.11 ]
<b>Universe</b>	Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered MAM_037 = 1
<b>Literal question</b>	What kind of birth control did you and your partner use the last time you had sex? - Condom (male of female condom)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2153	1242235.2	61.6%
2	NO	1384	773064.0	38.4%
6	NOT APPLICABLE	58729	26525234.4	
7	DON'T KNOW	15	6689.4	
8	REFUSAL	2	506.8	
9	NOT STATED	626	330688.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# SXB_13B: B.c. method used last time - the pill					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=3537 / 2015299.26 ] [Invalid=59372 / 26863119.11 ]			
Universe		Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered MAM_037 = 1			
Literal question		What kind of birth control did you and your partner use the last time you had sex? - Birth control pill			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2223	1238003.2	61.4%	
2	NO	1314	777296.1	38.6%	
6	NOT APPLICABLE	58729	26525234.4		
7	DON'T KNOW	15	6689.4		
8	REFUSAL	2	506.8		
9	NOT STATED	626	330688.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SXB_13C: B.c. method used last time - diaphragm					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=3537 / 2015299.26 ] [Invalid=59372 / 26863119.11 ]			
Universe		Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered MAM_037 = 1			
Literal question		What kind of birth control did you and your partner use the last time you had sex? - Diaphragm			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	23	10142.4	0.5%	
2	NO	3514	2005156.8	99.5%	
6	NOT APPLICABLE	58729	26525234.4		
7	DON'T KNOW	15	6689.4		
8	REFUSAL	2	506.8		
9	NOT STATED	626	330688.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SXB_13D: B.c. method used last time - spermicide					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=3537 / 2015299.26 ] [Invalid=59372 / 26863119.11 ]			
Universe		Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered MAM_037 = 1			
Literal question		What kind of birth control did you and your partner use the last time you had sex? - Spermicide (e.g., foam, jelly, film)			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	5	1530.0	0.1%	
2	NO	3532	2013769.2	99.9%	
6	NOT APPLICABLE	58729	26525234.4		
7	DON'T KNOW	15	6689.4		
8	REFUSAL	2	506.8		
9	NOT STATED	626	330688.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SXB_13F: B.c. method used last time - injection					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=3537 / 2015299.26 ] [Invalid=59372 / 26863119.11 ]			

# SXB_13F: B.c. method used last time - injection				
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered MAM_037 = 1			
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Birth control injection (Deprovera)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	79	19451.3	1.0%
2	NO	3458	1995848.0	99.0%
6	NOT APPLICABLE	58729	26525234.4	
7	DON'T KNOW	15	6689.4	
8	REFUSAL	2	506.8	
9	NOT STATED	626	330688.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SXB_13G: Method used last time - nothing				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3537 / 2015299.26 ] [Invalid=59372 / 26863119.11 ]			
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered MAM_037 = 1			
Literal question	What kind of birth control did you and your partner use the last time you had sex? - Nothing			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	68	32430.4	1.6%
2	NO	3469	1982868.9	98.4%
6	NOT APPLICABLE	58729	26525234.4	
7	DON'T KNOW	15	6689.4	
8	REFUSAL	2	506.8	
9	NOT STATED	626	330688.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SXB_13E: B.c. method used last time - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=3537 / 2015299.26 ] [Invalid=59372 / 26863119.11 ]			
Universe	Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered MAM_037 = 1			
Literal question	What kind of birth control did you and your partner use the last time you had sex? - other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	153	88537.3	4.4%
2	NO	3384	1926762.0	95.6%
6	NOT APPLICABLE	58729	26525234.4	
7	DON'T KNOW	15	6689.4	
8	REFUSAL	2	506.8	
9	NOT STATED	626	330688.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOPWB: Module: PWB - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			



# DOPWB: Module: PWB - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2429	641257.3	2.2%
2	NO	58847	28155060.2	97.8%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_01: Freq. - felt self-confident				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2309 / 607053.06 ] [Invalid=60600 / 28271365.31 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you felt self-confident.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1356	329612.1	54.3%
2	FREQUENTLY	533	157814.8	26.0%
3	HALF THE TIME	265	75958.0	12.5%
4	RARELY	95	25067.0	4.1%
5	NEVER	60	18601.2	3.1%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	20	3511.8	
8	REFUSAL	6	1818.4	
9	NOT STATED	94	28874.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_02: Freq. - satisfied w/accomplishments				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2317 / 608761.19 ] [Invalid=60592 / 28269657.18 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you felt satisfied with what you were able to accomplish, you felt proud of yourself.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1391	347910.4	57.2%
2	FREQUENTLY	593	164697.9	27.1%
3	HALF THE TIME	224	65982.7	10.8%
4	RARELY	86	26432.6	4.3%
5	NEVER	23	3737.7	0.6%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	12	1803.7	
8	REFUSAL	6	1818.4	
9	NOT STATED	94	28874.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_03: Freq. - took on lots of projects				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2305 / 602690.13 ] [Invalid=60604 / 28275728.24 ]			

# PWB_03: Freq. - took on lots of projects				
Universe		Respondents with DOPWB = 1		
Literal question		During the past month, you were a "go-getter", you took on lots of projects.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1068	276042.6	<div><div></div></div> 45.8%
2	FREQUENTLY	468	126320.9	<div><div></div></div> 21.0%
3	HALF THE TIME	328	95254.5	<div><div></div></div> 15.8%
4	RARELY	259	65253.6	<div><div></div></div> 10.8%
5	NEVER	182	39818.4	<div><div></div></div> 6.6%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	24	7874.8	
8	REFUSAL	6	1818.4	
9	NOT STATED	94	28874.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_04: Freq. - felt emotionally balanced				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=2308 / 606946.81 ] [Invalid=60601 / 28271471.56 ]		
Universe		Respondents with DOPWB = 1		
Literal question		During the past month, you felt emotionally balanced.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1492	395448.3	<div><div></div></div> 65.2%
2	FREQUENTLY	484	122942.6	<div><div></div></div> 20.3%
3	HALF THE TIME	218	57340.6	<div><div></div></div> 9.4%
4	RARELY	72	23711.3	<div><div></div></div> 3.9%
5	NEVER	42	7504.0	<div><div></div></div> 1.2%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	11	2112.8	
8	REFUSAL	1	316.9	
9	NOT STATED	109	31880.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_05: Freq. - felt loved and appreciated				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=2305 / 606863.02 ] [Invalid=60604 / 28271555.35 ]		
Universe		Respondents with DOPWB = 1		
Literal question		During the past month, you felt loved and appreciated.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1706	434752.7	<div><div></div></div> 71.6%
2	FREQUENTLY	401	115681.9	<div><div></div></div> 19.1%
3	HALF THE TIME	130	40309.7	<div><div></div></div> 6.6%
4	RARELY	43	10128.9	<div><div></div></div> 1.7%
5	NEVER	25	5989.8	<div><div></div></div> 1.0%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	12	1878.0	
8	REFUSAL	3	635.5	
9	NOT STATED	109	31880.8	

# PWB_05: Freq. - felt loved and appreciated				
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_06: Freq. - had goals and ambitions				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2312 / 607514.09 ] [Invalid=60597 / 28270904.28 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you had goals and ambitions.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1493	389081.1	<div><div></div></div> 64.0%
2	FREQUENTLY	461	134139.6	<div><div></div></div> 22.1%
3	HALF THE TIME	189	49728.9	<div><div></div></div> 8.2%
4	RARELY	93	17833.8	<div><div></div></div> 2.9%
5	NEVER	76	16730.7	<div><div></div></div> 2.8%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	7	1545.5	
8	REFUSAL	1	316.9	
9	NOT STATED	109	31880.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_07: Freq. - felt like having fun				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2313 / 607885.67 ] [Invalid=60596 / 28270532.7 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you felt like having fun, participating in sports and all your favourite activities and hobbies.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1396	366412.2	<div><div></div></div> 60.3%
2	FREQUENTLY	487	132748.3	<div><div></div></div> 21.8%
3	HALF THE TIME	172	54092.6	<div><div></div></div> 8.9%
4	RARELY	143	30325.8	<div><div></div></div> 5.0%
5	NEVER	115	24306.8	<div><div></div></div> 4.0%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	6	1173.9	
8	REFUSAL	1	316.9	
9	NOT STATED	109	31880.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_08: Freq. - felt useful				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2308 / 607324.97 ] [Invalid=60601 / 28271093.4 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you felt useful.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1538	396929.4	<div><div></div></div> 65.4%
2	FREQUENTLY	508	147249.2	<div><div></div></div> 24.2%
3	HALF THE TIME	161	42153.3	<div><div></div></div> 6.9%
4	RARELY	67	14263.2	<div><div></div></div> 2.3%

# PWB_08: Freq. - felt useful				
Value	Label	Cases	Weighted	Percentage (Weighted)
5	NEVER	34	6729.8	<div><div></div>1.1%</div>
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	10	1428.6	
8	REFUSAL	2	622.9	
9	NOT STATED	109	31880.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_09: Freq. - smiled easily				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2315 / 608352.1 ] [Invalid=60594 / 28270066.27 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you smiled easily.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1794	464514.1	<div><div></div>76.4%</div>
2	FREQUENTLY	354	99366.2	<div><div></div>16.3%</div>
3	HALF THE TIME	100	26176.0	<div><div></div>4.3%</div>
4	RARELY	43	10292.6	<div><div></div>1.7%</div>
5	NEVER	24	8003.3	<div><div></div>1.3%</div>
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	3	401.4	
8	REFUSAL	2	622.9	
9	NOT STATED	109	31880.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_10: Freq. - was true to self				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2309 / 607498.95 ] [Invalid=60600 / 28270919.42 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you were true to yourself, being natural at all times.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1834	472252.3	<div><div></div>77.7%</div>
2	FREQUENTLY	375	107631.3	<div><div></div>17.7%</div>
3	HALF THE TIME	76	22338.7	<div><div></div>3.7%</div>
4	RARELY	11	1749.6	<div><div></div>0.3%</div>
5	NEVER	13	3527.1	<div><div></div>0.6%</div>
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	7	966.3	
8	REFUSAL	2	622.9	
9	NOT STATED	111	32169.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_11: Freq. - listening to friends				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2309 / 607472.99 ] [Invalid=60600 / 28270945.38 ]			
Universe	Respondents with DOPWB = 1			

# PWB_11: Freq. - listening to friends				
<b>Literal question</b>		During the past month, you did a good job of listening to your friends		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1817	469486.7	<div><div></div></div> 77.3%
2	FREQUENTLY	398	112578.3	<div><div></div></div> 18.5%
3	HALF THE TIME	68	18503.1	<div><div></div></div> 3.0%
4	RARELY	12	3155.6	<div><div></div></div> 0.5%
5	NEVER	14	3749.4	<div><div></div></div> 0.6%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	6	843.0	
8	REFUSAL	3	772.1	
9	NOT STATED	111	32169.1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# PWB_12: Freq. - curious and interested				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=2309 / 607285.56 ] [Invalid=60600 / 28271132.81 ]		
<b>Universe</b>		Respondents with DOPWB = 1		
<b>Literal question</b>		During the past month, you did a good job of listening to your friends		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1620	424462.4	<div><div></div></div> 69.9%
2	FREQUENTLY	449	125212.1	<div><div></div></div> 20.6%
3	HALF THE TIME	153	39280.4	<div><div></div></div> 6.5%
4	RARELY	64	14621.6	<div><div></div></div> 2.4%
5	NEVER	23	3709.0	<div><div></div></div> 0.6%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	6	991.4	
8	REFUSAL	3	811.2	
9	NOT STATED	111	32169.1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# PWB_13: Freq. - was able to sort things out				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=2295 / 604379.18 ] [Invalid=60614 / 28274039.19 ]		
<b>Universe</b>		Respondents with DOPWB = 1		
<b>Literal question</b>		During the past month, you were able to clearly sort things out when faced with complicated situations.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1550	401568.1	<div><div></div></div> 66.4%
2	FREQUENTLY	526	140093.1	<div><div></div></div> 23.2%
3	HALF THE TIME	166	48352.9	<div><div></div></div> 8.0%
4	RARELY	33	10620.2	<div><div></div></div> 1.8%
5	NEVER	20	3744.8	<div><div></div></div> 0.6%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	19	3925.4	
8	REFUSAL	4	783.6	
9	NOT STATED	111	32169.1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				

# PWB_14: Freq. - found life exciting				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2306 / 606887.09 ] [Invalid=60603 / 28271531.28 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you found life exciting and you wanted to enjoy every moment of it.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1531	392740.1	<div><div></div></div> 64.7%
2	FREQUENTLY	477	140776.8	<div><div></div></div> 23.2%
3	HALF THE TIME	194	50924.0	<div><div></div></div> 8.4%
4	RARELY	72	17143.6	<div><div></div></div> 2.8%
5	NEVER	32	5302.7	<div><div></div></div> 0.9%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	10	1534.2	
8	REFUSAL	2	666.8	
9	NOT STATED	111	32169.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_15: Freq. - life well-balanced				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2301 / 605397.31 ] [Invalid=60608 / 28273021.06 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, your life was well-balanced between your family, personal and professional activities.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1543	390468.0	<div><div></div></div> 64.5%
2	FREQUENTLY	440	124870.3	<div><div></div></div> 20.6%
3	HALF THE TIME	219	62432.2	<div><div></div></div> 10.3%
4	RARELY	69	20077.9	<div><div></div></div> 3.3%
5	NEVER	30	7549.0	<div><div></div></div> 1.2%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	12	2236.0	
8	REFUSAL	5	1454.8	
9	NOT STATED	111	32169.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_16: Freq. - was calm and level-headed				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2305 / 606449.39 ] [Invalid=60604 / 28271968.98 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you were quite calm and level-headed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1530	392107.9	<div><div></div></div> 64.7%
2	FREQUENTLY	512	142586.2	<div><div></div></div> 23.5%
3	HALF THE TIME	202	52224.0	<div><div></div></div> 8.6%
4	RARELY	49	15462.1	<div><div></div></div> 2.5%
5	NEVER	12	4069.2	<div><div></div></div> 0.7%
6	NOT APPLICABLE	60480	28237161.1	

# PWB_16: Freq. - was calm and level-headed				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	10	1888.7	
8	REFUSAL	2	666.8	
9	NOT STATED	112	32252.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_17: Freq. - easily found answers				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2299 / 606037.81 ] [Invalid=60610 / 28272380.56 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you were able to easily find answers to your problems.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1538	390957.7	<div></div> 64.5%
2	FREQUENTLY	537	149081.3	<div></div> 24.6%
3	HALF THE TIME	167	46790.3	<div></div> 7.7%
4	RARELY	41	13614.7	<div></div> 2.2%
5	NEVER	16	5593.8	<div></div> 0.9%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	13	1883.3	
8	REFUSAL	4	1029.2	
9	NOT STATED	113	32307.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_18: Freq. - got along well with others				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2310 / 607375.93 ] [Invalid=60599 / 28271042.44 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you got along well with everyone around you.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1808	458175.2	<div></div> 75.4%
2	FREQUENTLY	410	117212.3	<div></div> 19.3%
3	HALF THE TIME	83	29459.1	<div></div> 4.9%
4	RARELY	5	1606.2	<div></div> 0.3%
5	NEVER	4	923.1	<div></div> 0.2%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	3	464.6	
8	REFUSAL	2	666.8	
9	NOT STATED	114	32749.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_19: Freq. - lived at normal pace				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2301 / 604946.32 ] [Invalid=60608 / 28273472.05 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you lived at a normal pace, not doing anything excessively.			

# PWB_19: Freq. - lived at normal pace				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1699	429535.7	<div><div></div></div> 71.0%
2	FREQUENTLY	432	122695.1	<div><div></div></div> 20.3%
3	HALF THE TIME	115	34873.4	<div><div></div></div> 5.8%
4	RARELY	40	13864.8	<div><div></div></div> 2.3%
5	NEVER	15	3977.4	<div><div></div></div> 0.7%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	11	2588.7	
8	REFUSAL	3	972.4	
9	NOT STATED	114	32749.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_20: Freq. - impression of enjoying life				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2305 / 605838.98 ] [Invalid=60604 / 28272579.39 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you had the impression of really enjoying life.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1668	434495.9	<div><div></div></div> 71.7%
2	FREQUENTLY	413	114559.4	<div><div></div></div> 18.9%
3	HALF THE TIME	157	41282.2	<div><div></div></div> 6.8%
4	RARELY	40	8985.3	<div><div></div></div> 1.5%
5	NEVER	27	6516.3	<div><div></div></div> 1.1%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	6	1285.7	
8	REFUSAL	4	1382.7	
9	NOT STATED	114	32749.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_21: Freq. - had good sense of humour				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2305 / 606636.64 ] [Invalid=60604 / 28271781.73 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you had a good sense of humour, easily making your friends laugh.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1665	437424.6	<div><div></div></div> 72.1%
2	FREQUENTLY	450	115964.7	<div><div></div></div> 19.1%
3	HALF THE TIME	129	37165.2	<div><div></div></div> 6.1%
4	RARELY	45	11288.8	<div><div></div></div> 1.9%
5	NEVER	16	4793.4	<div><div></div></div> 0.8%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	7	898.4	
8	REFUSAL	3	972.4	
9	NOT STATED	114	32749.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				



# PWB_22: Freq. - was at peace with self				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2306 / 606711.36 ] [Invalid=60603 / 28271707.01 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you felt good, at peace with yourself.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1685	424510.2	<div><div></div></div> 70.0%
2	FREQUENTLY	410	121620.8	<div><div></div></div> 20.0%
3	HALF THE TIME	156	45482.8	<div><div></div></div> 7.5%
4	RARELY	39	12274.1	<div><div></div></div> 2.0%
5	NEVER	16	2823.5	<div><div></div></div> 0.5%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	6	823.6	
8	REFUSAL	3	972.4	
9	NOT STATED	114	32749.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_23: Freq. - felt healthy/in good shape				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2304 / 606460.42 ] [Invalid=60605 / 28271957.95 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you felt healthy and in good shape.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1329	343912.2	<div><div></div></div> 56.7%
2	FREQUENTLY	478	136100.5	<div><div></div></div> 22.4%
3	HALF THE TIME	304	83696.1	<div><div></div></div> 13.8%
4	RARELY	124	27923.3	<div><div></div></div> 4.6%
5	NEVER	69	14828.3	<div><div></div></div> 2.4%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	8	1074.6	
8	REFUSAL	3	972.4	
9	NOT STATED	114	32749.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_24: Freq. - face situations positively				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2296 / 605149.51 ] [Invalid=60613 / 28273268.86 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, you were able to face difficult situations in a positive way.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1568	406863.9	<div><div></div></div> 67.2%
2	FREQUENTLY	513	146537.4	<div><div></div></div> 24.2%
3	HALF THE TIME	165	42050.9	<div><div></div></div> 6.9%
4	RARELY	33	6185.3	<div><div></div></div> 1.0%
5	NEVER	17	3512.0	<div><div></div></div> 0.6%
6	NOT APPLICABLE	60480	28237161.1	

# PWB_24: Freq. - face situations positively				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	15	2323.3	
8	REFUSAL	4	1034.6	
9	NOT STATED	114	32749.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWB_25: Freq. - had good morale				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=2306 / 606384.74 ] [Invalid=60603 / 28272033.63 ]			
Universe	Respondents with DOPWB = 1			
Literal question	During the past month, your morale was good.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	1678	433600.4	<div></div> 71.5%
2	FREQUENTLY	433	125585.6	<div></div> 20.7%
3	HALF THE TIME	152	35463.8	<div></div> 5.8%
4	RARELY	25	7037.2	<div></div> 1.2%
5	NEVER	18	4697.7	<div></div> 0.8%
6	NOT APPLICABLE	60480	28237161.1	
7	DON'T KNOW	6	1150.3	
8	REFUSAL	3	972.4	
9	NOT STATED	114	32749.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PWBDPWB: Psychological well-being scale - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 4-100] [Missing=*]			
Statistics [NW/ W]	[Valid=2219 / 587045.65 ] [Invalid=60690 / 28291372.72 ] [Mean=87.888 / 87.466 ] [StdDev=13.266 / 13.27 ]			
Universe	All respondents			
Literal question	Psychological well-being scale - (D)			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	60480	28237161.1	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	210	54211.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOSSA: Module: SSA - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	Respondents with DOSSA = 1			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25100	12086161.2	<div></div> 42.0%
2	NO	36176	16710156.3	<div></div> 58.0%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	

# DOSSA: Module: SSA - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_01: No. of close friends and relatives				
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]			
Statistics [NW/ W]	[Valid=23201 / 11246794.47 ] [Invalid=39708 / 17631623.9 ] [Mean=8.475 / 8.412 ] [StdDev=9.124 / 8.674 ]			
Universe	Respondents with DOSSA = 1			
Literal question	About how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	37809	16792257.2	
997	DON'T KNOW	853	317822.9	
998	REFUSAL	199	86238.8	
999	NOT STATED	847	435305.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_02: Has someone to give help if confined bed				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=22573 / 10999222.16 ] [Invalid=40336 / 17879196.21 ]			
Universe	Respondents with DOSSA = 1			
Literal question	How often is each of the following kinds of support available to you if you need it? - Someone to help you if you were confined to bed: (none of the time, a little of the time, some of the time, most of the time, or all of the time)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1085	384296.1	<div><div></div></div> 3.5%
2	LITTLE/TIME	1099	481068.6	<div><div></div></div> 4.4%
3	SOME OF THE TIME	2753	1151737.8	<div><div></div></div> 10.5%
4	MOST OF THE TIME	5792	2858177.7	<div><div></div></div> 26.0%
5	ALL OF THE TIME	11844	6123942.0	<div><div></div></div> 55.7%
6	NOT APPLICABLE	37809	16792257.2	
7	DON'T KNOW	593	231770.2	
8	REFUSAL	26	8999.0	
9	NOT STATED	1908	846169.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_03: Has someone to listen				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=22532 / 10988323.1 ] [Invalid=40377 / 17890095.27 ]			
Universe	Respondents with DOSSA = 1			
Literal question	(How often is each of the following kinds of support available to you if you need it?) - Someone you can count on to listen to you when you need to talk			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	285	112689.0	<div><div></div></div> 1.0%
2	LITTLE/TIME	489	239357.8	<div><div></div></div> 2.2%
3	SOME OF THE TIME	1540	698534.7	<div><div></div></div> 6.4%
4	MOST OF THE TIME	5072	2476785.8	<div><div></div></div> 22.5%

# SSA_03: Has someone to listen					
Value	Label	Cases	Weighted	Percentage (Weighted)	
5	ALL OF THE TIME	15146	7460955.9	<div></div>	67.9%
6	NOT APPLICABLE	37809	16792257.2		
7	DON'T KNOW	36	8080.4		
8	REFUSAL	1	288.6		
9	NOT STATED	2531	1089469.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SSA_04: Has som. to receive advice about crisis					
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=22383 / 10934188.23 ] [Invalid=40526 / 17944230.14 ]				
Universe	Respondents with DOSSA = 1				
Literal question	(How often is each of the following kinds of support available to you if you need it?) - Someone to give you advice about a crisis				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NONE OF THE TIME	750	293738.0	<div></div>	2.7%
2	LITTLE/TIME	667	303920.5	<div></div>	2.8%
3	SOME OF THE TIME	1902	854371.5	<div></div>	7.8%
4	MOST OF THE TIME	5002	2543103.7	<div></div>	23.3%
5	ALL OF THE TIME	14062	6939054.5	<div></div>	63.5%
6	NOT APPLICABLE	37809	16792257.2		
7	DON'T KNOW	176	59845.3		
8	REFUSAL	8	1673.6		
9	NOT STATED	2533	1090454.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SSA_05: Has someone to take to doctor					
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=22518 / 10976914.74 ] [Invalid=40391 / 17901503.63 ]				
Universe	Respondents with DOSSA = 1				
Literal question	(How often is each of the following kinds of support available to you if you need it?) - Someone to take you to the doctor if you needed it				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NONE OF THE TIME	532	228786.8	<div></div>	2.1%
2	LITTLE/TIME	493	249181.9	<div></div>	2.3%
3	SOME OF THE TIME	1464	682461.2	<div></div>	6.2%
4	MOST OF THE TIME	4372	2227572.7	<div></div>	20.3%
5	ALL OF THE TIME	15657	7588912.2	<div></div>	69.1%
6	NOT APPLICABLE	37809	16792257.2		
7	DON'T KNOW	42	16794.8		
8	REFUSAL	6	1721.6		
9	NOT STATED	2534	1090730.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SSA_06: Has someone who shows love and affection					
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=22493 / 10974559.7 ] [Invalid=40416 / 17903858.67 ]				

# SSA_06: Has someone who shows love and affection					
Universe		Respondents with DOSSA = 1			
Literal question		(How often is each of the following kinds of support available to you if you need it?) - Someone who shows you love and affection			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NONE OF THE TIME	395	117393.8	<div><div></div></div>	1.1%
2	LITTLE/TIME	392	167112.7	<div><div></div></div>	1.5%
3	SOME OF THE TIME	1206	512942.9	<div><div></div></div>	4.7%
4	MOST OF THE TIME	3566	1772263.8	<div><div></div></div>	16.1%
5	ALL OF THE TIME	16934	8404846.5	<div><div></div></div>	76.6%
6	NOT APPLICABLE	37809	16792257.2		
7	DON'T KNOW	59	17357.3		
8	REFUSAL	13	3302.9		
9	NOT STATED	2535	1090941.3		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SSA_07: Has someone to have a good time with					
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]		[Valid=22500 / 10975171.42 ] [Invalid=40409 / 17903246.95 ]			
Universe		Respondents with DOSSA = 1			
Literal question		Again, how often is each of the following kinds of support available to you if you need it? - Someone to have a good time with			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NONE OF THE TIME	335	110889.0	<div><div></div></div>	1.0%
2	LITTLE/TIME	448	167242.2	<div><div></div></div>	1.5%
3	SOME OF THE TIME	1709	699788.0	<div><div></div></div>	6.4%
4	MOST OF THE TIME	4523	2178358.8	<div><div></div></div>	19.8%
5	ALL OF THE TIME	15485	7818893.4	<div><div></div></div>	71.2%
6	NOT APPLICABLE	37809	16792257.2		
7	DON'T KNOW	53	13303.0		
8	REFUSAL	11	6172.8		
9	NOT STATED	2536	1091513.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SSA_08: Has some. to receive info/help situation					
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]		[Valid=22429 / 10955346.9 ] [Invalid=40480 / 17923071.47 ]			
Universe		Respondents with DOSSA = 1			
Literal question		(How often is each of the following kinds of support available to you if you need it?) - Someone to give you information in order to help you understand a situation			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NONE OF THE TIME	448	174454.5	<div><div></div></div>	1.6%
2	LITTLE/TIME	508	238495.6	<div><div></div></div>	2.2%
3	SOME OF THE TIME	2030	928364.1	<div><div></div></div>	8.5%
4	MOST OF THE TIME	5635	2762319.2	<div><div></div></div>	25.2%
5	ALL OF THE TIME	13808	6851713.4	<div><div></div></div>	62.5%
6	NOT APPLICABLE	37809	16792257.2		
7	DON'T KNOW	118	35948.0		

# SSA_08: Has some. to receive info/help situation				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	16	3247.8	
9	NOT STATED	2537	1091618.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_09: Has someone to confide in				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=22473 / 10968570.83 ] [Invalid=40436 / 17909847.54 ]			
Universe	Respondents with DOSSA = 1			
Literal question	(How often is each of the following kinds of support available to you if you need it?) - Someone to confide in or talk to about yourself or your problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	439	179820.7	<div><div></div></div> 1.6%
2	LITTLE/TIME	551	253065.7	<div><div></div></div> 2.3%
3	SOME OF THE TIME	1739	801534.1	<div><div></div></div> 7.3%
4	MOST OF THE TIME	4914	2413614.0	<div><div></div></div> 22.0%
5	ALL OF THE TIME	14830	7320536.4	<div><div></div></div> 66.7%
6	NOT APPLICABLE	37809	16792257.2	
7	DON'T KNOW	71	21514.8	
8	REFUSAL	15	2884.3	
9	NOT STATED	2541	1093191.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_10: Has someone who gives hugs				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=22472 / 10963455.13 ] [Invalid=40437 / 17914963.24 ]			
Universe	Respondents with DOSSA = 1			
Literal question	(How often is each of the following kinds of support available to you if you need it?) - Someone who hugs you			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	774	250182.8	<div><div></div></div> 2.3%
2	LITTLE/TIME	884	342760.4	<div><div></div></div> 3.1%
3	SOME OF THE TIME	1900	808926.2	<div><div></div></div> 7.4%
4	MOST OF THE TIME	3827	1959378.1	<div><div></div></div> 17.9%
5	ALL OF THE TIME	15087	7602207.6	<div><div></div></div> 69.3%
6	NOT APPLICABLE	37809	16792257.2	
7	DON'T KNOW	64	25391.2	
8	REFUSAL	21	3678.3	
9	NOT STATED	2543	1093636.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_11: Has someone to get together w/for relax.				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=22467 / 10968924.36 ] [Invalid=40442 / 17909494.01 ]			
Universe	Respondents with DOSSA = 1			
Literal question	(How often is each of the following kinds of support available to you if you need it?) - Someone to get together with for relaxation?			

# SSA_11: Has someone to get together w/for relax.					
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NONE OF THE TIME	598	207775.9	<div><div></div></div>	1.9%
2	LITTLE/TIME	698	270522.1	<div><div></div></div>	2.5%
3	SOME OF THE TIME	2282	1000359.4	<div><div></div></div>	9.1%
4	MOST OF THE TIME	4904	2431651.8	<div><div></div></div>	22.2%
5	ALL OF THE TIME	13985	7058615.1	<div><div></div></div>	64.4%
6	NOT APPLICABLE	37809	16792257.2		
7	DON'T KNOW	71	19181.0		
8	REFUSAL	18	3014.9		
9	NOT STATED	2544	1095040.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SSA_12: Has someone to prepare meals					
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=22354 / 10942486.52 ] [Invalid=40555 / 17935931.85 ]				
Universe	Respondents with DOSSA = 1				
Literal question	(How often is each of the following kinds of support available to you if you need it?) - Someone to prepare your meals if you were unable to do it yourself				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NONE OF THE TIME	994	339066.5	<div><div></div></div>	3.1%
2	LITTLE/TIME	824	361512.7	<div><div></div></div>	3.3%
3	SOME OF THE TIME	2287	996609.0	<div><div></div></div>	9.1%
4	MOST OF THE TIME	4338	2145930.3	<div><div></div></div>	19.6%
5	ALL OF THE TIME	13911	7099368.0	<div><div></div></div>	64.9%
6	NOT APPLICABLE	37809	16792257.2		
7	DON'T KNOW	184	45226.5		
8	REFUSAL	17	3283.8		
9	NOT STATED	2545	1095164.3		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SSA_13: Has someone to give advice					
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]				
Statistics [NW/ W]	[Valid=22392 / 10947203.68 ] [Invalid=40517 / 17931214.69 ]				
Universe	Respondents with DOSSA = 1				
Literal question	(How often is each of the following kinds of support available to you if you need it?) - Someone whose advice you really want				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NONE OF THE TIME	737	291460.5	<div><div></div></div>	2.7%
2	LITTLE/TIME	826	417564.8	<div><div></div></div>	3.8%
3	SOME OF THE TIME	2602	1154099.5	<div><div></div></div>	10.5%
4	MOST OF THE TIME	5297	2614707.0	<div><div></div></div>	23.9%
5	ALL OF THE TIME	12930	6469371.9	<div><div></div></div>	59.1%
6	NOT APPLICABLE	37809	16792257.2		
7	DON'T KNOW	133	37304.0		
8	REFUSAL	26	5155.2		
9	NOT STATED	2549	1096498.3		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					

# SSA_14: Has someone to do things to get mind off				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=22432 / 10953277.26 ] [Invalid=40477 / 17925141.11 ]			
Universe	Respondents with DOSSA = 1			
Literal question	Again, how often is each of the following kinds of support available to you if you need it? - Someone to do things with to help you get your mind off things			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	602	208532.8	<div><div></div></div> 1.9%
2	LITTLE/TIME	699	310704.3	<div><div></div></div> 2.8%
3	SOME OF THE TIME	2702	1205309.9	<div><div></div></div> 11.0%
4	MOST OF THE TIME	5594	2744379.0	<div><div></div></div> 25.1%
5	ALL OF THE TIME	12835	6484351.3	<div><div></div></div> 59.2%
6	NOT APPLICABLE	37809	16792257.2	
7	DON'T KNOW	92	32378.4	
8	REFUSAL	24	3764.8	
9	NOT STATED	2552	1096740.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_15: Has someone to help with daily chores				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=22379 / 10934837.11 ] [Invalid=40530 / 17943581.26 ]			
Universe	Respondents with DOSSA = 1			
Literal question	(How often is each of the following kinds of support available to you if you need it?) - Someone to help with daily chores if you were sick			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	907	299179.8	<div><div></div></div> 2.7%
2	LITTLE/TIME	902	424278.3	<div><div></div></div> 3.9%
3	SOME OF THE TIME	2644	1137129.4	<div><div></div></div> 10.4%
4	MOST OF THE TIME	4653	2289508.2	<div><div></div></div> 20.9%
5	ALL OF THE TIME	13273	6784741.5	<div><div></div></div> 62.0%
6	NOT APPLICABLE	37809	16792257.2	
7	DON'T KNOW	143	49517.3	
8	REFUSAL	23	4541.4	
9	NOT STATED	2555	1097265.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_16: Has someone to share most priv. worries				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=22409 / 10943748.14 ] [Invalid=40500 / 17934670.23 ]			
Universe	Respondents with DOSSA = 1			
Literal question	(How often is each of the following kinds of support available to you if you need it?) - Someone to share your most private worries and fears with			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	856	352093.2	<div><div></div></div> 3.2%
2	LITTLE/TIME	825	356950.5	<div><div></div></div> 3.3%
3	SOME OF THE TIME	2287	1081430.8	<div><div></div></div> 9.9%
4	MOST OF THE TIME	4728	2346312.5	<div><div></div></div> 21.4%



# **# SSA\_16: Has someone to share most priv. worries**

Value	Label	Cases	Weighted	Percentage (Weighted)	
5	ALL OF THE TIME	13713	6806961.1		62.2%
6	NOT APPLICABLE	37809	16792257.2		
7	DON'T KNOW	102	37118.3		
8	REFUSAL	30	6049.3		
9	NOT STATED	2559	1099245.4		

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SSA_17: Has someone to turn to for suggestions				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=22410 / 10950743.91 ] [Invalid=40499 / 17927674.46 ]			
Universe	Respondents with DOSSA = 1			
Literal question	(How often is each of the following kinds of support available to you if you need it?) - Someone to turn to for suggestions about how to deal with a personal problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	607	251728.9	<div><div></div></div> 2.3%
2	LITTLE/TIME	694	317882.3	<div><div></div></div> 2.9%
3	SOME OF THE TIME	2290	1016634.8	<div><div></div></div> 9.3%
4	MOST OF THE TIME	5076	2525790.5	<div><div></div></div> 23.1%
5	ALL OF THE TIME	13743	6838707.4	<div><div></div></div> 62.4%
6	NOT APPLICABLE	37809	16792257.2	
7	DON'T KNOW	103	29786.5	
8	REFUSAL	28	6385.4	
9	NOT STATED	2559	1099245.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_18: Has someone to do something enjoyable				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=22448 / 10963531.46 ] [Invalid=40461 / 17914886.91 ]			
Universe	Respondents with DOSSA = 1			
Literal question	(How often is each of the following kinds of support available to you if you need it?) - Someone to do something enjoyable with			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	357	120548.6	<div><div></div></div> 1.1%
2	LITTLE/TIME	484	196453.0	<div><div></div></div> 1.8%
3	SOME OF THE TIME	2135	874860.6	<div><div></div></div> 8.0%
4	MOST OF THE TIME	5271	2568414.9	<div><div></div></div> 23.4%
5	ALL OF THE TIME	14201	7203254.5	<div><div></div></div> 65.7%
6	NOT APPLICABLE	37809	16792257.2	
7	DON'T KNOW	65	17195.5	
8	REFUSAL	27	6038.5	
9	NOT STATED	2560	1099395.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_19: Has someone who understands problems				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=22402 / 10946740.4 ] [Invalid=40507 / 17931677.97 ]			
Universe	Respondents with DOSSA = 1			
Literal question	How often is each of the following kinds of support available to you if you need it?) - Someone who understands your problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	457	171235.1	<div><div></div></div> 1.6%
2	LITTLE/TIME	623	271928.7	<div><div></div></div> 2.5%
3	SOME OF THE TIME	2424	1136178.6	<div><div></div></div> 10.4%
4	MOST OF THE TIME	5559	2712557.9	<div><div></div></div> 24.8%

# SSA_19: Has someone who understands problems					
Value	Label	Cases	Weighted	Percentage (Weighted)	
5	ALL OF THE TIME	13339	6654840.1	<div></div>	60.8%
6	NOT APPLICABLE	37809	16792257.2		
7	DON'T KNOW	105	33324.8		
8	REFUSAL	32	6594.8		
9	NOT STATED	2561	1099501.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SSA_20: Has someone who loves/makes feel wanted					
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]		[Valid=22422 / 10953821.32 ] [Invalid=40487 / 17924597.05 ]			
Universe		Respondents with DOSSA = 1			
Literal question		(How often is each of the following kinds of support available to you if you need it?) - Someone to love you and make you feel wanted			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	NONE OF THE TIME	622	223754.8	<div></div>	2.0%
2	LITTLE/TIME	610	235507.0	<div></div>	2.1%
3	SOME OF THE TIME	1647	747756.6	<div></div>	6.8%
4	MOST OF THE TIME	4191	2082507.8	<div></div>	19.0%
5	ALL OF THE TIME	15352	7664295.1	<div></div>	70.0%
6	NOT APPLICABLE	37809	16792257.2		
7	DON'T KNOW	83	25161.1		
8	REFUSAL	33	7492.1		
9	NOT STATED	2562	1099686.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SSADTNG: Tangible social support - MOS - (D)					
Information		[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]			
Statistics [NW/ W]		[Valid=22222 / 10892676.1 ] [Invalid=40687 / 17985742.27 ]			
Universe		Respondents with DOSSA = 1			
Literal question		Tangible social support - MOS - (D)			
Notes		Based on SSA_02, SSA_05, SSA_12, SSA_15. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
0		225	77925.3	<div></div>	0.7%
1		64	35648.8	<div></div>	0.3%
2		124	46274.5	<div></div>	0.4%
3		153	55223.6	<div></div>	0.5%
4		277	109135.9	<div></div>	1.0%
5		211	81139.8	<div></div>	0.7%
6		311	144373.6	<div></div>	1.3%
7		365	147992.5	<div></div>	1.4%
8		678	292660.4	<div></div>	2.7%
9		585	234987.6	<div></div>	2.2%
10		909	386281.9	<div></div>	3.5%
11		914	458524.1	<div></div>	4.2%
12		2351	1187132.1	<div></div>	10.9%

# SSADTNG: Tangible social support - MOS - (D)				
Value	Label	Cases	Weighted	Percentage (Weighted)
13		1532	716354.4	<div><div></div></div> 6.6%
14		2010	935969.9	<div><div></div></div> 8.6%
15		2314	1166924.0	<div><div></div></div> 10.7%
16		9199	4816127.6	<div><div></div></div> 44.2%
96	NOT APPLICABLE	37809	16792257.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2878	1193485.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSADAFF: Affection - MOS subscale - (D)				
Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]			
Statistics [NW/ W]	[Valid=22338 / 10921433.84 ] [Invalid=40571 / 17956984.53 ]			
Universe	Respondents with DOSSA = 1			
Literal question	Affection - MOS subscale - (D)			
Notes	Based on SSA_06, SSA_10, SSA_20. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
0		204	61620.5	<div><div></div></div> 0.6%
1		75	30586.1	<div><div></div></div> 0.3%
2		125	38047.4	<div><div></div></div> 0.3%
3		213	85500.8	<div><div></div></div> 0.8%
4		261	94598.8	<div><div></div></div> 0.9%
5		313	126864.6	<div><div></div></div> 1.2%
6		677	297250.7	<div><div></div></div> 2.7%
7		608	254914.2	<div><div></div></div> 2.3%
8		984	411321.3	<div><div></div></div> 3.8%
9		2220	1173794.7	<div><div></div></div> 10.7%
10		1602	728861.0	<div><div></div></div> 6.7%
11		1764	848221.8	<div><div></div></div> 7.8%
12		13292	6769851.9	<div><div></div></div> 62.0%
96	NOT APPLICABLE	37809	16792257.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2762	1164727.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSADSOC: Positive social interaction - MOS - (D)				
Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]			
Statistics [NW/ W]	[Valid=22318 / 10917600.23 ] [Invalid=40591 / 17960818.14 ]			
Universe	Respondents with DOSSA = 1			
Notes	Based on SSA_07, SSA_11, SSA_14, SSA_18. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
0		173	57534.1	<div><div></div></div> 0.5%
1		48	12675.8	<div><div></div></div> 0.1%

# SSADSOC: Positive social interaction - MOS - (D)				
Value	Label	Cases	Weighted	Percentage (Weighted)
2		63	27030.3	0.2%
3		86	34271.4	0.3%
4		175	67033.6	0.6%
5		129	49602.7	0.5%
6		228	83734.5	0.8%
7		279	125687.5	1.2%
8		817	346363.7	3.2%
9		503	213132.9	2.0%
10		736	300913.4	2.8%
11		812	365601.4	3.3%
12		2766	1392740.4	12.8%
13		1248	579795.6	5.3%
14		1528	728228.0	6.7%
15		1553	780775.6	7.2%
16		11174	5752479.4	52.7%
96	NOT APPLICABLE	37809	16792257.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2782	1168560.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSADEMO: Emot./info. support - MOS subscale - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]			
Statistics [NW/ W]	[Valid=21981 / 10805614.75 ] [Invalid=40928 / 18072803.62 ] [Mean=27.237 / 27.47 ] [StdDev=6.309 / 6.126 ]			
Universe	Respondents with DOSSA = 1			
Notes	Based on SSA_03, SSA_04, SSA_08, SSA_09, SSA_13, SSA_16, SSA_17, SSA_19. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	37809	16792257.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	3119	1280546.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOSSU: Module: SSU - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13829	5343761.3	18.6%
2	NO	47447	23452556.1	81.4%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

# DOSSU: Module: SSU - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	0	0.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# SSU_21A: Received tangible social support				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=12019 / 4711613.44 ] [Invalid=50890 / 24166804.93 ]			
Universe	Respondents with DOSSU = 1 who answered SSA_02 = (2, 3, 4, 5, 7 or 8) or SSA_05 = (2, 3, 4, 5, 7 or 8) or SSA_12 = (2, 3, 4, 5, 7 or 8) or SSA_15 = (2, 3, 4, 5, 7 or 8) or SSA_01 = (997 or 998)			
Literal question	In the past 12 months, did you receive the following support? - Someone [list of tangible support reported]			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4378	1646572.5	<div><div></div></div> 34.9%
2	NO	7641	3065040.9	<div><div></div></div> 65.1%
6	NOT APPLICABLE	49202	23573659.6	
7	DON'T KNOW	31	11051.9	
8	REFUSAL	23	7281.3	
9	NOT STATED	1634	574812.1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# SSU_21B: Freq. of tangible social support				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=4369 / 1645307.32 ] [Invalid=58540 / 27233111.05 ]			
Universe	Respondents with DOSSU = 1 who answered SSU_21A = (1, 7 or 8) or [SSA_02 = 1 and SSA_05 = (1, 7 or 8) and SSA_12 = (1, 7 or 8) and SSA_15 = (1, 7 or 8) and at least one of SSA_05, SSA_12, SSA_15 = (7 or 8)] or SSA_02 = (7 or 8) or SSA_01 = (997 or 998)			
Literal question	When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	3698	1421844.3	<div><div></div></div> 86.4%
2	FREQUENTLY	376	128112.1	<div><div></div></div> 7.8%
3	HALF THE TIME	128	40018.2	<div><div></div></div> 2.4%
4	RARELY	128	40729.0	<div><div></div></div> 2.5%
5	NEVER	39	14603.8	<div><div></div></div> 0.9%
6	NOT APPLICABLE	56843	26638700.5	
7	DON'T KNOW	9	1265.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1688	593145.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# SSU_22A: Received affective support				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=12022 / 4721045.04 ] [Invalid=50887 / 24157373.33 ]			
Universe	Respondents with DOSSU = 1 who answered SSA_06 = (2, 3, 4, 5, 7 or 8) or SSA_10 = (2, 3, 4, 5, 7 or 8) or SSA_20 = (2, 3, 4, 5, 7 or 8) or SSA_02 = (7 or 8) or SSA_01 = (997 or 998)			
Literal question	Respondents with DOSSU = 1 who answered SSA_06 = (2, 3, 4, 5, 7 or 8) or SSA_10 = (2, 3, 4, 5, 7 or 8) or SSA_20 = (2, 3, 4, 5, 7 or 8) or SSA_02 = (7 or 8) or SSA_01 = (997 or 998)			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			

# SSU_22A: Received affective support				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11285	4505132.8	<div><div></div></div> 95.4%
2	NO	737	215912.3	<div><div></div></div> 4.6%
6	NOT APPLICABLE	49187	23562142.8	
7	DON'T KNOW	29	8708.4	
8	REFUSAL	23	7930.6	
9	NOT STATED	1648	578591.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSU_22B: Freq. of affective support				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=11250 / 4496177.7 ] [Invalid=51659 / 24382240.67 ]			
Universe	Respondents with DOSSU = 1 who answered SSU_22A = (1, 7 or 8) or [SSA_06 = (1, 7 or 8) and SSA_10 = (1, 7 or 8) and SSA_20 = (1, 7 or 8) and at least one of SSA_06, SSA_10, SSA_20 = (7 or 8)] or SSA_02 = (7 or 8) or SSA_01 = (997 or 998)			
Literal question	When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	9035	3645044.0	<div><div></div></div> 81.1%
2	FREQUENTLY	1398	571517.4	<div><div></div></div> 12.7%
3	HALF THE TIME	556	196841.9	<div><div></div></div> 4.4%
4	RARELY	226	73132.8	<div><div></div></div> 1.6%
5	NEVER	35	9641.6	<div><div></div></div> 0.2%
6	NOT APPLICABLE	49924	23778055.1	
7	DON'T KNOW	28	4904.3	
8	REFUSAL	7	4050.8	
9	NOT STATED	1700	595230.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSU_23A: Rec'd pos. social interac. supp.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=12040 / 4720882.73 ] [Invalid=50869 / 24157535.64 ]			
Universe	Respondents with DOSSU = 1 who answered SSA_07 = (2, 3, 4, 5, 7 or 8) or SSA_11 = (2, 3, 4, 5, 6, 7 or 8) or SSA_14 = (2, 3, 4, 5, 7 or 8) or SSA_18 = (2, 3, 4, 5, 7 or 8)			
Literal question	In the past 12 months, did you receive the following support?) - Someone [list of positive social interaction reported]			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11538	4575055.0	<div><div></div></div> 96.9%
2	NO	502	145827.7	<div><div></div></div> 3.1%
6	NOT APPLICABLE	49161	23557724.2	
7	DON'T KNOW	30	9826.5	
8	REFUSAL	30	9233.9	
9	NOT STATED	1648	580751.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSU_23B: Freq. of pos. social interac. supp.				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=11519 / 4570852.25 ] [Invalid=51390 / 24307566.12 ]			

# SSU_23B: Freq. of pos. social interac. supp.				
<b>Universe</b>		Respondents with DOSSU = 1 who answerd SSU_23A = (1, 7 or 8) or [SSA_07 = (1, 7 or 8) and SSA_11 = (1, 7 or 8) and SSA_14 = (1, 7 or 8) and SSA_18 = (1, 7 or 8) and at least one of SSA_07, SSA_11, SSA_14, SSA_18 = (7 or 8)] or SSA_02 = (7 or 8) or SSA_01 = (7 or 8)		
<b>Literal question</b>		When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	8865	3568774.7	<div><div></div></div> 78.1%
2	FREQUENTLY	1819	695657.4	<div><div></div></div> 15.2%
3	HALF THE TIME	648	248744.7	<div><div></div></div> 5.4%
4	RARELY	168	49590.1	<div><div></div></div> 1.1%
5	NEVER	19	8085.4	<div><div></div></div> 0.2%
6	NOT APPLICABLE	49663	23703552.0	
7	DON'T KNOW	16	3922.9	
8	REFUSAL	2	212.3	
9	NOT STATED	1709	599879.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSU_24A: Received emotional/informational support				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=12051 / 4722358.14 ] [Invalid=50858 / 24156060.23 ]		
<b>Universe</b>		Respondents with DOSSU = 1 who answered SSA_03 = (2, 3, 4, 5, 7 or 8) or SSA_04 = (2, 3, 4, 5, 7 or 8) or SSA_08 = (2, 3, 4, 5, 7 or 8) or SSA_09 = (2, 3, 4, 5, 7 or 8) or SSA_13 = (2, 3, 4, 5, 7 or 8) or SSA_16 = (2, 3, 4, 5, 7 or 8) or SSA_17 = (2, 3, 4, 5, 7 or 8) or SSA_19 = (2, 3, 4, 5, 7 or 8) or SSA_02 = (7 or 8) or SSA_01 = (997 or 998)		
<b>Literal question</b>		(In the past 12 months, did you receive the following support?) - Someone [list of emotional or informational support reported]		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11229	4472388.5	<div><div></div></div> 94.7%
2	NO	822	249969.7	<div><div></div></div> 5.3%
6	NOT APPLICABLE	49131	23551967.3	
7	DON'T KNOW	50	14528.2	
8	REFUSAL	34	10289.2	
9	NOT STATED	1643	579275.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSU_24B: Freq. of emotional/info. support				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=11213 / 4469614.49 ] [Invalid=51696 / 24408803.88 ]		
<b>Universe</b>		Respondents with DOSSU=1 who answered SSU_24A = (1, 7 or 8) or [SSA_03 = (1, 7 or 8) and SSA_04 = (1, 7 or 8) and SSA_08 = (1, 7 or 8) and SSA_09 = (1, 7 or 8) and SSA_13 = (1, 7 or 8) and SSA_16 = (1, 7 or 8) and SSA_17 = (1, 7 or 8) and SSA_19 = (1, 7 or 8) and at least one of SSA_03, SSA_04, SSA_08, SSA_09, SSA_13, SSA_16, SSA_17, SSA_19 = (7 or 8)] or SSA_02 = (7 or 8) or SSA_01 = (997 or 998)		
<b>Literal question</b>		When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	8809	3534043.5	<div><div></div></div> 79.1%
2	FREQUENTLY	1681	679159.3	<div><div></div></div> 15.2%
3	HALF THE TIME	559	201885.0	<div><div></div></div> 4.5%
4	RARELY	138	46278.1	<div><div></div></div> 1.0%
5	NEVER	26	8248.6	<div><div></div></div> 0.2%



# SSU_24B: Freq. of emotional/info. support				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	49953	23801937.0	
7	DON'T KNOW	15	2644.3	
8	REFUSAL	1	129.7	
9	NOT STATED	1727	604092.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOCMH: Module: CMH - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	45664	22841343.2	<div></div> 79.3%
2	NO	15612	5954974.2	<div></div> 20.7%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CMH_01K: Consulted mental health professional				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=43906 / 21928127.09 ] [Invalid=19003 / 6950291.28 ]			
Universe	Respondents with DOCMH = 1			
Literal question	In the past 12 months, that is, from [date one year ago] to yesterday, have you seen or talked to a health professional about your emotional or mental health?			
Notes	Include both face to face and telephone contacts.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4860	2353706.7	<div></div> 10.7%
2	NO	39046	19574420.4	<div></div> 89.3%
6	NOT APPLICABLE	17245	6037075.2	
7	DON'T KNOW	33	14273.5	
8	REFUSAL	24	7679.9	
9	NOT STATED	1701	891262.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CMHG01L: Cons. mental hlth prof. - no. times -(G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]			
Statistics [NW/ W]	[Valid=4802 / 2336543.68 ] [Invalid=58107 / 26541874.69 ]			
Universe	Respondents who answered CMH_01K = 1			
Literal question	How many times (in the past 12 months)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 CONSULTATION	1246	564268.4	<div></div> 24.1%
2	2 CONSULTATIONS	935	466209.3	<div></div> 20.0%
3	3 CONSULTATIONS	509	236261.9	<div></div> 10.1%

# CMHG01L: Cons. mental hlth prof. - no. times -(G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
4	4 CONSULTATIONS	410	197795.3	<div><div></div></div> 8.5%
5	5 CONSULTATIONS	232	120861.8	<div><div></div></div> 5.2%
6	6 CONSULTATIONS	272	134973.6	<div><div></div></div> 5.8%
7	7 CONSULTATIONS	55	29950.7	<div><div></div></div> 1.3%
8	8 CONSULTATIONS	115	48424.5	<div><div></div></div> 2.1%
9	9 CONSULTATIONS	30	17320.9	<div><div></div></div> 0.7%
10	10 CONSULTATIONS	181	108232.0	<div><div></div></div> 4.6%
11	11 CONSULTATIONS	11	3949.1	<div><div></div></div> 0.2%
12	12+ CONSULTATION	806	408296.1	<div><div></div></div> 17.5%
96	NOT APPLICABLE	56291	25611495.5	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1816	930379.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CMH_1MA: Consulted mental hlth prof. - fam. doc.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4845 / 2348339.78 ] [Invalid=58064 / 26530078.59 ]			
Universe	Respondents who answered CMH_01K = (1, 7 or 8)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2518	1112833.0	<div><div></div></div> 47.4%
2	NO	2327	1235506.8	<div><div></div></div> 52.6%
6	NOT APPLICABLE	56291	25611495.5	
7	DON'T KNOW	12	3480.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1761	915102.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CMH_1MB: Consulted men. hlth prof. - psychiatrist				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4845 / 2348339.78 ] [Invalid=58064 / 26530078.59 ]			
Universe	Respondents who answered CMH_01K = (1, 7 or 8)			
Literal question	Whom did you see or talk to? - Family doctor or general practitioner			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1006	473941.9	<div><div></div></div> 20.2%
2	NO	3839	1874397.9	<div><div></div></div> 79.8%
6	NOT APPLICABLE	56291	25611495.5	
7	DON'T KNOW	12	3480.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1761	915102.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CMH_1MC: Consulted men. hlth prof. - psychologist				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=4845 / 2348339.78 ] [Invalid=58064 / 26530078.59 ]			
Universe	Respondents who answered CMH_01K = (1, 7 or 8)			

# CMH_1MC: Consulted men. hlth prof. - psychologist				
Literal question		Whom did you see or talk to? - Psychiatrist		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1059	657119.3	<div><div></div></div> 28.0%
2	NO	3786	1691220.4	<div><div></div></div> 72.0%
6	NOT APPLICABLE	56291	25611495.5	
7	DON'T KNOW	12	3480.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1761	915102.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CMH_1MD: Consulted mental hlth prof. - nurse				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=4845 / 2348339.78 ] [Invalid=58064 / 26530078.59 ]		
Universe		Respondents who answered CMH_01K = (1, 7 or 8)		
Literal question		Whom did you see or talk to? - Nurse		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	245	90105.1	<div><div></div></div> 3.8%
2	NO	4600	2258234.7	<div><div></div></div> 96.2%
6	NOT APPLICABLE	56291	25611495.5	
7	DON'T KNOW	12	3480.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1761	915102.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CMH_1ME: Consulted men. hlth prof.- social worker				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=4845 / 2348339.78 ] [Invalid=58064 / 26530078.59 ]		
Universe		Respondents who answered CMH_01K = (1, 7 or 8)		
Literal question		Whom did you see or talk to? - Social worker or counsellor		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1042	427280.6	<div><div></div></div> 18.2%
2	NO	3803	1921059.2	<div><div></div></div> 81.8%
6	NOT APPLICABLE	56291	25611495.5	
7	DON'T KNOW	12	3480.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1761	915102.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# CMH_1MF: Consulted mental hlth prof. - other				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=4845 / 2348339.78 ] [Invalid=58064 / 26530078.59 ]		
Universe		Respondents who answered CMH_01K = (1, 7 or 8)		
Literal question		Whom did you see or talk to? - Other		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	270	147191.5	<div><div></div></div> 6.3%
2	NO	4575	2201148.3	<div><div></div></div> 93.7%

# CMH_1MF: Consulted mental hlth prof. - other				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	56291	25611495.5	
7	DON'T KNOW	12	3480.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1761	915102.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DODIS: Module: DIS - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20929	10660124.1	<div></div> 37.0%
2	NO	40347	18136193.3	<div></div> 63.0%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIS_10A: Frequency/distress:tired out-past month				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=20109 / 10213932.77 ] [Invalid=42800 / 18664485.6 ]			
Universe	Respondents with DODIS = 1			
Literal question	During the past month, about how often did you feel tired out for no good reason: (all of the time, most of the time, some of the time, a little of the time, or none of the time)?			
Notes	Formerly DISA_01B in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	354	189829.7	<div></div> 1.9%
2	MOST OF THE TIME	930	434459.7	<div></div> 4.3%
3	SOME OF THE TIME	4174	2094147.1	<div></div> 20.5%
4	LITTLE OF TIME	5390	2798777.2	<div></div> 27.4%
5	NONE OF THE TIME	9261	4696719.0	<div></div> 46.0%
6	NOT APPLICABLE	41980	18218294.2	
7	DON'T KNOW	107	27838.5	
8	REFUSAL	44	16345.0	
9	NOT STATED	669	402007.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIS_10B: Freq./distress: felt nervous - past mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=20038 / 10190556.49 ] [Invalid=42871 / 18687861.88 ]			
Universe	Respondents with DODIS = 1			
Literal question	During the past month, about how often did you feel nervous?			
Notes	Formerly DISA_01B in cycle 1.1.			

# DIS_10B: Freq./distress: felt nervous - past mo				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	340	180844.0	<div><div></div>1.8%</div>
2	MOST OF THE TIME	1008	574913.1	<div><div></div>5.6%</div>
3	SOME OF THE TIME	4490	2496009.2	<div><div></div>24.5%</div>
4	LITTLE OF TIME	4977	2693758.0	<div><div></div>26.4%</div>
5	NONE OF THE TIME	9223	4245032.3	<div><div></div>41.7%</div>
6	NOT APPLICABLE	41980	18218294.2	
7	DON'T KNOW	65	20001.4	
8	REFUSAL	4	2886.7	
9	NOT STATED	822	446679.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIS_10C: Freq./distress:so nervous - past month				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=20016 / 10184673.14 ] [Invalid=42893 / 18693745.23 ]			
Universe	Respondents with DODIS = 1			
Literal question	(During the past month, about how often did you feel) so nervous that nothing could calm you down?			
Notes	In processing, if a respondent answered DIS_10B = 5 (none of the time), the variable DIS_10C is given the value of 5 (none of the time).			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	79	36105.0	<div><div></div>0.4%</div>
2	MOST OF THE TIME	159	96925.0	<div><div></div>1.0%</div>
3	SOME OF THE TIME	690	386711.6	<div><div></div>3.8%</div>
4	LITTLE OF TIME	1473	859099.5	<div><div></div>8.4%</div>
5	NONE OF THE TIME	17615	8805832.1	<div><div></div>86.5%</div>
6	NOT APPLICABLE	41980	18218294.2	
7	DON'T KNOW	20	5044.9	
8	REFUSAL	2	838.4	
9	NOT STATED	891	469567.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIS_10D: Freq./distress: felt hopeless - past mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=20058 / 10196361.74 ] [Invalid=42851 / 18682056.63 ]			
Universe	Respondents with DODIS = 1			
Literal question	During the past month, about how often did you feel hopeless?			
Notes	Formerly DISA_01D in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	77	40299.3	<div><div></div>0.4%</div>
2	MOST OF THE TIME	197	107681.3	<div><div></div>1.1%</div>
3	SOME OF THE TIME	1034	555723.4	<div><div></div>5.5%</div>
4	LITTLE OF TIME	1695	922583.4	<div><div></div>9.0%</div>
5	NONE OF THE TIME	17055	8570074.4	<div><div></div>84.1%</div>
6	NOT APPLICABLE	41980	18218294.2	
7	DON'T KNOW	40	14627.2	
8	REFUSAL	8	2073.8	

# DIS_10D: Freq./distress: felt hopeless - past mo				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	823	447061.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIS_10E: Freq./distress: felt restless - past mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=20040 / 10188315.78 ] [Invalid=42869 / 18690102.59 ]			
Universe	Respondents with DODIS = 1			
Literal question	During the past month, about how often did you feel restless or fidgety?			
Notes	Formerly DISA_01C in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	280	150774.5	1.5%
2	MOST OF THE TIME	564	309291.6	3.0%
3	SOME OF THE TIME	2741	1410975.7	13.8%
4	LITTLE OF TIME	3217	1664901.6	16.3%
5	NONE OF THE TIME	13238	6652372.3	65.3%
6	NOT APPLICABLE	41980	18218294.2	
7	DON'T KNOW	55	21538.6	
8	REFUSAL	9	2561.2	
9	NOT STATED	825	447708.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIS_10F: Frequency/distress:could not sit still				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=20016 / 10174144.06 ] [Invalid=42893 / 18704274.31 ]			
Universe	Respondents with DODIS = 1			
Literal question	(During the past month, about how often did you feel) so restless you could not sit still?			
Notes	In processing, if a respondent answered DIS_10E = 5 (none of the time), the variable DIS_10F is given the value of 5 (none of the time).			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	145	77716.3	0.8%
2	MOST OF THE TIME	246	125573.0	1.2%
3	SOME OF THE TIME	1012	512733.2	5.0%
4	LITTLE OF TIME	1462	773246.1	7.6%
5	NONE OF THE TIME	17151	8684875.6	85.4%
6	NOT APPLICABLE	41980	18218294.2	
7	DON'T KNOW	23	13565.2	
8	REFUSAL	1	606.6	
9	NOT STATED	889	471808.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIS_10G: Freq./distress: sad,depressed - past mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=20060 / 10199311.25 ] [Invalid=42849 / 18679107.12 ]			
Universe	Respondents with DODIS = 1			
Literal question	(During the past month, about how often did you feel) sad or depressed?			

# DIS_10G: Freq./distress: sad,depressed - past mo				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	146	74437.2	0.7%
2	MOST OF THE TIME	465	247575.1	2.4%
3	SOME OF THE TIME	3187	1668606.1	16.4%
4	LITTLE OF TIME	3903	2086743.9	20.5%
5	NONE OF THE TIME	12359	6121949.1	60.0%
6	NOT APPLICABLE	41980	18218294.2	
7	DON'T KNOW	32	10493.2	
8	REFUSAL	10	1582.6	
9	NOT STATED	827	448737.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIS_10H: Freq./d.:dep,nothing cheer up - past mo.				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=20041 / 10187434.51 ] [Invalid=42868 / 18690983.86 ]			
Universe	Respondents with DODIS = 1			
Literal question	(During the past month, about how often did you feel) so depressed that nothing could cheer you up?			
Notes	In processing, if a respondent answered DIS_10G = 5 (none of the time), the variable DIS_10H is given the value of 5 (none of the time).			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	58	29929.2	0.3%
2	MOST OF THE TIME	175	85275.9	0.8%
3	SOME OF THE TIME	691	366229.4	3.6%
4	LITTLE OF TIME	1150	650962.1	6.4%
5	NONE OF THE TIME	17967	9055037.9	88.9%
6	NOT APPLICABLE	41980	18218294.2	
7	DON'T KNOW	19	11876.7	
8	REFUSAL	0	0.0	
9	NOT STATED	869	460812.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIS_10I: Freq./distr: every. was effort - past mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=19990 / 10166499.98 ] [Invalid=42919 / 18711918.39 ]			
Universe	Respondents with DODIS = 1			
Literal question	(During the past month, about how often did you feel) that everything was an effort?			
Notes	Formerly DISA_01F in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	267	133422.7	1.3%
2	MOST OF THE TIME	538	269505.6	2.7%
3	SOME OF THE TIME	1978	1001135.4	9.8%
4	LITTLE OF TIME	2361	1357355.0	13.4%
5	NONE OF THE TIME	14846	7405081.3	72.8%
6	NOT APPLICABLE	41980	18218294.2	
7	DON'T KNOW	96	36536.5	
8	REFUSAL	16	8350.6	

# DIS_10I: Freq./distr: every. was effort - past mo				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	827	448737.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIS_10J: Freq./distr.: felt worthless - past mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=20043 / 10191679.87 ] [Invalid=42866 / 18686738.5 ]			
Universe	Respondents with DODIS = 1			
Literal question	(During the past month, about how often did you feel) worthless?			
Notes	Formerly DISA_01E in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	91	31616.6	0.3%
2	MOST OF THE TIME	168	84971.5	0.8%
3	SOME OF THE TIME	715	372188.8	3.7%
4	LITTLE OF TIME	1202	661700.0	6.5%
5	NONE OF THE TIME	17867	9041203.0	88.7%
6	NOT APPLICABLE	41980	18218294.2	
7	DON'T KNOW	46	16817.7	
8	REFUSAL	13	2889.5	
9	NOT STATED	827	448737.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIS_10K: Freq. of distress feelings - past mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=19931 / 10159547.2 ] [Invalid=42978 / 18718871.17 ]			
Universe	Respondents with DODIS = 1			
Literal question	Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?			
Notes	Formerly DISA_01G in cycle 1.1.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	MORE OFTEN	2529	1421929.3	14.0%
2	LESS OFTEN	1553	850061.6	8.4%
3	ABOUT THE SAME	11547	5927566.2	58.3%
4	NEVER HAD ANY	4302	1959990.0	19.3%
6	NOT APPLICABLE	41980	18218294.2	
7	DON'T KNOW	146	45614.2	
8	REFUSAL	16	4488.9	
9	NOT STATED	836	450473.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIS_10L: Freq. of distress feelings (more often)				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=2503 / 1408825.48 ] [Invalid=60406 / 27469592.89 ]			
Universe	Respondents who answered DIS_10K = (1, 7 or 8) or DIS_10A = (7 or 8) or DIS_10B = (7 or 8) or DIS_10C = (7 or 8) or DIS_10D = (7 or 8) or DIS_10E = (7 or 8) or DIS_10F = (7 or 8) or DIS_10G = (7 or 8) or DIS_10H = (7 or 8) or DIS_10I = (7 or 8) or DIS_10J = (7 or 8)			
Literal question	Is that a lot more, somewhat more or only a little more often than usual?			



# DIS_10L: Freq. of distress feelings (more often)				
<b>Notes</b>		Formerly DISA_01H in cycle 1.1.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	852	463084.4	<div><div></div></div> 32.9%
2	SOMEWHAT	659	325849.5	<div><div></div></div> 23.1%
3	A LITTLE	992	619891.5	<div><div></div></div> 44.0%
6	NOT APPLICABLE	59382	26955912.1	
7	DON'T KNOW	25	12969.5	
8	REFUSAL	1	134.4	
9	NOT STATED	998	500576.9	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# DIS_10M: Freq. of distress feelings (less often)				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=1514 / 838854.98 ] [Invalid=61395 / 28039563.39 ]		
<b>Universe</b>		Respondents who answered DIS_10K = (2, 7 or 8) or DIS_10A = (7 or 8) or DIS_10B = (7 or 8) or DIS_10C = (7 or 8) or DIS_10D = (7 or 8) or DIS_10E = (7 or 8) or DIS_10F = (7 or 8) or DIS_10G = (7 or 8) or DIS_10H = (7 or 8) or DIS_10I = (7 or 8) or DIS_10J = (7 or 8)		
<b>Literal question</b>		Is that a lot less, somewhat less or only a little less often than usual?		
<b>Notes</b>		Formerly DISA_01I in cycle 1.1.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	528	288109.1	<div><div></div></div> 34.3%
2	SOMEWHAT	405	214628.9	<div><div></div></div> 25.6%
3	A LITTLE	581	336117.0	<div><div></div></div> 40.1%
6	NOT APPLICABLE	60358	27527779.8	
7	DON'T KNOW	38	11150.4	
8	REFUSAL	1	56.2	
9	NOT STATED	998	500576.9	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# DIS_10N: Freq./distr. feelings int. w/life-p.m.				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=15583 / 8177304.66 ] [Invalid=47326 / 20701113.71 ]		
<b>Universe</b>		Respondents who answered DIS_10K = (1, 2, 3, 7 or 8) or DIS_10A = (7 or 8) or DIS_10B = (7 or 8) or DIS_10C = (7 or 8) or DIS_10D = (7 or 8) or DIS_10E = (7 or 8) or DIS_10F = (7 or 8) or DIS_10G = (7 or 8) or DIS_10H = (7 or 8) or DIS_10I = (7 or 8) or DIS_10J = (7 or 8)		
<b>Literal question</b>		During the past month, how much did these feelings usually interfere with your life or activities: (a lot, some, a little, or not at all)?		
<b>Notes</b>		Formerly DISA_01J in cycle 1.1.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	675	377702.0	<div><div></div></div> 4.6%
2	SOME	1324	707183.3	<div><div></div></div> 8.6%
3	A LITTLE	3874	1981876.6	<div><div></div></div> 24.2%
4	NOT AT ALL	9710	5110542.7	<div><div></div></div> 62.5%
6	NOT APPLICABLE	46282	20178284.2	
7	DON'T KNOW	36	16209.5	
8	REFUSAL	4	694.7	
9	NOT STATED	1004	505925.3	

# DIS_10N: Freq./distr. feelings int. w/life-p.m.				
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DISDK6: Distress scale - K6 - past month - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]			
Statistics [NW/ W]	[Valid=19823 / 10104565.74 ] [Invalid=43086 / 18773852.63 ] [Mean=2.497 / 2.628 ] [StdDev=3.137 / 3.132 ]			
Universe	Respondents with DODIS = 1			
Literal question	Distress scale - K6 - past month - (D)			
Notes	Based on DIS_10B, DIS_10D, DIS_10E, DIS_10H, DIS_10I, DIS_10J. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	41980	18218294.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1106	555558.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DISDCHR: Chronicity of distress/impair. scale (D)				
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]	[Valid=19866 / 10135236.68 ] [Invalid=43043 / 18743181.69 ]			
Universe	Respondents with DODIS = 1			
Literal question	Chronicity of distress/impair. scale (D)			
Notes	Based on DIS_10K, DIS_10L, DIS_10M. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT MORE	852	463084.4	<div><div></div></div> 4.6%
2	SOMEWHAT MORE	659	325849.5	<div><div></div></div> 3.2%
3	LITTLE MORE	992	619891.5	<div><div></div></div> 6.1%
4	ABOUT THE SAME	11547	5927566.2	<div><div></div></div> 58.5%
5	LITTLE LESS	581	336117.0	<div><div></div></div> 3.3%
6	SOMEWHAT LESS	405	214628.9	<div><div></div></div> 2.1%
7	A LOT LESS	528	288109.1	<div><div></div></div> 2.8%
8	NEVER HAD ANY	4302	1959990.0	<div><div></div></div> 19.3%
96	NOT APPLICABLE	41980	18218294.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1063	524887.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DISDDSX: Distress scale - K10 - past month - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]			
Statistics [NW/ W]	[Valid=19793 / 10090148.22 ] [Invalid=43116 / 18788270.15 ] [Mean=4.404 / 4.578 ] [StdDev=5.054 / 5.075 ]			
Universe	Respondents with DODIS = 1			
Literal question	Distress scale - K10 - past month - (D)			
Notes	Based on DIS_10A, DIS_10B, DIS_10C, DIS_10D, DIS_10E, DIS_10F, DIS_10G, DIS_10H, DIS_10I, DIS_10J. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	41980	18218294.2	
97	DON'T KNOW	0	0.0	

# DISDDSX: Distress scale - K10 - past month - (D)				
Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	0	0.0	
99	NOT STATED	1136	569975.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DODEP: Module: DPS - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29653	14657349.2	<div></div> 50.9%
2	NO	31623	14138968.2	<div></div> 49.1%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_02: Depressed >= 2 weeks - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=28491 / 14037578.78 ] [Invalid=34418 / 14840839.59 ]			
Universe	Respondents with DODPS = 1			
Literal question	During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3592	1731200.3	<div></div> 12.3%
2	NO	24899	12306378.5	<div></div> 87.7%
6	NOT APPLICABLE	33256	14221069.2	
7	DON'T KNOW	65	23919.0	
8	REFUSAL	67	23739.1	
9	NOT STATED	1030	572112.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_03: Dep. -length/time feelings lasted - 2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=3549 / 1709072.17 ] [Invalid=59360 / 27169346.2 ]			
Universe	Respondents who answered DPS_02 = (1, 7 or 8)			
Literal question	Think of the 2-week period during the past 12 months when these feelings were the worst. During that time, how long did these feelings usually last: (all day long, most of the day, about half of the day, or less than half of a day)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL DAY LONG	993	491847.7	<div></div> 28.8%
2	MOST OF THE DAY	1095	518599.9	<div></div> 30.3%
3	ABOUT HALF/DAY	812	377260.7	<div></div> 22.1%
4	LESS HALF/DAY	649	321363.9	<div></div> 18.8%
6	NOT APPLICABLE	58155	26527447.6	
7	DON'T KNOW	33	19675.5	

# DPS_03: Dep. -length/time feelings lasted - 2 wk				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	9	2180.5	
9	NOT STATED	1163	620042.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_04: Depressed - frequence - 2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=2081 / 1009275.33 ] [Invalid=60828 / 27869143.04 ]			
Universe	Respondents who answered DPS_03 = (1, 2, 7 or 8) or DPS_02 = (7 or 8)			
Literal question	How often did you feel this way during those 2 weeks: (every day, almost every day, or less often)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	1107	556765.9	<div></div> 55.2%
2	ALMOST EVERY DAY	846	391760.8	<div></div> 38.8%
3	LESS OFTEN	128	60748.6	<div></div> 6.0%
6	NOT APPLICABLE	59616	27226072.2	
7	DON'T KNOW	6	785.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1206	642285.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_05: Dep.-lost interest in most things - 2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1946 / 947046.9 ] [Invalid=60963 / 27931371.47 ]			
Universe	Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)			
Literal question	During those 2 weeks did you lose interest in most things?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1509	725195.8	<div></div> 76.6%
2	NO	437	221851.1	<div></div> 23.4%
6	NOT APPLICABLE	59744	27286820.9	
7	DON'T KNOW	5	1374.6	
8	REFUSAL	2	105.2	
9	NOT STATED	1212	643070.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_06: Dep. - felt tired all of the time - 2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1943 / 946499.42 ] [Invalid=60966 / 27931918.95 ]			
Universe	Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)			
Literal question	Did you feel tired out or low on energy all of the time?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1627	786796.5	<div></div> 83.1%
2	NO	316	159703.0	<div></div> 16.9%
6	NOT APPLICABLE	59744	27286820.9	
7	DON'T KNOW	3	547.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1219	644550.6	

<b># DPS_06: Dep. - felt tired all of the time - 2 wk</b>
---

<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>
--

# DPS_07: Depressed - weight change - 2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=1925 / 937514.82 ] [Invalid=60984 / 27940903.55 ]			
Universe	Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)			
Literal question	Did you gain weight, lose weight or stay about the same?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	GAINED WEIGHT	367	191849.6	<div></div> 20.5%
2	LOST WEIGHT	592	279094.6	<div></div> 29.8%
3	STAYED SAME	964	466205.2	<div></div> 49.7%
4	WAS ON A DIET	2	365.4	0.0%
6	NOT APPLICABLE	59744	27286820.9	
7	DON'T KNOW	18	8984.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1222	645098.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_08A: Depressed -weight change (amount) - 2 wk				
Information	[Type= continuous] [Format=numeric] [Range= 1-90] [Missing=*]			
Statistics [NW/ W]	[Valid=895 / 440827.7 ] [Invalid=62014 / 28437590.67 ] [Mean=13.336 / 12.666 ] [StdDev=11.208 / 9.872 ]			
Universe	Respondents who answered DPS_07 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06 = (7 or 8)			
Literal question	About how much did you gain/lose?			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	60710	27753391.5	
997	DON'T KNOW	62	29174.2	
998	REFUSAL	1	700.7	
999	NOT STATED	1241	654324.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_08B: Depressed - weight change (lb/kg) - 2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=895 / 440827.7 ] [Invalid=62014 / 28437590.67 ]			
Universe	Respondents who answered DPS_07 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06 = (7 or 8)			
Literal question	Interviewer: Was that in pounds or in kilograms?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	POUNDS	870	428025.3	<div></div> 97.1%
2	KILOGRAMS	25	12802.4	<div></div> 2.9%
6	NOT APPLICABLE	60710	27753391.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1304	684199.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_09: Depressed - trouble fall asleep - 2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1919 / 935737.14 ] [Invalid=60990 / 27942681.23 ]			
Universe	Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)			
Literal question	Did you have more trouble falling asleep than you usually do?			

# DPS_09: Depressed - trouble fall asleep - 2 wk				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1405	673810.0	<div></div> 72.0%
2	NO	514	261927.1	<div></div> 28.0%
6	NOT APPLICABLE	59744	27286820.9	
7	DON'T KNOW	5	1536.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1241	654324.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_10: Depr. - fall asleep (freq.) - 2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=1397 / 670981.98 ] [Invalid=61512 / 28207436.39 ]			
Universe	Respondents who answered DPS_09 = (1, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06 or DPS_07 = (7 or 8)			
Literal question	How often did that happen: (every night, nearly every night, or less often)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY NIGHT	617	296747.2	<div></div> 44.2%
2	NEARLY EVERY	633	303933.9	<div></div> 45.3%
3	LESS OFTEN	147	70300.9	<div></div> 10.5%
6	NOT APPLICABLE	60258	27548748.0	
7	DON'T KNOW	8	2828.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1246	655860.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_11: Depressed - trouble concentrating - 2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1900 / 929580.53 ] [Invalid=61009 / 27948837.84 ]			
Universe	Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)			
Literal question	Did you have a lot more trouble concentrating than usual?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1509	738711.5	<div></div> 79.5%
2	NO	391	190869.1	<div></div> 20.5%
6	NOT APPLICABLE	59744	27286820.9	
7	DON'T KNOW	11	3328.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1254	658688.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_12: Depressed - felt down on self - 2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1889 / 924083.94 ] [Invalid=61020 / 27954334.43 ]			
Universe	Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)			
Literal question	At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1195	566022.5	<div></div> 61.3%

# DPS_12: Depressed - felt down on self - 2 wk				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	694	358061.5	<div></div> 38.7%
6	NOT APPLICABLE	59744	27286820.9	
7	DON'T KNOW	8	2864.0	
8	REFUSAL	3	2632.6	
9	NOT STATED	1265	662017.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_13: Depr.- thought a lot about death - 2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1880 / 922548.29 ] [Invalid=61029 / 27955870.08 ]			
Universe	Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)			
Literal question	Did you think a lot about death - either your own, someone else's, or death in general?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1008	468016.8	<div></div> 50.7%
2	NO	872	454531.5	<div></div> 49.3%
6	NOT APPLICABLE	59744	27286820.9	
7	DON'T KNOW	5	717.1	
8	REFUSAL	4	818.5	
9	NOT STATED	1276	667513.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_14: Depressed - number of weeks - 12 mo				
Information	[Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]			
Statistics [NW/ W]	[Valid=1775 / 877164.86 ] [Invalid=61134 / 28001253.51 ] [Mean=13.117 / 12.452 ] [StdDev=14.29 / 13.853 ]			
Universe	Respondents who answered DPS_05 = (1, 7 or 8) or DPS_06 = (1, 7 or 8) or DPS_09 = (1, 7 or 8) or DPS_11 = (1, 7 or 8) or DPS_12 = (1, 7 or 8) or DPS_13 = (1, 7 or 8) or DPS_07 = (1, 2, 7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) or DPS_10 = (7 or 8)			
Literal question	About how many weeks altogether did you feel this way during the past 12 months?			
Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	59769	27299647.7	
97	DON'T KNOW	78	31757.1	
98	REFUSAL	1	92.4	
99	NOT STATED	1286	669756.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_15: Depressed - most recent month - 2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]			
Statistics [NW/ W]	[Valid=1620 / 796907.85 ] [Invalid=61289 / 28081510.52 ]			
Universe	Respondents who answered DPS_14 < 52 or DPS_14 = (97 or 98) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06, DPS_07, DPS_09, DPS_10, DPS_11, DPS_12, DPS_13 = (7 or 8)			
Literal question	Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	156	85841.0	<div></div> 10.8%
2	FEBRUARY	148	57731.7	<div></div> 7.2%
3	MARCH	136	72139.9	<div></div> 9.1%
4	APRIL	128	48795.5	<div></div> 6.1%



# DPS_15: Depressed - most recent month - 2 wk				
Value	Label	Cases	Weighted	Percentage (Weighted)
5	MAY	118	51480.4	<div><div></div></div> 6.5%
6	JUNE	135	75710.4	<div><div></div></div> 9.5%
7	JULY	122	50211.8	<div><div></div></div> 6.3%
8	AUGUST	124	61030.3	<div><div></div></div> 7.7%
9	SEPTEMBER	140	71770.8	<div><div></div></div> 9.0%
10	OCTOBER	130	69647.4	<div><div></div></div> 8.7%
11	NOVEMBER	134	83632.0	<div><div></div></div> 10.5%
12	DECEMBER	149	68916.7	<div><div></div></div> 8.6%
96	NOT APPLICABLE	59889	27353239.5	
97	DON'T KNOW	33	23138.8	
98	REFUSAL	1	3193.9	
99	NOT STATED	1366	701938.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_16: Loss int. - things give pleasure - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=26431 / 13046855.44 ] [Invalid=36478 / 15831562.93 ]			
Universe	Respondents who answered DPS_02 = (2, 7 or 8) or DPS_03 = (3, 4, 7 or 8) or DPS_04 = (3, 7 or 8)			
Literal question	During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work or activities that usually give you pleasure?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1714	867415.4	<div><div></div></div> 6.6%
2	NO	24717	12179440.0	<div><div></div></div> 93.4%
6	NOT APPLICABLE	35209	15169595.9	
7	DON'T KNOW	49	16082.9	
8	REFUSAL	7	2373.2	
9	NOT STATED	1213	643511.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_17: Loss interest - freq. - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=1692 / 861114.84 ] [Invalid=61217 / 28017303.53 ]			
Universe	Respondents who answered DPS_16 = (1, 7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)			
Literal question	Please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last: (all day long..., or less than half of a day)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL DAY LONG	306	156931.3	<div><div></div></div> 18.2%
2	MOST OF THE DAY	406	206924.6	<div><div></div></div> 24.0%
3	ABOUT HALF/DAY	561	296214.0	<div><div></div></div> 34.4%
4	LESS HALF/DAY	419	201044.9	<div><div></div></div> 23.3%
6	NOT APPLICABLE	59926	27349035.9	
7	DON'T KNOW	21	5789.0	
8	REFUSAL	1	511.6	
9	NOT STATED	1269	661967.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# DPS_18: Loss interest - freq. - 2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=706 / 361657.67 ] [Invalid=62203 / 28516760.7 ]			
Universe	Respondents who answered DPS_17 = (1, 2, 7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)			
Literal question	How often did you feel this way during those 2 weeks: (every day, almost every day, or less often)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	192	95789.4	<div><div></div></div> 26.5%
2	ALMOST EVERY DAY	351	180038.6	<div><div></div></div> 49.8%
3	LESS OFTEN	163	85829.6	<div><div></div></div> 23.7%
6	NOT APPLICABLE	60906	27846294.8	
7	DON'T KNOW	5	2003.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1292	668462.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_19: Loss int. -felt tired all the time -2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=543 / 275828.08 ] [Invalid=62366 / 28602590.29 ]			
Universe	Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)			
Literal question	During those 2 weeks did you feel tired out or low on energy all the time?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	453	233601.0	<div><div></div></div> 84.7%
2	NO	90	42227.1	<div><div></div></div> 15.3%
6	NOT APPLICABLE	61069	27932124.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1297	670465.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_20: Loss interest - weight change - 2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=536 / 272892.17 ] [Invalid=62373 / 28605526.2 ]			
Universe	Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)			
Literal question	Did you gain weight, lose weight, or stay about the same?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	GAINED WEIGHT	120	59843.1	<div><div></div></div> 21.9%
2	LOST WEIGHT	109	50505.8	<div><div></div></div> 18.5%
3	STAYED SAME	306	161812.4	<div><div></div></div> 59.3%
4	WAS ON A DIET	1	730.9	<div><div></div></div> 0.3%
6	NOT APPLICABLE	61069	27932124.4	
7	DON'T KNOW	7	2935.9	
8	REFUSAL	0	0.0	
9	NOT STATED	1297	670465.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# DPS_21A: Loss interest - weight change (amount)				
Information	[Type= continuous] [Format=numeric] [Range= 1-50] [Missing=*]			
Statistics [NW/ W]	[Valid=213 / 103671.3 ] [Invalid=62696 / 28774747.07 ] [Mean=11.765 / 12.998 ] [StdDev=9.732 / 10.695 ]			
Universe	Respondents who answered DPS_20 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_16, DPS_17, DPS_18 or DPS_19 = (7 or 8)			
Literal question	About how much did you gain/lose?			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	61376	28094667.6	
997	DON'T KNOW	15	6620.5	
998	REFUSAL	1	57.1	
999	NOT STATED	1304	673401.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_21B: Loss int. - weight change (lb/kg) - 2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=213 / 103671.3 ] [Invalid=62696 / 28774747.07 ]			
Universe	Respondents who answered DPS_20 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_16, DPS_17, DPS_18 or DPS_19 = (7 or 8)			
Literal question	Interviewer: Was that in pounds or in kilograms?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	POUNDS	211	103068.6	99.4%
2	KILOGRAMS	2	602.7	0.6%
6	NOT APPLICABLE	61376	28094667.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1320	680079.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_22: Loss interest -trouble fall asleep -2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=535 / 272667.95 ] [Invalid=62374 / 28605750.42 ]			
Universe	Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)			
Literal question	Did you have more trouble falling asleep than you usually do?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	318	160664.7	58.9%
2	NO	217	112003.3	41.1%
6	NOT APPLICABLE	61069	27932124.4	
7	DON'T KNOW	1	224.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1304	673401.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_23: Loss int. -trouble to sleep (freq) -2 wk				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=317 / 160586.51 ] [Invalid=62592 / 28717831.86 ]			
Universe	Respondents who answered DPS_22 = (1, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_16, DPS_17, DPS_18, DPS_19, DPS_20 = (7 or 8)			

# DPS_23: Loss int. -trouble to sleep (freq) -2 wk				
<b>Literal question</b>		How often did that happen: (every night, nearly every night, or less often)?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY NIGHT	116	59198.8	<div><div></div></div> 36.9%
2	NEARLY EVERY	155	77881.4	<div><div></div></div> 48.5%
3	LESS OFTEN	46	23506.3	<div><div></div></div> 14.6%
6	NOT APPLICABLE	61286	28044127.6	
7	DON'T KNOW	1	78.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1305	673626.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_24: Loss int.- trouble concentrating - 2 wk				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=530 / 271997.41 ] [Invalid=62379 / 28606420.96 ]		
<b>Universe</b>		Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)		
<b>Literal question</b>		Did you have a lot more trouble concentrating than usual?		
<b>Notes</b>		Did you have a lot more trouble concentrating than usual?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	372	184598.6	<div><div></div></div> 67.9%
2	NO	158	87398.8	<div><div></div></div> 32.1%
6	NOT APPLICABLE	61069	27932124.4	
7	DON'T KNOW	4	592.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1306	673704.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_25: Loss interest - felt down on self - 2 wk				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=527 / 270477.15 ] [Invalid=62382 / 28607941.22 ]		
<b>Universe</b>		Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)		
<b>Literal question</b>		At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	264	139643.5	<div><div></div></div> 51.6%
2	NO	263	130833.6	<div><div></div></div> 48.4%
6	NOT APPLICABLE	61069	27932124.4	
7	DON'T KNOW	3	1520.3	
8	REFUSAL	0	0.0	
9	NOT STATED	1310	674296.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DPS_26: Loss int.- thought a lot/death - 2 wk				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=526 / 270384.77 ] [Invalid=62383 / 28608033.6 ]		
<b>Universe</b>		Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)		

# DPS_26: Loss int.- thought a lot/death - 2 wk				
<b>Literal question</b>		Did you think a lot about death - either your own, someone else's, or death in general?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	211	96654.6	<div></div> 35.7%
2	NO	315	173730.2	<div></div> 64.3%
6	NOT APPLICABLE	61069	27932124.4	
7	DON'T KNOW	1	92.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1313	675816.9	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# DPS_27: Loss interest - nombre of weeks - 12 mo				
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= 2-52] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=494 / 258350.78 ] [Invalid=62415 / 28620067.59 ] [Mean=9.33 / 8.751 ] [StdDev=11.77 / 10.717 ]		
<b>Universe</b>		Respondents who answered DPS_19 = (1, 7 or 8) or DPS_22 = (1, 7 or 8) or DPS_24 = (1, 7 or 8) or DPS_25 = (1, 7 or 8) or DPS_26 = (1, 7 or 8) or DPS_20 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_16, DPS_17, DPS_18, DPS_23 = (7 or 8)		
<b>Literal question</b>		About how many weeks did you feel this way during the past 12 months?		
Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	61086	27939149.3	
97	DON'T KNOW	15	5009.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1314	675909.2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# DPS_28: Loss interest - most recent month - 2 wk				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=456 / 242866.98 ] [Invalid=62453 / 28635551.39 ]		
<b>Universe</b>		Respondents who answered DPS_27 < 52 or DPS_27 = (97 or 98) or one of DPS_02, DPS_03, DPS_04, DPS_16, DPS_17, DPS_18, DPS_19, DPS_20, DPS_22, DPS_23, DPS_24, DPS_25, DPS_26 = (7 or 8)		
<b>Literal question</b>		Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	57	45402.1	<div></div> 18.7%
2	FEBRUARY	44	20351.1	<div></div> 8.4%
3	MARCH	36	16719.8	<div></div> 6.9%
4	APRIL	35	13197.6	<div></div> 5.4%
5	MAY	30	16348.5	<div></div> 6.7%
6	JUNE	30	13921.1	<div></div> 5.7%
7	JULY	42	16993.6	<div></div> 7.0%
8	AUGUST	36	26650.0	<div></div> 11.0%
9	SEPTEMBER	25	13353.1	<div></div> 5.5%
10	OCTOBER	37	16761.6	<div></div> 6.9%
11	NOVEMBER	36	18032.0	<div></div> 7.4%
12	DECEMBER	48	25136.4	<div></div> 10.3%
96	NOT APPLICABLE	61105	27946801.9	
97	DON'T KNOW	19	7831.2	
98	REFUSAL	0	0.0	
99	NOT STATED	1329	680918.2	

<b># DPS_28: Loss interest - most recent month - 2 wk</b>				
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># DPSDSF: Depr. scale - short form score - (D)</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=28266 / 13955461.55 ] [Invalid=34643 / 14922956.82 ]			
<b>Universe</b>	Respondents with DODPS = 1			
<b>Literal question</b>	Respondents with DODPS = 1			
<b>Notes</b>	Based on DPS_02, DPS_05, DPS_06, DPS_08A, DPS_08B, DPS_10, DPS_11, DPS_12, DPS_13, DPS_16, DPS_17, DPS_18, DPS_19, DPS_21A, DPS_21B, DPS_23, DPS_24, DPS_25, DPS_26. Higher scores indicate higher level of depression. See documentation on derived variables.			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
0		25860	12762528.5	91.5%
1		56	30785.6	0.2%
2		124	71199.8	0.5%
3		244	124925.0	0.9%
4		356	192393.6	1.4%
5		461	213934.7	1.5%
6		531	253080.2	1.8%
7		443	203727.2	1.5%
8		191	102886.9	0.7%
96	NOT APPLICABLE	33256	14221069.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1387	701887.7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># DPSDPP: Depr. scale - predicted prob. - (D)</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-0.9] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=28266 / 13955461.55 ] [Invalid=34643 / 14922956.82 ]			
<b>Universe</b>	Respondents with DODPS = 1			
<b>Literal question</b>	Depr. scale - predicted prob. - (D)			
<b>Notes</b>	Based on DPSDSF. A probability of caseness of 0 was assigned to respondents who denied the stem questions. See documentation on derived variables.			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
0	0.00	25860	12762528.5	91.5%
0.05	0.05	56	30785.6	0.2%
0.25	0.25	124	71199.8	0.5%
0.5	0.50	244	124925.0	0.9%
0.8	0.80	356	192393.6	1.4%
0.9	0.90	1626	773629.1	5.5%
9.96	NOT APPLICABLE	33256	14221069.2	
9.97	DON'T KNOW	0	0.0	
9.98	REFUSAL	0	0.0	
9.99	NOT STATED	1387	701887.7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># DPSDWK: No. of weeks felt depressed - (D)</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]			

# DPSDWK: No. of weeks felt depressed - (D)	
<b>Statistics [NW/ W]</b>	[Valid=2205 / 1104033.17 ] [Invalid=60704 / 27774385.2 ] [Mean=12.213 / 11.605 ] [StdDev=13.799 / 13.356 ]
<b>Universe</b>	Respondents who answered DPS_05 = (1, 7 or 8) or DPS_06 = (1, 7 or 8) or DPS_09 = (1, 7 or 8) or DPS_11 = (1, 7 or 8) or DPS_12 = (1, 7 or 8) or DPS_13 = (1, 7 or 8) or DPS_07 = (1, 2, 7 or 8) or DPS_19 = (1, 7 or 8) or DPS_22 = (1, 7 or 8) or DPS_24 = (1, 7 or 8) or DPS_25 = (1, 7 or 8) or DPS_26 = (1, 7 or 8) or DPS_20 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_10, DPS_16, DPS_17, DPS_18, DPS_23 = (7 or 8)
<b>Literal question</b>	No. of weeks felt depressed - (D)
<b>Notes</b>	Based on DPS_14, DPS_27. Respondents who did not report feeling sad, blue or depressed and who did not report having lost interest in most things are excluded from the calculation of this variable; or did not show any required signs of depression have been excluded from the population. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	59158	27003449.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1546	770935.8	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DPSDMT: Mth last felt depr.- 2 wks in a row -(D)	
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2022 / 1012223.07 ] [Invalid=60887 / 27866195.3 ]
<b>Universe</b>	Respondents who answered DPS_14 < 52 or DPS_27 < 52 or DPS_14 = (97 or 98) or DPS_27 = (97 or 98) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06, DPS_07, DPS_09, DPS_10, DPS_11, DPS_12, DPS_13, DPS_16, DPS_17, DPS_18, DPS_19, DPS_20, DPS_22, DPS_23, DPS_24, DPS_25, DPS_26 = (7 or 8)
<b>Literal question</b>	Mth last felt depr.- 2 wks in a row -(D)
<b>Notes</b>	Based on DPS_14, DPS_15, DPS_27, DPS_28. The following respondents have been excluded from the population: respondents who did not report feeling sad, blue or depressed and who did not report having lost interest in most things; or respondents who did not show any required signs of depression; or respondents who have been depressed more than 51 weeks in the last past year; in the calculation of this variable. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	207	129286.6	12.8%
2	FEBRUARY	185	76503.5	7.6%
3	MARCH	167	87398.2	8.6%
4	APRIL	159	59507.6	5.9%
5	MAY	143	66671.2	6.6%
6	JUNE	161	87700.9	8.7%
7	JULY	161	66657.6	6.6%
8	AUGUST	158	86400.0	8.5%
9	SEPTEMBER	155	76915.7	7.6%
10	OCTOBER	165	85733.2	8.5%
11	NOVEMBER	166	95761.2	9.5%
12	DECEMBER	195	93687.6	9.3%
96	NOT APPLICABLE	59297	27064693.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1590	801501.5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOSUI: Module: SUI - (F)	
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]

# DOSUI: Module: SUI - (F)				
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15630	7409567.3	<div><div></div></div> 25.7%
2	NO	45646	21386750.1	<div><div></div></div> 74.3%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SUI_1: Has considered suicide - lifetime				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=14378 / 6776927.6 ] [Invalid=48531 / 22101490.77 ]			
Universe	Respondents aged 15 and over with DOSUI = 1			
Literal question	Have you ever seriously considered committing suicide or taking your own life?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1424	616253.1	<div><div></div></div> 9.1%
2	NO	12954	6160674.5	<div><div></div></div> 90.9%
6	NOT APPLICABLE	47932	21788553.6	
7	DON'T KNOW	32	16193.3	
8	REFUSAL	69	34983.4	
9	NOT STATED	498	261760.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SUI_2: Has considered suicide - past 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1423 / 616169.82 ] [Invalid=61486 / 28262248.55 ]			
Universe	Respondents who answered SUI_1 = (1, 7 or 8)			
Literal question	Has this happened in the past 12 months?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	302	144087.6	<div><div></div></div> 23.4%
2	NO	1121	472082.2	<div><div></div></div> 76.6%
6	NOT APPLICABLE	60886	27949228.2	
7	DON'T KNOW	1	83.2	
8	REFUSAL	0	0.0	
9	NOT STATED	599	312937.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOSFR: Module: SFR - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]			
Universe	All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3456	985048.2	<div><div></div></div> 3.4%



# DOSFR: Module: SFR - (F)					
Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	59453	27893370.2	<div></div>	96.6%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	0	0.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SFRDPFS: Physical functioning scale - (D)					
Information		[Type= discrete] [Format=numeric] [Range= 0-100] [Missing=*]			
Statistics [NW/ W]		[Valid=3299 / 949047.33 ] [Invalid=59610 / 27929371.04 ]			
Universe		Respondents with DOSFR = 1			
Literal question		Physical functioning scale - (D)			
Notes		Based on SFR_03, SFR_04, SFR_05, SFR_06, SFR_07, SFR_08, SFR_09, SFR_10, SFR_11, SFR_12. A high score reflects increased physical function. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
0		24	5704.4	<div></div>	0.6%
5		25	9068.7	<div></div>	1.0%
10		38	13393.0	<div></div>	1.4%
15		32	5848.2	<div></div>	0.6%
20		35	5898.9	<div></div>	0.6%
25		38	7245.9	<div></div>	0.8%
30		31	8921.6	<div></div>	0.9%
35		39	7886.7	<div></div>	0.8%
40		33	8986.6	<div></div>	0.9%
45		53	9330.0	<div></div>	1.0%
50		47	9713.3	<div></div>	1.0%
55		46	16502.0	<div></div>	1.7%
60		65	11752.9	<div></div>	1.2%
65		59	18860.7	<div></div>	2.0%
70		77	16312.5	<div></div>	1.7%
75		102	22318.7	<div></div>	2.4%
80		126	41795.7	<div></div>	4.4%
85		165	45499.6	<div></div>	4.8%
90		271	64967.3	<div></div>	6.8%
95		468	128613.6	<div></div>	13.6%
100		1525	490427.0	<div></div>	51.7%
996	NOT APPLICABLE	59453	27893370.2		
997	DON'T KNOW	0	0.0		
998	REFUSAL	0	0.0		
999	NOT STATED	157	36000.8		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SFRDSFS: Social functioning scale - (D)					
Information		[Type= discrete] [Format=numeric] [Range= 0-100] [Missing=*]			
Statistics [NW/ W]		[Valid=3306 / 952607.42 ] [Invalid=59603 / 27925810.95 ]			
Universe		Respondents with DOSFR = 1			

# SFRDSFS: Social functioning scale - (D)				
Literal question	Social functioning scale - (D)			
Notes	Based on SFR_20, SFR_32. A high score reflects increased social functioning. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
0		22	4620.5	0.5%
11		34	6345.7	0.7%
22		34	15570.0	1.6%
33		49	15584.8	1.6%
44		79	20922.0	2.2%
56		88	21715.2	2.3%
67		155	49313.8	5.2%
78		255	84030.6	8.8%
89		323	91984.6	9.7%
100		2267	642520.3	67.4%
996	NOT APPLICABLE	59453	27893370.2	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	150	32440.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SFRDPRF: Role functioning (physical) scale - (D)				
Information	[Type= discrete] [Format=numeric] [Range= 0-100] [Missing=*]			
Statistics [NW/ W]	[Valid=3322 / 955359.27 ] [Invalid=59587 / 27923059.1 ]			
Universe	Respondents with DOSFR = 1			
Literal question	Role functioning (physical) scale - (D)			
Notes	Based on SFR_13, SFR_14, SFR_15, SFR_16. A high score reflects increased physical functioning (i.e., less limitation). See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
0		314	83632.7	8.8%
25		220	49405.9	5.2%
50		162	40527.6	4.2%
75		261	67363.4	7.1%
100		2365	714429.6	74.8%
996	NOT APPLICABLE	59453	27893370.2	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	134	29688.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SFRDMRF: Role functioning (mental) scale - (D)				
Information	[Type= discrete] [Format=numeric] [Range= 0-100] [Missing=*]			
Statistics [NW/ W]	[Valid=3321 / 955672.6 ] [Invalid=59588 / 27922745.77 ]			
Universe	Respondents with DOSFR = 1			
Literal question	Role functioning (mental) scale - (D)			
Notes	Based on SFR_17, SFR_18, SFR_19. A high score is consistent with a positive mental health. See documentation on derived variables.			

# SFRDMRF: Role functioning (mental) scale - (D)				
Value	Label	Cases	Weighted	Percentage (Weighted)
0		161	51952.0	<div><div></div></div> 5.4%
33		154	48234.7	<div><div></div></div> 5.0%
67		182	50650.6	<div><div></div></div> 5.3%
100		2824	804835.3	<div><div></div></div> 84.2%
996	NOT APPLICABLE	59453	27893370.2	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	135	29375.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SFRDGMH: General mental health scale - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]			
Statistics [NW/ W]	[Valid=3263 / 944037.82 ] [Invalid=59646 / 27934380.55 ] [Mean=82.723 / 82.035 ] [StdDev=14.976 / 15.251 ]			
Universe	Respondents with DOSFR = 1			
Literal question	General mental health scale - (D)			
Notes	Based on SFR_24, SFR_25, SFR_26, SFR_28, SFR_30. The scale is transformed to facilitate comparisons across scales and reflect a relative position. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	59453	27893370.2	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	193	41010.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SFRDVTs: Vitality scale - (D)				
Information	[Type= discrete] [Format=numeric] [Range= 0-100] [Missing=*]			
Statistics [NW/ W]	[Valid=3221 / 935155.47 ] [Invalid=59688 / 27943262.9 ]			
Universe	Respondents with DOSFR = 1			
Literal question	Vitality scale - (D)			
Notes	Based on SFR_23, SFR_27, SFR_29, SFR_31. A high score is consistent with a positive level of energy. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
0		15	3073.6	<div><div></div></div> 0.3%
5		18	3672.2	<div><div></div></div> 0.4%
10		42	13593.8	<div><div></div></div> 1.5%
15		34	11489.0	<div><div></div></div> 1.2%
20		54	12581.9	<div><div></div></div> 1.3%
25		61	17694.5	<div><div></div></div> 1.9%
30		68	14942.5	<div><div></div></div> 1.6%
35		97	25729.7	<div><div></div></div> 2.8%
40		113	32365.1	<div><div></div></div> 3.5%
45		122	35320.1	<div><div></div></div> 3.8%
50		238	78447.1	<div><div></div></div> 8.4%
55		204	52503.2	<div><div></div></div> 5.6%
60		249	71999.1	<div><div></div></div> 7.7%

# SFRDVTs: Vitality scale - (D)				
Value	Label	Cases	Weighted	Percentage (Weighted)
65		237	71786.0	<div><div></div></div> 7.7%
70		365	100272.0	<div><div></div></div> 10.7%
75		309	82053.6	<div><div></div></div> 8.8%
80		431	133974.9	<div><div></div></div> 14.3%
85		273	82935.2	<div><div></div></div> 8.9%
90		177	50420.6	<div><div></div></div> 5.4%
95		63	16164.9	<div><div></div></div> 1.7%
100		51	24136.4	<div><div></div></div> 2.6%
996	NOT APPLICABLE	59453	27893370.2	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	235	49892.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SFRDBPS: Bodily pain scale - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]			
Statistics [NW/ W]	[Valid=3331 / 955377.57 ] [Invalid=59578 / 27923040.8 ] [Mean=76.335 / 77.027 ] [StdDev=23.878 / 24.164 ]			
Universe	Respondents with DOSFR = 1			
Literal question	Bodily pain scale - (D)			
Notes	Based on SFR_21, SFR_22. A high score is consistent with a decreased level of pain. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	59453	27893370.2	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	125	29670.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SFRDGHP: General health perceptions scale - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]			
Statistics [NW/ W]	[Valid=3219 / 929264.04 ] [Invalid=59690 / 27949154.33 ] [Mean=72.744 / 73.123 ] [StdDev=19.606 / 19.922 ]			
Universe	Respondents with DOSFR = 1			
Literal question	General health perceptions scale - (D)			
Notes	Based on SFR_01, SFR_33, SFR_34, SFR_35, SFR_36. A high score is consistent with a positive perception of one's general health status. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	59453	27893370.2	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	237	55784.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SFRDPCS: Summary measure of physical health - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 6-69] [Missing=*]			
Statistics [NW/ W]	[Valid=3034 / 894095.42 ] [Invalid=59875 / 27984322.95 ] [Mean=49.212 / 49.947 ] [StdDev=10.216 / 9.957 ]			
Universe	Respondents with DOSFR = 1			

# SFRDPCS: Summary measure of physical health - (D)				
<b>Literal question</b>	Summary measure of physical health - (D)			
<b>Notes</b>	Based on SFRDPFS, SFRDSFS, SFRDPRF, SFRDMRF, SFRDGMH, SFRDVTS, SFRDBPS, SFRDGHP. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	59453	27893370.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	422	90952.7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# SFRDMCS: Summary measure of mental health - (D)				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 8-76] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=3034 / 894095.42 ] [Invalid=59875 / 27984322.95 ] [Mean=54.406 / 53.828 ] [StdDev=8.118 / 8.31 ]			
<b>Universe</b>	Respondents with DOSFR = 1			
<b>Literal question</b>	Summary measure of mental health - (D)			
<b>Notes</b>	Based on SFRDPFS, SFRDSFS, SFRDPRF, SFRDMRF, SFRDGMH, SFRDVTS, SFRDBPS, SFRDGHP. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	59453	27893370.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	422	90952.7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# DOACC: Module: ACC - (F)				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
<b>Universe</b>	All respondents			
<b>Notes</b>	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21526	11260192.6	39.1%
2	NO	39750	17536124.8	60.9%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_10: Rep. strain - body part affected				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]			
<b>Universe</b>	Respondents aged 15 and over with DOACC = 1			
<b>Literal question</b>	In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation?			
<b>Notes</b>	Includes experiences getting health care from a medical specialist such as a cardiologist, allergist, gynaecologist or psychiatrist, but excludes optometrist.			

# ACC_10: Rep. strain - body part affected				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5779	2737276.9	<div><div></div></div> 9.5%
2	NO	13860	7592609.1	<div><div></div></div> 26.3%
6	NOT APPLICABLE	42318	18082978.3	<div><div></div></div> 62.6%
7	DON'T KNOW	28	13507.8	0.0%
8	REFUSAL	4	1149.6	0.0%
9	NOT STATED	920	450896.7	<div><div></div></div> 1.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_11: Diff. getting specialist care				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5776 / 2736175.91 ] [Invalid=57133 / 26142242.46 ]			
Universe	Respondents who answered ACC_10 = (1, 7 or 8)			
Literal question	In the past 12 months, did you ever experience any difficulties getting the specialist care you needed for a diagnosis or consultation?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1143	600953.7	<div><div></div></div> 22.0%
2	NO	4633	2135222.2	<div><div></div></div> 78.0%
6	NOT APPLICABLE	56178	25675587.4	
7	DON'T KNOW	2	717.2	
8	REFUSAL	1	383.8	
9	NOT STATED	952	465554.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_12A: Diff. - getting a referral				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]			
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty getting a referral			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	139	60606.3	<div><div></div></div> 10.1%
2	NO	1002	539593.2	<div><div></div></div> 89.9%
6	NOT APPLICABLE	60811	27810809.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	321.0	
9	NOT STATED	956	467088.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_12B: Diff. - getting an appointment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]			
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	390	190274.2	<div><div></div></div> 31.7%
2	NO	751	409925.2	<div><div></div></div> 68.3%

# ACC_12B: Diff. - getting an appointment				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	60811	27810809.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	321.0	
9	NOT STATED	956	467088.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_12C: Diff. - no specialists in area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]			
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - No specialists in the area			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	107	32250.3	<div><div></div></div> 5.4%
2	NO	1034	567949.2	<div><div></div></div> 94.6%
6	NOT APPLICABLE	60811	27810809.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	321.0	
9	NOT STATED	956	467088.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_12D: Diff. - waited too long for appointment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]			
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long between booking appointment and visit			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	656	370836.7	<div><div></div></div> 61.8%
2	NO	485	229362.8	<div><div></div></div> 38.2%
6	NOT APPLICABLE	60811	27810809.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	321.0	
9	NOT STATED	956	467088.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_12E: Diff. - waited too long /see doc.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]			
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	160	76260.3	<div><div></div></div> 12.7%
2	NO	981	523939.2	<div><div></div></div> 87.3%
6	NOT APPLICABLE	60811	27810809.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	321.0	

# ACC\_12E: Diff. - waited too long /see doc.

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	956	467088.3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				



# ACC_12F: Diff. - transportation				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]			
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Transportation problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	33	15214.9	2.5%
2	NO	1108	584984.6	97.5%
6	NOT APPLICABLE	60811	27810809.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	321.0	
9	NOT STATED	956	467088.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_12G: Diff. - language				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]			
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	10233.8	1.7%
2	NO	1133	589965.7	98.3%
6	NOT APPLICABLE	60811	27810809.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	321.0	
9	NOT STATED	956	467088.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_12H: Diff. - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]			
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Cost			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29	16736.8	2.8%
2	NO	1112	583462.7	97.2%
6	NOT APPLICABLE	60811	27810809.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	321.0	
9	NOT STATED	956	467088.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_12I: Diff. - pers./family responsibilities				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]			
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Personal or family responsibilities			

# ACC_12I: Diff. - pers./family responsibilities				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	7249.6	1.2%
2	NO	1132	592949.8	98.8%
6	NOT APPLICABLE	60811	27810809.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	321.0	
9	NOT STATED	956	467088.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_12J: Diff. - deterioration of health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]			
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - General deterioration of health			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24	7314.2	1.2%
2	NO	1117	592885.3	98.8%
6	NOT APPLICABLE	60811	27810809.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	321.0	
9	NOT STATED	956	467088.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_12K: Diff. - appointment cancelled/deferred				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]			
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Appointment cancelled or deferred by specialist			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	41	15991.6	2.7%
2	NO	1100	584207.9	97.3%
6	NOT APPLICABLE	60811	27810809.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	321.0	
9	NOT STATED	956	467088.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_12L: Diff. - still waiting for visit				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]			
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Still waiting for visit			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	57	29145.6	4.9%
2	NO	1084	571053.9	95.1%
6	NOT APPLICABLE	60811	27810809.6	

# ACC_12L: Diff. - still waiting for visit				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	321.0	
9	NOT STATED	956	467088.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_12M: Diff. - unable leave house/health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]			
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	2586.8	0.4%
2	NO	1136	597612.6	99.6%
6	NOT APPLICABLE	60811	27810809.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	321.0	
9	NOT STATED	956	467088.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_12N: Diff. - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]			
Universe	Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	116	66302.3	11.0%
2	NO	1025	533897.2	89.0%
6	NOT APPLICABLE	60811	27810809.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	321.0	
9	NOT STATED	956	467088.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_20: Required non-emergency surgery				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=19653 / 10331950.86 ] [Invalid=43256 / 18546467.51 ]			
Universe	Respondents aged 15 and over with DOACC = 1			
Literal question	In the past 12 months, did you require any non-emergency surgery?			
Notes	Does include any surgery not provided in an emergency, such as cardiac surgery, joint surgery, caesarean sections and cataract surgery, but excludes laser eye surgery.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1526	674298.6	6.5%
2	NO	18127	9657652.2	93.5%
6	NOT APPLICABLE	42318	18082978.3	
7	DON'T KNOW	10	9556.0	

# ACC_20: Required non-emergency surgery				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	2	375.1	
9	NOT STATED	926	453558.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_21: Diff. getting non-emerg. surg.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1526 / 674298.64 ] [Invalid=61383 / 28204119.73 ]			
Universe	Respondents who answered ACC_20 = (1, 7 or 8)			
Literal question	In the past 12 months, did you ever experience any difficulties getting the surgery you needed?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	192	91320.6	<div><div></div></div> 13.5%
2	NO	1334	582978.0	<div><div></div></div> 86.5%
6	NOT APPLICABLE	60445	27740630.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_22A: Diff. - getting an appointment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]			
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	55	35926.2	<div><div></div></div> 39.3%
2	NO	137	55394.5	<div><div></div></div> 60.7%
6	NOT APPLICABLE	61779	28323608.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_22B: Diff. - getting a diagnosis				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]			
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty getting a diagnosis			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	2224.4	<div><div></div></div> 2.4%
2	NO	183	89096.3	<div><div></div></div> 97.6%
6	NOT APPLICABLE	61779	28323608.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# ACC_22C: Diff. - wait too long/diag. test				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]			
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long for a diagnostic test			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	34	17014.6	<div><div></div></div> 18.6%
2	NO	158	74306.0	<div><div></div></div> 81.4%
6	NOT APPLICABLE	61779	28323608.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_22D: Diff. - waited too long/hosp. bed				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]			
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long for a hospital bed to become available			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	6634.2	<div><div></div></div> 7.3%
2	NO	175	84686.5	<div><div></div></div> 92.7%
6	NOT APPLICABLE	61779	28323608.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_22E: Diff. - waited too long/surgery				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]			
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long for surgery			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	112	51776.7	<div><div></div></div> 56.7%
2	NO	80	39543.9	<div><div></div></div> 43.3%
6	NOT APPLICABLE	61779	28323608.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_22F: Diff. - service not available/area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]			
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available in the area			

# ACC_22F: Diff. - service not available/area				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	3266.6	3.6%
2	NO	175	88054.0	96.4%
6	NOT APPLICABLE	61779	28323608.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_22G: Diff. - transportation				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]			
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Transportation problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	59.6	0.1%
2	NO	191	91261.0	99.9%
6	NOT APPLICABLE	61779	28323608.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_22H: Diff. - language				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]			
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	192	91320.6	100.0%
6	NOT APPLICABLE	61779	28323608.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_22I: Diff. - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]			
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Cost			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	1464.3	1.6%
2	NO	187	89856.3	98.4%
6	NOT APPLICABLE	61779	28323608.5	

# ACC_22I: Diff. - cost				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_22J: Diff. - pers./family responsibilities				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]			
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Personal or family responsibilities			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	<div></div> 100.0%
2	NO	192	91320.6	
6	NOT APPLICABLE	61779	28323608.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_22K: Diff. - deterioration of health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]			
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - General deterioration of health			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	2159.4	<div></div> 2.4%
2	NO	186	89161.2	<div></div> 97.6%
6	NOT APPLICABLE	61779	28323608.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_22L: Diff. - appointment cancelled/deferred				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]			
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16	5011.0	<div></div> 5.5%
2	NO	176	86309.6	<div></div> 94.5%
6	NOT APPLICABLE	61779	28323608.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	

# ACC_22L: Diff. - appointment cancelled/deferred				
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_22M: Diff. - still waiting for surgery				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]			
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Still waiting for surgery			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21	7545.0	<div><div></div></div> 8.3%
2	NO	171	83775.6	<div><div></div></div> 91.7%
6	NOT APPLICABLE	61779	28323608.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_22N: Diff. - unable leave house/health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]			
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	192	91320.6	<div><div></div></div> 100.0%
6	NOT APPLICABLE	61779	28323608.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_22O: Diff. - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]			
Universe	Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24	11397.3	<div><div></div></div> 12.5%
2	NO	168	79923.3	<div><div></div></div> 87.5%
6	NOT APPLICABLE	61779	28323608.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	938	463489.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_30: Required MRI, CT Scan, angiography				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=19620 / 10325214.61 ] [Invalid=43289 / 18553203.76 ]			



# ACC_30: Required MRI, CT Scan, angiography					
Universe		Respondents aged 15 and over with DOACC = 1			
Literal question		In the past 12 months, did you require one of these tests?			
Notes		Includes only MRIs, CAT Scans and angiographies provided in a non-emergency situation.			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	2673	1183315.4	<div><div></div></div> 11.5%	
2	NO	16947	9141899.2	<div><div></div></div> 88.5%	
6	NOT APPLICABLE	42318	18082978.3		
7	DON'T KNOW	41	15269.6		
8	REFUSAL	2	487.3		
9	NOT STATED	928	454468.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# ACC_31: Difficulties getting test					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=2671 / 1182374.54 ] [Invalid=60238 / 27696043.83 ]			
Universe		Respondents who answered ACC_30 = (1, 7 or 8)			
Literal question		In the past 12 months, did you ever experience any difficulties getting the tests you needed?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	355	206012.8	<div><div></div></div> 17.4%	
2	NO	2316	976361.8	<div><div></div></div> 82.6%	
6	NOT APPLICABLE	59265	27224877.5		
7	DON'T KNOW	2	940.8		
8	REFUSAL	0	0.0		
9	NOT STATED	971	470225.5		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# ACC_32A: Diff. - getting a referral					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]			
Universe		Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question		What type of difficulties did you experience? - Difficulty getting a referral			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	21	11432.0	<div><div></div></div> 5.5%	
2	NO	334	194580.8	<div><div></div></div> 94.5%	
6	NOT APPLICABLE	61581	28201239.2		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	973	471166.4		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# ACC_32B: Diff. - getting an appointment					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]			
Universe		Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question		What type of difficulties did you experience? - Difficulty getting an appointment			

# ACC_32B: Diff. - getting an appointment				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	76	38168.6	<div><div></div></div> 18.5%
2	NO	279	167844.2	<div><div></div></div> 81.5%
6	NOT APPLICABLE	61581	28201239.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	973	471166.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_32C: Diff. - waited too long for appt.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]			
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	219	132045.7	<div><div></div></div> 64.1%
2	NO	136	73967.1	<div><div></div></div> 35.9%
6	NOT APPLICABLE	61581	28201239.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	973	471166.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_32D: Diff. - waited too long/get test				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]			
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	78	48297.2	<div><div></div></div> 23.4%
2	NO	277	157715.5	<div><div></div></div> 76.6%
6	NOT APPLICABLE	61581	28201239.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	973	471166.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_32E: Diff. - not available at time required				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]			
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available at time required			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	3143.6	<div><div></div></div> 1.5%
2	NO	348	202869.1	<div><div></div></div> 98.5%
6	NOT APPLICABLE	61581	28201239.2	

# ACC_32E: Diff. - not available at time required				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	973	471166.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_32F: Diff. - not available/area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]			
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available in the area			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	3849.7	1.9%
2	NO	338	202163.1	98.1%
6	NOT APPLICABLE	61581	28201239.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	973	471166.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_32G: Diff. - transportation				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]			
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Transportation problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	3339.7	1.6%
2	NO	343	202673.0	98.4%
6	NOT APPLICABLE	61581	28201239.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	973	471166.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_32H: Diff. - language				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]			
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	355	206012.8	100.0%
6	NOT APPLICABLE	61581	28201239.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	973	471166.4	

# ACC_32H: Diff. - language				
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_32I: Diff. - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]			
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Cost			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	1267.2	0.6%
2	NO	352	204745.5	99.4%
6	NOT APPLICABLE	61581	28201239.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	973	471166.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_32J: Diff. - deterioration of health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]			
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - General deterioration of health			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	2017.1	1.0%
2	NO	347	203995.6	99.0%
6	NOT APPLICABLE	61581	28201239.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	973	471166.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_32K: Diff. - did not know where to go				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]			
Universe	Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	298.7	0.1%
2	NO	352	205714.0	99.9%
6	NOT APPLICABLE	61581	28201239.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	973	471166.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_32L: Diff. - still waiting for test				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]			

# ACC_32L: Diff. - still waiting for test				
<b>Universe</b>		Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)		
<b>Literal question</b>		What type of difficulties did you experience? - Still waiting for test		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	4583.4	2.2%
2	NO	343	201429.4	97.8%
6	NOT APPLICABLE	61581	28201239.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	973	471166.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_32M: Diff. - unable leave house /health				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]		
<b>Universe</b>		Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)		
<b>Literal question</b>		What type of difficulties did you experience? - Unable to leave the house because of a health problem		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	355	206012.8	100.0%
6	NOT APPLICABLE	61581	28201239.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	973	471166.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_32N: Diff. - other				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]		
<b>Universe</b>		Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)		
<b>Literal question</b>		What type of difficulties did you experience? - Other		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	41	19524.9	9.5%
2	NO	314	186487.9	90.5%
6	NOT APPLICABLE	61581	28201239.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	973	471166.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_40: Required health information				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=19619 / 10315942.28 ] [Invalid=43290 / 18562476.09 ]		
<b>Universe</b>		Respondents aged 15 and over with DOACC = 1		
<b>Literal question</b>		In the past 12 months, have you required health information or advice for yourself or a family member?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8459	4646322.7	45.0%

# ACC_40: Required health information				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	11160	5669619.6	<div><div></div></div> 55.0%
6	NOT APPLICABLE	42318	18082978.3	
7	DON'T KNOW	33	19980.9	
8	REFUSAL	8	4275.6	
9	NOT STATED	931	455241.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_40A: Contact/health info - doctor				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8451 / 4642762.11 ] [Invalid=54458 / 24235656.26 ]			
Universe	Respondents who answered ACC_40 = (1, 7 or 8)			
Literal question	Who did you contact when you needed health information or advice for yourself or a family member? - Doctor's office			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6392	3535503.1	<div><div></div></div> 76.2%
2	NO	2059	1107259.0	
6	NOT APPLICABLE	53478	23752597.8	
7	DON'T KNOW	6	2659.4	
8	REFUSAL	0	0.0	
9	NOT STATED	974	480399.1	<div><div></div></div> 23.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_40B: Contact/health info - community hlth ctr				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8451 / 4642762.11 ] [Invalid=54458 / 24235656.26 ]			
Universe	Respondents who answered ACC_40 = (1, 7 or 8)			
Literal question	Who did you contact when you needed health information or advice for yourself or a family member? - Community health centre / CLSC			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	424	209318.6	<div><div></div></div> 4.5%
2	NO	8027	4433443.5	
6	NOT APPLICABLE	53478	23752597.8	
7	DON'T KNOW	6	2659.4	
8	REFUSAL	0	0.0	
9	NOT STATED	974	480399.1	<div><div></div></div> 95.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_40C: Contact/health info - walk-in clinic				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8451 / 4642762.11 ] [Invalid=54458 / 24235656.26 ]			
Universe	Respondents who answered ACC_40 = (1, 7 or 8)			
Literal question	Who did you contact when you needed health information or advice for yourself or a family member? - Walk- in clinic			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1240	901577.3	<div><div></div></div> 19.4%
2	NO	7211	3741184.8	
6	NOT APPLICABLE	53478	23752597.8	<div><div></div></div> 80.6%

# ACC_40C: Contact/health info - walk-in clinic				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	6	2659.4	
8	REFUSAL	0	0.0	
9	NOT STATED	974	480399.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_40D: Contact/health info - health line				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8451 / 4642762.11 ] [Invalid=54458 / 24235656.26 ]			
Universe	Respondents who answered ACC_40 = (1, 7 or 8)			
Literal question	Who did you contact when you needed health information or advice for yourself or a family member? - Telephone health line (e.g., HealthLinks, Telehealth Ontario, HealthLink, Health-Line, Telecare, Info-Santé)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1543	893700.6	<div></div> 19.2%
2	NO	6908	3749061.5	<div></div> 80.8%
6	NOT APPLICABLE	53478	23752597.8	
7	DON'T KNOW	6	2659.4	
8	REFUSAL	0	0.0	
9	NOT STATED	974	480399.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_40E: Contact/health info - emergency room				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8451 / 4642762.11 ] [Invalid=54458 / 24235656.26 ]			
Universe	Respondents who answered ACC_40 = (1, 7 or 8)			
Literal question	Who did you contact when you needed health information or advice for yourself or a family member? - Hospital emergency room			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1399	776018.1	<div></div> 16.7%
2	NO	7052	3866744.0	<div></div> 83.3%
6	NOT APPLICABLE	53478	23752597.8	
7	DON'T KNOW	6	2659.4	
8	REFUSAL	0	0.0	
9	NOT STATED	974	480399.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_40F: Contact/health info - other hosp. serv.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8451 / 4642762.11 ] [Invalid=54458 / 24235656.26 ]			
Universe	Respondents who answered ACC_40 = (1, 7 or 8)			
Literal question	Who did you contact when you needed health information or advice for yourself or a family member? - Other hospital service			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	540	300019.8	<div></div> 6.5%
2	NO	7911	4342742.3	<div></div> 93.5%
6	NOT APPLICABLE	53478	23752597.8	
7	DON'T KNOW	6	2659.4	

# ACC_40F: Contact/health info - other hosp. serv.				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	974	480399.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_40G: Contact/health info - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8451 / 4642762.11 ] [Invalid=54458 / 24235656.26 ]			
Universe	Respondents who answered ACC_40 = (1, 7 or 8)			
Literal question	Who did you contact when you needed health information or advice for yourself or a family member? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1521	867306.7	<div></div> 18.7%
2	NO	6930	3775455.4	<div></div> 81.3%
6	NOT APPLICABLE	53478	23752597.8	
7	DON'T KNOW	6	2659.4	
8	REFUSAL	0	0.0	
9	NOT STATED	974	480399.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				



# ACC_41: Diff. getting health information				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8442 / 4632782.86 ] [Invalid=54467 / 24245635.51 ]			
Universe	Respondents who answered ACC_40 = (1, 7 or 8)			
Literal question	Who did you contact when you needed health information or advice for yourself or a family member? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1288	784373.6	<div><div></div></div> 16.9%
2	NO	7154	3848409.2	<div><div></div></div> 83.1%
6	NOT APPLICABLE	53478	23752597.8	
7	DON'T KNOW	12	10468.9	
8	REFUSAL	2	2114.9	
9	NOT STATED	975	480453.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_42: Exp. diff. during regular hrs.				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=1275 / 778777.18 ] [Invalid=61634 / 28099641.19 ]			
Universe	Respondents who answered ACC_41 = (1, 7 or 8) or ACC_40 = (7 or 8)			
Literal question	Did you experience difficulties during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1004	629868.0	<div><div></div></div> 80.9%
2	NO	198	92690.3	<div><div></div></div> 11.9%
3	NOT REQUIRED	73	56218.9	<div><div></div></div> 7.2%
6	NOT APPLICABLE	60632	27601007.1	
7	DON'T KNOW	12	5433.1	
8	REFUSAL	1	163.3	
9	NOT STATED	989	493037.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_43A: Diff. - contact a physician/nurse				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]			
Universe	Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician or nurse			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	398	244997.9	<div><div></div></div> 39.1%
2	NO	603	381398.2	<div><div></div></div> 60.9%
6	NOT APPLICABLE	60903	27749916.2	
7	DON'T KNOW	1	1256.7	
8	REFUSAL	1	373.8	
9	NOT STATED	1003	500475.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_43B: Diff. - did not have a phone number				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]			
Universe	Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			

# ACC_43B: Diff. - did not have a phone number				
<b>Literal question</b>		What type of difficulties did you experience? - Did not have a phone number		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	4530.2	0.7%
2	NO	993	621865.9	99.3%
6	NOT APPLICABLE	60903	27749916.2	
7	DON'T KNOW	1	1256.7	
8	REFUSAL	1	373.8	
9	NOT STATED	1003	500475.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_43C: Diff. - could not get through				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]		
<b>Universe</b>		Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)		
<b>Literal question</b>		What type of difficulties did you experience? - Could not get through (i.e. no answer)		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	142	110661.2	17.7%
2	NO	859	515734.9	82.3%
6	NOT APPLICABLE	60903	27749916.2	
7	DON'T KNOW	1	1256.7	
8	REFUSAL	1	373.8	
9	NOT STATED	1003	500475.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_43D: Diff. - waited too long to speak				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]		
<b>Universe</b>		Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)		
<b>Literal question</b>		What type of difficulties did you experience? - Waited too long to speak to someone		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	349	237431.5	37.9%
2	NO	652	388964.6	62.1%
6	NOT APPLICABLE	60903	27749916.2	
7	DON'T KNOW	1	1256.7	
8	REFUSAL	1	373.8	
9	NOT STATED	1003	500475.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_43E: Diff. - inadequate information				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]		
<b>Universe</b>		Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)		
<b>Literal question</b>		What type of difficulties did you experience? - Did not get adequate info or advice		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	319	207870.0	33.2%
2	NO	682	418526.2	66.8%

# ACC_43E: Diff. - inadequate information				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	60903	27749916.2	
7	DON'T KNOW	1	1256.7	
8	REFUSAL	1	373.8	
9	NOT STATED	1003	500475.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_43F: Diff. - language				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]			
Universe	Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	11220.2	1.8%
2	NO	990	615175.9	98.2%
6	NOT APPLICABLE	60903	27749916.2	
7	DON'T KNOW	1	1256.7	
8	REFUSAL	1	373.8	
9	NOT STATED	1003	500475.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_43G: Diff. - did not know where to go/call				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]			
Universe	Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not know where to go / call / uninformed			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	37	27532.4	4.4%
2	NO	964	598863.7	95.6%
6	NOT APPLICABLE	60903	27749916.2	
7	DON'T KNOW	1	1256.7	
8	REFUSAL	1	373.8	
9	NOT STATED	1003	500475.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_43H: Diff. - unable to leave house/health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]			
Universe	Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	4563.6	0.7%
2	NO	993	621832.5	99.3%
6	NOT APPLICABLE	60903	27749916.2	
7	DON'T KNOW	1	1256.7	
8	REFUSAL	1	373.8	

# ACC_43H: Diff. - unable to leave house/health				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1003	500475.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_43I: Diff. - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]			
Universe	Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	232	139584.5	22.3%
2	NO	769	486811.6	77.7%
6	NOT APPLICABLE	60903	27749916.2	
7	DON'T KNOW	1	1256.7	
8	REFUSAL	1	373.8	
9	NOT STATED	1003	500475.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_44: Exp. diff. during evening/weekends				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=1274 / 775793.7 ] [Invalid=61635 / 28102624.67 ]			
Universe	Respondents who answered ACC_41 = (1, 7 or 8) or ACC_40 = (7 or 8)			
Literal question	Did you experience difficulties getting health information or advice during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	426	287685.5	37.1%
2	NO	382	175204.2	22.6%
3	NOT REQUIRED	466	312904.0	40.3%
6	NOT APPLICABLE	60632	27601007.1	
7	DON'T KNOW	13	6738.6	
8	REFUSAL	0	0.0	
9	NOT STATED	990	494879.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_45A: Diff. - contact a physician/nurse				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]			
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician or nurse			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	185	124715.6	43.5%
2	NO	239	161976.0	56.5%
6	NOT APPLICABLE	61480	28089115.3	
7	DON'T KNOW	2	993.9	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	501617.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# ACC_45B: Diff. - did not have a phone number				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]			
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not have a phone number			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	11	4910.7	1.7%
2	NO	413	281780.9	98.3%
6	NOT APPLICABLE	61480	28089115.3	
7	DON'T KNOW	2	993.9	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	501617.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_45C: Diff. - could not get through				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]			
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Could not get through (i.e. no answer)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	71	62798.6	21.9%
2	NO	353	223893.0	78.1%
6	NOT APPLICABLE	61480	28089115.3	
7	DON'T KNOW	2	993.9	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	501617.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_45D: Diff. - waited too long to speak				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]			
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to speak to someone			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	184	113687.3	39.7%
2	NO	240	173004.3	60.3%
6	NOT APPLICABLE	61480	28089115.3	
7	DON'T KNOW	2	993.9	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	501617.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_45E: Diff. - inadequate information				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]			
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not get adequate info or advice			

# ACC_45E: Diff. - inadequate information				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	122	80782.9	<div><div></div></div> 28.2%
2	NO	302	205908.7	<div><div></div></div> 71.8%
6	NOT APPLICABLE	61480	28089115.3	
7	DON'T KNOW	2	993.9	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	501617.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_45F: Diff. - language				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]			
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	827.0	<div><div></div></div> 0.3%
2	NO	422	285864.6	<div><div></div></div> 99.7%
6	NOT APPLICABLE	61480	28089115.3	
7	DON'T KNOW	2	993.9	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	501617.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_45G: Diff. - did not know where to go/call				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]			
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not know where to go / call / uninformed			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21	13787.9	<div><div></div></div> 4.8%
2	NO	403	272903.7	<div><div></div></div> 95.2%
6	NOT APPLICABLE	61480	28089115.3	
7	DON'T KNOW	2	993.9	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	501617.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_45H: Diff. - unable to leave/health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]			
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	324.6	<div><div></div></div> 0.1%
2	NO	422	286367.0	<div><div></div></div> 99.9%
6	NOT APPLICABLE	61480	28089115.3	

# ACC_45H: Diff. - unable to leave/health				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	2	993.9	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	501617.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_45I: Diff. - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]			
Universe	Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	75	37703.7	<div></div> 13.2%
2	NO	349	248987.9	<div></div> 86.8%
6	NOT APPLICABLE	61480	28089115.3	
7	DON'T KNOW	2	993.9	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	501617.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_46: Exp. diff. during middle of night				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=1274 / 777588.33 ] [Invalid=61635 / 28100830.04 ]			
Universe	Respondents who answered ACC_41 = (1, 7 or 8) or ACC_40 = (7 or 8)			
Literal question	Did you experience difficulties getting health information or advice during the middle of the night?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	156	116331.5	<div></div> 15.0%
2	NO	468	249186.1	<div></div> 32.0%
3	NOT REQUIRED	650	412070.7	<div></div> 53.0%
6	NOT APPLICABLE	60632	27601007.1	
7	DON'T KNOW	13	4944.0	
8	REFUSAL	0	0.0	
9	NOT STATED	990	494879.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_47A: Diff. - contact a physician/nurse				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]			
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician or nurse			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	70	52553.3	<div></div> 45.3%
2	NO	85	63417.9	<div></div> 54.7%
6	NOT APPLICABLE	61750	28262263.9	
7	DON'T KNOW	1	360.4	
8	REFUSAL	0	0.0	

# ACC_47A: Diff. - contact a physician/nurse				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1003	499823.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_47B: Diff. - did not have a phone number				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]			
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not have a phone number			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	3002.6	2.6%
2	NO	150	112968.5	97.4%
6	NOT APPLICABLE	61750	28262263.9	
7	DON'T KNOW	1	360.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	499823.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_47C: Diff. - could not get through				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]			
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Could not get through (i.e. no answer)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25	17684.8	15.2%
2	NO	130	98286.3	84.8%
6	NOT APPLICABLE	61750	28262263.9	
7	DON'T KNOW	1	360.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	499823.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_47D: Diff. - waited too long/to speak				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]			
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to speak to someone			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	70	60062.5	51.8%
2	NO	85	55908.6	48.2%
6	NOT APPLICABLE	61750	28262263.9	
7	DON'T KNOW	1	360.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	499823.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				



# ACC_47E: Diff. - inadequate information				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]			
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not get adequate info or advice			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	45	35485.0	30.6%
2	NO	110	80486.1	69.4%
6	NOT APPLICABLE	61750	28262263.9	
7	DON'T KNOW	1	360.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	499823.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_47F: Diff. - language				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]			
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	521.4	0.4%
2	NO	154	115449.8	99.6%
6	NOT APPLICABLE	61750	28262263.9	
7	DON'T KNOW	1	360.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	499823.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_47G: Diff. - did not know where to go/call				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]			
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not know where to go / call / uninformed			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	2564.9	2.2%
2	NO	150	113406.3	97.8%
6	NOT APPLICABLE	61750	28262263.9	
7	DON'T KNOW	1	360.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	499823.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_47H: Diff. - unable to leave/health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]			
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem			

# ACC_47H: Diff. - unable to leave/health				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	2835.9	2.4%
2	NO	151	113135.3	97.6%
6	NOT APPLICABLE	61750	28262263.9	
7	DON'T KNOW	1	360.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	499823.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_47I: Diff. - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]			
Universe	Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21	10200.6	8.8%
2	NO	134	105770.6	91.2%
6	NOT APPLICABLE	61750	28262263.9	
7	DON'T KNOW	1	360.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	499823.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_50A: Has a regular family doctor				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=19634 / 10321327.77 ] [Invalid=43275 / 18557090.6 ]			
Universe	Respondents aged 15 and over with DOACC = 1			
Literal question	Do you have a regular family doctor?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17861	9224088.0	89.4%
2	NO	1773	1097239.7	10.6%
6	NOT APPLICABLE	42318	18082978.3	
7	DON'T KNOW	13	8301.9	
8	REFUSAL	2	1399.5	
9	NOT STATED	942	464411.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_50: Required routine care for self/family				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=19606 / 10306824.55 ] [Invalid=43303 / 18571593.82 ]			
Universe	Respondents aged 15 and over with DOACC = 1			
Literal question	In the past 12 months, did you require any routine or on-going care for yourself or a family member?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10532	5336972.7	51.8%
2	NO	9074	4969851.8	48.2%
6	NOT APPLICABLE	42318	18082978.3	

# ACC_50: Required routine care for self/family				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	36	19594.4	
8	REFUSAL	5	3565.6	
9	NOT STATED	944	465455.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_51: Exp. diff. getting on-going care				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=10524 / 5332561.34 ] [Invalid=52385 / 23545857.03 ]			
Universe	Respondents who answered ACC_50 = (1, 7 or 8)			
Literal question	In the past 12 months, did you ever experience any difficulties getting the routine or on-going care you or a family member needed?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1404	760128.6	<div><div></div></div> 14.3%
2	NO	9120	4572432.7	<div><div></div></div> 85.7%
6	NOT APPLICABLE	51392	23052830.1	
7	DON'T KNOW	7	2505.9	
8	REFUSAL	1	1905.5	
9	NOT STATED	985	488615.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_52: Experienced diff. during regular hours				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=1399 / 758214.85 ] [Invalid=61510 / 28120203.52 ]			
Universe	Respondents who answered ACC_51 = (1, 7 or 8) or ACC_50 = (7 or 8)			
Literal question	Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1212	668735.8	<div><div></div></div> 88.2%
2	NO	160	76118.9	<div><div></div></div> 10.0%
3	NOT REQUIRED	27	13360.2	<div><div></div></div> 1.8%
6	NOT APPLICABLE	60512	27625262.8	
7	DON'T KNOW	5	1913.8	
8	REFUSAL	0	0.0	
9	NOT STATED	993	493027.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_53A: Diff. - contact a physician				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]			
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	265	132113.7	<div><div></div></div> 19.8%
2	NO	943	534405.9	<div><div></div></div> 80.2%
6	NOT APPLICABLE	60699	27714741.8	
7	DON'T KNOW	4	2216.2	

# ACC_53A: Diff. - contact a physician				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	998	494940.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_53B: Diff. - getting an appointment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]			
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	565	309923.8	<div></div> 46.5%
2	NO	643	356595.8	<div></div> 53.5%
6	NOT APPLICABLE	60699	27714741.8	
7	DON'T KNOW	4	2216.2	
8	REFUSAL	0	0.0	
9	NOT STATED	998	494940.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_53C: Diff. - do not have family physician				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]			
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Do not have personal / family physician			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	97	49180.2	<div></div> 7.4%
2	NO	1111	617339.5	<div></div> 92.6%
6	NOT APPLICABLE	60699	27714741.8	
7	DON'T KNOW	4	2216.2	
8	REFUSAL	0	0.0	
9	NOT STATED	998	494940.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_53D: Diff. - waited too long for appointment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]			
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	499	292410.6	<div></div> 43.9%
2	NO	709	374109.1	<div></div> 56.1%
6	NOT APPLICABLE	60699	27714741.8	
7	DON'T KNOW	4	2216.2	
8	REFUSAL	0	0.0	
9	NOT STATED	998	494940.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# ACC_53E: Diff. - waited too long/see doc.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]			
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	250	182454.1	<div><div></div></div> 27.4%
2	NO	958	484065.6	<div><div></div></div> 72.6%
6	NOT APPLICABLE	60699	27714741.8	
7	DON'T KNOW	4	2216.2	
8	REFUSAL	0	0.0	
9	NOT STATED	998	494940.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_53F: Diff. - not available at time required				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]			
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available at time required			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	85	40351.3	<div><div></div></div> 6.1%
2	NO	1123	626168.4	<div><div></div></div> 93.9%
6	NOT APPLICABLE	60699	27714741.8	
7	DON'T KNOW	4	2216.2	
8	REFUSAL	0	0.0	
9	NOT STATED	998	494940.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_53G: Diff. - not available in the area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]			
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available in the area			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	53	25582.8	<div><div></div></div> 3.8%
2	NO	1155	640936.8	<div><div></div></div> 96.2%
6	NOT APPLICABLE	60699	27714741.8	
7	DON'T KNOW	4	2216.2	
8	REFUSAL	0	0.0	
9	NOT STATED	998	494940.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_53H: Diff. - transportation				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]			
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Transportation problems			

# ACC_53H: Diff. - transportation				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	33	18782.5	2.8%
2	NO	1175	647737.1	97.2%
6	NOT APPLICABLE	60699	27714741.8	
7	DON'T KNOW	4	2216.2	
8	REFUSAL	0	0.0	
9	NOT STATED	998	494940.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_53I: Diff. - language				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]			
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	3672.8	0.6%
2	NO	1204	662846.8	99.4%
6	NOT APPLICABLE	60699	27714741.8	
7	DON'T KNOW	4	2216.2	
8	REFUSAL	0	0.0	
9	NOT STATED	998	494940.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_53J: Diff. - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]			
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Cost			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21	15578.4	2.3%
2	NO	1187	650941.2	97.7%
6	NOT APPLICABLE	60699	27714741.8	
7	DON'T KNOW	4	2216.2	
8	REFUSAL	0	0.0	
9	NOT STATED	998	494940.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_53K: Diff. - did not know where to go				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]			
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	7179.6	1.1%
2	NO	1199	659340.1	98.9%
6	NOT APPLICABLE	60699	27714741.8	

# ACC_53K: Diff. - did not know where to go				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	4	2216.2	
8	REFUSAL	0	0.0	
9	NOT STATED	998	494940.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_53L: Diff. - unable to leave house/health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]			
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	2497.1	0.4%
2	NO	1200	664022.5	99.6%
6	NOT APPLICABLE	60699	27714741.8	
7	DON'T KNOW	4	2216.2	
8	REFUSAL	0	0.0	
9	NOT STATED	998	494940.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_53M: Diff. - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]			
Universe	Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	181	95235.9	14.3%
2	NO	1027	571283.7	85.7%
6	NOT APPLICABLE	60699	27714741.8	
7	DON'T KNOW	4	2216.2	
8	REFUSAL	0	0.0	
9	NOT STATED	998	494940.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_54: Exp. diff. during evening/weekends				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=1394 / 757207.52 ] [Invalid=61515 / 28121210.85 ]			
Universe	Respondents who answered ACC_51 = (1, 7 or 8) or ACC_50 = (7 or 8)			
Literal question	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	331	178472.8	23.6%
2	NO	529	260817.6	34.4%
3	NOT REQUIRED	534	317917.1	42.0%
6	NOT APPLICABLE	60512	27625262.8	
7	DON'T KNOW	10	2921.1	

# ACC_54: Exp. diff. during evening/weekends				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	993	493027.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_55A: Diff. - contact a physician				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]			
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	103	54640.5	<div></div> 30.7%
2	NO	227	123175.6	<div></div> 69.3%
6	NOT APPLICABLE	61575	28203997.5	
7	DON'T KNOW	1	656.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	495948.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				



# ACC_55B: Diff. - getting an appointment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]			
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	102	63963.1	<div><div></div></div> 36.0%
2	NO	228	113853.0	<div><div></div></div> 64.0%
6	NOT APPLICABLE	61575	28203997.5	
7	DON'T KNOW	1	656.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	495948.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_55C: Diff. - do not have family physician				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]			
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Do not have personal / family physician			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30	11426.8	<div><div></div></div> 6.4%
2	NO	300	166389.3	<div><div></div></div> 93.6%
6	NOT APPLICABLE	61575	28203997.5	
7	DON'T KNOW	1	656.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	495948.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_55D: Diff. - waited too long for appointment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]			
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	80	54560.1	<div><div></div></div> 30.7%
2	NO	250	123256.0	<div><div></div></div> 69.3%
6	NOT APPLICABLE	61575	28203997.5	
7	DON'T KNOW	1	656.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	495948.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_55E: Diff. - waited too long/see doc				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]			
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)			

# ACC_55E: Diff. - waited too long/see doc				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	105	59217.6	<div><div></div></div> 33.3%
2	NO	225	118598.5	<div><div></div></div> 66.7%
6	NOT APPLICABLE	61575	28203997.5	
7	DON'T KNOW	1	656.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	495948.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_55F: Diff. - not available at time required				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]			
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available at time required			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	71	39649.4	<div><div></div></div> 22.3%
2	NO	259	138166.6	<div><div></div></div> 77.7%
6	NOT APPLICABLE	61575	28203997.5	
7	DON'T KNOW	1	656.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	495948.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_55G: Diff. - not available/area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]			
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available in the area			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	22	16945.6	<div><div></div></div> 9.5%
2	NO	308	160870.5	<div><div></div></div> 90.5%
6	NOT APPLICABLE	61575	28203997.5	
7	DON'T KNOW	1	656.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	495948.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_55H: Diff. - transportation				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]			
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Transportation problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	5357.6	<div><div></div></div> 3.0%
2	NO	320	172458.5	<div><div></div></div> 97.0%
6	NOT APPLICABLE	61575	28203997.5	

# ACC_55H: Diff. - transportation				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	1	656.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	495948.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_55I: Diff. - language				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]			
Universe	Universe Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	963.4	0.5%
2	NO	326	176852.7	99.5%
6	NOT APPLICABLE	61575	28203997.5	
7	DON'T KNOW	1	656.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	495948.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_55J: Diff. - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]			
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Cost			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	2563.9	1.4%
2	NO	328	175252.2	98.6%
6	NOT APPLICABLE	61575	28203997.5	
7	DON'T KNOW	1	656.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	495948.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_55K: Diff. - did not know where to go				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]			
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	7512.0	4.2%
2	NO	323	170304.1	95.8%
6	NOT APPLICABLE	61575	28203997.5	
7	DON'T KNOW	1	656.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	495948.1	

# ACC_55K: Diff. - did not know where to go				
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_55L: Diff. - unable to leave house/health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]			
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Unable to leave house because of a health problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	1210.1	0.7%
2	NO	328	176606.0	99.3%
6	NOT APPLICABLE	61575	28203997.5	
7	DON'T KNOW	1	656.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	495948.1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_55M: Diff. - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]			
Universe	Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	37	16202.1	9.1%
2	NO	293	161614.0	90.9%
6	NOT APPLICABLE	61575	28203997.5	
7	DON'T KNOW	1	656.7	
8	REFUSAL	0	0.0	
9	NOT STATED	1003	495948.1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_60: Required immediate care - self/family				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=19594 / 10295363.27 ] [Invalid=43315 / 18583055.1 ]			
Universe	Respondents aged 15 and over with DOACC = 1			
Literal question	In the past 12 months, have you or a family member required immediate health care services for a minor health problem?			
Notes	Minor health problems include fever, headache, a sprained ankle, vomiting or an unexplained rash.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5872	3480555.7	33.8%
2	NO	13722	6814807.6	66.2%
6	NOT APPLICABLE	42318	18082978.3	
7	DON'T KNOW	41	28069.4	
8	REFUSAL	6	3544.8	
9	NOT STATED	950	468462.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_61: Exp. diff. getting immediate care				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			

# ACC_61: Exp. diff. getting immediate care				
Statistics [NW/ W]	[Valid=5869 / 3479593.19 ] [Invalid=57040 / 25398825.18 ]			
Universe	Respondents who answered ACC_60 = (1, 7 or 8)			
Literal question	In the past 12 months, did you ever experience any difficulties getting the immediate care needed for a minor health problem for yourself or a family member			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1229	837905.4	24.1%
2	NO	4640	2641687.8	75.9%
6	NOT APPLICABLE	56040	24897785.9	
7	DON'T KNOW	3	962.5	
8	REFUSAL	0	0.0	
9	NOT STATED	997	500076.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_62: Experienced diff. during regular hours				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=1224 / 834274.99 ] [Invalid=61685 / 28044143.38 ]			
Universe	Respondents who answered ACC_61 = (1, 7 or 8) or ACC_60 = (7 or 8)			
Literal question	Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	782	519280.9	62.2%
2	NO	308	210780.4	25.3%
3	NOT REQUIRED	134	104213.7	12.5%
6	NOT APPLICABLE	60680	27539473.7	
7	DON'T KNOW	5	3630.4	
8	REFUSAL	0	0.0	
9	NOT STATED	1000	501039.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_63A: Diff. - contact a physician				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]			
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	150	96526.2	18.6%
2	NO	632	422754.7	81.4%
6	NOT APPLICABLE	61122	27854467.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1005	504669.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_63B: Diff. - getting an appointment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]			
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			

# ACC_63B: Diff. - getting an appointment				
<b>Literal question</b>		What type of difficulties did you experience? - Difficulty getting an appointment		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	274	182596.5	<div><div></div></div> 35.2%
2	NO	508	336684.3	<div><div></div></div> 64.8%
6	NOT APPLICABLE	61122	27854467.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1005	504669.7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_63C: Diff. - do not have family physician				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]		
<b>Universe</b>		Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)		
<b>Literal question</b>		What type of difficulties did you experience? - Do not have personal / family physician		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	37	23957.8	<div><div></div></div> 4.6%
2	NO	745	495323.0	<div><div></div></div> 95.4%
6	NOT APPLICABLE	61122	27854467.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1005	504669.7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_63D: Diff. - waited too long/for appointment				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]		
<b>Universe</b>		Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)		
<b>Literal question</b>		What type of difficulties did you experience? - Waited too long to get an appointment		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	218	189505.1	<div><div></div></div> 36.5%
2	NO	564	329775.7	<div><div></div></div> 63.5%
6	NOT APPLICABLE	61122	27854467.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1005	504669.7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_63E: Diff. - waited too long/see doc				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]		
<b>Universe</b>		Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)		
<b>Literal question</b>		What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	356	259955.0	<div><div></div></div> 50.1%
2	NO	426	259325.9	<div><div></div></div> 49.9%

# ACC_63E: Diff. - waited too long/see doc				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	61122	27854467.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1005	504669.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_63F: Diff. - not available at time required				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]			
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available at time required			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	59	47442.6	<div><div></div></div> 9.1%
2	NO	723	471838.3	<div><div></div></div> 90.9%
6	NOT APPLICABLE	61122	27854467.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1005	504669.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_63G: Diff. - not available/area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]			
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available in the area			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	23	22342.4	<div><div></div></div> 4.3%
2	NO	759	496938.5	<div><div></div></div> 95.7%
6	NOT APPLICABLE	61122	27854467.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1005	504669.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_63H: Diff. - transportation				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]			
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Transportation problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	11115.5	<div><div></div></div> 2.1%
2	NO	770	508165.4	<div><div></div></div> 97.9%
6	NOT APPLICABLE	61122	27854467.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

# ACC_63H: Diff. - transportation				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1005	504669.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_63I: Diff. - language				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]			
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	8950.7	1.7%
2	NO	774	510330.1	98.3%
6	NOT APPLICABLE	61122	27854467.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1005	504669.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_63J: Diff. - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]			
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Cost			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	2117.0	0.4%
2	NO	776	517163.9	99.6%
6	NOT APPLICABLE	61122	27854467.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1005	504669.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_63K: Diff. - did not know where to go				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]			
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	4740.1	0.9%
2	NO	774	514540.8	99.1%
6	NOT APPLICABLE	61122	27854467.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1005	504669.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				



# ACC_63L: Diff. - unable to leave house/health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]			
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	1872.7	0.4%
2	NO	776	517408.2	99.6%
6	NOT APPLICABLE	61122	27854467.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1005	504669.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_63M: Diff. - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]			
Universe	Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	102	51902.6	10.0%
2	NO	680	467378.3	90.0%
6	NOT APPLICABLE	61122	27854467.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1005	504669.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_64: Exp. diff. during evening/weekends				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=1222 / 833877.85 ] [Invalid=61687 / 28044540.52 ]			
Universe	Respondents who answered ACC_61 = (1, 7 or 8) or ACC_60 = (7 or 8)			
Literal question	Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm, Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	599	417233.4	50.0%
2	NO	311	185971.1	22.3%
3	NOT REQUIRED	312	230673.3	27.7%
6	NOT APPLICABLE	60680	27539473.7	
7	DON'T KNOW	6	3402.3	
8	REFUSAL	0	0.0	
9	NOT STATED	1001	501664.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_65A: Diff. - contact a physician				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]			

# ACC_65A: Diff. - contact a physician				
Universe		Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)		
Literal question		What type of difficulties did you experience? - Difficulty contacting a physician		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	101	68765.5	16.5%
2	NO	497	348312.1	83.5%
6	NOT APPLICABLE	61303	27956118.1	
7	DON'T KNOW	1	155.8	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	505066.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_65B: Diff. - getting an appointment				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]		
Universe		Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)		
Literal question		What type of difficulties did you experience? - Difficulty getting an appointment		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	103	66778.2	16.0%
2	NO	495	350299.4	84.0%
6	NOT APPLICABLE	61303	27956118.1	
7	DON'T KNOW	1	155.8	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	505066.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_65C: Diff. - do not have family physician				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]		
Universe		Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)		
Literal question		What type of difficulties did you experience? - Do not have personal / family physician		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25	18282.4	4.4%
2	NO	573	398795.2	95.6%
6	NOT APPLICABLE	61303	27956118.1	
7	DON'T KNOW	1	155.8	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	505066.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_65D: Diff. - waited too long/for appointment				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]		
Universe		Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)		
Literal question		What type of difficulties did you experience? - Waited too long to get an appointment		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	108	92521.8	22.2%

# ACC_65D: Diff. - waited too long/for appointment					
Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	490	324555.8	<div></div>	77.8%
6	NOT APPLICABLE	61303	27956118.1		
7	DON'T KNOW	1	155.8		
8	REFUSAL	0	0.0		
9	NOT STATED	1007	505066.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# ACC_65E: Diff. - waited too long/see doc					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]			
Universe		Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question		What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	350	220411.6	<div></div>	52.8%
2	NO	248	196666.0	<div></div>	47.2%
6	NOT APPLICABLE	61303	27956118.1		
7	DON'T KNOW	1	155.8		
8	REFUSAL	0	0.0		
9	NOT STATED	1007	505066.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# ACC_65F: Diff. - not available at time required					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]			
Universe		Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question		What type of difficulties did you experience? - Service not available at time required			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	76	64052.3	<div></div>	15.4%
2	NO	522	353025.3	<div></div>	84.6%
6	NOT APPLICABLE	61303	27956118.1		
7	DON'T KNOW	1	155.8		
8	REFUSAL	0	0.0		
9	NOT STATED	1007	505066.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# ACC_65G: Diff. - not available/area					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]			
Universe		Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question		What type of difficulties did you experience? - Service not available in the area			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	25	25524.2	<div></div>	6.1%
2	NO	573	391553.4	<div></div>	93.9%
6	NOT APPLICABLE	61303	27956118.1		
7	DON'T KNOW	1	155.8		

# ACC_65G: Diff. - not available/area				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	1007	505066.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_65H: Diff. - transportation				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]			
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Transportation problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	10356.2	2.5%
2	NO	586	406721.4	97.5%
6	NOT APPLICABLE	61303	27956118.1	
7	DON'T KNOW	1	155.8	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	505066.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_65I: Diff. - language				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]			
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	4291.2	1.0%
2	NO	592	412786.4	99.0%
6	NOT APPLICABLE	61303	27956118.1	
7	DON'T KNOW	1	155.8	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	505066.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_65J: Diff. - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]			
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Cost			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	3875.6	0.9%
2	NO	595	413202.0	99.1%
6	NOT APPLICABLE	61303	27956118.1	
7	DON'T KNOW	1	155.8	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	505066.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# ACC_65K: Diff. - did not know where to go				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]			
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	9363.1	2.2%
2	NO	588	407714.5	97.8%
6	NOT APPLICABLE	61303	27956118.1	
7	DON'T KNOW	1	155.8	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	505066.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_65L: Diff. - unable to leave house/health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]			
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	2835.3	0.7%
2	NO	591	414242.3	99.3%
6	NOT APPLICABLE	61303	27956118.1	
7	DON'T KNOW	1	155.8	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	505066.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_65M: Diff. - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]			
Universe	Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	78	49021.3	11.8%
2	NO	520	368056.3	88.2%
6	NOT APPLICABLE	61303	27956118.1	
7	DON'T KNOW	1	155.8	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	505066.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_66: Exp. diff. during middle of night				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=1222 / 831617.51 ] [Invalid=61687 / 28046800.86 ]			
Universe	Respondents who answered ACC_61 = (1, 7 or 8) or ACC_60 = (7 or 8)			
Literal question	Did you experience difficulties getting such care during the middle of the night?			

# ACC_66: Exp. diff. during middle of night				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	244	163445.0	<div><div></div></div> 19.7%
2	NO	429	268267.0	<div><div></div></div> 32.3%
3	NOT REQUIRED	549	399905.5	<div><div></div></div> 48.1%
6	NOT APPLICABLE	60680	27539473.7	
7	DON'T KNOW	6	5662.6	
8	REFUSAL	0	0.0	
9	NOT STATED	1001	501664.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_67A: Diff. - contact a physician				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]			
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty contacting a physician			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	48	29739.9	<div><div></div></div> 18.2%
2	NO	196	133705.0	<div><div></div></div> 81.8%
6	NOT APPLICABLE	61658	28207646.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	507327.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_67B: Diff. - getting an appointment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]			
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30	20788.5	<div><div></div></div> 12.7%
2	NO	214	142656.4	<div><div></div></div> 87.3%
6	NOT APPLICABLE	61658	28207646.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	507327.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_67C: Diff. - do not have family physician				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]			
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Do not have personal / family physician			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	8317.4	<div><div></div></div> 5.1%
2	NO	237	155127.6	<div><div></div></div> 94.9%

# ACC_67C: Diff. - do not have family physician				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	61658	28207646.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	507327.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_67D: Diff. - waited too long/for appointment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]			
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	54	37150.0	<div></div> 22.7%
2	NO	190	126295.0	<div></div> 77.3%
6	NOT APPLICABLE	61658	28207646.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	507327.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_67E: Diff. - waited too long/see doc				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]			
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	149	107491.5	<div></div> 65.8%
2	NO	95	55953.4	<div></div> 34.2%
6	NOT APPLICABLE	61658	28207646.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	507327.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_67F: Diff. - not available at time required				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]			
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available at time required			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	33	20166.3	<div></div> 12.3%
2	NO	211	143278.7	<div></div> 87.7%
6	NOT APPLICABLE	61658	28207646.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

# ACC_67F: Diff. - not available at time required				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1007	507327.2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# ACC_67G: Diff. - not available/area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]			
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available in the area			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14	8631.5	<div><div></div></div> 5.3%
2	NO	230	154813.5	<div><div></div></div> 94.7%
6	NOT APPLICABLE	61658	28207646.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	507327.2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				



# ACC_67H: Diff. - transportation				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]			
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Transportation problems			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2	1198.6	0.7%
2	NO	242	162246.3	99.3%
6	NOT APPLICABLE	61658	28207646.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	507327.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_67I: Diff. - language				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]			
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	2385.2	1.5%
2	NO	240	161059.8	98.5%
6	NOT APPLICABLE	61658	28207646.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	507327.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_67J: Diff. - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]			
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Cost			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	244	163445.0	100.0%
6	NOT APPLICABLE	61658	28207646.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	507327.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_67K: Diff. - did not know where to go				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]			
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Did not know where to go (i.e. information problems)			

# ACC_67K: Diff. - did not know where to go				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5	5746.4	<div><div></div></div> 3.5%
2	NO	239	157698.6	<div><div></div></div> 96.5%
6	NOT APPLICABLE	61658	28207646.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	507327.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_67L: Diff. - unable to leave house/health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]			
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	2519.6	<div><div></div></div> 1.5%
2	NO	240	160925.4	<div><div></div></div> 98.5%
6	NOT APPLICABLE	61658	28207646.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	507327.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# ACC_67M: Diff. - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]			
Universe	Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29	16602.9	<div><div></div></div> 10.2%
2	NO	215	146842.0	<div><div></div></div> 89.8%
6	NOT APPLICABLE	61658	28207646.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1007	507327.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOWTM: Module: WTM - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21526	11260192.6	<div><div></div></div> 39.1%
2	NO	39750	17536124.8	<div><div></div></div> 60.9%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	

# DOWTM: Module: WTM - (F)				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_01: Required visit to medical specialist				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5757 / 2728030.45 ] [Invalid=57152 / 26150387.92 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered ACC_10 = (1, 7 or 8)			
Literal question	In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation for a new illness or condition?			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2516	1201874.8	<div></div> 44.1%
2	NO	3241	1526155.7	<div></div> 55.9%
6	NOT APPLICABLE	56178	25675587.4	
7	DON'T KNOW	10	3964.9	
8	REFUSAL	0	0.0	
9	NOT STATED	964	470835.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_02: Req. vis. med. spec. - type of condition				
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]			
Statistics [NW/ W]	[Valid=2510 / 1200562.69 ] [Invalid=60399 / 27677855.68 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_01 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	For what type of condition? If you have had more than one such visit, please answer for the most recent visit			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	HEART CONDITION	262	123708.6	<div></div> 10.3%
2	CANCER	171	63024.3	<div></div> 5.2%
3	ASTHMA	60	31662.9	<div></div> 2.6%
4	ARTHRITIS/RHEUM.	78	32407.5	<div></div> 2.7%
5	CATARACT	133	54711.6	<div></div> 4.6%
6	MENTAL HEALTH	80	35405.1	<div></div> 2.9%
7	SKIN CONDITIONS	173	75925.5	<div></div> 6.3%
8	GYNAECOLOGICAL	227	117831.9	<div></div> 9.8%
9	OTHER	1326	665885.5	<div></div> 55.5%
96	NOT APPLICABLE	59419	27201743.0	
97	DON'T KNOW	6	1312.1	
98	REFUSAL	0	0.0	
99	NOT STATED	974	474800.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_03: Person who referred resp. to med. spec.				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=2510 / 1197453.17 ] [Invalid=60399 / 27680965.2 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_01 = (1, 7 or 8) or ACC_10 = (7 or 8)			

# WTM_03: Person who referred resp. to med. spec.				
<b>Literal question</b>		Were you referred by: (a family doctor, another specialist or another health care provider)?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	FAMILY DOCTOR	1821	903184.8	<div><div></div></div> 75.4%
2	OTHER SPECIALIST	274	113390.5	<div><div></div></div> 9.5%
3	OTHER HLTH CARE	260	106737.2	<div><div></div></div> 8.9%
4	DID NOT REQUIRE	155	74140.7	<div><div></div></div> 6.2%
6	NOT APPLICABLE	59419	27201743.0	
7	DON'T KNOW	5	3670.0	
8	REFUSAL	1	751.7	
9	NOT STATED	974	474800.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# WTM_04: Already visited the medical specialist				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=2515 / 1201123.12 ] [Invalid=60394 / 27677295.25 ]		
<b>Universe</b>		Respondents aged 15 or over with DOWTM = 1 who answered WTM_01 = (1, 7 or 8) or ACC_10 = (7 or 8)		
<b>Literal question</b>		Have you already visited the medical specialist?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2300	1080930.0	<div><div></div></div> 90.0%
2	NO	215	120193.1	<div><div></div></div> 10.0%
6	NOT APPLICABLE	59419	27201743.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	751.7	
9	NOT STATED	974	474800.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# WTM_05: Difficulty seeing medical specialist				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=2300 / 1080930.01 ] [Invalid=60609 / 27797488.36 ]		
<b>Universe</b>		Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)		
<b>Literal question</b>		Thinking about this visit, did you experience any difficulties seeing the specialist?		
<b>Notes</b>		Questions ACC_12A to ACC_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	399	197099.5	<div><div></div></div> 18.2%
2	NO	1901	883830.5	<div><div></div></div> 81.8%
6	NOT APPLICABLE	59634	27321936.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	975	475552.2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# WTM_06A: Diff. - getting referral				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=399 / 197099.5 ] [Invalid=62510 / 28681318.87 ]		

# WTM_06A: Diff. - getting referral				
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty getting a referral			
Notes	Questions ACC_12A to ACC_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20	9446.4	4.8%
2	NO	379	187653.1	95.2%
6	NOT APPLICABLE	61535	28205766.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	975	475552.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_06B: Diff. - getting an appointment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=399 / 197099.5 ] [Invalid=62510 / 28681318.87 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment			
Notes	Questions ACC_12A to ACC_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	109	72313.7	36.7%
2	NO	290	124785.8	63.3%
6	NOT APPLICABLE	61535	28205766.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	975	475552.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_06C: Diff. - no specialists in area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=399 / 197099.5 ] [Invalid=62510 / 28681318.87 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - No specialists in the area			
Notes	Questions ACC_12A to ACC_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	7702.9	3.9%
2	NO	382	189396.6	96.1%
6	NOT APPLICABLE	61535	28205766.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	975	475552.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# WTM_06D: Diff. - waited too long for appointment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=399 / 197099.5 ] [Invalid=62510 / 28681318.87 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long between booking appointment and visit			
Notes	Questions ACC_12A to ACC_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	270	132777.8	<div><div></div></div> 67.4%
2	NO	129	64321.7	<div><div></div></div> 32.6%
6	NOT APPLICABLE	61535	28205766.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	975	475552.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_06E: Diff. - waited too long to see doc.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=399 / 197099.5 ] [Invalid=62510 / 28681318.87 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)			
Notes	Questions ACC_12A to ACC_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	86	37265.4	<div><div></div></div> 18.9%
2	NO	313	159834.1	<div><div></div></div> 81.1%
6	NOT APPLICABLE	61535	28205766.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	975	475552.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_06F: Diff. - transportation				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=399 / 197099.5 ] [Invalid=62510 / 28681318.87 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Transportation problems			
Notes	Questions ACC_12A to ACC_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9	5598.7	<div><div></div></div> 2.8%
2	NO	390	191500.8	<div><div></div></div> 97.2%
6	NOT APPLICABLE	61535	28205766.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

# WTM_06F: Diff. - transportation				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	975	475552.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_06G: Diff. - language				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=399 / 197099.5 ] [Invalid=62510 / 28681318.87 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			
Notes	Questions ACC_12A to ACC_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	3779.3	1.9%
2	NO	395	193320.2	98.1%
6	NOT APPLICABLE	61535	28205766.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	975	475552.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_06H: Diff. - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=399 / 197099.5 ] [Invalid=62510 / 28681318.87 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Cost			
Notes	Questions ACC_12A to ACC_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	3531.6	1.8%
2	NO	395	193567.9	98.2%
6	NOT APPLICABLE	61535	28205766.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	975	475552.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_06I: Diff. - pers./family responsibilities				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=399 / 197099.5 ] [Invalid=62510 / 28681318.87 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Personal or family responsibilities			
Notes	Questions ACC_12A to ACC_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	

# WTM_06I: Diff. - pers./family responsibilities				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	399	197099.5	<div><div></div></div> 100.0%
6	NOT APPLICABLE	61535	28205766.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	975	475552.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_06J: Diff. - deterioration of health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=399 / 197099.5 ] [Invalid=62510 / 28681318.87 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - General deterioration of health			
Notes	Questions ACC_12A to ACC_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	4138.7	<div><div></div></div> 2.1%
2	NO	395	192960.8	<div><div></div></div> 97.9%
6	NOT APPLICABLE	61535	28205766.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	975	475552.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_06K: Diff. - appointment cancelled/deferred				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=399 / 197099.5 ] [Invalid=62510 / 28681318.87 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Appointment cancelled or deferred by specialist			
Notes	Questions ACC_12A to ACC_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7	1947.5	<div><div></div></div> 1.0%
2	NO	392	195152.0	<div><div></div></div> 99.0%
6	NOT APPLICABLE	61535	28205766.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	975	475552.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_06L: Diff. - unable leave house/health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=399 / 197099.5 ] [Invalid=62510 / 28681318.87 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Unable to leave the house because of a health problem			



# WTM_06L: Diff. - unable leave house/health				
Notes		Questions ACC_12A to ACC_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	<div><div></div></div> 100.0%
2	NO	399	197099.5	
6	NOT APPLICABLE	61535	28205766.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	975	475552.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_06M: Diff. - other				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=399 / 197099.5 ] [Invalid=62510 / 28681318.87 ]		
Universe		Respondents aged 15 or over with DOWTM = 1 who answered WTM_05 = (1, 7 or 8) or WTM_04 = (7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)		
Literal question		What type of difficulties did you experience? - Other		
Notes		Questions ACC_12A to ACC_12N ask about any difficulties getting specialist care. This question deals with difficulties experienced for the most recent visit for a new illness or condition.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27	12733.5	<div><div></div></div> 6.5%
2	NO	372	184366.0	<div><div></div></div> 93.5%
6	NOT APPLICABLE	61535	28205766.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	975	475552.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_07A: Length of wait to see specialist				
Information		[Type= continuous] [Format=numeric] [Range= 1-365] [Missing=*]		
Statistics [NW/ W]		[Valid=2256 / 1056912.32 ] [Invalid=60653 / 27821506.05 ] [Mean=3.485 / 3.45 ] [StdDev=4.686 / 4.783 ]		
Universe		Respondents aged 15 or over with DOWTM = 1 who answered WTM_04 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)		
Literal question		How long did you have to wait between when [you and your doctor/health care provider] decided that you should see a specialist and when you actually visited the specialist?		
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	59634	27321936.1	
997	DON'T KNOW	42	23302.6	
998	REFUSAL	2	715.1	
999	NOT STATED	975	475552.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_07B: Length of wait to see specialist - unit				
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]		[Valid=2256 / 1056912.32 ] [Invalid=60653 / 27821506.05 ]		
Universe		Respondents aged 15 or over with DOWTM = 1 who answered WTM_04 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)		
Literal question		Interviewer : Enter unit of time.		

# WTM_07B: Length of wait to see specialist - unit				
Notes		Unit of measure of value in WTM_07A.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	350	157501.6	<div></div> 14.9%
2	WEEKS	864	410301.0	<div></div> 38.8%
3	MONTHS	1042	489109.6	<div></div> 46.3%
6	NOT APPLICABLE	59634	27321936.1	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1019	499569.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_08A: Length of time been waiting to see spec.				
Information		[Type= discrete] [Format=numeric] [Range= 1-120] [Missing=*]		
Statistics [NW/ W]		[Valid=200 / 109523.57 ] [Invalid=62709 / 28768894.8 ]		
Universe		Respondents aged 15 or over with DOWTM = 1 who answered WTM_04 = (2, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)		
Literal question		How long have you been waiting since [you and your doctor/health care provider] decided that you should see a specialist?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1		29	17631.8	<div></div> 16.1%
2		27	15574.4	<div></div> 14.2%
3		34	14422.6	<div></div> 13.2%
4		25	13857.1	<div></div> 12.7%
5		10	5424.3	<div></div> 5.0%
6		27	11084.8	<div></div> 10.1%
7		6	11388.2	<div></div> 10.4%
8		3	713.6	<div></div> 0.7%
9		5	2469.0	<div></div> 2.3%
10		8	7856.1	<div></div> 7.2%
11		2	717.8	<div></div> 0.7%
12		8	2764.0	<div></div> 2.5%
13		2	620.0	<div></div> 0.6%
14		3	1639.6	<div></div> 1.5%
15		1	454.6	<div></div> 0.4%
16		1	441.0	<div></div> 0.4%
19		1	397.9	<div></div> 0.4%
24		2	813.6	<div></div> 0.7%
36		3	283.6	<div></div> 0.3%
52		1	458.2	<div></div> 0.4%
60		1	172.5	<div></div> 0.2%
120		1	338.7	<div></div> 0.3%
996	NOT APPLICABLE	61719	28282673.0	
997	DON'T KNOW	13	10386.8	
998	REFUSAL	3	1034.4	
999	NOT STATED	974	474800.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# WTM_08B: Length of time waiting/see spec. - unit					
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]				
Statistics [NW/ W]	[Valid=200 / 109523.57 ] [Invalid=62709 / 28768894.8 ]				
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_04 = (2, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)				
Literal question	Interviewer : Enter unit of time.				
Notes	Unit of measure of value in WTM_08A.				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DAYS	7	7304.5	<div><div></div></div>	6.7%
2	WEEKS	52	22099.8	<div><div></div></div>	20.2%
3	MONTHS	141	80119.3	<div><div></div></div>	73.2%
6	NOT APPLICABLE	61719	28282673.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	990	486221.8		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# WTM_10: Respondent's opinion of waiting time					
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]				
Statistics [NW/ W]	[Valid=2507 / 1196611.03 ] [Invalid=60402 / 27681807.34 ]				
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_01 = (1, 7 or 8) or ACC_10 = (7 or 8)				
Literal question	In your view, was the [waiting time/has the waiting time been]: (acceptable or not acceptable)?				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ACCEPTABLE	1699	775042.2	<div><div></div></div>	64.8%
2	NOT ACCEPTABLE	777	400302.1	<div><div></div></div>	33.5%
3	NO VIEW	31	21266.8	<div><div></div></div>	1.8%
6	NOT APPLICABLE	59419	27201743.0		
7	DON'T KNOW	7	5004.3		
8	REFUSAL	2	259.5		
9	NOT STATED	974	474800.6		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# WTM_11A: Acceptable waiting time					
Information	[Type= discrete] [Format=numeric] [Range= 1-90] [Missing=*]				
Statistics [NW/ W]	[Valid=783 / 403950.4 ] [Invalid=62126 / 28474467.97 ]				
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_10 = (2, 3, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)				
Literal question	In this particular case, what do you think is an acceptable waiting time?				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1		317	161075.0	<div><div></div></div>	39.9%
2		259	133206.8	<div><div></div></div>	33.0%
3		102	53430.7	<div><div></div></div>	13.2%
4		29	19603.3	<div><div></div></div>	4.9%
5		7	2046.2	<div><div></div></div>	0.5%
6		42	12316.3	<div><div></div></div>	3.0%
7		3	1601.5	<div><div></div></div>	0.4%
8		3	2218.5	<div><div></div></div>	0.5%

# WTM_11A: Acceptable waiting time				
Value	Label	Cases	Weighted	Percentage (Weighted)
10		10	8892.6	<div><div></div></div> 2.2%
14		2	678.7	<div><div></div></div> 0.2%
15		1	427.1	<div><div></div></div> 0.1%
21		1	945.9	<div><div></div></div> 0.2%
30		5	7021.9	<div><div></div></div> 1.7%
60		1	147.1	<div><div></div></div> 0.0%
90		1	338.7	<div><div></div></div> 0.1%
996	NOT APPLICABLE	61118	27976785.2	
997	DON'T KNOW	29	22072.7	
998	REFUSAL	5	809.5	
999	NOT STATED	974	474800.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_11B: Acceptable waiting time - unit				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=783 / 403950.4 ] [Invalid=62126 / 28474467.97 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_10 = (2, 3, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	Interviewer : Enter unit of time.			
Notes	Unit of measure of value in WTM_11A.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	77	46350.6	<div><div></div></div> 11.5%
2	WEEKS	397	210944.1	<div><div></div></div> 52.2%
3	MONTHS	309	146655.8	<div><div></div></div> 36.3%
6	NOT APPLICABLE	61118	27976785.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1008	497682.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_12: Visit to specialist cancelled/postponed				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=2499 / 1190436.52 ] [Invalid=60410 / 27687981.85 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_01 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	Was your visit cancelled or postponed at any time?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	207	88019.3	<div><div></div></div> 7.4%
2	NO	2292	1102417.2	<div><div></div></div> 92.6%
6	NOT APPLICABLE	59419	27201743.0	
7	DON'T KNOW	14	10427.1	
8	REFUSAL	3	1011.2	
9	NOT STATED	974	474800.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_13A: Visit cancelled/postponed - respondent				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			

# WTM_13A: Visit cancelled/postponed - respondent				
Statistics [NW/ W]	[Valid=207 / 88019.29 ] [Invalid=62702 / 28790399.08 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_12 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	Was it cancelled or postponed by: (yourself or the specialist)? - Yourself			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	53	28301.9	<div><div></div></div> 32.2%
2	NO	154	59717.4	<div><div></div></div> 67.8%
6	NOT APPLICABLE	61711	28304160.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	991	486238.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_13B: Visit cancelled/postponed - specialist				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=207 / 88019.29 ] [Invalid=62702 / 28790399.08 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_12 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	Visit cancelled/postponed - by specialist			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	150	58543.6	<div><div></div></div> 66.5%
2	NO	57	29475.7	<div><div></div></div> 33.5%
6	NOT APPLICABLE	61711	28304160.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	991	486238.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_13C: Visit cancelled/postponed - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=207 / 88019.29 ] [Invalid=62702 / 28790399.08 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_12 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	Was it cancelled or postponed by: (yourself or the specialist)? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	2456.1	<div><div></div></div> 2.8%
2	NO	199	85563.2	<div><div></div></div> 97.2%
6	NOT APPLICABLE	61711	28304160.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	991	486238.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_14: Life affected by wait/spec.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=2488 / 1190735.09 ] [Invalid=60421 / 27687683.28 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_01 = (1, 7 or 8) or ACC_10 = (7 or 8)			

# WTM_14: Life affected by wait/spec.				
<b>Literal question</b>		Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this visit?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	472	252930.6	21.2%
2	NO	2016	937804.5	78.8%
6	NOT APPLICABLE	59419	27201743.0	
7	DON'T KNOW	25	10820.4	
8	REFUSAL	1	108.7	
9	NOT STATED	976	475011.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_15A: Life affected by wait - worry				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=471 / 252723.46 ] [Invalid=62438 / 28625694.91 ]		
<b>Universe</b>		Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)		
<b>Literal question</b>		How was your life affected as a result of waiting for this visit? - Worry, anxiety, stress		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	321	174754.7	69.1%
2	NO	150	77968.8	30.9%
6	NOT APPLICABLE	61435	28139547.5	
7	DON'T KNOW	1	207.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1002	485940.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_15B: Life affected by wait - worry for family				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=471 / 252723.46 ] [Invalid=62438 / 28625694.91 ]		
<b>Universe</b>		Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)		
<b>Literal question</b>		How was your life affected as a result of waiting for this visit? - Worry or stress for family or friends		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	113	61431.8	24.3%
2	NO	358	191291.7	75.7%
6	NOT APPLICABLE	61435	28139547.5	
7	DON'T KNOW	1	207.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1002	485940.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_15C: Life affected by wait - pain				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=471 / 252723.46 ] [Invalid=62438 / 28625694.91 ]		
<b>Universe</b>		Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)		
<b>Literal question</b>		How was your life affected as a result of waiting for this visit? - Pain		

# WTM_15C: Life affected by wait - pain				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	196	106424.3	<div><div></div></div> 42.1%
2	NO	275	146299.2	<div><div></div></div> 57.9%
6	NOT APPLICABLE	61435	28139547.5	
7	DON'T KNOW	1	207.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1002	485940.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_15D: Life affected by wait - prob. daily act.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=471 / 252723.46 ] [Invalid=62438 / 28625694.91 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Problems with activities of daily living (e.g., dressing, driving)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	134	63795.8	<div><div></div></div> 25.2%
2	NO	337	188927.7	<div><div></div></div> 74.8%
6	NOT APPLICABLE	61435	28139547.5	
7	DON'T KNOW	1	207.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1002	485940.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_15E: Life affected by wait - loss of work				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=471 / 252723.46 ] [Invalid=62438 / 28625694.91 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Loss of work			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	61	41631.9	<div><div></div></div> 16.5%
2	NO	410	211091.6	<div><div></div></div> 83.5%
6	NOT APPLICABLE	61435	28139547.5	
7	DON'T KNOW	1	207.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1002	485940.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_15F: Life affected by wait - loss of income				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=471 / 252723.46 ] [Invalid=62438 / 28625694.91 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Loss of income			

# WTM_15F: Life affected by wait - loss of income				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	44	26514.0	<div><div></div></div> 10.5%
2	NO	427	226209.5	<div><div></div></div> 89.5%
6	NOT APPLICABLE	61435	28139547.5	
7	DON'T KNOW	1	207.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1002	485940.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_15G: Life affected by wait - incr. dependence				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=471 / 252723.46 ] [Invalid=62438 / 28625694.91 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	46	20057.0	<div><div></div></div> 7.9%
2	NO	425	232666.4	<div><div></div></div> 92.1%
6	NOT APPLICABLE	61435	28139547.5	
7	DON'T KNOW	1	207.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1002	485940.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_15H: Life affected by wait - incr. use med.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=471 / 252723.46 ] [Invalid=62438 / 28625694.91 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Increased use of over-the-counter drugs			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	59	28789.3	<div><div></div></div> 11.4%
2	NO	412	223934.1	<div><div></div></div> 88.6%
6	NOT APPLICABLE	61435	28139547.5	
7	DON'T KNOW	1	207.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1002	485940.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_15I: Life affected by wait - health deter.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=471 / 252723.46 ] [Invalid=62438 / 28625694.91 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Overall health deteriorated, condition got worse			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	111	54842.8	<div><div></div></div> 21.7%



# WTM_15I: Life affected by wait - health deter.					
Value	Label	Cases	Weighted	Percentage (Weighted)	
2	NO	360	197880.7	<div></div>	78.3%
6	NOT APPLICABLE	61435	28139547.5		
7	DON'T KNOW	1	207.2		
8	REFUSAL	0	0.0		
9	NOT STATED	1002	485940.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# WTM_15J: Life affected by wait - health improved					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=471 / 252723.46 ] [Invalid=62438 / 28625694.91 ]				
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)				
Literal question	How was your life affected as a result of waiting for this visit? - Health problem improved				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6	2874.8	<div></div>	1.1%
2	NO	465	249848.7	<div></div>	98.9%
6	NOT APPLICABLE	61435	28139547.5		
7	DON'T KNOW	1	207.2		
8	REFUSAL	0	0.0		
9	NOT STATED	1002	485940.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# WTM_15K: Life affected by wait - pers. rel.					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=471 / 252723.46 ] [Invalid=62438 / 28625694.91 ]				
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)				
Literal question	How was your life affected as a result of waiting for this visit? - Personal relationships suffered				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	38	18551.9	<div></div>	7.3%
2	NO	433	234171.6	<div></div>	92.7%
6	NOT APPLICABLE	61435	28139547.5		
7	DON'T KNOW	1	207.2		
8	REFUSAL	0	0.0		
9	NOT STATED	1002	485940.2		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# WTM_15L: Life affected by wait - other					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=471 / 252723.46 ] [Invalid=62438 / 28625694.91 ]				
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_14 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)				
Literal question	How was your life affected as a result of waiting for this visit? - Other				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	61	25789.4	<div></div>	10.2%
2	NO	410	226934.0	<div></div>	89.8%

# WTM\_15L: Life affected by wait - other

Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	61435	28139547.5	
7	DON'T KNOW	1	207.2	
8	REFUSAL	0	0.0	
9	NOT STATED	1002	485940.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_17: Already had the surgery				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1522 / 672835.63 ] [Invalid=61387 / 28205582.74 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_20 = (1, 7 or 8)			
Literal question	Did you already have this surgery?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1422	620356.9	<div></div> 92.2%
2	NO	100	52478.7	<div></div> 7.8%
6	NOT APPLICABLE	60445	27740630.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	1	225.1	
9	NOT STATED	941	464727.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# WTM_18: Surgery required overnight hospital stay				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1420 / 620100.34 ] [Invalid=61489 / 28258318.03 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	Did the surgery require an overnight hospital stay?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	421	183083.4	<div><div></div></div> 29.5%
2	NO	999	437016.9	<div><div></div></div> 70.5%
6	NOT APPLICABLE	60545	27793109.2	
7	DON'T KNOW	2	256.6	
8	REFUSAL	0	0.0	
9	NOT STATED	942	464952.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_19: Diff. getting this surgery				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1421 / 620239.43 ] [Invalid=61488 / 28258178.94 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	Did you experience any difficulties getting this surgery?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	133	56305.9	<div><div></div></div> 9.1%
2	NO	1288	563933.5	<div><div></div></div> 90.9%
6	NOT APPLICABLE	60545	27793109.2	
7	DON'T KNOW	1	117.5	
8	REFUSAL	0	0.0	
9	NOT STATED	942	464952.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_20A: Diff. - getting an appointment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=133 / 56305.89 ] [Invalid=62776 / 28822112.48 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon			
Notes	Questions ACC_22A to ACC_22N ask about any difficulties experienced getting the needed surgery. This question refers to difficulties experienced for the most recent non emergency surgery.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24	12114.6	<div><div></div></div> 21.5%
2	NO	109	44191.3	<div><div></div></div> 78.5%
6	NOT APPLICABLE	61833	28357042.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465069.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_20B: Diff. - getting a diagnosis				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			

# WTM_20B: Diff. - getting a diagnosis				
<b>Statistics [NW/ W]</b>		[Valid=133 / 56305.89 ] [Invalid=62776 / 28822112.48 ]		
<b>Universe</b>		Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)		
<b>Literal question</b>		What type of difficulties did you experience? - Difficulty getting a diagnosis		
<b>Notes</b>		Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	542.8	<div><div></div>1.0%</div>
2	NO	132	55763.1	<div><div></div>99.0%</div>
6	NOT APPLICABLE	61833	28357042.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465069.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_20C: Diff. - wait too long for diag. test				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=133 / 56305.89 ] [Invalid=62776 / 28822112.48 ]		
<b>Universe</b>		Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)		
<b>Literal question</b>		What type of difficulties did you experience? - Waited too long for a diagnostic test		
<b>Notes</b>		Questions ACC_22A to ACC_22N ask about any difficulties experienced getting the needed surgery. This question refers to difficulties experienced for the most recent non emergency surgery.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12	6815.5	<div><div></div>12.1%</div>
2	NO	121	49490.4	<div><div></div>87.9%</div>
6	NOT APPLICABLE	61833	28357042.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465069.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_20D: Diff. - waited too long for hosp. bed				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=133 / 56305.89 ] [Invalid=62776 / 28822112.48 ]		
<b>Universe</b>		Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)		
<b>Literal question</b>		What type of difficulties did you experience? - Waited too long for a hospital bed to become available		
<b>Notes</b>		Questions ACC_22A to ACC_22N ask about any difficulties experienced getting the needed surgery. This question refers to difficulties experienced for the most recent non emergency surgery.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	2569.6	<div><div></div>4.6%</div>
2	NO	123	53736.3	<div><div></div>95.4%</div>
6	NOT APPLICABLE	61833	28357042.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465069.8	

<b># WTM_20D: Diff. - waited too long for hosp. bed</b>				
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># WTM_20E: Diff. - waited too long/surgery</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=133 / 56305.89 ] [Invalid=62776 / 28822112.48 ]			
<b>Universe</b>	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)			
<b>Literal question</b>	What type of difficulties did you experience? - Waited too long for surgery			
<b>Notes</b>	Questions ACC_22A to ACC_22N ask about any difficulties experienced getting the needed surgery. This question refers to difficulties experienced for the most recent non emergency surgery.			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	84	31434.6	55.8%
2	NO	49	24871.3	44.2%
6	NOT APPLICABLE	61833	28357042.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465069.8	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># WTM_20F: Diff. - service not available/area</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=133 / 56305.89 ] [Invalid=62776 / 28822112.48 ]			
<b>Universe</b>	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)			
<b>Literal question</b>	What type of difficulties did you experience? - Service not available in the area			
<b>Notes</b>	Questions ACC_22A to ACC_22N ask about any difficulties experienced getting the needed surgery. This question refers to difficulties experienced for the most recent non emergency surgery.			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	11	2430.0	4.3%
2	NO	122	53875.8	95.7%
6	NOT APPLICABLE	61833	28357042.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465069.8	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># WTM_20G: Diff. - transportation</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=133 / 56305.89 ] [Invalid=62776 / 28822112.48 ]			
<b>Universe</b>	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)			
<b>Literal question</b>	What type of difficulties did you experience? - Transportation problems			
<b>Notes</b>	Questions ACC_22A to ACC_22N ask about any difficulties experienced getting the needed surgery. This question refers to difficulties experienced for the most recent non emergency surgery.			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	4	701.0	1.2%
2	NO	129	55604.9	98.8%
6	NOT APPLICABLE	61833	28357042.7	

# WTM_20G: Diff. - transportation				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465069.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_20H: Diff. - language				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=133 / 56305.89 ] [Invalid=62776 / 28822112.48 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			
Notes	Questions ACC_22A to ACC_22N ask about any difficulties experienced getting the needed surgery. This question refers to difficulties experienced for the most recent non emergency surgery.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	133	56305.9	<div><div></div></div> 100.0%
6	NOT APPLICABLE	61833	28357042.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465069.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_20I: Diff. - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=133 / 56305.89 ] [Invalid=62776 / 28822112.48 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Cost			
Notes	Questions ACC_22A to ACC_22N ask about any difficulties experienced getting the needed surgery. This question refers to difficulties experienced for the most recent non emergency surgery.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	666.3	<div><div></div></div> 1.2%
2	NO	130	55639.6	<div><div></div></div> 98.8%
6	NOT APPLICABLE	61833	28357042.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465069.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_20J: Diff. - pers./family responsibilities				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=133 / 56305.89 ] [Invalid=62776 / 28822112.48 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Personal or family responsibilities			
Notes	Questions ACC_22A to ACC_22N ask about any difficulties experienced getting the needed surgery. This question refers to difficulties experienced for the most recent non emergency surgery.			

# WTM_20J: Diff. - pers./family responsibilities				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	853.9	1.5%
2	NO	132	55452.0	98.5%
6	NOT APPLICABLE	61833	28357042.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465069.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_20K: Diff. - deterioration of health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=133 / 56305.89 ] [Invalid=62776 / 28822112.48 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - General deterioration of health			
Notes	Questions ACC_22A to ACC_22N ask about any difficulties experienced getting the needed surgery. This question refers to difficulties experienced for the most recent non emergency surgery			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6	2028.1	3.6%
2	NO	127	54277.8	96.4%
6	NOT APPLICABLE	61833	28357042.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465069.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_20L: Diff. - appt. cancelled/deferred				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=133 / 56305.89 ] [Invalid=62776 / 28822112.48 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital			
Notes	Questions ACC_22A to ACC_22N ask about any difficulties experienced getting the needed surgery. This question refers to difficulties experienced for the most recent non emergency surgery			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	4673.9	8.3%
2	NO	120	51632.0	91.7%
6	NOT APPLICABLE	61833	28357042.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465069.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_20M: Diff. - unable leave house/health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=133 / 56305.89 ] [Invalid=62776 / 28822112.48 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)			

# WTM_20M: Diff. - unable leave house/health				
<b>Literal question</b>		What type of difficulties did you experience? - Unable to leave the house because of a health problem		
<b>Notes</b>		Questions ACC_22A to ACC_22N ask about any difficulties experienced getting the needed surgery. This question refers to difficulties experienced for the most recent non emergency surgery		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	133	56305.9	100.0%
6	NOT APPLICABLE	61833	28357042.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465069.8	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# WTM_20N: Diff. - other				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=133 / 56305.89 ] [Invalid=62776 / 28822112.48 ]		
<b>Universe</b>		Respondents aged 15 or over with DOWTM = 1 who answered WTM_19 = (1, 7 or 8) or WTM_17 = (7 or 8) or ACC_20 = (7 or 8)		
<b>Literal question</b>		What type of difficulties did you experience? - Other		
<b>Notes</b>		Questions ACC_22A to ACC_22N ask about any difficulties experienced getting the needed surgery. This question refers to difficulties experienced for the most recent non emergency surgery.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	19	9209.9	16.4%
2	NO	114	47096.0	83.6%
6	NOT APPLICABLE	61833	28357042.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465069.8	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# WTM_21A: Length of wait/surgery				
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= 1-220] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=1384 / 603873.65 ] [Invalid=61525 / 28274544.72 ] [Mean=4.259 / 4.101 ] [StdDev=8.629 / 7.984 ]		
<b>Universe</b>		Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (1, 7 or 8) or ACC_20 = (7 or 8)		
<b>Literal question</b>		How long did you have to wait between when you and the surgeon decided to go ahead with surgery and the day of surgery?		
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	60545	27793109.2	
997	DON'T KNOW	35	15021.6	
998	REFUSAL	3	1461.7	
999	NOT STATED	942	464952.3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# WTM_21B: Length of wait/surgery - unit				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=1384 / 603873.65 ] [Invalid=61525 / 28274544.72 ]		
<b>Universe</b>		Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (1, 7 or 8) or ACC_20 = (7 or 8)		
<b>Literal question</b>		Interviewer : Enter unit of time.		
<b>Notes</b>		Unit of measure of value in WTM_21A		



# WTM_21B: Length of wait/surgery - unit				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	229	104841.4	<div><div></div></div> 17.4%
2	WEEKS	488	202099.8	<div><div></div></div> 33.5%
3	MONTHS	667	296932.4	<div><div></div></div> 49.2%
6	NOT APPLICABLE	60545	27793109.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	980	481435.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_22: Surg. will require overnight hosp. stay				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=93 / 47320.84 ] [Invalid=62816 / 28831097.53 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (2, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	Will the surgery require an overnight hospital stay?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	35	19851.4	<div><div></div></div> 42.0%
2	NO	58	27469.4	<div><div></div></div> 58.0%
6	NOT APPLICABLE	61867	28360987.4	
7	DON'T KNOW	7	5157.8	
8	REFUSAL	0	0.0	
9	NOT STATED	942	464952.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_23A: Time since decision/have surgery				
Information	[Type= continuous] [Format=numeric] [Range= 1-66] [Missing=*]			
Statistics [NW/ W]	[Valid=90 / 48148.89 ] [Invalid=62819 / 28830269.48 ] [Mean=9.167 / 7.713 ] [StdDev=13.179 / 13.311 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (2, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	How long have you been waiting since you and the surgeon decided to go ahead with the surgery?			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	61867	28360987.4	
997	DON'T KNOW	9	4201.9	
998	REFUSAL	1	127.9	
999	NOT STATED	942	464952.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_23B: Time since decision/have surgery - unit				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=90 / 48148.89 ] [Invalid=62819 / 28830269.48 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (2, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	Respondents aged 15 or over with DOWTM = 1 who answered WTM_17 = (2, 7 or 8) or ACC_20 = (7 or 8)			
Notes	Unit of measure of value in WTM_23A.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	9	5701.6	<div><div></div></div> 11.8%
2	WEEKS	18	6344.5	<div><div></div></div> 13.2%
3	MONTHS	63	36102.8	<div><div></div></div> 75.0%

# WTM_23B: Time since decision/have surgery - unit				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	61867	28360987.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	952	469282.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_24: Respondent's opinion of waiting time				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=1517 / 671207.45 ] [Invalid=61392 / 28207210.92 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered ACC_20 = (1, 7 or 8)			
Literal question	n your view, [was the waiting time/has the waiting time been]: (acceptable or not acceptable)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ACCEPTABLE	1275	559926.4	<div></div> 83.4%
2	NOT ACCEPTABLE	230	106709.4	<div></div> 15.9%
3	NO VIEW	12	4571.7	<div></div> 0.7%
6	NOT APPLICABLE	60445	27740630.5	
7	DON'T KNOW	4	1489.1	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465091.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_25A: Acceptable waiting time				
Information	[Type= discrete] [Format=numeric] [Range= 1-90] [Missing=*]			
Statistics [NW/ W]	[Valid=227 / 104421.17 ] [Invalid=62682 / 28773997.2 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_24 = (2, 3, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	In this particular case, what do you think is an acceptable waiting time?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1		82	42961.4	<div></div> 41.1%
2		70	29535.4	<div></div> 28.3%
3		38	19970.8	<div></div> 19.1%
4		7	4709.7	<div></div> 4.5%
5		1	32.8	<div></div> 0.0%
6		20	4902.4	<div></div> 4.7%
8		1	175.4	<div></div> 0.2%
9		1	229.9	<div></div> 0.2%
10		2	1167.7	<div></div> 1.1%
12		1	27.6	<div></div> 0.0%
14		3	539.9	<div></div> 0.5%
60		1	168.1	<div></div> 0.2%
996	NOT APPLICABLE	61720	28300556.9	
997	DON'T KNOW	16	7237.9	
998	REFUSAL	3	1111.1	
999	NOT STATED	943	465091.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# WTM_25B: Acceptable waiting time - unit				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=227 / 104421.17 ] [Invalid=62682 / 28773997.2 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_24 = (2, 3, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	Interviewer : Enter unit of time.			
Notes	Unit of measure of value in WTM_25A.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	21	5377.7	<div><div></div></div> 5.1%
2	WEEKS	71	39375.4	<div><div></div></div> 37.7%
3	MONTHS	135	59668.1	<div><div></div></div> 57.1%
6	NOT APPLICABLE	61720	28300556.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	962	473440.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_26: Surgery cancelled or postponed				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1518 / 672099.89 ] [Invalid=61391 / 28206318.48 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_20 = (1, 7 or 8)			
Literal question	Was your surgery cancelled or postponed at any time?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	159	88443.4	<div><div></div></div> 13.2%
2	NO	1359	583656.5	<div><div></div></div> 86.8%
6	NOT APPLICABLE	60445	27740630.5	
7	DON'T KNOW	3	596.6	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465091.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_27A: Surgery cancelled/postponed - respondent				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=156 / 87507.63 ] [Invalid=62753 / 28790910.74 ]			
Universe	Respondents aged 15 or over with DOWTM = 1 who answered WTM_26 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - Yourself			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	42	40323.5	<div><div></div></div> 46.1%
2	NO	114	47184.1	<div><div></div></div> 53.9%
6	NOT APPLICABLE	61804	28324287.0	
7	DON'T KNOW	3	935.8	
8	REFUSAL	0	0.0	
9	NOT STATED	946	465688.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_27B: Surgery cancelled/postponed - surgeon				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=156 / 87507.63 ] [Invalid=62753 / 28790910.74 ]			

# WTM_27B: Surgery cancelled/postponed - surgeon				
<b>Universe</b>		Respondents aged 15 or over with DOWTM = 1 who answered WTM_26 = (1, 7 or 8) or ACC_20 = (7 or 8)		
<b>Literal question</b>		Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - The surgeon		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	79	31651.9	36.2%
2	NO	77	55855.7	63.8%
6	NOT APPLICABLE	61804	28324287.0	
7	DON'T KNOW	3	935.8	
8	REFUSAL	0	0.0	
9	NOT STATED	946	465688.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_27C: Surgery cancelled/postponed - hospital				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=156 / 87507.63 ] [Invalid=62753 / 28790910.74 ]		
<b>Universe</b>		Respondents aged 15 or over with DOWTM = 1 who answered WTM_26 = (1, 7 or 8) or ACC_20 = (7 or 8)		
<b>Literal question</b>		Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - The hospital		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	44	19506.1	22.3%
2	NO	112	68001.6	77.7%
6	NOT APPLICABLE	61804	28324287.0	
7	DON'T KNOW	3	935.8	
8	REFUSAL	0	0.0	
9	NOT STATED	946	465688.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_27D: Surgery cancelled/postponed - other				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=156 / 87507.63 ] [Invalid=62753 / 28790910.74 ]		
<b>Universe</b>		Respondents aged 15 or over with DOWTM = 1 who answered WTM_26 = (1, 7 or 8) or ACC_20 = (7 or 8)		
<b>Literal question</b>		Was it cancelled or postponed by: (yourself, the surgeon or the hospital)? - Other		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	412.3	0.5%
2	NO	153	87095.3	99.5%
6	NOT APPLICABLE	61804	28324287.0	
7	DON'T KNOW	3	935.8	
8	REFUSAL	0	0.0	
9	NOT STATED	946	465688.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_28: Life affected by wait for surgery				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=1512 / 669165.79 ] [Invalid=61397 / 28209252.58 ]		
<b>Universe</b>		Respondents aged 15 and over with DOWTM = 1 who answered ACC_20 = (1, 7 or 8)		
<b>Literal question</b>		Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this surgery?		

# WTM_28: Life affected by wait for surgery				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	181	85236.1	<div><div></div></div> 12.7%
2	NO	1331	583929.7	<div><div></div></div> 87.3%
6	NOT APPLICABLE	60445	27740630.5	
7	DON'T KNOW	9	3530.8	
8	REFUSAL	0	0.0	
9	NOT STATED	943	465091.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_29A: Life affected by wait - worry				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=180 / 81664.74 ] [Invalid=62729 / 28796753.63 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for surgery? - Worry, anxiety, stress			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	96	41565.0	<div><div></div></div> 50.9%
2	NO	84	40099.7	<div><div></div></div> 49.1%
6	NOT APPLICABLE	61776	28324560.1	
7	DON'T KNOW	1	3571.4	
8	REFUSAL	0	0.0	
9	NOT STATED	952	468622.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_29B: Life affected by wait - worry/family				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=180 / 81664.74 ] [Invalid=62729 / 28796753.63 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Worry or stress for family or friends			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	35	11527.1	<div><div></div></div> 14.1%
2	NO	145	70137.6	<div><div></div></div> 85.9%
6	NOT APPLICABLE	61776	28324560.1	
7	DON'T KNOW	1	3571.4	
8	REFUSAL	0	0.0	
9	NOT STATED	952	468622.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_29C: Life affected by wait - pain				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=180 / 81664.74 ] [Invalid=62729 / 28796753.63 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Pain			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	94	46888.4	<div><div></div></div> 57.4%
2	NO	86	34776.3	<div><div></div></div> 42.6%
6	NOT APPLICABLE	61776	28324560.1	

# WTM_29C: Life affected by wait - pain				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	1	3571.4	
8	REFUSAL	0	0.0	
9	NOT STATED	952	468622.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_29D: Life affected by wait - prob. daily act.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=180 / 81664.74 ] [Invalid=62729 / 28796753.63 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Problems with activities of daily living (e.g., dressing, driving)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	75	33026.4	<div></div> 40.4%
2	NO	105	48638.4	<div></div> 59.6%
6	NOT APPLICABLE	61776	28324560.1	
7	DON'T KNOW	1	3571.4	
8	REFUSAL	0	0.0	
9	NOT STATED	952	468622.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_29E: Life affected by wait - loss of work				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=180 / 81664.74 ] [Invalid=62729 / 28796753.63 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Loss of work			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25	15235.6	<div></div> 18.7%
2	NO	155	66429.1	<div></div> 81.3%
6	NOT APPLICABLE	61776	28324560.1	
7	DON'T KNOW	1	3571.4	
8	REFUSAL	0	0.0	
9	NOT STATED	952	468622.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_29F: Life affected by wait - loss of income				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=180 / 81664.74 ] [Invalid=62729 / 28796753.63 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Loss of income			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	17	9667.6	<div></div> 11.8%
2	NO	163	71997.2	<div></div> 88.2%
6	NOT APPLICABLE	61776	28324560.1	
7	DON'T KNOW	1	3571.4	
8	REFUSAL	0	0.0	

# WTM_29F: Life affected by wait - loss of income				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	952	468622.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_29G: Life affected by wait - incr. dependence				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=180 / 81664.74 ] [Invalid=62729 / 28796753.63 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	21	10053.2	<div><div></div></div> 12.3%
2	NO	159	71611.6	<div><div></div></div> 87.7%
6	NOT APPLICABLE	61776	28324560.1	
7	DON'T KNOW	1	3571.4	
8	REFUSAL	0	0.0	
9	NOT STATED	952	468622.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_29H: Life affected by wait - incr. use med.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=180 / 81664.74 ] [Invalid=62729 / 28796753.63 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Increased use of over-the-counter drugs			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15	8127.7	<div><div></div></div> 10.0%
2	NO	165	73537.1	<div><div></div></div> 90.0%
6	NOT APPLICABLE	61776	28324560.1	
7	DON'T KNOW	1	3571.4	
8	REFUSAL	0	0.0	
9	NOT STATED	952	468622.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_29I: Life affected by wait - health deter.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=180 / 81664.74 ] [Invalid=62729 / 28796753.63 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Overall health deteriorated, condition got worse			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	46	18576.3	<div><div></div></div> 22.7%
2	NO	134	63088.4	<div><div></div></div> 77.3%
6	NOT APPLICABLE	61776	28324560.1	
7	DON'T KNOW	1	3571.4	
8	REFUSAL	0	0.0	
9	NOT STATED	952	468622.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# WTM_29J: Life affected by wait - health improved				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=180 / 81664.74 ] [Invalid=62729 / 28796753.63 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Health problem improved			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	161.4	0.2%
2	NO	179	81503.3	99.8%
6	NOT APPLICABLE	61776	28324560.1	
7	DON'T KNOW	1	3571.4	
8	REFUSAL	0	0.0	
9	NOT STATED	952	468622.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_29K: Life affected by wait - pers. rel.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=180 / 81664.74 ] [Invalid=62729 / 28796753.63 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Personal relationships suffered			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	16	7359.3	9.0%
2	NO	164	74305.5	91.0%
6	NOT APPLICABLE	61776	28324560.1	
7	DON'T KNOW	1	3571.4	
8	REFUSAL	0	0.0	
9	NOT STATED	952	468622.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_29L: Life affected by wait - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=180 / 81664.74 ] [Invalid=62729 / 28796753.63 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_28 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this visit? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	24	10088.0	12.4%
2	NO	156	71576.7	87.6%
6	NOT APPLICABLE	61776	28324560.1	
7	DON'T KNOW	1	3571.4	
8	REFUSAL	0	0.0	
9	NOT STATED	952	468622.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_30: Type of diagnostic test required				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=2615 / 1164614.3 ] [Invalid=60294 / 27713804.07 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_30 = (1, 7 or 8)			



# WTM_30: Type of diagnostic test required				
<b>Literal question</b>		What type of test did you require? If you had more than one in the past 12 months, please answer for the most recent test. (MRI, CAT Scan or angiography)		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	MRI	1335	651745.3	56.0%
2	CAT SCAN	1100	442646.2	38.0%
3	ANGIOGRAPHY	180	70222.7	6.0%
6	NOT APPLICABLE	59265	27224877.5	
7	DON'T KNOW	50	15897.2	
8	REFUSAL	1	637.5	
9	NOT STATED	978	472391.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_31: Required diag. test - type of condition				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=2628 / 1174135.78 ] [Invalid=60281 / 27704282.59 ]		
<b>Universe</b>		Respondents aged 15 and over with DOWTM = 1 who answered ACC_30 = (1, 7 or 8)		
<b>Literal question</b>		For what type of condition: (heart disease or stroke, cancer, joints or fractures, or neurological or brain disorders (e.g., for MS, migraine or headaches))?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	HEART DISEASE	362	138345.0	11.8%
2	CANCER	246	103775.9	8.8%
3	JOINTS/FRACTURES	599	306343.6	26.1%
4	NEUROLOGICAL	393	181320.4	15.4%
5	OTHER	1028	444350.8	37.8%
6	NOT APPLICABLE	59265	27224877.5	
7	DON'T KNOW	36	6512.7	
8	REFUSAL	2	500.5	
9	NOT STATED	978	472391.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_32: Already had diagnostic test				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=2661 / 1180034.76 ] [Invalid=60248 / 27698383.61 ]		
<b>Universe</b>		Respondents aged 15 and over with DOWTM = 1 who answered ACC_30 = (1, 7 or 8)		
<b>Literal question</b>		Did you already have this test?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2559	1109284.9	94.0%
2	NO	102	70749.9	6.0%
6	NOT APPLICABLE	59265	27224877.5	
7	DON'T KNOW	5	1114.2	
8	REFUSAL	0	0.0	
9	NOT STATED	978	472391.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_33: Location of test				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=2549 / 1105919.96 ] [Invalid=60360 / 27772498.41 ]		

# WTM_33: Location of test					
Universe		Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question		Where was the test done: (hospital, public clinic or private clinic)?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	HOSPITAL	2335	992889.6	<div></div>	89.8%
2	PUBLIC CLINIC	114	68960.6	<div></div>	6.2%
3	PRIVATE CLINIC	86	38772.0	<div></div>	3.5%
4	OTHER	14	5297.8	<div></div>	0.5%
6	NOT APPLICABLE	59367	27295627.4		
7	DON'T KNOW	10	3364.9		
8	REFUSAL	0	0.0		
9	NOT STATED	983	473506.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# WTM_34: Location of clinic					
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]		[Valid=86 / 38772.04 ] [Invalid=62823 / 28839646.33 ]			
Universe		Respondents aged 15 and over with DOWTM = 1 who answered WTM_33 = (3, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)			
Literal question		Was the clinic located: (in your province or in another province)?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	RESP'S PROV.	80	36621.7	<div></div>	94.5%
2	ANOTHER PROV.	3	1162.8	<div></div>	3.0%
3	OTHER	3	987.6	<div></div>	2.5%
6	NOT APPLICABLE	61830	28362775.3		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	993	476871.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# WTM_35: Patient in hospital at time of test					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=2548 / 1105826.42 ] [Invalid=60361 / 27772591.95 ]			
Universe		Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question		Were you a patient in a hospital at the time of the test?			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	300	120380.5	<div></div>	10.9%
2	NO	2248	985445.9	<div></div>	89.1%
6	NOT APPLICABLE	59367	27295627.4		
7	DON'T KNOW	1	93.5		
8	REFUSAL	0	0.0		
9	NOT STATED	993	476871.1		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# WTM_36: Diff. getting diagnostic test					
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]		[Valid=2557 / 1108768.06 ] [Invalid=60352 / 27769650.31 ]			

# WTM_36: Diff. getting diagnostic test				
<b>Universe</b>		Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (1, 7 or 8) or ACC_30 = (7 or 8)		
<b>Literal question</b>		Did you experience any difficulties getting this test?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	255	159786.0	<div><div></div></div> 14.4%
2	NO	2302	948982.1	<div><div></div></div> 85.6%
6	NOT APPLICABLE	59367	27295627.4	
7	DON'T KNOW	2	516.8	
8	REFUSAL	0	0.0	
9	NOT STATED	983	473506.1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# WTM_37A: Diff. - getting referral				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=255 / 159785.98 ] [Invalid=62654 / 28718632.39 ]		
<b>Universe</b>		Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)		
<b>Literal question</b>		What type of difficulties did you experience? - Difficulty getting a referral		
<b>Notes</b>		Questions ACC_32A to ACC_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10	6307.8	<div><div></div></div> 3.9%
2	NO	245	153478.1	<div><div></div></div> 96.1%
6	NOT APPLICABLE	61669	28244609.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	985	474023.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				

# WTM_37B: Diff. - getting an appointment				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=255 / 159785.98 ] [Invalid=62654 / 28718632.39 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Difficulty getting an appointment			
Notes	Questions ACC_32A to ACC_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	53	25065.9	<div><div></div></div> 15.7%
2	NO	202	134720.1	<div><div></div></div> 84.3%
6	NOT APPLICABLE	61669	28244609.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	985	474023.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_37C: Diff. - waited too long to get an appt.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=255 / 159785.98 ] [Invalid=62654 / 28718632.39 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to get an appointment			
Notes	Questions ACC_32A to ACC_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	162	104851.8	<div><div></div></div> 65.6%
2	NO	93	54934.1	<div><div></div></div> 34.4%
6	NOT APPLICABLE	61669	28244609.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	985	474023.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_37D: Diff. - waited too long/get test				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=255 / 159785.98 ] [Invalid=62654 / 28718632.39 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)			
Notes	Questions ACC_32A to ACC_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	54	33807.0	<div><div></div></div> 21.2%
2	NO	201	125979.0	<div><div></div></div> 78.8%
6	NOT APPLICABLE	61669	28244609.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

# WTM_37D: Diff. - waited too long/get test				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	985	474023.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_37E: Diff. - service not avail./time required				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=255 / 159785.98 ] [Invalid=62654 / 28718632.39 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available at time required			
Notes	Questions ACC_32A to ACC_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	1475.7	0.9%
2	NO	251	158310.2	99.1%
6	NOT APPLICABLE	61669	28244609.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	985	474023.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_37F: Diff. - service not available/area				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=255 / 159785.98 ] [Invalid=62654 / 28718632.39 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Service not available in the area			
Notes	Questions ACC_32A to ACC_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8	2616.5	1.6%
2	NO	247	157169.5	98.4%
6	NOT APPLICABLE	61669	28244609.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	985	474023.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_37G: Diff. - transportation				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=255 / 159785.98 ] [Invalid=62654 / 28718632.39 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Transportation problems			
Notes	Questions ACC_32A to ACC_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	520.4	0.3%

# WTM_37G: Diff. - transportation				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	251	159265.6	<div></div> 99.7%
6	NOT APPLICABLE	61669	28244609.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	985	474023.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_37H: Diff. - language				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=255 / 159785.98 ] [Invalid=62654 / 28718632.39 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Language problem			
Notes	Questions ACC_32A to ACC_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	<div></div> 100.0%
2	NO	255	159786.0	
6	NOT APPLICABLE	61669	28244609.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	985	474023.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_37I: Diff. - cost				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=255 / 159785.98 ] [Invalid=62654 / 28718632.39 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Cost			
Notes	Questions ACC_32A to ACC_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic tes			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	<div></div> 100.0%
2	NO	255	159786.0	
6	NOT APPLICABLE	61669	28244609.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	985	474023.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_37J: Diff. - deterioration of health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=255 / 159785.98 ] [Invalid=62654 / 28718632.39 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - General deterioration of health			

# WTM_37J: Diff. - deterioration of health				
<b>Notes</b>		Questions ACC_32A to ACC_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3	1165.5	0.7%
2	NO	252	158620.5	99.3%
6	NOT APPLICABLE	61669	28244609.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	985	474023.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_37K: Diff. - did not know where to go				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=255 / 159785.98 ] [Invalid=62654 / 28718632.39 ]		
<b>Universe</b>		Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)		
<b>Literal question</b>		What type of difficulties did you experience? - Did not know where to go (i.e. information problems)		
<b>Notes</b>		Questions ACC_32A to ACC_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	0	0.0	
2	NO	255	159786.0	100.0%
6	NOT APPLICABLE	61669	28244609.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	985	474023.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_37L: Diff. - unable leave house/health				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=255 / 159785.98 ] [Invalid=62654 / 28718632.39 ]		
<b>Universe</b>		Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)		
<b>Notes</b>		Questions ACC_32A to ACC_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1	51.3	0.0%
2	NO	254	159734.7	100.0%
6	NOT APPLICABLE	61669	28244609.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	985	474023.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_37M: Diff. - other				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=255 / 159785.98 ] [Invalid=62654 / 28718632.39 ]		

# WTM_37M: Diff. - other				
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_36 = (1, 7 or 8) or WTM_32 = (7 or 8) or ACC_30 = (7 or 8)			
Literal question	What type of difficulties did you experience? - Other			
Notes	Questions ACC_32A to ACC_32N ask about any difficulties experienced getting the needed tests. This question refers to difficulties experienced for the most recent diagnostic test.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	31	16017.4	<div><div></div></div> 10.0%
2	NO	224	143768.6	<div><div></div></div> 90.0%
6	NOT APPLICABLE	61669	28244609.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	985	474023.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_38A: Length of wait / test				
Information	[Type= continuous] [Format=numeric] [Range= 1-365] [Missing=*]			
Statistics [NW/ W]	[Valid=2432 / 1062620.42 ] [Invalid=60477 / 27815797.95 ] [Mean=2.923 / 3.116 ] [StdDev=3.931 / 3.801 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	How long did you have to wait between when you and your doctor decided to go ahead with the test and the day of the test?			
Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	59367	27295627.4	
997	DON'T KNOW	118	45144.6	
998	REFUSAL	8	1310.0	
999	NOT STATED	984	473716.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_38B: Lgth wait decision and test - unit				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=2432 / 1062620.42 ] [Invalid=60477 / 27815797.95 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	Interviewer : Enter unit of time.			
Notes	Unit of measure of value in WTM_38A.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	688	261144.3	<div><div></div></div> 24.6%
2	WEEKS	1000	443850.3	<div><div></div></div> 41.8%
3	MONTHS	744	357625.8	<div><div></div></div> 33.7%
6	NOT APPLICABLE	59367	27295627.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1110	520170.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_39A: Length of time been waiting/diag. test				
Information	[Type= discrete] [Format=numeric] [Range= 1-70] [Missing=*]			
Statistics [NW/ W]	[Valid=91 / 67919.8 ] [Invalid=62818 / 28810498.57 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (2, 7 or 8) or ACC_30 = (7 or 8)			



# WTM_39A: Length of time been waiting/diag. test				
<b>Literal question</b>		How long have you been waiting for the test since you and your doctor decided to go ahead with the test?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1		17	10114.0	<div><div></div></div> 14.9%
2		15	9767.4	<div><div></div></div> 14.4%
3		15	19964.4	<div><div></div></div> 29.4%
4		8	10747.0	<div><div></div></div> 15.8%
5		4	1267.7	<div><div></div></div> 1.9%
6		12	4930.0	<div><div></div></div> 7.3%
7		4	2364.7	<div><div></div></div> 3.5%
8		6	2747.2	<div><div></div></div> 4.0%
9		2	946.5	<div><div></div></div> 1.4%
10		2	878.1	<div><div></div></div> 1.3%
12		2	1828.4	<div><div></div></div> 2.7%
14		1	117.1	<div><div></div></div> 0.2%
17		1	906.0	<div><div></div></div> 1.3%
18		1	348.6	<div><div></div></div> 0.5%
70		1	992.8	<div><div></div></div> 1.5%
996	NOT APPLICABLE	61824	28334162.4	
997	DON'T KNOW	16	3944.3	
998	REFUSAL	0	0.0	
999	NOT STATED	978	472391.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_39B: Lgth time been waiting for test - unit				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=91 / 67919.8 ] [Invalid=62818 / 28810498.57 ]		
<b>Universe</b>		Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (2, 7 or 8) or ACC_30 = (7 or 8)		
<b>Literal question</b>		Interviewer : Enter unit of time.		
<b>Notes</b>		Unit of measure of value in WTM_39A.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	13	10403.4	<div><div></div></div> 15.3%
2	WEEKS	26	19395.7	<div><div></div></div> 28.6%
3	MONTHS	52	38120.7	<div><div></div></div> 56.1%
6	NOT APPLICABLE	61824	28334162.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	994	476336.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_40: Respondent's opinion of waiting time				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=2642 / 1174104.37 ] [Invalid=60267 / 27704314 ]		
<b>Universe</b>		In your view, [was the waiting time/has the waiting time been]: (acceptable or not acceptable)?		
<b>Literal question</b>		In your view, [was the waiting time/has the waiting time been]: (acceptable or not acceptable)?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ACCEPTABLE	2130	890362.4	<div><div></div></div> 75.8%

# WTM_40: Respondent's opinion of waiting time				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	NOT ACCEPTABLE	471	263039.0	<div><div></div></div> 22.4%
3	NO VIEW	41	20702.9	<div><div></div></div> 1.8%
6	NOT APPLICABLE	59265	27224877.5	
7	DON'T KNOW	20	5613.4	
8	REFUSAL	2	485.2	
9	NOT STATED	980	473337.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_41A: Acceptable waiting time				
Information	[Type= discrete] [Format=numeric] [Range= 1-30] [Missing=*]			
Statistics [NW/ W]	[Valid=474 / 264968.09 ] [Invalid=62435 / 28613450.28 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_40 = (2, 3, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	In this particular case, what do you think is an acceptable waiting time?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1		205	116108.5	<div><div></div></div> 43.8%
2		150	60564.4	<div><div></div></div> 22.9%
3		60	52805.8	<div><div></div></div> 19.9%
4		17	14341.8	<div><div></div></div> 5.4%
5		7	2111.6	<div><div></div></div> 0.8%
6		20	8962.7	<div><div></div></div> 3.4%
7		7	5017.5	<div><div></div></div> 1.9%
9		1	3159.2	<div><div></div></div> 1.2%
10		3	847.5	<div><div></div></div> 0.3%
15		2	689.4	<div><div></div></div> 0.3%
18		1	200.6	<div><div></div></div> 0.1%
25		1	159.1	<div><div></div></div> 0.1%
996	NOT APPLICABLE	61395	28115239.9	
997	DON'T KNOW	55	23320.0	
998	REFUSAL	5	1552.5	
999	NOT STATED	980	473337.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_41B: Acceptable waiting time - unit				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=474 / 264968.09 ] [Invalid=62435 / 28613450.28 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_40 = (2, 3, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	Interviewer : Enter unit of time.			
Notes	Unit of measure of value in WTM_41A.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAYS	72	66353.2	<div><div></div></div> 25.0%
2	WEEKS	272	121460.9	<div><div></div></div> 45.8%
3	MONTHS	130	77154.0	<div><div></div></div> 29.1%
6	NOT APPLICABLE	61395	28115239.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

# WTM_41B: Acceptable waiting time - unit				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1040	498210.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_42: Test cancelled or postponed				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=2648 / 1175087.57 ] [Invalid=60261 / 27703330.8 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_30 = (1, 7 or 8)			
Literal question	Was your test cancelled or postponed at any time?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	91	52342.0	<div><div></div></div> 4.5%
2	NO	2557	1122745.6	<div><div></div></div> 95.5%
6	NOT APPLICABLE	59265	27224877.5	
7	DON'T KNOW	13	3123.9	
8	REFUSAL	3	1991.5	
9	NOT STATED	980	473337.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_43: Test cancelled or postponed by				
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
Statistics [NW/ W]	[Valid=91 / 52342.01 ] [Invalid=62818 / 28826076.36 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_42 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	Was it cancelled or postponed by: (yourself, the specialist, the hospital or the clinic)?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	SELF	32	27500.6	<div><div></div></div> 52.5%
2	SPECIALIST	10	3110.6	<div><div></div></div> 5.9%
3	HOSPITAL	40	17492.8	<div><div></div></div> 33.4%
4	CLINIC	4	1974.8	<div><div></div></div> 3.8%
5	OTHER	5	2263.2	<div><div></div></div> 4.3%
6	NOT APPLICABLE	61822	28347623.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	996	478453.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_44: Life affected by wait/test				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=2633 / 1170328.26 ] [Invalid=60276 / 27708090.11 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_30 = (1, 7 or 8)			
Literal question	Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this test?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	245	150399.2	<div><div></div></div> 12.9%
2	NO	2388	1019929.0	<div><div></div></div> 87.1%
6	NOT APPLICABLE	59265	27224877.5	
7	DON'T KNOW	30	9498.2	

# WTM_44: Life affected by wait/test				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	1	376.5	
9	NOT STATED	980	473337.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_45A: Life affected by wait - worry				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 150115.73 ] [Invalid=62665 / 28728302.64 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this test? - Worry, anxiety, stress			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	164	105465.7	<div></div> 70.3%
2	NO	80	44650.0	<div></div> 29.7%
6	NOT APPLICABLE	61653	28244806.5	
7	DON'T KNOW	1	283.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1011	483212.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_45B: Life affected by wait - worry for family				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 150115.73 ] [Invalid=62665 / 28728302.64 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this test? - Worry or stress for family or friends			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	60	51641.3	<div></div> 34.4%
2	NO	184	98474.4	<div></div> 65.6%
6	NOT APPLICABLE	61653	28244806.5	
7	DON'T KNOW	1	283.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1011	483212.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_45C: Life affected by wait - pain				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 150115.73 ] [Invalid=62665 / 28728302.64 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this test? - Pain			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	124	83089.9	<div></div> 55.4%
2	NO	120	67025.8	<div></div> 44.6%
6	NOT APPLICABLE	61653	28244806.5	
7	DON'T KNOW	1	283.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1011	483212.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# WTM_45D: Life affected by wait - prob. daily act.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 150115.73 ] [Invalid=62665 / 28728302.64 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this test? - Problems with activities of daily living (e.g., dressing, driving)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	62	43617.9	<div><div></div></div> 29.1%
2	NO	182	106497.8	<div><div></div></div> 70.9%
6	NOT APPLICABLE	61653	28244806.5	
7	DON'T KNOW	1	283.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1011	483212.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_45E: Life affected by wait - loss of work				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 150115.73 ] [Invalid=62665 / 28728302.64 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this test? - Loss of work			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25	12547.9	<div><div></div></div> 8.4%
2	NO	219	137567.8	<div><div></div></div> 91.6%
6	NOT APPLICABLE	61653	28244806.5	
7	DON'T KNOW	1	283.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1011	483212.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_45F: Life affected by wait - loss of income				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 150115.73 ] [Invalid=62665 / 28728302.64 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this test? - Loss of income			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26	11559.2	<div><div></div></div> 7.7%
2	NO	218	138556.5	<div><div></div></div> 92.3%
6	NOT APPLICABLE	61653	28244806.5	
7	DON'T KNOW	1	283.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1011	483212.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_45G: Life affected by wait - incr. dependence				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 150115.73 ] [Invalid=62665 / 28728302.64 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)			

# WTM_45G: Life affected by wait - incr. dependence				
<b>Literal question</b>		How was your life affected as a result of waiting for this visit? - Increased dependence on relatives/friends		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	29	13965.2	<div><div></div></div> 9.3%
2	NO	215	136150.5	<div><div></div></div> 90.7%
6	NOT APPLICABLE	61653	28244806.5	
7	DON'T KNOW	1	283.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1011	483212.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# WTM_45H: Life affected by wait-incr. use med.				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=244 / 150115.73 ] [Invalid=62665 / 28728302.64 ]		
<b>Universe</b>		Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)		
<b>Literal question</b>		How was your life affected as a result of waiting for this test? - Increased use of over-the-counter drugs		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	20	7977.2	<div><div></div></div> 5.3%
2	NO	224	142138.5	<div><div></div></div> 94.7%
6	NOT APPLICABLE	61653	28244806.5	
7	DON'T KNOW	1	283.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1011	483212.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# WTM_45I: Life affected by wait - health deter.				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=244 / 150115.73 ] [Invalid=62665 / 28728302.64 ]		
<b>Universe</b>		Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)		
<b>Literal question</b>		How was your life affected as a result of waiting for this visit? - Overall health deteriorated, condition got worse		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	48	22168.6	<div><div></div></div> 14.8%
2	NO	196	127947.1	<div><div></div></div> 85.2%
6	NOT APPLICABLE	61653	28244806.5	
7	DON'T KNOW	1	283.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1011	483212.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# WTM_45J: Life affected by wait - health improved				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=244 / 150115.73 ] [Invalid=62665 / 28728302.64 ]		
<b>Universe</b>		Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)		
<b>Literal question</b>		How was your life affected as a result of waiting for this visit? - Health problem improved		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4	1202.8	<div><div></div></div> 0.8%
2	NO	240	148912.9	<div><div></div></div> 99.2%

# WTM_45J: Life affected by wait - health improved				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	NOT APPLICABLE	61653	28244806.5	
7	DON'T KNOW	1	283.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1011	483212.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_45K: Life affected by wait - pers. rel.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 150115.73 ] [Invalid=62665 / 28728302.64 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this test? - Personal relationships suffered			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13	5252.6	3.5%
2	NO	231	144863.2	96.5%
6	NOT APPLICABLE	61653	28244806.5	
7	DON'T KNOW	1	283.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1011	483212.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTM_45L: Life affected by wait - other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=244 / 150115.73 ] [Invalid=62665 / 28728302.64 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_44 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	How was your life affected as a result of waiting for this test? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	28	9504.8	6.3%
2	NO	216	140611.0	93.7%
6	NOT APPLICABLE	61653	28244806.5	
7	DON'T KNOW	1	283.5	
8	REFUSAL	0	0.0	
9	NOT STATED	1011	483212.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTMDSO: # days wait/med. spec. -seen spec. - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 1-1320] [Missing=*]			
Statistics [NW/ W]	[Valid=2256 / 1056912.32 ] [Invalid=60653 / 27821506.05 ] [Mean=56.543 / 55.311 ] [StdDev=83.434 / 77.435 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_04 = (1, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	# days wait/med. spec. -seen spec. - (D)			
Notes	Based on WTM_07A, WTM_07B. See documentation on derived variables			
Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	59634	27321936.1	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	

# WTMDSO: # days wait/med. spec. -seen spec. - (D)				
Value	Label	Cases	Weighted	Percentage (Weighted)
9999	NOT STATED	1019	499569.9	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# WTMDSN: # days wait/med. spec. - not seen - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 1-1800] [Missing=*]			
Statistics [NW/ W]	[Valid=200 / 109523.57 ] [Invalid=62709 / 28768894.8 ] [Mean=139.885 / 125.608 ] [StdDev=200.572 / 138.566 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_04 = (2, 7 or 8) or WTM_01 = (7 or 8) or ACC_10 = (7 or 8)			
Literal question	# days wait/med. spec. - not seen - (D)			
Notes	Based on WTM_08A, WTM_08B. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	61719	28282673.0	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	990	486221.8	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# WTMDSA: # days accept. wait - med. spec. (D)				
Information	[Type= continuous] [Format=numeric] [Range= 1-630] [Missing=*]			
Statistics [NW/ W]	[Valid=2453 / 1165571.31 ] [Invalid=60456 / 27712847.06 ] [Mean=31.641 / 29.71 ] [StdDev=37.666 / 34.244 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_01 = (1, 7 or 8) or ACC_10 = (7 or 8)			
Literal question	# days accept. wait - med. spec. (D)			
Notes	Based on WTM_07A, WTM_08A, WTM_10, WTM_11A, WTM_11B, WTMDSO, WTMDSN. See documentation on derived variables			
Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	59419	27201743.0	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	1037	511104.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# WTMDCO: # days wait-non-urg. surg -surg. done(D)				
Information	[Type= continuous] [Format=numeric] [Range= 1-2700] [Missing=*]			
Statistics [NW/ W]	[Valid=1384 / 603873.65 ] [Invalid=61525 / 28274544.72 ] [Mean=65.872 / 68.327 ] [StdDev=126.472 / 130.483 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_17 = (1, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	# days wait-non-urg. surg -surg. done(D)			
Notes	Based on WTM_21A, WTM_21B. See documentation on derived variables			
Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	60545	27793109.2	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	980	481435.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# WTMDCN: # days wait - non-urg. surg-not done(D)				
Information	[Type= continuous] [Format=numeric] [Range= 1-1800] [Missing=*]			



# WTMDCN: # days wait - non-urg. surg-not done(D)				
Statistics [NW/ W]	[Valid=90 / 48148.89 ] [Invalid=62819 / 28830269.48 ] [Mean=171.011 / 122.892 ] [StdDev=242.885 / 155.502 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_17 = (2, 7 or 8) or ACC_20 = (7 or 8)			
Literal question	# days wait - non-urg. surg-not done(D)			
Notes	Based on WTM_23A, WTM_23B. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	61867	28360987.4	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	952	469282.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTMDCA: # days accept. wait -n-emerg. surg.- (D)				
Information	[Type= continuous] [Format=numeric] [Range= 1-2700] [Missing=*]			
Statistics [NW/ W]	[Valid=1467 / 648412.05 ] [Invalid=61442 / 28230006.32 ] [Mean=52.153 / 53.466 ] [StdDev=98.174 / 109.989 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_20 = (1, 7 or 8)			
Literal question	# days accept. wait -n-emerg. surg.- (D)			
Notes	Based on WTM_21A, WTM_23A, WTM_24, WTM_25A, WTM_25B, WTMDCO, WTMDCN. See documentation on derived variables			
Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	60445	27740630.5	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	997	489375.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTMDTO: # days wait - diag. test - done - (D)				
Information	[Type= continuous] [Format=numeric] [Range= 1-720] [Missing=*]			
Statistics [NW/ W]	[Valid=2432 / 1062620.42 ] [Invalid=60477 / 27815797.95 ] [Mean=34.859 / 41.063 ] [StdDev=53.912 / 62.364 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (1, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	# days wait - diag. test - done - (D)			
Notes	Based on WTM_38A, WTM_38B. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	59367	27295627.4	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	1110	520170.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTMDTN: # days wait - diag. test -not done -(D)				
Information	[Type= continuous] [Format=numeric] [Range= 1-720] [Missing=*]			
Statistics [NW/ W]	[Valid=91 / 67919.8 ] [Invalid=62818 / 28810498.57 ] [Mean=89.066 / 82.007 ] [StdDev=96.414 / 85.22 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered WTM_32 = (2, 7 or 8) or ACC_30 = (7 or 8)			
Literal question	# days wait - diag. test -not done -(D)			
Notes	Based on WTM_39A, WTM_39B. See documentation on derived variables.			

# WTMDTN: # days wait - diag. test -not done -(D)				
Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	61824	28334162.4	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	994	476336.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# WTMDTA: # days accept. wait - diag. test -(D)				
Information	[Type= continuous] [Format=numeric] [Range= 1-360] [Missing=*]			
Statistics [NW/ W]	[Valid=2502 / 1119890.84 ] [Invalid=60407 / 27758527.53 ] [Mean=23.576 / 25.454 ] [StdDev=36.162 / 38.299 ]			
Universe	Respondents aged 15 and over with DOWTM = 1 who answered ACC_30 = (1, 7 or 8)			
Literal question	# days accept. wait - diag. test -(D)			
Notes	Based on WTM_38A, WTM_39A, WTM_40, WTM_41A, WTM_41B, WTMDTO, WTMDTN. See documentation on derived variables			
Value	Label	Cases	Weighted	Percentage (Weighted)
9996	NOT APPLICABLE	59265	27224877.5	
9997	DON'T KNOW	0	0.0	
9998	REFUSAL	0	0.0	
9999	NOT STATED	1142	533650.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# LBSG31: Employment status - 12 mo - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=32071 / 17072937.98 ] [Invalid=30838 / 11805480.39 ]			
Universe	Respondents who answered LBS_01 = (1, 7, 8) or LBS_02 = (1, 7, 8)			
Literal question	Are you an employee or self-employed?			
Notes	Based on LBS_31. See documentation on derived variables			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EMPLOYEE	26574	14142843.3	82.8%
2	SELF-EMPLOYED	5497	2930094.7	17.2%
6	NOT APPLICABLE	29662	11136034.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1176	669445.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# LBSGHPW: Total usual hrs. worked current - (D, G)				
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
Statistics [NW/ W]	[Valid=31796 / 16963583.24 ] [Invalid=31113 / 11914835.13 ]			
Universe	Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = (1, 7 or 8)			
Notes	Based on LBSDHPW. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
99	99 HRS OR MORE	140	71627.6	100.0%
996	NOT APPLICABLE	29662	11136034.7	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	

### # LBSGHPW: Total usual hrs. worked current - (D, G)

Value	Label	Cases	Weighted	Percentage (Weighted)
999	NOT STATED	1451	778800.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				

### # LBSDPFT: Full/part-time - current jobs - (D)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=31796 / 16963583.24 ] [Invalid=31113 / 11914835.13 ]
<b>Universe</b>	Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = (1, 7 or 8)
<b>Notes</b>	Based on LBSDHPW. Usual hours currently worked. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FULL-TIME	25604	13980673.8	82.4%
2	PART-TIME	6192	2982909.4	17.6%
6	NOT APPLICABLE	29662	11136034.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1451	778800.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				

### # LBSDWSS: Working status last week - 4 grps - (D)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=51711 / 25123263.16 ] [Invalid=11198 / 3755155.21 ]
<b>Universe</b>	Respondents aged 15 to 75
<b>Notes</b>	Based on LBS_01, LBS_02. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	AT WORK LAST WK	29353	15796699.2	62.9%
2	ABSENT LAST WK	2858	1358372.5	5.4%
3	NO JOB LAST WK	17531	7245706.3	28.8%
4	UNABLE/PERMANENT	1969	722485.3	2.9%
6	NOT APPLICABLE	10162	3167843.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1036	587312.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				

### # LBSGSOC: Occupation group - (G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=31925 / 16978564.04 ] [Invalid=30984 / 11899854.33 ]
<b>Universe</b>	Respondents aged 15 to 75 with LBSDWSS ne (3,4) and LBSCSOC ne (97, 98, 99)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MANAG./ART, EDUC	10987	5986976.2	35.3%
2	BUSIN./FINANC.	5815	3240385.3	19.1%
3	SALES, SERVICES	7807	4062474.8	23.9%
4	TRADES/TRANSP.	4616	2497498.2	14.7%
5	PRIM. IND./PROC.	2700	1191229.5	7.0%
6	NOT APPLICABLE	29662	11136034.7	
7	DON'T KNOW	0	0.0	

# LBSGSOC: Occupation group - (G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	1322	763819.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOLOP: Module: LOP - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]			
Universe	All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	62909	28878418.4	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# LOP_015: Employed in past 3 months				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=35906 / 18833850.12 ] [Invalid=27003 / 10044568.25 ]			
Universe	15 < DHH_AGE < 75 and GR_N01A = 2 and GEN_08 = 1			
Literal question	Did you work at a job or a business at any time in the past three months?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	32621	17375467.6	92.3%
2	NO	3285	1458382.6	7.7%
6	NOT APPLICABLE	25552	9244420.2	
7	DON'T KNOW	13	8247.9	
8	REFUSAL	35	18996.2	
9	NOT STATED	1403	772904.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# LOPG020: Reason for not working - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]	[Valid=18969 / 7557205.75 ] [Invalid=43940 / 21321212.62 ]			
Universe	15 < DHH_AGE < 75 et GR_N01A = 2 et (LOP_015 = 2 ou GEN_08 = 2)			
Notes	Based on LOP_020. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	CHRON. PHY./MENT	2385	857285.7	<div><div></div></div> 11.3%
2	OWN INJURY	206	87135.1	<div><div></div></div> 1.2%
3	OWN INFECTION DISE.	334	131944.2	<div><div></div></div> 1.7%
4	CARING /OWN CHI.	1707	928698.0	<div><div></div></div> 12.3%
5	EDUC., TRAINING	2244	1339220.4	<div><div></div></div> 17.7%
6	CARING/ELDERLY	458	205454.7	<div><div></div></div> 2.7%
7	RETIRED	9482	2966185.0	<div><div></div></div> 39.2%
8	OTHER	2153	1041282.5	<div><div></div></div> 13.8%
96	NOT APPLICABLE	42084	20344900.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1856	976312.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# LOP_030: Couldn't work due to chronic condition				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=32590 / 17359401.54 ] [Invalid=30319 / 11519016.83 ]			
Universe	15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_015 = 1			
Literal question	In the past three months, that is from [date three months ago] to yesterday, have you missed any days at work because of a chronic health condition?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1825	923788.5	<div><div></div></div> 5.3%
2	NO	30765	16435613.0	<div><div></div></div> 94.7%
6	NOT APPLICABLE	28432	10526638.5	
7	DON'T KNOW	11	4246.9	
8	REFUSAL	12	7561.3	
9	NOT STATED	1864	980570.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# LOPG040: Work days lost due to chronic cond. (G)				
Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]			
Statistics [NW/ W]	[Valid=1801 / 911353.28 ] [Invalid=61108 / 27967065.09 ]			
Universe	15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_030 = 1			
Notes	Based on LOP_040. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
31	31 DAYS OR MORE	105	45971.7	<div><div></div></div> 100.0%
96	NOT APPLICABLE	59197	26962251.5	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1911	1004813.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

### # LOPG050: Chronic condition - (G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3902 / 1667331.4 ] [Invalid=59007 / 27211086.97 ]
<b>Universe</b>	15 < DHH_AGE < 75 and GR_N01A = 2 and LOPG020 = 1 or LOP_030 = 1
<b>Notes</b>	Based on LOP_050. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ARTHRITIS	354	146031.3	<div><div></div></div> 8.8%
2	CARDIOV. DISEASE	214	74268.2	<div><div></div></div> 4.5%
3	ASTHMA	67	27278.2	<div><div></div></div> 1.6%
4	CHRONIC BR,	104	33298.7	<div><div></div></div> 2.0%
5	DIABETES	108	50769.5	<div><div></div></div> 3.0%
6	MIGRAINE	179	83114.8	<div><div></div></div> 5.0%
7	BACK PROBLEMS	593	283546.3	<div><div></div></div> 17.0%
8	CANCER	147	57280.4	<div><div></div></div> 3.4%
9	DIGEST. DISEASE	106	50964.4	<div><div></div></div> 3.1%
10	FIBROMY, CHRO	146	55954.5	<div><div></div></div> 3.4%
11	OTHER	1884	804825.0	<div><div></div></div> 48.3%
96	NOT APPLICABLE	56812	26104965.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2195	1106121.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # LOP\_060: Missed work due to injury

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=32591 / 17356738.92 ] [Invalid=30318 / 11521679.45 ]
<b>Universe</b>	15 < DHH_AGE < 75 and GR_N01A = 2
<b>Literal question</b>	In the past three months, have you missed any days at work because of injury such as a broken bone, a bad cut, a burn or a sprain?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1104	556410.5	<div><div></div></div> 3.2%
2	NO	31487	16800328.4	<div><div></div></div> 96.8%
6	NOT APPLICABLE	28432	10526638.5	
7	DON'T KNOW	4	753.8	
8	REFUSAL	13	7965.0	
9	NOT STATED	1869	986322.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # LOPG070: Work days missed due to injury - (G)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1096 / 551839.82 ] [Invalid=61813 / 28326578.55 ]
<b>Universe</b>	15 < DHH_AGE < 75 and GR_N01A = 2 AND LOP_060 = 1
<b>Notes</b>	Based on LOP_070. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
31	31 DAYS OR MORE	75	26040.3	<div><div></div></div> 100.0%
96	NOT APPLICABLE	59919	27326966.9	
97	DON'T KNOW	0	0.0	

# LOPG070: Work days missed due to injury - (G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
98	REFUSAL	0	0.0	
99	NOT STATED	1894	999611.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# LOP_080: Missed work due to infectious disease				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=32578 / 17349368.09 ] [Invalid=30331 / 11529050.28 ]			
Universe	15 < DHH_AGE < 75 and GR_N01A = 2			
Literal question	In the past three months, have you missed any days at work because of an infectious disease such as a cold, a stomach flu or a respiratory infection?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5200	2741555.6	<div></div> 15.8%
2	NO	27378	14607812.5	<div></div> 84.2%
6	NOT APPLICABLE	28432	10526638.5	
7	DON'T KNOW	14	3982.8	
8	REFUSAL	13	7810.8	
9	NOT STATED	1872	990618.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# LOP_81A: Had a cold				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5187 / 2733193.12 ] [Invalid=57722 / 26145225.25 ]			
Universe	15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_080 = 1			
Literal question	Which infectious disease was this? - Cold			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2599	1367604.9	<div></div> 50.0%
2	NO	2588	1365588.2	<div></div> 50.0%
6	NOT APPLICABLE	55810	25134451.0	
7	DON'T KNOW	12	5256.1	
8	REFUSAL	1	3106.4	
9	NOT STATED	1899	1002411.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# LOP_81B: Had the flu or influenza				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5187 / 2733193.12 ] [Invalid=57722 / 26145225.25 ]			
Universe	15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_080 = 1			
Literal question	Which infectious disease was this? - Flu or influenza			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1222	628366.5	<div></div> 23.0%
2	NO	3965	2104826.6	<div></div> 77.0%
6	NOT APPLICABLE	55810	25134451.0	
7	DON'T KNOW	12	5256.1	
8	REFUSAL	1	3106.4	
9	NOT STATED	1899	1002411.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# LOP_81C: Stomach Flu				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5187 / 2733193.12 ] [Invalid=57722 / 26145225.25 ]			
Universe	15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_080 = 1			
Literal question	Which infectious disease was this? - Stomach flu			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	984	535791.4	<div><div></div></div> 19.6%
2	NO	4203	2197401.8	<div><div></div></div> 80.4%
6	NOT APPLICABLE	55810	25134451.0	
7	DON'T KNOW	12	5256.1	
8	REFUSAL	1	3106.4	
9	NOT STATED	1899	1002411.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# LOP_81D: Respiratory Flu				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5187 / 2733193.12 ] [Invalid=57722 / 26145225.25 ]			
Universe	15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_080 = 1			
Literal question	Which infectious disease was this? - Respiratory infection			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	302	156398.9	<div><div></div></div> 5.7%
2	NO	4885	2576794.2	<div><div></div></div> 94.3%
6	NOT APPLICABLE	55810	25134451.0	
7	DON'T KNOW	12	5256.1	
8	REFUSAL	1	3106.4	
9	NOT STATED	1899	1002411.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# LOP_81E: Other				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5187 / 2733193.12 ] [Invalid=57722 / 26145225.25 ]			
Universe	15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_080 = 1			
Literal question	Which infectious disease was this? - Other			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	357	177586.5	<div><div></div></div> 6.5%
2	NO	4830	2555606.6	<div><div></div></div> 93.5%
6	NOT APPLICABLE	55810	25134451.0	
7	DON'T KNOW	12	5256.1	
8	REFUSAL	1	3106.4	
9	NOT STATED	1899	1002411.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# LOG082: Work days missed due to cold - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]			
Statistics [NW/ W]	[Valid=2592 / 1365694.61 ] [Invalid=60317 / 27512723.76 ]			
Universe	15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_081A = 1			
Notes	Based on LOP_082. See documentation on derived variables.			



# LOPG082: Work days missed due to cold - (G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
1		1268	676640.2	<div><div></div></div> 49.5%
2		849	461983.1	<div><div></div></div> 33.8%
3		269	126359.0	<div><div></div></div> 9.3%
4		97	45167.1	<div><div></div></div> 3.3%
5		59	30442.2	<div><div></div></div> 2.2%
6		9	3048.3	<div><div></div></div> 0.2%
7		18	11499.0	<div><div></div></div> 0.8%
8		5	1235.9	<div><div></div></div> 0.1%
9		2	4693.6	<div><div></div></div> 0.3%
10		6	1417.6	<div><div></div></div> 0.1%
11	11 DAYS OR MORE	10	3208.6	<div><div></div></div> 0.2%
96	NOT APPLICABLE	58398	26500039.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1919	1012684.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# LOPG083: Work days missed due/ flu/influenza (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]			
Statistics [NW/ W]	[Valid=1215 / 624159.02 ] [Invalid=61694 / 28254259.35 ]			
Universe	15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_081B = 1			
Notes	Based on LOP_083. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1		423	212987.5	<div><div></div></div> 34.1%
2		378	200113.1	<div><div></div></div> 32.1%
3		179	96398.5	<div><div></div></div> 15.4%
4		72	31084.5	<div><div></div></div> 5.0%
5		76	34434.0	<div><div></div></div> 5.5%
6		11	7617.3	<div><div></div></div> 1.2%
7		33	23952.1	<div><div></div></div> 3.8%
8		8	1957.2	<div><div></div></div> 0.3%
9		2	1146.1	<div><div></div></div> 0.2%
10		16	5832.3	<div><div></div></div> 0.9%
11	11 DAYS OR MORE	17	8636.5	<div><div></div></div> 1.4%
96	NOT APPLICABLE	59775	27239277.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1919	1014981.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# LOPG084: Work days missed due to stomach flu (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]			
Statistics [NW/ W]	[Valid=982 / 535362.23 ] [Invalid=61927 / 28343056.14 ]			
Universe	15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_081C = 1			
Notes	Based on LOP_084. See documentation on derived variables.			

### # LOPG084: Work days missed due to stomach flu (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1		509	280423.5	<div><div></div></div> 52.4%
2		295	159873.4	<div><div></div></div> 29.9%
3		113	57395.5	<div><div></div></div> 10.7%
4		28	17784.2	<div><div></div></div> 3.3%
5		17	12970.6	<div><div></div></div> 2.4%
6		4	1305.0	<div><div></div></div> 0.2%
7		6	1993.3	<div><div></div></div> 0.4%
9		2	267.6	<div><div></div></div> 0.0%
10		1	207.8	<div><div></div></div> 0.0%
11	11 DAYS OR MORE	7	3141.5	<div><div></div></div> 0.6%
96	NOT APPLICABLE	60013	27331852.7	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1914	1011203.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # LOPG085: Work days missed due/ respir.infect. (G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=299 / 152497.37 ] [Invalid=62610 / 28725921 ]
<b>Universe</b>	15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_081D = 1
<b>Notes</b>	Based on LOP_085. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1		69	29620.4	<div><div></div></div> 19.4%
2		74	45161.6	<div><div></div></div> 29.6%
3		47	27512.9	<div><div></div></div> 18.0%
4		35	15565.4	<div><div></div></div> 10.2%
5		20	8895.6	<div><div></div></div> 5.8%
6		6	2288.2	<div><div></div></div> 1.5%
7		14	9245.8	<div><div></div></div> 6.1%
8		3	1358.0	<div><div></div></div> 0.9%
9		1	995.1	<div><div></div></div> 0.7%
10		7	1222.6	<div><div></div></div> 0.8%
11	11 DAYS OR MORE	23	10631.8	<div><div></div></div> 7.0%
96	NOT APPLICABLE	60695	27711245.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1915	1014675.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # LOPG086: Wrk days missed due/other infect.dis.(G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=354 / 176343.57 ] [Invalid=62555 / 28702074.8 ]
<b>Universe</b>	15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_081E = 1
<b>Notes</b>	Based on LOP_086. See documentation on derived variables.

# LOPG086: Wrk days missed due/other infect.dis.(G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
1		128	69249.0	<div><div></div></div> 39.3%
2		70	30421.6	<div><div></div></div> 17.3%
3		53	28362.0	<div><div></div></div> 16.1%
4		28	13850.2	<div><div></div></div> 7.9%
5		23	14376.0	<div><div></div></div> 8.2%
6		9	3616.2	<div><div></div></div> 2.1%
7		14	6468.8	<div><div></div></div> 3.7%
8		4	971.5	<div><div></div></div> 0.6%
9		1	268.6	<div><div></div></div> 0.2%
10		8	3889.4	<div><div></div></div> 2.2%
11	11 DAYS OR MORE	16	4870.3	<div><div></div></div> 2.8%
96	NOT APPLICABLE	60640	27690057.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1915	1012017.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# LOP_090: Missed work for reason /ph. Or m. health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=32580 / 17349362.48 ] [Invalid=30329 / 11529055.89 ]			
Universe	15 < DHH_AGE < 75 and GR_N01A = 2			
Literal question	In the past three months, have you been absent from work because of any other reason related to your physical or mental health?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2593	1285711.2	<div><div></div></div> 7.4%
2	NO	29987	16063651.3	<div><div></div></div> 92.6%
6	NOT APPLICABLE	28432	10526638.5	
7	DON'T KNOW	13	4417.2	
8	REFUSAL	12	7382.0	
9	NOT STATED	1872	990618.2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# LOPG100: Work days missed related/ ph/m hlth (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]			
Statistics [NW/ W]	[Valid=2563 / 1261804.02 ] [Invalid=60346 / 27616614.35 ]			
Universe	15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_090 = 1			
Notes	Based on LOP_100. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1		1126	558622.7	<div><div></div></div> 44.3%
2		534	260661.7	<div><div></div></div> 20.7%
3		261	136305.9	<div><div></div></div> 10.8%
4		118	57266.3	<div><div></div></div> 4.5%
5		124	68258.8	<div><div></div></div> 5.4%
6		39	21925.7	<div><div></div></div> 1.7%
7		50	19244.4	<div><div></div></div> 1.5%

# LOPG100: Work days missed related/ ph/m hlth (G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
8		20	5811.0	<div><div></div></div> 0.5%
9		3	1667.3	<div><div></div></div> 0.1%
10		46	17166.2	<div><div></div></div> 1.4%
11		4	1880.7	<div><div></div></div> 0.1%
12		9	5534.5	<div><div></div></div> 0.4%
13		4	673.7	<div><div></div></div> 0.1%
14		33	13479.5	<div><div></div></div> 1.1%
15		30	23291.5	<div><div></div></div> 1.8%
16		3	452.2	<div><div></div></div> 0.0%
17		1	596.3	<div><div></div></div> 0.0%
18		3	1215.6	<div><div></div></div> 0.1%
20		21	8892.5	<div><div></div></div> 0.7%
21	21 DAYS OR MORE	134	58857.5	<div><div></div></div> 4.7%
96	NOT APPLICABLE	58419	26590289.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1927	1026324.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOPAF: Module: Phys. Act. - Facili. at work				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]			
Universe	All respondents			
Notes	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2342	807770.5	<div><div></div></div> 2.8%
2	NO	58934	27988546.9	<div><div></div></div> 97.2%
6	NOT APPLICABLE	1633	82100.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAF_01: Work at home				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1007 / 437347.86 ] [Invalid=61902 / 28441070.51 ]			
Universe	Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = 1			
Literal question	Do you usually work most of the time at home?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	94	30373.9	<div><div></div></div> 6.9%
2	NO	913	406973.9	<div><div></div></div> 93.1%
6	NOT APPLICABLE	61785	28391220.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	

# PAF_01: Work at home				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	117	49850.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAF_02: At work - Pleasant place to walk				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1001 / 436224.27 ] [Invalid=61908 / 28442194.1 ]			
Universe	Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = 1			
Literal question	At or near your place of work, do you have access to a pleasant place to walk, jog, bicycle or rollerblade?			
Notes	If respondent says the question does not apply to their work, code as "2- No"			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	706	300981.5	69.0%
2	NO	295	135242.7	31.0%
6	NOT APPLICABLE	61785	28391220.2	
7	DON'T KNOW	5	901.6	
8	REFUSAL	1	222.0	
9	NOT STATED	117	49850.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAF_03: At work - Access to playing fields				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=1000 / 435848.18 ] [Invalid=61909 / 28442570.19 ]			
Universe	Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = 1			
Literal question	At or near your place of work, do you have access to playing fields or open spaces for ball games or other sports?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	531	228098.6	52.3%
2	NO	469	207749.6	47.7%
6	NOT APPLICABLE	61785	28391220.2	
7	DON'T KNOW	1	376.1	
8	REFUSAL	0	0.0	
9	NOT STATED	123	50973.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAF_04: At work - Access to a gym				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=998 / 435238.15 ] [Invalid=61911 / 28443180.22 ]			
Universe	Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = 1			
Literal question	At or near your place of work, do you have access to a gym or physical fitness facilities?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	562	244055.2	56.1%
2	NO	436	191183.0	43.9%
6	NOT APPLICABLE	61785	28391220.2	
7	DON'T KNOW	3	986.1	
8	REFUSAL	0	0.0	
9	NOT STATED	123	50973.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# PAF_05: At work - Access to fitness classes				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=979 / 426357.63 ] [Invalid=61930 / 28452060.74 ]			
Universe	Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = 1			
Literal question	At or near your place of work, do you have access to organized fitness classes?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	464	194889.5	<div><div></div></div> 45.7%
2	NO	515	231468.2	<div><div></div></div> 54.3%
6	NOT APPLICABLE	61785	28391220.2	
7	DON'T KNOW	22	9866.6	
8	REFUSAL	0	0.0	
9	NOT STATED	123	50973.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAF_06: At work - Organized sport teams				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=882 / 385275.85 ] [Invalid=62027 / 28493142.52 ]			
Universe	Respondents aged 15 to 75 who answered (LBS_01 = (1, 7 or 8) or LBS_02 = 1) and PAF_01 = (2, 7 or 8)			
Literal question	At or near your place of work, do you have access to any organized recreational sport teams?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	351	136352.2	<div><div></div></div> 35.4%
2	NO	531	248923.7	<div><div></div></div> 64.6%
6	NOT APPLICABLE	61879	28421594.1	
7	DON'T KNOW	24	20122.3	
8	REFUSAL	1	452.2	
9	NOT STATED	123	50973.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAF_07: At work - Showers / change rooms				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=889 / 397788.7 ] [Invalid=62020 / 28480629.67 ]			
Universe	Respondents aged 15 to 75 who answered (LBS_01 = (1, 7 or 8) or LBS_02 = 1) and PAF_01 = (2, 7 or 8)			
Literal question	At or near your place of work, do you have access to showers and/or change rooms?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	462	208293.5	<div><div></div></div> 52.4%
2	NO	427	189495.2	<div><div></div></div> 47.6%
6	NOT APPLICABLE	61879	28421594.1	
7	DON'T KNOW	17	7609.4	
8	REFUSAL	1	452.2	
9	NOT STATED	123	50973.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAF_08: At work - Prog. to improve health				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=893 / 399473.19 ] [Invalid=62016 / 28478945.18 ]			
Universe	Respondents aged 15 to 75 who answered (LBS_01 = (1, 7 or 8) or LBS_02 = 1) and PAF_01 = (2, 7 or 8)			
Literal question	At or near your place of work, do you have access to programs to improve health, physical fitness or nutrition?			

# PAF_08: At work - Prog. to improve health				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	460	191039.4	47.8%
2	NO	433	208433.8	52.2%
6	NOT APPLICABLE	61879	28421594.1	
7	DON'T KNOW	13	5924.9	
8	REFUSAL	1	452.2	
9	NOT STATED	123	50973.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# PAFFACC: Access to phys. act. facilities at work				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=945 / 403340.92 ] [Invalid=61964 / 28475077.45 ]			
Universe	Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = (1, 7 or 8)			
Literal question	Access to phys. act. facilities at work			
Notes	Based on PAF_01, PAF_02, PAF_03, PAF_04, PAF_05, PAF_06, PAF_07, PAF_08. The answer category "3 - Not applicable" from variable PAF_02, was recoded as "2 - No" during processing step. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	779	331930.9	82.3%
2	NO	166	71410.0	17.7%
6	NOT APPLICABLE	61785	28391220.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	179	83857.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DHH_OWN: Dwelling - owned by a member of hhld				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61434 / 28122639.5 ] [Invalid=1475 / 755778.87 ]			
Universe	All respondents			
Literal question	Is the dwelling you live in currently owned by a member of this household?			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	46626	20907886.1	74.3%
2	NO	14808	7214753.4	25.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	72	31231.3	
8	REFUSAL	83	45936.2	
9	NOT STATED	1320	678611.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SDCGCBG: Country of birth - Canada/other - (G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61410 / 28113843.85 ] [Invalid=1499 / 764574.52 ]			
Universe	All respondents			
Notes	Based on SDCCCB. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	CANADA	52064	21284335.8	75.7%

# SDCGCBG: Country of birth - Canada/other - (G)				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	OTHER	9346	6829508.0	24.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1499	764574.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SDCGLHM: Language(s) spoken at home				
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=61530 / 28174209.04 ] [Invalid=1379 / 704209.33 ]			
Universe	All respondents			
Notes	Based on SDC_5AA, SDC_5AB, SDC_5AC, SDC_5AD, SDC_5AE, SDC_5AF, SDC_5AG, SDC_5AH, SDC_5AI, SDC_5AJ, SDC_5AK, SDC_5AL, SDC_5AM, SDC_5AN, SDC_5AO, SDC_5AP, SDC_5AQ, SDC_5AR, SDC_5AS, SDC_5AT, SDC_5AU, SDC_5AV, SDC_5AW. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ENG. W-W/O OTHER	46112	18854755.8	66.9%
2	FRE. W-W/O OTHER	11289	5664207.0	20.1%
3	ENG./FRE. W-W/O	455	243339.4	0.9%
4	NOT ENGL. / FRE.	3674	3411906.8	12.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1379	704209.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SDCFIMM: Immigrant - (F)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61323 / 28053237.49 ] [Invalid=1586 / 825180.88 ]			
Universe	All respondents			
Notes	Based on SDC_3. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8848	6545646.8	23.3%
2	NO	52475	21507590.7	76.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1586	825180.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SDCGRES: Length/time in Canada since imm. - (D,G)				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=8848 / 6545646.8 ] [Invalid=54061 / 22332771.57 ]			
Universe	Respondents who answered SDC_2 = (2, 7 or 8) or SDC_1 = (97 or 98)			
Notes	Based on SDC_3 and ADM_YOI. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	0 TO 9 YEARS	1892	1869900.6	28.6%



# SDCGRES: Length/time in Canada since imm. - (D,G)						
Value	Label	Cases	Weighted	Percentage (Weighted)		
2	10 OR MORE YEARS	6956	4675746.2	<div><div></div></div> 71.4%		
6	NOT APPLICABLE	52475	21507590.7			
7	DON'T KNOW	0	0.0			
8	REFUSAL	0	0.0			
9	NOT STATED	1586	825180.9			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.						
# SDCGLNG: Languages - can converse - (D,G)						
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]					
Statistics [NW/ W]	[Valid=61462 / 28157519.71 ] [Invalid=1447 / 720898.66 ]					
Universe	All respondents					
Notes	Based on SDC_5A, SDC_5B, SDC_5C, SDC_5D, SDC_5E, SDC_5F, SDC_5G, SDC_5H, SDC_5I, SDC_5J, SDC_5K, SDC_5L, SDC_5M, SDC_5N, SDC_5O, SDC_5P, SDC_5Q, SDC_5R, SDC_5S, SDC_5T, SDC_5U, SDC_5V, SDC_5W. See documentation on derived variables.					
Value	Label	Cases	Weighted	Percentage (Weighted)		
1	ENG. W-W/O OTHER	42565	18343207.1	<div><div></div></div> 65.1%		
2	FRE. W-W/O OTHER	6158	3000702.3			<div><div></div></div> 10.7%
3	ENG./FRE. W-W/O	12167	6299006.4			<div><div></div></div> 22.4%
4	NOT ENGL. / FRE.	572	514603.9			<div><div></div></div> 1.8%
6	NOT APPLICABLE	0	0.0			
7	DON'T KNOW	0	0.0			
8	REFUSAL	0	0.0			
9	NOT STATED	1447	720898.7			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.						
# SDCGCGT: Cultural or racial origin - (D, G)						
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]					
Statistics [NW/ W]	[Valid=61233 / 28038050.53 ] [Invalid=1676 / 840367.84 ]					
Universe	All respondents					
Notes	Based on SDCDCGT and SDC_41.					
Value	Label	Cases	Weighted	Percentage (Weighted)		
1	WHITE	52896	22111646.3	<div><div></div></div> 78.9%		
2	VISIBLE MINORITY	8337	5926404.2			<div><div></div></div> 21.1%
6	NOT APPLICABLE	0	0.0			
7	DON'T KNOW	0	0.0			
8	REFUSAL	0	0.0			
9	NOT STATED	1676	840367.8			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.						
# SDC_8: Current student						
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]					
Statistics [NW/ W]	[Valid=58580 / 26851667.28 ] [Invalid=4329 / 2026751.09 ]					
Universe	DHH_AGE > 15 or PMKProxy = 1					
Literal question	Are you currently attending a school, college or university?					
Notes	For educational attainment variables, see EDU_1 - EDUDR10. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)					

# SDC_8: Current student					
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	6565	3684785.5	<div><div></div></div>	13.7%
2	NO	52015	23166881.8	<div><div></div></div>	86.3%
6	NOT APPLICABLE	2696	1210263.1		
7	DON'T KNOW	90	31611.4		
8	REFUSAL	78	29952.1		
9	NOT STATED	1465	754924.5		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# SDC_9: Full-time student/part-time student					
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]				
Statistics [NW/ W]	[Valid=6468 / 3664391.12 ] [Invalid=56441 / 25214027.25 ]				
Universe	Respondents who answered SDC_8 = (1, 7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)				
Literal question	Are you enrolled as a full-time student or a part-time student?				
Notes	For educational attainment variables, see EDU_1 - EDUDR10. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	FULL-TIME	5051	2851318.7	<div><div></div></div>	77.8%
2	PART-TIME	1417	813072.4	<div><div></div></div>	22.2%
6	NOT APPLICABLE	54711	24377144.9		
7	DON'T KNOW	97	20394.4		
8	REFUSAL	0	0.0		
9	NOT STATED	1633	816488.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# EDUDH04: Highest level/edu. - HH 4 levels - (D)					
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]				
Statistics [NW/ W]	[Valid=58390 / 26482841.55 ] [Invalid=4519 / 2395576.82 ]				
Universe	DHHDHSZ = 1 and DHH_AGE >= 14) or DHH_AGE > 15 or PMKPROXY = 1				
Notes	Based on EDUDR04 for each member of the household. See documentation on derived variables. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	< THAN SECONDARY	7126	1819066.2	<div><div></div></div>	6.9%
2	SECONDARY GRAD.	7208	2755438.7	<div><div></div></div>	10.4%
3	OTHER POST-SEC.	3224	1435530.3	<div><div></div></div>	5.4%
4	POST-SEC. GRAD.	40832	20472806.4	<div><div></div></div>	77.3%
6	NOT APPLICABLE	0	0.0		
7	DON'T KNOW	0	0.0		
8	REFUSAL	0	0.0		
9	NOT STATED	4519	2395576.8		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# EDUDR04: Highest level/edu. - respond. 4 levels -					
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]				
Statistics [NW/ W]	[Valid=60901 / 27882033.78 ] [Invalid=2008 / 996384.59 ]				
Universe	(DHHDHSZ = 1 and DHH_AGE >= 14) or DHH_AGE > 15 or PMKPROXY = 1				

# EDUDR04: Highest level/edu. - respond. 4 levels -				
<b>Notes</b>		Based on EDU_1, EDU_2, EDU_3, EDU_4. See documentation on derived variables. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	< THAN SECONDARY	15562	5781307.0	<div><div></div></div> 20.7%
2	SECONDARY GRAD.	9700	4449669.6	<div><div></div></div> 16.0%
3	OTHER POST-SEC.	4538	2194323.8	<div><div></div></div> 7.9%
4	POST-SEC. GRAD.	31101	15456733.4	<div><div></div></div> 55.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2008	996384.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# DOFSC: Module: Food security				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]		
<b>Universe</b>		All respondents		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	59507	28114759.7	<div><div></div></div> 97.4%
2	NO	3402	763658.6	<div><div></div></div> 2.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# FSC_010: Food situation in household - 12 mo				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=57855 / 27251857.32 ] [Invalid=5054 / 1626561.05 ]		
<b>Universe</b>		DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)		
<b>Literal question</b>		Which of the following statements best describes the food eaten in your household in the past 12 months? Would you say: (you always had enough of the kinds of food you wanted to eat, ..., or often you didn't have enough to eat)?		
<b>Notes</b>		Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS ENOUGH	52351	24576104.0	<div><div></div></div> 90.2%
2	ENOUGH-NOT KIND	4651	2272695.2	<div><div></div></div> 8.3%
3	SOMETIMES NOT	602	290326.6	<div><div></div></div> 1.1%
4	OFTEN NOT	251	112731.5	<div><div></div></div> 0.4%
6	NOT APPLICABLE	3402	763658.6	
7	DON'T KNOW	90	49290.9	
8	REFUSAL	92	39905.0	
9	NOT STATED	1470	773706.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# FSC_020: Worried food would run out - 12 mo				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		

# FSC_020: Worried food would run out - 12 mo				
Statistics [NW/ W]	[Valid=57783 / 27220790.5 ] [Invalid=5126 / 1657627.87 ]			
Universe	DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)			
Literal question	You and other household members worried that food would run out before you got money to buy more. Was that often true, sometimes true, or never true in the past 12 months?			
Notes	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	919	438146.9	1.6%
2	SOMETIMES TRUE	3250	1706532.4	6.3%
3	NEVER TRUE	53614	25076111.2	92.1%
6	NOT APPLICABLE	3402	763658.6	
7	DON'T KNOW	34	14868.6	
8	REFUSAL	25	8179.2	
9	NOT STATED	1665	870921.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FSC_030: No food and no money for more - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=57757 / 27208150.56 ] [Invalid=5152 / 1670267.81 ]			
Universe	DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)			
Literal question	The food that you and other household members bought just didn't last, and there wasn't any money to get more. Was that often true, sometimes true, or never true in the past 12 months?			
Notes	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	672	282114.2	1.0%
2	SOMETIMES TRUE	2550	1292421.8	4.8%
3	NEVER TRUE	54535	25633614.5	94.2%
6	NOT APPLICABLE	3402	763658.6	
7	DON'T KNOW	49	23842.1	
8	REFUSAL	37	13193.6	
9	NOT STATED	1664	869573.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FSC_040: Could not afford balanced meals - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=57743 / 27205936.58 ] [Invalid=5166 / 1672481.79 ]			
Universe	DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)			
Literal question	You and other household members couldn't afford to eat balanced meals. In the past 12 months was that often true, sometimes true, or never true?			
Notes	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	900	377447.6	1.4%
2	SOMETIMES TRUE	2548	1261997.9	4.6%
3	NEVER TRUE	54295	25566491.1	94.0%
6	NOT APPLICABLE	3402	763658.6	

# FSC_040: Could not afford balanced meals - 12 mo				
Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	62	26186.6	
8	REFUSAL	37	12773.9	
9	NOT STATED	1665	869862.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FSC_050: Few kinds low-cost food for kids -12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=15891 / 10291955.63 ] [Invalid=47018 / 18586462.74 ]			
Universe	Respondents with (DHHDOKD + DHHDYKD) > 0 and (DHH_AGE > 15 or PMKProxy = 1)			
Literal question	You or other adults in your household relied on only a few kinds of low-cost food to feed the children because you were running out of money to buy food. Was that often true, sometimes true, or never true in the past 12 months?			
Notes	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	212	141285.3	1.4%
2	SOMETIMES TRUE	977	603840.5	5.9%
3	NEVER TRUE	14702	9546829.8	92.8%
6	NOT APPLICABLE	46429	18165315.3	
7	DON'T KNOW	24	16314.7	
8	REFUSAL	11	6138.1	
9	NOT STATED	554	398694.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FSC_060: Couldn't feed child. bal. meal - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=15889 / 10289552.93 ] [Invalid=47020 / 18588865.44 ]			
Universe	Respondents with (DHHDOKD + DHHDYKD) > 0 and (DHH_AGE > 15 or PMKProxy = 1)			
Literal question	You or other adults in your household couldn't feed the children a balanced meal, because you couldn't afford it. Was that often true, sometimes true, or never true in the past 12 months?			
Notes	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	121	78147.0	0.8%
2	SOMETIMES TRUE	642	402562.6	3.9%
3	NEVER TRUE	15126	9808843.4	95.3%
6	NOT APPLICABLE	46429	18165315.3	
7	DON'T KNOW	26	18717.4	
8	REFUSAL	11	6138.1	
9	NOT STATED	554	398694.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FSC_070: Children were not eating enough - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=2214 / 1365950.27 ] [Invalid=60695 / 27512468.1 ]			
Universe	Respondents with (DHHDOKD + DHHDYKD) > 0, who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1,2, 7 or 8) or (FSC_010 = (3, 4, 7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)			

# FSC_070: Children were not eating enough - 12 mo					
<b>Literal question</b>		The children were not eating enough because you or other adults in your household just couldn't afford enough food. Was that often, sometimes, or never true in the past 12 months?			
<b>Notes</b>		Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	OFTEN TRUE	49	37122.8	<div><div></div></div>	2.7%
2	SOMETIMES TRUE	288	201517.2	<div><div></div></div>	14.8%
3	NEVER TRUE	1877	1127310.2	<div><div></div></div>	82.5%
6	NOT APPLICABLE	60097	27083317.0		
7	DON'T KNOW	4	1548.1		
8	REFUSAL	3	1015.0		
9	NOT STATED	591	426588.0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# FSC_080: Adults cut or skipped meals - 12 mo					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=5695 / 2863843.6 ] [Invalid=57214 / 26014574.77 ]			
<b>Universe</b>		Respondents who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)) or (FSC_010 = (3, 4, 7 or 8)) and (DHH_AGE > 15 or PMKProxy = 1)			
<b>Literal question</b>		In the past 12 months, did you or other adults in your household ever cut the size of your meals or skip meals because there wasn't enough money for food?			
<b>Notes</b>		Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	YES	1816	849115.0	<div><div></div></div>	29.6%
2	NO	3879	2014728.6	<div><div></div></div>	70.4%
6	NOT APPLICABLE	55387	25073788.7		
7	DON'T KNOW	11	4178.0		
8	REFUSAL	4	467.7		
9	NOT STATED	1812	936140.3		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# FSC_081: Adults skipped meals (freq) - 12 mo					
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
<b>Statistics [NW/ W]</b>		[Valid=1809 / 845717.62 ] [Invalid=61100 / 28032700.75 ]			
<b>Universe</b>		Respondents who answered FSC_080 = (1, 7 or 8) or FSC_010 = (7 or 8) or (all of (FSC_020, FSC_030, FSC_040) = (3, 7 or 8) and FSC_010 = (1 or 2) and (DHHDKD+DHHDYKD = 0 or FSC_050 = (3, 7 or 8) and FSC_060 = (3, 7 or 8)) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8)) and (DHH_AGE > 15 or PMKProxy = 1)			
<b>Literal question</b>		How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?			
<b>Notes</b>		Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	ALMOST EVERY MON	712	288303.1	<div><div></div></div>	34.1%
2	SOME MONTHS	624	309539.3	<div><div></div></div>	36.6%
3	ONLY 1 OR 2 MONT	473	247875.3	<div><div></div></div>	29.3%
6	NOT APPLICABLE	59266	27088517.3		
7	DON'T KNOW	7	3397.4		
8	REFUSAL	0	0.0		

# FSC_081: Adults skipped meals (freq) - 12 mo				
Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	1827	940786.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# FSC_090: Ate less than felt should - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5676 / 2854360.01 ] [Invalid=57233 / 26024058.36 ]			
Universe	Respondents who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)) or FSC_010 = (3, 4, 7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)			
Literal question	In the past 12 months, did you (personally) ever eat less than you felt you should because there wasn't enough money to buy food?			
Notes	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1922	920902.7	32.3%
2	NO	3754	1933457.3	67.7%
6	NOT APPLICABLE	55387	25073788.7	
7	DON'T KNOW	24	11300.5	
8	REFUSAL	9	1902.6	
9	NOT STATED	1813	937066.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FSC_100: Was hungry but could not eat - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5693 / 2861935.84 ] [Invalid=57216 / 26016482.53 ]			
Universe	Respondents who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)) or FSC_010 = (1, 2, 7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)			
Literal question	In the past 12 months, were you (personally) ever hungry but didn't eat because you couldn't afford enough food?			
Notes	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1170	571788.6	20.0%
2	NO	4523	2290147.2	80.0%
6	NOT APPLICABLE	55387	25073788.7	
7	DON'T KNOW	9	4407.1	
8	REFUSAL	7	1220.2	
9	NOT STATED	1813	937066.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FSC_110: Lost weight no money for food- 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=5656 / 2849368.11 ] [Invalid=57253 / 26029050.26 ]			
Universe	Respondents who answered (((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)) or FSC_010 = (3, 4, 7 or 8)) and (DHH_AGE > 15 or PMKProxy = 1)			
Literal question	In the past 12 months, did you (personally) lose weight because you didn't have enough money for food?			
Notes	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	754	351683.0	12.3%
2	NO	4902	2497685.1	87.7%
6	NOT APPLICABLE	55387	25073788.7	
7	DON'T KNOW	44	15121.9	



# FSC_110: Lost weight no money for food- 12 mo				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	8	2726.2	
9	NOT STATED	1814	937413.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FSC_120: Adults did not eat whole day - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=2455 / 1191065.91 ] [Invalid=60454 / 27687352.46 ]			
Universe	Respondents who answered (FSC_070 = (1, 2, 7 or 8)) or at least one of (FSC_080, FSC_090, FSC_100, FSC_110) = (1, 7 or 8) or FSC_010 = (7 or 8) or (all of (FSC_020, FSC_030, FSC_040) = (3, 7 or 8) and FSC_010 = (1 or 2) and (DHHDOKD +DHHDYKD = 0 or FSC_050 = (3, 7 or 8) and FSC_060 = (3, 7 or 8)) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8)) and (DHH_AGE > 15 or PMKProxy = 1)			
Literal question	In the past 12 months, did you or other adults in your household ever not eat for a whole day because there wasn't enough money for food?			
Notes	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	485	212427.5	<div></div> 17.8%
2	NO	1970	978638.4	<div></div> 82.2%
6	NOT APPLICABLE	58604	26737251.4	
7	DON'T KNOW	5	890.1	
8	REFUSAL	3	929.2	
9	NOT STATED	1842	948281.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FSC_121: Adults not eat whole day (freq) - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
Statistics [NW/ W]	[Valid=483 / 211989.22 ] [Invalid=62426 / 28666429.15 ]			
Universe	Respondents who answ. FSC_120 = (1, 7 or 8) or ((DHHDOKD+DHHDYKD)=0 or FSC_70=(3, 7 or 8) and all of (FSC_080, FSC_090, FSC_100, FSC_110)=(2, 7 or 8) and at least one of (FSC_070, FSC_080, FSC_090, FSC_100, FSC_110) = (7 or 8) or FSC_010 = (7 or 8) or (all of (FSC_020, FSC_030, FSC_040) = (3, 7 or 8) and FSC_010 = (1 or 2) and (DHHDOKD+DHHDYKD = 0 or FSC_050 = (3, 7 or 8) and FSC_060 = (3, 7 or 8)) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8)) and (DHH_AGE>15 or PMKProxy=1)			
Literal question	How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?			
Notes	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST EVERY MON	203	80234.1	<div></div> 37.8%
2	SOME MONTHS	156	73759.5	<div></div> 34.8%
3	ONLY 1 OR 2 MONT	124	57995.6	<div></div> 27.4%
6	NOT APPLICABLE	60574	27715889.8	
7	DON'T KNOW	2	438.3	
8	REFUSAL	0	0.0	
9	NOT STATED	1850	950101.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FSC_130: Cut size of children's meals - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=905 / 551380.07 ] [Invalid=62004 / 28327038.3 ]			

# FSC_130: Cut size of children's meals - 12 mo				
<b>Universe</b>	Respondents with DHH_DOKD+DHH_DYKD>0 who answered FSC_070 = (1, 2, 7 or 8) or at least one of (FSC_080, FSC_090, FSC_100, FSC_110) = (1, 7 or 8) or FSC_010 = (7 or 8) or all of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (3, 7 or 8) and FSC_010 = (1 or 2) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)			
<b>Literal question</b>	In the past 12 months, did you or other adults in your household ever cut the size of any of the children's meals because there wasn't enough money for food?			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	92	56387.2	<div><div></div></div> 10.2%
2	NO	813	494992.9	<div><div></div></div> 89.8%
6	NOT APPLICABLE	61398	27893077.8	
7	DON'T KNOW	3	3465.3	
8	REFUSAL	2	566.8	
9	NOT STATED	601	429928.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# FSC_140: Children skipped meals - 12 mo				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=904 / 552951.78 ] [Invalid=62005 / 28325466.59 ]			
<b>Universe</b>	Respondents with DHH_DOKD+DHH_DYKD>0 who answered FSC_070 = (1, 2, 7 or 8) or at least one of (FSC_080, FSC_090, FSC_100, FSC_110) = (1, 7 or 8) or FSC_010 = (7 or 8) or all of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (3, 7 or 8) and FSC_010 = (1 or 2) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)			
<b>Literal question</b>	In the past 12 months, did any of the children ever skip meals because there wasn't enough money for food?			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	55	46848.0	<div><div></div></div> 8.5%
2	NO	849	506103.7	<div><div></div></div> 91.5%
6	NOT APPLICABLE	61398	27893077.8	
7	DON'T KNOW	3	749.2	
8	REFUSAL	3	1711.2	
9	NOT STATED	601	429928.4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# FSC_141: Freq. - child. skipped meals - 12 mo				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=55 / 46848.04 ] [Invalid=62854 / 28831570.33 ]			
<b>Universe</b>	Respondents with DHH_DOKD+DHH_DYKD > 0 who answered FSC_140 = (1, 7 or 8) or FSC_070=(3, 7 or 8) and all of (FSC_080, FSC_090, FSC_100, FSC_110)=(2, 7 or 8) and at least one of (FSC_070, FSC_080, FSC_090, FSC_100, FSC_110) = (7 or 8) or FSC_010 = (7 or 8) or all of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (3, 7 or 8) and FSC_010 = (1 or 2) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE > 15 or PMKProxy = 1			
<b>Literal question</b>	How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST EVERY MON	20	17381.6	<div><div></div></div> 37.1%
2	SOME MONTHS	20	20890.1	<div><div></div></div> 44.6%

# FSC_141: Freq. - child. skipped meals - 12 mo				
Value	Label	Cases	Weighted	Percentage (Weighted)
3	ONLY 1 OR 2 MONT	15	8576.3	<div><div></div>18.3%</div>
6	NOT APPLICABLE	62247	28399181.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	607	432388.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FSC_150: Children were hungry - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=900 / 548903.52 ] [Invalid=62009 / 28329514.85 ]			
Universe	Respondents with DHHDOKD+DHHDYKD>0 who answered FSC_070 = (1, 2, 7 or 8) or at least one of (FSC_080, FSC_090, FSC_100, FSC_110) = (1, 7 or 8) or FSC_010 = (7 or 8) or all of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (3, 7 or 8) and FSC_010 = (1 or 2) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)			
Literal question	In the past 12 months, were any of the children ever hungry but you just couldn't afford more food?			
Notes	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	88	58406.8	<div><div></div>10.6%</div> <div><div></div>89.4%</div>
2	NO	812	490496.7	
6	NOT APPLICABLE	61398	27893077.8	
7	DON'T KNOW	6	3291.5	
8	REFUSAL	4	3217.2	
9	NOT STATED	601	429928.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FSC_160: Children did not eat whole day - 12 mo				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=904 / 552951.78 ] [Invalid=62005 / 28325466.59 ]			
Universe	Respondents with DHHDOKD+DHHDYKD>0 who answered FSC_070 = (1, 2, 7 or 8) or at least one of (FSC_080, FSC_090, FSC_100, FSC_110) = (1, 7 or 8) or FSC_010 = (7 or 8) or all of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (3, 7 or 8) and FSC_010 = (1 or 2) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)			
Notes	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	30	22586.8	<div><div></div>4.1%</div> <div><div></div>95.9%</div>
2	NO	874	530365.0	
6	NOT APPLICABLE	61398	27893077.8	
7	DON'T KNOW	3	749.2	
8	REFUSAL	3	1711.2	
9	NOT STATED	601	429928.4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# FSCDHS2: Household Food Security Status (HC)				
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]			
Statistics [NW/ W]	[Valid=57572 / 27124101.96 ] [Invalid=5337 / 1754316.41 ]			
Universe	DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)			

# FSCDHFS2: Household Food Security Status (HC)				
<b>Literal question</b>	Household Food Security Status (HC)			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
0	FOOD SECURE	53861	25258151.7	<div><div></div></div> 93.1%
1	MOD. FOOD INSEC.	2505	1297379.6	<div><div></div></div> 4.8%
2	SEV. FOOD INSEC.	1206	568570.7	<div><div></div></div> 2.1%
6	NOT APPLICABLE	3389	759757.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1948	994558.7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# FSCDAFS2: Food Security - Adult Status				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=57583 / 27130345.42 ] [Invalid=5326 / 1748072.95 ]			
<b>Universe</b>	DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
0	FOOD SECURE	53932	25313632.7	<div><div></div></div> 93.3%
1	MOD. FOOD INSEC.	2452	1250054.0	<div><div></div></div> 4.6%
2	SEV. FOOD INSEC.	1199	566658.7	<div><div></div></div> 2.1%
6	NOT APPLICABLE	3402	763658.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1924	984414.3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# FSCDCFS2: Food Security - Child Status				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=15860 / 10270260.81 ] [Invalid=47049 / 18608157.56 ]			
<b>Universe</b>	DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
0	FOOD SECURE	15165	9825404.4	<div><div></div></div> 95.7%
1	MOD. FOOD INSEC.	631	402380.2	<div><div></div></div> 3.9%
2	SEV. FOOD INSEC.	64	42476.3	<div><div></div></div> 0.4%
6	NOT APPLICABLE	46429	18165315.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	620	442842.3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# DONEU: Module: NEU - (F)				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			

# DONEU: Module: NEU - (F)				
Statistics [NW/ W]	[Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]			
Universe	All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	62909	28878418.4	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# NEUDNCR: Has a neurological condition-sel. resp.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=60915 / 27861005.46 ] [Invalid=1994 / 1017412.91 ]			
Universe	All respondents			
Notes	Based on NEU_016, NEU_021, NEU_031, NEU_032, NEU_033, NEU_041, NEU_051, NEU_061, NEU_071, NEU_081, NEU_091, NEU_101, NEU_111, NEU_121, NEU_131, NEU_141, NEU_151, NEU_161, NEU_171, NEU_181. See documentation on derived variables. The Neurological Conditions module was introduced in 2010.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8848	3871209.3	13.9%
2	NO	52067	23989796.1	86.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1994	1017412.9	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# NEUDNCH: Presence of neurological cond in hhld				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=60986 / 27897268.69 ] [Invalid=1923 / 981149.68 ]			
Universe	All respondents			
Notes	Based on NEU_015, NEU_020, NEU_030, NEU_031, NEU_032, NEU_033, NEU_040, NEU_050, NEU_060, NEU_070, NEU_080, NEU_090, NEU_100, NEU_110, NEU_120, NEU_130, NEU_140, NEU_150, NEU_160, NEU_170, NEU_180, DHH_AGE. See documentation on derived variables. The Neurological Conditions module was introduced in 2010.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	14712	7215758.8	25.9%
2	NO	46274	20681509.8	74.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1923	981149.7	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# NEUDSIR: Has neuro. cond.-spinal inj.-sel. resp.				
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
Statistics [NW/ W]	[Valid=61096 / 27962731.84 ] [Invalid=1813 / 915686.53 ]			
Universe	All respondents			

# NEUDSIR: Has neuro. cond.-spinal inj.-sel. resp.				
<b>Notes</b>		Based on NEU_160, NEU_161. See documentation on derived variables. The Neurological Conditions module was introduced in 2010.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	356	136528.1	0.5%
2	NO	60740	27826203.7	99.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1813	915686.5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INCG2: Total hhld inc. - main source - (G)				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=57357 / 26367827.04 ] [Invalid=5552 / 2510591.33 ]		
<b>Universe</b>		DHH_AGE > 15 or PMKProxy = 1		
<b>Notes</b>		Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2). Based on INC_2. See documentation on derived variables.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EMPLOYMENT INC.	37943	20482838.9	77.7%
2	EI/WORKER'S COMP	2405	930502.1	3.5%
3	SENIOR BENEFITS	14860	4048416.3	15.4%
4	OTHER	2149	906069.8	3.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	5552	2510591.3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INCG7: Main source of personal income - (G)				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=35289 / 19505746.74 ] [Invalid=27620 / 9372671.63 ]		
<b>Universe</b>		Respondents who answered INC_3 > 0 and who live in a household of more than one person and(D HH_AGE > 15 or PMKProxy = 1)		
<b>Notes</b>		Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2). Based on INC_7. See documentation on derived variables.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EMPLOYMENT INC.	22845	13963889.6	71.6%
2	EI/WORKER'S COMP	1608	826595.2	4.2%
3	SENIOR BENEFITS	7534	2808345.5	14.4%
4	OTHER	3302	1906916.4	9.8%
6	NOT APPLICABLE	20840	5776549.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	6780	3596121.8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INCGHH: Total hhld inc. from all sources - (D,G)				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		

# INCGHH: Total hhld inc. from all sources - (D,G)				
Statistics [NW/ W]		[Valid=51769 / 23569947.78 ] [Invalid=11140 / 5308470.59 ]		
Universe		DHH_AGE > 15 or PMKProxy = 1		
Notes		Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2). Based on INCDHH. See documentation on derived variables.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO OR <\$20,000	6160	2005094.2	<div></div> 8.5%
2	\$20,000-\$39,999	11161	4047671.6	<div></div> 17.2%
3	\$40,000-\$59,999	9652	4109066.8	<div></div> 17.4%
4	\$60,000-\$79,999	7783	3814488.3	<div></div> 16.2%
5	\$80,000 OR MORE	17013	9593626.9	<div></div> 40.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	11140	5308470.6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INCGPER: Total pers. inc. from all sources (D,G)				
Information		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]		[Valid=48658 / 22355867.82 ] [Invalid=14251 / 6522550.55 ]		
Universe		Respondents aged 15 and over or PMKProxy = 1		
Notes		Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2). Based on INCDPER. See documentation on derived variables.		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	NO INCOME	1532	914361.1	<div></div> 4.1%
2	LESS THAN 20,000	14405	6011192.7	<div></div> 26.9%
3	\$20,000-\$39,999	14210	6142208.0	<div></div> 27.5%
4	\$40,000-\$59,999	8806	4126377.4	<div></div> 18.5%
5	\$60,000-\$79,999	4818	2491424.2	<div></div> 11.1%
6	\$80,000 OR MORE	4887	2670304.4	<div></div> 11.9%
96	NOT APPLICABLE	3570	1622092.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	10681	4900458.1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# INCDRCA: Household income distribution - (D)				
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/ W]		[Valid=50443 / 23504662.54 ] [Invalid=12466 / 5373755.83 ]		
Universe		Respondents with GEO_PRV < 60 and (DHH_AGE > 15 or PMKProxy = 1)		
Notes		Based on INCDADR. See document on derived variables. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DECILE 1	4750	2348130.8	<div></div> 10.0%
2	DECILE 2	5817	2365823.7	<div></div> 10.1%
3	DECILE 3	5039	2344861.9	<div></div> 10.0%
4	DECILE 4	5035	2399804.8	<div></div> 10.2%

# INCDRCA: Household income distribution - (D)					
Value	Label	Cases	Weighted	Percentage (Weighted)	
5	DECILE 5	4826	2299746.0		9.8%
6	DECILE 6	5194	2372294.1		10.1%
7	DECILE 7	5046	2360706.6		10.0%
8	DECILE 8	4783	2343178.4		10.0%
9	DECILE 9	4775	2330590.4		9.9%
10	DECILE 10	5178	2339525.9		10.0%
96	NOT APPLICABLE	1633	82100.9		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	10833	5291654.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# INCDRPR: Hhld inc. distribution-prov. level - (D)					
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]			
Statistics [NW/ W]		[Valid=50443 / 23504662.54 ] [Invalid=12466 / 5373755.83 ]			
Universe		Respondents with GEO_PRV < 60 and (DHH_AGE > 15 or PMKProxy = 1)			
Notes		Based on INCDADR, GEO_PRV. See document on derived variables. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DECILE 1	5024	2367341.2		10.1%
2	DECILE 2	5737	2378303.9		10.1%
3	DECILE 3	5263	2363789.6		10.1%
4	DECILE 4	4794	2335114.1		9.9%
5	DECILE 5	4895	2370007.3		10.1%
6	DECILE 6	5204	2329492.4		9.9%
7	DECILE 7	5064	2390661.6		10.2%
8	DECILE 8	4609	2349312.4		10.0%
9	DECILE 9	4814	2329090.8		9.9%
10	DECILE 10	5039	2291549.2		9.7%
96	NOT APPLICABLE	1633	82100.9		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	10833	5291654.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# INCDRRS: Hhld inc. distribution- hr level - (D)					
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]			
Statistics [NW/ W]		[Valid=43503 / 22438366.5 ] [Invalid=19406 / 6440051.87 ]			
Universe		Respondents with GEO_PRV < 60 and (DHH_AGE > 15 or PMKProxy = 1)			
Notes		Based on INCDADR, GEODHR4. See document on derived variables. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	DECILE 1	5314	2507440.2		11.2%
2	DECILE 2	4838	2256719.2		10.1%
3	DECILE 3	4518	2244919.3		10.0%
4	DECILE 4	4371	2293558.9		10.2%



# INCDRRS: Hhld inc. distribution- hr level - (D)					
Value	Label	Cases	Weighted	Percentage (Weighted)	
5	DECILE 5	4131	2240007.9	<div></div>	10.0%
6	DECILE 6	4217	2258936.1	<div></div>	10.1%
7	DECILE 7	4189	2257080.5	<div></div>	10.1%
8	DECILE 8	3903	2231999.4	<div></div>	9.9%
9	DECILE 9	3884	2173890.0	<div></div>	9.7%
10	DECILE 10	4138	1973814.9	<div></div>	8.8%
96	NOT APPLICABLE	1633	82100.9		
97	DON'T KNOW	0	0.0		
98	REFUSAL	0	0.0		
99	NOT STATED	17773	6357950.9		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.					
# WTS_M: Weights - Master					
Information	[Type= continuous] [Format=numeric] [Range= 2.85-9649.25] [Missing=*]				
Statistics [NW/ W]	[Valid=62909 /-] [Invalid=0 /-] [Mean=459.051 /-] [StdDev=725.051 /-]				
Universe	All respondents				