

### Introduction

This Data Dictionary and Logical Data Model define all data elements involved in Smarter Balanced test results whether in a transmission format or stored in a database.

The [Four-Layer Framework for Data Standards](#) offers context for how this specification relates to other SmarterApp specifications. The four layers are:

1. Data Dictionary: Definition of data elements including name and interpretation.
2. Logical Data Model: Logical definition of entities as groups of elements and inter-entity relationships.
3. Serialization: Concrete digital format for storage or transmission of entities.
4. Protocol: Transport layer and message formats for exchanging serialized entities.

This specification describes test results at the Data Dictionary and Logical Data Model layers (layers 1 and 2). Other specifications address serialization and transmission protocols (layers 3 and 4). Field names and descriptions are mostly drawn from the [Common Education Data Standards](#) (CEDS) which also operates at layers 1 and 2.

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#).

### Extensibility

Nearly every test result format we have encountered includes additional information beyond the fields defined here. Data serialization formats should not be constrained to just these fields. Certain serialization formats like XML and JSON include standard extension mechanisms. Accordingly, extensions should be made at the serialization level. *Applications that receive data should tolerate and ignore fields that they don't recognize.*

## Logical Data Model

The entity-relationship diagram in Figure 1 represents the logical data model for test results.


The data follows a strict hierarchy. Each test result has one **Test** record which contains information about the test itself; about the student and the institution to which the student belongs; about test delivery including date, time, and environment; and the overall test score information.

Each Test has one or more **segments**. Segments can be used for multi-part tests such as the Performance Task (PT) and Computer-Adaptive Test (CAT) portions of the Smarter Balanced summative tests. Segments may also be used for embedded field tests.

Each segment is composed of multiple assessment **items**. For fixed-form segments, all students are presented the same set of items in the same order. For computer-adaptive segments, the items presented and the order varies according to performance and other factors managed by the adaptive assessment engine. Each item record contains information about the assessment item and the full student response to the item.

An item has one or more **response scores** most items have a single score. However, certain items are scored on multiple dimensions each representing a different skill family. For multidimensional items there is one response score record per scoring dimension.

The hierarchical data organization is well-suited to certain serialization formats like XML and JSON. However, CSV is a more popular format for transmitting test results and it is not well-suited to hierarchical data. When rendering test results in tabular formats like CSV a common approach is to use two tables. One table represents the test information. The second table (usually in a different CSV file) collapses the segment, item, and response score information into a single table. Segment and item information is repeated for each score. Since most items have only one score and there is very little segment information in the data model, this approach is sufficiently efficient.



## Data Dictionaries

The following tables are the data dictionaries for each of the four entities: Test, Segment, Item, and ResponseScore.

### Cross References

The rightmost column has cross-references to the following layer 3 formats:

- **TRT:** The [SmarterApp Test Results Transmission format \(http://www.smarterapp.org/specs/TestResultsTransmissionFormat.html\)](http://www.smarterapp.org/specs/TestResultsTransmissionFormat.html).
- **DWSA:** The [SmarterApp Data Warehouse Student Assessment format \(http://www.smarterapp.org/specs/DataWarehouse-DataSpec-StudentAssessments.html\)](http://www.smarterapp.org/specs/DataWarehouse-DataSpec-StudentAssessments.html)
- **DWIL:** [The SmarterApp Data Warehouse Item Level format \(http://www.smarterapp.org/specs/DataWarehouse-DataSpec-ItemLevel.html\)](http://www.smarterapp.org/specs/DataWarehouse-DataSpec-ItemLevel.html)
- **AIR:** The American Institutes for Research export format used by certain members.

---

**Entity:**        **Test**

**Description:**    All fields that appear once per test report.

**Includes:**

- Test Information
- Student Information
- Institution Information
- Test Delivery Information
- Score Information

**Relationships**    1:n Test to Segment

**Occurrence**     One per test report.

**Table 1: Test Entity Fields**

Test Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
<b>Test Information</b>							
AssessmentId	xsd:token	40	A unique number or alphanumeric code assigned to an assessment by its publisher.	One or more printable characters	Always	<a href="https://ceds.ed.gov/element/001067">https://ceds.ed.gov/element/001067</a>	TRT:testId DWSA:AssessmentGuid AIR:TstNm_ID
AssessmentName	xsd:token	250	The name given to an assessment <b>event</b> .	One or more printable characters	Always	<a href="https://ceds.ed.gov/element/000977">https://ceds.ed.gov/element/000977</a>	TRT:name AIR:Test_Name

Test Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
Subject	xsd:token	10	The subject of the test	Math, ELA, etc.	Always	See <sup>1</sup> <a href="https://ceds.ed.gov/CEDSElementDetails.aspx?TermId=7021">https://ceds.ed.gov/CEDSElementDetails.aspx?TermId=7021</a>	TRT:subject DWSA:AssessmentAcademicSubject AIR:TestSubj
DeliveryMode	xsd:token	10	Mode of the test. Either 'online' or 'paper' or 'scanned'.	online paper scanned <sup>2</sup> (obsolete) Defaults to "online".	Always		TRT:mode AIR:TestMode
TestGrade	xsd:token	2	The typical grade or combination of grade-levels, developmental levels, or age-levels for which an assessment is designed.	IT, PR, PK, TK, KG, 01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, PS, UG	Always	<a href="https://ceds.ed.gov/element/000177">https://ceds.ed.gov/element/000177</a>	TRT:grade DWSA:AssessmentLevelForWhichDesigned AIR:TestGrd
AssessmentType	xsd:token	50	The category of an assessment based on format and content.	Summative Interim	Always	<a href="https://ceds.ed.gov/element/000029">https://ceds.ed.gov/element/000029</a>	TRT:assessmentType DWSA:AssessmentType
SchoolYear	xsd:integer	4	The school year in which the test is administered. For academic years that span a calendar year this is the four digit year-end. E.g. 2013 for 2012-2013	1900 <= YYYY <= 9999	Always	<a href="https://ceds.ed.gov/element/000243">https://ceds.ed.gov/element/000243</a>	TRT:academicYear DWSA:AssessmentYear AIR:SchlYr
AssessmentVersion	xsd:token	30	The version number of the Assessment Form.	Alphanumeric	Optional <sup>3</sup>	<a href="https://ceds.ed.gov/element/001183">https://ceds.ed.gov/element/001183</a>	TRT:assessmentVersion
<b>Student Information</b>							
StudentIdentifier	xsd:token	65	For identified data this is the state-issued student ID. For de-identified data it is a unique ID that remains the same for a particular student year over year. <sup>4</sup>	One or more printable characters	Always (See footnote)	<a href="https://ceds.ed.gov/element/001071">https://ceds.ed.gov/element/001071</a>	TRT:ExamineeAttribute-StudentIdentifier DWSA:StudentIdentifier DWIL:studentId AIR:SSID
ExternalSSID	xsd:token	65	An alternative to the state-issued student ID used by the assessment service provider or by other entities. May or may not be the Alternate Student ID used for de-identified data.	One or more printable characters	Optional	<a href="https://ceds.ed.gov/element/001071">https://ceds.ed.gov/element/001071</a>	TRT:ExamineeAttribute-AlternateSSID DWSA:ExternalSSID

<sup>1</sup> The field definition for "Subject" matches CEDS. But the CEDS value enumeration is not used.

<sup>2</sup> The value of "scanned" for DeliveryMode is obsolete. Use "paper" for all paper deliveries regardless of how the test is scored or digitized.

<sup>3</sup> If the form changes, the AssessmentId should also change. Therefore, the version number is not yet a required field.

<sup>4</sup> For de-identified data, the State-Issued Student ID (SSID) MUST NOT be used. Any other method that generates a consistent ID for each student is acceptable. When de-identifying data, Smarter Balanced recommends applying a keyed-hash algorithm like HMAC-SHA1 to the SSID. For more information, see <http://www.smarterapp.org/deployment/HashStudentIdSample.html> and <http://www.smarterapp.org/deployment/DeidentificationOfStudentIDs.html>,

Test Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
FirstName	xsd:token	35	Student first name	One or more printable characters.	Identified: Required Deidentified: Prohibited	<a href="https://ceds.ed.gov/element/000115">https://ceds.ed.gov/element/000115</a>	TRT:ExamineeAttribute-FirstName DWSA:FirstName
MiddleName	xsd:token	35	Student middle name	One or more printable characters.	Identified: Optional Deidentified: Prohibited	<a href="https://ceds.ed.gov/element/000184">https://ceds.ed.gov/element/000184</a>	TRT:ExamineeAttribute-MiddleName DWSA:MiddleName
LastOrSurname	xsd:token	35	Student last name	One or more printable characters.	Identified: Required Deidentified: Prohibited	<a href="https://ceds.ed.gov/element/000172">https://ceds.ed.gov/element/000172</a>	TRT:ExamineeAttribute-LastOrSurname DWSA:LastOrSurname
Birthdate	xsd:date	10	Student's birthdate	YYYY-MM-DD <sup>5</sup> . For example 2006-07-15	Identified: Required Deidentified: Prohibited	<a href="https://ceds.ed.gov/element/000033">https://ceds.ed.gov/element/000033</a>	TRT:ExamineeAttribute-Birthdate DWSA:Birthdate
GradeLevelWhenAssessed	xsd:token	2	The grade or developmental level of a student when assessed.	IT, PR, PK, TK, KG, 01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, PS, UG	Always	<a href="https://ceds.ed.gov/element/000126">https://ceds.ed.gov/element/000126</a>	TRT:ExamineeAttribute-GradeLevelWhenAssessed DWSA:GradeLevelWhenAssessed AIR:Grade
Sex	xsd:token	6	The student's gender.	Male, Female	Always	<a href="https://ceds.ed.gov/element/000255">https://ceds.ed.gov/element/000255</a>	TRT:ExamineeAttribute-Sex DWSA:Sex AIR:Gndr
HispanicOrLatinoEthnicity	xsd:token	3	An indication that the person traces his or her origin or descent to Mexico, Puerto Rico, Cuba, Central and South America, and other Spanish cultures, regardless of race.	Yes, No	Always	<a href="https://ceds.ed.gov/element/000144">https://ceds.ed.gov/element/000144</a>	TRT:ExamineeAttribute-HispanicOrLatinoEthnicity DWSA:HispanicOrLatinoEthnicity AIR:HispEthnicFg
AmericanIndianOrAlaskaNative	xsd:token	3	A person having origins in any of the original peoples of North and South America (including Central America), and who maintains cultural identification through tribal affiliation or community attachment.	Yes, No	Always	<a href="https://ceds.ed.gov/element/000016">https://ceds.ed.gov/element/000016</a>	TRT:ExamineeAttribute-AmericanIndianOrAlaskaNative DWSA:AmericanIndianOrAlaskaNative AIR:AmerIndianAlskNtvRaceFg

<sup>5</sup> All dates and times SHOULD follow the W3C recommended formats (<http://www.w3.org/TR/NOTE-datetime>) which are a profile of ISO 8601.

Test Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
Asian	xsd:token	3	A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian Subcontinent. This area includes, for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.	Yes, No	Always	<a href="https://ceds.ed.gov/element/000020">https://ceds.ed.gov/element/000020</a>	TRT:ExamineeAttribute-Asian DWSA:Asian AIR:AsianRaceFg
BlackOrAfricanAmerican	xsd:token	3	A person having origins in any of the black racial groups of Africa.	Yes, No	Always	<a href="https://ceds.ed.gov/element/000034">https://ceds.ed.gov/element/000034</a>	TRT:ExamineeAttribute-BlackOrAfricanAmerican DWSA:BlackOrAfricanAmerican AIR:BlackRaceFg
White	xsd:token	3	A person having origins in any of the original peoples of Europe, Middle East, or North Africa.	Yes, No	Always	<a href="https://ceds.ed.gov/element/000301">https://ceds.ed.gov/element/000301</a>	TRT:ExamineeAttribute-White DWSA:White AIR:WhiteRaceFg
NativeHawaiianOrOtherPacificIslander	xsd:token	3	A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.	Yes, No	Always	<a href="https://ceds.ed.gov/element/000192">https://ceds.ed.gov/element/000192</a>	TRT:ExamineeAttribute-NativeHawaiianOrOtherPacificIslander DWSA:NativeHawaiianOrOtherPacificIslander AIR: PacificIslanderRaceFg
TwoOrMoreRaces	xsd:token	3	A person having origins in any of more than one of the racial groups. <sup>6</sup>	Yes, No	Always	<a href="https://ceds.ed.gov/element/000973">https://ceds.ed.gov/element/000973</a>	TRT:ExamineeAttribute-DemographicRaceTwoOrMoreRaces DWSA:DemographicRaceTwoOrMoreRaces AIR:DemographicRaceTwoOrMoreRaces
IDEAIndicator	xsd:token	3	Student has an Individual Education Plan according to the IDEA act. (See reference for the full definition).	Yes, No	Always	<a href="https://ceds.ed.gov/element/000151">https://ceds.ed.gov/element/000151</a>	TRT:ExamineeAttribute-IDEAIndicator DWSA:IDEAIndicator AIR:IEP
LEPStatus	xsd:token	3	Student with Limited English Proficiency (See reference for the full definition).	Yes, No	Always	<a href="https://ceds.ed.gov/element/000180">https://ceds.ed.gov/element/000180</a>	TRT:ExamineeAttribute-LEPStatus DWSA:LEPStatus AIR:LEP

<sup>6</sup> Per the CEDS data dictionary, DemographicRaceTwoOrMoreRaces is to support inbound data from systems that cannot derive that value. “i.e. systems that use a single race/ethnicity element rather than separate flags that can indicate one or more ethnicities.”

Test Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
Section504Status	xsd:token	3	Individuals with disabilities who are being provided with related aids and services under Section 504 of the Rehabilitation Act of 1973, as amended.	Yes, No	Always	<a href="https://ceds.ed.gov/element/000249">https://ceds.ed.gov/element/000249</a>	TRT:ExamineeAttribute-Section504Status DWSA: Section504Status AIR:504Plan
EconomicDisadvantageStatus	xsd:token	3	An indication that the student met the State criteria for classification as having an economic disadvantage.	Yes, No, Unspecified	Always	<a href="https://ceds.ed.gov/element/000086">https://ceds.ed.gov/element/000086</a>	TRT:ExamineeAttribute-EconomicDisadvantageStatus DWSA:EconomicDisadvantageStatus AIR:EconomicDisadvantageStatus
LanguageCode	xsd:token	3	The code for the specific language or dialect that a person uses to communicate.	See <a href="http://ceds.ed.gov/languageCodes.aspx">http://ceds.ed.gov/languageCodes.aspx</a>	Optional	<a href="https://ceds.ed.gov/CEDSElementDetails.aspx?TermId=7317">https://ceds.ed.gov/CEDSElementDetails.aspx?TermId=7317</a>	TRT:ExamineeAttribute-LanguageCode
EnglishLanguageProficiencyLevel	xsd:token	20	A state-specific indication of the student's English language proficiency level.	Should match a state-specific taxonomy,	Optional	Related to <a href="https://ceds.ed.gov/CEDSElementDetails.aspx?TermId=5527">https://ceds.ed.gov/CEDSElementDetails.aspx?TermId=5527</a>	TRT:ExamineeAttribute-EnglishLanguageProficiencyLevel AIR:EnglishLanguageProficiencyLevel
MigrantStatus	xsd:token	3	Student and/or parents are migratory. (See reference for the complete definition.)	Yes, No	Optional	<a href="https://ceds.ed.gov/element/000189">https://ceds.ed.gov/element/000189</a>	TRT:ExamineeAttribute-MigrantStatus AIR:MigrantStatus
FirstEntryDateIntoUSSchool	xsd:date	10	The year, month and day of a person's initial enrollment into a United States school.	YYYY-MM-DD	Optional	<a href="https://ceds.ed.gov/element/000529">https://ceds.ed.gov/element/000529</a>	TRT:ExamineeAttribute-FirstEntryDateIntoUSSchool AIR:FirstEntryDateIntoUSSchool
LimitedEnglishProficiencyEntryDate	xsd:date	10	The year, month and day a student classified as limited English proficient entered the LEP program.	YYYY-MM-DD	Optional	<a href="https://ceds.ed.gov/element/001247">https://ceds.ed.gov/element/001247</a>	TRT:ExamineeAttribute-LimitedEnglishProficiencyEntryDate AIR:LimitedEnglishProficiencyEntryDate
LEPExitDate	xsd:date	10	The year, month and day a student classified as limited English proficient exited the LEP program.	YYYY-MM-DD	Optional	<a href="https://ceds.ed.gov/element/000570">https://ceds.ed.gov/element/000570</a>	TRT:ExamineeAttribute-LEPExitDate AIR:LEPExitDate
TitleIIILanguageInstructionProgramType	xsd:token	20	The type of Title III language instructional programs.	See the reference for the set of acceptable codes and definitions.	Optional	<a href="https://ceds.ed.gov/element/000447">https://ceds.ed.gov/element/000447</a>	TRT:ExamineeAttribute-TitleIIILanguageInstructionProgramType AIR:TitleIIILanguageInstructionProgramType (opt)

Test Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
PrimaryDisabilityType	xsd:token	3	The major or overriding disability condition that best describes a person's impairment.	See the reference for the set of acceptable codes and definitions.	Optional	<a href="https://ceds.ed.gov/element/000218">https://ceds.ed.gov/element/000218</a>	TRT:ExamineeAttribute-PrimaryDisabilityType AIR:PrimaryDisabilityType
<b>Institution Information</b>							
StateAbbreviation	xsd:token	2	Abbreviation for the state or territory in which the student attends school.	A two-letter state or territory abbreviation according to U.S. Postal standards.	Required	<a href="https://ceds.ed.gov/element/000267">https://ceds.ed.gov/element/000267</a>	TRT:ExamineeRelationship-StateAbbreviation DWSA:StateAbbreviation
DistrictId	xsd:token	40	The ID of the district responsible for specific educational services and/or instruction of the student.	Alphanumeric	Identified: Required Deidentified: Optional <sup>7</sup>	<a href="https://ceds.ed.gov/element/000637">https://ceds.ed.gov/element/000637</a>	TRT:ExamineeRelationship-DistrictId DWSA:ResponsibleDistrictIdentifier AIR:DistrictID
DistrictName	xsd:token	60	The Name of the district responsible for specific educational services and/or instruction of the student.	Alphanumeric	Optional	<a href="https://ceds.ed.gov/element/000204">https://ceds.ed.gov/element/000204</a>	TRT:ExamineeRelationship-DistrictName DWSA:OrganizationName
SchoolId	xsd:token	40	A unique number or alphanumeric code assigned to an institution by a school, school system, a state, or other agency or entity.	Alphanumeric	Identified: Required Deidentified: Optional	<a href="https://ceds.ed.gov/element/001069">https://ceds.ed.gov/element/001069</a>	TRT:ExamineeRelationship-SchoolId DWSA:ResponsibleSchoolIdentifier AIR:SchoolID
SchoolName	xsd:token	60	The full legally accepted name of the institution.	Alphanumeric	Optional	<a href="https://ceds.ed.gov/element/000191">https://ceds.ed.gov/element/000191</a>	TRT:ExamineeRelationship-SchoolName DWSA:NameOfInstitution
StudentGroupNames	xsd:token	50	One or more names of groups to which the student belongs. These may be classes, categories, programs or other groups that serve local needs.  The physical format specification should indicate the format of the list (e.g. semicolon-delimited string, list of XML elements, JSON array, etc.	Up to ten names of up to 50 characters each.	Optional		TRT:ExamineeRelationship-StudentGroupName DWSA:Group1Id to Group10Id

<sup>7</sup> DistrictId, DistrictName, SchoolId, and SchoolName are optional in de-identified data. In certain areas, the school or district may be small enough that the school and/or district combined with gender, race, and ethnicity can identify the student. In those cases, the district and school information should be omitted to preserve student privacy. However, doing so prevents the generation of anonymous aggregate reports at the school and district level. Accordingly, members should choose their policy for inclusion according to local policy, population patterns, and requirements.



Test Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
<b>Test Delivery Information</b>							
TestOpportunityId <sup>8</sup>	xsd:token	40	A unique identifier of the student-test opportunity. (Typically a GUID)	One or more printable characters	Always	<a href="https://ceds.ed.gov/element/001540">https://ceds.ed.gov/element/001540</a>	TRT:Opportunity-Key TRT see also Opportunity-oppld AIR:VndrTstEvent_ID
AssessmentAdministrationStartDate	xsd:date	10	The first date of the first window for a given assessment.	YYYY-MM-DD	Always	<a href="https://ceds.ed.gov/element/000962">https://ceds.ed.gov/element/000962</a>	TRT:effectiveDate
StartDateTime	xsd:dateTime	23	The actual date and time when the individual started taking the test.	YYYY-MM-DDTHH:MM:SS	Always	<a href="https://ceds.ed.gov/element/001021">https://ceds.ed.gov/element/001021</a>	TRT:startDate AIR:TStartDt
SubmitDateTime	xsd:dateTime	23	Date the opportunity was submitted for scoring.	YYYY-MM-DDTHH:MM:SS	Always	<a href="https://ceds.ed.gov/element/001022">https://ceds.ed.gov/element/001022</a>	TRT:dateCompleted AIR:TEndDt
ForceSubmitted	xsd:token	23	Indicates whether a test was force-submitted in behalf of the student. This may be an incomplete test (not all questions answered) or a complete test in which the student neglected to explicitly submit final answers. <sup>9</sup>	(Blank) Yes No	Optional		TRT:dateForceCompleted
Status	xsd:token	50	Status of the opportunity. Tracks the status of this test opportunity through the process of administration, resets, scoring, and reporting.	Appeal, handscoring, paused, reported, reset, scored, submitted Deprecated Values <sup>10</sup> : completed, expired, invalidated	Optional		TRT:status AIR:TestStatus
StatusDateTime	xsd:dateTime	23	The date and time the status of this opportunity last changed.	YYYY-MM-DDTHH:MM:SS	Optional		TRT:statusDate

<sup>8</sup> Some serialization formats, such as CSV, use separate tables for test level data and item level data. In those cases, the TestOpportunityId is the key used to connect data between the two tables.

<sup>9</sup> See also Completeness.

<sup>10</sup> Status values of “completed”, “expired”, and “invalidated” should no longer be used. The Completeness field should be used to represent “completed” and “expired”. The AdministrationCondition field should be used to represent “invalidated”.

Test Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
AdministrationCondition	xsd:token	7	<p>Conditions of the test administration:</p> <ul style="list-style-type: none"> <li>• <b>Valid or (Blank)</b> indicates that the assessment was given in a standardized (proctored) environment. Typically applied to summative assessments.</li> <li>• <b>Invalid (IN)</b> indicates that the test result has been marked invalid due to problems in the test administration or environment. Typically applied to summative assessments.</li> <li>• <b>Standardized (SD)</b> The assessment was administered in a standardized manner. It is appropriate to compare this score with other scores in the same manner. Typically applied to interim assessments.</li> <li>• <b>Nonstandardized (NS)</b> The assessment was administered in an informal – nonstandardized manner. Standardized and Nonstandardized results are considered valid.</li> </ul>	(blank) Valid SD NS IN	Always		TRT:administrationCondition DWSA:administrationCondition
Completeness	xsd:token	8	Completeness of the test (whether student responded to all items in the test).	Partial Complete (or blank)	Always		TRT:completeStatus DWSA:completeStatus
AccessibilityCodes	xsd:token	1000	A list of accessibility feature codes paired with accessibility feature use codes indicating the accessibility resources that were made available to the student. The physical format of the list and delimiters should be specified in the data serialization specification.	See the “ISAAP Accessibility Feature Codes” specification. <sup>11</sup>	Always	See: <a href="https://ceds.ed.gov/element/000385">https://ceds.ed.gov/element/000385</a>	TRT:Accommodation-Code DWSA: Accommodation <sup>12</sup> AIR:Accommodation
NumberOfResponses	xsd:unsignedInt	8	Number of items in this report. (Early software releases may include prefetched items that the student never saw but this behavior is discouraged).	Integer, 0 or greater	Always	<a href="https://ceds.ed.gov/element/001009">https://ceds.ed.gov/element/001009</a>	TRT:ItemCount AIR:NAttempt
FieldTestCount	xsd:unsignedInt	8	Number of field test items included in Itemcount	Integer, 0 or greater	Optional		TRT:ftCount

<sup>11</sup> ISAAP Accessibility Feature Codes: <http://www.smarterapp.org/specs/ISAAP-AccessibilityFeatureCodes.html>. The physical format of the list should be specified in the data serialization specification. Some formats are more convenient for compatibility while other facilitate analytics.

<sup>12</sup> As of 2015 The DWSA format uses separate fields for each accessibility code family.

Test Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
PauseCount	xsd:unsignedInt	8	number of times Examinee paused the opportunity	Integer, 0 or greater	Optional		TRT:pauseCount AIR:TOT_NUM_PAUSED
GracePeriodRestarts	xsd:unsignedInt	8	The number of times the student paused the test and restarted it within the grace period (typically 20 minutes).	Integer, 0 or greater	Optional		TRT:gracePeriodRestarts AIR:NUM_PAUSED_20
AbnormalStarts	xsd:unsignedInt	8	The number of times the test was restarted after an abrupt end to a test (browser crash, power shutdown, network loss etc.).	Integer, 0 or greater	Optional		TRT:abnormalStarts
OpportunityCount	xsd:unsignedInt	8	The number of times the student has taken this test including the present opportunity.	Integer, 1 or greater	Optional		TRT:opportunity AIR:Opprtnty
TestWindowId	xsd:token	50	The ID of the window in which the test was administered (E.g. SBAC-Spring-2015)	One or more printable characters	Always		TRT>windowId
TestSessionId	xsd:token	40	Test Delivery System ID for the session in which this test was taken. Typically unique to a time, location, and test administrator.	Zero or more printable characters	De-identified: Prohibited Otherwise: Optional		TRT:sessionId DWSA:AssessmentSessionLocationId AIR:TASessionID
TestAdministratorId	xsd:token	128	ID of the Test Administrator that administered this test. (Often the email address of the TA has been used but this is discouraged for privacy reasons.)	Zero or more printable characters	De-identified: Prohibited Otherwise: Optional	<a href="https://ceds.ed.gov/element/001572">https://ceds.ed.gov/element/001572</a>	TRT:TAID AIR:TAUserID
OrganizationName	xsd:token	60	The name of the organization with overall responsibility for the assessment event. Typically the name of the state (e.g. "Oregon")	One or more printable characters	Optional	<a href="https://ceds.ed.gov/element/000966">https://ceds.ed.gov/element/000966</a>	TRT:clientName
UserAgent	xsd:string	512	The User-Agent string from a web browser or other string that follows the same format. <sup>13</sup>	Alphanumeric	Online: Always	<a href="https://ceds.ed.gov/element/001152">https://ceds.ed.gov/element/001152</a>	TRT:assessmentParticipantSessionPlatformUserAgent
TestDeliveryServer	xsd:token	128	Name of the Test Delivery Service (TDS server that was used to administer this test.	One or more printable characters	Optional		TRT:server
TestDeliveryDatabase	xsd:token	128	Name of the TDS DB that was used to administer this test.	Zero or more printable characters	Optional	<a href="https://ceds.ed.gov/element/001539">https://ceds.ed.gov/element/001539</a>	TRT:database

<sup>13</sup> CEDS defines this as "A space-delimited list of product tokens (keywords) with optional comments that identifies the client hardware and software with which the assessment was delivered to the student during the assessment session." That is the format in which User-Agent strings are delivered. See <http://useragentstring.com> and <http://www.w3.org/Protocols/rfc2616/rfc2616-sec14.html#sec14.43>.

Test Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
WindowOpportunityCount	xsd:unsignedInt	8	The number of times a student has taken this test in this window including this instance.	Integer, 1 or greater	Optional		TRT:windowOpportunity
<b>Test Score Information</b>							
ScaleScore	xsd:float	8	The overall Scale Score earned by the student on this test.	A positive number, typically an integer.	Always	<a href="https://ceds.ed.gov/element/000245">https://ceds.ed.gov/element/000245</a>	TRT:Score/value <sup>14</sup> DWSA:AssessmentSubtestResultScoreValue AIR:SS_TOT
ScaleScoreStandardError	xsd:float	8	The standard error for the TestScaleScore	Floating point number	Always	<a href="https://ceds.ed.gov/element/001546">https://ceds.ed.gov/element/001546</a>	TRT:Score/standardError DWSA:AssessmentSubtestMinimumValue <sup>15</sup> AIR:SEM_TOTSS
ScaleScoreAchievementLevel	xsd:integer	1	The achievement level corresponding to the scale score.	For Smarter Balanced, overall achievement levels are 1 to 4.	Always	<a href="https://ceds.ed.gov/element/000245">https://ceds.ed.gov/element/000245</a>	TRT:Score/value DWSA:AssessmentPerformanceLevelIdentifier AIR:PL_TOT
OverallTheta <sup>16</sup>	xsd:float	8	The overall theta value	Floating point number	Required for Validity Studies <sup>17</sup>		AIR:THETA_TOT
OverallThetaStandardError	xsd:float	8	The standard error for the overall theta	Floating point number	Required for Validity Studies		AIR:SEM_TOT_THETA
Claim1Score	xsd:float	8	Score for claim #1 For Smarter Balanced: <ul style="list-style-type: none"> <li>• ELA Claim 1 is Reading</li> <li>• Math Claim 1 is Concepts &amp; Procedures</li> </ul>	A positive number, typically an integer.	Conditional <sup>18</sup>	<a href="https://ceds.ed.gov/element/000245">https://ceds.ed.gov/element/000245</a>	TRT: Score/value DWSA:AssessmentSubtestResultScoreClaim1Value AIR:SS_SRC1

<sup>14</sup> The TRT format uses the <Score> element for all scores and standard errors. See Appendix A for how to identify each particular score.

<sup>15</sup> In place of Standard Error, the DWSA format uses AssessmentSubtestMinimumValue and AssessmentSubtestMaximumValue which are the scale score minus and plus the standard error respectively. The same principle is applied to subscores which use AssessmentSubtestClaim1MinimumValue and AssessmentSubtestClaim1MaximumValue (substituting the claim number for 1 in subsequent claims).

<sup>16</sup> Theta Score and Theta Standard Error are the values calculated before conversion to Scale Score and application of HOSS and LOSS values.

<sup>17</sup> Beginning in School Year 2015-2016 Theta scores are required for the overall score and for claim scores. In this year, members have been given multiple options for applying the Highest Operational Scale Score (HOSS) and Lowest Operational Scale Score (LOSS) when calculating the Scale Score from the Theta Score. When comparing scores from year to year, Scale Scores should be re-calculated from the Theta Score using consistent HOSS and LOSS values.

<sup>18</sup> Claim scores are required if the associated test produces them. For example, the Smarter Balanced summative tests produce four claim scores for ELA and three for Mathematics. When a claim score is present, the associated standard error and achievement level are also required. Interim Assessment Block (IAB) assessments do not generate claim scores.

Test Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
Claim1ScoreStandardError	xsd:float	8	Standard error for claim #1	Floating point number	Conditional	<a href="https://ceds.ed.gov/element/001546">https://ceds.ed.gov/element/001546</a>	TRT: Score/standardError DWSA:AssessmentSubtestResultScoreClaim1MinimumValue AIR:SEM_SRC1
Claim1ScoreAchievementLevel	xsd:integer	1	The achievement level corresponding to claim score #1	For Smarter Balanced, claim achievement levels are 1 to 3.	Conditional	<a href="https://ceds.ed.gov/element/000245">https://ceds.ed.gov/element/000245</a>	TRT: Score/value DWSA:AssessmentClaim1PerformanceLevelIdentifier AIR:PL_SRC1
Claim1Theta	xsd:float	8	The theta value for claim #1	Floating point number	Required for Validity Studies		AIR:THETA_SRC1
Claim1ThetaStandardError	xsd:float	8	Standard error for the claim 1 theta	Floating point number	Required for Validity Studies		AIR:SEM_THETA_SRC1
Claim2Score	xsd:float	8	Score for claim #2 For Smarter Balanced: <ul style="list-style-type: none"> <li>• ELA Claim 2 is Writing</li> <li>• Math combines the scores for Claim 2- Problem Solving, and Claim 4-Modeling and Data Analysis into ClaimScore2</li> </ul>	A positive number, typically an integer.	Conditional	<a href="https://ceds.ed.gov/element/000245">https://ceds.ed.gov/element/000245</a>	TRT:Score/value DWSA:AssessmentSubtestResultScoreClaim2Value AIR:SS_SRC2
Claim2ScoreStandardError (Score/standardError)	xsd:float	8	Standard error for claim #2	Floating point number	Conditional	<a href="https://ceds.ed.gov/element/001546">https://ceds.ed.gov/element/001546</a>	TRT:Score/standardError DWSA:AssessmentSubtestResultScoreClaim2MinimumValue AIR:SEM_SRC2
Claim2ScoreAchievementLevel	xsd:integer	1	The achievement level corresponding to claim score #2	For Smarter Balanced, claim achievement levels are 1 to 3.	Conditional	<a href="https://ceds.ed.gov/element/000245">https://ceds.ed.gov/element/000245</a>	TRT:Score/value DWSA:AssessmentClaim2PerformanceLevelIdentifier AIR:PL_SRC2
Claim2Theta	xsd:float	8	The theta value for claim #1	Floating point number	Required for Validity Studies		AIR:THETA_SRC1
Claim2ThetaStandardError	xsd:float	8	Standard error for the claim 1 theta	Floating point number	Required for Validity Studies		AIR:SEM_THETA_SRC1
Claim3Score	xsd:float	8	Score for claim #3 For Smarter Balanced: <ul style="list-style-type: none"> <li>• ELA Claim 3 is Speaking and Listening</li> <li>• Math Claim 3 is Communicating Reasoning</li> </ul>	A positive number, typically an integer.	Conditional	<a href="https://ceds.ed.gov/element/000245">https://ceds.ed.gov/element/000245</a>	TRT:Score/value DWSA:AssessmentSubtestResultScoreClaim3Value AIR:SS_SRC3

Test Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
Claim3ScoreStandardError	xsd:float	8	Standard error for claim #3	Floating point number	Conditional	<a href="https://ceds.ed.gov/element/001546">https://ceds.ed.gov/element/001546</a>	TRT:Score/standardError DWSA:AssessmentSubtestResultScoreClaim3MinimumValue AIR:SEM_SRC3
Claim3ScoreAchievementLevel	xsd:integer	1	The achievement level corresponding to claim score #3.	For Smarter Balanced, claim achievement levels are 1 to 3.	Conditional	<a href="https://ceds.ed.gov/element/000245">https://ceds.ed.gov/element/000245</a>	TRT:Score/value DWSA:AssessmentClaim3PerformanceLevelIdentifier AIR:PL_SRC3
Claim3Theta	xsd:float	8	The theta value for claim #1	Floating point number	Required for Validity Studies		AIR:THETA_SRC3
Claim3ThetaStandardError	xsd:float	8	Standard error for the claim 1 theta	Floating point number	Required for Validity Studies		AIR:SEM_THETA_SRC3
Claim4Score	xsd:float	8	Score for claim #4 For Smarter Balanced: <ul style="list-style-type: none"> <li>• ELA Claim 4 is Research/Inquiry</li> <li>• Math does not use this value as claim 4 is combined with claim 2.</li> </ul>	A positive number, typically an integer.	Conditional	<a href="https://ceds.ed.gov/element/000245">https://ceds.ed.gov/element/000245</a>	TRT:Score/value DWSA:AssessmentSubtestResultScoreClaim4Value AIR:SS_SRC4
Claim4ScoreStandardError	xsd:float	8	Standard error for claim #4	Floating point number	Conditional	<a href="https://ceds.ed.gov/element/001546">https://ceds.ed.gov/element/001546</a>	TRT:Score/standardError DWSA:AssessmentSubtestResultScoreClaim4MinimumValue AIR:SEM_SRC4
Claim4ScoreAchievementLevel	xsd:integer	1	The achievement level corresponding to claim score #4.	For Smarter Balanced, claim achievement levels are 1 to 3.	Conditional	<a href="https://ceds.ed.gov/element/000245">https://ceds.ed.gov/element/000245</a>	TRT:Score/value DWSA:AssessmentClaim4PerformanceLevelIdentifier AIR:PL_SRC4
Claim4Theta	xsd:float	8	The theta value for claim #1	Floating point number	Required for Validity Studies		AIR:THETA_SRC4
Claim4ThetaStandardError	xsd:float	8	Standard error for the claim 1 theta	Floating point number	Required for Validity Studies		AIR:SEM_THETA_SRC4

<b>Entity</b>	<b>Segment</b>
<b>Description</b>	Information about one test segment.
<b>Relationships</b>	n:1 Segment to Test 1:n Segment to Item
<b>Occurrence</b>	One occurrence per test segment included in a test. Most Smarter Balanced tests have one segment which is either fixed-form or computer-adaptive.

**Table 2: Segment Entity Fields**

Segment Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
SegmentId	xsd:token	40	Identifier for this test segment (unique per test)	One or more printable characters	Optional	<a href="https://ceds.ed.gov/element/000367">https://ceds.ed.gov/element/000367</a>	TRT:Segment/id DWIL:segmentId AIR:SegmentId
SegmentPosition	xsd:unsignedInt	8	Position of the segment on the test.	Positive 32-bit integer, null allowed	Optional		TRT:Segment/position
SelectionAlgorithm	xsd:token	40	Item selection algorithm that was used for this segment. "Fixed" for a fixed-form segment. Otherwise an identifier of the algorithm and its configuration.	One or more printable characters	Optional		TRT:Segment/algorithm
SelectionAlgorithmVersion	xsd:token	40	Item selection algorithm version	One or more printable characters	Optional		TRT:Segment/algorithmVersion

## Entity Item

**Description:** Information about one test item.

**Includes:**

- Item information
- Student response

**Relationships:** n:1 Item to Segment  
1:n Item to ResponseScore

**Occurrence:** One occurrence per item delivered to a student in a test session.

**Table 3: Item Entity Fields**

Item Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
<b>Item Information</b>							
ItemId	xsd:token	40	Item ID assigned by the Test Publisher. <sup>19</sup>	String of printable characters	Always	<a href="https://ceds.ed.gov/element/000630">https://ceds.ed.gov/element/000630</a>	TRT:Item/key Item/bankKey DWIL:key AIR:Item_ID
ItemPosition	xsd:unsignedInt	8	Ordinal position of item on test. E.g. 1 for the first item presented to the student.	Positive 32-bit integer	Always		TRT:Item/position DWIL:position AIR:ItemOrdr
FieldTest	xsd:token	3	Indicates that the assessment item is being field tested on this form of the test, and does not contribute to the test score.	Yes, No	Optional (defaults to "No")	<a href="https://ceds.ed.gov/element/001536">https://ceds.ed.gov/element/001536</a>	TRT:Item/operational DWIL:operational AIR:item_life_stage
Dropped	xsd:token	3	Indicates that the item was dropped from the test and is not to be included for scoring.	Yes, No	Optional (defaults to "No")		TRT:Item/dropped DWIL:dropped
ItemType	xsd:token	40	Item type (e.g. MC (multiple choice) or GI (grid item)).	EBSR, EQ, ER, GI, HT, HTQ, MC, MI, MS, NL, SA, TI, TUT, WER, WORDLIST, Stimulus	Optional	<a href="https://ceds.ed.gov/element/001158">https://ceds.ed.gov/element/001158</a>	TRT:Item/format DWIL:format AIR:Item_format
<b>Student Response Information</b>							
AdminDateTime	xsd:dateTime	23	Date and time item was administered to Examinee	YYYY-MM-DDTHH-MM-SS	Always	<a href="https://ceds.ed.gov/element/000959">https://ceds.ed.gov/element/000959</a> <a href="https://ceds.ed.gov/element/000958">https://ceds.ed.gov/element/000958</a>	TRT:Item/adminDate

<sup>19</sup> Original Smarter Balanced item IDs are in the form "<bankKey>-<itemKey>" (e.g. "200-12345"). Future IDs may be in GUID form (e.g. 866bed0d-0fa5-40e0-90c7-02d3edd51449) or other forms.



Item Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
Submitted	xsd:token	3	Indicates whether the student submitted a response to this item	Yes,No	Optional (defaults to "Yes")		TRT:Item/isSelected DWIL:isSelected
SubmitDateTime	xsd:dateTime	23	Date and time the student submitted a response to the item.	YYYY-MM-DDTHH-MM-SS	Optional	<a href="https://ceds.ed.gov/element/000959">https://ceds.ed.gov/element/000959</a> <a href="https://ceds.ed.gov/element/000958">https://ceds.ed.gov/element/000958</a>	TRT:Item/Response/date DWIL:adminDate
NumberOfVisits	xsd:unsignedInt	8	Number of times the student set or changed a response to the item	Integer 1 or greater	Optional		TRT:numberVisits DWIL:numberVisits AIR:NbrItemVisits
ResponseDuration	xsd:float	8	The total amount of time in that a person spent responding to a given assessment item. When multiple items are on a page, the time on that page MAY be divided evenly among the items. <sup>20</sup>	Time spent in seconds. Decimals may express fractions of seconds.	Required <sup>21</sup>	<a href="https://ceds.ed.gov/element/000402">https://ceds.ed.gov/element/000402</a>	TRT:pageTime ÷ pageVisits
ResponseContentType	xsd:token	50	MIME type of item response. E.g. text/plain	One or more printable characters	Optional		TRT:Item/mimeType AIR:RespTypCd
ResponseValue	xsd:string	unlimited	The student's response to the item.		Online: Always	<a href="https://ceds.ed.gov/element/001063">https://ceds.ed.gov/element/001063</a>	TRT:Item/Response AIR:Response

<sup>20</sup> A common type of analysis is to take the sum of time spent on items to estimate the time spent taking a test. Therefore, allocation of time to items SHOULD be done in such a way that taking the sum of times produces an accurate estimate of aggregate time (e.g. time on test or time on segment). Many test delivery systems can only measure time spent on a page, not time spent on an item. When multiple items are on a single page then the page time SHOULD be divided among the items. When there is a reading passage associated with a set of items, the time spent reading the passage SHOULD be divided among the associated items.

<sup>21</sup> ResponseDuration is newly required as of SY 2015-2016.

<b>Entity</b>	<b>ResponseScore</b>
Description	Represents a student's score for a test item.
Relationships	n:1 ItemScore to Item
Occurrence	Most items have a single score. However, certain items such as extended writing have scores in multiple dimensions. In those cases, there will be one ItemScore instance per dimension.

**Table 4: ResponseScore Entity Fields**

ResponseScore Field Name	Data Type	Width (chars)	Description	Acceptable Values	Required	Reference	Cross Reference
ItemScore	xsd:float	8	The score given to a person's response to an assessment item.	unsigned float	Always	<a href="https://ceds.ed.gov/element/000724">https://ceds.ed.gov/element/000724</a>	TRT:Item/score DWIL:score AIR:ItemScore
ScoreDimension	xsd:token	0	Dimension name or code to which this score corresponds.	One or more printable characters. May be blank or omitted if the item has only one scoring dimension.	Required if item has more than one scoring dimension.		TRT:Item/ScoreInfo/scoreDimension AIR:ScoringDimension
Rater1Score	xsd:float	8	The score given by hand scoring rater 1	Unsigned float	Required for Validity Studies	<a href="https://ceds.ed.gov/element/000724">https://ceds.ed.gov/element/000724</a>	AIR:Scr_Rater1
Rater1UserId	xsd:string	50	ID of the user who scored human-scored item	Alphanumeric ID up to 50 characters.	See Footnote <sup>22</sup>	<a href="https://ceds.ed.gov/element/001572">https://ceds.ed.gov/element/001572</a>	TRT:userId AIR:ID_Rater1
Rater2Score	xsd:float	8	The score given by hand scoring rater 1	Unsigned float	Required for Validity Studies	<a href="https://ceds.ed.gov/element/000724">https://ceds.ed.gov/element/000724</a>	AIR:Scr_Rater2
Rater2UserId	xsd:string	50	ID of the user who scored human-scored item	Alphanumeric ID up to 50 characters.	See Footnote	<a href="https://ceds.ed.gov/element/001572">https://ceds.ed.gov/element/001572</a>	TRT:userId AIR:ID_Rater2
Rater3Score	xsd:float	8	The score given by hand scoring rater 1	Unsigned float	Required for Validity Studies	<a href="https://ceds.ed.gov/element/000724">https://ceds.ed.gov/element/000724</a>	AIR:Scr_Rater2
Rater3UserId	xsd:string	50	ID of the user who scored human-scored item	Alphanumeric ID up to 50 characters.	See Footnote	<a href="https://ceds.ed.gov/element/001572">https://ceds.ed.gov/element/001572</a>	TRT:userId AIR:ID_Rater3
ScoreRationale	xsd:string	255	Rationale given by the human scorer. If multiple raters gave rationale may be concatenated messages.	Printable text.	Optional		

<sup>22</sup> Rater IDs are required for validity studies; otherwise optional. In de-identified data, rater IDs must not identify the actual person. For example, an email address would be inappropriate. A numeric ID would be acceptable. A keyed cryptographic hash like the one suggested for StudentId MAY be used to convert an ID that would otherwise be sensitive.

## Appendix A: Test Results Transmission Format – Scores

The TRT format uses the <Score> element for all scores. In each case, the “value” attribute provides the score value and the “standardError” attribute indicates the standard error value. Scores are distinguished by the “measureOf” and “measureLabel” attributes according to the following table:

	measureOf	measureLabel
Overall test scale score	Overall	ScaleScore
Overall test achievement level	Overall	PerformanceLevel
Math Claim 1 scale score	1	ScaleScore
Math Claim 1 achievement level	1	PerformanceLevel
ELA Claim 1 scale score	SOCK_R	ScaleScore
ELA Claim 1 achievement level	SOCK_R	PerformanceLevel
Math Claim 2,4 scale score	SOCK_2	ScaleScore
Math Claim 2,4 achievement level	SOCK_2	PerformanceLevel
ELA Claim 2 scale score	2-W	ScaleScore
ELA Claim 2 achievement level	2-W	PerformanceLevel
Math Claim 3 scale score	3	ScaleScore
Math Claim 3 achievement level	3	PerformanceLevel
ELA Claim 3 scale score	SOCK_LS	ScaleScore
ELA Claim 3 achievement level	SOCK_LS	PerformanceLevel
ELA Claim 4 scale score	4-CR	ScaleScore
ELA Claim 4 achievement level	4-CR	PerformanceLevel

## Appendix B: Omitted Fields

The following fields exist in the cross-referenced physical formats but have not been included in the data model. In many cases, the data is redundant with other fields. In other cases, they have been omitted because the fields have been inherited from previous projects but are not relevant to the Smarter Balanced test administration.

### Fields in Test Results Transmission Format (TRT) but not in the data model

- Test/bankKey
- Test/handScoreProject (optional)
- Test/contract (optional)
- Examinee/key (optional)
- Examinee/isDemo (optional)
- ExamineeAttribute/Context
- ExamineeAttribute/ContextDate
- ExamineeRelationship/entityKey
- ExamineeRelationship/Context
- ExamineeRelationship/ContextDate
- Opportunity/TAName
- Accommodation/type
- Accommodation/value (code is the required indicator)
- Accommodation/segment (Smarter Balanced doesn't differentiate accommodations by segment)
- Score/measureLabel
- GenericVariable
- Item/clientId (optional)
- Item/scoreStatus
- Item/strand
- Item/contentLevel
- Item/pageNumber
- Item/pageVisits
- Item/pageTime
- Response/date (redundant with Item/adminDate)
- ScoreInfo
- SubScoreList
- Comment
- Score/conditionCode
- Score/type
- Score/userFirstName
- Score/userLastName
- ToolUsage
- ToolPage

### Fields in Data Warehouse Student Assessment (DWSA) but not in the data model

- Group1Text to Group 10Text
- AssessmentSessionLocation
- AssessmentAdministrationFinishDate

### Fields in Data Warehouse Item Level (DWIL) but not in the data model

- clientId
- scoreStatus
- strand
- contentLevel
- pageNumber
- pageVisits
- pageTime

### Fields in American Institutes for Research CSV (AIR) but not in data model

- AssessmentSubtestResultDateCreated (Optional)
- GradeLevelWhenReported
- LanguageCode (Optional)
- TestMonitorEmailAddress (Optional)
- Num\_Itms\_TOT (Optional)
- AttemptednessIndicator Y=Attempted, N=Non-Participant, P=Participant
- Label\_SRC1 (Optional)
- Num\_Itms\_SRC1 (Optional)
- Label\_SRC2 (Optional)
- Num\_Itms\_SRC2 (Optional)
- Label\_SRC3 (Optional)
- Num\_Itms\_SRC3 (Optional)
- Label\_SRC4 (Optional)
- Num\_Itms\_SRC4 (Optional)
- Label\_SRC5 (Optional)
- Num\_Itms\_SRC5 (Optional)
- THETA\_SRC5 (Optional)
- SEM\_THETA\_SRC5 (Optional)
- SS\_SRC5 (Optional)
- SEM\_SRC5 (Optional)
- PL\_SRC5 (Optional)
- Label\_SRC6 (Optional)
- Num\_Itms\_SRC6 (Optional)
- THETA\_SRC6 (Optional)
- SEM\_THETA\_SRC6 (Optional)
- SS\_SRC6 (Optional)
- SEM\_SRC6 (Optional)
- PL\_SRC6 (Optional)
- Accommodations\_Segment1 (Optional)
- SegmentID2 (Optional)
- Accommodations\_Segment2 (Optional)
- SegmentID3 (Optional)
- Accommodations\_Segment3 (Optional)
- AssessmentFormNumber (Optional)
- Scr\_Rater1 (Optional) (Scores from each rater)
- Scr\_Rater2 (Optional)
- Scr\_Rater3 (Optional)
- CC\_Rater1 (Optional) (Condition Code)
- CC\_Rater2 (Optional)
- CC\_Rater3 (Optional)
- CC\_Reso (Optional)