# System Requirements Specification REVITALIZE

 ${\it Team~13,~REVITALIZE}$ 

Bill Nguyen
Syed Bokhari
Hasan Kibria
Youssef Dahab
Logan Brown
Mahmoud Anklis

Table 1: Revision History

Date	Developer(s)	Change
September 29th, 2022	Youssef Dahab	Project Drivers
October 1st, 2022	Youssef Dahab	Added Goals of the Project
October 1st, 2022	Syed Bokhari	Added Functional Requirements and Use Case
		Diagram
October 2nd, 2022	Bill Nguyen	Added Non-Functional Requirements and Use
		Case Diagram
October 3rd, 2022	Syed Bokhari	Added Work Partitioning Tables
October 4th, 2022	Youssef Dahab	Added Open issues and New Problems

# Contents

1	Pro	Project Drivers				
	1.1	The Purpose of the Project	4			
	1.2	Scope	4			
	1.3	Goals of the Project	4			
	1.4	The Stakeholders	4			
		1.4.1 Primary Stakeholders	4			
		1.4.2 Secondary Stakeholders	4			
		1.4.3 Facilitating Stakeholders				
2	Pro	ject Constraints	5			
3	Cor	text Diagrams	5			
4	Fun	ctional Decomposition Diagrams	5			
		4.0.1 Work Partitioning	1			
	4.1	Use Case Diagram	7			
	4.2	Activity Diagram	7			
5	Fun	ctional Requirements	7			
6	Nor	-functional Requirements	6			
	6.1	Look and Feel Requirements	Ć			
		6.1.1 Appearance Requirements	Ć			
		6.1.2 Style Requirements	Ć			
	6.2	Usability and Humanity Requirements	Ć			
		6.2.1 Ease of Use Requirements	Ć			
		6.2.2 Personalization and Internationalization Requirements	10			
		9 1	10			
		v I	10			
		V I	10			
	6.3	• · · · · · · · · · · · · · · · · · · ·	10			
		6.3.1 Speed and Latency Requirements	10			
		v ·	10			
		v i	10			
		v i	11			
		1	11			
		6.3.6 Capacity Requirements	11			
7	Pro		11			
	7.1	1	11			
	7.2	New Problems	11			
	7.3	Tasks	12			
	7.4	Risks	12			
	7.5	Costs	12			

9	References	13
	Reflection Appendix 8.1 Knowledge and Skills Needed	
	7.6 User Documentation and Training	

# 1 Project Drivers

## 1.1 The Purpose of the Project

Sustaining a healthy lifestyle requires people to keep track of their eating, exercising, and sleeping habits. This can prove to be a daunting and time consuming thing to do especially when most people are very busy with their lives. The purpose of this project to create an all in one health and wellness mobile application that allows users to manage their diet, exercise, and sleep. REVITALIZE is designed to supply users with the means to improve their health by providing them with meal recipe's based on their nutritional preferences, a personalized workouts planner and a sleep tracker.

## 1.2 Scope

REVITALIZE will allow users to find recipes for meals based on nutritional preferences such as calories per meal, diet selections, allergies to avoid and ingredients included. The user will be able to count their calorie and nutrient intake through the nutrition logger. The workout planner will allow users to choose from an already existing list of workouts or construct their own workout schedule along with weights, sets, and repetitions. The sleep tracker will provide users with information regarding their sleep. There will be a focus on improving user experience throughout the application along with supplying users with accurate data regarding their health.

## 1.3 Goals of the Project

The goal of this project is to make REVITALIZE, for it's stakeholders, the go to, easy to use, quick, and accessible all in one mobile application for effectively and efficiently managing a person's diet, exercise, and sleep to improve their overall health and well being. The goal of making REVITALIZE a mobile application is for it to be easily accessible to users from their phone at any time and place. Users do not have to memorize their health goals or write them down on a piece of paper that they carry with them all the time. The goal of documenting this project is for stakeholders to have a physical system documentation of a functional product that they can refer to when needed. Stakeholders will be able to match the application to the documentation.

#### 1.4 The Stakeholders

#### 1.4.1 Primary Stakeholders

Adults and teenagers who want to improve and keep track of their overall health and wellness via an easy to use, all in one application.

#### 1.4.2 Secondary Stakeholders

Individuals who may not use the application directly for themselves or are not directly involved with the use of the application but have an indirect benefit. For instance, personal

trainers can use REVITALIZE to keep track of workouts, sleep, and the overall health of their clients.

#### 1.4.3 Facilitating Stakeholders

Team 13 members building the REVITALIZE application along with Dr. Spencer Smith and the 4G06 TAs.

# 2 Project Constraints

# 3 Context Diagrams

# 4 Functional Decomposition Diagrams

## 4.0.1 Work Partitioning

Table 2: Work Partitioning Events

Event Number   Event Name		Input	Output
1	Launch the appli-	Touch	Main Calender
	cation login page		Menu
2	Opening the sign	Touch	Login Page
	up page		
3	Opening the main	Touch	Diet Menu, Work-
	calender menu		out Menu, Rest
			Menu
4	Opening the diet	Touch	Food List
	menu		
5	Opening the work-	Touch	Excercise List
	out menu		
6	Opening the rest	Touch	Sleep log
	menu		

Table 3: Work Partitioning Summaries

Table 5: Work Partitioning Summaries		
Event Number	Summary	
1	The user, through the touch input, decides to launch	
	the application. The application launches with the login	
	page and after successful credentials the main calender	
	menu will be shown.	
2	The user, through the touch input, decides to open the	
	sign up page. After successful credentials the login page	
	will be shown.	
3	The user, through the touch input, decides to enter the	
	main calender menu. The user can use touch input to	
	select either the diet menu, workout menu or the rest	
	menu.	
4	The user, through the touch input, decides to enter the	
	diet menu. The user can use touch input to view the list	
	of logged food for the calender day, add custom meals,	
	add recipes and search recipes. The user can also navi-	
	gate through the calender for previous date food entries.	
5	The user, through the touch input, decides to enter the	
	workout menu. The user can use touch input to view the	
	list of logged excercises for the calender day, add custom	
	excercises, add preset excercises, and update set and	
	repitition values for each excercise. The user can also	
	navigate through the calender for previous date workout	
	entries.	
6	The user, through the touch input, decides to enter the	
	rest menu. The user can use touch input to alter the	
	sleep data for the current calender date if innacurate.	
	The user can also navigate through the calender for pre-	
	vious date sleep logs.	
	1 0	

# 4.1 Use Case Diagram




Figure 1: Use case diagram for REVITALIZE

# 4.2 Activity Diagram

# 5 Functional Requirements

- BE1. The user launches the application
  - FR1. The system must display a login page upon the start of the application.
  - FR2. The login page must display fillable username and password textboxes
  - FR3. The login page must display a login button
  - FR4. The login page must display a forgot password button
  - FR5. The login page must display a stay logged in checkbox
  - FR6. The system must save prior login information if the stayed logged in checkbox is checked
  - FR7. The login page must display a sign up button that redirects to a signup page
  - FR8. The system must check the validity of the iput parameters in the login page

- BE2. The user selects the sign up button
  - FR9. The signup page must display fillable username, password, email textboxes
  - FR10. The signup page must display a signup button
  - FR11. The system must check the validity of the input parameters in the signup page
- BE3. The user enters the main page after successful login
  - FR12. The system must display a calender with the current date on successful login
  - FR13. The system must have a previous day and next day button on each page after successful login
  - FR14. The system must display a back button on each user interface after a section is selected
  - FR15. The system must display the sections Diet, Excercise and Rest on the current calender day

#### BE4. The user enters the Diet section

- FR16. The system must prompt the user to height, input dietery, weight, calorie information on initial launch of Diet section
- FR17. The system must save initial user height, dietery, wieght, calorie information
- FR18. The Diet section must initialize with a list of food logged on the current calender day
- FR19. The Diet section must display an add food button
- FR20. The Diet section must display a search food button
- FR21. The search food button must launch a recipe criteria user interface
- FR22. The recipe criteria user interface must display a list of modifiable criteria and a search button
- FR23. The recipe search must display correct recipe values based on constraints
- FR24. The recipe search must display a select recipe and add recipe button
- FR25. The Diet section must have an add custom meal button
- FR26. The add custom meal button must have fillable textboxes for recipe information
- FR27. The previous day and next day button must launch the previous or next calender entry of the user section

#### BE5. The user enters the Workout section

- FR28. The Workout section must initialize with a preset list of excercises on the current calender day
- FR29. The Workout section must have an add excercise and delete excercise button
- FR30. The excercises must display an edit excercise button that launches the changeable excercise information when clicked

- FR31. The Workout section must have an add excercise and delete excercise button
- FR32. The Workout section must prompt the user to add repititions and sets of each excercise logged in the current calender day
- BE6. The user enters the Rest section
  - FR33. The Rest section must launch with the sleep statistics of the current calender day
  - FR34. The system must allow the user alter innacurate sleep data

# 6 Non-functional Requirements

Note: followed the volere requirements template

## 6.1 Look and Feel Requirements

#### 6.1.1 Appearance Requirements

LF1. The application must have a neat and attractive design.

Fit Criterion: A focus group of primary stakeholders such as teenagers and young adults will look at UI/UX design of application and would require an 85% approval rating.

#### 6.1.2 Style Requirements

LF2. The application must use colours that are appealing and contrasting to make it more accessible and non-intrusive.

Fit Criterion: A focus group of primary stakeholders such as teenagers and young adults will test application with a focus on colour and need an 85% approval rating that the associated colours do not intrude/distract users from overall application.

# 6.2 Usability and Humanity Requirements

#### 6.2.1 Ease of Use Requirements

UH1. All aspects and features of mobile application can be used using only one hand/one finger.

Fit Criterion: 95% of stakeholders with varying size hands/fingers are able to use all aspects of mobile application using one hand/one finger.

UH2. The application home page must be simple so that user can access any feature of application in under 10 seconds

Fit Criterion: 90% of stakeholders can navigate to any of application features from home page in under 10 seconds.

UH3. The application should be easy to use for targeted demographic

**Fit Criterion:** A focus group of primary stakeholders such as teenagers and young adults with youngest age being 14 will test application and need an 85% approval rating that application was easy to use.

#### 6.2.2 Personalization and Internationalization Requirements

NOT AVAILABLE

#### 6.2.3 Learning Requirements

UH4. Users without any prior experience should be able to use and understand application within 3 iterations of each feature.

**Fit Criterion:** 85% of stakeholders can use and understand basic/common aspects of all features within 3 iterations.

#### 6.2.4 Understandability and Politeness Requirements

UH5. Associated UI aspects such as buttons, drop-downs, words etc. must be consistent **Fit Criterion:** 85% of stakeholders agree that all UI aspects are simple, consistent and understandable.

#### 6.2.5 Accessibility Requirements

UH6. Mobile application should be compatible with android screen readers tool, for potential users with impaired vision.

Fit Criterion: Accessibility tests, will be conducted and 95% of application UI should be able to be read using an android screen reader tool.

# 6.3 Performance Requirements

#### 6.3.1 Speed and Latency Requirements

PE1. All output data of application must take 5 seconds or less to load, based on associated inputs.

Fit Criterion: Developers will run performance tests and ensure all output data loads within 5 seconds or less for 95% of all API responses and outputs.

#### 6.3.2 Safety-Critical Requirements

NOT AVAILABLE

#### 6.3.3 Precision or Accuracy Requirements

PE2. All output data/numbers should be accurate for double precision floating points.

Fit Criterion: Perform associated testing (ex. unit testing) to ensure output is accurate for double precision and passes all test cases.

#### 6.3.4 Reliability and Availability Requirements

PE3. Application must have an uptime of 99%.

Fit Criterion: Description provides all necessary information.

#### 6.3.5 Robustness or Fault-Tolerance Requirements

NOT AVAILABLE

#### 6.3.6 Capacity Requirements

PE4. Application can be used by a large amounts of users simultaneously.

Fit Criterion: Application can withstand the usage of at least 50+ users without performance being affected.

PE5. Application can store/save large amount of data.

Fit Criterion: Application can store/save 1 million+ of data points for all users.

# 7 Project Issues

## 7.1 Open Issues

The REVITALIZE team members have not completed their investigation of how to make mobile applications compatible with screen reader tools to make REVITALIZE accessible to users with impaired vision.

Moreover, the level of difficulty of maintaining and scaling this project is an open issue as it is highly dependent on the implementation. The team has not yet completed it's assessment of the projection of users, costs, and allocated budget to make a current decision on the maintainability and scalability of the project.

Another open issue is regarding the way capacity testing will be conducted:

- The team has yet to determine how it will find and group a large pool of people simultaneously, ideally 50 or more, to test the application's performance before launch.
- Determining how to gather large masses user data points, ideally 1 million+, to test the application's storage capacity and performance.

#### 7.2 New Problems

Potential new problems that the REVITALIZE team can encounter include:

- API failures
- Server connection errors
- Copy right issues

API failures can occur as a result of connectivity issues, a connection breakdown to the URL, or if it's overloaded with requests from the REVITALIZE application. It is possible to encounter copyright issues when using images from the internet to add visuals to the application. This may or may not complicate the graphical user interface design process. A server connection error is less common but may occur due to a network connection error or if the server is offline.

#### 7.3 Tasks

Tasks are scheduled and delegated as per the project Gantt Chart. It will be updated throughout the project to include required tasks and their completion status.

#### 7.4 Risks

- Risk 1: Project may be too complex to complete in eight months because it makes use of multiple built-in and external libraries, other frameworks and application programming interfaces
  - Probability of risk becoming a problem: Medium
  - Contingency plan: Change project scope to meet the minimum number of goals and requirements set by the team to deliver the project
- Risk 2: What if primary stakeholders are not too excited about using the REVITALIZE application after it's launched?
  - Probability of risk becoming a problem: Medium
  - Contingency plan: REVITALIZE team members shall speak to primary stake-holders and listen to their feedback to improve the application.

#### 7.5 Costs

The estimated time cost to deliver this project is eight months. This includes gathering requirements, designing, documenting, implementing, and testing. The cost of launching REVITALIZE to the Google Play Store and App Store are 25\$ and 99\$ respectively.[1]

# 7.6 User Documentation and Training

No user documentation is required to use REVITALIZE. Users will be able to download REVITALIZE as a mobile application from either the Google Play Store or App Store. No training is necessary as using REVITALIZE will be intuitive.

# 7.7 Waiting Room

Ideas that are currently in the waiting room that shall be developed, given enough time, include:

#### • Personal Trainer Integration

 A user's personal trainer can set their diet, workout, and sleep schedules. The trainer can also view user's progress and adjust their schedules.

## • Sleep Data Predictor

 A sleep data predictor that takes users sleep data to extrapolate their health conditions and give tips on optimizing their sleep.

# 8 Reflection Appendix

## 8.1 Knowledge and Skills Needed

Bill Nguyen: Skills that need to acquire are end to end development, CI/CD, multiple ways of testing (integration, unit, acceptance tests etc...). Will be needed since project is end to end (front-end, back-end, database etc.), will be using CI/CD to deploy code changes, and will be testing project in multiple ways.

## 8.2 How Knowledge and Skills Will Be Acquired

Bill Nguyen: Project will be end to end so will implement code in front-end, back-end etc. and will be integrating all components to make it an end to end project. Will use CI/CD in project to integrate and deploy code, so will add necessary steps in yaml file to make and update CI/CD process. Will research and implement unit, integration, acceptance tests etc. to learn more about multiple types of tests.

# 9 References

[1] How much does it cost to publish an app on the app store?