

System Requirements Specification

REVITALIZE

Team 13, REVITALIZE

Bill Nguyen
Syed Bokhari
Hasan Kibria
Youssef Dahab
Logan Brown
Mahmoud Anklis

Table 1: Revision History

Date	Developer(s)	Change
September 29th, 2022	Youssef Dahab	Project Drivers
October 1st, 2022	Youssef Dahab	Added Goals of the Project
October 1st, 2022	Syed Bokhari	Added Functional Requirements and Use Case Diagram
October 2nd, 2022	Bill Nguyen	Added Non-Functional Requirements and Use Case Diagram
October 3rd, 2022	Syed Bokhari	Added Work Partitioning Tables
October 4th, 2022	Youssef Dahab	Added Open issues and New Problems
October 5th, 2022	Youssef Dahab	Completed Project Issues, My Reflection Appendix, Fixed Spelling Errors
October 5th, 2022	Mahmoud Anklis	Added Non-Functional Requirements
October 5th, 2022	Hasan Kibria	Added Constraints and Context Diagram
October 5th, 2022	Syed Bokhari	Added Dates of Completion and Traceability Matrix
October 5th, 2022	Logan Brown	Added Activity Diagram
April 4th, 2023	Syed Bokhari	Updated SRS REV1

Contents

1	Reference Material	4
1.1	Abbreviations and Acronyms	4
2	Project Drivers	5
2.1	The Purpose of the Project	5
2.2	Scope	5
2.3	Goals of the Project	5
2.4	The Stakeholders	5
2.4.1	Primary Stakeholders	5
2.4.2	Secondary Stakeholders	5
2.4.3	Facilitating Stakeholders	6
3	Project Constraints	6
3.1	Mandated Constraints	6
3.1.1	MC 1	6
3.1.2	MC 2	6
3.2	Naming Conventions and Terminology	6
3.3	Relevant Facts and Assumptions	7
3.3.1	Facts	7
3.3.2	Assumptions	7
4	Context Diagram	8
5	Functional Decomposition Diagrams	9
5.1	Use Case Diagram	9
5.2	Activity Diagram	10
5.3	Work Partitioning	11
6	Functional Requirements	13
7	Non-functional Requirements	15
7.1	Look and Feel Requirements	15
7.1.1	Appearance Requirements	15
7.1.2	Style Requirements	15
7.2	Usability and Humanity Requirements	16
7.2.1	Ease of Use Requirements	16
7.2.2	Personalization and Internationalization Requirements	16
7.2.3	Learning Requirements	16
7.2.4	Understandability and Politeness Requirements	16
7.2.5	Accessibility Requirements	16
7.3	Performance Requirements	17
7.3.1	Speed and Latency Requirements	17
7.3.2	Safety-Critical Requirements	17
7.3.3	Precision or Accuracy Requirements	17

7.3.4	Reliability and Availability Requirements	17
7.3.5	Robustness or Fault-Tolerance Requirements	17
7.3.6	Capacity Requirements	17
7.4	Operational Requirements	18
7.4.1	Expected Physical Environment	18
7.4.2	Expected Technological Environment	18
7.5	Maintainability and Portability Requirements	18
7.5.1	Maintenance Requirements	18
7.5.2	Portability Requirements	18
7.5.3	Adaptability Requirements	18
7.6	Security Requirements	18
7.6.1	Access Requirements	18
7.6.2	Privacy Requirements	19
7.6.3	Immunity Requirements	19
7.7	Cultural and Political Requirements	19
7.7.1	Cultural Requirements	19
7.7.2	Political Requirements	19
7.8	Legal Requirements	19
8	Anticipated and Unlikely Changes	19
8.1	Anticipated Changes	19
8.2	Unlikely Changes	20
9	Project Issues	20
9.1	Open Issues	20
9.2	Off-the-Shelf Solutions	21
9.3	New Problems	21
9.4	Tasks	21
9.5	Migration to the New Product	21
9.6	Risks	22
9.7	Costs	22
9.8	User Documentation and Training	22
9.9	Waiting Room	22
9.10	Ideas for Solutions	23
10	Reflection Appendix	23
10.1	Knowledge and Skills Needed	23
10.2	How Knowledge and Skills Will Be Acquired	24
11	Appendix	25
11.1	Traceability Matrices	25
12	References	28

1 Reference Material

This section records information for easy reference.

1.1 Abbreviations and Acronyms

symbol	description
BE	Behaviour Event
FR	Functional Requirement
LF	Look and Feel Requirement
UH	Usability and Humanity Requirement
PE	Performance Requirement
OE	Operational Requirement
MP	Maintainability and Portability Requirement
SE	Security Requirement
CU	Cultural and Political Requirement
AC	Anticipated Change
DAG	Directed Acyclic Graph
M	Module
MG	Module Guide
OS	Operating System
R	Requirement
SC	Scientific Computing
SRS	Software Requirements Specification
REVITALIZE	Explanation of program name
UC	Unlikely Change

2 Project Drivers

2.1 The Purpose of the Project

Sustaining a healthy lifestyle requires people to keep track of their eating, exercising, and sleeping habits. This can prove to be a daunting and time consuming thing to do especially when most people are very busy with their lives. The purpose of this project to create an all in one health and wellness mobile application that allows users to manage their diet, exercise, and sleep. REVITALIZE is designed to supply users with the means to improve their health by providing them with meal recipe's based on their nutritional preferences, a personalized workouts planner and a sleep tracker.

2.2 Scope

REVITALIZE will allow users to find recipes for meals based on nutritional preferences such as calories per meal, diet selections, allergies to avoid and ingredients included. The user will be able to count their calorie and nutrient intake through the nutrition logger. The workout planner will allow users to choose from an already existing list of workouts or construct their own workout schedule along with weights, sets, and repetitions. The sleep tracker will provide users with information regarding their sleep. There will be a focus on improving user experience throughout the application along with supplying users with accurate data regarding their health.

2.3 Goals of the Project

The goal of this project is to make REVITALIZE, for it's stakeholders, the go to, easy to use, quick, and accessible all in one mobile application for effectively and efficiently managing a person's diet, exercise, and sleep to improve their overall health and well being. The goal of making REVITALIZE a mobile application is for it to be easily accessible to users from their phone at any time and place. Users do not have to memorize their health goals or write them down on a piece of paper that they carry with them all the time. The goal of documenting this project is for stakeholders to have a physical system documentation of a functional product that they can refer to when needed. Stakeholders will be able to match the application to the documentation.

2.4 The Stakeholders

2.4.1 Primary Stakeholders

Adults and teenagers who want to improve and keep track of their overall health and wellness via an easy to use, all in one application.

2.4.2 Secondary Stakeholders

Individuals who may not use the application directly for themselves or are not directly involved with the use of the application but have an indirect benefit. For instance, personal

trainers can use REVITALIZE to keep track of workouts, sleep, and the overall health of their clients.

2.4.3 Facilitating Stakeholders

Team 13 members building the REVITALIZE application along with Dr. Spencer Smith and the 4G06 TAs.

3 Project Constraints

3.1 Mandated Constraints

3.1.1 MC 1

- Description: Total project monetary constraints must not exceed ~~\$750~~-\$150. The estimated cost of launching REVITALIZE to the Google Play Store and Apple Store are \$25 and \$99 respectively.
- Rationale: The project must be financially feasible as a no-profit, student-created piece of work

3.1.2 MC 2

- Description: The entire project and its ordered subtasks must be completed as per the deadlines defined by one of the facilitating stakeholders (Dr. Smith)
- Rationale: This project is also graded as part of a university course and hence must adhere to strict deadlines

3.2 Naming Conventions and Terminology

Table 2: Terms and Definitions	
Term	Definition
Main Calendar Menu	Main page of application after login page, here one can navigate their way to other menus.
Diet Menu	Menu page with functionality naturally inherent to diet-related data
Workout Menu	Menu page with functionality naturally inherent to exercise-related data
Rest Menu	Menu page with functionality naturally inherent to sleep-related data

3.3 Relevant Facts and Assumptions

3.3.1 Facts

- The average daily calories intake for an adult is 2000 calories
- The average amount of daily sleep required by an adult is 6-8 hours

3.3.2 Assumptions

- User is familiar with basic additive and multiplicative mathematics
- User knows how to operate a smart mobile phone
- User can read English at a limited working proficiency
- User device is connected to the internet

4 Context Diagram



Figure 1: Context diagram for Revitalize

5 Functional Decomposition Diagrams

5.1 Use Case Diagram




Figure 2: Use case diagram for REVITALIZE

5.2 Activity Diagram




Figure 3: Activity diagram for REVITALIZE

5.3 Work Partitioning

Table 3: Work Partitioning Events

Event Number	Event Name	Input	Output	Date
1	Launch—the application login page User Login	Touch Username, Password	Main—Calender Menu Successful Login: Enter Main Menu Unsuccessful Login: Invalid Credentials Message	October 31st, 2022
2	Opening—the signup page User Signup	Touch Username, Password, Email	Login Page Successful Signup: Enter Login Page Unsuccessful Signup: Invalid Credentials Message	October 31st, 2022
3	Opening—the main—calendar menu Main Menu Navigation	Touch Select Cal-endar, Diet Section, Ex-ercise Section, Sleep Section	—Diet—Menu, Workout—Menu, Rest—Menu Navigate to Selected Menu	October 31st, 2022
4	Opening—the diet menu Diet Menu Interaction	Touch Add, Edit, Delete Food	Food List Food Log Up-dated	November 14th, 2022
5	Opening—the workout menu Exercise Menu Interaction	Touch Add, Edit, Delete Exercise	Exereise List Exercise Log Updated	November 14th, 2022
6	Opening—the rest menu Sleep Menu Interaction	Touch Alter Sleep Wheel	Sleep log Sleep Data Up-dated	November 14th, 2022

Table 4: Work Partitioning Summaries

Event Number	Summary
1	The user, through the touch input, decides to launch the application. The application launches with the login page and after successful credentials the main calendar menu will be shown.
2	The user, through the touch input, decides to open the sign up page. After successful credentials the login page will be shown.
3	The user, through the touch input, decides to enter the main calendar menu. The user can use touch input to select either the diet menu, workout menu or the rest menu.
4	The user, through the touch input, decides to enter the diet menu. The user can use touch input to view the list of logged food for the calendar day, add custom meals, add recipes and search recipes. The user can also navigate through the calendar for previous date food entries.
5	The user, through the touch input, decides to enter the workout menu. The user can use touch input to view the list of logged exercises for the calendar day, add custom exercises, add preset exercises, and update set and repetition values for each exercise. The user can also navigate through the calendar for previous date workout entries.
6	The user, through the touch input, decides to enter the rest menu. The user can use touch input to alter the sleep data for the current calendar date if inaccurate. The user can also navigate through the calendar for previous date sleep logs.

6 Functional Requirements

BE1. The user launches the application

1. ~~The system must display a login page upon the start of the application.~~
FR1. The application must require users to log in before accessing the main screen.
2. ~~The login page must display fillable username textbox.~~
FR2. The system should allow users to log in using a username and password.
3. ~~The login page must display fillable password textbox.~~
4. ~~The login page must display a login button.~~
5. ~~The login page must display a forgot password button.~~
FR3. The system must allow users to reset their password if they forget it.
6. ~~The login page must display a stay logged in checkbox.~~
7. ~~The system must save prior login information if the stayed logged in checkbox is checked.~~
8. ~~The login page must display a sign up button that redirects to a signup page.~~
FR4. The system must allow users to sign up for a new account.
9. FR5. The system must check the validity of the input parameters in the login page
10. FR6. The system should display appropriate error messages if there are issues with the login input parameters.
11. FR7. The system should provide appropriate feedback to the user after a successful login

BE2. The user selects the sign up button

12. ~~The signup page must display fillable username textbox~~
FR8. The system should allow users to sign up with a unique username, password, and email.
13. ~~The signup page must display fillable password textbox~~
14. ~~The signup page must display fillable email textbox~~
15. ~~The signup page must display a signup button~~
16. FR9. The system must check the validity of the input parameters in the signup page
17. FR10. The system should display appropriate error messages if there are issues with the signup input parameters.
18. FR11. The system should provide appropriate feedback to the user after a successful signup.

BE3. The user enters the main page after successful login

19. ~~The system must display a calendar with the current date on successful login~~
FR12. The system should allow a calendar to be launched to select dates.
20. ~~The system must have a previous day and next day button on each page after successful login~~
FR13. The system should allow the user to navigate to the previous or next day on the calendar.
21. ~~The system must display a back button on each user interface after a section is selected~~
FR14. The system should allow the user to go back to the previous screen or section using a back button.
22. ~~The system must display the sections Diet, Exercise and Rest on the current calendar day.~~
FR15. The system should allow the user to select and view the Diet, Exercise, and Rest sections for the current calendar day.

BE4. The user enters the Diet section

23. ~~The system must prompt the user to height, input dietary, weight, calorie information on initial launch of Diet section~~
24. ~~The system must save initial user height, dietary, weight, calorie information~~
25. FR16. The Diet section must initialize with a list of food logged on the current calendar day
26. ~~The Diet section must display an add food button~~
FR17. The Diet section should allow the user to add, edit and delete food entries in the food log
27. ~~The Diet section must display a search food button~~
FR18. The Diet section should allow the user to search for food
28. ~~The search food button must launch a recipe criteria user interface~~
FR19. The search food functionality should allow the user to modify criteria and search for recipes
29. ~~The recipe criteria user interface must display a list of modifiable criteria and a search button~~
30. FR20. The recipe search must display correct recipe values based on constraints
31. ~~The recipe search must display a select recipe and add recipe button~~
FR21. The recipe search should allow the user to select and add a recipe
32. ~~The Diet section must have an add custom meal button~~
FR22. The Diet section should allow the user to add a custom meal
33. ~~The add custom meal button must have fillable textboxes for recipe information~~
FR23. The add custom meal functionality should allow the user to input recipe information

34. ~~The previous day and next day button must launch the previous or next calendar entry of the user section.~~

BE5. The user enters the Workout section

35. FR24. The Workout section must initialize with a preset list of exercises on the current calendar day
36. ~~The Workout section must have an add exercise button~~
FR25. The Workout section should allow the user to add, edit and delete exercise entries in the exercise log
37. ~~The Workout section must have a delete exercise button~~
38. ~~The exercises must display an edit exercise button that launches the changeable exercise information when clicked~~
39. FR26. The Workout section must prompt the user to add repetitions and sets of each exercise logged in the current calendar day

BE6. The user enters the Rest section

40. FR27. The Rest section must launch with the sleep statistics of the current calendar day
41. FR28. The system must allow the user to alter inaccurate sleep data

7 Non-functional Requirements

Note: followed the [Volere requirements template](#)

7.1 Look and Feel Requirements

7.1.1 Appearance Requirements

LF1. The application must have a neat and attractive design.

Fit Criterion: A focus group of primary stakeholders such as teenagers and young adults will look at UI/UX design of application and would require an 85% approval rating. ~~User surveys with several criterias and questionnaires will be used to verify the requirement.~~

7.1.2 Style Requirements

LF2. The application must use colours that are appealing and contrasting to make it more accessible and non-intrusive.

Fit Criterion: A focus group of primary stakeholders such as teenagers and young adults will test application with a focus on colour and need an 85% approval rating that the associated colours do not intrude/distract users from overall application. ~~User surveys with several criterias and questionnaires will be used to verify the requirement.~~

7.2 Usability and Humanity Requirements

7.2.1 Ease of Use Requirements

UH1. All aspects and features of mobile application can be used using only one hand/one finger.

Fit Criterion: 95% of stakeholders with varying size hands/fingers are able to use all aspects of mobile application using one hand/one finger. Results may vary based on non standard mobile phone size. User surveys with several criterias and questionnaires will be used to verify the requirement.

UH2. The application home page must be simple so that users can access any feature of the application in under 10 seconds

Fit Criterion: 90% of stakeholders can navigate to any application feature from the home page in under 10 seconds. User surveys with several criterias and questionnaires will be used to verify the requirement.

UH3. The application should be easy to use for targeted demographic

Fit Criterion: A focus group of primary stakeholders such as teenagers and young adults with youngest age being 14 will test application and need an 85% approval rating that application was easy to use. User surveys with several criterias and questionnaires will be used to verify the requirement.

7.2.2 Personalization and Internationalization Requirements

NOT AVAILABLE

N/A

7.2.3 Learning Requirements

UH4. Users without any prior experience should be able to use and understand the application within 3 iterations of each feature.

Fit Criterion: 85% of stakeholders can use and understand basic/common aspects of all features within 3 iterations. User surveys with several criterias and questionnaires will be used to verify the requirement.

7.2.4 Understandability and Politeness Requirements

UH5. Associated UI aspects such as buttons, drop-downs, words etc. must be consistent

Fit Criterion: 85% of stakeholders agree that all UI aspects are simple, consistent and understandable. User surveys with several criterias and questionnaires will be used to verify the requirement.

7.2.5 Accessibility Requirements

UH6. Mobile application should be compatible with android screen reader tools for potential users with impaired vision.

Fit Criterion: Accessibility tests will be conducted and 95% of application UI should be readable using an android screen reader tool. ~~User surveys with several criterias and questionnaires will be used to verify the requirement.~~

7.3 Performance Requirements

7.3.1 Speed and Latency Requirements

PE1. All output data of application must take 5 seconds or less to load based on associated inputs.

Fit Criterion: Developers will run performance tests and ensure all output data loads within 5 seconds or less for 95% of all API responses and outputs.

7.3.2 Safety-Critical Requirements

~~NOT AVAILABLE~~
N/A

7.3.3 Precision or Accuracy Requirements

PE2. All output data/numbers should be accurate for double precision floating points.

Fit Criterion: Perform associated testing (ex. unit testing) to ensure output is accurate for double precision and passes all test cases.

7.3.4 Reliability and Availability Requirements

PE3. Application must have an uptime of 99%.

Fit Criterion: Description provides all necessary information.

7.3.5 Robustness or Fault-Tolerance Requirements

~~NOT AVAILABLE~~
N/A

7.3.6 Capacity Requirements

PE4. Application can be used by a large amounts of users simultaneously.

Fit Criterion: Application can withstand the usage of at least 50+ users without performance being affected. ~~Database load management tests will be completed using data dumps into the database~~

PE5. Application can store/save large amount of data.

Fit Criterion: Application can store/save 1 million+ of data points for all users. ~~Database load management tests will be completed using data dumps into the database~~

7.4 Operational Requirements

7.4.1 Expected Physical Environment

~~NOT AVAILABLE~~
N/A

7.4.2 Expected Technological Environment

OE1. The application is required to connect to the internet.

Fit Criterion: Users must connect the device that the application is running on to the internet.

OE2. The application is required to run on an Android operating system.

Fit Criterion: The application runs on Android 11+ operating systems.

7.5 Maintainability and Portability Requirements

7.5.1 Maintenance Requirements

MP1. The application's source code must be well commented.

Fit Criterion: Developers will cross-check each other to confirm well documentation of code.

MP2. The application's source code must maintain the same coding style.

Fit Criterion: Developers will cross-check each other to confirm that the coding style used follows the [Google JS Style Guide](#)

7.5.2 Portability Requirements

~~NOT AVAILABLE~~
N/A

7.5.3 Adaptability Requirements

MP3. The application must be able to run on Android 11+.

Fit Criterion: Developers will execute tests on Android 11+ to ensure functionality.

7.6 Security Requirements

7.6.1 Access Requirements

SE1. The application must create a secure account for each new sign up registration.

Fit Criterion: Developers will execute tests to ensure sign-up is fully functional.

SE2. The application cannot have duplicate accounts.

Fit Criterion: The application will create only one account per email.

7.6.2 Privacy Requirements

~~NOT AVAILABLE~~

N/A

SE3. The application must secure user private data

Fit Criterion: Developers will execute tests to ensure the user data is associated to the correct credentials.

7.6.3 Immunity Requirements

~~NOT AVAILABLE~~

N/A

7.7 Cultural and Political Requirements

7.7.1 Cultural Requirements

CU1 The application's interface will be in English.

Fit Criterion: 100% of the application's contents will be in English.

7.7.2 Political Requirements

~~NOT AVAILABLE~~

N/A

7.8 Legal Requirements

~~NOT AVAILABLE~~

N/A

8 Anticipated and Unlikely Changes

This section lists possible changes to the system. According to the likeliness of the change, the possible changes are classified into two categories. Anticipated changes are listed in Section 2, and unlikely changes are listed in Section 3.

8.1 Anticipated Changes

Anticipated changes are the source of the information that is to be hidden inside the modules. Ideally, changing one of the anticipated changes will only require changing the one module that hides the associated decision. The approach adapted here is called design for change.

1. The format the date is stored in

2. The labels of buttons to navigate screens

3. Colouring of screens
4. Input text box length and location
5. Layout of calendar
6. Nutrition display format
7. Recipe search criteria
8. Recipe query result format
9. Custom meal input format
10. Workout display format
11. Exercise list search criteria
12. Exercise query result format
13. Sleep time input (sensitivity of circular scroll bar)

8.2 Unlikely Changes

The module design should be as general as possible. However, a general system is more complex. Sometimes this complexity is not necessary. Fixing some design decisions at the system architecture stage can simplify the software design. If these decision should later need to be changed, then many parts of the design will potentially need to be modified. Hence, it is not intended that these decisions will be changed.

1. Input/Output devices (Input: File and/or Keyboard, Output: File, Memory, and/or Screen)
2. The Android operating system
3. The calls to the Meal API to search for recipes based on nutritional input
4. The database to store user information
5. The selection of different exercises

9 Project Issues

9.1 Open Issues

The REVITALIZE team members have not completed their investigation of how to make mobile applications compatible with screen reader tools to make REVITALIZE accessible to users with impaired vision.

Moreover, the level of difficulty of maintaining and scaling this project is an open issue as it is highly dependent on the implementation. The team has not yet completed its assessment of the projection of users, costs, and allocated budget to make a current decision on the maintainability and scalability of the project.

Another open issue is regarding the way capacity testing will be conducted:

- The team has yet to determine how it will find and group a large pool of people simultaneously, ideally 50 or more, to test the application's performance before launch.
- Determining how to gather large masses user data points, ideally 1 million+, to test the application's storage capacity and performance.

9.2 Off-the-Shelf Solutions

There are available products that are similar to the application. An application called MyFitnessPal tracks user goals and calories, breaks down ingredients, and logs activities. Another available mobile application is Samsung Health that tracks various aspects of a user's daily life contributing to their well being such as physical activity, diet, and sleep. Its main dashboard provides access to different features such as dietary monitoring (calories and nutrients absorbed), weight tracking, and sleep monitoring.

9.3 New Problems

Potential new problems that the REVITALIZE team can encounter include:

- API failures
- Server connection errors
- Copy right issues

API failures can occur as a result of connectivity issues, a connection breakdown to the URL, or if it's overloaded with requests from the REVITALIZE application. It is possible to encounter copyright issues when using images from the internet to add visuals to the application. This may or may not complicate the graphical user interface design process. A server connection error is less common but may occur due to a network connection error or if the server is offline.

9.4 Tasks

Tasks are scheduled and delegated as per the project [Gantt Chart](#). It will be updated throughout the project to include required tasks and their completion status.

9.5 Migration to the New Product

NA
N/A

9.6 Risks

- Risk 1: Project may be too complex to complete in eight months because it makes use of multiple built-in and external libraries, other frameworks and application programming interfaces
 - Probability of risk becoming a problem: Medium
 - Contingency plan: Change project scope to meet the minimum number of goals and requirements set by the team to deliver the project
- Risk 2: What if primary stakeholders are not too excited about using the REVITALIZE application after it's launched?
 - Probability of risk becoming a problem: Medium
 - Contingency plan: REVITALIZE team members shall speak to primary stakeholders and listen to their feedback to improve the application.
- Risk 3: The POC may be too simple and not correctly showcase the variety of features.
 - Probability of risk becoming a problem: Medium
 - Contingency plan: REVITALIZE team members shall prioritize delivery of the core features during development to ensure that the POC demo will showcase the multitude of features available.

9.7 Costs

The estimated time cost to deliver this project is eight months. This includes gathering requirements, designing, documenting, implementing, and testing. The cost of launching REVITALIZE to the Google Play Store and App Store are 25\$ and 99\$ respectively.[1]

9.8 User Documentation and Training

No user documentation is required to use REVITALIZE. Users will be able to download REVITALIZE as a mobile application from either the Google Play Store or App Store. No training is necessary as using REVITALIZE will be intuitive.

9.9 Waiting Room

Ideas that are currently in the waiting room that shall be developed, given enough time, include:

- Personal Trainer Integration
 - A user's personal trainer can set their diet, workout, and sleep schedules. The trainer can also view user's progress and adjust their schedules.
- Sleep Data Predictor

- A sleep data predictor that takes users sleep data to extrapolate their health conditions and give tips on optimizing their sleep.

9.10 Ideas for Solutions

Possible ideas to make REVITALIZE accessible to all people include designing clear layouts, increasing font sizes, increasing text visibility, using large buttons and controls, and describing user interface elements. Another idea to prevent API failures is to run tests to monitor and track API performance from early development through production.

10 Reflection Appendix

10.1 Knowledge and Skills Needed

Bill Nguyen: Skills that the team needs to acquire are end to end development, CI/CD, multiple ways of testing (integration, unit, acceptance tests etc...). This will be needed since project is end to end (front-end, back-end, database etc.), will be using CI/CD to deploy code changes, and will be testing project in multiple ways.

Syed Bokhari: Skills relating to API integration and server communication are needed for the technical development of the application. This is needed because the project depends on the use of multiple APIs for the core functionality of its features. Knowledge of server communication is required due to the nature of application development as the dynamic application information requires constant feedback from the server.

Youssef Dahab: The team will collectively need to acquire documentation skills to successfully complete this project. This includes learning how to write requirements (functional and non functional), how to create use case diagrams, class diagrams, activity diagrams, design documents, how to make a hazard analysis, V&V plan and report.

Mahmoud Anklis: The team will need to acquire skills pertaining to app development for Android. This will include setting up an emulator that the application can be run and tested on. This will also include setting up the most efficient IDE that will enable the team to develop smoothly.

Logan Brown: The team will need to learn how to effectively communicate with stakeholders who do not necessarily understand technical aspects of software. More specifically, this includes knowing how to discern and understand what the client wants and effectively implementing it in the end product. Understanding and responding to stakeholder feedback is another important aspect that must be learned.

Hasan Kibria: Skills that need to be acquired are development with mobile app frameworks and deployment of mobile applications.

10.2 How Knowledge and Skills Will Be Acquired

Bill Nguyen: Project will be end to end so will implement code in front-end, back-end etc. and will be integrating all components to make it an end to end project. Will use CI/CD in project to integrate and deploy code, so will add necessary steps in yaml file to make and update CI/CD process. Will research and implement unit, integration, acceptance tests etc. to learn more about multiple types of tests.

Syed Bokhari: The knowledge relating to API integration will be acquired through reading API specific documentation and creating test API applications to test the correct functionality of each API in use. The server communication will be learned through research and development of the project.

Youssef Dahab: An approach to acquire such knowledge is to attend 4G06 course lectures and tutorials, and ask questions to the professor and TAs whenever needed. Another approach is to look up 4G06 lecture notes or past notes from relevant courses such as SFWRENG 2AA4 or 3XA3 and to search or read online on how to properly and correctly document requirements, implementation, test plans, and design documents. I will mainly pursue the second approach as I do not often attend lectures.

Mahmoud Anklis: Online research will play a pivotal role in acquiring the knowledge to develop an Android application. This may include videos, blogs, courses, and tutorials that cover topics from developing to setting up an emulator. The online IDE documentation will also be consulted for any IDE issues. App-Dev books may also be used as a resource.

Logan Brown: Principles drawn from previous courses such as 3RA3, 3I03, as well as lectures in this course will be instrumental in making sure communication goes smoothly. Some trial and error will be required as communication skills are often acquired through experience. Previous experience such as members who have completed co-ops will aid the entire group through teaching what they already know.

Hasan Kibria: Developing/ deploying the codebase that uses a development mobile app framework and using Stack Overflow/ other online resources for ongoing guidance with regards to development as well as deploying.

11 Appendix

11.1 Traceability Matrices

Table 5: Traceability Matrix for Non-Functional Requirements

		Requirements										
		FR1	FR2	FR3	FR4	FR5	FR6	FR7	FR8	FR9	FR10	FR11
Test Cases	LF1	X	X	X	X	X	X		X		X	X
	LF2	X	X	X	X	X	X		X		X	X
	UH1	X	X	X	X	X	X		X		X	X
	UH2											
	UH3	X	X	X	X	X	X		X		X	X
	UH4	X	X	X	X	X	X		X		X	X
	UH5	X	X	X	X	X	X		X		X	X
	UH6	X	X	X	X	X	X		X		X	X
	PE1											
	PE2											
	PE3											
	PE4											
	PE5											
	OE1							X		X		
	OE2	X										
	MP1											
	MP2											
	MP3											
	SE1											
	SE2											
	CU1	X	X	X	X	X	X		X		X	X

Table 6: Traceability Matrix for Non-Functional Requirements Continued

		Requirements									
		FR12	FR13	FR14	FR15	FR16	FR17	FR18	FR19	FR20	FR21
Test Cases	LF1	X	X		X	X	X	X	X	X	X
	LF2	X	X		X	X	X	X	X	X	X
	UH1	X	X		X	X	X	X	X	X	X
	UH2				X	X	X	X	X	X	X
	UH3	X	X	X	X	X	X	X	X	X	X
	UH4	X	X	X	X	X	X	X	X	X	X
	UH5	X	X	X	X	X	X	X	X	X	X
	UH6	X	X	X	X	X	X	X	X	X	X
	PE1				X			X	X		X
	PE2									X	
	PE3										
	PE4										
	PE5										
	OE1			X	X			X		X	X
	OE2										
	MP1										
	MP2										
	MP3										
	SE1			X							
	SE2			X							
	CU1	X	X		X	X	X	X	X	X	X

Table 7: Traceability Matrix for Non-Functional Requirements Continued

		Requirements									
		FR22	FR23	FR24	FR25	FR26	FR27	FR28	FR29	FR30	FR31
Test Cases	LF1	X	X	X	X	X	X	X	X	X	X
	LF2	X	X	X	X	X	X	X	X	X	X
	UH1	X	X	X	X	X	X	X	X	X	X
	UH2	X	X	X	X	X	X	X	X	X	X
	UH3	X	X	X	X	X	X	X	X	X	X
	UH4	X	X	X	X	X	X	X	X	X	X
	UH5	X	X	X	X	X	X	X	X	X	X
	UH6	X	X	X	X	X	X	X	X	X	X
	PE1			X		X				X	X
	PE2										
	PE3										
	PE4										
	PE5										
	OE1					X				X	X
	OE2										
	MP1										
	MP2										
	MP3										
	SE1										
	SE2										
	CU1	X	X	X	X	X	X	X	X	X	X

Table 8: Traceability Matrix for Non-Functional Requirements Continued

		Requirements					
		FR32	FR33	FR34	FR35	FR36	FR37
Test Cases	LF1	X	X	X	X	X	X
	LF1	X	X	X	X	X	X
	LF1	X	X	X	X	X	X
	LF1	X	X	X	X	X	X
	LF1	X	X	X	X	X	X
	LF1	X	X	X	X	X	X
	LF1	X	X	X	X	X	X
	LF1	X	X	X	X	X	X
	PE1					X	
	PE2				X	X	X
	PE3						
	PE4						
	PE5						
	OE1					X	X
	OE2						
	MP1						
	MP2						
	MP3						
	SE1						
	SE2						
	LF1	X	X	X	X	X	X

12 References

- [1] [How much does it cost to publish an app on the app store?](#)