



# Elementary algorithmic project

lem-in

Staff pedago [pedago@42.fr](mailto:pedago@42.fr)

*Summary: This project is meant to make you code an ant farm manager.*

# Contents

<b>I</b>	<b>Forword</b>	<b>2</b>
<b>II</b>	<b>Introduction</b>	<b>4</b>
<b>III</b>	<b>Objectives</b>	<b>5</b>
<b>IV</b>	<b>General Instructions</b>	<b>8</b>
<b>V</b>	<b>Mandatory part</b>	<b>10</b>
<b>VI</b>	<b>Bonus part</b>	<b>12</b>
<b>VII</b>	<b>Submission and peer correction</b>	<b>13</b>

# Chapter I

## Foreword

Here is an extract of [Bill & John](#)

Up to mighty London  
Came an Irishman one day.  
As the streets are paved with gold  
Sure, everyone was gay,  
Singing songs of Piccadilly,  
Strand and Leicester Square,  
Till Paddy got excited,  
Then he shouted to them there:  
It's a long way to Tipperary,  
It's a long way to go.  
It's a long way to Tipperary  
To the sweetest girl I know!  
Goodbye, Piccadilly,  
Farewell, Leicester Square!  
It's a long long way to Tipperary,  
But my heart's right there.  
(repeat)

Paddy wrote a letter  
To his Irish Molly-O,  
Saying, "Should you not receive it,  
Write and let me know!"  
"If I make mistakes in spelling,  
Molly, dear," said he,  
"Remember, it's the pen that's bad,  
Don't lay the blame on me!  
It's a long way to Tipperary,  
It's a long way to go.  
It's a long way to Tipperary  
To the sweetest girl I know!  
Goodbye, Piccadilly,  
Farewell, Leicester Square!  
It's a long long way to Tipperary,  
But my heart's right there.

Molly wrote a neat reply  
To Irish Paddy-O,  
Saying "Mike Maloney  
Wants to marry me, and so  
Leave the Strand and Piccadilly  
Or you'll be to blame,  
For love has fairly drove me silly:  
Hoping you're the same!"  
It's a long way to Tipperary,  
It's a long way to go.  
It's a long way to Tipperary  
To the sweetest girl I know!  
Goodbye, Piccadilly,  
Farewell, Leicester Square!  
It's a long long way to Tipperary,  
But my heart's right there.

This project is much easier if you do it while watching Bill & John.

# Chapter II

## Introduction

Some students of the School of Wizardry have created Hex, a thinking machine. It is composed of ants for calculus, bee-hives and bees for memory and a mouse for (.. Huh, right, what for already?) cheese (to feed the mouse) and a feather for writing.



For more information, please refer to Terry Pratchett's books, so that you can switch your mind off 42. (\*\*) Ook !

We are going to look in depth at its calculus bit. How does it work? Simple! We make an ant farm, with tunnels and rooms; we place the ants on one side; and we look at how they find the exit.

How do we build an ant farm? We need tubes and rooms

We join the rooms to one another with as many tubes as we need. A tube joins two rooms to each other. No more than that. A room can be linked to an infinite number of rooms and by as many tubes as deemed necessary. Then we must bury the ant farm (wherever you want). This is extremely important to ensure that ants don't cheat and look at your design before before the game starts.

Because arts and crafts with boxes, tape and ropes are not our greatest strength, we will create a digital version instead.

The goal of this project is to create an "Hex" simulator.

# Chapter III

## Objectives


- Your program will receive the data describing the ant farm from the standard output in the following format:

```
number_of_ants
the_rooms
the_links
```

- The ant farm is defined by the following links:

```
##start
1 23 3
2 16 7
#comment
3 16 3
4 16 5
5 9 3
6 1 5
7 4 8
##end
0 9 5
0-4
0-6
1-3
4-3
5-2
3-5
#another comment
4-2
2-1
7-6
7-2
7-4
6-5
```

- Which corresponds to the following representation:



- There are two parts:
  - The rooms, which are defined by: `name coord_x coord_y`
  - The links, which are defined by: `name1-name2`
  - All of it is broken by comments, which start with `#`



The rooms' names won't necessarily be numbers, and they won't necessarily be in the right and continuous order (we will find rooms with names such as `zdfg`, `qwerty`, etc...) But most importantly, a room will never start with the character `L` nor the character `#`



The rooms' coordinates will always be integers.

- Lines that start with `##` are commands modifying the properties of the line that comes right after.
- For example, `##start` signals the ant farm's entrance and `##end` its exit.



Any unknown command will be ignored.

- Any non compliant or empty lines will automatically stop the ant farm's reading as well as the orderly processing of the acquired data.

- If there isn't enough data to process normally you must display **ERROR**



# Chapter IV

## General Instructions

- This project will only be corrected by actual human beings. You are therefore free to organize and name your files as you wish, although you need to respect some requirements listed below.
- The executable file must be named `lem-in`.
- You must submit a **Makefile**. That **Makefile** needs to compile the project and must contain the usual rules. It can only recompile the program if necessary.
- If you are clever, you will use your library for your `minishell`. Also submit your folder `libft` including its own **Makefile** at the root of your repository. Your **Makefile** will have to compile the library, and then compile your project.
- Your project must be written in **C** in accordance with the Norm.
- You have to handle errors in a sensitive manner. In no way can your program quit in an unexpected manner (Segmentation fault, bus error, double free, etc).
- Your program cannot have memory leaks.
- You'll have to submit at the root of your folder, a file called **author** containing your username followed by a `'\n'`

```
$>cat -e author
xlogin$
```

- Within your mandatory part you are allowed to use the following functions:

- `malloc`
- `free`
- `read`
- `write`
- `strerror`
- `perror`

- `exit`
- You are allowed to use other functions to carry out the bonus part as long as their use is justified during your defence.
- You can ask questions on the forum & Slack.

# Chapter V

## Mandatory part

- The goal of this project is to find the quickest way to get **n** ants across the farm.
- Obviously, there are some basic constraints. To be the first to arrive, ants will need to take the shortest path (and that isn't necessarily the simplest). They will also need to avoid traffic jams as well as walking all over their fellow ants.
- At the beginning of the game, all the ants are in the room **##start**. The goal is to bring them to the room **##end** with as few turns as possible. Each room can only contain one ant at a time. (except at **##start** and **##end** which can contain as many ants as necessary.)
- We consider that all the ants are in the room **##start** at the beginning of the game.
- At each turn you will only display the ants that moved.
- At each turn you can move each ant only once and through a tube (the room at the receiving end must be empty).
- You must to display your results on the standard output in the following format:

```
number_of_ants
the_rooms
the_links

Lx-y Lz-w Lr-o ...
```

**x**, **z**, **r** represents the ants' numbers (going from 1 to **number\_of\_ants**) and **y**, **w**, **o** represents the rooms' names.

- Example 1 :

```
[0] - [2] - [3] - [1]
```


```

zaz@blackjack /tmp/lem-in $ ./lem-in < sujet1.map
3
##start
0 1 0
##end
1 5 0
2 9 0
3 13 0
0-2
2-3
3-1

L1-2
L1-3 L2-2
L1-1 L2-3 L3-2
L2-1 L3-3
L3-1
zaz@blackjack /tmp/lem-in $

```

- Example 2 :



```

zaz@blackjack /tmp/lem-in $ ./lem-in < sujet2.map
3
2 5 0
##start
0 1 2
##end
1 9 2
3 5 4
0-2
0-3
2-1
3-1
2-3

L1-3 L2-2
L1-1 L2-1 L3-3
L3-1
zaz@blackjack /tmp/lem-in $

```



This is not as simple as it seems

- Now, it would have been interesting to find out more about the type of operations those students of the School of Wizardry could conduct with such a computer. All that we know is that electricity is way more reliable today.

# Chapter VI

## Bonus part

We will look at your bonuses if and only if your mandatory part is EXCELLENT. This means that you must complete the mandatory part, beginning to end, and your error management must be flawless, even in cases of twisted or bad usage. If that's not the case, your bonuses will be totally IGNORED.

Find below a few ideas of interesting bonuses you could create. Some could even be useful. You can, of course, invent your own, which will then be evaluated by your correctors according to their own taste.

- As a bonus, why not code an ant farm visualizer?
  - Either in 2 dimensions, seen from the "top". Or even better from the perspective of an ant in the corridors of the farm in 3D.
  - To use it, we could write: `./lem-in < ant_farm_map.txt | ./visu-hex`
  - Please note that because the commands and comments also appear on the standard output, it is possible to pass specific commands to the visualizer (such as various colors or levels)
  - You should have noticed that the room's coordinates will only be useful here.

# Chapter VII

## Submission and peer correction

Submit your work on your `Git` repository as usual. Only the work on your repository will be graded.

Good luck to all! And remember to push your author file!