

Bio 1M: Evolution by natural selection

1 Evolution

- The theory of **evolution** has replaced the theory of **special creation** in science.
- The theory of special creation asserts that each species is a unique “type”, created by God.
- The theory of evolution asserts that species have changed through time (**evolved**).
- Does this mean that scientists don’t believe in God?
 -
 -
 -

1.1 Change through time — pp. 457–459

Fossils

- A **fossil** is a physical trace of an organism that lived in the past
- Fossils can be dated using (complicated) radiometric and geological techniques
- Fossils provide information about the history of life (see Chapter 27)
- The **fossil record** refers to the collection of all known fossils

Extinction

- Many fossils have been left by organisms that are no longer around
 - We say such organisms are **extinct**
- Extinction is one piece of evidence that species are changing

Transitional forms

- When a species disappears from the fossil record, a similar species often appears
 - This often happens in the same geographic area
- Consistent with species evolving: changing through time
- Fig 24.4

Vestigial traits

- A **vestigial trait** is a structure that has no function, but is similar to functioning structures in related species
- Examples?
- Fig. 24.5

Directly observed evolution

- Although much evolution occurs very slowly, some kinds of evolution can be, and have been, observed on faster time scales
 - Tuberculosis — pp.465–466
 - Ground finches — pp. 468–470

1.2 Relationships between species — pp. 459–463

- If species evolved from a common ancestor, we expect to see evidence that they are related to each other
 - Species fall naturally into groups
 - Geographic patterns of relatedness
 - Homology

Geographic relationships

- Species in the same geographic area (e.g., nearby islands) often seem to be closely related
- This is what we would expect if these species evolved independently, starting from a common ancestor in the region
- Support for the theory of evolution
- Fig. 24.6

Evolution and similarity

- In nature we observe many, often surprising, similarities between organisms
 - Almost identical developmental genes in fruit flies and people
 - Similar limb bone structure in turtles and people
- The theory of evolution explains these similarities as **homologies**

Homology

- A **homology** is a similarity that is due to common ancestry
 - Similarities apparently due to homology are widespread. This is a strength of the theory of evolution.

Genetic homology

- **Genetic homology** is homology at the level of genetic coding.
- Examples:
 - The genetic code itself is shared (with rare, minor exceptions) by all living organisms
 - Some genes involved in development are very similar all the way from insects to mammals
- Fig 24.10

Developmental homology

- **Developmental homology** is homology in the traits of **embryos** (developing organisms)
 - Embryos of all vertebrates show striking similarities — Fig 24.8

Structural homology

- **Structural homology** is homology at the level of developed organisms.
 - Tetrapod limbs — Fig 24.9

Identifying homologies

- A tricky subject
 - How do we know whether similarities are due to common evolution?
 - Homologies assume evolution; how can they be used as evidence for evolution?
- The idea that many similarities are due to homology seems to explain many observed patterns
 - Organisms fall naturally into groups
 - Genetic evidence and morphological evidence often agree

2 Natural selection — Sec 24.3

- Darwin's big idea was not evolution, but natural selection
- The first real theory of evolution was developed by Lamarck
 - More famous for being wrong about how evolution occurs

Natural selection drives evolution

- Darwin's theory of natural selection can be explained using four logical steps:
 - **Variation:** The individuals that make a population vary in the **traits** they possess, like size, shape, physiological details.
 - **Heritability:** Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
 - **Differential *reproductive* success:** In each generation, some organisms leave more offspring than others
 - **Selection:** Reproductive success is not random, but is influenced by differences in traits, including heritable traits
- If all four of these assumptions hold, we expect evolution to occur.

Natural selection (short version)

- Evolution by natural selection will occur if there is:
 - Heritable **variation** in traits
 - **Selection** (i.e., differential reproductive success) *based on* these traits
 - * Survival is one component of reproductive success; if you don't survive, you can't reproduce.

Fitness

- **Fitness** in biology, or **Darwinian fitness**, means simply an ability to do well under natural selection
- Fitness is thus defined as average reproductive success, given a suite of heritable traits

Example: Tuberculosis — Fig 24.13

- What if there were no variation?
 - Where does variation come from?
- What if variation were not heritable?
- What if there were no selection?

Other examples

- Galapagos finches' beak sizes evolve as availability of seed resources changes. — Fig 24.17
- Squirrels! — (see wikipedia)

Activity

- How would you design an experiment to tell if beak depth is heritable?
 -
 -
 -
 -

3 The nature of adaptation — Sec 24.5

Other models

- Natural selection is not the only possible model for how evolution could occur
 - Inheritance of acquired characteristics (Lamarck)
 - Goal-directed evolution

Inheritance of acquired characteristics

- This is the idea that individuals change in response to their environment, and pass those changes on to their offspring
 - Example: giraffes reaching for food
- It is now known that while individuals do often change in response to their environment, such changes are not (usually) passed on to offspring

Goal-directed evolution

- This is the idea that organisms evolve towards specific goals
 - Complex, multicellular organisms
 - Big-brained humans

Evaluating competing hypotheses

- We challenge hypotheses with experiments and observation

Inheritance of acquired characteristics

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?

—

—

Activity

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?

—

—

*

*

Goal-directed evolution

- There is a great deal of observational evidence against goal-directed evolution:
 - Vestigial traits
 - Bidirectional evolution
 - * Finch beaks get larger, then smaller
 - * Birds gain, then lose, flying ability
 - * Things that become parasites may become much smaller and simpler

Adaptation vs. acclimation

- **Acclimation** is the ability of organisms to respond directly to their environment
 - When organisms **acclimate** this does not affect the traits of their offspring
- **Adaptation** is genetic change that increases the fitness of organisms
 - Adaptation does not occur as a direct response to the environment
 - Adaptation is usually very slow
 - Adaptations are passed on to offspring, and form the basis of evolutionary change

Examples

- If you exercise every day, you will be stronger, but this will not make your children stronger.

—

- After swinging through trees for millions of years, chimpanzees have very strongly built arms.

—

- Polar bears have thick fur, and thick layers of fat under their skin.

—

- Humans raised in hot climates have more sweat glands than those raised in cold climates.

—

Acclimation

- Why do we acclimate?

—

- Are responses to changed conditions always good?

The good of the species

- Selection operates on individuals; individuals are not adapted to act for the good of the species
- The evolution of co-operation always involves tension between what is good for the group, and what is good for the individual
 - If ‘cheating’ strategies can evolve, they will
 - A **cheater** benefits from co-operation, but does not participate
- Do lemmings commit suicide?

Tradeoffs

- Much of adaptation is the result of compromise between conflicting goals
 - Brightly colored individuals are more attractive to mates, and to predators
 - Larger individuals compete more effectively, but are less efficient at reproducing

Historical constraints

- Evolution proceeds by small steps
 - What is possible is guided by what has gone before
- Examples
 - Vestigial traits
 - Blind spot in the vertebrate eye
 - Humans are not well designed to be upright

Evolution by natural selection – Summary

- There is strong evidence that species have evolved through time
 - Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection
 - Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits
 - Direct observations of natural selection (TB, finches, moths)
- Natural selection by (gradual) evolution imposes important constraints
 - Species are not perfectly adapted