

Bio 1M: Human evolution — Chapters 55–56, pdf on Avenue

1 Patterns of evolution

Humans as an example

- We are an example of a biological species that has evolved
 - Many of your friends are probably humans
- Humans seem unique:
 - How do they differ from other evolved organisms?
 - What do they share with other evolved organisms?

Similarities and differences

- What is different about people?
 -
 -
 -
 -
- What is the same?
 -
 -
 -
 -

History

- There are a *lot* of steps (and a lot of divergences) between us and the last universal common ancestor of life
- More than 3 billion years ago!
- Some key steps:
 - **Eukaryotes**
 - **Animals**
 - **Vertebrates**
 - **Mammals**
 - **Primates**
 - **Apes**

Timeline — Fig 25.7

- Why not just say how long ago?
 - Periods may be punctuated by major events
 - * Radiations, mass extinctions
 - People started talking about periods before they had good measures of how long ago things happened
 - Periods have cool names
 - *

1.1 Context for evolution

- Adaptations build on existing adaptations – often in unexpected ways
- Evolution does not know where it's going
- In a constant environment, species can only improve with gradual adaptations to the same environment
 - and will be in danger of getting “stuck”, e.g. vertebrate eyes
- A changing environment provides opportunities to try new combinations and build in unexpected directions

Physical changes

- Physical changes often provide species with new adaptive challenges and opportunities:
- Global climate change
- Continental drift
- Geological changes
 - New environments can arise (e.g., mountain ranges, desert basins)
 - Geology may also change connections between two populations without a large effect on how they live
 - * Rivers changing course
 - * Mountain ranges separating valley species
 - *

Changing ecosystems

- Taxa can be dramatically affected by changes in other taxa
 - Due to evolution or to colonization
- Interactions with other organisms are key to most ecological niches
 - Who do I eat? Who is trying to eat me? How do I reproduce?
- Co-evolution is a key driver of diversity. For example:
 - Plants evolve new ways to use insects for sex, or vertebrates for dispersal
 - Animals evolve new ways to benefit from plant resources

Mammalian ancestors

- Our ancestors, the **therapsids**, radiated and dominated many terrestrial environments *before* dinosaurs did
- Therapsids were largely replaced by dinosaurs in the age of dinosaurs
 - But some survived, and one radiated after a mass extinction

Radiation and contraction

- Many clades seem to go through periods of radiation and contraction
 - Gain and then loss of species diversity
- Examples:
 - Therapsids, apes, hominins (us)
- Radiation gives many chances for adaptation
 - Things that have had radiations may be more likely to persist
 - Even after periods of contraction

Reasons for contraction

- What are some reasons that a diverse clade suffer many extinctions?
 -
 -
 -

Observer bias

- We see a lot of clades with a history of radiations
- Does that mean most clades radiate?
 -
 -

Advantages of previous radiation

- They've explored more kinds of environments
- They're found in more different specific places
 - e.g., marsupials in Australia
- They've had more chances to adapt
 - May have a few very successful species (like us)

2 The evolution of primates — S55.2–3

- Humans are **primates**, an “order” characterized by
 - Highly developed **stereoscopic** vision
 - * Eyes are close together, face forward, and are used together
 - * Allows 3-d visualization
 - Versatile limbs
 - * Grasping hands and feet
 - * Nails and fingertips (instead of claws)
 - Large brains

Traits

- What sort of traits do biologists use to characterize a group?
 -
- How would you interpret the fact that humans don't have grasping feet?
 -
 -

Changing models

- Does swinging through trees provide evidence that bonobos are closer to orangutans than to humans or gorillas?

—

—

- We used to think people were far from chimps and gorillas

—

—

*

The angiosperm explosion

- Flowering plants diversified very rapidly around 100 **mya** – million years ago
- This radically changed the ecology of the world, and opened up many new niches, apparently including space for primates

Primate adaptations

- There are a variety of theories for how characteristic primate adaptations evolved
- Each step was likely favored adaptively
- Likely something to do with processing and handling angiosperm fruit and flowers
 - Or else the insects that fed on these fruit and flowers

Adaptive theories

- There are many theories for why primate traits might have been adaptively favored in our ancestors
 - Leaping from branch to branch
 - Climbing and balancing on trees
 - Exploiting new plant resources
 - Catching insects
 - **Adaptive foraging**: the ability to switch between types of food, and to learn to use new types of food

Patterns of adaptation

- These strategies may have evolved sequentially
 - Maybe exploiting tree resources came first, but similar traits helped some species later catch insects
 - Maybe traits which evolved for one specific purpose later became useful for adaptive foraging

3 Apes — S55.4

Ape adaptations — p.228

- Apes are more adapted for swinging through trees, whereas monkeys are more adapted for climbing and leaping
- More upright
- Better at hanging, and worse at sitting
- Lots of missing pieces of the puzzle
 - There may be a lot of convergent evolution and secondary loss going on

Patterns of replacement

- Apes “radiated” into many habitats before monkeys did
 - Many ape species were apparently later replaced by monkeys
- Why might apes have diversified, and later been replaced by monkeys?
 -
 -
 -
- What if the ape radiation had never happened?
 -
 -

4 Learning about the past — S 55.5

Getting fed

- A major factor in adaptation is food source.
- The most important strategies for early primates were:
 - **Frugivory**: eating fruits (and sometimes flowers)
 - **Folivory**: eating leaves
 - **Insectivory**: eating insects

Teeth — Fig 9.15

- Teeth are very important for processing food
- Why do we have two sets of teeth?
 -
 -
- Teeth help scientists understand what extinct animals ate
 - Often preserved, highly adapted

Eyes

- Eye **orbits** are the skeletal cavities where eyes are
- Orbits tell us size, shape and position of eyes from fossil animals
- What are the advantages and disadvantages of more forward-facing eyes?
 -
 -
- What are the advantages and disadvantages of larger eyes?
 -
 -
 -

Sexual dimorphism

- Information about differences between males and females has implications about social structure and mating patterns
 - In species where there is more variation in male success (less bonding in pairs), we expect:
 - *
 - *

Dimorphism and sexual strategies

- Gorillas live in male-centered groups (one adult male, several adult females)
- Chimpanzees live in large, well-mixed groups with lots of interactions between males and females
- Which species should have more sexual dimorphism overall?
 -
- Which species should have larger male genitals?
 -
 -
- What about humans?

Learning about evolution

- Understanding the course of evolution is an important part of understanding how things work now
 - How organisms work, and how ecosystems work
- There are many challenges:
 - Timelines, identification, convergent evolution

5 Hominins — S 56.1

- **Hominins** refer to people and our upright ancestors
- Characterized by:
 - Walking upright
 - Specific changes in chewing design: teeth, jaws and skull

Taxonomy — <https://en.wikipedia.org/wiki/Hominini>

- Homonoidea, Hominidae, Homininae, Hominini, Hominina, Homo
- Why so much detailed splitting?
 -
 -

Putting together the puzzle

- What did our common ancestor with chimpanzees look like?
 - Which fossils are related to which other fossils?
 - The key is which features are reliable indicators of relatedness?
- -
 -

Competition and replacement — Fig 56.2

- *H. erectus* replaced everything that came before it
- *H. sapiens* replaced everything that came before *it*

Modern humans

- Characterized by small face and teeth
- Less robust skeletal structure
- Evolved in Africa around 200 **kya** (thousand years ago)
- Took over most of the world in the last 50,000 years

Why are we here?

- Modern humans arose around 200 kya, but took over the world around 50 kya
- What happened?
 - Cultural change?
 - Evolutionary change?
 - * Sudden or gradual?
 - Why don't we see evidence?
 - *

Evaluating evidence

- There are a lot of theories and a great deal of expertise
 - But expertise can also lead to over-confidence
 - As with other examples, we try to make and test theories
-

Apelike ancestors — See First Hominin subsection

- Were our ancestors more like us, or more like apes?

—
—
—
—

*
*

Upright posture — S56.3 Bipedalism

- How did upright posture and upright walking evolve?
- It's not known, but there are many theories:
 - Adaptation to walking on the ground instead of swinging through trees
 - *
 - Adaptation for keeping cool
 - Adaptation for harvesting food
 - Adaptation for carrying food

Gradual evolution

- Hominins' evolution of upright posture was likely dependent on evolutionary history and circumstance
 - Built on previous adaptations
- Evolution of upright posture almost certainly led to further evolutionary change:
 - Carrying and storing things
 - Making and using tools
- Given the dramatic amount of evolution, there were likely a lot of adaptive “loops”
 - Changes in one area set the stage for changes in another area ...

Studying evolution

- Evidence from fossils
 - knees, hips, backs, skulls all provide evidence about posture — Fig 56.8
 - teeth and jaws provide evidence about diet
- Evidence from archaeology
 - hominin fossils may be found in particular places
 - associated with fossils from things that hominins used to eat
 - or with tools

Back and forth evolution

- Many very early hominins (6 mya) had facial and dental features that were similar to later hominins (2 mya)
 - Less similar to chimpanzees
 - But also less similar to *Australopiths* (3 mya)
- Is this surprising?
 - - *
 - - *

Hominin phylogenies

- Hominins had a large number of speciation and extinction events
 - Consistent with radiation and contraction
 - Likely provided more opportunities for adaptation in the long run
- The tree is not well understood, despite intensive study
 -

6 Sociality

Complex foraging

- A key part of human evolution was shaped by **complex foraging** strategies of our ancestors – they relied on many types of food, including types of food that are difficult to get or process
- What adaptations likely favored this strategy?
 -
- What further adaptations might this strategy have favored?
 -
 -
 -

Looping

- Lots of adaptations may be partly explained by adaptive loops
-
-

Complex foraging and co-operation

- Complex foraging may have promoted co-operation between females and males, since primate child care is not well suited to a hunting life style
- It may have promoted co-operation between people with different skills, since they might have access to food at different times
- It may have promoted co-operation among hunters, since hunting success is highly variable
- It may have promoted co-operation in teaching and learning

Complex foraging and thinking

- Complex foraging favors large brains that can learn a lot
- It also favors a long learning period
 - Sensitivity vs. crystallization
 - * Time periods when we learn, vs. time periods when we have fixed behaviours
- It also favors communication

Rate of development

- Why do human children develop *so* slowly?
 -
- We are therefore very interested in how long it took our ancestors to mature
- Clues are available
 - Dental enamel — <https://embryo.asu.edu/pages/human-evolution-inferred-tooth-growth>
 - Molar development
- But it's a hard problem

Summary

- People evolved by the same basic rules as other organisms

—

- Followed a very different path

—

- There is a lot we can learn about ourselves from biology

—

- And also a lot that we can't learn

—