

**Formulas**

*discrete time growth:*

- $N_T = N_0 \lambda^T$
- $\lambda = f + p$
- $\mathcal{R} = f/(1 - p)$

*continuous time growth:*

- $N(t) = N(0) \exp(rt)$
- $r = b - d$
- $\mathcal{R} = b/d$

1. In a simple model of population regulation, where the only effect of population size is crowding, we would expect \_\_\_\_\_ to always go down \_\_\_\_\_.

- A. The birth rate; through time
- B. The birth rate; as population increases
- C. The reproductive number  $\mathcal{R}$ ; through time
- D. The reproductive number  $\mathcal{R}$ ; as population increases

2. A population is changing in continuous time, according to the equation  $dN/dt = r(N)N$ . What are the conditions for this population to be in equilibrium?

- A.  $r(N) = 0$
- B.  $0 < r(N) < 1/\text{yr}$
- C.  $r(N) = 1/\text{yr}$
- D.  $r(N) = 1$

3. Researchers studying a gypsy moth population make the following estimates: The average reproductive female lays 400 eggs; 10% of eggs hatch into larvae; 20% of larvae mature into pupae; 50% of pupae mature into adults; 60% of adults survive to reproduce. What is the correct value of fecundity  $f$  for this population?

- A. 1.2
- B. 2.4
- C. 1.2 moths/year
- D. 2.4 moths/year
- E. There is not enough information to answer this question

4. The bacteria you are studying enter a resting state, but only under crowded conditions. If the resting state has lower mortality than the bacteria normally experience when not crowded, we would also expect that, compared to uncrowded conditions, the resting state has \_\_\_\_\_ birth rates and \_\_\_\_\_ reproductive number  $\mathcal{R}$ .
- A. lower; lower
  - B. lower; higher
  - C. higher; lower
  - D. higher; higher
5. An exponentially growing rabbit population takes 5 years to grow from 20 individuals to 100 individuals. If it continues to grow exponentially at the same rate, how long would it take to increase from 100 individuals to 2500 individuals?
- A. 5 years
  - B. 10 years
  - C. 20 years
  - D. 40 years
  - E. 50 years
6. Consider your test paper, the province of Ontario, and the country of Canada. Which two are most similar in area, when considered by absolute difference (linear scale), or by proportional difference (log scale)?
- A. The paper is the most different from the other two, on either scale
  - B. The province is the most different from the other two, on either scale
  - C. The country is the most different from the other two, on either scale
  - D. The paper is the most different on the linear scale, and the country is most different on the log scale
  - E. The country is the most different on the linear scale, and the paper is most different on the log scale
7. In simple, discrete-time models of a single species competing for resources, we often see population cycles:
- A. In models without resource depletion
  - B. In models with resource depletion
  - C. In models with or without resource depletion
  - D. We don't see population cycles in discrete-time models


8. If a simple model assumes individuals are independent of each other, then \_\_\_\_\_ death rates should \_\_\_\_\_ the size of the population.

- A. per capita; not be affected by
- B. per capita; decrease with
- C. total; not be affected by
- D. total; decrease with


9. Which of the following would *not* be expected to lead to Allee effects?

- A. Individuals co-operating to find food
- B. Individuals having difficulty finding mates
- C. Individuals competing for breeding sites
- D. Individuals co-operating to look out for predators

10. *One* of the four pictures below shows a population growing exponentially – which one?



11. In a linear population model, we expect:
- A. The reproductive number  $\mathcal{R}$  is always  $> 1$
  - B. The instantaneous growth rate  $r$  is always  $> 1$
  - C. The finite growth rate  $\lambda$  is always  $> 1$
  - D.  $\mathcal{R} > 1$  exactly when  $r > 1$
  - E.  $\mathcal{R} > 1$  exactly when  $\lambda > 1$
12. If I say a population is changing exponentially, I mean that
- A. It is changing faster and faster
  - B. It is changing at a constant rate
  - C. It is changing at a rate proportional to its own size
  - D. It is changing at a rate proportional to the time that has elapsed
13. In a discrete-population model with survival probability  $p$  and time step  $\Delta t$ , the average *amount of time* we expect an individual to survive is:
- A.  $1/p$
  - B.  $1/p \times \Delta t$
  - C.  $1/(1 - p)$
  - D.  $1/(1 - p) \times \Delta t$



Use the picture above for the next 3 questions.

14. The picture shows:

- A. An Allee effect in the birth rate
- B. An Allee effect in the death rate
- C. Density dependence in the birth rate
- D. Density dependence in the death rate

15. A population following this conceptual model would:

- A. Increase from a low population or decrease from a high population
- B. Increase exponentially from any starting point
- C. Decrease to zero from a low starting population, but increase from an intermediate or high population
- D. Increase from an intermediate population, but decrease from a high or low population

16. A population following this conceptual model would have the highest *total* population growth rate at what population size?

- A. At very small population sizes
- B. At population sizes intermediate between zero and the carrying capacity
- C. At population sizes near the carrying capacity
- D. At very large population sizes
- E. The total population growth rate does not depend on the population size

17. A population is regulated with a time delay, following the equation:

$$\frac{dN(t)}{dt} = (b(N(t - \tau)) - d(N(t - \tau)))N(t)$$

We expect it to show \_\_\_\_\_ oscillations when the unitless delay ( $\tau/t_c$ ) is short, and \_\_\_\_\_ oscillations when the unitless delay is long

- A. no; damped
- B. no; persistent
- C. damped; damped
- D. damped; persistent

Answer questions on this page *in pen*. *Briefly* show necessary work and equations. Points may be *deducted* for wrong information, even when the correct information is also there.

**18.** (4 points) The University of Victoria has a problem with rabbits. There are estimated to be about 80 rabbits on campus. Suppose that the rabbits are not yet experiencing any decrease in growth rate or increase in death rate due to crowding. Suppose a female rabbit can produce 2.5 offspring in a year, that there is a 1:1 sex ratio, and that rabbits survive for 2 years on average. Ignoring winters (it's Victoria), suppose that rabbits can breed continuously all year, and pretend that baby rabbits instantaneously mature and begin breeding themselves.

a) How would you model the assumptions described here? What are the key parameters?

b) What is the characteristic time of your modeled population, in days?

c) Ignoring density-dependent effects, how long will it take until the population reaches 1000?

**19.** (4 points) A population of mayapple plants reproduces once per year, and are censused before reproduction. Adults which are observed one year have a probability 0.75 of being observed the next year. They produce 60 seeds on average. The seed survival probability is given by  $p_s = 0.02 \exp(-N/N_f)$ , where  $N$  is the size of the previously censused population.

a) What is the value of  $\lambda$  in the population, at the limit where there is no crowding ( $\lambda_0$ )?

b) What is the value of  $\mathcal{R}_0$  in this population?

c) The estimated equilibrium density (carrying capacity) of the population is 6 plants/ $m^2$ . What is your estimate for the parameter  $N_f$ ?