Supplement for: countfitteR: efficient selection of count distributions to assess DNA damage

Jarosław Chilimoniuk, Alicja Gosiewska, Jadwiga Słowik, Romano Weiss, Markus Deckert, Stefan Rödig

08 September, 2020

Contents

Abstract: Count data, one of the most common data types in many fields. In personalized medicine and pharmacology, the analysis is relevant for numerous applications, such as cancer and ageing research and in the evaluation of drug efficacy [1–5]. By default it is assumed to follow the Poisson distribution. This assumption, however, may lead to biased results and faulty conclusions in data bodies with excess zero values (zero-inflation [6,7]), a variance larger than the mean (overdispersion), or both. In such cases, the standard assumption of a Poisson distribution would skew the estimation of mean and variance, and other models like the negative binomial (NB), zero-inflated Poisson or zero-inflated NB distributions should be employed. The model chosen has an influence on the parameter estimation (mean value and confidence interval). Yet the choice of the most suitable distribution model is not trivial. To support and simplify this process, we have implemented the countfitteR software, which is provided as an R package and a web server. We show the application of our software based on examples of count data from phenotypic imaging as used in radiomics and precision medicine: DNA double-strand breaks (DSBs) [8]. DSBs are a highly specific and sensitive molecular biomarker for monitoring DNA damage in cancer, aging research and the evaluation of drug efficacy, and are detected and quantified by foci formation in fluorescence microscopy. In analyzing a large number of datasets of a molecular pharmacological markers (phosphorylated Histone H2AX and p53 binding protein [9,10]), countfitteR demonstrated an equal or superior statistical performance compared to the usually employed two-step procedure, with an overall power of up to 98 %. In addition, it still gave information in cases with no result at all from the two-step procedure. In our data sample we found that the NB distribution was the most frequent, with the Poisson distribution taking second place. Originally designed for the analysis of foci in biomedical image data, countfitteR can be used in a variety of areas where non-Poisson distributed counting data is prevalent.

---

1 General information

1.1 Charts

Each chart may be saved in the `.svg` (Scalable Vector Graphic) format. A download button is always located at the top of a chart.

1.2 Tables

Tables may be downloaded in a specified format or printed using the buttons at the top of the table.

1.3 Data upload

The data format suitable for upload is the `.csv` file, where a single column corresponds to a single count (Note: example files are included in the package). **Use raw counts instead a pivot table!** If your document does not have headers, specify it using the "Header" checkbox. In this case, **countfitteR** will automatically name your counts with the index number of a count prefixed by 'C'.

1.4 Count data

This panel contains descriptive statistics and summaries of the input data. It consists of three subpanels:
1. *Count table*: the input dataset in the tabular format allowing sanity checks and manual modification. 2. *Summary*: summary statistics of the input data (respectively mean, standard deviation, median, median absolute deviate, minimum, maximum, number of elements).
3. *Distribution*: a bar chart of the counts distribution followed by a pivot table.

1.5 Fitted models

1. *Mean value estimates*: the estimated value of mean (λ) and its confidence intervals. The BIC indicates the most appropriate distribution.

2. *Coefficients*: coefficients of fitted models.
3. *Decision*: the most appropriate model and the strength of the evidence [11].

1.6 Compare distributions

The bar charts represent theoretical counts depending on the chosen distribution. Red dots describe the real number of counts. The visualized data is also available in the tabular format.

1.7 Settings

Separate experiments: if this checkbox is marked, the **countfitteR** assumes that experiments are separate and fits the distribution to each individually and independently. Otherwise, all counts are simultaneously fitted to a single model. It is more appropriate for situations, where there is assumption that all samples may be describe by the same distribution, for example in case of technical replicates.

Confidence level: the confidence level of confidence intervals.

Count distributions: count distributions fitted to data: Poisson, Negative Binomial, Zero-Inflated Poisson, Zero-Inflated Negative Binomial. Possible distributions are described further in the manual.

2 Overdispersion of count data

One of the important features of the Poisson distribution is the equality of variance and expected value. Although count data is commonly assumed to be Poisson-distributed, we often encounter overdispersed

datasets, when the variance is bigger than the mean. Three distributions included in **countfitteR**: Zero-Inflated Poisson (ZIP), Negative Binomial (NB) and Zero-negative Binomial (ZINB) model overdispersed counts.

Overdispersion may be caused by the increased variability of counts, for example when a counting algorithm under- and overcounts. In such situation the data might have the NB distribution. The other cause of overdispersion is called zero-inflation and occurs in datasets, where some factor introduced faulty zeros. That means that some counts, regardless of their real state, are treated as zeros. In this case, data has the ZIP distribution. If both faulty zeros and increased variance affect the data, the ZINB distribution is the most appropriate.

2.1   Overdispersed count data distribution

Poisson and Negative Binomial distributions have the same expected value. In case of ZIP and ZINB, the expected value is smaller than the real average number of foci per cell.

Table S1: Expected value and variance of Poisson, ZIP, NB and ZINB distributions. λ: Poisson parameter (number of occurrences, e.g., average number of foci per cell). r: zero inflation (fraction of occurrences treated as zeros, e.g., fraction of cells treated by system as having no foci regardless of their real state). θ: dispersion parameter.

Distribution name	Expected value	Variance
Poisson	$E(X) = \lambda$	$\mathrm{var}(X) = \lambda$
ZIP	$E(X) = (1 - r)\lambda$	$\mathrm{var}(X) = \lambda(1 - r)(1 + \lambda r)$
NB	$E(X) = \lambda$	$\mathrm{var}(X) = \lambda + \dfrac{\lambda^2}{\theta}$
ZINB	$E(X) = (1 - r)\lambda$	$\mathrm{var}(X) = (1 - r)\lambda \left(1 + r\lambda + \dfrac{1}{\theta}\right)$

Depending on the value of r the variance of ZIP and ZINB may be smaller or bigger than the variance of Poisson distribution. In case of the NB distribution, the variance is always bigger than for the Poisson distribution, although the difference becomes negligible, when the θ is much bigger than λ^2.

Parameters:

- λ - Poisson parameter (average number of foci per cell).

- r - zero inflation (fraction of cells treated by system as having no foci regardless of their real state).

- θ - dispersion parameter.

Usually the NB distribution is parameterized using μ and θ, but to make comparison clearer, we use λ instead of μ. In this parameterization, NB and ZINB are treated as the mixture of Poisson and Gamma (Γ)

distributions.

Table S2: Probability mass functions of Poisson, ZIP, NB and ZINB distributions. λ: Poisson parameter (number of occurrences, e.g., average number of foci per cell). r: zero inflation (fraction of occurrences treated as zeros, e.g., fraction of cells treated by system as having no foci regardless of their real state). θ: dispersion parameter.

Distribution name	pmf
Poisson	$$P\{X = k\} = \frac{\lambda^k \exp^{-\lambda}}{k!}$$
Zero-inflated Poisson	$$P\{X = k\} = \begin{cases} r + (1-r)\exp^{-\lambda}, \text{if } k = 0 \\ r\frac{\lambda^k \exp^{-\lambda}}{k!}, \text{if } k = 1, 2, \ldots \end{cases}$$
Negative Binomial	$$P\{X = k\} = \frac{\Gamma(\theta + k)}{\Gamma(\theta)k!}\left(\left(\frac{\theta}{\theta + \lambda}\right)^\theta \left(\frac{\lambda}{\theta + \lambda}\right)\right)^k$$
Zero-inflated Negative Binomial	$$P\{X = k\} = \begin{cases} r + (1-r)\left(\frac{\theta}{\theta+\lambda}\right)^\theta, \text{if } k = 0 \\ (1-r)\frac{\Gamma(\theta+k)}{\Gamma(\theta)k!}\left(\left(\frac{\theta}{\theta+\lambda}\right)^\theta \left(\frac{\lambda}{\theta+\lambda}\right)\right)^k, \text{if } k = 1, 2 \end{cases}$$

2.2   Results of the simulation

Figure S1: Empirical power of countfitteR and two-step test for Poisson distribution. n: number of counts in the sample. λ: Poisson parameter (number of occurrences, e.g., average number of foci per cell)

4

Figure S2: Empirical power of countfitteR and two-step test for NB distribution. λ: Poisson parameter (number of occurrences, e.g., average number of foci per cell). θ: dispersion parameter.

Table S3: Comparison of countfitteR empirical power with two-step procedure for Poisson distribution with three possible sample sizes (n = 50, 100, 200) and three possible means (λ = 2, 5, 10).

model	method	n	lambda	pow_mean	pow_sd	uncomputable
pois	countfitteR	50	2	0.9780000	0.1467567	0
pois	countfitteR	100	2	0.9760000	0.1531256	0
pois	countfitteR	200	2	0.9850000	0.1216133	0
pois	countfitteR	50	5	0.9600000	0.1960572	0
pois	countfitteR	100	5	0.9770000	0.1499783	0
pois	countfitteR	200	5	0.9720000	0.1650553	0
pois	countfitteR	50	10	0.9840000	0.1255379	0
pois	countfitteR	100	10	0.9880000	0.1089397	0
pois	countfitteR	200	10	0.9800000	0.1400701	0
pois	two-step	50	2	0.9808468	0.1371326	8
pois	two-step	100	2	0.9880000	0.1089397	0
pois	two-step	200	2	0.9800000	0.1400701	0
pois	two-step	50	5	0.9595960	0.1972373	703
pois	two-step	100	5	0.9759825	0.1532707	542
pois	two-step	200	5	0.9690860	0.1732011	256
pois	two-step	50	10	1.0000000	0.0000000	998
pois	two-step	100	10	0.3333333	0.5773503	997
pois	two-step	200	10	0.8571429	0.3631365	986

Table S4: Comparison of countfitteR and two-step procedure empirical power for ZIP distribution with three possible sample sizes (n = 50, 100, 200), three possible means (λ = 2, 5, 10), and dispersion parameter r ranging from 0.1 to 0.9.

model	method	n	lambda	size	pow_mean	pow_sd	uncomputable
nb	countfitteR	50	2	1.0	0.9150000	0.2790212	0
nb	countfitteR	100	2	1.0	0.9800000	0.1400701	0
nb	countfitteR	200	2	1.0	0.9890000	0.1043546	0
nb	countfitteR	50	2	2.0	0.7410000	0.4383048	0
nb	countfitteR	100	2	2.0	0.9210000	0.2698737	0
nb	countfitteR	200	2	2.0	0.9820000	0.1330176	0
nb	countfitteR	50	2	4.0	0.3760000	0.4846224	0
nb	countfitteR	100	2	4.0	0.6200000	0.4856293	0
nb	countfitteR	200	2	4.0	0.8650000	0.3418946	0
nb	countfitteR	50	5	2.5	0.9790000	0.1434558	0
nb	countfitteR	100	5	2.5	0.9850000	0.1216133	0
nb	countfitteR	200	5	2.5	0.9920000	0.0891288	0
nb	countfitteR	50	5	5.0	0.8590000	0.3481957	0
nb	countfitteR	100	5	5.0	0.9800000	0.1400701	0
nb	countfitteR	200	5	5.0	0.9930000	0.0834144	0
nb	countfitteR	50	5	10.0	0.4610000	0.4987261	0
nb	countfitteR	100	5	10.0	0.7240000	0.4472405	0
nb	countfitteR	200	5	10.0	0.9410000	0.2357426	0
nb	countfitteR	50	10	5.0	0.9840000	0.1255379	0
nb	countfitteR	100	10	5.0	0.9860000	0.1175492	0
nb	countfitteR	200	10	5.0	0.9890000	0.1043546	0
nb	countfitteR	50	10	10.0	0.8840000	0.3203852	0
nb	countfitteR	100	10	10.0	0.9880000	0.1089397	0
nb	countfitteR	200	10	10.0	0.9900000	0.0995485	0
nb	countfitteR	50	10	20.0	0.4980000	0.5002462	0
nb	countfitteR	100	10	20.0	0.7520000	0.4320679	0
nb	countfitteR	200	10	20.0	0.9490000	0.2201078	0
nb	two-step	50	2	1.0	0.9870000	0.1133307	0
nb	two-step	100	2	1.0	0.9980000	0.0446990	0
nb	two-step	200	2	1.0	1.0000000	0.0000000	0
nb	two-step	50	2	2.0	0.8610000	0.3461196	0
nb	two-step	100	2	2.0	0.9900000	0.0995485	0
nb	two-step	200	2	2.0	0.9990000	0.0316228	0
nb	two-step	50	2	4.0	0.4490000	0.4976411	0
nb	two-step	100	2	4.0	0.7820000	0.4130940	0
nb	two-step	200	2	4.0	0.9550000	0.2074079	0
nb	two-step	50	5	2.5	0.9968944	0.0556700	34
nb	two-step	100	5	2.5	0.9990000	0.0316228	0
nb	two-step	200	5	2.5	1.0000000	0.0000000	0
nb	two-step	50	5	5.0	0.9210191	0.2698809	215
nb	two-step	100	5	5.0	0.9958159	0.0645829	44
nb	two-step	200	5	5.0	1.0000000	0.0000000	3
nb	two-step	50	5	10.0	0.5684932	0.4957111	416
nb	two-step	100	5	10.0	0.8250905	0.3801190	171
nb	two-step	200	5	10.0	0.9753846	0.1550294	25
nb	two-step	50	10	5.0	1.0000000	0.0000000	811
nb	two-step	100	10	5.0	1.0000000	0.0000000	657
nb	two-step	200	10	5.0	1.0000000	0.0000000	438
nb	two-step	50	10	10.0	1.0000000	0.0000000	959

model	method	n	lambda	size	pow_mean	pow_sd	uncomputable
nb	two-step	100	10	10.0	1.0000000	0.0000000	899
nb	two-step	200	10	10.0	1.0000000	0.0000000	801
nb	two-step	50	10	20.0	0.7000000	0.4701623	980
nb	two-step	100	10	20.0	0.8666667	0.3457459	970
nb	two-step	200	10	20.0	0.9833333	0.1290994	940

Table S5: Comparison of countfitteR empirical and two-step procedure empirical power for NB distribution with three possible sample sizes (n = 50, 100, 200), three possible means (λ = 2, 5, 10), and three possible sizes ($\theta = \frac{\lambda}{2}, \lambda, 2\lambda$).

model	method	n	lambda	r	pow_mean	pow_sd	uncomputable
zip	countfitteR	50	2	0.1	0.7970000	0.4024338	0
zip	countfitteR	100	2	0.1	0.8830000	0.3215811	0
zip	countfitteR	200	2	0.1	0.9370000	0.2430845	0
zip	countfitteR	50	5	0.1	0.9610000	0.1936918	0
zip	countfitteR	100	5	0.1	0.9870000	0.1133307	0
zip	countfitteR	200	5	0.1	0.9900000	0.0995485	0
zip	countfitteR	50	10	0.1	0.9930000	0.0834144	0
zip	countfitteR	100	10	0.1	0.9950000	0.0705690	0
zip	countfitteR	200	10	0.1	0.9960000	0.0631505	0
zip	countfitteR	50	2	0.2	0.8590000	0.3481957	0
zip	countfitteR	100	2	0.2	0.9280000	0.2586173	0
zip	countfitteR	200	2	0.2	0.9680000	0.1760881	0
zip	countfitteR	50	5	0.2	0.9930000	0.0834144	0
zip	countfitteR	100	5	0.2	0.9950000	0.0705690	0
zip	countfitteR	200	5	0.2	0.9920000	0.0891288	0
zip	countfitteR	50	10	0.2	0.9920000	0.0891288	0
zip	countfitteR	100	10	0.2	0.9960000	0.0631505	0
zip	countfitteR	200	10	0.2	0.9940000	0.0772656	0
zip	countfitteR	50	2	0.3	0.8920000	0.3105357	0
zip	countfitteR	100	2	0.3	0.9390000	0.2394501	0
zip	countfitteR	200	2	0.3	0.9800000	0.1400701	0
zip	countfitteR	50	5	0.3	0.9820000	0.1330176	0
zip	countfitteR	100	5	0.3	0.9840000	0.1255379	0
zip	countfitteR	200	5	0.3	0.9900000	0.0995485	0
zip	countfitteR	50	10	0.3	0.9870000	0.1133307	0
zip	countfitteR	100	10	0.3	0.9890000	0.1043546	0
zip	countfitteR	200	10	0.3	0.9950000	0.0705690	0
zip	countfitteR	50	2	0.4	0.9000000	0.3001501	0
zip	countfitteR	100	2	0.4	0.9470000	0.2241456	0
zip	countfitteR	200	2	0.4	0.9900000	0.0995485	0
zip	countfitteR	50	5	0.4	0.9870000	0.1133307	0
zip	countfitteR	100	5	0.4	0.9920000	0.0891288	0
zip	countfitteR	200	5	0.4	0.9890000	0.1043546	0
zip	countfitteR	50	10	0.4	0.9930000	0.0834144	0
zip	countfitteR	100	10	0.4	0.9950000	0.0705690	0
zip	countfitteR	200	10	0.4	0.9900000	0.0995485	0
zip	countfitteR	50	2	0.5	0.9230000	0.2667248	0
zip	countfitteR	100	2	0.5	0.9670000	0.1787259	0
zip	countfitteR	200	2	0.5	0.9860000	0.1175492	0
zip	countfitteR	50	5	0.5	0.9840000	0.1255379	0
zip	countfitteR	100	5	0.5	0.9830000	0.1293357	0
zip	countfitteR	200	5	0.5	0.9980000	0.0446990	0
zip	countfitteR	50	10	0.5	0.9890000	0.1043546	0
zip	countfitteR	100	10	0.5	0.9960000	0.0631505	0
zip	countfitteR	200	10	0.5	0.9930000	0.0834144	0
zip	countfitteR	50	2	0.6	0.8750000	0.3308844	0
zip	countfitteR	100	2	0.6	0.9470000	0.2241456	0
zip	countfitteR	200	2	0.6	0.9880000	0.1089397	0

model	method	n	lambda	r	pow_mean	pow_sd	uncomputable
zip	countfitteR	50	5	0.6	0.9870000	0.1133307	0
zip	countfitteR	100	5	0.6	0.9880000	0.1089397	0
zip	countfitteR	200	5	0.6	0.9880000	0.1089397	0
zip	countfitteR	50	10	0.6	0.9830000	0.1293357	0
zip	countfitteR	100	10	0.6	0.9910000	0.0944877	0
zip	countfitteR	200	10	0.6	0.9940000	0.0772656	0
zip	countfitteR	50	2	0.7	0.7820000	0.4130940	0
zip	countfitteR	100	2	0.7	0.9260000	0.2619019	0
zip	countfitteR	200	2	0.7	0.9810000	0.1365930	0
zip	countfitteR	50	5	0.7	0.9850000	0.1216133	0
zip	countfitteR	100	5	0.7	0.9880000	0.1089397	0
zip	countfitteR	200	5	0.7	0.9920000	0.0891288	0
zip	countfitteR	50	10	0.7	0.9900000	0.0995485	0
zip	countfitteR	100	10	0.7	0.9870000	0.1133307	0
zip	countfitteR	200	10	0.7	0.9920000	0.0891288	0
zip	countfitteR	50	2	0.8	0.5350000	0.4990231	0
zip	countfitteR	100	2	0.8	0.8000000	0.4002002	0
zip	countfitteR	200	2	0.8	0.9480000	0.2221381	0
zip	countfitteR	50	5	0.8	0.9820000	0.1330176	0
zip	countfitteR	100	5	0.8	0.9890000	0.1043546	0
zip	countfitteR	200	5	0.8	0.9860000	0.1175492	0
zip	countfitteR	50	10	0.8	0.9880000	0.1089397	0
zip	countfitteR	100	10	0.8	0.9870000	0.1133307	0
zip	countfitteR	200	10	0.8	0.9940000	0.0772656	0
zip	countfitteR	50	2	0.9	0.2030000	0.4024338	0
zip	countfitteR	100	2	0.9	0.3130000	0.4639464	0
zip	countfitteR	200	2	0.9	0.5480000	0.4979397	0
zip	countfitteR	50	5	0.9	0.8980000	0.3027997	0
zip	countfitteR	100	5	0.9	0.9840000	0.1255379	0
zip	countfitteR	200	5	0.9	0.9940000	0.0772656	0
zip	countfitteR	50	10	0.9	0.9770000	0.1499783	0
zip	countfitteR	100	10	0.9	0.9860000	0.1175492	0
zip	countfitteR	200	10	0.9	0.9920000	0.0891288	0
zip	two-step	50	2	0.1	0.0000000	0.0000000	545
zip	two-step	100	2	0.1	0.0000000	0.0000000	660
zip	two-step	200	2	0.1	0.0000000	0.0000000	701
zip	two-step	50	5	0.1	0.0000000	0.0000000	907
zip	two-step	100	5	0.1	0.0000000	0.0000000	921
zip	two-step	200	5	0.1	0.0000000	0.0000000	998
zip	two-step	50	10	0.1	NaN	NA	1000
zip	two-step	100	10	0.1	NaN	NA	1000
zip	two-step	200	10	0.1	NaN	NA	1000
zip	two-step	50	2	0.2	0.0000000	0.0000000	208
zip	two-step	100	2	0.2	0.0000000	0.0000000	0
zip	two-step	200	2	0.2	0.0000000	0.0000000	0
zip	two-step	50	5	0.2	0.0870000	0.2819761	0
zip	two-step	100	5	0.2	0.1540000	0.3611294	0
zip	two-step	200	5	0.2	0.6920000	0.4618976	0
zip	two-step	50	10	0.2	0.2900000	0.4539891	0
zip	two-step	100	10	0.2	0.6990000	0.4589222	0
zip	two-step	200	10	0.2	0.9990000	0.0316228	0
zip	two-step	50	2	0.3	0.0000000	0.0000000	0

model	method	n	lambda	r	pow_mean	pow_sd	uncomputable
zip	two-step	100	2	0.3	0.0000000	0.0000000	0
zip	two-step	200	2	0.3	0.0000000	0.0000000	0
zip	two-step	50	5	0.3	0.0880000	0.2834367	0
zip	two-step	100	5	0.3	0.4500000	0.4977427	0
zip	two-step	200	5	0.3	0.6060000	0.4888793	0
zip	two-step	50	10	0.3	0.7590000	0.4279043	0
zip	two-step	100	10	0.3	0.9950000	0.0705690	0
zip	two-step	200	10	0.3	1.0000000	0.0000000	0
zip	two-step	50	2	0.4	0.0010000	0.0316228	0
zip	two-step	100	2	0.4	0.0000000	0.0000000	0
zip	two-step	200	2	0.4	0.0000000	0.0000000	0
zip	two-step	50	5	0.4	0.0650000	0.2466492	0
zip	two-step	100	5	0.4	0.3620000	0.4808193	0
zip	two-step	200	5	0.4	0.2910000	0.4544508	0
zip	two-step	50	10	0.4	0.9410000	0.2357426	0
zip	two-step	100	10	0.4	1.0000000	0.0000000	0
zip	two-step	200	10	0.4	1.0000000	0.0000000	0
zip	two-step	50	2	0.5	0.0060000	0.0772656	0
zip	two-step	100	2	0.5	0.0000000	0.0000000	0
zip	two-step	200	2	0.5	0.0000000	0.0000000	0
zip	two-step	50	5	0.5	0.0180000	0.1330176	0
zip	two-step	100	5	0.5	0.1060000	0.3079917	0
zip	two-step	200	5	0.5	0.0470000	0.2117447	0
zip	two-step	50	10	0.5	0.6480000	0.4778329	0
zip	two-step	100	10	0.5	0.9990000	0.0316228	0
zip	two-step	200	10	0.5	1.0000000	0.0000000	0
zip	two-step	50	2	0.6	0.0100000	0.0995485	0
zip	two-step	100	2	0.6	0.0010000	0.0316228	0
zip	two-step	200	2	0.6	0.0000000	0.0000000	0
zip	two-step	50	5	0.6	0.0000000	0.0000000	0
zip	two-step	100	5	0.6	0.0080000	0.0891288	0
zip	two-step	200	5	0.6	0.0010000	0.0316228	0
zip	two-step	50	10	0.6	0.1860000	0.3893014	0
zip	two-step	100	10	0.6	0.8428428	0.3641312	1
zip	two-step	200	10	0.6	1.0000000	0.0000000	1
zip	two-step	50	2	0.7	0.0300000	0.1706726	0
zip	two-step	100	2	0.7	0.0070000	0.0834144	0
zip	two-step	200	2	0.7	0.0000000	0.0000000	0
zip	two-step	50	5	0.7	0.0000000	0.0000000	0
zip	two-step	100	5	0.7	0.0000000	0.0000000	0
zip	two-step	200	5	0.7	0.0000000	0.0000000	0
zip	two-step	50	10	0.7	0.0270000	0.1621644	0
zip	two-step	100	10	0.7	0.1251251	0.3310265	1
zip	two-step	200	10	0.7	0.9660000	0.1813198	0
zip	two-step	50	2	0.8	0.0130000	0.1133307	0
zip	two-step	100	2	0.8	0.0360000	0.1863833	0
zip	two-step	200	2	0.8	0.0150000	0.1216133	0
zip	two-step	50	5	0.8	0.0160000	0.1255379	0
zip	two-step	100	5	0.8	0.0030000	0.0547174	0
zip	two-step	200	5	0.8	0.0000000	0.0000000	0
zip	two-step	50	10	0.8	0.0560000	0.2300368	0
zip	two-step	100	10	0.8	0.0000000	0.0000000	0

model	method	n	lambda	r	pow_mean	pow_sd	uncomputable
zip	two-step	200	10	0.8	0.0670000	0.2501471	0
zip	two-step	50	2	0.9	0.0050000	0.0705690	0
zip	two-step	100	2	0.9	0.0100000	0.0995485	0
zip	two-step	200	2	0.9	0.0300000	0.1706726	0
zip	two-step	50	5	0.9	0.0370741	0.1890383	2
zip	two-step	100	5	0.9	0.0730000	0.2602667	0
zip	two-step	200	5	0.9	0.0180000	0.1330176	0
zip	two-step	50	10	0.9	0.0050251	0.0707453	5
zip	two-step	100	10	0.9	0.0080000	0.0891288	0
zip	two-step	200	10	0.9	0.0000000	0.0000000	0

Table S6: Comparison of countfitteR and two-step 2procedure empirical power for ZINB distribution with three possible sample sizes (n = 50, 100, 200), three possible means (λ = 2, 5, 10), three possible sizes ($\theta = \frac{\lambda}{2}$, λ, 2λ), and dispersion parameter r ranging from 0.1 to 0.9.

model	method	n	lambda	size	r	pow_mean	pow_sd	uncomputable
zinb	countfitteR	50	2	1.0	0.1	0.0010000	0.0316228	0
zinb	countfitteR	100	2	1.0	0.1	0.0010000	0.0316228	0
zinb	countfitteR	200	2	1.0	0.1	0.0040000	0.0631505	0
zinb	countfitteR	50	2	2.0	0.1	0.0000000	0.0000000	0
zinb	countfitteR	100	2	2.0	0.1	0.0010000	0.0316228	0
zinb	countfitteR	200	2	2.0	0.1	0.0010000	0.0316228	0
zinb	countfitteR	50	2	4.0	0.1	0.0000000	0.0000000	0
zinb	countfitteR	100	2	4.0	0.1	0.0000000	0.0000000	0
zinb	countfitteR	200	2	4.0	0.1	0.0000000	0.0000000	0
zinb	countfitteR	50	5	2.5	0.1	0.0470000	0.2117447	0
zinb	countfitteR	100	5	2.5	0.1	0.1720000	0.3775693	0
zinb	countfitteR	200	5	2.5	0.1	0.5190000	0.4998889	0
zinb	countfitteR	50	5	5.0	0.1	0.0180000	0.1330176	0
zinb	countfitteR	100	5	5.0	0.1	0.0740000	0.2619019	0
zinb	countfitteR	200	5	5.0	0.1	0.3160000	0.4651455	0
zinb	countfitteR	50	5	10.0	0.1	0.0160000	0.1255379	0
zinb	countfitteR	100	5	10.0	0.1	0.0460000	0.2095899	0
zinb	countfitteR	200	5	10.0	0.1	0.1230000	0.3286016	0
zinb	countfitteR	50	10	5.0	0.1	0.2640000	0.4410198	0
zinb	countfitteR	100	10	5.0	0.1	0.4980000	0.5002462	0
zinb	countfitteR	200	10	5.0	0.1	0.7720000	0.4197525	0
zinb	countfitteR	50	10	10.0	0.1	0.1070000	0.3092679	0
zinb	countfitteR	100	10	10.0	0.1	0.2360000	0.4248347	0
zinb	countfitteR	200	10	10.0	0.1	0.4250000	0.4945904	0
zinb	countfitteR	50	10	20.0	0.1	0.0420000	0.2006895	0
zinb	countfitteR	100	10	20.0	0.1	0.0950000	0.2933617	0
zinb	countfitteR	200	10	20.0	0.1	0.1420000	0.3492248	0
zinb	countfitteR	50	2	1.0	0.2	0.0010000	0.0316228	0
zinb	countfitteR	100	2	1.0	0.2	0.0080000	0.0891288	0
zinb	countfitteR	200	2	1.0	0.2	0.0680000	0.2518719	0
zinb	countfitteR	50	2	2.0	0.2	0.0000000	0.0000000	0
zinb	countfitteR	100	2	2.0	0.2	0.0030000	0.0547174	0
zinb	countfitteR	200	2	2.0	0.2	0.0250000	0.1562031	0
zinb	countfitteR	50	2	4.0	0.2	0.0000000	0.0000000	0
zinb	countfitteR	100	2	4.0	0.2	0.0000000	0.0000000	0
zinb	countfitteR	200	2	4.0	0.2	0.0060000	0.0772656	0
zinb	countfitteR	50	5	2.5	0.2	0.1690000	0.3749394	0
zinb	countfitteR	100	5	2.5	0.2	0.5580000	0.4968731	0
zinb	countfitteR	200	5	2.5	0.2	0.9250000	0.2635231	0
zinb	countfitteR	50	5	5.0	0.2	0.1110000	0.3142893	0
zinb	countfitteR	100	5	5.0	0.2	0.3580000	0.4796520	0
zinb	countfitteR	200	5	5.0	0.2	0.6670000	0.4715224	0
zinb	countfitteR	50	5	10.0	0.2	0.0500000	0.2180540	0
zinb	countfitteR	100	5	10.0	0.2	0.1350000	0.3418946	0
zinb	countfitteR	200	5	10.0	0.2	0.2500000	0.4332294	0
zinb	countfitteR	50	10	5.0	0.2	0.5650000	0.4960051	0
zinb	countfitteR	100	10	5.0	0.2	0.8300000	0.3758208	0
zinb	countfitteR	200	10	5.0	0.2	0.9660000	0.1813198	0

model	method	n	lambda	size	r	pow_mean	pow_sd	uncomputable
zinb	countfitteR	50	10	10.0	0.2	0.2930000	0.4553662	0
zinb	countfitteR	100	10	10.0	0.2	0.4550000	0.4982201	0
zinb	countfitteR	200	10	10.0	0.2	0.7070000	0.4553662	0
zinb	countfitteR	50	10	20.0	0.2	0.0940000	0.2919747	0
zinb	countfitteR	100	10	20.0	0.2	0.1750000	0.3801572	0
zinb	countfitteR	200	10	20.0	0.2	0.2700000	0.4441816	0
zinb	countfitteR	50	2	1.0	0.3	0.0060000	0.0772656	0
zinb	countfitteR	100	2	1.0	0.3	0.0250000	0.1562031	0
zinb	countfitteR	200	2	1.0	0.3	0.1430000	0.3502480	0
zinb	countfitteR	50	2	2.0	0.3	0.0030000	0.0547174	0
zinb	countfitteR	100	2	2.0	0.3	0.0130000	0.1133307	0
zinb	countfitteR	200	2	2.0	0.3	0.1400000	0.3471607	0
zinb	countfitteR	50	2	4.0	0.3	0.0000000	0.0000000	0
zinb	countfitteR	100	2	4.0	0.3	0.0030000	0.0547174	0
zinb	countfitteR	200	2	4.0	0.3	0.0430000	0.2029586	0
zinb	countfitteR	50	5	2.5	0.3	0.3930000	0.4886612	0
zinb	countfitteR	100	5	2.5	0.3	0.8010000	0.3994478	0
zinb	countfitteR	200	5	2.5	0.3	0.9880000	0.1089397	0
zinb	countfitteR	50	5	5.0	0.3	0.2680000	0.4431392	0
zinb	countfitteR	100	5	5.0	0.3	0.5570000	0.4969889	0
zinb	countfitteR	200	5	5.0	0.3	0.8500000	0.3572501	0
zinb	countfitteR	50	5	10.0	0.3	0.1060000	0.3079917	0
zinb	countfitteR	100	5	10.0	0.3	0.2420000	0.4285086	0
zinb	countfitteR	200	5	10.0	0.3	0.3770000	0.4848774	0
zinb	countfitteR	50	10	5.0	0.3	0.7520000	0.4320679	0
zinb	countfitteR	100	10	5.0	0.3	0.9500000	0.2180540	0
zinb	countfitteR	200	10	5.0	0.3	0.9820000	0.1330176	0
zinb	countfitteR	50	10	10.0	0.3	0.4050000	0.4911377	0
zinb	countfitteR	100	10	10.0	0.3	0.6630000	0.4729214	0
zinb	countfitteR	200	10	10.0	0.3	0.7590000	0.4279043	0
zinb	countfitteR	50	10	20.0	0.3	0.1750000	0.3801572	0
zinb	countfitteR	100	10	20.0	0.3	0.2770000	0.4477404	0
zinb	countfitteR	200	10	20.0	0.3	0.4110000	0.4922614	0
zinb	countfitteR	50	2	1.0	0.4	0.0070000	0.0834144	0
zinb	countfitteR	100	2	1.0	0.4	0.0500000	0.2180540	0
zinb	countfitteR	200	2	1.0	0.4	0.2350000	0.4242110	0
zinb	countfitteR	50	2	2.0	0.4	0.0020000	0.0446990	0
zinb	countfitteR	100	2	2.0	0.4	0.0260000	0.1592148	0
zinb	countfitteR	200	2	2.0	0.4	0.2590000	0.4383048	0
zinb	countfitteR	50	2	4.0	0.4	0.0020000	0.0446990	0
zinb	countfitteR	100	2	4.0	0.4	0.0060000	0.0772656	0
zinb	countfitteR	200	2	4.0	0.4	0.1260000	0.3320154	0
zinb	countfitteR	50	5	2.5	0.4	0.5420000	0.4984822	0
zinb	countfitteR	100	5	2.5	0.4	0.9140000	0.2805043	0
zinb	countfitteR	200	5	2.5	0.4	0.9990000	0.0316228	0
zinb	countfitteR	50	5	5.0	0.4	0.3980000	0.4897304	0
zinb	countfitteR	100	5	5.0	0.4	0.6920000	0.4618976	0
zinb	countfitteR	200	5	5.0	0.4	0.9450000	0.2280943	0
zinb	countfitteR	50	5	10.0	0.4	0.1600000	0.3667895	0
zinb	countfitteR	100	5	10.0	0.4	0.3070000	0.4614802	0
zinb	countfitteR	200	5	10.0	0.4	0.5260000	0.4995734	0
zinb	countfitteR	50	10	5.0	0.4	0.8620000	0.3450726	0

model	method	n	lambda	size	r	pow_mean	pow_sd	uncomputable
zinb	countfitteR	100	10	5.0	0.4	0.9720000	0.1650553	0
zinb	countfitteR	200	10	5.0	0.4	0.9880000	0.1089397	0
zinb	countfitteR	50	10	10.0	0.4	0.5280000	0.4994652	0
zinb	countfitteR	100	10	10.0	0.4	0.7510000	0.4326502	0
zinb	countfitteR	200	10	10.0	0.4	0.8460000	0.3611294	0
zinb	countfitteR	50	10	20.0	0.4	0.2020000	0.4016931	0
zinb	countfitteR	100	10	20.0	0.4	0.3590000	0.4799472	0
zinb	countfitteR	200	10	20.0	0.4	0.5320000	0.4992246	0
zinb	countfitteR	50	2	1.0	0.5	0.0100000	0.0995485	0
zinb	countfitteR	100	2	1.0	0.5	0.0720000	0.2586173	0
zinb	countfitteR	200	2	1.0	0.5	0.2820000	0.4501985	0
zinb	countfitteR	50	2	2.0	0.5	0.0040000	0.0631505	0
zinb	countfitteR	100	2	2.0	0.5	0.0440000	0.2051977	0
zinb	countfitteR	200	2	2.0	0.5	0.3060000	0.4610603	0
zinb	countfitteR	50	2	4.0	0.5	0.0010000	0.0316228	0
zinb	countfitteR	100	2	4.0	0.5	0.0130000	0.1133307	0
zinb	countfitteR	200	2	4.0	0.5	0.1910000	0.3932857	0
zinb	countfitteR	50	5	2.5	0.5	0.6640000	0.4725752	0
zinb	countfitteR	100	5	2.5	0.5	0.9510000	0.2159760	0
zinb	countfitteR	200	5	2.5	0.5	1.0000000	0.0000000	0
zinb	countfitteR	50	5	5.0	0.5	0.5130000	0.5000811	0
zinb	countfitteR	100	5	5.0	0.5	0.7830000	0.4124089	0
zinb	countfitteR	200	5	5.0	0.5	0.9740000	0.1592148	0
zinb	countfitteR	50	5	10.0	0.5	0.2190000	0.4137756	0
zinb	countfitteR	100	5	10.0	0.5	0.3770000	0.4848774	0
zinb	countfitteR	200	5	10.0	0.5	0.6330000	0.4822277	0
zinb	countfitteR	50	10	5.0	0.5	0.9260000	0.2619019	0
zinb	countfitteR	100	10	5.0	0.5	0.9740000	0.1592148	0
zinb	countfitteR	200	10	5.0	0.5	0.9970000	0.0547174	0
zinb	countfitteR	50	10	10.0	0.5	0.6280000	0.4835802	0
zinb	countfitteR	100	10	10.0	0.5	0.7390000	0.4393997	0
zinb	countfitteR	200	10	10.0	0.5	0.8720000	0.3342570	0
zinb	countfitteR	50	10	20.0	0.5	0.2910000	0.4544508	0
zinb	countfitteR	100	10	20.0	0.5	0.3480000	0.4765744	0
zinb	countfitteR	200	10	20.0	0.5	0.6580000	0.4746170	0
zinb	countfitteR	50	2	1.0	0.6	0.0250000	0.1562031	0
zinb	countfitteR	100	2	1.0	0.6	0.0880000	0.2834367	0
zinb	countfitteR	200	2	1.0	0.6	0.2210000	0.4151281	0
zinb	countfitteR	50	2	2.0	0.6	0.0040000	0.0631505	0
zinb	countfitteR	100	2	2.0	0.6	0.0530000	0.2241456	0
zinb	countfitteR	200	2	2.0	0.6	0.3260000	0.4689818	0
zinb	countfitteR	50	2	4.0	0.6	0.0000000	0.0000000	0
zinb	countfitteR	100	2	4.0	0.6	0.0120000	0.1089397	0
zinb	countfitteR	200	2	4.0	0.6	0.1790000	0.3835441	0
zinb	countfitteR	50	5	2.5	0.6	0.7060000	0.4558199	0
zinb	countfitteR	100	5	2.5	0.6	0.9580000	0.2006895	0
zinb	countfitteR	200	5	2.5	0.6	1.0000000	0.0000000	0
zinb	countfitteR	50	5	5.0	0.6	0.5890000	0.4922614	0
zinb	countfitteR	100	5	5.0	0.6	0.8600000	0.3471607	0
zinb	countfitteR	200	5	5.0	0.6	0.9850000	0.1216133	0
zinb	countfitteR	50	5	10.0	0.6	0.2910000	0.4544508	0
zinb	countfitteR	100	5	10.0	0.6	0.4470000	0.4974318	0

model	method	n	lambda	size	r	pow_mean	pow_sd	uncomputable
zinb	countfitteR	200	5	10.0	0.6	0.6890000	0.4631344	0
zinb	countfitteR	50	10	5.0	0.6	0.9770000	0.1499783	0
zinb	countfitteR	100	10	5.0	0.6	0.9750000	0.1562031	0
zinb	countfitteR	200	10	5.0	0.6	0.9990000	0.0316228	0
zinb	countfitteR	50	10	10.0	0.6	0.6960000	0.4602128	0
zinb	countfitteR	100	10	10.0	0.6	0.7770000	0.4164666	0
zinb	countfitteR	200	10	10.0	0.6	0.8900000	0.3130463	0
zinb	countfitteR	50	10	20.0	0.6	0.3030000	0.4597852	0
zinb	countfitteR	100	10	20.0	0.6	0.4540000	0.4981286	0
zinb	countfitteR	200	10	20.0	0.6	0.7640000	0.4248347	0
zinb	countfitteR	50	2	1.0	0.7	0.0160000	0.1255379	0
zinb	countfitteR	100	2	1.0	0.7	0.0690000	0.2535810	0
zinb	countfitteR	200	2	1.0	0.7	0.1890000	0.3917045	0
zinb	countfitteR	50	2	2.0	0.7	0.0060000	0.0772656	0
zinb	countfitteR	100	2	2.0	0.7	0.0470000	0.2117447	0
zinb	countfitteR	200	2	2.0	0.7	0.2790000	0.4487319	0
zinb	countfitteR	50	2	4.0	0.7	0.0010000	0.0316228	0
zinb	countfitteR	100	2	4.0	0.7	0.0090000	0.0944877	0
zinb	countfitteR	200	2	4.0	0.7	0.1620000	0.3686352	0
zinb	countfitteR	50	5	2.5	0.7	0.6810000	0.4663223	0
zinb	countfitteR	100	5	2.5	0.7	0.9250000	0.2635231	0
zinb	countfitteR	200	5	2.5	0.7	0.9950000	0.0705690	0
zinb	countfitteR	50	5	5.0	0.7	0.6370000	0.4811055	0
zinb	countfitteR	100	5	5.0	0.7	0.9280000	0.2586173	0
zinb	countfitteR	200	5	5.0	0.7	0.9950000	0.0705690	0
zinb	countfitteR	50	5	10.0	0.7	0.3090000	0.4623124	0
zinb	countfitteR	100	5	10.0	0.7	0.5250000	0.4996245	0
zinb	countfitteR	200	5	10.0	0.7	0.7770000	0.4164666	0
zinb	countfitteR	50	10	5.0	0.7	0.9850000	0.1216133	0
zinb	countfitteR	100	10	5.0	0.7	0.9770000	0.1499783	0
zinb	countfitteR	200	10	5.0	0.7	0.9990000	0.0316228	0
zinb	countfitteR	50	10	10.0	0.7	0.7640000	0.4248347	0
zinb	countfitteR	100	10	10.0	0.7	0.8290000	0.3766974	0
zinb	countfitteR	200	10	10.0	0.7	0.9000000	0.3001501	0
zinb	countfitteR	50	10	20.0	0.7	0.3230000	0.4678567	0
zinb	countfitteR	100	10	20.0	0.7	0.5460000	0.4981286	0
zinb	countfitteR	200	10	20.0	0.7	0.8410000	0.3658591	0
zinb	countfitteR	50	2	1.0	0.8	0.0160000	0.1255379	0
zinb	countfitteR	100	2	1.0	0.8	0.0580000	0.2338604	0
zinb	countfitteR	200	2	1.0	0.8	0.1060000	0.3079917	0
zinb	countfitteR	50	2	2.0	0.8	0.0000000	0.0000000	0
zinb	countfitteR	100	2	2.0	0.8	0.0310000	0.1734044	0
zinb	countfitteR	200	2	2.0	0.8	0.1920000	0.3940702	0
zinb	countfitteR	50	2	4.0	0.8	0.0000000	0.0000000	0
zinb	countfitteR	100	2	4.0	0.8	0.0030000	0.0547174	0
zinb	countfitteR	200	2	4.0	0.8	0.0660000	0.2484063	0
zinb	countfitteR	50	5	2.5	0.8	0.5370000	0.4988786	0
zinb	countfitteR	100	5	2.5	0.8	0.7950000	0.4039036	0
zinb	countfitteR	200	5	2.5	0.8	0.9730000	0.1621644	0
zinb	countfitteR	50	5	5.0	0.8	0.5920000	0.4917090	0
zinb	countfitteR	100	5	5.0	0.8	0.9210000	0.2698737	0
zinb	countfitteR	200	5	5.0	0.8	0.9990000	0.0316228	0

model	method	n	lambda	size	r	pow_mean	pow_sd	uncomputable
zinb	countfitteR	50	5	10.0	0.8	0.3150000	0.4647483	0
zinb	countfitteR	100	5	10.0	0.8	0.5650000	0.4960051	0
zinb	countfitteR	200	5	10.0	0.8	0.8350000	0.3713663	0
zinb	countfitteR	50	10	5.0	0.8	0.9850000	0.1216133	0
zinb	countfitteR	100	10	5.0	0.8	0.9950000	0.0705690	0
zinb	countfitteR	200	10	5.0	0.8	1.0000000	0.0000000	0
zinb	countfitteR	50	10	10.0	0.8	0.7860000	0.4103320	0
zinb	countfitteR	100	10	10.0	0.8	0.8330000	0.3731625	0
zinb	countfitteR	200	10	10.0	0.8	0.8970000	0.3041110	0
zinb	countfitteR	50	10	20.0	0.8	0.4080000	0.4917090	0
zinb	countfitteR	100	10	20.0	0.8	0.6010000	0.4899378	0
zinb	countfitteR	200	10	20.0	0.8	0.8680000	0.3386601	0
zinb	countfitteR	50	2	1.0	0.9	0.0150000	0.1216133	0
zinb	countfitteR	100	2	1.0	0.9	0.0270000	0.1621644	0
zinb	countfitteR	200	2	1.0	0.9	0.0500000	0.2180540	0
zinb	countfitteR	50	2	2.0	0.9	0.0010000	0.0316228	0
zinb	countfitteR	100	2	2.0	0.9	0.0130000	0.1133307	0
zinb	countfitteR	200	2	2.0	0.9	0.0510000	0.2201078	0
zinb	countfitteR	50	2	4.0	0.9	0.0000000	0.0000000	0
zinb	countfitteR	100	2	4.0	0.9	0.0000000	0.0000000	0
zinb	countfitteR	200	2	4.0	0.9	0.0100000	0.0995485	0
zinb	countfitteR	50	5	2.5	0.9	0.2610000	0.4393997	0
zinb	countfitteR	100	5	2.5	0.9	0.4230000	0.4942826	0
zinb	countfitteR	200	5	2.5	0.9	0.6520000	0.4765744	0
zinb	countfitteR	50	5	5.0	0.9	0.3190000	0.4663223	0
zinb	countfitteR	100	5	5.0	0.9	0.7020000	0.4576084	0
zinb	countfitteR	200	5	5.0	0.9	0.9480000	0.2221381	0
zinb	countfitteR	50	5	10.0	0.9	0.1980000	0.3986916	0
zinb	countfitteR	100	5	10.0	0.9	0.5600000	0.4966353	0
zinb	countfitteR	200	5	10.0	0.9	0.8710000	0.3353677	0
zinb	countfitteR	50	10	5.0	0.9	0.8930000	0.3092679	0
zinb	countfitteR	100	10	5.0	0.9	0.9880000	0.1089397	0
zinb	countfitteR	200	10	5.0	0.9	1.0000000	0.0000000	0
zinb	countfitteR	50	10	10.0	0.9	0.7830000	0.4124089	0
zinb	countfitteR	100	10	10.0	0.9	0.8420000	0.3649235	0
zinb	countfitteR	200	10	10.0	0.9	0.9260000	0.2619019	0
zinb	countfitteR	50	10	20.0	0.9	0.4090000	0.4918953	0
zinb	countfitteR	100	10	20.0	0.9	0.6540000	0.4759312	0
zinb	countfitteR	200	10	20.0	0.9	0.9190000	0.2729716	0
zinb	two-step	50	2	1.0	0.1	0.0679916	0.2518633	44
zinb	two-step	100	2	1.0	0.1	0.0720000	0.2586173	0
zinb	two-step	200	2	1.0	0.1	0.0520000	0.2221381	0
zinb	two-step	50	2	2.0	0.1	0.1007121	0.3011003	17
zinb	two-step	100	2	2.0	0.1	0.1121121	0.3156624	1
zinb	two-step	200	2	2.0	0.1	0.1220000	0.3274496	0
zinb	two-step	50	2	4.0	0.1	0.1499493	0.3572028	13
zinb	two-step	100	2	4.0	0.1	0.1490000	0.3562667	0
zinb	two-step	200	2	4.0	0.1	0.2200000	0.4144536	0
zinb	two-step	50	5	2.5	0.1	0.1011122	0.3016298	11
zinb	two-step	100	5	2.5	0.1	0.1880000	0.3909077	0
zinb	two-step	200	5	2.5	0.1	0.4330000	0.4957386	0
zinb	two-step	50	5	5.0	0.1	0.1285141	0.3348294	4

model	method	n	lambda	size	r	pow_mean	pow_sd	uncomputable
zinb	two-step	100	5	5.0	0.1	0.2270000	0.4191022	0
zinb	two-step	200	5	5.0	0.1	0.5500000	0.4977427	0
zinb	two-step	50	5	10.0	0.1	0.1440081	0.3512748	7
zinb	two-step	100	5	10.0	0.1	0.2350000	0.4242110	0
zinb	two-step	200	5	10.0	0.1	0.4780000	0.4997657	0
zinb	two-step	50	10	5.0	0.1	0.0170512	0.1295270	3
zinb	two-step	100	10	5.0	0.1	0.0230000	0.1499783	0
zinb	two-step	200	10	5.0	0.1	0.0170000	0.1293357	0
zinb	two-step	50	10	10.0	0.1	0.0030181	0.0548820	6
zinb	two-step	100	10	10.0	0.1	0.0070000	0.0834144	0
zinb	two-step	200	10	10.0	0.1	0.0000000	0.0000000	0
zinb	two-step	50	10	20.0	0.1	0.0000000	0.0000000	3
zinb	two-step	100	10	20.0	0.1	0.0010000	0.0316228	0
zinb	two-step	200	10	20.0	0.1	0.0000000	0.0000000	0
zinb	two-step	50	2	1.0	0.2	0.0760761	0.2652526	1
zinb	two-step	100	2	1.0	0.2	0.0770000	0.2667248	0
zinb	two-step	200	2	1.0	0.2	0.0780000	0.2683058	0
zinb	two-step	50	2	2.0	0.2	0.1130000	0.3167512	0
zinb	two-step	100	2	2.0	0.2	0.1000000	0.3001501	0
zinb	two-step	200	2	2.0	0.2	0.1900000	0.3924972	0
zinb	two-step	50	2	4.0	0.2	0.1661662	0.3724162	1
zinb	two-step	100	2	4.0	0.2	0.2030000	0.4024338	0
zinb	two-step	200	2	4.0	0.2	0.3480000	0.4765744	0
zinb	two-step	50	5	2.5	0.2	0.1750000	0.3801572	0
zinb	two-step	100	5	2.5	0.2	0.4450000	0.4972145	0
zinb	two-step	200	5	2.5	0.2	0.8530000	0.3542831	0
zinb	two-step	50	5	5.0	0.2	0.2170000	0.4124089	0
zinb	two-step	100	5	5.0	0.2	0.5180000	0.4999259	0
zinb	two-step	200	5	5.0	0.2	0.7700000	0.4210431	0
zinb	two-step	50	5	10.0	0.2	0.2280000	0.4197525	0
zinb	two-step	100	5	10.0	0.2	0.5230000	0.4997206	0
zinb	two-step	200	5	10.0	0.2	0.5080000	0.5001862	0
zinb	two-step	50	10	5.0	0.2	0.0310310	0.1734884	1
zinb	two-step	100	10	5.0	0.2	0.0190000	0.1365930	0
zinb	two-step	200	10	5.0	0.2	0.0050000	0.0705690	0
zinb	two-step	50	10	10.0	0.2	0.0090000	0.0944877	0
zinb	two-step	100	10	10.0	0.2	0.0010000	0.0316228	0
zinb	two-step	200	10	10.0	0.2	0.0000000	0.0000000	0
zinb	two-step	50	10	20.0	0.2	0.0000000	0.0000000	0
zinb	two-step	100	10	20.0	0.2	0.0000000	0.0000000	0
zinb	two-step	200	10	20.0	0.2	0.0000000	0.0000000	0
zinb	two-step	50	2	1.0	0.3	0.0680000	0.2518719	0
zinb	two-step	100	2	1.0	0.3	0.0660000	0.2484063	0
zinb	two-step	200	2	1.0	0.3	0.1080000	0.3105357	0
zinb	two-step	50	2	2.0	0.3	0.1030000	0.3041110	0
zinb	two-step	100	2	2.0	0.3	0.1420000	0.3492248	0
zinb	two-step	200	2	2.0	0.3	0.2400000	0.4272968	0
zinb	two-step	50	2	4.0	0.3	0.1580000	0.3649235	0
zinb	two-step	100	2	4.0	0.3	0.2260000	0.4184484	0
zinb	two-step	200	2	4.0	0.3	0.4730000	0.4995203	0
zinb	two-step	50	5	2.5	0.3	0.2740000	0.4462321	0
zinb	two-step	100	5	2.5	0.3	0.6640000	0.4725752	0

model	method	n	lambda	size	r	pow_mean	pow_sd	uncomputable
zinb	two-step	200	5	2.5	0.3	0.9220000	0.2683058	0
zinb	two-step	50	5	5.0	0.3	0.4330000	0.4957386	0
zinb	two-step	100	5	5.0	0.3	0.7540000	0.4308940	0
zinb	two-step	200	5	5.0	0.3	0.5950000	0.4911377	0
zinb	two-step	50	5	10.0	0.3	0.4100000	0.4920794	0
zinb	two-step	100	5	10.0	0.3	0.6330000	0.4822277	0
zinb	two-step	200	5	10.0	0.3	0.2310000	0.4216833	0
zinb	two-step	50	10	5.0	0.3	0.0350000	0.1838717	0
zinb	two-step	100	10	5.0	0.3	0.0140000	0.1175492	0
zinb	two-step	200	10	5.0	0.3	0.0040000	0.0631505	0
zinb	two-step	50	10	10.0	0.3	0.0060000	0.0772656	0
zinb	two-step	100	10	10.0	0.3	0.0000000	0.0000000	0
zinb	two-step	200	10	10.0	0.3	0.0000000	0.0000000	0
zinb	two-step	50	10	20.0	0.3	0.0000000	0.0000000	0
zinb	two-step	100	10	20.0	0.3	0.0000000	0.0000000	0
zinb	two-step	200	10	20.0	0.3	0.0000000	0.0000000	0
zinb	two-step	50	2	1.0	0.4	0.0580000	0.2338604	0
zinb	two-step	100	2	1.0	0.4	0.0640000	0.2448754	0
zinb	two-step	200	2	1.0	0.4	0.0980000	0.2974634	0
zinb	two-step	50	2	2.0	0.4	0.1210000	0.3262905	0
zinb	two-step	100	2	2.0	0.4	0.1240000	0.3297465	0
zinb	two-step	200	2	2.0	0.4	0.2690000	0.4436618	0
zinb	two-step	50	2	4.0	0.4	0.1630000	0.3695505	0
zinb	two-step	100	2	4.0	0.4	0.2310000	0.4216833	0
zinb	two-step	200	2	4.0	0.4	0.4740000	0.4995734	0
zinb	two-step	50	5	2.5	0.4	0.3970000	0.4895208	0
zinb	two-step	100	5	2.5	0.4	0.7840000	0.4117202	0
zinb	two-step	200	5	2.5	0.4	0.8520000	0.3552777	0
zinb	two-step	50	5	5.0	0.4	0.5950000	0.4911377	0
zinb	two-step	100	5	5.0	0.4	0.8120000	0.3909077	0
zinb	two-step	200	5	5.0	0.4	0.3490000	0.4768925	0
zinb	two-step	50	5	10.0	0.4	0.6030000	0.4895208	0
zinb	two-step	100	5	10.0	0.4	0.5820000	0.4934770	0
zinb	two-step	200	5	10.0	0.4	0.0730000	0.2602667	0
zinb	two-step	50	10	5.0	0.4	0.0690000	0.2535810	0
zinb	two-step	100	10	5.0	0.4	0.0200000	0.1400701	0
zinb	two-step	200	10	5.0	0.4	0.0000000	0.0000000	0
zinb	two-step	50	10	10.0	0.4	0.0070000	0.0834144	0
zinb	two-step	100	10	10.0	0.4	0.0000000	0.0000000	0
zinb	two-step	200	10	10.0	0.4	0.0000000	0.0000000	0
zinb	two-step	50	10	20.0	0.4	0.0000000	0.0000000	0
zinb	two-step	100	10	20.0	0.4	0.0000000	0.0000000	0
zinb	two-step	200	10	20.0	0.4	0.0000000	0.0000000	0
zinb	two-step	50	2	1.0	0.5	0.0450000	0.2074079	0
zinb	two-step	100	2	1.0	0.5	0.0330000	0.1787259	0
zinb	two-step	200	2	1.0	0.5	0.1060000	0.3079917	0
zinb	two-step	50	2	2.0	0.5	0.1000000	0.3001501	0
zinb	two-step	100	2	2.0	0.5	0.1160000	0.3203852	0
zinb	two-step	200	2	2.0	0.5	0.2840000	0.4511624	0
zinb	two-step	50	2	4.0	0.5	0.1630000	0.3695505	0
zinb	two-step	100	2	4.0	0.5	0.2360000	0.4248347	0
zinb	two-step	200	2	4.0	0.5	0.5040000	0.5002342	0

model	method	n	lambda	size	r	pow_mean	pow_sd	uncomputable
zinb	two-step	50	5	2.5	0.5	0.4840000	0.4999940	0
zinb	two-step	100	5	2.5	0.5	0.8100000	0.3924972	0
zinb	two-step	200	5	2.5	0.5	0.8370000	0.3695505	0
zinb	two-step	50	5	5.0	0.5	0.6790000	0.4670944	0
zinb	two-step	100	5	5.0	0.5	0.8090000	0.3932857	0
zinb	two-step	200	5	5.0	0.5	0.2410000	0.4279043	0
zinb	two-step	50	5	10.0	0.5	0.7000000	0.4584869	0
zinb	two-step	100	5	10.0	0.5	0.4960000	0.5002342	0
zinb	two-step	200	5	10.0	0.5	0.0120000	0.1089397	0
zinb	two-step	50	10	5.0	0.5	0.1320000	0.3386601	0
zinb	two-step	100	10	5.0	0.5	0.0300000	0.1706726	0
zinb	two-step	200	10	5.0	0.5	0.0000000	0.0000000	0
zinb	two-step	50	10	10.0	0.5	0.0060000	0.0772656	0
zinb	two-step	100	10	10.0	0.5	0.0000000	0.0000000	0
zinb	two-step	200	10	10.0	0.5	0.0000000	0.0000000	0
zinb	two-step	50	10	20.0	0.5	0.0010000	0.0316228	0
zinb	two-step	100	10	20.0	0.5	0.0000000	0.0000000	0
zinb	two-step	200	10	20.0	0.5	0.0000000	0.0000000	0
zinb	two-step	50	2	1.0	0.6	0.0380000	0.1912919	0
zinb	two-step	100	2	1.0	0.6	0.0390000	0.1936918	0
zinb	two-step	200	2	1.0	0.6	0.0720000	0.2586173	0
zinb	two-step	50	2	2.0	0.6	0.0700000	0.2552747	0
zinb	two-step	100	2	2.0	0.6	0.1060000	0.3079917	0
zinb	two-step	200	2	2.0	0.6	0.2100000	0.4075120	0
zinb	two-step	50	2	4.0	0.6	0.1370000	0.3440194	0
zinb	two-step	100	2	4.0	0.6	0.1960000	0.3971671	0
zinb	two-step	200	2	4.0	0.6	0.4550000	0.4982201	0
zinb	two-step	50	5	2.5	0.6	0.4780000	0.4997657	0
zinb	two-step	100	5	2.5	0.6	0.7910000	0.4067978	0
zinb	two-step	200	5	2.5	0.6	0.8690000	0.3375692	0
zinb	two-step	50	5	5.0	0.6	0.7110000	0.4535247	0
zinb	two-step	100	5	5.0	0.6	0.8270000	0.3784365	0
zinb	two-step	200	5	5.0	0.6	0.2020000	0.4016931	0
zinb	two-step	50	5	10.0	0.6	0.7600000	0.4272968	0
zinb	two-step	100	5	10.0	0.6	0.5090000	0.5001691	0
zinb	two-step	200	5	10.0	0.6	0.0150000	0.1216133	0
zinb	two-step	50	10	5.0	0.6	0.2650000	0.4415540	0
zinb	two-step	100	10	5.0	0.6	0.0370000	0.1888562	0
zinb	two-step	200	10	5.0	0.6	0.0180000	0.1330176	0
zinb	two-step	50	10	10.0	0.6	0.0270000	0.1621644	0
zinb	two-step	100	10	10.0	0.6	0.0010000	0.0316228	0
zinb	two-step	200	10	10.0	0.6	0.0020000	0.0446990	0
zinb	two-step	50	10	20.0	0.6	0.0060000	0.0772656	0
zinb	two-step	100	10	20.0	0.6	0.0020000	0.0446990	0
zinb	two-step	200	10	20.0	0.6	0.0000000	0.0000000	0
zinb	two-step	50	2	1.0	0.7	0.0270000	0.1621644	0
zinb	two-step	100	2	1.0	0.7	0.0290000	0.1678904	0
zinb	two-step	200	2	1.0	0.7	0.0490000	0.2159760	0
zinb	two-step	50	2	2.0	0.7	0.0670000	0.2501471	0
zinb	two-step	100	2	2.0	0.7	0.0660000	0.2484063	0
zinb	two-step	200	2	2.0	0.7	0.1310000	0.3375692	0
zinb	two-step	50	2	4.0	0.7	0.1010000	0.3014795	0

model	method	n	lambda	size	r	pow_mean	pow_sd	uncomputable
zinb	two-step	100	2	4.0	0.7	0.1440000	0.3512654	0
zinb	two-step	200	2	4.0	0.7	0.3030000	0.4597852	0
zinb	two-step	50	5	2.5	0.7	0.3410000	0.4742826	0
zinb	two-step	100	5	2.5	0.7	0.7090000	0.4544508	0
zinb	two-step	200	5	2.5	0.7	0.9100000	0.2863250	0
zinb	two-step	50	5	5.0	0.7	0.6960000	0.4602128	0
zinb	two-step	100	5	5.0	0.7	0.8790000	0.3262905	0
zinb	two-step	200	5	5.0	0.7	0.3790000	0.4853809	0
zinb	two-step	50	5	10.0	0.7	0.7840000	0.4117202	0
zinb	two-step	100	5	10.0	0.7	0.6070000	0.4886612	0
zinb	two-step	200	5	10.0	0.7	0.0400000	0.1960572	0
zinb	two-step	50	10	5.0	0.7	0.4390000	0.4965134	0
zinb	two-step	100	10	5.0	0.7	0.0840000	0.2775266	0
zinb	two-step	200	10	5.0	0.7	0.1000000	0.3001501	0
zinb	two-step	50	10	10.0	0.7	0.1230000	0.3286016	0
zinb	two-step	100	10	10.0	0.7	0.0620000	0.2412762	0
zinb	two-step	200	10	10.0	0.7	0.2280000	0.4197525	0
zinb	two-step	50	10	20.0	0.7	0.0210000	0.1434558	0
zinb	two-step	100	10	20.0	0.7	0.0410000	0.1983894	0
zinb	two-step	200	10	20.0	0.7	0.0820000	0.2745020	0
zinb	two-step	50	2	1.0	0.8	0.0190000	0.1365930	0
zinb	two-step	100	2	1.0	0.8	0.0100000	0.0995485	0
zinb	two-step	200	2	1.0	0.8	0.0240000	0.1531256	0
zinb	two-step	50	2	2.0	0.8	0.0460000	0.2095899	0
zinb	two-step	100	2	2.0	0.8	0.0340000	0.1813198	0
zinb	two-step	200	2	2.0	0.8	0.0750000	0.2635231	0
zinb	two-step	50	2	4.0	0.8	0.0490000	0.2159760	0
zinb	two-step	100	2	4.0	0.8	0.0720000	0.2586173	0
zinb	two-step	200	2	4.0	0.8	0.1730000	0.3784365	0
zinb	two-step	50	5	2.5	0.8	0.1900000	0.3924972	0
zinb	two-step	100	5	2.5	0.8	0.4570000	0.4983968	0
zinb	two-step	200	5	2.5	0.8	0.8480000	0.3592005	0
zinb	two-step	50	5	5.0	0.8	0.4900000	0.5001501	0
zinb	two-step	100	5	5.0	0.8	0.8390000	0.3677149	0
zinb	two-step	200	5	5.0	0.8	0.7720000	0.4197525	0
zinb	two-step	50	5	10.0	0.8	0.6680000	0.4711666	0
zinb	two-step	100	5	10.0	0.8	0.8620000	0.3450726	0
zinb	two-step	200	5	10.0	0.8	0.3000000	0.4584869	0
zinb	two-step	50	10	5.0	0.8	0.7490000	0.4338055	0
zinb	two-step	100	10	5.0	0.8	0.3640000	0.4813894	0
zinb	two-step	200	10	5.0	0.8	0.0090000	0.0944877	0
zinb	two-step	50	10	10.0	0.8	0.4510000	0.4978422	0
zinb	two-step	100	10	10.0	0.8	0.1620000	0.3686352	0
zinb	two-step	200	10	10.0	0.8	0.3880000	0.4875384	0
zinb	two-step	50	10	20.0	0.8	0.2420000	0.4285086	0
zinb	two-step	100	10	20.0	0.8	0.0990000	0.2988115	0
zinb	two-step	200	10	20.0	0.8	0.7400000	0.4388537	0
zinb	two-step	50	2	1.0	0.9	0.0100000	0.0995485	0
zinb	two-step	100	2	1.0	0.9	0.0040000	0.0631505	0
zinb	two-step	200	2	1.0	0.9	0.0080000	0.0891288	0
zinb	two-step	50	2	2.0	0.9	0.0120000	0.1089397	0
zinb	two-step	100	2	2.0	0.9	0.0170000	0.1293357	0

model	method	n	lambda	size	r	pow_mean	pow_sd	uncomputable
zinb	two-step	200	2	2.0	0.9	0.0150000	0.1216133	0
zinb	two-step	50	2	4.0	0.9	0.0170000	0.1293357	0
zinb	two-step	100	2	4.0	0.9	0.0300000	0.1706726	0
zinb	two-step	200	2	4.0	0.9	0.0260000	0.1592148	0
zinb	two-step	50	5	2.5	0.9	0.0570571	0.2320678	1
zinb	two-step	100	5	2.5	0.9	0.1180000	0.3227695	0
zinb	two-step	200	5	2.5	0.9	0.3230000	0.4678567	0
zinb	two-step	50	5	5.0	0.9	0.1301301	0.3366151	1
zinb	two-step	100	5	5.0	0.9	0.3400000	0.4739458	0
zinb	two-step	200	5	5.0	0.9	0.7610000	0.4266861	0
zinb	two-step	50	5	10.0	0.9	0.2352352	0.4243582	1
zinb	two-step	100	5	10.0	0.9	0.5900000	0.4920794	0
zinb	two-step	200	5	10.0	0.9	0.9250000	0.2635231	0
zinb	two-step	50	10	5.0	0.9	0.5533199	0.4973991	6
zinb	two-step	100	10	5.0	0.9	0.8690000	0.3375692	0
zinb	two-step	200	10	5.0	0.9	0.5660000	0.4958729	0
zinb	two-step	50	10	10.0	0.9	0.6723618	0.4695881	5
zinb	two-step	100	10	10.0	0.9	0.6410000	0.4799472	0
zinb	two-step	200	10	10.0	0.9	0.1480000	0.3552777	0
zinb	two-step	50	10	20.0	0.9	0.6844221	0.4649793	5
zinb	two-step	100	10	20.0	0.9	0.5200000	0.4998498	0
zinb	two-step	200	10	20.0	0.9	0.0690000	0.2535810	0

References

[1] Schneider J, Weiss R, Ruhe M, Jung T, Roggenbuck D, Stohwasser R, et al. Open source bioimage informatics tools for the analysis of DNA damage and associated biomarkers. Journal of Laboratory and Precision Medicine 2019;4:1–27. doi:10.21037/jlpm.2019.04.05.

[2] Redon CE, Nakamura AJ, Martin OA, Parekh PR, Weyemi US, Bonner WM. Recent developments in the use of γ-H2AX as a quantitative DNA double-strand break biomarker. Aging (Albany NY) 2011;3:168–74.

[3] Lomax ME, Folkes LK, O'Neill P. Biological consequences of radiation-induced DNA damage: Relevance to radiotherapy. Clinical Oncology (Royal College of Radiologists (Great Britain)) 2013;25:578–85. doi:10.1016/j.clon.2013.06.007.

[4] Nikolova T, Dvorak M, Jung F, Adam I, Krämer E, Gerhold-Ay A, et al. The γH2AX Assay for Genotoxic and Nongenotoxic Agents: Comparison of H2AX Phosphorylation with Cell Death Response. Toxicological Sciences 2014;140:103–17. doi:10.1093/toxsci/kfu066.

[5] Martin OA, Ivashkevich A, Choo S, Woodbine L, Jeggo PA, Martin RF, et al. Statistical analysis of kinetics, distribution and co-localisation of DNA repair foci in irradiated cells: Cell cycle effect and implications for prediction of radiosensitivity. DNA Repair 2013;12:844–55. doi:10.1016/j.dnarep.2013.07.002.

[6] Lim HK, Song J, Jung BC. Score tests for zero-inflation and overdispersion in two-level count data. Computational Statistics & Data Analysis 2013;61:67–82. doi:10.1016/j.csda.2012.11.006.

[7] Yang Z, Hardin JW, Addy CL. Testing overdispersion in the zero-inflated Poisson model. Journal of Statistical Planning and Inference 2009;139:3340–53. doi:10.1016/j.jspi.2009.03.016.

[8] Reddig A, Rübe CE, Rödiger S, Schierack P, Reinhold D, Roggenbuck D. DNA damage assessment and potential applications in laboratory diagnostics and precision medicine. Journal of Laboratory and Precision Medicine 2018;3. doi:10.21037/jlpm.2018.03.06.

[9] Ruhe M, Rabe D, Jurischka C, Schröder J, Schierack P, Deckert PM, et al. Molecular biomarkers of DNA damage in diffuse large-cell lymphomaa review. Journal of Laboratory and Precision Medicine 2019;4:5–5. doi:10.21037/jlpm.2019.01.01.

[10] Clingen PH, Wu JY-H, Miller J, Mistry N, Chin F, Wynne P, et al. Histone H2AX phosphorylation as a molecular pharmacological marker for DNA interstrand crosslink cancer chemotherapy. Biochemical Pharmacology 2008;76:19–27. doi:10.1016/j.bcp.2008.03.025.

[11] Raftery AE. Bayesian Model Selection in Social Research. Sociological Methodology 1995;25:111–63. doi:10.2307/271063.