

# Module 2, Assignment 3

Ellen Bledsoe

2022-10-04

## Assignment Details

### Purpose

The goal of this assignment is to practice developing successful workflows to get from the starting data to a plot.

### Task

Write R code which produces the correct answers and reflect on workflow.

### Criteria for Success

- Code is within the provided code chunks
- Code is commented with brief descriptions of what the code does
- Code chunks run without errors
- Code produces the correct result
  - Code that produces the correct answer will receive full credit
  - Code attempts with logical direction will receive partial credit
- Written answers address the questions in sufficient detail

### Due Date

October 11 at midnight MST

## Assignment Questions

Our goal for this assignment is to start with a data frame of data, summarize the data in constructive ways, and plot the data to answer some questions. To get from point a to point b to point c requires some planning.

In this assignment, we will make a plan, execute how we would actually go about the process, and then evaluate how well our original plan matches with the path we actually used.

## Data Summary

The aquaculture scientists on Team Antarctica have been working on developing a new diet for tilapia based on soy-protein, and they are interested in whether incorporating this into fish diets will result in faster growth rates. They also want to know if those growth rates are related to average tank temperature. They've provided us with this data to analyze.

First, let's take a look at the data we will be using for the assignment.

1. As always, we start by loading the **tidyverse**. (1 point)

```
library(tidyverse)

## -- Attaching packages ----- tidyverse 1.3.2 --
## v ggplot2 3.3.6      v purrr  0.3.4
## v tibble  3.1.8      v dplyr  1.0.9
## v tidyr   1.2.0      v stringr 1.4.0
## v readr   2.1.2      v forcats 0.5.1
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()    masks stats::lag()
```

2. Next, we need to load in our tilapia growth dataset. Call the data frame **growth**. Then use both the **head** and **tail** functions to take a look at the data. (1 point)

```
growth <- read_csv("../data/tilapia_growth.csv")

## Rows: 320 Columns: 5
## -- Column specification -----
## Delimiter: ","
## dbf (5): tank_id, fish_id, perc_soy_protein, day_30_weight, avg_tank_temp
##
## i Use 'spec()' to retrieve the full column specification for this data.
## i Specify the column types or set 'show_col_types = FALSE' to quiet this message.
```

```
head(growth)
```

```
## # A tibble: 6 x 5
##   tank_id fish_id perc_soy_protein day_30_weight avg_tank_temp
##   <dbl>   <dbl>         <dbl>         <dbl>         <dbl>
## 1     1     1           0.2           334.           77.2
## 2     1     2           0.2           198.           77.2
## 3     1     3           0.2           315.           77.2
## 4     1     4           0.2           316.           77.2
## 5     1     5           0.2            89.4           77.2
## 6     1     6           0.2            74.7           77.2
```

```
tail(growth)
```

```
## # A tibble: 6 x 5
##   tank_id fish_id perc_soy_protein day_30_weight avg_tank_temp
##   <dbl>   <dbl>         <dbl>         <dbl>         <dbl>
## 1     16     315           0.8          1228.           76.1
## 2     16     316           0.8           630.           76.1
## 3     16     317           0.8           508.           76.1
## 4     16     318           0.8           443.           76.1
## 5     16     319           0.8           495.           76.1
## 6     16     320           0.8          1078.           76.1
```

3. Before we can plan any strategy, we need to understand the data that we have. Answer the following questions about the data. (0.5 points each, 2 points total)
  - a. What does one row represent? (One tank? One temperature? One treatment? One fish?)
  - b. How many tanks of fish were sampled?
  - c. How many fish were sampled?
  - d. How many different “percent soy protein” levels (treatments) are there?

## Our Task

We have been asked by our aquaculture specialists to provide them with the following: a. a data frame with the average growth (`day_30_weight`) per treatment (`perc_soy_protein`) b. a scatter plot that shows the relationship (or lack thereof) between percent soy protein in the diet and the weight at 30 days c. a data frame with the average growth per treatment (`perc_soy_protein`) *and* if tanks are warm or cold d. a scatter plot that show the relationship (or lack thereof) between average tank temperature and the weight at 30 days

They’ve also asked that we provide all weights in kilograms instead of grams (the `day_30_weight` is currently in grams).

## Prediction

4. Spend some time thinking about each one of these steps. What steps will you need to take to produce the end result? What data frame will you use? What functions will you use?

For each of the 4 tasks listed above, *describe* (do NOT code) how you will get from the starting point (a data frame) to the result (another data frame or a plot).

This question will be grade ***only on completion***, not on whether or not your plan is *correct*. (2 points)

*Task (a):*

*Task (b):*

*Task (c):*

*Task (d):*

## Execution

Now let’s actually go ahead and complete our tasks with code.

Because the aquaculture team has asked for everything to use kilograms instead of grams, it makes sense for us to add a `day_30_weight_kg` column before we tackle any of the specific tasks.

5. Add a `day_30_weight_kg` column to the `growth` data frame. You can do this however you want, but using the `mutate()` column is likely the easiest route. (Hint: divide grams by 1000 to get kg)

Remember to “overwrite” the `growth` data frame (use the assignment operator) so the new column is permanently added to the `growth` data frame for us to use in the rest of the assignment. (2 points)

```
growth <- growth %>%  
  mutate(day_30_weight_kg = day_30_weight / 1000)
```

### Task (a)

**A data frame with the average growth (`day_30_weight_kg`) per treatment (`perc_soy_protein`)**

6. Create a new data frame called `growth_by_treatment`. We first want to group the data by treatment (`perc_soy_protein`) then calculate the average weight in kg. (2 points)

```
growth_by_treatment <- growth %>%  
  group_by(perc_soy_protein) %>%  
  summarize(mean_weight_kg = mean(day_30_weight_kg))  
growth_by_treatment
```

```
## # A tibble: 4 x 2  
##   perc_soy_protein mean_weight_kg  
##           <dbl>         <dbl>  
## 1             0.2             0.276  
## 2             0.4             0.441  
## 3             0.6             0.618  
## 4             0.8             0.829
```

### Task (b)


**A scatter plot that shows the relationship (or lack thereof) between percent soy protein in the diet and the weight at 30 days**

Based on the values we calculated in task (a), it looks like there is probably a positive relationship between the percent of soy protein in tilapia diet and growth. Let's plot the data to confirm.

7. Make a scatter plot with `perc_soy_protein` on the x-axis (horizontal) and `day_30_weight_kg` on the y-axis (vertical). Change the axis labels to be more easily understood. (1 point)

(Hint: because we want to plot *all* of the values, not just the mean values, we need to use the original `growth` data frame)

```
plot(x = growth$perc_soy_protein, y = growth$day_30_weight_kg,  
     xlab = "Percent Soy Protein in Diet", ylab = "Tilapia Weight at 30 Days (kg)")
```



### Task (c)

A data frame with the average growth per treatment (`perc_soy_protein`) *and* if tanks are warm or cold

- Before we can calculate averages based on whether tanks are warm or cold, let's create a new column called `tank_category` in the `growth` data frame. If the average tank temp is equal to or above 75 degrees, we want "warm" in the `tank_category` column; if it is below, we want "cold". (2 points)

You can accomplish this task however you would like (`if_else` function in a `mutate` function or a `for` loop).

Again, remember to use the assignment arrow to "overwrite" the `growth` data frame so we can save this new column to use later.

```
growth <- growth %>%
  mutate(tank_category = if_else(avg_tank_temp >= 75, "warm", "cold"))
```

- Now that we have our `tank_category` column, we can use it in our `group_by` function, along with `perc_soy_protein`, to calculate the average `day_30_weight_kg` for warm and cold tanks in each treatment. Call this new data frame `growth_by_temp_treatment`. (2 points)

```
growth_by_treatment_and_temp <- growth %>%
  group_by(perc_soy_protein, tank_category) %>%
  summarise(mean_weight_kg = mean(day_30_weight_kg))
```

```
## 'summarise()' has grouped output by 'perc_soy_protein'. You can override using
## the '.groups' argument.
```

```
growth_by_treatment_and_temp
```

```
## # A tibble: 8 x 3
## # Groups:   perc_soy_protein [4]
##   perc_soy_protein tank_category mean_weight_kg
##           <dbl> <chr>           <dbl>
## 1             0.2 cold             0.279
## 2             0.2 warm             0.272
## 3             0.4 cold             0.420
## 4             0.4 warm             0.448
## 5             0.6 cold             0.617
## 6             0.6 warm             0.620
## 7             0.8 cold             0.824
## 8             0.8 warm             0.833
```

#### Task (d)


**A scatter plot that show the relationship (or lack thereof) between average tank temperature and the weight at 30 days**

Based on our results above, do we think the tank being warm or cold has much of an influence? Let's plot our data to confirm.

10. Make a scatter plot with `avg_tank_temp` on the x-axis (horizontal) and `day_30_weight_kg` on the y-axis (vertical). Change the axis labels to be more easily understood. (1 point)

(Hint: because we want to plot *all* of the values, not just the mean values, we need to use the original `growth` data frame)

```
plot(x = growth$avg_tank_temp, y = growth$day_30_weight_kg,
     xlab = "Average Tank Temperature (F)", ylab = "Tilapia Weight at 30 Days (kg)")
```



As we suspected, there does not seem to be a relationship between tank temperature and weight.

## Reflection

11. Write 3-5 sentences about if and how your predictions and execution differed and what you learned through the process. (4 points)

*Examples of questions to answer: How did your initial prediction of how you expected to accomplish the 4 tasks match up with how we actually went about doing it? Were they similar? Were there common mistakes that you made beforehand? Did you plan a different execution from what we did above that you think would also work?*