

Please refer to the Assignment rules document.

Exercise 1 (20/100)

Consider the quadratic function $f : \mathbb{R}^2 \rightarrow \mathbb{R}$ defined as:

$$f(\mathbf{x}) = 7x^2 + 4xy + y^2 \quad (1)$$

where $\mathbf{x} = (x, y)^T$.

1. Write this function in canonical form, i.e. $f(\mathbf{x}) = \frac{1}{2}\mathbf{x}^T \mathbf{A} \mathbf{x} - \mathbf{b}^T \mathbf{x} + c$, where \mathbf{A} is a symmetric matrix.
2. Describe briefly how the Conjugate Gradient (CG) Method works and discuss whether it is suitable to minimize f from equation (1). Explain your reasoning in detail (**max. 30 lines**).

Exercise 3 (20/100)

Consider the following constrained minimization problem for $\mathbf{x} = (x, y, z)^T$

$$\begin{aligned} \min_{\mathbf{x}} f(\mathbf{x}) &:= -3x^2 + y^2 + 2z^2 + 2(x + y + z) \\ \text{subject to } c(\mathbf{x}) &= x^2 + y^2 + z^2 - 1 = 0 \end{aligned} \quad (2)$$

Write down the Lagrangian function and derive the KKT conditions for (2).

Exercise 3 (60/100)

1. Read the chapter on Simplex method, in particular the section 13.3 The Simplex Method, in Numerical Optimization, Nocedal and Wright. Explain how the method works, with a particular attention to the search direction.
2. Consider the following constrained minimization problem, $\mathbf{x} = (x_1, x_2)^T$:

$$\min_{\mathbf{x}} f(\mathbf{x}) := 4x_1 + 3x_2 \quad (3)$$

subject to:

$$\begin{aligned} 6 - 2x_1 - 3x_2 &\geq 0 \\ 3 + 3x_1 - 2x_2 &\geq 0 \\ 5 - 2x_2 &\geq 0 \\ 4 - 2x_1 - x_2 &\geq 0 \\ x_2 &\geq 0 \\ x_1 &\geq 0 \end{aligned}$$

- (a) Sketch the feasible region for this problem.
- (b) Which are the basic feasible points of the problem (3)? Compute them by hand using the geometrical interpretation and find the optimal point \mathbf{x}^* that minimizes f subject to the constraints.
- (c) Prove that the first order necessary conditions holds for the optimal point.