

Math Meets Money

The intersection of combinatorics and finance for portfolio optimization and risk assessment

Blake Marterella

Monday 22nd April, 2024

Abstract

In this study we will explore the intersection of combinatorics and finance, specifically how graph theory can be used to optimize and assess risk in a stock portfolio. Using various theorem's and definitions in graph theory, we will analyze the composition of a portfolio to determine low risk, medium risk, and high risk holdings along with how the correlation between various stocks. Applying mathematics to finance allows individuals to make more informed trades and mitigate risks by gaining insight to the mathematical signifigance of a stock price on any given day. A sample portfolio is introduced in this study, along with 4 years of historical stock data, but the concepts explored extend beyond this sample. The goal of this paper is to provide a theoretical framework for understanding portfolio optimization and risk assessment using advanced mathematical tools that can be applicable to any portfolio.

Contents

1	Introduction	2
1.1	Brief History	2
1.2	Interest	2
1.3	Motivation	2
2	Background	2
2.1	Data Collection	2
2.2	Data Processing	3
3	Portfolio Optimization	4
3.1	Optimization and Diversification Using Extremal Graph Theory	4
3.1.1	Application of Extremal Graph Theorem	4
3.1.2	Integration with Spearman's Rank Coefficient	4
4	Risk Management	4
5	Holding Vizualization	5
6	Conclusion	5
6.1	Future Development	5
	Appendices	6
A	Code	6
A.1	Import Historical Stock Data	6
A.2	Import Historical Stock Data for Portfolio	6
A.3	Pearson Correlation Coefficient and Correlation Matrix Graph	7

1 Introduction

1.1 Brief History

Mathematics has always been a powerful tool for humans to discover and describe seemingly complex patterns in the natural world. From the ancient days of arithmetic used to facilitate trade to the complex algorithms governing modern financial markets, mathematics has been an indispensable tool. The pivotal moment in the incorporation of mathematics into finance occurred in 1654 when two great mathematicians, Blaise Pascal and Pierre de Fermat, developed probability theory to help predict the outcome of gambling [KD2010]. The ideas introduced in 1654 would evolve and help create the first automated trading system in 1949. Richard Donchian founded a commodity fund that used rule-based trading to execute trades based on moving averages in the market [LS2023]. These early pioneers set the stage for a mathematical framework that would evolve into critical financial theories such as portfolio optimization, diversification, and risk management. In 2023, over 50% of all trades in the US stock market were executed by algorithms [LS2023]. A critical tool in financial analysis is graph theory which can be used to represent the relationships between various stocks in a portfolio and help investors make more informed decisions.

1.2 Interest

The integration of combinatorics and finance, especially by the use of graph theory, is interesting for two main reasons. First, it provides a more comprehensive view to the correlations and diversification within a financial portfolio. Graph theory translates complex market dynamics into comprehensible, manageable models, allowing investors to visualize portfolio holdings in a new perspective and make informed decisions. Secondly, with the strategic application of graph theory, any individual's holdings can be optimized in such a way that investments remain not only sound but also resilient against market volatilities. With the proper mathematical tools, any investor can have the power to make informed decisions just as large investment firms do.

1.3 Motivation

This study aims to democratize the complex mathematical strategies that find their place in financial markets so that more accessible knowledge and strategies are found for a more open audience. Though such advanced models have long been in use by large investment firms or hedge funds, it certainly would be of great value to put this kind of information in the hands of small investors. Through the examination of foundational concepts of graph theory and finance, this paper seeks to prepare the reader with the tools of understanding and engaging actively with their investment strategies.

The field of quantitative graph theory is rapidly expanding and encapsulating fields such as machine learning, graph algorithms, and quantitative analysis [MSFEYS2017]. This study serves as foundational and prerequisite knowledge to apply more complex analysis on financial data. By exploring the basics and providing access to historical stock data, individuals can become powerful and successful independent traders.

2 Background

2.1 Data Collection

For the purpose of this paper, I took the time to develop a custom API that allows me to quickly export historical data for a given stock [BM2024]. The API contains an endpoint that allows users to generate a CSV file for any given stock ticker and date range, providing 20 years of historical data. The csv file is loaded into a Pandas dataframe with the following fields:

- **Date** - The date of the stock price.
- **Open** - The opening price of the stock on that date.
- **High** - The highest price the stock reached on that date.
- **Low** - The lowest price the stock reached on that date.
- **Close** - The closing price of the stock on that date.
- **Volume** - The number of shares traded on that date.

To enforce the concepts introduced in the paper, we will simulate a sample stock portfolio that contains 30 stocks from the DOW 30¹. The API endpoint is used to pull a CSV file, hereby referred to as a dataset, for each

¹The Dow Jones Industrial Average was selected because it is a relatively small list yet it is one of the most popular metrics to benchmark the stock exchange[DC2018]

stock in the portfolio that contains data from the past 4 years², along with the fields mentioned above.

2.2 Data Processing

Before continuing, it is important to understand how a graph can be constructed to represent using the datasets. Each stock within our portfolio will be represented as a vertex and the relationship between each stock will be represented as an edge. These edges can be drawn using many different relationships depending on what your graph is attempting to convey, such as: edges connecting companies in the same sector, edges connecting companies with similar market capitalization, etc. For the purpose of this study, each edge will be the correlation factor between stocks.

Definition 2.1 (Pearson Correlation Coefficient)

$$r = \frac{\sum_{i=1}^n (X_i - \bar{X})(Y_i - \bar{Y})}{\sqrt{\sum_{i=1}^n (X_i - \bar{X})^2} \sqrt{\sum_{i=1}^n (Y_i - \bar{Y})^2}}$$


The Pearson Correlation Coefficient, denoted as r , is a measure of the linear relationship between two variables. In the context of this study, r is the correlation between 2 stocks' closing price over a 4 year period. X_i and Y_i is the closing price of stock x and stock y on day i . \bar{X} and \bar{Y} is the average closing price of stock x and stock y over the 4 year period. In the formula above, the numerator calculates the covariance between 2 stocks and the denominator uses product of stock x and stock y 's standard deviation. The result is a number between -1 and 1, where -1 is a perfect negative linear relationship (as X increases, Y decreases), 1 is a perfect positive linear relationship (as X increases, Y increases), and 0 represents no linear relationship (there is no way X can predict Y) [ST2024].

Using the datasets in our portfolio, r is calculated for each pair of stocks. The result is a correlation matrix. The table below shows a subsection of our correlation matrix using 4 stocks. Note that, the correlation for a stock with itself is always 1.0.

	AXP	AMGN	DIS	DOW
AXP	1	0.160404	0.553888	0.586814
AMGN	0.160404	1	0.141811	0.192764
DIS	0.553888	0.141811	1	0.463608
DOW	0.586814	0.192764	0.463608	1

Figure 1 depicts a graph constructed with the correlation matrix that allows us to visualize the relationships between stocks in the portfolio using a color scale. Although the information presented is not usable, it provides a foundation for the application of graph theory in portfolio management.

Figure 1: Correlation Matrix Graph showing the relationships between 30 stocks in our sample portfolio



²The number, 4 years of DOW 30 historical data, was selected because it accounts for various financial markets

3 Portfolio Optimization

3.1 Optimization and Diversification Using Extremal Graph Theory

Extremal Graph Theory provides a theoretical framework to understand the boundaries within which a portfolio can be diversified by analyzing the structure of correlations as a graph. By representing each stock as a vertex and the significant Spearman Rank correlations between them as edges, one can apply Extremal Graph Theory to ensure an optimally diversified portfolio.

3.1.1 Application of Extremal Graph Theorem

The theorem can be particularly useful in preventing over-concentration of correlated assets, thus enhancing the robustness of the portfolio against market volatility. The theorem states:

Let G be a graph with n vertices and m edges. If G does not contain a subgraph isomorphic to K_{r+1} , then :

$$m \leq \frac{r}{2}(n-1)$$

Interpretation for Financial Portfolios In the context of a stock portfolio, avoiding a subgraph K_{r+1} means ensuring that no group of $r+1$ stocks are all heavily correlated with each other. This helps in spreading out the investment risk by limiting the number of direct correlations any single stock has within the portfolio, thus achieving a higher degree of diversification.

3.1.2 Integration with Spearman's Rank Coefficient

The Spearman's Rank Coefficient is utilized to define the edges of the graph, where each edge represents a significant correlation between the ranks of the stock prices. By setting a threshold for Spearman's correlation coefficient, financial analysts can selectively create edges between stocks that have a high degree of correlation. These correlations, when analyzed under the constraints of Extremal Graph Theory, aid in understanding and controlling the structure of dependencies within the portfolio.

Practical Implementation Consider a portfolio with 30 stocks. If our goal is to prevent any subset of 5 stocks from being mutually interconnected, we apply the theorem as follows:

$$r = 4 \quad (\text{since } K_5 \text{ contains 5 vertices})$$

$$m \leq \frac{4}{2}(30-1) = 58$$

This calculation indicates that to maintain a diversified portfolio, one should aim for no more than 58 significant pairwise correlations among the stocks.

By applying Extremal Graph Theory in conjunction with Spearman's Rank Correlation, portfolio managers can strategically structure their asset allocations to minimize systemic risk and enhance returns, all while maintaining compliance with diversification requirements.

- Theoretical Framework: Explain the extremal graph theorem.
- Application: Demonstrate how this theorem can predict the maximum or minimum number of edges under certain conditions, which translates to understanding the limits of diversification in a portfolio.
- Examples: Provide hypothetical examples of portfolios and how the theorem applies.

4 Risk Management

Coloring algorithms for risk assesment and management

- Concept Introduction: Explain what graph coloring is and the significance of using different colors.
- Implementation: How coloring can be used to represent different levels of risk or different asset classes.
- Practical Example: A case study where coloring helps in decision-making about asset allocation or identifying over-concentrated sectors

5 Holding Vizualization

Correlation Graphs for Portfolio Holdings

- Graph Construction: Discuss how to build a graph where vertices represent assets and edges represent correlations between returns.
- Analysis Techniques: Use threshold levels to add/remove edges or use weights to show the strength of correlations.
- Visualization: Include a section on how these graphs can visually represent portfolio diversification and the interconnections between assets.

6 Conclusion

- Summary: Recap how graph theory enhances portfolio management.
- Future Directions: Suggest how further research could integrate other combinatorial techniques or advanced graph theory concepts.
- Open Problems: Pose any unresolved questions or potential for new research that your paper hints at.

6.1 Future Development

References

- [KD2010] K. Devlin, *The Pascal-Fermat Correspondance*, Mathematics Teacher, Vol. 103 **No. 8**, National Council of Teachers of Mathematics (2010), 580-582.
- [LS2023] L. Smigel, *Algorithmic Trading History: A Breif Summary*, Analyzing Alpha (2023).
- [MSFEYS2017] M. Dehmer, S. Emmert-Streib, Y. Shi, *Quantitative Graph Theory*, Information Sciences, Vol. 418 **Issue C**, Association for Computing Machinery Digital Library (2017).
- [ST2024] S. Turney, *Pearson Correlation Coefficient*, Scribbr (2024).
- [DC2018] D. Caplinger, *How Often Do Dow Stocks Get Replaced*, The Motley Fool (2018).
- [BM2024] B. Marterella *Stock Market API*, marterella.com (2024).

Appendices

A Code

Note that the code below was modified from its original form to only show the relevant information. For example, function docstrings, input validation, etc. have been removed for brevity.

A.1 Import Historical Stock Data

```
def get_stock_data(ticker, start=None, end=None):
    url = f"{BASE_URL}historical-stock-data"
    params = {
        "symbol": ticker,
        "start": start,
        "end": end,
        "datatype": "json"
    }
    response = requests.get(url, params=params)

    if response.status_code == 200:
        data = response.json()
        json_data = json.loads(data['data'])

        # Load the JSON data into a Pandas DataFrame
        df = pd.DataFrame(json_data)
        df['date'] = pd.to_datetime(df['date'])

        # Ensure the directory exists and save CSV
        os.makedirs(os.path.dirname(path), exist_ok=True)
        df.to_csv(path, index=False)

        return df
    else:
        print("Failed to fetch data. Status code:", response.status_code)
        return None
```

A.2 Import Historical Stock Data for Portfolio

```
def get_portfolio_data(tickers):
    portfolio_data = {}

    for ticker in tickers:
        start = datetime(year=2020, month=4, day=25).strftime('%Y-%m-%d')
        end = datetime(year=2024, month=4, day=24).strftime('%Y-%m-%d')
        ticker_df = get_stock_data(ticker, start=start, end=end)

        if ticker_df.empty:
            print(f"Failed to fetch data for {ticker}!")
            break
        else:
            portfolio_data[ticker] = ticker_df

    # Return dictionary of stock data
    return portfolio_data
```

A.3 Pearson Correlation Coefficient and Correlation Matrix Graph

```
def generate_correlation_matrix(portfolio_data):
    returns = {name: df['close'].pct_change() for name, df in portfolio_data.items()}
    returns_df = pd.DataFrame(returns)

    correlation_matrix = returns_df.corr(method='pearson')

    threshold = -1
    G = nx.Graph()
    for stock1 in correlation_matrix.columns:
        for stock2 in correlation_matrix.index:
            if stock1 != stock2 and correlation_matrix.loc[stock1, stock2] > threshold:
                G.add_edge(stock1, stock2, weight=correlation_matrix.loc[stock1, stock2])

    # position nodes
    pos = nx.spring_layout(G, k=0.2, scale=1)

    # Generate edge colors based on weight
    weights = [G[u][v]['weight'] for u,v in G.edges()]
    edges = G.edges()
    edge_colors = plt.cm.viridis((np.array(weights) - min(weights)) /
                                  (max(weights) - min(weights)))

    fig, ax = plt.subplots() # Create a figure and an axes.

    # Drawing nodes
    nx.draw_networkx_nodes(G, pos, node_color='skyblue', node_size=700, ax=ax)

    # Drawing edges with colormap
    nx.draw_networkx_edges(G, pos, edgelist=edges, edge_color=edge_colors, ax=ax)

    # Drawing labels
    nx.draw_networkx_labels(G, pos, ax=ax)

    # Color bar settings
    sm = plt.cm.ScalarMappable(cmap=plt.cm.viridis,
                               norm=plt.Normalize(vmin=min(weights), vmax=max(weights)))
    sm.set_array([])
    # Link the colorbar to the axes
    cbar = plt.colorbar(sm, ax=ax, orientation='vertical')
    cbar.set_label('Correlation Strength')

    plt.axis('off')
    plt.show()
```