

Rainbow trout

ALLER PERFORMA, 1.3-1.5 MM

Fry Feed



DECLARATION

| | 1.3 mm | 1.5 mm |
|------------------------|--------|--------|
| Crude protein (%) | 48 | 48 |
| Crude fat (%) | 21 | 21 |
| NFE (%) | 13,2 | 13,2 |
| Ash (%) | 8,7 | 8,7 |
| Fibre (%) | 1,1 | 1,1 |
| P (%) | 1,2 | 1,2 |
| Gross energy (MJ) | 22,1 | 22,1 |
| Digestible energy (MJ) | 20,0 | 20,0 |

COMPOSITION

Raw materials listed alphabetically. The full composition will appear on the label

blood products, fish meal, fish oil, grain products, krill meal, marine by-products, vegetable oils, vegetable proteins, vitamins and minerals.

RECOMMENDED FEEDING LEVELS

Kg feed per 100 kg fish per day

| Fish (g) | MM | Water temperature (°C) | | | | | | | | |
|----------|-----|------------------------|------|------|------|------|------|------|------|------|
| | | 2 | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 |
| 2-7 | 1.3 | 0,82 | 1,1 | 1,37 | 1,64 | 2,05 | 2,46 | 2,63 | 2,74 | 2,57 |
| 7-15 | 1.5 | 0,7 | 0,93 | 1,16 | 1,4 | 1,75 | 2,1 | 2,23 | 2,33 | 2,19 |

ENVIRONMENTAL IMPACT WITH EXEMPLARY FEED CONVERSION RATIOS

Figures are per 100 kg fish production

| | 1.3 mm | | | 1.5 mm | | |
|------------------|--------|------|------|--------|------|------|
| Feed conversion | 0,6 | 0,7 | 0,8 | 0,7 | 0,8 | 0,9 |
| N in faeces (kg) | 0,28 | 0,32 | 0,27 | 0,32 | 0,37 | 0,41 |
| N in water (kg) | 1,58 | 2,3 | 3,03 | 2,3 | 3,03 | 3,75 |
| P in faeces (kg) | 0,2 | 0,23 | 0,26 | 0,23 | 0,26 | 0,3 |
| P in water (kg) | 0,1 | 0,19 | 0,28 | 0,19 | 0,28 | 0,37 |

ENVIRONMENTAL IMPACT MEASURED IN CO₂-EQ

Figures are in CO₂-equivalents (kg/kg feed)

| | 1.3 mm | 1.5 mm |
|--|-----------|-----------|
| CO ₂ -eq. with land use change | 1,46-1,65 | 1,46-1,65 |
| CO ₂ -eq. without land use change | 1,19-1,31 | 1,19-1,31 |