

Lunyr 크라우드세일 안내



Parity and MyEtherWallet

목차

Lunyr 클라우드세일 안내	3
본 안내를 읽기에 앞서:	3
요구 사항	3
클라우드세일 개요	4
안내 - 첫 단계부터 시작하기	5
단계 1: Parity 또는 Mist 용 전체 안내 선택	5
Lunyr 클라우드세일 Parity 안내	5
단계 1: Parity 최신 버전 설치	5
단계 2: Parity 응용프로그램 실행	5
단계 3: 이미 계좌가 있지 않다면, 계좌를 생성하세요	6
단계 4: Parity 에서 만든 계좌로 에테르 받기	11
단계 5: 설정에서 "CONTRACTS(계약)" 탭 활성화	12
단계 6: LUN 토큰 계약 확인	13
ENTER CONTRACT DETAILS(계약 상세 정보 입력) 내 다음 정보를 입력하세요	14
단계 7: 토큰 계약에서 생성() 기능 실행	16
단계 8: LUN 잔고 확인	20
경험 있는 참가자를 위한 Lunyr 클라우드세일 MyEtherWallet 안내	22
단계 1: LUN 토큰 계약 접근	22
다음 양식 정보를 입력하세요	22
단계 2: 토큰 계약에서 생성 기능 실행	23
단계 3: LUN 구매에 사용할 ETH 금액 승인	24
단계 4: LUN 잔고 확인	26

Lunyr 클라우드세일 안내

본 안내를 읽기에 앞서:

본 클라우드세일에 참여함으로써 귀하는 다음에 동의합니다:

- 나는 Lunyr 플랫폼을 이해한다. 나는 [Lunyr 백서](#), [위험 공시\(서류 1\)](#) 및 기타 Lunyr 가 공개한 자료를 읽었다.
- 나는 [이용 약관과 개인 정보 보호 정책](#)을 이해하고 동의한다
- 나는 [사전 판매 구매 계약서](#)를 이해하고 동의한다

중요 사항

- 에테르(ETH)를 가상 화폐 거래소에서 곧바로 LUN 토큰 계약 주소에 보내지 마십시오. 보내지지 않습니다. 참여하려면 Parity 또는 Mist 에서 생성한 개인 계좌에서 ETH 를 보내야 합니다.
- 에테르(ETH)를 귀하의 이더리움 계좌에서 곧바로 LUN 토큰 계약 주소에 보내지 마십시오. 반드시 다음 안내를 따라 생성() 기능을 수행하시기 바랍니다.
- 비트코인(BTC)을 LUN 토큰 계약 주소에 보내지 마십시오.
- Lunyr 클라우드세일에는 오직 ETH 만 허용됩니다
- 안내를 따르십시오.
- 이더리움 계좌 정보를 안전하게 보관하십시오.
- 에테르를 보낼 토큰 주소를 다시 한 번 확인하십시오
- 안내를 계속 따르기 전에 블록체인을 완전히 동기화할 것을 권장합니다.
- 참여하려면 먼저 반드시 ETH 를 소지하고 있어야 합니다.

요구 사항

참여하려면 다음이 필요합니다:

1. 지갑 신청

- a. Parity 또는 Mist 사용을 권장합니다.
- b. 클라우드세일 시작 전에 이더리움 블록체인이 완전히 동기화되었는지 확인하십시오. Parity 와 Mist 는 실행 중에 자동으로 블록체인을 동기화합니다.

2. 개인 소유의 이더리움 계좌. 반드시 개인 키 또는 키 파일에 대한 제어권을 가지고 있어야 합니다.

- 공지: 가상 화폐 거래소에 계좌이 있을 경우 개인 키 또는 키 파일에 대한 실질적인 제어권을 가지고 있지 못합니다. 반드시 Parity 또는 Mist 를 통해 이더리움 계좌를 생성한 뒤, 가상 화폐 거래소 계좌에서 그 계좌로 ETH 를 이체하십시오.

- Parity 또는 Mist 를 이용해 이더리움 계좌 생성 시 키 파일은 컴퓨터의 기본 디렉토리에 저장됩니다. 기본 키 파일 디렉토리는 이곳에서 확인하십시오:

- [Mist](#)
- [Parity](#)

3. 에테르 (ETH)

- 가상 화폐 거래소에 계좌를 등록하고 법정 화폐(예: 달러, 유로, 위안)로 ETH 를 구매할 수 있습니다.

Lunyr 토큰 주소와 ABI 는 이곳에서 확인할 수 있습니다:

https://github.com/Lunyr/crowdsale-contracts/blob/master/contract_info.txt

크라우드세일 개요

시작 블록	3,440,760
시작 시간	3 월 29 일 16:30 UTC
크라우드세일 기간:	3 월 29 일 ~ 4 월 26 일 (4 주)
에테르당 LUN 구매:	에테르당 44LUN
최소 에테르:	25,000ETH
크라우드세일 LUN 최소 한도:	1,100,000LUN
최대 에테르 (cap):	250,000ETH
크라우드세일 LUN 최대 한도:	11,000,000LUN

안내 - 첫 단계부터 시작하기

단계 1: Parity 또는 Mist 용 전체 안내 선택

1. [Parity](#)
2. [MyEtherWallet](#)

Lunyr 클라우드세일 Parity 안내

단계 1: Parity 최신 버전 설치

컴퓨터에 반드시 Parity 최신 버전을 설치하세요.

Parity 최신 버전은 이곳에서 다운로드하실 수 있습니다:


<https://parity.io/parity.html>

단계 2: Parity 응용프로그램 실행

Parity 바로가기를 더블클릭하세요. Parity 가 실행되고 있는지 확인하세요. Parity 는 실행 중 자동으로 동기화를 진행합니다.




인터넷 브라우저에서 <http://127.0.0.1:8180>으로 이동하세요. 다음을 보실 수 있습니다:



단계 3: 이미 계좌가 있지 않다면, 계좌를 생성하세요

계좌의 비밀번호를 반드시 기억하세요. Parity 에 이미 계좌를 가지고 계시지 않다면, 이 화면을 보시게 될 것입니다.



NEXT 를 클릭하세요. 약관을 읽고 "I accept these terms and conditions(나는 이 약관에 동의합니다)"를 클릭한 뒤 NEXT 를 클릭하세요.

TERMS

1 welcome

2 terms

3 new account

4 recovery

5 completed

All disputes or claims arising out of, relating to, or in connection with the Terms, the breach thereof, or use of Parity shall be finally settled under the Rules of Arbitration of the International Chamber of Commerce by one or more arbitrators appointed in accordance with said Rules. All claims between the parties relating to these Terms that are capable of being resolved by arbitration, whether sounding in contract, tort, or otherwise, shall be submitted to ICC arbitration. Prior to commencing arbitration, the parties have a duty to negotiate in good faith and attempt to resolve their dispute in a manner other than by submission to ICC arbitration. The arbitration panel shall consist of one arbitrator only, unless the ICC Court of Arbitration determines that the dispute is such as to warrant three arbitrators. If the Court determines that one arbitrator is sufficient, then such arbitrator shall be a UK resident. If the Court determines that three arbitrators are necessary, then each party shall have 30 days to nominate an arbitrator of its choice - in the case of the Claimant, measured from receipt of notification of the ICC Court's decision to have three arbitrators; in the case of Respondent, measured from receipt of notification of Claimant's nomination. All nominations must be UK residents. If a party fails to nominate an arbitrator, the Court will do so. The Court shall also appoint the chairman. All arbitrators shall be and remain "independent" of the parties involved in the arbitration. The place of arbitration shall be England, United Kingdom. The language of the arbitration shall be English. In deciding the merits of the dispute, the tribunal shall apply the laws of England and Wales and any discovery shall be limited and shall not involve any depositions or any other examinations outside of a formal hearing. The tribunal shall not assume the powers of amiable compositeur or decide the case ex aequo et bono. In the final award, the tribunal shall fix the costs of the arbitration and decide which of the parties shall bear such costs in what proportion. Every award shall be binding on the parties. The parties undertake to carry out the award without delay and waive their right to any form of recourse against the award in so far as such waiver can validly be made.

Additional Terms for Enterprise Use

If you are a business entity, then the individual accepting on behalf of the entity (for the avoidance of doubt, for business entities, in these Terms, "you" means the entity) represents and warrants that he or she has the authority to act on your behalf, that you represent that you are duly authorized to do business in the country or countries where you operate, and that your employees, officers, representatives, and other agents accessing EthCore's Products are duly authorized to access Parity and to legally bind you to these Terms.

Subject to these Terms and subject to the Software Licence Terms, EthCore grants you a non-exclusive, non-transferable licence to install and use Parity solely on machines intended for use by your employees, officers, representatives, and agents in connection with your business entity, and provided that their use of EthCore will be subject to these Terms and EthCore's Products software licence terms.

☒ I accept these terms and conditions

→ NEXT

Parity//v1.6.3-beta-ccc5732-20170314/x86_64-windows-msvc/rustc1.15.1 Capable3,402,084 best block HOMESTEAD 0/25/25 peers

이제 아래 화면이 나타납니다:

NEW ACCOUNT

1 welcome 2 terms 3 new account 4 recovery 5 completed

account name
descriptive name for the account
you need to specify a valid name

password hint
(optional) a hint to help with remembering the password

password
a strong, unique password

password (repeat)
verify your password


password strength
Use a few words, avoid common phrases No need for symbols, digits, or uppercase letters

CREATE


Parity/v1.6.3-beta-ccc5732-20170314/x86_64-windows-msvc/rustc1.15.1 Capable 3,402,087 best block HOMESTEAD 0/25/25 peers

새 계좌를 만드세요. 계좌 이름과 비밀번호 힌트(선택), 비밀번호 정보를 입력한 뒤 NEXT 를 클릭하세요. 완료 화면이 나올 때까지 다음 화면들을 읽으며 계속 진행하세요.

"ACCOUNTS(계좌)" 탭을 클릭하세요. 소유 계좌가 나타납니다.



계좌를 클릭해 자세한 정보를 확인하세요. 아래에 빨간색으로 표시된 부분이 이더리움 계좌 주소입니다:



단계 4: Parity 에서 만든 계좌로 에테르 받기

에테르를 구매하려면 아래 과정이 필요합니다


1. 가상 화폐 거래소에 계좌를 등록하세요
 - a. [이곳](#)에서 거래소 목록을 확인하실 수 있습니다
2. 가상 화폐 거래소 계좌에 돈을 예치하세요
3. ETH 를 구매하세요
4. ETH 를 Parity 이더리움 계좌 주소로 이체하세요
5. 이제 Parity 이더리움 계좌에 ETH 가 들어 있을 것입니다

경고: 사용할 ETH 전액을 Parity 이더리움 계좌로 이체해야 합니다. Parity 이더리움 계좌를 확인하려면 Parity 에서 계좌 설명을 더블클릭하세요. 거래소 계좌에서 곧바로 클라우드세일


계약 주소에 ETH 를 보내지 마세요. 그렇게는 크라우드세일에 참여하실 수 없습니다. 해당 거래는 취소될 수 있으며, 최악의 경우에는 ETH 를 잃어버리실 수도 있습니다. 그러므로 아래 설명된 단계를 따르시기 바랍니다.

단계 5: 설정에서 "CONTRACTS(계약)" 탭 활성화


SETTINGS(설정)으로 이동하세요. SETTINGS(설정)에서 "Contracts(계약)"에 체크해 "CONTRACTS(계약)" 탭을 활성화하세요. 이제 화면에 나타날 것입니다. "APPLICATIONS" 탭 오른쪽에 "CONTRACTS(계약)" 탭이 보이지 않는다면 활성화되지 않은 것입니다.



단계 6: LUN 토큰 계약 확인



위 화면을 보실 수 있을 것입니다. + Watch(보기)를 클릭하세요. 계약 유형을 묻는 창이 나타날 것입니다. 아래와 같이 “Custom Contract”를 선택하세요. 그리고 NEXT 를 클릭하세요.



"ENTER CONTRACT DETAILS(계약 상세 정보 입력)"라고 쓰여 있고, LUN 토큰 계약 주소(네트워크 주소), 계약 이름, 계약 abi 를 적는 양식 화면이 나타납니다.

ENTER CONTRACT DETAILS(계약 상세 정보 입력) 내 다음 정보를 입력하세요

1. **network address(네트워크 주소):** 0xfa05A73FfE78ef8f1a739473e462c54bae6567D9
2. **contract name(계약 이름):** Lunyr Token
3. **contract abi(계약 abi):** https://github.com/Lunyr/crowdsale-contracts/blob/master/contract_info.txt#L23

ENTER CONTRACT DETAILS

✓ choose a contract type

2 enter contract details

network address



contract name

Lunyr Token

(optional) contract description

an expanded description for the entry

contract abi

```
[{"constant":true,"inputs":[],"name":"name","outputs":[{"name":"","type":"string"}],"payable":false,"type":"function"}, {"constant":true,"inputs":[],"name":"vaultPercei
```

CANCEL


BACK

ADD CONTRACT

Parity/v1.6.3-beta-ccc5732-20170314/x86_64-windows-msvc/rustc1.15.1 Capable


3,402,487 best block **HOMESTEAD** 0/25/25 peers

이제 “+ ADD CONTRACT(계약 추가)”를 클릭해 LUN 토큰 계약을 추가하세요. 아래 화면이 나타납니다:




단계 7: 토큰 계약에서 생성() 기능 실행


LUNYR TOKEN 을 클릭하세요. 아래 화면이 나타납니다. 아래 화면 오른쪽 위에 빨간색으로 표시된 "EXECUTE(실행)"을 클릭하세요.




아래 화면이 나타납니다. Function(기능) 필드를 클릭하고 create()를 선택하세요.




이제 advanced sending options(고급 송금 옵션)에 체크하세요. transaction value (in ETH) (거래 금액)란에 LUN 구매에 사용할 ETH 금액을 입력하세요. 아래를 참고하세요.




다음 화면에는 ADVANCED OPTIONS(고급 옵션)이 나타납니다. 70,000gas 를 입력하세요. 만약 그것이 낮다면 70,000 까지 높이세요. POST TRANSACTION(거래 보내기)을 클릭하세요.



마지막으로 비밀번호를 입력한 뒤 CONFIRM REQUEST(요청 내용 승인)을 누르세요.



사용자가 승인하면 거래가 승인됩니다.



단계 8: LUN 잔고 확인

잔고를 확인하려면 이곳을 방문하세요

<https://etherscan.io/token/0xfa05A73FfE78ef8f1a739473e462c54bae6567D9>

"Filter by" 라고 되어 있는 곳에 주소를 입력하고 apply 를 클릭하세요. 잔고를 확인하실 수 있습니다.

Summary

Token Total Supply: 380,809.6778295771680004 TOKEN

Unique Address(es): 242 accounts

No Of Transfers: 290 events

Official Site: <https://lunyr.com/>

Misc

Contract Address: 0xfa05A73fE78ef8f1a739473e462c54bae6567D9

Token Decimals: 1^18

Filter By:

Token Address or Txhash

Apply

Token Transfer Events

Read Contract

Comments

A Total of 290 events found

First Prev Page 1 of 6 Next Last

Txhash	Block	Age	From	To	Value
0xe448be5352f3043...	3447919	39 mins ago	0x000000000000000...	0xf8c721e11f3a13a0...	88
0x42195a86001f1cdf...	3447900	45 mins ago	0x000000000000000...	0x00bd0e20f19a46f8...	99.8184
0x3a7375ec3c16b7b...	3447864	53 mins ago	0x000000000000000...	0x0ace99abaf4747d...	880
0x854820e96a0145c...	3447863	54 mins ago	0x000000000000000...	0x0079ed8d31fb199...	1,760
0x1f34367b450dba5...	3447821	1 hr 2 mins ago	0x000000000000000...	0x0079ed8d31fb199...	440
0xe65e21cfd3e6d45...	3447807	1 hr 5 mins ago	0x000000000000000...	0xf3ae733922fb8480...	214.72
0xf2e0a29131b2abf0...	3447788	1 hr 10 mins ago	0x000000000000000...	0x7308fe821c3ffd92...	1.320
0x48815ced471d5b3...	3447776	1 hr 13 mins ago	0x000000000000000...	0xf3ae733922fb8480...	4.4
0x110e74d4575786d...	3447751	1 hr 18 mins ago	0x000000000000000...	0x0ace99abaf4747d...	0.44
0x76d5751b6e271df5...	3447653	1 hr 41 mins ago	0x000000000000000...	0x00eb229e61d9fd2...	43.9384
0xc0321b7456bd616...	3447514	2 hrs 14 mins ago	0x000000000000000...	0x1f77fecbc6094fa0...	440
0xe01143b1e46c5c7f...	3447492	2 hrs 18 mins ago	0x000000000000000...	0x00e1160009dc5e4e...	31.60000000000000

이상입니다! Lunyr 클라우드세일에 참여해 주셔서 감사합니다!

경험 있는 참가자를 위한 Lunyr 클라우드세일 MyEtherWallet 안내

단계 1: LUN 토큰 계약 접근

MyEtherWallet.com 에 접속하세요. Contracts(계약)을 클릭하세요. 아래와 같은 화면이 나타납니다.

MyEtherWallet Open-Source & Client-Side Ether Wallet · v3.5.8 English ETH (MyEtherWallet)

Generate Wallet Send Ether & Tokens Swap Send Offline **Contracts** View Wallet Info Help

Interact with Contract or Deploy Contract

Contract Address or Select Existing Contract

0x7cB57B5A97eAbe94205C07890BE4c1aD31E486A8 Select a contract...

ABI / JSON Interface

```
[{"type": "constructor", "inputs": [{"name": "param1", "type": "uint256", "indexed": true}], "name": "Event"}, {"type": "function", "inputs": [{"name": "a", "type": "uint256"}], "name": "foo", "outputs": []}]
```

Access

MyEtherWallet
Open-Source, client-side tool for easily & securely interacting with the Ethereum network. Created by kvhnuke & tayvano.
Disclaimer

Donations are always appreciated!
ETH: 0x7cB57B5A97eAbe94205C07890BE4c1aD31E486A8
BTC: 1MEWT2SGbqtz6mPCgFcnea8XmW5Z4Wc6
You can also support us by supporting our blockchain-family.
Consider using our affiliate links to...
Swap ETH/BTC/EUR/CHF via Bity.com
Buy a Ledger Nano S

On the Web
www.MyEtherWallet.com
Github: MyEtherWallet.com & CX
Github: MyEtherWallet (Org)
Join Our Slack
Twitter
Facebook

다음 양식 정보를 입력하세요

1. **Contract Address(계약 주소):** 0xfa05A73FfE78ef8f1a739473e462c54bae6567D9

2. **Abi/JSON Interface(인터페이스):** https://github.com/Lunyr/crowdsale-contracts/blob/master/contract_info.txt#L23

단계 2: 토큰 계약에서 생성 기능 실행

Access(접근)를 클릭하세요. 그리고 "Read/Write Contract(계약 읽기/쓰기)"라고 되어 있는 곳에서 "create(생성)"을 선택하세요

The screenshot shows a web interface for interacting with a contract. At the top, there's a section titled "ABI / JSON Interface" containing a JSON array of contract functions. Below this is a blue button labeled "Access". Underneath, a red box highlights the "Read / Write Contract" section, which includes a dropdown menu currently set to "create". Below the dropdown, a section titled "How would you like to access your wallet?" lists several options: Keystore File (UTC / JSON), Private Key, Mnemonic Phrase, Parity Phrase, Ledger Nano S, and TREZOR. At the bottom of the interface is a blue button labeled "WRITE".

Keystore File 을 선택하거나 아무 옵션이나 선택해 이더리움 계좌를 선택하세요. 비밀번호를 입력하고 Unlock 을 클릭하세요. 아래 화면이 나타납니다. 진행할 준비가 되면 WRITE(쓰기)를 클릭하세요.

ABI / JSON Interface

```
[{"indexed":true,"name":"to","type":"address"},"name":"Transfer","type":"event"}, {"indexed":false,"name":"value","type":"uint256"}], {"anonymous":false,"inputs":[{"indexed":true,"name":"owner","type":"address"}, {"indexed":true,"name":"spender","type":"address"}, {"indexed":false,"name":"value","type":"uint256"}], "name":"Approval", "type":"event"}]
```

Access

Read / Write Contract

create ▾

How would you like to access your wallet?

- ☒ Keystore File (UTC / JSON)
- ☐ Private Key
- ☐ Mnemonic Phrase
- ☐ Parity Phrase
- ☐ Ledger Nano S
- ☐ TREZOR

Select Your Wallet File

SELECT WALLET FILE...

Your wallet is encrypted. Please enter the password.

.....

Unlock your Wallet

Unlock

WRITE

단계 3: LUN 구매에 사용할 ETH 금액 승인

아래와 같은 화면이 나타납니다. LUN 구매에 사용할 ETH 금액을 입력하세요. Gas 한도는 70,000 을 입력하세요. Generate Transaction(거래 생성)을 클릭하세요.

ABI / JSON In

```
{ "anonymous": true, "indexed": true, "inputs": [{"name": "id", "type": "uint256"}], "outputs": [{"name": "result", "type": "bool"}], "stateMutability": "view" }, { "anonymous": false, "indexed": true, "inputs": [{"name": "id", "type": "uint256"}], "outputs": [{"name": "result", "type": "bool"}], "stateMutability": "nonpayable" }, { "anonymous": false, "indexed": true, "inputs": [{"name": "id", "type": "uint256"}], "outputs": [{"name": "result", "type": "bool"}], "stateMutability": "nonpayable" }, { "anonymous": false, "indexed": true, "inputs": [{"name": "id", "type": "uint256"}], "outputs": [{"name": "result", "type": "bool"}], "stateMutability": "nonpayable" }, { "anonymous": false, "indexed": true, "inputs": [{"name": "id", "type": "uint256"}], "outputs": [{"name": "result", "type": "bool"}], "stateMutability": "nonpayable" }
```

Access

Read / Write Contract

create

WRITE

Warning!

You are about to execute a function on contract on the ETH chain.
The ETH node you are sending through is provided by MyEtherWallet.

Amount to Send

Gas Limit

70000

Generate Transaction


 **MyEtherWallet**
Open-Source, client-side tool for easily & securely interacting with the Ethereum network. Created by [kvhnuke](#) & [layvano](#).
[Disclaimer](#)

 Donations are always appreciated!
ETH: [0x7cB57B5A97eAbe94205C07890BE4c1aD31E486A8](#)
BTC: [1MEWT2SGbqtz6mPCgFcnea8XmWV5Z4Wc6](#)
 You can also support us by supporting our blockchain-family.
Consider using our affiliate links to...
[Swap ETH/BTC/EUR/CHF via Bity.com](#)
[Buy a Ledger Nano S](#)
[Buy a TREZOR](#)

 **On the Web**
www.MyEtherWallet.com
[Github: MyEtherWallet.com & CX](#)
[Github: MyEtherWallet \(Org\)](#)
[Join Our Slack](#)
[Twitter](#)
[Facebook](#)
 **Support**
[Email](#)
[Github Issue](#)

Latest Block#: 3429790

서명이 있는 거래가 생성됩니다. “Yes, I am sure! Make transaction(네, 확실합니다! 거래를 진행합니다)”를 클릭해 승인하세요. 구매한 LUN 을 받으시게 됩니다.



단계 4: LUN 잔고 확인

잔고를 확인하려면 이곳을 방문하세요

<https://etherscan.io/token/0xfa05A73FfE78ef8f1a739473e462c54bae6567D9>

"Filter by" 라고 되어 있는 곳에 주소를 입력하고 apply 를 클릭하세요. 잔고를 확인하실 수 있습니다.

Summary

Token Total Supply: 380,809.6778295771680004 TOKEN

Unique Address(es): 242 accounts

No Of Transfers: 290 events

Official Site: <https://lunyr.com/>

Misc

Contract Address: 0xfa05A73fE78ef8f1a739473e462c54bae6567D9

Token Decimals: 1^18

Filter By:

Token Address or Txhash

Apply

Token Transfer Events

Read Contract

Comments

A Total of 290 events found

First Prev Page 1 of 6 Next Last

Txhash	Block	Age	From	To	Value
0xe448be5352f3043...	3447919	39 mins ago	0x0000000000000000...	0xf8c721e1ff3a13a0...	88
0x42195a86001f1cdf...	3447900	45 mins ago	0x0000000000000000...	0x00bd0e20f19a46f8...	99.8184
0x3a7375ec3c16b7b...	3447864	53 mins ago	0x0000000000000000...	0x0ace99abaf4747d...	880
0x854820e96a0145c...	3447863	54 mins ago	0x0000000000000000...	0x0079ed8d31fb199...	1,760
0x1f34367b450dba5...	3447821	1 hr 2 mins ago	0x0000000000000000...	0x0079ed8d31fb199...	440
0xe65e21cfd3e6d45...	3447807	1 hr 5 mins ago	0x0000000000000000...	0xf3ae733922fb8480...	214.72
0xf2e0a29131b2abf0...	3447788	1 hr 10 mins ago	0x0000000000000000...	0x7308fe821c3ffd92...	1.320
0x48815ced471d5b3...	3447776	1 hr 13 mins ago	0x0000000000000000...	0xf3ae733922fb8480...	4.4
0x110e74d4575786d...	3447751	1 hr 18 mins ago	0x0000000000000000...	0x0ace99abaf4747d...	0.44
0x76d5751b6e271df5...	3447653	1 hr 41 mins ago	0x0000000000000000...	0x00eb229e61d9fd2...	43.9384
0xc0321b7456bd616...	3447514	2 hrs 14 mins ago	0x0000000000000000...	0x1f77fecbc6094fa0...	440
0xa01143b1a46c5c7f...	3447492	2 hrs 18 mins ago	0x0000000000000000...	0xa0a1143b094dc5a4...	31.65666666666666

이상입니다! Lunyr 클라우드세일에 참여해 주셔서 감사합니다!