

Lab – Explore YANG Models Using the pyang Tool

Objectives

Part 1: Install the pyang Python module

Part 2: Download YANG models for the IOS XE

Part 3: Use the pyang command line tool to transform the YANG models

Background / Scenario

YANG models define the exact structure, data types, syntax and validation rules for the content of messages exchanged between a managed device and another system communicating with the device. Working with files using the YANG language can be a bit overwhelming for the level of details in these files.

In this lab, you will learn how to use the open source pyang tool to transform YANG data models from files using the YANG language, into a much more easily human readable format. Using the “tree” view transformation, you will identify what are the key elements of the ietf-interfaces YANG model.

Required Resources

- Access to the Internet
- Python 3.x environment

Instructions

Part 1: Install the pyang Python module


In this part, you will install pyang module into your Python environment. Pyang is a python module that simplifies working with YANG files. The Pyang Python module comes with a pyang command line executable that transforms YANG files into a more human readable format (tree, html, etc.).

Step 1: Use pip to install pyang.

- a. Start a new Windows command prompt (cmd).
- b. Install pyang using pip in the Windows command prompt:

```
pip install --no-binary pyang pyang
```

NOTE: on mac or linux you can simply “pip install pyang” but temporarily on Windows the binary WHL file won’t include the Windows executable pyang file.



c. Verify

that pyang has been successfully installed. In the command prompt, type:

```
pyang -v
```

to display the installed pyang version.


Download YANG models for the IOS XE

Explore YANG models on the YangModels/yang GitHub repository.

- Using a web browser, navigate to <https://github.com/YangModels/yang>:
- Navigate to the vendor -> cisco -> xe -> 1693 directory. This directory represents all the YANG models that are supported in Cisco operating system IOS XE in version 16.9.3.
- Explore the ietf-interfaces.yang model.

Step 2: Download the YANG models for the IOS XE VM


- Unpack the YANG models from the official GitHub repo for cisco-xe-1693.zip archive file that contains a snapshot of the files in the GitHub repository.



Part 2: Use the pyang command line tool to transform the YANG models

- Start a Windows command prompt and navigate to the directory with the extracted archive file.
- Use the pyang tool to transform YANG files to a human readable format, for example using the “tree” format transformation:


pyang -f tree ietf-interfaces.yang



```

blogch@blogch: ~/Programacion-de-redes-2023/Unidad3/LAB_2.3
blogch@blogch:~/Programacion-de-redes-2023/Unidad3/LAB_2.3$ pyang -f tree ietf-interfaces.yang
ietf-interfaces.yang:6: error: module "ietf-yang-types" not found in search path
module: ietf-interfaces
  +-rw interfaces
    +-rw interface* [name]
      +-rw name string
      +-rw description string
      +-rw type identityref
      +-rw enabled? boolean
      +-rw link-up-down-trap-enable? enumeration {if-mib}?
    +-ro interface-state
      +-ro interface* [name]
        +-ro name string
        +-ro type identityref
        +-ro admin-status enumeration {if-mib}?
        +-ro oper-status enumeration
        +-ro last-change? yang:date-and-time
        +-ro if-index int32 {if-mib}?
        +-ro phys-address? yang:phys-address
        +-ro higher-layer-if* interface-state-ref
        +-ro lower-layer-if* interface-state-ref
        +-ro speed? yang:gauge64
      +-ro statistics
        +-ro discontinuity-time yang:date-and-time
        +-ro in-octets? yang:counter64
        +-ro in-unicast-pkts? yang:counter64
        +-ro in-broadcast-pkts? yang:counter64
        +-ro in-multicast-pkts? yang:counter64
        +-ro in-discards? yang:counter32
        +-ro in-errors? yang:counter32
        +-ro in-unknown-protos? yang:counter32
        +-ro out-octets? yang:counter64
        +-ro out-unicast-pkts? yang:counter64
        +-ro out-broadcast-pkts? yang:counter64
        +-ro out-multicast-pkts? yang:counter64
        +-ro out-discards? yang:counter32
        +-ro out-errors? yang:counter32
  
```

- Explore other YANG modules, for example the Cisco Native model for CDP: Cisco-IOS-XE-cdp.yang



```

blogch@blogch: ~/Programacion-de-redes-2023/Unidad3/LAB_2.3
blogch@blogch:~/Programacion-de-redes-2023/Unidad3/LAB_2.3$ pyang -f tree -p Cisco-IOS-XE-cdp.yang
^CTraceback (most recent call last):
  File "/home/blogch/.local/bin/pyang", line 33, in <module>
    sys.exit(load_entry_point('pyang==2.6.0', 'console_scripts', 'pyang')())
  File "/home/blogch/.local/lib/python3.10/site-packages/pyang/scripts/pyang_tool.py", line 359, in run
    text = sys.stdin.read()
KeyboardInterrupt

blogch@blogch:~/Programacion-de-redes-2023/Unidad3/LAB_2.3$ pyang -f tree Cisco-IOS-XE-cdp.yang
  
```

- Are there any “read only” operation data in the Cisco-IOS-XE-cdp.yang model?

Rd.=Si es un archivo de solo lectura.

- e. Is there any other YANG model that includes operational CDP data?

Re.=Sí, es posible que haya otros modelos YANG que contengan información operativa.