

General overview

Corpus	Analytics date	Language
ps_1.jsonl.tsv	3/17/2024	Pashto (ps)

Volumes

Docs	Segments	Unique segments	Tokens	Size	Characters
88,212	10,984,513	2,078,407 (18.92 %)	131M	900.22 MB	


Top 10 domains

Domain	Docs	% of total
taand.com	3.8K	4.27
spogmairadio.af	3.5K	4.00
larawbar.net	2.7K	3.04
qamosona.com	2.5K	2.87
pashtovoa.com	2.2K	2.52
khabarial.com	2.2K	2.46
kandahar-tv.com	2.1K	2.42
cri.cn	1.9K	2.16
nunn.asia	1.8K	2.04
wikipedia.org	1.7K	1.92


Top 10 TLDs

Domain	Docs	% of total
com	55K	62.31
af	8K	9.03
net	6.1K	6.97
org	5K	5.70
gov.af	2.6K	2.99
cn	1.9K	2.16
asia	1.9K	2.11
info	1.5K	1.70
org.af	570	0.65
tv	515	0.58

Documents size (in segments)




Documents by collection




Language Distribution


Number of segments




Percentage of segments in Pashto (ps) inside documents




Distribution of documents by document score



Segment length distribution by token



Segment noise distribution



Frequent n-grams

Size	n-grams
1	دي 428709 دې 464528 افغانستان 501104 دې 1388817 چې 1652289 کې 428709
2	71463 افغانستان کې 51888 مهم خبرونه 46617 اوبې مهم days ago 43757 hours ago 42234
3	46614 اوبې مهم خبرونه all rights reserved 21826 20739 داسې هم شته 13008 صلي الله عليه 11728 ساينس او ټکنالوژي
4	11980 صلي الله عليه وسلم 9078 دنور لارويان ريغيزه خبرونه 6580 چې په افغانستان کې from twitter for iphone 6146 opens in new window 5917
5	5450 رسول الله صلى الله عليه a password will be e 4498 4343 مونږ سره په تماس کې your email address will not 3816 email address will not be 3816

About HPLT Analytics

Volumes - Segments

Segments correspond to paragraph and list boundaries as defined by HTML elements (<p>, , , etc.) replaced by newlines.

Volumes - Tokens

Tokenized with <https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md>

Type-Token Ratio

Lexical variety computed as "number of types (uniques)/number of tokens", after removing punctuation (<https://www.sltinfo.com/wp-content/uploads/2014/01/type-token-ratio.pdf>).

Document size (in segments)

Segments correspond to paragraph and list boundaries as defined by HTML elements (<p>, , , etc.) replaced by newlines.

Language distribution

Language identified with FastSpell (<https://github.com/mbanon/fastspell>).

Distribution of segments by fluency score

Obtained with Monocleaner (<https://github.com/bitextor/monocleaner>).

Distribution of documents by average fluency score

Obtained with Monocleaner (<https://github.com/bitextor/monocleaner>).

Distribution of documents by document score

Obtained with Web Docs Scorer (<https://github.com/pablop16n/web-docs-scorer/>).

Segment length distribution by token

Tokenized with <https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md>

Segment noise distribution

Obtained with Bicleaner Hardrules (<https://github.com/bitextor/bicleaner-hardrules/>).

Frequent n-grams

Tokenized with <https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md>, after removing n-grams starting or ending in a stopword. Stopwords from <https://github.com/hplt-project/data-analytics-tool/blob/main/scripts/resources/README.txt>