

Classification of Finite Groups

Daniel Laing

23rd of March, 2023

MT4599

Groups of Order pq

Setup

Let G be a group of order pq where p and q are distinct prime numbers.

Without loss of generality, take $p > q$.

Sylow Subgroups

Let n_p and n_q denote the number of Sylow p -subgroups and Sylow q -subgroups of G respectively.

$$n_p \equiv 1 \pmod{p} \quad \text{and} \quad n_p \mid q$$

So G has a unique Sylow p -subgroup, say $P \trianglelefteq G$, and at least one Sylow q -subgroup, $Q \leq G$.

$$P \cong C_p, \quad Q \cong C_q$$

Pick generators: $\langle x \rangle = P$ and $\langle y \rangle = Q$.

Sylow q -subgroup

Because $n_q \equiv 1 \pmod{q}$, we have:

$$n_q = 1, p + 1, 2p + 1, \dots$$

So we have two cases:

$$q \nmid p - 1 \quad \text{or} \quad q \mid p - 1$$

Case 1: $q \nmid p - 1$

$$q \nmid p - 1$$

Here, $n_q = 1$ and so $Q \trianglelefteq G$.

So:

$$G = P \times Q \cong C_{pq}$$

Case 2: $q \mid p - 1$

$$q \mid p - 1$$

That was the easy one! Still have $n_q = 1$, but now also the other possibilities!

By Lagrange's Theorem: $P \cap Q = \mathbf{1}$.

By Lemma 4: $|PQ| = pq$.

So $G = PQ$. Hence:

$$G = P \rtimes Q$$

This is unique!

Presentation

Describe $P \rtimes Q$ by a *presentation*.

$$G = \langle x, y \mid x^p = y^q = 1, y^{-1}xy = x^a \rangle$$

where a is a generator for the subgroup of order q in $(\mathbb{Z}/p\mathbb{Z})^\times$.

Examples
