

UPPSALA UNIVERSITY



BAYESIAN STATISTICS AND DATA ANALYSIS

Assignment 2

General information

- The recommended tool in this course is R (with the IDE R-Studio). You can download R [here](#) and R-Studio [here](#). There are tons of tutorials, videos and introductions to R and R-Studio online. You can find some initial hints from [RStudio Education pages](#).
- When working with R, we recommend writing the report using R markdown and the provided [R markdown template](#). The remplate includes the formatting instructions and how to include code and figures.
- Instead of R markdown, you can use other software to make the PDF report, but the the same instructions for formatting should be used. These instructions are available also in [the PDF produced from the R markdown template](#).
- We supply a Google Colab notebook that can also be used for the assignments. We have included installation of all nessecary R packages and hence this can be an alternative to using your own local computer. You can find the notebook [here](#). You can also open the notebook in Colab [here](#).
- Report all results in a single and *anonymous* pdf.
- The course has its own R package **bsda** with data and functionality to simplify coding. To install the package just run the following (upgrade="never" skips question about updating other packages):

```
1. install.packages("remotes")
2. remotes::install_github("MansMeg/BSDA",
  subdir = "rpackage", upgrade="never")
```

- Many of the exercises can be checked automatically using the R package **markmyassignment**. Information on how to install and use the package can be found [here](#). There is no need to include **markmyassignment** results in the report.
- Common questions and answers regarding installation and technical problems can be found in [Frequently Asked Questions \(FAQ\)](#).
- Deadlines and information on how to turn in the assignments can be found in Studium.
- You are allowed to discuss assignments with your friends, but it is not allowed to copy solutions directly from other students or from internet. Try to solve the actual assignment problems with your own code and explanations. Do not share your answers publicly. Do not copy answers from the internet or from previous years. We compare the answers with urkund. All suspected plagiarism will be reported and investigated.
- If you have any suggestions or improvements to the course material, please post in the course chat feedback channel, create an issue, or submit a pull request to the public repository [here](#)

- It is *mandatory* to include the following four parts in all assignments (see template):
 1. Time used for reading: How long time took the reading assignment (in hours)
 2. Time used for the assignment: How long time took the basic assignment (in hours)
 3. Good with assignment: Write one-two sentences of what you liked with the assignment/what should we keep for next year.
 4. Things to improve in the assignment: Write one-two sentences of what you think can be improved in the assignment. Can something be clarified further? Did you get stuck on stuff that is not related to the content of the assignment etc.
-

Information on this assignment

This assignment is related to Chapters 1 and 2.

Reading instructions: Chapter 1 and 2 in BDA3, see reading instructions. You may find an additional discussion about choosing priors by Andrew Gelman useful, they can be found [here](#).

To use markmyassignment for this assignment, run the following code in R:

```
library(markmyassignment)
assignment_path <-
  paste("https://github.com/MansMeg/BSDA/",
        "blob/main/assignments/tests/assignment2.yml", sep="")
set_assignment(assignment_path)
# To check your code/functions, just run
mark_my_assignment()
```

Don't include markmyassignment results in the report.

General information

See formatting instructions in the template [here](#) on what to include.

Inference for binomial proportion (Computer)

Algae status is monitored in 274 sites at Finnish lakes and rivers. The observations for the 2008 algae status at each site are presented in file `algae.txt` ('0': no algae, '1': algae present). The data can also be accessed from the `bsda` R package as follows:

```
library(bsda)
data("algae")
head(algae)

## [1] 0 1 1 0 0 0

# the data is now stored in the variable 'algae'
```

So that you can test the correctness of your code implementations, we provide some results for the following **test data**. It is also possible to check the functions you need to implement with `markmyassignment`.

```
algae_test <- c(0, 1, 1, 0, 0, 0)
```

Note! This data is **only for the tests**, you need to change to the full data `algae` when reporting your results.

Let π be the probability of a monitoring site having detectable blue-green algae levels and y the observations in `algae`. Use a binomial model for the observations y and a $\text{Beta}(2, 10)$ prior for binomial model parameter π to formulate a Bayesian model. Here it is not necessary to derive the posterior distribution for π as it has already been done in the book and it suffices to refer to that derivation. Also, it is not necessary to write out the distributions; it is sufficient to use label-parameter format, e.g. $\text{Beta}(\cdot, \cdot)$.

Your task is to make Bayesian inference for binomial model and answer questions based on it:

- formulate (1) the likelihood $p(y|\pi)$ as a function of π , (2) the prior $p(\pi)$, and (3) the resulting posterior $p(\pi|y)$. Report the posterior in the format $\text{Beta}(\cdot, \cdot)$, where you replace \cdot 's with the correct numerical values.
- What can you say about the value of the unknown π according to the observations and your prior knowledge? Summarize your results with a point estimate (i.e. $E(\pi|y)$) and a 90% posterior interval. **Note!** Posterior intervals are also called credible intervals and are different from confidence intervals. **Note!** In your report, use the values from the data `algae`, not `algae_test`.

```
beta_point_est(prior_alpha = 2, prior_beta = 10, data = algae_test)

## [1] 0.2222222

beta_interval(prior_alpha = 2, prior_beta = 10, data = algae_test, prob = 0.9)

## [1] 0.0846451 0.3956414
```

- c) What is the probability that the proportion of monitoring sites with detectable algae levels π is smaller than $\pi_0 = 0.2$ that is known from historical records?

```
beta_low(prior_alpha = 2, prior_beta = 10, data = algae_test, pi_0 = 0.2)

## [1] 0.4511238
```

- d) What assumptions are required in order to use this kind of a model with this type of data? (No need to discuss exchangeability yet, as it is discussed in more detail in BDA Chapter 5 and Lecture 7)
- e) Make prior sensitivity analysis by testing a couple of different reasonable priors and plot the different posteriors. Summarize the results by one or two sentences.

Hint! With a conjugate prior, a closed-form posterior is Beta form (see equations in the book). Useful functions: `dbeta`, `pbeta`, `qbeta` in R.