

Final exercise

true

2024-04-12 (updated: 2023-04-12)

Contents

Introduction	1
Optional tasks	1
Alternatives	2
Solutions	2

```
# run the install command if did not do it before
# install.packages('remotes')
# remotes::install_github("Bolin-Wu/workshopr", subdir = "rpackage", force = TRUE)

# load the package
library(workshopr)
library(tidyverse)
library(here)
```

Introduction

Generate a html/word report based on the simulated data set “fake_data” using (1) the rmarkdown templates created by Bolin Wu, (2) loop/apply functions, and (3) rmarkdown cheatsheet (<https://www.rstudio.com/wp-content/uploads/2015/02/rmarkdown-cheatsheet.pdf>). Feel free to build on the syntaxes Bolin Wu and Ashley Tate wrote.

Optional tasks

The report can include the following contents:

- Summary statistics of the datasets in a table (mean and standard deviation for continuous variables, count and percentage for categorical variables, the number of missing values in each variable).

Hints: use “mutate” (from tidyverse) to define variable classes; use “select(where())” (from tidyverse) to select variables; use “summarise()” (from tidyverse) or “sapply()” to summarise.

- Summarise the associations of MMSE score at wave 1 with age at wave 1, sex, and educational levels in a table.

Hints: use “tapply()” to summarise across sex strata; write loops to summarise multiple variables.

- Make any graph you want to make with the simulated data. If you don’t know what to draw, try to make a spaghetti plot of MMSE changes over time.

Hint: use “pivot_longer()” to reshape data from a wide format to a long format.

- In a table, summarise the results of a regression. If you don't know which model to build, try summarising the output of this model: `glm(formula = mmse_wave1~age_base+sex+education, family = "gaussian", data = fake_data)`.

Hints: first, check the elements in the output of the model summary by typing `summary(model_name)$`, `confint(model_name)`, etc; build an empty data frame with names of quantities (e.g., coefficients); use loops and “rbind” to add model results into the empty data frame.

Alternatives

- Using the simulated dataset, create a report and decide the contents of the report on your own.
- Create a report using your own data.

Solutions

You can find solutions from Xin Xia by

```
workshopr::get_solution_2023(name = "practice_solution")
```