

DOUBLE ELIMINATION 4

TOSS-UP

1) X-Risk - *Multiple Choice* Among the significant barriers to interstellar travel is the incessant obsolescence postulate. Which of the following best explains this thought?

W) We should not embark until we have a spacecraft that can best protect us from collisions

X) We should not embark until we can cryogenically freeze so humans can survive the voyage

Y) We should not embark until a spacecraft can transport a civilization-level population to increase the chance of survival

Z) We should not embark until we have developed the fastest spacecraft possible because it will overtake any others

ANSWER: Z) We should not embark until we have developed the fastest spacecraft possible because it will overtake any others

BONUS

1) X-Risk - *Multiple Choice* Which of the following is not an example of survivorship bias?

W) Every college student should drop out because Mark Zuckerberg succeeded as a college dropout

X) World War II planes needed repair on the sections that showed the most damage caused by enemy bullets

Y) People with greater health insurance coverage will take more risks, leading to more insurance use

Z) Purchasing stocks that match Warren Buffet's portfolio will lead to greater returns than the general market

ANSWER: Y) People with greater health insurance coverage will take more risks, leading to more insurance use

TOSS-UP

2) Math - *Short Answer* A regular dodecagon is inscribed in a unit circle. The area of the dodecagon has what integer value?

ANSWER: 3

BONUS

2) Math - *Short Answer* What is the slant asymptote of the equation $y = (x^2 + 3x + 2)/(x - 2)$?

ANSWER: $y = x + 5$

TOSS-UP

3) Chemistry - *Multiple Choice* During the reaction between benzene and chlorine in the presence of an aluminum trichloride catalyst, which of the following bonds acts as the nucleophile for the addition of chlorine to the aromatic pi system?

- W) Carbon-hydrogen sigma bond
- X) Carbon-carbon pi bond
- Y) Chlorine-chlorine sigma bond
- Z) Aluminum-chlorine sigma bond

ANSWER: X) Carbon-carbon pi bond

BONUS

3) Chemistry - *Short Answer* In the hexacarbonyl [hex-uh-CAR-buh-nul] complex of neutral chromium, how many unpaired electrons does the central chromium atom have?

ANSWER: 0

TOSS-UP

4) Earth and Space - *Multiple Choice* The radiometric age of certain crystals in sphene and other minerals may be reset during which of the following interactions?

- W) Exposure to radioactive minerals
- X) Contact metamorphism
- Y) Shearing during regional metamorphism
- Z) Fluid interactions during deformation

ANSWER: Z) Fluid interactions during deformation

BONUS

4) Earth and Space - *Short Answer* Seismic tomography shows that some subducted plates are unable to dive into the lower mantle, but instead flatten out at what boundary within the mantle?

ANSWER: Transition zone

TOSS-UP

5) Biology - *Short Answer* During homologous recombination, what key intermediate structure is formed that allows for the transfer of DNA between chromosomes?

ANSWER: Holliday junction

BONUS

5) Biology - *Multiple Choice* Which of the following amino acids is ketogenic [kee-toh-JEN-ic]?

W) Leucine

X) Serine

Y) Glycine

Z) Aspartate

ANSWER: W) Leucine

TOSS-UP

6) Physics - *Multiple Choice* Which of the following statements is consistent between three-dimensional quantum mechanics and classical mechanics?

- W) Rotations about different axes do not commute
- X) Repeated measurements of different observables yield the same result
- Y) Spatial frequencies define positional evolution
- Z) Temporal frequencies define temporal evolution

ANSWER: W) Rotations about different axes do not commute

BONUS

6) Physics - *Short Answer* A charged particle that is initially stationary is quickly accelerated to some non-relativistic speed in the positive x -direction. Identify all of the following directions along which one would expect electromagnetic radiation:
1) Positive- x ; 2) Negative- y ; 3) Between negative- x and positive- y .

ANSWER: 2 and 3

TOSS-UP

7) X-Risk - *Short Answer* The liquid drop model of the atomic nucleus is based on what formula, which provides a good approximation of atomic masses, but does not account for magic numbers?

ANSWER: Semi-empirical mass formula (ACCEPT: Bethe–Weizsäcker formula)

BONUS

7) X-Risk - *Multiple Choice* Which type of neural network, commonly used for image processing, is based on applying translationally-invariant filters to an image?

W) Time delay neural network

X) Deep neural network

Y) Fully connected neural network

Z) Convolutional neural network

ANSWER: Z) Convolutional neural network

TOSS-UP

8) Math - *Short Answer* How many distinct positive divisors does 30^4 have?

ANSWER: 125

BONUS

8) Math - *Short Answer* Suppose you have 2 red balls, 1 blue ball, and 1 green ball in a bag. You draw balls from the bag one at a time without replacement until you have drawn one ball of each color. What is the probability that the last ball you draw is blue?

ANSWER: 5/12

TOSS-UP

9) Chemistry - *Multiple Choice* Which of the following is closest to the ratio of the heat capacity of a triatomic gas in a constant volume process to the heat capacity of helium in a constant pressure process?

- W) 0.8
- X) 1.2
- Y) 1.6
- Z) 2.0

ANSWER: X) 1.2

BONUS

9) Chemistry - *Short Answer* Identify all of the following three molecules that have no active modes in Raman spectroscopy: 1) Hydrogen; 2) Ethane; 3) Carbon dioxide.

ANSWER: None

TOSS-UP

10) Earth and Space - *Short Answer* A neutron star can cool off quickly by what process that emits neutrinos and antineutrinos, which more easily travel through a neutron star compared to photons?

ANSWER: Urca [UR-kuh] process

BONUS

10) Earth and Space - *Short Answer* The Blandford-Znajek process of energy extraction is currently the preferred model of the power needed for the formation of what component of an active galactic nucleus?

ANSWER: Jets

TOSS-UP

11) Biology - *Multiple Choice* In order to selectively elute a protein from a solution via chelation [kee-LAY-shin] with a metal ion, six residues of which of the following amino acids are typically engineered onto the C-terminus of the protein?

- W) Serine
- X) Lysine
- Y) Arginine
- Z) Histidine

ANSWER: Z) Histidine

BONUS

11) Biology - *Multiple Choice* Which of the following changes would you expect to see to the slope and the Y intercept, respectively, of a Lineweaver-Burke plot during noncompetitive inhibition of an enzyme?

- W) Slope increases, Y intercept increases
- X) Slope increases, Y intercept remains the same
- Y) Slope remains the same, Y intercept increases
- Z) Slope remains the same, Y intercept decreases

ANSWER: W) Slope increases, Y intercept increases

TOSS-UP

12) Physics - *Multiple Choice* Which of the following values is closest to the currently accepted value for the coupling constant of the electromagnetic field?

W) 0.0001

X) 0.001

Y) 0.01

Z) 0.1

ANSWER: Y) 0.01

BONUS

12) Physics - *Multiple Choice* A 2.50 mole sample of an ideal gas expands reversibly and isothermally at 360 kelvin until its volume is doubled. What is the increase in entropy of the gas, in joules per kelvin?

W) 7.2

X) 14.4

Y) 21.6

Z) 28.8

ANSWER: X) 14.4

TOSS-UP

13) X-Risk - *Short Answer* The training of a perceptron will fail if the data that it is being trained to classify does not satisfy which property of sets of points?

ANSWER: Linear separability

BONUS

13) X-Risk - *Multiple Choice* In game theory, which course of action maximizes the payoff from a coordination game?

- W) Picking the same outcome as the other player
- X) Picking the outcome that maximizes the other player's gain
- Y) Picking the outcome that beats what the other player did last time
- Z) Picking the outcome that maximizes your minimum score

ANSWER: W) Picking the same outcome as another player

TOSS-UP

14) Math - *Short Answer* How many integers between 1 and 20 inclusive, are not divisible by a perfect square greater than 1?

ANSWER: 13

BONUS

14) Math - *Short Answer* How many positive numbers with each digit greater than 3 are divisible by 8?

ANSWER: 27

TOSS-UP

15) Chemistry - *Short Answer* Order the following three compounds by increasing London dispersion forces: 1) Nitrogen; 2) Chloroform; 3) Benzene.

ANSWER: 1, 2, 3

BONUS

15) Chemistry - *Multiple Choice* Which of the following changes to 2-bromopentane would most accelerate its SN2 reaction with potassium cyanide in tetrahydrofuran [tet-ruh-hy-dro-FYUR-an]?

- W) Installing a carbonyl [CAR-buh-nul] group at the alpha carbon
- X) Installing a carbonyl group at the beta carbon
- Y) Substituting potassium cyanide with potassium azide
- Z) Replacing the solvent with an alcohol

ANSWER: X) Installing a carbonyl group at the beta carbon

TOSS-UP

16) Earth and Space - *Short Answer* What is the smallest possible Shreve [SHREEV] order of the trunk stream in a watershed with 15 first order tributary streams?

ANSWER: 15

BONUS

16) Earth and Space - *Short Answer* Identify all of the following three types of winds that are commonly associated with rain shadows: 1) Fohn winds; 2) Chinook winds; 3) Katabatic winds.

ANSWER: 1 and 2

TOSS-UP

17) Biology - *Multiple Choice* Which of the following plant hormones can be produced by the degradation of tRNAs?

- W) Cytokinins
- X) Absciscic Acid
- Y) Auxins
- Z) Gibberellins

ANSWER: W) Cytokinins

BONUS

17) Biology - *Short Answer* What organelle contains the malate-aspartate shuttle?

ANSWER: Mitochondrion

TOSS-UP

18) Physics - *Short Answer* What law in electromagnetism may be seen as analogous to Newton's third law in classical mechanics and Le Chatelier's principle in chemistry?

ANSWER: Lenz's law

BONUS

18) Physics - *Multiple Choice* The average intensity of sunlight on Earth's surface is 700 watts per meter squared. What is the amount of energy, in joules, that falls on a solar collector having an area of 0.5 meters squared in 4 hours?

W) 2.5×10^6

X) 5×10^6

Y) 7.5×10^6

Z) 1×10^7

ANSWER: X) 5×10^6

TOSS-UP

19) X-Risk - *Multiple Choice* Which of the following vaccine technologies was developed first?

- W) Live-attenuated pathogen
- X) Inactivated pathogen
- Y) Subunit
- Z) Toxoid

ANSWER: W) Live-attenuated pathogen

BONUS

19) X-Risk - *Multiple Choice* In a simplified feedforward neural network, what mathematical operation does a hidden layer most closely correspond to?

- W) Regularization
- X) Linear transformation
- Y) Nonlinear transformation
- Z) Classification

ANSWER: Y) Nonlinear transformation

TOSS-UP

20) Math - *Multiple Choice* Which of the following is not the number of edges of a regular polyhedron?

- W) 6
- X) 8
- Y) 12
- Z) 30

ANSWER: X) 8

BONUS

20) Math - *Short Answer* How many natural numbers less than 100 do not contain the digits 0 or 5?

ANSWER: 72

TOSS-UP

21) Chemistry - *Short Answer* L-glucose and L-galactose are an example of a pair of what type of stereoisomers, where only one chiral center of the stereoisomers is inverted in configuration?

ANSWER: Epimers

BONUS

21) Chemistry - *Multiple Choice* A sample of 1-bromobutane is exposed to a solution of trimethylamine N-oxide, followed by treatment with methyllithium. What is the IUPAC name of the compound produced?

W) 2-pentanol

X) 2-pentanone

Y) 2-methyl-2-pentanol

Z) Methyl butanoate

ANSWER: W) 2-pentanol

TOSS-UP

22) Earth and Space - *Multiple Choice* A white dwarf's radius is proportional to its mass raised to what power?

- W) $1/2$
- X) $1/3$
- Y) $-1/3$
- Z) -1

ANSWER: Y) $-1/3$

BONUS

22) Earth and Space - *Multiple Choice* The GZK limit is an upper limit bound for the energy of protons coming from distant galaxies. What causes this bound to exist only for protons traveling a long distance?

- W) Interactions with the interstellar medium
- X) Interactions with the heliosphere
- Y) Interactions with the cosmic microwave background
- Z) Interactions with dark matter

ANSWER: Y) Interactions with the cosmic microwave background

TOSS-UP

23) Biology - *Short Answer* Peristaltic activity in the small intestine called an MMC can be caused by the release of which peptide hormone from the small intestine?

ANSWER: Motilin

BONUS

23) Biology - *Short Answer* Identify all of the following three statements that are true of tertiary structure: 1) Salt bridges are stronger in solvents that have a lower dielectric constant; 2) Thermophilic bacteria contain higher proportions of disulfide bonds in proteins; 3) Adding reduced glutathione would likely denature an immunoglobulin chain containing a disulfide bond.

ANSWER: All

TOSS-UP

24) Physics - *Short Answer* What is the term for the dimensionless parameter that describes how underdamped an oscillator is?

ANSWER: Q factor (ACCEPT: Quality factor)

BONUS

24) Physics - *Short Answer* Tyler decides to dig a tunnel straight through the center of the earth, but unknowingly digs a tunnel off-center by a distance of $R/2$, where R is the radius of the earth. What is the ratio of the period of oscillations he observes to the period of oscillations he expects?

ANSWER: 1