

## Goal

#### NYC.gov provides monthly exports of NYC yellow taxi trip records:

- https://www1.nyc.gov/site/tlc/about/tlc-trip-record-data.page
- Latest Full Dumps:
  - https://nyc-tlc.s3.amazonaws.com/trip+data/yellow\_tripdata\_2020-12.csv
  - https://nyc-tlc.s3.amazonaws.com/trip+data/yellow\_tripdata\_2020-11.csv
  - https://nyc-tlc.s3.amazonaws.com/trip+data/yellow\_tripdata\_2020-10.csv
  - ...

```
VendorID,tpep_pickup_datetime,tpep_dropoff_datetime,passenger_count,trip_distance,RatecodeID,store_and_fwd_flag,PUL ocationID,DOLocationID,payment_type,fare_amount,extra,mta_tax,tip_amount,tolls_amount,improvement_surcharge,total_a mount,congestion_surcharge

1,2020-12-01 00:07:13,2020-12-01 00:18:12,1,7.60,1,N,138,263,1,21.5,3,0.5,2.5,6.12,0.3,33.92,2.5

1,2020-12-01 00:41:19,2020-12-01 00:49:45,1,1.60,1,N,140,263,1,83,0.5,2.95,0,0.3,14.75,2.5

2,2020-12-01 00:33:40,2020-12-01 01:00:35,1,16.74,2,N,132,164,1,52,0,0.5,2.5,6.12,0.3,63.92,2.5

2,2020-12-01 00:02:15,2020-12-01 00:13:09,1,4.16,1,N,238,48,1,14,0.5,0.5,1,0,0.3,18.8,2.5

2,2020-12-01 00:37:42,2020-12-01 00:45:11,1,2.22,1,N,238,41,2,8.5,0.5,0.5,0.0,0.3,9.8,0

1,2020-12-01 00:27:47,2020-12-01 00:45:40,0,8.40,1,N,138,137,1,25,3,0.5,6,6.12,0.3,40.92,2.5

2,2020-12-01 00:40:47,2020-12-01 00:57:03,1,6.44,1,N,132,191,1,19,5,0.5,0.5,0.5,4.16,0,0.3,24.96,0

2,2020-12-01 00:01:42,2020-12-01 00:06:06,1,.99,1,N,234,137,1,5.5,0.5,0.5,1,0,0.3,41.3,2.5

1,2020-12-01 00:08:15,2020-12-01 00:16:04,2,2.70,1,N,237,107,1,9.5,3,0.5,2.65,0,0.3,15.95,2.5

2,2020-12-01 00:04:21,2020-12-01 00:29:00,1,6.28,1,N,41,68,2,23,0.5,0.5,0,0,0.3,26.8,2.5

[...]
```

yellow\_tripdata\_2020-12.csv



### Goal


We want to make use of this data to calculate some KPIs

#### Workflow:

- Gather data from https://www1.nyc.gov/site/tlc/about/tlc-trip-record-data.page
- Save raw data (CSV files) to HDFS (partitioned by YYYY-MM)
- Optimize, reduce and clean raw data and save it to final directory on HDFS
- Calculate KPIs and Export them to an Excel File
- The whole data workflow must be implemented within an ETL workflow tool (e.g. Pentaho Data Integration or Airflow) and run automatically



# Dataflow: 1. Get TLC NYC Taxi Data



### Dataflow: 2. Raw To Final Transfer



/user/hadoop/nyc\_taxi/**raw/2020-12/**\*.csv /user/hadoop/nyc\_taxi/**raw/2020-11/**\*.csv /user/hadoop/nyc\_taxi/**raw/2020-10/**\*.csv









- move data from raw to final directory
- optimize and reduce data structure for later query purposes if necessary
- remove duplicates if necessary
- ...



/user/hadoop/nyc\_taxi/final/2020-12/\*
/user/hadoop/nyc\_taxi/final/2020-11/\*
/user/hadoop/nyc\_taxi/final/2020-10/\*

. . .



# Dataflow: 3. Calculate And Export KPIs





- calculate KPIs and export them to Excel
- use Hive, Spark or PySpark



# Dataflow: 4. KPIs To Calculate

### **Calculate per Month:**

- Average Trip Duration (in minutes)
- Average Trip Distance (in miles)
- Average total amount (in USD)
- Average tip amount (in USD)
- Average passenger count (as Number)
- Usage Share by payment type (credit card, cash... in percent)
- Usage share per timeslot (in percent):
  - 00:00-06:00
  - 06:00-12:00
  - 12:00-18:00
  - 18:00-24:00

