#### BIOL 3295 Fall 2019

## Assignment 2 due Friday Oct 11, 1pm

### Geometric and exponential growth

Note that in class, I refer to exponential growth in discrete time as 'geometric growth', while the Vandermeer and Goldberg textbook refers to this as exponential growth.

- 1.1 Exercise 1.1 in [Vandermeer and Goldberg, 2013]. Calculate the population size for t = 1, 2, 3, 4 and 5.
- **1.2** Exercise 1.2 in [Vandermeer and Goldberg, 2013], but only for  $\lambda = 2$ .
- 1.3 Exercise 1.3 in [Vandermeer and Goldberg, 2013]. Do this question only for tripling time. Here, 'exponentially growing' refers to a discrete time geometric growth equation (equation 3 in Vandermeer and Goldberg, 2013). Note that the population has tripled when  $N_t/N_0 = 3$ . Use the general solution:  $N_t = \lambda^t N_0$ , and take the natural logarithm of both sides of an equation to isolate t in your formula. Come see myself or a TA if you need help.
- 1.4 Exercise 1.4 in [Vandermeer and Goldberg, 2013]. Note that your plot will consist of 12 points; the four points:  $(N_1, N_2)$ ,  $(N_2, N_3)$ ,  $(N_3, N_4)$ , and  $(N_4, N_5)$  where (x, y) are the x- and y- coordinates of the point; for each of the three  $\lambda$  values. Use different symbols to represent the 3 different  $\lambda$  values.
- **1.5** Assume a population is growing exponentially (continuous time). Let r = 1.5 and N(0) = 1. Calculate the population size at time, t = 5.
- **1.6** Assume a population is growing exponentially (continuous time). Let r = 1.5 and N(0) = 1. What is the rate of change in population size,  $\frac{dN(t)}{dt}$ ?

## Logistic growth

- **2.1** The continuous time logistic growth equation is equation 17 in [Vandermeer and Goldberg, 2013]. For this equation, for what values of N, is  $\frac{dN(t)}{dt} = 0$ ?
- **2.2** Sketch a graph of the solution to a continuous time logistic growth model (i.e. such that  $\frac{dN}{dt} = rN\left(1 \frac{N}{K}\right)$ ) with population size, N, on the y-axis and time, t on the x-axis. Plot the following scenarios:
  - (a) r > 0 and 0 < N(0) < K, where N(0) denotes the population size at time, t = 0,
  - **(b)** r > 0 and N(0) > K, and
  - (c) r < 0 and 0 < N(0) < K.

Please make sure your answer clearly indicates which lines correspond to (a),(b), and (c).

- **2.3** Define the per capita growth rate as  $\frac{dN}{dt} \frac{1}{N}$ . Sketch a graph of the per capita growth rate for a continuous time logistic model (y-axis) versus population size, N (x-axis). Assume r > 0 and make sure your graph clearly indicates:
  - The value of the per capita growth rate when N=0 (i.e., the y-intercept).
  - The value of N when the per capita growth rate is 0 (i.e., the x-intercept)
  - The slope of the line.
- 2.4 Name a significant limitation of May's discrete time logistic map potentially limiting it's applicability to biological populations.

# References

[Vandermeer and Goldberg, 2013] Vandermeer, J. H. and D. E. Goldberg, 2013. Population ecology: first principles. Princeton University Press. Available as an ebook from the MUN library. https://ebookcentral.proquest.com/lib/mun/detail.action?docID=1205619