TABLE 1 - INITIAL ISOLATION AND PROTECTIVE ACTION DISTANCES

jes)		HT s (Miles)	(2.6 mi)	(2.2 mi)	(7.0+ mi)	(1.2 mi)	(1.4 mi)	(7.0+ mi)	(4.2 mi)	
LARGE SPILLS (From a large package or from many small packages)	Then PROTECT persons Downwind during	DAY Kilometers (Miles) Kilometers (Miles)	4.1 km	3.6 km	11.0+ km (7.0+ mi	1.9 km	2.2 km (1.4 mi)	11.0+km (7.0+mi)	6.7 km	
			(1.5 mi)	(1.0 mi)	(6.8 mi)	(0.3 mi)	(0.5 mi)	(3.1 mi)	(1.5 mi)	
	First ISOLATE In all Directions	I Kilomel	2.4 km	1.6 km	10.8 km	0.5 km	0.8 km	5.0 km	2.5 km	
		Meters (Feet)	(e00 ft)	(500 ft)	(3000 ft)	(000 #)	(500 ft)	(2500 ft)	400 m (1250 ft)	
SMALL SPILLS (From a small package or small leak from a large package) (Fro	Then Then BROTECT SO SPECT SO SPECT SO SPECT SO SPECT SPEC	NIGHT Kilometers (Miles) Meters	200 m	150 m	1000 m	200 m	150 m	800 m		
			(0.7 mi)	(0.4 mi)	(3.1 mi)	(0.2 mi)	0.1 km (0.1 mi) 0.2 km (0.2 mi)	2.5 km (1.6 mi)	0.3 km (0.2 mi) 1.1 km (0.7 mi)	
			1.1 km	0.7 km	5.0 km	0.3 km	0.2 km		1.1 km	
		DAY Kilometers (Miles)	0.4 km (0.3 mi)	(0.1 mi)	(0.8 mi)	(0.1 mi)	(0.1 mi)	0.5 km (0.3 mi)	(0.2 mi)	
)d	D Kilomete		0.2 km	1.3 km	0.1 km				
	First ISOLATE in all Directions	Meters (Feet)	(100 ft)	(100 ft)	(300 ft)	(100 ft)	30 m (100 ft)	100 m (300 ft)	(200 ft)	
(From a	 	Meters	30 m	30 m	100 m	30 m	30 m	100 m	e0 m	
		Guide NAME OF MATERIAL	Organophosphorus compound, poisonous, flammable, n.o.s. Organophosphorus compound, toxic, flammable, n.o.s.	Organoarsenic compound, liquid, n.o.s.	Metal carbonyls, liquid, n.o.s.	Hydrogen cyanide, solution in alcohol, with not more than 45% Hydrogen cyanide	Carbon dioxide and Ethylene oxide mixture, with more than 87% Ethylene oxide Ethylene oxide and Carbon dioxide mixture, with more than 87% Ethylene oxide	Compressed gas, poisonous, oxidizing, n.o.s. Compressed gas, poisonous, oxidizing, n.o.s. (Inhalation Hazard Zone A)	Compressed gas, poisonous, oxidizing, n.o.s. (Inhalation Hazard Zone B)	
		Guide	131	151	151	131	119P	124	124	
		<u>-</u> 9	3279	3280	3281	3294	3300	3303	3303	