Building Modern Data Stacks

Project Brief Adventure Works

Adventure works is a bicycle manufacturing company. This project demonstrated how to build data pipelines for an e-commerce, implement machine learning models, and develop business intelligence reporting solutions.

Building Modern Data Stacks

First Things First !!! Four Key Questions

I. Where do we consolidate our data? > Storage

II. How will we get it there ? > Ingestion

III. How will we clean it up? > Transformation

IV. How will we analyze it? > Reporting



The Big Choice

Data Stack


Popular Options

Storage > Snowflake, <u>BigQuery</u>, <u>s3</u>, Redshift Ingestion > Airbyte, <u>Airflow</u>, Fivetran Transformation > <u>dbt</u> Reporting > Tableau, Power BI, <u>Looker</u>, Superset


N/B This is not an exhaustive list.

Data Stack Architecture Design

Source Ingestion







Reporting



End Goal

Put data to use

"Data is like garbage. You'd better know what you are going to do with it before you collect it."

~ Mark Twain

PROJECTS

01 Storage/Database/Data Warehouse Google **BigQuery Snowflake AWS Redshift** Ingestion 02 **Apache Airflow** <u>Airbyte</u> Dagster 03 **Transformation** Setting up dbt **Building Models** Reporting Looker Tableau Power BI

INGESTION - Apache Airflow

Setting up Apache Airflow - <u>Documentation</u> <u>Python ELT (Extract Load Transform) script</u>

importing libraries

from airflow.decorators import dag, task
from datetime import datetime, timedelta
import requests
from google.cloud import bigquery
import pandas as pd
import psycopg2
from io import StringIO

INGESTION

Setting up Apache Airflow Defining a DAG - Directed Acyclic Graph

```
args{
    "owner":"gwayi",
    "retries": 1,
    "retry_delay":timedelta(minutes=5)
}

@dag(
    default_arguments = args
    schedule=timedelta(minutes=30),
    start_date=datetime(2024, 7, 29),
    catchup=False,
    tags=['Team B']
)
```

INGESTION

Setting up Apache Airflow Extract Task Group – Source PostgreSQL Database

```
rows = cursor.fetchall()
@task()
def extract():
  try:
                                             output.update({table[0]: rows})
                                                    return output
     src_cursor.execute(sql)
     tables = cursor.fetchall()
                                                 except Exception as e:
                                                     print("extract error:" +
     output = \{\}
                                             str(e))
     for table in tables:
       cursor.execute(f"SELECT *
                                                 finally:
               FROM {table[0]}")
                                                     connection.close()
                                             output = extract()
```

Incremental Load Data Change Capture


Timestamp Approach – extracts all rows modified Since the last execution date {{ds}}.

```
SELECT *
FROM {table[0]}
WHERE last_updated >= '{{ ds }}';
```


INGESTION

Setting up Apache Airflow Load Task Group – Destination BigQuery

Orchestrating Data Pipeline - Airflow



Google BigQuery



SCHE	MA DETAI	LS PREVIEW	TABLE EXPLORER PREVIEW	INSIGHTS PREVIEW	LINEAGE
Row	customerid	firstname	lastname	fullname	
1	1305	A.	Leonetti	A. Leonetti	
2	1305	A.	Leonetti	A. Leonetti	
3	829	Ed	Dudenhoefer	Ed Dudenhoefer	
4	829	Ed	Dudenhoefer	Ed Dudenhoefer	
5	1953	H.	Valentine	H. Valentine	
6	1953	H.	Valentine	H. Valentine	
7	539	Jo	Brown	Jo Brown	
8	539	Jo	Brown	Jo Brown	
9	1917	Abe	Tramel	Abe Tramel	
10	1917	Abe	Tramel	Abe Tramel	
11	323	Amy	Alberts	Amy Alberts	
12	323	Amy	Alberts	Amy Alberts	
13	735	Amy	Consentino	Amy Consentino	
14	735	Amy	Consentino	Amy Consentino	
15	1033	Ann	Hass	Ann Hass	
16	1033	Ann	Hass	Ann Hass	
17	437	Ann	Beebe	Ann Beebe	